

02.23.2015

Teknion t|o|s

price guide

contents

INTRODUCTION	3
PANELS	17
LYFT®	57
PANEL CONNECTIONS & TRIMS	69
ELEMENTS	123
WORKSURFACES & COUNTERTOPS	155
WORKSURFACE SUPPORTS & ACCESSORIES	189
FREESTANDING MODULES	217
MOUNTED STORAGE & ACCESSORIES	271
FREESTANDING STORAGE & ACCESSORIES	293
LIGHTING, ELECTRICS & COMMUNICATIONS	315
INTERNATIONAL LIGHTING, ELECTRICS & COMMUNICATIONS	359

introduction









introduction

WHERE TO FIND THE INFORMATION YOU NEED	5
HOW TO MAKE THIS GUIDE WORK FOR YOU	6
INDEX – BY SECTION	8
INDEX – BY PRODUCT	11
HOW TO SPECIFY T/O/S®	14

where to find the information you need

Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it.

The following is a directory of available resources:

Product Pricing 	<p>Web Pricing access to all up-to-date pricing, as well as partially updated and complete Price Guides in PDF format can be found at www.teknion.com/products/default.asp and selecting the pricing tab.</p> <p>Printed Price Guides by product line containing product maps, detailed pricing tables and product basics information are available to help you specify correctly. These guides can be ordered online through the order literature link at teknnion.com or by contacting your local Teknion Representative.</p>
<p> Please review the online guides for the most up-to-date information prior to placing your order.</p>	
Application Guidelines 	<p>Web Access to partially updated and complete Application Guides in PDF format can be found at www.teknion.com/products/default.asp and selecting the pricing tab.</p> <p>Printed Application Guides by product line containing detailed application guidelines as well as tips to help you plan and specify each of our products are available. These guides can be ordered online through the order literature link at teknnion.com or by contacting your local Teknion Representative.</p>
Planning Ideas 	<p>Web Planning Tool</p> <p>Select and view typical of our products by solution, size or price with a click of your mouse. Get great ideas and save time!</p> <p>Web Access is available by selecting the tool kit link found on the top navigation bar of teknnion.com.</p>
Weights & Volumes 	<p>Web Access to Weights & Volumes can be found by selecting the additional information link at teknnion.com on specific product pages within the pricing sections.</p>
Fabrics & Finishes 	<p>Teknion's fabrics and finishes offering includes the following programs; Standard Panel and Seating Fabrics & Finishes, Graded-In Panel and Seating Fabrics.</p> <p>Web Access is available by selecting the Fabrics & Finishes link at teknnion.com within each product line home page.</p> <p>Printed Fabrics & Finishes Guides can be ordered online through the order literature link at teknnion.com or by contacting your local Teknion Representative.</p>
Product Photos & Drawings 	<p>Web Access to all photos, line drawings and renderings are available by selecting the Photo Bank link at teknnion.com.</p> <p>Image CDs are also available upon request. Contact your Teknion Customer Service Representative.</p>
Order Forms 	<p>All forms, from COM Forms to Key Charts.</p> <p>Web Access is available by selecting the additional information link at teknnion.com on specific product pages within the pricing sections.</p>
Warranty/Terms & Conditions of Sale 	<p>Web Access is available by selecting the legal link found on the top navigating bar at teknnion.com.</p>
Installation Guides 	<p>Installation Guides are available on CDs or at Tekniontips.com (Canada) or Teknioninfo.com (U.S.A.).</p>
User Feedback 	<p>How is our marketing material working for you?</p> <p>Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content OR if you have found an error, that you please email us at pricebookchanges@teknnion.com.</p>



Available in Printed Format



Available Electronically

how to make this guide work for you

price guide contents

This guide contains all the information you need to order this product manually or through your specification software. The Introduction section provides everything you need to get started and the subsequent sections provide detailed pricing and specification information by product type. Each of these sections contains overview pages to explain key application and specification guidelines that will help you specify the product correctly. The detailed pricing pages follow.

6

price guide	
	Introduction
	Index by section
	Index by product
	Product Maps by section
	Specification 'Basics' by section
	Pricing by section

basics page at a glance

It is recommended that you review the basics pages before you begin specifying a product. For more detailed application and planning information refer to the appropriate Application Guide.

Section Title
Page Title
Important Product Notes (If applicable)
Page Number

panels

power panel basics

The Power Panel (PE) is an economical single-frame panel, non-segmented above 36", which supports a limited portion of the Element Program and provides both power pass-through and power access capabilities.

- When adding an Add-On Module (PX, PXL15, PKD) to a 36" or 42" high panel with existing wiring, a special bracket is required. Please contact your Teknion Customer Service Representative for more information
- Overhead storage must be hung on-module using on-module brackets on any panel or 15" add-on panel

22

Finishes

- Frame and metal top trim are available in Foundation and Mica colors
- Flintwood top trim is available in Flintwood stains

- The frame can be ordered as a bare frame with all elements and trim ordered separately or as a complete panel when a panel matrix is used
- Is not segmented above 36" height
- Cannot be decreased from original height specified however, can be increased

- Base frames do not include top trims
- Lay-in option includes a lay-in channel at the top of the panel for routing communications cables (Not compatible with PAG, PTS or PTN Elements)

There are two knockouts in each raceway for outlets, enabling access to power at worksurface height

The raceway is an enclosed area used to carry power and communications cabling

A base feed knockout is included per side of the Panel

Levelers offer a 2 1/2" adjustment range

Ceiling feed entry via Power Pole

Without lay-in

With lay-in

Add-On Modules (PX, PXL15, PKD)

- Can be applied to the top of any Panel to increase height (42" high panels require PKD)
- Multiple 15" add-on modules can be applied on a panel to increase height
- Only one 6" add-on module can be used on a panel and must be at the top of each Panel. 6" add-on modules cannot be used to support overhead storage
- With Lay-In (PXL15 or PKD-2) includes a lay-in channel for routing communication cables
- Must be specified at Level 2 or higher

Alternative to Add-On Modules:

Over Panel (PO)

- Is a custom Glass Element within a frame available in a Clear or Frosted finish
- Must be specified at the top level and can extend to the ceiling

36" height: below worksurface privacy

42" height: partial seated privacy

51" height: full seated privacy

60" height: full seated privacy and partial standing privacy

66" height: partial standing privacy

72" height: full standing privacy

81" height: full standing privacy

t/o/s price guide – February 23, 2015


Product Name/Code, application notes, dimensions and finishes (as applicable)

how to make this guide work for you (continued)

pricing details at a glance

Section Title → panels

Product Code/Name → P E
Power Panel

Product Illustration → 

Page Number → 32

Feature and finish options you may select from when specifying →

Product Dimensions in inches and millimetres →

While sizing may be shown in both imperial and metric, products need to be ordered using imperial dimensions. →

Dimensional Codes (listed throughout the text and under options on pricing pages) are nominal figures, they are not actual dimensions. →

Last update for this page →

panels

The Power Panel is a single frame panel, non-segmented above 36" high which supports a limited portion of the element program and provides both power pass-through and power access capabilities.

WHAT'S INCLUDED
Panel Frame (Bare): 1 frame, hardware for straight connections. Top trim is not included.

Complete Panel: 1 frame, 2 acoustic base elements, 2 Access Doors, two acoustic upper elements, 1 top trim, hardware for straight connections.

WHAT'S EXCLUDED
Panel Frame (Bare): Top trim.

NOTES
The Lay-In Trough option is only available with 51" panel heights or higher.
To order panels, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Height	Width	Frame & Metal Top Trim Finish	Element Finish	Access Door Finish	Top Trim Finish	Lay-In Trough (Optional)
36, 42, 51, 60, 66, 72, 81	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric	Plinwood Fabric	Plinwood	2 With Lay-In Trough

SAMPLE ORDER CODE

PE 81	30	E	PANEL MATRIX	PANEL MATRIX	PANEL MATRIX
-------	----	---	--------------	--------------	--------------

DIMENSIONS INCHES / MM

H	W	Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim
36 / 914	18 / 457	236	471
36 / 914	24 / 610	247	487
36 / 914	30 / 762	250	530
36 / 914	36 / 914	252	564
36 / 914	42 / 1067	263	637
36 / 914	48 / 1219	290	696
36 / 914	54 / 1372	292	732
36 / 914	60 / 1524	296	764
42 / 1067	18 / 457	250	555
42 / 1067	24 / 610	275	587
42 / 1067	30 / 762	286	651
42 / 1067	36 / 914	288	697
42 / 1067	42 / 1067	292	778
42 / 1067	48 / 1219	314	838
42 / 1067	54 / 1372	317	878
42 / 1067	60 / 1524	320	922

PRICING

WITHOUT LAY-IN TROUGH

Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
471	500	524	554	596	637	689	728	
487	522	546	589	630	670	717	756	
530	557	602	648	688	728	780	831	
564	618	671	722	770	816	897	956	
637	678	743	798	849	900	975	1050	
696	727	788	853	909	966	1049	1116	
732	785	844	893	977	1059	1153	1238	
764	844	903	958	1055	1153	1260	1356	
555	590	616	662	721	781	851	909	
587	628	658	719	776	833	902	957	
651	686	736	788	851	914	988	1055	
697	758	811	878	949	1020	1121	1200	
778	826	891	963	1041	1117	1221	1317	
838	886	953	1027	1118	1210	1325	1419	
878	969	1036	1099	1221	1343	1469	1582	
922	1032	1111	1184	1311	1439	1582	1708	

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

Upcharges apply please see the following page.

Pricing is continued on the following pages.

Product Description, What's Included, What's Excluded (where applicable) and Notes (where applicable)

Sample Order Code

Pricing table categorized by dimensions and price-relevant finishes (where applicable)

additional information

The following forms are available at www.tekniion.com/products to help you specify and place your order if required:

Teknypaint	If you require a custom paint color match you must submit a TekniPaint form.
Using your Own Material (COM)	<p>If you wish to use your own material on fabric-covered products, you must submit a completed TekniPlate form including a sample upholstery and safety testing.</p> <p>A COM Order Information Sheet must also be submitted. This form captures all relevant ordering and tracking information.</p> <p>A COM Request for Yardage Calculation form may be sent to Teknion for preliminary yardage requirements.</p>
Noting Key Requirements	If you require that certain pieces share the same locks provide your key requirements on a key chart which can be printed from our website.
Summarizing Coordinating Tag Areas	Summarize any coordinating groupings on to a Tag Worksheet. There are spaces on the form to describe all common features and finish options for specific tag areas or an entire order. A tag area can be as small as a worksurface and as big as an entire floor.
Placing a Manual Order	Complete an Order Cover Sheet with the information we need to fill your order. This is the most important step. If the Order Cover Sheet is not complete and correct, the order may be delayed.

index – by section

Section Contents	Product Code	Page No.
INTRODUCTION		
Where to find the Information you Need		5
How to Make This Guide Work For You		6
How To Specify T/O/S		14
PANELS		
Panel Overview		21
Power Panel Basics		22
Modular Power Panel Basics		23
Super Panel Basics		24
Privacy Screen Basics		25
Bridge Basics		26
Door Panel Basics		27
Panel T Basics		28
Panel Matrix Order Form		29
Panel Pricing Build-up Worksheet		30
Panel Pricing Remove/Replace Worksheet		31
Power Panel	PE	32
Modular Power Panel	PM	38
Super Panel	PX	42
Add-On Module	PX	44
Add-On Module – Lay-In	PXL15	45
Add-On Module – PE42	PXD	46
Over Panel	P0	48
Door Panel	PD	49
Privacy Screen	PPSF	50
Panel T	TPTA	51
Bridge	TP	52
LYFT		
Screen Basics		61
Thin Panel – Standard	HPS	62
Thin Panel – Monolithic	HPM	64
Thin Panel Stabilizer Foot	HPF	65
Add-On Screen – Translucent	PPH	66
PANEL CONNECTIONS & TRIMS		
Panel Connections Overview		75
Panel Connections – Trim Basics		76
Panel Connections – Corner Basics		77
Panel Connections – Universal Basics		78
Lyft Panels & Connections Overview		79
Lyft End Run, Mid Run & Off-Module 90° Connector Basics		80
Lyft Trims & Connections Basics		81
Corner Cover Two-Way 90°	CC_90	82
Intermediate Corner Cover Two-Way 90°	CI_90	83
Corner Cover Two-Way 60°	CC_60	84
Corner Cover Two-Way 45°	CC_45	85
Corner Cover Three-Way 180°	CC_18	86
Intermediate Corner Cover Three-Way 180°	CI_18	87
Corner Cover Four-Way 90°	CC_4	88
Panel Spacer	CEC_18	89
Outside Corner Cover	EC	90
Intermediate Corner Cover Two-Way 180°	CI_18	91
Intermediate Outside Corner Cover	ECI	92

Section Contents	Product Code	Page No.
Adjustable Filler Panel	PF	93
End Trim	PET	94
Intermediate Trim	PIT	95
Straight Top Trim	TR	96
Corner Cover Two-Way 90° – Square Profile	CCS_90	97
Intermediate Corner Cover Two-Way 90° – Square Profile	CIS_90	98
Corner Cover Three-Way 180° – Square Profile	CCS_18	99
Intermediate Corner Cover Three-Way 180° – Square Profile	CIS_18	100
Corner Cover Four-Way 90° – Square Profile	CCS_4	101
Panel Spacer – Square Profile	CECS_18	102
Outside Corner Cover – Square Profile	ECS	103
Intermediate Corner Cover Two-Way 180° – Square Profile	CIS_00	104
Intermediate Outside Corner Cover – Square Profile	ECIS	105
End Trim – Square Profile	PETS	106
Intermediate End Trim – Square Profile	PITS	107
Top Trim – Square Profile	TRS	108
Corner Cover Three-Way 180° (No Cap)	C_18	109
Intermediate Corner Cover Three-Way 180° (No Cap)	CI_18J	110
Corner Cover Four-Way 90° (No Cap)	C_4	111
Panel-To-Panel Adapter	PPA	112
Wall Adapter	PWA	113
Panel Hinge	PH	114
Flush Foot	FL280	115
Slot Cover	PSC200	116
Mid Run 90° On-Module Connector/Spacer (Lyft)	HCMS	117
End Run 90° Connector/Spacer (Lyft)	HCES	118
Thin Panel Connector 90° (Lyft)	HCH9	119
Thin Panel End Trim (Lyft)	HET	120
Thin Panel Intermediate Trim (Lyft)	HIT	121
ELEMENTS		
Element Basics		126
Acoustic Element	PAA	128
Acoustic Element – Square Profile	PAAS	130
Acoustic Base Element	PAAB	132
Acoustic Base Element – Square Profile	PAASB	133
Tackable Element	PTA	134
Tackable Element – Square Profile	PTAS	136
Access Door	AD	138
Face-Mounted Power/Communications Element	APC	139
Split Access Door	ADH	140
Glass Element – Single or Double	PT	141
Open Element	PTN	142
Accessory Element	PAE	143
Grill Element	PHF	144
Whiteboard Element	PAWN	145
Whiteboard Element – Square Profile	PAWS	146
Flintwood Element	PVE	147
Architectural Glass Element – Single or Double	PAG	148
Architectural Element	PAM	149

index – by section

Section Contents	Product Code	Page No.
Architectural Access Door	PAD	150
Access Cover – Square Profile	ADSC	151
Face-Mounted Power/Communications Element – Square Profile	APCS	152
WORKSURFACES & COUNTERTOPS		
Worksurface & Countertop Basics		159
Grommet & Monoleg Styles		160
Keyboard Support Surfaces		161
Edge Trim Style Overview		162
Grain Direction/User Guide		163
Rectangular Worksurface	WS	164
90° Corner Worksurface	WPS	166
90° Split Corner Worksurface with Curved Keyboard Support	WSCX	167
90° Split Corner Worksurface with Keyboard Support	WPSX	168
90° Corner Worksurface with Curve	WSC	170
90° Extended Radius Corner Worksurface	WERC	172
120° Corner Worksurface	WFS	174
EDP Worksurface – Straight & Curved	WD	176
Outside Corner Worksurface	WR	178
Bullet Top	WSR	179
Piano Top	WSN	180
D-Top	WSD	181
Straight Transition Worksurface	WST	182
Transition Corner Worksurface with Return	WSTR	183
Rectangular Countertop	WC	184
Bullet Countertops	WC	185
90° Curved Countertop	WCC90	186
WORKSURFACE SUPPORTS & ACCESSORIES		
Worksurface Support & Accessory Overview		192
Worksurface Floor Support Basics		193
Worksurface Support Basics		194
Lyft Worksurface Support Basics		195
Handed Cantilever	CT	196
Universal Cantilever	BC	197
C-Leg	CL29	198
Intermediate C-Leg	CM29	199
End Gable	BE	200
Intermediate End Gable	BEM	201
Universal Mounting Bracket	BU100	202
Side Support Bracket	BSE	203
Locking Side Support Bracket	BSL	204
Flush Plates	BP625	205
Flush End	BEF	206
Fixed-Height Metal Gable	BFF	207
Pedestal Supporting Bracket	KSB	208
Monoleg	CZ29	209
Grommets	WG	210
xm Post Leg	TXPL	211
Fixed-Height Thin Panel Mount Bracket (Lyft)	HWB	212
Adjustable-Height Thin Panel Mount Bracket (Lyft)	HWBA	213

Section Contents	Product Code	Page No.
End Gable (Lyft)	HEG	214
Worksurface Supporting Pedestal Kit (Lyft)	HWP	215
FREESTANDING MODULES		
Freestanding Modules Overview		222
Desk & Table Basics		223
Worksurfaces, Modesty Panels and Gable Basics		224
Edge Trim Style Overview		225
Grain Direction/User Edge		225
Storage Basics		226
Wire Management Overview		227
Freestanding Rectangular Desk	GDRRN	228
Rectangular Return with Full Gable	GDRFN	230
Rectangular Return with Full and Half Gable	GDRSN	232
Rectangular Bridge with Half Gable	GDRHN	234
Rectangular Bridge with Two Half Gables	GDRDN	236
Corner Desk	GKCDN	238
Corner Desk with Curve	GKVDN	239
Split Corner Desk with Keyboard Support Surface	GKXDN	240
EDP Bridge with Two Half Gables	GKDN	242
Conference Bullet Desk with Full and Half Gable	GCBNS	244
Conference Bullet Desk with Two Half Gables	GCBDN	246
Hutch with Flipper Door	GHF	247
Hutch Accessory Element	GEA	248
Hutch Tackboard Element	GET	249
Hutch Multi Element	GEM	250
Hutch Wire Manager	GHW21	251
Rectangular Worksurface	GWSN	252
90° Corner Worksurface	GWPSN	253
90° Corner Worksurface with Curve	GWSCN	254
EDP Worksurface	GWDN	255
Bullet Top	GWSBN	256
P-Top	GWSTN	257
Piano Top Worksurface	GWCBN	258
Full Gable	GGFN	259
Half Gable	GGHN	260
Shared Gable	GGSN	261
Corner Gable	GGCN	262
Panel-Attached Full Gable	GGPN	263
Standard Modesty Panel	GMN	264
Inside Modesty Panel	GIN	265
Outside Modesty Panel	GON	266
Shared Gable Assembly	GBSN	267
Modesty Wire Tray	GMT	267
Circular Table	GTC	268
Square Table	GTS	269
MOUNTED STORAGE & ACCESSORIES		
Mounted Storage Basics		274
Mounted Accessory Basics		275
Overhead Cabinet	DSF	276
A4 Overhead Cabinet	DSFM	277
Flipper Door Unit	S	278

index – by section

Section Contents	Product Code	Page No.
Shelves (Double Wall/Open Storage)	S	279
Shelf	DSO	280
Shelves (Single Wall/EDP)	S	281
Shelf Divider	BK61	282
Shelf Divider & Paper Organizer	BK	283
Wire Book Organizer	BK60	284
On-Module Hooks	SFOM	285
Wall Adapters (Horizontal, Single/Double Component)	FC	286
Accessory Rail	PAR	287
Tackboard	AT	288
Lock & Keys	K	289
Set of Keys Alike	SOKL	290
FREESTANDING STORAGE & ACCESSORIES		
Pedestal Basics		296
Lateral File Basics		297
Freestanding Storage Basics		298
Pedestal	DSN	300
Casters and Counterweight	W	301
Pedestal Accessories	DA	302
Workstation Lateral	DLSN	303
Lateral Files	LTL	304
Lateral File Top	FA	305
Lateral File Accessories	FA	306
Storage Cabinet	LTS	307
Wardrobe Cabinet	LTW	308
Cabinet Accessories	SA	309
Hi-Fiver Coat & File Storage	GSF	310
Hi-Fiver	GS	311
Hi-Fiver Coat Storage	GS	312
LIGHTING, ELECTRICS & COMMUNICATIONS		
Lighting, Electrics & Communications Basics		319
Lighting Basics		320
Ceiling Feed Basics		321
Base Feed Basics		322
Power Distribution Basics		323
Power Access Basics		324
Communications Access Basics		325
Casual Wire Basics		326
Universal Light	TU	327
Slim Profile Utility Light	TYRT	328
Retractable Power Center	EPC	329
Base Feed	BFK	330
Split Base Feed	BFKS	331
Plug-In Base Feed	BFKP	332
Power Pole (Complete)	EP	333
Power Pole (Empty)	EPE	334
Pole Divider	EPD	335
Lay-In Pole (Complete)	EPH	336
Lay-In Pole (Empty)	EPHE	337
Power Pole Harness (Includes Junction Box)	EPB	338
Receptacle Harness	ES	339

Section Contents	Product Code	Page No.
Panel Pass-Through Harness	EH	340
Four-Way Connector	EF	341
No Raceway Jumper	EI	342
M-Clip	TMC	343
Outlets	ED	344
Outlets (Separate Neutral)	ED8N	345
Outlets (Dual Isolated)	ED8K	346
Surge Suppressor	EDS5	347
Outlet Knockout Cover	EDC	348
Raceway Box	ERB	349
Raceway Box (Separate Neutral)	ERB8N	350
Raceway Box (Dual Isolated)	ERB8K	351
Voice & Data Module	VDM	352
Voice & Data Adapter	VDA	353
Voice & Data Faceplate Adapter	EVD F	354
Chicago Corner Ducts	CH	355
Bridge Tray	TZB	356
Base Cable Clips (Lyft)	HBCC	357
INTERNATIONAL LIGHTING, ELECTRICS & COMMUNICATIONS		
International Electrics Basics		363
Outlet Box	VED	364
Interconnecting Power Cable	VCC	366
Input Power Cable	VEP	366
Voice & Data Box	VVD	367
Voice & Data Outlets	VDO	368
Electric Accessories	VAC	369
T/O/S / Transit Outlet Box Panel Mount Brackets	VMBP	370

index – by product

Section Contents	Product Code	Page No.
120° Corner Worksurface	WFS	174
90° Corner Worksurface	WPS	166
90° Corner Worksurface	GWPSN	253
90° Corner Worksurface with Curve	GWSCN	254
90° Corner Worksurface with Curve	WSC	170
90° Curved Countertop	WCC90	186
90° Extended Radius Corner Worksurface	WERC	172
90° Split Corner Worksurface		
with Curved Keyboard Support	WSCX	167
90° Split Corner Worksurface with Keyboard Support	WPSX	168
A4 Overhead Cabinet	DSFM	277
Access Cover – Square Profile	ADSC	151
Access Door	AD	138
Accessory Element	PAE	143
Accessory Rail	PAR	287
Acoustic Base Element	PAAB	132
Acoustic Base Element – Square Profile	PAASB	133
Acoustic Element	PAA	128
Acoustic Element – Square Profile	PAAS	130
Add-On Module	PX	44
Add-On Module – Lay-In	PXL15	45
Add-On Module – PE42	PXD	46
Add-On Screen – Translucent	PPH	66
Adjustable Filler Panel	PF	93
Adjustable-Height Thin Panel Mount Bracket (Lyft)	HWBA	213
Architectural Access Door	PAD	150
Architectural Element	PAM	149
Architectural Glass Element – Single or Double	PAG	148
Base Cable Clips (Lyft)	HBCC	357
Base Feed	BFK	330
Bridge	TP	52
Bridge Tray	TZB	356
Bullet Countertops	WC	185
Bullet Top	WSR	179
Bullet Top	GWSDN	256
Cabinet Accessories	SA	309
Castors and Counterweight	W	301
Chicago Corner Ducts	CH	355
Circular Table	GTC	268
C-Leg	CL29	198
Conference Bullet Desk with Full and Half Gable	GCBSN	244
Conference Bullet Desk with Two Half Gables	GCBDN	246
Corner Cover Four-Way 90°	CC_4	88
Corner Cover Four-Way 90° – Square Profile	CCS_4	101
Corner Cover Four-Way 90° (No Cap)	C_4	111
Corner Cover Three-Way 180°	CC_18	86
Corner Cover Three-Way 180° – Square Profile	CCS_18	99
Corner Cover Three-Way 180° (No Cap)	C_18	109
Corner Cover Two-Way 45°	CC_45	85
Corner Cover Two-Way 60°	CC_60	84
Corner Cover Two-Way 90°	CC_90	82
Corner Cover Two-Way 90° – Square Profile	CCS_90	97

Section Contents	Product Code	Page No.
Corner Desk	GKCDN	238
Corner Desk with Curve	GKVDN	239
Corner Gable	GGCN	262
Door Panel	PD	49
D-Top	WSD	181
EDP Bridge with Two Half Gables	GKDN	242
EDP Worksurface	GWDN	255
EDP Worksurface – Straight & Curved	WD	176
Electric Accessories	VAC	369
End Gable	BE	200
End Gable (Lyft)	HEG	214
End Run 90° Connector/Spacer (Lyft)	HCES	118
End Trim	PET	94
End Trim – Square Profile	PETS	106
Face-Mounted Power/Communications Element	APC	139
Face-Mounted Power/Communications Element		
– Square Profile	APCS	152
Fixed-Height Metal Gable	BFF	207
Fixed-Height Thin Panel Mount Bracket	HWB	212
Flintwood Element	PVE	147
Flipper Door Unit	S	278
Flush End	BEF	206
Flush Foot	FL280	115
Flush Plates	BP625	205
Four-Way Connector	EF	341
Freestanding Rectangular Desk	GDRRN	228
Full Gable	GGFN	259
Glass Element – Single or Double	PT	141
Grill Element	PHF	144
Grommets	WG	210
Half Gable	GGHN	260
Handed Cantilever	CT	196
Hi-Fiver	GS	311
Hi-Fiver Coat & File Storage	GSF	310
Hi-Fiver Coat Storage	GS	312
Hutch Accessory Element	GEA	248
Hutch Multi Element	GEM	250
Hutch Tackboard Element	GET	249
Hutch Wire Manager	GHW21	251
Hutch with Flipper Doors	GHF	247
Input Power Cable	VEP	366
Inside Modesty Panel	GIN	265
Interconnecting Power Cable	VCC	366
Intermediate C-Leg	CM29	199
Intermediate Corner Cover Three-Way 180°	CI_18	87
Intermediate Corner Cover Three-Way 180°		
– Square Profile	CIS_18	100
Intermediate Corner Cover Three-Way 180° (No Cap)	CI_18J	110
Intermediate Corner Cover Two-Way 180°	CI_18	91
Intermediate Corner Cover Two-Way 180°		
– Square Profile	CIS_00	104
Intermediate Corner Cover Two-Way 90°	CI_90	83

index – by product


Product Name	Product Code	Page No.
Intermediate Corner Cover Two-Way 90°		
– Square Profile	CIS_90	98
Intermediate End Gable	BEM	201
Intermediate Outside Corner Cover	ECI	92
Intermediate Outside Corner Cover – Square Profile	ECIS	105
Intermediate End Trim	PIT	95
Intermediate Trim – Square Profile	PITS	107
Lateral File Accessories	FA	306
Lateral File Top	FA	305
Lateral Files	LT L	304
Lay-In Pole (Complete)	EPH	336
Lay-In Pole (Empty)	EPHE	337
Locking Side Support Bracket	BSL	204
Lock & Keys	K	289
M-Clip	TMC	343
Mid Run 90° On-Module Connector/Spacer (Lyft)	HCMS	117
Modesty Wire Tray	GMT	267
Modular Power Panel	PM	38
Monoleg	CZ29	209
No Raceway Jumper	EI	342
On-Module Hooks	SFOM	285
Open Element	PTN	142
Outlet Box	VED	364
Outlet Knockout Cover	EDC	348
Outlets	ED	344
Outlets (Dual Isolated)	ED8K	346
Outlets (Separate Neutral)	ED8N	345
Outside Corner Cover	EC	90
Outside Corner Cover – Square Profile	ECS	103
Outside Corner Worksurface	WR	178
Outside Modesty Panel	GON	266
Over Panel	PO	48
Overhead Cabinet	DSF	276
Panel Hinge	PH	114
Panel Pass-Through Harness	EH	340
Panel Spacer	CEC_18	89
Panel Spacer – Square Profile	CECS_18	102
Panel T	TPTA	51
Panel-Attached Full Gable	GGPN	263
Panel-to-Panel Adapter	PPA	112
Pedestal Accessories	DA	302
Pedestal Supporting Bracket	KSB	208
Pedestal	DSN	300
Piano Top	WSN	180
Piano Top Worksurface	GWCBN	258
Plug-In Base Feed	BFKP	332
Pole Divider	EPD	335
Power Panel	PE	32
Power Pole (Complete)	EP	333
Power Pole (Empty)	EPE	334

Product Name	Product Code	Page No.
Power Pole Harness (Includes Junction Box)	EPB	338
Privacy Screen	PPSF	50
P-Top	GWSTN	257
Raceway Box	ERB	349
Raceway Box (Dual Isolated)	ERB8K	351
Raceway Box (Separate Neutral)	ERB8N	350
Receptacle Harness	ES	339
Rectangular Bridge with Half Gable	GDRHN	234
Rectangular Bridge with Two Half Gables	GDRDN	236
Rectangular Countertop	WC	184
Rectangular Return with Full and Half Gable	GDRSN	232
Rectangular Return with Full Gable	GDRFN	230
Rectangular Worksurface	WS	164
Rectangular Worksurface	GWSN	252
Retractable Power Center	EPC	329
Set of Keys Alike	SOKL	290
Shared Gable	GGSN	261
Shared Gable Assembly	GBSN	267
Shelf	DSO	280
Shelf Divider	BK61	282
Shelf Divider & Paper Organizer	BK	283
Shelves (Double Wall/Open Storage)	S	279
Shelves (Single Wall/EDP)	S	281
Side Support Bracket	BSE	203
Slim Profile Utility Light	TYRT	328
Slot Cover	PSC200	116
Split Access Door	ADH	140
Split Base Feed	BFKS	331
Split Corner Desk with Keyboard Support Surface	GKXDN	240
Square Table	GTS	269
Standard Modesty Panel	GMN	264
Storage Cabinet	LTS	307
Straight Top Trim	TR	96
Straight Transition Worksurface	WST	182
Super Panel	PX	42
Surge Suppressor	EDS5	347
Tackable Element	PTA	134
Tackable Element – Square Profile	PTAS	136
Tackboard	AT	288
Thin Panel – Monolithic	HPM	64
Thin Panel – Standard	HPS	62
Thin Panel Connector 90° (Lyft)	HCH9	119
Thin Panel End Trim (Lyft)	HET	120
Thin Panel Intermediate Trim (Lyft)	HIT	121
Thin Panel Stabilizer Foot	HPF	65
T/O/S / Transit Outlet Box Panel Mount Brackets	VMBP	370
Top Trim – Square Profile	TRS	108
Transition Corner Worksurface with Return	WSTR	183
Universal Cantilever	BC	197
Universal Light	TU	327

Product Name	Product Code	Page No.
Universal Mounting Bracket	BU100	202
Voice & Data Box	VVD	367
Voice & Data Outlets	VDO	368
Voice & Data Adapter	VDA	353
Voice & Data Faceplate Adapter	EVDF	354
Voice & Data Module	VDM	352
Wall Adapter	PWA	113
Wall Adapters (Horizontal, Single/Double Component)	FC	286
Wardrobe Cabinet	LTW	308
Whiteboard Element	PAWN	145
Whiteboard Element – Square Profile	PAWS	146
Wire Book Organizer	BK60	284
Workstation Lateral	DLSN	303
Worksurface Supporting Pedestal Kit (Lyft)	HWP	215
xm Post Leg	TXPL	211


how to specify t/o/s

I4




panels

Panels can be ordered complete with elements or as a bare frame




panel connections & trims

- Panel connections must be selected carefully according to the instructions relating to the panel configuration chosen. See the Panel Connections & Trims section for details
- Trims are listed at the end of the Panel Connections & Trims section



elements


T/O/S offers an extensive element program which allows for maximum personalization of the workspace. See the Elements section for details



worksurfaces & countertops


- T/O/S worksurfaces are available in a variety of shapes and sizes appropriate for various configuration requirements. See the Worksurfaces & Countertops section for details
- Countertops can also be ordered in a variety of shapes and sizes. See the listings at the end of the Worksurfaces & Countertops section for details

how to specify t/o/s (continued)




workspace supports & accessories

Choice of workspace supports depends on whether the workspace is to be panel-mounted, semi-suspended or freestanding. See the Workspace Supports & Accessories section for details




freestanding modules

Freestanding Modules desks are made up of worksurfaces, Gables, Modesty Panels, wire troughs, grommets and mounting bracketry. See the Freestanding Modules section for details



storage

T/O/S offers two types of storage: Freestanding Storage, which requires no fittings, and Mounted Storage for application in panel-mounted, semi-suspended, or freestanding situations. See the Mounted Storage section or the Freestanding Storages section for details



electrics

T/O/S electrics specified for panels and wire trays are used for the management of data and communication wires. See the Lighting, Electrics & Communications section for details

panels

panels


PRODUCT MAP	19
PANEL OVERVIEW	21
POWER PANEL BASICS	22
MODULAR POWER PANEL BASICS	23
SUPER PANEL BASICS	24
PRIVACY SCREEN BASICS	25
BRIDGE BASICS	26
DOOR PANEL BASICS	27
PANEL T BASICS	28
PANEL MATRIX ORDER FORM	29
PANEL PRICING BUILD-UP WORKSHEET	30
PANEL PRICING REMOVE/REPLACE WORKSHEET	31
PRODUCT LISTING	32

product map

P E Power Panel

Page 32

Height: 36" – 81" / Width: 18" – 60"

**P M Modular Power Panel**

Page 38

Height: 36" – 81" / Width: 18" – 60"

**P X Super Panel**


Page 42

Height: 36" – 81" / Width: 18" – 60"

**P X Add-On Module**


Page 44

Height: 6" – 15" / Width: 18" – 60"

**P X L 1 5 Add-On Module - Lay-In**


Page 45

Height: 15" / Width: 18" – 60"

**P X D Add-On Module – PE42**


Page 46

Height: 6" - 15" / Width: 18" - 60"

**P O Over Panel**


Page 48

Height: 9" – 30" / Width: 18" – 60"

**P D Door Panel**

Page 49

Height: 81" / Width: 36" & 42"

**P P S F Privacy Screen**


Page 50

Height: 51" – 81" / Width: 36" & 42"


**T P T A Panel T**

Page 51

Height: 36" – 66"

**T P Bridge**

Page 52

Pole & T-End Height: 51" & 66" /
Partition Height: 30" & 45" / Width: 72" – 96"

panel overview

Panels are the basic building block for which all other system components are dependent to create a comprehensive environment. The following outlines the basic features of all T/O/S panels.

! T/O/S offers three panel types – Power Panel (PE), Modular Power Panel (PM) and Super Panel (PX)

A variety of optional element types are available


Acoustic Elements (PAA) are the default elements for both inner and outer sides of the panels

An **enclosed raceway** is included on all panels at to carry power and communication cables: the raceway provides a conduit that allows for installation of outlets, enabling access at worksurface height

Power and communications access is provided through the access door, access cover or facemounted

Pass Through Holes are punched into the frame structure to enable the passage of communication cables. Up to 60 Category 5 communication cables can be accommodated in each hole power/communication element

21



Panel **frames** are constructed of welded steel with an integrated baseboard

Levelers are included and have an adjustment range of 2 1/2" to allow for consistency of Panel height

power panel basics

The Power Panel (PE) is an economical single-frame panel, non-segmented above 36", which supports a limited portion of the Element Program and provides both power pass-through and power access capabilities.

- When adding an Add-On Module (PX, PXL15, PXD) to a 36" or 42" high panel with existing wiring, a special bracket is required. Please contact your Teknion Customer Service Representative for more information
- Overhead storage must be hung on-module using on-module brackets on any panel or 15" add-on panel

22

Finishes



- Frame and metal top trim are available in Foundation and Mica colors
- Flintwood top trim is available in Flintwood stains
- The **frame** can be ordered as a bare frame with all elements and trim ordered separately or as a complete panel when a panel matrix is used
- Is **not** segmented above 36" height
- Cannot be decreased from original height specified however, can be increased
- Bare frames do not include top trims
- *Lay-in option includes a lay-in channel at the top of the panel for routing communications cables
- *(Not compatible with PAG, PTS or PTN Elements)

There are two **knockouts** in each raceway for outlets, enabling access to power at worksurface height

The **raceway** is an enclosed area used to carry power and communications cabling

A **base feed knockout** is included per side of the Panel


Levelers offer a 2 1/2" adjustment range



Add-On Modules (PX, PXL15, PXD)


- Can be applied to the top of any Panel to increase height (42" high panels require PXD)
- Multiple 15" add-on modules can be applied on a panel to increase height
- Only one 6" add-on module can be used on a panel and must be at the top of each Panel. 6" add-on modules **cannot** be used to support overhead storage
- With Lay-In** (PXL15 or PXD-2) includes a lay-in channel for routing communication cables
- Must be specified at Level 2 or higher

Alternative to Add-On Modules:



Over Panel (PO)

- Is a custom Glass Element within a frame available in a Clear or Frosted finish
- Must be specified at the top level and can extend to the ceiling



modular power panel basics

The Modular Power Panel (PM) is a single-frame Panel, segmented above 36" which supports the full Element Program and provides both power pass-through and power access capabilities.



- Includes a horizontal rail at every 15" increment above 36"
- When adding an Add-On Module (PX, PXL15) to a 36" or 42" high panel with existing wiring, a special bracket is required. Please contact your Teknion Customer Service Representative for more information
- Overhead storage can be hung on- or off-module on any panel or 15" add-on module

Finishes

- Frame and metal top trim are available in Foundation and Mica colors
- Flintwood top trim is available in Flintwood stains



- The **frame** can be ordered as a bare frame with all elements and trim ordered separately or as a complete panel when a panel matrix is used
- Is segmented above 36" height
- Cannot be decreased from original height specified however, can be increased
- Bare frames do not include top trims
- *Lay-in option includes a lay-in channel at the top of the panel for routing communications cables
- * (Not compatible with PAG, PTS or PTN Elements)

There are two **knockouts** in each raceway for outlets

The **raceway** is an enclosed area at used to carry power and communications cabling, enabling access at worksurface height

A **base feed knockout** is included per side of the Panel


Levelers offer a 2 1/2" adjustment range



Add-On Modules (PX, PXL15, PXD)


- Can be applied to the top of any Panel to increase height (42" high panels require PXD)
- Multiple 15" add-on modules can be applied on a panel to increase height
- Only one 6" add-on module can be used on a panel and must be at the top of each Panel. 6" add-on modules **cannot** be used to support overhead storage
- **With Lay-In** (PXL15 or PXD-2) includes a lay-in channel for routing communication cables
- Must be specified at Level 2 or higher

Alternative to Add-On Modules:



Over Panel (PO)

- Is a custom Glass Element within a frame available in a Clear or Frosted finish
- Must be specified at the top level and can extend to the ceiling



super panel basics

The Super Panel (PX) allows maximum panel-height flexibility. It is made up of individual 15" segments from 36" up which supports the full Element Program and provides both power pass-through and power access capabilities.

- Includes a horizontal rail at every 15" increment above 36"
- When adding an Add-On Module (PX, PXL15) to a 36" or 42" high panel with existing wiring, a special bracket is required. Please contact your Teknion Customer Service Representative for more information
- Overhead storage can be hung on- or off-module on any panel or 15" add-on panel

24

Finishes




- Frame and metal top trim are available in Foundation and Mica colors
- Flintwood top trim is available in Flintwood stains
- The **frame** can be ordered as a bare frame with all elements and trim ordered separately or as a complete panel when a panel matrix is used
- Is segmented above 36" height
- Can be decreased in height down to 36"
- Bare frames do not include top trims
- *Lay-in option includes a lay-in channel at the top of the panel for routing communications cables
- * (Not compatible with PAG, PTS or PTN Elements)

There are two **knockouts** in each raceway for outlets enabling access to worksurface cabling

The **raceway** is an enclosed area at 36" high used to carry power and communications cabling

A **base feed knockout** is included per side of the Panel


Levelers offer a 2 1/2" adjustment range



Add-On Modules (PX, PXL15)


- Can be applied to the top of any Panel to increase height
- Multiple 15" add-on modules can be applied on a panel to increase height
- Only one 6" add-on module can be used on a panel and must be at the top of each Panel. 6" add-on modules **cannot** be used to support overhead storage
- With Lay-In** (PXL15) includes a lay-in channel for routing communication cables
- Must be specified at Level 2 or higher

Alternative to Add-On Modules:



Over Panel (PO)

- Is a custom Glass Element within a frame available in a Clear or Frosted finish
- Must be specified at the top level and can extend to the ceiling




The Privacy Screen (PPSF) is a lightweight, translucent panel-mounted, sliding partition.

- Must be mounted on adjacent Panels of the same height
- The total combined width of the adjacent panels must be equal to or greater than the screen width
- May be same width or wider than opening to be covered
- Cannot mount to 30" wide Panels; mounting brackets interfere with panel connections
- The Privacy Screen is not load bearing
- Direction in which the door will slide can be changed in the field
- Comes complete with caps and mounting hardware

Add-On Modules (PX) and Over Panels (PO) cannot be applied on the top of the Panel to which the Privacy Screen is mounted

Overhead Cabinets cannot be mounted using off-module brackets on the same Panel as the Privacy Screen




- **Mounting Brackets** for Privacy Screens are 3" deep
- The face of the Privacy Screen sits 3" from the face of the Panel to which it is attached

Finishes

- Screen has a lightweight translucent finish
- Frame is available in Foundation and Mica Colors
- Caps located at the end of the frame will match the Foundation finish color selected for the frame. If Mica frame is selected, caps will be Black

This diagram illustrates the location of the mounting brackets and demonstrates why the 30" wide panel cannot be used




Actual Screen Size

bridge basics

The Bridge (TP) is an on or-off module panel-attached tackable space divider that moves easily within a panel environment.

- The Bridge is not load bearing. Cannot support shelves, cabinets or worksurfaces
- Not freestanding and is not intended to provide panel support
- Cannot be higher than the panel spine
- Only dry erase markers can be used on the whiteboard
- Consists of three parts (frame, pole and T-end), but is ordered as one unit



Finishes



- The pole leveler and bridge tray are Black
- Bridge can be finished with a Whiteboard or Fabric
- Pole, Frame and T-Ends are available in Foundation and Mica colors
- Panel-mounting hardware is available in Foundation colors

door panel basics

The Door Panel (PD) allows for door applications within the Panel environment, however does not allow for power pass-through or power access.


- Door Panels must be connected to Panels of the same height or higher
- Add-on Module (PX) or Over Panel (PO) of the same width can be stacked on the Door Panel
- For wheelchair accessibility, specify the 42" wide Door Panel
- If the Door Panel is to be attached to a Wall Adapter (PWA), Panel Hinges (PH40) must be ordered
- The door swing is identified as left and right according to the location of the hinges

27




This style is not available in the U.S.A.


Handle Style 1
(Ball Handle with Lock)



Handle Style 3
(Lever Handle No Lock)



Handle Style 2
(Lever Handle with Deadbolt)



Handle Style 9
(No Handle)

Door	Door Dimensions (Nominal)	Door Clearance (Frame width: side-to-side)
TPD_8136	79" high x 32" wide	31"
TPD_8142	79" high x 38" wide	37"


Finishes

- Doors are available in Foundation Laminate, and Flintwoods finishes
- Frame is available in Foundation and Mica colors
- Top trims are available in Foundation and Mica colors and Flintwood stains
- If Flintwood is not specified for the top trim finish, the finish will match the finish color of the frame
- Handles, locks and thresholds are finished in a Brushed Chrome

panel T basics


The Panel T (TPTA) adds an architectural accent to a workstation while providing a secondary support to the end of a panel.

- The Panel T and trim adapter are supplied at the same height
- Does not provide primary support for panel-mounted worksurfaces



Finishes


- Panel T is available in a selection of Foundation and Mica colors
- Trim adapter is available in a selection of Foundation colors
- Panel trim adapter should match the Panel frame not the Panel T
- Hardware is Black



panel matrix order form

Panel orders cannot be processed if element placement is not appropriately described for a panel matrix order form.

- The panel matrix applies to all panels (PE, PM, PX). To specify panels, a panel matrix order form must be completed identifying placement/finish of the elements and finish for the top trim
- T/O/S Panels can be customized to meet client requirements. This can be done by replacing the Acoustic Element (PAA) which comes as a default on the panel, with any other in the T/O/S element offering
- Panel Matrix order forms may be used for all types of panels, elements or Panel Add-Ons



panel pricing build-up worksheet

The Build-Up Pricing Worksheet is designed to help you price an order for a panel that deviates significantly from the standard offering of a complete panel with Acoustic Elements. Total cost is not affected by the pricing method you choose.

For 32" Base

	Inner	Price		Outer	Price	
Top Trim	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Upper 3	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Upper 2	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Upper 1	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Access Door or Element	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Base Element	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Frame		\$ _____				
		Price			Price	Total Price
		\$ _____			\$ _____	= \$ _____

For 32" Base

	Inner	Price		Outer	Price	
Top Trim	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Upper 3	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Upper 2	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Upper 1	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Base Element	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Frame		\$ _____				
		Price			Price	Total Price
		\$ _____			\$ _____	= \$ _____

For Standard Base

	Inner	Price		Outer	Price	
Top Trim	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Upper 3	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Upper 2	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Upper 1	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Access Door or Element	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Base Element	<input type="text"/>	\$ _____		<input type="text"/>	\$ _____	
Frame		\$ _____				
		Price			Price	Total Price
		\$ _____			\$ _____	= \$ _____

panel pricing remove/replace worksheet

The Remove/Replace Pricing Worksheet is designed to help you price an order for a panel where there is minor deviation from the standard offering of a complete panel with Acoustic Elements. Total cost is not affected by the pricing method you choose.

For 32" Base

	Inner	Remove	Replace		Outer	Remove	Replace	
Top Trim	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Upper 3	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Upper 2	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Upper 1	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Access Door or Element	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Base Element	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Frame		\$ _____	\$ _____					
	Complete Panel Price	Items Removed	Items Replaced		Items Removed	Items Replaced		Total Price
	\$ _____ -	\$ _____ +	\$ _____		- \$ _____ +	\$ _____	=	\$ _____


For 32" Base

	Inner	Remove	Replace		Outer	Remove	Replace	
Top Trim	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Upper 3	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Upper 2	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Upper 1	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Base Element	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Frame		\$ _____	\$ _____					
	Complete Panel Price	Items Removed	Items Replaced		Items Removed	Items Replaced		Total Price
	\$ _____ -	\$ _____ +	\$ _____		- \$ _____ +	\$ _____	=	\$ _____

For Standard Base

	Inner	Remove	Replace		Outer	Remove	Replace	
Top Trim	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Upper 3	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Upper 2	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Upper 1	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Access Door or Element	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Base Element	<input type="text"/>	\$ _____	\$ _____		<input type="text"/>	\$ _____	\$ _____	
Frame		\$ _____	\$ _____					
	Complete Panel Price	Items Removed	Items Replaced		Items Removed	Items Replaced		Total Price
	\$ _____ -	\$ _____ +	\$ _____		- \$ _____ +	\$ _____	=	\$ _____

PE
Power Panel



The Power Panel is a single frame panel, non-segmented above 36" high which supports a limited portion of the element program and provides both power pass-through and power access capabilities.

WHAT’S INCLUDED

Panel Frame (Bare): 1 frame, hardware for straight connections. Top trim is not included.

Complete Panel: 1 frame, 2 acoustic base elements, 2 Access Doors, two acoustic upper elements, 1 top trim, hardware for straight connections.

WHAT’S EXCLUDED

Panel Frame (Bare): Top trim.

NOTES

The Lay-In Trough option is only available with 51" panel heights or higher.

To order panels, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Height	Width	Frame & Metal Top Trim Finish	Element Finish	Access Door Finish	Top Trim Finish	Lay-In Trough (Optional)
36, 42, 51, 60, 66, 72, 81	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric	Flintwood Fabric	Flintwood	2 With Lay-In Trough

SAMPLE ORDER CODE

PE 81	30	E	PANEL MATRIX	PANEL MATRIX	PANEL MATRIX	
-------	----	---	--------------	--------------	--------------	--

DIMENSIONS
INCHES / MM

H	W
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
42 / 1067	18 / 457
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524

PRICING

WITHOUT LAY-IN TROUGH									
Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim								
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
236	471	500	524	554	596	637	689	728	
247	487	522	546	589	630	670	717	756	
250	530	557	602	648	688	728	780	831	
252	564	618	671	722	770	816	897	956	
265	637	678	743	798	849	900	975	1050	
290	696	727	788	853	909	966	1049	1116	
292	732	785	844	893	977	1059	1153	1238	
296	764	844	903	958	1055	1153	1260	1356	
250	555	590	616	662	721	781	851	909	
275	587	628	658	719	776	833	902	957	
286	651	686	736	788	851	914	988	1055	
288	697	758	811	878	949	1020	1121	1200	
292	778	826	891	963	1041	1117	1221	1317	
314	838	886	953	1027	1118	1210	1325	1419	
317	878	969	1036	1099	1221	1343	1469	1582	
320	922	1032	1111	1184	1311	1439	1582	1708	

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

Upcharges apply, please see the following page.

Pricing is continued on the following pages.

Power Panel (Continued)

DIMENSIONS
INCHES / MM

PRICING

WITHOUT LAY-IN TROUGH (CONTINUED)

		Foundation Panel Frame (Bare)								
H	W		Complete Panel Metal Top Trim							
			A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
51 / 1295	18 / 457	338	658	709	743	786	848	910	987	1048
51 / 1295	24 / 610	353	683	743	774	833	894	954	1026	1089
51 / 1295	30 / 762	360	755	788	840	901	967	1033	1112	1183
51 / 1295	36 / 914	383	824	882	939	1028	1097	1166	1274	1359
51 / 1295	42 / 1067	400	914	968	1043	1140	1212	1283	1399	1496
51 / 1295	48 / 1219	413	979	1028	1107	1198	1289	1380	1499	1602
51 / 1295	54 / 1372	422	1046	1121	1200	1282	1404	1526	1658	1787
51 / 1295	60 / 1524	436	1101	1196	1308	1398	1519	1641	1789	1926
60 / 1524	18 / 457	384	747	790	816	877	949	1021	1104	1173
60 / 1524	24 / 610	387	758	806	845	915	983	1050	1130	1198
60 / 1524	30 / 762	421	856	890	942	1014	1087	1159	1248	1329
60 / 1524	36 / 914	442	924	993	1046	1143	1224	1304	1424	1513
60 / 1524	42 / 1067	453	1021	1077	1142	1255	1345	1435	1553	1668
60 / 1524	48 / 1219	473	1096	1155	1230	1327	1435	1542	1683	1803
60 / 1524	54 / 1372	475	1157	1253	1323	1416	1557	1697	1855	1992
60 / 1524	60 / 1524	478	1216	1338	1433	1529	1685	1842	2016	2172
66 / 1676	18 / 457	387	765	815	847	912	982	1050	1139	1209
66 / 1676	24 / 610	406	790	848	888	966	1031	1096	1179	1248
66 / 1676	30 / 762	431	889	928	983	1069	1145	1219	1313	1400
66 / 1676	36 / 914	433	944	1033	1090	1188	1280	1372	1508	1608
66 / 1676	42 / 1067	462	1063	1124	1202	1302	1401	1499	1628	1751
66 / 1676	48 / 1219	495	1149	1197	1273	1394	1498	1601	1740	1853
66 / 1676	54 / 1372	497	1214	1303	1405	1490	1632	1772	1931	2077
66 / 1676	60 / 1524	501	1272	1406	1483	1591	1765	1938	2121	2285
72 / 1829	18 / 457	415	822	879	909	974	1058	1142	1232	1309
72 / 1829	24 / 610	429	857	910	950	1028	1107	1184	1276	1352
72 / 1829	30 / 762	469	967	1008	1058	1139	1231	1322	1422	1515
72 / 1829	36 / 914	473	1022	1095	1148	1261	1356	1450	1587	1691
72 / 1829	42 / 1067	494	1138	1205	1271	1401	1504	1605	1746	1874
72 / 1829	48 / 1219	518	1229	1294	1367	1485	1613	1741	1897	2025
72 / 1829	54 / 1372	524	1296	1408	1485	1595	1761	1926	2104	2263
72 / 1829	60 / 1524	534	1346	1496	1594	1720	1889	2057	2258	2433
81 / 2057	18 / 457	429	872	935	969	1038	1130	1221	1328	1415
81 / 2057	24 / 610	446	915	979	1011	1099	1191	1282	1387	1471
81 / 2057	30 / 762	499	1037	1084	1134	1227	1326	1425	1538	1642
81 / 2057	36 / 914	510	1106	1188	1240	1372	1476	1579	1727	1844
81 / 2057	42 / 1067	521	1223	1294	1359	1507	1624	1741	1893	2035
81 / 2057	48 / 1219	551	1329	1401	1479	1603	1748	1892	2069	2216
81 / 2057	54 / 1372	558	1403	1523	1610	1738	1916	2094	2284	2459
81 / 2057	60 / 1524	564	1469	1613	1713	1869	2046	2224	2443	2630

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 29

If Mica is specified for a 42" high frame, add 36

If Mica is specified for a 51" high frame, add 44

If Mica is specified for a 60" high frame, add 54

If Mica is specified for a 66" high frame, add 54

If Mica is specified for a 72" high frame, add 65

If Mica is specified for a 81" high frame, add 69

If Mica metal top trim is specified, add 5

Pricing is continued on the following page.

P E

Power Panel (Continued)

DIMENSIONS
INCHES / MM

PRICING

WITHOUT LAY-IN TROUGH (CONTINUED)

Complete Panel
Flintwood Top Trim

H	W	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
36 / 914	18 / 457	494	522	546	576	617	658	711	750
36 / 914	24 / 610	510	546	569	613	653	693	741	780
36 / 914	30 / 762	568	594	641	686	727	767	818	868
36 / 914	36 / 914	601	655	708	759	806	853	933	992
36 / 914	42 / 1067	686	727	793	846	898	949	1025	1098
36 / 914	48 / 1219	752	782	843	908	965	1022	1105	1172
36 / 914	54 / 1372	786	841	900	948	1032	1115	1209	1294
36 / 914	60 / 1524	819	900	959	1013	1111	1209	1315	1410
42 / 1067	18 / 457	578	612	638	684	743	803	873	931
42 / 1067	24 / 610	611	652	683	743	800	857	926	981
42 / 1067	30 / 762	689	723	774	826	889	952	1026	1093
42 / 1067	36 / 914	735	796	847	915	986	1056	1158	1237
42 / 1067	42 / 1067	827	875	940	1012	1090	1167	1271	1366
42 / 1067	48 / 1219	894	941	1008	1083	1174	1265	1380	1473
42 / 1067	54 / 1372	933	1025	1092	1155	1277	1399	1525	1638
42 / 1067	60 / 1524	977	1088	1167	1240	1367	1494	1638	1764
51 / 1295	18 / 457	680	731	765	809	870	932	1008	1069
51 / 1295	24 / 610	707	768	798	857	918	979	1050	1113
51 / 1295	30 / 762	794	826	878	939	1006	1072	1150	1221
51 / 1295	36 / 914	861	920	975	1065	1134	1202	1310	1395
51 / 1295	42 / 1067	963	1017	1091	1189	1261	1332	1448	1546
51 / 1295	48 / 1219	1033	1084	1161	1253	1344	1435	1555	1657
51 / 1295	54 / 1372	1100	1177	1255	1338	1460	1581	1714	1842
51 / 1295	60 / 1524	1157	1251	1364	1453	1575	1697	1844	1981
60 / 1524	18 / 457	769	812	838	899	971	1043	1125	1194
60 / 1524	24 / 610	782	831	869	939	1007	1074	1154	1221
60 / 1524	30 / 762	894	928	981	1052	1126	1198	1286	1367
60 / 1524	36 / 914	961	1030	1083	1180	1261	1341	1461	1550
60 / 1524	42 / 1067	1069	1126	1191	1304	1394	1485	1602	1717
60 / 1524	48 / 1219	1152	1211	1284	1383	1490	1597	1739	1859
60 / 1524	54 / 1372	1213	1308	1378	1471	1612	1751	1911	2048
60 / 1524	60 / 1524	1272	1393	1489	1584	1741	1897	2072	2228
66 / 1676	18 / 457	786	837	869	935	1004	1072	1160	1231
66 / 1676	24 / 610	814	873	911	990	1055	1120	1203	1273
66 / 1676	30 / 762	927	966	1021	1108	1182	1257	1351	1437
66 / 1676	36 / 914	982	1070	1127	1224	1317	1409	1545	1644
66 / 1676	42 / 1067	1112	1173	1251	1351	1450	1549	1677	1801
66 / 1676	48 / 1219	1204	1252	1328	1450	1553	1656	1796	1908
66 / 1676	54 / 1372	1269	1359	1461	1546	1687	1828	1987	2133
66 / 1676	60 / 1524	1327	1462	1538	1646	1821	1994	2177	2339
72 / 1829	18 / 457	844	901	931	996	1080	1163	1253	1331
72 / 1829	24 / 610	880	935	973	1052	1131	1209	1300	1376
72 / 1829	30 / 762	1005	1047	1096	1177	1268	1360	1460	1553
72 / 1829	36 / 914	1058	1132	1184	1298	1392	1487	1623	1728
72 / 1829	42 / 1067	1187	1254	1319	1450	1552	1654	1796	1924
72 / 1829	48 / 1219	1283	1348	1423	1540	1668	1797	1953	2081
72 / 1829	54 / 1372	1351	1464	1540	1651	1817	1981	2160	2318
72 / 1829	60 / 1524	1402	1552	1650	1776	1945	2113	2312	2489

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.
Upcharges apply, please see the following page.

Pricing is continued on the following pages.

Power Panel (Continued)

DIMENSIONS
INCHES / MM

H	W
81 / 2057	18 / 457
81 / 2057	24 / 610
81 / 2057	30 / 762
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	48 / 1219
81 / 2057	54 / 1372
81 / 2057	60 / 1524

PRICING

WITHOUT LAY-IN TROUGH (CONTINUED)

Complete Panel
Flintwood Top Trim

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
894	957	991	1061	1152	1243	1349	1436
939	1002	1034	1124	1215	1306	1410	1495
1076	1121	1172	1265	1364	1463	1576	1680
1142	1224	1277	1409	1513	1616	1764	1882
1273	1342	1407	1555	1673	1790	1943	2083
1385	1456	1534	1658	1803	1948	2123	2271
1458	1578	1665	1793	1972	2149	2338	2515
1525	1668	1768	1925	2102	2279	2498	2685

WITH LAY-IN TROUGH

Foundation
Panel Frame (Bare)Complete Panel
Metal Top Trim

H	W
51 / 1295	18 / 457
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
60 / 1524	18 / 457
60 / 1524	24 / 610
60 / 1524	30 / 762
60 / 1524	36 / 914
60 / 1524	42 / 1067
60 / 1524	48 / 1219
60 / 1524	54 / 1372
60 / 1524	60 / 1524
66 / 1676	18 / 457
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219
66 / 1676	54 / 1372
66 / 1676	60 / 1524

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
384	706	755	790	834	896	958	1033
416	746	806	837	896	957	1017	1089
441	837	869	922	983	1049	1115	1193
462	902	961	1017	1107	1175	1243	1352
485	999	1053	1127	1224	1297	1368	1484
502	1067	1117	1196	1286	1378	1469	1589
508	1132	1209	1286	1369	1491	1613	1745
532	1199	1293	1405	1494	1616	1738	1886
432	794	837	863	924	995	1067	1150
452	821	869	908	979	1046	1113	1193
502	937	971	1024	1095	1169	1241	1330
521	1002	1072	1124	1221	1302	1383	1502
537	1106	1161	1227	1340	1430	1520	1638
562	1185	1244	1318	1416	1525	1632	1772
562	1244	1340	1409	1503	1643	1783	1943
575	1313	1434	1530	1625	1782	1938	2113
435	812	862	895	960	1028	1096	1185
469	853	911	951	1029	1094	1159	1242
511	970	1010	1064	1151	1226	1301	1394
510	1023	1112	1169	1266	1359	1451	1586
547	1148	1209	1286	1387	1486	1584	1713
584	1238	1285	1362	1484	1587	1689	1829
584	1301	1390	1492	1577	1719	1860	2018
597	1368	1503	1579	1687	1862	2036	2218

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 29
 If Mica is specified for a 42" high frame, add 36
 If Mica is specified for a 51" high frame, add 44
 If Mica is specified for a 60" high frame, add 54

If Mica is specified for a 66" high frame, add 54
 If Mica is specified for a 72" high frame, add 65
 If Mica is specified for a 81" high frame, add 69

If Mica metal top trim is specified, add 5

Pricing is continued on the following page.

Power Panel (Continued)

DIMENSIONS
INCHES / MM

PRICING

WITH LAY-IN TROUGH (CONTINUED)

		Foundation Panel Frame (Bare)			Complete Panel Metal Top Trim							
H	W				A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
72 / 1829	18 / 457	462			869	926	957	1022	1106	1189	1278	1357
72 / 1829	24 / 610	492			920	973	1013	1091	1170	1247	1339	1415
72 / 1829	30 / 762	551			1049	1090	1140	1220	1311	1403	1503	1596
72 / 1829	36 / 914	551			1099	1174	1225	1339	1433	1528	1665	1769
72 / 1829	42 / 1067	579			1222	1290	1356	1486	1588	1689	1831	1959
72 / 1829	48 / 1219	607			1317	1383	1456	1574	1702	1830	1987	2115
72 / 1829	54 / 1372	611			1383	1495	1572	1682	1848	2013	2191	2350
72 / 1829	60 / 1524	631			1443	1593	1691	1818	1986	2154	2354	2529
81 / 2057	18 / 457	476			919	982	1016	1086	1177	1268	1374	1462
81 / 2057	24 / 610	509			979	1042	1074	1162	1254	1345	1450	1534
81 / 2057	30 / 762	581			1119	1166	1215	1308	1408	1507	1619	1724
81 / 2057	36 / 914	589			1183	1266	1318	1451	1554	1657	1805	1923
81 / 2057	42 / 1067	605			1308	1378	1443	1591	1708	1826	1978	2119
81 / 2057	48 / 1219	641			1419	1490	1569	1692	1836	1981	2157	2305
81 / 2057	54 / 1372	645			1490	1610	1697	1825	2003	2181	2370	2546
81 / 2057	60 / 1524	660			1566	1709	1809	1966	2143	2321	2540	2727
Complete Panel Flintwood Top Trim												
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			
51 / 1295	18 / 457	727	777	812	856	918	980	1055	1116			
51 / 1295	24 / 610	770	831	861	920	981	1042	1113	1176			
51 / 1295	30 / 762	875	907	960	1021	1087	1153	1232	1303			
51 / 1295	36 / 914	939	998	1054	1143	1212	1280	1389	1473			
51 / 1295	42 / 1067	1048	1101	1176	1274	1346	1418	1532	1631			
51 / 1295	48 / 1219	1122	1173	1251	1342	1433	1525	1644	1746			
51 / 1295	54 / 1372	1188	1264	1342	1425	1547	1668	1801	1929			
51 / 1295	60 / 1524	1254	1347	1461	1550	1672	1793	1941	2078			
60 / 1524	18 / 457	815	859	884	945	1017	1089	1172	1241			
60 / 1524	24 / 610	845	894	932	1002	1070	1137	1217	1284			
60 / 1524	30 / 762	974	1010	1062	1134	1206	1279	1368	1449			
60 / 1524	36 / 914	1038	1109	1160	1259	1340	1420	1539	1628			
60 / 1524	42 / 1067	1154	1211	1276	1389	1479	1570	1686	1802			
60 / 1524	48 / 1219	1241	1300	1373	1471	1579	1686	1828	1948			
60 / 1524	54 / 1372	1300	1395	1465	1558	1699	1839	1997	2135			
60 / 1524	60 / 1524	1368	1490	1586	1681	1838	1994	2168	2325			
66 / 1676	18 / 457	834	883	917	982	1050	1118	1208	1277			
66 / 1676	24 / 610	877	936	974	1053	1118	1183	1266	1336			
66 / 1676	30 / 762	1008	1048	1101	1189	1264	1339	1432	1519			
66 / 1676	36 / 914	1059	1149	1205	1303	1395	1488	1622	1722			
66 / 1676	42 / 1067	1197	1257	1336	1435	1535	1634	1762	1886			
66 / 1676	48 / 1219	1294	1341	1418	1539	1642	1745	1885	1997			
66 / 1676	54 / 1372	1357	1446	1548	1633	1775	1915	2074	2219			
66 / 1676	60 / 1524	1424	1558	1635	1743	1917	2091	2273	2436			

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

Upcharges apply, please see the following page.

Pricing is continued on the following pages.

Power Panel (Continued)

DIMENSIONS
INCHES / MM

H	W
72 / 1829	18 / 457
72 / 1829	24 / 610
72 / 1829	30 / 762
72 / 1829	36 / 914
72 / 1829	42 / 1067
72 / 1829	48 / 1219
72 / 1829	54 / 1372
72 / 1829	60 / 1524
81 / 2057	18 / 457
81 / 2057	24 / 610
81 / 2057	30 / 762
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	48 / 1219
81 / 2057	54 / 1372
81 / 2057	60 / 1524

PRICING

WITH LAY-IN TROUGH (CONTINUED)

Complete Panel
Flintwood Top Trim

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
891	948	979	1044	1128	1211	1300	1378
943	998	1036	1115	1194	1272	1363	1439
1087	1128	1178	1259	1350	1441	1541	1635
1137	1211	1263	1376	1470	1565	1702	1806
1272	1339	1404	1534	1637	1739	1881	2009
1372	1437	1512	1629	1758	1886	2042	2170
1437	1551	1626	1738	1904	2069	2246	2405
1498	1649	1746	1872	2041	2209	2410	2585
940	1003	1037	1108	1199	1290	1397	1484
1002	1065	1097	1187	1278	1369	1473	1558
1157	1203	1253	1346	1446	1545	1657	1762
1220	1303	1356	1488	1592	1695	1842	1959
1358	1427	1492	1640	1758	1874	2027	2168
1473	1546	1623	1747	1892	2037	2212	2360
1546	1665	1751	1881	2059	2237	2426	2602
1621	1765	1865	2021	2199	2376	2596	2783

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 29

If Mica is specified for a 42" high frame, add 36

If Mica is specified for a 51" high frame, add 44

If Mica is specified for a 60" high frame, add 54

If Mica is specified for a 66" high frame, add 54


If Mica is specified for a 72" high frame, add 65

If Mica is specified for a 81" high frame, add 69

If Mica metal top trim is specified, add 5

P M

Modular Power Panel



Bare Frame Complete Panel

The Modular Power Panel is a single frame panel, segmented above 36" high which supports the full Element Program and provides both power pass-through and power access capabilities.

WHAT'S INCLUDED

Panel Frame (Bare): 1 frame, hardware for straight connections. Top trim is not included.

Complete Panel: 1 frame, 2 acoustic base elements, 2 Access Doors, 15" high acoustic upper elements in quantities appropriate to panel height specified, 1 top trim, hardware for straight connections.

WHAT'S EXCLUDED

Panel Frame (Bare): Top trim.

NOTES

The Lay-In Trough option is only available with 51" panel heights or higher.

To order panels, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Height	Width	Frame & Metal Top Trim Finish	Element Finish	Access Door Finish	Top Trim Finish	Lay-In Trough (Optional)
36, 51, 66, 81	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric	Flintwood Fabric	Flintwood	2 With Lay-In Trough

SAMPLE ORDER CODE

PM 81	30	E	PANEL MATRIX	PANEL MATRIX	PANEL MATRIX	
-------	----	---	--------------	--------------	--------------	--

DIMENSIONS
INCHES / MM

H	W
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
51 / 1295	18 / 457
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
66 / 1676	18 / 457
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219
66 / 1676	54 / 1372
66 / 1676	60 / 1524

PRICING

WITHOUT LAY-IN TROUGH

Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim								
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
236	471	500	524	554	596	637	689	728	
247	487	522	546	589	630	670	717	756	
250	530	557	602	648	688	728	780	831	
252	564	618	671	722	770	816	897	956	
265	637	678	743	798	849	900	975	1050	
290	696	727	788	853	909	966	1049	1116	
292	732	785	844	893	977	1059	1153	1238	
296	764	844	903	958	1055	1153	1260	1356	
338	658	709	743	786	848	910	987	1048	
353	683	743	774	833	894	954	1026	1089	
360	755	788	840	901	967	1033	1112	1183	
383	824	882	939	1028	1097	1166	1274	1359	
400	914	968	1043	1140	1212	1283	1399	1496	
413	979	1028	1107	1198	1289	1380	1499	1602	
422	1046	1121	1200	1282	1404	1526	1658	1787	
436	1101	1196	1308	1398	1519	1641	1789	1926	
488	894	937	987	1036	1113	1189	1296	1385	
497	915	971	1015	1069	1156	1243	1337	1428	
499	1010	1029	1062	1138	1239	1340	1431	1529	
549	1117	1132	1189	1315	1413	1511	1631	1754	
552	1208	1244	1293	1445	1547	1649	1786	1909	
555	1279	1323	1384	1496	1636	1775	1914	2061	
569	1378	1428	1515	1643	1783	1922	2117	2293	
571	1435	1466	1651	1779	1896	2014	2235	2422	

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.
Upcharges apply, please see the following page.

Pricing is continued on the following page.

P M

Modular Power Panel (Continued)

DIMENSIONS

INCHES / MM

H	W
81 / 2057	18 / 457
81 / 2057	24 / 610
81 / 2057	30 / 762
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	48 / 1219
81 / 2057	54 / 1372
81 / 2057	60 / 1524

H	W
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
51 / 1295	18 / 457
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
66 / 1676	18 / 457
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219
66 / 1676	54 / 1372
66 / 1676	60 / 1524
81 / 2057	18 / 457
81 / 2057	24 / 610
81 / 2057	30 / 762
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	48 / 1219
81 / 2057	54 / 1372
81 / 2057	60 / 1524

PRICING

WITHOUT LAY-IN TROUGH (CONTINUED)

Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim							
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
495	985	1050	1111	1174	1271	1367	1497	1609
504	1012	1094	1145	1214	1322	1429	1547	1662
564	1190	1216	1255	1346	1474	1601	1718	1838
584	1280	1300	1361	1524	1643	1763	1911	2060
599	1395	1446	1502	1698	1821	1944	2119	2267
607	1489	1552	1631	1769	1944	2117	2293	2476
617	1611	1682	1789	1952	2129	2306	2541	2760
618	1680	1724	1962	2125	2267	2409	2671	2899

Complete Panel Flintwood Top Trim

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
494	522	546	576	617	658	711	750
510	546	569	613	653	693	741	780
568	594	641	686	727	767	818	868
601	655	708	759	806	853	933	992
686	727	793	846	898	949	1025	1098
752	782	843	908	965	1022	1105	1172
786	841	900	948	1032	1115	1209	1294
819	900	959	1013	1111	1209	1315	1410
680	731	765	809	870	932	1008	1069
707	768	798	857	918	979	1050	1113
794	826	878	939	1006	1072	1150	1221
861	920	975	1065	1134	1202	1310	1395
963	1017	1091	1189	1261	1332	1448	1546
1033	1084	1161	1253	1344	1435	1555	1657
1100	1177	1255	1338	1460	1581	1714	1842
1157	1251	1364	1453	1575	1697	1844	1981
915	959	1008	1058	1135	1211	1317	1406
939	995	1038	1093	1180	1267	1361	1452
1048	1067	1099	1176	1277	1378	1469	1567
1154	1170	1225	1352	1450	1548	1667	1791
1256	1294	1341	1493	1596	1698	1834	1958
1335	1378	1439	1552	1692	1830	1969	2117
1433	1484	1571	1699	1839	1977	2172	2349
1491	1521	1706	1834	1952	2070	2291	2478
1006	1072	1132	1196	1293	1389	1519	1631
1035	1118	1169	1238	1346	1453	1571	1685
1229	1254	1294	1385	1512	1639	1757	1875
1317	1337	1398	1560	1680	1800	1948	2098
1445	1494	1551	1746	1869	1992	2168	2316
1545	1608	1685	1825	1999	2172	2349	2532
1666	1738	1844	2008	2185	2361	2597	2816
1736	1779	2018	2181	2323	2463	2727	2955

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 29

If Mica is specified for a 51" high frame, add 44

If Mica is specified for a 66" high frame, add 54

If Mica is specified for a 81" high frame, add 70

If Mica metal top trim is specified, add 5

Pricing is continued on the following page.

P M
Modular Power Panel (Continued)

DIMENSIONS
INCHES / MM

PRICING

WITH LAY-IN TROUGH									
Foundation Panel Frame (Bare)	Complete Panel								
	Metal	Top	Trim						
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
H W									
51 / 1295 18 / 457	384	707	754	790	835	896	957	1033	1096
51 / 1295 24 / 610	416	748	806	838	896	957	1017	1089	1152
51 / 1295 30 / 762	441	837	870	922	985	1050	1115	1197	1266
51 / 1295 36 / 914	462	904	962	1021	1109	1177	1245	1352	1439
51 / 1295 42 / 1067	485	1000	1053	1125	1224	1297	1368	1486	1580
51 / 1295 48 / 1219	502	1067	1116	1196	1287	1378	1467	1589	1689
51 / 1295 54 / 1372	508	1132	1209	1284	1368	1491	1614	1744	1872
51 / 1295 60 / 1524	532	1200	1293	1404	1494	1617	1740	1886	2022
66 / 1676 18 / 457	534	943	1011	1057	1116	1197	1278	1379	1465
66 / 1676 24 / 610	560	982	1065	1104	1177	1258	1339	1435	1521
66 / 1676 30 / 762	581	1089	1130	1188	1267	1359	1450	1557	1647
66 / 1676 36 / 914	627	1198	1261	1324	1448	1538	1629	1762	1876
66 / 1676 42 / 1067	637	1294	1361	1439	1583	1676	1767	1925	2042
66 / 1676 48 / 1219	645	1369	1436	1533	1653	1777	1901	2060	2196
66 / 1676 54 / 1372	656	1464	1562	1657	1777	1938	2099	2267	2438
66 / 1676 60 / 1524	669	1533	1639	1806	1930	2078	2225	2412	2588
81 / 2057 18 / 457	541	1035	1122	1181	1253	1355	1456	1582	1689
81 / 2057 24 / 610	567	1078	1185	1232	1322	1423	1524	1645	1752
81 / 2057 30 / 762	646	1269	1316	1381	1476	1594	1710	1845	1955
81 / 2057 36 / 914	662	1361	1428	1495	1655	1769	1883	2042	2183
81 / 2057 42 / 1067	684	1482	1561	1647	1836	1949	2061	2260	2398
81 / 2057 48 / 1219	695	1580	1665	1780	1926	2083	2241	2439	2608
81 / 2057 54 / 1372	705	1697	1819	1931	2085	2285	2484	2691	2905
81 / 2057 60 / 1524	715	1779	1898	2118	2275	2448	2620	2848	3066

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

Upcharges apply, please see the following page.

Pricing is continued on the following page.

P M

Modular Power Panel (Continued)

DIMENSIONS

INCHES / MM

H	W
51 / 1295	18 / 457
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
66 / 1676	18 / 457
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219
66 / 1676	54 / 1372
66 / 1676	60 / 1524
81 / 2057	18 / 457
81 / 2057	24 / 610
81 / 2057	30 / 762
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	48 / 1219
81 / 2057	54 / 1372
81 / 2057	60 / 1524

PRICING

WITH LAY-IN TROUGH (CONTINUED)

Complete Panel
Flintwood Top Trim

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
728	776	812	857	918	979	1054	1117
771	830	861	920	981	1042	1113	1176
875	908	960	1023	1088	1153	1235	1304
940	999	1056	1145	1213	1281	1388	1474
1049	1104	1175	1274	1346	1419	1534	1629
1122	1173	1251	1343	1433	1524	1645	1746
1188	1265	1341	1425	1548	1670	1800	1928
1256	1347	1461	1551	1674	1796	1943	2079
964	1032	1079	1138	1219	1300	1401	1487
1005	1088	1127	1201	1282	1363	1460	1546
1128	1169	1227	1305	1397	1488	1595	1685
1234	1297	1360	1484	1575	1665	1798	1913
1342	1409	1489	1633	1725	1818	1975	2092
1426	1493	1590	1709	1833	1956	2116	2252
1520	1619	1714	1833	1994	2155	2324	2494
1590	1696	1862	1986	2133	2280	2466	2645
1056	1145	1203	1275	1377	1477	1603	1712
1101	1210	1255	1344	1446	1548	1668	1777
1307	1356	1421	1515	1632	1748	1884	1994
1397	1464	1531	1691	1805	1918	2078	2221
1530	1612	1697	1886	1998	2111	2308	2449
1636	1721	1836	1982	2140	2297	2495	2664
1752	1874	1987	2142	2342	2541	2747	2961
1835	1954	2175	2332	2504	2676	2904	3123

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 29

If Mica is specified for a 51" high frame, add 44


If Mica is specified for a 66" high frame, add 54

If Mica is specified for a 81" high frame, add 70

If Mica metal top trim is specified, add 5

P X

Super Panel



Bare Frame Complete Panel

The Super Panel is a single frame to 36" high with 15" high Add-On Modules above to allow maximum panel-height flexibility. This panel type supports the full element program and provides both power pass-through and power access capabilities.

WHAT'S INCLUDED

Panel Frame (Bare): 1 – 36" high base frame, 15" high Add-On Modules in quantities appropriate to specified panel height, hardware for straight connections. Top trim is not included.

Complete Panel: 1 – 36" high base frame, 15" high Add-On Modules in quantities appropriate to specified panel height, 2 acoustic base elements, 2 Access Doors, 2 acoustic elements per Add-On Module, 1 top trim, hardware for straight connections.

WHAT'S EXCLUDED

Panel Frame (Bare): Top trim.

NOTES

To order panels, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Height	Width	Frame & Metal Top Trim Finish	Element Finish	Access Door Finish	Top Trim Finish
36, 51, 66, 81	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric	Flintwood Fabric	Flintwood

SAMPLE ORDER CODE

PX 81	30	E	PANEL MATRIX	PANEL MATRIX	PANEL MATRIX
-------	----	---	--------------	--------------	--------------

DIMENSIONS**INCHES / MM**

		PRICING									
H	W	Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim								
			A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
36 / 914	18 / 457	236	473	500	525	557	597	637	689	729	
36 / 914	24 / 610	247	488	522	546	589	630	670	717	757	
36 / 914	30 / 762	250	530	558	602	650	689	728	782	832	
36 / 914	36 / 914	252	565	620	673	725	771	817	896	957	
36 / 914	42 / 1067	265	637	678	743	797	848	900	977	1049	
36 / 914	48 / 1219	290	695	727	788	853	909	966	1049	1116	
36 / 914	54 / 1372	292	732	785	844	891	975	1059	1152	1238	
36 / 914	60 / 1524	296	765	844	903	959	1056	1154	1261	1358	
51 / 1295	18 / 457	397	719	767	802	847	908	969	1046	1109	
51 / 1295	24 / 610	436	767	825	857	915	975	1036	1109	1172	
51 / 1295	30 / 762	458	853	887	939	1002	1067	1132	1213	1282	
51 / 1295	36 / 914	459	900	959	1017	1106	1174	1242	1347	1435	
51 / 1295	42 / 1067	494	1008	1063	1135	1234	1305	1377	1494	1589	
51 / 1295	48 / 1219	539	1105	1153	1233	1325	1414	1504	1625	1727	
51 / 1295	54 / 1372	553	1177	1253	1330	1413	1536	1658	1789	1917	
51 / 1295	60 / 1524	573	1241	1334	1446	1535	1658	1781	1927	2065	
66 / 1676	18 / 457	559	967	1034	1082	1140	1221	1302	1403	1489	
66 / 1676	24 / 610	622	1044	1127	1166	1239	1320	1401	1497	1583	
66 / 1676	30 / 762	664	1174	1214	1273	1352	1443	1533	1642	1731	
66 / 1676	36 / 914	670	1239	1302	1365	1489	1580	1671	1804	1918	
66 / 1676	42 / 1067	721	1378	1446	1525	1668	1761	1853	2011	2128	
66 / 1676	48 / 1219	788	1513	1580	1677	1796	1919	2043	2203	2337	
66 / 1676	54 / 1372	790	1597	1697	1791	1911	2072	2232	2400	2573	
66 / 1676	60 / 1524	856	1720	1826	1992	2116	2264	2412	2598	2775	

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

Upcharges apply, please see the following page.

Pricing is continued on the following page.

Super Panel (Continued)

DIMENSIONS
INCHES / MM

H	W
81 / 2057	18 / 457
81 / 2057	24 / 610
81 / 2057	30 / 762
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	48 / 1219
81 / 2057	54 / 1372
81 / 2057	60 / 1524

PRICING

Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim							
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
721	1215	1303	1362	1433	1535	1636	1762	1870
811	1323	1430	1474	1565	1666	1767	1889	1997
872	1496	1545	1610	1703	1821	1937	2073	2182
878	1577	1644	1712	1871	1986	2099	2259	2399
952	1749	1830	1916	2105	2218	2330	2527	2667
1036	1922	2008	2122	2268	2426	2583	2781	2949
1042	2035	2156	2268	2423	2623	2821	3029	3241
1137	2201	2321	2541	2697	2870	3042	3269	3487

Complete Panel
Flintwood Top Trim

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
495	522	546	578	618	658	711	751
510	545	569	613	653	693	741	781
568	595	641	688	728	767	820	870
601	655	710	761	807	853	931	992
687	727	793	846	899	950	1026	1098
752	783	844	909	966	1022	1106	1173
788	842	900	948	1032	1116	1209	1295
821	900	959	1015	1113	1211	1316	1413
741	788	824	869	930	990	1067	1130
790	848	880	939	1000	1059	1132	1196
891	925	977	1040	1106	1171	1251	1322
937	994	1053	1141	1210	1278	1385	1471
1057	1112	1183	1282	1355	1427	1545	1638
1160	1210	1289	1380	1470	1560	1682	1783
1234	1309	1387	1469	1592	1715	1845	1974
1298	1390	1502	1592	1715	1838	1983	2120
988	1055	1104	1161	1243	1324	1425	1510
1067	1150	1188	1263	1344	1425	1521	1607
1212	1252	1310	1390	1482	1572	1680	1770
1275	1338	1401	1525	1616	1707	1840	1954
1428	1495	1574	1718	1810	1903	2060	2177
1569	1636	1733	1852	1976	2100	2260	2394
1654	1752	1848	1967	2128	2289	2457	2628
1777	1883	2049	2172	2319	2466	2653	2832
1237	1325	1384	1455	1556	1657	1783	1891
1345	1454	1498	1589	1691	1791	1913	2020
1534	1582	1647	1742	1860	1976	2111	2222
1613	1680	1747	1907	2021	2135	2294	2435
1799	1881	1966	2155	2268	2380	2578	2717
1978	2063	2178	2325	2482	2640	2837	3006
2091	2211	2325	2480	2680	2878	3084	3298
2258	2376	2597	2754	2926	3099	3325	3544

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 29

If Mica is specified for a 51" high frame, add 44

If Mica is specified for a 66" high frame, add 54


If Mica is specified for a 81" high frame, add 69

If Mica metal top trim is specified, add 5


P X

Add-On Module

44



Bare Frame



Complete Panel

The Add-On Module can be applied to the top of any panel to increase height. The 6" high Add-On Module is designed to create a 42" high panel for a countertop application.

WHAT'S INCLUDED

Module Frame (Bare): 1 frame, hardware for straight connections.

Complete Module: 1 frame, 2 acoustic elements, hardware for straight connections.

WHAT'S EXCLUDED

Top trim.

NOTES

The 6" Add-On Module can be installed only at the top of the panel and **cannot** be used to support Overhead Storage.

If adding a module to a 36" or 42" high panel with existing wiring, a special bracket is required.

To order add-ons, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Height	Width	Frame Finish	Element Finish
06, 15	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric

SAMPLE ORDER CODE

PX 06	18	N	PANEL MATRIX
-------	----	---	--------------

DIMENSIONS INCHES / MM

		PRICE								
		Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim							
H	W		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
06 / 152	18 / 457	118	187	193	195	211	230	248	266	285
06 / 152	24 / 610	121	192	198	206	223	239	255	277	292
06 / 152	30 / 762	130	215	224	228	235	258	280	302	319
06 / 152	36 / 914	133	231	238	238	253	277	301	322	342
06 / 152	42 / 1067	141	253	259	259	277	303	330	358	379
06 / 152	48 / 1219	168	286	303	310	318	353	387	421	446
06 / 152	54 / 1372	180	301	338	347	362	400	438	470	499
06 / 152	60 / 1524	194	328	358	377	397	426	456	492	523
15 / 381	18 / 457	163	248	270	280	293	314	335	359	380
15 / 381	24 / 610	187	276	302	309	323	344	365	390	413
15 / 381	30 / 762	208	322	330	336	351	377	403	429	452
15 / 381	36 / 914	214	342	347	351	387	410	432	460	486
15 / 381	42 / 1067	236	377	391	399	442	463	484	523	547
15 / 381	48 / 1219	255	414	434	452	477	512	547	584	618
15 / 381	54 / 1372	263	447	469	489	524	562	600	639	683
15 / 381	60 / 1524	296	494	506	561	595	620	644	685	726

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 6" high frame, add 12

If Mica is specified for a 15" high frame, add 27

Add-On Module – Lay-In can be applied to the top of any T/O/S panel and includes a Lay-In Channel for routing communication cables.

WHAT'S INCLUDED

Bare Frame: (for build-up purposes only), 1 lay-in frame, hardware for straight connections.

Complete Panel: 1 lay-in frame, 2 acoustic elements, hardware for straight connections.

WHAT'S EXCLUDED


Top trim.

NOTES


If adding a module to a 36" or 42" high panel with existing wiring, a special bracket is required.

To order add-ons, a panel matrix must be completed to identify placement of specific elements.

PXL15 Add-On Module – Lay-In



Complete Panel



Bare Frame

PRODUCT OPTIONS

Width	Frame Finish	Element Finish
18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric

SAMPLE ORDER CODE

PXL15 18	E	PANEL MATRIX
----------	---	--------------

DIMENSIONS INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524


PRICE

Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim							
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
210	294	316	328	340	361	381	405	427
251	340	366	373	387	408	429	454	477
288	403	410	416	432	458	484	509	531
292	421	425	429	466	488	509	538	564
320	462	475	484	527	548	568	608	631
344	503	523	540	566	601	635	673	708
349	533	555	575	610	648	686	725	769
393	590	603	657	692	716	740	781	822

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified, add 27

P X D
Add-On Module – PE42



The Add-On Module – PE42 is required when added to a 42" high T/O/S Power Panel (PE) only. This module also accepts the full range of T/O/S elements.

WHAT’S INCLUDED

Bare Frame: (for build-up pricing purposes only) 1 frame, hardware for straight connections.

Complete Module: 1 frame, 2 acoustic elements, hardware for straight connections.

WHAT’S EXCLUDED

Top trim.

NOTES

The lay-in trough option is available on 15" height modules only.

To order add-ons, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Height	Width	Frame Finish	Element Finish	Lay-In Trough (Optional)
06, 15	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric	2 With Lay-In Trough

SAMPLE ORDER CODE

PXD 06	18	N	PANEL MATRIX	2
--------	----	---	--------------	---

DIMENSIONS
INCHES / MM

H	W
06 / 152	18 / 457
06 / 152	24 / 610
06 / 152	30 / 762
06 / 152	36 / 914
06 / 152	42 / 1067
06 / 152	48 / 1219
06 / 152	54 / 1372
06 / 152	60 / 1524
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

WITHOUT LAY-IN TROUGH									
Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim								
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
118	187	193	195	211	230	248	266	285	
121	192	198	206	223	239	255	277	292	
130	215	224	228	235	258	280	302	319	
133	231	238	238	253	277	301	322	342	
141	253	259	259	277	303	330	358	379	
168	286	303	310	318	353	387	421	446	
180	301	338	347	362	400	438	470	499	
194	328	358	377	397	426	456	492	523	
163	248	270	280	293	314	335	359	380	
187	276	302	309	323	344	365	390	413	
208	322	330	336	351	377	403	429	452	
214	342	347	351	387	410	432	460	486	
236	377	391	399	442	463	484	523	547	
255	414	434	452	477	512	547	584	618	
263	447	469	489	524	562	600	639	683	
296	494	506	561	595	620	644	685	726	

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 6" high frame, add 12
If Mica is specified for a 15" high frame, add 27

Pricing is continued on the following page.

P X D

Add-On Module – PE42 (Continued)

DIMENSIONS INCHES / MM

H	W
06 / 152	18 / 457
06 / 152	24 / 610
06 / 152	30 / 762
06 / 152	36 / 914
06 / 152	42 / 1067
06 / 152	48 / 1219
06 / 152	54 / 1372
06 / 152	60 / 1524
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

WITH LAY-IN TROUGH


Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim							
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
118	187	193	195	211	230	248	266	285
121	192	198	206	223	239	255	277	292
130	215	224	228	235	258	280	302	319
133	231	238	238	253	277	301	322	342
141	253	259	259	277	303	330	358	379
168	286	303	310	318	353	387	421	446
180	301	338	347	362	400	438	470	499
194	328	358	377	397	426	456	492	523
210	294	316	328	340	361	381	405	427
250	339	365	372	386	407	428	453	476
289	404	411	417	433	459	485	510	532
292	421	425	429	466	488	509	538	564
320	462	475	484	527	548	568	608	631
344	503	523	540	566	601	635	673	708
350	534	557	576	611	649	687	726	770
393	590	603	657	692	716	740	781	822

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 6" high frame, add 12

If Mica is specified for a 15" high frame, add 27

PO Over Panel



48

The Over Panel allows for custom height closures between the top of a panel and the ceiling.

WHAT'S INCLUDED

1 framed single-glass panel (tempered glass), hardware for straight connections.

WHAT'S EXCLUDED

Top trim and ceiling attachment hardware.

NOTES

The Over Panel can be attached to the ceiling to create a completely enclosed space. In this application, the method of attachment, stability of the installation and attachment hardware are the sole responsibility of the installer.

Pricing is based on two height range categories (**18, 30**). However, when ordering, ensure that the **exact height** required is specified (available in 1" increments), **not** the range code.

PRODUCT OPTIONS

Height	Width	Frame Finish	Glass
18 9 to 18	18, 24, 30, 36, 42, 48, 54, 60	Foundation	5 Clear Standard Glass
30 19 to 30		Mica	6 Frost Standard Glass

SAMPLE ORDER CODE

PO 30	60	E	5
--------------	-----------	----------	----------

DIMENSIONS INCHES / MM

H	W
18 / 457	18 / 457
18 / 457	24 / 610
18 / 457	30 / 762
18 / 457	36 / 914
18 / 457	42 / 1067
18 / 457	48 / 1219
18 / 457	54 / 1372
18 / 457	60 / 1524
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

Foundation frame with Clear Glass	Foundation frame with Frost Glass
429	473
443	487
470	517
523	576
560	615
603	662
624	689
646	710
490	539
506	558
580	638
603	662
649	713
704	772
761	836
821	903

If Mica is specified for a 18" high frame, add 27

If Mica is specified for a 30" high frame, add 29

The Door Panel allows for door applications within the panel environment, however does not allow for power pass-through or power access.

WHAT'S INCLUDED


1 door, 1 door frame, 1 top trim, handle and lock (as per specification), hardware for straight connections.

NOTES

For wheelchair accessibility, specify the 42" wide door panel.

Handles, locks and thresholds have a Brushed Chrome finish.

P D Door Panel



PRODUCT OPTIONS

Handle Style	Height	Width	Door Swing Direction	Frame & Metal Top Trim Finish	Door Surface Finish	Flintwood Top Trim Finish
1 Ball Handle w/ Lock	81	36, 42	L Left Swing	Foundation	Foundation Laminate	Flintwood
2 Lever Handle w/ Deadbolt			R Right Swing	Mica	Flintwood	
3 Lever Handle (No Lock)						
9 No Handle						

SAMPLE ORDER CODE

PD 2	81	42	R	G	MG	
------	----	----	---	---	----	--

DIMENSIONS INCHES / MM


H	W
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	36 / 914
81 / 2057	42 / 1067

PRICING

METAL TOP TRIM		WOOD TOP TRIM	
Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
BALL HANDLE WITH LOCK (1)			
1890	2217	1926	2253
2035	2463	2084	2514
LEVER HANDLE WITH DEADBOLT (2)			
1983	2303	2015	2338
2289	2561	2340	2611
LEVER HANDLE WITH (NO LOCK) (3)			
1877	2193	1915	2229
2182	2451	2231	2502
NO HANDLE (9)			
1846	2163	1884	2199
2150	2420	2200	2471

If Mica frame is specified, add 69

PPSF
Privacy Screen



The Privacy Screen is a lightweight, clear translucent panel-mounted, sliding partition.

WHAT’S INCLUDED
1 screen and panel-mounting hardware.

NOTES
This product **cannot** be mounted to a 30" wide panel because the mounting brackets interfere with panel connections.
Caps will be finished to match the Foundation finish color specified for the frame. Caps are Black when Mica finish is specified.

PRODUCT OPTIONS

Height	Width	Screen Slide Direction	Frame Finish
51, 66, 81	36, 42	L Left Slide R Right Slide	Foundation Mica

SAMPLE ORDER CODE

PPSF 66	36	L	9
---------	----	---	---

DIMENSIONS
INCHES / MM

H	W
51 / 1295	36 / 914
51 / 1295	42 / 1067
66 / 1676	36 / 914
66 / 1676	42 / 1067
81 / 2057	36 / 914
81 / 2057	42 / 1067

PRICING


Foundation	Mica
1054	1093
1112	1177
1170	1213
1200	1236
1233	1282
1332	1397

The Panel T adds an architectural accent to a workstation while also providing secondary support to the end of a panel.

WHAT'S INCLUDED
1 Panel T, trim adapter and hardware.

NOTES
Hardware is Black.

T P T A
Panel T



51

PRODUCT OPTIONS

Height	Panel T Finish	Trim Adapter Finish
36, 42, 51, 66	Foundation Mica	Foundation

SAMPLE ORDER CODE

TPTA 51	H	E
---------	---	---


DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
66 / 1676

PRICING

Foundation	Mica
461	525
501	564
639	711
669	740

TP
Bridge



The Bridge is a tackable space divider which can be mounted in an on- or off-module position within a panel environment.

WHAT'S INCLUDED
1 partition, 1 pole, 1 T-end support, panel-mounting hardware (off-module hardware).

NOTES
The Whiteboard portion of the Bridge accepts magnets.
When specified Whiteboard is applied to both sides of outer partition.
Bridge can be mounted on an on-module position using off-module panel-mounting hardware.

PRODUCT OPTIONS

Styles	Pole and T-End Height	Partition Height	Width	Pole, Frame & T-End Finish	Bridge Finish (Left Side)	Bridge Finish (Right Side)	On/Off Module	Panel Mounting Hardware Finish
B Standard Bridge (Inner and Outer – Fabric only)	51, 66	30, 45	72, 78, 84, 90, 96	Foundation Mica	Fabric	Fabric	1 On-Module	Foundation
W Bridge with Whiteboard (Inner – Fabric Only Outer – Whiteboard)							2 Off-Module	

SAMPLE ORDER CODE

TP B	51	45	84	D	T205	T205	1	J
------	----	----	----	---	------	------	---	---

DIMENSIONS
INCHES / MM

H	P/H	W
51 / 1295	30 / 762	72 / 1829
51 / 1295	30 / 762	78 / 1981
51 / 1295	30 / 762	84 / 2134
51 / 1295	30 / 762	90 / 2286
51 / 1295	30 / 762	96 / 2438
51 / 1295	45 / 1143	72 / 1829
51 / 1295	45 / 1143	78 / 1981
51 / 1295	45 / 1143	84 / 2134
51 / 1295	45 / 1143	90 / 2286
51 / 1295	45 / 1143	96 / 2438
66 / 1676	45 / 1143	72 / 1829
66 / 1676	45 / 1143	78 / 1981
66 / 1676	45 / 1143	84 / 2134
66 / 1676	45 / 1143	90 / 2286
66 / 1676	45 / 1143	96 / 2438

PRICING

STANDARD BRIDGE (B)									
Foundation Pole, Frame & T-End									
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr.6	Gr. 7		
1636	1667	1692	1726	1840	1954	2161	2318		
1660	1697	1730	1762	1877	1995	2207	2368		
1697	1728	1773	1810	1933	2051	2269	2433		
1733	1766	1796	1832	1955	2076	2293	2462		
1770	1800	1829	1863	1985	2111	2335	2505		
1897	1936	1970	2011	2153	2293	2552	2750		
1929	1973	2015	2054	2199	2346	2608	2809		
1968	2011	2066	2109	2261	2411	2681	2889		
2011	2054	2093	2136	2289	2440	2714	2924		
2052	2092	2128	2171	2325	2481	2758	2974		
2155	2234	2306	2376	2548	2717	3022	3258		
2190	2271	2352	2440	2617	2794	3109	3353		
2221	2306	2389	2478	2659	2835	3157	3403		
2253	2329	2403	2496	2679	2857	3180	3428		
2288	2371	2461	2550	2735	2919	3250	3503		

Pricing is continued on the following page.

T P

Bridge (Continued)

DIMENSIONS

INCHES / MM

H	P/H	W
51 / 1295	30 / 762	72 / 1829
51 / 1295	30 / 762	78 / 1981
51 / 1295	30 / 762	84 / 2134
51 / 1295	30 / 762	90 / 2286
51 / 1295	30 / 762	96 / 2438
51 / 1295	45 / 1143	72 / 1829
51 / 1295	45 / 1143	78 / 1981
51 / 1295	45 / 1143	84 / 2134
51 / 1295	45 / 1143	90 / 2286
51 / 1295	45 / 1143	96 / 2438
66 / 1676	45 / 1143	72 / 1829
66 / 1676	45 / 1143	78 / 1981
66 / 1676	45 / 1143	84 / 2134
66 / 1676	45 / 1143	90 / 2286
66 / 1676	45 / 1143	96 / 2438

51 / 1295	30 / 762	72 / 1829
51 / 1295	30 / 762	78 / 1981
51 / 1295	30 / 762	84 / 2134
51 / 1295	30 / 762	90 / 2286
51 / 1295	30 / 762	96 / 2438
51 / 1295	45 / 1143	72 / 1829
51 / 1295	45 / 1143	78 / 1981
51 / 1295	45 / 1143	84 / 2134
51 / 1295	45 / 1143	90 / 2286
51 / 1295	45 / 1143	96 / 2438
66 / 1676	45 / 1143	72 / 1829
66 / 1676	45 / 1143	78 / 1981
66 / 1676	45 / 1143	84 / 2134
66 / 1676	45 / 1143	90 / 2286
66 / 1676	45 / 1143	96 / 2438

PRICING

STANDARD BRIDGE (B) (CONTINUED)

Mica

Pole, Frame & T-End

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr.6	Gr. 7
1729	1761	1786	1820	1933	2048	2254	2412
1756	1791	1825	1856	1973	2090	2303	2462
1791	1823	1868	1905	2029	2146	2364	2527
1831	1865	1894	1930	2053	2174	2393	2561
1871	1899	1929	1964	2086	2212	2435	2606
1991	2030	2065	2103	2246	2389	2645	2842
2024	2069	2109	2148	2294	2440	2703	2905
2063	2104	2161	2204	2356	2506	2775	2983
2108	2153	2191	2234	2387	2539	2815	3022
2154	2192	2228	2273	2427	2581	2859	3073
2261	2342	2412	2483	2655	2825	3130	3366
2300	2378	2461	2548	2726	2900	3218	3461
2329	2414	2496	2585	2766	2945	3266	3510
2364	2438	2514	2606	2787	2966	3289	3537
2401	2484	2575	2665	2850	3032	3363	3616

BRIDGE WITH WHITEBOARD (W)

Foundation

Pole, Frame & T-End

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr.6	Gr. 7
1877	1918	1944	1981	2123	2260	2514	2706
1909	1952	1990	2029	2171	2316	2575	2773
1952	1986	2042	2080	2229	2374	2640	2846
1993	2031	2066	2104	2253	2401	2669	2873
2036	2072	2099	2142	2293	2447	2720	2927
2181	2226	2264	2314	2486	2660	2972	3210
2219	2271	2318	2364	2539	2718	3038	3282
2262	2309	2377	2423	2605	2789	3116	3367
2314	2360	2406	2460	2646	2830	3163	3418
2363	2405	2444	2500	2686	2875	3213	3471
2478	2566	2650	2731	2937	3142	3511	3797
2518	2610	2706	2807	3020	3234	3616	3911
2556	2648	2745	2849	3066	3279	3666	3962
2585	2679	2765	2868	3088	3304	3696	3995
2632	2727	2829	2932	3157	3379	3778	4085

Pricing is continued on the following page.

T P

Bridge (Continued)

DIMENSIONS

INCHES / MM

H	P/H	W
51 / 1295	30 / 762	72 / 1829
51 / 1295	30 / 762	78 / 1981
51 / 1295	30 / 762	84 / 2134
51 / 1295	30 / 762	90 / 2286
51 / 1295	30 / 762	96 / 2438
51 / 1295	45 / 1143	72 / 1829
51 / 1295	45 / 1143	78 / 1981
51 / 1295	45 / 1143	84 / 2134
51 / 1295	45 / 1143	90 / 2286
51 / 1295	45 / 1143	96 / 2438
66 / 1676	45 / 1143	72 / 1829
66 / 1676	45 / 1143	78 / 1981
66 / 1676	45 / 1143	84 / 2134
66 / 1676	45 / 1143	90 / 2286
66 / 1676	45 / 1143	96 / 2438

PRICING

BRIDGE WITH WHITEBOARD (W) (CONTINUED)

Mica
Pole, Frame & T-End

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr.6	Gr. 7
1971	2012	2038	2075	2217	2353	2607	2799
2006	2046	2085	2124	2267	2411	2669	2868
2046	2080	2136	2176	2325	2470	2735	2940
2092	2130	2164	2203	2351	2500	2768	2974
2136	2172	2199	2244	2395	2547	2820	3030
2274	2319	2359	2408	2580	2754	3065	3303
2314	2366	2414	2457	2634	2813	3131	3377
2358	2403	2473	2518	2701	2884	3212	3463
2412	2459	2505	2558	2744	2927	3262	3516
2462	2506	2545	2602	2788	2977	3314	3571
2584	2672	2758	2837	3044	3250	3620	3903
2627	2720	2815	2917	3129	3342	3723	4017
2665	2757	2855	2956	3173	3386	3774	4071
2696	2789	2873	2979	3196	3414	3805	4104
2744	2838	2943	3046	3272	3491	3890	4198

lyft


PRODUCT MAP	59
SCREEN BASICS	61
PRODUCT LISTING	62

product map

H P S Thin Panel – Standard


Page 62

Height: 42" – 66" / Width: 24" – 60"


**H P M Thin Panel – Monolithic**

Page 64

Height: 42" – 66" / Width: 24" – 48"


**H P F Thin Panel Stabilizer Foot**

Page 65

**P P H Add-On Screen – Translucent**

Page 66

Height: 15" / Width: 18" – 60"




Lyft provides space division by using a variety of thin panels and screens that can be connected to other thin panels or T/O/S panels. Thin panels provide an alternative aesthetic when a thin profile is required.




- Thin Panels (HPS) are not handed
- Thin Panels do not require top trim
- End Trims (HET), Intermediate Trims (HIT) and connecting hardware must be specified separately
- The mid rail accommodates worksurface connection and support
- The upper rail accepts mounted storage signage on-module in corners (except Screenweave Floor Screen) and workstation signage
- Lyft Thin Panels support Lyft Shelves (HMS) and overhead cabinets up to 30" wide (see Filing and Storage for details on overhead cabinet options) provided the Lyft panel is attached to the T/O/S panel. Please see the Mounted Storage section for details
- All dimensions and dimension codes are nominal

61



H P S

Thin Panel – Standard



Top Segment
Fabric, Grade A
(51" x 36" overall panel)

\$213

Bottom Segment
Fabric, Grade A
(36" overall panel
width)

\$213

Total \$426

The Standard Thin Panel connects both on- or off-module to T/O/S Panels or on-module to Lyft Thin Panels and Screens, providing space division. The Standard Thin Panel's mid rail accommodates worksurface connection and support.

WHAT'S INCLUDED

1 panel (finished as specified), straight 180° connections and 2 levelers.

WHAT'S EXCLUDED

End Trims (HET) and Intermediate Trims (HIT).

62

PRODUCT OPTIONS

Height	Width	Frame Finish	Top Segment Finish	Bottom Segment Finish
42, 51, 66	24, 30, 36, 42, 48, 60	Foundation Mica	Fabric Translucent WZ Whiteboard	Fabric Translucent

SAMPLE ORDER CODE

HPS 51	36	G	WO24	AM
--------	----	---	------	----

DIMENSIONS
INCHES / MM

Overall Panel Height	Overall Panel Width
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	60 / 1524
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	60 / 1524
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219
66 / 1676	60 / 1524

PRICING

TOP SEGMENT

Fabric Grade A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Translucent Ribbed	Translucent Frost	Whiteboard
139	142	150	164	180	195	213	231	144	324	n/a
151	153	172	183	200	216	238	257	159	375	n/a
169	173	186	204	224	243	266	287	182	444	n/a
170	176	188	206	229	252	280	302	217	490	n/a
179	186	200	217	243	268	297	323	227	508	n/a
207	215	225	247	273	298	331	361	259	715	n/a
175	182	191	204	227	250	275	299	224	478	526
194	206	213	229	255	281	312	339	246	559	583
213	225	237	254	284	313	347	376	267	624	641
243	252	269	290	322	354	393	428	296	696	726
261	274	292	315	351	386	429	465	321	754	788
303	317	338	359	397	435	480	525	383	1057	1072
236	243	259	280	312	343	379	413	290	781	855
260	267	293	317	353	387	431	468	323	896	944
290	296	324	351	391	429	476	518	361	1084	1100
321	339	363	397	442	487	539	586	408	1107	1187
351	371	398	435	484	533	589	644	444	1202	1287
405	420	448	489	540	589	654	712	507	1876	1893

Step 1: Determine Top Segment price.

example: 51" high, 36" wide Thin Panel finished in a Fabric, Grade A is 213

Pricing is continued on the following page.

Thin Panel – Standard (Continued)

DIMENSIONS
INCHES / MM

PRICING

Overall Panel Width	BOTTOM SEGMENT								Translucent Ribbed	Translucent Frost
	Fabric Grade A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr.7		
24 / 610	175	182	191	204	227	250	276	299	225	478
30 / 762	194	206	213	229	256	282	313	340	246	560
36 / 914	213	225	237	255	285	314	347	378	267	624
42 / 1067	243	253	269	290	322	355	393	311	297	696
48 / 1219	261	274	293	316	352	386	429	467	322	756
60 / 1524	303	318	339	359	398	436	484	525	383	1058

*(must equal top segment overall width)

Step 2: Determine Bottom Segment price.


example: 36" wide Thin Panel finished in a Fabric, Grade A is 213

Step 3: To determine overall panel price, add Top Segment price and Bottom Segment price

example: 213 + 213 = 426

If Mica frame is specified, add 27

See illustrated example on previous page.

HPM**Thin Panel – Monolithic**

The Monolithic Thin Panel is designed to provide space division when linked to another panel or as a freestanding screen.

WHAT'S INCLUDED

1 panel with ribbed translucent monolithic panel interior, stabilizer foot quantity as specified, panel-to-panel 180° connection.

WHAT'S EXCLUDED

End Trims (HET) and Intermediate Trims (HIT).

64

PRODUCT OPTIONS

Height	Width	Stabilizer Foot	Frame Finish	Stabilizer Foot Finish	Translucent Panel Finish
42, 51, 66	24, 30, 36, 42, 48	1 One Foot 2 Two Feet	Foundation Mica	Foundation Mica	CL Ribbed Clear CG Ribbed Textured

SAMPLE ORDER CODE

HPM 42	30	1	E	E	CL
---------------	-----------	----------	----------	----------	-----------

**DIMENSIONS
INCHES / MM**

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

PRICING


ONE FOOT (1)		TWO FEET (2)	
Foundation Frame	Mica Frame	Foundation Frame	Mica Frame
461	488	559	586
480	507	581	608
507	534	608	634
540	567	641	667
565	590	664	690
478	505	579	605
499	525	597	624
539	566	639	666
581	608	678	706
631	656	728	754
533	559	633	660
624	650	725	751
674	701	771	798
731	757	828	856
793	818	890	918

If Mica foot is specified, add 5 per foot

The Thin Panel Stabilizer Foot provides stability to Lyft Thin Panels beyond an adjacent worksurface or panel connection.

WHAT'S INCLUDED
1 foot.

HPF
Thin Panel Stabilizer Foot



PRODUCT OPTIONS

Finish
Foundation
Mica


SAMPLE ORDER CODE

HPF C

PRICING

Foundation	Mica
98	104

PPH
Add-On Screen – Translucent



Add-On Screens provide a casual alternative solution to increase panel-height and visual privacy.

WHAT’S INCLUDED
1 screen with attachment hardware.

NOTES
The screen material is translucent frosted acrylic.

66

PRODUCT OPTIONS

Height	Width	Bracket Finish	Top Trim Type
15	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	1 Straight Trim 2 Square Profile Trim

SAMPLE ORDER CODE

PPH 15	24	N	1
--------	----	---	---

DIMENSIONS
INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

Foundation	Mica
211	231
224	245
251	271
276	297
316	338
334	355
361	382
382	403

panel connections &
trims


panel connections & trims

PRODUCT MAP	70
PANEL CONNECTIONS OVERVIEW	75
PANEL CONNECTIONS – TRIM BASICS	76
PANEL CONNECTIONS – CORNER BASICS	77
PANEL CONNECTIONS – UNIVERSAL BASICS	78
LYFT PANELS & CONNECTIONS OVERVIEW	79
LYFT END RUN, MID RUN & OFF-MODULE 90° CONNECTOR BASICS	80
LYFT TRIMS & CONNECTIONS BASICS	81
PRODUCT LISTING	82

product map


C C _ 9 0 Corner Cover Two-Way 90°

Page 82
Height: 36" to 96"




C I _ 9 0 Intermediate Corner Cover Two-Way 90°

Page 83
Height: 3" to 60"




C C _ 6 0 Corner Cover Two-Way 60°

Page 84
Height: 36" to 96"




C C _ 4 5 Corner Cover Two-Way 45°

Page 85
Height: 36" to 96"




C C _ 1 8 Corner Cover Three-Way 180°

Page 86
Height: 36" to 96"




C I _ 1 8 Intermediate Corner Cover Three Way 180°

Page 87
Height: 3" to 60"




C C _ 4 Corner Cover Four-Way 90°

Page 88
Height: 36" to 96"




C E C _ 1 8 Panel Spacer

Page 89
Height: 36" to 96"




E C Outside Corner Cover

Page 90
Height: 36" to 96"



C I _ 1 8 Intermediate Corner Cover Two-Way 180°


Page 91
Height: 3" to 60"



product map


E C I Intermediate Outside Corner Cover

Page 92
Height: 3" to 60"




P F Adjustable Filler Panel

Page 93
Height: 36" to 96"




P E T End Trim

Page 94
Height: 36" to 96"



P I T Intermediate Trim

Page 95
Height: 3" to 60"




T R Straight Top Trim

Page 96
Width: 18" to 60"




C C S _ 9 0 Corner Cover Two-Way 90° – Square Profile

Page 97
Height: 36" to 96"




C I S _ 9 0 Intermediate Corner Cover Two-Way 90° – Square Profile

Page 98
Height: 6" to 60"




C C S _ 1 8 Corner Cover Three-Way 180° – Square Profile

Page 99
Height: 36" to 96"




C I S _ 1 8 Intermediate Corner Cover Three-Way 180° – Square Profile

Page 100
Height: 6" to 60"




C C S _ 4 Corner Cover Four-Way 90° – Square Profile

Page 101
Height: 36" to 96"




C E C S _ 1 8 Panel Spacer – Square Profile

Page 102
Height: 36" to 96"



E C S Outside Corner Cover – Square Profile


Page 103
Height: 36" to 96"



product map


C I S _ 0 0 Intermediate Corner Cover Two-Way 180° – Square Profile

Page 104
Height: 6" to 60"




E C I S Intermediate Outside Corner Cover – Square Profile

Page 105
Height: 6" to 60"




P E T S End Trim – Square Profile

Page 106
Height: 36" to 96"




P I T S Intermediate Trim – Square Profile

Page 107
Height: 6" to 60"




T R S Top Trim – Square Profile

Page 108
Width: 18" to 60"




C _ 1 8 Corner Cover Three-Way 180° (No Cap)

Page 109
Height: 36" to 96"




C I _ 1 8 J Intermediate Corner Cover Three-Way 180° (No Cap)

Page 110
Height: 3" to 60"



C _ 4 Corner Cover Four-Way 90° (No Cap)

Page 111
Height: 36" to 96"




P P A Panel-to-Panel Adapter

Page 112
Height: 36" to 96"




P W A Wall Adapter

Page 113
Height: 36" to 96"




P H Panel Hinge

Page 114




F L 2 8 0 Flush Foot

Page 115



P S C 2 0 0 Slot Cover

Page 116



lyft


H C M S Mid Run 90° On-Module Connector/Spacer

Page 117



H C E S End Run 90° Connector/Spacer

Page 118



H C H 9 Thin Panel Connector 90°

Page 119



Two-Way


H E T Thin Panel End Trim

Page 120
Height: 42" to 66"



H I T Thin Panel Intermediate Trim

Page 121
Height: 9" to 24"




Two-Way

panel connections overview

Lyft provides space division by using a variety of thin panels and screens that can be connected to other thin panels or T/O/S panels. Thin panels provide an alternative aesthetic when a thin profile is required.

- Thin Panels (HPS) are not handed
- Thin Panels do not require top trim
- End Trims (HET), Intermediate Trims (HIT) and connecting hardware must be specified separately
- The mid rail accommodates worksurface connection and support
- The upper rail accepts mounted storage signage on-module in corners (except Screenweave Floor Screen) and workstation signage
- Lyft Thin Panels support Lyft Shelves (HMS) and overhead cabinets up to 30" wide (see Filing and Storage for details on overhead cabinet options) provided the Lyft panel is attached to the T/O/S panel. Please see the Mounted Storage section for details
- All dimensions and dimension codes are nominal



panel connections – trim basics

T/O/S trims finish the ends and tops of Panels.

- End Trims and Intermediate Trims must be ordered separately
- End Trims and Intermediate Trims are not interchangeable, even though they share some common sizes

Wall Adapter (PWA)

- Is used to attach a Panel to a fixed wall or column
- To attach a standard Glass Panel or a Door Panel Wall Adapter Panel Hinges (PH) must also be used

Top Trims (TR, TRS)

- Cover the exposed horizontal top rail of the Panel
- Can be installed on any same width Panel, Add-On Module, Over Panel or Cable Lay-In-Module
- With a wood finish will not allow an access door to fully open on a 36" high panel

Panel-to-Panel-Adapter (PPA)

- Provides the ability to create an off-module 90° condition
- Cannot be attached to Door Panels
- An additional 1" width must be added to the panel run to accommodate the space taken up by the Panel-to-Panel Adapter
- Does not allow power to pass through
- Requires Panel Hinges to attach Glass Elements
- Modular Power Panels (PM) and Super Panels (PX) can be attached to Panels of the same height or shorter – Power Panels (PE) must be attached to Panels of the same height only

Intermediate Trims (PIT, PITS)


- Finish the exposed end of a Panel at a corner connection where a change of height occurs
- End Trims are not interchangeable, even though there are some common sizes
- Available in Traditional and Square profiles

End Trims (PET, PETS)

- Finishes the exposed end of a Panel and is the full height of a Panel end
- Intermediate Trims are not interchangeable, even though there are some common sizes
- Must be installed on a T/O/S Panel of the same height
- Are available in Traditional and Square profiles


Finishes

Trims are available in Upholstery, Flintwood Stains and a variety of Foundation and Mica colors



panel connections – corner basics

Corner Trims and Spacers are used on all corners of workstations, and where additional space is required along a Panel run within a workstation.



Corner Cover Four-Way 90° (CC_4, CCS_4)

- Creates and covers a full-height connection between four Panels which meet at 90° angles
- Three configurations are available, A, B, and C, each finished to match the corner they are being applied to – see applications pages for proper corner required
- The same components are available in a No Cap Version
- CS-4 the cap is not required when an intermediate connector is installed above

Corner Cover Two-Way 90° (CC_90, CCS_90)


- Creates a full-height connection between two Panels that join at 90°
- Three configurations available A-B, and C, each finished to match the corner they are being applied to – see applications pages for proper corner required

Panel Spacer (CEC_18, CECS_18)

- Creates and covers a full-height space between two Panels which are connected side by side at 180°
- Is the same width as a three or Four-Way connector
- Is used to keep Panel runs equal length, when one run has an additional connector in it – it creates a 3 7/8" wide space between Panels
- Offers three configurations, G, H, and I each finished to match the corner they are being applied to – see applications pages for proper connector required

Corner Cover Three-Way (CC_18, CCS_18)

- Creates a full-height connection between three Panels where two Panels are connected side by side at a 180° angle and the third panel meets at a 90° angle
- Offers six configurations A, B, C, D, E and F, each finished to match the corner they are being applied to – see application pages for proper corner required
- Also available 3" Corner Cover Three-Way 180° No Cap (CC_18)
- The cap is not required when an intermediate connector is installed above



Outside Corner Covers (EC, ECS) (Not Shown)

- Are finishing treatments similar to a Panel End Trim to be used in conjunction with Intermediate Three-Way Connectors
- Cover the exposed structural portion of specific corner connection types
- Also available Intermediate Outside Corner Cover (ECI, ECIS)

Two-Way Intermediate Corner Covers Two-Way 90° (CI_90, CIS_90)

- Create an intermediate height connection between two Panels that join at a 90° angle
- Offer three configurations, A, B, and C, each finished to match the corner they are being applied to – see applications pages for proper corner required
- Also available Intermediate Corner Covers Three-Way 180° (CI_18 and CIS_18)

Finishes


Panel connectors are available in Flintwood Stains, Foundation and Mica colors

panel connections – universal basics

Additional Products are available for unique connection applications.


Adjustable Filler Panel (PF)

- Allows for adjustable short distance connection between two Panels
- Telescopes to cover a distance from either 4" to 6" or 6" to 9"
- Is not structural, the Panel run must be stable on its own




Slot Cover (PSC200)

- Is an optional treatment that covers slots on the Panel vertical upright, to conceal the increments
- Can only be used on Panel frames produced after March 1994, for Panels prior to that order (PSC100)



Flush Foot (FL280)

- Provides support for wing Panels where worksurfaces and storage are not attached to the Panel
- Cannot be used if the worksurface or storage are mounted to the Panel
- Cannot be used on panel runs longer than 8'
- Does not replace floor supports on worksurfaces
- If the Panels that the foot is being installed on are manufactured prior to March 1994, specify FL180



Panel Hinge (PH)


- Used to connect Panels in situations where posi-locks cannot be used
- Must also be used to connect Panels manufactured prior to November 1987
- Enables the Door Panel to be connected to the Wall Adapter (PWA)

Finishes

Panel Connectors are available in Foundation and Mica colors

lyft panels & connections overview

Lyft Connectors are used to connect Lyft Thin Panels and Screens to T/O/S Panels at various angles and maintain worksurface to Panel alignment.



Finishes

Lyft connectors are available in a variety of Foundation and Mica colors

lyft end run, mid run & off-module 90° connector basics

Lyft Connectors are used to connect Lyft Thin Panels to T/O/S panels at various angles.




Mid Run 90° On Module Connector/Spacer (HCMS)

- Creates a full height 90° Mid-Run Connection at the junction between the following:
 - a Lyft Thin Panel and two T/O/S Panels aligned at 180° (Three-Way connection)
 - Two Lyft Thin Panels aligned at 180° and two T/O/S Panels aligned at 180° (Four-Way connection)
- Adds 1.2" to a T/O/S panel run




End Run 90° Connector/Spacer (HCES)

- Creates a finished full height 90° angle end run connection between a Lyft Panel and a T/O/S Panel (Two-Way connection) or two Lyft Panels and a T/O/S Panel (Three-Way connection)
- Replaces T/O/S Panel End Trim



lyft trims & connections basics

Lyft offers a number of connectors and trims that finish ends and corners, or connect to T/O/S.



81


Finishes

Lyft trims and connectors are available in a variety of Foundation and Mica colors

CC_90
Corner Cover Two-Way 90°

The Corner Cover Two-Way 90° creates a full-height connection between two panels that join at a 90° angle.

WHAT'S INCLUDED
1 full-height 90° outer cover, one full-height 90° inner cover, 90° corner cap, corner braces, Posi-Lock and spring plate assemblies.



PRODUCT OPTIONS

Height	Corner Configuration	Corner Finish	PVC Finish (If Flintwood Corner is specified)
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	A Configuration A B Configuration B C Configuration C	Foundation Mica Flintwood	Foundation Mica

SAMPLE ORDER CODE

CC3690	A	FS	G
--------	---	----	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica	Flintwood
74	82	276
91	97	303
92	98	358
95	100	371
98	104	382
99	105	405
103	110	432
111	118	465
121	127	487
124	130	500
128	134	509



The Intermediate Corner Cover Two-Way 90° creates an intermediate-height connection between two panels that join at a 90° angle.

WHAT'S INCLUDED

1 intermediate-height 90° outer cover, 1 intermediate-height 90° inner cover, 90° corner cap, corner braces, Posi-Lock and spring plate assemblies.

CI_90

Intermediate Corner Cover Two-Way 90°



PRODUCT OPTIONS

Height	Corner Configuration	Corner Finish	PVC Finish (If Flintwood Corner is specified)
03, 06, 09, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 51, 54, 60	A Configuration A B Configuration B C Configuration C	Foundation Mica Flintwood	Foundation Mica

83

SAMPLE ORDER CODE

CI4590	B	FX	E
---------------	----------	-----------	----------


DIMENSIONS INCHES / MM

H
3 / 76
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
51 / 1295
54 / 1372
60 / 1524

PRICING

Foundation	Mica	Flintwood
21	26	n/a
23	28	144
35	40	148
36	41	152
38	44	203
40	49	223
41	50	232
44	53	244
54	60	252
62	67	260
62	67	268
64	69	276
75	83	300
77	84	310
77	84	315
85	91	334
86	92	345
91	97	353

CC_60
Corner Cover Two-Way 60°



The Corner Cover Two-Way 60° creates and covers a full-height connection between two panels that join at a 120° angle.

WHAT'S INCLUDED
1 full-height 60° outer cover, 1 full-height 60° inner cover, 60° corner cap, corner braces, Posi-Lock and spring plate assemblies.

NOTES
The depth and width at both ends are equal.
Not all depth/width combinations are available. Please see pricing for exact offering.

PRODUCT OPTIONS

Height	Corner Configuration	Corner Finish	PVC Finish (If Flintwood Corner is specified)
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	A Configuration A B Configuration B C Configuration C	Foundation Mica Flintwood	Foundation Mica

SAMPLE ORDER CODE

CC8160	C	N	E
--------	---	---	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica	Flintwood
74	82	285
91	97	303
92	98	356
95	100	373
97	103	382
98	104	405
103	110	432
111	118	447
119	124	487
123	129	500
128	134	515


The Corner Cover Two-Way 45° creates a full-height connection between two panels that join at a 135° angle.

WHAT'S INCLUDED

1 full-height 45° outer cover, 1 full-height 45° inner cover, 45° corner cap, corner braces, Posi-Lock and spring plate assemblies.

CC_45

Corner Cover Two-Way 45°



PRODUCT OPTIONS

Height	Corner Configuration	Corner Finish	PVC Finish (If Flintwood Corner is specified)
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	A Configuration A B Configuration B C Configuration C	Foundation Mica Flintwood	Foundation Mica

85

SAMPLE ORDER CODE

CC5145	B	FN	E
--------	---	----	---

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica	Flintwood
74	82	276
91	97	303
91	97	356
91	97	373
92	98	382
97	103	405
98	104	432
104	111	460
118	123	487
122	128	503
126	132	517

CC_18

Corner Cover Three-Way 180°

The Corner Cover Three-Way 180° creates a full-height connection between three panels where two panels are connected side-by-side at a 180° angle and the third panel meets at a 90° angle.

WHAT'S INCLUDED

1 full-height 180° outer cover, 2 full-height 90° inner covers, 180° corner cap, corner braces, Posi-Lock and spring plate assemblies.



Configuration A



Configuration B



Configuration C



Configuration D



Configuration E



Configuration F

PRODUCT OPTIONS

Height	Corner Configuration	Corner Finish	PVC Finish (If Flintwood Corner is specified)
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	A Configuration A	Foundation Mica Flintwood	Foundation Mica
	B Configuration B		
	C Configuration C		
	D Configuration D		
	E Configuration E		
	F Configuration F		

SAMPLE ORDER CODE

CC5118	E	FY	J
--------	---	----	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica	Flintwood
89	96	285
116	121	312
118	123	368
119	124	381
121	127	390
123	129	417
126	132	439
138	144	464
152	158	500
156	164	507
164	170	520

The Intermediate Corner Cover Three-Way 180° creates and covers an intermediate-height connection between three panels where two panels are connected side-by-side at a 180° angle and the third panel meets at a 90° angle.

CI_18

Intermediate Corner Cover Three-Way 180°

WHAT'S INCLUDED

1 intermediate-height 180° outer cover, two intermediate-height 90° inner covers, 1 three-way 180° corner cap, corner braces, Posi-Lock and spring plate assemblies.




Configuration A



Configuration B



Configuration C



Configuration D



Configuration E



Configuration F

PRODUCT OPTIONS

Height	Corner Configuration	Corner Finish	PVC Finish (If Flintwood Corner is specified)
03, 06, 09, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 51, 54, 60	A Configuration A B Configuration B C Configuration C D Configuration D E Configuration E F Configuration F	Foundation Mica Flintwood	Foundation Mica

SAMPLE ORDER CODE

CI1518	D	FC	J
--------	---	----	---

DIMENSIONS INCHES / MM

H
3 / 76
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
51 / 1295
54 / 1372
60 / 1524


PRICING

Foundation	Mica	Flintwood
24	29	n/a
25	30	176
26	32	183
44	53	187
49	56	250
54	60	272
56	61	288
57	62	293
65	70	310
82	87	320
82	87	331
83	88	343
92	98	371
92	98	381
95	100	387
105	113	406
110	117	417
113	119	423

CC_4
Corner Cover Four-Way 90°

The Corner Cover Four-Way 90° creates and covers a full-height connection between four panels which meet at 90° angles. This connection includes a corner cap.

WHAT'S INCLUDED
4 full-height 90° inner covers, 90° corner cap, corner braces, Posi-Lock and spring plate assemblies.



PRODUCT OPTIONS

Height	Corner Configuration	Corner Finish	PVC Finish (If Flintwood Corner is specified)
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	A Configuration A B Configuration B C Configuration C	Foundation Mica Flintwood	Foundation Mica

SAMPLE ORDER CODE

CC664	4	C	N
-------	---	---	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica	Flintwood
99	105	174
135	143	200
138	144	207
138	144	210
141	147	213
142	148	217
144	150	223
146	151	232
179	184	257
182	187	268
185	191	276

The Panel Spacer creates and covers a full-height space between two panels which are connected side-by-side at 180°. The Panel Spacer is of the same width (thickness) as a Three- or Four-Way Corner cover.

WHAT'S INCLUDED

2 full-height 180° outer covers, 180° Corner Cap, corner braces, Posi-Lock and spring plate assemblies.

CEC_18 Panel Spacer



Configuration G



Configuration H



Configuration I

PRODUCT OPTIONS

Height	Corner Configuration	Corner Finish	PVC Finish (If Flintwood Corner is specified)
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	G Configurations G H Configurations H I Configurations I	Foundation Mica Flintwood	Foundation Mica

SAMPLE ORDER CODE

CEC <u>51</u> 18	E	FS	N
------------------	---	----	---

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica	Flintwood
79	85	217
98	104	240
100	107	277
105	113	286
109	116	294
113	119	314
120	126	330
124	130	349
144	150	373
147	152	383
152	158	387

E C
Outside Corner Cover

The Outside Corner Cover is a finishing treatment (similar to a Panel End Trim) to be used in conjunction with Intermediate Three-Way 180° (CI_18), which covers the exposed structural portion of specific corner cover.

WHAT'S INCLUDED
1 full-height outside corner cover.



PRODUCT OPTIONS

Height	Corner Finish	PVC Finish (If Flintwood Corner is specified)
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica Flintwood	Foundation Mica

SAMPLE ORDER CODE

EC 96	N	
-------	---	--

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation/Mica	Flintwood
18	154
23	179
25	207
25	208
26	225
28	250
29	268
30	285
32	300
34	310
35	318

The Intermediate Corner Cover Two-Way 180° creates an intermediate-height connection between two panels that are joined together side-by-side at a 180° angle.

WHAT'S INCLUDED

1 cover, one two-way 180° corner cap assembly, corner braces, Posi-Lock and spring plate assemblies.

CI_18


Intermediate Corner Cover Two-Way 180°



Configuration G



Configuration H



Configuration I

PRODUCT OPTIONS

Height	Corner Configuration	Corner Finish	PVC Finish (If Flintwood Corner is specified)
03, 06, 09, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 51, 54, 60	G Configurations G H Configurations H I Configurations I	Foundation Mica Flintwood	Foundation Mica

SAMPLE ORDER CODE

CI <u>33</u> 18	G	FX	J
-----------------	---	----	---

DIMENSIONS INCHES / MM


H
3 / 76
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
51 / 1295
54 / 1372
60 / 1524

PRICING

Foundation	Mica	Flintwood
24	29	n/a
25	30	176
26	32	183
44	53	187
49	56	250
54	60	272
56	61	288
57	62	293
65	70	310
82	87	320
82	87	331
83	88	343
92	98	371
92	98	381
95	100	387
105	113	406
110	117	417
113	119	423

ECI

Intermediate Outside Corner Cover



The Intermediate Outside Corner Cover is a finishing treatment (similar to a panel End Trim) which covers the exposed structural portion of specific intermediate corner connection types.

WHAT'S INCLUDED

1 cover.

NOTES

The Intermediate Outside Corner Cover is **not** interchangeable with an End Trim (PET).

PRODUCT OPTIONS

Height	Corner Finish	PVC Finish (If Flintwood Corner is specified)
03, 06, 09, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 51, 54, 60	Foundation Mica Flintwood	Foundation Mica

SAMPLE ORDER CODE

ECI 15	E	
--------	---	--

DIMENSIONS INCHES / MM

H
3 / 76
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
51 / 1295
54 / 1372
60 / 1524

PRICING

Foundation/Mica	Flintwood
2	n/a
2	61
3	68
4	75
4	82
5	95
6	111
8	118
8	122
8	132
9	142
18	154
23	174
23	179
24	185
25	207
26	213
27	223

The Adjustable Filler Panel allows for adjustable short distance connections between two panels.


WHAT'S INCLUDED

1 panel, 1 metal Top Trim, Posi-Lock and spring plate assemblies, one alignment disk.

NOTES

The Adjustable Filler Panel **cannot** be attached to Door Panels (PD) or Panel Wall Adapters (PWA).

P F Adjustable Filler Panel



PRODUCT OPTIONS

Height	Width	Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	46 4 to 6 69 6 to 9	Foundation Mica

93

SAMPLE ORDER CODE

PF 66	46	E
--------------	-----------	----------


DIMENSIONS INCHES / MM

H
36 / 914
36 / 914
42 / 1067
42 / 1067
51 / 1295
51 / 1295
57 / 1448
57 / 1448
60 / 1524
60 / 1524
66 / 1676
66 / 1676
72 / 1829
72 / 1829
78 / 1981
78 / 1981
81 / 2057
81 / 2057
87 / 2210
87 / 2210
96 / 2438
96 / 2438

PRICING

Foundation	Mica
150	163
156	170
175	187
187	201
187	201
211	223
205	216
225	238
213	225
237	250
229	243
257	271
246	257
272	285
257	271
288	300
269	282
300	314
275	287
312	323
282	294
318	331

P E T
End Trim



The End Trim finishes the full-height of an exposed panel end.

WHAT’S INCLUDED
1 trim, 2 hingeway caps (for metal trim only).

NOTES
End Trims can be installed on any same-height T/O/S panel.

PRODUCT OPTIONS

Height	Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica Flintwood

SAMPLE ORDER CODE

PET 66	VA
--------	----

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica	Flintwood
18	24	149
23	28	182
25	30	201
27	33	223
32	37	231
33	38	251
35	40	267
38	44	272
41	50	299
47	54	310
50	57	320


The Intermediate Trim finishes the exposed end of a panel at a corner connection.

WHAT'S INCLUDED

1 trim, 2 hingeway caps (for metal trim only).

P I T

Intermediate Trim



PRODUCT OPTIONS

Height	Finish
03, 06, 09, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 51, 54, 60	Foundation Mica Flintwood

95

SAMPLE ORDER CODE

PIT 15	FC
--------	----

DIMENSIONS INCHES / MM

H
3 / 76
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
51 / 1295
54 / 1372
60 / 1524


PRICING

Foundation/Mica	Flintwood
4	60
4	61
4	68
7	79
7	82
8	83
8	99
8	105
18	129
18	134
18	144
18	149
23	164
23	169
23	181
26	184
27	192
28	201

TR
Straight Top Trim

The Straight Top Trim is a finishing treatment that covers the exposed horizontal top rail of the panel.

WHAT'S INCLUDED
1 trim and attachment hardware.



PRODUCT OPTIONS

Width	Finish
18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica Flintwood

SAMPLE ORDER CODE

TR 30	FN
-------	----

DIMENSIONS
INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

Foundation	Mica	Flintwood
38	44	60
40	49	64
41	50	80
47	54	84
49	56	98
50	57	105
53	59	107
54	60	109

The Corner Cover Two-Way 90° creates a full-height connection between two panels that join at a 90° angle.


WHAT'S INCLUDED

1 cover, 1 full-height 90° inner cover, two-way 90° corner cap, two-way 90° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Square Profile Corner Covers can only be used with Square Profile trims and connections.

CCS_90 Corner Cover Two-Way 90° – Square Profile



PRODUCT OPTIONS

Height	Corner Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica

97

SAMPLE ORDER CODE

CCS <u>36</u> 90	UC
------------------	----

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438


PRICING

Foundation	Mica
152	163
187	200
192	203
201	210
205	213
208	217
211	222
238	248
247	256
257	268
282	292

CIS_90

Intermediate Corner Cover

Two-Way 90° – Square Profile



The Intermediate Corner Cover Two-Way 90° creates an intermediate-height connection between two panels that join at a 90° angle.

WHAT’S INCLUDED

1 cover, one intermediate-height 90° inner cover, two-way 90° corner cap, two-way 90° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Square Profile Intermediate Corner Covers can only be used with Square Profile trims and connections.

PRODUCT OPTIONS

Height	Corner Finish
06, 09, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 51, 54, 60	Foundation Mica

SAMPLE ORDER CODE

CIS4590	G
---------	---

DIMENSIONS

INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
51 / 1295
54 / 1372
60 / 1524

PRICING

Foundation	Mica
40	53
75	87
79	91
84	93
86	96
89	98
92	100
111	121
127	142
128	143
129	144
154	166
155	168
156	169
175	186
182	192
188	201

The Corner Cover Three-Way 180° creates a full-height connection between three panels where two panels are connected side-by-side at a 180° angle and the third panel meets at a 90° angle.


WHAT'S INCLUDED

1 cover, 2 full-height 90° inner corner covers, three-way 180° corner cap, three-way 180° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Square Profile Corner Covers can only be used with Square Profile trims and connections.

CCS_18 Corner Cover Three-Way 180° – Square Profile



PRODUCT OPTIONS

Height	Corner Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica

99

SAMPLE ORDER CODE

CCS <u>51</u> 18	G
------------------	---

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438


PRICING

Foundation	Mica
154	168
200	208
206	213
211	217
214	223
216	225
223	230
250	257
267	275
276	285
291	299

CIS_18

Intermediate Corner Cover

Three-Way 180° – Square Profile



The Intermediate Corner Cover Three-Way 180° creates and covers an intermediate-height connection between three panels where two panels are connected side-by-side at a 180° angle and the third panel meets at a 90° angle.

WHAT’S INCLUDED

1 cover, 1 intermediate-height 180° inner cover, 2 intermediate height 90° inner corner covers, 1 Three-Way 180° corner cap, three-way 180° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Square Profile Intermediate Corner Covers can only be used with Square Profile trims and connections.

PRODUCT OPTIONS

Height	Finish
06, 09, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 51, 54, 60	Foundation Mica

SAMPLE ORDER CODE

CIS1518	G
---------	---

DIMENSIONS

INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
51 / 1295
54 / 1372
60 / 1524

PRICING

Foundation	Mica
44	57
49	59
86	97
92	103
103	116
105	118
109	120
133	147
156	170
158	172
159	173
181	194
182	195
183	196
206	216
213	225
227	243

The Corner Cover Four-Way 90° creates and covers a full-height connection between four panels which meet at 90° angles. This connection includes a corner cap.


WHAT'S INCLUDED

4 inner covers, 90° corner cap, four-way 90° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Square Profile Corner Covers can only be used with Square Profile trims and connections.

CCS_4 Corner Cover Four-Way 90° – Square Profile



PRODUCT OPTIONS

Height	Corner Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica

IOI

SAMPLE ORDER CODE

CCS664	G
--------	---


DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica
103	123
142	170
143	172
144	173
146	174
146	174
149	180
163	201
183	222
186	225
195	237

CECS_18
Panel Spacer – Square Profile



The Panel Spacer creates and covers a full-height space between two panels which are connected side-by-side at 180°. The Panel Spacer is of the same width (thickness) as a Three- or Four-Way Corner cover.

WHAT’S INCLUDED

1 cover, 1 full-height 180° inner cover, 180° Corner Cap, two-way 180° corner braces, Posi-Lock and spring plate assemblies.

NOTES

If two sides of the space requires coverage, an Outside Corner Cover – Square Profile (ECS) is required on the other side of the panel.

Square Profile Panel Spacers can only be used with Square Profile trims and connections.

PRODUCT OPTIONS

Height	Corner Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica

SAMPLE ORDER CODE

CECS <u>5</u> 118	G
-------------------	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica
154	163
168	174
215	224
229	237
238	247
250	256
261	269
296	311
312	321
327	333
363	376

The Outside Corner Cover is a finishing treatment (similar to a Panel End Trim) which covers the exposed structural portion of a 180° panel connection.

WHAT'S INCLUDED

1 cover, 1 full-height 180° inner cover.

WHAT'S EXCLUDED


Corner braces, corner cap, posi-lock and spring plate assemblies.

NOTES

Square Profile Outside Corner Covers can only be used with Square Profile trims and connections.

ECS

Outside Corner Cover – Square Profile



PRODUCT OPTIONS

Height	Corner Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica

103

SAMPLE ORDER CODE

ECS 96	G
---------------	----------

DIMENSIONS INCHES / MM


H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica
117	135
127	149
179	203
189	211
200	221
210	236
223	250
232	261
246	276
274	302
296	307

CIS_00

Intermediate Corner Cover Two-Way 180° – Square Profile



The Intermediate Corner Cover Two-Way 180° creates an intermediate-height connection between two panels that are joined together side-by-side at a 180° angle.

WHAT'S INCLUDED

1 cover, 1 intermediate height inner cover, 1 Two-Way 180° corner cap assembly, two-way 180° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Square Profile Intermediate Corner Covers can only be used with Square Profile trims and connections.

PRODUCT OPTIONS

Height	Corner Finish
06, 09, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 51, 54, 60	Foundation Mica

SAMPLE ORDER CODE

CIS <u>33</u> 00	G
------------------	---

DIMENSIONS INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
51 / 1295
54 / 1372
60 / 1524

PRICING

Foundation	Mica
40	51
84	92
86	95
86	99
92	103
95	105
95	120
114	127
129	146
134	149
141	150
143	156
144	159
148	168
152	175
163	180
174	192

The Intermediate Outside Corner Cover is a finishing treatment (similar to a panel End Trim) which covers the exposed structural portion of specific intermediate corner connection types.


WHAT'S INCLUDED

1 cover.

NOTES

Square Profile Intermediate Outside Corner Covers can only be used with Square Profile trims and connections.

ECIS Intermediate Outside Corner Cover – Square Profile



PRODUCT OPTIONS

Height	Corner Finish
06, 09, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 51, 54, 60	Foundation Mica

105

SAMPLE ORDER CODE

ECIS 15	G
---------	---

DIMENSIONS INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
51 / 1295
54 / 1372
60 / 1524

PRICING

Foundation	Mica
28	32
30	35
34	40
67	70
70	79
77	83
80	86
83	88
87	96
105	114
122	129
126	135
130	141
135	147
146	156
150	175
170	194


P E T S

End Trim – Square Profile

The End Trim finishes the full-height of an exposed panel end.

WHAT’S INCLUDED
1 trim.

NOTES
Square Profile End Trims can only be used with Square Profile trims and connections.



PRODUCT OPTIONS

Height	Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica

SAMPLE ORDER CODE

PETS 66	G
---------	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica
25	34
32	41
36	50
42	57
49	61
54	65
58	68
64	77
66	79
69	83
85	98

The Intermediate End Trim finishes the exposed end of a panel at a corner connection.

WHAT'S INCLUDED


1 trim.

NOTES

Square Profile Intermediate End Trims can only be used with Square Profile trims and connections.

P I T S

Intermediate End Trim – Square Profile



PRODUCT OPTIONS

Height	Finish
06, 09, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 51, 54, 60	Foundation Mica

107

SAMPLE ORDER CODE

PITS 15	G
----------------	----------

DIMENSIONS INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
51 / 1295
54 / 1372
60 / 1524

PRICING


Foundation	Mica
6	24
6	24
18	28
18	28
19	30
19	30
19	30
21	32
25	34
25	34
25	34
33	44
33	44
33	44
39	53
41	57
50	62

TRS
Top Trim – Square Profile

The Top Trim is a finishing treatment that covers the exposed horizontal top rail of the panel.

WHAT’S INCLUDED
1 trim.

NOTES
Square Profile End Trims can only be used with Square Profile trims and connections.



PRODUCT OPTIONS

Width	Finish
18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica

SAMPLE ORDER CODE

TRS 30	G
--------	---

DIMENSIONS
INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING



Foundation	Mica
49	57
51	59
53	60
56	62
57	64
59	67
61	69
62	70

The Corner Cover Three-Way 180° (No Cap) creates and covers a full-height connection between three panels in the same configuration as the Corner Cover Three-Way 180° but does not include a cap.

WHAT'S INCLUDED

2 Full-height 90° inner covers, corner braces, G bracket, Posi-Lock and spring plate assemblies.

C _ 1 8 Corner Cover Three-Way 180° (No Cap)



PRODUCT OPTIONS

Height	Corner Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica

SAMPLE ORDER CODE

C <u>36</u> 18	J
----------------	---

DIMENSIONS INCHES / MM


H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica
75	83
99	105
103	110
104	111
105	113
109	116
111	118
119	124
138	144
142	148
150	155

CI_18J

Intermediate Corner Cover
Three-Way 180° (No Cap)



The Intermediate Corner Cover Three-Way 180° (No Cap) creates an intermediate-height connection between three panels where two panels are connected side-by-side at a 180° angle and the third panel meets at a 90° angle.

WHAT'S INCLUDED
2 covers, 1 three-way G bracket, corner braces, Posi-Lock and spring plate assemblies.
Corner cap not included.

PRODUCT OPTIONS

Height	Corner Finish
03, 06, 09, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 51, 54, 60	Foundation Mica

SAMPLE ORDER CODE

CI1518J	G
---------	---

DIMENSIONS
INCHES / MM

H
3 / 76
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
51 / 1295
54 / 1372
60 / 1524

PRICING


Foundation	Mica
9	19
18	24
19	25
35	40
36	41
38	44
40	49
41	50
53	59
61	66
62	67
64	69
70	79
74	82
75	83
79	85
80	86
83	88

The Corner Cover Four-Way 90° (No Cap) creates a full-height connection between four panels which meet at 90° angles. This connection does not include a cap.

WHAT'S INCLUDED

4 covers, 2 three-way G brackets, corner braces, Posi-Lock and spring plate assemblies.

C _ 4
Corner Cover Four-Way 90°
(No Cap)



PRODUCT OPTIONS

Height	Corner Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica

SAMPLE ORDER CODE

C <u>42</u> 4	E
---------------	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation/Mica
75
92
100
103
105
113
127
146
158
168
179

PPA

Panel-To-Panel Adapter



The Panel-To-Panel Adapter provides the ability to create an off-module 90° connection.

WHAT’S INCLUDED

1 adapter, Posi-Locks and spring plate assemblies, one alignment disk.

PRODUCT OPTIONS

Height	Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica

SAMPLE ORDER CODE

PPA 66	G
--------	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica
123	129
134	142
150	155
153	159
158	165
179	184
192	200
206	212
213	218
222	227
231	238

The Wall Adapter accommodates the connection of a panel to a fixed wall or column.

WHAT'S INCLUDED

One adapter, Posi-Lock and spring plate assemblies, one alignment disk.


WHAT'S EXCLUDED

Wall/column mounting hardware.

NOTES

To attach a Door Panel (PD) to a Wall Adapter, Panel Hinges (PH40) must be used.

PWA Wall Adapter



PRODUCT OPTIONS

Height	Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica

II3

SAMPLE ORDER CODE

PWA 66	J
--------	---

DIMENSIONS INCHES / MM


H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica
69	77
74	82
77	84
79	85
80	86
87	93
105	113
111	118
117	122
121	127
124	130

P H

Panel Hinge



The Panel Hinge is used to connect panels in situations where Posi-Locks cannot be used and to connect panels manufactured prior to November, 1987.

WHAT'S INCLUDED
30 hinges in 15" lengths.

PRODUCT OPTIONS

Style	Finish
40 For All Panel Types	Foundation

SAMPLE ORDER CODE

PH 40	P
-------	---

PRICING

53 / Quantity 30

The Flush Foot provides support for wing panels assuming that worksurfaces and storage are not attached to the panel.

WHAT'S INCLUDED


1 foot with hardware.

NOTES

This product does **not** replace floor supports (i.e., C-Legs, Flush End Gables).

This product must **never** be used on panel runs longer than 8'.

FL 280
Flush Foot



PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

FL280 Q


PRICING

Foundation	Mica
50	57

P S C 2 0 0
Slot Cover

The Slot Cover is an optional finishing treatment which covers slots on the panel vertical upright.

WHAT'S INCLUDED
1 100-foot roll.



PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

PSC200 N

PRICING

116


The Mid Run 90° On-Module Connector/Spacer creates a finished full height 90° mid run connection at the junction between a Lyft Thin Panel and two T/O/S Panels aligned at 180° (three-way connection) or two Lyft Thin Panels aligned at 180° and two T/O/S Panels aligned at 180° (four-way connection).

WHAT'S INCLUDED

1 spacer (including cap), two left connection brackets, two right connection brackets.

H C M S

Mid Run 90° On-Module Connector/Spacer (Lyft)



PRODUCT OPTIONS

Spacer Height	Finish
36, 42, 51, 66	Foundation Mica

117

SAMPLE ORDER CODE

HCMS 36	J
----------------	----------

DIMENSIONS INCHES / MM


H
36 / 914
42 / 1067
51 / 1295
66 / 1676

PRICING

Foundation	Mica
156	169
165	179
172	184
184	195

H C E S

End Run 90° Connector/Spacer
(Lyft)



The End Run 90° Connector/Spacer creates a finished full height 90° angle end run connection between a Lyft Thin Panel and a T/O/S Panel (two-way connection) or two Lyft Thin Panels and a T/O/S Panel (three-way connection).

WHAT’S INCLUDED

1 spacer (including cap), 2 left connection brackets, two right connection brackets.

PRODUCT OPTIONS

Spacer Height	Finish
36, 42, 51, 66	Foundation Mica

SAMPLE ORDER CODE

HCES 42	Q
---------	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
66 / 1676

PRICING

Foundation	Mica
165	179
172	184
179	179
191	204

The Thin Panel Connector 90° creates a full-height 90° connection between two Lyft Thin Panels.

WHAT'S INCLUDED

Two-Way: Two two-way 90° connectors.

Three-Way: Two three way 90° connectors.

Four-Way: One three-way 90° connector, one two-way 90° connector, one four-way spoke assembly, one four-way top cap.

WHAT'S EXCLUDED


Two-Way: Thin Panel End Trim (HET).

Three-Way: Thin Panel End Trim (HET).

Four-Way: Thin Panel Intermediate Trim (HIT).

HCH9

Thin Panel Connector 90° (Lyft)



PRODUCT OPTIONS

Panel Junction	Finish
2 Two-Way 90°	Foundation
3 Three-Way 90°	Mica
4 Four-Way 90°	

SAMPLE ORDER CODE

HCH9 2	C
--------	---

PANEL JUNCTION

2
3
4

PRICING


Foundation	Mica
65	70
86	91
98	104

H E T

Thin Panel End Trim (Lyft)

The Thin Panel End Trim finishes the full panel end height at all exposed corner and end run locations.

WHAT'S INCLUDED
1 trim, as specified.



PRODUCT OPTIONS

Height	Finish
42, 51, 66	Foundation Mica

SAMPLE ORDER CODE

HET 42	C
--------	---

DIMENSIONS
INCHES / MM

H
42 / 1067
51 / 1295
66 / 1676


PRICING

21
22
24

The Thin Panel Intermediate Trim finishes exposed portions of Lyft Thin Panels where a full end trim is not required.

WHAT'S INCLUDED
1 trim, as specified.

HIT
Thin Panel Intermediate Trim (Lyft)



PRODUCT OPTIONS

Height	Finish
09, 15, 24	Foundation Mica



SAMPLE ORDER CODE

HIT 15	C
--------	---

DIMENSIONS INCHES / MM
H
9 / 229
15 / 381
24 / 610

PRICING
11
12
18

elements


elements

PRODUCT MAP	124
ELEMENT BASICS	126
PRODUCT LISTING	128


product map

P A A Acoustic Element


Page 128
Height: 6" – 45" / Width: 18" – 60"

**P A A S Acoustic Element – Square Profile**


Page 130
Height: 6" – 45" / Width: 18" – 60"

**P A A B Acoustic Base Element**


Page 132
Height: 26" – 32" / Width: 18" – 60"

**P A A S B Acoustic Base Element – Square Profile**


Page 133
Height: 26" & 32" / Width: 18" – 60"

**P T A Tackable Element**

Page 134
Height: 6" – 45" / Width: 18" – 60"

**P T A S Tackable Element – Square Profile**


Page 136
Height: 6" – 45" / Width: 18" – 60"

**A D Access Door**


Page 138
Width: 18" – 60"

**A P C Face-Mounted Power/Communications Element**

Page 139
Width: 36" – 60"




Power




Power/Communications

A D H Split Access Door


Page 140
Width: 18" – 60"

**P T Glass Element – Single or Double**

Page 141
Height: 15" / Width: 18" – 60"




Single




Double

P T N Open Element

Page 142
Height: 15" / Width: 18" – 60"

**P A E Accessory Element**


Page 143
Height: 6" & 15" / Width: 18" – 60"




product map

P H F Grill Element

Page 144
Height: 15" & 26" / Width: 18" – 60"

**P A W N Whiteboard Element**

Page 145
Height: 15" & 30" / Width: 18" – 60"




No Tray

With Tray

P A W S Whiteboard Element – Square Profile

Page 146
Height: 15" & 30" / Width: 18" – 60"




No Tray


With Tray

P V E Flintwood Element

Page 147
Height: 6" – 26" / Width: 18" – 60"

**P A G Architectural Glass Element – Single or Double**

Page 148
Height: 15" / Width: 18" – 60"




Dot Solo


Louvered

P A M Architectural Element


Page 149
Height: 15" & 26" / Width: 18" – 60"

**P A D Architectural Access Door**


Page 150
Height: 6" / Width: 18" – 60"

**A D S C Access Cover – Square Profile**

Page 151
Width: 18" – 60"

**A P C S Face-Mounted Power/Communications Element – Square Profile**

Page 152
Width: 36" – 60"



Power

Power/Communications

element basics

The following diagram illustrates Elements that would commonly be used on the inside of a workstation.

- Two profiles are available: Traditional & Square. Square profile is available in fabric only, but can be combined with non-fabric traditional elements
- Elements are interchangeable in the field if required

Open Element (PTN)


- Creates an opening by providing a frame that finishes both sides of the panel
- Is "Self locking" and requires no additional mounting hardware

Tackable Element (PTA, PTAS)


- A fabric wrapped, tackable bulletin board with acoustic properties
- Not available for the base level of the panel
- 6" Element **cannot** be used as an Access Element or Access Door

Face Mounted Power/Communications Element – Square Profile (APCS)

- Provides direct access to power and communications at desk height
- A Face Mounted Power/Communication Element (APC) is also available for use when planning with traditional T/O/S Acoustic and Tackable Elements
- The snap on hinged design provides access to Panel Raceway with 26" to 29" high worksurfaces



Dot Solo



Louvered

Architectural Glass Elements – Single or Double (PAG)

- Made of a single or double pane of tempered glass in a variety of patterns
- Single pane makes a shallow sill on one side
- 15" high can be used at all levels without a raceway
- 30" high can only be applied to 30" Add-On Module

Access Cover – Square Profile (ADSC)

- Provides a fixed cover to the Panel Raceway when planning with 26" Square Profile Base Elements
- Permits power and data access by snapping on and off without providing hinged access

Access Door (AD)

- Single hinged door that allows for desk height access to power and communications
- Cannot** be used in place of a 6" high Element

Acoustic Elements (PAA, PAAS)


- Fabric wrapped element with acoustic properties
- 6" Element **cannot** be used as an Access Element or Access Door

Whiteboard Element (PAWN) & Whiteboard Element – Square Profile (PAWS)

- An erasable, magnetic message board
- 30" element can be used to replace two 15" elements
- Tray can be specified on the PAWN and PAWS and will be the same width as the element

Accessory Element (PAE)

- Designed to support Personal Organizers
- Cannot be used in an access door location
- Available in 6" and 15" heights



Dot Solo

Architectural Access Door (PAD)

- Perforated and Embossed Elements have paramagnetic qualities
- The Perforated Element provides limited visual access and passive air circulation
- The Embossed Element has an Indented Pattern


element basics (continued)

The following diagram illustrates elements that would commonly be used on the outside of a workstation, where power access would not likely be required.

- Two profiles are available: Traditional & Square. Square profile is available in fabric only, but can be combined with non-fabric traditional elements
- Elements are interchangeable in the field if required

Architectural Element (PAM)

- Perforated and embossed Elements have paramagnetic qualities
- The perforated Element provides limited visual access and passive air circulation
- The embossed Element has an indented pattern




Dot Solo

Glass Elements – Single or Double (PT)

- Made of a single or double pane of tempered glass
- Single pane creates a shallow window sill on one side
- Available in the 15" height only and are for use on the upper levels of the panel

Acoustic Base Elements (PAAB, PAASB)

- Fabric wrapped Element used only at the base of a T/O/S Panel
- 32" Element provides a Single Element alternative when access to the panel raceway is not required and worksurface supports are on-modular (the 26" Element must be used in combination with an Access Door (AD), Access Cover (ADSC) or Face Mounted Power/Communications Element (APC) or (APCS))
- Off-module worksurface supports (CM29, BEM, BSE, BSL) cannot be used where 32" high Base Elements are applied




Flintwood Element (PVE)

- Provides a wood finish for the panel surface
- 6" Element cannot be used as an Access Element or Access Door
- 26" Element is for use only on the base of the Panel

Grill Element (PHF)

- Has 50% open area for effective passage of air between workstations
- Finishes one side of the Panel and should be used with another Grill Element to finish the other side

P A A
Acoustic Element



The Acoustic Element is a fabric-wrapped element with acoustic properties.

WHAT'S INCLUDED
1 element.

NOTES
This element can be used in place of any other same-size element.

Acoustic Elements (PAA) are the standard offering on all panels unless stated otherwise.

All Acoustic Element sizes, with the exception of the 26" height, are for use on the upper levels of the panel (i.e. above 36" height or the Access Door). The 26" Acoustic Element is for use only on the base of the panel. The 6" height element cannot be used as an access element or access door.

PRODUCT OPTIONS

Height	Width	Element Finish
06, 15, 24, 26, 30, 36, 45	18, 24, 30, 36, 42, 48, 54, 60	Fabric

SAMPLE ORDER CODE

PAA 06	54	C212
--------	----	------

DIMENSIONS
INCHES / MM

H	W
6 / 152	18 / 457
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
24 / 610	18 / 457
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524

PRICING

Fabric								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
35	38	39	47	57	65	74	84	
36	39	42	51	60	67	79	86	
42	47	49	53	64	75	86	95	
49	53	53	60	72	84	95	104	
57	60	60	68	82	95	109	120	
59	67	70	75	92	110	126	139	
61	80	84	91	110	129	146	160	
66	82	91	101	116	130	149	164	
42	54	59	65	76	86	98	109	
44	58	61	68	79	89	101	113	
58	61	64	71	85	98	111	122	
64	66	68	87	99	109	123	135	
70	77	82	103	113	124	144	155	
80	89	98	111	129	146	164	182	
92	103	113	130	149	168	188	210	
99	105	132	150	163	174	194	215	
63	70	71	87	103	118	132	148	
65	71	80	92	106	120	135	150	
77	82	85	98	114	130	149	164	
85	92	92	116	132	149	168	184	
98	105	105	134	154	174	194	215	
109	123	129	146	171	196	226	252	
122	143	148	170	198	227	259	286	
134	155	174	194	224	253	287	317	

Pricing is continued on the following page.

P A A

Acoustic Element (Continued)

DIMENSIONS INCHES / MM

H	W
26 / 660	18 / 457
26 / 660	24 / 610
26 / 660	30 / 762
26 / 660	36 / 914
26 / 660	42 / 1067
26 / 660	48 / 1219
26 / 660	54 / 1372
26 / 660	60 / 1524
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
45 / 1143	18 / 457
45 / 1143	24 / 610
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1067
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524

PRICING

Fabric


A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
67	82	93	109	120	130	149	164
68	84	96	118	126	133	151	166
86	96	119	142	149	155	176	194
93	118	144	169	179	188	215	236
109	124	156	184	192	201	227	252
120	132	163	195	206	215	244	267
132	156	186	210	232	254	287	317
144	182	211	238	266	293	333	368
70	82	86	103	117	130	149	164
71	84	91	109	122	133	151	166
89	96	100	121	139	155	176	194
100	118	120	143	166	188	215	236
114	124	130	153	177	201	227	252
124	132	141	168	192	215	244	267
139	156	179	196	226	254	287	317
151	179	187	214	252	290	329	362
86	100	103	121	142	163	182	201
93	103	111	128	147	166	188	207
109	117	119	135	162	187	211	232
119	128	128	159	183	207	235	257
135	149	149	187	213	238	271	298
152	169	176	203	238	274	311	341
166	195	205	236	277	317	360	397
172	207	226	261	297	333	379	420
103	121	126	146	171	195	223	247
114	128	132	155	182	207	235	257
129	139	142	165	194	224	254	281
142	155	155	195	224	252	286	315
165	180	180	226	259	292	331	364
186	207	215	245	289	333	379	420
204	236	250	290	337	384	433	478
218	250	271	321	361	401	458	503

P A A S**Acoustic Element – Square Profile**

The Acoustic Element is a fabric-wrapped element with acoustic properties. The Square Profile is an alternative to the traditional T/O/S element style.

WHAT'S INCLUDED

1 element.

**PRODUCT OPTIONS**

Height	Width	Element Finish
06, 15, 24, 30, 36, 45	18, 24, 30, 36, 42, 48, 54, 60	Fabric

SAMPLE ORDER CODE

PAAS 15	36	C212
----------------	-----------	-------------

DIMENSIONS**INCHES / MM**

H	W
6 / 152	18 / 457
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
24 / 610	18 / 457
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524

PRICING**Fabric**

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
35	38	39	47	57	65	74	84
36	39	42	51	60	67	79	86
42	47	49	53	64	75	86	95
49	53	53	60	72	84	95	104
57	60	60	68	82	95	109	120
59	67	70	75	92	110	126	139
61	80	84	91	110	129	146	160
66	82	91	101	116	130	149	164
49	59	63	69	80	89	101	113
53	61	65	75	85	96	105	118
61	66	71	86	96	104	118	129
68	77	86	101	110	119	134	148
80	87	98	118	127	135	153	168
87	98	109	124	139	153	174	188
98	111	123	139	158	175	194	215
104	123	143	156	172	188	214	231
63	70	71	87	103	118	132	148
65	71	80	92	106	120	135	150
77	82	85	98	114	130	149	164
85	92	92	116	132	149	168	184
98	105	105	134	154	174	194	215
109	123	129	146	171	196	226	252
122	143	148	170	198	227	259	286
134	155	174	194	224	253	287	317

P A A S

Acoustic Element – Square Profile
(Continued)DIMENSIONS
INCHES / MM

H	W
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
45 / 1143	18 / 457
45 / 1143	24 / 610
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1067
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524


PRICING

Fabric								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
70	82	86	103	117	130	149	164	
71	84	91	109	122	133	151	166	
89	96	100	121	139	155	176	194	
100	118	120	143	166	188	215	236	
114	124	130	153	177	201	227	252	
124	132	141	168	192	215	244	267	
139	156	179	196	226	254	287	317	
151	179	187	214	252	290	329	362	
86	100	103	121	142	163	182	201	
93	103	111	128	147	166	188	207	
109	117	119	135	162	187	211	232	
119	128	128	159	183	207	235	257	
135	149	149	187	213	238	271	298	
152	169	176	203	238	274	311	341	
166	195	205	236	277	317	360	397	
172	207	226	261	297	333	379	420	
103	121	126	146	171	195	223	247	
114	128	132	155	182	207	235	257	
129	139	142	165	194	224	254	281	
142	155	155	195	224	252	286	315	
165	180	180	226	259	292	331	364	
186	207	215	245	289	333	379	420	
204	236	250	290	337	384	433	478	
218	250	271	321	361	401	458	503	

PAAB
Acoustic Base Element

The Acoustic Base Element is a fabric-wrapped element with acoustic properties for use only at the base of a T/O/S panel.

WHAT'S INCLUDED
1 element.



PRODUCT OPTIONS

Height	Width	Element Finish
26, 32	18, 24, 30, 36, 42, 48, 54, 60	Fabric

SAMPLE ORDER CODE

PAAB 32	48	C212
---------	----	------

DIMENSIONS
INCHES / MM

H	W
26 / 660	18 / 457
26 / 660	24 / 610
26 / 660	30 / 762
26 / 660	36 / 914
26 / 660	42 / 1067
26 / 660	48 / 1219
26 / 660	54 / 1372
26 / 660	60 / 1524
32 / 813	18 / 457
32 / 813	24 / 610
32 / 813	30 / 762
32 / 813	36 / 914
32 / 813	42 / 1067
32 / 813	48 / 1219
32 / 813	54 / 1372
32 / 813	60 / 1524

PRICING


Fabric									
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		
67	82	93	109	120	130	149	164		
68	84	96	118	126	133	151	166		
86	96	119	142	149	155	176	194		
93	118	144	169	179	188	215	236		
109	124	156	184	192	201	227	252		
120	132	163	195	206	215	244	267		
132	156	186	210	232	254	287	317		
144	182	211	238	266	293	333	368		
92	103	117	129	141	151	168	182		
93	109	121	142	149	155	174	187		
111	122	146	166	173	181	201	216		
122	149	175	200	208	216	244	260		
149	168	201	224	232	239	267	290		
164	179	207	238	248	256	282	307		
179	205	231	254	275	296	329	356		
191	230	256	284	310	335	375	407		

The Acoustic Element is a fabric-wrapped element with acoustic properties. For use only at the base of a T/O/S panel. The Square Profile is an alternative to the traditional T/O/S element style.

WHAT'S INCLUDED

1 element.

PAASB Acoustic Base Element – Square Profile



PRODUCT OPTIONS

Height	Width	Element Finish
26, 32	18, 24, 30, 36, 42, 48, 54, 60	Fabric

SAMPLE ORDER CODE

PAASB 26	42	C2112
----------	----	-------

DIMENSIONS INCHES / MM

H	W
26 / 660	18 / 457
26 / 660	24 / 610
26 / 660	30 / 762
26 / 660	36 / 914
26 / 660	42 / 1067
26 / 660	48 / 1219
26 / 660	54 / 1372
26 / 660	60 / 1524
32 / 813	18 / 457
32 / 813	24 / 610
32 / 813	30 / 762
32 / 813	36 / 914
32 / 813	42 / 1067
32 / 813	48 / 1219
32 / 813	54 / 1372
32 / 813	60 / 1524


PRICING

Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
67	82	93	109	120	130	149	164
68	84	96	118	126	133	151	166
86	96	119	142	149	155	176	194
93	118	144	169	179	188	215	236
109	124	156	184	192	201	227	252
120	132	163	195	206	215	244	267
132	156	186	210	232	254	287	317
144	182	211	238	266	293	333	368
92	103	117	129	141	151	168	182
93	109	121	142	149	155	174	187
111	122	146	166	173	181	201	216
122	149	175	200	208	216	244	260
149	168	201	224	232	239	267	290
164	179	207	238	248	256	282	307
179	205	231	254	275	296	329	356
191	230	256	284	310	335	375	407

PTA

Tackable Element



The Tackable Element is a fabric-wrapped, tackable bulletin board with acoustic properties.

WHAT'S INCLUDED

1 element.

NOTES

The 6" high element cannot be used as access element or access door.

PRODUCT OPTIONS

Height	Width	Element Finish
06, 15, 24, 30, 36, 45	18, 24, 30, 36, 42, 48, 54, 60	Fabric

SAMPLE ORDER CODE

PTA 15	48	S328
---------------	-----------	-------------

DIMENSIONS**INCHES / MM**

H	W
6 / 152	18 / 457
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
24 / 610	18 / 457
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524

PRICING**Fabric**

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
37	42	44	51	60	68	80	89
38	44	47	56	64	71	84	92
47	49	51	57	68	79	89	97
56	57	59	61	76	89	100	110
62	65	67	71	88	105	120	132
71	75	79	87	105	122	141	153
85	89	92	97	120	143	164	179
92	95	103	118	135	153	174	191
49	59	61	68	81	92	104	117
53	61	65	71	85	98	111	122
61	65	68	80	92	104	120	132
68	70	71	93	106	118	132	148
80	85	87	111	124	135	154	170
86	97	104	118	137	155	179	193
98	111	119	138	160	181	203	222
109	117	143	156	171	186	213	231
71	86	87	92	116	139	156	175
80	87	96	99	122	144	160	179
93	97	98	101	128	155	179	193
98	105	105	122	148	174	194	215
118	129	129	139	174	210	239	260
130	146	153	158	195	232	265	292
144	169	176	184	230	275	312	340
156	187	204	211	257	302	344	378

P T A
Tackable Element (Continued)

DIMENSIONS
INCHES / MM

H	W
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
45 / 1143	18 / 457
45 / 1143	24 / 610
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1067
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524

PRICING

Fabric								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
86	95	101	110	132	153	174	191	
87	96	109	114	135	155	176	194	
105	118	120	126	158	188	215	236	
120	139	142	151	188	224	254	281	
135	149	156	160	200	238	271	298	
149	159	168	174	215	256	291	320	
165	186	214	222	261	300	339	374	
179	214	223	245	295	345	391	431	
101	120	124	126	161	194	221	244	
111	124	130	132	167	201	227	252	
128	138	141	143	183	222	252	277	
141	152	152	166	207	248	281	309	
160	176	176	196	242	286	324	358	
180	203	211	222	275	328	372	407	
196	231	245	251	313	374	426	468	
204	247	269	280	339	398	452	496	
124	143	151	153	192	231	261	290	
135	152	159	163	206	248	281	309	
153	165	169	172	219	266	302	332	
169	184	184	204	251	297	338	372	
195	215	215	237	293	348	393	433	
222	247	256	263	331	398	452	496	
244	281	297	303	379	455	515	566	
259	297	322	333	406	480	546	601	


PTAS

Tackable Element – Square Profile

The Tackable Element – Square Profile is a fabric-wrapped, tackable bulletin board with acoustic properties. The Square Profile is an alternative to the traditional T/O/S element style.

WHAT'S INCLUDED

1 element.



PRODUCT OPTIONS

Height	Width	Element Finish
06, 15, 24, 30, 36, 45	18, 24, 30, 36, 42, 48, 54, 60	Fabric

SAMPLE ORDER CODE

PTAS 15	48	S328
---------	----	------

DIMENSIONS
INCHES / MM

H	W
6 / 152	18 / 457
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
24 / 610	18 / 457
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524

PRICING

Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
37	42	44	51	60	68	80	89
38	44	47	56	64	71	84	92
47	49	51	57	68	79	89	97
56	57	59	61	76	89	100	110
62	65	67	71	88	105	120	132
71	75	79	87	105	122	141	153
85	89	92	97	120	143	164	179
92	95	103	118	135	153	174	191
58	61	66	75	85	96	109	119
59	64	69	82	91	101	116	124
65	69	80	92	102	111	124	138
71	85	92	105	118	129	146	156
86	93	103	122	134	146	164	181
93	103	116	130	147	164	184	203
103	118	129	146	166	186	210	227
111	129	148	170	184	196	225	247
71	86	87	92	116	139	156	175
80	87	96	99	122	144	160	179
93	97	98	101	128	155	179	193
98	105	105	122	148	174	194	215
118	129	129	139	174	210	239	260
130	146	153	158	195	232	265	292
144	169	176	184	230	275	312	340
156	187	204	211	257	302	344	378

P T A S

Tackable Element – Square Profile
(Continued)DIMENSIONS
INCHES / MM

H	W
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
45 / 1143	18 / 457
45 / 1143	24 / 610
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1067
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524

PRICING

Fabric								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
86	95	101	110	132	153	174	191	
87	96	109	114	135	155	176	194	
105	118	120	126	158	188	215	236	
120	139	142	151	188	224	254	281	
135	149	156	160	200	238	271	298	
149	159	168	174	215	256	291	320	
165	186	214	222	261	300	339	374	
179	214	223	245	295	345	391	431	
101	120	124	126	161	194	221	244	
111	124	130	132	167	201	227	252	
128	138	141	143	183	222	252	277	
141	152	152	166	207	248	281	309	
160	176	176	196	242	286	324	358	
180	203	211	222	275	328	372	407	
196	231	245	251	313	374	426	468	
204	247	269	280	339	398	452	496	
124	143	151	153	192	231	261	290	
135	152	159	163	206	248	281	309	
153	165	169	172	219	266	302	332	
169	184	184	204	251	297	338	372	
195	215	215	237	293	348	393	433	
222	247	256	263	331	398	452	496	
244	281	297	303	379	455	515	566	
259	297	322	333	406	480	546	601	


A D

Access Door

The Access Door is a single hinged door which allows for desk-height access to power and communications. It is for use with worksurfaces set at heights ranging from 26" to 29".

WHAT'S INCLUDED

1 access door.



PRODUCT OPTIONS

Width	Door Finish	Trim Finish
18, 24, 30, 36, 42, 48, 54, 60	Fabric Flintwood	Foundation Mica

138

SAMPLE ORDER CODE

AD 48	FC	E
-------	----	---

DIMENSIONS
INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

Fabric							Flintwood
A/COM	Gr. 1-3	Gr. 4	Gr. 5	Gr. 6	Gr.7		
32	32	42	51	59	63		80
32	34	46	58	64	68		89
34	37	50	63	68	75		109
39	42	57	70	84	92		122
54	59	76	92	104	117		153
59	61	80	98	111	122		164
61	64	84	103	118	129		174
64	66	88	109	123	135		181


The Face-Mounted Power/Communications Element provides direct access to power and communications at desk height.

WHAT'S INCLUDED

1 element with electrical or electrical/VDM cut-outs and bezels.

A P C

Face-Mounted Power/Communication Element



PRODUCT OPTIONS

Width	Configuration	Element Finish	Trim Finish
36, 42, 48, 54, 60	1 Power (2 knockouts) 2 Power/Communications (3 knockouts)	Fabric	Foundation Mica

SAMPLE ORDER CODE

APC 48	2	A102	E
---------------	----------	-------------	----------

DIMENSIONS INCHES / MM

W
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
101	103	116	126	132	139	151	163
109	110	122	135	144	151	165	181
116	119	129	148	156	164	182	198
121	123	139	158	168	179	196	216
126	128	147	165	175	185	205	224


If Power/Communications (2) is specified, add 2

ADH
Split Access Door

The Split Access Door has two horizontal sections (one fixed and one hinged) that allow for desk-height access to power and communications. It is for use with worksurfaces set at heights ranging from 29" to 32".

WHAT'S INCLUDED

1 access door (comprised of 2 pieces).



PRODUCT OPTIONS

Width	Door Finish	Trim Finish
18, 24, 30, 36, 42, 48, 54, 60	Fabric	Foundation Mica

I40

SAMPLE ORDER CODE

ADH 48	P710	G
--------	------	---

DIMENSIONS
INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

Fabric						
A/COM	Gr. 1-3	Gr. 4	Gr. 5	Gr. 6	Gr.7	
54	61	80	98	111	122	
61	66	88	109	123	135	
66	75	99	122	139	153	
85	92	121	149	168	184	
104	113	148	182	207	225	
113	122	159	195	223	248	
122	129	170	210	239	260	
129	135	179	221	250	276	


The Glass Element is made of a single or a double pane of tempered glass and provides various levels of visual access to adjacent work areas (depending on finish).

WHAT'S INCLUDED

1 element.

P T

Glass Element – Single or Double



Single

Double

PRODUCT OPTIONS

Single/Double	Height	Width	Frame Finish	Glass Finish
S Single Glass	15	18, 24, 30, 36, 42, 48, 54, 60	Foundation	5 Clear Standard Glass
D Double Glass			Mica	6 Frost Standard Glass

I4I

SAMPLE ORDER CODE

PT S	15	30	E	6
-------------	-----------	-----------	----------	----------

DIMENSIONS INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

SINGLE (S)

Clear	Frost
173	188
187	207
204	223
217	238
246	271
275	303
303	334
332	364

DOUBLE (D)


Clear	Frost
208	226
223	246
237	259
252	276
285	313
318	352
353	387
384	422

If Mica is specified, add 22

PTN
Open Element

The Open Element that creates an opening by providing a frame which finishes both sides of the panel.

WHAT'S INCLUDED
1 element.



PRODUCT OPTIONS

Height	Width	Frame Finish
15	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica

I42

SAMPLE ORDER CODE

PTN 15	48	J
--------	----	---

DIMENSIONS
INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

Foundation	Mica
82	100
86	105
107	127
118	138
127	148
142	160
153	174
166	186


The Accessory Element is designed to support Personal Organizers and facilitates organization of the workspace.

WHAT'S INCLUDED

1 element.

P A E

Accessory Element



PRODUCT OPTIONS

Height	Width	Element Finish
06, 15	18, 24, 30, 36, 42, 48, 54, 60	Foundation Accent Mica

SAMPLE ORDER CODE

PAE 06	48	E
---------------	-----------	----------

DIMENSIONS INCHES / MM

H	W
6 / 152	18 / 457
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524


PRICING

Foundation	Mica/Accent
87	101
98	117
111	128
123	141
139	159
151	172
164	184
176	193
130	180
139	186
158	208
183	230
203	250
226	276
267	315
303	354

PHF
Grill Element

The Grill Element allows for passive air circulation between adjacent work areas.

WHAT'S INCLUDED
1 element.



PRODUCT OPTIONS

Height	Width	Finish
15, 26	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica

I44

SAMPLE ORDER CODE

PHF 15	48	E
--------	----	---

DIMENSIONS
INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
26 / 660	18 / 457
26 / 660	24 / 610
26 / 660	30 / 762
26 / 660	36 / 914
26 / 660	42 / 1067
26 / 660	48 / 1219
26 / 660	54 / 1372
26 / 660	60 / 1524

PRICING

Foundation	Mica
148	179
153	183
170	201
188	217
204	232
227	256
247	277
267	296
194	224
204	232
237	266
267	296
294	324
327	356
359	390
387	418

The Whiteboard Element serves as an erasable message board, providing a clean frameless design profile with an optional tray.

WHAT'S INCLUDED

1 element and tray (if specified) for writing support and containment of ink dust.


NOTES

This product accepts magnets.

Only dry erase markers can be used.

The width of the tray equals the width of the element.

PAWN Whiteboard Element



PRODUCT OPTIONS

Tray	Height	Width	Tray Finish
N No Tray	15, 30	18, 24, 30, 36, 42, 48, 54, 60	Foundation
T With Tray			Mica

SAMPLE ORDER CODE

PAWN N	15	30	
--------	----	----	--


DIMENSIONS INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

NO TRAY (N)	WITH TRAY (T)	
	Foundation	Mica
193	230	245
203	244	255
256	300	314
265	313	324
269	320	333
274	329	341
354	414	426
431	495	507
252	289	301
261	302	316
344	387	401
353	401	413
359	411	422
364	420	433
476	536	549
576	641	651

PAWS
Whiteboard Element –
Square Profile



The Whiteboard Element serves as an erasable message board, providing a clean frameless design profile with an optional tray. The Square Profile is an alternative to the traditional T/O/S element style.

WHAT’S INCLUDED

1 element and tray (if specified) for writing support and containment of ink dust.

NOTES

This product accepts magnets.

Only dry erase markers can be used.

The width of the tray equals the width of the element.

PRODUCT OPTIONS

Tray	Height	Width	Tray Finish
N No Tray	15, 30	18, 24, 30, 36, 42, 48, 54, 60	Foundation
T With Tray			Mica

SAMPLE ORDER CODE

PAWS N	15	30	
--------	----	----	--

DIMENSIONS
INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

NO TRAY (N)	WITH TRAY (T)	
	Foundation	Mica
193	230	245
203	244	255
256	300	314
265	313	324
269	320	333
274	329	341
354	414	426
431	495	507
252	289	301
261	302	316
344	387	401
353	401	413
359	411	422
364	420	433
476	536	549
576	641	651


The Flintwood Element provides a wood finish for the panel surface.

WHAT'S INCLUDED

1 element.

P V E

Flintwood Element



PRODUCT OPTIONS

Height	Width	Element Finish
06, 15, 26	18, 24, 30, 36, 42, 48, 54, 60	Flintwood

SAMPLE ORDER CODE

PVE 15	42	FC
--------	----	----

DIMENSIONS INCHES / MM

H	W
6 / 152	18 / 457
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
26 / 660	18 / 457
26 / 660	24 / 610
26 / 660	30 / 762
26 / 660	36 / 914
26 / 660	42 / 1067
26 / 660	48 / 1219
26 / 660	54 / 1372
26 / 660	60 / 1524

PRICING


86
96
111
134
156
176
195
216
120
135
164
192
225
254
286
314
181
193
222
291
344
390
407
500

PAG

Architectural Glass Element –
Single or Double

Architectural Glass Elements are part of Teknion's Architectural Element Program. They are available with single or double panes of tempered glass in a variety of finish patterns.

WHAT'S INCLUDED
1 element.



Dot Solo Louvered

PRODUCT OPTIONS

Styles	Glazing Patterns	Height	Width	Frame Finish
S Single D Double	1 Dot Solo 4 Louvered	15	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica

SAMPLE ORDER CODE

PAG S	1	15	48	P
--------------	----------	-----------	-----------	----------

DIMENSIONS
INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING


SINGLE (S)		DOUBLE (D)	
Foundation	Mica	Foundation	Mica
179	196	282	301
237	256	349	369
279	298	410	431
314	333	477	497
356	376	540	560
383	403	583	604
431	452	678	699
470	491	743	764

Architectural Elements are part of Teknion's Architectural Element Program. They are available with a perforated or embossed metal surface.

WHAT'S INCLUDED

1 element.

P A M Architectural Element



PRODUCT OPTIONS

Style	Pattern	Height	Width	Element Finish
E Embossed P Perforated	1 Dot Solo	15, 26	18, 24, 30, 36, 42, 48, 54, 60	Foundation Accent Mica

SAMPLE ORDER CODE

PAM E	1	15	24	K
--------------	----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
26 / 660	18 / 457
26 / 660	24 / 610
26 / 660	30 / 762
26 / 660	36 / 914
26 / 660	42 / 1067
26 / 660	48 / 1219
26 / 660	54 / 1372
26 / 660	60 / 1524


PRICING

Foundation	Mica/Accent
77	91
84	100
96	116
104	124
118	141
134	154
146	172
152	180
113	139
127	154
148	180
165	201
184	224
208	251
227	274
244	293

P A D
Architectural Access Door

Architectural Access Doors are part of Teknion's Architectural Element Program. They are available with a perforated or embossed metal surface.

WHAT'S INCLUDED
1 access door.



PRODUCT OPTIONS

Style	Pattern	Height	Width	Element Finish	Trim Finish
E Embossed P Perforated	I Dot Solo	06	18, 24, 30, 36, 42, 48, 54, 60	Foundation Accent Mica	Foundation Mica

150

SAMPLE ORDER CODE

PAD E	1	06	24	K	GR
--------------	----------	-----------	-----------	----------	-----------

DIMENSIONS
INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING


Foundation	Mica/Accent
57	61
60	63
61	65
67	70
70	75
75	82
83	87
84	92

The Access Cover provides a fixed cover to the panel raceway when planning with 26" Square Profile Base Elements. The Square Profile is an alternative to the traditional T/O/S element style.

WHAT'S INCLUDED

1 access cover.

ADSC Access Cover – Square Profile



PRODUCT OPTIONS

Width	Access Cover Finish	Trim Finish
18, 24, 30, 36, 42, 48, 54, 60	Fabric	Foundation Mica

SAMPLE ORDER CODE

ADSC 48	A001	E
---------	------	---

DIMENSIONS INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524


PRICING

Fabric						
A/COM	Gr. 1-3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
39	39	53	65	75	82	
39	44	58	71	84	89	
44	49	66	82	89	97	
54	58	76	93	109	120	
68	75	98	120	135	150	
75	80	104	128	144	156	
80	84	109	134	153	169	
84	87	114	142	160	176	

APCS
Face-Mounted
Power/Communications Element –
Square Profile

The Face-Mounted Power/Communications Element provides direct access to power and communications at desk height. The Square Profile is an alternative to the traditional T/O/S element style.

WHAT’S INCLUDED
1 element with electrical or electrical/VDM cut-outs and bezels.



PRODUCT OPTIONS

Width	Configuration	Element Finish	Trim Finish
36, 42, 48, 54, 60	1 Power (2 knockouts)	Fabric	Foundation
	2 Power/Communications (3 knockouts)		Mica

SAMPLE ORDER CODE

APCS 48	2	A001	E
---------	---	------	---

DIMENSIONS
INCHES / MM

W
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

Fabric								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
101	103	116	126	132	139	151	163	
109	110	122	135	144	151	165	181	
116	119	129	148	156	164	182	198	
121	123	139	158	168	179	196	216	
126	128	147	165	175	185	205	224	

If Power/Communications (2) is specified, add 2

worksurfaces &
countertops

worksurfaces & countertops

PRODUCT MAP156

WORKSURFACE & COUNTERTOP BASICS159

GROMMET & MONOLEG STYLES160

KEYBOARD SUPPORT SURFACES161

EDGE TRIM STYLE OVERVIEW162


GRAIN DIRECTION/USER EDGE163

PRODUCT LISTING164

product map


W S Rectangular Worksurface

Page 164
Depth: 20" – 30" / Width: 24" – 96"




W P S 90° Corner Worksurface

Page 166
Width: 36" – 48" / Depth: 19" – 30"




W S C X 90° Split Corner Worksurface with Curved Keyboard Support

Page 167
Width: 42" & 48" / Depth: 24" & 30"




W P S X 90° Split Corner Worksurface with Keyboard Support

Page 168
Width: 42" & 48" / Depth: 24" & 30"




W S C 90° Corner Worksurface with Curve

Page 170
Width: 30" – 60" / Depth: 19" – 30"




W E R C 90° Extended Radius Corner Worksurface

Page 172
Depth: 24" & 30" / Width: 36" – 96"




W F S 120° Corner Worksurface

Page 174
Width: 30" & 36" / Depth: 24" & 30"



W D EDP Worksurface – Straight & Curved

Page 176
Width: 24" – 84" / Depth: 19" – 30"




Straight

Curved


W R Outside Corner Worksurface

Page 178
Depth: 24" & 30"




W S R Bullet Top

Page 179
Depth: 24" – 36" / Width: 48" – 72"




W S N Piano Top

Page 180
Depth: 24" & 30" / Width: 60" – 84"




W S D D-Top

Page 181
Depth: 24" & 30"




**W S T Straight Transition
Worksurface**

Page 182
Width: 30" – 72" / Depth: 20" – 30"




**W S T R Transition Corner
Worksurface with Return**

Page 183
Depth: 20" & 24" / Width: 36" – 72"




W C Rectangular Countertop

Page 184
Depth: 15" / Width: 24" – 72"




W C Bullet Countertops

Page 185
Depth: 15" / Width: 24" – 72"



W C C 9 0 90° Curved Countertop

Page 186
Depth: 15" / Width: 24" – 72"



worksurface & countertop basics

Worksurfaces and countertops are panel-mounted and designed for use with all T/O/S panel types.



- Worksurfaces may not span more than 60" without additional support
- Can be panel-mounted on- or off-module
- Worksurface support hardware must be ordered separately
- If the countertop specified is wider than 36", it is possible for it to span two panels (e.g. one 72" wide countertop over two 36" wide connected panels)


- **120° Corner Worksurfaces** are designed for use in 120° corners
- The straight edge is ideal for mounting a keyboard support
- Can be mounted on- or off-module
- One grommet is included at the back corner of the worksurface

- **Straight Worksurfaces** include Rectangular, EDP (straight and curved), Straight Transition and Outside Corner Worksurfaces
- Are panel-mounted and provide a primary or secondary surface
- Can be used on- or off-module when suspended from a panel, except on the Outside Corner Worksurface, which is on-module only
- Grommets (if applicable) can be ordered at time of purchase or subsequently
- EDP surface can be specified with either a straight or curved profile to work in conjunction with a Standard Corner Surface

- **Extended Corner Worksurfaces** combine a rectangular and corner worksurface to provide one continuous surface
- Can be mounted on- or off-module
- Can be specified with different widths at either end
- Can be specified with a grommet on the back corner

- **Countertops** can be used alone or together with other counter top types to create transaction surfaces and fit any T/O/S panel
- Top Trim (Metal or Flintwood) of the panel to which the countertop is being mounted must be specified so that proper support brackets can be supplied
- Overlap the panel by 7" on either side, and should be specified the same width as the panel



- **Guesting Worksurfaces** include the Bullet Top, Piano Top and D-Top
- All except are semi-suspended and must mount at one end to a panel or other worksurface
- All include support legs



- **90° Corner Worksurfaces** designed for use in 90° corners
- Available with straight or curved user edges which will support a separate keyboard
- Standard with one grommet at the back corner of the worksurface
- Surfaces with keyboard cut-outs have a 1" gap surrounding the keyboard surface

- **Full Surface** is a panel-mounted height-adjustable worksurface
- Can be mounted on-module only to any T/O/S Panel
- Does not accept any keyboard supports because of adjustment mechanism

- **Seamless Finish Worksurface** widths greater than 48" will be accompanied by an adjustable support beam
- Support beam can be fitted to the left or right when applying pedestal storage underneath
- Accept Keyboard Trays and Accessories
- With a support beam must include a Spacer Bracket. Please see Complements: *Teknion's Ergonomics & Accessories Program*
- With a support beam will **not** accept Pelican Drawers (DPD21, DPD61)
- Will not accept Stretch Pedestals or Two-High Laterals with worksurfaces greater than 48" in width



Finishes

- Worksurfaces are available in Foundation Laminate, Flintwood stains and Seamless Colors
- Edge trim styles include Slim, Bullnose, Straight, Flintwood Straight, Flintwood Slim, Seamless Knife, Seamless Flat and Seamless Eased

- Flintwood and Seamless edge trims will be finished to match the surface
- Supports, when included are available in Foundation, Mica and Accent colors
- Not all finishes are available on every worksurface. Please see individual product pages for details


worksurfaces & countertops

grommet & monoleg styles

The following illustrates the grommet locations offered on T/O/S worksurfaces.

! The following restrictions apply when using seamless worksurfaces

grommet styles



grommet locations




- 1 Wire Left
- 2 Wire Center
- 3 Wire Right
- 4 Wire Five-Sided Corner
- 5 Paper Left
- 6 Paper Center
- 7 Paper Right

worksurfaces & countertops

keyboard support surfaces

90° Split Corner Worksurfaces with Keyboard Support provide a wide tray and mouse-support solution in panel-mounted environments.



- ❗ Must be panel-mounted using Handed Cantilevers (CT) with panels on both sides
- Can be panel-mounted at 1" increments in height. The surface has a secondary adjustable keyboard surface that adjusts independently in height and tilt



All split corner worksurfaces with keyboard support include a keyboard support backstop which prevents keyboards from sliding off the worksurface when placed in its negative tilt position

161

keyboard support adjustment mechanism






















- The standard keyboard height adjustment range is, 13" overall (7" above the worksurface and 6" below the worksurface)
- Height adjustment is activated by a release paddle located on the right underside of the support the tilt adjustment range is +15° to -15°
- It is adjusted with a tension knob located on the underside of the support

edge trim style overview







The chart below indicates which edge trim can be specified with all T/O/S worksurfaces.

! Shading indicates user edge


		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Non-User Edge
Straight (6)			n/a	n/a	Straight (6)
All Edges					
Slim (1)			n/a	n/a	Slim (1)
All Edges					
Bullnose (2)			n/a	n/a	Finished to coordinate with the worksurface
User Edge Only					
Flintwood Straight (7)		n/a	n/a		Flintwood Straight (7)
All Edges					
Flintwood Slim (4)		n/a	n/a		Finished to coordinate with the worksurface
User Edge Only					
Flintwood Bullnose (3)			n/a		Finished to coordinate with the worksurface
User Edge Only					
Seamless Knife (K)		n/a		n/a	Finished in a coordinating flat trim
User Edge Only					
Seamless Flat (G)		n/a		n/a	Seamless Flat (G)
All Edges					
Seamless Eased (E)		n/a		n/a	Finished in a coordinating flat trim
User Edge Only					

The illustrations below show the grain direction of Laminate worksurfaces.

- Grain direction is an important factor when planning workstation configurations, if a different grain direction is required, please contact your Teknion Customer Service Representative
- The pattern/grain direction of Laminate and worksurfaces varies depending on the type of worksurface specified
- Shading indicates user edge



WS
Rectangular Worksurface



The Rectangular Worksurface is a panel-mounted worksurface designed for use with all T/O/S panel types.

WHAT’S INCLUDED
1 worksurface.

WHAT’S EXCLUDED
Worksurface supports must be ordered separately.

NOTES
Flintwood edge trims will be finished to match the worksurface.
Seamless edge trims will be finished to match the worksurface.

PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet (Optional)
20, 24, 30	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	Foundation Laminate Seamless Colors Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose K Seamless Knife G Seamless Flat E Seamless Eased 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors	1 Wire Left 2 Wire Center 3 Wire Right 5 Paper Left 6 Paper Center 7 Paper Right

I64

SAMPLE ORDER CODE

WS 24	54	PD	6	BL	
-------	----	----	---	----	--

DIMENSIONS
INCHES / MM

D	W
20 / 508	24 / 610
20 / 508	30 / 762
20 / 508	36 / 914
20 / 508	42 / 1067
20 / 508	48 / 1219
20 / 508	54 / 1372
20 / 508	60 / 1524
20 / 508	66 / 1676
20 / 508	72 / 1829
20 / 508	78 / 1981
20 / 508	84 / 2134
20 / 508	90 / 2286
20 / 508	96 / 2438

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
235	328	586	282	707	790
245	344	710	292	858	964
276	364	637	731	631	882
284	375	650	749	654	944
287	384	708	815	662	945
396	509	836	961	740	1048
420	540	1145	573	1131	1318
459	588	1194	615	1142	1344
485	622	1277	650	1180	1368
644	770	1381	832	1202	1468
644	770	1423	832	1295	1593
836	970	1618	1064	1406	1728
836	970	1759	1064	1528	1854

If Wire Grommet is specified, add 35
If Paper Grommet is specified, add 70

Pricing is continued on the following page.

Rectangular Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING


		FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
D	W	Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
24 / 610	24 / 610	235	328	586	282	707	790
24 / 610	30 / 762	245	344	710	292	858	964
24 / 610	36 / 914	276	364	731	332	882	1013
24 / 610	42 / 1067	284	375	749	341	944	1063
24 / 610	48 / 1219	287	384	815	349	945	1074
24 / 610	54 / 1372	396	509	961	540	1048	1202
24 / 610	60 / 1524	420	540	1145	573	1131	1318
24 / 610	66 / 1676	459	588	1194	615	1142	1344
24 / 610	72 / 1829	485	622	1277	650	1180	1368
24 / 610	78 / 1981	644	770	1381	832	1202	1468
24 / 610	84 / 2134	644	770	1423	832	1295	1593
24 / 610	90 / 2286	836	970	1618	1064	1406	1728
24 / 610	96 / 2438	836	970	1759	1064	1528	1854
30 / 762	24 / 610	256	359	715	309	875	973
30 / 762	30 / 762	261	374	748	313	949	1046
30 / 762	36 / 914	314	399	769	376	967	1082
30 / 762	42 / 1067	321	423	864	386	993	1101
30 / 762	48 / 1219	354	446	877	425	1088	1163
30 / 762	54 / 1372	444	565	1069	596	1129	1240
30 / 762	60 / 1524	445	566	1180	597	1157	1295
30 / 762	66 / 1676	521	656	1275	689	1200	1383
30 / 762	72 / 1829	533	672	1279	705	1260	1455
30 / 762	78 / 1981	710	802	1311	896	1274	1491
30 / 762	84 / 2134	710	802	1357	896	1322	1554
30 / 762	90 / 2286	862	973	1600	1087	1391	1619
30 / 762	96 / 2438	862	973	1635	1087	1456	1743

If Wire Grommet is specified, add 35

If Paper Grommet is specified, add 70

W P S

90° Corner Worksurface



The 90° Corner Worksurface is a panel-mounted worksurface with an area for a keyboard support designed for use in 90° corners.

WHAT'S INCLUDED

1 worksurface and grommet.

WHAT'S EXCLUDED

Worksurface supports must be ordered separately.

NOTES

Flintwood edge trims will be finished to match the worksurface.

Seamless edge trims will be finished to match the worksurface.

Not all depth/width combinations are available. Please see the pricing for the exact offering.

PRODUCT OPTIONS

Width	Depth	Worksurface Finish	Edge Trim Style	Edge Trim Finish
36, 42, 48	19, 24, 30	Foundation Laminate Seamless Color Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose K Seamless Knife G Seamless Flat E Seamless Eased 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors

SAMPLE ORDER CODE

WPS 36	24	FX	2	FX
---------------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

W	D
36 / 914	19 / 483
36 / 914	24 / 610
36 / 914	30 / 762
42 / 1067	19 / 483
42 / 1067	24 / 610
42 / 1067	30 / 762
48 / 1219	24 / 610
48 / 1219	30 / 762

PRICING

FOUNDATION LAMINATE

Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim
422	531	772
435	548	797
461	581	844
504	596	936
517	610	961
523	616	970
528	625	1031
582	688	1135

SEAMLESS COLOR

Seamless Edge
505
520
551
605
618
626
637
700

FLINTWOOD

Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
1221	1331
1252	1365
1266	1380
1343	1483
1346	1500
1383	1525
1468	1618
1483	1650

OTHER DIMENSION

'A'
25 / 635
17 / 432
8 / 203
33 / 838
25 / 635
17 / 432
34 / 864
25 / 635

The 90° Split Corner Worksurface with Curved Keyboard Support Surface provides a large keyboard tray and mouse support solution in panel-mounted environments.

WHAT'S INCLUDED

1 worksurface with keyboard support surface, dual-arm mechanism, 1 backstop, mounting hardware and grommet.

WHAT'S EXCLUDED

Worksurface supports must be ordered separately.

NOTES


This product can be panel-mounted at 1" height increments in a 90° corner.

To support a 24" deep corner worksurface, a 12" deep handed Cantilever (CT12) must be used. A 30" deep corner worksurface requires an 18" deep handed Cantilever (CT18).

Flintwood edge trims will be finished to match the worksurface.

Not all depth/width combinations are available. Please see the pricing for the exact offering.

W S C X 90° Split Corner Worksurface with Curved Keyboard Support Surface



PRODUCT OPTIONS

Width	Depth	Worksurface Finish	Edge Trim Style	Edge Trim Finish
42, 48	24, 30	Foundation Laminate Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors

SAMPLE ORDER CODE

WSCX 42	24	LN	2	JY
---------	----	----	---	----

DIMENSIONS INCHES / MM

W	D
42 / 1067	24 / 610
48 / 1219	24 / 610
48 / 1219	30 / 762

PRICING

FOUNDATION LAMINATE

Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim
1576	1639	2928
1641	1789	3162
1705	1800	3177


FLINTWOOD

Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
3483	3483
3629	3629
3645	3645

OTHER DIMENSIONS

'A'	'B'
10 / 254	32 / 813
10 / 254	32 / 813
11 / 279	24 / 610

W P S X
90° Split Corner Worksurface
with Keyboard Support



The 90° Split Corner Worksurface with Keyboard Support Surface provides a large keyboard tray and mouse support solution in panel-mounted environments.

WHAT’S INCLUDED

1 worksurface with keyboard support surface, dual-arm mechanism, 1 backstop, mounting hardware and grommet.

WHAT’S EXCLUDED

Worksurface supports must be ordered separately.

NOTES

This product can be panel-mounted at 1" height increments in a 90° corner.

To support a 24" deep corner worksurface, a 12" deep handed Cantilever (CT12) must be used. A 30" deep corner worksurface requires an 18" deep handed Cantilever (CT18).

Flintwood edge trims will be finished to match the worksurface.

Not all depth/width combinations are available. Please see the pricing for the exact offering.

PRODUCT OPTIONS

Width	Depth	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Soft Palmrest
42, 48	24, 30	Foundation Laminate Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors	P Palmrest

SAMPLE ORDER CODE

WPSX 42	24	WB	2	MT	P
---------	----	----	---	----	---

DIMENSIONS
INCHES / MM

W	D
42 / 1067	24 / 610
48 / 1219	24 / 610
48 / 1219	30 / 762

PRICING

FOUNDATION LAMINATE			FLINTWOOD	
Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
1561	1624	3048	3608	3608
1687	1775	3299	3761	3761
1687	1750	3268	3761	3761



OTHER DIMENSIONS

A'	B'
10 / 254	32 / 813
10 / 254	32 / 813
11 / 279	24 / 610

If Palmrest is specified, add 100

W S C

90° Corner Worksurface with Curve



The 90° Corner Worksurface with Curve is panel-mounted for use in 90° corners. The user edge of this worksurface is curved.

WHAT'S INCLUDED

1 worksurface and grommet.

WHAT'S EXCLUDED

Worksurface supports must be ordered separately.

NOTES

Flintwood edge trims will be finished to match the worksurface.

Seamless edge trims will be finished to match the worksurface.

Not all depth/width combinations are available. Please see the pricing for the exact offering.

PRODUCT OPTIONS

Width	Depth A	Depth B	Worksurface Finish	Edge Trim Style	Edge Trim Finish
30, 36, 42, 48, 54, 60	19, 24, 30	19, 24, 30	Foundation Laminate Seamless Colors Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose K Seamless Knife G Seamless Flat E Seamless Eased 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors

SAMPLE ORDER CODE

WSC 42	24	30	RD	2	GR
--------	----	----	----	---	----

DIMENSIONS INCHES / MM

W	Da	Db
30 / 762	24 / 610	24 / 610
36 / 914	19 / 483	24 / 610
36 / 914	24 / 610	19 / 483
36 / 914	24 / 610	24 / 610
36 / 914	30 / 762	30 / 762
42 / 1067	19 / 483	24 / 610
42 / 1067	24 / 610	19 / 483
42 / 1067	24 / 610	24 / 610
42 / 1067	24 / 610	30 / 762
42 / 1067	30 / 762	24 / 610
42 / 1067	30 / 762	30 / 762
48 / 1219	24 / 610	24 / 610
48 / 1219	24 / 610	30 / 762
48 / 1219	30 / 762	24 / 610
48 / 1219	30 / 762	30 / 762

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Straight/ Slim Trim	Bullnos Trim	Wood Bullnose Trim	Seamless Edge	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
420	542	729	503	1335	1365
489	626	935	586	1619	1678
489	626	935	586	1619	1678
495	637	953	595	1642	1700
521	662	953	625	1730	1791
525	674	973	631	1383	1450
525	674	973	631	1383	1450
589	688	998	708	1555	1631
589	688	998	708	1555	1631
589	688	998	708	1555	1631
589	688	998	708	1555	1631
611	711	1213	734	1733	1831
616	719	1224	741	1750	1850
616	719	1224	741	1750	1850
664	772	1317	797	1883	1988

OTHER DIMENSIONS

'A'
8 / 203
21 / 533
21 / 533
19 / 483
8 / 203
30 / 762
30 / 762
25 / 635
22 / 559
22 / 559
19 / 483
34 / 864
30 / 762
30 / 762
25 / 635

Pricing is continued on the following page.


W S C

90° Corner Worksurface with Curve
(Continued)

DIMENSIONS INCHES / MM			PRICING				OTHER DIMENSIONS		
W	Da	Db	FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD		'A'
			Straight/ Slim Trim	Bullnos Trim	Wood Bullnose Trim	Seamless Edge	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim	
54 / 1372	24 / 610	24 / 610	782	939	2298	1079	2667	2913	42 / 1067
54 / 1372	24 / 610	30 / 762	865	1040	2921	1193	2891	3090	38 / 965
54 / 1372	30 / 762	24 / 610	865	1040	2921	1193	2891	3452	38 / 965
54 / 1372	30 / 762	30 / 762	865	1040	2921	1227	2891	3452	34 / 864
60 / 1524	24 / 610	24 / 610	1074	1289	2505	1454	3062	3452	51 / 1295
60 / 1524	24 / 610	30 / 762	1074	1289	2879	1454	3233	3552	47 / 1194
60 / 1524	30 / 762	24 / 610	1074	1289	2879	1454	3233	3552	47 / 1194
60 / 1524	30 / 762	30 / 762	1128	1352	3022	1523	3395	3731	42 / 1067

W E R C

90° Extended Radius Corner Worksurface



The 90° Extended Radius Corner Worksurface combines a rectangular and corner worksurface to provide one continuous surface and can be connected to surfaces of different depths within a panel environment.

WHAT'S INCLUDED

1 worksurface with return and grommet, if specified.

WHAT'S EXCLUDED

Worksurface supports must be ordered separately.

NOTES

This worksurface can be specified with different depths on either end.

Flintwood edge trims will be finished to match the worksurface.

Seamless edge trims will be finished to match the worksurface.

When Flintwood or Laminate with a grain pattern are specified, the grain direction will run toward Width A.

Not all depth/width combinations are available. Please see the pricing for the exact offering.

PRODUCT OPTIONS

Depth A	Depth B	Width A	Width B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet
24, 30	24, 30	36, 42, 48	48, 54, 60, 66, 72, 84, 96	L Left Handed (Shown) R Right Handed	Foundation Laminate Seamless Colors Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose K Seamless Knife G Seamless Flat E Seamless Eased 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors	4 Wire Corner

SAMPLE ORDER CODE

WERC 24	24	36	48	L	RD	2	GR	4
---------	----	----	----	---	----	---	----	---

DIMENSIONS – INCHES FOR MM X BY 25.4

Da	Db	Wa	Wb
24	24	36	48
24	24	36	54
24	24	36	60
24	24	36	66
24	24	36	72
24	24	36	84
24	24	36	96
24	24	42	48
24	24	42	54
24	24	42	60
24	24	42	66
24	24	42	72
24	24	42	84
24	24	42	96
24	24	48	54
24	24	48	60
24	24	48	66
24	24	48	72
24	24	48	84
24	24	48	96

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
713	757	1705	894	1947	2155
713	757	1766	930	1995	2196
713	807	1836	932	2011	2210
803	856	1891	999	2281	2511
805	856	1909	1027	2326	2558
1048	1112	2198	1390	2991	3204
1048	1112	2415	1481	3021	3293
780	826	1793	873	2040	2243
780	827	1834	911	2062	2270
780	828	1875	949	2368	2602
825	925	1930	994	2373	2604
826	923	1944	1021	2391	2738
1147	1216	2412	1421	3018	3373
1147	1217	2515	1453	3141	3445
813	861	2030	986	2145	2359
813	862	2076	1027	2249	2475
844	897	2079	1134	2290	2519
856	908	2080	1256	2883	3170
1218	1294	2607	1542	2940	3233
1218	1295	2661	1553	3088	3396

If Grommet is specified, add 35

Pricing is continued on the following page.

90° Extended Radius Corner Worksurface (Continued)


DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Da	Db	Wa	Wb	Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
24	30	42	48	825	877	2139	929	2182	2344
24	30	42	54	826	878	2193	1066	2185	2398
24	30	42	60	862	908	2219	1185	2490	2736
24	30	42	66	905	957	2277	1239	2534	2798
24	30	42	72	938	991	2359	1281	2808	2896
24	30	42	84	1277	1355	2620	1559	3199	3520
24	30	42	96	1277	1355	2791	1572	3275	3576
24	30	48	54	838	889	2116	1019	2187	2352
24	30	48	60	859	907	2498	1179	2804	3081
24	30	48	66	942	996	2685	1290	2986	3301
24	30	48	72	982	1035	2792	1339	3105	3429
24	30	48	84	1304	1383	2811	1697	3158	3474
24	30	48	96	1304	1386	3238	1703	3198	3528
30	24	36	48	812	860	1832	1016	2004	2081
30	24	36	54	812	861	1838	1054	2078	2132
30	24	36	60	836	921	1846	1092	2109	2167
30	24	36	66	890	942	1913	1101	2133	2347
30	24	36	72	890	944	1938	1162	2145	2359
30	24	36	84	1147	1216	2201	1518	2304	2534
30	24	36	96	1147	1216	2421	1523	2541	2794
30	24	42	48	825	875	1836	1056	1854	2056
30	24	42	54	825	876	1867	1073	1862	2077
30	24	42	60	825	876	1877	1125	1868	2099
30	24	42	66	909	966	2000	1213	2039	2243
30	24	42	72	909	966	2012	1413	2124	2336
30	24	42	84	1271	1346	2538	1605	2696	3099
30	24	42	96	1271	1346	2638	1743	2818	3225
30	24	48	54	839	888	2080	1016	2165	2381
30	24	48	60	839	889	2133	1058	2272	2497
30	24	48	66	963	1021	2351	1287	2550	2806
30	24	48	72	964	1022	2475	1287	3204	3526
30	24	48	84	1304	1381	2769	1646	3217	3537
30	24	48	96	1304	1381	2827	1676	3311	3618
30	30	42	48	832	882	1712	1065	1678	1763
30	30	42	54	832	882	1712	1076	1987	2015
30	30	42	60	832	882	1752	1131	1987	2015
30	30	42	66	924	977	1868	1222	2312	2386
30	30	42	72	924	979	1883	1231	2641	2905
30	30	42	84	1304	1380	2402	1786	2820	3036
30	30	42	96	1304	1380	2498	1786	2885	3103
30	30	48	54	843	896	1934	1023	2013	2165
30	30	48	60	844	897	1987	1065	2196	2415
30	30	48	66	974	1035	2203	1303	2372	2610
30	30	48	72	974	1052	2324	1426	2726	2999
30	30	48	84	1324	1403	2598	1668	2826	3106
30	30	48	96	1324	1404	2650	1767	2885	3175

If Grommet is specified, add 35

WFS
120° Corner Worksurface



The 120° Corner Worksurface is panel-mounted for use only in 60° corners and can accommodate a keyboard support.

WHAT’S INCLUDED
1 worksurface and grommet.

WHAT’S EXCLUDED
Worksurface supports must be ordered separately.

NOTES
Flintwood edge trims will be finished to match the worksurface.
Not all depth/width combinations are available. Please see the pricing for the exact offering.

PRODUCT OPTIONS

Width	Depth	Worksurface Finish	Edge Trim Style	Edge Trim Finish
30, 36	24, 30	Foundation Laminate Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors

SAMPLE ORDER CODE

WFS 36	24	MG	2	JY
--------	----	----	---	----

DIMENSIONS
INCHES / MM

W	D
30 / 762	24 / 610
36 / 914	24 / 610
36 / 914	30 / 762

PRICING


FOUNDATION LAMINATE			FLINTWOOD	
Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
595	692	1485	1707	2024
648	753	1841	1873	2246
712	827	2037	2063	2468

OTHER
DIMENSIONS


'A'
28 / 711
38 / 965
32 / 813

W D

EDP Worksurface – Straight & Curved



Straight



Curved

The EDP Worksurface is panel-mounted with an angled or curved end which is designed to be used adjacent to a Corner Worksurface to create a recessed area for a keyboard support or to provide a cockpit area.

WHAT'S INCLUDED

1 worksurface and an adjustable support beam if width is greater than 48".

WHAT'S EXCLUDED

Worksurface supports must be ordered separately.

NOTES

Stretch Pedestals or Two-High Laterals **cannot** be used under Seamless Color worksurfaces greater than 48" in width.

The handed end is deeper, from the user's perspective.

Flintwood edge trims will be finished to match the worksurface.

Seamless edge trims will be finished to match the worksurface.

Not all depth/width combinations are available. Please see the pricing for the exact offering.

PRODUCT OPTIONS

Profiles	Depth A	Width	Depth B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
1 Straight	24, 30	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	19, 24	L Left Handed	Foundation Laminate	1 Slim	Edge Trim Colors
2 Curved				R Right Handed (Shown)	Seamless Colors Flintwood	2 Bullnose 6 Straight 3 Flintwood Bullnose K Seamless Knife G Seamless Flat E Seamless Eased 4 Flintwood Slim 7 Flintwood Straight	

SAMPLE ORDER CODE

WD 2	30	72	19	L	RG	6	GR
------	----	----	----	---	----	---	----

DIMENSIONS INCHES / MM

Da	W	Db
24 / 610	24 / 610	19 / 483
24 / 610	30 / 762	19 / 483
24 / 610	36 / 914	19 / 483
24 / 610	42 / 1067	19 / 483
24 / 610	48 / 1219	19 / 483
24 / 610	54 / 1372	19 / 483
24 / 610	60 / 1524	19 / 483
24 / 610	66 / 1676	19 / 483
24 / 610	72 / 1829	19 / 483
24 / 610	78 / 1981	19 / 483
24 / 610	84 / 2134	19 / 483
30 / 762	24 / 610	19 / 483
30 / 762	30 / 762	19 / 483
30 / 762	36 / 914	19 / 483
30 / 762	42 / 1067	19 / 483
30 / 762	48 / 1219	19 / 483
30 / 762	54 / 1372	19 / 483
30 / 762	60 / 1524	19 / 483
30 / 762	66 / 1676	19 / 483
30 / 762	72 / 1829	19 / 483
30 / 762	78 / 1981	19 / 483
30 / 762	84 / 2134	19 / 483

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR		FLINTWOOD	
Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge		Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
205	285	571	245		602	695
205	292	642	246		685	790
244	339	743	292		815	937
332	432	833	401		963	1098
341	448	941	408		1019	1177
344	455	1031	476		1027	1185
445	567	1149	601		1100	1292
490	617	1192	651		1120	1338
525	660	1342	692		1198	1425
719	856	1404	929		1221	1450
719	856	1432	929		1245	1484
230	312	641	276		611	678
267	354	709	322		738	805
314	415	841	378		887	967
431	525	953	519		925	1137
440	548	1078	528		946	1220
485	610	1087	648		944	1178
453	569	1066	605		1023	1199
587	727	1213	769		1135	1355
566	699	1304	739		1163	1381
1064	1198	1559	1342		1358	1533
1101	1240	1749	1391		1519	1682

OTHER DIMENSIONS

'C'	'D'
18 / 457	8 / 203
24 / 610	8 / 203
30 / 762	8 / 203
36 / 914	8 / 203
42 / 1067	8 / 203
48 / 1219	8 / 203
54 / 1372	8 / 203
60 / 1524	8 / 203
66 / 1676	8 / 203
72 / 1829	8 / 203
78 / 1981	8 / 203
12 / 305	16 / 406
18 / 457	16 / 406
24 / 610	16 / 406
30 / 762	16 / 406
36 / 914	16 / 406
42 / 1067	16 / 406
48 / 1219	16 / 406
54 / 1372	16 / 406
60 / 1524	16 / 406
66 / 1676	16 / 406
72 / 1829	16 / 406

Pricing is continued on the following page.

W D

**EDP Worksurface –
Straight & Curved (Continued)**

**DIMENSIONS
INCHES / MM**

Da	W	Db
30 / 762	24 / 610	24 / 610
30 / 762	30 / 762	24 / 610
30 / 762	36 / 914	24 / 610
30 / 762	42 / 1067	24 / 610
30 / 762	48 / 1219	24 / 610
30 / 762	54 / 1372	24 / 610
30 / 762	60 / 1524	24 / 610
30 / 762	66 / 1676	24 / 610
30 / 762	72 / 1829	24 / 610
30 / 762	78 / 1981	24 / 610
30 / 762	84 / 2134	24 / 610


PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
230	312	641	276	611	678
267	354	709	322	738	805
314	415	841	378	887	967
431	525	953	519	925	1137
440	548	1078	528	946	1220
485	610	1087	648	944	1178
453	569	1066	605	1023	1199
587	727	1213	769	1135	1355
566	699	1304	739	1163	1381
1064	1198	1559	1342	1358	1533
1134	1277	1798	1429	1562	1730

**OTHER
DIMENSIONS**

'C'	'D'
18 / 457	8 / 203
24 / 610	8 / 203
30 / 762	8 / 203
36 / 914	8 / 203
42 / 1067	8 / 203
48 / 1219	8 / 203
54 / 1372	8 / 203
60 / 1524	8 / 203
66 / 1676	8 / 203
66 / 1676	8 / 203
72 / 1829	8 / 203

W R
Outside Corner Worksurface



The Outside Corner Worksurface is a panel-mounted worksurface applied to the outside corner of two panels joined at a 90° angle.

WHAT’S INCLUDED
1 worksurface.

WHAT’S EXCLUDED
Worksurface supports must be ordered separately.

NOTES
This worksurface can be panel-mounted on-module only with worksurface support hardware.
A Monoleg (CZ) is required as support for the 30" depth in addition to panel mounting hardware.
Flintwood edge trims will be finished to match the worksurface.

PRODUCT OPTIONS

Depth	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	Foundation Laminate Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors

I78

SAMPLE ORDER CODE

WR 30	MB	2	SA
-------	----	---	----

DIMENSIONS
INCHES / MM

D
24 / 610
30 / 762

PRICING

FOUNDATION LAMINATE			FLINTWOOD	
Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
229	299	752	1051	1162
355	436	929	1405	1547

The Bullet Top is a semi-suspended worksurface which mounts to the panel at one end and is supported by a monoleg at the other.

WHAT'S INCLUDED

1 worksurface, 1 Monoleg or Monoleg (as specified) with leg mounting hardware.

WHAT'S EXCLUDED

Worksurface supports (for the panel mounting end) must be ordered separately.

NOTES


If Mica is specified for the Monoleg (1), the leveler will be finished in Black.

Locking Side Support Brackets (BSL) are required for secure attachment to the panel.

Flintwood edge trims will be finished to match the worksurface.

Seamless edge trims will be finished to match the worksurface.

WSR Bullet Top



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Monoleg Style	Monoleg Finish
24, 30, 36	48, 54, 60, 66, 72	Foundation Laminate Seamless Color Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose K Seamless Knife G Seamless Flat E Seamless Eased 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors	1 Monoleg 2 Monoleg Wide Base	Foundation Mica

SAMPLE ORDER CODE

WSR 36	48	PG	1	SA	1	P
---------------	-----------	-----------	----------	-----------	----------	----------

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

FOUNDATION LAMINATE

Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim
468	505	1938
496	545	1958
529	576	2138
581	599	2231
626	671	2340
564	604	1997
589	614	2093
634	673	2197
675	704	2269
740	777	2323
620	709	2544
710	740	2629
790	811	2700
827	864	2833
861	910	2970

SEAMLESS COLOR

Seamless Edge
558
659
697
750
814
674
778
820
886
946
741
906
1005
1047
1094

FLINTWOOD


Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
1864	2292
2079	2397
2054	2580
2153	2727
2252	2871
1919	2366
2016	2508
2113	2652
2211	2799
2308	2945
2739	3196
2827	3332
2914	3463
3030	3629
3146	3793

If Mica Standard Monoleg is specified, add 34

If Monoleg with Wide Base is specified, add 244

If Mica Monoleg with Wide Base is specified, add 277

WSN
Piano Top



The Piano Top is a semi-suspended worksurface that mounts to the panel at one end and is supported by a monoleg at the other. This worksurface combines a curved corner with the rounded end of a Bullet Top.

WHAT’S INCLUDED
1 worksurface, 1 Monoleg (as specified) with leg mounting hardware.

WHAT’S EXCLUDED
Worksurface supports (for the panel mounting end) must be ordered separately.

NOTES
This is a handed product and therefore, must be specified as left or right. The handed end is rounded (from the user’s perspective).

Flintwood edge trims will be finished to match the worksurface.
If Mica is specified for the Monoleg (1), the leveler will be finished in Black.

PRODUCT OPTIONS

Depth	Width	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Monoleg Style	Monoleg Finish
24, 30	60, 66, 72, 78, 84	L Left Handed R Right Handed (Shown)	Foundation Laminate	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors	1 Monoleg (Shown) 2 Monoleg with Wide Base	Foundation Mica

SAMPLE ORDER CODE

WSN 24	84	R	RB	1	BL	1	E
--------	----	---	----	---	----	---	---

DIMENSIONS
INCHES / MM

D	W
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

PRICING

FOUNDATION LAMINATE			FLINTWOOD	
Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
802	879	2762	2403	2876
826	903	3028	2633	3155
844	953	3291	2863	3430
886	1001	3556	3092	3707
963	1062	3819	3322	3984
902	993	2762	2403	2876
953	1038	3028	2633	3155
983	1090	3291	2863	3430
1046	1152	3556	3092	3707
1101	1216	3819	3322	3984

If Mica Standard Monoleg is specified, add 34
If Monoleg with Wide Base is specified, add 244
If Mica Monoleg with Wide Base is specified, add 277

The D-Top is semi-circular and mounts to the end of a panel run.

WHAT'S INCLUDED

1 D-Top Worksurface, one Monoleg or Monoleg with Wide Base (as per specification) with leg mounting hardware.

WHAT'S EXCLUDED


Worksurface supports (for the panel mounting end) must be ordered separately.

NOTES

Flintwood edge trims will be finished to match the worksurface.

Seamless edge trims will be finished to match the worksurface.

W S D
D-Top



PRODUCT OPTIONS

Depth	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Monoleg Style	Monoleg Finish
24, 30	Foundation Laminate Flintwood Seamless Color	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose K Seamless Knife G Seamless Flat E Seamless Eased 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors	1 Monoleg 2 Monoleg with Wide Base	Foundation Mica

SAMPLE ORDER CODE

WSD 30	VA	G	VA	2	N
---------------	-----------	----------	-----------	----------	----------

DIMENSIONS INCHES / MM

PRICING

	FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD		OTHER DIMENSIONS
	Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim	
D							'A'
24 / 610	750	843	2389	896	2077	2477	30 / 762
30 / 762	874	987	3155	1044	2743	3216	36 / 914


If Mica Standard Monoleg is specified, add 34

If Monoleg with Wide Base is specified, add 244

If Mica Monoleg with Wide Base is specified, add 277

W S T

Straight Transition Worksurface



The Straight Transition Worksurface is a rectangular worksurface with a transition in depth.

WHAT’S INCLUDED

1 worksurface.

WHAT’S EXCLUDED

Worksurface supports must be ordered separately.

NOTES

This is a handed product and therefore, must be specified as left or right. The handed end is deeper (from the user’s perspective).

Flintwood edge trims will be finished to match the worksurface.

Seamless edge trims will be finished to match the worksurface.

PRODUCT OPTIONS

Depth A	Width	Depth B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
20, 24	30, 36, 42, 48, 54, 60, 66, 72	24, 30	L Left Handed (Shown) R Right Handed	Foundation Laminate Seamless Color Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose K Seamless Knife G Seamless Flat E Seamless Eased 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors

SAMPLE ORDER CODE

WST 24	54	30	L	MW	1	NV
--------	----	----	---	----	---	----

DIMENSIONS
INCHES / MM

Da	W	Db
20 / 508	30 / 762	24 / 610
20 / 508	36 / 914	24 / 610
20 / 508	42 / 1067	24 / 610
20 / 508	48 / 1219	24 / 610
20 / 508	54 / 1372	24 / 610
20 / 508	60 / 1524	24 / 610
20 / 508	66 / 1676	24 / 610
20 / 508	72 / 1829	24 / 610
24 / 610	30 / 762	30 / 762
24 / 610	36 / 914	30 / 762
24 / 610	42 / 1067	30 / 762
24 / 610	48 / 1219	30 / 762
24 / 610	54 / 1372	30 / 762
24 / 610	60 / 1524	30 / 762
24 / 610	66 / 1676	30 / 762
24 / 610	72 / 1829	30 / 762

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
362	386	1187	436	1451	1587
362	386	1187	436	1451	1587
479	505	1369	573	1512	1672
492	520	1504	588	1587	1773
599	635	1679	783	1626	1841
613	647	1713	799	1672	1903
711	756	1788	920	1771	2018
727	768	1819	937	1856	2130
374	397	1221	448	1496	1638
374	397	1221	448	1496	1638
494	523	1409	588	1557	1726
505	536	1552	608	1638	1830
588	625	1656	770	1651	1855
609	644	1698	791	1660	1888
679	721	1707	876	1694	1930
693	735	1737	894	1773	2038

The Transition Corner Worksurface with Return provides a corner worksurface area with integral transition return.

WHAT'S INCLUDED

1 worksurface with return.

WHAT'S EXCLUDED

Worksurface supports must be ordered separately.

NOTES


This is a handed product and therefore, must be specified as left or right. The handed end is wider (from the user's perspective).

When Wood Veneer Laminate or Flintwood are specified, the grain direction is always run along the greater width.

Flintwood edge trims will be finished to match the worksurface.

Seamless edge trims will be finished to match the worksurface.

W S T R Transition Corner Worksurface with Return



PRODUCT OPTIONS

Depth A	Width	Depth B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
20, 24	36, 42, 48	60, 66, 72	L Left Handed R Right Handed (Shown)	Foundation Laminate Seamless Color Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose K Seamless Knife G Seamless Flat E Seamless Eased 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors

SAMPLE ORDER CODE

WSTR 24	36	72	R	PQ	1	BL
---------	----	----	---	----	---	----


DIMENSIONS INCHES / MM

Da	W	Db
20 / 508	36 / 914	60 / 1524
20 / 508	36 / 914	66 / 1676
20 / 508	36 / 914	72 / 1829
20 / 508	42 / 1067	60 / 1524
20 / 508	42 / 1067	66 / 1676
20 / 508	42 / 1067	72 / 1829
20 / 508	48 / 1219	60 / 1524
20 / 508	48 / 1219	66 / 1676
20 / 508	48 / 1219	72 / 1829
24 / 610	36 / 914	60 / 1524
24 / 610	36 / 914	66 / 1676
24 / 610	36 / 914	72 / 1829
24 / 610	42 / 1067	60 / 1524
24 / 610	42 / 1067	66 / 1676
24 / 610	42 / 1067	72 / 1829
24 / 610	48 / 1219	60 / 1524
24 / 610	48 / 1219	66 / 1676
24 / 610	48 / 1219	72 / 1829

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
831	876	1954	1145	2192	2403
899	945	2058	1229	2290	2523
940	994	2162	1287	2405	2650
840	886	2279	1153	2556	2805
906	958	2401	1242	2671	2947
953	1003	2521	1299	2805	3094
857	904	2605	1178	2922	3206
926	974	2744	1265	3052	3366
969	1025	2883	1325	3207	3534
848	896	1908	1166	2143	2355
914	966	2015	1253	2242	2476
963	1015	2116	1314	2351	2599
866	911	2227	1190	2502	2746
935	986	2349	1279	2613	2888
983	1034	2468	1340	2744	3032
875	925	2546	1199	2857	3138
942	996	2685	1290	2986	3301
992	1047	2819	1351	3136	3464

WC
Rectangular Countertop



The Rectangular Countertop can be used alone or together with other countertop types to create transaction surfaces.

WHAT’S INCLUDED
1 countertop and panel-mounting hardware.

NOTES
Flintwood edge trims will be finished to match the worksurface.
Seamless edge trims will be finished to match the worksurface.

PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Top Trim Style	Hardware Finish
15	24, 30, 36, 42, 48, 54, 60, 66, 72	Foundation Laminate Seamless Color Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose 4 Flintwood Slim 7 Flintwood Straight G Seamless Flat	Edge Trim Colors	8 Metal 9 Flintwood	Foundation Mica

SAMPLE ORDER CODE

WC 15	66	FC	2	FC	9	E
-------	----	----	---	----	---	---

DIMENSIONS
INCHES / MM

D	W
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
146	203	315	175	382	599
164	229	359	195	452	706
193	266	418	231	494	779
217	313	468	261	569	886
235	320	508	282	615	968
255	348	555	303	647	1032
274	375	603	328	676	1091
311	420	665	372	685	1225
345	462	732	413	697	1358

If Mica Hardware is specified, add 5
If Flintwood Top Trim is specified, add 5

The Bullet Countertop can be used alone or together with other Countertop types to create transaction surfaces as required.

WHAT'S INCLUDED


1 countertop and panel-mounting hardware.

NOTES

Flintwood edge trims will be finished to match the worksurface.

WC

Bullet Countertops



PRODUCT OPTIONS

Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Top Trim Style	Hardware Finish
R Bullet	15	24, 30, 36, 42, 48, 54, 60, 66, 72	Foundation Laminate	1 Slim	Edge Trim Colors	8 Metal	Foundation
RR Double Bullet			Flintwood	2 Bullnose 6 Straight 3 Flintwood Bullnose 4 Flintwood Slim 7 Flintwood Straight		9 Flintwood	Mica

SAMPLE ORDER CODE

WC R	15	72	LW	6	FS	9	E
------	----	----	----	---	----	---	---

DIMENSIONS INCHES / MM

D	W
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829

PRICING

FOUNDATION LAMINATE

Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim
------------------------	------------------	-----------------------

BULLET COUNTERTOP (R)

164	225	632
185	255	742
215	297	868
254	338	972
267	356	1030
276	375	1110
299	404	1192
333	444	1290
368	484	1383

FLINTWOOD

Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
----------------------------------	-----------------------

641	814
742	915
851	986
958	1100
1063	1181
1167	1247
1271	1308
1377	1467
1484	1626

DOUBLE BULLET COUNTERTOP (RR)


250	311	739
269	339	856
298	381	982
321	421	1084
339	429	1138
360	459	1218
383	488	1304
418	527	1401
448	566	1493

734	941
840	1014
945	1083
1052	1196
1158	1277
1263	1341
1368	1403
1471	1561
1577	1724

If Mica Hardware is specified, add 5

If Flintwood Top Trim is specified, add 5

WCC90
90° Curved Countertop



The 90° Curved Countertop can be used with other Countertop types to create transaction surfaces for Two-Way 90° panel connection configurations.

WHAT’S INCLUDED
1 90° Curved Countertop, panel-mounting hardware.

NOTES
Flintwood edge trims will be finished to match the worksurface.

PRODUCT OPTIONS

Depth	Width	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Top Trim Style	Hardware Finish
15	24, 30, 36, 42, 48, 54, 60, 66, 72	L Left Handed R Right Handed (Shown)	Foundation Laminate Flintwood	1 Slim 2 Bullnose 6 Straight 3 Flintwood Bullnose 4 Flintwood Slim 7 Flintwood Straight	Edge Trim Colors	8 Metal 9 Flintwood	Foundation Mica

SAMPLE ORDER CODE

WCC90 15	54	R	WB	6	MT	9	N
----------	----	---	----	---	----	---	---

DIMENSIONS
INCHES / MM

D	W
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829

PRICING

FOUNDATION LAMINATE			FLINTWOOD	
Straight/ Slim Trim	Bullnose Trim	Wood Bullnose Trim	Wood Straight/ Wood Slim Trim	Wood Bullnose Trim
170	213	660	490	660
187	238	763	559	763
215	275	835	602	835
246	320	939	673	939
256	323	1019	719	1019
269	353	1076	741	1076
296	379	1143	778	1143
331	429	1187	841	1187
358	462	1371	901	1371

If Mica Hardware is specified, add 5
If Flintwood Top Trim is specified, add 5

worksurface supports &
accessories


worksurface supports & accessories

PRODUCT MAP	190
WORKSURFACE SUPPORT & ACCESSORY OVERVIEW	192
WORKSURFACE FLOOR SUPPORT BASICS	193
WORKSURFACE SUPPORT BASICS	194
LYFT WORKSURFACE SUPPORT BASICS	195
PRODUCT LISTING	196

product map


C T Handed Cantilever

Page 196
Depth: 12" – 22"




B C Universal Cantilever

Page 197
Depth: 18" & 22"




C L 2 9 C-Leg

Page 198
Height: 29" / Depth: 22"




C M 2 9 Intermediate C-Leg

Page 199
Height: 29" / Depth: 22"




B E End Gable

Page 200
Depth: 18" & 22" / Height: 26" & 29"



B E M Intermediate End Gable


Page 201
Height: 29" / Depth: 22"



190


B U 1 0 0 Universal Mounting Bracket

Page 202




B S E Side Support Bracket

Page 203
For worksurface height: 26" or 29"




B S L Locking Side Support Bracket

Page 204
For worksurface height: 29"




B P 6 2 5 Flush Plates

Page 205




B E F Flush End

Page 206
Height: 26" & 29" / Depth: 20" – 30"



B F F Fixed-Height Metal Gable


Page 207
Depth: 24" & 30"



product map


K S B Pedestal Supporting Bracket

Page 208
Storage Depth: 18" – 28" /
Worksurface Depth: 24" & 30"




C Z 2 9 Monoleg

Page 209
Height: 29"




W G Grommets (Wire Grommet)

Page 210



T X P L xm Post Leg


Page 211
Fixed Height: 29" / Adjustable Height: 26"-35"



lyft

H W B Fixed-Height Thin Panel Mount Bracket

Page 212




H W B A Adjustable-Height Thin Panel Mount Bracket

Page 213
Worksurface Height Adjustment: 26" – 32"




H E G End Gable

Page 214
Depth: 24" & 30"



H W P Worksurface Supporting Pedestal Kit


Page 215
Pedestal Depth: 18" – 28" / Worksurface Depth:
24" & 30"



worksurface support & accessory overview

Worksurface Supports are used to provide stability and support both on- and off-module as primary and secondary supports for T/O/S worksurfaces.

- One support is required at the end of each worksurface (may be shared)
- Worksurfaces may not span more than 60" without additional support or 120" without additional floor support
- Always use the longest support available for the worksurface depth chosen



worksurface floor support basics

In workstation configurations, floor support is required at specific intervals to provide adequate support. The following components can be used.



- Worksurfaces may not span more than 60" without additional support
- C-Legs and gables are pre-assembled as left or right however they can be easily changed in the field
- C-Legs and gables can be used for single or dual support


Monoleg (CZ29)

- The monoleg is a single, cylindrical leg designed to be used in conjunction with panel mounted supports to support semi-suspended worksurfaces
- It is not recommended as a support to create freestanding tables and desks
- The Locking Side Support Bracket (BSL) should be used together with the Monoleg to provide panel mounted support for semi-suspended worksurfaces

C-Leg (CL29)


- A panel-mounted non handed, on-module primary worksurface support
- Can be used to support 24" and 30" deep worksurfaces

Also Available:



End Gables (BE and BEM)

- Are panel-mounted, non-handed, off module primary worksurface supports
- Can be used to support 24" and 30" deep worksurfaces
- Are designed with an integral safety hook that prevents dislocation from the panel
- Flush Plates (BP625) are recommended for joining and aligning worksurfaces



Pedestal Supporting Bracket (KSB)

- Is an on-module, fully enclosed metal support that provides stability to the end of a T/O/S panel run when used with a pedestal
- Is shipped in either a left or right handed configuration
- Is compatible with all Teknion 27" height under-worksurface storage products
- Is designed to match the depth of all standard worksurfaces

Intermediate C-Leg (CM29)

- Is a panel-mounted non handed, off-module primary worksurface support
- Can be used to support 24" and 30" deep worksurfaces
- Has integral safety hook to prevent dislocation from the Panel
- Cannot be applied to panels where 32" Base Elements (PAAB and PAABS) are used


Flush End (BEF)

- Is an on-module primary support that can be used for single or dual worksurface support in a left, right or shared position
- Is designed to match the depth of all standard worksurfaces

OR

Fixed-Height Metal Gable (BFF)

- An alternative panel-mounted, handed support providing fully enclosed support at the end of a run of panel-mounted worksurfaces
- Designed to match 24" and 30" deep worksurfaces
- Is handed and can be installed on either the left or right hand side




Finishes

- The following items are available in Foundation and Mica colors
 - End Gables
 - C-Legs
 - Monoleg
 - Pedestal Supporting Brackets
- Flush Ends are available in Foundation Laminates and Flintwood stains with Slim and Flintwood Slim end style options
- Fixed-Height Metal Gables are available in Grade 1 and Grade 2 colors
- xm Post Leg levelers are Anodized Aluminum

worksurface support basics

The following supports are used to support worksurface corners and the connection between two worksurfaces, and are used when no additional floor support is required.

- Cantilevers are height-adjustable in increments of 1" and are designed with an integral safety hook preventing dislocation from the Panel
- For maximum stability, specify the largest Cantilever possible (i.e., 18" Cantilever to support 19" and 20" deep worksurfaces, 22" Cantilever to support 24" deep + worksurfaces)
- Side Support Brackets (BSE, BSL) cannot be applied to panels where 32" Base Elements (PAAB and PAABS) are used




lyft worksurface support basics

The Lyft system requires specific supports for mounting to either Lyft Thin Panels or T/O/S Panels.

❗ Worksurface spans cannot extend beyond the end of a Lyft Thin Panel Run


Adjustable-Height Thin Panel Mount Bracket (HWBA)

- Mounts to the mid rail and lower rail of Lyft Standard and Segmented Thin Panels, providing worksurface support
- The Bracket positions the back edge of worksurfaces to Lyft Panels with the same spacing as T/O/S Panels to worksurfaces
- Can be used in a shared configuration off-module
- Cannot be used with Lyft End Gables (HEG) or Lyft Worksurface Supporting Pedestal Kits (HWP) at heights other than 29"




End Gable (HEG)

- Connects to Lyft Thin Panels and worksurfaces to provide structural support at the end of a worksurface run
- Is non-handed and can be mounted on- or off-module to Standard Lyft Thin Panels and Segmented Lyft Thin Panels
- Cannot be mounted to a T/O/S panel
- Is not to be used as a shared worksurface support
- Worksurfaces are supported at a fixed height of 29" with leveling capability
- Match End Gable depth specification to the depth of the worksurface it is applied
- An optional non-handed Infill Panel is available to enclose the under-worksurface area to the same raised height as Lyft Thin Panels



Fixed-Height Thin Panel Mount Bracket (HWB)

- Mounts to the mid rail of Lyft standard and segmented Thin Panels
- Provides worksurface support at a height of 29"
- Positions the edge of the worksurface to Lyft Thin Panels with the same spacing as T/O/S panels to the worksurface
- Is also required mid span for single worksurfaces that span over 60"





Worksurface Supporting Pedestal Kit (HWP)

- In combination with a pedestal provides structural support when mounted to worksurfaces and Lyft Thin Panels used
- The kit is non-handed
- Pedestal depth must be less than the worksurface depth to which it is applied
- Is not to be used as a shared worksurface support. Its application is to support end of worksurface runs
- Is compatible with Lyft Standard and Segmented Thin Panels only
- An optional Filler Panel is available to fully enclose end run worksurface applications

xm Post Leg (TXPL)

- Is a secondary support used to provide additional support at the front of a worksurface
- Provides a non-handed support at the end of a run of worksurfaces or to join adjacent worksurfaces
- May be used to support T/O/S panel-mounted and wall-mounted worksurfaces
- Can be used inset to support worksurfaces with Lyft Thin Panel applications
- Cannot be used to create freestanding desks
- Is not compatible with xm desks




Finishes

Lyft products are available in Foundation and Mica colors

CT
Handed Cantilever

The Handed Cantilever is an on-module primary worksurface support which can be applied as a left, right or central support to support one or two worksurfaces.

WHAT'S INCLUDED
1 cantilever, 2 flat plates, anti-dislodgment clip, fasteners.



PRODUCT OPTIONS

Depth	Orientation	Finish
12, 18, 22	L Left Handed (Shown) R Right Handed	Foundation Mica

SAMPLE ORDER CODE

CT 22	L	N
-------	---	---

196

DIMENSIONS
INCHES / MM

D
12 / 305
18 / 457
22 / 559

PRICING

Foundation	Mica
38	44
44	53
51	57


The Universal Cantilever is a non-handed, on-module, primary support which can be applied as a left, right or central support to support one or two worksurfaces.

WHAT'S INCLUDED

1 cantilever, 2 t-brackets, fasteners.

B C

Universal Cantilever



PRODUCT OPTIONS

Depth	Orientation	Finish
18, 22	L Left Handed R Right Handed (Shown)	Foundation Mica

SAMPLE ORDER CODE

BC 22	R	J
--------------	----------	----------


DIMENSIONS INCHES / MM

D
18 / 457
22 / 559

PRICING

Foundation	Mica
117	122
123	128

CL29
C-Leg



The C-Leg is a panel-mounted non-handed, on-module, fixed-height primary worksurface support for 24" or 30" deep worksurfaces.

WHAT'S INCLUDED

1 leg, 2 t-brackets, fasteners, levelers.

PRODUCT OPTIONS

Orientation	Finish
L Left Handed (Shown) R Right Handed	Foundation Mica

SAMPLE ORDER CODE

CL29 L	J
--------	---

PRICING

Foundation	Mica
156	169

The Intermediate C-Leg is a panel-mounted non-handed, off-module, fixed-height primary worksurface support.


WHAT'S INCLUDED

1 leg, 2 t-brackets, fasteners, levelers.

NOTES

The Intermediate C-Leg **cannot** be applied to panels where 32" Base Elements (PAAB and PAAS) are used.

CM 29
Intermediate C-Leg



PRODUCT OPTIONS

Orientation	Finish
L Left Handed	Foundation
R Right Handed (Shown)	Mica

SAMPLE ORDER CODE

CM29 L	G
--------	---

PRICING

Foundation	Mica
180	191


BE

End Gable

The End Gable is a panel-mounted non-handed, on-module primary worksurface support.

WHAT'S INCLUDED

1 gable, 2 t-brackets, fasteners, levelers.



PRODUCT OPTIONS

Style		Orientation	Finish
268	26" / 660 mm high, 18" / 457 mm deep	L Left Handed (Shown)	Foundation
292	29" / 737 mm high, 22" / 559 mm deep	R Right Handed	Mica

SAMPLE ORDER CODE

BE 268	R	J
--------	---	---

200

STYLE	PRICING	
	Foundation	Mica
268	206	217
292	216	229

The Intermediate End Gable is a panel-mounted non-handed, off-module, fixed-height primary worksurface support.


WHAT'S INCLUDED

1 gable, 2 t-brackets, fasteners, levelers.

NOTES

The Intermediate End Gable **cannot** be applied to panels where 32" Base Elements (PAAB and PAAS) are used.

B E M
Intermediate End Gable



PRODUCT OPTIONS

Style	Orientation	Finish
292 29" / 737" mm high, 22" / 559 mm deep	L Left Handed R Right Handed (Shown)	Foundation Mica

SAMPLE ORDER CODE

BEM 292	R	E
---------	---	---

STYLE
292


PRICING	
Foundation	Mica
252	265

B U 1 0 0
Universal Mounting Bracket

The Universal Mounting Bracket is an on-module panel-mounted bracket used as secondary support for a worksurface.

WHAT'S INCLUDED
2 brackets with fasteners.

NOTES
The Universal Mounting Bracket must be used in conjunction with a major support.



PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

BU100 P

PRICING

30 / pair

The Side Support Bracket is an off-module, panel-mounted bracket used as secondary support at the end of a worksurface that must be used in conjunction with a major support.

WHAT'S INCLUDED

2 brackets with fasteners.


NOTES

If supporting a semi-suspended worksurface (WSR, WSP, WPC, WSN), Locking Side Brackets (BSL) must be specified separately.


The Locking Side Brackets (BSL) **cannot** be applied to panels where 32" Base Elements (PAAB and PAAS) are used.

B S E

Side Support Bracket



For 26"
worksurface
height



For 29"
worksurface
height

PRODUCT OPTIONS

Worksurface Height	Finish
26, 29	Foundation Mica

SAMPLE ORDER CODE

BSE 26	Q
--------	---


DIMENSIONS INCHES / MM

WH
26 / 660
29 / 737

PRICING

59 / pair
50 / pair

BSL
Locking Side Support Bracket



The Locking Side Support Bracket is a lockable, off-module bracket that must be used to support the ends of a semi-suspended worksurface.

WHAT’S INCLUDED
2 brackets with fasteners.

NOTES
If supporting a semi-suspended worksurface (WSR, WSP, WPC, WSN), Locking Side Brackets (BSL) must be specified separately.
The Locking Side Brackets (BSL) **cannot** be applied to panels where 32" Base Elements (PAAB and PAAS) are used.

PRODUCT OPTIONS

Worksurface Height	Finish
29	Foundation Mica

SAMPLE ORDER CODE

BSL 29	C
--------	---

204

DIMENSIONS INCHES / MM
WH
29 / 737


PRICING
67 / pair

Flush Plates are designed to align adjacent worksurfaces and are used in conjunction with other worksurface supports.

WHAT'S INCLUDED
2 flush plates with fasteners.

NOTES
Flush Plates are Black.


B P 6 2 5
Flush Plates



PRICING

40 / Pair

B E F
Flush End



The Flush End is an panel-mounted on-module primary support that can be used to support one or two worksurfaces in a left, right or shared position.

WHAT’S INCLUDED

1 flush end, 2 t-brackets, fasteners, levelers.

NOTES

Flintwood edge trims will be finished to match the surface.

PRODUCT OPTIONS

Height	Depth	Finish	Flush End Style	Edge Trim Finish	Hardware Finish
26, 29	20, 24, 30	Foundation Laminate Flintwood	1 Slim 4 Flintwood Slim	Edge Trim Colors	Foundation Mica

SAMPLE ORDER CODE

BEF 29	30	MG	1	JY	J
--------	----	----	---	----	---

206

DIMENSIONS
INCHES / MM

H	D
26 / 660	20 / 508
26 / 660	24 / 610
29 / 737	20 / 508
29 / 737	24 / 610
29 / 737	30 / 762

PRICING

FOUNDATION LAMINATE	FLINTWOOD
Slim Trim	Wood Slim Trim
296	400
314	432
327	468
339	489
382	680

The Fixed-Height Metal Gable is a panel-mounted handed support providing fully enclosed support at the end of a run of panel-mounted worksurfaces.


WHAT'S INCLUDED

1 gable, levelers and mounting hardware.

NOTES

Mounting hardware is Black.

B F F
Fixed-Height Metal Gable



PRODUCT OPTIONS

Depth	Orientation	Finish
24, 30	L Left Handed R Right Handed (Shown)	Filing & Storage Grade 1 Filing and Storage Grade 2

SAMPLE ORDER CODE

BFF 24	L	80
--------	---	----


DIMENSIONS
INCHES / MM

D
24 / 610
30 / 762

PRICING

Grade 1	Grade 2
259	287
281	315

K S B
Pedestal Supporting Bracket



The Pedestal Supporting Bracket in combination with a Pedestal provides a fully enclosed on-module support at the end of a run of T/O/S panel-mounted worksurfaces.

WHAT’S INCLUDED

1 Pedestal Supporting Bracket and hardware.

NOTES

This bracket is compatible with all Teknion 27" height under-worksurface storage products.

The storage depth must always be less than the worksurface.

PRODUCT OPTIONS

Storage Depth	Worksurface Depth	Orientation	Finish
18, 20, 22, 28	24, 30	L Left Handed R Right Handed (Shown)	Foundation Mica

SAMPLE ORDER CODE

KSB 22	24	L	Q
--------	----	---	---

208

DIMENSIONS
INCHES / MM

SD	WD
18 / 457	24 / 610
18 / 457	30 / 762
20 / 508	24 / 610
20 / 508	30 / 762
22 / 559	24 / 610
22 / 559	30 / 762
28 / 711	30 / 762

PRICING

Foundation	Mica
129	147
129	147
129	147
129	147
129	147
129	147
129	147

The Monoleg is a single, cylindrical leg designed to be used in conjunction with panel-mounted supports to support semi-suspended worksurfaces.


WHAT'S INCLUDED

1 monoleg with leveler and fasteners.

NOTES

If Mica is specified, the leveler will be Black.

C Z 2 9
Monoleg



PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

CZ29 E

PRICING


Foundation	Mica
111	147

WG
Grommets

Grommets are finishing treatments which surround and/or cover an opening in a worksurface and are used for wire and paper management.

WHAT’S INCLUDED
1 grommet (as specified).

NOTES
The Grommet is available as a standard with many worksurface types.
Grommets are Black.



Wire Grommet

Paper Grommet

PRODUCT OPTIONS

Style	
300	For Wires, 3" / 76 mm Diameter Cap
117	For Paper, 17" / 432 mm Wide

SAMPLE ORDER CODE

WG 117

210

STYLE	PRICING
300	36
117	77

The xm Post Leg is a secondary support used to provide additional support at the end of a run of worksurfaces or to join adjacent worksurfaces.

WHAT'S INCLUDED

1 leg (as specified) and mounting hardware.


NOTES

Freestanding desks may **not** be created with the xm Post Leg.

Not compatible with xm Desks.

Levelers have an Anodized Aluminum finish.

TXPL
xm Post Leg



PRODUCT OPTIONS

Leg Type	Finish
1 Fixed	Foundation
2 Adjustable	Mica

SAMPLE ORDER CODE

TXPL 1	N
--------	---


LEG TYPE
1
2

PRICING	
Foundation	Mica
119	132
152	168

H W B
**Fixed-Height Thin Panel Mount
Bracket (Lyft)**

The Fixed-Height Thin Panel Mount Bracket mounts to the mid rail of Lyft Standard and Segmented Thin Panels, providing worksurface support.

WHAT'S INCLUDED
2 brackets.



PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

HWB Q

212


PRICING

Foundation	Mica
54 / pair	57 / pair

The Adjustable-Height Thin Panel Mount Bracket mounts to Lyft Standard and Segmented Thin Panels to provide worksurface support.

WHAT'S INCLUDED
1 bracket.

H W B A
Adjustable-Height Thin Panel
Mount Bracket (Lyft)



PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

HWBA P


PRICING

Foundation	Mica
146	151

HEG
End Gable (Lyft)

The End Gable connects to Lyft Thin Panels and worksurfaces to provide structural support at the end of a worksurface run.

WHAT'S INCLUDED
1 end gable, fixed height thin panel mount bracket, infill panel as specified.



PRODUCT OPTIONS

Depth	Infill Panel	Finish
24, 30	0 None 1 One	Foundation Mica

SAMPLE ORDER CODE

HEG 24	1	J
--------	---	---

214

DIMENSIONS
INCHES / MM

D
24 / 610
30 / 762

PRICING

WITHOUT INFILL PANEL (0)		WITH INFILL PANEL (1)	
Foundation	Mica	Foundation	Mica
216	229	256	269
244	255	284	296

The Worksurface Supporting Pedestal Kit, in combination with a Pedestal, provides structural support when mounted to worksurfaces and Lyft Thin Panels.


WHAT'S INCLUDED

1 worksurface support rail, panel attachment bracket and hardware, infill panel (as specified).

NOTES

Under-worksurface rails are always Black.

H W P Worksurface Supporting Pedestal Kit (Lyft)



PRODUCT OPTIONS

Pedestal Depth	Worksurface Depth	Filler Panel	Finish
18, 20, 22, 28	24, 30	0 None 1 One	Foundation Mica

SAMPLE ORDER CODE

HWP 18	24	1	E
---------------	-----------	----------	----------

DIMENSIONS INCHES / MM

PD	WD
18 / 457	24 / 610
18 / 457	30 / 762
20 / 508	24 / 610
20 / 508	30 / 762
22 / 559	24 / 610
22 / 559	30 / 762
28 / 711	24 / 610
28 / 711	30 / 762

PRICING

WITHOUT INFILL PANEL (0)		WITH INFILL PANEL (1)	
Foundation	Mica	Foundation	Mica
98	104	151	163
98	104	151	163
98	104	151	163
98	104	151	163
98	104	151	163
98	104	151	163
98	104	151	163

freestanding modules

freestanding modules


PRODUCT MAP	218
FREESTANDING MODULES OVERVIEW	222
DESKS & TABLE BASICS	223
WORKSURFACES, MODESTY PANELS & GABLE BASICS	224
EDGE TRIM STYLE OVERVIEW	225
GRAIN DIRECTION/USER EDGE	225
STORAGE BASICS	226
WIRE MANAGEMENT OVERVIEW	227
PRODUCT LISTING	228

freestanding modules

product map


G D R R N Freestanding Rectangular Desk

Page 228
Depth: 24" – 36" / Width: 24" – 72"




G D R F N Rectangular Return with Full Gable

Page 230
Depth: 24" – 36" / Width: 24" – 72"




G D R S N Rectangular Return with Full and Half Gable

Page 232
Depth: 24" – 36" / Width: 24" – 72"




G D R H N Rectangular Bridge with Half Gable

Page 234
Depth: 24" – 36" / Width: 24" – 72"




G D R D N Rectangular Bridge with Two Half Gables

Page 236
Depth: 24" – 36" / Width: 24" – 72"




G K C D N Corner Desk

Page 238
Depth: 19" – 30" / Width: 36" – 48"




G K V D N Corner Desk with Curve

Page 239
Width: 30" – 48" / Depth: 24" & 30"




G K X D N Split Corner Desk with Keyboard Support Surface

Page 240
Width: 42" – 48" / Depth: 24" – 30"




G K D N EDP Bridge with Two Half Gables

Page 242
Width: 24" – 72" / Depth: 19" – 30"




G C B S N Conference Bullet Desk with Full and Half Gable

Page 244
Depth: 24" – 36" / Width: 48" – 72"




G C B D N Conference Bullet Desk with Two Half Gables

Page 246
Depth: 24" – 36" / Width: 48" – 72"



G H F Hutch with Flipper Door


Page 247
Depth: 16" / Width: 36" – 72"




product map

G E A Hutch Accessory Element


Page 248
Height: 21" / Width: 36" – 72"

**G E T Hutch Tackboard Element**

Page 249
Height: 21" / Width: 36" – 72"

**G E M Hutch Multi Element**


Page 250
Height: 21" / Width: 36" – 72"

**G H W 2 1 Hutch Wire Manager**


Page 251
Length: 21"

**G W S N Rectangular Worksurface**


Page 252
Depth: 24" – 36" / Width: 24" – 72"

**G W P S N 90° Corner Worksurface**


Page 253
Width: 36" – 48" / Depth: 19" – 30"

**G W S C N 90° Corner Worksurface with Curve**


Page 254
Width: 30" – 48" / Depth: 24" & 30"

**G W D N EDP Worksurface**


Page 255
Width: 24" – 72" / Depth: 19" – 30"

**G W S B N Bullet Top**


Page 256
Depth: 24" – 36" / Width: 48" – 72"

**G W S T N P-Top**


Page 257
Depth: 24" – 30" / Width: 60" – 84"

**G W C B N Piano Top Worksurface**

Page 258
Depth: 24" & 30" / Width: 60" – 84"

**G G F N Full Gable**

Page 259
Depth: 24" – 30"



freestanding modules

product map

G G H N Half Gable

Page 260
Depth: 12"



G G S N Shared Gable

Page 261
Depth: 12" – 28"




G G C N Corner Gable

Page 262
Depth: 12"




G G P N Panel-Attached Full Gable

Page 263
Depth: 24" – 36"




G M N Standard Modesty Panel

Page 264
Width: 24" – 72"




G I N Inside Modesty Panel

Page 265
Width: 29" – 47"




G O N Outside Modesty Panel

Page 266
Width: 30" – 66"




G B S N Shared Gable Assembly

Page 267



G M T Modesty Wire Tray

Page 267
Width: 16"




G T C Circular Table

Page 268
Depth: 36" & 42"




G T S Square Table

Page 269
Width: 36"



freestanding modules overview

Freestanding Modules are a collection of preconfigured desks and individual components that can be used for building freestanding workstations or reconfiguring units.



The desking system can be used on its own or in a variety of other environments including drywall offices; it combines T/O/S worksurfaces with modesty panels and supports to create preconfigured units.

- All desks, returns, bridges and tables are complete units with modesty panels and gables included
- Desks, returns and bridges come with options for height and depth of modesty panel
- All semi-supported desks must be attached to another desk for support
- Levelers have a 1" leveling range
- Desk height is 29" with a leveling range of 1"


Rectangular Bridge with Half Gable (GDRHN)

Is a semi-supported bridge used between two other semi-supported desks

- **Corner Desks** are used between two semi-supported desks to enable application of a keyboard support
- Comes complete with grommets in back corner for wire access
- Outside modesty panel is located on the left side of the unit from the users perspective, and overlaps the inside modesty panel on the right side to complete the corner detail

- Split corner and keyboard support option has an adjustment range of 10" in total, 5" above and 5" below the surface—it is activated by a panel on the right underside of the support—it has a tilt range of +15° to -10° and is adjusted with a tension panel on the left underside of the support

- **Rectangular Return Desks** are available with full gable or full and half gable
- Are semi-supported desks used as a return, at the end of a run of desks, or when butting two desks together
- Must be attached to another desk



Freestanding Rectangular Desk (GDRRN)

Is a stand alone desk that can be used in combination with other desks or returns

Tables are available in Circular (GTC) and Square (GTS) shapes to incorporate into the freestanding module environment

Conference Bullet Top Desk (GCBSN)

- Are available with full and half gable, or two half gables, and are used as a conference surface or return
- Offer a recessed gable option is available for the full gable on the outside only

Finishes

- Surfaces are available in Foundation, Laminate and Flintwood Stains
- Edges are available in Slim, Flintwood Slim, Straight and Flintwood Straight trims
- Gables and modesty panels are available in Source Laminates and Flintwood Stains
- Monolegs are available in Foundation and Mica colors

worksurfaces, modesty panels & gable basics

Freestanding Modules offer a variety of individual surfaces, gables and modesty panels for building up units or for reconfiguration purposes

- Modesty panels and gables are required to support freestanding desks
- Flush plates are required for all shared and half gables
- Shared, half and corner gables cannot adequately support a freestanding desk
- Full gables must be used at either end of a desk or run of desks for stability
- Levelers have a 1" leveling range
- When building up a corner desk, Standard (GMN), Inside (GIN) and Outside (GON) modesty panels are required

- **Modesty Panels** are the mandatory structural component when building up a desk providing privacy and stability
- Available in Full, 3/4, Raised and 1/2 heights
- Wire brackets attach to the modesty panel and worksurface to provide structural stability
- The number of modesty wire trays is dependent upon the modesty panel width (24"-42" needs one, 45"-54" needs two, 60"-72" needs three.)
- Can accommodate a Wire Tray (GMT) for the passage of larger amounts of power and communication wires and support power bars

Half Gable (GGHN)

Is used to build up semi-supported desks and provides future reconfiguration options

Inside Modesty Panel (GIN)

- Is overlapped by the Outside Modesty Panel (GON) to complete the corner detail on corner desks
- Must be used with an Outside Modesty Panel (GON)
- Must also be specified with a Corner Gable (GGCN)

Inside Modesty panel (GIN) 29" - 47"


Panel-Attached Full Gable (GGPN)

- Enables a freestanding desk to be panel-attached with an on-module corner connection
- The panel to which the full gable is attached takes the place of the modesty panel
- Comes with handed hardware

OR

Full Gable (GGFN)

- Used for support on a freestanding desk or at the end of a run of semi-supported desks
- Full Gables or Full and Half Gables are used to build up any freestanding or semi-supported desk



Standard Modesty panel (GMN) 24" - 72"

Outside Modesty panel (GON) 30" - 66"

Standard Modesty Panel (GMN)

- Connects to the rear (visitor's side) of the desk, return or bridge
- Is not for use on a corner desk which requires Inside (GIN) and Outside Modesty Panels (GON)

- **Worksurfaces** are specified when building up any workstation and can also be panel-mounted in a T/O/S panel environment
- Come complete with inserts to enable connection to gables and modesty panels

Outside Modesty Panel (GON)

Overlaps the Inside Modesty Panel (GIN) to complete the corner detail on Corner Desks

Finishes

- Surfaces are available in Foundation Laminate and Flintwood stains
- Edges are available in Slim, Flintwood Slim, Straight and Flintwood Straight trims
- Gables and modesty panels are available in Source Laminates and Flintwood stains


Shared Gable (GGSN)

- Is used for support on semi-supported desks in the middle of a run
- Depths of 16", 22" and 28" provide full gable desk support over long runs

Shared Gable Assembly (GBSN)

- Attaches to a half gable to create a shared half gable and can be used in place of two half gables when connecting two semi supported desks
- To ensure stability, the plates on the half gable must be removed and replaced with larger plates supplied with the shared gable assembly



Gable Plate Flush Plate



edge trim style overview

The chart below indicates which edge trim style can be specified with all freestanding module finishes.


- Three standard trim styles (Slim and Straight) in two standard finishes (PVC and Flintwood) are available for application to the user edge on Freestanding Modules worksurfaces. The non-user edge is finished in a matching Straight Trim
- The Straight Trim, applied to the non-user edge on Freestanding Modules worksurfaces, matches the specified trim finish applied to the user edge
- When PVC Straight or Flintwood Straight is specified, this trim finishes all edges
- Shading indicates user edge

	Foundation Laminate Surface
PVC Straight (6)** All Edges	
PVC Slim (A) All Edges	
	Straight Trim* User Edge

grain direction/user edge

The illustrations below show the grain direction of Wood Grain Laminate.

- Grain direction is an important factor when planning workstation configurations, if a different grain direction is required, please contact your Teknion Customer Service Representative
- The pattern/grain direction of Laminate worksurfaces varies depending on the type of worksurface specified
- Shading indicates user edge



storage basics


The Hutch provides storage space above the worksurface and privacy between stations.

Hutch with Flipper Door (GHF)

- Provides privacy and storage space above the worksurface
- In widths of 36" - 48" will have one door and hatches while widths of 54" - 72" will have two
- Is divided into two sections, shelf is not included
- Accepts the Utility Light (TY), Shelf Dividers (BK61), Hutch Wire Manager (GHW21) and Hutch Elements (GEA, GET, GEM)



Hutch Accessory Element (GEA)

- Is designed to support Personal Organizers (PAX). For details, see: *Complements Teknion's Ergonomics & Accessories* program
- Is not interchangeable with the T/O/S Accessory Elements (PAE)
- Widths must be specified to match the width of the Hutch




Hutch Wire Manager (GHW21)

- Conceals electrical wires and routes them from the electrical source under the reveal trim and into the light fixture
- Is applied in the corner of a Hutch with an adhesive backing
- Finished in Black




Also Available



Hutch Multi Element (GEM)

- Is not available with the T/O/S Accessory Element (PAE)
- Also accepts Personal Organizers (PAX)



Hutch Tackboard Element (GET)

Is not interchangeable with the T/O/S Tackable Element (PTA)


Finishes

- Case is available in Source Laminate and Flintwood stains
- Laminate doors are available in Foundation Laminates
- Metal doors are available in Foundation and Mica colors
- Flintwood doors are available in a variety of Flintwood stains

freestanding modules

wire management overview

Power and communications wires can rerouted through modesty panel brackets and wire trays.



freestanding modules


G D R R N

Freestanding Rectangular Desk

The Freestanding Rectangular Desk can stand alone or be used in combination with other desks in a run or return situation.

WHAT'S INCLUDED

1 Rectangular Worksurface (GWSN), 2 Full Gables (GGFN), 1 Modesty Panel (GMN) and hardware.



PRODUCT OPTIONS

Modesty Panel Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable & Modesty Panel Finish
1 Flush, Full	24, 30, 36	24, 30, 36, 42, 48, 54, 60, 66, 72	Foundation Laminate	A Slim Trim	Edge Trim Colors	Source Laminate
3 Flush, Raised				6 Straight Trim		
5 Flush, 3/4						
7 Flush, 1/2						
2 Recessed, Full						
4 Recessed, Raised						
6 Recessed, 3/4						
8 Recessed, 1/2						

SAMPLE ORDER CODE

GDRRN 4	30	72	RE	6	UT	DE
----------------	-----------	-----------	-----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

D	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

WITH FLUSH MODESTY PANEL

605
626
669
759
812
915
935
1015
1030
651
708
763
902
938
1019
1034
1153
1168

Pricing is continued on the following page.

G D R R N
Freestanding Rectangular Desk
(Continued)

DIMENSIONS
INCHES / MM

D	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING**WITH FLUSH MODESTY PANEL (CONTINUED)**


701
759
821
968
1010
1092
1112
1240
1256

WITH RECESSED MODESTY PANEL

611
667
723
859
899
975
994
1113
1128

674
732
793
940
983
1065
1084
1213
1229

G D R F N
Rectangular Return with Full Gable



The Rectangular Return with Full Gable is a semi-supported desk used as a return, at the end of a run of desks, or when butting two desks together.

WHAT’S INCLUDED
1 Rectangular Worksurface (GWSN), 1 Full Gable (GGFN), 1 Modesty Panel (GMN), 1 Shared Gable Assembly (GBSN) and hardware.

NOTES
Shared Gable Assembly (GBSN) hardware, included with a Rectangular Return with Full Gable, allows the half gable of the adjacent desk to be shared between the two semi-supported desks. See Half vs. Shared Half Gables at the beginning of this section.
A Shared Gable (GGSN) can also be ordered separately to connect two Rectangular Return with Full Gable desks (GDRFN).

PRODUCT OPTIONS

Modesty Panel Style	Depth	Width	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable & Modesty Panel Finish
1 Flush, Full	24, 30, 36	24, 30, 36, 42, 48, 54, 60, 66, 72	L Left Handed (Shown) R Right Handed	Foundation Laminate	A Slim Trim	Edge Trim Colors	Source Laminate
3 Flush, Raised					6 Straight Trim		
5 Flush, 3/4							
7 Flush, 1/2							
2 Recessed, Full							
4 Recessed, Raised							
6 Recessed, 3/4							
8 Recessed, 1/2							

SAMPLE ORDER CODE

GDRFN 4	36	30	L	RE	6	UT	DE
---------	----	----	---	----	---	----	----

DIMENSIONS
INCHES / MM

D	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

WITH FLUSH MODESTY PANEL
515
537
579
671
721
827
843
926
939
540
597
651
790
827
907
926
1043
1057

Pricing is continued on the following page.

G D R F N
Rectangular Return with Full Gable
(Continued)

DIMENSIONS
INCHES / MM

D	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING**WITH FLUSH MODESTY PANEL (CONTINUED)**

578
635
696
843
884
968
986
1116
1131


WITH RECESSED MODESTY PANEL

521
578
633
768
807
887
904
1022
1035

561
620
680
830
870
957
971
1104
1117

G D R S N

Rectangular Return with Full and Half Gable



The Rectangular Return with Full and Half Gable is a semi-supported desk used as a return, at the end of a run of desks, or when butting two desks together.

WHAT'S INCLUDED

1 Rectangular Worksurface (GWSN), 1 Full Gable (GGFN), 1 Half Gable (GGHN), 1 Modesty Panel (GMN) and hardware.

PRODUCT OPTIONS

Modesty Panel Style	Depth	Width	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable & Modesty Panel Finish
1 Flush, Full	24, 30, 36	24, 30, 36, 42, 48, 54, 60, 66, 72	L Left Handed (Shown) R Right Handed	Foundation Laminate	A Slim Trim	Edge Trim Colors	Source Laminate
3 Flush, Raised					6 Straight Trim		
5 Flush, 3/4							
7 Flush, 1/2							
2 Recessed, Full							
4 Recessed, Raised							
6 Recessed, 3/4							
8 Recessed, 1/2							

SAMPLE ORDER CODE

GDRSN 5	36	60	L	RE	6	UT	DE
---------	----	----	---	----	---	----	----

DIMENSIONS INCHES / MM

D	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

WITH FLUSH MODESTY PANEL

605
626
669
759
812
915
935
1015
1030
633
686
741
879
915
999
1015
1134
1148

Pricing is continued on the following page.

G D R S N

Rectangular Return with Full and Half Gable (Continued)

DIMENSIONS INCHES / MM

D	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

WITH FLUSH MODESTY PANEL (CONTINUED)


667
726
785
935
973
1058
1076
1208
1221

WITH RECESSED MODESTY PANEL

611
667
723
859
899
975
994
1113
1128

651
710
771
920
962
1046
1062
1192
1209

GDRHN
Rectangular Bridge with Half Gable



The Rectangular Bridge with Half Gable is a semi-supported desk used as a bridge between other semi-supported desks.

WHAT'S INCLUDED
1 Rectangular Worksurface (GWSN), 1 Half Gable (GGHN), 1 Modesty Panel (GMN), 1 Shared Gable Assembly (GBSN) hardware.

PRODUCT OPTIONS

Modesty Panel Style	Depth	Width	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable & Modesty Panel Finish
1 Flush, Full 3 Flush, Raised 5 Flush, 3/4 7 Flush, 1/2 2 Recessed, Full 4 Recessed, Raised 6 Recessed, 3/4 8 Recessed, 1/2	24, 30, 36	24, 30, 36, 42, 48, 54, 60, 66, 72	L Left Handed (Shown) R Right Handed	Foundation Laminate	A Slim Trim 6 Straight Trim	Edge Trim Colors	Source Laminate

SAMPLE ORDER CODE

GDRHN 8	36	66	L	RE	6	UT	DE
---------	----	----	---	----	---	----	----

DIMENSIONS
INCHES / MM

D	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

WITH FLUSH MODESTY PANEL
515
537
579
671
721
827
843
926
939
521
578
633
768
807
887
904
1022
1035

Pricing is continued on the following page.

G D R H N

Rectangular Bridge with Half Gable (Continued)

DIMENSIONS INCHES / MM

D	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

WITH FLUSH MODESTY PANEL (CONTINUED)

540
602
662
811
849
935
952
1083
1094

WITH RECESSED MODESTY PANEL


521
578
633
768
807
887
904
1022
1035

540
602
662
811
849
935
952
1083
1094

freestanding modules

G D R D N

Rectangular Bridge with Two Half Gables



The Rectangular Bridge with Two Half Gables is a semi-supported desk used as a bridge between other semi-supported Rectangular Desks.

WHAT'S INCLUDED

1 Rectangular Worksurface (GWSN), 2 Half Gables (GGHN), 1 Modesty Panel (GMN) and hardware.

PRODUCT OPTIONS

Modesty Panel Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable & Modesty Panel Finish
1 Flush, Full	24, 30, 36	24, 30, 36, 42, 48, 54, 60, 66, 72	Foundation Laminate	A Slim Trim	Edge Trim Colors	Source Laminate
3 Flush, Raised				6 Straight Trim		
5 Flush, 3/4						
7 Flush, 1/2						
2 Recessed, Full						
4 Recessed, Raised						
6 Recessed, 3/4						
8 Recessed, 1/2						

SAMPLE ORDER CODE

GDRDN 1	30	60	RE	6	UT	DE
---------	----	----	----	---	----	----

DIMENSIONS INCHES / MM

D	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

WITH FLUSH MODESTY PANEL

605
626
669
759
812
915
935
1015
1030
611
667
723
859
899
975
994
1113
1128

Pricing is continued on the following page.

G D R D N

Rectangular Bridge with Two Half
Gables (Continued)DIMENSIONS
INCHES / MM

D	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

WITH FLUSH MODESTY PANEL (CONTINUED)

633
690
752
901
939
1025
1042
1172
1188


WITH RECESSED MODESTY PANEL

611
667
723
859
899
975
994
1113
1128

633
690
752
901
939
1025
1042
1172
1188

freestanding modules

GKCDN Corner Desk



The Corner Desk is for use in corners between two semi-supported desks and is designed to enable application of a keyboard support.

WHAT'S INCLUDED

1 90° Corner Worksurface (GWPSN), 2 Half Gables (GGHN), 1 Corner Gable (GGCN), 1 Outside Modesty Panel (GON), 1 Inside Modesty Panel (GIN), 1 grommet and hardware.

NOTES

Not all width/depth combinations are available. See pricing for exact offering.

PRODUCT OPTIONS

Modesty Panel Style	Width	Depth	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable & Modesty Panel Finish
					Edge Trim Colors	
1 Flush, Full	36, 42, 48	19, 24, 30	Foundation Laminate	A Slim Trim		Source Laminate
3 Flush, Raised				6 Straight Trim		
5 Flush, 3/4						
7 Flush, 1/2						
2 Recessed, Full						
4 Recessed, Raised						
6 Recessed, 3/4						
8 Recessed, 1/2						

SAMPLE ORDER CODE

GKCDN 3	42	24	RE	6	UT	DE
---------	----	----	----	---	----	----

DIMENSIONS INCHES / MM

W	D
36 / 914	19 / 483
36 / 914	24 / 610
36 / 914	30 / 762
42 / 1067	19 / 483
42 / 1067	24 / 610
42 / 1067	30 / 762
48 / 1219	24 / 610
48 / 1219	30 / 762
36 / 914	24 / 610
36 / 914	30 / 762
42 / 1067	24 / 610
42 / 1067	30 / 762
48 / 1219	24 / 610
48 / 1219	30 / 762

PRICING

WITH FLUSH MODESTY PANEL

1134
1134
1134
1404
1404
1404
1463
1463

WITH RECESSED MODESTY PANEL

1104
1104
1370
1370
1413
1413

OTHER DIMENSIONS

'A'
25 / 635
17 / 432
8 / 203
33 / 838
25 / 635
17 / 432
34 / 864
25 / 635
17 / 432
34 / 864
25 / 635

The Corner Desk with Curve is for use in corners between two semi-supported desks.


WHAT'S INCLUDED

1 90° Corner Worksurface with Curve (GWSCN), 1 Outside Modesty Panel (GON), 1 Inside Modesty Panel (GIN), 2 Half Gables (GGHN), 1 Corner Gable (GGCN), 1 grommet and hardware.

NOTES

Not all width/depth combinations are available. See pricing for exact offering.

GKVDN Corner Desk with Curve



PRODUCT OPTIONS

Modesty Panel Style	Width	Depth	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable & Modesty Panel Finish
1 Flush, Full	30, 36, 42, 48	24, 30	Foundation Laminate	A Slim Trim	Edge Trim Colors	Source Laminate
3 Flush, Raised				6 Straight Trim		
5 Flush, 3/4						
7 Flush, 1/2						
2 Recessed, Full						
4 Recessed, Raised						
6 Recessed, 3/4						
8 Recessed, 1/2						

SAMPLE ORDER CODE

GKVDN 8	36	30	RE	6	UT	DE
---------	----	----	----	---	----	----

DIMENSIONS INCHES / MM

D	W
30 / 762	24 / 610
36 / 914	24 / 610
36 / 914	30 / 762
42 / 1067	24 / 610
42 / 1067	30 / 762
48 / 1219	24 / 610
48 / 1219	30 / 762
36 / 914	30 / 762
42 / 1067	30 / 762
48 / 1219	30 / 762

PRICING

WITH FLUSH MODESTY PANEL

1082
1179
1179

1451
1451


1513
1513

WITH RECESSED MODES

1148
1416
1465

G K X D N

Split Corner Desk with Keyboard Support Surface



The Split Corner Desk with Keyboard Support Surface is for use in corners between two semi-supported desks. It provides an adjustment dual-arm keyboard tray which supports a keyboard and a mouse.

WHAT’S INCLUDED

1 90° Split Corner Worksurface with Curved Keyboard Support (WSCX), 2 Half Gables (GGHN), 1 Corner Gable (GGCN), 1 Outside Modesty Panel (GON), 1 Inside Modesty Panel (GIN), 1 grommet and hardware.

NOTES

Not all width/depth combinations are available. See pricing for exact offering.

PRODUCT OPTIONS

Modesty Panel Style	Width	Depth	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable & Modesty Panel Finish
1 Flush, Full	42, 48	24, 30	Foundation Laminate	A Slim Trim	Edge Trim Colors	Source Laminate
3 Flush, Raised				6 Straight Trim		
5 Flush, 3/4						
7 Flush, 1/2						

SAMPLE ORDER CODE

GKXDN 3	42	24	RE	6	UT	DE
---------	----	----	----	---	----	----

DIMENSIONS
INCHES / MM

W	D
42 / 1067	24 / 610
48 / 1219	24 / 610
48 / 1219	30 / 762

PRICING


2255
2355
2420

OTHER DIMENSIONS

'A'	'B'
9 / 229	23 / 584
9 / 229	32 / 813
11 / 279	24 / 610

G K D N

EDP Bridge with Two Half Gables



The EDP Bridge with Two Half Gables is a semi-supported desk. It is used as a bridge between another semi-supported desk and a corner desk to create a recessed area for a keyboard support.

WHAT'S INCLUDED

1 EDP Worksurface (GWDN), 2 Half Gables (GGHN), 1 Modesty Panel (GMN), hardware.

NOTES

Not all width/depth combinations are available. See pricing for exact offering.

PRODUCT OPTIONS

Modesty Panel Style	Depth A	Width	Depth B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable & Modesty Panel Finish
1 Flush, Full	24, 30	24, 30, 36, 42, 48, 54, 60, 66, 72,	19, 24	L Left Handed	Foundation Laminate	A Slim Trim	Edge Trim Colors	Source Laminate
3 Flush, Raised				R Right Handed (Shown)		6 Straight Trim		
5 Flush, 3/4								
7 Flush, 1/2								
2 Recessed, Full								
4 Recessed, Raised								
6 Recessed, 3/4								
8 Recessed, 1/2								

SAMPLE ORDER CODE

GKDN 4	30	54	24	L	RE	6	UT	DE
--------	----	----	----	---	----	---	----	----

242

DIMENSIONS INCHES / MM

D/A	W	D/B
24 / 610	24 / 610	19 / 483
24 / 610	30 / 762	19 / 483
24 / 610	36 / 914	19 / 483
24 / 610	42 / 1067	19 / 483
24 / 610	48 / 1219	19 / 483
24 / 610	54 / 1372	19 / 483
24 / 610	60 / 1524	19 / 483
24 / 610	66 / 1676	19 / 483
24 / 610	72 / 1829	19 / 483
30 / 762	24 / 610	19 / 483
30 / 762	30 / 762	19 / 483
30 / 762	36 / 914	19 / 483
30 / 762	42 / 1067	19 / 483
30 / 762	48 / 1219	19 / 483
30 / 762	54 / 1372	19 / 483
30 / 762	60 / 1524	19 / 483
30 / 762	66 / 1676	19 / 483
30 / 762	72 / 1829	19 / 483

PRICING

WITH FLUSH MODESTY PANEL
608
638
692
809
843
859
986
1052
1101
685
704
741
896
935
1014
1030
1148
1162

OTHER DIMENSIONS

'C'	'D'
18 / 457	8 / 203
24 / 610	8 / 203
30 / 762	8 / 203
36 / 914	8 / 203
42 / 1067	8 / 203
48 / 1219	8 / 203
54 / 1372	8 / 203
60 / 1524	8 / 203
66 / 1676	8 / 203
18 / 457	16 / 406
24 / 610	16 / 406
30 / 762	16 / 406
36 / 914	16 / 406
42 / 1067	16 / 406
48 / 1219	16 / 406
54 / 1372	16 / 406
60 / 1524	16 / 406
66 / 1676	16 / 406

Pricing is continued on the following page.

G K D N

EDP Bridge with Two Half Gables (Continued)

DIMENSIONS INCHES / MM

D/A	W	D/B
30 / 762	24 / 610	24 / 610
30 / 762	30 / 762	24 / 610
30 / 762	36 / 914	24 / 610
30 / 762	42 / 1067	24 / 610
30 / 762	48 / 1219	24 / 610
30 / 762	54 / 1372	24 / 610
30 / 762	60 / 1524	24 / 610
30 / 762	66 / 1676	24 / 610
30 / 762	72 / 1829	24 / 610

30 / 762	24 / 610	24 / 610
30 / 762	30 / 762	24 / 610
30 / 762	36 / 914	24 / 610
30 / 762	42 / 1067	24 / 610
30 / 762	48 / 1219	24 / 610
30 / 762	54 / 1372	24 / 610
30 / 762	60 / 1524	24 / 610
30 / 762	66 / 1676	24 / 610
30 / 762	72 / 1829	24 / 610

PRICING

WITH FLUSH MODESTY PANEL (CONTINUED)

686
705
761
899
936
1015
1031
1150
1163

WITH RECESSED MODESTY PANEL

686
705
761
899
936
1015
1031
1150
1163

OTHER DIMENSIONS


'C'	'D'
18 / 457	8 / 203
24 / 610	8 / 203
30 / 762	8 / 203
36 / 914	8 / 203
42 / 1067	8 / 203
48 / 1219	8 / 203
54 / 1372	8 / 203
60 / 1524	8 / 203
66 / 1676	8 / 203

18 / 457	8 / 203
24 / 610	8 / 203
30 / 762	8 / 203
36 / 914	8 / 203
42 / 1067	8 / 203
48 / 1219	8 / 203
54 / 1372	8 / 203
60 / 1524	8 / 203
66 / 1676	8 / 203

freestanding modules

GCBSN

Conference Bullet Desk with Full and Half Gable



The Conference Bullet Desk with Full and Half Gable is semi-supported and is used as a return.

WHAT'S INCLUDED

1 Bullet Top Worksurface (GWSBN), 1 24 inch Full Gable (GGFN24), 1 Half Gable (GGHN), 1 Standard Modesty Panel (GMN), 1 Monoleg (CZ29) and hardware.

NOTES

A recessed gable option applies only to the outside gable. The connecting or shared gable is always flush.

PRODUCT OPTIONS

Modesty Panel Style	Depth	Width	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable & Modesty Panel Finish	Monoleg Finish
1 Flush, Full	24, 30, 36	48, 54, 60, 66, 72,	L Left Handed R Right Handed (Shown)	Foundation Laminate	A Slim Trim 6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica
3 Flush, Raised								
5 Flush, 3/4								
7 Flush, 1/2								
2 Recessed, Full								
4 Recessed, Raised								
6 Recessed, 3/4								
8 Recessed, 1/2								

SAMPLE ORDER CODE

GCBSN 2	30	72	L	RE	6	UT	DE	E
---------	----	----	---	----	---	----	----	---

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

WITH FLUSH MODESTY PANEL

896
931
965
1019
1075
1017
1056
1093
1156
1213
1092
1188
1280
1319
1362

OTHER DIMENSIONS

Modesty Panel Width
24 / 610
24 / 610
24 / 610
24 / 610
24 / 610
30 / 762
30 / 762
30 / 762
30 / 762
30 / 762
36 / 914
36 / 914
36 / 914
36 / 914
36 / 914

If Mica Monoleg is specified, add 33

Pricing is continued on the following page.

G C B S N
Conference Bullet Desk
with Full and Half Gable (Continued)

DIMENSIONS
INCHES / MM

D	W
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING**WITH RECESSED MODESTY PANEL**

1001
1040
1079
1138
1196
1079
1172
1263
1306
1344


OTHER DIMENSIONS

Modesty Panel Width
30 / 762
30 / 762
30 / 762
30 / 762
30 / 762
36 / 914
36 / 914
36 / 914
36 / 914
36 / 914

If Mica Monoleg is specified, add 33

G C B D N

Conference Bullet Desk with Two Half Gables



The Conference Bullet Desk with Two Half Gables is semi-supported. This Desk is used as a bridge to create a shared workspace between two semi-supported Desks.

WHAT'S INCLUDED
1 Bullet Top Worksurface (GWSBN), 2 Half Gables (GGHN), 1 Modesty Panel (GMN), 1 Monoleg (CZ29), hardware.

PRODUCT OPTIONS

Modesty Panel Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable & Modesty Panel Finish	Monoleg Finish
1 Flush, Full	24, 30, 36	48, 54, 60, 66, 72	Foundation Laminate	A Slim Trim	Edge Trim Colors	Source Laminate	Foundation Mica
3 Flush, Raised				6 Straight Trim			
5 Flush, 3/4							
7 Flush, 1/2							

SAMPLE ORDER CODE

G CBDN 1	30	72	RE	6	UT	DE	E
----------	----	----	----	---	----	----	---

DIMENSIONS
INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

896
931
965
1019
1075
1017
1056
1093
1156
1213
1092
1188
1280
1319
1362

OTHER DIMENSIONS

Modesty Panel Width
24 / 610
24 / 610
24 / 610
24 / 610
24 / 610
30 / 762
30 / 762
30 / 762
30 / 762
30 / 762
36 / 914
36 / 914
36 / 914
36 / 914
36 / 914

If Mica Monoleg is specified, add 33

The Hutch with Flipper Door provides storage space above the worksurface and privacy between stations.

WHAT'S INCLUDED

1 hutch with door, reveal trim, hardware, double-sided tape, lock and keys. Shipped knocked down.


NOTES

It is important to specify your preference for Keyed Alike or Keyed Randomly. Otherwise all Hutchers with Flipper Doors will be shipped Keyed Randomly.

A Laminate case finish is available with a Laminate or Metal door.

The shelf is Black.

G H F Hutch with Flipper Door



PRODUCT OPTIONS

Depth	Width	Door Finish	Laminate Door Trim Finish	Case Finish	Handle Finish	Key Style
16	36, 42, 48, 54, 60, 66, 72	Laminate Door Foundation Laminate Metal Door Foundation Mica	Edge Trim Colors	Source Laminate (For Laminate and Metal door only)	Foundation	K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE

GHF 16	66	MG	BL	LG	G	K
---------------	-----------	-----------	-----------	-----------	----------	----------

DIMENSIONS INCHES / MM

D	W
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829

PRICING


Foundation Door	Mica Door	Foundation Laminate Door
832	859	1076
937	964	1180
1042	1068	1284
1146	1197	1388
1251	1304	1491
1355	1406	1596
1458	1512	1700

freestanding modules

GEA Hutch Accessory Element

The Hutch Accessory Element is designed to support Personal Organizers and facilitates organization in the hutch.

WHAT'S INCLUDED
1 element with hardware.



PRODUCT OPTIONS

Height	Width	Finish
21	36, 42, 48, 54, 60, 66, 72	Foundation Accent Mica

SAMPLE ORDER CODE

GEA 21	66	E
--------	----	---

DIMENSIONS INCHES / MM

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829

PRICING

Foundation	Mica/Accent
230	254
250	272
269	296
292	321
312	344
331	368
351	386


The Hutch Tackboard Element is a fabric-wrapped, tackable bulletin board designed to be mounted on the inside of a hutch.

WHAT'S INCLUDED

1 element with hardware.

GET

Hutch Tackboard Element



PRODUCT OPTIONS

Height	Width	Rail and Frame Finish	Element Finish
21	36, 42, 48, 54, 60, 66, 72	Foundation Mica	Fabric

SAMPLE ORDER CODE

GET 21	60	J	K602
---------------	-----------	----------	-------------

DIMENSIONS INCHES / MM

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829

PRICING

FABRIC


A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
191	204	206	217	227	236	254	272
195	211	213	225	234	244	261	280
222	236	243	254	264	272	291	310
224	238	246	257	267	276	294	313
227	245	254	267	276	285	302	321
230	251	257	270	280	n/a	n/a	n/a
232	256	266	277	288	n/a	n/a	n/a

If Mica is specified, add 11

GEM
Hutch Multi Element

The Hutch Multi Element is a fabric-wrapped, tackable bulletin board on the upper portion and accessory rail on the bottom portion designed to be mounted on a hutch.

WHAT'S INCLUDED
1 element with hardware.



PRODUCT OPTIONS

Height	Width	Rail and Frame Finish	Element Finish
21	36, 42, 48, 54, 60, 66, 72	Foundation Mica	Fabric

SAMPLE ORDER CODE

GEM 21	48	Q	F604
--------	----	---	------

DIMENSIONS
INCHES / MM

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829

PRICING

FABRIC								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
245	254	259	275	285	293	312	330	
267	272	281	297	307	315	333	352	
288	294	300	316	326	334	353	372	
312	317	324	341	351	359	377	396	
329	338	345	361	371	379	398	416	
353	358	369	384	395	n/a	n/a	n/a	
373	379	386	403	414	n/a	n/a	n/a	

If Mica is specified, add 27

The Hutch Wire Manager conceals electrical wires and routes them from the electrical source under the Reveal Trim and into the light fixture on the underside of the hutch.

WHAT'S INCLUDED

2 Wire Managers.

NOTES

This item is finished in Black.

G H W 2 1
Hutch Wire Manager




PRICING

50 / Pair

freestanding modules

GWSN

Rectangular Worksurface



The Rectangular Worksurface is specified when building up any Rectangular Desk and can also be panel-mounted in a T/O/S panel environment.

WHAT'S INCLUDED

1 worksurface with Freestanding Module inserts.

NOTES

The 36" deep worksurface may only be panel-mounted with a 36" Panel-Attached Full Gable (GGPN). Full gable support is required every 72" provided you use a center support (Cantilever support).

PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30, 36	24, 30, 36, 42, 48, 54, 60, 66, 72	Foundation Laminate	A Slim Trim 6 Straight Trim	Edge Trim Colors

SAMPLE ORDER CODE

GWSN 36	54	MG	6	BL
----------------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

D	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

213
222
246
321
349
439
439
513
513
222
259
299
421
435
500
500
610
610
243
284
329
461
477
548
548
671
671

The 90° Corner Worksurface is specified when building up a corner desk and can also be panel-mounted in a T/O/S panel environment.

WHAT'S INCLUDED

1 worksurface with Freestanding Module inserts and one grommet.


NOTES

A Corner Gable (GGCN), in addition to Half Gables and Modesty Panels, is mandatory to maintain the structural integrity of the corner desk.

The 19" depth does not accommodate the Recessed Modesty Panel option.

Not all width/depth combinations are available. See pricing for exact offering.

GWPSN 90° Corner Worksurface



PRODUCT OPTIONS

Width	Depth	Worksurface Finish	Edge Trim Style	Edge Trim Finish
36, 42, 48	19, 24, 30	Foundation Laminate	A Slim Trim 6 Straight Trim	Edge Trim Colors

SAMPLE ORDER CODE

GWPSN 48	24	MG	6	BL
----------	----	----	---	----

DIMENSIONS INCHES / MM

W	D
36 / 914	19 / 483
36 / 914	24 / 610
36 / 914	30 / 762
42 / 1067	19 / 483
42 / 1067	24 / 610
42 / 1067	30 / 762
48 / 1219	24 / 610
48 / 1219	30 / 762


PRICING

428
428
428
665
665
665
676
676

OTHER DIMENSION

'A'
25 / 635
17 / 432
8 / 203
33 / 838
25 / 635
17 / 432
34 / 864
25 / 635

GWSCN
90° Corner Worksurface with Curve



The 90° Corner Worksurface with Curve is specified when building up any Corner Desk with Curve. This worksurface can also be panel-mounted in a T/O/S panel environment.

WHAT’S INCLUDED

1 worksurface with Freestanding Module inserts and 1 grommet.

NOTES

A Corner Gable (GGCN), in addition to Half Gables and Modesty Panels, is mandatory to maintain the structural integrity of the corner desk.

The 30" depth does not accommodate the Recessed Modesty Panel option.

Not all width/depth combinations are available. See pricing for exact offering.

PRODUCT OPTIONS

Width	Depth	Worksurface Finish	Edge Trim Style	Edge Trim Finish
30, 36, 42, 48	24, 30	Foundation Laminate	A Slim Trim 6 Straight Trim	Edge Trim Colors

SAMPLE ORDER CODE

GWSCN 48	24	MG	6	BL
----------	----	----	---	----

DIMENSIONS
INCHES / MM

D	W
30 / 762	24 / 610
36 / 914	24 / 610
36 / 914	30 / 762
42 / 1067	24 / 610
42 / 1067	30 / 762
48 / 1219	24 / 610
48 / 1219	30 / 1524

PRICING

405
474
474
711
711
727
727

The EDP Worksurface is specified when building up any EDP Desk and can also be panel-mounted in a T/O/S panel environment.

WHAT'S INCLUDED


1 worksurface with Freestanding Module inserts.

NOTES

The 19" depth B does not accommodate the Recessed Modesty Panel option.

Three dimensions must be specified for this worksurface (see illustration). It has been designed for use with a 90° Corner Worksurface. Depth B should match the depth of the Corner Worksurface selected.

Not all width/depth combinations are available. See pricing for exact offering.



PRODUCT OPTIONS

Depth A	Width	Depth B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	24, 30, 36, 42, 48, 54, 60, 66, 72	19, 24	L Left Handed R Right Handed (Shown)	Foundation Laminate	A Slim Trim 6 Straight Trim	Edge Trim Colors

SAMPLE ORDER CODE

GWDN 30	60	24	L	MG	6	BL
----------------	-----------	-----------	----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

D/A	W	D/B
24 / 610	24 / 610	19 / 483
24 / 610	30 / 762	19 / 483
24 / 610	36 / 914	19 / 483
24 / 610	42 / 1067	19 / 483
24 / 610	48 / 1219	19 / 483
24 / 610	54 / 1372	19 / 483
24 / 610	60 / 1524	19 / 483
24 / 610	66 / 1676	19 / 483
24 / 610	72 / 1829	19 / 483
30 / 762	30 / 762	19 / 483
30 / 762	30 / 762	24 / 610
30 / 762	36 / 914	19 / 483
30 / 762	36 / 914	24 / 610
30 / 762	42 / 1067	19 / 483
30 / 762	42 / 1067	24 / 610
30 / 762	48 / 1219	19 / 483
30 / 762	48 / 1219	24 / 610
30 / 762	54 / 1372	19 / 483
30 / 762	54 / 1372	24 / 610
30 / 762	60 / 1524	19 / 483
30 / 762	60 / 1524	24 / 610
30 / 762	66 / 1676	19 / 483
30 / 762	66 / 1676	24 / 610
30 / 762	72 / 1829	19 / 483
30 / 762	72 / 1829	24 / 610

PRICING

216
230
269
371
382
382
491
549
583
296
297
334
339
458
459
473
474
536
537
536
537
646
647
646
647

OTHER DIMENSIONS


'C'	'D'
18 / 457	8 / 203
24 / 610	8 / 203
30 / 762	8 / 203
36 / 914	8 / 203
42 / 1067	8 / 203
48 / 1219	8 / 203
54 / 1372	8 / 203
60 / 1524	8 / 203
66 / 1676	8 / 203
12 / 305	16 / 406
18 / 457	16 / 406
24 / 610	16 / 406
30 / 762	16 / 406
36 / 914	16 / 406
42 / 1067	16 / 406
48 / 1219	16 / 406
60 / 1524	16 / 406
18 / 457	8 / 203
24 / 610	8 / 203
30 / 762	8 / 203
36 / 914	8 / 203
42 / 1067	8 / 203
48 / 1219	8 / 203
60 / 1524	8 / 203
66 / 1676	8 / 203

freestanding modules

G W S B N Bullet Top

The Bullet Top is specified when building up a Conference Bullet Desk and can also be panel-mounted in a T/O/S panel environment.

WHAT'S INCLUDED
1 worksurface with Freestanding Module inserts.



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30, 36	48, 54, 60, 66, 72	Foundation Laminate	A Slim Trim 6 Straight Trim	Edge Trim Colors

SAMPLE ORDER CODE

GWSBN 24	72	MG	6	BL
----------	----	----	---	----

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

396
429
463
519
575
500
538
579
638
696
560
652
748
788
827

The P-Top is specified when building up a Conference P-Top Desk and can also be panel-mounted in a T/O/S panel environment.


WHAT'S INCLUDED

1 worksurface with Freestanding Module inserts.

NOTES

P-Top Worksurfaces are handed and therefore, must be specified as left or right. The handed end is rounded (from the user's perspective).

GWSTN P-Top



PRODUCT OPTIONS

Depth	Width	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	60, 66, 72, 78, 84	L Left Handed (Shown) R Right Handed	Foundation Laminate	A Slim Trim 6 Straight Trim	Edge Trim Colors

SAMPLE ORDER CODE

GWSTN 30	60	L	MG	6	BL
-----------------	-----------	----------	-----------	----------	-----------


DIMENSIONS INCHES / MM

D	W
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

PRICING

719
765
796
843
903
849
914
937
993
1055

G W C B N
Piano Top Worksurface



The Piano Top Worksurface is used when building up a Conference Piano Top Desk.

WHAT’S INCLUDED
1 worksurface with Freestanding Module inserts.

NOTES
Piano Top Worksurfaces are handed and therefore, must be specified as left or right. The handed end is rounded (from the user's perspective).

PRODUCT OPTIONS

Depth	Width	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	60, 66, 72, 78, 84	L Left Handed R Right Handed (Shown)	Foundation Laminate	A Slim Trim 6 Straight Trim	Edge Trim Colors

SAMPLE ORDER CODE

GWCBN 30	72	R	LN	6	NV
----------	----	---	----	---	----

DIMENSIONS
INCHES / MM

D	W
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

PRICING


814
838
858
903
985
915
973
1004
1074
1135

The Full Gable is used on a freestanding desk or at the end of a run of semi-supported desks.

WHAT'S INCLUDED

1 gable, levelers and hardware.

GGFN
Full Gable



PRODUCT OPTIONS

Depth	Orientation	Finish
24, 30, 36	L Left Handed (Shown) R Right Handed	Source Laminate

SAMPLE ORDER CODE

GGFN 36	L	FC
---------	---	----


DIMENSIONS
INCHES / MM

D
24 / 610
30 / 762
36 / 914

PRICING

141
158
174

GGHN
Half Gable



The Half Gable is used for support on a semi-supported desk. Two Half Gables can be placed at the connection between two worksurfaces for support.

WHAT'S INCLUDED
1 gable, levelers and hardware.

PRODUCT OPTIONS

Depth	Orientation	Finish
12	L Left Handed R Right Handed (Shown)	Source Laminate

SAMPLE ORDER CODE

GGHN 12	L	LW
---------	---	----

DIMENSIONS
INCHES / MM

D
12 / 305

PRICING

141

The Shared Gable is used for support in the middle of a desk run. A Shared Gable can be placed at the connection between two worksurfaces for support.


WHAT'S INCLUDED

1 gable, levelers and hardware.

NOTES

Shared Gables cannot adequately support a freestanding desk. Full Gables must be used at either end of a desk or run of desks for stability.

GGSN
Shared Gable



PRODUCT OPTIONS

Depth	Finish
12, 16, 22, 28	Source Laminate

SAMPLE ORDER CODE

GGSN 12	LW
---------	----

DIMENSIONS
INCHES / MM

D
12 / 305
16 / 406
22 / 559
28 / 711


PRICING

141
206
216
229

G G C N
Corner Gable

The Corner Gable is a mandatory center support to maintain the structural integrity of a corner desk.

WHAT'S INCLUDED
1 gable, levelers, brackets and hardware.



PRODUCT OPTIONS

Depth	Finish
12	Source Laminate

SAMPLE ORDER CODE

GGCN 12	LG
---------	----

DIMENSIONS
INCHES / MM

D
12 / 305

PRICING

141


The Panel-Attached Full Gable enables a freestanding desk to be panel-attached with an on-module connection.

WHAT'S INCLUDED

1 gable, levelers, brackets and hardware.

GGPN

Panel-Attached Full Gable



PRODUCT OPTIONS

Depth	Finish
24, 30, 36	Source Laminate

SAMPLE ORDER CODE

GGPN 36	FY
---------	----


DIMENSIONS
INCHES / MM

D
24 / 610
30 / 762
36 / 914

PRICING

250
260
286

GMN
Standard Modesty Panel



The Standard Modesty Panel is a mandatory structural component which provides privacy as well as stability.

WHAT’S INCLUDED

1 modesty panel, support brackets, reveal trim and hardware.

NOTES

This Modesty Panel is not for use on a Corner Desk which requires Inside and Outside Modesty Panels.

To facilitate build-up, prices do not differ between the four heights.

Reveal trim is Black.

PRODUCT OPTIONS

Modesty Panel Style	Width	Finish
F Full Modesty Panel R Raised Modesty Panel Q 3/4 Modesty Panel H 1/2 Modesty Panel	24, 30, 36, 42, 45, 48, 54, 60, 66, 72	Source Laminate

SAMPLE ORDER CODE

GMN R	45	FS
-------	----	----

DIMENSIONS
INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
45 / 1143
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829

PRICING

113
128
146
159
172
184
201
216
225
240

The Inside Modesty Panel is a mandatory structural component which provides privacy as well as stability for a Corner Desk.

WHAT'S INCLUDED


1 modesty panel, support brackets, reveal trim and hardware.

NOTES

Specify left or right to identify on which side of the desk the Inside Modesty Panel is to be located from the user's perspective.

Reveal trim is Black.

GIN Inside Modesty Panel



PRODUCT OPTIONS

Modesty Panel Style	Width	Orientation	Finish
F Full Modesty Panel	29, 35, 41, 47	L Left Handed (Shown)	Source Laminate
R Raised Modesty Panel		R Right Handed	
Q 3/4 Modesty Panel			
H 1/2 Modesty Panel			

SAMPLE ORDER CODE

GIN H	41	R	FY
--------------	-----------	----------	-----------

DIMENSIONS INCHES / MM


W
29 / 737
35 / 889
41 / 1041
47 / 1194
29 / 737
35 / 889
41 / 1041
47 / 1194

PRICING

128
146
159
184
128
146
159
184

G O N

Outside Modesty Panel



The Outside Modesty Panel is a mandatory structural component which provides privacy as well as stability for a Corner Desk.

WHAT’S INCLUDED

1 modesty panel, support brackets, reveal trim and hardware.

NOTES

Specify left or right to identify on which side of the desk the Inside Modesty Panel is to be located from the user's perspective.

Reveal trim is Black.

PRODUCT OPTIONS

Modesty Panel Style	Width	Orientation	Finish
F Full Modesty Panel	30, 36, 42, 48, 54, 60, 66	L Left Handed (Shown)	Source Laminate
R Raised Modesty Panel		R Right Handed	
Q 3/4 Modesty Panel			
H 1/2 Modesty Panel			

SAMPLE ORDER CODE

GON R	36	R	LG
--------------	-----------	----------	-----------

DIMENSIONS
INCHES / MM

W
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676

PRICING

128
146
159
184
201
216
225

The Shared Gable Assembly attaches to a Half Gable to create a Shared Half Gable and can be used in place of two Half Gables when connecting two semi-supported desks.

WHAT'S INCLUDED


3 gable plates, one flush plate and hardware.

NOTES

This item is Black.

G B S N

Shared Gable Assembly



PRICING

46

The Modesty Wire Tray can be applied to the Modesty Panel to add wire management capability.

WHAT'S INCLUDED


One metal wire tray and attachment hardware.

NOTES

This item is finished in Black.

G M T

Modesty Wire Tray




PRICING

34

G T C
Circular Table

The Circular Table is a freestanding conference table.

WHAT'S INCLUDED
1 table, star base with metal levelers.



PRODUCT OPTIONS

Diameter	Surface Finish	Edge Trim Style	Edge Trim Finish	Leg/Star Base Finish
36, 42	Foundation Laminate Flintwood	1 Slim Trim 6 Straight Trim 2 Bullnose Trim 3 Flintwood Bullnose Trim	Edge Trim Colors	Foundation Mica

SAMPLE ORDER CODE

GTC 42	FC	1	FC	E
--------	----	---	----	---

DIMENSIONS
INCHES / MM

Dia.
36 / 914
42 / 1067

PRICING

FOUNDATION LAMINATE			FLINTWOOD	
Straight/Slim Trim	Bullnose Trim	Wood Bullnose Trim	Straight/Slim Trim	Bullnose Trim
648	704	1395	1266	2224
858	932	1874	1786	2273


If Mica is specified, add 38

The Square Table is a freestanding conference table.

WHAT'S INCLUDED

1 table, star base with metal levelers.

G T S Square Table



PRODUCT OPTIONS

Width	Surface Finish	Edge Trim Style	Edge Trim Finish	Leg/Star Base Finish
36	Foundation Laminate Flintwood	1 Slim Trim 6 Straight Trim 2 Bullnose Trim 3 Flintwood Bullnose Trim	Edge Trim Colors	Foundation Mica

SAMPLE ORDER CODE

GTS 36	MG	6	BL	J
---------------	-----------	----------	-----------	----------

DIMENSIONS INCHES / MM

W.
36 / 914

PRICING

FOUNDATION LAMINATE

Straight/Slim Trim	Bullnose Trim	Wood Bullnose Trim
648	704	1011

FLINTWOOD

Straight/Slim Trim	Bullnose Trim
1336	1427

If Mica is specified, add 38

mounted storage &
accessories

mounted storage & accessories

PRODUCT MAP 272

MOUNTED STORAGE BASICS 274


MOUNTED ACCESSORY BASICS 275

PRODUCT LISTING 276

product map


D S F Overhead Cabinet

Page 276
Depth: 13" & 16" / Width: 30" – 60"




D S F M A4 Overhead Cabinet

Page 277
Depth: 13" / Width: 30" – 60"




S Flipper Door Unit

Page 278
Depth: 13" & 16" / Width: 30" – 60"



S Shelves (Double Wall/Open Storage)

Page 279
Width: 30" – 60"




Double Wall

Open Storage


D S O Shelf

Page 280
Width: 24" – 60"



S Shelves (Single Wall/EDP)

Page 281
Width: 24" – 60"




Single Wall

EDP


B K 6 1 Shelf Divider

Page 282



B K Shelf Divider & Paper Organizer

Page 283




Paper Organizer

Shelf Divider


B K 6 0 Wire Book Organizer

Page 284




S F O M On-Module Hooks

Page 285



F C Wall Adapters (Horizontal, Single/Double Component)

Page 286
Width: 30" – 60" / Height: 36" – 81"




Single/Double

Horizontal

P A R Accessory Rail


Page 287
Height: 3 1/2" / Width: 19" – 60"



product map


A T Tackboard

Page 288
Height: 14" & 29" / Width: 15" – 60"



K Lock & Keys

Page 289



S O K L Set of Keys Alike

Page 290

mounted storage basics

T/O/S offers a variety of panel-mounted on-module storage units that provide open storage within the workstation.

- On-Module Hooks are available and must be specified if required
- Cabinets are available with locks keyed alike to match other storage components or keyed randomly for a dedicated lock
- The Universal Light (TU200) and Utility Light (TY) can be mounted to the underside of cabinets and shelves

Flipper Door Unit (S)

- Must be hung on-module when hung on Power Panels (PE)
- Door retracts inside if case is metal
- 30" - 48" has one door, 54" & 60" has two doors

Shelves (Double Wall/Open Storage) (S)

- Must be hung on-module when hung on Power Panels (PE)
- Accept Wire Book Organizers (BK60)

Overhead Cabinet (DSF)


- Must be hung on-module when hung on Power Panels (PE)
- Door retracts outside/over the cabinet
- Requires a 2" door clearance above the lower cabinet when stacked
- Accepts Shelf Dividers (BK61)
- Fabric (D4) fronts and all 54" wide cabinets cannot be specified with a motion control mechanism

- When applying the Utility Light to an Overhead Cabinet (DSF) or a Shelf (DSO) specify width one size smaller than the width of the Cabinet or Shelf, (e.g., 24" shelf specify an 18" Utility Light, 42" Cabinet, specify a 36" Utility Light

or


A4 Overhead Cabinet (DSFM)

- A metric-height panel-mounted, on- or off-module lockable storage on it for A4 files
- Cannot be applied on a 30" high element
- 30" - 48" has one door, 54", 60" has two doors




On-Module Hooks (SFOM)

- Can be attached to the back of the Overhead Cabinet (DSF) or A4 Overhead Cabinet (DSFM) to enable on-module mounting to any straight T/O/S Panel
- Incorporates an integral safety hook, which prevents the overhead cabinet from being dislodged from the panel when struck from the bottom




Shelf (DSO)

- Bracket (of the DSO, the Single Wall and the EDP shelf) incorporates an integral safety hook which prevents the shelf from being dislodged from the Panel when struck from the bottom
- Accepts Shelf Dividers (BK61)
- When applying the Utility Light to an Overhead Cabinet (DSF) or a Shelf (DSO) specify width one size smaller than the width of the Cabinet or Shelf, (e.g., 24" shelf specify an 18" Utility Light, 42" Cabinet, specify a 36" Utility Light




Shelves (Single Wall/EDP) (S)

- Can be hung on-module only




EDP Shelf



Single Wall Shelf

Wall Adapters (Horizontal, Single/Double Component) (FC)

- Allow overhead storage and accessories to mount to walls
- Are intended to be wall mounted. It is the customer's responsibility to ensure that it is securely installed and that the wall is appropriately prepared
- Width of the horizontal component wall adapter should match the width of the cabinet
- Are for use with Overhead Cabinets (DSF, DSFM), Double Wall Shelf (SS), Open Storage Shelf (SO) and Flipper Door Units (SF/SFC)



Finishes


- Cabinet cases and shelves are available in Foundation and Mica colors
- Metal door fronts will match case finish
- Fabric door fronts can be upholstered in fabrics from Teknion's standard fabric program
- Handles are finished in Foundation colors

mounted accessory basics

T/O/S offers a variety of accessories that can be hung inside or outside a workstation to facilitate organization of the workstation.

Shelf Divider (BK61)


- Separates books, paper, binders and other items on the Shelf (DSO) and in the Overhead Cabinet (DSF) only
- Inserts into the rail at the back of the Overhead Cabinet (DSF) or Shelf (DSO) and can be positioned anywhere along its length



Accessory Rail (PAR)


- Is designed to support Personal Organizers (PAX)
- Can only be attached into the hingeway on a Fabric Covered Element (PAA, PTA)
- Fits all panels
- Two rails are required on-module to provide adequate support for Binder Bins (PAX95). Up to three rails can be attached over a single 15" element

- Cannot be attached at the same level when coming together in a corner situation
- Lighting wire management clips cannot be attached in the same hingeway




Tackboard (AT)

Mounts on- or off-module over existing elements to provide a tackable surface



Shelf Divider and Paper Organizer (BK)

- Organizes paper and books on a Single Wall Shelf (SB) or EDP Shelf (SE)
- Sits vertically on a shelf(s) on an angle



Wire Book Organizer (BK60)

- Facilitates the organization of books and binders in a Double Wall Shelf (SS), Open Storage Shelf (SO), or Flipper Door Unit (SF/SFC)
- Mount into the channels at the front and back shelf bottom anywhere along the length of the shelf




Finishes

- Accessories are available in Foundation, Mica or Accent colors, unless otherwise specified
- Tackboard is available in Panel Fabric selections

DSF

Overhead Cabinet



The Overhead Cabinet is a panel-mounted, on- or off-module lockable storage unit.

WHAT'S INCLUDED

1 overhead cabinet, panel-mounting off-module hardware, lock and keys.

NOTES

Metal door front finish will be finished to match the case finish.

Motion Control Mechanism option is not available with Flintwood or Fabric fronts.

Motion Control Mechanism option is not available on 54" wide cabinets.

PRODUCT OPTIONS

Depth	Width	Case Finish	Door Front Finish Style	Door Front Finish	Handle Finish	Key Style	On-Module Hook	Motion Control Mechanism
13, 16	30, 36, 42, 48, 54, 60	Foundation Mica	D1 Metal Front (will match case) D4 Fabric Front	Fabric	Foundation	K Keyed Alike R Keyed Randomly	1 On-Module Hooks	2 Motion Control Mechanism

SAMPLE ORDER CODE

DSF 16	48	8	D1	8	E	K	1	2
---------------	-----------	----------	-----------	----------	----------	----------	----------	----------

DIMENSIONS INCHES / MM

D	W
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524

PRICING

FOUNDATION CASE

Metal Front	Fabric Front								
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
679	723	729	738	751	796	841	878	909	
719	765	772	783	797	845	894	933	966	
799	860	869	876	889	946	1003	1049	1087	
879	926	935	941	960	1020	1079	1128	1168	
914	972	982	988	1005	1068	1131	1181	1225	
956	1017	1027	1034	1055	1120	1185	1236	1283	
762	811	821	827	838	891	945	991	1027	
805	869	876	882	901	957	1011	1056	1093	
899	961	967	975	991	1054	1117	1167	1211	
986	1056	1063	1072	1089	1158	1227	1283	1329	
1028	1112	1118	1130	1146	1218	1290	1347	1400	
1066	1168	1177	1188	1204	1281	1358	1420	1469	

If Mica Case is specified, add 97

If Motion Control Mechanism is specified for 30"- 48" wide Cabinets, add 277

If Motion Control Mechanism is specified for 60" wide Cabinets, add 554

The A4 Overhead Cabinet is a metric-height, panel-mounted, on- or off-module lockable storage unit which provides the proper height for A4 filing requirements.

WHAT'S INCLUDED


1 A4 overhead cabinet, panel-mounting off-module hardware, lock and keys.

NOTES

The Overhead Cabinet **cannot** be installed on a 30" element.

On Power Panels (PE), this product must be hung on-module only (i.e., on the vertical uprights). Specify with On-Module Hooks.

DSFM A4 Overhead Cabinet



PRODUCT OPTIONS

Depth	Width	Case Finish	Door Front Finish Style	Door Front Finish	Handle Finish	Key Style	On-Module Hook
13	30, 36, 42, 48, 54, 60	Foundation Mica	D1 Metal Front (will match case) D4 Fabric Front	Fabric	Foundation	K Keyed Alike R Keyed Randomly	1 On-Module Hooks

SAMPLE ORDER CODE

DSFM 13	42	9	D1	9	E	K	1
---------	----	---	----	---	---	---	---

DIMENSIONS INCHES / MM

D	W
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524


PRICING

FOUNDATION CASE

Metal Front	Fabric Front							
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
749	794	801	812	825	873	920	958	988
791	842	851	861	876	925	974	1015	1049
879	946	957	964	982	1037	1093	1139	1178
967	1016	1029	1035	1054	1117	1180	1227	1266
1010	1069	1069	1088	1108	1167	1225	1275	1317
1049	1119	1128	1139	1160	1226	1292	1343	1391

If Mica Case is specified , add 119

S
Flipper Door Unit



The Flipper Door Unit is a panel-mounted, on- or off-module lockable storage unit.

WHAT’S INCLUDED
30" - 48" wide units have 1 door, 54" - 60" wide units have 2 doors , panel-mounting off-module hardware, lock and keys.

NOTES
On Power Panels (PE), this product must be hung on-module only (i.e., on the vertical uprights). Specify with On-Module Hooks.
Metal door front finish will be finished to match the case finish.

PRODUCT OPTIONS

Style	Width	Case Finish	Door Front Finish Style	Door Front Finish	Key Style	On-Module Hook
F 13" Deep	300 30	Foundation	D1 Metal Front	Flintwood	K Keyed Alike	I On-Module Hooks
FC 16" Deep	360 36	Mica	D4 Fabric Front	Fabric	R Keyed Randomly	
	420 42					
	480 48					
	540 54 / 1372					
	600 60/ 1524					

SAMPLE ORDER CODE

S F	420	E	D4	F611	K	1
-----	-----	---	----	------	---	---

DIMENSIONS
INCHES / MM

D	W
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60/ 1524
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60/ 1524

PRICING

Metal Front	Fabric Front								
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
679	695	710	726	739	761	783	812	832	
719	734	751	764	780	803	826	855	878	
799	815	830	844	860	886	912	945	972	
879	899	909	927	940	971	1003	1038	1066	
914	972	982	988	1005	1044	1082	1117	1148	
956	967	985	1000	1015	1051	1086	1120	1153	
762	778	793	807	824	849	874	904	930	
805	822	836	851	868	897	924	953	977	
899	909	927	940	958	989	1021	1055	1086	
986	1001	1016	1031	1046	1083	1119	1158	1191	
1028	1112	1118	1130	1146	1190	1233	1277	1310	
1066	1084	1099	1114	1129	1195	1260	1305	1339	

If Mica Case is specified, add 97

Shelves provide panel-mounted, on- or off-module open storage in the workstation.

WHAT'S INCLUDED


1 shelf, panel-mounting off-module hooks.

NOTES

On-Module Hooks (SFHK) must be ordered separately.

S

Shelves (Double Wall/Open Storage)



PRODUCT OPTIONS

Style	Width	Case Finish
O Open Storage Shelf	300 30	Foundation
S Double Wall Shelf	360 36	Mica
	420 42	
	480 48	
	540 54	
	600 60	

SAMPLE ORDER CODE

S S	600	J
------------	------------	----------

DIMENSIONS INCHES / MM

W
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

OPEN STORAGE SHELF (O)


Foundation	Mica
429	499
459	527
491	560
525	595
553	622
582	650

DOUBLE WALL SHELF (S)

379	448
399	468
426	495
452	521
475	545
499	568

30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

DSO
Shelf



The Shelf is panel-mounted on-module and provides open storage within the workstation.

WHAT’S INCLUDED
1 shelf.

NOTES
This Shelf must be hung on-module.

PRODUCT OPTIONS

Width	Finish
24, 30, 36, 42, 48, 54, 60	Foundation Mica

SAMPLE ORDER CODE

DSO 42	R
--------	---

DIMENSIONS
INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

Foundation	Mica
152	175
166	186
175	196
182	205
185	207
195	217
206	227

Shelves provide panel-mounted, on-module open storage within the workstation.

WHAT'S INCLUDED


1 shelf.

NOTES

This Shelf must be hung on-module.

S

Shelves (Single Wall/EDP)



PRODUCT OPTIONS

Style	Width	Finish
B Single Wall Shelf	240 24	Foundation
E EDP Shelf	300 30	Mica
	360 36	
	420 42	
	480 48	
	540 54	
	600 60	

SAMPLE ORDER CODE

S E	420	J
------------	------------	----------

DIMENSIONS INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING


SINGLE WALL SHELF (B)

Foundation	Mica
152	181
166	194
175	204
182	210
185	213
195	224
206	234

EDP SHELF (E)

204	231
216	245
229	256
243	270
251	279
260	288
272	300

B K 6 1
Shelf Divider



The Shelf Divider separates books, paper, binders and other items on the Shelf (DSO) and in the Overhead Cabinet (DSF).

WHAT'S INCLUDED
6 shelf dividers.

PRODUCT OPTIONS

Finish
Foundation
Accent
Mica

SAMPLE ORDER CODE

BK61 9

PRICING

Foundation	Mica/Accent
62	79


The Shelf Divider & Paper Organizer organize papers and books on a Single Wall Shelf (SB) or EDP Shelf (SE).

WHAT'S INCLUDED

3 shelf dividers or 3 paper organizers (as specified).

B K

Shelf Divider & Paper Organizer



PRODUCT OPTIONS

Style	Finish
350 Shelf Divider	Foundation
650 Paper Organizer	Mica

SAMPLE ORDER CODE

BK 350	J
--------	---


STYLE	PRICING	
	Foundation	Mica
350	54	60
650	58	63

B K 6 0
Wire Book Organizer

Wire Book Organizers facilitate the organization of books and binders in a Double Wall Shelf (SS), Open Storage Shelf (SO), or Flipper Door Unit (SF/SFC).

WHAT'S INCLUDED
6 wire book organizers.

NOTES
The Wire Book Organizer has a Chrome finish.



PRICING


60

The On-Module Hooks can be attached to the back of the Overhead Cabinet (DSF) or A4 Overhead Cabinet (DSFM) to enable on-module mounting to the panel.

WHAT'S INCLUDED

2 (1 left, 1 right) on-module hooks, attachment hardware.

S F O M
On-Module Hooks



PRODUCT OPTIONS

Finish	Cabinet Type	Cabinet Purchase Date
Foundation	1 DSF 2 DSFM	A On or Post October 2005 B Pre October 2005

SAMPLE ORDER CODE


SFOM E	2	A
---------------	----------	----------

PRICING

44

FC

Wall Adapters (Horizontal, Single/Double Component)



Wall Adapters allow overhead storage and accessories to mount to walls.

WHAT’S INCLUDED

4 horizontal component wall adapters (to make two rails);

or

2 vertical component wall adapters.

PRODUCT OPTIONS

Style	Width (For Horizontal adapter only)	Height (For Single/Double adapter only)
H Horizontal	360 36	36, 42, 51, 60, 66, 72, 81
B Double	420 42	
A Single	480 48	
	540 54	
	600 60	
	720 72	

SAMPLE ORDER CODE

FC H	72	
------	----	--

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
60/ 1524
66 / 1676
72 / 1829
81 / 2057

H
36 / 914
42 / 1067
51 / 1295
60/ 1524
66 / 1676
72 / 1829
81 / 2057

W
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
72 / 1829

PRICING

SINGLE (A)
53
64
74
83
92
100
117

DOUBLE (B)
61
77
84
100
109
118
134


HORIZONTAL (H)
68
77
82
86
92
110

The Accessory Rail is designed to support Personal Organizers for use in fabric covered elements (PAA, PTA).

WHAT'S INCLUDED

1 accessory rail.

P A R Accessory Rail



PRODUCT OPTIONS

Height	Width	Finish
03	18, 24, 30, 36, 42, 48, 54, 60	Foundation Accent Mica

SAMPLE ORDER CODE

PAR 03	54	U
--------	----	---

DIMENSIONS INCHES / MM

H	W
3 / 76	18 / 457
3 / 76	24 / 610
3 / 76	30 / 762
3 / 76	36 / 914
3 / 76	42 / 1067
3 / 76	48 / 1219
3 / 76	54 / 1372
3 / 76	60 / 1524


PRICING

Foundation	Mica/Accent
49	53
51	56
59	64
65	74
70	80
80	86
92	100
107	118

AT
Tackboard

The Tackboard mounts on- or off-module over existing elements to provide a tackable surface.

WHAT’S INCLUDED
1 tackboard with on- and off-module mounting hardware.



PRODUCT OPTIONS

Style	Tackboard Finish	Frame Finish
100 (14" High, 15" Wide)	Panel Fabric	Foundation
130 (14" High, 30" Wide)		Mica
136 (14" High, 36" Wide)		
142 (14" High, 42" Wide)		
148 (14" High, 48" Wide)		
160 (14" High, 60" Wide)		
336 (29" High, 36" Wide)		

SAMPLE ORDER CODE

AT 160	P775	Q
--------	------	---

STYLE

100
130
136
142
148
160
336

PRICING

FABRIC							
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
168	168	168	168	204	238	263	285
207	207	207	207	252	296	327	353
223	223	223	223	271	318	352	379
250	250	250	250	302	355	393	423
272	272	272	272	331	390	431	464
347	347	347	347	421	496	547	588
383	383	383	383	466	549	607	652

If Mica is specified, add 11

K

WHAT'S INCLUDED

Style K: Two Keys (one package) with number as specified, on a ring. (one of the keys has a jacket)

Style M: One Master Key.

Style R: One Lock Removal Key.

Style C: One Lock Core and Keys.

NOTES


Numbered Keys are additional keys or a replacement keys for lost or misplaced keys.

The Master Key unlocks any storage unit.

The Lock Removal Key removes lock cores from storage units.

Lock Cores and Keys are replacements for those currently installed.

Lock & Keys



PRODUCT OPTIONS

Style
M Master Key
R Lock Removal Key
K Numbered Keys
C Lock Core and Keys

SAMPLE ORDER CODE

K M

STYLE	PRICING
K	6
M	6
R	6
C	19

S O K L
Set of Keys Alike

WHAT'S INCLUDED
Each set of cores include a lock & core and 2 identical keys.

NOTES
All storage furniture is shipped with the lock housing pre-installed in each unit ready to receive the required lock plug cores. Based on the product option, lock cores and keys are shipped either numbered randomly or in "keyed-alike" sets. Quantity of lock cores and keys will match the quantities required for the locking components on the order.

SPECIFICATION NOTES
Count the number of locking components in each workstation. Enter the number of locks into the Quantity column, and then assign a SET to each quantity.

Office Number	Quantity	Set #	Set Total
T1	4	SOKL - 4	1
T2	2	SOKL - 2	1
T3	4	SOKL - 4	1
T4	3	SOKL - 3	1

Total the number of SOKL (Sets of Keys Alike) quantities and transfer each total quantity to your Purchase Order.

Sets ordered in the incorrect quantities that are required for the order may result in the order being placed on hold.

Please verify the quantity by reviewing the plan carefully to ensure that all products with locks have been identified. Remember that some products may have more than one lock core per unit based on size and configuration.

For further details on how to specify locks, please see the Teknion Lock Specification Guide on our website.

PRODUCT OPTIONS

Number of Sets of Cores			
01 1 Set of Cores	07 7 Sets of Cores	13 13 Sets of Cores	19 19 Sets of Cores
02 2 Sets of Cores	08 8 Sets of Cores	14 14 Sets of Cores	20 20 Sets of Cores
03 3 Sets of Cores	09 9 Sets of Cores	15 15 Sets of Cores	
04 4 Sets of Cores	10 10 Sets of Cores	16 16 Sets of Cores	
05 5 Sets of Cores	11 11 Sets of Cores	17 17 Sets of Cores	
06 6 Sets of Cores	12 12 Sets of Cores	18 18 Sets of Cores	

SAMPLE ORDER CODE

SOKL 02

freestanding storage &
accessories

freestanding storage & accessories


PRODUCT MAP	294
PEDESTAL BASICS	296
LATERAL FILE BASICS	297
FREESTANDING STORAGE BASICS	298
PRODUCT LISTING	300

product map


D S N Pedestal

Page 300


Width: 15" / Depth: 18" – 28"



Box, File (BF)




Box, Box, File (BBF)



Large File, File (LF)


W Casters and Counterweight

Page 301




D A Pedestal Accessories


Page 302




Hanging File Bar



Drawer Divider
(Single Wall)



Drawer Divider
(Double)



Pencil Tray




Stationary Insert

D L S N Workstation Lateral

Page 303

Width: 30" – 42" / Depth: 18" / Height: 27"




Large File/File (LF)


L T L Lateral Files

Page 304


Width: 30" – 42" / Depth: 18"




One-High




Two-High



Three-High



Four-High




Five-High

F A Lateral File Top

Page 305

Width: 30" – 90" / Depth: 18"




F A Lateral File Accessories


Page 306




Hanging File Bars




Cross File Bars



Counterweight A




Counterweight B



Divider Plates



Legal-to-Letter
Adapter




EDP Adapters

product map


LT S Storage Cabinet

Page 307
Width: 30" – 42" / Depth: 18"




LT W Wardrobe Cabinet

Page 308
Width: 30" – 42" / Depth: 18" / Height: 66"




SA Cabinet Accessories

Page 309




G S F Hi-Fiver Coat & File Storage

Page 310
Width: 24" – 36" / Depth: 24" / Height: 65"




G S Hi-Fiver

Page 311
Width: 24" – 36" / Depth: 24" / Height: 65"



G S Hi-Fiver Coat Storage


Page 312
Width: 24" – 36" / Depth: 24" / Height: 65"



pedestal basics


T/O/S offers various options for pedestal cabinets.

- Pedestals are available with locks keyed alike to match other storage components or keyed randomly for a dedicated lock
- Counterweights are required for all cabinets not located under a worksurface and when casters are specified
- Levelers can be adjusted up to 1"



Pedestal (DSN)

- Provides storage below the worksurface and is available in a variety of drawer configurations and depths
- Box file configuration will fit under height-adjustable, panel-mounted worksurfaces
- Standard pull is available in box, file, and box, box, file configurations
- May be specified to support worksurface when (BBF) Box, Box, File or (LF) Large File, File Drawer Configurations are selected
- Full Pull is only available on Metal Fronts (D1) whereas Standard Handle Pulls are available on all fronts
- Drawer interiors extend the full interior depth of the pedestal except for 28" deep Box (B). For these drawer sizes the interior drawer depth is actually 22"



Full Pull




Standard Handle Pull (Shown in layout)


296

Pedestal Accessories (DA)


Included with pedestals as noted on the product page; additional accessories may be ordered separately as necessary




Hanging File Bar




Drawer Divider (Single Wall)



Drawer Divider (Single Wall)



Pencil Tray



Stationary Insert

Finishes

- Cabinets are available with metal fronts available in Foundation or Mica colors
- Locks have a Brushed Chrome finish
- Standard handle pulls are available in Foundation colors
- Accessories are Black except for Hanging File Bars which have a Chrome finish

lateral file basics


T/O/S offers various options for lateral filing cabinets.



- Lateral Cabinets are available with locks keyed alike to match other storage components or keyed randomly for a dedicated lock
- Counterweights are required for all cabinets not located under a worksurface
- Levelers can be adjusted up to 1"

Lateral File Cabinets (LTL)

- Are available in a variety of heights to provide high-density filing and organized storage
- Heights are designed to align with Storage Cabinet (LTS)
- One-high can be stacked on top of another file unit (only one per unit). They must be bolted together and a counterweight installed in the lower unit
- Four-high units available in 51" and 54" heights based on drawer configuration
- 51" & 66" high storage cabinets align with panel heights



Full Pull




Standard Pull
(Shown in layout)




Standard Pull
(Shown in layout)

Workstation Lateral (DLSN)


- Provides storage beneath the worksurface
- Is designed to match aesthetically with the standard pull pedestal




One-High




Two-High




Three-High




Four-High



Four-High



Five High




Lateral File Accessories (FA)

Included with laterals as noted on the product page; additional accessories may be ordered separately as necessary




Hanging File Bars




Cross File Bars




Counterweight A




Counterweight B



Divider Plates




Legal-to-Letter



EDP Adapter

Lateral File Top (FA)

- Available in the same finishes as T/O/S worksurfaces and can be applied to the top of a Lateral File (DLSN/LTL), Storage Cabinet (LTS), or Wardrobe Cabinet (LTW)
- Accepts all T/O/S trim styles. Available trims are applied to the finished edge only, remaining sides have a Flat Edge
- Flintwood edge trims will be finished to match the surface



Finishes

- Cabinets are available with metal fronts in Foundation or Mica colors or Flintwood fronts in Flintwood stains
- Locks have a Brushed Chrome finish
- Standard handle pulls are available in Foundation colors while full pull handles will be finished to match the case
- Accessories are Black except for Cross File Bars which have a Chrome finish



freestanding storage basics

T/O/S freestanding storage is an extensive storage system that responds to a variety of diverse information management needs.

- Storage Cabinets are available with locks keyed alike to match other storage components or keyed randomly for a dedicated lock
- Levelers can be adjusted up to 1"

Hi-Fiver Cabinets (GSF, GS)



- Are freestanding and provide enclosed and open storage space in the workstation
- Cannot support a worksurface
- The coat rod is installed on the left side of the Hi-Fiver Coat Storage (Divided) but can be retrofitted to the right
- File drawers store letter and legal-size documents
- All shelves are adjustable in approximately 1" increments



Wardrobe Cabinet (LTW)


- Are available in a divided or un-divided configuration
- Interior options are factory-installed, the coat rod is hung front-to-back (not side-to-side) to accommodate hangers
- Knockouts are located in the side panels for hanging cabinets
- Walls are slotted in 1" increments for shelf adjustment
- Hat shelves in the 36" and 42" wide divided cabinets are the same size
- Height matches all other Five-High Storage Cabinets

Available for LTW and LTS Cabinets




Storage Cabinet (LTS)

- Are available in a variety of heights with adjustable shelves to provide enclosed storage
- Heights are designed to align with Lateral Files (FF)
- Knockouts are located in the side panels for ganging of cabinets
- Walls are slotted in 1" increments for shelf adjustment
- Four-high units are available in 50", 54" heights based on drawer configuration
- 50" high lateral file aligns with panel heights



Cabinet Accessories (SA)

Included with cabinets as noted on the product page; additional accessories may be ordered separately as necessary




Finishes

- Cabinets are available with metal fronts in Foundation or Mica colors
- Locks have a Brushed Chrome finish
- Standard handle pulls are available in Foundation colors while full pull handles will be finished to match the case
- Accessories are available in Foundation and Mica colors

freestanding storage & accessories

DSN

Pedestal



The Pedestal provides storage beneath the worksurface and is available in a variety of drawer configurations and depths.

WHAT'S INCLUDED

One Pedestal, lock and keys (as specified), levelers and accessories as listed below:

	Drawer Combinations		
	BF	BBF	LF
Pencil Tray	1	1	n/a
Drawer Divider	1	1	n/a
Hanging File Bar	1	1	2

WHAT'S EXCLUDED

Additional Pedestal Accessories (DA) are available.

NOTES

A Counterweight is required for Box, File (BF) Pedestals and Pedestals not located under a worksurface.

Pedestal drawers with the Full Pull (F), Metal Front option will be finished to match the case.

Worksurface Supporting option does **not** apply to Box, File (BF).

The Casters & Counterweight option is **not** available when Worksurface Supporting option is selected.

Casters & Counterweights (W1) can only be applied to 22" depth pedestals.

PRODUCT OPTIONS

Drawer Combination	Depth	Width	Drawer Front	Pull Option	Case Finish & Metal Front	Drawer Front Finish	Handle Finish (For Standard Pull)	Key Style	Worksurface Supporting	Casters & Counterweight
BF Box, File	18, 22, 28	15	D1 Metal Front	F Full Pull	Foundation	Foundation (Standard Pull)	Foundation	K Keyed Alike	1 Yes	W1 Casters & Counterweights
BBF Box, Box, File			D4 Plastic Front	S Standard Handle Pull	Mica	Flintwood (Standard Pull)		R Keyed Randomly	2 No	W2 Counterweight Only
LF Large File, File										

SAMPLE ORDER CODE

DSN BF	18	15	D1	F	R	E	E	K	2	W1
---------------	-----------	-----------	-----------	----------	----------	----------	----------	----------	----------	-----------

DIMENSIONS INCHES / MM

D
18 / 457
22 / 559
28 / 711
18 / 457
22 / 559
28 / 711
18 / 457
22 / 559
28 / 711

PRICING

STANDARD PULL (S)		FULL PULL (F)	
Plastic Front Foundation Case	Plastic Front Mica Case	Metal Front Foundation Case	Metal Front Mica Case
BOX, FILE (BF)			
555	625	555	625
585	654	585	654
614	683	614	683
LARGE FILE, FILE (LF)			
667	735	667	735
696	765	696	765
726	795	726	795
BOX, BOX, FILE (BBF)			
704	771	704	771
733	801	733	801
762	831	762	831

If Counterweights are specified, add 69

If Casters and Counterweights are specified, add 141

Casters can be applied to pedestals to create mobile storage. The Counterweight can be applied to pedestals to prevent tipping.

WHAT'S INCLUDED


Casters and Counterweight: 4 casters, 1 counterweight and installation hardware.

Counterweight Only: 1 counterweight, installation hardware.

NOTES

Casters must not be installed without the accompanying counterweight.

W Casters & Counterweight



PRODUCT OPTIONS

Style	Pedestal Style (If casters are specified)	Pedestal Depth
1 Casters and Counterweight Kit	1 Leverage Pedestal (KDN)	1 18"
2 Counterweight Kit	2 T/O/S (DS) & Transit (TDN) Pedestals	2 22" or 28"
	3 Ledger (LPFN) & ie (JSLP) Pedestals	

SAMPLE ORDER CODE

W 2		1
-----	--	---


STYLE

1
2

PRICING

141
68

DA
Pedestal Accessories



Pedestal Accessories are organized tools for use in T/O/S Pedestals.

WHAT’S INCLUDED
1 Hanging File Bar with mounting ends or 1 Drawer Divider or 1 Pencil Tray or 1 Stationary Insert.

NOTES
The Drawer Dividers, Pencil Tray and Stationary Inserts are Black.
The Hanging File Bars have a Chrome finish.

PRODUCT OPTIONS

Style
S Drawer Divider (For Single Wall)
D Drawer Divider (For Double Wall)
B Hanging File Bar
T Pencil Tray
I Stationary Insert

SAMPLE ORDER CODE

DA D

STYLE	PRICING
S	29
D	29
B	32
T	53
I	87

The Workstation Lateral provides storage beneath the worksurface.

WHAT'S INCLUDED

1 case, 2 drawers, 2 hanging file bars per drawer, counterweight (if specified), lock and keys (as specified) and levelers.


WHAT'S EXCLUDED

Additional Lateral File Accessories (FA) are available.

NOTES

If Metal Front is specified, the drawer fronts will be finished to match the case.

DLSN Workstation Lateral



PRODUCT OPTIONS

Configuration	Depth	Width	Drawer Front Finish Style	Case Finish (Metal Front)	Drawer Front Finish	Handle Finish	Key Style	Counterweight
LF Large File, File	18	30, 36, 42	D1 Metal Front	Foundation Mica	Flintwood	Foundation	K Keyed Alike R Keyed Randomly	W2 Counterweight

SAMPLE ORDER CODE

DLSN LF	18	36	D1	Q		Q	K	W2
---------	----	----	----	---	--	---	---	----

DIMENSIONS INCHES / MM

W
30 / 762
36 / 914
42 / 1067

PRICING

FOUNDATION CASE

Metal
Front

844

956

1059

MICA CASE

Metal
Front

967

1076


1185

If Counterweights are specified, add 141

freestanding storage & accessories

L T L

Lateral Files



Lateral Files are available in a variety of heights to provide high density filing and organized storage. Lateral File heights are designed to align with Storage Cabinet (LTS).

WHAT'S INCLUDED

1 case, drawers (as per configuration), file bars, counterweight (if specified), lock and keys (as specified) and levelers.

WHAT'S EXCLUDED

Additional Lateral File Accessories (FA) are available.

NOTES

A Counterweight is required for all freestanding Laterals not located under a worksurface.

If Metal Front is specified, the drawer fronts will be finished to match the case.

A Flintwood front is not available with the Full Pull handle option.

A Flintwood front is not available with a receding drawer (i.e., BR).

Full Pull (B) handle option will be finished to match the case.

PRODUCT OPTIONS

Handle	Drawer Configuration	Width	Case Finish	Drawer Front Finish Style	Drawer Front Finish	Handle Finish (For Standard Pull)	Key Style	Counterweight
A Standard Pull	10 One-High	30, 36, 42	Foundation Mica	D1 Metal Front	Flintwood	Foundation	K Keyed Alike R Keyed Randomly	W2 Counterweight
B Full Pull	20 Two-High							
	30 Three-High							
	40 Four-High (51")							
	44 Four-High (54")							
	50 Five-High							

SAMPLE ORDER CODE

LTL A	50	36	Y	D1		N	K	W2
--------------	-----------	-----------	----------	-----------	--	----------	----------	-----------

DIMENSIONS INCHES / MM

W
30 / 762
36 / 914
42 / 1067
30 / 762
36 / 914
42 / 1067
30 / 762
36 / 914
42 / 1067
30 / 762
36 / 914
42 / 1067
30 / 762
36 / 914
42 / 1067
30 / 762
36 / 914
42 / 1067

PRICING

Foundation Case Mica Case

Metal Front Metal Front

ONE-HIGH (10)

585	696
704	814
791	902

TWO-HIGH (20)

780	933
881	1034
985	1138

THREE-HIGH (30)

1085	1282
1200	1400
1318	1516

FOUR-HIGH (51") (40)

1377	1617
1511	1750
1641	1883

FOUR-HIGH (54") (44)

1377	1617
1511	1750
1641	1883

FIVE-HIGH (50)

1759	2044
1904	2190
2050	2337


If Counterweights are specified, add 141

The Lateral File Top is available in the same finishes as T/O/S worksurfaces and can be applied to the top of a Lateral File (LTL), Storage Cabinet (LTS), or Wardrobe Cabinet (LTW).

WHAT'S INCLUDED

1 top.

FA Lateral File Top



PRODUCT OPTIONS

Width	Finish	Edge Trim Style	Edge Trim Finish
30, 36, 42, 60, 66, 72, 84, 90	Foundation Laminate	6 Straight Trim	Edge Trim Colors

SAMPLE ORDER CODE

FA 60	MN	6	FN
-------	----	---	----

DIMENSIONS INCHES / MM

W
30 / 762
36 / 914
42 / 1067
60 / 1524
66 / 1676
72 / 1829
84 / 2134
90 / 2286


PRICING

FOUNDATION LAMINATE

Straight Trim

244
293
390
489
533
583
685
731

FA
Lateral File Accessories



Lateral File Accessories are organizational tools for use in Lateral Files (LTL).

WHAT’S INCLUDED

Accessories (quantities) are listed with pricing below.

NOTES

The following number and type of counterweights for laterals are required:

Counterweight:				
Width	Two-High	Three-High	Four-High	Five-High
30 / 762"	2 FA08	2 FA08	2 FA08	2 FA08
36 / 914"	2 FA09	2 FA09	2 FA08	2 FA08
42 / 1067"	2 FA09	2 FA09	2 FA08	2 FA08

All Lateral File Accessories, except Cross File Bars are Black. Cross File Bars have a Chrome finish.

PRODUCT OPTIONS

Style	
01 Hanging File Bars 30" Wide	13 Legal-to-Letter Adapter 42" Wide
02 Hanging File Bars 36" Wide	20 EDP Adapters
03 Hanging File Bars 42" Wide	
07 Cross File Bars	
08 Counterweight A	
09 Counterweight B	
10 Divider Plates	
11 Legal-to-Letter Adapter 30" Wide	
12 Legal-to-Letter Adapter 36" Wide	

SAMPLE ORDER CODE

FA 20

STYLE	PRICING	
		Qty.
01	32	2
02	32	2
03	32	2
07	27	2
08	68	See above chart
09	68	See above chart
10	33	3
11	18	1
12	18	1
13	18	1
20	33	2

freestanding storage & accessories

Storage Cabinets are available in a variety of heights with adjustable shelves to provide enclosed storage. Storage Cabinet heights are designed to align with Lateral Files (LTL).

WHAT'S INCLUDED

1 case, 2 doors, shelves (as per configuration), lock and keys (as specified) and levelers.


WHAT'S EXCLUDED

Additional Cabinet Accessories (SA) are available.

NOTES

Full Pull (B) handle option will be finished to match the case.

L T S Storage Cabinet



PRODUCT OPTIONS

Handle Style	Configuration	Width	Case and Front Finish	Handle Finish (For Standard Pull)	Key Style
A Standard Pull	20 Two-High/doors, no shelf	30, 36, 42	Foundation Mica	Foundation	K Keyed Alike R Keyed Randomly
B Full Pull	21 Two-High/doors, one shelf				
	30 Three-High/doors, no shelves				
	31 Three-High/doors, two shelves				
	40 Four-High (51\")/doors, no shelves				
	41 Four-High (51\")/doors, three shelves				
	44 Four-High (54\")/doors, no shelves				
	45 Four-High (54\")/doors, three shelves				
	50 Five-High/doors, no shelves				
	51 Five-High/doors, four shelves				

SAMPLE ORDER CODE

LTS A	50	36	8	E	R
-------	----	----	---	---	---


DIMENSIONS INCHES / MM

	PRICING	
	Foundation Case Metal Front	Mica Case Metal Front
W	TWO-HIGH NO SHELF (20)	
30 / 762	585	696
36 / 914	660	768
42 / 1067	733	842
	TWO-HIGH WITH SHELF (21)	
30 / 762	632	739
36 / 914	704	814
42 / 1067	778	886
	THREE-HIGH NO SHELVES (30)	
30 / 762	696	827
36 / 914	783	912
42 / 1067	873	1003
	THREE-HIGH WITH SHELVES (31)	
30 / 762	783	912
36 / 914	873	1003
42 / 1067	942	1076

DIMENSIONS INCHES / MM

	PRICING	
	Foundation Case Metal Front	Mica Case Metal Front
W	FOUR-HIGH NO SHELVES (51\") (40)	
30 / 762	778	931
36 / 914	878	1032
42 / 1067	983	1136
	FOUR-HIGH WITH SHELVES (51\") (41)	
30 / 762	907	1062
36 / 914	1011	1163
42 / 1067	1114	1266
	FOUR-HIGH NO SHELVES (54\") (44)	
30 / 762	778	931
36 / 914	878	1032
42 / 1067	983	1136
	FOUR-HIGH WITH SHELVES (54\") (45)	
30 / 762	907	1062
36 / 914	1011	1163
42 / 1067	1114	1266
	FIVE-HIGH NO SHELVES (50)	
30 / 762	886	1062
36 / 914	1003	1179
42 / 1067	1136	1310
	FIVE-HIGH WITH SHELVES (51)	
30 / 762	1062	1236
36 / 914	1179	1356
42 / 1067	1310	1487

LTW
Wardrobe Cabinet



Wardrobe Cabinets are available in a divided or undivided configuration to provide enclosed garment and other items.

WHAT’S INCLUDED

Undivided Wardrobe: 1 case (30" wide), 2 doors, 1 shelf, 1 coat rod, 4 hooks and lock and keys.

Divided Wardrobe: 1 case (36" or 42" wide), 2 doors, 1 shelf, 1 coat rod, 3 hat shelves and lock and keys.

WHAT’S EXCLUDED

Additional Cabinet Accessories (SA) are available.

NOTES

Full Pull (B) handle option will be finished to match the case.

PRODUCT OPTIONS

Handle Style	Wardrobe Configuration	Case/Shelf Front Finish	Handle Finish (For Standard Pull)	Key Style
A Standard Pull B Full Pull	30 30" Undivided Five-High, one shelf, coat rod, four hooks 36 36" Divided Five-High, one shelf, three hat shelves 42 42" Divided Five-High, one shelf, three hat shelves	Foundation Mica	Foundation	K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE

LTW A	36	K	E	R
--------------	-----------	----------	----------	----------

DIMENSIONS
INCHES / MM

W
30 / 762
36 / 914
42 / 1067

PRICING

Foundation	Mica
1246	1465
1429	1646
1612	1832


Cabinet Accessories are organizational tools for use in the Storage and Wardrobe Cabinets (LTS, LTW).

SA

Cabinet Accessories

WHAT'S INCLUDED

Shelf	1
Slotted Shelf	1
Max Storage Module	1 with 12 Max Stor Trays
Max Storage Trays	12



PRODUCT OPTIONS

Style	Width	Finish
1 Shelf (non-slotted)	30, 36, 42 (Shelf, Slotted Shelf) 12 (Hat Shelf) 36 (Max Storage Module)	Foundation
2 Slotted Shelf		Mica
3 Hat Shelf		
5 Max Storage Module		
6 Max Storage Trays		

SAMPLE ORDER CODE

SA 5	36	E
------	----	---

DIMENSIONS INCHES / MM

W
30 / 762
36 / 914
42 / 1067
30 / 762
36 / 914
42 / 1067
12 / 305
36 / 914
•

PRICING

Foundation Mica

NON-SLOTTED SHELF (1)

57	64
64	74
68	82

SLOTTED SHELF (2)

68	82
75	87
82	93

HAT SHELF (3)

64	74
----	----

MAX STORAGE MODULE (5)


659	763
-----	-----

MAX STORAGE TRAYS (6)

179	207
-----	-----

GSF

Hi-Fiver Coat & File Storage



The Hi-Fiver Coat & File Storage is freestanding and provides enclosed storage space within the workstation.

WHAT'S INCLUDED

1 case, 1 full door, 1 cupboard door, 4 file drawers, lock and keys (as specified) and levelers. Shipped assembled.

PRODUCT OPTIONS

Depth	Width	Front Finish	Edge Trim Finish	Case Finish	Handle Finish	Key Style
24	24, 30, 36	Source Laminate Foundation Laminate	Edge Trim Colors	Source Laminate	Foundation	K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE

GSF 24	36	LT	TE	LN	N	K
---------------	-----------	-----------	-----------	-----------	----------	----------

DIMENSIONS
INCHES / MM

D	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914

PRICING

Source Laminate	Foundation Laminate
2222	2497
2430	2707
2638	2917


freestanding storage & accessories

The Hi-Fiver Storage units are freestanding and provides enclosed and open storage space in the workstation.

WHAT'S INCLUDED

1 case, 2 doors (if specified), 2 file drawers, 2 shelves, lock and keys (as specified) and levelers. Shipped assembled.

GS Hi-Fiver



PRODUCT OPTIONS

Configuration	Depth	Width	Front Finish	Edge Trim Finish	Case and Shelf Finish	Handle Finish	Key Style
W Shelves and File Storage	24	24, 30, 36	Source Laminate	Edge Trim Colors	Source Laminate	Foundation	K Keyed Alike
U Cupboard and File Storage			Foundation Laminate				R Keyed Randomly

SAMPLE ORDER CODE

GS U	24	30	LW	JY	LY	E	R
------	----	----	----	----	----	---	---

DIMENSIONS INCHES / MM

D	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914

PRICING

Source Laminate	Foundation Laminate
-----------------	---------------------

SHELVES & FILE STORAGE (W)


1735	2014
1873	2153
2014	2290

CUPBOARD & FILE STORAGE (U)

2082	2363
2222	2497
2363	2638

GS

Hi-Fiver Coat Storage



The Hi-Fiver Coat Storage unit is freestanding and provides enclosed storage space in the workstation.

WHAT’S INCLUDED

Undivided: 1 case, 2 doors, 1 coat rod, 1 full shelf, lock and keys (as specified) and levelers. Shipped assembled.

Divided: 1 case, divider, 2 doors, 1 coat rod, 4 half shelves, lock and keys (as specified) and levelers. Shipped assembled.

PRODUCT OPTIONS

Configuration	Depth	Width	Front Finish	Edge Trim Finish	Case and Shelf Finish	Handle Finish	Key Style
C Undivided	24	24, 30, 36	Source Laminate	Edge Trim Colors	Source Laminate	Foundation	K Keyed Alike
CD Divided			Foundation Laminate				R Keyed Randomly

SAMPLE ORDER CODE

GS CD	24	36	UG	JY	LY	G	R
-------	----	----	----	----	----	---	---

DIMENSIONS
INCHES / MM

D	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914

24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914

PRICING

Source Laminate	Foundation Laminate
UNDIVIDED (C)	
1526	1805
1666	1943
1805	2082
DIVIDED (CD)	
1943	2082
2082	2222
2222	2363

lighting, electrics &
communications


lighting, electrics & communications

PRODUCT MAP	316
LIGHTING, ELECTRICS & COMMUNICATIONS BASICS	319
LIGHTING BASICS	320
CEILING FEED BASICS	321
BASE FEED BASICS	322
POWER DISTRIBUTION BASICS	323
POWER ACCESS BASICS	324
COMMUNICATIONS ACCESS BASICS	325
CASUAL WIRE BASICS	326
PRODUCT LISTING	328

product map


T U Universal Light

Page 327




T Y R T Slim Profile Utility Light

Page 328
Width: 24" – 48"




E P C Retractable Power Center

Page 329




B F K Base Feed

Page 330




B F K S Split Base Feed

Page 331




B F K P Plug-In Base Feed

Page 332
Length: 24" & 72"



E P Power Pole (Complete)

Page 333
Height: 48" – 96"



E P E Power Pole (Empty)

Page 334
Height: 48" – 96"



E P D Pole Divider

Page 335
Height: 48" – 96"



E P H Lay-In Pole (Complete)

Page 336
Height: 48" – 96"




E P H E Lay-In Pole (Empty)

Page 337
Height: 48" – 96"




E P B Power Pole Harness (Includes Junction Box)

Page 338
Length: 111" & 135"



E S Receptacle Harness


Page 339
Length: 36" & 66"

**E H Panel Pass-Through Harness**


Page 340
Length: 36" – 102"

**E F Four-Way Connector**


Page 341

**E I No Raceway Jumper**


Page 342
Length: 24" – 60"

**T M C M-Clip**


Page 343

**E D Outlets**


Page 344

**E D 8 N Outlets (Separate Neutral)**


Page 345

**E D 8 K Outlets (Dual Isolated)**


Page 346

**E D S 5 Surge Suppressor**


Page 347

**E D C Outlet Knockout Cover**


Page 348

**E R B Raceway Box**

Page 349

**E R B 8 N Raceway Box (Separate Neutral)**


Page 350



product map


E R B 8 K Raceway Box (Dual Isolated)

Page 351




V D M Voice & Data Module

Page 352




V D A Voice & Data Adapter

Page 353




E V D F Voice & Data Faceplate Adapter

Page 354




C H Chicago Corner Ducts

Page 355



T Z B Bridge Tray


Page 356
Width: 72" – 96"



lyft

H B C C Base Cable Clips

Page 357




lighting, electrics & communications

lighting, electrics & communications basics


T/O/S offers a variety of lighting, electrical and communications components.



- Local codes must be checked to ensure compliance
- The electrical contractor is responsible for power distribution in order to obtain a balanced system within the limits of the building




Also available but not illustrated:



lighting basics

A variety of lighting options are available, to provide both ambient and task lighting.

! All lighting products include energy-efficient fluorescent tubes




Slim Profile Utility Light (TYRT)

- Is clip-mounted to the underside of the Overhead Cabinet (DSF), Shelf (DSO) and Hutch with Flipper Door (GHF)
- Provides moveable side-to-side task lighting for the worksurface
- Has a 108\" long cord that can be concealed with a wire management clip that routes the wire to power to the outlets at the access door level
- Electronic ballasts (normal power factor) are cooler, quieter and more energy efficient than standard ballasts

Universal Light (TU)

- Is magnetic and provides task lighting for the worksurface
- Has a 108\" long cord that can be concealed in the vertical upright of the Panel and is managed with a wire management clip that routes it to power and the access level
- Built-in resettable breaker option is available for installation in Canada/U.S.A. only



Also Available:

Conflux Undercabinet (YLCU)


Please see Complements: *Teknion's Ergonomics & Accessories Program*

ceiling feed basics

Power is supplied to workstations through a ceiling feed or base feed. The following outlines the features of the ceiling feed.



- Power Poles can be used to house either electrical harnesses or communication cables. A Pole Divider (EPD) is available to ensure safety if power and communications are to be run together. A Pole Divider must be ordered separately
- Pole heights are provided with a 111" harness
- Lay-In Power Poles are equipped with a divider; therefore, it can be used to enclose both electrical harnesses and communication cables which travel from the ceiling to the top of the panel



Power Pole Harness (Includes Junction Box) (EPB)

- Is designed for use with Power Poles (Empty) and Lay-In Poles (Empty)
- Includes a harness that is used to bring power down into the Panel from the ceiling and a junction box for making hard-wired connections to the power supply within the ceiling
- Once the harness is routed into the Panel, it can be connected (at the raceway level) to any compatible Receptacle Harness (ES), Panel Pass-Through Harness (EH), or Four-Way Connector (EF)
- The 111" or 135" length represents portion of harness encased in flexible conduit. An additional 12" of exposed wires is provided on the interior portion of the harness for connection within the raceway to an appropriate Receptacle Harness (ES, EH, EF)

Pole Divider (EPD)

- Enables the separation of electrical harnesses and communication cables within a Power Pole
- Is a divider plate designed specifically for use with the Power Pole (Empty) (EPE). It is applied when total separation is required between electrical power and communication cables routed through the same pole

Lay-In Pole (Empty) (EPHE)

- Does not include electrical harnesses or a junction box and provides an enclosure larger than the Power Pole (Empty) (EPE) to route power or communications from the ceiling to the top of the Panel
- Does not include a power pole harness or junction box. These items can be ordered separately

Power Pole (Empty) (EPE)

Does not include electrical harnesses or a junction box but provides a safe enclosure with which to route power or communications from the ceiling to the top of the Panel

Lay-In Pole (Complete) (EPH)

Includes an electrical harness and junction box and provides an enclosure larger than the Power Pole (EP) for routing power and communications directly from the ceiling through the top of the panel and down to raceway


Power Pole (Complete) (EP)

- Includes an electrical harness and a junction box and routes power or communications directly from the building supply in the ceiling to the raceway level of the Panel
- Encloses electrical harnesses which travel from the junction box at the ceiling into the top of the Panel

base feed basics

Power is supplied to workstations through a ceiling feed or base feed. The following outlines the features of the base feed.

- ❗ Base Feeds can be connected to any compatible Receptacle Harness (ES), Panel Pass-Through Harness (EH), or Four-Way Connector (EF)
- Base Feeds transport power to the raceway level only. Additional harnesses are required to carry power through other panels and must be ordered separately



Split Base Feed (BFKS)

- Is hard-wired to the building power supply in two places and is installed in the base opening of the panel and feeds power up into the panel raceway
- Is prepared for hard-wiring within the floor monument and at the base feed junction box. It is designed to comply with specific safety requirements in certain jurisdictions
- The external section measures 72" and is designed for hard-wiring. The internal end is 30" long and is designed to be secured within the panel

Base Feed (BFK)

- Is hard-wired to the building power supply and is installed in the base opening of the panel and feeds power up into the panel raceway
- External harness is enclosed in liquid-tight, PBC covered, flexible steel conduit. It measures 72" long and is designed for hard-wiring. The internal end is 30" long and is designed to be secured within the panel

Plug-In Base Feed (BFKP)


- Can be plugged into the building power supply and is installed in the base opening of the Panel and feeds power up into the Panel raceway
- External harness of the Plug-In Base Feed comes in 24" or 72". The internal end is 30" long and must be secured within the Panel
- Outlet types that may be specified with this system are outlets on circuit 1 (i.e. Duplex ED11 and Triplex ED111). These items are ordered separately

power distribution basics

Power is distributed through the panel system with a combination of harnesses, connectors and clips.



- Harnesses can make turns around corners to meet the requirements of all Two-Way Panel connections
- Harnesses are equipped with Clips that attach to the edge of the Raceway and ground the Harness
- The 36" long Receptacle Harness is recommended for 18", 24" and 30" wide panels. For all other panels use the 66" long Harness



Four-Way Connector (EF)

- Routes power in four directions for distribution between two to four adjacent panels without connecting to outlets
- Enters the panel through an opening at the raceway level and routes power through to adjacent panel raceways. This item does not allow for power access
- Can be connected to any compatible Receptacle Harness (ES) or Panel Pass-Through Harness (EH/HER) Power comes in through one leg of the connector and is distributed to the remaining three legs of the connectors. Each connector is 8" long



Panel Pass-Through Harness (EH)

- Routes power at the raceway level through to adjacent panels but does not connect to outlets. This item is for use with panels which do not require worksurface-height power access
- Can be connected to any compatible Receptacle Harness (ES), to other Panel Pass-Through Harnesses (EH/HER), or Four-Way Connectors (EF). It cannot be connected to Duplex or Triplex Outlets, except for at the end of a panel run



- Is equipped with clips that attach to the edge of the raceway and ground the harness
- Must be specified at least 6" longer than the width of the panel into which it is being installed
- 36" length is recommended for 24" and 30" wide panels. All other panels should be outfitted with the 66" or 102" long harness

OR



Receptacle Harness (ES)

- Routes power to outlets in panel access areas and also carries power through the raceway to adjacent panels
- Can be connected to any compatible Duplex or Triplex Outlet (ED), Raceway Box (ERB) and any other Receptacle Harness (ES), Panel Pass-Through Harness (EH), or Four-Way Connector (EF)
- Equipped with clips that attach to the edge of the raceway and ground the harness
- 36" length is recommended for 18", 24" and 30" wide panels. All other panels should be outfitted with the 66" long harness



Also available:

Chicago Corner Ducts (CH)

- Enclose electrical cables in between corner panel connections
- Are designed to meet electrical requirements for inter-panel connections in Chicago
- Installed at the raceway height within all inter-panel connections where raceways exist



Two-Way 45°



Two-Way 60°



Two-Way 90°



Three-Way 180°



Four-Way 90°



Two-Way 180°



Straight Connection

No Raceway Jumper (EI)

- Designed for use in glass panels
- Allows power to pass through the access door section of the panel
- Should be specified so that the length and the product code corresponds to the width of the glass panel

power access basics

Power is accessed in the workstation through outlets inside of an access door, access cover, or through power boxes accessible on a Face Mounted Element.

❗ All outlet knockouts in the panel access rail are for triplex outlets, so all duplex outlets are equipped with an adapter plate

Surge Suppressor (EDS5)


- Is an isolated ground outlet which protects sensitive equipment against electrical power surges and provides access to power at worksurface height through the access door
- Is an outlet that offers protection against power surges of up to 6000 volts can be connected to any compatible Receptacle Harness (ES)
- Is installed as a standard Duplex Outlet in the receptacle rail and is equipped with a light that indicates when power is present

Outlet Knockout Cover (EDC)

Is an opening in the receptacle rail when an outlet or surge protector has been removed for reconfiguration purposes


Raceway Box (Dual Isolated) (ERB8K)

- Is for the 8K wiring system only
- For Raceway Boxes that do not handle the Isolated circuits, Circuits 5 and 6, the regular raceway boxes can be used for the 8K system



Raceway Box (ERB)

- Is available for single and double sided applications and provide face mounted access to power/communications at desk height and must be specified with face mounted power/communication elements (APC or APCS)
- May be used in combination with internal panel outlets. The Raceway Box is mountable at worksurface height on any panel width between 36"-60" (not 18", 24" and 30" wide Panels)
- Double-sided Raceway Box requires a Face Mounted Power/Communication Element (APC or APCS) on each side
- Includes two duplex outlets and one communication opening (1.850" x 2.875") on each side
- Duplex outlets can be assigned to specific circuits
- Can be installed on existing T/O/S Panels
- Cannot be used with 8N (8-wire separate neutral system). ERB8N Raceway Boxes must be used with 8N option
- Handles only Circuit 1 and/or 2 can be used with the 8K wiring option
- That also or exclusively handle the isolated circuits, Circuits 5 and 6, raceway box (Dual Isolated ERB8K) must be specified for use with the 8K wiring option



Triplex



Duplex

Outlets (ED)

- (Duplex and triplex) Provide access to power at worksurface height through the access door
- Are available for a variety of systems and connect to any compatible Receptacle Harness (ES)
- Cannot be used with 8N (8 wire separate neutral) system. ED8N outlets must be used with 8N wire option
- That handle only Circuit 1 and/or Circuit 2 can be used with the 8K wiring option. For outlets that also or exclusively handle the isolated circuits, Circuits 5 and 6, Outlets (Dual Isolated – ED8K) must be specified for use with the 8K wiring option


Outlets (Separate Neutral) (ED8N)

- (Duplex and triplex work with separate neutral systems) Provide access to power at worksurface height through the access door and can only be used with the 8N (separate neutral) wiring system
- Can connect to Receptacle Harness (ES) with 8N wiring option

Outlets (Dual Isolated) (ED8K)


- Provide access to power at worksurface height through the access door and can only be used with the 8K (Dual Isolated) wiring system
- Connect to Receptacle Harness (ES) with 8K wiring option
- That do not handle the isolated Circuits, Circuits 5 and 6, the regular outlets, ED, can be used for the 8K system

T/O/S offers adapters to provide access to communication outlets.




Voice & Data Module (VDM)

- Is an adapter which provides usable access to communication connectors at worksurface height through the access door
- Are installed in the communication duct opening in the Panel raceway and can accommodate a variety of connectors as indicated under Connector Compatibility options on the product page
- Power outlets cannot be mounted on VDMs
- A Voice & Data Adapter (VDA)
- Must be specified for situations where it is desirable to have the VDM hanging upside down (when communication cables enter from the top of the Panel)




Voice & Data Adapter (VDA)

- Provides an interface with the VDM when communications are being brought in from the top of the panel
- Allows the VDM to hang upside down



Voice & Data Faceplate Adapter (EVDF)

- Allows the installation of Modular Furniture Voice & Data Faceplates in Decora faceplate size cutouts
- Compatible with T/O/S Raceway Boxes (ERB)



M-Clip (TMC)

- Routes cabling and wiring within the access door to maximize the space available for routing
- Attaches to Panel horizontal rails behind upper elements and are provided with a standard panel to be used at 36" high – extras are only required for mounting at 51", 66" and 81" high

Finishes

These products are finished in Black


casual wire basics

T/O/S offers options for casual wire management.





- Is specified as single units and can be applied to one or both sides of the Bridge (TPD)
- Can be ordered as part of the Bridge assembly or as a separate product
- Distributes wires from a Panel, along the Bridge to other worksurfaces or tables
- Can be used to manage the power cords of computer and electrical equipment
- Width is specified as the same dimension as the corresponding Bridge width

Bridge Tray (TZB)





Retractable Power Center (EPC)



- Slides up through the worksurface to provide easy access to outlets concealed beneath the surface and retracts to allow use of entire worksurface
- Includes three electrical outlets and is equipped with a circuit breaker. The retractable feature allows concealment of the outlets
- Field-installed using the template provided with the product. When installing on Freestanding Modules Desks, take care to ensure that the location does not interfere with the wire troughs

Base Cable Clips (Lyft) (HBCC)



- Base cable clips attach to the rail of Lyft Thin Panels to support casual wire routing
- No tools are required for securing clips

The Universal Light is magnetically mounted along the underside of overhead storage and provides task lighting for the worksurface.

WHAT'S INCLUDED

1 light, 1 13 watt fluorescent tube (PL-S), 2 wire management clips.

NOTES


A built-in resettable breaker option is available for installation in Canada/U.S.A. only. The Universal Light must not extend beyond the face of the product it is being applied to.

When Ebony, Granite, Latte, Espresso or Bronze finish is specified for the Universal Light, the cord will be Black.

When Grey, Nevada, Storm White Platinum or Silver finish is specified, the cord will be Grey.

If country of Installation (Y) is selected, cord will come with a Wieland Connector at the end. A Power Input Cable (with plug) (VEPP) must be ordered separately.

T U Universal Light



PRODUCT OPTIONS

Style	Country of Installation	Finish
200 Standard Plug	A Canada/U.S.A.	Foundation
202 Built-In Resettable Breaker	G UK	7 Platinum (Mica)
	F Germany	K Silver (Mica)
	Y International	R Bronze (Mica)

SAMPLE ORDER CODE

TU 200	A	E
---------------	----------	----------

COUNTRY OF INSTALLATION

A
G, F, Y


PRICING

FOUNDATION

Standard Plug (200)	Built-In Resettable Breaker (202)
277	418
277	n/a

If Mica is specified, add 11

TYRT
Slim Profile Utility Light



The Slim Profile Utility Light is clip-mounted to the underside of the Overhead Cabinet (DSF), Shelf (DSO) and Hutch with Flipper Door (GHF). It provides moveable side-to-side task lighting for the worksurface.

WHAT'S INCLUDED
1 light, one fluorescent tube (T5), 2 wire management clips, 2 part/2 position bracket and cord.

NOTES
When applying the Utility Light to an Overhead Cabinet (DSF) or a Shelf (DSO) specify width one size smaller than the width of the Cabinet or Shelf, (e.g., 36" shelf specify an 24" Utility Light, 42" Cabinet, specify a 36" Utility Light.

PRODUCT OPTIONS

Width	Plug Option	Product Option	Country of Installation	Finish
24, 36, 48	0 Standard 2 Built-In Resettable Breaker	0 Light Only	A Canada/U.S.A.	Foundation Mica

SAMPLE ORDER CODE

TYRT 24	0	0	A	J
---------	---	---	---	---

DIMENSIONS

W
24 / 610
36 / 914
48 / 1219

PRICING

PLUG OPTION	
Standard Plug (0)	Built-In Resettable Breaker (2)
293	371
363	440
398	474


If Mica is specified, add 37

The Retractable Power Center slides up through the worksurface to provide easy access to outlets concealed beneath the surface. It retracts to allow use of entire worksurface.

WHAT'S INCLUDED

1 retractable power center, grommet, 72" power cord, wire management sleeve, template.

E P C
Retractable Power Center



PRODUCT OPTIONS

Country of Installation
A Canada/U.S.A.


SAMPLE ORDER CODE

EPC A

PRICING

196

B F K
Base Feed



The Base Feed is hard-wired to the building power supply. It is installed in the base opening of the panel and feeds power up into the panel raceway.

WHAT’S INCLUDED
1 base feed, 1 electrical conduit support plate, hardware.

NOTES
Not approved for use in New York City.
Cannot install on panels with baseboard element.

PRODUCT OPTIONS

Wire System	Length	Country of Installation
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	72	A Canada/U.S.A.

SAMPLE ORDER CODE

BFK 4B	72	A
--------	----	---

WIRE SYSTEM	PRICING
4B	313
5G	313
7G	318
8T	338
8N	387
8K	428

The Split Base Feed is hard-wired to the building power supply in two places. It is installed in the base opening of the panel and feeds power up into the panel raceway.

WHAT'S INCLUDED


1 split base feed, 1 electrical conduit support plate, 1 wiring junction box, hardware.

NOTES

Approved for use in NY York City.

Cannot install on panel with baseboard element.

B F K S Split Base Feed



PRODUCT OPTIONS


Wire System	Length	Country of Installation
4B 4-Wire	72	A Canada/U.S.A.
5D 5-Wire		
7G 7-Wire Isolated Ground		
8T 8-Wire Isolated Ground		
8N 8-Wire Separate Neutral		
8K 8-Wire Dual Isolated		

SAMPLE ORDER CODE

BFKS 5D	72	A
---------	----	---

WIRE SYSTEM	PRICING
4B	302
5D	348
7G	371
8T	387
8N	446
8K	491

B F K P
Plug-In Base Feed



The Plug-In Base Feed can be plugged into the building power supply. It is installed in the base opening of the panel and feeds power up into the panel raceway.

WHAT'S INCLUDED
1 plug-In base feed, one electrical conduit support plate, hardware.

NOTES
Not approved for U.S.A.
Cannot be installed on panel with baseboard.

PRODUCT OPTIONS

Wire System	Length	Country of Installation
4B 4-Wire	24, 72	A Canada/U.S.A.

SAMPLE ORDER CODE

BFKP 4B	24	A
---------	----	---


DIMENSIONS INCHES / MM	PRICING
L	
24 / 610	213
72 / 1829	276

The Power Pole (Complete) includes an electrical harness and a junction box and routes power or communications directly from the building supply in the ceiling to the raceway level of the panel.

WHAT'S INCLUDED

1 hollow aluminum power pole, electrical harness, junction box, ceiling plates, top trim enclosures, attachment hardware.

E P Power Pole (Complete)



PRODUCT OPTIONS

Wire System	Height	Country of Installation	Finish	Top Trim Style	Electrical Certification
4B 4-Wire	48, 72, 96	A Canada/U.S.A.	Foundation Mica	8 Metal Straight Profile	CSA Canada UL U.S.A.
5D 5-Wire				9 Flintwood	
7G 7-Wire Isolated Ground				6 Metal Square Profile	
8T 8-Wire Isolated Ground					
8N 8-Wire Separate Neutral					
8K 8-Wire Dual Isolated					

SAMPLE ORDER CODE

EP 7G	72	A	E	9	UL
--------------	-----------	----------	----------	----------	-----------

DIMENSIONS INCHES / MM

H
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438

PRICING

4-WIRE (4B)

244
269
284

5-WIRE (5D)

274
339
354

7-WIRE ISOLATED GROUND (7G)

302
352
369

8-WIRE ISOLATED GROUND (8T)

302
352
369

8-WIRE SEPARATE NEUTRAL (8N)

351
369
423

8-WIRE DUAL ISOLATED (8K)

384
404
464

If Mica is specified, add 23

E P E
Power Pole (Empty)

The Power Pole (Empty) does not include electrical harnesses or a junction box but provides a safe enclosure with which to route power or communications from the ceiling to the top of the panel.

WHAT'S INCLUDED
1 hollow aluminum power pole, ceiling plates, top trim enclosures, attachment hardware.



PRODUCT OPTIONS

Height	Finish	Top Trim Style
48, 72, 96	Foundation Mica	6 Metal Square Profile 8 Metal Straight Profile 9 Flintwood

SAMPLE ORDER CODE

EPE 48	N	8
--------	---	---

DIMENSIONS
INCHES / MM

H
48 / 1219
72 / 1829
96 / 2438

PRICING

Foundation	Mica
122	144
164	186
179	200

The Pole Divider enables the separation of electrical harnesses and communication cables within a Power Pole.

WHAT'S INCLUDED

1 pole divider.

EPD
Pole Divider



PRODUCT OPTIONS

Height
48, 72, 96


SAMPLE ORDER CODE

EPD 72

DIMENSIONS INCHES / MM	PRICING
H	
48 / 1219	30
72 / 1829	56
96 / 2438	74

EPH

Lay-In Pole (Complete)



The Lay-In Pole (Complete) includes a electrical harness and junction box. It is used with an add-on module lay in, and provides an enclosure larger than the Power Pole (EP) for routing power and communications directly from the ceiling through the top of the panel and down to the raceway.

WHAT'S INCLUDED

1 divided, hollow aluminum lay-in pole, electrical harness, junction box, ceiling plates, top trim enclosures, attachment hardware.

PRODUCT OPTIONS

Wire System	Height	Country of Installation	Finish	Top Trim Style	Certification
4B 4-Wire	48, 72, 96	A Canada/U.S.A.	Foundation Mica	6 Metal Square Profile	CSA Canada UL U.S.A.
5D 5-Wire				8 Metal Straight Profile	
7G 7-Wire Isolated Ground				9 Flintwood	
8T 8-Wire Isolated Ground					
8N 8-Wire Separate Neutral					
8K 8-Wire Dual Isolated					

SAMPLE ORDER CODE

EPH 5D	72	A	E	9	CSA
---------------	-----------	----------	----------	----------	------------

DIMENSIONS INCHES / MM

H
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438

PRICING

4-WIRE (4B)

397
422
435

5-WIRE (5D)

427
490
506

7-WIRE ISOLATED GROUND (7G)

458
504
521

8-WIRE ISOLATED GROUND (8T)

458
504
521

8-WIRE SEPARATE NEUTRAL (8N)

526
581
597

8-WIRE DUAL ISOLATED (8K)

580
639
659

If Mica is specified, add 23

The Lay-In Pole (Empty) does not include electrical harnesses or a junction box. It provides an enclosure larger than the Power Pole (Empty) (EPE) to route power or communications from the ceiling to the top of the panel.

WHAT'S INCLUDED

1 high-capacity, divided, hollow aluminum lay-in pole, ceiling plates, top trim enclosures, attachment hardware.

EPHE Lay-In Pole (Empty)



PRODUCT OPTIONS

Height	Finish	Top Trim Style
48, 72, 96	Foundation Mica	6 Metal Square Profile 8 Metal Straight Profile 9 Flintwood

SAMPLE ORDER CODE

EPHE 72	N	9
---------	---	---

DIMENSIONS INCHES / MM

H
48 / 1219
72 / 1829
96 / 2438

PRICING

196
240
328

If Mica is specified, add 23


EPB

Power Pole Harness (Includes Junction Box)

The Power Pole Harness and junction box kit is designed for use with Power Poles (Empty) and Lay-In Poles (Empty).

WHAT'S INCLUDED

1 power pole harness, 1 junction box, hardware.



PRODUCT OPTIONS

Wire System	Length	Country of Installation	Certification
4B 4-Wire	111, 135	A Canada/U.S.A.	CSA Canada
5D 5-Wire			UL U.S.A.
7G 7-Wire Isolated Ground			
8T 8-Wire Isolated Ground			
8N 8-Wire Separate Neutral			
8K 8-Wire Dual Isolated			

SAMPLE ORDER CODE

EPB 8K	111	A	CSA
--------	-----	---	-----

DIMENSIONS INCHES / MM

L
111
135
111
135
111
135
111
135
111
135
111
135

PRICING

4-WIRE (4B)
251
299
5-WIRE (5D)
313
375
7-WIRE ISOLATED GROUND (7G)
327
392
8-WIRE ISOLATED GROUND (8T)
353
423
8-WIRE SEPARATE NEUTRAL (8N)
405
487
8-WIRE DUAL ISOLATED (8K)
445
534


The Receptacle Harness routes power to outlets in panel access areas and also carries power through the raceway to adjacent panels.

WHAT'S INCLUDED

1 receptacle harness, grounding clips.

ES

Receptacle Harness



PRODUCT OPTIONS

Wire System	Length	Country of Installation
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	36, 66	A Canada/U.S.A.

SAMPLE ORDER CODE


ES 8T	36	A
--------------	-----------	----------

DIMENSIONS INCHES / MM

L	PRICING
36 / 914	4-WIRE (4B)
66 / 1676	121
	121
36 / 914	5-WIRE (5D)
66 / 1676	135
	135
36 / 914	7-WIRE ISOLATED GROUND (7G)
66 / 1676	151
	151
36 / 914	8-WIRE ISOLATED GROUND (8T)
66 / 1676	169
	169
36 / 914	8-WIRE SEPARATE NEUTRAL (8N)
66 / 1676	193
	193
36 / 914	8-WIRE DUAL ISOLATED (8K)
66 / 1676	212
	212

E H

Panel Pass-Through Harness



The Panel Pass-Through Harness routes power at the raceway level through to adjacent panels but does not connect to outlets. This item is for use with panels which do not require worksurface-height power access.

WHAT'S INCLUDED

1 panel pass-through harness, grounding clips.

NOTES

Specify at least 6" longer than panel width.

PRODUCT OPTIONS

Wire System	Length	Country of Installation
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	36, 66, 102	A Canada/U.S.A.

SAMPLE ORDER CODE

EH 7G	66	A
--------------	-----------	----------

DIMENSIONS INCHES / MM

L
36 / 914
66 / 1676
102 / 2591
36 / 914
66 / 1676
102 / 2591
36 / 914
66 / 1676
102 / 2591
36 / 914
66 / 1676
102 / 2591
36 / 914
66 / 1676
102 / 2591
36 / 914
66 / 1676
102 / 2591

PRICING


4-WIRE (4B)
59
62
65
5-WIRE (5D)
68
70
80
7-WIRE ISOLATED GROUND (7G)
79
82
91
8-WIRE ISOLATED GROUND (8T)
89
92
113
8-WIRE SEPARATE NEUTRAL (8N)
103
105
129
8-WIRE DUAL ISOLATED (8K)
113
117
144

The Four-Way Connector routes power in four directions for distribution between two to four adjacent panels without connecting to outlets.

WHAT'S INCLUDED

1 four-way connector.

EF
Four-Way Connector



PRODUCT OPTIONS

Wire System	Country of Installation
4B 4-Wire	A Canada/U.S.A.
5D 5-Wire	
7G 7-Wire Isolated Ground	
8T 8-Wire Isolated Ground	
8N 8-Wire Separate Neutral	
8K 8-Wire Dual Isolated	

SAMPLE ORDER CODE

EF 8T	A
-------	---


WIRE SYSTEM	PRICING
4B	84
5D	84
7G	113
8T	113
8N	129
8K	144

E I**No Raceway Jumper**

The No Raceway Jumper is designed for use in Glass Panels. It allows power to pass through the access door section of the panel.

WHAT'S INCLUDED

1 no raceway jumper.

**PRODUCT OPTIONS**

Wire System	Length	Country of Installation
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	24, 30, 36, 42, 48, 60	A Canada/U.S.A.

SAMPLE ORDER CODE

EI 7G	48	A
--------------	-----------	----------

**DIMENSIONS
INCHES / MM**

L
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524

PRICING**4-WIRE (4B)**

100
100
104
109
113
121

5-WIRE (5D)

143
148
152
155
159
170

7-WIRE ISOLATED GROUND (7G)

168
172
176
182
185
194

**DIMENSIONS
INCHES / MM**

L
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
60 / 1524

PRICING**8-WIRE ISOLATED GROUND (8T)**

215
223
229
235
240
254

8-WIRE SEPARATE NEUTRAL (8N)

247
256
261
269
276
292


8-WIRE DUAL ISOLATED (8K)

272
284
288
296
302
321

The M-Clip routes cabling and wiring within the access door to maximize the space available for routing.

WHAT'S INCLUDED
6 clips.

T M C
M-Clip




PRICING

6 / six clips

ED

Outlets



Outlets (Duplex and Triplex) provide access to power at worksurface height through the access door.

WHAT’S INCLUDED

Duplex Outlet: 1 Duplex Outlet, 1 adapter plate.

Triplex Outlet: 1 Triplex Outlet.

NOTES

Not for use with 8N Wire System.

This item is White.

PRODUCT OPTIONS

Outlet Configuration				Country of Installation
11	Duplex Outlet, Circuit 1 (For use with 4B, 5D, 7G, 8T or 8K)	333	Triplex Outlet, Circuit 3 (For use with 5D or 8T)	A Canada/U.S.A.
22	Duplex Outlet, Circuit 2 (For use with 4B, 5D, 7G, 8T or 8K)	123	Triplex Outlet, Circuits 1, 2 & 3 (For use with 5D or 8T)	
33	Duplex Outlet, Circuit 3 (For use with 5D or 8T)	125	Triplex Outlet, Circuits 1, 2 & 5 (For use with 7G or 8T)	
55	Duplex Outlet, Circuit 5 (For use with 7G or 8T)	135	Triplex Outlet, Circuits 1, 3 & 5 (For use with 8T)	
111	Triplex Outlet, Circuit 1 (For use with 4B, 5D, 7G, 8T or 8K)	555	Triplex Outlet, Circuit 5 (For use with 7G or 8T)	
222	Triplex Outlet, Circuit 2 (For use with 4B, 5D, 7G, 8T or 8K)			

SAMPLE ORDER CODE

ED 55	A
-------	---

OUTLET CONFIGURATION	PRICING
11	56
22	56
33	56
55	56
111	62
123	62
125	62
135	62
222	62
333	62
555	62

Outlets (Duplex and Triplex work with Separate Neutral Systems) provide access to power at worksurface height through the access door. It can only be used with the 8N (Separate Neutral) wiring system.

WHAT'S INCLUDED

Duplex Outlet: 1 Duplex Outlet, 1 adapter plate.


Triplex Outlet: 1 Triplex Outlet.

NOTES

This item is White.

ED 8 N

Outlets (Separate Neutral)



PRODUCT OPTIONS

Outlet Configuration			Country of Installation
11	Duplex Outlet, Circuit 1	125	A Canada/U.S.A.
22	Duplex Outlet, Circuit 2	555	
55	Duplex Outlet, Circuit 5		
111	Triplex Outlet, Circuit 1		
222	Triplex Outlet, Circuit 2		

SAMPLE ORDER CODE

ED8N 55	A
----------------	----------


OUTLET CONFIGURATION

PRICING

11	62
22	62
55	62
111	70
125	70
222	70
555	70

ED 8 K

Outlets (Dual Isolated)



Outlets (Dual Isolated) provide access to power at worksurface height through the access door. It can only be used with the 8K (Dual Isolated) wiring system.

WHAT’S INCLUDED

Duplex Outlet: 1 Duplex Outlet, 1 adapter plate.

Triplex Outlet: 1 Triplex Outlet.

NOTES

This item is White.

PRODUCT OPTIONS

Outlet Configuration				Country of Installation
55	Duplex Outlet, Circuit 5	125	Triplex Outlet, Circuits 1, 2 & 5	A Canada/U.S.A.
56	Duplex Outlet, Circuits 5 & 6	126	Triplex Outlet, Circuits 1, 2 & 6	
66	Duplex Outlet, Circuit 6	156	Triplex Outlet, Circuits 1, 5 & 6	
555	Triplex Outlet, Circuit 5	256	Triplex Outlet, Circuits 2, 5 & 6	
666	Triplex Outlet, Circuit 6			

SAMPLE ORDER CODE

ED8K 55	A
---------	---


OUTLET CONFIGURATION	PRICING
55	68
56	68
66	68
125	80
126	80
156	80
256	80
555	80
666	80

The Surge Suppressor is an isolated ground outlet which protects sensitive equipment against electrical power surges. It provides access to power at worksurface height through the access door.

WHAT'S INCLUDED

1 surge suppressor, hardware.

EDS5 Surge Suppressor

**PRODUCT OPTIONS****Country of Installation**

A Canada/U.S.A.

SAMPLE ORDER CODE

EDS5 A

PRICING

293

E D C

Outlet Knockout Cover


The Outlet Knockout Cover covers an outlet opening in the receptacle rail when an outlet has been removed for reconfiguration purposes.

WHAT’S INCLUDED

1 outlet knockout cover, attachment hardware.

NOTES

This item is Black.



PRICING

9

Raceway Boxes are available for single- and double-sided applications. They provide face mounted access to power/communications at desk height and must be specified with Face-Mounted Power/Communication Elements (APC or APCS).

WHAT'S INCLUDED

1 raceway box (single- or double-sided), electrical harness, outlets, mounting hardware, two VDM cover plates.

NOTES


Not for use with 8N wire system.

Must specify Power/Communication Element.

Cannot be used with panels less than 36" wide.

This item is Black.

ERB Raceway Box



PRODUCT OPTIONS

Application	Outlet Configuration						Country of Installation
S Single-Sided	12	Circuits 1 & 2	22	Circuits 2 & 2	3535	Circuits 3 & 5 (Both sides)	A Canada/U.S.A.
D Double-Sided	13	Circuits 1 & 3	33	Circuits 3 & 3	1525	Circuits 1 & 5, 2 & 5	
	15	Circuits 1 & 5	55	Circuits 5 & 5	1535	Circuits 1 & 5, 3 & 5	
	23	Circuits 2 & 3	1212	Circuits 1 & 2 (Both sides)	2535	Circuits 2 & 5, 3 & 5	
	25	Circuits 2 & 5	1313	Circuits 1 & 3 (Both sides)	1515	Circuits 1 & 5 (Both sides)	
	35	Circuits 3 & 5	2323	Circuits 2 & 3 (Both sides)			
	11	Circuits 1 & 1	2525	Circuits 2 & 5 (Both sides)			

SAMPLE ORDER CODE

ERB D	1525	A
--------------	-------------	----------

OUTLET CONFIGURATION

PRICING

SINGLE-SIDED (S)


11	263
12	263
13	263
15	263
22	263
23	263
25	263
33	263
35	263
55	263

DOUBLE-SIDED (D)

1212	338
1313	338
1515	338
1525	338
1535	338
2323	338
2525	338
2535	338
3535	338

ERB8N

Raceway Box (Separate Neutral)



Raceway Boxes are available for single- and double-sided applications. They provide face mounted access to power/communications at desk height and must be specified with Face-Mounted Power/Communication Elements (APC or APCs).

WHAT'S INCLUDED

1 raceway box (single- or double-sided), electrical harness, outlets, mounting hardware, 2 VDM cover plates.

NOTES

For use with 8N wire system.

Must specify Power/Communication Element.

Cannot be used with panels less than 36" wide.

This item is Black.

PRODUCT OPTIONS

Application	Outlet Configuration		Country of Installation
S Single-Sided	11 Circuits 1 & 1	55 Circuits 5 & 5	A Canada/U.S.A.
D Double-Sided	12 Circuits 1 & 2	1212 Circuits 1 & 2 (Both sides)	
	15 Circuits 1 & 5	1515 Circuits 1 & 5 (Both sides)	
	22 Circuits 2 & 2	2525 Circuits 2 & 5 (Both sides)	
	25 Circuits 2 & 5	1525 Circuits 1 & 5, 2 & 5 (Both sides)	

SAMPLE ORDER CODE

ERB8N D	1525	A
----------------	-------------	----------

OUTLET CONFIGURATION

11
12
15
22
25
55
1212
1515
1525
2525

PRICING

SINGLE-SIDED (S)

301
301
301
301
301
301

DOUBLE-SIDED (D)

387
387
387
387

Raceway Boxes are available for single- and double-sided applications. They provide face mounted access to power/communications at desk height and must be specified with Face-Mounted Power/Communication Elements (APC or APCS).

WHAT'S INCLUDED

1 raceway box (single- or double-sided), electrical harness, outlets, mounting hardware, 2 VDM cover plates.

NOTES


For use with 8K wire system.

Must specify Power/Communication Element.

Cannot be used with panels less than 36" wide.

This item is Black.

ERB8K Raceway Box (Dual Isolated)



PRODUCT OPTIONS

Application	Outlet Configuration				Country of Installation
S Single-Sided	15 Circuits 1 & 5	66 Circuits 6 & 6	1626 Circuits 1 & 6, 2 & 6 (Both sides)		A Canada/U.S.A.
D Double-Sided	16 Circuits 1 & 6	1515 Circuits 1 & 5 (Both sides)	1526 Circuits 1 & 5, 2 & 6 (Both sides)		
	25 Circuits 2 & 5	1616 Circuits 1 & 6 (Both sides)			
	26 Circuits 2 & 6	2525 Circuits 2 & 5 (Both sides)			
	55 Circuits 5 & 5	2626 Circuits 2 & 6 (Both sides)			
	56 Circuits 5 & 6	1525 Circuits 1 & 5, 2 & 5 (Both sides)			

SAMPLE ORDER CODE

ERB8K D	1525	A
----------------	-------------	----------

OUTLET CONFIGURATION

PRICING

SINGLE-SIDED (S)

15	332
16	332
25	332
26	332
55	332
56	332
66	332

DOUBLE-SIDED (D)


1515	428
1525	428
1526	428
1616	428
1626	428
2525	428
2626	428

V D M
Voice & Data Module

The Voice & Data Module is an adapter which provides usable access to communication connectors at worksurface height through the Access Door.

WHAT'S INCLUDED
1 voice and data module.

NOTES
Custom configurations are available. Please consult Teknion Customer Service.
This product is Black.



PRODUCT OPTIONS

Connector Compatibility	
2100	AMP Flexmode, Panduit Minicom, Siemon CT Series with adapter, Northern Telecom MDVO with adapter, Hubbell Series with adapter
2150	Hubbell 106 Series, Leviton Infotap + 106 Duplex, AT&T 106 Series mounting frames
2200	AMP/ACO Flexmode
300	AMP/ACO Flexmode (Vertical position)

SAMPLE ORDER CODE

VDM 300


CONNECTOR COMPATIBILITY	PRICING
2100	9
2150	25
2200	24
300	28

The Voice & Data Adapter provides an interface with the VDM when communications are being brought in from the top of the panel.

WHAT'S INCLUDED

1 voice and data adapter, mounting hardware.


V D A
Voice & Data Adapter



PRICING

9

E V D F
Voice & Data Faceplate Adapter



The Voice & Data Faceplate Adapter allows the installation of modular furniture voice and data faceplates in decora faceplate sized cut-outs.

WHAT’S INCLUDED
1 modular furniture faceplate adapter.

NOTES
For use with T/O/S raceway boxes and power/communication elements.
This product is Black.


PRICING

6

Chicago Corner Ducts enclose electrical cables in between corner panel connections.

WHAT'S INCLUDED
1 chicago corner duct, hardware.

CH
Chicago Corner Ducts



PRODUCT OPTIONS


Panel Connection			
45	Two-Way 45°	4	Four-Way 90°
60	Two-Way 60°	G	Two-Way 180°
90	Two-Way 90°	S	Straight Connection
180	Three-Way 180°		

SAMPLE ORDER CODE

CH 180

PANEL CONNECTION	PRICING
45	62
60	62
90	62
180	89
4	111
G	69
S	47

T Z B
Bridge Tray



The Bridge Tray is intended to manage data and communications wires from the panel to semi-suspended worksurfaces or freestanding tables along the Bridge.

WHAT'S INCLUDED
1 bridge tray.

NOTE
The actual width of the Bridge tray is 4" less than the width of the Bridge.
This item is Black.

PRODUCT OPTIONS

Width (Select width according to Bridge width, or shorter)
72, 78, 84, 90, 96

SAMPLE ORDER CODE

TZB 72

DIMENSIONS INCHES / MM	PRICING
W	
72 / 1829	47
78 / 1981	49
84 / 2134	50
90 / 2286	53
96 / 2438	56


Base Cable Clips attach to the base rail of Lyft Thin Panels to support casual wire routing.

WHAT'S INCLUDED

4 clips.

H B C C

Base Cable Clips (Lyft)



PRICING

38 / four clips

international
lighting, electrics &
communications

international lighting, electrics & communications


PRODUCT MAP 361

INTERNATIONAL ELECTRICS BASICS 363

PRODUCT LISTING 364

V E D Outlet Box

Page 364




V C C Interconnecting Power Cable

Page 365
Length: 1 – 3 meters




V E P Input Power Cable

Page 366
Length: 1 – 3 meters




V V D Voice & Data Box

Page 367




V D O Voice & Data Outlets

Page 368




V A C Electric Accessories

Page 369



V M B P T/O/S / Transit Outlet Box Panel Mount Brackets


Page 370




A variety of components are available for adding electrics to workstations that will be used outside of North America.

⚠ All outlets are rated for a maximum of 16 amps (240 Volts). For alternative requirements, please contact Customer Service for details and pricing. Local authority approval must be obtained prior to energizing outlet box

Electric Accessories (VAC)



Cover Cap (VACEC) is a safety cover for an unutilized female terminal on an Outlet Box (VED) or Distribution Block (VACEB)




Distribution Block (VACEB)

- Redirects power distribution
- One male connector directs power in and three female connectors direct power out


Outlet Box (VED)

- Provides access to power at worksurface height. Panel-mounted outlet boxes are accessible through the access door
- Outlet boxes connect to any compatible power cable and are available in a variety of countries
- All outlets have a socket angle of 15°
- An earth lead is included with every outlet box. Some jurisdictions require the earth lead to be connected to a Panel
- Some jurisdictions require fuse and switch
- Desk-Mounted clips may be purchased separately from Electric Accessories to desk-mount the Outlet Box (VACB6)
- For application onto the T/O/S panel, mounting brackets 'P' (Panel mount for T/O/S or Transit) must be selected

Also Available:




Voice and Data Box (VVD)



Voice and Data Outlet (VDO)


Outlet Type	Country of Installation
	Australia
	Germany
	U.K.



Desk-Mounting Clips For Outlet Box (VACB6)


Input Power Cable (VEP)

- Brings power from the building to the Panel and is installed in the base opening of the Panel and feeds power up to the Panel raceway
- Can be connected to any compatible Outlet Box (VED) or Interconnecting Power Cable (VCC)
- Accepts one circuit per cable



Interconnecting Power Cable (VCC)


- Routes power between Outlet Boxes in Panel access areas and also carries power through the adjacent Panel
- Can be connected to any Compatible Outlet Box (VED) or Input Power Cable (VEP)
- Accepts one circuit per cable



Finishes

Outlet Box is finished in Black

VED Outlet Box



The Outlet Box provides access to power at worksurface height. Outlet boxes can be mounted onto a Panel (accessible through an Access Door or an Element), or mounted to the edge of a desk or table.

WHAT'S INCLUDED

1 outlet box.

NOTES

Socket Angles will always be 15°.

When Panel Mount for T/O/S for Transit (P) is selected, the Outlet Box will mount to the inside of the raceway. Access door will need to open to access power.

If desk-mounted option is desired, Desk-Mounting Clip (VACB6) (Electric Accessories VAC_) must be purchased separately.

UPS option is only available with UK Outlets (G).

PRODUCT OPTIONS

Number of Outlets	Power Type	Fuse & Switch	Mounting Bracket	Country of Installation
2 2 Outlets	S Standard	N No Fuse & Switch	N None	F Germany
4 4 Outlets	U UPS	M Master Fuse & Master Switch	P Panel Mount for T/O/S or Transit	G U.K./Ireland
		S Individual Fuse & Individual Switch	E Panel Mount for Leverage	I Australia & Argentina

SAMPLE ORDER CODE

VED 2	S	M	E	F
-------	---	---	---	---

NUMBER OF OUTLETS

PRICING


	No Fuse & Switch (N)	Master Fuse & Master Switch (M)	Individual Fuse & Individual Switch (S)
WITH PANEL MOUNTS (P, E)			
2	118	166	204
4	191	252	300
WITHOUT PANEL MOUNT (N)			
2	85	133	170
4	158	218	268

The Interconnecting Power Cable routes power between Outlet Boxes in panel access areas and also carries power through the adjacent panel.

WHAT'S INCLUDED

1 interconnecting power cable.

V C C Interconnecting Power Cable



PRODUCT OPTIONS

Length	Power Type
10 1 Meter	S Standard
20 2 Meters	U UPS
30 3 Meters	

SAMPLE ORDER CODE

VCC 10	U
---------------	----------


DIMENSIONS

L
10
20
30

PRICING

58
68
83

VEP
Input Power Cable



The Input Power Cable brings power from the building to the panel. It can be installed in the base opening of the panel to feed power up to the panel raceway or worksurface level. It can also be brought down from the ceiling to the workstation via a power plate.

WHAT'S INCLUDED

1 input power cable with strain relief.

NOTES

Country of Installation required when Plug option is chosen.

PRODUCT OPTIONS

Length	Plug Type	Power Type	Country of Installation
10 1 Meter	H Hard Wired	S Standard	F Germany
20 2 Meters	P Plug	U UPS	G U.K./Ireland
30 3 Meters			I Australia

SAMPLE ORDER CODE

VEP 10	P	S	G
--------	---	---	---

DIMENSIONS

L
10
20
30

PRICING

Hard Wired (H)	Plug (P)
63	93
87	118
99	129

The Voice & Data Box is designed to bring access to communications and data to the user.


WHAT'S INCLUDED

1 voice and data box, with blank or shutter faces (as specified).


WHAT'S EXCLUDED

Voice & Data Outlets (VDO) with drop leads must be ordered separately. Mounting Brackets (VMBP) for T/O/S or Transit must be ordered separately.

VVD Voice & Data Box



Four Shutters



Four Blank Fascias

PRODUCT OPTIONS

Configuration	Shutter (If Applicable)
BBBB Blank Fascias	K Keystone
SSSS 4 Shutters	A AT&T
	N Nordx


SAMPLE ORDER CODE

VVD BBBB	K
----------	---

CONFIGURATION	PRICING
BBBB	54
SSSS	67

V D O

Voice & Data Outlets



The Voice & Data Outlets are inserted into the Voice & Data Box (VVD).

WHAT’S INCLUDED

1 Voice or Data outlet , with appropriate length drop lead (if specified).

WHAT’S EXCLUDED

Voice and Data Boxes (VVD) must be ordered separately.

NOTES

One must remove the blank facades in the boxes to allow placement of these items.

Drop Lead may be specified according to the size required.

PRODUCT OPTIONS

Outlet Type	Voice Outlet (Applies to Voice Outlet only)	Data Outlet	Drop Lead
V Voice D Data	01 RJ11	05 RJ45 Cat 5e Unshielded	N None 2 2 meters 3 3 meters 8 8 meters

SAMPLE ORDER CODE

VDO D	01	05	3
--------------	-----------	-----------	----------

OUTLET TYPE	PRICING			
	None	2 Meters	3 Meters	8 Meters
V	56	64	67	97
D	56	110	114	158

The Distribution Block redirects power distribution. The Cover Cap is a safety cover for Outlet Boxes and Distribution Blocks. The Desk-Mounting Clips attach an Outlet Box to a desk or worksurface.

WHAT'S INCLUDED


1 distribution block or 1 Cover Cap or 1 pair of Desk-Mounting Clips for Outlet Box.

WHAT'S EXCLUDED

Outlet Box and all Interconnecting and Power Input Cables must be ordered separately.

NOTES


The Distribution Block has one male connector that directs power in and three female connectors that direct power out.



Desk-Mounted
Clips for Outlet
Box



Cover Cap



Distribution
Block

V A C

Electric Accessories

PRODUCT OPTIONS


Accessory Type		Power Option (For Distribution Block)	
EC	Cover Cap	S	Standard
B6	Desk-Mounted Clips for Outlet Box	U	UPS
EB	Distribution Block		

SAMPLE ORDER CODE

VAC EB	S
--------	---

ACCESSORY TYPE	PRICING
EC	11
B6	53
EB	95

V M B P
T/O/S / Transit Outlet Box Panel
Mount Brackets



PRICING

Mounting Brackets attach to the Outlet Box (VED) or the Voice & Data Box (VVD) to the panel.

WHAT'S INCLUDED
1 pair brackets (as specified).

WHAT'S EXCLUDED
Outlet Box (VED) or Voice & Data Box (VVD) must be specified separately.

NOTES
Panel-mounted brackets for T/O/S and Transit mount the Outlet Box (VED) to the inside of the raceway. Access Door will need to open in order to access power.

TEKNION CORPORATION

IN CANADA:

1150 FLINT ROAD
TORONTO, ONTARIO
M3J 2J5 CANADA
TEL 866.TEKNION
866.835.6466
FAX 416.661.4586

IN THE USA:

350 FELLOWSHIP ROAD
MT LAUREL, NEW JERSEY
08054 USA
TEL 877.TEKNION
877.835.6466
FAX 856.552.5088

OTHER OFFICES LOCATED IN:

EUROPE
SOUTH AND CENTRAL AMERICA
MIDDLE EAST
ASIA
RUSSIA
FOR REGIONAL CONTACT
INFORMATION GO TO
www.teknion.com

TEKNION EMBRACES CHANGE AND ITS INNATE POSSIBILITIES. OUR CULTURE IS ONE OF INNOVATION. IN THAT SPIRIT, WE HAVE STEPPED FORWARD TO INTEGRATE SUSTAINABLE PRINCIPLES AND PRACTICES INTO THE DESIGN, MANUFACTURING AND MARKETING OF OUR PRODUCTS.

TEKNION PRODUCTS PERFORM INDEPENDENTLY AND IN CONCERT, COMBINING IN VIRTUALLY UNLIMITED CONFIGURATIONS. OUR PHILOSOPHY EMBRACES DESIGN AS ONE OF THE BEST TOOLS WE HAVE FOR REALIZING THE BENEFITS OF BUSINESS, WHILE ALSO STRIVING TO REACH SUSTAINABLE GOALS.

WE HAVE LEARNED FROM DESIGN THAT CHANGING A SINGLE DETAIL ALTERS THE WHOLE. EVERY INCH MAKES A DIFFERENCE. EVERY LEAP IS THE SUM OF MANY SMALL STEPS.

TEKNION CREATES FURNITURE THAT CONNECTS PEOPLE, TECHNOLOGY AND SPACES; INTEGRATED DESIGN WITH NEW POSSIBILITIES FOR A HEALTHY, PRODUCTIVE WORLD TOMORROW AND THE DAY AFTER.