

### WHOLEGOODS PRICE LIST EFFECTIVE JULY 1, 2015

Please replace all pages of this section of the current price book. These pages are a complete revision of this section. All prices are effective as of July 1, 2015.

#### 2016 MISSISSIPPI GROUNDS MAINTENANCE EQUIPMENT PROPOSAL

Kubota "BX Series" (BX1870, BX2370, BX2670 & BX25D)  
Loaders, Implements & Attachments = 8.0% discount from indicated SLP \$

**This page intentionally left blank.**

## BX1870-1

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # D722E3BX2  
3 Cyl., 43.9 cu. in.  
+ 18 Gross Eng. HP  
+ 13.7 PTO HP  
@ 3200 Eng. rpm  
12V 435 CCA Battery  
Charging Output 40 amps

#### HYDRAULICS

Open Center — Gear Type  
6.3 gpm Pump Output  
Cat I 3-point Hitch  
At Lift Point 992 lbs.  
24" Behind 670 lbs.

Quarter Inching

#### FRONT AXLE

Hydrostatic Power Steering  
Cast Iron  
Bevel Gear 4WD  
Tread Spacing Non-adjustable

#### DRIVE TRAIN

Hydrostatic Drive  
Forward Speeds —  
Lo Range 0 – 3.7 mph  
Hi Range 0 – 7.8 mph  
Reverse Speeds —  
Lo Range 0 – 2.8 mph  
Hi Range 0 – 5.9 mph  
Rear Differential Lock Std.

#### FLUID CAPACITY

Fuel Tank 6.6 gal.  
Cooling System 2.6 qts.  
Crankcase 3.06 qts.  
Transmission and 3.1 gal.  
Hydraulics

#### TIRES AND WHEELS

Front 16 x 7.50 - 8  
Rear 24 x 12.00 - 12

#### POWER TAKE OFF

Rear PTO – 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 3200 Eng. Rpm  
Mid PTO – 1 Speed  
2500 rpm @ 3200 Eng. Rpm  
Independent PTO

#### FEATURES/INSTRUMENTS

Analog Tachometer/Digital Hour Meter  
Fuel Gauge  
Charge/Oil Pressure  
Engine Coolant Temperature

#### SAFETY EQUIPMENT

New "Max-fold" Two Post Foldable ROPS  
Retractable Seat Belt  
Safety Start Switches  
Parking Brakes  
Electric Key Shut-Off  
Flip up PTO Shield  
Wet Disc Brakes  
SMV Sign

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
<b>BX1870-1</b>	<b>4WD Tractor</b> With Foldable ROPS (must order tires separately)	1563	\$9,683.00
<b>BX1870V-1</b>	<b>4WD Tractor</b> With Foldable ROPS and Loader Valve (must order tires separately)	1756	\$10,339.00
<b>BX1870TV48P-1</b>	<b>4WD Tractor</b> with Foldable ROPS, Loader Valve, Turf Tires and RCK48P18BX Mower Deck	1928	\$12,208.00
<b>BX1870T54-1</b>	<b>4WD Tractor</b> with Foldable ROPS, Turf Tires, and RCK54-23BX Mower Deck	1874	\$11,687.00
<b>BX1870TV54-1</b>	<b>4WD Tractor</b> with Foldable ROPS, Loader Valve, Turf Tires, and RCK54-23BX Mower Deck	1949	\$12,343.00

BX1870			
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ABXR8781	F-TIRE 16x7.5-8 R3 TF Steel Bias BB	14	\$41.00
ABXR8782	R-TIRE 24x12-12 R3 TF Steel Bias BB	39	\$103.00
ABXR8783	F-TIRE 16x7.5-8 Steel Bias BB	17	\$45.00
ABXR8784	R-TIRE 24x12-12 Steel Bias BB	45	\$113.00

## BX2370-1

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # D902E3BX2  
3 Cyl., 54.8 cu. in.  
+ 23 Gross Eng. HP  
+ 17.7 PTO HP  
@ 3200 eng. Rpm  
12 v 535CCA Battery  
Charging Output 40 amps

#### HYDRAULICS

Open Center – Gear Type  
6.3 gpm Pump Output  
Cat I 3-Point Hitch  
At lift point 992 lbs.  
24" Behind 670 lbs.  
Quarter Inching Valve

#### FRONT AXLE

Bevel Gear, 4WD  
Hydrostatic Power Steering  
Cast Iron - Heavy Duty  
Tread Spacing, Nonadjustable

#### TRANSMISSION

Hydrostatic Drive  
Forward Speeds  
Lo Range 0 – 3.7 mph  
Hi Range 0 – 8.4 mph  
Reverse Speeds  
Lo Range 0 – 2.8 mph  
Hi Range 0 – 6.5 mph  
Rear Differential Lock

#### FLUID CAPACITY

Fuel Tank 6.6 gal.  
Cooling System 2.8 qts.  
Crankcase 3.3 qts.  
Transmission and 3.1 gal.  
Hydraulics

#### TIRES AND WHEELS

Front 18 x 8.50 - 10  
Rear 26 x 12.00 – 12

#### POWER TAKE OFF

Rear PTO– 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 3200 Eng. RPM  
Mid PTO – 1 Speed  
2500 rpm @3200 Eng. Rpm  
Independent PTO  
Operators Presence Control System

#### FEATURES/INSTRUMENTS

Deluxe Reclining High-back Seat  
with Arm Rests  
Analog Tachometer/Digital Hour Meter  
Fuel Gauge  
Engine Coolant Temperature  
Charge/Oil Pressure  
Deluxe Floor Mat

#### SAFETY EQUIPMENT

New "Max-fold" Two Post Foldable ROPS  
Retractable Seat Belt  
Safety Start Switches  
Parking Brakes  
Electric Key Shut-Off  
Flip Up PTO Shield  
Wet Disc Brakes  
SMV Sign

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>BX2370-1</b>	<b>4WD Tractor with Foldable ROPS</b> (Must order tires separately)	1715	\$11,386.00
<b>BX2370V-1</b>	<b>4WD Tractor with Foldable ROPS and</b> Loader Valve (Must order tires separately.)	1658	\$12,042.00
<b>BX2370TV54P-1</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> Turf Tires and RCK54P23BX Mower Deck	1894	\$14,211.00
<b>BX2370TV60-1</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> Turf Tires and RCK60B23BX Mower Deck	1839	\$14,322.00
<b>BX2370RV-1</b>	<b>4WD Tractor with Foldable ROPS Loader Valve</b> and R4 Industrial Tires	1861	\$12,322.00
<b>BX2370RV60-1</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> R4 Tires and RCK60B23BX Mower Deck	2092	\$14,372.00
<b>BX2370T60-1</b>	<b>4WD Tractor with Foldable ROPS, Turf Tires,</b> and RCK60B23BX Mower Deck	2034	\$13,666.00
<b>BX2370TV54D-1</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> Turf Tires, and RCK54D-26BX Drive-Over Mower Deck		\$14,641.00
<b>BX2370TV60D-1</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> Turf Tires, and RCK60D-26BX Drive-Over Mower Deck		\$14,867.00
<b>BX2370RV60D-1</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> R4 Tires and RCK60D-26BX Drive-Over Mower Deck		\$14,917.00

BX2370			
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ABXR8771	F-TIRE 18x8.50-10 R3 TF STL BIAS BB	19	\$62.00
ABXR8712	R-TIRE 26x12-12 R3 TF Steel Bias BB	46	\$108.00
ABXR8772	F-TIRE 18X8.50-10 R1 AG STL BIAS BB	21	\$65.00
ABXR8714	R-TIRE 26x12-12 Steel Bias BB	49	\$123.00
ABXR8717	F-TIRE 18X8.50-10 R4 IN STL BIAS BB	22	\$68.00
ABXR8718	R-TIRE 26x12.00-12 R4 OTR Trac Master	48	\$127.00

## BX25D-1

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # D902E3BX2  
3 Cyl., 54.8 cu. In.  
+ 23 Gross HP  
+ 17.5 PTO HP  
@ 3200 Engine RPM  
Charging output 40 Amps  
12 V x 535CCA

#### HYDRAULICS

Open Center — Gear Type  
6.3 gpm Pump Output  
Cat I 3-point Hitch (Optional)  
At lift point 992 lbs.  
24" Behind 670 lbs.  
Quarter Inching Valve

#### FRONT AXLE

Bevel-Gear, 4 WD  
Hydrostatic Power Steering  
Cast Iron — Heavy Duty  
Tread spacing, Non-adjustable

#### TRANSMISSION

Hydrostatic Drive  
Forward Speeds  
Lo Range 0 — 3.7 mph  
Hi Range 0 — 8.4 mph  
Reverse Speeds  
Lo Range 0 — 2.8 mph  
Hi Range 0 — 6.5 mph  
Rear Differential Lock

#### FLUID CAPACITY

Fuel Tank 6.6 gal.  
Cooling System 2.8 qts.  
Crankcase 3.3 qts.  
Transmission 3.1 gal.  
and Hydraulics

#### TIRES AND WHEELS

Front 18 x 8.50 - 10  
Rear 26 x 12.00 - 12

#### POWER TAKE OFF

Rear PTO — 1 speed  
SAE Std — 1-3/8, 6 splines  
540 rpm @ 3068 Eng. Rpm  
Mid PTO — 1 Speed  
2500 rpm @ 3125 Eng. Rpm  
Independent PTO

#### FEATURES/INSTRUMENTS

Deluxe Reclining High-back Seat  
with Arm Rests  
Analog Tachometer/Digital Hour Meter  
Fuel Gauge  
Engine Coolant Temperature  
Charge/Oil Pressure  
Deluxe Floor Mat

#### SAFETY EQUIPMENT

2 Post Foldable ROPS (same as BX25/BX25D)  
Retractable Seat Belt  
Flip-Up PTO Shield  
Safety Start Switch  
Electric Key Shut Off  
Wet Disc Brakes  
Parking Brakes  
SMV Signs

+ Manufacturer Estimate

**BX25DTRACTOR, LA240A LOADER, BT602 BACKHOE COMPLETELY ASSEMBLED.  
HIGH PERFORMANCE 4 POSITION VALVE (REMAINS WITH TRACTOR) STANDARD  
ORDER OPTIONS: TURF OR R4 TIRES**

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
<b>BX25DLB-T-1</b>	<b>BX25D Tractor, LA240A Loader, BT602 Backhoe,</b> 4 Position Valve, Turf tires	2475	\$19,675.00
<b>BX25DLB-R-1</b>	<b>BX25D Tractor, LA240A Loader, BT602 Backhoe,</b> 4 Position Valve, R4 Industrial Tires	2475	\$19,725.00
<b>3-POINT HITCH (CAT. I)</b>			
BX2506	3 POINT HITCH KIT FOR BX25	55	\$216.00
*** MANDATORY - MUST ORDER ONE ***			
<b>BUCKETS</b>			
BT2930A	8" BUCKET FOR BT602 BACKHOE	31	\$361.00
BT2931A	12" BUCKET FOR BT602 BACKHOE	42	\$491.00

## BX2670-1

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # D1005E3BX  
3 Cyl., 61.1 cu. in.  
+ 25.5 Gross Eng. HP  
+ 19.5 PTO HP  
@ 3200 eng. Rpm  
12 v 535CCA Battery  
Charging Output 40 amps

#### HYDRAULICS

Open Center – Gear Type  
6.3 gpm Pump Output  
Cat I 3-Point Hitch  
At lift point 1210 lbs.  
24" Behind 670 lbs.  
Quarter Inching Valve

#### FRONT AXLE

Bevel Gear, 4WD  
Hydrostatic Power Steering  
Cast Iron - Heavy Duty  
Tread Spacing, Nonadjustable

#### TRANSMISSION

Hydrostatic Drive  
Forward Speeds  
Lo Range 0 – 3.7 mph  
Hi Range 0 – 8.1 mph  
Reverse Speeds  
Lo Range 0 – 2.8 mph  
Hi Range 0 – 6.5 mph  
Rear Differential Lock  
**FLUID CAPACITY**  
Fuel Tank 6.6 gal.  
Cooling System 3.1 qts.  
Crankcase 3.7 qts.  
Transmission and 3.1 gal.  
Hydraulics

#### TIRES AND WHEELS

Front 18 x 8.50 - 10  
Rear 26 x 12.00 – 12

#### POWER TAKE OFF

Rear PTO– 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 3200 Eng. RPM  
Mid PTO – 1 Speed  
2500 rpm @3200 Eng. Rpm  
Independent PTO  
Operators Presence Control System

#### FEATURES/INSTRUMENTS

Deluxe Reclining High-back Seat w/ Armrests  
Deluxe Floor Mat  
Analog Tachometer/Digital Hour Meter  
Fuel Gauge  
Engine Coolant Temperature  
Charge/Oil Pressure

#### SAFETY EQUIPMENT

New "Max-fold" Two Post Foldable ROPS  
Retractable Seat Belt  
Safety Start Switches  
Parking Brakes  
Electric Key Shut-Off  
Flip Up PTO Shield  
Wet Disc Brakes  
SMV Sign

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>BX2670-1</b>	<b>4WD Tractor with Foldable ROPS</b> (Must order tires separately)	1715	\$12,807.00
<b>BX2670TV-1</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve, and Turf Tires</b>	1861	\$13,693.00
<b>BX2670BV-1</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve, and Bar Tires</b>	1861	\$13,729.00
<b>BX2670RV-1</b>	<b>4WD Tractor with Foldable ROPS Loader Valve and R4 Industrial Tires</b>	1861	\$13,743.00
<b>BX2670TV60-1</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve, Turf Tires and RCK60B23BX Mower Deck</b>	2139	\$15,743.00
<b>BX2670RV60-1</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve, R4 Tires and RCK60B23BX Mower Deck</b>	2168	\$15,793.00
<b>BX2670TV60D-1</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve, Turf Tires, and RCK60D-26BX Drive-Over Mower Deck</b>		\$16,288.00
<b>BX2670RV60D-1</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve, R4 Tires and RCK60D-26BX Drive-Over Mower Deck</b>		\$16,338.00

BX2660			
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ABXR8771	F-TIRE 18x8.50-10 R3 TF STL BIAS BB	19	\$62.00
ABXR8712	R-TIRE 26x12-12 R3 TF Steel Bias BB	46	\$108.00
ABXR8772	F-TIRE 18X8.50-10 R1 AG STL BIAS BB	21	\$65.00
ABXR8714	R-TIRE 26x12-12 Steel Bias BB	49	\$123.00
ABXR8717	F-TIRE 18X8.50-10 R4 IN STL BIAS BB	22	\$68.00
ABXR8718	R-TIRE 26x12.00-12 R4 OTR Trac Master	48	\$127.00

## BX1870

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # D722E3BX2  
3 Cyl., 43.9 cu. in.  
+ 18 Gross Eng. HP  
+ 13.7 PTO HP  
@ 3200 Eng. rpm  
12V 435 CCA Battery  
Charging Output 40 amps

#### HYDRAULICS

Open Center — Gear Type  
6.3 gpm Pump Output  
Cat I 3-point Hitch  
At Lift Point 992 lbs.  
24" Behind 670 lbs.

Quarter Inching

#### FRONT AXLE

Hydrostatic Power Steering  
Cast Iron  
Bevel Gear 4WD  
Tread Spacing Non-adjustable

#### DRIVE TRAIN

Hydrostatic Drive  
Forward Speeds —  
Lo Range 0 – 3.7 mph  
Hi Range 0 – 7.8 mph  
Reverse Speeds —  
Lo Range 0 – 2.8 mph  
Hi Range 0 – 5.9 mph  
Rear Differential Lock Std.

#### FLUID CAPACITY

Fuel Tank 6.6 gal.  
Cooling System 2.6 qts.  
Crankcase 3.06 qts.  
Transmission and 3.1 gal.  
Hydraulics

#### TIRES AND WHEELS

Front 16 x 7.50 - 8  
Rear 24 x 12.00 - 12

#### POWER TAKE OFF

Rear PTO – 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 3200 Eng. Rpm  
Mid PTO – 1 Speed  
2500 rpm @ 3200 Eng. Rpm  
Independent PTO

#### FEATURES/INSTRUMENTS

Analog Tachometer/Digital Hour Meter  
Fuel Gauge  
Charge/Oil Pressure  
Engine Coolant Temperature

#### SAFETY EQUIPMENT

Two Post Foldable ROPS w/  
Retractable Seat Belt  
Safety Start Switches  
Parking Brakes  
Electric Key Shut-Off  
Flip up PTO Shield  
Wet Disc Brakes  
SMV Sign

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
<b>BX1870*</b>	<b>4WD Tractor</b> With Foldable ROPS (must order tires separately)	1563	\$9,636.00
<b>BX1870V*</b>	<b>4WD Tractor</b> With Foldable ROPS and Loader Valve (must order tires separately)	1756	\$10,292.00
<b>BX1870TV48P*</b>	<b>4WD Tractor</b> with Foldable ROPS, Loader Valve, Turf Tires and RCK48P18BX Mower Deck	1928	\$12,161.00
<b>BX1870T54*</b>	<b>4WD Tractor</b> with Foldable ROPS, Turf Tires, and RCK54-23BX Mower Deck	1874	\$11,640.00
<b>BX1870TV54*</b>	<b>4WD Tractor</b> with Foldable ROPS, Loader Valve, Turf Tires, and RCK54-23BX Mower Deck	1949	\$12,296.00

BX1870*			
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ABXR8781	F-TIRE 16x7.5-8 R3 TF Steel Bias BB	14	\$41.00
ABXR8782	R-TIRE 24x12-12 R3 TF Steel Bias BB	39	\$103.00
ABXR8783	F-TIRE 16x7.5-8 Steel Bias BB	17	\$45.00
ABXR8784	R-TIRE 24x12-12 Steel Bias BB	45	\$113.00

\* Subject to availability.

## BX2370

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # D902E3BX2  
3 Cyl., 54.8 cu. in.  
+ 23 Gross Eng. HP  
+ 17.7 PTO HP  
@ 3200 eng. Rpm  
12 v 535CCA Battery  
Charging Output 40 amps

#### HYDRAULICS

Open Center – Gear Type  
6.3 gpm Pump Output  
Cat I 3-Point Hitch  
At lift point 992 lbs.  
24" Behind 670 lbs.  
Quarter Inching Valve

#### FRONT AXLE

Bevel Gear, 4WD  
Hydrostatic Power Steering  
Cast Iron - Heavy Duty  
Tread Spacing, Nonadjustable

#### TRANSMISSION

Hydrostatic Drive  
Forward Speeds  
Lo Range 0 – 3.7 mph  
Hi Range 0 – 8.4 mph  
Reverse Speeds  
Lo Range 0 – 2.8 mph  
Hi Range 0 – 6.5 mph  
Rear Differential Lock  
**FLUID CAPACITY**  
Fuel Tank 6.6 gal.  
Cooling System 2.8 qts.  
Crankcase 3.3 qts.  
Transmission and 3.1 gal.  
Hydraulics

#### TIRES AND WHEELS

Front 18 x 8.50 - 10  
Rear 26 x 12.00 – 12

#### POWER TAKE OFF

Rear PTO– 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 3200 Eng. RPM  
Mid PTO – 1 Speed  
2500 rpm @3200 Eng. Rpm  
Independent PTO  
Operators Presence Control System

#### FEATURES/INSTRUMENTS

Deluxe Reclining High-back Seat  
with Arm Rests  
Analog Tachometer/Digital Hour Meter  
Fuel Gauge  
Engine Coolant Temperature  
Charge/Oil Pressure

#### SAFETY EQUIPMENT

Two Post Foldable ROPS with Retractable  
Seat Belt  
Safety Start Switches  
Parking Brakes  
Electric Key Shut-Off  
Flip Up PTO Shield  
Wet Disc Brakes  
SMV Sign

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>BX2370*</b>	<b>4WD Tractor with Foldable ROPS</b> (Must order tires separately)	1715	\$11,163.00
<b>BX2370V*</b>	<b>4WD Tractor with Foldable ROPS and</b> Loader Valve (Must order tires separately.)	1658	\$11,819.00
<b>BX2370TV54P*</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> Turf Tires and RCK54P23BX Mower Deck	1894	\$13,988.00
<b>BX2370TV60*</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> Turf Tires and RCK60B23BX Mower Deck	1839	\$14,099.00
<b>BX2370RV*</b>	<b>4WD Tractor with Foldable ROPS Loader Valve</b> and R4 Industrial Tires	1861	\$12,099.00
<b>BX2370RV60*</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> R4 Tires and RCK60B23BX Mower Deck	2092	\$14,149.00
<b>BX2370T60*</b>	<b>4WD Tractor with Foldable ROPS, Turf Tires,</b> and RCK60B23BX Mower Deck	2034	\$13,443.00

BX2370*			
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ABXR8771	F-TIRE 18x8.50-10 R3 TF STL BIAS BB	19	\$62.00
ABXR8712	R-TIRE 26x12-12 R3 TF Steel Bias BB	46	\$108.00
ABXR8772	F-TIRE 18X8.50-10 R1 AG STL BIAS BB	21	\$65.00
ABXR8714	R-TIRE 26x12-12 Steel Bias BB	49	\$123.00
ABXR8717	F-TIRE 18X8.50-10 R4 IN STL BIAS BB	22	\$68.00
ABXR8718	R-TIRE 26x12.00-12 R4 OTR Trac Master	48	\$127.00

\* Subject to availability.



## BX25D

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # D902E3BX2  
3 Cyl., 54.8 cu. In.  
+ 23 Gross HP  
+ 17.5 PTO HP  
@ 3200 Engine RPM  
Charging output 40 Amps  
12 V x 535CCA

#### HYDRAULICS

Open Center — Gear Type  
6.3 gpm Pump Output  
Cat I 3-point Hitch (Optional)  
At lift point 992 lbs.  
24" Behind 670 lbs.  
Quarter Inching Valve

#### FRONT AXLE

Bevel-Gear, 4 WD  
Hydrostatic Power Steering  
Cast Iron — Heavy Duty  
Tread spacing, Non-adjustable

#### TRANSMISSION

Hydrostatic Drive  
Forward Speeds  
Lo Range 0 – 3.7 mph  
Hi Range 0 – 8.4 mph  
Reverse Speeds  
Lo Range 0 – 2.8 mph  
Hi Range 0 – 6.5 mph  
Rear Differential Lock

#### FLUID CAPACITY

Fuel Tank 6.6 gal.  
Cooling System 2.8 qts.  
Crankcase 3.3 qts.  
Transmission 3.1 gal.  
and Hydraulics

#### TIRES AND WHEELS

Front 18 x 8.50 - 10  
Rear 26 x 12.00 - 12

#### POWER TAKE OFF

Rear PTO – 1 speed  
SAE Std – 1-3/8, 6 splines  
540 rpm @ 3068 Eng. Rpm  
Mid PTO – 1 Speed  
2500 rpm @ 3125 Eng. Rpm  
Independent PTO

#### FEATURES/INSTRUMENTS

Deluxe Reclining High-back Seat  
with Arm Rests  
Analog Tachometer/Digital Hour Meter  
Fuel Gauge  
Engine Coolant Temperature  
Charge/Oil Pressure

#### SAFETY EQUIPMENT

2 Post Foldable ROPS w/Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switch  
Electric Key Shut Off  
Wet Disc Brakes  
Parking Brakes  
SMV Signs

+ Manufacturer Estimate

**BX25DTRACTOR, LA240A LOADER, BT602 BACKHOE COMPLETELY ASSEMBLED.  
HIGH PERFORMANCE 4 POSITION VALVE (REMAINS WITH TRACTOR) STANDARD  
ORDER OPTIONS: TURF OR R4 TIRES**

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
<b>BX25DLB-T*</b>	<b>BX25D Tractor, LA240A Loader, BT602 Backhoe,</b> 4 Position Valve, Turf tires	2475	\$19,289.00
<b>BX25DLB-R*</b>	<b>BX25D Tractor, LA240A Loader, BT602 Backhoe,</b> 4 Position Valve, R4 Industrial Tires	2475	\$19,339.00
<b>3-POINT HITCH (CAT. I)</b>			
BX2506	3 POINT HITCH KIT FOR BX25	55	\$216.00
*** MANDATORY - MUST ORDER ONE ***			
<b>BUCKETS</b>			
BT2930A	8" BUCKET FOR BT602 BACKHOE	31	\$361.00
BT2931A	12" BUCKET FOR BT602 BACKHO	42	\$491.00

\* Subject to availability.

## BX2670

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # D1005E3BX  
3 Cyl., 61.1 cu. in.  
+ 25.5 Gross Eng. HP  
+ 19.5 PTO HP  
@ 3200 eng. Rpm  
12 v 535CCA Battery  
Charging Output 40 amps

#### HYDRAULICS

Open Center – Gear Type  
6.3 gpm Pump Output  
Cat I 3-Point Hitch  
At lift point 1210 lbs.  
24" Behind 670 lbs.  
Quarter Inching Valve

#### FRONT AXLE

Bevel Gear, 4WD  
Hydrostatic Power Steering  
Cast Iron - Heavy Duty  
Tread Spacing, Nonadjustable

#### TRANSMISSION

Hydrostatic Drive  
Forward Speeds  
Lo Range 0 – 3.7 mph  
Hi Range 0 – 8.1 mph  
Reverse Speeds  
Lo Range 0 – 2.8 mph  
Hi Range 0 – 6.5 mph  
Rear Differential Lock  
**FLUID CAPACITY**  
Fuel Tank 6.6 gal.  
Cooling System 3.1 qts.  
Crankcase 3.7 qts.  
Transmission and 3.1 gal.  
Hydraulics

#### TIRES AND WHEELS

Front 18 x 8.50 - 10  
Rear 26 x 12.00 – 12

#### POWER TAKE OFF

Rear PTO– 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 3200 Eng. RPM  
Mid PTO – 1 Speed  
2500 rpm @3200 Eng. Rpm  
Independent PTO  
Operators Presence Control System

#### FEATURES/INSTRUMENTS

Deluxe Reclining High-back Seat  
with Arm Rests  
Analog Tachometer/Digital Hour Meter  
Fuel Gauge  
Engine Coolant Temperature  
Charge/Oil Pressure

#### SAFETY EQUIPMENT

Two Post Foldable ROPS with Retractable  
Seat Belt  
Safety Start Switches  
Parking Brakes  
Electric Key Shut-Off  
Flip Up PTO Shield  
Wet Disc Brakes  
SMV Sign

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>BX2670*</b>	<b>4WD Tractor with Foldable ROPS</b> (Must order tires separately)	1715	\$12,556.00
<b>BX2670TV*</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> and Turf Tires	1861	\$13,442.00
<b>BX2670BV*</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> and Bar Tires	1861	\$13,478.00
<b>BX2670RV*</b>	<b>4WD Tractor with Foldable ROPS Loader Valve</b> and R4 Industrial Tires	1861	\$13,492.00
<b>BX2670TV60*</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> Turf Tires and RCK60B23BX Mower Deck	2139	\$15,492.00
<b>BX2670RV60*</b>	<b>4WD Tractor with Foldable ROPS, Loader Valve,</b> R4 Tires and RCK60B23BX Mower Deck	2168	\$15,542.00

BX2670*			
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ABXR8771	F-TIRE 18x8.50-10 R3 TF STL BIAS BB	19	\$62.00
ABXR8712	R-TIRE 26x12-12 R3 TF Steel Bias BB	46	\$108.00
ABXR8772	F-TIRE 18X8.50-10 R1 AG STL BIAS BB	21	\$65.00
ABXR8714	R-TIRE 26x12-12 Steel Bias BB	49	\$123.00
ABXR8717	F-TIRE 18X8.50-10 R4 IN STL BIAS BB	22	\$68.00
ABXR8718	R-TIRE 26x12.00-12 R4 OTR Trac Master	48	\$127.00

\* Subject to availability.

## BX1860

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # D722E3BX2  
3 Cyl., 43.9 cu. in.  
+ 18 Gross Eng. HP  
+ 13.7 PTO HP  
@ 3200 Eng. rpm  
12V 435 CCA Battery  
Charging Output 40 amps

#### HYDRAULICS

Open Center — Gear Type  
6.3 gpm Pump Output  
Cat I 3-point Hitch  
At Lift Point 992 lbs.  
24" Behind 670 lbs.

Quarter Inching

#### FRONT AXLE

Hydrostatic Power Steering  
Cast Iron  
Bevel Gear 4WD  
Tread Spacing Non-adjustable

#### DRIVE TRAIN

Hydrostatic Drive  
Forward Speeds —  
Lo Range 0 – 3.7 mph  
Hi Range 0 – 7.8 mph  
Reverse Speeds —  
Lo Range 0 – 2.8 mph  
Hi Range 0 – 5.7 mph  
Rear Differential Lock Std.

#### FLUID CAPACITY

Fuel Tank 6.6 gal.  
Cooling System 2.6 qts.  
Crankcase 3.06 qts.  
Transmission and 3.1 gal.  
Hydraulics

#### TIRES AND WHEELS

Front 16 x 7.50 - 8  
Rear 24 x 12.00 - 12

#### POWER TAKE OFF

Rear PTO – 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 3200 Eng. Rpm  
Mid PTO – 1 Speed  
2500 rpm @ 3200 Eng. Rpm  
Independent PTO

#### INSTRUMENTS

Tachometer/Hour Meter  
Fuel Gauge  
Charge/Oil Pressure  
Engine Coolant Temperature

#### SAFETY EQUIPMENT

Two Post ROPS w/  
Retractable Seat Belt  
Safety Start Switches  
Parking Brakes  
Electric Key Shut-Off  
Flip up PTO Shield  
Wet Disc Brakes  
SMV Sign

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
<b>BX1860*</b>	<b>4WD Tractor</b> With Rigid ROPS (must order tires separately)	1563	\$9,318.00
<b>BX1860V*</b>	<b>4WD Tractor</b> With Rigid ROPS and Loader Valve (must order tires separately)	1756	\$9,954.00
<b>BX1860TV48P*</b>	<b>4WD Tractor</b> with Rigid ROPS, Loader Valve, Turf Tires and RCK48P18BX Mower Deck	1928	\$11,761.00
<b>BX1860T54*</b>	<b>4WD Tractor</b> with Rigid ROPS, Turf Tires, and RCK54-23BX Mower Deck	1874	\$11,256.00
<b>BX1860TV54*</b>	<b>4WD Tractor</b> with Rigid ROPS, Loader Valve, Turf Tires, and RCK54-23BX Mower Deck	1949	\$11,892.00

\* Subject to availability.

BX1860			
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ABXR8781	F-TIRE 16x7.5-8 R3 TF Steel Bias BB	14	\$41.00
ABXR8782	R-TIRE 24x12-12 R3 TF Steel Bias BB	39	\$103.00
ABXR8783	F-TIRE 16x7.5-8 Steel Bias BB	17	\$45.00
ABXR8784	R-TIRE 24x12-12 Steel Bias BB	45	\$113.00

## BX2360

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # D902E3BX2  
3 Cyl., 54.8 cu. in.  
+ 23 Gross Eng. HP  
+ 17.7 PTO HP  
@ 3200 eng. Rpm  
12 v 535CCA Battery  
Charging Output 40 amps

#### HYDRAULICS

Open Center – Gear Type  
6.3 gpm Pump Output  
Cat I 3-Point Hitch  
At lift point 992 lbs.  
24" Behind 670 lbs.  
Quarter Inching Valve

#### FRONT AXLE

Bevel Gear, 4WD  
Hydrostatic Power Steering  
Cast Iron - Heavy Duty  
Tread Spacing, Nonadjustable

#### TRANSMISSION

Hydrostatic Drive  
Forward Speeds  
Lo Range 0 – 3.7 mph  
Hi Range 0 – 8.4 mph  
Reverse Speeds  
Lo Range 0 – 2.8 mph  
Hi Range 0 – 6.2 mph  
Rear Differential Lock  
**FLUID CAPACITY**  
Fuel Tank 6.6 gal.  
Cooling System 2.8 qts.  
Crankcase 3.3 qts.  
Transmission and 3.1 gal.  
Hydraulics

#### TIRES AND WHEELS

Front 18 x 8.50 - 10  
Rear 26 x 12.00 – 12

#### POWER TAKE OFF

Rear PTO– 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 3200 Eng. RPM  
Mid PTO – 1 Speed  
2500 rpm @3200 Eng. Rpm  
Independent PTO  
Operators Presence Control System

#### INSTRUMENTS

Tachometer/Hour Meter  
Fuel Gauge  
Engine Coolant Temperature  
Charge/Oil Pressure

#### SAFETY EQUIPMENT

Two Post ROPS with Retractable  
Seat Belt  
Safety Start Switches  
Parking Brakes  
Electric Key Shut-Off  
Flip Up PTO Shield  
Wet Disc Brakes  
SMV Sign

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>BX2360*</b>	<b>4WD Tractor with Rigid ROPS</b> (Must order tires separately)	1715	\$10,795.00
<b>BX2360V*</b>	<b>4WD Tractor with Rigid ROPS and</b> Loader Valve (Must order tires separately.)	1658	\$11,431.00
<b>BX2360TV54P*</b>	<b>4WD Tractor with Rigid ROPS, Loader Valve,</b> Turf Tires and RCK54P23BX Mower Deck	1894	\$13,527.00
<b>BX2360TV60*</b>	<b>4WD Tractor with Rigid ROPS, Loader Valve,</b> Turf Tires and RCK60B23BX Mower Deck	1839	\$13,635.00
<b>BX2360RV*</b>	<b>4WD Tractor with Rigid ROPS Loader Valve</b> and R4 Industrial Tires	1861	\$11,685.00
<b>BX2360RV60*</b>	<b>4WD Tractor with Rigid ROPS, Loader Valve,</b> R4 Tires and RCK60B23BX Mower Deck	2092	\$13,675.00
<b>BX2360T60*</b>	<b>4WD Tractor with Rigid ROPS, Turf Tires,</b> and RCK60B23BX Mower Deck	2034	\$12,999.00

\* Subject to availability.

<b>BX2360</b>			
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ABXR8771	F-TIRE 18x8.50-10 R3 TF STL BIAS BB	19	\$62.00
ABXR8712	R-TIRE 26x12-12 R3 TF Steel Bias BB	46	\$108.00
ABXR8772	F-TIRE 18X8.50-10 R1 AG STL BIAS BB	21	\$65.00
ABXR8714	R-TIRE 26x12-12 Steel Bias BB	49	\$123.00
ABXR8717	F-TIRE 18X8.50-10 R4 IN STL BIAS BB	23	\$68.00
ABXR8718	R-TIRE 26x12.00-12 R4 OTR Trac Master	48	\$127.00

## BX25

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # D902E3BX2  
3 Cyl., 54.8 cu. In.  
+ 23 Gross HP  
+ 17.5 PTO HP  
@ 3200 Engine RPM  
Charging output 40 Amps  
12 V x 535CCA

#### HYDRAULICS

Open Center — Gear Type  
6.3 gpm Pump Output  
Cat I 3-point Hitch (Optional)  
At lift point 992 lbs.  
24" Behind 670 lbs.  
Quarter Inching Valve

#### FRONT AXLE

Bevel-Gear, 4 WD  
Hydrostatic Power Steering  
Cast Iron — Heavy Duty  
Tread spacing, Non-adjustable

#### TRANSMISSION

Hydrostatic Drive  
Forward Speeds  
Lo Range 0 – 3.7 mph  
Hi Range 0 – 8.4 mph  
Reverse Speeds  
Lo Range 0 – 2.8 mph  
Hi Range 0 – 6.3 mph  
Rear Differential Lock

#### FLUID CAPACITY

Fuel Tank 6.6 gal.  
Cooling System 2.8 qts.  
Crankcase 3.3 qts.  
Transmission 3.1 gal.  
and Hydraulics

#### TIRES AND WHEELS

Front 18 x 8.50 - 10  
Rear 26 x 12.00 – 12

#### POWER TAKE OFF

Rear PTO – 1 speed  
SAE Std – 1-3/8, 6 splines  
540 rpm @ 3068 Eng. Rpm  
Mid PTO – 1 Speed  
2500 rpm @ 3125 Eng. Rpm  
Independent PTO

#### INSTRUMENT PANEL

Tachometer/Hour Meter  
Fuel Gauge  
Engine Coolant Temperature  
Charge/Oil Pressure

#### SAFETY EQUIPMENT

2 Post Foldable ROPS  
w/Retractable Seat Belt  
Flip-Up PTO Shield  
Safety Start Switch  
Electric Key Shut Off  
Wet Disc Brakes  
Parking Brakes  
SMV Signs

+ Manufacturer Estimate

**BX25 TRACTOR, LA240 LOADER, BT601 BACKHOE COMPLETELY ASSEMBLED.  
HIGH PERFORMANCE 4 POSITION VALVE (REMAINS WITH TRACTOR) STANDARD  
ORDER OPTIONS: TURF OR R4 TIRES**

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
<b>BX25LB-T*</b>	<b>BX25 Tractor, LA240 Loader, BT601 Backhoe,</b> 4 Position Valve, Turf tires	2475	\$18,799.00
<b>BX25LB-R*</b>	<b>BX25 Tractor, LA240 Loader, BT601 Backhoe,</b> 4 Position Valve, R4 Industrial Tires	2475	\$18,839.00
* Subject to availability.			

#### 3-POINT HITCH (CAT. I)

BX2506	3 POINT HITCH KIT FOR BX25	55	\$216.00
--------	----------------------------	----	----------

#### \*\*\* MANDATORY - MUST ORDER ONE \*\*\*

#### BUCKETS

BT2930	8" BACKHOE BUCKET	31	\$361.00
BT2931	12" BACKHOE BUCKET	42	\$491.00

## BX2660

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # D1005E3BX  
3 Cyl., 61.1 cu. in.  
+ 25.5 Gross Eng. HP  
+ 19.5 PTO HP  
@ 3200 eng. Rpm  
12 v 535CCA Battery  
Charging Output 40 amps

#### HYDRAULICS

Open Center – Gear Type  
6.3 gpm Pump Output  
Cat I 3-Point Hitch  
At lift point 1210 lbs.  
24" Behind 670 lbs.  
Quarter Inching Valve

#### FRONT AXLE

Bevel Gear, 4WD  
Hydrostatic Power Steering  
Cast Iron - Heavy Duty  
Tread Spacing, Nonadjustable

#### TRANSMISSION

Hydrostatic Drive  
Forward Speeds  
Lo Range 0 – 3.7 mph  
Hi Range 0 – 8.1 mph  
Reverse Speeds  
Lo Range 0 – 2.8 mph  
Hi Range 0 – 6.2 mph  
Rear Differential Lock

#### FLUID CAPACITY

Fuel Tank 6.6 gal.  
Cooling System 3.1 qts.  
Crankcase 3.7 qts.  
Transmission and 3.1 gal.  
Hydraulics

#### TIRES AND WHEELS

Front 18 x 8.50 - 10  
Rear 26 x 12.00 – 12

#### POWER TAKE OFF

Rear PTO– 1 Speed  
SAE Std 1 3/8" Six Spline  
540 rpm @ 3200 Eng. RPM  
Mid PTO – 1 Speed  
2500 rpm @3200 Eng. Rpm  
Independent PTO  
Operators Presence Control System

#### INSTRUMENTS

Tachometer/Hour Meter  
Fuel Gauge  
Engine Coolant Temperature  
Charge/Oil Pressure

#### SAFETY EQUIPMENT

Two Post ROPS with Retractable  
Seat Belt  
Safety Start Switches  
Parking Brakes  
Electric Key Shut-Off  
Flip Up PTO Shield  
Wet Disc Brakes  
SMV Sign

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>BX2660*</b>	<b>4WD Tractor with Rigid ROPS</b> (Must order tires separately)	1715	\$12,142.00
<b>BX2660TV*</b>	<b>4WD Tractor with Rigid ROPS, Loader Valve,</b> and Turf Tires	1861	\$12,992.00
<b>BX2660BV*</b>	<b>4WD Tractor with Rigid ROPS, Loader Valve,</b> and Bar Tires	1861	\$13,018.00
<b>BX2660RV*</b>	<b>4WD Tractor with Rigid ROPS Loader Valve</b> and R4 Industrial Tires	1861	\$13,032.00
<b>BX2660TV60*</b>	<b>4WD Tractor with Rigid ROPS, Loader Valve,</b> Turf Tires and RCK60B23BX Mower Deck	2139	\$14,982.00
<b>BX2660RV60*</b>	<b>4WD Tractor with Rigid ROPS, Loader Valve,</b> R4 Tires and RCK60B23BX Mower Deck	2168	\$15,022.00

\* Subject to availability.

BX2660			
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ABXR8771	F-TIRE 18x8.50-10 R3 TF STL BIAS BB	19	\$62.00
ABXR8712	R-TIRE 26x12-12 R3 TF Steel Bias BB	46	\$108.00
ABXR8772	F-TIRE 18X8.50-10 R1 AG STL BIAS BB	21	\$65.00
ABXR8714	R-TIRE 26x12-12 Steel Bias BB	49	\$123.00
ABXR8717	F-TIRE 18X8.50-10 R4 IN STL BIAS BB	23	\$68.00
ABXR8718	R-TIRE 26x12.00-12 R4 OTR Trac Master	48	\$127.00

## BX60/70/70-1 Series Attachment / Implement Chart

IMPLEMENTS		BX1860/70/70-1	BX2360/70/70-1	BX2660/70/70-1	BX25/BX25D/BX25D-1
Front Loader		LA203/LA203A	LA243/LA243A	LA243/LA243A	LA240 (Std)/LA240A (Std)
Quick Attach for Loader		BX6315	BX6315	BX6315	BX6315
Pallet Fork Frame (Quick Attach)		BX6314	BX6314	BX6314	BX6314
Pallet Forks		K9184	K9184	K9184	K9184
Straight Blade (Quick Attach)		BX2767	BX2767	BX2767	BX2767
Blade (Front)①		TG2754 BX2763A	TG2754 BX2763A	TG2754 BX2763A	TG2754 BX2763A
Rotary Sweeper① (Optional attachment)		BX2537A	BX2537A	BX2537A	BX2537A
Snowblower Front Mount①		BX2750D*/BX5450	BX2750D*/BX5450/ BX5455HD	BX2750D*/BX5450/ BX5455HD	BX2750D*/BX5450/ BX5455HD
Rear Snowblower (3-pt Mounted)		B2789	B2789	B2789	B2789
Mid Mount Mower②		RCK48-18BX RCK54-23BX RCK48P18BX	RCK54D-26BX RCK60D-26BX RCK54-23BX RCK60B23BX RCK54P23BX	RCK54D-26BX RCK60D-26BX RCK54-23BX RCK60B23BX RCK54P23BX	RCK54-23BX RCK60B23BX RCK54P23BX
Mulching Kits⑤		ZG3049	ZG3059	ZG3059	ZG3059
Grass Catcher①	Fixed Mount	GCK60-23BX⑥	GCK60-23BX⑥	GCK60-23BX⑥	GCK60-23BX⑥
	3-Pt Mount	GCK60-26BX	GCK60-26BX	GCK60-26BX	GCK60-26BX
Backhoe		N/A	N/A	N/A	BT601 (Std)
Backhoe Buckets		N/A	N/A	N/A	BT2930 (8") BT2931 (12")
Backhoe Stabilizer Flip Pads		N/A	N/A	N/A	BX9468
Mechanical Thumb		N/A	N/A	N/A	BX6316
<b>ATTACHMENTS</b>					
Front Grille Guard - Orange		BX2334	BX2334	BX2334	STD (Silver w/BX Logo)
Weight Bracket (Front)		BX8064A	BX8064A	BX8064A	BX8064A
Suitcase Weight		BL8060-1	BL8060-1	BL8060-1	BL8060-1
Suitcase Weight Bolt Kit		BL8062	BL8062	BL8062	BL8062
Ballast Box		B8160	B8160	B8160	B8160
Double Acting Dual Rear Remote Valves		BX7326/BX7376	BX7326/BX7376	BX7326/BX7376	N/A
Mid PTO Drive Kit		BX2752	BX2753	BX2753	BX2753
ROPS		SFBX-23	SFBX-23	SFBX-23	SFBX-F24
Canopy		E1133	E1133	E1133	E1133
Deluxe Fiberglass Canopy③		E1123 (60s/70-1s Only)	E1123 (60s/70-1s Only)	E1123 (60s/70-1s Only)	N/A
LED Fender Lights		BX7346	BX7346	BX7346	BX7346
LED ROPS Lights		BX7356	BX7356	BX7356	BX7356
Worklights (Rear)		BX7330	BX7330	BX7330	N/A
Wheel Weight (Rear)		G8100A	G8100A	G8100A	G8100A
Cruise Control Kit		BX7350/BX7360	STD	STD	STD
Block Heater		70000-00298	70000-00771	70000-43274	70000-00771
Extra Length Seat Belt		BX7320	BX7320	BX7320	BX7320

\* Subject to availability.

① Requires additional kit(s) for mounting. (See dealer installed options pages for more information.)

② May require additional parts or kits. Please refer to the actual Pricebook descriptions for details.

③ E1123 requires E1124 Mounting Kit. Does not fit on 70 Series.

④ The Grille Guard must be removed for installation.

⑤ The ZG3049 mulching kit is only compatible with the RCK48P18BX Mid Mount Mower and the ZG3059 is only compatible with the RCK54P23BX Mid Mount Mower. Both include 3 blades.

⑥ BX24/25/25D requires BX3086 Conversion Kit to prevent Backhoe Subframe interference.

## BX60/70/70-1 Series Implements

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE																		
FRONT LOADER																					
LA203A	①② Reinforced Front Loader for optional Quick Attach Includes: The Loader package includes the loader frame and bucket. Hydraulic Control Valve and BX2334 Grille Guard Kit must be ordered separately. Please refer to chart below.	549	\$2,164.00																		
LA203	①② Front Loader Package Includes: The Loader package includes the loader frame and bucket. Hydraulic Control Valve and BX2334 Grille Guard Kit must be ordered separately. Please refer to chart below.	549	\$2,164.00																		
BX2316	Four Position Control Valve (LA203A) Compatible with Front Quick Hitch Implements.	57	\$656.00																		
BX2314	Four Position Control Valve (LA203) Compatible with Front Quick Hitch Implements.	57	\$656.00																		
<table><tr><td></td><td><b>BX2314/BX2316 Valve Standard</b></td><td><b>BX2314/BX2316 Valve NOT Standard</b></td></tr><tr><td>BX1860 / BX1870/-1</td><td></td><td>X</td></tr><tr><td>BX1860V / BX1870V/-1</td><td>X</td><td></td></tr><tr><td>BX1860TV48P / BX1870TV48P/-1</td><td>X</td><td></td></tr><tr><td>BX1860T54 / BX1870T54/-1</td><td></td><td>X</td></tr><tr><td>BX1860TV54 / BX1870TV54/-1</td><td>X</td><td></td></tr></table>					<b>BX2314/BX2316 Valve Standard</b>	<b>BX2314/BX2316 Valve NOT Standard</b>	BX1860 / BX1870/-1		X	BX1860V / BX1870V/-1	X		BX1860TV48P / BX1870TV48P/-1	X		BX1860T54 / BX1870T54/-1		X	BX1860TV54 / BX1870TV54/-1	X	
	<b>BX2314/BX2316 Valve Standard</b>	<b>BX2314/BX2316 Valve NOT Standard</b>																			
BX1860 / BX1870/-1		X																			
BX1860V / BX1870V/-1	X																				
BX1860TV48P / BX1870TV48P/-1	X																				
BX1860T54 / BX1870T54/-1		X																			
BX1860TV54 / BX1870TV54/-1	X																				
LA243A	①② Front Loader Package Includes: The Loader package includes the loader frame and bucket. Hydraulic Control Valve and BX2334 Grill Guard Kit must be ordered separately. Please refer to chart below	619	\$2,376.00																		
LA243	①② Front Loader Package Includes: The Loader package includes the loader frame and bucket. Hydraulic Control Valve and BX2334 Grill Guard Kit must be ordered separately. Please refer to chart below	619	\$2,376.00																		
BX2317	Four Position Control Valve (LA243A/LA240A) Compatible with Front Quick Hitch Implements.	55	\$656.00																		
BX2324	Four Position Control Valve (LA243/LA240) Compatible with Front Quick Hitch Implements.	55	\$656.00																		

	BX2324/BX2317 Valve Standard	BX2324/BX2317 Valve NOT Standard
BX2360 / BX2370/-1		X
BX2360TV54P / BX2370TV54P/-1	X	
BX2360TV60 / BX2370TV60/-1	X	
BX2360RV60 / BX2370RV60/-1	X	
BX2360V / BX2370V/-1	X	
BX2360RV / BX2370RV/-1	X	
BX2360T60 / BX2370T60/-1		X
BX2660 / BX2670/-1		X
BX2660TV / BX2670TV/-1	X	
BX2660BV / BX2670BV/-1	X	
BX2660RV / BX2670RV/-1	X	
BX2660TV60 / BX2670TV60/-1	X	
BX2660RV60 / BX2670RV60/-1	X	

- ① Remove Loader when using Tractor Front Quick Hitch Implements.  
 ② Note: Rear Ballast is required with loader installed. If Ballast Box is not ordered with Loader, proper ballast must be supplied. See Operator's Manual for ballast information.



## BX60/70/70-1 Series Implements

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT LOADER "QUICK ATTACH" ATTACHMENTS</b>			
BX6315	③ Front Loader Quick Attach for LA203A, LA243A, LA240A	TBA	\$279.00
BX6314	Front Loader Quick Attach Pallet Fork Frame Requires BX6315 Quick Attach and K9184 Pallet Forks	TBA	\$636.00
BX2767	60" Straight Blade for Front Loader Quick Attach Manual Angle adjustment, requires BX6315	TBA	\$1,464.00
K9184	32" Pallet Forks for BX6314	TBA	\$338.00
<b>FRONT GRILLE GUARD</b>			
BX2334	① Grille Guard for LA203/LA203A and LA243/LA243A Loader (Orange, no "BX" Logo)	24	\$162.00
<b>REPLACEMENT BUCKETS</b>			
BX2344	48" Replacement Bucket for the LA203/LA203A ONLY	33	\$360.00
BX2354	48" Replacement Bucket for the LA243/LA243A and LA240/LA240A ONLY	213	\$360.00
<b>MID-MOUNT MOWERS</b>			
RCK48-18BX	48" CUTTING WIDTH BX1850/60/70 3-Blade Finishing Mower/RH Discharge/ Shaft Drive / Quick Mount Mechanism	250	\$1,573.00
RCK48P18BX	48" CUTTING WIDTH BX1850/60/70 Fine Cut Finishing Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	253	\$1,689.00
RCK54-23BX	54" CUTTING WIDTH BX1850 / BX1860 / BX1870 / BX2350 / BX2360 / BX2370 / BX2660 / BX2670 / BX24 / BX25 / BX25D 3-Blade Finishing Mower / RH Discharge Shaft Drive / Quick Mount Mechanism	282	\$1,824.00
RCK54P23BX	54" CUTTING WIDTH BX2350 / BX2360 / BX2370 / BX2660 / BX2670 / BX24 / BX25 / BX25D Fine Cut Finishing Mower / RH Discharge / Shaft Drive Quick Mount Mechanism	302	\$1,939.00
RCK60B23BX	60" CUTTING WIDTH BX2350 / BX2360 / BX2370 / BX2660 / BX2670 / BX24 / BX25 / BX25D 3-Blade Finishing Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	317	\$2,050.00
RCK54D-26BX	54" CUTTING WIDTH BX2370/BX2670 3-Blade Finishing Mower, Drive-Over Mower Deck BX2370 with SN 28672 and below and BX2670 with SN 24081 and below require the BX3000 Drive-Over Mower Lift Kit for installation Not compatible with Bar type tires.		\$2,369.00

① Must remove Grille Guard when using Front Quick Hitch Implements and BX8064 Front Weight Bracket.

③ For use on LA203A, LA243A, and LA240A Loaders only. While BX6315 Front Loader Quick Attach may fit on previous Loaders, those Loaders are not reinforced to accommodate additional load requirements of the BX6315 and attachments.

## BX60/70/70-1 Series Implements

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>MID-MOUNT MOWERS (Cont.)</b>			
RCK60D-26BX	60" CUTTING WIDTH BX2370/BX2670 3-Blade Finishing Mower, Drive-Over Mower Deck BX2370 with SN 28672 and below and BX2670 with SN 24081 and below require the BX3000 Drive-Over Mower Lift Kit for installation Not compatible with Bar type tires.		\$2,595.00
BX3000	Drive-Over Mower Lift Kit for installation Required for mounting Drive-Over Decks to BX2370 with SN 28672 and below and BX2670 with SN 24081 and below		\$112.00
<b>GRASS CATCHER</b>			
GCK60-23BX	①* 3-Bag Grass Catcher - Fixed Mount 9.50 bu. Capacity, rear PTO driven Fits RCK48-18BX, RCK54-23BX, RCK60B23BX, RCK48P18BX, RCK54P23BX, BX25/BX25D requires BX3086 Conversion Kit RCK48-18BX requires BX3025 Boot Kit RCK54-23BX requires BX3026 Boot Kit RCK60B23BX requires BX3027 Boot Kit RCK48P18BX requires BX3028 Boot Kit RCK54P23BX requires BX3028 Boot Kit	284	\$1,861.00
GCK60-26BX	① 3-Bag Grass Catcher, 3-Point Mount 9.50 bu. Capacity, rear PTO driven Fits RCK48-18BX, RCK54-23BX, RCK60B23BX, RCK48P18BX and RCK54P23BX, RCK54D-26BX, RCK60D-26BX BX25/BX25D requires BX3086 Conversion Kit RCK48-18BX requires BX3025 Boot Kit RCK54-23BX requires BX3026 Boot Kit RCK60B23BX requires BX3027 Boot Kit RCK48P18BX requires BX3028 Boot Kit RCK54P23BX requires BX3028 Boot Kit RCK54D-26BX requires BX3016 Boot Kit RCK60D-26BX requires BX3015 Boot Kit	284	\$1,861.00
<b>BOOT KITS</b>			
BX3025	Boot Kit, 48" Tunnel Deck	28	\$272.00
BX3026	Boot Kit, 54" Tunnel Deck	28	\$272.00
BX3027	Boot Kit, 60" Tunnel Deck	33	\$272.00
BX3028	Boot Kit, 48" and 54" Deep Flat Deck	30	\$272.00
BX3015	Boot Kit, 60" for Drive-Over Mower		\$272.00
BX3016	Boot Kit, 54" for Drive-Over Mower		\$272.00
<b>CONVERSION KIT</b>			
BX3086	Conversion Kit for Mounting GCK60-23BX to BX24 and BX25/BX25D.	2	\$31.00
BX3042	Conversion Kit for Mounting GCK60-23BX to BX1500, BX1800, BX1830, BX2200 and BX2230	10	\$146.00

\* Subject to availability.

① BT601/BT602 Backhoe must be removed when used with BX24/BX25/BX25D. Requires BX3086 Conversion Kit for BX24/BX25/BX25D.

## BX60/70/70-1 Series Implements

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>MULCHING KITS</b>			
ZG3049	For RCK48P18BX	20	\$163.00
ZG3059	For RCK54P23BX	19	\$175.00
70000-72900	Mulching Kit for RCK48-18BX (Blades included)	(See Parts Price List)	
70000-70467	Mulching Kit for RCK54-23BX Requires: 70000-77037 Mulching Blades (3)	(See Parts Price List)	
70000-02505	Mulching Kit for RCK60B23BX Requires: 70000-70038 Mulching Blades (3) and 70000-02507 (1) Left Baffle Kit	(See Parts Price List)	
<b>BALLAST BOX</b>			
B8160	Ballast Box Important: Three point hitch ballast is required with loader installed for tractor stability. See Operators Manual for Ballast recommendations.	102	\$245.00

## BX60/70/70-1 Series Implements

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

**BX TRACTOR QUICK ATTACH SYSTEM  
FRONT MOUNTED IMPLEMENTS  
REQUIRED FOR TRACTOR QUICK ATTACH SYSTEM**

<b>HYDRAULIC VALVE KIT</b>			
BX2314	Hydraulic Valve Kit (4-Position Dump Spool) (BX1850/BX1860/BX1870)	57	\$656.00
BX2324	Hydraulic Valve Kit (4-Position Dump Spool) (BX2350/BX2360/BX2370-1/BX2660/BX2670/BX2670-1)	55	\$656.00
<b>PTO KIT (MID)</b>			
BX2752	Mid PTO Drive Kit (BX1850, BX1860, BX1870) Required for BX2750C and BX2537A	25	\$567.00
BX2753	Mid PTO Drive Kit (BX2350, BX2360, BX2370 BX2660, BX2670, BX24, BX25, BX25D) Required for BX2750C and BX2537A	22	\$624.00
<b>SUBFRAME, MOUNTING KITS</b>			
BX2751	Quick Attach Subframe for BX2750C, TG2754, BX2537A, or BX2763A. (All 50/60/70/70-1 Series BX tractors)	82	\$604.00

Not compatible with Mid-Mount Mower, BX2334 Grille Guard, or BX8064 Front Weight Bracket.

### FRONT BLADE

TG2754	① 54" Snow/Utility Blade Manual Angle Requires BX2751 Quick-Hitch Subframe Kit, BX2314 or BX2324 Front Loader Valve.	120	\$434.00
BX2763A	① 60" Snow/Utility Blade, Hydraulic Angle Requires BX2751 Quick Hitch Subframe Kit, BX2314 or BX2324 Front Loader Valve. Rubber (squeegee) edge B2766 optional.	284	\$1,298.00
BX2762	Skid Shoes required for BX2763	28	\$136.00
B2766	Rubber (squeegee) edge to protect surfaces To be used with BX2763A Blade	50	\$206.00

### FRONT SNOWBLOWER

BX5450	① 50" Two Stage Snowblower Mid-PTO driven, Hyd. Lift, Manual Chute & Deflector. Requires BX2751 Quick Hitch Subframe Kit, BX2314/BX2316 or BX2324/BX2317 Front Loader Valve, or BX2753 Mid PTO Kit (BX2350/BX2360/BX2370/-1 BX2660/BX2670/-1/BX24/BX25/BX25D/-1).	313	\$1,999.00
BX2750D	①* 50" Two Stage Snowblower Mid-PTO driven, Hyd. Lift, Manual Chute & Deflector. Requires BX2751 Quick Hitch Subframe Kit, BX2314 or BX2324 Front Loader Valve, BX2752 Mid PTO Kit (BX1850/1860/1870), Or BX2753 Mid PTO Kit (BX2350/BX2360/BX2370/-1 BX2660/BX2670/-1/BX24/BX25/BX25D/-1).	333	\$1,977.00
BX5455HD	① 55" Two Stage Snowblower Mid-PTO driven, Hyd. Lift, Hydraulic Chute Rotation, Manual Deflector. Requires BX2751 Quick Hitch Subframe Kit, BX2324 or BX2317 Front Loader Valve, BX2752 Mid PTO Kit (BX1850/1860/1870), Or BX2753 Mid PTO Kit (BX2350/BX2360/BX2370/-1 BX2660/BX2670/-1/BX24/BX25/BX25D/-1).	350	\$3,399.00

\* Subject to availability.

① Compatible with LA203/A, (not BX5455HD) LA243/A, and LA240/A Loader Sub-frame. Not compatible with Mid Mount Mower BX2334 Grille Guard, or BX8064 Front Weight Bracket.

## BX60/70/70-1 Series Implements

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>SNOWBLOWER OPTIONAL ATTACHMENTS</b>			
GB2513	* Electric Chute Deflector Kit	8	\$512.00
GB2514B-1	* Electric Chute Rotator Kit	8	\$380.00
BX2754	* Hydraulic Chute Rotator Kit	12	\$804.00
BX2755	* Retro Fit Kit for use of BX2750(A) and (B) with BX1850, BX1860, BX1870/-1, BX2350, BX2360, BX2370/-1, BX2660, BX2670/-1, BX24, BX25, BX25D/-1	1	\$18.00
BX5443	Electric Chute Deflector Kit for BX5450 & BX5455HD	17	\$499.00
BX5442	Electric Chute Rotator Kit for BX5450	17	\$379.00
BX5441	Hydraulic Chute Rotator Kit BX5450	17	\$799.00
BX5444	Hard Plastic Skid Shoes for BX5450 and BX5455HD	28	\$135.00
BX5445	Hard Plastic Cutting Edge for BX5450	60	\$99.00
GR2714	Drift Cutters for BX5450	50	\$58.00
BX5447	Drift Cutters for BX5455HD	50	\$79.00
* Subject to availability.			
<b>FRONT ROTARY SWEEPER</b>			
BX2537A	① 47" Rotary Sweeper Manual Angle (Optional) BX2737 Dethatching Wheel Kit Requires BX2751 Quick Hitch Subframe Kit, BX2752 Mid-PTO Kit (BX1850), BX2753 Mid-PTO Kit (BX2350/BX24), BX2314 or BX2324 Front Loader Valve.	300	\$1,938.00
BX2761	Hydraulic Angle Kit	17	\$464.00
<b>WHEEL KIT</b>			
BX2737	Dethatching Wheel Kit For use with BX2547A Sweeper in lawn dethatching applications	30	\$264.00

① Compatible with LA203/A, LA243/A, and LA240/A Loader Sub-frame. Not compatible with Mid Mount Mower BX2334 Grille Guard, or BX8064 Front Weight Bracket.

### REAR MOUNTED SNOWBLOWERS

B2789	51" Rear, Cat. I. Three Point Hitch Rear Snowblower, requires BL2665 or B2784	390	\$2,497.00
BL2665	Manual Chute Rotation Kit	11	\$161.00
B2784A	Hydraulic Chute Rotation Kit (Male hydraulic couplers not included.)	12	\$787.00

## BX50/60/70/70-1 Series Dealer Installed Options

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>REAR REMOTE HYDRAULICS</b>			
BX7326	① Dual-Double Acting Rear Remote Valve Kit (50/60/70-1 Series)	22	\$332.00
BX7376	① Dual-Double Acting Rear Remote Valve Kit (70 Series)	23	\$425.00
<b>BLOCK HEATERS</b>			
70000-00771	Block Heater for BX2350, BX2360, BX2370, BX24, BX25, BX25D/-1	(See Parts Price Book)	
70000-73274	Block Heater for BX2660, BX2670/-1	(See Parts Price Book)	
70000-00298	Block Heater for BX1850, BX1860, BX1870/-1	(See Parts Price Book)	
<b>ROPS</b>			
SFBX-23	2 Post Rigid ROPS for BX1850, BX1860, BX2660, BX2350, and BX2360	125	\$280.00
SFBX-F26	Replacement ROPS (Foldable) for BX1870/2370/2670		\$480.00
SFBX-F27	Rplmnt ROPS (Foldable) BX1870-1/BX2370-1/BX2670-1		
SFBX-F24	2 Post Foldable ROPS for BX24, BX25	125	\$480.00
SFBX-F25	Replacement ROPS (Foldable) for BX25D		\$480.00
<b>CANOPY</b>			
E1133	Canopy for all Models	63	\$437.00
E1123	① Deluxe Fiberglass Canopy requires E1124 Mounting Kit, does not fit BX70 Series or BX25/BX25D	90	\$322.00
E1124	Mounting Kit	30	\$180.00
<b>CRUISE CONTROL</b>			
BX7350*	Cruise Control Kit for BX1850 and BX1860	2	\$88.00
BX7360	Cruise Control Kit for BX1870	2	\$88.00

① Not compatible with BX24, BX25, BX25D.

\* Subject to availability.

## BX50/60/70/70-1 Series Dealer Installed Options

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
RETRACTABLE SEAT BELT			
BX7320	Retractable Seat Belt Kit For All Models	3	\$70.00
REAR WHEEL WEIGHT			
G8100A	One Plastic Weight with Bolt Kit One per wheel (Must order two for set)	50	\$30.00
WORK LIGHT KITS			
BX7346	4-LED Adjustable, 700 Lumen, Fender-Mount Lights (2)		\$198.00
BX7356	4-LED Front/Rear Adjustable, 700 Lumen, ROPS-Mount Lights (2)		\$198.00
BX7336	Standard (Non-LED) ROPS-Mount Lights (2)		\$97.00
BX7330	Rear Work Light Kit (not compatible with BX7336)	5	\$79.00
WEIGHT BRACKET (FRONT)			
BX8064A	Front Weight Bracket	25	\$103.00
WEIGHT SUITCASE			
BL8060-1	Front Suitcase Weight (1-5 Weights) Requires: (1) BL8062 Bolt Kit Per Weight	55	\$71.00
BL8062	Bolt Kit	1	\$6.00
SPARK ARRESTER KIT			
70000-01604	Spark Arrester Kit for all BX Models except BX1500	(See Parts Price List)	
BT601/BT602 BACKHOE OPTIONS			
BX9468	Rubber Flip Pad Set (2 Sets Required)	18	\$124.00
BT2930	8" Backhoe Bucket	31	\$361.00
BT2931	12" Backhoe Bucket	42	\$491.00
BX6316	Mechanical Thumb (BT602 Only)	15	\$375.00
TOOL BOX			
BX3058	Tool Box Kit (For BX1870, BX2370, BX2670, BX25D)		\$65.00

## BX Series Replacement Engines

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

Effective June 2, 2014 all replacement engines must be ordered through the Parts Department.  
See Parts Bulletin DPB-2014-011 R01.



**This page intentionally left blank.**