

---

## Loader Landscaper Series -- B26 / L47 / M62

---

### WHOLEGOODS PRICE LIST EFFECTIVE FEBRUARY 1, 2016

#### 2016 MISSISSIPPI GROUNDS MAINTENANCE EQUIPMENT PROPOSAL

Kubota "TLB Series" (B26TL/TLB, L47TL/TLB & M62TL/TLB)  
Implements & Attachments = 8.0% discount from indicated SLP \$  
(Loaders and/or Backhoe units included in base TL/TLB unit Proposal price)

**This page intentionally left blank.**

PAGE NUMBER	MODEL	PTO HP		SUGGESTED LIST PRICE
5 - 5	B26TL	19.5		\$ 27,354.00
5 - 5	B26TLB	19.5		\$ 35,715.00
5 - 11	L47TL	33.0		\$ 39,970.00
5 - 11	L47TLB	33.0		\$ 50,940.00
5 - 17	M62TL	46.0		\$ 47,967.00
5 - 17	M62TLB	46.0		\$ 63,816.00
5 - 23	Loader/Landscaper Utility Series Attachment / Accessories Matching Chart			
5 - 24	Attachments for Loader/Landscaper Utility Series Tractors			

**This page intentionally left blank.**

## B26TL/TLB

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### DIESEL ENGINE

Model # D1105 Tier IV Certified  
3 Cylinder  
68.5 cu. in.  
26.0 Gross HP \*  
19.5 PTO HP \*  
@ 2800 Engine RPM  
Charging output 40 Amps  
12 V – 36 Amp Hour Battery  
Dual Element Air Cleaner

### HYDRAULICS

Open Center — Gear Type  
Total Pump Capacity 11.2 gpm  
Includes Power Steering  
Front / Rear Remotes 7.0 gpm

### CAT I 3-Point Hitch

Lift Capacity  
@ 24" behind 1,676 lbs.  
Position Control - Standard  
3-point linkage storage standard  
3-point linkage optional  
(Serial # 52354)

### FRONT AXLE

Bevel-Gear, 4 WD  
Hydrostatic Power Steering  
Cast Iron – Heavy Duty  
Tread spacing, Non-adjustable

\* Manufacturer Estimate

### DRIVE TRAIN

3 Range HST  
Low-Medium-High  
Maximum Travel Speed 11.1 mph  
Rear Differential Lock  
No Clutch  
Wet Disk Brakes  
4 Wheel Drive

### DIMENSIONS

Transport Length 16' 6"  
Width 54.0"  
Height to ROPS top 89.5"  
Wheelbase 62.2"  
Ground Clearance 13.8"

### FLUID CAPACITY

Fuel Tank 8.2 gals.  
Crankcase 3.2 qts.  
Eng. Coolant 4.7 qts.  
Fr. Axle Gear Case 4.7 qts.

### TIRES AND WHEELS

Front 23 x 8.50 - 14 R4 Std  
Rear 12.4 - 16 R4 Std

### LIGHTING

2 Headlights  
2 Rear Work Lights  
2 Taillights / Turn Signals

### POWER TAKE OFF

Live Independent Rear PTO  
540 rpm @ 2768 Eng. RPM  
SAE – 1-3/8, 6 splines

### INSTRUMENTS

Hour meter / Tachometer  
Coolant Temp. Gauge  
Fuel Gauge

### REAR AXLE

Heavy Duty Axle w/ Differential  
Lock  
Planetary Final Drives  
Multiple Wet Disc Brakes

### SAFETY EQUIPMENT

Four Post ROPS / FOPS  
Deluxe Seat w/retractable Seat Belt  
Spark Arrestor Muffler  
Safety Start Switches  
Electric Key Shut-Off  
Hazard Lamps  
SMV Sign

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
B26TL	Tractor / Loader	2976	\$ 27,354.00
B26TLB	Tractor / Loader & Backhoe	4001	\$ 35,715.00
B26TLB-V	Tractor / Loader & Backhoe Includes factory installed backhoe auxiliary hydraulics kit (BTB405)	4012	\$ 36,587.00

## B26TL/TLB

<b>Base Tractor Includes:</b>			
<b>TL (Tractor Loader) ①</b>			
B26	4 Post ROPS/FOPS & Seat Belt (FCB-26)	2976	
	Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND	303	In Base Price
	Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND	35	
	TL500 Front Loader without Bucket	103	
		705	
① Rear counter weight is required when using the B26 as a Tractor/Loader			
<b>TLB (Tractor Loader Backhoe)</b>			
B26	4 Post ROPS/FOPS & Seat Belt (FCB-26)	2976	
	Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND	303	In Base Price
	Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND	35	
	TL500 Front Loader without Bucket	103	
		705	
BT820	Backhoe without Bucket	931	
<b>TLB-V (Tractor Loader Backhoe)</b>			
B26	4 Post ROPS/FOPS & Seat Belt (FCB-26)	2976	
	Front Tire (ABR8726) 23 x 8.50 - 14 R4, 4-Ply IND	303	In Base Price
	Rear Tire (BR8749) 12.4 - 16 R4, 4-Ply IND	35	
	TL500 Front Loader without Bucket	103	
		705	
BT820V	Backhoe without Bucket	931	
	Includes factory installed backhoe auxiliary hydraulics kit. (BTB405)	24	

NOTE: You must order a loader bucket for all TL and TLB Packages.  
For all TLB Packages, you must order appropriate backhoe buckets.

TIRES AND WHEELS (priced per piece)					Price with Tire Option		
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE		B26TL SUGG. LIST	B26TLB SUGG. LIST	B26TLB-V SUGG. LIST
ABR8726 **	Front 23 x 8.50-14 R4 IND	35	\$179.00		\$27,354.00	\$ 35,715.00	\$ 36,587.00
BR8749 **	Rear 12.4 -- 16 R4 IND	147	\$426.00				
ABR8726	Front 23 x 8.50-14 R4 IND	35	\$179.00		\$27,292.00	\$ 35,653.00	\$ 36,587.00
ABR9382	Rear 12.4 -- 16 R1 AG	95	\$395.00				
ABR8742	Front 24 x 8.50-14Turf Multi Trac	35	\$181.00		\$27,352.00	\$ 35,713.00	\$ 36,587.00
ABR8744	Rear 13.6 -- 16 Turf Multi Trac	120	\$423.00				
Tractor Assembly Charges					\$445.00 Added to Invoice	\$530.00 Added to Invoice	\$530.00 Added to Invoice

\*\* Standard tires.

## B26TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>Loader - Model – TL500 Loader</b> (Standard Equipment with B26 Tractor)			
Rated Lift Capacity @ Bucket Center 1102 lbs. / Rated Breakout 3,967 lbs. / Quick Coupler Standard Maximum Lift Height 94.5" / Mechanical Spill Guard			
<b>QUICK COUPLER LOADER BUCKETS</b>			
<b>Requires a loader bucket for either TL, TLB, or TLB-V Package)</b>			
TL2142	60" HD ROUND BACK BUCKET Struck Cap. (7.8 cu. ft.), Heaped Cap. (9.5 cu. ft.)	277	\$853.00
TL2143	BOLT-ON CUTTING EDGE FOR 60" TL2142 and L2244 Buckets	45	\$216.00
TL2144	66" LIGHT MATERIAL BUCKET Struck Cap. (11.3 cu. ft.), Heaped Cap. (13.8 cu. ft.)	329	\$883.00
TL1756	BOLT-ON CUTTING EDGE FOR 66" light material bucket (TL2144)	65	\$210.00
L2238	PALLET FORK FRAME Requires K9048 36" pallet forks	165	\$677.00
K9048	36" PALLET FORKS 2 pieces, 1 set	180	\$407.00
L2237	BALE SPEAR	165	\$642.00
L2244	60" 4-IN-ONE BUCKET (8.9 cu. ft. struck) (11.07 cu. ft. heaped) TL2141 required.	450	\$2,025.00
<b>REMOTE VALVE KIT FOR LOADER MOUNTED ATTACHMENTS</b>			
TL2141	REMOTE VALVE KIT Includes valve section, hoses, pipes, loader lever control, and attaching hardware.	60	\$863.00

### Backhoe – Models BT820 and BT820V

Heavy-duty, 4-Point Rigid Mount Quick-Attach Bucket Breakout Force 4,211 lbs. / Dipper stick Breakout Force 2,123 lbs. / Dig Depth 8' 2", (2 ft. SAE) Stabilizer spread-operating 83.3", 2 cylinder trunion-type swing			
BT820	Backhoe – 8' 2" (for TLB Package)	931	\$8,361.00
BT820V	Backhoe – 8' 2" (for TLB-V Package) Includes factory installed backhoe auxiliary hydraulic kit (BTB405)	931	\$9,233.00
L9467	Stabilizer Flip-Pad Set (2) Sets Required	34	\$79.00
<b>For TLB or TLB-V package, you also must order appropriate backhoe buckets.</b>			

## B26TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

### BUCKETS

#### Direct Pin-on Buckets

BT1961A	12 inch 1.1 cu. ft Trenching Bucket	38	\$502.00
BT1963A	18 inch 1.84 cu. ft Trenching Bucket	59	\$661.00
BT1964A	24 inch 2.61 cu. ft Trenching Bucket	75	\$864.00

#### Quick Attach Coupler Buckets

BT1970	QUICK ATTACH COUPLER Includes 2 mounting pins, 1 locking pin and hardware.	65	\$357.00
BT1971	12 inch 1.1 cu. ft. Trenching Bucket	69	\$602.00
BT1973	18 inch 1.84 cu. ft. Trenching Bucket	151	\$794.00
BT1974	24 inch 2.61 cu. ft. Trenching Bucket	140	\$942.00
BT1977	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	100	\$226.00

#### REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS

BTB405	REMOTE VALVE KIT Standard equipment for BT820V Includes right foot operated valve, hoses, pipes, brackets.	44	\$880.00
--------	------------------------------------------------------------------------------------------------------------------	----	----------

#### HYDRAULIC THUMB

BT1975	Hydraulic Thumb BT820V or BTB405 Remote Valve Kit required. Compatible with pin-on or quick coupler buckets. Thumb mount bracket factory installed.	123	\$1,101.00
--------	--------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	------------

#### HYDRAULIC BREAKER

KXB310Q	HYDRAULIC BREAKER, 200 ft. lbs. rated Includes manual, side plates, onemoil point and one chisel point. Requires BT1970 Quick Coupler, BTB405 Remote Valve Kit, K7778 hose kit, and K7762 mount bracket.	231	\$5,778.00
K7778	HYDRAULIC BREAKER HOSE KIT Required for KXB310Q installation	16	\$399.00
K7762	HYDRAULIC BREAKER BRACKET Required for KXB310Q installation	91	\$729.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only. Only one kit is required for servicing all breakers.	5	\$1,090.00



## B26TL/TLB

ORDER		APPROX.	SUGGESTED
CODE	DESCRIPTION	SHIP WT.	LIST PRICE

### HYDRAULICS KITS FOR REAR ATTACHMENTS

B8027	BASE KIT AND 1ST LEVER For 1st valve. Requires B8028.	16	\$482.00
B8028	DOUBLE ACTING VALVE SECTION For 1st or 2nd position. Requires B8027 or B8030	15	\$240.00
B8029	FLOAT DETENT VALVE SECTION For 2nd position only Requires B8030	5	\$302.00
B8030	SECOND POSITION STACKING KIT For 2nd valve. Requires B8027 and B8028 or B8029 valve section.	10	\$240.00
B8039	TOP-N-TILT KIT Includes Cylinders and Hoses Requires 2 B8028 valve sections	50	\$762.00

### OPTIONAL EQUIPMENT

B3941	3-point Linkage Kit	94	\$405.00
L8045	FRONT OR REAR WORK LIGHT KIT (2 per Kit) ROPS frame mount. Maximum 4 lights (2 kits) in total.	10	\$157.00
L8043	HORN KIT	10	\$58.00
B8036	DRAWBAR KIT	50	\$60.00
B8011	BACK-UP ALARM KIT	1	\$82.00
B8012	TOOL BOX	10	\$100.00

### Available from Parts:

70000-73274                      Block Heater (Frost Plug)

**This page intentionally left blank.**

## L47TL/TLB

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # V2403-CR-E4  
Tier 4 Final Certified  
4 Cyl., 148.5 cu. in.  
47.1 HP Gross  
44.7 HP Net  
33.0 PTO HP  
@ 2700 Eng. rpm

Direct Injection  
Charging Output 45 Amps  
12 V - 80 Amp Hour Battery  
Dual Element Air Cleaner w/ cyclone  
Precleaner

#### HYDRAULICS

Open Center – Gear Type  
Total Pump Capacity 25.0 gpm  
Includes Power Steering  
Front /Rear Remotes 11.8 gpm  
BH Boom Swing Pump 6.6 gpm  
Cat I 3-Point Hitch (Linkage Opt.)  
24" Behind 2756 lbs.  
@ Lift Points 3860 lbs.  
Position Control

#### FRONT AXLE

Bevel Gear, 4WD  
Hydrostatic Power Steering  
Cast Iron - Heavy Duty  
Tread Spacing, Nonadjustable

#### DRIVE TRAIN

HST Plus  
3 Ranges  
Low-Medium-High  
Maximum Travel Speed 14.1 mph  
Rear Differential Lock  
Mechanical, Multiple Wet Disc  
Brakes  
4 Wheel Drive

#### DIMENSIONS

Transport Length 234"  
Width 71.2"  
Height to ROPS top 95.1"  
Wheelbase 72.5"  
Ground Clearance 14.4"

#### FLUID CAPACITY

Fuel Tank 17.7 gal.  
Crankcase 8.7 qts.  
Engine Coolant 8.7 qts.  
Transmission and  
Hydraulics 12.2 gal.  
Front Axle Case 7.4 qts.

#### TIRES AND WHEELS

Front 27 x 10.50 - 15 R4 6 PLY  
Rear 15-19.5 R4 6 PLY

#### LIGHTING

2 Halogen Headlight / Work Lights  
2 Halogen Rear Work Lights  
2 Tail Lights / Turn Signals

#### POWER TAKE OFF

Hydraulic Independent Rear PTO  
Running 540 rpm @ 2590 Eng. RPM  
SAE – 1-3/8, 6 splines

#### INSTRUMENTS

IntelliPanel™  
Lighted Communications Symbols  
Digital Display with Tachometer,  
Travel Speed, PTO Speed,  
Warnings, Maintenance Alerts,  
On-board Diagnostics

#### REAR AXLE

Heavy Duty Axle w/ Differential Lock  
Helical gear final drives  
Multiple Wet Disc Brakes

#### SAFETY EQUIPMENT

Four Post ROPS / FOPS  
Deluxe Seat w/retractable Seat  
Belt  
Safety Start Switches  
Electric Key Shut-Off  
Parking Brake  
SMV Sign

#### STANDARD EQUIPMENT

Four 55 W Halogen Work Lights  
Electronic HST Transmission  
Backhoe Crawling Mode  
Full Flat Floor  
Cast Steel Brake Pedal  
Walk-through Step  
Seat with Arm Rests  
Seat Pivots In Place  
Backup Alarm  
Horn

Slanted Hood & Loader Arms  
2 Lever Style Quick Coupler  
Hydraulic Self-Leveling Loader  
Braceless Loader Frame  
Protected Hydraulic Hoses &  
Pipes  
Bucket Level Indicator  
Boom Lock

Arch Type Backhoe Boom  
Independent Boom Swing Pump  
Protected Hydraulic Hoses &  
Pipes  
Thumb Bracket  
Improved Inching Performance  
High Quality Hydraulic Cylinders

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
L47TL	Tractor Loader	5350	\$ 39,970.00
L47TLB	Tractor Loader Backhoe	7275	\$ 50,940.00
L47TLB-L	Tractor Loader Backhoe Includes factory assembled loader auxiliary hydraulic kit (TL2381)	7275	\$ 51,800.00
L47TLB-B	Tractor Loader Backhoe Includes factory assembled backhoe auxiliary hydraulic kit (BT2383)	7275	\$ 52,642.00
L47TLB-LB	Tractor Loader Backhoe Includes factory assembled loader and backhoe auxiliary hydraulic kits	7275	\$ 53,502.00

## L47TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### Base Tractor Includes:

<b>TL (Tractor Loader) ①</b>			
L47	4 Post ROPS/FOPS (FCL-45) & Seat Belt	3290	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND	136	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND	534	
TL1300	Front Loader without Bucket	1568	
① Rear counter weight is required when using the L47 as a Tractor Loader			
<b>TLB (Tractor Loader Backhoe)</b>			
L47	4 Post ROPS/FOPS (FCL-45) & Seat Belt	3,290	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND	136	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND	534	
TL1300	Front Loader without Bucket	1568	
BT1000B	Backhoe without Bucket	2,007	
<b>TLB-L (Tractor Loader Backhoe)</b>			
L47	4 Post ROPS/FOPS (FCL-45) & Seat Belt	3,290	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND	136	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND	534	
TL1300V	Front Loader without Bucket	1600	
	Includes factory assembled loader auxiliary hydraulic kit (TL2381)		
BT1000B	Backhoe without Bucket	2,007	
<b>TLB-B (Tractor Loader Backhoe)</b>			
L47	4 Post ROPS/FOPS (FCL-45) & Seat Belt	3,290	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND	136	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND	534	
TL1300	Front Loader without Bucket	959	
BT1000BV	Backhoe without Bucket	1,925	
	Includes factory assembled backhoe auxiliary hydraulic kit (BT2383)		
<b>TLB-LB (Tractor Loader Backhoe)</b>			
L47	4 Post ROPS/FOPS (FCL-45) & Seat Belt	3,290	In Base Price
	Front Tire (ALR9192) 27 x 10.5 - 15 R4 IND	136	
	Rear Tire (ALR9195) 15 – 19.5 R4 IND	534	
TL1300V	Front Loader without Bucket	1600	
	Includes factory assembled loader auxiliary hydraulic kit (TL2381)		
BT1000BV	Backhoe without Bucket	2,007	
	Includes factory assembled backhoe auxiliary hydraulic kits (BT2383)		

**NOTE:** You must order a loader bucket for all TL and TLB Packages.  
For all TLB Packages, you must order appropriate backhoe buckets.

TIRES AND WHEELS (priced per piece)				Price with Tire Option	
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	L47TL SUGG. LIST	L47TLB SUGG. LIST
ALR9192 **	Front 27 x 10.5 - 15 R4 IND	68	\$231.00	\$ 39,970.00	\$ 50,940.00
ALR9195 **	Rear 15 – 19.5 R4 IND	267	\$773.00		
ALR9497	Front 27/10.50LL-15 Galaxy Turf	70	\$414.00	\$ 40,336.00	\$ 51,306.00
ALR9449	Rear 16.5L-16.1 Turf Tire	132	\$773.00		
Tractor Assembly Charges				\$445.00 Added to Invoice	\$530.00 Added to Invoice

\*\* Standard tires

# KUBOTA

## L47TL/TLB

TIRES AND WHEELS (priced per piece)				Price with Tire Option		
ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGG. LIST PRICE	L47TLB-L SUGG. LIST	L47TLB-B SUGG. LIST	L47TLB-LB SUGG. LIST
ALR9192	** Front 27 x 10.5 - 15 R4 IND	68	\$231.00	\$ 51,800.00	\$ 52,642.00	\$ 53,502.00
ALR9195	** Rear 15 – 19.5 R4 IND	267	\$773.00			
ALR9497	Front 27/10.50LL-15 Galaxy	70	\$414.00	\$ 52,166.00	\$ 53,008.00	\$ 53,868.00
ALR9449	Rear 16.5L-16.1 Turf Tire	132	\$773.00			
Tractor Assembly Charges				\$530.00 Added to Invoice	\$530.00 Added to Invoice	\$530.00 Added to Invoice

\*\* Standard tires.

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### LOADER - MODELS TL1300 and TL1300V

Rated Lift Capacity @ Bucket Center 2,200 lbs. / Rated Breakout 4,531 lbs.  
Maximum Lift Height 113.9" / Automatic Self Leveling Valve / Quick Coupler

#### HYDRAULIC QUICK COUPLER KIT

TL1310	Hydraulic Two Lever Quick Coupler Kit Optional hydraulic front coupler	118	\$1,499.00
--------	---------------------------------------------------------------------------	-----	------------

#### QUICK-COUPLER LOADER BUCKETS

Requires a Loader bucket for either TL or TLB Package.

TL1765A	72" HD ROUND BACK BUCKET Struck Cap. (12.7 cu. ft.) Heaped Cap.(15.5 cu. ft.)	336	\$1,072.00
TL1748A	BOLT-ON CUTTING EDGE for 72" L2245 and TL1765A Buckets	70	\$227.00
L2245	72" 4 in 1 BUCKET Struck Capacity (10.9 cu. ft.) Heaped Capacity (13.1 cu. ft.) 21.5" Mouth Opening, 2,000 psi clamping force Requires TL1311 Remote Valve Kit	675	\$2,140.00
M1809	PALLET FORK FRAME Requires K9058 or K9059 pallet forks	200	\$690.00
K9058	42" PALLET FORKS 2 pieces, 1 set	196	\$476.00
K9059	48" PALLET FORKS 2 pieces, 1 set	218	\$512.00
M1804	Bale Spear (Quick-Change)	195	\$746.00

#### REMOTE VALVE KIT FOR LOADER MOUNTED ATTACHMENTS

TL2381	REMOTE VALVE KIT Standard equipment for TL1300V Loader Includes valve section, hoses, pipes, loader lever control, and attaching hardware.	40	\$903.00
TL1311	SINGLE LEVER THIRD FUNCTION QUICK CONNECT TL2381 Required	90	\$596.00

## L47TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BACKHOE – MODELS BT1000B and BT1000BV</b>			
Heavy-duty, 4-Point Rigid Mount Quick-Attach Bucket Breakout Force 5,825 lbs. / Dipper Stick Breakout Force 3,779 lbs. / Dig Depth 10', (2 ft. SAE) / Stabilizer spread-operating 89.3" / Dedicated Boom Swing Pump / 2-Cylinder Trunion Type Swing			
BT1000B	BACKHOE – 10'	2007	\$10,970.00
BT1000BV	BACKHOE – 10' Includes factory assembled backhoe auxiliary hydraulic kit (BT2383)	2007	\$12,672.00
L9467	RUBBER STABILIZER FLIP PAD (2) Required	15	\$79.00
BT2382	STABILIZER CYLINDER COVER KIT	28	\$169.00

**For all TLB Packages, you must order appropriate backhoe buckets.**

### BUCKETS

#### Direct Pin-On Buckets

BT3001	12 inch 1.47 cu. ft Bucket	117	\$656.00
BT3002A	16 inch 2.16 cu. ft Bucket	140	\$744.00
BT3003A	18 inch 2.51 cu. ft Bucket	151	\$794.00
BT3004	24 inch 3.6 cu. ft Bucket	172	\$923.00
BT3005A	30 inch 4.69 cu. ft Bucket	205	\$1,065.00
BT3006	36 inch 5.78 cu. ft Bucket	226	\$1,191.00

#### Quick Attach Coupler Buckets

K7543	QUICK ATTACH COUPLER (Excavator Buckets) Includes 2 mounting pins, 1 locking pin and hardware.	140	\$928.00
K7872	12 inch 2.13 cu. ft. TRENCHING BUCKET	160	\$989.00
K7873	16 inch 2.83 cu. ft. TRENCHING BUCKET	185	\$1,031.00
K7874	18 inch 3.19 cu. ft. TRENCHING BUCKET	190	\$1,098.00
K7875	24 inch 4.25 cu. ft. TRENCHING BUCKET	240	\$1,302.00
K7876	30 inch 5.31 cu. ft TRENCHING BUCKET	265	\$1,506.00
K7921A	36 inch 9.8 cu. Ft. TRENCHING BUCKET	180	\$1,610.00
K7473	36 inch 3.00 cu. Ft. TILT GRADING BUCKET	305	\$4,450.00
K7458	36 inch GRADING BLADE	270	\$1,396.00
K9807	BUCKET HANGERS Set of two bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	49	\$335.00

#### REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS

BT2383	REMOTE VALVE KIT Standard equipment for BT1000BV Includes right foot operated valve, hoses, pipes, brackets.	44	\$1,788.00
--------	--------------------------------------------------------------------------------------------------------------------	----	------------

## L47TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULIC THUMB</b>			
BT4598	HYDRAULIC THUMB (FOR PIN ON BUCKETS) Requires BT1000BV or BT2383 remote valve kit. Compatible with pin-on buckets. Thumb mount bracket factory installed.	56	\$2,033.00
K7545	HYDRAULIC THUMB ( FOR Q.C. BUCKETS) Requires BT1000BV or BT2383 remote valve kit. Compatible with K7543 Quick Coupler. Thumb mount bracket factory installed.	142	\$2,625.00

### HYDRAULIC BREAKER

KXB360Q	HYDRAULIC BREAKER, 300 ft. lbs. rated Includes manual, side plates, onemoil point and one chisel point. Requires K7543 Quick Coupler, BT2383 Remote Valve Kit, K7639 Hose Kit, and K7544 Mount Bracket.	231	\$7,097.00
K7639	HYDRAULIC BREAKER HOSE KIT Required for KXB360Q installation	13	\$598.00
K7544	HYDRAULIC BREAKER BRACKET Required for KXB360Q installation	99	\$752.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only. Only one kit is required for servicing all breakers.	5	\$1,090.00

### OPTIONAL EQUIPMENT

L3961	3-POINT LINKAGE KIT	67	\$523.00
L1321	3-POINT LINKAGE STORAGE KIT	67	\$235.00
L9475	DRAWBAR KIT	37	\$214.00
L9496G	DRAWBAR CLEVIS KIT	8	\$67.00
L9476A	TOOL BOX KIT	10	\$90.00
L8045	① WORK LIGHT KIT FRONT / REAR ROPS frame mounted. (2 per Kit)	3	\$157.00
TBA	CCV HEATER KIT		TBA

① Maximum 4 (2 kits) in total.

### HYDRAULICS KITS FOR REAR ATTACHMENTS

(To be used with Backhoe removed on a Tractor/Loader)			
L9553A	REMOTE VALVE KIT FOR REAR ATTACHMENTS Includes 3 Spool Valve, Mount Bracket, Hoses, Hydraulic Quick-Couplers	37.5	\$1,286.00
L9554	3 PT TOP and TILT KIT Includes 2 Cylinders, Hoses and Hydraulic Quick Couplers. (Requires L9553A REMOTE VALVE KIT FOR REAR ATTACHMENTS)	44	\$843.00

## L47TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>OPTIONAL CAB KIT</b>			
L3932	HEATED CAB FOR L47 TLB Heat Only Cab		TBA
L3933	REAR PANELS Required if unit is not equipped with a backhoe		TBA
L8015	LED WORK LIGHT KIT Required if equipped with L3932		TBA

**Available from Parts:**

70000-00297

Block Heater – Front Plug



## M62TL/TLB

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model # V2403-CR-TE4  
Tier IV Final Certified  
4 Cyl. 148.5 cu. in.  
Turbocharged  
+ 63 Gross HP  
+ 59.1 Net HP  
+ 46.0 PTO HP  
@ 2700 Engine RPM  
Direct Injection  
Charging output 45 Amps  
12 V – 80 Amp Hour Battery  
Dual Element Air Cleaner

#### HYDRAULICS

Open Center - Gear Type  
Total Pump Capacity 30.9 gpm  
Includes Power Steering  
BH Boom Swing Pump 8.3 gpm  
Front / Rear Remotes 16.0 gpm  
Cat I & II 3-point Hitch (Optional)  
24" Behind 2976 lbs.  
@ Lift Points 3860 lbs.  
Position Control

#### FRONT AXLE

Bevel-Gear, 4 WD  
Hydrostatic Power Steering  
Cast Iron – Heavy Duty  
Tread spacing, Non-adjustable

#### DRIVE TRAIN

HST Plus  
3 Ranges  
Low-Medium-High  
Maximum Travel Speed 15.7 mph  
Rear Differential Lock  
Multiple Wet Disc Brakes  
4 Wheel Drive

+ Manufacturer Estimate

#### DIMENSIONS

Transport Length 252.9"  
Width 75.0"  
Height to ROPS top 102.1"  
Wheelbase 80.7"  
Ground Clearance 13.8"

#### FLUID CAPACITY

Fuel Tank 17.7 gals.  
Crankcase 9.9 qts.  
Eng. Coolant 8.7 qts.  
Transmission and Hydraulics 12.2 gal.  
Front Axle Case 13.2 qts.

#### TIRES AND WHEELS

Front 10 - 16.5 R4 Industrial  
Rear 17.5L - 24 R4 Industrial

#### LIGHTING

2 Halogen Headlight / Work Lights  
2 Halogen Rear Work Lights  
2 Tail Lights / Turn Signals

#### POWER TAKE OFF

Hydraulic Independent Rear PTO  
Running 540 rpm @ 2550 Eng. RPM  
SAE – 1-3/8, 6 splines

#### INSTRUMENTS

IntelliPanel™  
Lighted Communications Symbols  
Digital Display with Tachometer,  
Travel Speed, PTO Speed,  
Warnings, Maintenance Alerts, On-board Diagnostics

#### REAR AXLE

Heavy Duty Axle w/ Differential Lock  
Bull-gear final drives  
Multiple Wet Disc Brakes

#### SAFETY EQUIPMENT

Four Post ROPS / FOPS  
Deluxe Seat w/retractable Seat Belt  
Safety Start Switches  
Electric Key Shut-Off  
Parking Brake  
SMV Sign

#### STANDARD EQUIPMENT

Four 55 W Halogen Work Lights  
Electronic HST Transmission  
Backhoe Crawling Mode  
Full Flat Floor  
Cast Steel Brake Pedal  
Walk-through Step  
Seat with Arm Rests  
Seat Pivots In Place  
Backup Alarm & Horn  
3-point Linkage Storage  
Larger Canopy

Slanted Hood & Loader Arms  
2 Lever Style Quick Coupler  
Hydraulic Self-Leveling Loader  
Braceless Loader Frame  
Protected Hydraulic Hoses & Pipes  
Bucket Level Indicator  
Boom Lock

Arch Type Backhoe Boom  
Independent Boom Swing Pump  
Protected Hydraulic Hoses & Pipes  
Thumb Bracket  
Stabilizer Cylinder Cover  
Improved Inching Performance  
High Quality Hydraulic Cylinders  
Tie-down Rings for Transport

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
M62TL	Tractor Loader	6,158	\$ 47,967.00
M62TLB	Tractor Loader Backhoe	8,345	\$ 63,816.00
M62TLB-L	Tractor Loader Backhoe Includes factory assembled loader auxiliary hydraulic kit (TL2384)	8,395	\$ 64,705.00
M62TLB-B	Tractor Loader Backhoe Includes factory assembled backhoe auxiliary hydraulic kit (BT2385)	8,405	\$ 65,240.00
M62TLB-LB	Tractor Loader Backhoe Includes factory assembled loader and backhoe auxiliary hydraulic kits	8,455	\$ 66,129.00

## M62TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

### Base Tractor Includes:

<b>TL (Tractor Loader) ①</b>			
M62	4 Post ROPS/FOPS (FCM-59) & Seat Belt	4,450	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND	103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND	280	
TL1800	Front Loader without Bucket	1,963	
① Rear counter weight is required when using the M62 as a Tractor Loader			
<b>TLB (Tractor Loader Backhoe)</b>			
M62	4 Post ROPS/FOPS (FCM-59) & Seat Belt	4,450	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND	103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND	280	
TL1800	Front Loader without Bucket	1,963	
BT1400	Backhoe without Bucket	2,416	
<b>TLB-L (Tractor Loader Backhoe)</b>			
M62	4 Post ROPS/FOPS (FCM-59) & Seat Belt	4,450	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND	103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND	280	
TL1800V	Front Loader without Bucket	2,018	
	Includes factory assembled loader auxiliary hydraulic kit (TL2384)		
BT1400	Backhoe without Bucket	2,416	
<b>TLB-B (Tractor Loader Backhoe)</b>			
M62	4 Post ROPS/FOPS (FCM-59) & Seat Belt	4,450	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND	103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND	280	
TL1800	Front Loader without Bucket	1,963	
BT1400V	Backhoe without Bucket	2,411	
	Includes factory assembled backhoe auxiliary hydraulic kit (BT2385)		
<b>TLB-LB (Tractor Loader Backhoe)</b>			
M62	4 Post ROPS/FOPS (FCM-59) & Seat Belt	4,450	In Base Price
	Front Tire (ALR6842) 10 - 16.5 R4 IND	103	
	Rear Tire (ALR6843) 17.5L - 24 R4 IND	280	
TL1800V	Front Loader without Bucket	2,018	
	Includes factory assembled loader auxiliary hydraulic kit (TL2384)		
BT1400V	Backhoe without Bucket	2,411	
	Includes factory assembled backhoe auxiliary hydraulic kits (BT2385)		

**NOTE:** You must order a loader bucket for all TL and TLB Packages.

For all TLB Packages, you must order appropriate backhoe buckets.

# KUBOTA

## M62TL/TLB

TIRES AND WHEELS (priced per piece)					Price with Tire Option	
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGG. LIST PRICE	M62TL SUGG. LIST	M62TLB SUGG. LIST
ALR6842	** Front 10 -- 16.5 R4 IND	K283A92	103	\$364.00	\$ 47,967.00	\$ 63,816.00
ALR6843	** Rear 17.5L -- 24 R4 IND	K662A22	280	\$849.00		
ALR6845	Front 12 -- 16.5 SL R3 TURF	K301A08	110	\$386.00	\$ 47,967.00	\$ 63,816.00
ALR6846	Rear 16.9L -- 24 R3 TURF	K645A06	266	\$827.00		
Tractor Assembly Charges					\$445.00 Added to Invoice	\$530.00 Added to Invoice

\*\* Standard tires.

TIRES AND WHEELS (priced per piece)					Price with Tire Option		
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGG. LIST PRICE	M62TLB-L SUGG. LIST	M62TLB-B SUGG. LIST	M62TLB-LB SUGG. LIST
ALR6842	** Front 10 -- 16.5 R4 IND	K283A92	103	\$364.00	\$ 64,705.00	\$ 65,240.00	\$ 66,129.00
ALR6843	** Rear 17.5L -- 24 R4 IND	K662A22	280	\$849.00			
ALR6845	Front 12 -- 16.5 SL R3 TURF	K301A08	110	\$386.00	\$ 64,705.00	\$ 65,240.00	\$ 66,129.00
ALR6846	Rear 16.9L -- 24 R3 TURF	K645A06	266	\$827.00			
Tractor Assembly Charges					\$530.00 Added to Invoice	\$530.00 Added to Invoice	\$530.00 Added to Invoice

\*\* Standard tires.

## M62TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

### LOADER - MODELS TL1800 and TL1800V

Rated Lift Capacity @ Bucket Center 2,976 lbs. / Rated Breakout 5,992 lbs.  
Maximum Lift Height 126.1" / Automatic Self-Leveling / Quick Coupler / Rod Type Bucket Level Indicator

#### HYDRAULIC QUICK COUPLER KIT

TL1810	HYDRAULIC TWO LEVER QUICK COUPLER KIT Optional hydraulic front coupler	22	\$1,499.00
--------	---------------------------------------------------------------------------	----	------------

#### QUICK-COUPLER ATTACHMENTS

**A loader bucket is required for all packages**

TL3421A	84" HD ROUND BACK BUCKET (19.1 cu. ft. struck) (23.57 cu. ft. heaped)	336	\$1,259.00
TL3431A	BOLT-ON CUTTING EDGE FOR 84" HD Round Back Bucket (TL3421A)	81	\$255.00
M1809	PALLET FORK FRAME Requires K9058 or K9059 pallet forks	200	\$690.00
K9058	42" PALLET FORKS 2 pieces, 1 set	196	\$476.00
K9059	48" PALLET FORKS 2 pieces, 1 set	218	\$512.00
M1804	BALE SPEAR	195	\$746.00

#### REMOTE VALVE KIT FOR LOADER MOUNTED ATTACHMENTS

TL2384	REMOTE VALVE KIT Standard equipment for TL1800V Includes valve section, hoses, pipes, loader lever control, quick couplers, and attaching hardware.	60	\$955.00
TL1811	SINGLE LEVER THIRD FUNCTION QUICK CONNECT TL2384 Required	46	\$596.00

### BACKHOE – MODEL BT1400 and BT1400V

Heavy-Duty, 4-Point Rigid Mount Quick Attach Backhoe  
Bucket Breakout Force 6572 Lbs. / Dipperstick Breakout Force 4,657 Lbs. / Maximum Digging Depth 14'  
Dedicated Boom Swing Pump / Stabilizer Spread-Operating 89.3" / 2 Cylinder Trunion-Type Swing /  
Steel Flip Pads Standard

BT1400	BACKHOE 14' Backhoe without Bucket	2411	\$15,849.00
BT1400V	BACKHOE 14' Includes factory assembled backhoe auxiliary hydraulic kit (BT2385)	2416	\$17,273.00
L9467	RUBBER STABILIZER FLIP PAD (2 Required)	34	\$79.00

**You Must Order Appropriate Backhoe Bucket(s) For All TLB Packages.**

## M62TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

### BUCKETS

#### DIRECT PIN-ON BUCKETS

BT2911	12", 1.92 cu ft Trenching Bucket	147	\$723.00
BT2912A	16", 2.82 cu ft Trenching Bucket	140	\$823.00
BT2913A	18", 3.9 cu ft Trenching Bucket	151	\$871.00
BT2914	24", 4.73 cu ft Trenching Bucket	172	\$1,029.00
BT2915A	30", 6.20 cu ft Trenching Bucket	205	\$1,181.00
BT2916	36", 7.67 cu ft Trenching Bucket	226	\$1,308.00

#### QUICK-ATTACH BUCKETS

K7543	QUICK ATTACH COUPLER Includes 2 mounting pins, 1 locking pin and hardware.	140	\$928.00
K7872	12 inch 2.13 cu. ft. TRENCHING BUCKET	160	\$989.00
K7873	16 inch 2.83 cu. ft. TRENCHING BUCKET	185	\$1,031.00
K7874	18 inch 3.19 cu. ft. TRENCHING BUCKET	190	\$1,098.00
K7875	24 inch 4.25 cu. ft. TRENCHING BUCKET	240	\$1,302.00
K7876	30 inch 5.31 cu. ft TRENCHING BUCKET	265	\$1,506.00
K7921A	36 inch 9.8 cu. ft TRENCHING BUCKET	180	\$1,610.00
K7473	36 inch 3.00 cu. ft TILT GRADING BUCKET	305	\$4,450.00
K7458	36 inch GRADING BLADE	270	\$1,396.00
K7877A	36 inch 6.64 cu. ft GRADING BUCKET	230	\$1,159.00
K7546	36 inch CEMETARY BUCKET	265	\$1,232.00
K7454	39 inch 4.72 cu. ft TILT GRADING BUCKET	185	\$5,049.00
K7547	24 inch Q.C. FROST RIPPER	315	\$1,180.00
K7557	24 inch Q.C. EXCAVATING RAKE	300	\$1,927.00
K9807	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	49	\$335.00

#### REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS

BT2385	REMOTE VALVE KIT Includes right foot operated valve, hoses, pipes, brackets.	30	\$1,752.00
--------	---------------------------------------------------------------------------------	----	------------

#### HYDRAULIC THUMB

BT4599	HYDRAULIC THUMB (FOR PIN ON BUCKETS) Requires BT1400V or BT2385 Remote Valve Kit. Compatible with pin-on buckets. Thumb mount bracket factory installed.	56	\$2,140.00
K7545	HYDRAULIC THUMB (FOR QUICK COUPLER BUCKETS) Requires BT1400V or BT2385 Remote Valve Kit. Compatible with Quick Coupler buckets. Thumb mount bracket factory installed.	142	\$2,625.00

## M62TL/TLB

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULIC BREAKER</b>			
KXB460Q	HYDRAULIC BREAKER, 400 ft. lbs. rated Includes manual, side plates, onemoil point and one chisel point. Requires K7543 Quick Coupler, BT2385 Remote Valve Kit, K7774 hose kit, and K7758 mount bracket.	231	\$8,672.00
K7774	HYDRAULIC BREAKER HOSE KIT Required for KXB460Q installation	16	\$686.00
K7758	HYDRAULIC BREAKER BRACKET Required for KXB460Q installation	91	\$774.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only. Only one kit is required for servicing all breakers.	5	\$1,090.00

### HYDRAULICS KITS FOR REAR ATTACHMENTS (To be used with Backhoe removed on a Tractor/Loader)

TL9407	TOP-N-TILT KIT Includes cylinders and hoses. Requires the L3995A Rear Remote valve kit. The TL9407 makes use of 2 of the 3 rear remote valves (L3995A).	50	\$1,130.00
L3995A	REMOTE VALVE KIT FOR REAR ATTACHMENTS Consists of 3 Float Detent Valves, L-Series Style Female Quick Couplers, Quick Couplers mount on Right Side Rear ROPS Post, Three Control Levers directly connected to valves. L3995A valve kit is required for installation of the TL9407 Top-N-Tilt kit.	64	\$2,324.00

### OPTIONAL EQUIPMENT

L3951	3-point Linkage Kit	95	\$754.00
L9475	Drawbar Kit	37	\$214.00
L9496G	Drawbar Clevis	8	\$67.00
L9476A	Tool Box Kit	10	\$90.00
L8045	Work Light Kit ROPS Mount (2 per Kit)	3	\$157.00
LM8124	Wheel Weights (Max. 3 weights per wheel) Set of 2 (103 lbs. each) Requires (1) LM8125A and M8121A for 2nd / 3rd set.	206	\$279.00
LM8125A	Bolt kit (For Pair of LM8124)	5	\$67.00
M8121A	Bolt Kit (For 2nd / 3rd set of LM8124)	8	\$21.00
TBA	CCV HEATER KIT FOR M62		TBA

### OPTIONAL CAB KIT

M3912	HEATED CAB FOR M62 TLB Heat Only Cab		TBA
M3913	REAR PANELS Required if unit is not equipped with a backhoe		TBA
L8015	LED WORK LIGHT KIT Required if equipped with M3912		TBA

#### Available from Parts:

70000-00297

Block Heater

## Loader/Landscaper Series Accessories/Attachment Chart

### LOADER / LANDSCAPERS SERIES ACCESSORIES/ATTACHMENT CHART

	MODEL	B26	L47	M62
ACCESSORIES	Remote Valve Kit For Rear Attachments	B8027 ①	L9553A	L3995A
	3-point Linkage Kit	B3941	L3961	L3951
	3Pt Top and Tilt Kit	B8039 ①	L9554 ④	TL9407 ⑤
	Backhoe Stabilizer Flip Pad	L9467	L9467	L9467
	Backup Alarm Kit	B8011	(STD)	(STD)
	Block Heater (Front Plug)	70000-73274	70000-00297	70000-00297
	Bolt-on Cutting Edge	TL2143 ⑥	TL1748A ⑥	TL3431A ⑥
	Drawbar Kit	B8036	L9475	L9475
	Drawbar Clevis	N/A	L9496G	L9496G
	Horn Kit	L8043	(STD)	(STD)
	Remote Valve Kit For Backhoe Mounted Attachments	BTB405	BT2383	BT2385
	Remote Valve Kit For Loader Mounted Attachments	TL2141	TL2381	TL2384
	ROPS / FOPS	FCB-26 (STD)	FCL-45 (STD)	FCM-59 (STD)
	Tool Box	B8012	L9476A	L9476A
	Working Light (2) - Front/Rear	L8045	L8045	L8045
		ROPS Frame Mount	ROPS Frame Mount	ROPS Frame Mount
ATTACHMENTS	Pallet Forks	L2238 (Frame) ②	M1809 (Frame) ③	M1809 (Frame) ③
	Backhoe Quick Attach Coupler	BT1970	K7543	K7543
	Ballast Box	B1860	M8180	M8180
	Hydraulic Breaker	KXB310Q⑦	KXB360Q⑦	KXB460Q⑦
	Rear Blade	B2004	N/A	N/A
	Rear Mount Mower	RFM-60	N/A	N/A
	Transmission Type	HST (Hydrostatic)	HST Plus	HST Plus

① Requires B8028 valve sections.

② Requires K9048 36" pallet forks

③ Requires K9058 42" or K9059 48" pallet forks

④ Requires L9553A 3-spool remote valve kit for rear attachments.

⑤ Requires L3995A 3-spool remote valve kit for rear attachments

⑥ Replacement cutting edge for heavy-duty round back bucket only

⑦ Requires quick attach coupler, remote valve kit for backhoe mounted attachments, hose kit, and bracket.

## Loader/Landscaper Series Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

### BALLAST BOX - An optional 3-point Linkage Kit is required for all Ballast Box installations

B8160	Ballast Box for BX, B Series, B21, and B26 400 lbs. capacity dry sand. The total weight of the ballast box with sand is 500 lbs.	101	\$245.00
L8170	Ballast Box for L Series, L35, L45, and L47 845 lb. capacity dry sand. The total weight of the ballast box with sand is 1000 lb.	168	\$449.00
M8180	Ballast Box for L39, L48, M59, M62 and all M-Series Tractors 1280 lb. capacity dry sand. The total weight of the ballast box with sand is 1500 lb.	220	\$593.00

### BOX SCRAPERS

L7565A	65" Cutting Width for L35, L39-1, L45, & L47 Hydraulic 21.3 cu. ft. capacity/ 6 scarifiers Requires one L9434 Hose Kit and one L9433A Aux. Hyd Kit	884	\$2,390.00
--------	-------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	------------