

State of Mississippi

Department of Transportation

Statewide Agency Contract

Hot & Cold Mix Asphalt

1/1/2017 Approval Through 6/30/17

TABLE OF CONTENTS

	HOT AND COLD MIX ASPHALT	PAGE	NO:
3	ADCAMP, INC		3
1	APAC-MISSISSIPPI INC (CANTON)		4
3	APAC-MISSISSIPPI INC (COLUMBUS & HAMILTON)		6
3	APAC-MISSISSIPPI INC (GLEN)		8
1	APAC-MISSISSIPPI INC (GREENVILLE)		9
1	APAC-MISSISSIPPI INC (GREENWOOD)		11
3	APAC-MISSISSIPPI INC (GUNTOWN)		13
1	APAC-MISSISSIPPI INC (JACKSON)		14
1	APAC-MISSISSIPPI INC (MERIDIAN)		16
3	APAC-MISSISSIPPI INC (NEW ALBANY)		
3	APAC-MISSISSIPPI INC (TUPELO)		19
1	APAC-MISSISSIPPI INC (VICKSBURG)		20
1	APAC-MISSISSIPPI INC (YAZOO CITY)		22
3	BARRIERE CONSTRUCTION CO, LLC		24
2	DICKERSON & BOWEN INC (BROOKHAVEN)		25
2	DICKERSON & BOWEN INC (CARTHAGE)		26
2	DICKERSON & BOWEN INC (JACKSON)		27
2	DICKERSON & BOWEN INC (MCCOMB)		29
2	DUNN ROADBUILDERS LLC (COLUMBIA)		31
2	DUNN ROADBUILDERS LLC (LAUREL)		33
2	DUNN ROADBUILDERS LLC (PETAL)		35
3	HUEY STOCKSTILL, INC		37
3	LEHMAN ROBERTS COMPANY (BATESVILLE)		39
3	LEHMAN ROBERTS COMPANY (BYHALIA)		40
3	LEHMAN ROBERTS COMPANY (HERNANDO)		41
3	LEHMAN ROBERTS COMPANY (MEMPHIS, TN)		42
3	LEHMAN ROBERTS COMPANY (OXFORD)		43
3	LEHMAN ROBERTS COMPANY (WINONA)		44
ī	MALLETTE BROTHERS CONSTRUCTION CO		45
3	MATERIAL RESOURCES, INC		47
1	PANDLE, INC		48
3	SUPERIOR ASPHALT (BYRAM)		49
3	SUPERIOR ASPHALT (HAZLEHURST		50
2	W.E. BLAIN & SONS, INC (BYRAM)		51
2	W.E. BLAIN & SONS, INC (GEORGETOWN)		52
2	W.E. BLAIN & SONS, INC (MORTON)		53
2	W.E. BLAIN & SONS, INC (MT. OLIVE)		54
2	W.E. BLAIN & SONS, INC (WASHINGTON)		55
1	W.G. CONSTRUCTION COMPANY, INC		56
3	WARREN PAVING, INC (GULFPORT)		57
3	WARREN PAVING, INC (HATTIESBURG)		59
3	WHITEHEAD CONSTRUCTION COMPANY		61

^{1 =} MDOT ONLY

^{2 =} MDOT AND OTHER STATE AGENCIES

^{3 =} MDOT, GOVERNING AUTHORITIES, & OTHER STATE AGENCIES

ADCAMP, INC. P.O. BOX 54246 JACKSON, MS 39288 601/939-4493

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>1353 FLOWOOD DRIVE</u>, <u>FLOWOOD</u>, <u>MS 39232</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @_55.00_ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

1.3) 9	.5mm	Mixture
	, ,	. •	MINCUIE

@<u>55.00</u> per ton

(4) 12.5 mm Mixture

@<u>55.00</u> per ton

(5) 19 mm Mixture

@ 55.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@_53.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _0.35_ PER TON PER MILE, WITH _5.00_ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

@ 70.00 per ton

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>CANTON</u>, <u>MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @_52.00 per ton

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75 mm Mixture	@_70.00_	per	ton
(3)	9.5mm Mixture	@ <u>53.00</u>	per	ton
(4)	12.5 mm Mixture	@ 53.00	per	ton
(5)	19 mm Mixture	@ 53.00	per	ton

907-403-A HOT MIX ASPHALT, MT:

(6) 25 mm Mixture

(7) 4.75 mm Mixture	@_70.00_	per	ton
(8) 9.5 mm Mixture	@ <u>52.00</u>	per	ton
(9) 12.5 mm Mixture	0_52.00_	per	ton
(10) 19 mm Mixture	0_52.00	per	ton
(11) 25 mm Mixture	@ 70.00	per	ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75 mm Mixture	@_70.00_	per	ton
(13)	9.5 mm Mixture	@_51.00	per	ton
(14)	12.5 mm Mixture	@_51.00_	per	ton
(15)	19 mm Mixture	@ 51.00	per	ton
(16)	25 mm Mixture	@ 70.00	per	ton

4

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@<u>81.00</u> per ton

(18) 9.5 mm Mixture

@ 65.00 per ton

(19) 12.5 mm Mixture

@<u>65.00</u> per ton

(20) 19 mm Mixture

@ 65.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@ 47.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.28_$ PER TON PER MILE, WITH $_3.25_$ PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 1388 COLUMBUS, MS 39703 662/328-6555

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>COLUMBUS/HAMILTON PLANTS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

í	1 '	Type	8	Crushed	Gravel	$\circ r$	a	67 00	nor	ton
٠,		TAPE	υ,	CIUDITEU	Graver,	OI	UJ (U	07.00	ner	ւսո

907-403-A HOT MIX ASPHALT, ST:

1	[3]	9.5mm	Mixture	a	67	. 00	per	ton
		, J. J. 111111	TI I A G U I C	la l	υi		ner	ьон

(5) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)) 9.5 mm	Mixture	а	67.00	per	ton

(9) 12.5 mm Mixture @__64.00 per ton

(10) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT:

1	′ 1.3 ì	9.5	mm	Mixture	ĺ	а .	67.00	per	ton

(14) 12.5 mm Mixture @__64.00_ per ton

(15) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 75.00 per ton

(19) 12.5 mm Mixture @___72.00_ per ton

(20) 19 mm Mixture @ 66.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @__67.00_ per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@<u>90.00</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.20_$ PER TON PER MILE, WITH $_5.00_$ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>CORINTH 2700 HWY 72 GLEN, MS 38846</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @68.00 per to	(1)	Type	8,	Crushed	Gravel,	or	а	68.00	ner	tini
--	-----	------	----	---------	---------	----	---	-------	-----	------

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	.	68.	0.0	per	ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5	mm	Mixture	<u>@_</u>	68.00	per	ton
-----	-----	----	---------	-----------	-------	-----	-----

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture $0_{68.00}$ per tor	(13)	9.5	mm M	Mixture		@	68,00	per	ton
---	------	-----	------	---------	--	---	-------	-----	-----

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18)	9.5	mm	Mixture	@_	74.00	per	ton
------	-----	----	---------	----	-------	-----	-----

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 68.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @_82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.30_$ PER TON PER MILE, WITH $_4.00_$ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>2559 HARBOR FRONT ROAD</u>, GREENVILLE, MS_ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8. Crushed Gravel. or @ 84.95 per ton

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75 mm Mixture	@ 89.55	per	ton
(3)	9.5mm Mixture	@ 74.55	per	ton
(4)	12.5 mm Mixture	@ 68.55	per	ton
(5)	19 mm Mixture	@ 66.55	per	ton
(6)	25 mm Mixture	@ 66.55	per	ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture	@ <u>91.55</u> per ton
(8) 9.5 mm Mixture	@ <u>78.55</u> per ton
(9) 12.5 mm Mixture	@_71.55_ per ton
(10) 19 mm Mixture	@ <u>70.55</u> per ton
(11) 25 mm Mixture	@ <u>70.55</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75 mm Mixture	0_86.35_	per	ton
(13)	9.5 mm Mixture	@ 71.55	per	ton
(14)	12.5 mm Mixture	@_67.55_	per	ton
(15)	19 mm Mixture	@ 66.55	per	ton
(16)	25 mm Mixture	@ <u>66.55</u>	per	ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@<u>97.35</u> per ton

(18) 9.5 mm Mixture

@ 81.55 per ton

(19) 12.5 mm Mixture

@<u>77.55</u> per ton

(20) 19 mm Mixture

@ 76.55 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@ 70.05 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@_110.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.27$ PER TON PER MILE, WITH $_4.00$ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>1801 CYPRESS LANE</u>, <u>GREENWOOD</u>, <u>MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 73.05 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75	mm	Mixture	9	84	. 95	per	ton
-----	------	----	---------	---	----	------	-----	-----

(3) 9.5mm Mixture @_69.95_ per ton

(4) 12.5 mm Mixture @ 63.95 per ton

(5) 19 mm Mixture @ 62.45 per ton

(6) 25 mm Mixture @ 62.45 per ton

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75	mm	Mixture	0_	86.95	per	ton
-----	------	----	---------	----	-------	-----	-----

(8) 9.5 mm Mixture @ 72.95 per ton

(9) 12.5 mm Mixture @_66.95_ per ton

(10) 19 mm Mixture @ 65.45 per ton

(11) 25 mm Mixture @ 65.45 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @_	83.	. 95	per	ton
-------------------------	-----	------	-----	-----

(13) 9.5 mm Mixture @ 68.95 per ton

(14) 12.5 mm Mixture @<u>62.95</u> per ton

(15) 19 mm Mixture @ 60.95 per ton

(16) 25 mm Mixture @ 60.95 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@<u>93.95</u> per ton

(18) 9.5 mm Mixture

@ 78.95 per ton

(19) 12.5 mm Mixture

@ 72.95 per ton

(20) 19 mm Mixture

@ <u>72.95</u> per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@ 62.95 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@_110.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ____ 27_ PER TON PER MILE, WITH ___ 4.00_ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>GUNTOWN/331 MESSNER ROAD, GUNTOWN, MS 38849</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Tvpe	8.	Crushed	Gravel.	or	а	68.00	ner ton
\ - /	- , , ,	ν,	OI UDIICU	OIUVCI,	01	ĮU.	00.00	Det con

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @68.00_ per	ton
-------------------------------	-----

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5 mm	Mixture	a	68.00	per ton
-----	--------	---------	----------	-------	---------

(10) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 68.00 pc	er ton
--------------------------------	--------

(15) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @___74.00 per ton

(19) 12.5 mm Mixture @__71.00_ per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 68.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.30_ PER TON PER MILE, WITH _4.00_ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>JACKSON, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @_52.00_ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75 mm Mixture	@_70.00	per	ton
(3)	9.5mm Mixture	0_52.00	per	ton
(4)	12.5 mm Mixture	@ 52.00	per	ton
(5)	19 mm Mixture	@ 52.00	per	ton
(6)	25 mm Mixture	@ 65.00	per	ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture

(7) 4.75 mm Mixture	<u>@_70.00</u> per ton
(8) 9.5 mm Mixture	@ <u>51.00</u> per ton
(9) 12.5 mm Mixture	@_51.00_ per ton
(10) 19 mm Mixture	@ <u>51.00</u> per ton
(11) 25 mm Mixture	@ 70.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75 mm Mixture	@_70.00_ per ton
(13)	9.5 mm Mixture	@ 51.00 per ton
(14)	12.5 mm Mixture	@_51.00_ per ton
(15)	19 mm Mixture	@ 51.00 per ton
(16) 14	25 mm Mixture	@ 70.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@<u>81.00</u> per ton

(18) 9.5 mm Mixture

@<u>61.00</u> per ton

(19) 12.5 mm Mixture

@__61.00_ per ton

(20) 19 mm Mixture

@ 61.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@__48.00_ per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: R3
Product Name
@_128.50 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.28$ PER TON PER MILE, WITH $_3.25$ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>MERIDIAN</u>, <u>MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @__70.00_ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @70.50 per to	(3)	9.5mm	Mixture	@ 70.50	ner '	ton
---------------------------------	-----	-------	---------	---------	-------	-----

(4) 12.5 mm Mixture @ 63.00 per ton

(5) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5	mm	Mixture		@	70.50	per	ton
-----	-----	----	---------	--	---	-------	-----	-----

(9) 12.5 mm Mixture @__63.00 per ton

(10) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5	mm	Mixture	_0_	70.50	per	ton
------	-----	----	---------	-----	-------	-----	-----

(14) 12.5 mm Mixture @__63.00_ per ton

(15) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 75.00 per ton

(19) 12.5 mm Mixture @ 68.00 per ton

(20) 19 mm Mixture @ 63.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@<u>66.00</u> per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @ 90.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.22_ PER TON PER MILE, WITH _3.75_ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>110 GAP DRIVE, NEW ALBANY, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @_71.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm Mixture	@ <u>71.00</u> per	ton
(J)	J. JHH MIXCUIE	m_\ti\nn ber	υC

(4) 12.5 mm Mixture @ 68.00 per ton

(5) 19 mm Mixture @ 66.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5 mm	Mixture	@ <u>71.00</u> r	oer	ton
-----	--------	---------	------------------	-----	-----

(9) 12.5 mm Mixture @<u>68.00</u> per ton

(10) 19 mm Mixture @ 66.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5	mm	Mixture	@_	71.00	per	ton
------	-----	----	---------	----	-------	-----	-----

(14) 12.5 mm Mixture @_68.00_ per ton

(15) 19 mm Mixture @ 66.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 80.00 per ton

(19) 12.5 mm Mixture @_75.00_ per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @_71.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.30_ PER TON PER MILE, WITH _4.00_ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>459 N. EASON BLVD</u>, <u>TUPELO</u>, MS 38801 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 68.00 per ton

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	@ <u>68.00</u>	per	ton
-----	-------	---------	----------------	-----	-----

(5) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5 mm	Mixture	6	68.00	per	ton
-----	--------	---------	---	-------	-----	-----

(9) 12.5 mm Mixture @_66.00_ per ton

(10) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5	mm Mixture	<u>0 68.00</u> per	ton
------	-----	------------	--------------------	-----

(14) 12.5 mm Mixture @_66.00_ per ton

(15) 19 mm Mixture @_63.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 74.00 per ton

(19) 12.5 mm Mixture @_71.00_ per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @_68.00_ per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @__82.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ____30_ PER TON PER MILE, WITH _4.00_ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>VICKSBURG</u>, MS (WHEN RUNNING) are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Туре	8,	Crushed	Gravel,	or	@_ _	<u>59.</u>	00_	per	ton	Combir	ned	with
										Lime	estone	or	Slag

@ 80.00 per ton

907-403-A HOT MIX ASPHALT, ST:

4.75 mm Mixture	@	80.00	per	ton
9.5mm Mixture	@	59.50	per	ton
12.5 mm Mixture	@	59.50	per	ton
19 mm Mixture	@	59.50	per	ton
	9.5mm Mixture 12.5 mm Mixture	9.5mm Mixture @	9.5mm Mixture @ 59.50 12.5 mm Mixture @ 59.50	9.5mm Mixture @ 59.50 per 12.5 mm Mixture @ 59.50 per

907-403-A HOT MIX ASPHALT, MT:

(6) 25 mm Mixture

(7) 4.75 mm Mixture	<u>@</u>	80.00	per	ton
(8) 9.5 mm Mixture	@	59.00	per	ton
(9) 12.5 mm Mixture	@	59.00	per	ton
(10) 19 mm Mixture	@	59.00	per	ton
(11) 25 mm Mixture	a	80.00	ner	ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75 mm Mixture	0_80.00_	per	ton
(13)	9.5 mm Mixture	@ 59.00	per	ton
(14)	12.5 mm Mixture	@59.00_	per	ton
(15)	19 mm Mixture	@ 59.00	per	ton
(16)	25 mm Mixture	@ 80.00	per	ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@<u>90.00</u> per ton

(18) 9.5 mm Mixture

@ 80.00 per ton

(19) 12.5 mm Mixture

@<u>80.00</u> per ton

(20) 19 mm Mixture

@ 80.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@<u>59.00</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.28$ PER TON PER MILE, WITH $_4.00$ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _YAZOO CITY, MS (WHEN RUNNING) are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @_56.00_ per ton Combined with Limestone or Slaq

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75 mm Mixture	@ 85.00	per	ton
(3)	9.5mm Mixture	@_65.00_	per	ton
(4)	12.5 mm Mixture	@ 65.00	per	ton
(5)	19 mm Mixture	@ 65.00	per	ton
(6)	25 mm Mixture	@ 85.00	per	ton

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75 mm Mixture	@_85.00_	per	ton
(8)	9.5 mm Mixture	@ 63.00	per	ton
(9)	12.5 mm Mixture	0_63.00_	per	ton
(10)) 19 mm Mixture	@ 63.00	per	ton
(11) 25 mm Mixture	@ <u>85.00</u>	per	ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75 mm Mixture	@_85.00_	per	ton
(13)	9.5 mm Mixture	@ 62.00	per	ton
(14)	12.5 mm Mixture	0_62.00_	per	ton
(15)	19 mm Mixture	0 62.00	per	ton
(16)	25 mm Mixture	@ 85.00	per	ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@<u>94.00</u> per ton

(18) 9.5 mm Mixture

@ 75.00 per ton

(19) 12.5 mm Mixture

@_75.00_ per ton

(20) 19 mm Mixture

@ 75.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@_56.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.28_$ PER TON PER MILE, WITH $_3.50_$ PER TON MINIMUM HAUL.

BARRIERE CONSTRUCTION COMPANY P.O. BOX 1576 BOUTTE, LA 70039 985/785-7700

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>BOUTTE</u>, <u>LA</u> are as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

BARRIERE CONSTRUCTION (22) Bagged form: <u>STREET WISE</u> Manufactured by: <u>COMPANY</u>, <u>LLC</u>

Product Name

@_420.00_ per ton \$10.50/BAG

BARRIERE CONSTRUCTION

(23) Bulk form: <u>STREET WISE</u> Manufactured by: <u>COMPANY, LLC</u>

Product Name

@_\$94.00__ per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @_94.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.14_ PER TON PER MILE, WITH _5.00_ PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC. P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>983 OLD HWY 51</u>, <u>BROOKHAVEN</u>, <u>MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

ı	′ 1	Type	8.	Crushed	Gravel.	or	a	54.00	ner	ton
		1 1 9 2 2	ν,		OLUVOI,	\circ	Įu.	J I . U U	DOT	0011

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	@	<u>54.00</u>	per	ton

907-403-A HOT MIX ASPHALT, MT:

1	(8)	9.5	mm	Mixture	6	5.4	.00	per	ton
- 1			*****	11 ± 41 0 G ± 0					001

(10) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm	Mixture	<u>a</u>	54.00	per	ton
-----	----------	---------	----------	-------	-----	-----

(14) 12.5 mm	Mixture	@_	<u>53.00</u>	per	ton
--------------	---------	-----------	--------------	-----	-----

(15) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm	Mixture	@ <u>62.00</u> p	er ton
-----	----------	---------	------------------	--------

(19) 12.5 mm Mixture @<u>61.00</u> per ton

(20) 19 mm Mixture @<u>60.00</u> per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @__54.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _.40_ PER TON PER MILE, WITH _5.00_ PER TON MINIMUM HAUL.

P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>HIGHWAY 16 EAST</u>, <u>CARTHAGE</u>, MS_ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Ty	7pe 8,	Crushed	Gravel,	or	@_65.00_	per	ton
--------	--------	---------	---------	----	----------	-----	-----

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @_65.00_ per	ton
--------------------------------	-----

(4) 12.5 mm Mixture	<u>@ 63.00</u>	per	ton
---------------------	----------------	-----	-----

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5	mm	Mixture	a	65.00	ner	ton
٠,	~ ,	<i>-</i>	TILLIT	IIIXUUI C	Į.u.	00.00	DOT	

(10) 19 mm Mixture @ 62.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5	mm	Mixture	@_	65.00	per	ton
------	-----	----	---------	----	-------	-----	-----

(14) 12.5 mm Mixture @_63.00_ per ton

(15) 19 mm Mixture @ 62.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18)	9.5	mm Mixture	@ <u>75.00</u> per to	n
------	-----	------------	-----------------------	---

(19) 12.5 mm Mixture @_75.00_ per ton

(20) 19 mm Mixture @ <u>75.00</u> per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @_65.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.40_$ PER TON PER MILE, WITH $_5.00_$ PER TON MINIMUM HAUL.

P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>2642 GALLATIN STREET</u>, <u>JACKSON</u>, MS_ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @_52.00_ per ton

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	<u>@_51.</u> 00_	per	ton
-----	-------	---------	------------------	-----	-----

(4) 12.5 mm Mixture @ 50.00 per ton

(5) 19 mm Mixture @_47.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5	mm	Mixture	@_	51.00	per	ton
-----	-----	----	---------	----	-------	-----	-----

(9) 12.5 mm Mixture @_50.00_ per ton

(10) 19 mm Mixture @ 47.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 51.00 per ton

(14) 12.5 mm Mixture @_50.00_ per ton

(15) 19 mm Mixture @ 47.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 60.00 per ton

(19) 12.5 mm Mixture @_57.00_ per ton

(20) 19 mm Mixture @ 54.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @_52.00_ per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @ 105.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.40_ PER TON PER MILE, WITH _5.00_ PER TON MINIMUM HAUL.

P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>HIGHWAY 98 EAST</u>, <u>MCCOMB</u>, <u>MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @_54.00_ per ton

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	0	54.00	ner	t.on
-----	-------	---------	---	-------	-----	------

(4) 12.5 mm Mixture @ 53.00 per ton

(5) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5	mm	Mixture	a	54.00	per	ton

(9) 12.5 mm Mixture @_53.00_ per ton

(10) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, HT:

- ((13)	9.5	mm	Mixture	ര	54.0	0.0	nei	ς .	t.o	n

(14) 12.5 mm Mixture @_53.00_ per ton

(15) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 62.00 per ton

(19) 12.5 mm Mixture <u>@_61.00</u> per ton

(20) 19 mm Mixture @_60.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @_54.00_ per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @_95.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.40_$ PER TON PER MILE, WITH $_5.00_$ PER TON MINIMUM HAUL.

DUNN ROADBUILDERS P.O. BOX 6560 LAUREL, MS 39441 601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>188 HIGHWAY 98 EAST</u>, COLUMBIA, MS_ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Type	8,	Crushed	Gravel,	or	<u>0_59.50</u> _	per	ton
-----	------	----	---------	---------	----	------------------	-----	-----

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture	@ 78.25 p	er ton
---------------------	-----------	--------

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75	mm	Mixture	@ <u>78.25</u>	per	ton
-----	------	----	---------	----------------	-----	-----

(8)	9.5	mm	Mixture	@_	60.50	per	ton
-----	-----	----	---------	----	-------	-----	-----

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75	mm	Mixture	0.	78.25	per	ton
------	------	----	---------	----	-------	-----	-----

(15) 19 mm Mixture @ <u>57.10</u> per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture	<u>@_90.50</u> per ton
----------------------	------------------------

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@_57.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.22$ PER TON PER MILE, WITH $_4.00$ PER TON MINIMUM HAUL.

DUNN ROADBUILDERS P.O. BOX 6560 LAUREL, MS 39441 601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>LAUREL</u>, <u>MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Туре	8,	Crushed	Gravel,	or	<u>@63.50_</u>	per	ton
-----	------	----	---------	---------	----	----------------	-----	-----

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture	@ <u>76.25</u> per ton
---------------------	------------------------

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75	mm	Mixture	@ <u>76.25</u>	_ per	ton
-----	------	----	---------	----------------	-------	-----

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75	mm	Mixture	@_	76.25	per	ton
------	------	----	---------	-----------	-------	-----	-----

(15) 19 mm Mixture @ 59.50 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17)	4.75	mm Mixture	@ <u>88.25</u>	per	ton
------	------	------------	----------------	-----	-----

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@__57.10_ per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@<u>98.00</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.22$ PER TON PER MILE, WITH $_4.00$ PER TON MINIMUM HAUL.

DUNN ROADBUILDERS P.O. BOX 6560 LAUREL, MS 39441 601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>157 CHEVIS LEE ROAD</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Type	8,	Crushed	Gravel,	or	@ <u>61.50</u>	per	ton
-----	------	----	---------	---------	----	----------------	-----	-----

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75 mm Mixture	<u>@ 75.75</u> per ton
-----	-----------------	------------------------

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture	@	<u>76.75</u>	per	ton
---------------------	---	--------------	-----	-----

(10) 19 mm Mixture @ 55.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75	mm Mixture	@ <u>72.25</u>	per	ton
------	------	------------	----------------	-----	-----

(13) 9.5 mm Mixture @ 62.70 per ton

(14) 12.5 mm Mixture @__57.00 per ton

(15) 19 mm Mixture @ 53.50 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

	(17)	4.75 mm	Mixture	<u>@88.50</u> per to	on
--	------	---------	---------	----------------------	----

(18) 9.5 mm Mixture @ 69.50 per ton

(19) 12.5 mm Mixture @ 68.50 per ton

(20) 19 mm Mixture @ 63.75 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@<u>58.50</u> per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @__97.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.22_ PER TON PER MILE, WITH _4.00_ PER TON MINIMUM HAUL.

P.O. BOX 758 PICAYUNE, MS 39466 601/798-2981

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PICAYUNE, MS_ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Type	8,	Crushed	Gravel,	or	@ _	71.00	per	ton
-----	------	----	---------	---------	----	------------	-------	-----	-----

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75 mm	Mixture	0	76.00	per	ton
-----	---------	---------	---	-------	-----	-----

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75 mm	Mixture	@_	<u> 76.00</u>	per	ton
-----	---------	---------	----	---------------	-----	-----

(8)	9.5	mm	Mixture	6_	71.00	per	ton
-----	-----	----	---------	----	-------	-----	-----

(9) 12.5 mm Mixture	<u>071.00_</u> per ton
---------------------	------------------------

(10) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 76.00	per	ton
------------------------------	-----	-----

(13) 9.5 mm Mixture @__71.00_ per ton

(14) 12.5 mm Mixture @__71.00_ per ton

(15) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@<u>82.00</u> per ton

(18) 9.5 mm Mixture

@<u>77.00</u> per ton

(19) 12.5 mm Mixture

@<u>77.00</u> per ton

(20) 19 mm Mixture

@ 77.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@ 71.00 per ton

P.O. BOX 1603 MEMPHIS, TN 38101 901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 7, 1775 FARRISH GRAVEL ROAD, BATESVILLE, MS 38606</u> are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@ <u>65.00</u> per ton
(4) 12.5 mm Mixture	@ <u>62.00</u> per ton
(5) 19 mm Mixture	@ <u>58.00</u> per ton
907-403-A HOT MIX ASPHALT, MT:	
(8) 9.5 mm Mixture	@ <u>65.00</u> per ton
(9) 12.5 mm Mixture	<u>@ 62.00</u> per ton
(10) 19 mm Mixture	@ <u>58.00</u> per ton
907-403-A HOT MIX ASPHALT, HT:	
(13) 9.5 mm Mixture	<u>@ 65.00</u> per ton
(14) 12.5 mm Mixture	<u>@62.00</u> per ton
(15) 19 mm Mixture	<u>@ 58.00</u> per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: <u>OPR COLD MIX</u> Manufactured by: <u>OPR</u>
Product Name

@ 130.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.25$ PER TON PER MILE, WITH $_5.00$ PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY P.O. BOX 1603 MEMPHIS, TN 38101 901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 10, 161</u> <u>STONEWALL ROAD, BYHALIA, MS 38611</u> are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@ <u>65.00</u> per ton
(4) 12.5 mm Mixture	@ <u>62.00</u> per ton
(5) 19 mm Mixture	@ <u>58.00</u> per ton
907-403-A HOT MIX ASPHALT, MT:	
(8) 9.5 mm Mixture	@ 65.00 per ton
(9) 12.5 mm Mixture	@ <u>62.00</u> per ton
(10) 19 mm Mixture	<u>@ 58.00</u> per ton
907-403-A HOT MIX ASPHALT, HT:	
(13) 9.5 mm Mixture	<u>@ 65.00</u> per ton
(14) 12.5 mm Mixture	<u>@ 62.00</u> per ton
(15) 19 mm Mixture	@ 58.00 per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: <u>QPR COLD MIX</u> Manufactured by: <u>QPR</u>

Product Name

@ 140.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.25_ PER TON PER MILE, WITH _5.00_ PER TON MINIMUM HAUL.

P.O. BOX 1603 MEMPHIS, TN 38101 901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 6, 6158 HIGHWAY 51 SOUTH, HERNANDO, MS 38632</u> are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@ <u>65.00</u> per tor
(4) 12.5 mm Mixture	@ <u>62.00</u> per tor
(5) 19 mm Mixture	@ <u>58.00</u> per tor
907-403-A HOT MIX ASPHALT, MT:	
(8) 9.5 mm Mixture	@ <u>65.00</u> per tor

(9) 12.5 mm Mixture @__62.00 per ton

(10) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5 mm Mixture	@	65.00	per	ton
(14)	12.5 mm Mixture	@_	62.00_	per	ton
(15)	19 mm Mixture	@	58.00	per	ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.25_$ PER TON PER MILE, WITH $_5.00_$ PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY P.O. BOX 1603 MEMPHIS, TN 38101 901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 5, 2840 CARRIER ROAD, MEMPHIS, TN 38116</u> are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm Mixture	@ <u>67.00</u> per ton
(4)	12.5 mm Mixture	@ <u>66.00</u> per ton
(5)	19 mm Mixture	@ 60.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@ <u>67.00</u> per ton
(9) 12.5 mm Mixture	<u>@66.00</u> per ton
(10) 19 mm Mixture	<u>@ 60.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5 mm Mixture	@	67.00	per	ton
(14)	12.5 mm Mixture	@	66.00	per	ton
(15)	19 mm Mixture	@	60.00	per	ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: <u>OPR COLD MIX</u> Manufactured by: <u>OPR</u>

Product Name

@ 130.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.25$ _ PER TON PER MILE, WITH $_5.00$ _ PER TON MINIMUM HAUL.

P.O. BOX 1603 MEMPHIS, TN 38101 901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 11, OLD HIGHWAY 7 NORTH, OXFORD MS 38655</u> are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm Mixture	<u> </u>	67.00_	per	ton
(4)	12.5 mm Mixture	@	65.00	per	ton
(5)	19 mm Mixture	a	60.00	per	ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@ <u>67.00</u> per ton
(9) 12.5 mm Mixture	@ <u>65.00</u> per ton
(10) 19 mm Mixture	@ 60.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5 mm Mixture	@	67.00	per	ton
(14)	12.5 mm Mixture	@	65.00_	per	ton
(15)	19 mm Mixture	@	60.00	per	ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk	form: <u>OPR COLDMIX</u>	Manufactured by: <u>OPR</u>
	Product Name	-
@ <u>_135</u>	<u>00</u> per ton	

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.25_ PER TON PER MILE, WITH _5.00_ PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY P.O. BOX 1603 MEMPHIS, TN 38101 901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 1, HWY 82, WINONA, MS 38967 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm Mixture	@_	68.00_	per	ton
(4)	12.5 mm Mixture	@_	64.00	per	ton
(5)	19 mm Mixture	@	61.00	per	ton
907-	-403-A HOT MIX ASPHALT, MT:				
(8)	9.5 mm Mixture	@	68.00	per	ton

101	0	_	***	Minakana	_

(8) 9.5 mm Mixture	@	68.00	per	ton
(9) 12.5 mm Mixture	<u>@_</u>	64.00_	per	ton
(10) 19 mm Mixture	@	61.00	per	ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5 mm Mixture	@_	68.00	per	ton
(14)	12.5 mm Mixture	@_	64.00	per	ton
(15)	19 mm Mixture	@	61.00	per	ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.25 PER TON PER MILE, WITH _5.00 PER TON MINIMUM HAUL.

MALLETTE BROTHERS CONSTRUCTION 3708 HIGHWAY 90 GAUTIER, MS 39553 228/497-2523

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>1 OLD SPANISH TRAIL</u>, GAUTIER, MS 39553 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Type	8,	Crushed	Gravel,	or	0	64.85	per	ton
-----	------	----	---------	---------	----	---	-------	-----	-----

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75 mm Mixture	@ <u>64.85</u> per ton
(3)	9.5mm Mixture	@ <u>64.85</u> per ton
(4)	12.5 mm Mixture	@ <u>64.85</u> per ton
(5)	19 mm Mixture	@ <u>64.85</u> per ton
(6)	25 mm Mixture	@ 64.85 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture	@ <u>64.85</u>	per	ton
(8) 9.5 mm Mixture	@ 64.85	per	ton
(9) 12.5 mm Mixture	@64.85	per	ton
(10) 19 mm Mixture	@ 64.85	per	ton
(11) 25 mm Mixture	<u>0 64.85</u>	per	ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75 mm Mixture	<u></u>	64.85	per	ton
(13)	9.5 mm Mixture	@	64.85	per	ton
(14)	12.5 mm Mixture	@	64.85	per	ton
(15)	19 mm Mixture	@	64.85	per	ton
(16)	25 mm Mixture	@	64.85	per	ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@ 74.85 per ton

(18) 9.5 mm Mixture

@ 74.85 per ton

(19) 12.5 mm Mixture

@ 74.85 per ton

(20) 19 mm Mixture

@ 74.85 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@<u>64.85</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.21$ PER TON PER MILE, WITH $_5.00$ PER TON MINIMUM HAUL.

MATERIAL RESOURCES, INC. P.O. BOX 1183 PORT ALLEN, LA 70767 225/267-6464

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>4323 NORTH RIVER ROAD</u>, <u>PORT ALLEN</u>, <u>LA 70767</u> are as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

- (22) Bagged form: PM PLUS Manufactured by: MATERIAL RESOURCES
 Product Name
 @ 340.00 per ton \$8.50/BAG 48 BAGS/PALLET
- (23) Bulk form: PM PLUS Manufactured by: MATERIAL RESOURCES
 Product Name

 @_92.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @ 92.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 18 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

PANDLE, INC. 2401 PETIT BOIS PASCAGOULA, MS 39581 228/762-2300

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PASCAGOULA, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

ı	1 1	Type	8.	Crushed	Gravel	or	6	69.00	per	ton
	,	TAbo	υ,	Crusnea	Oraver,	OI		02.00_	ber	0.011

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75 mm Mixture	@	68.00	per	ton
(3)	9.5mm Mixture	<u>@</u>	68.00	per	ton
(4)	12.5 mm Mixture	@	68.00	per	ton

@ <u>68.00</u> per ton (5) 19 mm Mixture

@ 68.00 per ton (6) 25 mm Mixture

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75	mm	Mixture	@ <u>68.00</u>	per	ton

(8) 9.5 mm Mixture @ 68.00 per ton

@<u>68.00</u> per ton (9) 12.5 mm Mixture

(10) 19 mm Mixture @ 68.00 per ton

@ <u>68.00</u> per ton (11) 25 mm Mixture

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

@ 68.00 per ton (20) 19 mm Mixture

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

@ <u>70.00</u> per ton (21) Hot Mix Asphalt

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _____23_ PER TON PER MILE, WITH _5.00_ PER TON MINIMUM HAUL.

SUPERIOR ASPHALT, INC. 5990 I-55 SOUTH BYRAM, MS 39272 601/376-3000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>BYRAM</u>, <u>MS</u> are as Follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Ty	ype 8,	Crushed	Gravel,	or	6	54.00	per	ton
--------	--------	---------	---------	----	---	-------	-----	-----

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	@ <u>56.00</u> per	ton
-----	-------	---------	--------------------	-----

(5) 19 mm Mixture @ 46.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5	mm	Mixture	1	a	54.00	nar	ton
(\circ)	, ,	111111	LITYOUTE		(U	34.00	per	ton

(9) 12.5 mm Mixture @ 48.00 per ton

(10) 19 mm Mixture @ 47.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5	mm	Mixture	0	<u>55.</u>	0.0	per	ton

(14) 12.5 mm Mixture @ 48.00 per ton

(15) 19 mm Mixture @ 47.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 62.00 per ton

(19) 12.5 mm Mixture @__56.00_ per ton

(20) 19 mm Mixture @ 51.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.28_ PER TON PER MILE, WITH _3.00_ PER TON MINIMUM HAUL.

SUPERIOR ASPHALT, INC. 5990 I-55 SOUTH BYRAM, MS 39272 601/376-3000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>HAZLEHURST</u>, MS_ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Type	8,	Crushed	Gravel,	or	<u>@52.00</u>	per	ton
-----	------	----	---------	---------	----	---------------	-----	-----

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm Mixture	<u>@52.00_</u> per ton
-----	---------------	------------------------

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5 mm	Mixture	@ <u>49.00</u>	per	ton
-----	--------	---------	----------------	-----	-----

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 m:	m Mixture	<u>@ 51.00</u> per 1	ton
-----	----------	-----------	----------------------	-----

(15) 19 mm Mixture @ 43.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm	Mixture	<u> </u>	per	ton
-----	----------	---------	----------	-----	-----

(19) 12.5 mm Mixture @__54.00_ per ton

(20) 19 mm Mixture @ 47.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _ .28_ PER TON PER MILE, WITH _3.00_ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>BYRAM</u>, <u>MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @<u>60.00</u> per ton

907-403-A HOT MIX ASPHALT, ST:

	(3)	9.5mm	Mixture	<u>@60.0</u> 0	per	ton
--	-----	-------	---------	----------------	-----	-----

(4) 12.5 mm Mixture @ 57.00 per ton

(5) 19 mm Mixture @ 52.00 per ton

907-403-A HOT MIX ASPHALT, MT:

ı	8) 9.5 mm	Mixture	а	60.00	per	t.on

(9) 12.5 mm Mixture @__57.00 per ton

(10) 19 mm Mixture @ 52.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(ID) 3.3 mm MIXCAIC M 00.00 DEL	(13)) 9.5 mm Mixture	@ 60.00 p	er ton
---------------------------------	------	------------------	-----------	--------

(14) 12.5 mm Mixture @ 57.00 per ton

(15) 19 mm Mixture @ <u>52.</u>00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @__55.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.30_$ PER TON PER MILE, WITH $_5.00_$ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>GEORGETOWN</u>, <u>MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @_ 60.00_ per ton

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ <u>58.00_</u> per	ton
---------------------------------------	-----

(4) 12.5 mm Mixture @ 55.00 per ton

(5) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)) 9.5 mm	Mixture	О	58.00	per	ton

(9) 12.5 mm Mixture @__55.00_ per ton

(10) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mix	ture @	58.0	00 per	ton
-----------------	--------	------	--------	-----

(14) 12.5 mm Mixture @ 55.00 per ton

(15) 19 mm Mixture @ 50.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @_ 53.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.30_ PER TON PER MILE, WITH _5.00_ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>MORTON</u>, <u>MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @__66.00 per ton

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5	mm Mixture	<u>@66</u> ,	00 per ton
---------	------------	--------------	------------

(4) 12.5 mm Mixture @ 63.00 per ton

(5) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 66.00 per ton

(9) 12.5 mm Mixture @__63.00 per ton

(10) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13). 9.5 mm Mixture @ 66.00 per ton

(14) 12.5 mm Mixture @ 63.00 per ton

(15) 19 mm Mixture @ 58.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @__62.00_ per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: OPR Manufactured by: OPR Product Name

@ 140.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.30$ PER TON PER MILE, WITH $_5.00$ _ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>MOUNT OLIVE, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 64.00 per ton

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm Mixture	@ <u>62.00</u> per ton
-----	---------------	------------------------

(4) 12.5 mm Mixture @ 59.00 per ton

(5) 19 mm Mixture @ 54.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5 mm	Mixture	а	62.00	per	ton
-----	--------	---------	---	-------	-----	-----

(10) 19 mm Mixture @ 54.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5	mm	Mixture	а	62.	00	per	ton

(14) 12.5 mm Mixture @ 59.00 per ton

(15) 19 mm Mixture @ <u>54.00</u> per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @__58.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.30 PER TON PER MILE, WITH _5.00 PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>WASHINGTON</u>, <u>MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @<u>67.00</u> per ton

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 72.00 p	per to	n
-------------------------------	--------	---

(3) 9.5mm Mixture @<u>67.00</u> per ton

(4) 12.5 mm Mixture @ 65.00 per ton

(5) 19 mm Mixture @ 60.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 69.00 per ton

(9) 12.5 mm Mixture @__66.00_ per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.25_ PER TON PER MILE, WITH _4.00_ PER TON MINIMUM HAUL.

W.G. CONSTRUCTION COMPANY, INC. 12051 HIGHWAY 4 EAST RIPLEY, MS 38663 662/837-8811

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>BOONEVILLE</u>, <u>MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @_68.00_ per ton

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture	@ 73.00 per ton
---------------------	-----------------

(3) 9.5mm Mixture @__68.00 per ton

(5) 19 mm Mixture @ 67.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75	mm	Mixture	@	<u>73.00</u>	per	ton
-----	------	----	---------	---	--------------	-----	-----

(8) 9.5 mm Mixture @ 68.00 per ton

(10) 19 mm Mixture @ 67.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 68.00 per ton

(15) 19 mm Mixture @ 67.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @__68.00_ per ton

404-A MDOT STANDARD COLD BITUMINOUS MIXTURE

(24)Gradation Type D @_120.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @_120.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ___.25__PER TON PER MILE, WITH _4.00_ PER TON MINIMUM HAUL.

WARREN PAVING, INC. P.O. BOX 2545 GULFPORT, MS 39505 228/896-8003

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>11211 REICHOLD ROAD</u>, GULPORT, MS are as follows:

@ 57.50 per ton

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @_68.00_ per ton

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75 mm Mixture	@_	73.75	per	ton
(3)	9.5mm Mixture	@	66.25_	per	ton

(4) 12.5 mm	Mixture	@	60.75	per	ton
-------------	---------	---	-------	-----	-----

(5)	19	mm	Mixture	a	57.00	per	ton
(-)		111111	MIXTUILO	و_		POI	0 0 11

	(6)	2.5	***	Mintuna	G	_	E7 00	202	+05
į	(6 J	25	mm	Mixture	(i	<u>d</u>	57.00	per	ton

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75 mm Mixture	@	74.25_	per	ton
(8)	9.5 mm Mixture	@	66.75	per	ton
(9)	12.5 mm Mixture	@	61.25_	per	ton
(10)	19 mm Mixture	a	57.50	per	ton

907-403-A HOT MIX ASPHALT, HT:

(11) 25 mm Mixture

(12)	4.75 mm Mixture	@	74.75	per	ton
(13)	9.5 mm Mixture	@	67.25	per	ton
(14)	12.5 mm Mixture	@	61.75	per	ton
(15)	19 mm Mixture	@	58.00	per	ton
(16)	25 mm Mixture	@	58.00	per	ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@<u>83.00</u> per ton

(18) 9.5 mm Mixture

@ 76.50 per ton

(19) 12.5 mm Mixture

@ 75.75 per ton

(20) 19 mm Mixture

@ 63.25 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@<u>65.00</u> per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@ 95.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __25_ PER TON PER MILE, WITH _5.00_ PER TON MINIMUM HAUL.

WARREN PAVING, INC. P.O. BOX 572 HATTIESBURG, MS 39403 601/544-7811

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>562 ELKS LAKE ROAD</u>. HATTIESBURG, MS_ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Type	8,	Crushed	Gravel,	or	@ <u>62.5</u>	<u>0</u> per	ton
-----	------	----	---------	---------	----	---------------	--------------	-----

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75 mm Mixture	@	72.00	per	ton
(3)	9.5mm Mixture	<u></u>	64.00_	per	ton
(4)	12.5 mm Mixture	@	62.50	per	ton
(5)	19 mm Mixture	@	60.00	per	ton
(6)	25 mm Mixture	@	60.00	per	ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture	<u>0 72.50</u>	per	ton
(8) 9.5 mm Mixture	@ 64.50	per	ton
(9) 12.5 mm Mixture	@63.00_	per	ton
(10) 19 mm Mixture	@ 60.50	per	ton
(11) 25 mm Mixture	@ 60.50	per	ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75 mm Mixture	<u></u>	73.00_	per	ton
(13)	9.5 mm Mixture	@	65.00	per	ton
(14)	12.5 mm Mixture	@	63.50	per	ton
(15)	19 mm Mixture	@	61.00	per	ton
(16)	25 mm Mixture	@	61.00	per	ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@<u>82.50</u> per ton

(18) 9.5 mm Mixture

@ 74.00 per ton

(19) 12.5 mm Mixture

@ 72.50 per ton

(20) 19 mm Mixture

@ 70.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@ 61.25 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.25_$ PER TON PER MILE, WITH $_5.00_$ PER TON MINIMUM HAUL.

WHITEHEAD CONSTRUCTION COMPANY, INC. 5602 INDUSTRIAL ROAD PASCAGOULA, MS 39581 228/762-6951

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JANUARY 1, 2017 THROUGH JUNE 30, 2017

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>5602 INDUSTRIAL ROAD</u>, <u>PASCAGOULA</u>, <u>MS 39581</u> are as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

- (22) Bagged form: PROLINE/MRI Manufactured by: MRI Product Name PROLINE, LOGAN CO. ASPHALT

 @ 640.00 per ton FOB PASCAGOULA, MS
- (23) Bulk form: PM PLUS Manufactured by: MRI Product Name

 @_130.00 per ton FOB PASCAGOULA, MS

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @_130.00_ per ton FOB PASCAGOULA, MS

MRI - 50 LB SACKS @ 16.00 PER SACK

PROLINE - 50 LB SACKS @ 16.00 PER SACK