



Neopost solutions enable companies to expertly send and receive digital documents, physical mail and packages, allowing them to connect better with their customers.

From data to delivery, via truck plane or internet, whether electronic or paper, arriving in an envelope, box or inbox, Neopost has solutions for your business.



Data Cleansing & Enrichment

Maintain high-quality contact databases with accurate addresses that improve mail and package deliverability.



Document Automation

Create engaging, ready-for-automation documents that cost less to process and send.



Delivery Channel Management

Distribute documents via physical mail or digital delivery based on your customers' preferred format.



Document Printing

Print high-resolution color documents at the lowest costs per page. Extend your in-house printing capabilities.



Document Folding/Inserting

Automate mail assembly with high-performance, ultra-secure document handling equipment.



Mail Addressing

Print stand-out envelopes or postcards that increase response rates. Simplify direct mail preparation.



Mail Metering

Move your mail out the door with ease, allocate the costs, and report on your spending patterns.



Parcel Shipping

Ship packages through any carrier using comparison shopping software that eliminates overspending.



Mail & Package Receiving

Open a whole day's mail in minutes. Track the arrival, movement and delivery of packages at your facility.



IN-360

Mailing System

Product Overview



- Internet-connected iMeter™ postage meter provides access to a suite of powerful Apps
- Ergonomic, space-saving design that supports both built-in and external weighing platforms
- The smart and intuitive control panel provides true walk-up-and-use simplicity
- Powerfeed™ achieves fast batch processing and delivers that extra force when needed
- Automatic sealing with an easy access reservoir ensures a perfect envelope seal
- Exclusive Postal Rate Wizard offers guided selection across 140 USPS® rates and services

Additional Features

- Quiet inkjet printing w/low ink email alerts
- Print postage on 45 envelopes/labels per minute
- Envelope thickness up to 3/8"
- Auto-downloaded postal rate updates
- 6 Rate shortcut keys & 9 job/imprint memories
- 9 Standard and 1 customizable ad slogans
- 10 customizable text messages
- Automatic mail class inscriptions
- Date received printing for incoming mail
- 30-department account tracking (expandable)
- PIN-protected access
- MyNeopost account w/postage usage reporting
- NeoFunds® bill-for-postage service

System Dimensions

Mailing System with tray (Length x Depth x Height)	28.5" x 17" x 10.5"
Weight	26 lbs.

Environmental Commitment

The IN-360 carries Neopost's Eco Label. The Eco label signifies the implementation of green strategies surrounding raw materials, packaging and energy consumption to reduce or eliminate impact on the environment.



The IN-360 is compliant with environmental regulations and Energy Star.





IN-600 HF

Mailing System

Product Overview



- Internet-connected iMeter™ postage meter provides access to a suite of powerful Apps
- Ergonomic, space-saving design that supports weighing platforms up to 70 lbs.
- Intuitive control panel with extra large display provides true walk-up-and-use simplicity
- Powerfeed™ achieves fast batch processing and delivers that extra force when needed
- Automatic secure sealing and a built in postage label dispenser enhance productivity
- Exclusive Postal Rate Wizard offers guided selection across 140 USPS® rates and services

Additional Features

Quiet inkjet printing w/low ink email alerts
Processing speed up to 75 letters/min.
Envelope thickness up to 1/2"
Auto-downloaded postal rate updates
6 Rate shortcut keys & 9 job/imprint memories
9 Standard and 1 customizable ad slogans
10 customizable text messages
Automatic mail class inscriptions
Date received printing for incoming mail
35-department account tracking (expandable)
PIN-protected access
MyNeopost account w/postage usage reporting
NeoFunds® bill-for-postage service

System Dimensions

Mailing System with tray (Length x Depth x Height)	33" x 15" x 12"
Weight	26 lbs.

Environmental Commitment

The IN-600 carries Neopost's Eco Label. The Eco label signifies the implementation of green strategies surrounding raw materials, packaging and energy consumption to reduce or eliminate impact on the environment.



The IN-600 is compliant with environmental regulations and Energy Star.



IN600 AF

Mailing System

Product Overview

- Internet-connected iMeter™ postage meter provides access to a suite of powerful Apps
- Ergonomic, space-saving design that supports weighing platforms up to 70 lbs.
- Smart and intuitive control panel with shortcut keys that save time and eliminate keystrokes
- Automatic mail feeder with secure envelope sealing for fast, hands-free batch processing
- Exclusive Postal Rate Wizard offers guided selection across 140 USPS® rates and services
- Built-in postage label dispenser with push-button printing of one or multiple tapes



Additional Features

- Quiet inkjet printing w/low ink email alerts
- Processing speed up to 110 letters/min.
- Envelope thickness up to 1/2"
- Auto-downloaded postal rate updates
- 6 Rate shortcut keys & 9 job/imprint memories
- 9 Standard and 1 customizable ad slogans
- 10 customizable text messages
- Automatic mail class inscriptions
- Date received printing for incoming mail
- 35-department account tracking (expandable)
- PIN-protected access for up to 50 operators
- MyNeopost account w/postage usage reporting
- NeoFunds® bill-for-postage service

System Dimensions

Mailing System with tray (Length x Depth x Height)	47" x 15" x 12"
Weight	44 lbs.

Environmental Commitment

The IN-600 carries Neopost's Eco Label. The Eco label signifies the implementation of green strategies surrounding raw materials, packaging and energy consumption to reduce or eliminate impact on the environment.



The IN-600 is compliant with environmental regulations and Energy Star.





IN-610

Mailing System

Product Overview

- Powered by RunMyMail software, creating an unparalleled user experience
- 20" touchscreen interface centralizes all mail center operations into a single workstation
- Ergonomic, space-saving design that supports weighing platforms up to 70 lbs.
- Automatic mail feeder with secure envelope sealing for fast, hands-free batch processing
- Exclusive Postal Rate Wizard offers guided selection across 140 USPS® rates and services
- Built-in postage label dispenser with push-button printing of one or multiple tapes



Additional Features

- Quiet inkjet printing w/low ink email alerts
- Processing speed up to 110 letters/min.
- Envelope thickness up to 1/2"
- Auto-downloaded postal rate updates
- 6 Rate shortcut keys & 9 job/imprint memories
- 9 Standard and 1 customizable ad slogans
- 10 customizable text messages
- Automatic mail class inscriptions
- Date received printing for incoming mail
- 35-department account tracking (expandable)
- PIN-protected access for up to 50 operators
- MyNeopost account w/postage usage reporting
- NeoFunds® bill-for-postage service

System Dimensions

Mailing System with Tray (Length x Depth x Height)	47" x 15" x 12"
Mailing System Weight	44 lbs.





IN-700

Mailing System

Product Overview

- Internet-connected iMeter™ postage meter provides access to a suite of powerful Apps
- Modern, ergonomic design with a color touchscreen and multiple weighing platform options
- Mixed-size automatic feeder handles different mail shapes with no sorting required
- In-line Dynamic Scale accelerates processing by weighing and measuring mail on the fly
- Exclusive Postal Rate Wizard offers guided selection across 140 USPS® rates and services
- Automatic secure sealing and a built in postage label dispenser enhance productivity



Additional Features

- Quiet inkjet printing w/low ink email alerts
- Up to 140 letters/min. (75 in dynamic mode)
- Envelope thickness up to 5/8"
- Auto-downloaded postal rate updates
- 6 Rate shortcut keys & 9 job/imprint memories
- 8 Standard and 2 customizable ad slogans
- 10 customizable text messages
- Automatic mail class inscriptions
- Date received printing for incoming mail
- 70-department account tracking (expandable)
- PIN-protected access for up to 50 operators
- MyNeopost account w/postage usage reporting
- NeoFunds® bill-for-postage service

System Dimensions

Mailing System with tray (Length x Depth x Height)	67" x 18" x 13"
Weight	78 lbs.

Environmental Commitment

The IN-700 carries Neopost's Eco Label. The Eco label signifies the implementation of green strategies surrounding raw materials, packaging and energy consumption to reduce or eliminate impact on the environment.



The IN-700 is compliant with environmental regulations and Energy Star.



IN-710

Mailing System

Product Overview

- Powered by RunMyMail software, creating an unparalleled user experience
- 20" touchscreen interface centralizes all mail center operations into a single workstation
- Mixed-size automatic feeder handles different mail shapes with no sorting required
- Optional Dynamic Scale accelerates processing by weighing and measuring mail on the fly
- Exclusive Postal Rate Wizard offers guided selection across 140 USPS® rates and services
- Automatic secure sealing and a built in postage label dispenser enhance productivity



Additional Features

- Quiet inkjet printing w/low ink email alerts
- Up to 140 letters/min. (75 in dynamic mode)
- Envelope thickness up to 5/8"
- Auto-downloaded postal rate updates
- 6 Rate shortcut keys & 9 job/imprint memories
- 8 Standard and 2 customizable ad slogans
- 10 customizable text messages
- Automatic mail class inscriptions
- Date received printing for incoming mail
- 70-department account tracking (expandable)
- PIN-protected access for up to 50 operators
- MyNeopost account w/postage usage reporting
- NeoFunds® bill-for-postage service

System Dimensions

Mailing System with Tray (Length x Depth x Height)	67" x 18" x 13"
Mailing System Weight	78 lbs.





IN-750

Mailing System

Product Overview



- Internet-connected iMeter™ postage meter provides access to a suite of powerful Apps
- Modern, ergonomic design with a color touchscreen and multiple weighing platform options
- Mixed-size automatic feeder handles different mail shapes with no sorting required
- In-line Dynamic Scale accelerates processing by weighing and measuring mail on the fly
- Exclusive Postal Rate Wizard offers guided selection across 140 USPS® rates and services
- Automatic secure sealing and a built in postage label dispenser enhance productivity

Additional Features

- Quiet inkjet printing w/low ink email alerts
- Up to 175 letters/min. (110 in dynamic mode)
- Envelope thickness up to 5/8"
- Auto-downloaded postal rate updates
- 6 Rate shortcut keys & 9 job/imprint memories
- 8 Standard & 2 customizable ad slogans
- 10 customizable text messages
- Automatic mail class inscriptions
- Date received printing for incoming mail
- 70-department account tracking (expandable)
- PIN-protected access for up to 50 operators
- MyNeopost account w/postage usage reporting
- NeoFunds® bill-for-postage service

System Dimensions

Mailing System with tray (Length x Depth x Height)	67" x 18" x 13"
Weight	78 lbs.

Environmental Commitment

The IN-750 carries Neopost's Eco Label. The Eco label signifies the implementation of green strategies surrounding raw materials, packaging and energy consumption to reduce or eliminate impact on the environment.



The IN-750 is compliant with environmental regulations and Energy Star.



IN-760

Mailing System

Product Overview



- Powered by RunMyMail software, creating an unparalleled user experience
- 20" touchscreen interface centralizes all mail center operations into a single workstation
- Mixed-size automatic feeder handles different mail shapes with no sorting required
- Optional Dynamic Scale accelerates processing by weighing and measuring mail on the fly
- Exclusive Postal Rate Wizard offers guided selection across 140 USPS® rates and services
- Automatic secure sealing and a built in postage label dispenser enhance productivity

Additional Features

- Quiet inkjet printing w/low ink email alerts
- Up to 175 letters/min. (110 in dynamic mode)
- Envelope thickness up to 5/8"
- Auto-downloaded postal rate updates
- 6 Rate shortcut keys & 9 job/imprint memories
- 8 Standard & 2 customizable ad slogans
- 10 customizable text messages
- Automatic mail class inscriptions
- Date received printing for incoming mail
- 70-department account tracking (expandable)
- PIN-protected access for up to 50 operators
- MyNeopost account w/postage usage reporting
- NeoFunds® bill-for-postage service

System Dimensions

Mailing System with Tray (Length x Depth x Height)	67" x 18" x 13"
Mailing System Weight	78 lbs.





IS-5000

Mailing System

Product Overview

- Internet-connected iMeter™ postage meter provides access to a suite of powerful Apps
- Efficiency at your fingertips with a repositionable color touchscreen interface
- Engineered for speed, durability, ergonomic perfection, and unmatched throughput
- High-capacity feeder handles heavy stacks of assorted size mail and pieces up to .8" thick
- Dynamic Scale accelerates processing by weighing and measuring mail on the fly
- Advanced pump spray system securely seals envelopes with the flaps open or closed



Additional Features

Batch/Dynamic: 300/140, 260/130, 210/120 lpm
Multiple weighing platform capacities
Auto-downloaded postal rate updates
Customizable control panel screen
Internal postage label dispenser
Permanent print head w/100K-imprint ink tank
8 Standard and 2 customizable ad slogans
10 custom text messages & 15 job memories
Automatic mail class inscriptions
Print permit imprints & date stamp incoming mail
100-department account tracking (expandable)
Generate management and presort reports
MyNeopost account w/postage usage reporting
NeoFunds® bill-for-postage service

System Dimensions

Mailing system, dynamic scale, tray (Length x Depth x Height)	78" x 25" x 14"
Optional conveyor stacker	40" x 14" x 12"
Weight	169 lbs.





IS-6000

Mailing System

Product Overview



- Internet-connected iMeter™ postage meter provides access to a suite of powerful Apps
- Efficiency at your fingertips with a repositionable 15" color touchscreen interface
- Engineered for speed, durability, ergonomic perfection, and unmatched throughput
- Automatically feeds and seals heavy stacks of assorted size mail and pieces up to .8" thick
- Dynamic Scale accelerates processing by weighing and measuring mail on the fly
- Advanced pump spray system securely seals envelopes with the flaps open or closed

Additional Features

Batch/Dynamic: 300/140, 260/130, 210/120 lpm
Multiple weighing platform capacities
Auto-downloaded postal rate updates
Customizable control panel screen
Internal postage label dispenser
Permanent print head w/100K-imprint ink tank
8 Standard and 2 customizable ad slogans
10 custom text messages & 15 job memories
Automatic mail class inscriptions
Print permit imprints & date stamp incoming mail
100-department account tracking (expandable)
Generate management and presort reports
MyNeopost account w/postage usage reporting
NeoFunds® bill-for-postage service

System Dimensions

Mailing system, dynamic scale, tray (Length x Depth x Height)	78" x 25" x 14"
Optional conveyor stacker	40" x 14" x 12"
Weight	182 lbs.





IS-5500

Mailing/Accounting System

Product Overview



- Efficiency at your fingertips with a large and repositionable touchscreen interface
- Engineered for speed, durability, ergonomic perfection and unmatched throughput
- Automatically feeds and seals heavy stacks of assorted size mail and pieces up to .8" thick
- Dynamic Scale accelerates processing by weighing and measuring mail on the fly
- Allocates mailing costs to an unlimited number of accounts or departments
- Work Ahead™ and Scan & Drop allow operators to stage batches by account while processing

Additional Features

Batch/Dynamic mail processing speeds: 300/140, 260/130, or 210/120 letters/min.
External scale handles postcards to large parcels
Multi-level accounting (sub, sub-sub accounts)
Real-time USPS® shipping address validation
Postal processing guidance via Shape Advisor™
Internal postage label dispenser
Thermal label printer generates IM®pb-compliant USPS® shipping labels
Commercial rates for applicable USPS® services
Simplified international mailing & USPS® shipping with automated label and form generation
Permanent print head w/100K-imprint ink tank
Up to 10 ad slogans and custom text messages

Additional Features Continued

Automatic mail class inscriptions
Print permit imprint instead of postal indicia
Date stamp incoming mail
Auto-downloaded postal rate updates
Generate management and presort reports
NeoFunds® bill-for-postage service

System Dimensions

Mailing system with tray (Length x Depth x Height)	58" x 25" x 14"
Optional conveyor stacker	40" x 14" x 12"
Weight	144 lbs.





IJ-15K

Mailing System

Product Overview



- Designed specifically to connect in-line to production inserters
- Delivers high productivity levels, state-of-the art serviceability and low cost of ownership
- Smoothly handles same or mixed weight mail at speeds of up to 15,000 per hour
- Freestanding status light tower allows you to monitor system status from a distance
- Separate print head and 350ml hot-swappable reservoir for easy ink management
- An intuitive touchscreen operating panel puts all system controls at your fingertips

Additional Features

- 10 postage value presets
- 7 preset, 2 customizable mail class dies
- 9 advertising slogans
- 9 custom text messages
- 500-department account tracking
- Up to 5/8" envelope thickness
- Max envelope dimensions: 15" L x 12" W
- IBI-Lite ink-saving indicia

System Dimensions

Mailing System (Length x Depth x Height)	13" x 18" x 13.5"
Weight	35 lbs.





PF-60

Tabletop Folder

Product Overview




- Pre-marked folds and a centrally located control panel make for easy set-up and operation
- Holds a full ream of paper and produces dependable feeding with no paper fanning required
- Performs 6 popular folds in 11", 14" or 17" format using standard or custom measurements
- Insulated fold plates reduce operating noise while folding up to 258 documents per minute
- Telescoping stacker holds up to 500 folded documents in neat and sequential order
- 6-digit counter keeps a running total or allows a pre-entered number to be folded

Additional Features

Intuitive control panel
Document height range: 5" – 18"
Document width range: 3.5" – 12.25"
Document Weight Range: 14 – 70 lbs.
Fold types: Letter, z-fold, single, double parallel, gate fold, fold out
Self-centering side guides
Skew adjustment
Cross fold capability
Drop-in folding of up to 4 sheets stapled or unstapled

System Dimensions*

Measurements (Length x Depth x Height)	33" x 20" x 19"
Weight	67 lbs.
*with output stacker closed	





PF-80

Tabletop Folder

Product Overview



- All settings are fully electronic and up to 25 custom folds can be stored in memory
- Holds a full ream of paper and produces dependable feeding with no paper fanning required
- Paper size is auto-detected and 6 folds types can be activated with the touch of a button
- Insulated fold plates reduce operating noise while folding up to 351 documents per minute
- Telescoping stacker holds up to 500 folded documents in neat and sequential order
- 6-digit counter keeps a running total or allows a pre-entered number to be folded

Additional Features

Large backlit LCD interface

Document height range: 5" – 18"

Document width range: 3.5" – 12.25"

Document weight range: 14 – 70 lbs.

Fold types: Letter, z-fold, single, double parallel, gate fold, fold out

Self-centering side guides

Fine skew adjustment

Cross fold capability

Drop-in folding of up to 4 sheets stapled or unstapled

Automated stacker wheels

System Dimensions*

Measurements (Length x Depth x Height)	33" x 20" x 19"
Weight	67 lbs.

*with output stacker closed





PF-90

Tabletop Folder

Product Overview



- All settings are fully electronic and up to 35 custom folds can be stored in memory
- Holds a full ream of paper and produces dependable feeding with no paper fanning required
- Paper size is auto-detected and 6 folds types can be activated with the touch of a button
- Insulated fold plates reduce operating noise while folding up to 351 documents per minute
- Telescoping stacker holds up to 500 folded documents in neat and sequential order
- 6-digit counter keeps a running total or allows a pre-entered number to be folded

Additional Features

Large backlit LCD interface

Document height range: 5" – 18"

Document width range: 3.5" – 12.25"

Document weight range: 14 – 70 lbs.

Fold types: Letter, z-fold, single, double parallel, gate fold, fold out

Self-centering side guides

Fine skew adjustment

Cross fold capability

Drop-in folding of up to 4 sheets stapled or unstapled

Automated stacker wheels

System Dimensions*

Measurements
(Length x Depth x Height) 33" x 20" x 19"

Weight 67 lbs.

*with output stacker closed





DS-35

Desktop Folder/Inserter

Product Overview



- Intuitive full-color touchscreen with simple wizard-based setup and 15 job presets
- Ultra-compact, quiet and modern design that fits in any office environment
- Folds multiple documents, adds a BRE and inserts the package into a #10 or 6" x 9.5" envelope
- Operational efficiency that's ten times faster than by hand
- Secure'n Feed® double document detection ensures accurate envelope contents
- Using daily mail mode, just walk up and drop in a document set to get a ready-to-mail envelope

Additional Features

Processing speed up to 1,350 envelopes/hr.

2 sheet feeders and 1 insert/BRE feeder

Automatic thickness adjusting feeders

Cascade feeding (feeder linking)

Tip-to-tip envelope sealing

Standard document sizes: Letter, legal

Document feeder capacity: 100 sheets

Insert feeder capacity: 100 BREs

Envelope feeder capacity: 100

Fold types: Letter, single, double parallel

Folding capacity: 3 sheets tri-folded, 5 sheets single folded, 2 sheets double parallel folded

Resettable counter

System Dimensions

Measurements (Length x Depth x Height)	26" x 17" x 22"
Weight	81 lbs.





DS-63

Tabletop Folder/Inserter

Product Overview



- Its low noise level, ease-of-use, and compact design make DS-63 ideal for any environment
- Color touchscreen controls with graphical user guidance and wizard-based programming
- Multi-format FlexFeeders can process document sizes from full sheets to short inserts
- Load'n Go® performs automated setup based on materials you place in the trays
- With PowerFold® DS-63 can tri-fold up to 5 pages together, neatly and silently
- Ensures accurate mail piece contents with exclusive Secure'n Feed® technology

Additional Features

Processing speed up to 2,200 envelopes/hr.
Up to 2 FlexFeeders + 1 insert/BRE feeder
Stores 15 jobs in memory
Multi-sheet feeding
Cascade feeding (feeder linking)
Manual feed mode
Accumulate before folding
Fold types: Letter, z-fold, single, double parallel
Standard document sizes: Letter, legal
FlexFeeder capacity: Up to 325 sheets
Insert feeder capacity: 50 BREs or 325 coupons
Standard envelope sizes: #10, 6" x 9.5"
Envelope feeder capacity: 150
Tip-to-tip envelope sealing

System Dimensions

Measurements (Length x Depth x Height)	49" x 16.5" x 36"
Weight	165 lbs.





DS-65

Tabletop Folder/Inserter

Product Overview



- Color touchscreen controls with graphical user guidance and wizard-based programming
- Multi-format FlexFeeders can process document sizes from full sheets to short inserts
- Load'n Go® performs automated setup based on materials you place in the trays
- Maximum productivity from perfectly-matched capacity on each feeder and the built-in stacker
- With PowerFold® DS-65 can tri-fold up to 5 pages together and single-fold up to 8
- Ensures accurate mail piece contents with exclusive Secure'n Feed® technology

Additional Features

Processing speed up to 2,400 envelopes/hr.

Up to 4 stations

Stores 20 jobs in memory

Multi-sheet feeding

Cascade feeding (feeder linking)

Dedicated semi-automatic document feeder

Accumulate before folding

Fold types: Letter, z-fold, single, double parallel

Standard document sizes: Letter, legal

FlexFeeder capacity: 250 sheets

Insert feeder capacity: 250 BREs

Standard envelope sizes: #10, 6" x 9.5"

Envelope feeder capacity: 250

Tip-to-tip envelope sealing

System Dimensions

Measurements
(Length x Depth x Height) 31.5" x 17.5" x 26.9"

Weight 121.1 lbs.

Environmental Commitment

The DS-65 carries Neopost's Eco Label. The Eco label signifies the implementation of green strategies surrounding raw materials, packaging and energy consumption to reduce or eliminate impact on the environment.



The DS-65 is compliant with environmental regulations and Energy Star.



Productive, Versatile and Intuitive

Combined with our mail management software, the DS-75i is the perfect mail assembly solution.

The DS-75i combines unparalleled ease of use with advanced technology. With its compact footprint, large loading and unloading capabilities, and features such as CIS scanning technology, the DS-75i can process a wide variety of mailpieces for invoicing, monthly statements, direct marketing campaigns and many other applications.


Getting your mail folded and inserted has never been so simple. The intuitive color touch screen of the DS-75i prompts the operator through each step of the process. This scalable system is extraordinarily quiet and designed to fit perfectly into any work environment. With its WiFi and LAN embedded capabilities, it can be connected to your network to enable remote diagnostics and remote assistance to provide help when needed.

The Complete Document Process

1 With Neopost's output management software, you can automatically add barcodes, giving more processing flexibility to your documents and guaranteeing your mail integrity.

2 Select inserts from multiple trays, providing the ability to personalize your mail.

3 Split your print file based on the number of pages, simplifying mail assembly.



Environmental Commitment

The DS-75i carries Neopost's Eco-Label which aims to provide a clear and consistent set of environmental performance criteria used in the design phase of our products.



How We Reduce Our Environmental Footprint:

- Neopost limits the machine weight and the amount of raw materials used for production.
- The volume of our packaging is kept to a minimum and is 100% cardboard and recyclable.
- Packaging for the DS-75i represents less than 20% of the total weight of the packed product.
- The user-friendly sleep mode helps reduce energy consumption.
- We develop our products to ensure a minimum recyclability rate of 75%.

The DS-75i Offers Flexibility of Configurations



- Increase Productivity**
- High-capacity feeder
 - MaxiFeeder tray
 - High-capacity vertical stacker



- Process Invoices and Statements**
- 2 standard feeders
 - 1 MaxiFeeder tray
 - High-capacity vertical stacker



- Enhance Customer Communications**
- 3 standard feeders
 - Side exit tray

2. Touch Screen Display

The 7" color touch screen enables navigation easily to create a new job or access existing jobs within seconds



1. Automated Stacker

The high-capacity vertical stacker holds up to 500 finished envelopes

3. CIS Scanner

Internal Contact Image Sensor (CIS) scanner can read OMR, OCR, 1D and 2D codes printed horizontally or vertically on the document

4. Document Feeders

Process multiple page sets at high processing speeds using three standard feeders holding up to 975 documents (3 x 325). While in cascade mode, feeder sensors ensure continuous operation



A State-of-the-Art Graphical User Interface

Designed for all users, the intuitive, full color, high-resolution 7" touch screen provides a wizard-based user-friendly interface, making it easy for anyone to select and run their folding and inserting jobs.

Alternatively, see how easy it is to create a new job. Simply load your documents and envelopes and press the start button. The DS-75i will automatically measure the length of all loaded documents, as well as the envelope, in order to adjust all settings and process the appropriate mail items.



Smart Solutions to Maximize Flexibility

The exclusive FlexFeed® tray enables you to process many different document sizes. In combination with the unique semi-automatic envelope separation mechanism, this provides full flexibility for feeding a wide variety of document types. You can use practically any size and type of material to address your prospective and current customers efficiently.

Optimize Productivity with the MaxiFeeder Tray

Choose to load the MaxiFeeder with up to 325 BRE or load up to 1,200 sheets to maximize your productivity.

Specifications

Processing speed	Up to 3,800/hour
Color touch screen	Standard
Automatic settings	Standard
Job memory	50
Feeders	Up to 3
Hand feeding	Standard
Multi-sheet feeding	Standard
Cascade from feeders	Standard
Document feeder capacity	325 sheets (20 lb.)
High capacity feeder capacity	725 sheets (20 lb.)
Envelope feeder capacity	325
Folding capacity (one set, single fold)	Standard (Up to 10 sheets 20 lb.)
Automatic double detection	Standard
Accumulate before folding	Standard
High capacity vertical stacker	Up to 500 envelopes
Tip-to-tip sealing	Standard
LAN embedded	Standard
WiFi embedded	Standard
Noise level	66 Db
Fold types	Letter, z-fold, single, double, parallel, no fold $\triangle Z \angle \leftarrow _$
Document height	3.5" - 14"
Document width	5.1" - 9.1"
Envelope length	3.5" - 6.35"
Envelope width	6.3" - 9.7"
Maximum insert thickness	1 mm
Maximum set thickness	2.5 mm
Options	
MaxiFeeder capacity	1,200 sheets (20 lb.)/325 BRE
Side exit	Up to 400 envelopes
Mailing system interface	Available
Barcode Reader (BCR) for 1D and 2D barcodes	Available
Optical Mark Recognition (OMR)	Available
Optical Character Recognition (OCR)	Available
Output Management Software (OMS)	Available
Remote Assistance	Available
Remote Diagnostics	Available
System Dimensions	
DS-75i (3 feeders with catch tray)	Length x Depth x Height 50" x 20" x 29"
Weight	175 lbs.

**We've Got You Covered**

Neopost maintains a network of offices across the country to provide local customer support and trained technicians who are ready to assist you. You can be confident that when you need knowledgeable support or expert service, the point-of-contact will be a Neopost office in your area consisting of a team of local professionals.

Why Choose Neopost?

Neopost is a global leader in mailing solutions, shipping services and digital communications. We believe that people are the key to business success. That's why our products and services are tailored to help your organization improve the quality of its interactions and bring people closer together.

In this age of multichannel communications, we guide and empower you to interact in new and innovative ways. We advise you on how to create cost-cutting synergies. We deliver global coverage with a strong local presence, offering you continual support by phone, onsite or online.

Today, Neopost is present in 31 countries and has a network of partners in more than 90 countries. We promote responsible business and sustainable development through our products and outreach programs. Our 6,200 employees worldwide are committed to making your interactions more responsive and more powerful – offering you a competitive edge that will open up a wealth of business opportunities.

Find out more at neopostusa.com



Neopost® and the Neopost logo are registered trademarks of Neopost S.A. All other company and product names may be trademarks and are the property of their respective owners. All information in this document, including descriptions of features, functions, performance and specifications is subject to change without written notice at any time.

1.800.NEOPOST (636.7678)

©2016 Neopost USA Inc. All Rights Reserved. N252 09/16