

tables &
collaborative spaces

price guide
02.21.2017



tekniion

contents

INTRODUCTION	3
WORK TABLES	13
MEETING & <i>AUDIENCE</i> ® BOARDROOM TABLES	29
TRAINING	69
CASUAL TABLES	135
CLUBTALK	153
STORAGE	171
WORK TOOLS	213

introduction

introduction

WHERE TO FIND THE INFORMATION YOU NEED5

HOW TO MAKE THIS GUIDE WORK FOR YOU6

INDEX – BY SECTION8

INDEX – BY PRODUCT10

where to find the information you need

Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it.

product pricing

Online Access to all current pricing in PDF format, can be found at www.teknion.com, by selecting the **products** tab, the desired product line and then **pricing module**.

Printed Price Guides by product line containing product maps, detailed pricing tables and product basics information are available to help you specify correctly. These guides can be ordered online through www.teknion.com, by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

Xpress The Xpress symbol is displayed in the Price Guide beside products that are offered in Teknion's Xpress Program. **Online Access** can be found at www.teknion.com, by selecting the **tools** tab and then **Xpress**. A **printed Xpress Guide** can be ordered online through www.teknion.com, by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

application guidelines

Online Access to all current Application Guides in PDF format, can be found at www.teknion.com, by selecting the **tools** tab, **application guides** and the desired product line.

Printed Application Guides by product line containing detailed application guidelines as well as tips to help you plan and specify each of our products are available. These guides can be ordered online through www.teknion.com, by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

planning tool

Select and view typicals of our products by setting, product, or footprint. Get great ideas and save time!

Online Access is available on www.teknion.com, by selecting the **tools** tab and then **planning tool**.

weights & volumes

Online Access to Weights & Volumes are available on www.teknion.com, by selecting the **products** tab and the desired product line. Download Weights & Volumes.

fabrics & finishes

Teknion's Fabrics and Finishes offering includes the following programs; Finishes + Materials and Teknion Textiles.

Online Access is available on www.teknion.com, by selecting the **tools** tab and then **Fabrics & Finishes**.

Printed Fabrics & Finishes Guides can be ordered online through www.teknion.com, by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

product photography & drawings

Online Access to all photos, line drawings and renderings are available on www.teknion.com, by selecting the **tools** tab and selecting either **photography**, **CAD symbols** or **Sketchup 3D Warehouse**.

order forms

All forms (COM Request, TekniPaint and TekniStain forms) are available online at www.teknion.com, by selecting the **tools** tab and then **Fabrics & Finishes**. Download the form you require.

warranty/terms & conditions of sale

Online Access is available on www.teknion.com, by selecting the **Legal & Warranty** link located on the footer of the website.

installation guides

Installation Guides are available for both Online and Print. Contact your Teknion Customer Service Representative for more details.

user feedback

How is our marketing material working for you?

Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content **OR** if you have found an error, that you please contact your Teknion Technical Services department.

price guide contents

price guide

- Introduction
- Index by section
- Index by product
- Product Maps by section
- Overview and Basics by section
- Pricing by section

It is recommended that you review the basics pages before you begin specifying a product. For more detailed application and planning information refer to the appropriate Application Guide available on www.teknion.com.

tables & collaborative spaces price guide – February 21, 2017

index – by section

Section Contents	Product Code	Page No.
INTRODUCTION		
Where to find the information you need		5
How to make this guide work for you		6
WORK TABLES		
Product Map / Table of Contents		15
Work Tables Basics		16
Edge Trim Style Overview		17
User Edge & Grain Direction		18
Wood Finish Details		18
Grommet Locations		18
Square Work Table	ATWS	20
Circular Work Table	ATWC	21
Rectangular Work Table	ATWR	22
Oval Work Table	ATWV	24
Work Table Modesty Panel	ATMP	26
MEETING & AUDIENCE® BOARDROOM TABLES		
Product Map / Table of Contents		30
Meeting Room Table Basics		32
Meeting Room Tables Edge Trim Style Overview		34
Electrics Layouts for Meeting Tables		35
<i>Audience</i> Boardroom Tables Basics		36
<i>Audience</i> Boardroom Tables Edge Trim Style Overview		37
<i>Audience</i> Boardroom Table User Edges & Grain Direction		38
<i>Audience</i> Boardroom Tables Grain Direction & Number of Pieces		40
Wood Finish Details		42
Power & Data Basics		43
Electrical Layouts for <i>Audience</i> Boardroom Tables		45
Square Meeting Table	ATMS	48
Circular Meeting Table	ATMC	49
Triangular Meeting Table	ATMT	50
Rectangular Meeting Table	ATMR	51
Oval Meeting Table	ATMV	52
Boat Meeting Table	ATMB	53
<i>Audience</i> Square Boardroom Table	ATBS	54
<i>Audience</i> Circular Boardroom Table	ATBC	55
<i>Audience</i> Rectangular Boardroom Table	ATBR	56
<i>Audience</i> Oval Boardroom Table	ATBV	58
<i>Audience</i> Boat Boardroom Table	ATBB	60
<i>Audience</i> Video Conference Table	ATVC	62
Hammock Kit	ATHK	64
Media Shelf	ATSH	65
Rail Mount Cable Manager	ATRC	66
TRAINING		
Product Map / Table of Contents		70
Training Worksurface & Support Basics		76
Training Table Basics		78
Accessory Basics		79
Edge Trim Style Overview		80

Section Contents	Product Code	Page No.
User Edge & Grain Direction		80
Support Compatibility Chart		81
Modesty Panel Details		82
Electrical Tray & Cable Tray Details		83
Accessory Compatibility Chart		84
Lighting, Electrical & Communications Basics		85
Finish Protocol		86
TRAINING – WORKSURFACES		
Rectangular Worksurface	CTRT	88
Cockpit Worksurface	CTCK	89
Trapeze Angular Worksurface	CTTA	90
Half-Moon Worksurface	CTHM	92
Mezzanine Worksurface	CTMZ	93
Curved Hatchet Worksurface	CTCH	94
Quarter-Moon Worksurface	CTQM	95
TRAINING – WORKSURFACE SUPPORTS		
C-Leg	CTCL	96
T-Leg	CTTL	97
Intermediate Leg	CTST	98
Post Leg	CTPL	99
TRAINING – TABLES		
Rectangular Folding Table	CTFL	100
Lightweight Rectangular Folding Table	CTLF	102
Rectangular Flip-Top Table	CTFT	104
Rectangular Height-Adjustable Table	CTHT	106
TRAINING – ACCESSORIES		
CPU Holder	CTL P	108
Vertical Leg Cover	CTVL	109
Vertical Wire Management Cover	CTWC	110
Grommet	CTGM	111
Cable Tray	CTWT	112
Electrical Tray	CTET	113
Modesty Panel – Laminate	CTLM	114
Modesty Panel – Metal	CTMM	115
Modesty Panel for Flip-Top Table – Laminate	CTLMF	116
Modesty Panel for Flip-Top Table – Metal	CTMMF	117
Fabric Table Screen	CTDSF	118
Translucent Table Screen	CTDST	119
Metal Table Screen	CTDSM	120
Fabric Lateral Screen	CTLSF	121
Translucent Lateral Screen	CTLST	122
Metal Lateral Screen	CTLSM	123
Quick Release Linking System	CAQR	124
Mobile Table Trolley	CTMT	124

index – by section

Section Contents	Product Code	Page No.
TRAINING – LIGHTING, ELECTRICS & COMMUNICATIONS		
Under-Worksurface Plug-In Power Bar	RLPP	126
Under-Worksurface Plug-In Power Outlet	CLWP	127
Splitter Box	CLBX	128
Base Feed	CLBF	129
Pass-Through	CLPH	130
Power/Data Center	CLMP	131
Data Box	CLDB	132
Power/Data Sphere	CLPS	133
CASUAL TABLES		
Product Map / Table of Contents		137
Casual Table Basics		138
Edge Trim Style Overview		139
User Edge & Grain Direction		140
Wood Finish Details		140
Square Lounge Table	ATCSL	142
Circular Lounge Table	ATCCL	143
Oval Lounge Table	ATCVL	144
Square Cafe Table	ATCSC	145
Circular Cafe Table	ATCCC	146
Square Bistro Table	ATCSB	147
Circular Bistro Table	ATCCB	148
Square Dining Table	ATCSD	149
Circular Dining Table	ATCCD	150
Rectangular Dining Table	ATCRD	151
CLUBTALK		
Product Map / Table of Contents		155
Mobile Cart Overview		157
Mobile Cart Basics		158
Table Basics		160
Worksurface Monitor Mount Overview		161
Worksurface Monitor Mount Basics		162
Grain Direction		163
Mobile Cart	CUC	165
Worksurface Monitor Mount	CUWM	166
Square Table	CUS	167
Trapezoid Table	CUZ	168
Rectangular Table	CUR	169
STORAGE		
Product Map / Table of Contents		172
<i>Audience</i> Credenza Storage Basics		176
<i>Audience</i> Credenza Configurations		177
Locks & Keys Chart		178
<i>Audience</i> A.V. Cart Basics		179
<i>Audience</i> Hospitality Cart Basics		180

Section Contents	Product Code	Page No.
Project Storage Basics		181
Project Storage Configurations		182
Edge Trim Style Overview		183
Wood Finish Details		184
<i>Audience</i> Veneer Credenza with Doors	AFCVA	186
<i>Audience</i> Veneer Credenza with Single Drawer	AFCVB	187
<i>Audience</i> Veneer Credenza with Doors and Drawers	AFCVC	188
<i>Audience</i> Veneer Credenza with Middle Drawers	AFCVD	189
<i>Audience</i> Laminate Credenza with Doors	AFLA	190
<i>Audience</i> Laminate Credenza with Single Drawer	AFLB	191
<i>Audience</i> Laminate Credenza with Doors and Drawers	AFLC	192
<i>Audience</i> Laminate Credenza with Middle Drawers	AFLD	193
<i>Audience</i> Flintwood Credenza with Doors	AFCFA	194
<i>Audience</i> Flintwood Credenza with Single Drawer	AFCFB	195
<i>Audience</i> Flintwood Credenza with Doors and Drawers	AFCFC	196
<i>Audience</i> Flintwood Credenza with Middle Drawers	AFCFD	197
Credenza Top	AFTT	198
<i>Audience</i> Veneer A.V. Cart	AFTV	199
<i>Audience</i> Laminate A.V. Cart	AFTL	200
<i>Audience</i> Flintwood A.V. Cart	AFTF	201
A.V. Cart Top	AFTT	202
<i>Audience</i> Veneer Hospitality Cart	AFMV	203
<i>Audience</i> Laminate Hospitality Cart	AFLM	204
<i>Audience</i> Flintwood Hospitality Cart	AFMF	205
Hospitality Cart Top	AFMT	206
Small Project Cart	AFAS	207
Medium Project Cart	AFAM	208
Large Project Cart	AFAL	209
Set of Keys Alike	SOKL	210
WORK TOOLS		
Product Map / Table of Contents		215
Focus Wall Basics		216
Drywall Restrictions		217
Adjacency Conditions		218
Focus Wall Linking Strips		219
Focus Board Basics		220
Focus Wall Frame	AFWF	222
Focus Wall Whiteboard	AFWW	223
Focus Wall Tackboard	AFWT	224
Focus Wall Sliding Whiteboard	AFWS	226
Focus Wall Marker Tray	AFWM	227
Focus Wall Flip Chart Hooks	AFWC	228
Focus Board	AFWB	229

index – by product

Product Name	Product Code	Page No.
A.V. Cart Top	AFTT	202
<i>Audience</i> Boat Boardroom Table	ATBB	60
<i>Audience</i> Circular Boardroom Table	ATBC	55
<i>Audience</i> Flintwood A.V. Cart	AFTF	201
<i>Audience</i> Flintwood Credenza with Doors	AFCFA	194
<i>Audience</i> Flintwood Credenza with Doors and Drawers	AFCFC	196
<i>Audience</i> Flintwood Credenza with Middle Drawers	AFCFD	197
<i>Audience</i> Flintwood Credenza with Single Drawer	AFCFB	195
<i>Audience</i> Flintwood Hospitality Cart	AFMF	205
<i>Audience</i> Laminate A.V. Cart	AFTL	200
<i>Audience</i> Laminate Credenza with Doors	AFLA	190
<i>Audience</i> Laminate Credenza with Doors and Drawers	AFLC	192
<i>Audience</i> Laminate Credenza with Middle Drawers	AFLD	193
<i>Audience</i> Laminate Credenza with Single Drawer	AFLB	191
<i>Audience</i> Laminate Hospitality Cart	AFLM	204
<i>Audience</i> Oval Boardroom Table	ATBV	58
<i>Audience</i> Rectangular Boardroom Table	ATBR	56
<i>Audience</i> Square Boardroom Table	ATBS	54
<i>Audience</i> Veneer A.V. Cart	AFTV	199
<i>Audience</i> Veneer Credenza with Doors	AFCVA	186
<i>Audience</i> Veneer Hospitality Cart	AFMV	203
<i>Audience</i> Veneer Credenza with Doors and Drawers	AFCVC	188
<i>Audience</i> Veneer Credenza with Middle Drawers	AFCVD	189
<i>Audience</i> Veneer Credenza with Single Drawer	AFCVB	187
<i>Audience</i> Video Conference Table	ATVC	62
Base Feed	CLBF	129
Boat Meeting Table	ATMB	53
Cable Tray	CTWT	112
Circular Bistro Table	ATCCB	148
Circular Cafe Table	ATCCC	146
Circular Dining Table	ATCCD	150
Circular Lounge Table	ATCCL	143
Circular Meeting Table	ATMC	49
Circular Work Table	ATWC	21
C-Leg	CTCL	96
Cockpit Worksurface	CTCK	89
CPU Holder	CTLP	108
Credenza Top	AFC T	198
Curved Hatchet Worksurface	CTCH	94
Data Box	CLDB	132
Electrical Tray	CTET	113
Fabric Lateral Screen	CTLSF	121
Fabric Table Screen	CTDSF	118
Focus Board	AFWB	229
Focus Wall Flip Chart Hooks	AFWC	228
Focus Wall Frame	AFWF	222
Focus Wall Marker Tray	AFWM	227
Focus Wall Sliding Whiteboard	AFWS	226
Focus Wall Tackboard	AFWT	224

Product Name	Product Code	Page No.
Focus Wall Whiteboard	AFWW	223
Grommet	CTGM	111
Half-Moon Worksurface	CTHM	92
Hammock Kit	ATHK	64
Hospitality Cart Top	AFMT	206
Intermediate Leg	CTST	98
Large Project Cart	AFAL	209
Lightweight Rectangular Folding Table	CTLF	102
Media Shelf	ATSH	65
Medium Project Cart	AFAM	208
Metal Lateral Screen	CTLSM	123
Metal Table Screen	CTDSM	120
Mezzanine Worksurface	CTMZ	93
Mobile Cart	CUC	165
Mobile Table Trolley	CTMT	124
Modesty Panel – Laminate	CTLM	114
Modesty Panel – Metal	CTMM	115
Modesty Panel for Flip-Top Table – Laminate	CTLMF	116
Modesty Panel for Flip-Top Table – Metal	CTMMF	117
Oval Lounge Table	ATCVL	144
Oval Meeting Table	ATMV	52
Oval Work Table	ATWV	24
Pass-Through	CLPH	130
Post Leg	CTPL	99
Power/Data Center	BLMP	131
Power/Data Sphere	CLPS	133
Quarter-Moon Worksurface	CTQM	95
Quick Release Linking System	CAQR	124
Rail Mount Cable Manager	ATRC	66
Rectangular Dining Table	ATCRD	151
Rectangular Flip-Top Table	CTFT	104
Rectangular Folding Table	CTFL	100
Rectangular Height-Adjustable Table	CTHT	106
Rectangular Meeting Table	ATMR	51
Rectangular Table	CUR	169
Rectangular Work Table	ATWR	22
Rectangular Worksurface	CTRT	88
Set of Keys Alike	SOKL	210
Small Project Cart	AFAS	207
Splitter Box	CLBX	128
Square Bistro Table	ATCSB	147
Square Cafe Table	ATCSC	145
Square Dining Table	ATCSD	149
Square Lounge Table	ATCSL	142
Square Meeting Table	ATMS	48
Square Table	CUS	167
Square Work Table	ATWS	20
T-Leg	CTTL	97
Translucent Lateral Screen	CTLST	122

Product Name	Product Code	Page No.
Translucent Table Screen	CTDST	119
Trapeze Angular Worksurface	CTTA	90
Trapezoid Table	CUZ	168
Triangular Meeting Table	ATMT	50
Under-Worksurface Plug-In Power Bar	RLPP	126
Under-Worksurface Plug-In Power Outlet	CLWP	127
Vertical Leg Cover	CTVL	109
Vertical Wire Management Cover	CTWC	110
Work Table Modesty Panel	ATMP	26
Worksurface Monitor Mount	CUWM	166

work tables

work tables

PRODUCT MAP15

WORK TABLE BASICS16

EDGE TRIM STYLE OVERVIEW17

USER EDGE & GRAIN DIRECTION18

WOOD FINISH DETAILS18


GROMMET LOCATIONS18

PRODUCT LISTING20


product map

A T W S Square Work Table


Page 20
Width: 24" or 30"

**A T W C Circular Work Table**

Page 21
Diameter: 24" or 30"

**A T W R Rectangular Work Table**


Page 22
Depth: 24" – 36" /
Width: 48" – 96"

**A T W V Oval Work Table**

Page 24
Depth: 30" or 36" /
Width: 54" – 96"

**A T M P Work Table Modesty Panel**

Page 26
Width: 54" – 96"




work tables basics

Work Tables are ideally designed to support static or mobile table needs within a systems or private office environment.




Rectangular and Oval Work Tables (ATWR, ATWV)

- Offered in four base options (see below)
- Can be specified with casters or levelers
- Can be specified with a modesty panel, ordered separately
- Can be specified with a Grommet (left (GL), right (GR), or centered (GC)) for wire management



Square and Circular Work Tables (ATWS, ATWC)

- Include a 5 point star base with casters
- Are available with a Swivel or Non-Swivel base
- Do not offer power and data options




Work Table Modesty Panel (ATMP)

- Includes a 4" deep cable tray providing wire management capabilities
- Is offered in eight patterns (see Finish Protocol)
- Cannot be applied to tables less than 54" in width

ie Leg (J)


Leveling range is 1 1/2"



ie Casters (60 mm)
4 locking


Height Adjustable Post Leg (H)

Leveling range is 1/2"



Fixed Height Post Leg (P)



Leveling range is 1/2"



Casters (75 mm)
2 locking, 2 swivel

Stretch Leg (S)

Leveling range is 3/4"



Adjustment Range allows Work Table surfaces to sit above or below systems work surface heights

edge trim style overview

The chart below indicates which edge trim styles can be specified with all Work Table surface finishes.




- All edge finishes will automatically default to match the surface finish selected with the exception of the Straight Trim (6) and Bullnose Trim (2) which requires that an edge trim color be chosen
- Work Table worksurfaces are 1" thick

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneers	Non-User Edge
Straight Trim (6) All Edges			n/a	n/a	n/a	Straight Trim (6)
Bullnose Trim (2) User Edge Only			n/a	n/a	n/a	Finished in a coordinating Flat Trim
Flintwood Straight Trim (7) All Edges		n/a	n/a		n/a	Flintwood Straight Trim (7)
Seamless Flat Edge (G) All Edges		n/a		n/a	n/a	Seamless Flat Edge (G)
Seamless Full Knife Edge (X) User Edge Only		n/a		n/a	n/a	Finished in a coordinating Flat Edge
Seamless Eased Edge (E) User Edge Only		n/a		n/a	n/a	Finished in a coordinating Flat Edge
Flat Edge (G) All Edges		n/a	n/a	n/a		Flat Edge (G)
Full Knife Edge (H) User Edge Only		n/a	n/a	n/a		Finished in a coordinating Flat edge
Solid Full Knife Edge (X) User Edge Only		n/a	n/a	n/a		Finished in a coordinating Flat edge
Solid Eased Edge (E) User Edge Only		n/a	n/a	n/a		Finished in a coordinating Flat edge


user edge & grain direction

The illustrations below highlight locations of the user edges and wood grain direction for Work Tables.


Shading indicates user edge




Rectangular (ATWR)



Oval (ATWV)



Circular (ATWC)



Square (ATWS)

wood finish details

The following provides details on Teknion's Flintwoods and Natural Veneers.

flintwood & natural veneer


Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.

The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.



Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.

grommet locations

Grommets on Work Tables are located along one width of the Work Table surface and are ideally suited for single person usage of the table. In shared applications, Grommets are not recommended.




Grommet Right (GR)
Grommet Centered (GC)
Grommet Left (GL)



ATWS
Square Work Table

WHAT'S INCLUDED
1 table surface, 5 point star base with casters.
NOTES
Power or data options are not available on this table.
Height-adjustable from 21" – 31"



PRODUCT OPTIONS

Width	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish	Base Type
24, 30	Foundation Laminate	6 Straight Trim	E Seamless Eased Edge	Edge Trim Colors	Foundation Mica	0 Swivel
	Seamless Colors	2 Bullnose Trim	G Natural Veneer Flat Edge			1 Non-Swivel
	Flintwood	7 Flintwood Straight	H Full Knife Edge			
	Natural Veneer	G Seamless Flat Edge	X Solid Full Knife Edge			
		X Seamless Full Knife Edge	E Solid Eased Edge			

SAMPLE ORDER CODE

ATWS 24	YH	6	SD	Q	0
---------	----	---	----	---	---

DIMENSIONS
INCHES / MM

	PRICING					
	FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
W	Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
24 / 610	504	530	537	1088	1088	1386
30 / 762	562	591	596	1163	1163	1486


If Mica base is specified, add 29
If Non-Swivel Base is specified, add 82

WHAT'S INCLUDED

1 table surface, 5 point star base with casters.

NOTES

Power or data options are not available on this table.

**A T W C
Circular Work Table**

21

PRODUCT OPTIONS

Diameter	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish	Base Type
24, 30	Foundation Laminate Seamless Colors Flintwood Natural Veneer	6 Straight Trim	E Seamless Eased Edge	Edge Trim Colors	Foundation Mica	0 Swivel
		2 Bullnose Trim	G Natural Veneer Flat Edge			1 Non-Swivel
		7 Flintwood Straight	H Full Knife Edge			
		G Seamless Flat Edge	X Solid Full Knife Edge			
		X Seamless Full Knife Edge	E Solid Eased Edge			

SAMPLE ORDER CODE

ATWC 30	YM	2	SB	Q	1
----------------	-----------	----------	-----------	----------	----------



**DIMENSIONS
INCHES / MM**

	FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
	Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
Dia						
24 / 610	530	558	563	1120	1120	1735
30 / 762	591	621	626	1200	1200	1858

If Mica base is specified, add 29

If Non-Swivel Base is specified, add 82

ATWR Rectangular Work Table



WHAT'S INCLUDED

1 table surface, 4 legs with casters or levelers (as specified), 1 grommet (if specified).

NOTES

Grommets are not available on 24" deep tables.

Only Stretch legs are available in a Chrome finish.

Not all depth/width combinations are available. See pricing for exact offering.

User edge is along one width of the worksurface only.

PRODUCT OPTIONS

Base Style	Depth	Width	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish	Casters/Levelers	Data/Electrical Option
P Fixed Post Legs	24, 30, 36	48, 54, 60, 66, 72, 84, 96	Foundation Laminate	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation	C Casters (shown)	NN No Wire Management
H Height-Adjustable Post Legs			Seamless Colors	2 Bullnose Trim	H Full Knife Edge		Mica	L Levelers	GL Left Grommet
S Stretch Legs			Flintwood	7 Flintwood Straight	X Solid Full Knife Edge		H Chrome		GR Right Grommet
J ie Legs			Natural Veneer	G Seamless Flat Edge	E Solid Eased Edge				GC Centered Grommet (shown)
				X Seamless Full Knife Edge					
				E Seamless Eased Edge					

SAMPLE ORDER CODE

ATWR S	30	48	LN	6	NV	H	C	GC
--------	----	----	----	---	----	---	---	----

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829
36 / 914	84 / 2134
36 / 914	96 / 2438

PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
FIXED POST LEG (P)					
674	740	700	1239	1547	2010
709	776	740	1339	1672	2172
741	812	776	1437	1793	2329
777	848	816	1533	1914	2488
785	852	822	1555	1940	2522
827	896	869	1680	2095	2723
869	941	918	1803	2247	2921
914	983	963	1922	2396	3114
882	965	928	1831	2285	2970
937	1022	990	1986	2477	3220
987	1075	1045	2135	2664	3464
1040	1128	1105	2287	2853	3709
1151	1241	1225	2598	3242	4216
1302	1411	1391	3026	3775	4906

If Mica post legs are specified, add 56

If Casters are specified, add 28

If Grommet is specified, add 53

Pricing is continued on the following page.

A T W R

Rectangular Work Table (Continued)

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829
36 / 914	84 / 2134
36 / 914	96 / 2438
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829
36 / 914	84 / 2134
36 / 914	96 / 2438
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829
36 / 914	84 / 2134
36 / 914	96 / 2438



PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
HEIGHT-ADJUSTABLE POST LEG (H)					
787	854	816	1370	1710	2224
822	889	854	1471	1834	2385
855	924	889	1567	1956	2542
890	959	926	1665	2078	2700
896	965	937	1685	2104	2734
942	1011	985	1810	2259	2937
985	1055	1032	1933	2413	3135
1027	1097	1076	2052	2562	3330
994	1078	1043	1961	2448	3183
1049	1136	1105	2118	2639	3432
1102	1190	1161	2267	2828	3677
1154	1242	1220	2418	3017	3922
1265	1354	1340	2731	3406	4428
1416	1524	1506	3157	3938	5120
IE LEG (J)					
684	742	708	1191	1710	2224
715	773	742	1279	1834	2385
743	804	773	1364	1956	2542
774	834	806	1448	2078	2700
781	838	815	1466	2104	2734
819	880	857	1574	2259	2937
857	918	896	1681	2413	3135
892	953	938	1783	2562	3330
864	939	908	1706	2448	3183
914	987	959	1840	2639	3432
957	1036	1010	1970	2828	3677
1005	1080	1060	2102	3017	3922
1100	1177	1166	2375	3406	4428
1232	1325	1309	2746	3938	5120
STRETCH LEG (S)					
732	794	758	1275	1710	2224
765	827	794	1369	1834	2385
795	860	827	1458	1956	2542
828	893	862	1549	2078	2700
834	896	871	1567	2104	2734
877	942	917	1684	2259	2937
917	982	959	1800	2413	3135
954	1019	1003	1909	2562	3330
925	1004	971	1826	2448	3183
978	1057	1028	1969	2639	3432
1024	1107	1081	2108	2828	3677
1074	1155	1135	2250	3017	3922
1176	1260	1247	2542	3406	4428
1318	1418	1401	2937	3938	5120

If Mica Post Legs are specified, add 68
 If Mica Stretch Legs are specified, add 40
 If Mica ie Legs are specified, add 36

If Chrome Stretch Legs are specified, add 207
 If Casters are specified, add 28
 If Grommet is specified, add 53

ATWV Oval Work Table



WHAT'S INCLUDED

1 table surface, 4 legs with casters or levelers (as specified), 1 grommet (if specified).

NOTES

Only Stretch legs are available in a Chrome finish.

Not all depth/width combinations are available. See pricing for exact offering.

PRODUCT OPTIONS

Base Style	Depth	Width	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish	Casters/Levelers	Data/Electrical Option
P Fixed Post Legs	30, 36	54, 60, 66, 72, 84, 96	Foundation Laminate	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation	C Casters (shown)	NN No Wire Management
H Height-Adjustable Post Legs			Seamless Colors	2 Bullnose Trim	H Full Knife Edge		Mica	L Levelers	GL Left Grommet
S Stretch Legs			Flintwood	7 Flintwood Straight	X Solid Full Knife Edge		H Chrome		GR Right Grommet
J ie Legs			Natural Veneer	G Seamless Flat Edge	E Solid Eased Edge				GC Centered Grommet (shown)
				X Seamless Full Knife Edge					
				E Seamless Eased Edge					

SAMPLE ORDER CODE

ATWV S	30	60	LW	2	ST	H	C	GC
--------	----	----	----	---	----	---	---	----

DIMENSIONS INCHES / MM

D	W
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829
36 / 914	84 / 2134
36 / 914	96 / 2438

PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
FIXED HEIGHT POST LEG (P)					
838	912	880	1664	2425	3404
885	959	929	1798	2620	3675
929	1006	982	1929	2811	3943
978	1052	1032	2056	2996	4206
944	1034	994	1959	2855	4006
1002	1094	1060	2124	3096	4347
1057	1151	1119	2285	3332	4678
1112	1207	1182	2448	3569	5008
1232	1327	1311	2780	4053	5691
1391	1509	1489	3239	4718	6623

If Mica Post Legs are specified, add 56

If Casters are specified, add 28

If Grommet is specified, add 53

Pricing is continued on the following page.

ATWV

Oval Work Table (Continued)

DIMENSIONS INCHES / MM

D	W
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829
36 / 914	84 / 2134
36 / 914	96 / 2438
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829
36 / 914	84 / 2134
36 / 914	96 / 2438
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829
36 / 914	84 / 2134
36 / 914	96 / 2438

PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
HEIGHT-ADJUSTABLE POST LEG (H)					
959	1034	1002	1804	2630	3694
1007	1082	1054	1936	2823	3965
1054	1129	1104	2069	3014	4232
1100	1174	1152	2195	3201	4495
1065	1154	1116	2099	3060	4295
1123	1215	1182	2266	3301	4632
1179	1274	1243	2425	3538	4964
1235	1329	1305	2588	3772	5294
1353	1449	1435	2924	4257	5976
1514	1630	1611	3378	4922	6913
IE LEG (J)					
834	896	871	1567	2630	3694
877	942	917	1684	2823	3965
917	982	959	1800	3014	4232
954	1019	1003	1909	3201	4495
925	1004	971	1826	3060	4295
978	1057	1028	1969	3301	4632
1024	1107	1081	2108	3538	4964
1074	1155	1135	2250	3772	5294
1176	1260	1247	2542	4257	5976
1318	1418	1401	2937	4922	6913
STRETCH LEG (S)					
893	959	930	1678	2630	3694
938	1007	981	1803	2823	3965
981	1051	1028	1926	3014	4232
1021	1091	1072	2042	3201	4495
989	1073	1038	1953	3060	4295
1046	1130	1101	2107	3301	4632
1097	1185	1157	2256	3538	4964
1150	1236	1214	2406	3772	5294
1259	1349	1335	2720	4257	5976
1409	1518	1499	3142	4922	6913

If Mica Post Legs are specified, add 68

If Mica Stretch Legs are specified, add 40


If Mica **ie** Legs are specified, add 36

If Chrome Stretch Legs are specified, add 207

If Casters are specified, add 28

If Grommet is specified, add 53

ATMP
Work Table Modesty Panel



WHAT'S INCLUDED
1 Modesty Panel with cable tray.

NOTES
Modesty Panels will not fit onto Tables less than 54".

PRODUCT OPTIONS

Table Application	Width	Finish	Pattern
V Oval Work Table R Rectangular Work Table	54, 60, 66, 72, 84, 96	Foundation Mica	201 Embossed Square Solo 202 Embossed Square Collective 401 Embossed Dot Solo 402 Embossed Large Dot 204 Perforated Square Solo 203 Perforated Square Collective 403 Perforated Dot Solo 305 Embossed Louvered Solo

SAMPLE ORDER CODE

ATMP V	60	Q	201
--------	----	---	-----

DIMENSIONS
INCHES / MM

W
54 / 1372
60 / 1524
66 / 1676
72 / 1829
84 / 2134
96 / 2438

PRICING

OVAL WORK TABLE APPLICATION		RECTANGULAR WORK TABLE APPLICATION	
Foundation	Mica	Foundation	Mica
149	160	160	178
156	173	178	195
166	183	186	205
182	198	201	223
190	211	212	234
217	237	220	242

meeting & *audience*[®]
boardroom tables


meeting & *audience*® boardroom tables

PRODUCT MAP	30
MEETING ROOM TABLE BASICS	32
MEETING ROOM TABLES EDGE TRIM STYLE OVERVIEW	34
ELECTRICS LAYOUTS FOR MEETING TABLES	35
<i>AUDIENCE</i> ® BOARDROOM TABLES BASICS	36
<i>AUDIENCE</i> ® BOARDROOM TABLES EDGE TRIM STYLE OVERVIEW	37
<i>AUDIENCE</i> ® BOARDROOM TABLE USER EDGES & GRAIN DIRECTION	38
<i>AUDIENCE</i> ® BOARDROOM TABLES GRAIN DIRECTION & NUMBER OF PIECES	40
WOOD FINISH DETAILS	42
POWER & DATA BASICS	43
ELECTRICAL LAYOUTS FOR <i>AUDIENCE</i> ® BOARDROOM TABLES	45
PRODUCT LISTING	48

product map

A T M S Square Meeting Table

Page 48
Depth: 36" – 60"




A T M C Circular Meeting Table

Page 49
Diameter: 36" – 60"




A T M T Triangular Meeting Table

Page 50
Depth: 36" – 54"




A T M R Rectangular Meeting Table

Page 51
Depth: 36" – 48" /
Width: 66" – 96"




A T M V Oval Meeting Table

Page 52
Depth: 36" – 48" /
Width: 66" – 96"




A T M B Boat Meeting Table

Page 53
Depth: 42" or 48" /
Width: 72" – 96"




A T B S Audience Square Boardroom Table

Page 54
Depth: 66" – 96"




A T B C Audience Circular Boardroom Table

Page 55
Diameter: 66" – 96"




A T B R Audience Rectangular Boardroom Table

Page 56
Depth: 42" – 60" /
Width: 96" – 228"




A T B V Audience Oval Boardroom Table

Page 58
Depth: 42" – 60" /
Width: 96" – 228"




A T B B Audience Boat Boardroom Table

Page 60
Depth: 42" – 60" /
Width: 96" – 228"



A T V C Audience Video Conference Table


Page 62
Depth: 54" or 60" /
Width: 120" – 228"



product map


A T H K Hammock Kit

Page 64
Width: 42" – 60"



A T S H Media Shelf

Page 65



A T R C Rail Mount Cable Manager

Page 66




meeting room tables basics

Meeting Tables are ideally suited to providing table requirements for up to eight people in small to medium sized meeting rooms.


- Focus Wall products can be found in the Work Tools section.
- Storage products can be found in the Storage section.

Meeting Tables (ATMT, ATMS, ATMC)

- Include 4 base options
- Triangular shape is not available in 60" widths



Triangular (ATMT)



Square (ATMS)



Circular (ATMC)

Audience A.V. Cart (AFT_)
with A.V. Cart Top (AFTT)

Focus Wall Frame (AFWF)


Focus Wall Whiteboard (AFWW)

Focus Wall Tackboard (AFWT)

Power & Data Options

- Grommet (centered only) (GC), Pop-Up (centered only) (PC), Recessed (with power cord (R) or hard wired (H)) (centered only) (RC/HC)
- No power/data options are available with the Mono-Pod base
- Recessed data/electric is only available on the 54" & 60" sizes

Audience Hospitality Cart (AFM_)
with Hospitality Cart Top (AFMT)



Mono-Pod Leg

Available on 36" and 42" dimensions only

Height-Adjustable Post Leg (H)


- Leveling range is 1/2"
- Available on 42" and 48" dimensions only

Fixed Height Post Leg (P)

Leveling range is 1/2"

Stretch Leg (S)

Leveling range is 3/4"




Casters (75 mm)
2 locking, 2 swivel

meeting & audience boardroom tables


meeting room tables basics (continued)

Meeting Rooms can be finished with *Audience* Boardroom Storage and Focus Walls.

- Focus Wall products can be found in the Work Tools section.
- Storage products can be found in the Storage section.




Grommet



Recessed Power/Data Module


Fixed Height Post Leg (P)

Leveling range is 1/2"



Stretch Leg (S)





















Leveling range is 3/4"



meeting room tables edge trim style overview

The chart below indicates which edge trim styles can be specified with all meeting room surface finishes.

- ❗
- All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) and Bullnose Trim (2) which requires that an edge finish be chosen
 - Meeting Table worksurfaces are 1" thick

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneers	Non-User Edge
Straight Trim (6) All Edges			n/a	n/a	n/a	Straight Trim (6)
Bullnose Trim (2) User Edge Only			n/a	n/a	n/a	Finished in a coordinating Straight Trim
Flintwood Straight Trim (7) All Edges		n/a	n/a		n/a	Flintwood Straight Trim (7)
Seamless Flat Edge (G) All Edges		n/a		n/a	n/a	Seamless Flat Edge (G)
Seamless Full Knife Edge (X) User Edge Only		n/a		n/a	n/a	Finished in a coordinating Flat Edge
Seamless Eased Edge (E) User Edge Only		n/a		n/a	n/a	Finished in a coordinating Flat trim
Flat Edge (G) All Edges		n/a	n/a	n/a		Flat Edge (G)
Full Knife Edge (H) User Edge Only		n/a	n/a	n/a		Finished in a coordinating Flat edge
Solid Full Knife Edge (X) User Edge Only		n/a	n/a	n/a		Finished in a coordinating Flat edge
Solid Eased Knife Edge (E) User Edge Only		n/a	n/a	n/a		Finished in a coordinating Flat edge


meeting & *audience* boardroom tables

electrics layouts for meeting tables


Illustrations below show Power/Data locations on various table shapes and sizes.

grommet (G)

Sizes: 42" x 42", 48" x 48" (Not Mono-Pod bases)




Sizes: 36" – 48" d, 66" – 84" w




recessed power/data module (R,H) and grommet (G)

Sizes: 54" or 60" w



Sizes: 36" – 48" d, 96" w



audience boardroom tables basics

Audience Boardroom Tables provide a meeting area for up to 16 people and are available in a variety of shapes, base options and finishes

Audience Boardroom Tables (ATBS, ATBC, ATBV, ATBR, ATBB, ATVC)

- Include Pedestal Base or Stretch Legs
- Available in a variety of Power/Data options

Power/Data Options


Square and Circular Tables

- Centered Grommet (GC)
- Double Grommet (GD)
- Centered Recessed (RC/HC)*
- Single-Offset Recessed (RS/HS)*
- Double Recessed (RD/HD)*
- Quad Recessed (RQ/HQ)*


Rectangular, Oval, Boat and Video Conference Tables

- Centered Grommet (GC)
- Double Grommet (GD)
- Triple Grommet (GT)
- Centered Recessed (RC/HC)*
- Double Recessed (RD/HD)*
- Triple Recessed (RT/HT)*
- Quad Recessed (RQ/HQ)*


* For Recessed Power/Data Modules, "R" represents the Plug-in option and "H" represents the Hard wired option




Square (ATBS)




Circular (ATBC)




Oval (ATBV)



Rectangular (ATBR)



Boat (ATBB)




Video Conference (ATVC)

Audience Credenza with Doors (AFC_A) with Credenza Top (AFCT)

Audience A.V. Cart (AFT_) with A.V. Cart Top (AFTT)

Audience Hospitality Cart (AFM_) with Hospitality Cart Top (AFMT)



End Pedestal base profile is curved out

Center Pedestal base end profile is flat

Base Options

Square & Circular Tables


- Quad Pedestal Base (Q)
- Stretch Legs (S)

Rectangular, Oval, Boat and Video Conference Tables

- Pedestal Base (P)
- Stretch Legs (S)




Grommet




Recessed Power/Data Module


Stretch Leg (S)



Pedestal Base (P)



Quad Pedestal Base (Q)



audience boardroom tables edge trim style overview


The chart below indicates which edge trim styles can be specified with all *Audience* Boardroom surface finishes.



- All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) which requires that an edge finish be chosen
- Audience* Boardroom Table worksurfaces are 1 1/4" thick

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneers	Non-User Edge
Straight Trim (6)			n/a	n/a	n/a	Straight Trim (6)
All Edges						
Flintwood Straight Trim (7)		n/a	n/a		n/a	Flintwood Straight Trim (7)
All Edges						
Flat Edge (G)		n/a	n/a	n/a		Flat Edge (G)
All Edges						
Full Knife Edge (H)		n/a	n/a	n/a		Finished in a coordinating Flat edge
User Edge Only						
Solid Full Knife Edge (X)		n/a	n/a	n/a		Finished in a coordinating Flat edge
User Edge Only						
Solid Eased Edge (E)		n/a	n/a	n/a		Finished in a coordinating Flat edge
User Edge Only						

corner details on natural veneer worksurfaces




Solid Full Knife Edge (X)



Solid Eased Edge (E)



When a Solid User Edge meets up with a Non-User Edge (as with the Boat and Video-Conference shapes), the solid wood profile is visible on the Non-User Edges



Solid Full Knife Edge (X)




Solid Eased Edge (E)




Flat Edge (G)



Full Knife Edge (H)



When a Full Knife User Edge meets up with a Non-User Edge, there is only a small 1 mm profile visible from the Flat Side



Full Knife Edge (H)




Flat Edge (G)


audience boardroom table user edges & grain direction

Illustrations below show user edge and grain direction for *Audience* Boardroom Tables.


❗ shading indicates user edge.




Rectangular




Oval




Boat



Video




Square




Circular


grain direction




Four Pieces



Three Pieces



Two Pieces
































One Piece

audience boardroom tables grain direction & number of pieces

The following chart indicates the number of surface pieces provided and the number of pedestal bases/pairs of legs.





❗ Most Audience Boardroom Tables come with at least 2 surface tops and will be seamed.

Shape	Size	# of Pieces	# of <u>Pairs</u> of Stretch Legs or Pedestal Bases	Grain Direction
<div></div> <div>Square</div>	66x66	2 pieces	2 (or 1 Quad Base)	
	72x72	2 pieces	2 (or 1 Quad Base)	
	78x78	2 pieces	2 (or 1 Quad Base)	
	84x84	2 pieces	2 (or 1 Quad Base)	
	90x90	2 pieces	2 (or 1 Quad Base)	
	96x96	2 pieces	2 (or 1 Quad Base)	
<div></div> <div>Rectangular</div> <div></div> <div>Boat</div> <div></div> <div>Oval</div>	42x96	1 piece	2	
	42x108	2 pieces	2	
	42x120	2 pieces	2	
	48x96	1 piece	2	
	48x108	2 pieces	2	
	48x120	2 pieces	2	
	48x132	2 pieces	2	
	48x144	2 pieces	2	
	48x156	2 pieces	3	
	48x168	3 pieces	3	
	48x180	4 pieces	3	
	54x108	2 pieces	2	
	54x120	2 pieces	2	
	54x132	2 pieces	2	
	54x144	2 pieces	2	
	54x156	2 pieces	3	
	54x168	3 pieces	3	
	54x180	4 pieces	3	
				

audience boardroom tables grain direction & number of pieces (continued)

The following chart indicates the number of surface pieces provided and the number of pedestal bases/pairs of legs.

❗ Audience Boardroom Tables coded as "60" have an actual dimension of 58.5".

Shape	Size	# of Pieces	# of Pairs of Stretch Legs or Pedestal Bases	Grain Direction
 Rectangular	54x204	4 pieces	3	↕
	54x216	4 pieces	3	↕
	54x228	4 pieces	4	↕
 Boat	60x144	2 pieces	2	↔
	60x156	2 pieces	3	↔
	60x168	3 pieces	3	↕
 Oval	60x180	4 pieces	3	↕
	60x192	4 pieces	3	↕
	60x204	4 pieces	3	↕
	60x216	4 pieces	3	↕
	60x228	4 pieces	4	↕
 Video Conference	54x120	2 pieces	2	↔
	54x132	2 pieces	2	↔
	54x144	2 pieces	3	↔
	54x156	2 pieces	3	↔
	60x120	2 pieces	3	↔
	60x132	2 pieces	3	↔
	60x144	2 pieces	3	↔
	60x156	2 pieces	3	↔
	60x168	3 pieces	3	↕
	60x180	4 pieces	3	↕
	60x192	4 pieces	3	↕
	60x204	4 pieces	3	↕
	60x216	4 pieces	4	↕
	60x228	4 pieces	4	↕

wood finish details

The following provides details on Teknion's Flintwoods and Natural Veneers.

flintwood & natural veneer


Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.

The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.


Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.

The illustration below shows how Power/Data is incorporated into the *Audience Boardroom Tables*.

horizontal wire management




vertical wire management (pedestal base)



power & data basics (continued)

The illustration below shows how Power/Data is incorporated into the *Audience* Boardroom Tables.


vertical wire management (stretch legs)



Stretch Leg

Requires exposed wire management accessories

vertical & horizontal wire management (quad base)




meeting & *audience* boardroom tables

electrical layouts for *audience* boardroom tables


The illustration below indicates Power/Data options and placement by surface shape and sizes. See Product Pages for details.

grommet

* Rectangular (ATBR), Oval (ATBV), Boat (ATBB) and Video Conference (ATVC) Boardroom Tables



* Square (ATBS) & Circular (ATBC) Boardroom Tables



* Please refer to Basics Page for details on offering.

electrical layouts for *audience* boardroom tables (continued)


The Recessed Power/Data Module is available in both a Plug-In or a Hard-Wire version.

- ❗ "R" represents the Recessed "Plug-In" option.
- "H" represents the Hard Wire version HC, HS, HD, HQ.


recessed power/data module

* Rectangular (ATBR), Oval (ATBV), Boat (ATBB) and Video Conference (ATVC) Boardroom Tables

Detail A




* Square (ATBS) & Circular (ATBC) Boardroom Tables



Detail A

Detail B


Position for 84", 90", 96" Square/Circle only



* Please refer to Basics Page for details on offering.

ATMS

Square Meeting Table



Stretch Legs



Monopod Base



Fixed Post Leg



Adjustable Post Leg

WHAT'S INCLUDED

1 table surface, base or 4 legs with casters or levelers (as specified).

NOTES

Only Stretch legs are available in a Chrome finish.

No data/electrical options are available for the Monopod base.

Recessed data/electrical is only available on 54" & 60" depths.

Casters are not available on the Monopod base.

Height-Adjustable Post Legs (H) are not available on 54" or 60" depths.

Not all support options are available on all table sizes. See pricing for exact offering.

PRODUCT OPTIONS

Base Style	Depth	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish	Casters/Levelers	Data/Electrical Option
M Monopod Base	36, 42, 48, 54, 60	Foundation Laminate	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation	C Casters	NN No Wire Management (shown)
P Fixed Post Legs		Flintwood	2 Bullnose Trim	H Full Knife Edge		Mica	L Levelers (shown)	GC Centered Grommet
H Height-Adjustable Post Legs		Seamless Color	7 Flintwood Straight	X Solid Full Knife Edge		H Chrome		RC Centered Recessed w/ Power Cord
S Stretch Legs		Natural Veneer	G Seamless Flat Edge	E Solid Eased Edge				HC Centered Recessed/ Hard Wired
			X Seamless Full Knife Edge					
			E Seamless Eased Edge					

SAMPLE ORDER CODE

ATMS S	42	LN	6	NV	H	C	GC
--------	----	----	---	----	---	---	----

DIMENSIONS INCHES / MM

D
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
42 / 1067
48 / 1219
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
MONOPOD BASE (M)					
855	980	890	1816	1828	2742
FIXED POST LEG (P)					
850	992	890	1891	1899	2848
974	1158	1027	2302	2314	3469
1135	1376	1205	2838	2851	4277
1348	1658	1439	3530	3548	5323
HEIGHT-ADJUSTABLE POST LEG (H)					
974	1116	1014	2039	2048	3072
1096	1280	1152	2449	2460	3694
STRETCH LEG (S)					
974	1116	1014	2039	2048	3072
1096	1280	1152	2449	2460	3694
1260	1501	1330	2983	3002	4500
1470	1782	1562	3678	3698	5547

If Mica Monopod Base is specified, add 34

If Mica Stretch Legs are specified, add 40

If Mica Fixed Height Post Legs are specified, add 56

If Mica Height-Adjustable Legs are specified, add 68

If Chrome Stretch Legs are specified, add 207

If Casters are specified, add 28

If Grommet is specified, add 53

If Recessed is specified, add 642

WHAT'S INCLUDED

1 table surface, base or 4 legs with casters or levelers (as specified).

NOTES

Only Stretch legs are available in a Chrome finish.

No data/electrical options are available for the Monopod base.

Recessed data/electrical is only available on 54" & 60" diameters.

Casters are not available on the Monopod Base.

Height-Adjustable Post Legs (H) are not available on 54" or 60" diameters.

Not all support options are available on all table sizes. See pricing for exact offering.

A T M C Circular Meeting Table




Monopod Base



Fixed Post Leg



Adjustable Post Leg



Stretch Legs

PRODUCT OPTIONS

Base Style	Diameter	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish	Casters/Levelers	Data/Electrical Option
M Monopod Base	36, 42, 48, 54, 60	Foundation Laminate	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation	C Casters	NN No Wire Management (shown)
P Fixed Post Legs		Flintwood	2 Bullnose Trim	H Full Knife Edge		Mica	L Levelers (shown)	GC Centered Grommet
H Height-Adjustable Post Legs		Seamless Color	7 Flintwood Straight	X Solid Full Knife Edge		H Chrome		RC Centered Recessed w/ Power Cord
S Stretch Legs		Natural Veneer	G Seamless Flat Edge	E Solid Eased Edge				HC Centered Recessed/ Hard Wired
			X Seamless Full Knife Edge					
			E Seamless Eased Edge					

SAMPLE ORDER CODE

ATMC M	36	ZA	E		C	L	NN
--------	----	----	---	--	---	---	----

DIMENSIONS INCHES / MM

Dia
36 / 914
42 / 1067
42 / 1067
48 / 1219
54 / 1372
60 / 1524
42 / 1067
48 / 1219
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
MONOPOD BASE (M)					
883	1010	918	1871	2285	3425
1057	1211	1100	2244	2742	4110
FIXED POST LEG (P)					
875	1019	918	1947	2375	3560
1004	1192	1057	2370	2890	4337
1170	1418	1241	2921	3562	5347
1387	1709	1481	3638	4436	6653
HEIGHT-ADJUSTABLE POST LEG (H)					
1004	1151	1045	2099	2562	3840
1129	1320	1186	2522	3077	4617
STRETCH LEG (S)					
1004	1151	1045	2099	2562	3840
1129	1320	1186	2522	3077	4617
1297	1544	1370	3073	3750	5627
1514	1835	1608	3791	4622	6931

If Mica Monopod Base is specified, add 34

If Mica Stretch Legs are specified, add 40

If Mica Fixed Height Post Legs are specified, add 56

If Mica Height-Adjustable Legs are specified, add 68

If Chrome Stretch Legs are specified, add 207


If Casters are specified, add 27

If Grommet is specified, add 53

If Recessed is specified, add 663

meeting & audience boardroom tables

ATMT Triangular Meeting Table



WHAT'S INCLUDED

1 table surface, base or 4 legs with casters or levelers (as specified).

NOTES

Only Stretch legs are available in a Chrome finish.

No data/electrical options are available for the Monopod base.

Recessed data/electrical is only available on 54" depths.

Casters are not available on the Monopod base.

Height-Adjustable Post Legs (H) are not available on 54" depths.

Not all support options are available on all table sizes. See pricing for exact offering.

PRODUCT OPTIONS

Base Style	Depth	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish	Casters/Levelers	Data/Electrical Option
M Monopod Base	36, 42, 48, 54	Foundation Laminate	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation	C Casters	NN No Wire Management (shown)
P Fixed Post Legs		Flintwood	2 Bullnose Trim	H Full Knife Edge		Mica	L Levelers (shown)	GC Centered Grommet
H Height-Adjustable Post Legs		Seamless Color	7 Flintwood Straight	X Solid Full Knife Edge		H Chrome		RC Centered Recessed w/ Power Cord
S Stretch Legs		Natural Veneer	G Seamless Flat Edge	E Solid Eased Edge				HC Centered Recessed/ Hard Wired
			X Seamless Full Knife Edge					
			E Seamless Eased Edge					

SAMPLE ORDER CODE

ATMT S	54	MP	G		H	C	HC
--------	----	----	---	--	---	---	----

DIMENSIONS INCHES / MM

	PRICING					
	FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
D	Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
MONOPOD BASE (M)						
36 / 914	883	1010	918	1871	2285	3425
42 / 1067	1057	1211	1100	2244	2742	4110
FIXED POST LEG (P)						
42 / 1067	875	1019	918	1947	2375	3560
48 / 1219	1004	1192	1057	2370	2890	4337
54 / 1372	1170	1418	1241	2921	3562	5347
HEIGHT-ADJUSTABLE POST LEG (H)						
42 / 1067	1004	1151	1045	2099	2562	3840
48 / 1219	1129	1320	1186	2522	3077	4617
STRETCH LEG (S)						
42 / 1067	1004	1151	1045	2099	2562	3840
48 / 1219	1129	1320	1186	2522	3077	4617
54 / 1372	1297	1544	1370	3073	3750	5627

If Mica Monopod Base is specified, add 34

If Mica Stretch Legs are specified, add 31

If Mica Fixed Height Post Legs are specified, add 40

If Mica Height-Adjustable Legs are specified, add 53

If Chrome Stretch Legs are specified, add 155

If Casters are specified, add 22

If Grommet is specified, add 53

If Recessed is specified, add 663

WHAT'S INCLUDED

1 table surface, 4 legs with levelers


NOTES

Only Stretch legs are available in a Chrome finish.


The double grommet and recessed data/electrical options (GD, RD, HD) are only available on the 96" table.

A T M R

Rectangular Meeting Table



Fixed Post Leg



Stretch Legs

PRODUCT OPTIONS

Base Style	Depth	Width	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish	Data/Electrical Option
P Fixed Post Legs	36, 42, 48	66, 72, 78, 84, 96	Foundation Laminate	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation	NN No Wire Management (shown)
S Stretch Legs			Flintwood	2 Bullnose Trim	H Full Knife Edge		Mica	GC Centered Grommet
			Seamless Color	7 Flintwood Straight	X Solid Full Knife Edge		H Chrome	GD Double Grommet
			Natural Veneer	G Seamless Flat Edge	E Solid Eased Edge			RC Centered Recessed w/ Power Cord
				X Seamless Full Knife Edge				RD Double Recessed w/ Power Cord
				E Seamless Eased Edge				HC Centered Recessed/Hard Wired
								HD Double Recessed/Hard Wired

SAMPLE ORDER CODE

ATMRP	36	66	MP	H		H	GC
-------	----	----	----	---	--	---	----

DIMENSIONS INCHES / MM

		PRICING					
		FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
D	W	Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
FIXED POST LEG (P)							
36 / 914	66 / 1676	1074	1170	1136	2412	2664	3464
36 / 914	72 / 1829	1130	1226	1201	2580	2853	3709
36 / 914	84 / 2134	1193	1306	1268	2745	3242	4216
42 / 1067	72 / 1829	1165	1264	1237	2659	2996	3896
42 / 1067	78 / 1981	1189	1289	1263	2715	3145	4090
42 / 1067	84 / 2134	1211	1313	1285	2766	3304	4294
42 / 1067	96 / 2438	1237	1341	1312	2822	3469	4508
48 / 1219	78 / 1981	1225	1326	1298	2792	3304	4294
48 / 1219	84 / 2134	1248	1353	1325	2850	3469	4508
48 / 1219	96 / 2438	1274	1381	1352	2908	3642	4735
STRETCH LEG (S)							
36 / 914	66 / 1676	1199	1294	1263	2559	2828	3677
36 / 914	72 / 1829	1255	1350	1325	2729	3017	3922
36 / 914	84 / 2134	1341	1472	1432	2940	3406	4428
42 / 1067	72 / 1829	1292	1389	1366	2812	3169	4119
42 / 1067	78 / 1981	1319	1418	1393	2866	3329	4324
42 / 1067	84 / 2134	1346	1472	1440	2957	3494	4538
42 / 1067	96 / 2438	1371	1476	1449	2983	3669	4768
48 / 1219	78 / 1981	1358	1461	1435	2951	3494	4538
48 / 1219	84 / 2134	1387	1489	1465	3011	3669	4768
48 / 1219	96 / 2438	1415	1519	1496	3072	3852	5006


If Mica Post Legs are specified, add 56
If Mica Stretch Legs are specified, add 40

If Chrome Stretch Legs are specified, add 207
If Grommet is specified, add 53/grommet

If Recessed is specified, add 663/recessed

meeting & audience boardroom tables

ATMV Oval Meeting Table



WHAT'S INCLUDED

1 table surface, 4 legs with levelers.

NOTES

Only Stretch legs available in a Chrome Finish.

The double grommet and recessed data/electrical options (GD, RD, HD) are only available on the 96" table.

PRODUCT OPTIONS

Base Style	Depth	Width	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish	Data/Electrical Option
P Fixed Post Legs	36, 42, 48	66, 72, 78, 84, 96	Foundation Laminat	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation	NN No Wire Management (shown)
S Stretch Legs			Flintwood	2 Bullnose Trim	H Full Knife Edge		Mica	GC Centered Grommet
			Seamless Color	7 Flintwood Straight	X Solid Full Knife Edge		H Chrome	GD Double Grommet
			Natural Veneer	G Seamless Flat Edge	E Solid Eased Edge			RC Centered Recessed w/ Power Cord
				X Seamless Full Knife Edge				RD Double Recessed w/ Power Cord
				E Seamless Eased Edge				HC Centered Recessed/Hard Wired
								HD Double Recessed/Hard Wired

SAMPLE ORDER CODE

ATMV S	42	66	FX	7		H	NN
--------	----	----	----	---	--	---	----

DIMENSIONS INCHES / MM

D	W
36 / 914	66 / 1676
36 / 914	72 / 1829
36 / 914	84 / 2134
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
42 / 1067	96 / 2438
48 / 1219	78 / 1981
48 / 1219	84 / 2134
48 / 1219	96 / 2438
36 / 914	66 / 1676
36 / 914	72 / 1829
36 / 914	84 / 2134
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
42 / 1067	96 / 2438
48 / 1219	78 / 1981
48 / 1219	84 / 2134
48 / 1219	96 / 2438

PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
FIXED POST LEG (P)					
1128	1229	1171	2484	3464	5023
1187	1289	1237	2659	3709	5379
1273	1381	1325	2850	4216	6112
1225	1326	1274	2736	4045	5646
1246	1353	1298	2792	4248	5931
1298	1407	1348	2908	4462	6228
1311	1415	1366	2934	4683	6538
1284	1393	1337	2877	4462	6228
1313	1421	1372	2995	4683	6538
1337	1447	1391	3019	4917	6865
STRETCH LEG (S)					
1234	1333	1298	2636	3677	5332
1292	1389	1366	2812	3922	5687
1386	1489	1463	3011	4428	6420
1332	1432	1406	2897	4278	5970
1358	1461	1435	2951	4493	6270
1413	1516	1492	3014	4716	6584
1417	1520	1501	3072	4954	6913
1400	1503	1479	3041	4716	6584
1429	1535	1508	3163	4954	6913
1457	1564	1539	3176	5201	7257

If Mica Post Legs are specified, add 56
If Mica Stretch Legs are specified, add 40

If Chrome Stretch Legs are specified, add 207
If Grommet is specified, add 53/grommet

If Recessed is specified, add 663/recessed

WHAT'S INCLUDED

1 table surface, 4 legs with levelers.

NOTES


Only Stretch legs are available in a Chrome finish.

The double grommet and recessed data/electrical options (GD, RD, HD) are only available on the 96" table.

A T M B Boat Meeting Table



Fixed Post Leg



PRODUCT OPTIONS

Base Style	Depth	Width	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish	Data/Electrical Option
P Fixed Post Legs	42, 48	72, 78, 84, 96,	Foundation Laminate	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation	NN No Wire Management (shown)
S Stretch Legs			Flintwood	2 Bullnose Trim	H Full Knife Edge		Mica	GC Centered Grommet
			Seamless Color	7 Flintwood Straight	X Solid Full Knife Edge		H Chrome	GD Double Grommet
			Natural Veneer	G Seamless Flat Edge	E Solid Eased Edge			RC Centered Recessed w/ Power Cord
				X Seamless Full Knife Edge				RD Double Recessed w/ Power Cord
				E Seamless Eased Edge				HC Centered Recessed/Hard Wired
								HD Double Recessed/Hard Wired

SAMPLE ORDER CODE

ATMB P	42	72	FC	7		C	PC
--------	----	----	----	---	--	---	----

DIMENSIONS INCHES / MM

		PRICING			
		FOUNDATION LAMINATE		SEAMLESS COLOR	NATURAL VENEER
		Straight Trim	Bullnose Trim	Seamless Edge	Flat/Full Knife Edge
					Solid Full Knife/Solid Eased Edge
D	W	FIXED POST LEG (P)			
42 / 1067	72 / 1829	1225	1326	1274	2736
42 / 1067	78 / 1981	1246	1353	1298	2792
42 / 1067	84 / 2134	1273	1381	1325	2850
42 / 1067	96 / 2438	1298	1407	1352	2908
48 / 1219	78 / 1981	1284	1393	1337	2877
48 / 1219	84 / 2134	1311	1421	1366	2934
48 / 1219	96 / 2438	1337	1447	1391	2995
D	W	STRETCH LEG (S)			
42 / 1067	72 / 1829	1332	1432	1406	2897
42 / 1067	78 / 1981	1358	1461	1435	2951
42 / 1067	84 / 2134	1386	1489	1463	3011
42 / 1067	96 / 2438	1413	1520	1492	3072
48 / 1219	78 / 1981	1400	1503	1479	3041
48 / 1219	84 / 2134	1429	1535	1508	3102
48 / 1219	96 / 2438	1457	1564	1539	3163

If Mica Post Legs are specified, add 56

If Mica Stretch Legs are specified, add 40

If Chrome Stretch Legs are specified, add 207


If Grommet is specified, add 53/grommet

If Recessed is specified, add 663/recessed

meeting & audience boardroom tables

ATBS

Audience Square Boardroom Table



WHAT'S INCLUDED

2 table surfaces, base or 4 legs with levelers.

NOTES

Only Stretch legs are available in a Chrome finish.

Anodized finish is only available on the Quad Pedestal Base Frame.

Infill finishes are only available when the Quad Pedestal Base is selected.

Number and placement of data/electrical options are dependent on size and shape.

54

PRODUCT OPTIONS

Base Style	Depth (in 6" increments)	Table Finish	Edge Trim Style	Edge Trim Finish	Base Finish	Infill Finish	Data/Electrical Option	
Q Quad Pedestal Base	66 - 96	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Foundation	Foundation (Metal)	NN No Wire Management (shown)	RQ Quad Recessed w/ Power Cord
S Stretch Legs		Flintwood	7 Flintwood Straight		Mica	Mica (Metal)	GC Centered Grommet	HC Centered Recessed/Hard Wired
		Natural Veneer	G Flat Edge		H Chrome	Foundation Laminate	GD Double Grommet	HS Single Offset Recessed/Hard Wired
			H Full Knife Edge		A Anodized	Flintwood	GQ Quad Grommet	HD Double Recessed/Hard Wired
			X Solid Full Knife Edge			Natural Veneer	RC Centered Recessed w/ Power Cord	HQ Quad Recessed/Hard Wired
			E Solid Eased Edge			RS Single Offset Recessed w/ Power Cord		
							RD Double Recessed w/ Power Cord	

SAMPLE ORDER CODE

ATBS S	96	LW	6	ST	Q		HQ
--------	----	----	---	----	---	--	----

DIMENSIONS INCHES / MM

D	PRICING			
	FOUNDATION LAMINATE	FLINTWOOD	NATURAL VENEER	
	Straight Trim	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
	QUAD PEDESTAL BASE (Q)			
66 / 1676	2849	5851	5859	7031
72 / 1829	3211	6258	6266	7518
78 / 1981	3666	6704	7148	8575
84 / 2134	4235	7195	7669	9204
90 / 2286	4946	7736	9245	12480
96 / 2438	5836	8330	9956	13438
	STRETCH LEG (S)			
66 / 1676	2011	4777	4780	5736
72 / 1829	2374	5181	5186	6223
78 / 1981	2829	5628	5997	7197
84 / 2134	3400	6120	6522	7826
90 / 2286	4110	6659	7957	10742
96 / 2438	4999	7253	8668	11702

If Mica Quad Pedestal Base is specified, add 102

If Anodized Quad Pedestal Base is specified, add 126

If Mica Stretch Legs are specified, add 68

If Chrome Stretch Legs are specified, add 207

If Laminate Infill is specified, add 235

If Flintwood Infill is specified, add 323

If Natural Veneer Infill is specified, add 323

If Grommet is specified, add 53/grommet

If Recessed is specified, add 663/recessed

WHAT'S INCLUDED

2 table surfaces, base or 4 legs with levelers.

NOTES

Only Stretch legs are available in a Chrome finish.


Anodized finish is only available on the Quad Pedestal Base Frame.

Infill finishes are only available when the Quad Pedestal Base is selected.


Number and placement of data/electrical options are dependent on size and shape.

A T B C

Audience Circular Boardroom Table



Stretch Leg



Quad Pedestal Base

PRODUCT OPTIONS

Base Style	Diameter (in 6" increments)	Table Finish	Edge Trim Style	Edge Trim Finish	Base Finish	Infill Finish	Data/Electrical Option		
Q Quad Pedestal Base	66 - 96	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Foundation	Foundation (Metal)	NN No Wire Management (shown)	RQ Quad Recessed w/ Power Cord	
S Stretch Legs		Flintwood	7 Flintwood Straight		Mica	Mica (Metal)	GC Centered Grommet	HC Centered Recessed/Hard Wired	
		Natural Veneer	G Flat Edge		H Chrome	Foundation Laminate	GD Double Grommet	HS Single Offset Recessed/Hard Wire	
			H Full Knife Edge		A Anodized	Flintwood	GQ Quad Grommet	HD Double Recessed/Hard Wired	
			X Solid Full Knife Edge			Natural Veneer	RC Centered Recessed w/ Power Cord	HQ Quad Recessed/Hard Wired	
			E Solid Eased Edge			RS Single Offset Recessed w/ Power Cord			
							RD Double- Recessed w/ Power Cord		

SAMPLE ORDER CODE

ATBC S	66	VS	7		H		PD
---------------	-----------	-----------	----------	--	----------	--	-----------

DIMENSIONS INCHES / MM

PRICING

	FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
	Straight Trim	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge		
Dia	QUAD PEDESTAL BASE (Q)					
66 / 1676	2933	6145	7031	8437		
72 / 1829	3307	6570	7518	9022		
78 / 1981	3775	7040	8575	10291		
84 / 2134	4364	7553	9970	11044		
90 / 2286	5094	8122	12018	14975		
96 / 2438	6010	8748	12944	16127		
	STRETCH LEG (S)					
66 / 1676	2073	5016	5736	6885		
72 / 1829	2446	5440	6223	7470		
78 / 1981	2914	5909	7197	8636		
84 / 2134	3503	6423	8478	9390		
90 / 2286	4235	6991	10344	12890		
96 / 2438	5150	7618	11270	14043		

If Mica Quad Pedestal Base is specified, add 102

If Anodized Quad Pedestal Base is specified, add 126

If Mica Stretch Legs are specified, add 68

If Chrome Stretch Legs are specified, add 207

If Laminate Infill is specified, add 235

If Flintwood Infill is specified, add 323


If Natural Veneer Infill is specified, add 323

If Grommet is specified, add 53/grommet

If Recessed is specified, add 663/recessed

ATBR

Audience Rectangular Boardroom Table



WHAT'S INCLUDED

Widths	# of Table Surfaces	Widths	# of Pedestal Bases/ Pairs of Legs
96"	1	96" – 144"	2
108" – 156"	2	156" – 216"	3
168"	3	228"	4
180" – 228"	4		

Plus Horizontal Support Rail.

NOTES

Only Stretch legs are available in a Chrome finish.

Anodized Finish is only available on Pedestal Base frame.

Infill finishes are only available when the Pedestal Base is selected.

Widths from 144" to 156" are not available in Flintwood Cathedral stains.

Widths from 108" to 156" are not available in Wood Print Foundation Laminates.

Number and placement of data/electrical options are dependent on size and shape.

PRODUCT OPTIONS

Base Style	Depth	Width	Table Finish	Edge Trim Style	Edge Trim Finish	Base	Infill Finish	Data/Electrical Option	
D Pedestal Base	42, 48, 54, 60	96, 108, 120, 132, 144, 156, 168, 180, 192, 204, 216, 228	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Foundation Mica	Foundation (Metal)	NN No Wire Management (shown)	RQ Quad Recessed w/ Power Cord
S Stretch Legs			Flintwood	7 Flintwood Straight		H Chrome	Mica (Metal)	GC Centered Grommet	HC Centered Recessed/Hard Wired
			Natural Veneer	G Flat Edge		A Anodized	Foundation Laminate	GD Double Grommet	HD Double Recessed/Hard Wired
				H Full Knife Edge			Flintwood	GT Triple Grommet	HT Triple Recessed/Hard Wired
				X Solid Full Knife Edge			Natural Veneer	RC Centered Recessed w/ Power Cord	HQ Quad Recessed/Hard Wired
				E Solid Eased Edge				RD Double Recessed w/ Power Cord	
								RT Triple Recessed w/ Power Cord	

SAMPLE ORDER CODE

ATBR S	42	120	WQ	H		H		RD
---------------	-----------	------------	-----------	----------	--	----------	--	-----------

DIMENSIONS INCHES / MM

PRICING

		FOUNDATION LAMINATE	FLINTWOOD	NATURAL VENEER	
		Straight Trim	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
D	W	PEDESTAL BASE (D)			
42 / 1067	96 / 2438	2487	4434	5039	5717
42 / 1067	108 / 2743	2662	4743	5542	6291
42 / 1067	120 / 3048	2850	5077	6095	6920
48 / 1219	96 / 2438	2752	4972	5896	6291
48 / 1219	108 / 2743	2945	5470	6484	6920
48 / 1219	120 / 3048	3154	6015	7133	7610
48 / 1219	132 / 3353	3371	6619	7847	8372
48 / 1219	144 / 3658	3608	7278	8630	9210
48 / 1219	156 / 3962	3862	8006	9494	10132
48 / 1219	168 / 4267	4131	8732	10443	11146
48 / 1219	180 / 4572	4420	9479	11357	12261

If Mica Pedestal Base is specified, add 47/base

If Anodized Pedestal Base is specified, add 45/base

If Laminate Infill is specified, add 104/base

If Flintwood Infill is specified, add 226/base

If Natural Veneer Infill is specified, add 226/base

If Grommet is specified, add 53/grommet

If Recessed is specified, add 663/recessed

A T B R
Audience Rectangular Boardroom
Table (Continued)

DIMENSIONS
INCHES / MM

PRICING

		FOUNDATION LAMINATE	FLINTWOOD	NATURAL VENEER	
		Straight Trim Trim	Wood Straight Edge	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
D	W	PEDESTAL BASE (D) (CONTINUED)			
54 / 1372	108 / 2743	3250	6181	7012	7958
54 / 1372	120 / 3048	3479	6704	7607	8595
54 / 1372	132 / 3353	3720	7277	8254	9281
54 / 1372	144 / 3658	3981	7567	8956	10023
54 / 1372	156 / 3962	4205	8052	9644	10827
54 / 1372	168 / 4267	4501	8808	10466	11693
54 / 1372	180 / 4572	4817	9686	11489	12629
54 / 1372	192 / 4877	5150	10283	12322	13639
54 / 1372	204 / 5182	5513	11157	13369	14729
54 / 1372	216 / 5486	5902	12105	14504	15908
54 / 1372	228 / 5791	6308	13134	15736	17180
60 / 1524	144 / 3658	4006	7892	9147	10725
60 / 1524	156 / 3962	4259	8563	9717	11259
60 / 1524	168 / 4267	4558	9286	10545	12161
60 / 1524	180 / 4572	4877	10077	11439	13134
60 / 1524	192 / 4877	5220	10933	12413	14184
60 / 1524	204 / 5182	5584	11866	13466	15317
60 / 1524	216 / 5486	5977	12869	14611	16543
60 / 1524	228 / 5791	6395	13965	15851	17867
		STRETCH LEG (S)			
42 / 1067	96 / 2438	1916	3696	4381	5446
42 / 1067	108 / 2743	2047	3953	4821	5992
42 / 1067	120 / 3048	2192	4232	5302	6591
48 / 1219	96 / 2438	2200	4249	5039	5992
48 / 1219	108 / 2743	2356	4676	5542	6591
48 / 1219	120 / 3048	2520	5141	6095	7249
48 / 1219	132 / 3353	2697	5653	6707	7974
48 / 1219	144 / 3658	2887	6220	7376	8772
48 / 1219	156 / 3962	3089	6843	8113	9648
48 / 1219	168 / 4267	3305	7529	8926	10615
48 / 1219	180 / 4572	3539	8277	9819	11677
54 / 1372	108 / 2743	2710	5375	6374	7578
54 / 1372	120 / 3048	2898	5831	6916	8184
54 / 1372	132 / 3353	3101	6327	7503	8840
54 / 1372	144 / 3658	3318	6863	8141	9547
54 / 1372	156 / 3962	3550	7443	8833	10313
54 / 1372	168 / 4267	3798	8077	9584	11138
54 / 1372	180 / 4572	4064	8764	10400	12028
54 / 1372	192 / 4877	4349	9510	11284	12987
54 / 1372	204 / 5182	4653	10318	12241	14027
54 / 1372	216 / 5486	4980	11192	13282	15150
54 / 1372	228 / 5791	5329	12144	14412	16361
60 / 1524	144 / 3658	3483	7205	8712	10214
60 / 1524	156 / 3962	3657	7670	9186	10724
60 / 1524	168 / 4267	3911	8321	9968	11582
60 / 1524	180 / 4572	4187	9027	10816	12509
60 / 1524	192 / 4877	4479	9793	11734	13508
60 / 1524	204 / 5182	4793	10625	12733	14589
60 / 1524	216 / 5486	5130	11528	13813	15756
60 / 1524	228 / 5791	5487	12511	14988	17016

If Mica Pedestal Base is specified, add 47/base
 If Anodized Pedestal Base is specified, add 45/base
 If Mica Stretch Legs are specified, add 34/pair of legs
 If Chrome Stretch Legs are specified, add 104/pair of legs


If Laminate Infill is specified, add 104/base
 If Flintwood Infill is specified, add 226/base
 If Natural Veneer Infill is specified, add 226/base

If Grommet is specified, add 53/grommet
 If Recessed is specified, add 663/recessed

meeting & audience boardroom tables

ATBV

Audience Oval Boardroom Table



Pedestal Base



Stretch Leg

WHAT'S INCLUDED

Widths	# of Table Surfaces	Widths	# of Pedestal Bases/ Pairs of Legs
96"	1	96" – 144"	2
108" – 156"	2	156" – 216"	3
168"	3	228"	4
180" – 228"	4		

Plus Horizontal Support Rail

NOTES

Only Stretch legs are available in a Chrome finish.

Anodized Finish only available on Pedestal Base frame.

Infill finishes are only available when the Pedestal Base is selected.

Widths from 144" to 156" are not available in Flintwood Cathedral stains.

Widths from 108" to 156" are not available in Wood Print Foundation Laminates.

Number and placement of data/electrical options are dependent on size and shape.

PRODUCT OPTIONS

Base Style	Depth	Width	Table Finish	Edge Trim Style	Edge Trim Finish	Base Finish	Infill Finish	Data/Electrical Option		
D Pedestal Base	42, 48, 54, 60	96, 108, 120, 132, 144, 156, 168, 180, 192, 204, 216, 228	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Foundation Mica	Foundation (Metal)	NN No Wire Management (shown)	RQ Quad Recessed w/ Power Cord	
S Stretch Legs			Flintwood Natural Veneer	7 Flintwood Straight		H Chrome	Mica (Metal)	GC Centered Grommet	HC Centered Recessed/Hard Wired	
				G Flat Edge		A Anodized	Foundation Laminate	GD Double Grommet	HD Double Recessed/Hard Wired	
				H Full Knife Edge			Flintwood	GT Triple Grommet	HT Triple Recessed/Hard Wired	
				X Solid Full Knife Edge			Natural Veneer	RC Centered Recessed w/ Power Cord	HQ Quad Recessed/Hard Wired	
				E Solid Eased Edge				RD Double Recessed w/ Power Cord		
								RT Triple Recessed w/ Power Cord		

SAMPLE ORDER CODE

ATBVS	60	216	WS	G		H		HT
-------	----	-----	----	---	--	---	--	----

DIMENSIONS INCHES / MM

D	W
42 / 1067	96 / 2438
42 / 1067	108 / 2743
42 / 1067	120 / 3048
48 / 1219	96 / 2438
48 / 1219	108 / 2743
48 / 1219	120 / 3048
48 / 1219	132 / 3353
48 / 1219	144 / 3658
48 / 1219	156 / 3962
48 / 1219	168 / 4274
48 / 1219	180 / 4572

PRICING

FOUNDATION LAMINATE	FLINTWOOD	NATURAL VENEER	
Straight Trim	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
PEDESTAL BASE (D)			
2614	4568	6048	7720
2793	4885	6651	8492
2990	5229	7315	9342
2890	5121	7371	8807
3092	5631	8107	9691
3311	6193	8918	10655
3542	6815	9809	11720
3790	7494	10790	12893
4054	8244	11867	14184
4338	8905	13055	15605
4644	9680	14360	17165

If Mica Pedestal Base is specified, add 47/base
If Anodized Pedestal Base is specified, add 45/base

If Laminate Infill is specified, add 104/base
If Flintwood Infill is specified, add 226/base
If Natural Veneer Infill is specified, add 226/base

If Grommet is specified, add 53/grommet
If Recessed is specified, add 663/recessed

A T B V
Audience Oval Boardroom Table
(Continued)

DIMENSIONS
INCHES / MM

PRICING

		FOUNDATION LAMINATE	FLINTWOOD	NATURAL VENEER	
		Straight Trim/Trim	Wood Straight Edge	Flat/Full Knife Solid Eased Edge	Solid Full Knife/
D	W	PEDESTAL BASE (D) (CONTINUED)			
54 / 1372	108 / 2743	3410	6366	9466	12334
54 / 1372	120 / 3048	3650	6908	10270	13319
54 / 1372	132 / 3353	3906	7490	11142	14387
54 / 1372	144 / 3658	4181	7794	12091	15537
54 / 1372	156 / 3962	4414	8291	13117	16781
54 / 1372	168 / 4267	4725	8993	14233	18124
54 / 1372	180 / 4572	5056	9764	15444	19575
54 / 1372	192 / 4877	5410	10591	16755	21141
54 / 1372	204 / 5182	5790	11491	18181	22829
54 / 1372	216 / 5486	6196	12467	19727	24657
54 / 1372	228 / 5791	6625	13526	21402	26630
60 / 1524	144 / 3658	4207	8130	12804	17161
60 / 1524	156 / 3962	4473	8820	13503	18018
60 / 1524	168 / 4267	4786	9569	14654	19457
60 / 1524	180 / 4572	5122	10382	15899	21013
60 / 1524	192 / 4877	5480	11261	17250	22692
60 / 1524	204 / 5182	5866	12221	18717	24508
60 / 1524	216 / 5486	6273	13256	20306	26469
60 / 1524	228 / 5791	6715	14385	22031	28587
		STRETCH LEG (S)			
42 / 1067	96 / 2438	2009	3804	5257	7351
42 / 1067	108 / 2743	2151	4073	5784	8087
42 / 1067	120 / 3048	2302	4357	6362	8897
48 / 1219	96 / 2438	2313	4376	6298	8388
48 / 1219	108 / 2743	2473	4813	6927	9225
48 / 1219	120 / 3048	2650	5293	7622	10149
48 / 1219	132 / 3353	2830	5825	8384	11161
48 / 1219	144 / 3658	3029	6406	9220	12280
48 / 1219	156 / 3962	3244	7047	10142	13508
48 / 1219	168 / 4267	3471	7751	11157	14861
48 / 1219	180 / 4572	3713	8526	12273	16348
54 / 1372	108 / 2743	2845	5535	9243	12126
54 / 1372	120 / 3048	3044	6007	10027	13095
54 / 1372	132 / 3353	3255	6516	10879	14142
54 / 1372	144 / 3658	3483	7069	11805	15276
54 / 1372	156 / 3962	3727	7670	12807	16499
54 / 1372	168 / 4267	3988	8321	13898	17818
54 / 1372	180 / 4572	4266	9027	15079	19244
54 / 1372	192 / 4877	4566	9793	16360	20783
54 / 1372	204 / 5182	4884	10625	17750	22445
54 / 1372	216 / 5486	5228	11528	19259	24239
54 / 1372	228 / 5791	5596	12511	20896	26176
60 / 1524	144 / 3658	3660	7420	12630	16345
60 / 1524	156 / 3962	3837	7897	13318	17158
60 / 1524	168 / 4267	4109	8570	14453	18533
60 / 1524	180 / 4572	4398	9299	15682	20013
60 / 1524	192 / 4877	4703	10086	17015	21612
60 / 1524	204 / 5182	5033	10946	18461	23341
60 / 1524	216 / 5486	5385	11872	20029	25209
60 / 1524	228 / 5791	5762	12886	21732	27227

If Mica Pedestal Base is specified, add 47/base
 If Anodized Pedestal Base is specified, add 45/base
 If Mica Stretch Legs are specified, add 34/pair of legs
 If Chrome Stretch Legs are specified, add 104/pair of legs


If Laminate Infill is specified, add 104/base
 If Flintwood Infill is specified, add 226/base
 If Natural Veneer Infill is specified, add 226/base

If Grommet is specified, add 53/grommet
 If Recessed is specified, add 663/recessed

meeting & audience boardroom tables

ATBB

Audience Boat Boardroom Table



WHAT'S INCLUDED

Widths	# of Table Surfaces	Widths	# of Pedestal Bases/ Pairs of Legs
96"	1	96" – 144"	2
108" – 156"	2	156" – 216"	3
168"	3	228" 4	
180" – 228"	4		

Plus Horizontal Support Rail.

NOTES

Only Stretch legs are available in a Chrome finish.

Anodized Finish is only available on Pedestal Base frame.

Infill finishes are only available when the Pedestal Base is selected.

Widths from 144" to 156" are not available in Flintwood Cathedral stains.

Widths from 108" to 156" are not available in Wood Print Foundation Laminates.

Number and placement of data/electrical options are dependent on size and shape.

PRODUCT OPTIONS

Base Style	Depth	Width	Table Finish	Edge Trim Style	Edge Trim Finish	Base Finish	Infill Finish	Data/Electrical Option	
D Pedestal Base	42, 48, 54, 60	96, 108, 120, 132, 144, 156, 168, 180, 192, 204, 216, 228	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Foundation	Foundation (Metal)	NN No Wire Management (shown)	RQ Quad Recessed w/ Power Cord
S Stretch Legs			Flintwood	7 Flintwood Straight		Mica	Mica (Metal)	GC Centered Grommet	HC Centered Recessed/Hard Wired
			Natural Veneer	G Flat Edge		H Chrome	Foundation Laminate	GD Double Grommet	HD Double Recessed/Hard Wired
				H Full Knife Edge		A Anodized	Flintwood	GT Triple Grommet	HT Triple Recessed/Hard Wired
				X Solid Full Knife Edge			Natural Veneer	RC Centered Recessed w/ Power Cord	HQ Quad Recessed/Hard Wired
				E Solid Eased Edge				RD Double Recessed w/ Power Cord	
								RT Triple Recessed w/ Power Cord	

SAMPLE ORDER CODE

ATBB D	42	96	LW	6	ST	A	LW	HC
--------	----	----	----	---	----	---	----	----

DIMENSIONS INCHES / MM

D	W
42 / 1067	96 / 2438
42 / 1067	108 / 2743
42 / 1067	120 / 3048
48 / 1219	96 / 2438
48 / 1219	108 / 2743
48 / 1219	120 / 3048
48 / 1219	132 / 3353
48 / 1219	144 / 3658
48 / 1219	156 / 3962
48 / 1219	168 / 4267
48 / 1219	180 / 4572

PRICING

FOUNDATION LAMINATE	FLINTWOOD	NATURAL VENEER	
Straight Trim	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
PEDESTAL BASE (D)			
2563	4655	5794	6575
2744	4980	6374	7233
2934	5330	7012	7958
2832	5221	7075	7547
3035	5740	7781	8304
3248	6315	8560	9133
3472	6948	9417	10046
3716	7639	10356	11051
3978	8406	11392	12157
4255	9173	12531	13373
4556	9953	13726	14713

If Mica Pedestal Base is specified, add 47/base

If Anodized Pedestal Base is specified, add 45/base

If Laminate Infill is specified, add 104/base

If Flintwood Infill is specified, add 226/base

If Natural Veneer Infill is specified, add 226/base

If Grommet is specified, add 53/grommet

If Recessed is specified, add 663/recessed

A T B B
Audience Boat Boardroom Table
(Continued)

DIMENSIONS
INCHES / MM

PRICING

		FOUNDATION LAMINATE	FLINTWOOD	NATURAL VENEER	
		Straight Trim/Trim	Wood Straight Edge	Flat/Full Knife Solid Eased Edge	Solid Full Knife/
D	W	PEDESTAL BASE (D) (CONTINUED)			
54 / 1372	108 / 2743	3348	6489	8415	9947
54 / 1372	120 / 3048	3582	7040	9128	10743
54 / 1372	132 / 3353	3833	7639	9905	11601
54 / 1372	144 / 3658	4101	7946	10747	12530
54 / 1372	156 / 3962	4333	8454	11660	13534
54 / 1372	168 / 4267	4634	9247	12652	14617
54 / 1372	180 / 4572	4957	10170	13785	15786
54 / 1372	192 / 4877	5303	10797	14894	17047
54 / 1372	204 / 5182	5679	11715	16162	18412
54 / 1372	216 / 5486	6078	12709	17535	19888
54 / 1372	228 / 5791	6499	13791	19024	21475
60 / 1524	144 / 3658	4127	8287	11891	13942
60 / 1524	156 / 3962	4388	8990	12539	14638
60 / 1524	168 / 4267	4694	9753	13607	15811
60 / 1524	180 / 4572	5025	10583	14763	17073
60 / 1524	192 / 4877	5376	11481	16019	18437
60 / 1524	204 / 5182	5754	12457	17381	19913
60 / 1524	216 / 5486	6155	13515	18856	21507
60 / 1524	228 / 5791	6585	14663	20459	23230
		STRETCH LEG (S)			
42 / 1067	96 / 2438	1971	3879	5039	6264
42 / 1067	108 / 2743	2111	4150	5542	6889
42 / 1067	120 / 3048	2257	4441	6095	7578
48 / 1219	96 / 2438	2268	4462	6048	7189
48 / 1219	108 / 2743	2428	4907	6651	7908
48 / 1219	120 / 3048	2597	5396	7315	8699
48 / 1219	132 / 3353	2780	5939	8048	9569
48 / 1219	144 / 3658	2974	6530	8852	10526
48 / 1219	156 / 3962	3181	7183	9735	11579
48 / 1219	168 / 4267	3403	7904	10711	12738
48 / 1219	180 / 4572	3643	8691	11783	14012
54 / 1372	108 / 2743	2789	5643	7965	9853
54 / 1372	120 / 3048	2983	6121	8643	10642
54 / 1372	132 / 3353	3194	6643	9377	11491
54 / 1372	144 / 3658	3416	7205	10175	12413
54 / 1372	156 / 3962	3657	7816	11042	13404
54 / 1372	168 / 4267	3911	8482	11980	14478
54 / 1372	180 / 4572	4187	9203	12999	15636
54 / 1372	192 / 4877	4479	9984	14105	16886
54 / 1372	204 / 5182	4793	10832	15304	18236
54 / 1372	216 / 5486	5130	11750	16601	19696
54 / 1372	228 / 5791	5487	12749	18015	21270
60 / 1524	144 / 3658	3587	7566	11323	13280
60 / 1524	156 / 3962	3765	8052	11942	13940
60 / 1524	168 / 4267	4030	8732	12957	15057
60 / 1524	180 / 4572	4313	9479	14059	16260
60 / 1524	192 / 4877	4614	10283	15254	17562
60 / 1524	204 / 5182	4938	11155	16553	18965
60 / 1524	216 / 5486	5287	12103	17958	20484
60 / 1524	228 / 5791	5651	13134	19484	22122

If Mica Pedestal Base is specified, add 47/base

If Anodized Pedestal Base is specified, add 45/base

If Mica Stretch Legs are specified, add 34/pair of legs

If Chrome Stretch Legs are specified, add 104/pair of legs

If Laminate Infill is specified, add 104/base

If Flintwood Infill is specified, add 226/base


If Natural Veneer Infill is specified, add 226/base

If Grommet is specified, add 53/grommet

If Recessed is specified, add 663/recessed

ATVC

Audience Video Conference Table



WHAT'S INCLUDED

Widths	# of Table Surfaces	Widths	# of Pedestal Bases/ Pairs of Legs
120" – 156"	2	120" – 144"	2
168"	3	156" – 216"	3
180" – 228"	4	228"	4

Plus Horizontal Support Rail.

NOTES

Only Stretch legs are available in a Chrome finish.

Anodized Finish is only available on Pedestal Base frame.

Infill finishes are only available when the Pedestal Base is selected.

Widths from 144" to 156" are not available in Flintwood Cathedral stains.

Widths from 120" to 156" are not available in Wood Print Foundation Laminates.

54" depth tapers to 36" depth, 60" depth tapers to 43" depth.

Number and placement of data/electrical options are dependent on size and shape.

PRODUCT OPTIONS

Base Style	Depth	Width	Table Finish	Edge Trim Style	Edge Trim Finish	Base Finish	Infill Finish	Data/Electrical Option
D Pedestal Base (shown)	54, 60	120, 132, 144, 156, 168, 180, 192, 204, 216, 228	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Foundation Mica	Foundation (Metal)	NN No Wire Management (shown)
S Stretch Legs			Flintwood	7 Flintwood Straight		H Chrome	Mica (Metal)	GC Centered Grommet
			Natural Veneer	G Flat Edge		A Anodized	Foundation Laminate	GD Double Grommet
				H Full Knife Edge			Flintwood	GT Triple Grommet
				X Solid Full Knife Edge			Natural Veneer	RC Centered Recessed w/ Power Cord
				E Solid Eased Edge				RD Double Recessed w/ Power Cord
								RT Triple Recessed w/ Power Cord
								RQ Quad Recessed w/ Power Cord
								HC Centered Recessed/Hard Wired
								HD Double Recessed/Hard Wired
								HT Triple Recessed/Hard Wired
								HQ Quad Recessed/Hard Wired

SAMPLE ORDER CODE

ATVCD	54	120	WS	G		A	WS	HD
-------	----	-----	----	---	--	---	----	----

DIMENSIONS INCHES / MM

D	W
54 / 1372	120 / 3048
54 / 1372	132 / 3353
54 / 1372	144 / 3658
54 / 1372	156 / 3962
60 / 1524	120 / 3048
60 / 1524	132 / 3353
60 / 1524	144 / 3658
60 / 1524	156 / 3962
60 / 1524	168 / 4267
60 / 1524	180 / 4572
60 / 1524	192 / 4877
60 / 1524	204 / 5182
60 / 1524	216 / 5486
60 / 1524	228 / 5791

PRICING

FOUNDATION LAMINATE

Straight Trim

FLINTWOOD

Wood Straight Trim

NATURAL VENEER

Flat/Full Knife Edge Solid Full Knife/Solid Eased Edge

PEDESTAL BASE (D)

3479	6704	8367	9454
3720	7277	9079	10209
3981	7892	9851	11027
4259	8563	10687	11910
3245	6130	8150	9556
3606	6812	9054	10619
4006	7567	10062	11796
4205	8052	10611	12387
4501	8732	11512	13377
4817	9479	12492	14447
5150	10283	13553	15603
5513	11157	14705	16850
5902	12105	15956	18198
6308	13134	17310	19654

If Mica Pedestal Base is specified, add 47/base

If Anodized Pedestal Base is specified, add 45/base

If Laminate Infill is specified, add 104/base

If Flintwood Infill is specified, add 226/base

If Natural Veneer Infill is specified, add 226/base

If Grommet is specified, add 51/grommet

If Recessed is specified, add 661/recessed

A T V C
Audience Video Conference Table
(Continued)

DIMENSIONS
INCHES / MM

PRICING

		FOUNDATION LAMINATE	FLINTWOOD	NATURAL VENEER	
		Straight Trim	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
D	W	STRETCH LEG (S)			
54 / 1372	120 / 3048	2898	5831	7607	9003
54 / 1372	132 / 3353	3101	6327	8254	9725
54 / 1372	144 / 3658	3318	6863	8956	10502
54 / 1372	156 / 3962	3550	7443	9717	11343
60 / 1524	120 / 3048	2821	5836	7761	9101
60 / 1524	132 / 3353	3135	6486	8624	10112
60 / 1524	144 / 3658	3483	7205	9581	11238
60 / 1524	156 / 3962	3657	7670	10106	11795
60 / 1524	168 / 4267	3911	8321	10963	12741
60 / 1524	180 / 4572	4187	9027	11898	13758
60 / 1524	192 / 4877	4479	9793	12910	14858
60 / 1524	204 / 5182	4793	10625	14006	16047
60 / 1524	216 / 5486	5130	11528	15195	17331
60 / 1524	228 / 5791	5487	12511	16488	18718


If Mica Stretch Legs are specified, add 34/pair of legs

If Chrome Stretch Legs are specified, add 104/pair of legs

If Grommet is specified, add 53/grommet

If Recessed is specified, add 663/recessed

ATHK
Hammock Kit



The Hammock Kit mounts to the horizontal support rail, underneath the boardroom table surface to provide casual storage space for power & data cables and equipment.

NOTES

All kits include 4 beam-mounted cable managers to which one membrane screen hammock is attached.

For 42" Width table: Hammock dimensions (finished) are 18.75" width x 16.0" depth.

For 48" Width table: Hammock dimensions (finished) are 22.75" width x 16.0" depth.

For 54" Width table: Hammock dimensions (finished) are 24.75" width x 16.0" depth.

For 60" Width table: Hammock dimensions (finished) are 26.50" width x 16.0" depth.

Membrane screen material is Black.

64

PRODUCT OPTIONS

Depth
42, 48, 54, 60

SAMPLE ORDER CODE

ATHK 42

DIMENSIONS INCHES / MM	PRICING
D	
42 / 1067	219
48 / 1219	232
54 / 1372	245
60 / 1524	258

The Media Shelf is a vented metal shelf that mounts to the horizontal support rails, underneath the Boardroom Table surface, to provide a discreet shelf location for media equipment.

NOTES

Available in one size only, and is painted Platinum.

The Media Shelf is adjustable and will fit on Boardroom Tables with depths from 42" to 60". It can accommodate equipment up to 4.75" high and 16" deep.


For 42" depth tables: Will hold media equipment up to 14.25" width.

For 48" depth tables: Will hold media equipment up to 18.25" width.

For 54" depth tables: Will hold media equipment up to 20.25" width.

For 60" depth tables: Will hold media equipment up to 22" width.

A T S H
Media Shelf



PRICING

96

ATRC
Rail Mount Cable Manager

Rail Mount Cable Managers mount to the inside of the horizontal support rails, on Boardroom Tables, to route and manage power and data.

NOTES
2.5" length x 2" high x 1.75" width (each).
Allows for separation of power and data.
Made of plastic and are Platinum in color.



66

PRODUCT OPTIONS

Quantity
05 Five Cable Managers
10 Ten Cable Managers
30 Thirty Cable Managers

SAMPLE ORDER CODE

ATRC 05

QUANTITY	PRICING
05	54
10	101
30	309

training


training

PRODUCT MAP	70
TRAINING WORKSURFACE & SUPPORT BASICS	76
TRAINING TABLE BASICS	78
ACCESSORY BASICS	79
EDGE TRIM STYLE OVERVIEW	80
USER EDGE & GRAIN DIRECTION	80
SUPPORT COMPATIBILITY CHART	81
MODESTY PANEL DETAILS	82
ELECTRICAL TRAY & CABLE TRAY DETAILS	83
ACCESSORY COMPATIBILITY CHART	84
LIGHTING, ELECTRICS & COMMUNICATIONS BASICS	85
FINISH PROTOCOL	86
PRODUCT LISTING	88

worksurfaces


C T R T Rectangular Worksurface

Page 88
Depth: 18" – 30" / Width: 36" – 84"



C T C K Cockpit Worksurface

Page 89
Depth: 24" or 30" / Width: 36" – 84"



C T T A Trapeze Angular Worksurface

Page 90
Depth: 30" / Width: 36" – 84"



C T H M Half-Moon Worksurface

Page 92
Depth: 18" – 30" / Width: 36" – 61"




C T M Z Mezzanine Worksurface

Page 93
Depth: 18" – 30" / Width: 36" – 61"




C T C H Curved Hatchet Worksurface

Page 94
Depth: 18" – 30"



C T Q M Quarter-Moon Worksurface

Page 95
Depth: 18" – 30"








worksurface supports

CTCL C-Leg

Page 96






Depth: 24" / Fixed Height: 29" / Adjustable Height: 24" – 32"

Standard
Fixed HeightArched
Fixed HeightArched
Adjustable HeightSlender
Fixed HeightSlender
Adjustable Height

CTTL T-Leg

Page 97






Depth: 18" or 24" / Fixed Height: 29" / Adjustable Height: 24" – 32"

Standard
Fixed HeightArched
Fixed HeightArched
Adjustable HeightSlender
Fixed HeightSlender
Adjustable Height

CTST Intermediate Leg

Page 98

Depth: 18" / Fixed Height: 29" / Adjustable Height: 24" – 32"

Standard
Fixed HeightArched
Fixed HeightArched
Adjustable HeightSlender
Fixed HeightSlender
Adjustable Height

CTPL Post Leg

Page 99

Fixed Height: 29" / Adjustable Height: 24" – 32"



Fixed Height




Adjustable Height


tables

C T F L Rectangular Folding Table


Page 100
Depth: 18" – 30" / Width: 60" – 84" / Height: 29"




Standard
C-Leg and T-Leg



Arched
C-Leg and T-Leg




Slender
C-Leg and T-Leg




C T L F Lightweight Rectangular Folding Table


Page 102
Depth: 18" – 30" / Width: 60" – 84" / Height: 29"




Standard
C-Leg and T-Leg



Arched
C-Leg and T-Leg




Slender
C-Leg and T-Leg



C T F T Rectangular Flip-Top Table


Page 104
Depth: 24" or 30" / Width: 42" – 84" / Height: 29"




Standard
C-Leg and T-Leg



Arched
C-Leg




Slender
C-Leg and T-Leg



C T H T Rectangular Height-Adjustable Table




Page 106
Depth: 24" or 30" / Width: 36" – 84" / Adjustable
Height: 24" – 36"










Arched
C-Leg Slender
C-Leg

C T L P CPU Holder

Page 108

**C T V L Vertical Leg Cover**Page 109
Height: 18"**C T W C Vertical Wire Management Cover**Page 110
Height: 15"**C T G M Grommet**


Page 111

**C T W T Cable Tray**Page 112
Width: 12"**C T E T Electrical Tray**Page 113
Width: 24" – 84"**C T L M Modesty Panel – Laminate**Page 114
Width: 24" – 84"**C T M M Modesty Panel – Metal**Page 115
Width: 24" – 84"**C T L M F Modesty Panel for Flip-Top Table – Laminate**Page 116
Width: 42" – 84"**C T M M F Modesty Panel for Flip-Top Table – Metal**Page 117
Width: 42" – 84"**C T D S F Fabric Table Screen**Page 118
Heights: 15" or 22" / Width: 36" – 84"**C T D S T Translucent Table Screen**Page 119
Height: 15" or 22" / Width: 36" – 84"

accessories (continued)


C T D S M Metal Table Screen

Page 120
Height: 15" or 22" / Width: 36" – 84"




C T L S F Fabric Lateral Screen

Page 121
Height: 15" or 22" / Depth: 24" or 30"




C T L S T Translucent Lateral Screen

Page 122
Height: 15" or 22" / Depth: 24" or 30"



C T L S M Metal Lateral Screen

Page 123
Height: 15" or 22" / Depth: 24" or 30"




C A Q R Quick Release Linking System

Page 124



C T M T Mobile Table Trolley

Page 124




lighting, electrics & communications

**R L P P Under-Worksurface
Plug-In Power Bar**


Page 126
Length: 72" or 180"

**C L W P Under-Worksurface
Power Outlet**


Page 127

**C L B X Splitter Box**


Page 128

**C L B F Base Feed**


Page 129
Length: 72"

**C L P H Pass-Through**


Page 130
Length: 18" – 120"

**C L M P Power/Data Center**


Page 131
Length: 72" or 120"

**C L D B Data Box**

Page 132

**C L P S Power/Data Sphere**

Page 133



Data/Data

Data/Power

Power/Power


training worksurface & support basics

The following diagrams highlight Worksurface Support and Modesty Panel options for the Training Tables

❗ Please refer to the Work Tools section for Focus Wall products and Storage section for Storage Products.

Rectangular Worksurface (CTRT) and Cockpit Worksurface (CTCK)


Are ideally suited for classroom or training room like configurations



Support Options

- Four leg styles are available for use with Training Tables
- All can be used on their own or in shared applications
- For compatibility between worksurfaces and legs, please refer to compatibility chart

	C-Leg	T-Leg	Int Leg	Adjustable Height Option
Standard (D)				n/a
Arched (A)				
Slender (S)				
Post Leg (P)	n/a	n/a	n/a	




Modesty Panels (CTLTM, CTMM)

- Used with most worksurfaces; see Compatibility Chart for application to the various shapes of worksurfaces
- Available in Laminate or Metal
- Metal is available in Solid or Embossed
- Available with or without a built-in cable tray; the Cable Tray (CTWT) or Electrical Tray (CTET) can also be specified separately, the latter is not compatible with built-in tray
- When specifying the Modesty Panel, select the width to match the width of the worksurface to which it is being

applied. Actual width will differ depending on the leg type

- Access door can be secured using a screw supplied on the modesty panel assembly





- Casters and levelers can be specified on all legs except Intermediate Legs

– Post Leg has a 75 mm caster

– C-Legs and T-Legs have a 60 mm caster

- Levelers have a leveling range of 1" for the Standard (D) and Slender Legs (S) and 1/2" for the Arched Leg (A). When casters are specified, one caster is lockable

- All except Standard Legs are available in an Adjustable Height version (1" increments) that includes a securing device




Also Available:


Modesty Panels for Flip-Top Table (CTLME, CTMMF)

- Used with Flip-Top Table (CTFT) only
- Available in Laminate or Metal
- Metal is available in Solid or Embossed
- Cable Tray (CTWT) or Electrical Tray (CTET) can be specified separately

- When specifying the Modesty Panel, select the width to match the width of the table to which it is being applied; actual width will be smaller
- Includes a securing device



- A concealed roller (1 caster, 1 leveler) is offered for the Arched Leg style. The roller option includes one leveler and one unlockable roller. This permits movement when the worksurface is lifted at one end and keeps the worksurface stationary when at rest




training workspace & support basics (continued)

The following diagrams highlight worksurface shapes, linking options, and Power/Data alternatives for the training tables.

❗ Please refer to the Storage section for *Audience Storage* products and the Work Tools section for Focus Wall products.

Worksurface Shapes

Are provided in order to be able to plan collaborative work environments



Intermediate Legs


- Specified only as a secondary support for specific worksurfaces
- May be used as a shared support to create corner configurations, but **cannot** be used to support a worksurface independently or to create rows of linked worksurfaces



Secondary Support




Shared Support





Audience A.V. Cart

Focus Wall




Linking Tables

- For permanent configurations, worksurfaces can be linked together using a shared leg
- For more temporary or casual applications, tables can either be casually clustered together on their own or with the use of the Quick Release Linking System (CAQR)




Grommets or Power/Data Center

- Can be specified when worksurfaces or tables are ordered. The surface will come with pre-drilled holes for easy installation on site
- Eight options are available
- Additional Grommets (CTGM) or Power/Data Centers (CLMP) can be field-installed and must be specified separately
- The Power/Data Center provided with worksurfaces and tables has a 120" long cord



Power/Data Sphere (CLPS)



Can be field-installed to provide Power and Data access on both sides of the table in collaborative set up



training table basics

Within the training tables offering, several table options can be specified for more casual use.



- ❗ All Training Tables are sold as complete tables but are shipped knocked down
- All Training Tables can be specified with Grommets or Power/Data Centers



The worksurface of the Flip-Top Tables (CTFT) lock in both flat and upright positions. An activation handle is standard underneath the surface at the back edge and can be operated with one hand at any point along the surface. When a modesty panel (CTLMF, CTMMF) is installed, it activates the handle






- This table accepts the Modesty Panel for Flip-Top Table (CTLMF, CTMMF) only. Can also accept the Electrical Tray (CTET) or Cable Tray (CTWT) at the same time as the modesty panel
- Can be nested together for storage. For example six tables will store into a space 53" wide
- Available in fixed height leg styles and options shown on the right
- Come with two lockable and two non-lockable casters





Rectangular Height-Adjustable Tables (CTHT)

- Provide crank height adjustment from 24" to 36"
- Widths dimensions are 1" shorter than specified to allow for height-adjustment clearance and cable management
- Low-torque mechanism allows for minimal effort with only five turns per inches of adjustment. The mechanism can be operated on each side of worksurface (left or right)
- Available in fixed height leg styles and options shown on the right
- Are not offered with casters
- Arched Leg is available with an optional concealed roller (1 caster/1 leveler)



Rectangular Folding Tables (CTFL) and Lightweight Rectangular Folding Tables (CTLF)

- Are available with C-Legs or T-Legs
- Three fixed height (29") Leg Styles are available Standard (D), Arched (A) and Slender (S)
- Casters or Levelers can be specified on each of the leg styles
- Include two lockable casters when casters are specified
- The lightweight version comes with two integrated handles
- Arched Leg is available with an optional concealed roller
- Do not accept accessories





Mobile Table Trolley (CTMT)

- Available to store or move up to 7 (1,000 lbs) Folding Tables stored vertically
- Finished in Black

The following diagrams highlight Screens, Electrical Trays and Accessories available within the Training Table offering.


Table Screens (CTDS) and Lateral Screens (CTLS)

- Can only be applied to Rectangular and Cockpit Worksurfaces and the Rectangular Height-Adjustable Table (CTHT)
- **Cannot** be applied when T-Legs are specified
- **Cannot** be applied to 18" deep worksurfaces
- 22" in height **cannot** be used when casters have been specified
- Fabric is not tackable
- Lateral Screens must be used in combination with a Table Screen
- PAX90, PAX91, PAX97 and PAX98 **cannot** be applied to these screens




Cable Tray (CTWT)

- Can be placed on any product
- Is mounted below a worksurface to manage cables coming from the worksurface level
- Under-Worksurface Plug-In Power Bar (RLPP) can be attached to the Cable Tray




Electrical Tray (CTET)

- Can be used with a Modesty Panel (without built-in cable tray)
- Allows for front or user access to Power and Data
- Several electrical components such as the Under-Worksurface Plug-In Power Bar (RLPP), the Under-Worksurface Power Outlet (CLWP), the Splitter Box (CLBX) or the Data Box (CLDB) can be attached directly to the electrical tray
- See Compatibility chart for application to the various shapes of Worksurfaces




CPU Holder (CTLP)

- Can only be installed on the Arched Leg Style
- Low-profile bottom provides appropriate venting for most CPU's. However, if vents are located on the side of the CPU, 1" should be allowed on either side for sufficient air flow
- **Cannot** be applied in combination with Folding Tables (CTFL, CTLF) and Flip-Top Tables (CTFL)
- If Vertical Leg Covers (CTVL) are mounted on Arched Leg Styles, the inside cover must be removed prior to mounting the CPU Holder



Vertical Leg Covers (CTVL)

- Vertical Leg Covers can only be mounted on the Arched Leg Style
- Vertical Leg Covers can be mounted to both sides of an Arched Leg Style to hide exposed cables
- If leg covers (CTVL) or Wire Management Covers (CTWC) are required for Folding Tables, they must be removed before folding under the worksurface
- When Specifying Vertical Leg Covers with cable management, only one cover gets cable management hooks



Vertical Wire Management Covers (CTWC)

Are 15" in height and are used only on the Slender Leg Style

edge trim style overview

The chart below indicates which edge trim styles can be specified with Training Tables surface finishes.

- The Flintwood Straight Trim (7) will automatically default to match the surface finish color selected.
- Training Table worksurfaces are 1 3/16" thick

	Foundation Laminate Surface	Flintwood Surface	Non-User Edge
Straight Trim (6) All Edges		n/a	Straight Trim (6)
Bullnose Trim (2) User Edge Only		n/a	Finished in a coordinating Straight Trim
Flintwood Straight Trim (7) All Edges	n/a		Flintwood Straight Trim (7)
Eased Trim (F) User Edge Only		n/a	Finished in a coordinating Straight Trim

user edge & grain direction

Shading indicates user edge.

Rectangular Worksurface (CTRT)

Cockpit Worksurface (CTCK)

Trapeze Angular Worksurface (CTTA) *

Half-Moon Worksurface (CTHM)

Mezzanine Worksurface (CTMZ)

Curved Hatchet Worksurface (CTCH)

Quarter-Moon Worksurface (CTQM)

Rectangular Folding Tables (CTFL)

Lightweight Rectangular Folding Tables (CTLF) *
















Rectangular Flip-Top Tables (CTFT)

Rectangular Height-Adjustable Tables (CTHT)

* Only available with Straight Trim

support compatibility chart

The chart below shows the compatibility between worksurface shapes and supports within the Training offering.

		Worksurfaces						
		Rectangular (CRTL)	Cockpit (CTCK)	Trapeze Angular (CTTA)	Half-Moon (CTHM)	Mezzanine (CTMZ)	Curved Hatchet (CTCH)	Quarter-Moon (CTQM)
Legs								
C-Leg (CTCL)	Fixed Height 	3, 6	6	4	3, 6	3, 6	3, 6	3, 4
	Adjustable Height 	3			3	3	3	3
T-Leg (CTTL)	Fixed Height 				5	5		4
	Adjustable Height 				5	5		
Intermediate Leg (CTST)	Fixed Height 				1, 2	1, 2	1	1, 4
	Adjustable Height 				1, 2	1, 2	1	1
Post Leg (CTPL)	Fixed Height 							
	Adjustable Height 							

 Compatible
 Not Compatible

1 = The Intermediate Leg may only be used when worksurfaces are linked.

2 = The Intermediate Leg may be used as a secondary non-linking support (only for 24" and 30" deep worksurfaces).

3 = Available for 24" and 30" deep worksurfaces only.

4 = The Standard Leg style **cannot** be installed on this worksurface.

5 = The 18" T-Leg can be used as a secondary non-linking support.


6 = The Standard Leg style can only be installed on 24" deep worksurfaces.

modesty panel details


Training offers modesty panels mounted under the worksurface between supports to provide seated privacy.

- ❗ To determine compatibility between Modesty Panels and Worksurfaces, please refer to the Accessory Compatibility Chart in this section
- Modesty panels do not provide structural support


Modesty Panels
(CTLM, CTMM)




Modesty Panels for Flip-Top Table
(CTLME, CTMMF)



Securing Device



- Provide a 1/2" gap for cable access between the Modesty Panel and the worksurface




Modesty Panels (CTLM, CTMM):

- Support configuration must be specified to ensure that the correct actual width is provided
 - (H) for application on a Height-Adjustable Table (CTHT) only
 - (P) for application on tables with Post Legs
 - (S) for application on tables with C-Legs, T-Legs or Intermediate Legs
- Training electrical products (RLPP, CLWP, CLBX) can be installed on a Modesty Panel wider than 42" with built-in cable tray
- Not compatible with Flip-Top Table

Modesty Panels for Flip-Top Table (CTLME, CTMMF):

- The width specified must be equal to the worksurface width; actual width will be smaller




- Shared configuration **cannot** be achieved with Modesty Panels for Flip-Top Table (CTLME, CTMMF)

electrical tray & cable tray details


Training offers products that provide easy cable management on tables with or without modesty panel.

❗ To determine compatibility between Electrical Trays, Cable Trays and Worksurfaces, please refer to the Accessory Compatibility Chart in this section


Electrical Tray Application




With Modesty Panel



Without Modesty Panel



User Access




Back Access


Electrical Tray (CTET):

- Can be installed for user or back access; if a power module is installed, only back access is possible
- Support configuration must be specified to ensure that the correct actual width is provided
 - (H) for application on a Height-Adjustable Table (CTHT) and Flip-Top Table (CTFT) only
 - (P) for application on tables with Post Legs
 - (S) for application on tables with C-Legs, T-Legs or Intermediate Legs
- Electrical components such as the Under-Worksurface Plug-in Power Bar (RLPP), the Under-Worksurface Power Outlet (CLWP), the Splitter Box (CLBX) and the Data Box (CLDB) can be fixed directly into the electrical clips that support the tray cover

Cable Tray Application




With Modesty Panel



Without Modesty Panel

Cable Tray (CTWT):
















- Value alternative to a Electrical Tray (CTET)
 - More than one tray can be specified under the same table
- Only Under-Worksurface Plug-in Power Bar (RLPP) can be attached directly to this product







accessory compatibility chart

accessories

* Must be used with the same worksurface width.

		CPU Holder (CTLP)	Electrical Tray (CTET)	Modesty Panels (CTLM, CTMM)	Modesty Panels (CTLME, CTMMF)	Table Screens (CTDSE, CTDST, CTDSM)	Lateral Screens (CTLSE, CTLST, CTLSM)	Quick Release Linking System (CAQR)*	Cable Tray (CTWT)
worksurfaces									
Rectangular Worksurface (CTRT)						1, 2	3	4	
Cockpit Worksurface (CTCK)						2	3	4	
Trapeze Angular Worksurface (CTTA)			6	5				4	
Half-Moon Worksurface (CTHM)									
Mezzanine Worksurface (CTMZ)									
Curved Hatchet Worksurface (CTCH)									
Quarter-Moon Worksurface (CTQM)									

tables

Rectangular Folding Table (CTFL)									
Lightweight, Rectangular Folding Table (CTLF)									
Rectangular Flip-Top Table (CTFT)			6					4	
Rectangular Height-Adjustable Table (CTHT)							3		



Compatible

Not Compatible

1 = 18" deep worksurfaces are not applicable

2 = T-Legs are not applicable

3 = Applicable with Table Screen only

4 = 18" deep tables are not applicable with Post Legs

5 = 24" wide modesty panels are not compatible with Post Legs


6 = To specify the width, refer to the Modesty Panel & Electrical Tray Compatibility Chart in this section

lighting, electrics & communications basics

Training offers several ways to organize cabling and electrics under tables and workspaces.



All electrical products can be installed into the Electrical Tray (CTET) or lay into modesty panels with built-in cable tray (CTLM, CTMM)



finish protocol

The following diagrams show the various Teknion Fabrics and Finishes available on Training Tables.

- Each worksurface has metal inserts to accommodate the installation of worksurface supports and modesty panels
- Pre-drilled holes are done to accommodate screen and Electrical Tray installation
- Surfaces wider than 54" include 1 or 2 reinforcing bars
- Straight Trims (6), Bullnose Trims (2), and Eased Trim (F) are available in a variety of Edge Trim Colors. Flintwood surfaces will come with edges that match the surface color

Worksurfaces and Table Tops


- Are available in Foundation Laminates and Flintwood stains
- Constructed of high-pressure laminate applied to a 1 1/8" thick baseboard for a total surface thickness of 1 3/16" (except for the Lightweight Rectangular Folding Table CTLF)

Edge Trims


- Are offered in Bullnose Trim (2), Straight Trim (6), Eased Trim (F), Flintwood Straight Trim (7) available in a selection of Edge Trim colors or Flintwood Stains (where applicable)
- Flintwood Straight Trim (7) is only available with Flintwood worksurfaces – Edge trim will match the worksurface color
- Wood print edge trim finishes are not available when Bullnose or Eased Edge Trim Style is selected

Modesty Panels – Metal (CTMM) and Modesty Panels for Flip-Top Table – Metal (CTMMF)

- Can be specified in Foundation, Accent or Mica colors
- Offered in Solid or Embossed
- Embossed is offered with four patterns:



Square Solo
(201)



Dot Solo
(401)




Louvered Solo
(305)



Large Dot
(402)


Modesty Panels – Laminate (CTLM) and Modesty Panels for Flip-Top Table – Laminate (CTLMF)

- Can be specified in Source Laminates, Foundation Laminates or Flintwood stains
- Hardware is available in Foundation or Mica colors



C-Legs (CTCL), T-Legs (CTTL), Intermediate Legs (CTST), and Post Legs (CTPL)


- Are available in Foundation or Mica colors
- Levelers are Black
- Casters are Black with Platinum covers



Screens can be specified in Foundation, Mica or Accent metal colors, Frosted translucent, or panel fabric from Teknion's Standard Panel Fabric Program

Worksurface Corner Details

Radius (R) Corner detail option is only available when Straight Trim (6) is specified




Grommets (CTGM)

- Are available in Source Laminates (Wood Prints only) or Foundation and Mica color.
- Source Laminate Grommets should not be specified with Flintwood worksurfaces


Power/Data Center (CLMP)

Available in Soft Gris (B) or Ebony (E) colors

Table Screen




Lateral Screen



CTRT

Rectangular Worksurface



Post Legs (P)

C-Legs/T-Legs/Int. Legs (B)

This worksurface is designed for use in freestanding and linked applications.

WHAT'S INCLUDED

1 worksurface, reinforcing bar (for widths above 54"), Grommet (CTGM) or Power/Data Center (CLMP) if specified.

WHAT'S EXCLUDED

Worksurface Supports.

NOTES

The 18" deep worksurface can only be supported by an 18" T-Leg (CTTL) or 4 Post Legs.

Grommet styles B, D, E, F and H are not available on worksurfaces less than 48" wide.

Grommet finishes are applicable to B, C, D and E grommet styles only.

Power/Data Center finishes are applicable to F, G and H grommet styles only.

PRODUCT OPTIONS

Grommet Style/Location	Depth	Width	Support Configuration	Worksurface Finish	Edge Trim Style	Corner Detail (If applicable)	Edge Trim Finish (If applicable)	Grommet Finish (If applicable)	Power/Data Center Finish (If applicable)
A No Grommet/No Power/Data Center	18, 24, 30	36, 42, 48, 54, 60, 66, 72, 78, 84	B Base (C-Leg, T-Leg, Int. Leg) P Post Leg	Foundation Laminate	2 Bullnose Trim	S Standard R Radius (Straight Trim only)	Edge Trim Colors	Source Laminate	B Soft Gris E Ebony
B Left Grommet				Flintwood	6 Straight Trim			Foundation	
C Centered Grommet					F Eased Trim			Mica	
D Right Grommet					7 Flintwood Straight Trim				
E Left & Right Grommet									
F Left Power/Data Center									
G Centered Power/Data Center									
H Right Power/Data Center									

SAMPLE ORDER CODE

CTRT F	30	72	B	YM	6	R	SB		E
---------------	-----------	-----------	----------	-----------	----------	----------	-----------	--	----------

DIMENSIONS INCHES / MM

PRICING

D	W	FOUNDATION LAMINATE		FLINTWOOD
		Straight Trim	Bullnose/Eased Trim	Flintwood Straight Trim
18 / 457	36 / 914	212	294	454
18 / 457	42 / 1067	243	327	525
18 / 457	48 / 1219	282	365	609
18 / 457	54 / 1372	319	404	687
18 / 457	60 / 1524	353	438	756
18 / 457	66 / 1676	390	477	836
18 / 457	72 / 1829	426	514	918
24 / 610	36 / 914	256	337	550
24 / 610	42 / 1067	298	381	641
24 / 610	48 / 1219	341	424	735
24 / 610	54 / 1372	385	469	828
24 / 610	60 / 1524	426	513	919
24 / 610	66 / 1676	470	558	1012
24 / 610	72 / 1829	514	600	1105
24 / 610	78 / 1981	557	645	1195
24 / 610	84 / 2134	596	686	1284

DIMENSIONS INCHES / MM

PRICING

D	W	FOUNDATION LAMINATE		FLINTWOOD
		Straight Trim	Bullnose/Eased Trim	Flintwood Straight Trim
30 / 762	36 / 914	320	402	686
30 / 762	42 / 1067	375	457	804
30 / 762	48 / 1219	426	510	919
30 / 762	54 / 1372	479	563	1032
30 / 762	60 / 1524	534	621	1147
30 / 762	66 / 1676	588	675	1263
30 / 762	72 / 1829	639	726	1374
30 / 762	78 / 1981	693	782	1492
30 / 762	84 / 2134	748	837	1609

If grommet is specified (B, C, D, E), add 58.
If one power/data center is specified (F, G, H), add 154.

CTCK

Cockpit Worksurface

This worksurface is ideal for classroom applications where desks are aligned in rows and installed on shared legs.

WHAT'S INCLUDED

1 worksurface, reinforcing bar (for widths above 54"), Grommet (CTGM) or Power/Data center (CLMP) if specified.

WHAT'S EXCLUDED


Worksurface Supports.

NOTES

Grommet styles B, D, E, F and H are not available on worksurfaces less than 48" wide.

Grommet finishes are applicable to B, C, D and E grommet styles only.

Power/Data Center finishes are applicable to F, G and H grommet styles only.



Post Legs (P)

C-Legs/T-Legs/Int. Legs (B)

PRODUCT OPTIONS

Grommet Style/ Location	Depth	Width	Support Configu- ration	Worksurface Finish	Edge Trim Style	Corner Detail (If applicable)	Edge Trim Finish (If applicable)	Grommet Finish (If applicable)	Power/Data Center Finish (If applicable)
A No Grommet/ No Power/Data Center	24, 30	36, 42, 48, 54, 60, 66, 72, 78, 84	B Base (C-Leg, T-Leg, Int. Leg) P Post Leg	Foundation Laminate Flintwood	2 Bullnose Trim	S Standard R Radius (Straight Trim only)	Edge Trim Colors	Source Laminate Foundation Mica	B Soft Gris E Ebony
B Left Grommet					6 Straight Trim				
C Centered Grommet					F Eased Trim				
D Right Grommet					7 Flintwood Straight Trim				
E Left & Right Grommet									
F Left Power/Data Center									
G Centered Power/Data Center									
H Right Power/Data Center									

SAMPLE ORDER CODE

CTCK C	30	48	B	YM	6	R	SB	P	
---------------	-----------	-----------	----------	-----------	----------	----------	-----------	----------	--

**DIMENSIONS
INCHES / MM**

D	W
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

PRICING**FOUNDATION
LAMINATE**

Straight Trim	Bullnose/ Eased Trim
286	337
327	380
369	424
414	468
455	513
499	558
542	601
585	645
626	687
320	372
375	428
426	482
479	533
534	592
588	646
639	699
693	753
748	809

FLINTWOOD


Flintwood Straight Trim
613
702
796
889
979
1072
1166
1255
1346
686
804
919
1032
1147
1263
1374
1492
1609

If grommet is specified (B, C, D, E), add 58.

If one power/data center is specified (F, G, H), add 154.

Xpress

CTTA
Trapeze Angular Worksurface



Post Legs (P) C-Legs/T-Legs/Int. Legs (B)

This worksurface may be used for meeting, training or conferencing applications.

WHAT’S INCLUDED
1 worksurface, reinforcing bar (for widths above 54”), Grommet (CTGM) or Power/Data Center (CLMP) if specified.

WHAT’S EXCLUDED
Worksurface Supports.

NOTES
Grommet styles B, D, E, F and H are not available on worksurfaces less than 72” wide.
Grommet finishes are applicable to B, C, D and E grommet styles only.
Power/Data Center finishes are applicable to F, G and H grommet styles only.

PRODUCT OPTIONS

Grommet Style/ Location	Angle	Depth	Width	Support Configu- ration	Worksurfac e Finish	Edge Trim Style	Corner Detail (Straight Trim only)	Edge Trim Finish (If applicable)	Grommet Finish (If applicable)	Power/Data Center Finish (If applicable)
A No Grommet/No Power/Data Center	20 20° 30 30°	30	36, 42, 48, 54, 60, 66, 72, 78, 84	B Base (C-Leg, T-Leg, Int. Leg)	Foundation Laminate	6 Straight Trim	R Radius	Edge Trim Colors	Source Laminate	B Soft Gris
B Left Grommet	50 50°			P Post Leg	Flintwood	7 Flintwood Straight Trim			Foundation	E Ebony
C Centered Grommet	60 60°								Mica	
D Right Grommet										
E Left & Right Grommet										
F Left Power/Data Center										
G Centered Power/Data Center										
H Right Power/Data Center										

SAMPLE ORDER CODE

CTTA C	60	30	60	B	YM	6	R	SB	P	
--------	----	----	----	---	----	---	---	----	---	--

DIMENSIONS
INCHES / MM

D	W
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

PRICING

FOUNDATION LAMINATE	FLINTWOOD
20° ANGLE (20)	
277	596
324	696
369	796
416	894
462	992
510	1095
557	1195
601	1293
648	1395

OTHER DIMENSIONS

'A'
26 / 660
32 / 813
38 / 965
44 / 1118
50 / 1270
60 / 1524
66 / 1676
72 / 1829
78 / 1981

If grommet is specified (B, C, D, E), add 58.
If one power/data center is specified (F, G, H), add 154.

Pricing is continued on the following page.

C T T A

Trapeze Angular Worksurface
(Continued)DIMENSIONS
INCHES / MM

D	W
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

PRICING

FOUNDATION
LAMINATE

30° ANGLE (30)

277
324
369
416
462
510
557
601
648

FLINTWOOD

596
696
796
894
992
1095
1195
1293
1395

50° ANGLE (50)

324
369
416
462
510
557
601
648

696
796
894
992
1095
1195
1293
1395

60° ANGLE (60)

462
510
557
601
648

992
1095
1195
1293
1395

OTHER DIMENSIONS


'A'

21 / 533
27 / 686
33 / 838
39 / 991
45 / 1143
51 / 1295
57 / 1448
63 / 1600
69 / 1753
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
31 / 787
36 / 914
44 / 1118
49 / 1245
56 / 1422

If grommet is specified (B, C, D, E), add 58.
 If one power/data center is specified (F, G, H), add 154.

Xpress

CTHM
Half-Moon Worksurface



Post Legs (P) C-Legs/T-Legs/Int. Legs (B)

This worksurface is semi-circular and must be joined to the end of two parallel tables.

WHAT’S INCLUDED
1 worksurface

WHAT’S EXCLUDED
Worksurface Supports.

NOTES
This worksurface must be linked to other worksurfaces of the same depth using shared legs. It **cannot** be used as a standalone worksurface.
A third support must always be specified as follows; 18" T-Legs or 1 Post Leg (for 18" Work Surfaces) or Intermediate Legs or 1 Post Leg (For 24" or 30" Work Surfaces).
For back-to-back screen applications, specify 1" wider than the worksurface depths to which it is being attached (i.e., 37", 49", 61").
Not all depth/width combinations are available. See pricing for exact offering.

PRODUCT OPTIONS

Depth	Width	Support Configuration	Worksurface Finish	Edge Trim Style	Corner Detail (If applicable)	Edge Trim Finish (If applicable)
18, 24, 30	36, 37, 48, 49, 60, 61	B Base (C-Leg, T-Leg, Int. Leg) P Post Legs	Foundation Laminate Flintwood	2 Bullnose Trim 6 Straight Trim F Eased Trim 7 Flintwood Straight Trim	S Standard R Radius (Straight Trim only)	Edge Trim Colors

SAMPLE ORDER CODE

CTHM 30	60	B	YM	6	R	SB
---------	----	---	----	---	---	----

DIMENSIONS
INCHES / MM

D	W
18 / 457	36 / 914
18 / 457	37 / 940
24 / 610	48 / 1219
24 / 610	49 / 1245
30 / 762	60 / 1524
30 / 762	61 / 1549

PRICING

FOUNDATION LAMINATE		FLINTWOOD
Straight Trim	Bullnose/ Eased Trim	Flintwood Straight Trim
190	276	409
190	276	409
341	430	735
341	430	735
534	625	1147
534	625	1147

CTMZ

Mezzanine Worksurface

This worksurface provides a conference area at the end of two parallel tables. It is ideal for call center applications.

WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

Worksurface Supports.

NOTES


This worksurface must be linked to other worksurfaces of the same depth using shared legs. It **cannot** be used as a standalone worksurface.

A third support must always be specified.

The 18" depth T-Leg (CTTL) or Post Leg (CTPL) must be specified as the third support for the 18" depth worksurface.

For back-to-back screen applications, specify 1" wider than the worksurface depths to which it is being attached (i.e., 37", 49", 61").

Not all depth/width combinations are available. See pricing for exact offering.

**PRODUCT OPTIONS**

Depth	Width	Support Configuration	Worksurface Finish	Edge Trim Style	Corner Detail (If applicable)	Edge Trim Finish (If applicable)
18, 24, 30	36, 37, 48, 49, 60, 61	B Base (C-Leg, T-Leg, Int. Leg) P Post Legs	Foundation Laminate Flintwood	2 Bullnose Trim 6 Straight Trim F Eased Trim 7 Flintwood Straight Trim	S Standard R Radius (Straight Trim only)	Edge Trim Colors

SAMPLE ORDER CODE

CTMZ 30	61	B	YM	6	R	SB
----------------	-----------	----------	-----------	----------	----------	-----------

**DIMENSIONS
INCHES / MM**

D	W
18 / 457	36 / 914
18 / 457	37 / 940
24 / 610	48 / 1219
24 / 610	49 / 1245
30 / 762	60 / 1524
30 / 762	61 / 1549

PRICING**FOUNDATION
LAMINATE**


Straight Trim	Bullnose/ Eased Trim
209	294
209	294
363	452
363	452
561	652
561	652

FLINTWOOD

Flintwood Straight Trim
448
448
781
781
1205
1205

Xpress

CTCH
Curved Hatchet Worksurface



This semi-supported worksurface is used to join two tables at a 90° angle.

WHAT'S INCLUDED
1 worksurface

WHAT'S EXCLUDED
Worksurface Supports.

NOTES
This worksurface must be linked to other worksurfaces of the same depth using shared legs. It **cannot** be used as a standalone worksurface.

PRODUCT OPTIONS

Depth	Support Configuration	Worksurface Finish	Edge Trim Style	Corner Detail (If applicable)	Edge Trim Finish (If applicable)
18, 24, 30	B Base (C-Leg, T-Leg, Int. Leg) P Post Legs	Foundation Laminate Flintwood	2 Bullnose Trim 6 Straight Trim F Eased Trim 7 Flintwood Straight Trim	S Standard R Radius (Straight Trim only)	Edge Trim Colors

SAMPLE ORDER CODE

CTCH 24	B	YM	6	R	SB
---------	---	----	---	---	----

DIMENSIONS
INCHES / MM

D	PRICING		
	FOUNDATION LAMINATE		FLINTWOOD
	Straight Trim	Bullnose/Eased Trim	Flintwood Straight Trim
18 / 457	335	392	721
24 / 610	475	534	1022
30 / 762	743	805	1601

C T Q M

Quarter-Moon Worksurface

This semi-supported worksurface is used to join two tables at a 90° angle.

WHAT'S INCLUDED

1 worksurface


WHAT'S EXCLUDED

Worksurface Supports.

NOTES

This worksurface must be linked to other worksurfaces of the same depth using shared legs. It **cannot** be used as a standalone worksurface.

The Standard (D) leg style **cannot** be installed on this worksurface.



Post Legs (P)

C-Legs/T-Legs/Int. Legs (B)

PRODUCT OPTIONS

Depth	Support Configuration	Worksurface Finish	Edge Trim Style	Corner Detail (If applicable)	Edge Trim Finish (If applicable)
18, 24, 30	B Base (C-Leg, T-Leg, Int. Leg) P Post Legs	Foundation Laminate Flintwood	2 Bullnose Trim 6 Straight Trim F Eased Trim 7 Flintwood Straight Trim	S Standard R Radius (Straight Trim only)	Edge Trim Colors

95

SAMPLE ORDER CODE

CTQM 30	B	YM	6	R	SB
----------------	----------	-----------	----------	----------	-----------

**DIMENSIONS
INCHES / MM**

D
18 / 457
24 / 610
30 / 762

PRICING**FOUNDATION
LAMINATE**


Straight Trim	Bullnose/ Eased Trim
122	203
173	255
267	350

FLINTWOOD

Flintwood Straight Trim
303
414
572

CTCL

C-Leg



Standard Fixed Height

Arched Fixed Height

Arched Adjustable Height

Slender Fixed Height

Slender Adjustable Height

PRODUCT OPTIONS

Leg Style	Leg Type	Depth	Casters/Levelers	Leg Finish
D Standard	A Adjustable Height	24	0 Two Levelers	Foundation
A Arched	B Fixed Height		1 One Caster/One Leveler (For Arched Leg only)	Mica
S Slender			2 Two Casters	

C-Legs provide fixed height or height-adjustable worksurface support within freestanding or linked applications.

WHAT'S INCLUDED

1 C-Leg, casters or levelers (as specified) and mounting hardware.

NOTES

Standard (D) Leg style is only available in Fixed Height.

Vertical Wire Management Covers are available for the Slender (S) and Arched (A) Leg styles. See the Accessories section.

C-Legs **cannot** be installed on 18" deep worksurfaces.

When specified with Standard (D) Leg Style, C-Legs can only be installed under a 24" deep worksurface.

Fixed height is 29". Adjustable height range is 24" – 32" (with levelers) or 26" – 34" (with casters).

SAMPLE ORDER CODE

CTCL A	B	24	0	Q
--------	---	----	---	---

DIMENSIONS INCHES / MM

D
24 / 610
A
24 / 610
S
24 / 610

PRICING

FIXED HEIGHT (B)						ADJUSTABLE HEIGHT (A)					
TWO LEVELERS (0)		ONE LEVELER ONE CASTER (1)		TWO CASTERS (2)		TWO LEVELERS (0)		ONE LEVELER ONE CASTER (1)		TWO CASTERS (2)	
Foundation	Mica	Foundation	Mica	Foundation	Mica	Foundation	Mica	Foundation	Mica	Foundation	Mica
STANDARD (D)											
132	139	n/a	n/a	181	188	n/a	n/a	n/a	n/a	n/a	n/a
ARCHED (A)											
142	148	164	170	191	197	183	189	205	211	232	238
SLENDER (S)											
173	179	n/a	n/a	222	228	221	228	n/a	n/a	270	277

CTTL
T-Leg

T-Legs provide fixed height or height-adjustable worksurface support within freestanding or linked applications. T-Legs offer an aesthetic alternative to C-Legs.

WHAT'S INCLUDED

1 T-Leg, casters or levelers (as specified) and mounting hardware.


NOTES

Standard (D) Leg style is only available in Fixed Height.

18" deep T-Legs can only be used on 18" deep worksurfaces.

Vertical Wire Management Covers are available for the Slender (S) and Arched (A) Leg styles. See the Accessories section.

Fixed height is 29". Adjustable height range is 24" – 32" (with levelers) or 26" – 34" (with casters).

**PRODUCT OPTIONS**

Leg Style	Leg Type	Depth	Caster/Leveler	Leg Finish
D Standard	A Adjustable Height	18, 24	0 Two Levelers	Foundation
A Arched	B Fixed Height		1 One Caster/One Leveler (For 24" deep Arched Leg only)	Mica
S Slender			2 Two Casters	

SAMPLE ORDER CODE

CTTL A	B	24	0	Q
---------------	----------	-----------	----------	----------

**DIMENSIONS
INCHES / MM**

	PRICING			
	FIXED HEIGHT (B)		ADJUSTABLE HEIGHT (A)	
D	Foundation	Mica	Foundation	Mica
STANDARD (D)				
18 / 457	132	139	n/a	n/a
24 / 610	132	139	n/a	n/a
ARCHED (A)				
18 / 457	142	148	183	189
24 / 610	142	148	183	189
SLENDER (S)				
18 / 457	173	179	221	228
24 / 610	173	179	221	228


If One Caster/One Leveler option is specified, add 22.

If Two Casters are specified, add 49.

Xpress

CTST

Intermediate Leg



Intermediate Legs are used to join adjacent worksurfaces and also provides additional knee clearance below the worksurface.

WHAT'S INCLUDED

1 Intermediate Leg, levelers and mounting hardware.

NOTES

Standard (D) Leg style is only available in Fixed Height.

Intermediate Legs may not be used in freestanding applications or to create rows of linked worksurfaces.

Vertical Wire Management Covers are available for the Slender (S) and Arched (A) Leg styles. See the Accessories section.

Fixed height is 29". Adjustable height range is 24" – 32" (with levelers) or 26" – 34" (with casters).

PRODUCT OPTIONS

Leg Style	Leg Type	Depth	Leg Finish
D Standard	A Adjustable Height	18	Foundation
A Arched	B Fixed Height		Mica
S Slender			

SAMPLE ORDER CODE

CTST A	A	18	Q
--------	---	----	---

DIMENSIONS
INCHES / MM

D
18 / 457
18 / 457
18 / 457

PRICING

FIXED HEIGHT (B)		ADJUSTABLE HEIGHT (A)	
Foundation	Mica	Foundation	Mica
STANDARD (D)			
128	135	n/a	n/a
ARCHED (A)			
135	142	170	177
SLENDER (S)			
165	172	208	214

CTPL
Post Leg

Post Legs provide worksurface support with fixed or adjustable height for use in freestanding or linked applications.


WHAT'S INCLUDED

1 Post Leg, casters or levelers (as specified) and mounting hardware.

NOTES

Post Legs can be used in shared applications.

Fixed height is 29". Adjustable height range is 24" – 32" (with levelers) or 26" – 34" (with casters).



Fixed
Height

Adjustable
Height

PRODUCT OPTIONS

Leg Type	Casters/Levelers	Leg Finish
A Adjustable Height	0 Leveler	Foundation
B Fixed Height	2 Caster	Mica

SAMPLE ORDER CODE

CTPL B	2	Q
--------	---	---


PRICING

FIXED HEIGHT (B)		ADJUSTABLE HEIGHT (A)	
Foundation	Mica	Foundation	Mica
72	79	98	105

If Caster is specified, add 25.

CTFL

Rectangular Folding Table



The Rectangular Folding Table can be used for rooms where fast reconfiguration is needed.

WHAT'S INCLUDED

1 worksurface, 2 folding legs (as specified), mounting hardware, reinforcing bar, Grommet (CTGM) or Power/Data Center (CLMP) if specified.

NOTES

The 18" depth is only available with T-Legs.

Vertical Wire Management Covers are available for the Slender (S) and Arched (A) Leg styles. See the Accessories section.

Grommet finishes are applicable to B, C, D and E grommet styles only.

Power/Data Center finishes are applicable to F, G and H grommet styles only.

PRODUCT OPTIONS

Leg Option	Leg Style	Depth	Grommet Style/Location	Grommet Finish (If applicable)	Casters/Levelers	Worksurface Finish	Corner Detail (If applicable)	Leg Finish
C C-Leg	D Standard	18, 24, 30	A No Grommet/ No Power/Data Center	Source Laminate	0 Two Levelers	Foundation Laminate	S Standard	Foundation
T T-Leg	A Arched	Width	B Left Grommet	Foundation	1 One Caster/ One Leveler (For 24" or 30" deep Arched legs)	Flintwood	R Radius (Straight Trim only)	Mica
	S Slender	60, 66, 72, 78, 84	C Centered Grommet	Mica	2 Two Casters	Edge Trim Style	Edge Trim Finish (If applicable)	
			D Right Grommet	Power/Data Center Finish (If applicable)		2 Bullnose Trim	Edge Trim Colors	
			E Left & Right Grommet	B Soft Gris		6 Straight Trim		
			F Left Power/Data Center	E Ebony		F Eased Trim		
			G Centered Power/Data Center			7 Flintwood Straight Trim		
			H Right Power/Data Center					

SAMPLE ORDER CODE

CTFL C	D	30	72	G		B	0	YM	6	R	SB	P
--------	---	----	----	---	--	---	---	----	---	---	----	---

DIMENSIONS
INCHES / MM

D	W
18 / 457	60 / 1524
18 / 457	66 / 1676
18 / 457	72 / 1829
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134

PRICING

FOUNDATION
LAMINATE

Straight Trim	Bullnose/ Eased Trim	Flintwood Straight Trim
---------------	-------------------------	----------------------------

STANDARD LEGS (D)

789	876	1192
827	914	1274
863	951	1354
863	950	1355
908	993	1449
951	1038	1542
992	1081	1633
1035	1123	1721

If grommet is specified (B, C, D, E),	add 58.
If one power/data center is specified (F, G, H),	add 154.
If one caster/one leveler (1) option is specified,	add 44.
If two casters (2) option is specified,	add 98.
If Mica leg is specified,	add 12.

Pricing is continued on the following page.

CTFL

Rectangular Folding Table
(Continued)DIMENSIONS
INCHES / MM

D	W
30 / 30	60 / 60
30 / 30	66 / 66
30 / 30	72 / 72
30 / 30	78 / 78
30 / 30	84 / 84
18 / 457	60 / 1524
18 / 457	66 / 1676
18 / 457	72 / 1829
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134
18 / 457	60 / 1524
18 / 457	66 / 1676
18 / 457	72 / 1829
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

PRICING

FOUNDATION
LAMINATE

Straight Trim	Bullnose/Eased Trim
---------------	---------------------

FLINTWOOD

Flintwood Straight Trim

STANDARD LEGS (D)

973	1057	1585
1023	1111	1701
1076	1162	1811
1130	1218	1929
1185	1275	2046

ARCHED LEGS (A)

814	897	1216
850	938	1297
888	975	1377

888	974	1379
929	1017	1471
975	1061	1564
1016	1105	1654
1057	1146	1744

994	1081	1609
1047	1135	1723
1100	1186	1836
1154	1243	1953
1210	1299	2069

SLENDER LEGS (S)

915	1002	1318
952	1039	1399
988	1076	1480


988	1075	1481
1034	1120	1574
1076	1162	1667
1118	1206	1758
1159	1248	1846

1097	1183	1710
1150	1236	1826
1202	1289	1936
1255	1343	2054
1310	1400	2171

If grommet is specified (B, C, D, E),	add 58.
If one power/data center is specified (E, G, H),	add 154.
If one caster/one leveler (1) option is specified,	add 44.
If two casters (2) option is specified,	add 98.
If Mica leg is specified,	add 12.

CTLF

Lightweight Rectangular Folding Table



The Lightweight Rectangular Folding Table can be used for rooms where fast reconfiguration is needed.

WHAT'S INCLUDED

1 lightweight rectangular worksurface, 2 folding legs (as specified), 2 integrated handles for easier handling, mounting hardware, reinforcing bar, Grommet (CTGM) or Power/Data Center (CLMP) if specified.

NOTES

The 18" depth is only available with T-Legs.

Vertical Wire Management Covers are available for the Slender (S) and Arched (A) Leg styles. See the Accessories section.

Grommet finishes are applicable to B, C, D and E grommet styles only.

Power/Data Center finishes are applicable to F, G and H grommet styles only.

PRODUCT OPTIONS

Leg Option	Leg Style	Depth	Grommet Style/Location	Grommet Finish (If applicable)	Casters/Levelers	Worksurface Finish	Corner Detail	Leg Finish
C C-Leg	D Standard	18, 24, 30	A No Grommet/ No Power/Data Center	Source Laminate	0 Two Levelers	Foundation Laminate	S Standard	Foundation
T T-Leg	A Arched	Width 60, 66, 72, 78, 84	B Left Grommet	Foundation	1 One Caster/ One Leveler (For 24" or 30" deep Arched legs)	Edge Trim Style 6 Straight Trim	Edge Trim Finish Edge Trim Colors	Mica
	S Slender		C Centered Grommet	Mica	2 Two Casters			
			D Right Grommet	Power/Data Center Finish (If applicable) B Soft Gris E Ebony				
			E Left & Right Grommet					
			F Left Power/Data Center					
			G Centered Power/Data Center					
			H Right Power/Data Center					

SAMPLE ORDER CODE

CTLF C	D	30	72	C	P		0	YM	6	S	SB	P
--------	---	----	----	---	---	--	---	----	---	---	----	---

DIMENSIONS INCHES / MM

D	W
18 / 457	60 / 1524
18 / 457	66 / 1676
18 / 457	72 / 1829
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134

PRICING

FOUNDATION LAMINATE

STANDARD LEGS (D)

1452
1481
1509
1515
1550
1586
1619
1656

If grommet is specified (B, C, D, E),

add 58.

If one power/data center is specified (F, G, H),

add 154.

If one caster/one leveler (1) option is specified,

add 44.

If two casters (2) are specified,

add 98.

If Mica leg is specified,

add 12.

Pricing is continued on the following page.

CTLF

Lightweight Rectangular
Folding Table (Continued)DIMENSIONS
INCHES / MM

PRICING

D		W
30 / 762	60 / 1524	
30 / 762	66 / 1676	
30 / 762	72 / 1829	
30 / 762	78 / 1981	
30 / 762	84 / 2134	
18 / 457	60 / 1524	
18 / 457	66 / 1676	
18 / 457	72 / 1829	
24 / 610	60 / 1524	
24 / 610	66 / 1676	
24 / 610	72 / 1829	
24 / 610	78 / 1981	
24 / 610	84 / 2134	
30 / 762	60 / 1524	
30 / 762	66 / 1676	
30 / 762	72 / 1829	
30 / 762	78 / 1981	
30 / 762	84 / 2134	
18 / 457	60 / 1524	
18 / 457	66 / 1676	
18 / 457	72 / 1829	
24 / 610	60 / 1524	
24 / 610	66 / 1676	
24 / 610	72 / 1829	
24 / 610	78 / 1981	
24 / 610	84 / 2134	
30 / 762	60 / 1524	
30 / 762	66 / 1676	
30 / 762	72 / 1829	
30 / 762	78 / 1981	
30 / 762	84 / 2134	

FOUNDATION
LAMINATE

STANDARD LEGS (D)

1604

1646

1691

1853

1904

ARCHED LEGS (A)

1480

1509

1537

1543

1579

1613

1648

1685

1631

1676

1720

1879

1934

SLENDER LEGS (S)

1602

1631

1660

1666

1702

1736

1770

1807

1754

1797

1841

2004

2054

If grommet is specified (B, C, D, E),

add 58.

If one power/data center is specified (F, G, H),

add 154.

If one caster/one leveler (1) option is specified,

add 44.

If two casters (2) are specified,




add 98.

If Mica leg is specified,

add 12.

CTFT

Rectangular Flip-Top Table



The Rectangular Flip-Top Table can be used for rooms where fast reconfiguration is needed

WHAT'S INCLUDED

1 rectangular worksurface, 2 legs (as specified) with casters, 1 activation handle, mounting hardware, reinforcing bar (for widths above 54"), Grommet (CTGM) or Power/Data Center (CLMP) if specified.

WHAT'S EXCLUDED

Modesty Panels for Flip-Top Table.

NOTES

Vertical Wire Management Covers are available for the Slender (S) and Arched (A) Leg styles. See the Accessories section.

The T-Leg (T) is not available in the Arched Leg (A) style.

Grommet styles B, D, E, F and H are not available on worksurfaces less than 48" wide.

Grommet finishes are applicable to B, C, D and E grommet styles only.

Power/Data Center finishes are applicable to F, G and H grommet styles only.

This table **cannot** be specified with levelers.

PRODUCT OPTIONS

Leg Option	Leg Style	Depth	Grommet Style/Location	Grommet Finish (If applicable)	Worksurface Finish	Edge Trim Style	Corner Detail (If applicable)	Leg Finish
C C-Leg	D Standard	24, 30	A No Grommet/ No Power/Data Center	Source Laminate	Foundation Laminate	2 Bullnose Trim	S Standard	Foundation
T T-Leg	A Arched	Width	B Left Grommet	Foundation	Flintwood	6 Straight Trim	R Radius (Straight Trim only)	Mica
	S Slender		C Centered Grommet	Mica		F Eased Trim	Edge Trim Finish (If applicable)	
		42, 48, 54, 60, 66, 72, 78, 84	D Right Grommet	Power/Data Center Finish (If applicable)		7 Flintwood Straight Trim	Edge Trim Colors	
			E Left & Right Grommet	B Soft Gris				
			F Left Power/Data Center	E Ebony				
			G Centered Power/Data Center					
			H Right Power/Data Center					

SAMPLE ORDER CODE

CTFT C	D	30	72	H		B	YM	6	R	SB	P
--------	---	----	----	---	--	---	----	---	---	----	---

DIMENSIONS
INCHES / MM

D	W
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134

PRICING

FOUNDATION
LAMINATE

Straight Trim	Bullnose/ Eased Trim
---------------	-------------------------

FLINTWOOD

Flintwood Straight Trim

STANDARD LEGS (D)

970	1054	1311
1013	1098	1406
1055	1142	1499
1098	1184	1589
1142	1229	1682
1185	1273	1776
1228	1315	1867
1269	1358	1957

If grommet is specified (B, C, D, E),

add 58.

If one power/data center is specified (F, G, H),

add 154.

If Mica leg is specified,

add 12.

Pricing is continued on the following page.

CTFT

Rectangular Flip-Top Table
(Continued)DIMENSIONS
INCHES / MM

D	W
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134

30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134

30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

PRICING

FOUNDATION
LAMINATE

Straight Trim	Bullnose/Eased Trim
---------------	---------------------

FLINTWOOD

Flintwood Straight Trim

STANDARD LEGS (D)

1046	1132	1476
1098	1184	1589
1151	1236	1704
1206	1292	1820
1259	1344	1933
1310	1398	2047
1366	1453	2164
1420	1510	2279

ARCHED LEGS (A)

984	1070	1326
1027	1113	1421
1072	1157	1514
1113	1200	1605
1157	1244	1699
1201	1287	1793
1243	1332	1881
1282	1372	1971

1061	1146	1490
1113	1200	1605
1166	1250	1717
1221	1307	1834
1274	1361	1948
1325	1413	2061
1380	1468	2178
1435	1524	2295

SLENDER LEGS (S)


1046	1132	1389
1090	1175	1483
1134	1218	1577
1175	1261	1667
1218	1306	1762
1263	1349	1855
1305	1393	1943
1344	1435	2033

1123	1210	1553
1175	1261	1667
1228	1312	1779
1282	1369	1897
1336	1422	2010
1388	1475	2123
1442	1530	2240
1497	1586	2357

If grommet is specified (B, C, D, E), add 58.
 If one power/data center is specified (F, G, H), add 154.
 If Mica leg is specified, add 12.

C T H T

Rectangular Height-Adjustable Table



The Rectangular Height-Adjustable Table includes a crank for frequent, easy height adjustment. It can be used with other tables or systems.

WHAT'S INCLUDED

1 rectangular worksurface, 2 C-Legs (as specified), 1 chain, 1 chain cover, 1 handle, mounting hardware and reinforcing bar (where required), Grommet (CTGM) or Power/Data Center (CLMP) if specified.

NOTES

Actual dimension is 1" smaller than the specified dimension to ensure adjustment clearance.

Vertical Wire Management Covers are available for the Slender (S) and Arched (A) Leg styles. See the Accessories section.

Grommet styles B, D, E, F and H are not available on worksurfaces less than 48" wide.

Grommet finishes are applicable to B, C, D and E grommet styles only.

Power/Data Center finishes are applicable to F, G and H grommet styles only.

PRODUCT OPTIONS

Leg Style	Depth	Grommet Style/ Location	Grommet Finish (If applicable)	Casters/ Levelers	Worksurface Finish	Edge Trim Style	Corner Detail (If applicable)	Leg Finish
A Arched	24, 30	A No Grommet/ No Power/Data Center	Source Laminate	0 Two Levelers	Foundation Laminate	2 Bullnose Trim	S Standard	Foundation
S Slender	Width	B Left Grommet	Foundation	1 One Caster/ One Leveler (For 24" or 30" deep Arched legs)	Flintwood	6 Straight Trim	R Radius (Straight Trim only)	Mica
	36, 42, 48, 54, 60, 66, 72, 78, 84	C Centered Grommet	Mica			F Eased Trim	Edge Trim Finish (If applicable)	
		D Right Grommet				7 Flintwood Straight Trim	Edge Trim Colors	
		E Left & Right Grommet	Power/Data Center Finish (If applicable)					
		F Left Power/Data Center	B Soft Gris					
		G Centered Power/Data Center	E Ebony					
		H Right Power/Data Center						

SAMPLE ORDER CODE

CTHT A	30	72	C	P	0	YM	6	R	SB	P
--------	----	----	---	---	---	----	---	---	----	---

DIMENSIONS
INCHES / MM

D	W
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134

PRICING

FOUNDATION
LAMINATE

Straight Trim	Bullnose/ Eased Trim
------------------	-------------------------

FLINTWOOD

Flintwood Straight Trim

ARCHED LEGS (A)

1116	1201	1411
1159	1243	1501
1203	1285	1595
1246	1332	1689
1289	1373	1779
1333	1419	1872
1374	1462	1965
1418	1506	2057
1458	1548	2146

If grommet is specified (B, C, D, E), add 58.
 If one power/data center is specified (F, G, H), add 154.
 If one caster / one leveler (1) option is specified, add 44.
 If Mica leg is specified, add 12.

Pricing is continued on the following page.

C T H T

Rectangular Height-Adjustable Table
(Continued)DIMENSIONS
INCHES / MM

D	W
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

PRICING

FOUNDATION
LAMINATE

Straight Trim	Bullnose/ Eased Trim
---------------	-------------------------

FLINTWOOD

Flintwood Straight Trim

ARCHED LEGS (A)

1182	1265	1548
1236	1320	1666
1289	1371	1779
1340	1425	1893
1397	1482	2009
1449	1534	2123
1500	1587	2237
1555	1644	2354
1610	1701	2471

SLENDER LEGS (S)


1197	1279	1490
1239	1322	1581
1281	1366	1676
1325	1409	1769
1368	1453	1860
1411	1498	1953
1455	1542	2046
1497	1585	2136
1539	1627	2226

1261	1343	1627
1315	1399	1744
1368	1451	1860
1420	1503	1972
1476	1561	2089
1528	1615	2204
1580	1667	2317
1635	1723	2432
1689	1778	2548

If grommet is specified (B, C, D, E),	add 58.
If one power/data center is specified (F, G, H),	add 154.
If one caster / one leveler (I) option is specified,	add 44.
If Mica leg is specified,	add 12.

Xpress

CTLP
CPU Holder



The CPU Holder provides CPU storage beneath the worksurface.

WHAT'S INCLUDED
1 CPU Holder and mounting hardware.

NOTES
Fits on Arched leg style only.

The CPU Holder **cannot** be used on folding legs or Flip-Top Tables.

This accessory is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

CTLP Q

PRICING

Foundation	Mica
124	136



Vertical Leg Covers can be mounted on Arched legs to provide an aesthetic alternative. Optional cable management hooks are available.


WHAT’S INCLUDED

1 pair of leg covers (1 with hooks if W style is specified).

NOTES

Fits on Arched leg style only.

CTVL
Vertical Leg Cover



PRODUCT OPTIONS

Style	Finish
W With Wire Management (shown)	Foundation
N Without Wire Management	Mica

SAMPLE ORDER CODE


CTVL W	Q
--------	---

PRICING

Foundation	Mica
94	105

Xpress

CTWC
Vertical Wire Management Cover



The Vertical Wire Management Cover can be mounted on Slender legs to provide cable management capabilities.

WHAT’S INCLUDED
1 Vertical Wire Management Cover

NOTES
Fits on Slender leg style only.

PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

CTWC Q

PRICING

Foundation	Mica
41	45

Xpress

CTGM
Grommet


The Grommet can be field installed when cable management is needed.

WHAT’S INCLUDED

1 Grommet and grommet hole pattern template.

NOTES

Grommets can also be specified as an option on worksurfaces or tables.



PRODUCT OPTIONS

Finish
Source Laminate
Foundation
Mica

III

SAMPLE ORDER CODE


CTGM Q

PRICING

10

Xpress

CTWT
Cable Tray



This product can be installed under worksurfaces and tables for cable management, with or without the presence of a modesty panel. It represents a low-cost alternative to the Electrical Tray (CTET).

WHAT’S INCLUDED

1 Cable Tray and mounting hardware

NOTES

Available in Black only.

This accessory is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

PRODUCT OPTIONS

Width
12

SAMPLE ORDER CODE

CTWT 12

DIMENSIONS INCHES / MM	PRICING
W 12 / 305	14

This product can be installed under worksurfaces and tables for cable management. It can be used with a Modesty Panel (without built-in cable tray).

WHAT'S INCLUDED

1 tray cover, clips and mounting hardware.

NOTES


This accessory is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

To specify the width, refer to the Modesty Panel & Electrical Tray Compatibility Chart in the Application Guide.

The height-adjustable table configuration is available in widths 36" to 84".

Actual dimension will differ depending on the leg type.

CTET
Electrical Tray



PRODUCT OPTIONS

Configuration	Width	Finish
H Dedicated to Height-Adjustable Table (CTHT) and Flip Top Table (CTFT)	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Foundation
P Worksurface with Post Legs		Mica
S Worksurface with C-Legs, T-Legs or Intermediate Legs		

SAMPLE ORDER CODE

CTET H	36	7
--------	----	---

DIMENSIONS
INCHES / MM


W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134

PRICING

Foundation	Mica
62	65
67	70
82	86
93	97
105	112
119	126
129	136
144	151
155	162
167	175
180	188

Xpress

CTLM
Modesty Panel – Laminate



This modesty panel provides privacy and cable management when needed.

WHAT’S INCLUDED
1 Modesty Panel, 1 built-in cable tray (if specified) and mounting hardware.

NOTES
The height-adjustable table configuration is available in widths 36" to 84".
The worksurface with post legs configuration is available in widths 30" to 84".

Specify Modesty Panel width to match the width of the worksurface to which it is being applied. Actual dimension will differ depending on the support structure used.
This modesty panel is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

PRODUCT OPTIONS

Configuration	Cable Tray	Width	Finish	Edge Trim Finish (If applicable)	Hardware Finish
H Dedicated to Height-Adjustable Table (CTHT)	1 Without Built-In Cable Tray	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Source Laminate	Edge Trim Colors	Foundation Mica
P Worksurface with Post Legs	2 With Built-In Cable Tray		Foundation Laminate		
S Worksurface with C-Legs, T-Legs or Intermediate Legs			Flintwood		

SAMPLE ORDER CODE

CTLM H	2	36	YM	SB	P
--------	---	----	----	----	---

DIMENSIONS
INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134

PRICING

WITHOUT BUILT-IN CABLE TRAY (1)		
SOURCE LAMINATE	FOUNDATION LAMINATE	FLINTWOOD
132	158	331
141	172	356
146	183	380
152	195	462
156	207	495
161	218	528
167	229	559
174	242	592
179	253	623
185	266	656
189	276	689

WITH BUILT-IN CABLE TRAY (2)		
SOURCE LAMINATE	FOUNDATION LAMINATE	FLINTWOOD
165	189	395
176	207	430
184	220	461
193	237	550
203	252	590
212	268	630
220	283	670
231	299	711
240	315	751
249	330	793
258	346	831

This modesty panel provides privacy and cable management when needed.

WHAT'S INCLUDED

1 Modesty Panel, 1 built-in cable tray (if specified) and mounting hardware.

NOTES


The height-adjustable table configuration is available in widths 36" to 84".

The worksurface with post legs configuration is available in widths 30" to 84".

Specify Modesty Panel width to match the width of the worksurface to which it is being applied. Actual dimension will differ depending on the support structure used.

This modesty panel is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

CTMM Modesty Panel – Metal



PRODUCT OPTIONS

Configuration	Cable Tray	Width	Style	Embossed Pattern (If applicable)	Frame & Hardware Finish
H Dedicated to Height-Adjustable Table (CTHT)	1 Without Built-In Cable Tray 2 With Built-In Cable Tray	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	N Solid E Embossed	201 Square Solo	Foundation
P Worksurface with Post Legs				305 Louvered Solo	Accent
S Worksurface with C-Legs, T-Legs or Intermediate Legs				401 Dot Solo 402 Large Dot	Mica

SAMPLE ORDER CODE

CTMM H	2	36	E	201	7
---------------	----------	-----------	----------	------------	----------

DIMENSIONS INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134


PRICING

WITHOUT BUILT-IN CABLE TRAY (1)			
SOLID (N)		EMBOSSED (E)	
Foundation	Mica/ Accent	Foundation	Mica/ Accent
150	156	162	173
155	161	172	179
160	170	178	187
167	177	185	193
174	183	190	201
180	188	198	208
186	196	205	216
191	203	212	221
198	209	218	229
205	215	226	236
211	221	232	244

WITH BUILT-IN CABLE TRAY (2)			
SOLID (N)		EMBOSSED (E)	
Foundation	Mica/ Accent	Foundation	Mica/ Accent
180	187	195	204
189	197	207	214
200	209	216	226
210	218	227	236
219	228	237	247
229	239	248	257
240	249	258	270
249	259	270	279
259	270	279	290
270	279	290	300
279	290	300	313

Xpress

CTLMF

Modesty Panel for
Flip-Top Table – Laminate

This modesty panel provides privacy.

WHAT'S INCLUDED

1 Modesty Panel and mounting hardware.

NOTES

Can be installed under Flip-Top Table only.

Specify Modesty Panel width to match the width of the worksurface to which it is being applied.

This product is not compatible with Flip-Top Tables (CTFT) manufactured prior to May 28th 2012. In any doubt, please contact Teknion Customer Service.

This modesty panel is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

PRODUCT OPTIONS

Width	Finish	Edge Trim Finish (If applicable)	Hardware Finish
42, 48, 54, 60, 66, 72, 78, 84	Source Laminate Foundation Laminate Flintwood	Edge Trim Colors	Foundation Mica

SAMPLE ORDER CODE

CTLMF 72	LW	ST	E
----------	----	----	---

DIMENSIONS
INCHES / MM

W
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134

PRICING

SOURCE LAMINATE	FOUNDATION LAMINATE	FLINTWOOD
211	255	521
216	266	555
221	277	588
227	289	619
234	302	652
239	313	683
244	326	716
249	336	748

This modesty panel provides privacy.

WHAT'S INCLUDED

1 Modesty Panel and mounting hardware.

NOTES


Can be installed under Flip-Top Table only.

Specify Modesty Panel width to match the width of the worksurface to which it is being applied.

This product is not compatible with Flip-Top Tables (CTFT) manufactured prior to May 28th 2012. In any doubt, please contact Teknion Customer Service.

This modesty panel is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

CTMMF Modesty Panel for Flip-Top Table – Metal



PRODUCT OPTIONS

Width	Style	Embossed Pattern (If applicable)	Modesty & Hardware Finish
42, 48, 54, 60, 66, 72, 78, 84	N Solid E Embossed	201 Square Solo 305 Louvered Solo 401 Dot Solo 402 Large Dot	Foundation Accent Mica

SAMPLE ORDER CODE


CTMMF 84	E	201	7
----------	---	-----	---

DIMENSIONS INCHES / MM

W	SOLID (N)		EMBOSSED (E)	
	Foundation	Mica/ Accent	Foundation	Mica/ Accent
42 / 1067	227	237	244	256
48 / 1219	234	244	250	262
54 / 1372	240	250	258	268
60 / 1524	245	257	265	275
66 / 1676	252	263	272	283
72 / 1829	258	268	277	289
78 / 1981	265	275	286	296
84 / 2134	271	282	292	302

Xpress

CTDSF
Fabric Table Screen



The Fabric Table Screen provides visual privacy.

WHAT’S INCLUDED

1 screen, 2 brackets, 1 linking piece and hardware.

NOTES

Specify Table Screen width to match the width of the worksurface to which it is being applied. Actual dimension will differ depending on the support structure used.

Table Screen is not tackable.

This screen is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

PRODUCT OPTIONS

Configuration	Height	Width	Frame Finish	Element Finish
H Dedicated to Height-Adjustable Table (CTHT)	15, 22	36, 42, 48, 54, 60, 66, 72, 78, 84	Foundation Mica	Fabric
P Worksurface with Post Legs				
S Worksurface with C-Legs or Intermediate Legs				

SAMPLE ORDER CODE

CTDSF H	15	48	E	C501
---------	----	----	---	------

DIMENSIONS
INCHES / MM

H	W
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134

PRICING

Fabric Grade	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 7
A/COM						
309	318	325	334	350	366	391
342	351	360	368	386	403	427
368	379	389	398	418	437	465
389	398	408	418	437	456	486
417	428	439	451	473	496	530
452	464	473	486	509	531	564
477	489	501	514	540	565	602
503	516	529	542	568	593	630
529	542	557	569	595	622	662
374	384	393	404	424	445	476
412	422	434	445	467	490	524
441	453	465	475	496	518	551
471	484	497	509	533	558	595
503	516	529	542	568	593	630
540	556	568	583	610	637	677
575	590	603	620	650	680	726
608	623	639	655	687	720	770
641	656	674	690	723	757	806

The Translucent Table Screen provides a complete or partial view of adjacent workstations depending on the finish specified.

WHAT'S INCLUDED


1 screen, 2 brackets, 1 linking piece and hardware.

NOTES

Specify Table Screen width to match the width of the worksurface to which it is being applied. Actual dimension will differ depending on the support structure used.

This screen is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

CTDST Translucent Table Screen



PRODUCT OPTIONS

Configuration	Height	Width	Frame Finish	Element Finish
H Dedicated to Height-Adjustable Table (CTHT)	15, 22	36, 42, 48, 54, 60, 66, 72, 78, 84	Foundation Mica	8 Frost (Translucent)
P Worksurface with Post Legs				
S Worksurface with C-Legs or Intermediate Legs				

119

SAMPLE ORDER CODE

CTDST H	22	72	E	8
----------------	-----------	-----------	----------	----------

DIMENSIONS INCHES / MM



H	W
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134

PRICING

FROST (8)

Foundation/Mica
390
432
466
496
533
572
605
644
680
483
533
578
616
662
710
753
797
840

CTDSM Metal Table Screen



The Metal Table Screen provides visual privacy.

WHAT'S INCLUDED

1 screen, 2 brackets, 1 linking piece and hardware.

NOTES

Specify Table Screen width to match the width of the worksurface to which it is being applied. Actual dimension will differ depending on the support structure used.

This screen is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

PRODUCT OPTIONS

Configuration	Height	Width	Style	Perforated Pattern (If applicable)	Frame Finish
H Dedicated to Height-Adjustable Table (CTHT)	15, 22	36, 42, 48, 54, 60, 66, 72, 78, 84	N Solid	201 Square Solo	Foundation
P Worksurface with Post Legs			P Perforated	401 Dot Solo	Accent
S Worksurface with C-Legs or Intermediate Legs				402 Large Dot	Mica
				601 Perforated Holes	

SAMPLE ORDER CODE

CTDSM H	15	42	P	201	J
----------------	-----------	-----------	----------	------------	----------

DIMENSIONS INCHES / MM

H	W
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134

PRICING

SOLID (N)

Foundation	Mica/ Accent
296	309
325	341
350	367
368	387
395	416
430	451
453	475
479	502
502	528
355	372
391	411
420	440
448	470
479	502
514	539
546	572
578	605
609	639

PERFORATED (P)

Foundation	Mica/ Accent
325	341
358	375
385	405
406	425
436	457
472	497
499	525
528	555
555	581
391	411
431	452
462	485
494	518
528	555
564	593
600	630
634	668
669	703

The Fabric Lateral Screen provides lateral visual privacy.

WHAT'S INCLUDED

1 screen, 1 bracket, 1 linking piece and hardware.


NOTES

Must be used in combination with a Table Screen.

The Lateral Screen is not tackable.

This screen is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

CTLSF Fabric Lateral Screen



PRODUCT OPTIONS

Height	Depth	Frame Finish	Element Finish
15, 22	24, 30	Foundation Mica	Fabric

I2I

SAMPLE ORDER CODE

CTLSF 22	24	7	C501
----------	----	---	------


DIMENSIONS INCHES / MM

H	D
15 / 381	24 / 610
15 / 381	30 / 762
22 / 559	24 / 610
22 / 559	30 / 762

PRICING

Fabric Grade A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 7
267	274	282	289	304	319	341
283	290	298	305	320	335	359
316	324	333	341	358	375	400
345	353	361	369	387	404	428

CTLST
Translucent Lateral Screen



The Translucent Lateral Screen provides a complete or partial view of adjacent workstations depending on the finish specified.

WHAT’S INCLUDED
1 screen, 1 bracket, 1 linking piece and hardware.

NOTES
Must be used in combination with a Table Screen.

This screen is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

PRODUCT OPTIONS

Height	Depth	Frame Finish	Element Finish
15, 22	24, 30	Foundation Mica	8 Frost (Translucent)

SAMPLE ORDER CODE

CTLST 22	24	E	8
----------	----	---	---

DIMENSIONS
INCHES / MM

H	D
15 / 381	24 / 610
15 / 381	30 / 762
22 / 559	24 / 610
22 / 559	30 / 762

PRICING

FROST (8)
Foundation/Mica
319
356
397
440

The Metal Lateral Screen provides lateral visual privacy.

WHAT'S INCLUDED


1 Lateral Screen, 1 bracket, 1 linking piece and hardware.

NOTES

Must be used in combination with a Table Screen.

This screen is not recommended with all worksurface/table styles; refer to the Compatibility Chart on page 84.

CTLSM Metal Lateral Screen



PRODUCT OPTIONS

Height	Depth	Style	Perforated Pattern (If applicable)	Frame Finish
15, 22	24, 30	N Solid P Perforated	201 Square Solo 401 Dot Solo 402 Large Dot 601 Perforated Holes	Foundation Accent Mica

SAMPLE ORDER CODE

CTLSM 22	24	P	401	7
----------	----	---	-----	---

DIMENSIONS INCHES / MM


H	D
15 / 381	24 / 610
15 / 381	30 / 762
22 / 559	24 / 610
22 / 559	30 / 762

PRICING

SOLID (N)		PERFORATED (P)	
Foundation	Mica/ Accent	Foundation	Mica/ Accent
226	239	247	259
239	252	262	275
266	280	292	306
289	305	318	334

Xpress

C A Q R
Quick Release Linking System



The Quick Release Linking System is used to attach freestanding tables together for short-term configurations.

WHAT’S INCLUDED
1 quick release linking bracket and 2 knobs.

NOTES
Cannot be used on 18" deep tables with Post Legs.


This accessory is not recommended with all worksurface/table styles; refer to the Compatibility Chart in the Application Guide.

PRICING

10

Xpress

C T M T
Mobile Table Trolley



The Mobile Table Trolley is used for moving and storing tables and workspaces.

WHAT’S INCLUDED
1 Mobile Table Trolley, 2 interchangeable lateral supports, 2 swivel casters and 2 fixed casters.

NOTES
Can support up to seven folding tables (1000 lbs) stored vertically.

This product is finished in Black.


PRICING

1718

Xpress

RLPP

Under-Worksurface Plug-In Power Bar



The Under-Worksurface Plug-in Power Bar may be attached into the Electrical Tray (CTET), Cable Tray (CTWT), or lay into Modesty Panels with Built-In Cable Tray (CTLM and CTMM) to supply three cable electrics to the workstation easily.

WHAT'S INCLUDED

1 power bar.

NOTES

This product has a clear Anodized finish.

PRODUCT OPTIONS

Length
72, 180

SAMPLE ORDER CODE

RLPP 72

DIMENSIONS
INCHES / MM

L
72 / 1829
180 / 4572

PRICING

152
212

The Under-Worksurface Power Outlet may be attached into the Electrical Tray (CTET) or lay into Modesty Panels with Built-In Cable Tray (CTLM and CTMM) to supply multi-circuit power to the workstation easily.

WHAT'S INCLUDED

1 power outlet


NOTES

May be used as a splitter box if required.

Is equipped with one "input" and two "output" connectors.

This product has a clear Anodized finish.

Outlet Configurations	
Wiring Systems	From "in" to "out"
4B	1112
8T	1235



PRODUCT OPTIONS

Wire System
4B 4-Wire
8T 8-Wire, Isolated Ground

SAMPLE ORDER CODE


CLWP 4B

PRICING

4-WIRE (4B)	8-WIRE (8T)
173	215

Xpress

CLBX
Splitter Box



The Splitter Box is used to split the power entry at the beginning of a workstation to provide power for multiple workstations. It may be attached into the Electrical Tray (CTET) or lay into Modesty Panels with Built-In Cable Tray (CTLM and CTMM).

WHAT’S INCLUDED
1 Splitter Box

NOTES
Is equipped with one “input” and two “output” connectors.
This product has a clear Anodized finish.

PRODUCT OPTIONS

Wire System
4B 4-Wire
8T 8-Wire, Isolated Ground

SAMPLE ORDER CODE

CLBX 4B

PRICING

4-WIRE (4B)	8-WIRE (8T)
98	139


The Base Feed is used to connect workstations directly to the building's power supply through the wall or floor and brings multi-circuit power to the work station.

WHAT'S INCLUDED

1 – 72" armored base feed

CLBF

Base Feed



PRODUCT OPTIONS

Wire System	Length
4B 4-Wire 8T 8-Wire, Isolated Ground	72

129

SAMPLE ORDER CODE

CLBF 4B	72
----------------	-----------


DIMENSIONS INCHES / MM

L	4-WIRE (4B)	8-WIRE (8T)
72 / 1829	174	242

PRICING

Xpress

CLPH
Pass-Through



The Pass-Through is used as an extension to route multi-circuit power through a worksurface to an adjacent worksurface.

WHAT’S INCLUDED
1 Pass-Through harness

NOTES
To specify the correct length of pass-through, please calculate the dimension from the center of the worksurface to the center of the adjacent worksurface minus 12".

PRODUCT OPTIONS

Wire System	Length
4B 4-Wire 8T 8-Wire, Isolated Ground	018, 024, 030, 036, 042, 048, 054, 060, 066, 072, 078, 084, 090, 096, 102, 108, 114, 120

SAMPLE ORDER CODE

CLPH 8T	048
---------	-----

DIMENSIONS
INCHES / MM

L
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438
102 / 2591
108 / 2743
114 / 2896
120 / 3048

PRICING

4-WIRE (4B)	8-WIRE (8T)
69	118
75	122
81	127
86	132
89	137
90	141
95	154
98	161
101	167
108	174
116	186
118	188
123	190
130	196
136	214
144	220
150	234
154	237

The Power/Data Center is used to provide quick power and data access at the worksurface level.


WHAT'S INCLUDED

1 Power/Data Center, Voice/Data adapters and template.

NOTES

This product can be specified as an option when ordering worksurfaces and tables.

CLMP
Power/Data Center



PRODUCT OPTIONS

Length	Finish
72, 120	B Soft Gris E Ebony

I3I

SAMPLE ORDER CODE

CLMP 72	B
---------	---

DIMENSIONS
INCHES / MM


L
72 / 1829
120 / 3048

PRICING

154
168

Xpress

CLDB
Data Box



The Data Box provides data management within the Electrical Tray.

WHAT’S INCLUDED
1 Data Box

WHAT’S EXCLUDED
Voice/Data Faceplates and jacks are not included and must be field supplied and installed.

NOTES
The Data Box must be attached to the Electrical Tray (CTET).
This product is Black.

PRICING

12

The Power/Data Sphere can be placed anywhere on the worksurface to provide power and/or data to a worksurface from the floor or wall.

WHAT'S INCLUDED

00 Data/Data: 2 Data half-sphere (accommodates 4 data jacks), template.

01 Data/Power: 1 Data half-sphere, 1 Power half-sphere (accommodates 2 data jacks and 2 electrical outlets), template.

02 Power/Power: 2 Power half-sphere (accommodates 4 electrical outlets), template

NOTES


Provides power and data accessibility on multi-sides when tables are in a collaborative set-up.

This product is field installed using a 3" diameter hole.

This product is Black.

CLPS

Power/Data Sphere



PRODUCT OPTIONS

Style	Wire System
00 Data/Data	3 3-Wire
01 Data/Power	
02 Power/Power	

133

SAMPLE ORDER CODE

CLPS 02	3
---------	---

STYLE	PRICING
00	142
01	183
02	223

casual tables

casual tables

PRODUCT MAP137

CASUAL TABLE BASICS138











EDGE TRIM STYLE OVERVIEW139

USER EDGE & GRAIN DIRECTION140

WOOD FINISH DETAILS140

PRODUCT LISTING142

product map


louge tables	A T C S L Square Lounge Table Page 142 Depth: 24" or 30" / Height: 20"	A T C C L Circular Lounge Table Page 143 Diameter: 24" or 30" / Height: 20"	A T C V L Oval Lounge Table Page 144 Depth: 30" / Width: 54" – 66" / Height: 20"
			
	A T C S C Square Cafe Table Page 145 Depth: 24" / Height: 42"	A T C C C Circular Cafe Table Page 146 Diameter: 24" or 30" / Height: 42"	
			
bistro tables	A T C S B Square Bistro Table Page 147 Depth: 24" or 30" / Height: 29"	A T C C B Circular Bistro Table Page 148 Diameter: 24" or 30" / Height: 29"	
			
dining tables	A T C S D Square Dining Table Page 149 Depth: 36" / Height: 29"	A T C C D Circular Dining Table Page 150 Diameter: 36" or 42" / Height: 29"	A T C R D Rectangular Dining Table Page 151 Depth: 24" or 30" / Width: 36" – 60" / Height: 29"
			

casual table basics


Casual Tables are ideally designed for use within cafeteria, café or lounge settings in a corporate or educational environment.

Audience Hospitality Carts with Tops


- **Worksurfaces** are available in Foundation Laminates, Seamless Colors, Flintwood Stains or Natural Veneers
- **Edges** can be specified in Straight trim (6), Bullnose Trim (2), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X), Solid Eased Edge (E)




lounge tables



Square (ATCSL)




Circular (ATCCL)




Oval (ATCVL)

- The Oval Lounge Table (ATCVL) offers 2 Data/Electrical options: Grommet or Pop-Up
- Grommets have a Fine Brush Chrome finish



café tables



Square (ATCSC)




Circular (ATCCC)




Grommet

bistro tables




Square (ATCSB)




Circular (ATCCB)


monopod base



Lounge Table




Bistro & Dining Table




Café Table


dining tables



Square (ATCSD)



Circular (ATCCD)



Rectangular (ATCRD)

standard t-leg



Rectangular Dining Table (ATCRD)

- No Casters available on Casual Tables
- Base options are available in Foundation or Mica colors

edge trim style overview

The chart below indicates which edge trim styles can be specified with all Casual Tables surface finishes.




- All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) and Bullnose Trim (2) which requires that an edge finish be chosen
- Casual Table worksurfaces are 1" thick

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneers	Non-User Edge
Straight Trim (6) All Edges			n/a	n/a	n/a	Straight Trim (6)
Bullnose Trim (2) User Edge Only			n/a	n/a	n/a	Finished in a coordinating Straight Trim
Flintwood Straight Trim (7) All Edges		n/a	n/a		n/a	Flintwood Straight Trim (7)
Seamless Flat Edge (G) All Edges		n/a		n/a	n/a	Seamless Flat Edge (G)
Seamless Full Knife Edge (X) User Edge Only		n/a		n/a	n/a	Finished in a coordinating Flat Edge
Seamless Eased Edge (E) User Edge Only		n/a		n/a	n/a	Finished in a coordinating Flat Edge
Flat Edge (G) All Edges		n/a	n/a	n/a		Flat Edge (G)
Full Knife Edge (H) User Edge Only		n/a	n/a	n/a		Finished in a coordinating Flat edge
Solid Full Knife Edge (X) User Edge Only		n/a	n/a	n/a		Finished in a coordinating Flat edge
Solid Eased Edge (E) User Edge Only		n/a	n/a	n/a		Finished in a coordinating Flat edge

user edge & grain direction

Illustrations below show grain direction and user edges both with and without solid edges.

❖ Shading indicates user edge



wood finish details

I40

The following provides details on Teknion's Flintwoods and Natural Veneers.

flintwood & natural veneer


Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.

The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.

Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.

ATCSL Square Lounge Table

WHAT'S INCLUDED
1 table surface, 1 Monopod base (20" high).



PRODUCT OPTIONS

Depth	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish
24, 30	Foundation Laminate Seamless Colors Flintwood Natural Veneer	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation Mica
		2 Bullnose Trim	H Full Knife Edge		
		7 Flintwood Straight	X Solid Full Knife Edge		
		G Seamless Flat Edge	E Solid Eased Edge		
		X Seamless Full Knife Edge			
		E Seamless Eased Edge			

I42

SAMPLE ORDER CODE

ATCSL 24	RJ	6	SN	Q
----------	----	---	----	---

DIMENSIONS INCHES / MM


	FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
	Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
D						
24 / 610	570	680	591	1028	1028	1285
30 / 762	587	704	608	1184	1184	1481

If Mica base is specified, add 34

WHAT'S INCLUDED

1 table surface, 1 Monopod base (20" high).

ATCCL
Circular Lounge Table



PRODUCT OPTIONS

Diameter	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish
24, 30	Foundation Laminate	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation Mica
	Seamless Colors	2 Bullnose Trim	H Full Knife Edge		
	Flintwood	7 Flintwood Straight	X Solid Full Knife Edge		
	Natural Veneer	G Seamless Flat Edge	E Solid Eased Edge		
		X Seamless Full Knife Edge			
		E Seamless Eased Edge			

SAMPLE ORDER CODE

ATCCL 24	RJ	6	SN	Q
----------	----	---	----	---

DIMENSIONS
INCHES / MM

Dia
24 / 610
30 / 762


PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
599	748	621	1081	1080	1737
616	774	637	1243	1244	1999

If Mica base is specified, add 34

ATCVL
Oval Lounge Table

WHAT'S INCLUDED
1 table surface, 2 Monopod bases (20" high).



PRODUCT OPTIONS

Depth	Width	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish	Data/Electrical Option
30	54, 60, 66	Foundation Laminate Seamless Colors Flintwood Natural Veneer	6 Straight Trim 2 Bullnose Trim 7 Flintwood Straight G Seamless Flat Edge X Seamless Full Knife Edge	E Seamless Eased Edge G Natural Veneer Flat Edge H Full Knife Edge X Solid Full Knife Edge E Solid Eased Edge	Edge Trim Colors	Foundation Mica	NN No Grommet (shown) GC Centered Grommet

SAMPLE ORDER CODE

ATCVL 30	54	MP	H		7	GC
----------	----	----	---	--	---	----

DIMENSIONS
INCHES / MM

D	W
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676


PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
1034	1095	1084	1738	2793	3633
1074	1137	1127	1845	2970	3860
1113	1176	1169	1954	3140	4083

If Mica base is specified, add 68
If grommet is specified, add 53

WHAT'S INCLUDED
1 table surface, 1 Monopod base (42" high).

A T C S C
Square Cafe Table



PRODUCT OPTIONS

Depth	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish
24	Foundation Laminate	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation Mica
	Seamless Colors	2 Bullnose Trim	H Full Knife Edge		
	Flintwood	7 Flintwood Straight	X Solid Full Knife Edge		
	Natural Veneer	G Seamless Flat Edge	E Solid Eased Edge		
		X Seamless Full Knife Edge			
		E Seamless Eased Edge			

SAMPLE ORDER CODE

ATCSC 24	ZV	X		7
----------	----	---	--	---

DIMENSIONS
INCHES / MM

D
24 / 610


PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
632	742	653	1098	1348	1389

If Mica base is specified, add 34

ATCCC
Circular Cafe Table

WHAT'S INCLUDED
1 table surface, 1 Monopod base (42" high).



PRODUCT OPTIONS

Diameter	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish	
24, 30	Foundation Laminate	6	Straight Trim	G	Natural Veneer Flat Edge	Edge Trim Colors Foundation Mica
	Seamless Colors	2	Bullnose Trim	H	Full Knife Edge	
	Flintwood	7	Flintwood Straight	X	Solid Full Knife Edge	
	Natural Veneer	G	Seamless Flat Edge	E	Solid Eased Edge	
		X	Seamless Full Knife Edge			
		E	Seamless Eased Edge			

SAMPLE ORDER CODE

ATCCC 24	LW	6	ST	Q
----------	----	---	----	---

DIMENSIONS
INCHES / MM

Dia
24 / 610
30 / 762


PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
664	779	685	1153	1389	1945
685	803	707	1186	1431	2041

If Mica base is specified, add 34

WHAT'S INCLUDED
1 table surface, 1 Monopod base (29" high).

A T C S B
Square Bistro Table



PRODUCT OPTIONS

Depth	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish
24, 30	Foundation Laminate Seamless Colors Flintwood Natural Veneer	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation Mica
		2 Bullnose Trim	H Full Knife Edge		
		7 Flintwood Straight	X Solid Full Knife Edge		
		G Seamless Flat Edge	E Solid Eased Edge		
		X Seamless Full Knife Edge			
		E Seamless Eased Edge			

I47

SAMPLE ORDER CODE

ATCSB 24	ZE	G		P
----------	----	---	--	---

DIMENSIONS
INCHES / MM

D
24 / 610
30 / 762


PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
601	711	622	1064	1064	1330
617	735	638	1218	1217	1521

If Mica base is specified, add 34

ATCCB
Circular Bistro Table

WHAT'S INCLUDED
1 table surface, 1 Monopod base (29" high).



PRODUCT OPTIONS

Diameter	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish
24, 30	Foundation Laminate	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation Mica
	Seamless Colors	2 Bullnose Trim	H Full Knife Edge		
	Flintwood	7 Flintwood Straight	X Solid Full Knife Edge		
	Natural Veneer	G Seamless Flat Edge	E Solid Eased Edge		
		X Seamless Full Knife Edge			
		E Seamless Eased Edge			

I48

SAMPLE ORDER CODE

ATCCB 24	WQ	E		Q
----------	----	---	--	---


DIMENSIONS
INCHES / MM

	FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
	Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
Dia						
24 / 610	631	747	641	1095	1171	1861
30 / 762	648	772	656	1255	1339	2130

If Mica base is specified, add 34

WHAT'S INCLUDED
1 table surface, 1 Monopod base (29" high).

A T C S D
Square Dining Table



PRODUCT OPTIONS

Depth	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish
36	Foundation Laminate Seamless Colors Flintwood Natural Veneer	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation Mica
		2 Bullnose Trim	H Full Knife Edge		
		7 Flintwood Straight	X Solid Full Knife Edge		
		G Seamless Flat Edge	E Solid Eased Edge		
		X Seamless Full Knife Edge			
		E Seamless Eased Edge			

SAMPLE ORDER CODE

ATCSD 36	YM	6	SB	7
----------	----	---	----	---


DIMENSIONS
INCHES / MM

		PRICING			
		FOUNDATION LAMINATE		SEAMLESS COLOR	NATURAL VENEER
		Straight Trim	Bullnose Trim	Seamless Edge	Flat/Full Knife Edge
					Solid Full Knife/ Solid Eased Edge
D					
36 / 914		684	785	713	1521 2130

If Mica base is specified, add 34

ATCCD
Circular Dining Table

WHAT'S INCLUDED
1 table surface, 1 Monopod (29" high).



PRODUCT OPTIONS

Diameter	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish
36, 42	Foundation Laminate	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation Mica
	Seamless Colors	2 Bullnose Trim	H Full Knife Edge		
	Flintwood	7 Flintwood Straight	X Solid Full Knife Edge		
	Natural Veneer	G Seamless Flat Edge	E Solid Eased Edge		
		X Seamless Full Knife Edge			
		E Seamless Eased Edge			

150

SAMPLE ORDER CODE

ATCCD 24	FX	7		7
----------	----	---	--	---

DIMENSIONS
INCHES / MM

Dia
36 / 914
42 / 914

PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
752	862	783	1540	1827	2556
789	907	824	1616	1918	2684


If Mica base is specified, add 34

WHAT'S INCLUDED

24" deep tables includes a single Monopod base (29" high).

30" deep tables includes 2 Standard T-legs (29" high).

A T C R D Rectangular Dining Table

**PRODUCT OPTIONS**

Depth	Width	Table Finish	Edge Trim Style		Edge Trim Finish	Base Finish
24, 30	36, 48, 54, 60	Foundation Laminate Seamless Colors Flintwood Natural Veneer	6 Straight Trim 2 Bullnose Trim 7 Flintwood Straight G Seamless Flat Edge X Seamless Full Knife Edge E Seamless Eased Edge	G Natural Veneer Flat Edge H Full Knife Edge X Solid Full Knife Edge E Solid Eased Edge	Edge Trim Colors	Foundation Mica

151

SAMPLE ORDER CODE

ATCRD 24	36	LN	2	NV	P
-----------------	-----------	-----------	----------	-----------	----------

**DIMENSIONS
INCHES / MM**

		PRICING					
		FOUNDATION LAMINATE		SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
D	W	Straight Trim	Bullnose Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
24 / 610	36 / 914	617	638	626	901	1263	1705
30 / 762	48 / 1219	654	730	808	1237	1734	2338
30 / 762	54 / 1372	703	778	859	1339	1874	2533
30 / 762	60 / 1524	752	831	913	1446	2024	2732

If Mica base is specified, add 26 for 30" depth

If Mica base is specified, add 34 for 24" depth

CLUBtalk

CLUBtalk

PRODUCT MAP / TABLE OF CONTENTS155

MOBILE CART OVERVIEW157

MOBILE CART BASICS158

TABLE BASICS160

WORKSURFACE MONITOR MOUNT OVERVIEW161

WORKSURFACE MONITOR MOUNT BASICS162


GRAIN DIRECTION163

PRODUCT LISTING165

product map


C U C Mobile Cart

Page 165




C U W M Worksurface Monitor Mount

Page 166




C U S Square Table

Page 167
Depth: 42" – 54"




C U Z Trapezoid Table

Page 168
Depth: 48", 54" / Width: 48" – 72"



C U R Rectangular Table


Page 169
Depth: 48", 54" / Width: 60", 72"



mobile cart overview


The following outlines the components and features of the CLUBtalk Mobile Cart.

The Mobile Cart is used in both wired and wireless settings.




mobile cart basics

The Mobile Cart is used for multiple forms of collaboration and is available in three sizes; small, medium and large.



No Tek Box (0)



With Tek Box (1, 2, 3)

- Mobile Cart (CUC)**
- The following is the range of monitor sizes that will fit within each surround:
 - Small allows for a monitor size 40" - 46" (S)
 - Medium allows for a monitor size 47" - 55" (M)
 - Large allows for a monitor size 56" - 60" (L)
 - Different adjustable heights are available:
 - Lounge or Task height 24" - 29"
 - Counter or Bar height 36" - 42"
 - Counter or Bar height is only available with the small surround
 - Options include a Tek Box, a camera shelf and identifiers (which are a set of numeric stickers ranging from 0 - 9)
 - The inside surround finish matches the outside finish

monitor heights

The following chart outlines the application heights and monitor sizes available on CLUBtalk.

158


	Lounge 24" high	Task 29" high	Counter 36" high	Bar 42" high
Small 40" - 46" Monitor				
Medium 47" - 55" Monitor				
Large 56" - 60" Monitor				

mobile cart basics (continued)


The following are the dimensions for the Mobile Cart.

small


Lounge




Task



Counter




Bar




medium

Lounge




Task




large

Lounge



Task




tables basics


CLUBtalk Tables are available in various shapes and sizes.

CLUBtalk Tables


Each table includes an Access Door Module with Sensor Docks.



Square Table (CUS)



Trapezoid Table (CUZ)




Rectangular Table (CUR)

Tables


The Worksurface includes stretch legs that can also be found on Teknion's Audience Boardroom and Meeting Tables

Access Door Module

Access Doors (with a cable opening) include a grommet and an underpan that houses four Sensors Docks and four convenience receptacle outlets



Closed Access Doors




Underpan


- A 4" high x 24.9" long x 13.7" wide underpan located under the table conceals Sensor cables and the Switcher which is located adjacent to the Sensors
- Includes two blank data ports

workspace monitor mount component overview

The following outlines components and features of the Worksurface Monitor Mount.




161




workspace monitor mount basics

The Worksurface Monitor Mount mounts to the end of a meeting table and can be used in private meeting or open spaces. It is available with or without a Sensor Shelf.



No Tek Shelf



With Tek Shelf












Worksurface Monitor Mount (CUWM)

- Mounts to the end of a meeting table
- Provides two options:
 - Without Tek Shelf
 - With Tek Shelf
- Available only in 42" wide x 60" high
- Can accommodate a District Standing Storage Fascia (tackable fabric or whiteboard) on back side


grain direction

When planning with finishes it is important to note the grain direction for each finish on both the CLUBtalk Tables and the surround for the cart.


CLUBtalk tables

	Grain Direction			
Square Table (CUS)				
	42" width	48" width	54" width	
Trapezoid Table (CUZ)				
	48" depth x 48" width A (width B defaults to 36")	48" depth x 54" width A (width B defaults to 42")	48" depth x 72" width A (width B defaults to 60")	54" depth x 72" width A (width B defaults to 60")
Rectangular Table (CUR)				
	48" width x 60" depth	54" width x 72" depth	60" width x 48" depth	72" width x 54" depth

CLUBtalk mobile cart surrounds



worksurface monitor mount



WHAT'S INCLUDED

1 post on casters and surround with handles, mounting brackets, 1 wire management hook, Tek Box (if specified), monitor screen mounting hardware.


NOTES

Available in two installer-adjustable heights; Lounge (seating height at 24") or Task (seating height at 29") and Counter (seating height at 36") or Bar (seating height at 42").


For the exact surround dimensions and the position of the Tek Box, please refer to the Application Guides.

Surround finish on the inside matches the outside.

Identifier is a set of stick-on numbers from 0 to 9.

**CUC
Mobile Cart**

No Tek Box (0)



With Tek Box (4)

PRODUCT OPTIONS

Height	Tech Support	Surround Size	Surround Finish	Camera Shelf	Identifier
A Lounge or Task	0 No Tek Box	S Monitor Size 40" - 46"	Foundation	N No	N None
B Counter or Bar	4 With Tek Box	M Monitor Size 47" - 55"	Seamless	Y Yes	84 Graphic Steel
		L Monitor Size 56" - 60"	Flintwood		
			Natural Veneer		

SAMPLE ORDER CODE

CUC A	0	M	ZA	Y	N
--------------	----------	----------	-----------	----------	----------

165

DIMENSIONS

Monitor Surround Size
40" - 46"
47" - 55"
56" - 60"
40" - 46"
47" - 55"
56" - 60"
40" - 46"

If Camera Shelf is specified,
If Identifier is specified,

PRICING**LOUNGE OR TASK (A)****NO TEK BOX (0)**

Foundation Laminate	Seamless	Flintwood	Natural Veneer
3107	3267	3428	3482
3267	3482	3696	3771
3428	3696	3964	4060

WITH TEK BOX (1)

3803	3964	4124	4178
3964	4178	4393	4467
4124	4393	4660	4756

COUNTER OR BAR (B)**NO TEK BOX (0)**

Foundation Laminate	Seamless	Flintwood	Natural Veneer
3321	3482	3642	3696

WITH TEK BOX (1)


4017	4178	4339	4393
------	------	------	------

add 268
add 81

C U W M
Worksurface Monitor Mount

WHAT'S INCLUDED
1 monitor mount on two levellers, mounting brackets, wire management channel, tek shelf (if specified), monitor screen mounting hardware.

NOTES
Tek Shelf (Y) includes sensor shelf, technology enclosure, and 3-outlet power receptacle.



PRODUCT OPTIONS

Width	Height	Tech Support	Screen Finish	Bracket Finish	Camera Shelf
42"	60"	N Without Tek Shelf Y With Tek Shelf	Foundation Seamless Color Flintwood Natural Veneers	Foundation Mica	N No Y Yes

SAMPLE ORDER CODE

CUWM 42	60	Y	YM	7	Y
---------	----	---	----	---	---

DIMENSIONS
INCHES / MM

W	D
42 / 1066	60 / 1524
42 / 1066	60 / 1524

If Camera Shelf is specified,

PRICING

NO TEK SHELF (N)		
Foundation Laminate	Seamless	Flintwood Natural Veneer
953	1173	1334
WITH TEK SHELF (Y)		
1221	1441	1709

add 268


WHAT'S INCLUDED

1 table surface, 4 legs with levelers, access door module, 4-outlet power receptacle.

NOTES

Access Door Module is an integrated enclosure. It includes a grommet solution, access doors, 4-outlet power receptacle, 4 Sensor holders and an underpan for under the table support.

The grommet location on all of the tables default to the width side of the worksurface, for more information please refer to the Application Guides.

**C U S
Square Table****PRODUCT OPTIONS**

Base	Depth	Surface Finish	Edge Trim Styles		Edge Trim Finish	Base Finish	Access Door Finish	Access Door Trim Finish
S Stretch Leg	42, 48, 54	Foundation Seamless Flintwood Natural Veneer	6 Straight Trim 2 Bullnose Trim 7 Flintwood Straight G Seamless Flat Edge X Seamless Full Knife Edge E Seamless Eased Edge	G Natural Veneer Flat Edge H Full Knife Edge X Solid Full Knife Edge E Solid Eased Edge	Edge Trim Colors	Foundation Mica H Chrome	Foundation Mica Accent	Foundation Mica Accent

SAMPLE ORDER CODE


CUS S	48	LW	6	ST	M	83	83
--------------	-----------	-----------	----------	-----------	----------	-----------	-----------

167

**DIMENSIONS
INCHES / MM****PRICING**

D	FOUNDATION LAMINATE		SEAMLESS	FLINTWOOD	NATURAL VENEER	
	Straight	Bullnose			Flat/Full Knife Edge	Solid Eased/ Full Knife Edge
42 / 1067	1422	1561	1462	2452	2460	3451
48 / 1219	1540	1719	1595	2848	2859	4050
54 / 1372	1699	1932	1768	3365	3381	4830

If Mica Base is specified,	add 39
If Chrome Base is specified,	add 200
If Mica/Accent Access Door Finish is specified,	add 10
If Mica/Accent Access Door Trim is specified,	add 5



1 table surface, 4 legs with levelers, access door module, 4-outlet power receptacle.

NOTES

Access Door Module is an integrated enclosure. It includes a grommet solution, access

The grommet location on all of the tables default to the width side of the worksurface,

Base		Depth	Width	Surface Finish	Edge Trim Styles		Edge Trim Finish	Base Finish	Access Door Finish	Access Door Trim Finish
S	Stretch Leg	48, 54	48, 54, 72	Foundation	6 Straight Trim	G Natural Veneer Flat Edge	Edge Trim Colors	Foundation	Foundation	Foundation
				Seamless	2 Bullnose Trim			Mica	Mica	
				Flintwood	7 Flintwood Straight	H Full Knife Edge		H Chrome	Accent	Accent
				Natural Veneer	G Seamless Flat Edge	X Solid Full Knife Edge				
					X Seamless Full Knife Edge	E Solid Eased Edge				
				E Seamless Eased Edge						

SAMPLE ORDER CODE

D	W
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	72 / 1829
54 / 1372	72 / 1829

FOUNDATION LAMINATE		SEAMLESS	FLINTWOOD	NATURAL VENEER	
Straight	Bullnose		Flat/Full	Solid Knife Edge	Eased/ Full Knife Edge
1540	1719	1595	2848	2859	4050
1694	1785	1763	3118	3397	4271
1822	1921	1896	3393	5039	6843
1851	1951	1932	3450	5268	7161

If Mica Base is specified ,	add 39
If Chrome Base is specified,	add 200
If Mica/Accent Access Door Finish is specified,	add 10
If Mica/Accent Access Door Trim is specified,	add 5

WHAT'S INCLUDED


1 table surface, 4 legs with levelers, access door module, 4-outlet power receptacle.

NOTES

Access Door Module is an integrated enclosure. It includes a grommet solution, access doors, 4-outlet power receptacle, 4 Sensor holders and an underpan for under the table support.

The grommet location on all of the tables default to the width side of the worksurface, for more information please refer to the Application Guides.

CUR Rectangular Table



PRODUCT OPTIONS

Base	Depth	Width	Surface Finish	Edge Trim Styles		Edge Trim Finish	Base Finish	Access Door Finish	Access Door Trim Finish
S Stretch Leg	48, 54, 60, 72	48, 54, 60, 72	Foundation Seamless Flintwood Natural Veneer	6 Straight Trim 2 Bullnose Trim 7 Flintwood Straight G Seamless Flat Edge X Seamless Full Knife Edge E Seamless Eased Edge	G Natural Veneer Flat Edge H Full Knife Edge X Solid Full Knife Edge E Solid Eased Edge	Edge Trim Colors	Foundation Mica H Chrome	Foundation Mica Accent	Foundation Mica Accent

SAMPLE ORDER CODE

CUR S	48	60	LW	6	ST	M	83	83
--------------	-----------	-----------	-----------	----------	-----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

PRICING

D	W	FOUNDATION LAMINATE		SEAMLESS	FLINTWOOD Flat/Full	NATURAL VENEER	
		Straight	Bullnose			Solid Eased/ Knife Edge	Full Knife Edge
48 / 1219	60 / 1524	1769	1866	1840	3281	4615	6250
54 / 1372	72 / 1829	1851	1951	1932	3450	5268	7161
60 / 1524	48 / 1219	1769	1866	1840	3281	4615	6250
72 / 1829	54 / 1372	1851	1951	1932	3450	5268	7161

If Mica Base is specified ,	add 39
If Chrome Base is specified,	add 200
If Mica/Accent Access Door Finish is specified,	add 10
If Mica/Accent Access Door Trim is specified,	add 5

storage


storage

PRODUCT MAP	172
<i>AUDIENCE</i> ® CREDENZA STORAGE BASICS	176
<i>AUDIENCE</i> ® CREDENZA CONFIGURATIONS	177
LOCKS & KEYS CHART	178
<i>AUDIENCE</i> ® A.V. CART BASICS	179
<i>AUDIENCE</i> ® HOSPITALITY CART BASICS	180
PROJECT STORAGE BASICS	181
PROJECT STORAGE CONFIGURATIONS	182
EDGE TRIM STYLE OVERVIEW	183
WOOD FINISH DETAILS	184
PRODUCT LISTING	186


product map

A F C V A *Audience Veneer*
Credenza with Doors


Page 186
Width: 48" – 90" / Height: 29" or 36"

**A F C V B** *Audience Veneer*
Credenza with Single
Drawer


Page 187
Width: 48" – 90" / Height: 29"

**A F C V C** *Audience Veneer*
Credenza with Doors
and Drawers


Page 188
Width: 48" – 90" / Height: 36"

**A F C V D** *Audience Veneer*
Credenza with Middle
Drawers


Page 189
Width: 48" – 90" / Height: 29"

**A F C L A** *Audience Laminate*
Credenza with Doors

Page 190
Width: 48" – 90" / Height: 29" or 36"

**A F C L B** *Audience Laminate*
Credenza with Single
Drawer


Page 191
Width: 48" – 90" / Height: 29"




172

A F C L C *Audience Laminate*
Credenza with Doors and
Drawers


Page 192
Width: 48" – 90" / Height: 36"

**A F C L D** *Audience Laminate*
Credenza with Middle
Drawers


Page 193
Width: 48" – 90" / Height: 29"

**A F C F A** *Audience Flintwood*
Credenza with Doors


Page 194
Width: 48" – 90" / Height: 29" or 36"

**A F C F B** *Audience Flintwood*
Credenza with Single
Drawer


Page 195
Width: 48" – 90" / Height: 29"

**A F C F C** *Audience Flintwood*
Credenza with Doors and
Drawers

Page 196
Width: 48" – 90" / Height: 36"

**A F C F D** *Audience Flintwood*
Credenza with Middle
Drawers


Page 197
Width: 48" – 90" / Height: 29"




product map

A F C T Credenza Top


Page 198
Width: 48" – 90"

**A F T V Audience Veneer A.V. Cart**


Page 199
Height: 36" / Width: 32"

**A F T L Audience Laminate A.V. Cart**


Page 200
Height: 36" / Width: 32"

**A F T F Audience Flintwood A.V. Cart**


Page 201
Height: 36" / Width: 32"

**A F T T A.V. Cart Top**


Page 202

**A F M V Audience Veneer Hospitality Cart**


Page 203
Height: 36" / Width: 32"

**A F M L Audience Laminate Hospitality Cart**


Page 204
Height: 36" / Width: 32"

**A F M F Audience Flintwood Hospitality Cart**


Page 205
Height: 36" / Width: 32"

**A F M T Hospitality Cart Top**


Page 206

**A F A S Small Project Cart**


Page 207
Height: 31 1/2" / Width: 22"

**A F A M Medium Project Cart**

Page 208
Height: 31 1/2" / Width: 36"

**A F A L Large Project Cart**

Page 209
Height: 43" / Width: 36"



storage

product map

S O K L Set of Keys Alike

Page 210


audience credenza storage basics

Audience Credenzas comes in a variety of configurations, sizes and finishes to help compliment any meeting or boardroom room storage requirements.

- ❗ Locks can be keyed alike or keyed random (not available on glass doors)
- An optional Waste Receptacle can be specified with all *Audience Credenza* storage units (not available on glass doors)


Audience Credenzas (AFCV_, AFCL_, AFCF_)

- Available in Laminate, Veneer or Flintwood
- Available in four different door/drawer configurations
- Available with solid or glass doors in finishes to match the *Audience A.V.* or Hospitality Carts



Finishes


- Veneer Credenzas are available in a selection of Natural Veneers
- Laminate Credenzas are available in a selection of Source Laminates
- Flintwood Credenzas are available in a selection of Flintwood stains
- Solid Doors and drawers will be finished to match the case
- Glass Doors are Frosted (FT) and finished in a clear Anodized frame



Credenza Top (AFCT)

- Is to be used in conjunction with the AFCV, AFCF or AFCL Credenzas
- Must be specified separately for every Credenza ordered
- Can be specified in Foundation Laminates, Seamless Colors, Flintwood stains and Natural Veneers
- Edge trims can be specified in Straight Trim (6), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X) or Solid Eased Edge (E)


Optional **Grommets** can be specified left, centered, or right (grommet provides ventilation)



audience credenza configurations


Four different configurations of Credenzas are available (Doors (A), Single Drawer (B), Doors & Drawers (C) and middle Drawers (D)); each are available in three case finish options – Laminate, Flintwood and Natural Veneer.

door configurations (a)




Audience Credenza with Doors (AFC_A)

single drawer configurations (b)




Audience Credenza with Single Drawer (AFC_B)

doors and drawers configuration (c)



Audience Credenza with Doors and Drawers (AFC_C)














middle drawers configuration (d)



Audience Credenza with Middle Drawers (AFC_D)

locks & keys chart

The following chart indicates the location of the lockable doors and drawers.

product code	dimensions (width)					
	32"	48"	64" or 72"	80" or 90"		
AFC_A	n/a					
Number of Locks	—	2	—	2	—	—
AFC_B	n/a		n/a			
Number of Locks	—	3	—	3	—	1
AFC_C	n/a					
Number of Locks	—	4	2	4	2	2
AFC_D	n/a		n/a			
Number of Locks	—	3	—	3	—	1
AFT_		n/a	n/a	n/a		
Number of Locks	1	—	—	—	—	—
APM_A		n/a	n/a	n/a		
Number of Locks	1	—	—	—	—	—
APM_B		n/a	n/a	n/a		
Number of Locks	2	1	—	—	—	—

 Lockable Doors only  Lockable Drawers only  Not Lockable


audience a.v. cart basics

The *Audience A.V. Cart* is a mobile or stationary unit that houses all audio and video equipment within one location.

❗ Locks can be keyed alike or keyed random (not available on glass doors)


Audience A.V. Carts (AFTV, AFTL, AFTF)

- Available in Laminate, Veneer or Flintwood
- Available with solid or glass doors in finishes to match the *Audience* Credenzas or Hospitality Carts



A.V. Cart Top (AFTT)

- Is to be used in conjunction with the *Audience A.V. Carts* (AFTV, AFTF or AFTL)
- Must be specified separately for every *Audience A.V. Cart* specified
- Can be specified in Foundation Laminates, Seamless Colors, Flintwood stains and Natural Veneers
- Edge trims can be specified in Straight Trim (6), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X) or Solid Eased Edge (E)




Solid Doors

Glass Doors

Handle Styles

- Not available on glass doors
- Available in Platinum or Ebony colors




Rectangular (B)



Contemporary (C)


Can be specified with casters or levelers



Leveler



Caster




Hole pattern accommodates most 21"–32" flat LCD Monitor TV's

Fastens to spacer between top and case

Finishes

- Veneer Carts are available in a selection of Natural Veneers
- Laminate Carts are available in a selection of Source Laminates
- Flintwood Carts are available in a selection of Flintwood stains
- Solid Doors will be finished to match the case
- Glass Doors are Frosted (FT) and finished in a clear Anodized frame




audience hospitality cart basics

The *Audience Hospitality Cart* is a mobile server that compliments all *Audience* storage table products.

- ❗ Locks can be keyed alike or keyed random (not available on glass doors)
- An optional Waste Receptacle can be specified with all *Audience* Hospitality Carts (not available on glass doors)


Audience Hospitality Carts (AFMV, AFML, AFMF)

- Available in Laminate, Veneer or Flintwood
- Can be specified with doors or a combination of doors and drawers (Combination shown)
- Doors can be specified solid or glass in finishes to match the *Audience* Credenzas and A.V. Carts



Handle Style

- Not available on glass doors
- Available in Platinum or Ebony colors



Rectangular (B)




Contemporary (C)

Finishes

- Veneer Carts are available in a selection of Natural Veneers
- Laminate Carts are available in a selection of Source Laminates
- Flintwood Carts are available in a selection of Flintwood stains
- Solid Doors and drawer will be finished to match the case
- Glass Doors are Frosted (FT) and finished in a clear Anodized frame


Hospitality Cart Top (AFMT)

- To be used in conjunction with the *Audience* Hospitality Carts (AFML, AFMF or AFMV)
- Must be specified separately for every *Audience* Hospitality Cart specified
- Can be specified in Foundation Laminates, Seamless Colors, Flintwood stains and Natural Veneers
- Edge trims can be specified in Straight (6), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X) or Solid Eased Edge (E)



- With the leaf extended, the unit can be brought to tables for easy serving
- When parked in a corner the hospitality cart acts as a small credenza ideal for smaller meeting rooms
- The unit can be wheeled out when further space is needed

- The optional **Waste Receptacle Unit** when specified, opens when the door is opened
- It is mounted by the user via instructions supplied
- Finished in Aluminum
- Also available in Credenzas





project storage basics

Project storage units are constructed of metal and are offered in a variety of sizes and configurations that can be used within workstations or collaborative spaces.

❗ Locks can be keyed alike or keyed random

Project Carts (AFAS, AFAM, AFAL)

- Three sizes are offered: small, medium and large
- Small Project Carts can be specified open or with doors
- Medium and Large Project Carts can also be specified open or with doors however, can also be specified with combination doors and drawers




Finishes

- Post, case and front finishes are available in a selection of Satin, Satin Mica, Textured or Textured Mica colors
- Shelf will be finished to match the case
- Top surface can be specified in Foundation Laminates, Seamless Colors, Flintwood stains or Natural Veneers
- Edge trims can be specified in Flat Trim (8), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X) or Solid Eased Edge (E)


project storage configurations

Project carts are available with a variety of options including Open, with Doors and Drawers.


small project cart



AFAS




Open Shelf (S)




Door (D)


medium project cart




AFAM



Open Shelf (S)




Doors (D)




Doors and Drawers (R)


large project cart




AFAL



Open Shelf (S)



Doors (D)























Doors and Drawers (R)

edge trim style overview

The chart below indicates which edge trim styles can be specified with all storage surface finishes.



- All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) and Flat Trim (8) which requires that an edge finish be chosen
- Audience* Boardroom Storage tops are 1 1/4" thick
- Project Cart Storage tops are 1" thick

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneers	Non-User Edge
Boardroom Storage Tops	Straight Trim (6) 		n/a	n/a	n/a	Straight Trim (6)
	All Edges					
Project Cart Storage Tops	Flat Trim (8) 		n/a	n/a	n/a	Flat Trim (8)
	All Edges					
	Flintwood Straight Trim (7) 	n/a	n/a		n/a	Flintwood Straight Trim (7)
	All Edges					
	Seamless Flat Edge (G) 	n/a		n/a	n/a	Seamless Flat Edge (G)
	All Edges					
	Seamless Full Knife Edge (X) 	n/a		n/a	n/a	Finished in a coordinating Flat edge
	User Edge Only					
	Seamless Eased Edge (E) 	n/a		n/a	n/a	Finished in a coordinating Flat edge
	User Edge Only					
	Flat Edge (G) 	n/a	n/a	n/a		Flat Edge (G)
	All Edges					
	Full Knife Edge (H) 	n/a	n/a	n/a		Finished in a coordinating Flat edge
	User Edge Only					
	Solid Full Knife Edge (X) 	n/a	n/a	n/a		Finished in a coordinating Flat edge
	User Edge Only					
	Solid Eased Edge (E) 	n/a	n/a	n/a		Finished in a coordinating Flat edge
	User Edge Only					

wood finish details


The following provides details on Teknion's Flintwoods and Natural Veneers.

flintwood & natural veneer

Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.

The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.

Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.

AFCVA**Audience Veneer Credenza with Doors**

The *Audience Veneer Credenza* is designed for use in boardroom applications.

WHAT'S INCLUDED

1 credenza with levelers, grommets (if specified), locks and keys (if specified), waste receptacle (if specified).

WHAT'S EXCLUDED

Credenza Top (AFCT) must be ordered separately.

NOTES

48" wide credenzas have three doors, 64" and 72" widths have four doors, 80" & 90" widths have five doors.

Glass doors do not support pull style, lock and waste receptacle options.

Solid doors will be finished to match the case finish.

PRODUCT OPTIONS

Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Grommet Option	Lock Option	Waste Receptacle Option
S Solid	48, 64, 72, 80, 90	29, 36	Natural Veneer	C Contemporary	7 Platinum	N None	N None	1 With
G Glass				B Rectangular	E Ebony	C Center L Left R Right	K Keyed Alike R Keyed Randomly	2 Without

SAMPLE ORDER CODE

AFCVA S	64	29	WD	B	7	N	R	1
----------------	-----------	-----------	-----------	----------	----------	----------	----------	----------

**DIMENSIONS
INCHES / MM**

W	H
48 / 1219	29 / 737
48 / 1219	36 / 914
64 / 1626	29 / 737
64 / 1626	36 / 914
72 / 1829	29 / 737
72 / 1829	36 / 914
80 / 2032	29 / 737
80 / 2032	36 / 914
90 / 2286	29 / 737
90 / 2286	36 / 914

PRICING**SOLID DOORS (S)**

No Grommet	With Grommet
3457	3521
3772	3837
4107	4171
4382	4446
4488	4553
4778	4842
5217	5283
5265	5330
5476	5540
5824	5888

GLASS DOORS (G)

No Grommet	With Grommet
4079	4143
4466	4530
5056	5121
5363	5428
5435	5499
5780	5846
6403	6467
6821	6885
6987	7051
7134	7198

If Contemporary pull style is specified, add 26 per handle

If Lock is specified, add 124

If Waste Receptacle is specified, add 186

The *Audience* Veneer Credenza is designed for use in boardroom applications.

WHAT'S INCLUDED

1 credenza with levelers, grommets (if specified), locks and keys (if specified), waste receptacle (if specified).

WHAT'S EXCLUDED

Credenza Top (AFCT) must be ordered separately.

NOTES


48" wide credenzas have three doors, 80" & 90" widths have five doors.

Door under drawer will always be solid whether solid or glass door option is specified.

The waste receptacle option is not available with glass doors.

Solid doors will be finished to match the case finish.

AFCVB *Audience* Veneer Credenza with Single Drawer



PRODUCT OPTIONS

Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Grommet Option	Lock Option	Waste Receptacle Option
S Solid	48, 80, 90	29	Natural Veneer	C Contemporary	7 Platinum	N None	N None	1 With
G Glass				B Rectangular	E Ebony	C Center	K Keyed Alike	2 Without
						L Left R Right	R Keyed Randomly	

SAMPLE ORDER CODE

AFCVB G	48	29	UH	B	E	C	K	2
----------------	-----------	-----------	-----------	----------	----------	----------	----------	----------

DIMENSIONS INCHES / MM

W	H
48 / 1219	29 / 737
80 / 2032	29 / 737
90 / 2286	29 / 737

PRICING

SOLID DOORS (S)

No Grommet	With Grommet
3997	4061
5621	5687
5880	5944

GLASS DOORS (G)


No Grommet	With Grommet
4207	4272
6411	6476
6716	6781

If Contemporary pull style is specified, add 26 per handle

If Lock is specified, add 124

If Waste Receptacle is specified, add 186

AFCVC
Audience Veneer Credenza with
Doors and Drawers



The *Audience Veneer Credenza* is designed for use in boardroom applications.

WHAT'S INCLUDED
1 credenza with levelers, grommets (if specified), locks and keys (if specified), waste receptacle (if specified).

WHAT'S EXCLUDED
Credenza Top (AFCT) must be ordered separately.

NOTES
48" wide credenzas have three doors, 64" and 72" widths have four doors, 80" & 90" widths have five doors.

When locks are specified with glass door option, only the drawers will lock.

The waste receptacle option is not available with glass doors.

Solid doors and drawers will be finished to match the case finish.

PRODUCT OPTIONS

Door Style	Width	Height	Case & Font Finish	Pull Style	Pull Finish	Grommet Option	Key Style	Waste Receptacle Option
S Solid G Glass	48, 64, 72, 80, 90	36	Natural Veneer	C Con-temporary B Rectangular	7 Platinum E Ebony	N None C Center L Left R Right	N None K Keyed Alike R Keyed Randomly	1 With 2 Without

SAMPLE ORDER CODE

AFCVC S	64	36	WK	C	7	R	N	1
---------	----	----	----	---	---	---	---	---

DIMENSIONS
INCHES / MM

W	H
48 / 1219	36 / 914
64 / 1626	36 / 914
72 / 1829	36 / 914
80 / 2032	36 / 914
90 / 2286	36 / 914

PRICING

SOLID DOORS (S)	
No Grommet	With Grommet
4808	4872
5824	5888
6281	6346
6920	6985
7478	7542

GLASS DOORS (G)	
No Grommet	With Grommet
5477	5541
6832	6896
7298	7363
8183	8247
8807	8871

If Contemporary pull style is specified, add 26 per handle

If Lock is specified, add 124

If Waste Receptacle is specified, add 186

The *Audience* Veneer Credenza is designed for use in boardroom applications.

WHAT'S INCLUDED

1 credenza with levelers, grommets (if specified), locks and keys (if specified), waste receptacle (if specified).

WHAT'S EXCLUDED

Credenza Top (AFCT) must be ordered separately.

NOTES


48" wide credenzas have two doors, 80" & 90" have four doors.

Only top drawer will lock all others are not lockable.

The waste receptacle option is not available with glass doors.

Solid doors and drawers will be finished to match the case finish.

A F C V D *Audience* Veneer Credenza with Middle Drawers



PRODUCT OPTIONS

Door Style	Width	Height	Case Finish	Pull Style	Pull Finish	Grommet Option	Key Style	Waste Receptacle Option
S Solid	48, 80, 90	29	Natural Veneer	C Contemporary	7 Platinum	N None	N None	1 With
G Glass				B Rectangular	E Ebony	L Left R Right	K Keyed Alike R Keyed Randomly	2 Without

SAMPLE ORDER CODE

AFCVD G	90	29	MP	B	7	C	N	
----------------	-----------	-----------	-----------	----------	----------	----------	----------	--

DIMENSIONS INCHES / MM

W	H
48 / 1219	29 / 737
80 / 2032	29 / 737
90 / 2286	29 / 737

PRICING

SOLID DOORS (S)

No Grommet	With Grommet
5309	5374
6800	6864
7059	7123


GLASS DOORS (G)

No Grommet	With Grommet
5530	5594
7770	7835
8080	8144

If Contemporary pull style is specified, add 26 per handle

If Lock is specified, add 124

If Waste Receptacle is specified, add 186

A F C L A**Audience Laminate Credenza with Doors**

The *Audience* Laminate Credenza is designed for use in boardroom applications.

WHAT'S INCLUDED

1 credenza with levelers, grommets (if specified), locks and keys (if specified), waste receptacle (if specified).

WHAT'S EXCLUDED

Credenza Top (AFCT) must be ordered separately.

NOTES

48" wide credenzas have three doors, 64" and 72" widths have four doors, 80" & 90" widths have five doors.

Glass doors do not support pull style, lock and waste receptacle options.

Solid doors will be finished to match the case finish.

PRODUCT OPTIONS

Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Grommet Option	Key Style	Waste Receptacle Option
S Solid	48, 64, 72, 80, 90	29, 36	Source Laminate	C Contemporary	7 Platinum	N None	N None	1 With
G Glass				B Rectangular	E Ebony	C Center L Left R Right	K Keyed Alike R Keyed Randomly	2 Without

SAMPLE ORDER CODE

AFCLA S	64	29	XM	B	7	N	R	1
----------------	-----------	-----------	-----------	----------	----------	----------	----------	----------

**DIMENSIONS
INCHES / MM**

W	H
48 / 1219	29 / 727
48 / 1219	36 / 914
64 / 1626	29 / 727
64 / 1626	36 / 914
72 / 1829	29 / 727
72 / 1829	36 / 914
80 / 2032	29 / 737
80 / 2032	36 / 914
90 / 2286	29 / 737
90 / 2286	36 / 914

PRICING**SOLID DOORS (S)**

No Grommet	With Grommet
1155	1220
1211	1275
1353	1418
1419	1483
1451	1516
1488	1553
1572	1636
1649	1713
1701	1765
1780	1844

GLASS DOORS (G)

No Grommet	With Grommet
2124	2189
2241	2305
2643	2710
2792	2857
2835	2900
2900	2964
3185	3249
3437	3501
3482	3546
3544	3608

If Contemporary pull style is specified, add 26 per handle

If Lock is specified, add 124

If Waste Receptacle is specified, add 186

The *Audience* Laminate Credenza is designed for use in boardroom applications.

WHAT'S INCLUDED

1 credenza with levelers, locks and keys (if specified), grommets (if specified), waste receptacle (if specified).

WHAT'S EXCLUDED

Credenza Top (AFCT) must be ordered separately.

NOTES


48" wide credenzas have three doors, 80" & 90" have five doors.

Door under drawer will always be solid whether solid or glass door option is specified.

Solid doors and drawers will be finished to match the case finish.

The waste receptacle option is not available with glass doors.

AFCLB *Audience* Laminate Credenza with Single Drawer



PRODUCT OPTIONS

Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Grommet Option	Key Style	Waste Receptacle Option
S Solid	48, 80, 90	29	Source Laminate	C Contemporary B Rectangular	7 Platinum E Ebony	N None	N None	1 With
G Glass						C Center	K Keyed Alike	2 Without
						L Left R Right	R Keyed Randomly	

SAMPLE ORDER CODE

AFCLB G	48	29	XH	B	E	C	K	2
----------------	-----------	-----------	-----------	----------	----------	----------	----------	----------

DIMENSIONS INCHES / MM

W	H
48 / 1219	29 / 727
80 / 2032	29 / 727
90 / 2286	29 / 727

PRICING

SOLID DOORS (S)

No Grommet	With Grommet
1634	1699
2107	2171
2414	2478

GLASS DOORS (G)


No Grommet	With Grommet
2241	2305
3358	3422
3694	3758

If Contemporary pull style is specified, add 26 per handle

If Lock is specified, add 124

If Waste Receptacle is specified, add 186

AFCLC
Audience Laminate Credenza with
Doors and Drawers



The *Audience* Laminate Credenza is designed for use in boardroom applications.

WHAT'S INCLUDED

1 credenza with levelers, grommets (if specified), locks and keys (if specified), waste receptacle (if specified).

WHAT'S EXCLUDED

Credenza Top (AFCT) must be ordered separately.

NOTES

48" wide credenzas have three doors, 64" and 72" widths have four doors, 80" & 90" widths have five doors.

When locks are specified with glass door option, only the drawers will lock.

The waste receptacle option is not available with glass doors.

Solid doors and drawers will be finished to match the case finish.

PRODUCT OPTIONS

Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Grommet Option	Key Style	Waste Receptacle Option
S Solid G Glass	48, 64, 72, 80, 90	36	Source Laminate	C Contemporary B Rectangular	7 Platinum E Ebony	N None C Center L Left R Right	N None K Keyed Alike R Keyed Randomly	1 With 2 Without

SAMPLE ORDER CODE

AFCLC S	64	36	XC	C	7	R	N	1
---------	----	----	----	---	---	---	---	---

DIMENSIONS
INCHES / MM

W	H
48 / 1219	36 / 914
64 / 1626	36 / 914
72 / 1829	36 / 914
80 / 2032	36 / 914
90 / 2286	36 / 914

PRICING

SOLID DOORS (S)

No Grommet	With Grommet
1810	1874
2318	2383
2352	2416
2414	2478
2722	2786

GLASS DOORS (G)

No Grommet	With Grommet
2792	2857
3632	3696
3697	3761
4051	4115
4458	4523

If Contemporary pull style is specified, add 26 per handle

If Lock is specified, add 124

If Waste Receptacle is specified, add 186

The *Audience* Laminate Credenza is designed for use in boardroom applications.

WHAT'S INCLUDED

1 credenza with levelers, grommets (if specified), locks and keys (if specified), waste receptacle (if specified).

WHAT'S EXCLUDED

Credenza Top (AFCT) must be ordered separately.

NOTES


48" wide credenzas have two doors, 80" & 90" have four doors.

Only top drawer will lock all others are not lockable.

The waste receptacle option is not available with glass doors.

Solid doors and drawers will be finished to match the case finish.

AFCLD *Audience* Laminate Credenza with Middle Drawers



PRODUCT OPTIONS

Door Style	Width	Height	Case Finish	Pull Style	Pull Finish	Grommet Option	Key Style	Waste Receptacle Option
S Solid	48, 80, 90	29	Source Laminate	C Con-temporary	7 Platinum	N None	N None	1 With
G Glass				B Rectangular	E Ebony	L Left	K Keyed Alike	2 Without
						R Right	R Keyed Randomly	

SAMPLE ORDER CODE

AFCLD G	90	29	XS	B	7	N	N	
----------------	-----------	-----------	-----------	----------	----------	----------	----------	--

DIMENSIONS INCHES / MM

W	H
48 / 1219	29 / 737
80 / 2032	29 / 737
90 / 2286	29 / 737

PRICING

SOLID DOORS (S)

No Grommet	With Grommet
1813	1877
2301	2365
2605	2670

GLASS DOORS (G)


No Grommet	With Grommet
2457	2522
3591	3657
3927	3991

If Contemporary pull style is specified, add 26 per handle

If Lock is specified, add 124

If Waste Receptacle is specified, add 186

AFCFA
Audience Flintwood Credenza with
Doors



The Audience Flintwood Credenza is designed for use in boardroom applications.

WHAT'S INCLUDED
1 credenza with levelers, grommets (if specified), locks and keys (if specified), waste receptacle (if specified).

WHAT'S EXCLUDED
Credenza Top (AFCT) must be ordered separately.

NOTES
48" wide credenzas have three doors, 64" and 72" widths have four doors, 80" & 90" widths have five doors.
Glass doors do not support pull style, lock and waste receptacle options.
Solid doors will be finished to match the case finish.

PRODUCT OPTIONS

Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Grommet Option	Key Style	Waste Receptacle Option
S Solid G Glass	48, 64, 72, 80, 90	29, 36	Flintwood	C Con-temporary B Rectangular	7 Platinum E Ebony	N None C Center L Left R Right	N None K Keyed Alike R Keyed Randomly	1 With 2 Without

SAMPLE ORDER CODE

AFCFA S	64	29	FY	B	7	N	R	1
---------	----	----	----	---	---	---	---	---

DIMENSIONS
INCHES / MM

W	H
48 / 1219	29 / 737
48 / 1219	36 / 914
64 / 1626	29 / 737
64 / 1626	36 / 914
72 / 1829	29 / 737
72 / 1829	36 / 914
80 / 2032	29 / 737
80 / 2032	36 / 914
90 / 2286	29 / 737
90 / 2286	36 / 914

PRICING

SOLID DOORS (S)	
No Grommet	With Grommet
3457	3521
3772	3837
4107	4171
4382	4446
4488	4553
4778	4842
5217	5283
5265	5330
5476	5540
5824	5888

GLASS DOORS (G)	
No Grommet	With Grommet
4079	4143
4466	4530
5056	5121
5363	5428
5435	5499
5780	5846
6403	6467
6821	6885
6987	7051
7134	7198

If Contemporary pull style is specified, add 26 per handle
If Lock is specified, add 124
If Waste Receptacle is specified, add 186

The *Audience* Flintwood Credenza is designed for use in boardroom applications.

WHAT'S INCLUDED

1 credenza with levelers, grommets (if specified), locks and keys (if specified), waste receptacle (if specified).

WHAT'S EXCLUDED

Credenza Top (AFCT) must be ordered separately

NOTES


48" wide credenzas have three doors, 80" & 90" have five doors.

Door under drawer will always be solid whether solid or glass door option is specified.

The waste receptacle option is not available with glass doors.

Solid doors and drawers will be finished to match the case finish.

A F C F B *Audience* Flintwood Credenza with Single Drawer



PRODUCT OPTIONS

Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Grommet Option	Key Style	Waste Receptacle Option
S Solid	48, 80, 90	29	Flintwood	C Contemporary B Rectangular	7 Platinum E Ebony	N None	N None	1 With
G Glass						C Center L Left R Right	K Keyed Alike R Keyed Randomly	2 Without

SAMPLE ORDER CODE

AFCFB G	48	29	CX	B	E	C	K	
----------------	-----------	-----------	-----------	----------	----------	----------	----------	--

DIMENSIONS INCHES / MM

W	H
48 / 1219	29 / 737
80 / 2032	29 / 737
90 / 2286	29 / 737

PRICING

SOLID DOORS (S)

No Grommet	With Grommet
3997	4061
5621	5687
5880	5944

GLASS DOORS (G)


No Grommet	With Grommet
4207	4272
6411	6476
6716	6781

If Contemporary pull style is specified, add 26 per handle

If Lock is specified, add 124

If Waste Receptacle is specified, add 186

AFCFC
Audience Flintwood Credenza with
Doors and Drawers



The Audience Flintwood Credenza is designed for use in boardroom applications.

WHAT'S INCLUDED
1 credenza with levelers, grommets (if specified), locks and keys (if specified), waste receptacle (if specified).

WHAT'S EXCLUDED
Credenza Top (AFCT) must be ordered separately.

NOTES
48" wide credenzas have three doors, 64" and 72" widths have four doors, 80" & 90" widths have five doors.

When locks are specified with glass door option, only the drawers will lock.

The waste receptacle option is not available with glass doors.

Solid doors and drawers will be finished to match the case finish.

PRODUCT OPTIONS

Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Grommet Option	Key Style	Waste Receptacle Option
S Solid G Glass	48, 64, 72, 80, 90	36	Flintwood	C Con-temporary B Rectangular	7 Platinum E Ebony	N None C Center L Left R Right	N None K Keyed Alike R Keyed Randomly	1 With 2 Without

SAMPLE ORDER CODE

AFCFC S	64	36	VB	C	7	R	N	1
---------	----	----	----	---	---	---	---	---

DIMENSIONS
INCHES / MM

W	H
48 / 1219	36 / 914
64 / 1626	36 / 914
72 / 1829	36 / 914
80 / 2032	36 / 914
90 / 2286	36 / 914

PRICING

SOLID DOORS (S)	
No Grommet	With Grommet
4808	4872
5824	5888
6281	6346
6920	6985
7478	7542

GLASS DOORS (G)	
No Grommet	With Grommet
5477	5541
6832	6896
7298	7363
8183	8247
8807	8871

If Contemporary pull style is specified, add 26 per handle

If Lock is specified, add 124

If Waste Receptacle is specified, add 186

The *Audience* Flintwood Credenza is designed for use in boardroom applications.

WHAT'S INCLUDED

1 credenza with levelers, grommets (if specified), locks and keys (if specified), waste receptacle (if specified).

WHAT'S EXCLUDED

Credenza Top (AFCT) must be ordered separately.

NOTES


48" wide credenzas have two doors, 80" & 90" have four doors.

Only top drawer will lock all others are not lockable.

The waste receptacle option is not available with glass doors.

Solid doors and drawers will be finished to match the case finish.

AFCFD *Audience* Flintwood Credenza with Middle Drawers



PRODUCT OPTIONS

Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Grommet Option	Key Style	Waste Receptacle Option
S Solid	48, 80, 90	29	Flintwood	C Con-temporary	7 Platinum	N None	N None	1 With
G Glass				B Rectangular	E Ebony	L Left	K Keyed Alike	2 Without
						R Right	R Keyed Randomly	

SAMPLE ORDER CODE

AFCFD G	90	29	FC	B	7	C	N	
----------------	-----------	-----------	-----------	----------	----------	----------	----------	--

DIMENSIONS

W	H
48 / 1219	29 / 737
80 / 2032	29 / 737
90 / 2286	29 / 737

PRICING

SOLID DOORS (S)

No Grommet	With Grommet
5309	5374
6800	6864
7059	7123

GLASS DOORS (G)


No Grommet	With Grommet
5530	5594
7770	7835
8080	8144

If Contemporary pull style is specified, add 26 per handle

If Lock is specified, add 124

If Waste Receptacle is specified, add 186

A F C T
Credenza Top



The Credenza Top is to be used in conjunction with the AFCV, AFCF or AFCL Credenzas.

WHAT’S INCLUDED

1 top

WHAT'S EXCLUDED

Audience Credenzas

NOTES

The width of the Credenza Top should match that of the Credenza.

All trim finishes will match the Credenza Top except when specifying the straight trim (6) for the Laminate top.

The Credenza Top must be ordered to finish off the top of each Credenza ordered.

PRODUCT OPTIONS

Width	Top Finish	Edge Trim Style		Edge Trim Finish
48, 64, 72, 80, 90	Foundation Laminate Seamless Colors Flintwood Natural Veneer	6 Straight Trim	H Full Knife Edge	Edge Trim Colors
		7 Flintwood Straight	X Solid Full Knife Edge	
		G Seamless Flat Edge	E Solid Eased Edge	
		X Seamless Full Knife Edge		
		E Seamless Eased Edge		
		G Flat Edge		

SAMPLE ORDER CODE

AFCT 72	FX	7	
---------	----	---	--

DIMENSIONS
INCHES / MM

	PRICING				
	FOUNDATION LAMINATE	SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
W	Straight Trim	All Edges	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
48 / 1219	319	357	764	764	985
64 / 1626	426	445	875	875	1150
72 / 1829	482	497	993	993	1265
80 / 2032	533	551	1214	1214	1395
90 / 2286	600	620	1224	1224	1534

The *Audience Veneer* A.V. Cart is designed for use to house audio visual components in boardroom applications.

WHAT'S INCLUDED

1 cart, casters or levelers, locks and keys (If specified).

WHAT'S EXCLUDED


A.V. Cart Top (AFTT) must be ordered separately.

NOTES

Glass doors do not support pull style or lock options.

Solid doors will always default to the case finish.

AFTV *Audience Veneer* A.V. Cart



PRODUCT OPTIONS

Configuration	Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Foot Option	Key Style
A Doors	S Solid G Glass	32	36	Natural Veneer	C Con-temporary B Rectangular	7 Platinum E Ebony	L Levelers C Casters	N None K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE

AFTV A	G	32	36	WD			L	
--------	---	----	----	----	--	--	---	--

DIMENSIONS INCHES / MM

W	H
32 / 813	36 / 914


PRICING

SOLID DOORS	GLASS DOORS
3635	3987

If Contemporary pull style is specified, add 52

If Lock is specified, add 124

AFTL
Audience Laminate A.V. Cart



The *Audience* Laminate A.V. Cart is designed for use to house audio visual components in boardroom applications.

WHAT’S INCLUDED

1 cart, casters or levelers, locks and keys (If specified).

WHAT’S EXCLUDED

A.V. Cart Top (AFTT) must be ordered separately.

NOTES

Glass doors do not support pull style or lock options.

Solid doors will be finished to match the case finish.

PRODUCT OPTIONS

Configuration	Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Foot Option	Key Style
A Doors	S Solid G Glass	32	36	Source Laminate	C Con-temporary B Rectangular	7 Platinum E Ebony	L Levelers C Casters	N None K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE

AFTL A	G	32	36	LG			L	
---------------	----------	-----------	-----------	-----------	--	--	----------	--

DIMENSIONS
INCHES / MM

W	H
32 / 813	36 / 914

PRICING

SOLID DOORS (S)
779

GLASS DOORS (G)
1457

If Contemporary pull style is specified, add 52

If lock is specified, add 124

The *Audience* Flintwood A.V. Cart is designed for use to house audio visual components in boardroom applications.

WHAT'S INCLUDED

1 cart, casters or levelers, locks and keys (if specified).

WHAT'S EXCLUDED


A.V. Cart Top (AFTT) must be ordered separately.

NOTES

Glass doors do not support pull style or lock options.

Solid doors will always default to the case finish.

AFTF *Audience* Flintwood A.V. Cart



PRODUCT OPTIONS

Configuration	Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Foot Option	Key Style
A Doors	S Solid G Glass	32	36	Flintwood	C Con-temporary B Rectangular	7 Platinum E Ebony	L Levelers C Casters	N None K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE

AFTF A	G	32	36	FM			L	
--------	---	----	----	----	--	--	---	--

DIMENSIONS INCHES / MM

W	H
32 / 813	36 / 914

PRICING


SOLID DOORS (S)
3635

GLASS DOORS (G)
3987

If Contemporary pull style is specified, add 52

If lock is specified, add 124

AFTT
A.V. Cart Top



The A.V. Cart Top is to be used in conjunction with the AFTV, AFTF, AFTL A.V. Carts.

WHAT’S INCLUDED
1 top, LCD Arm (If specified).

WHAT’S EXCLUDED
Audience A.V. Cart

NOTES
All Trim Finishes will match the A.V. Cart Top except when specifying the (6) Straight trim for the laminate top.

The A.V. Cart Top must be ordered to finish off the top of each A.V. Cart ordered.

PRODUCT OPTIONS

LCD Arm Option	Width	Top Finish	Edge Trim Style		Edge Trim Finish
1 With Arm 2 Without Arm	32	Foundation Laminate Seamless Colors Flintwood Natural Veneer	6 Straight Trim 7 Flintwood Straight G Seamless Flat Edge X Seamless Full Knife Edge E Seamless Eased Edge G Flat Edge	H Full Knife Edge X Solid Full Knife Edge E Solid Eased Edge	Edge Trim Colors

SAMPLE ORDER CODE

AFTT 1	32	WD	X	
--------	----	----	---	--

DIMENSIONS
INCHES / MM

	PRICING				
	FOUNDATION LAMINATE	SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
	Straight Trim	All Edges	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
W	WITHOUT ARM (2)				
32 / 813	211	315	657	657	837
	WITH ARM (1)				
32 / 813	428	533	878	878	1057

The *Audience* Veneer Hospitality Cart is designed for use in boardroom applications.

WHAT'S INCLUDED

1 cart, casters, locks and keys (if specified), waste receptacle (if specified), 1 push/pull handle.

WHAT'S EXCLUDED

Hospitality Cart Top (AFMT) must be ordered separately.


NOTES

If the Doors option (A) is specified, glass doors do not support pull or lock options.

Solid doors and drawers will always be finished to match the case finish.

Waste Receptacle can not be specified when the glass door option is chosen.

A F M V *Audience* Veneer Hospitality Cart



PRODUCT OPTIONS

Configuration	Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Key Style	Waste Receptacle Option
A Doors	S Solid	32	36	Natural Veneer	C Contemporary	7 Platinum	N None	1 With
B Doors & Drawer	G Glass				B Rectangular	E Ebony	K Keyed Alike R Keyed Randomly	2 Without

SAMPLE ORDER CODE

AFMV B	S	32	36	UH	C	7	N	1
---------------	----------	-----------	-----------	-----------	----------	----------	----------	----------

DIMENSIONS INCHES / MM

W	H
32 / 813	36 / 914

PRICING

DOORS (A)

Solid Doors	Glass Doors
3369	3645

DOORS & DRAWER (B)

Solid Doors	Glass Doors
3970	4064

If Contemporary pull style is specified,

add 26/handle


If Lock is specified,

add 124

If Waste Receptacle is specified,

add 186

AFML
Audience Laminate Hospitality Cart



The *Audience* Laminate Hospitality Cart is designed for use in boardroom applications.

WHAT’S INCLUDED

1 cart, casters, locks and keys (if specified), waste receptacle (if specified), 1 push/pull handle.

WHAT’S EXCLUDED

Hospitality Cart Top (AFMT) must be ordered separately.

NOTES

If the Doors option (A) is specified, glass doors do not support pull or lock options.

Waste Receptacle can not be specified when the glass door option is chosen.

Solid doors and drawers will always be finished to match the case finish.

PRODUCT OPTIONS

Configuration	Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Key Style	Waste Receptacle Option
A Doors	S Solid	32	36	Source Laminate	C Contemporary	7 Platinum	N None	1 With
B Doors & Drawers	G Glass				B Rectangular	E Ebony	K Keyed Alike R Keyed Randomly	2 Without

SAMPLE ORDER CODE

AFML B	S	32	36	XS	C	7	N	1
--------	---	----	----	----	---	---	---	---

DIMENSIONS
INCHES / MM

W	H
32 / 813	36 / 914

PRICING

DOORS (A)	
Solid Doors	Glass Doors
739	1416

DOORS & DRAWER (B)	
Solid Doors	Glass Doors
1084	1732

If Contemporary pull style is specified,	add 26/handle
If Lock is specified,	add 124
If Waste Receptacle is specified,	add 186

The *Audience* Flintwood Hospitality Cart is designed for use in boardroom applications.

WHAT'S INCLUDED

1 cart, casters, locks and keys (If specified), waste receptacle (if specified), 1 push/pull handle.

WHAT'S EXCLUDED

Hospitality Cart Top (AFMT) must be ordered separately.

NOTES


If the Doors option (A) is specified, glass doors do not support pull or lock options.

Solid doors and drawers will always be finished to match the case finish.

Waste Receptacle is not available when glass doors are specified.

Glass doors do not support pulls or keys.

A F M F *Audience* Flintwood Hospitality Cart



PRODUCT OPTIONS

Configuration	Door Style	Width	Height	Case & Front Finish	Pull Style	Pull Finish	Key Style	Waste Receptacle Option
A Doors	S Solid	32	36	Flintwood	C Contemporary	7 Platinum	N None	1 With
B Doors & Drawer	G Glass				B Rectangular	E Ebony	K Keyed Alike R Keyed Randomly	2 Without

SAMPLE ORDER CODE

A F M F B	S	32	36	FX	C	7	N	1
------------------	----------	-----------	-----------	-----------	----------	----------	----------	----------

DIMENSIONS INCHES / MM

W	H
32 / 813	36 / 914

PRICING

DOORS (A)

Solid Doors	Glass Doors
3369	3645

DOORS & DRAWERS (B)

Solid Doors	Glass Doors
3970	4064

If Contemporary pull style is specified,

add 26/handle


If Keys are specified,

add 124

If Waste Receptacle is specified,

add 186

AFMT
Hospitality Cart Top



The Hospitality Cart Top is to be used in conjunction with the AFMV, AFMF & AFML Hospitality Carts.

WHAT’S INCLUDED

1 top, Extendable Leaf

WHAT’S EXCLUDED

Hospitality Cart

NOTES

All Trim Finishes will match the Hospitality Cart Top except when specifying the (6) Straight trim for a laminate top.

The Hospitality Cart Top must be ordered to finish off the top of each Hospitality Cart ordered.

PRODUCT OPTIONS

Width	Top Finish	Edge Trim Style		Edge Trim Finish
32	Foundation Laminate Seamless Colors Flintwood Natural Veneer	6 Straight Trim	H Full Knife Edge	Edge Trim Colors
		7 Flintwood Straight	X Solid Full Knife Edge	
		G Seamless Flat Edge	E Solid Eased Edge	
		X Seamless Full Knife Edge		
		E Seamless Eased Edge		
		G Flat Edge		

SAMPLE ORDER CODE

AFMT 32	FX	7	
---------	----	---	--

DIMENSIONS
INCHES / MM

	PRICING				
	FOUNDATION LAMINATE	SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
W	Straight Trim	Seamless Edge	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge
32 / 813	329	647	1158	1158	1170

The Small Project Cart is a mobile storage unit that can be used within workstations or collaborative spaces.

WHAT'S INCLUDED


1 cart, locks and keys (If applicable).

NOTES

The shelf finish will match the case finish.

All Trim finishes will match the top finish except when specifying the Flat trim (8) for Laminate top.

A F A S Small Project Cart



PRODUCT OPTIONS

Configuration	Post Finish	Case & Front Finish	Top Finish	Edge Trim Style		Edge Trim Finish	Key Style	Handle Position
D Doors	Satin (Grade 1)	Satin (Grade 1)	Foundation Laminate	8 Flat Trim	G Flat Edge	Edge Trim Colors	K Keyed Alike	L Left (shown)
S Open Shelf	Satin Mica (Grade 2)	Satin Mica (Grade 2)	Seamless Color	7 Flintwood Straight	H Full Knife Edge		R Keyed Randomly	R Right
	Textured (Grade 1)	Textured (Grade 1)	Flintwood	G Seamless Flat Edge	X Solid Full Knife Edge			
	Textured Mica (Grade 2)	Textured Mica (Grade 2)	Natural Veneer	X Seamless Full Knife Edge	E Solid Eased Edge			
				E Seamless Eased Edge				

SAMPLE ORDER CODE

AFAS D	72	72	FY	7		R	L
---------------	-----------	-----------	-----------	----------	--	----------	----------

CONFIGURATION

PRICING

	FOUNDATION LAMINATE	SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
	Flat Trim	All Edges	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
D	840	895	1082	1082	1144
S	726	782	969	969	1031


If Grade 2 post finish is specified,

add 52

If Grade 2 case finish is specified,

add 72

A F A M
Medium Project Cart



The Medium Project Cart is a mobile storage unit that can be used within workstations or collaborative spaces.

WHAT’S INCLUDED

1 cart, Locks and Keys (if applicable).

NOTES

The shelf finish will match the case finish specified.

All Trim finishes will default to the top finish except when specifying the (8) trim for laminate top.

PRODUCT OPTIONS

Configuration	Post Finish	Case & Front Finish	Top Finish	Edge Trim Style		Edge Trim Finish	Key Style
D Doors	Satin (Grade 1)	Satin (Grade 1)	Foundation Laminate	8 Flat Trim	H Full Knife Edge	Edge Trim Colors	K Keyed Alike
S Open Shelf	Satin Mica (Grade 2)	Satin Mica (Grade 2)	Seamless Color	7 Flintwood Straight	X Solid Full Knife Edge		R Keyed Randomly
R Doors & Drawer	Textured (Grade 1)	Textured (Grade 1)	Flintwood	G Seamless Flat Edge	E Solid Eased Edge		
	Textured Mica (Grade 2)	Textured Mica (Grade 2)	Natural Veneer	X Seamless Full Knife Edge			
				E Seamless Eased Edge			
				G Flat Edge			

SAMPLE ORDER CODE

AFAM D	72	72	FY	7		R
--------	----	----	----	---	--	---

CONFIGURATION	PRICING					
	FOUNDATION LAMINATE	SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER		
	Flat Trim	All Edges	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/ Solid Eased Edge	
D	1223	1305	1497	1497	1609	
R	1344	1427	1618	1618	1732	
S	1184	1265	1457	1457	1570	

If Grade 2 post finish is specified,
If Grade 2 case finish is specified,

add 62
add 93

The Large Project Cart is a mobile storage unit that can be used within workstations or collaborative spaces.

WHAT'S INCLUDED


1 cart, Locks and Keys (if applicable).

NOTES

The shelf finish will match the case finish specified.

All Trim finishes will default to the top finish except when specifying the (8) trim for laminate top.

A F A L Large Project Cart



PRODUCT OPTIONS

Configuration	Post Finish	Case & Front Finish	Top Finish	Edge Trim Style		Edge Trim Finish	Key Style
D Doors	Satin (Grade 1)	Satin (Grade 1)	Foundation Laminate	8 Flat Trim	H Full Knife Edge	Edge Trim Colors	K Keyed Alike
S Open Shelf	Satin Mica (Grade 2)	Satin Mica (Grade 2)	Seamless Color	7 Flintwood Straight	X Solid Full Knife Edge		R Keyed Randomly
R Doors & Drawer	Textured (Grade 1)	Textured (Grade 1)	Flintwood	G Seamless Flat Edge	E Solid Eased Edge		
	Textured Mica (Grade 2)	Textured Mica (Grade 2)	Natural Veneer	X Seamless Full Knife Edge			
				E Seamless Eased Edge			
				G Flat Edge			

SAMPLE ORDER CODE

AFAL D	72	72	FY	7		R
---------------	-----------	-----------	-----------	----------	--	----------

CONFIGURATION

PRICING

	FOUNDATION LAMINATE	SEAMLESS COLOR	FLINTWOOD	NATURAL VENEER	
	Flat Trim	All Edges	Wood Straight Trim	Flat/Full Knife Edge	Solid Full Knife/Solid Eased Edge
D	1622	1705	1897	1897	2008
R	1744	1827	2019	2019	2130
S	1386	1467	1659	1659	1771

If Grade 2 post finish is specified,

add 62

If Grade 2 case finish is specified,

add 93

S O K L
Set of Keys Alike

WHAT’S INCLUDED

Each set of cores include a lock & core and 2 identical keys.

NOTES

All storage furniture is shipped with the lock housing pre-installed in each unit ready to receive the required lock plug cores. Based on the product option, lock cores and keys are shipped either numbered randomly or in “keyed-alike” sets. Quantity of lock cores and keys will match the quantities required for the locking components on the order.

SPECIFICATION NOTES

Count the number of locking components in each workstation. Enter the number of locks into the Quantity column, and then assign a SET to each quantity.

Office Number	Quantity	Set #	Set Total
T1	4	SOKL - 4	1
T2	2	SOKL - 2	1
T3	4	SOKL - 4	1
T4	3	SOKL - 3	1

Total the number of SOKL (Sets of Keys Alike) quantities and transfer each total quantity to your Purchase Order.

Sets ordered in the incorrect quantities that are required for the order may result in the order being placed on hold.

Please verify the quantity by reviewing the plan carefully to ensure that all products with locks have been identified. Remember that some products may have more than one lock core per unit based on size and configuration.

For further details on how to specify locks, please see the Teknion Lock Specification Guide on our website.

PRODUCT OPTIONS

Number of Sets of Cores			
01 1 Set of Cores	07 7 Sets of Cores	13 13 Sets of Cores	19 19 Sets of Cores
02 2 Sets of Cores	08 8 Sets of Cores	14 14 Sets of Cores	20 20 Sets of Cores
03 3 Sets of Cores	09 9 Sets of Cores	15 15 Sets of Cores	
04 4 Sets of Cores	10 10 Sets of Cores	16 16 Sets of Cores	
05 5 Sets of Cores	11 11 Sets of Cores	17 17 Sets of Cores	
06 6 Sets of Cores	12 12 Sets of Cores	18 18 Sets of Cores	

SAMPLE ORDER CODE

SOKL 02

work tools

work tools

PRODUCT MAP215

FOCUS WALL™ BASICS216

DRYWALL RESTRICTIONS217

ADJACENCY CONDITIONS218

FOCUS WALL™ LINKING STRIPS219

FOCUS BOARD™ BASICS220


PRODUCT LISTING222

product map

A F W F Focus Wall Frame


Page 222

Height: 42" or 48" / Width: 24" – 240"

**A F W W Focus Wall Whiteboard**


Page 223

Height: 42" or 48" / Width: 24" – 240"

**A F W T Focus Wall Tackboard**


Page 224

Height: 42" or 48" / Width: 12" – 240"

**A F W S Focus Wall Sliding Whiteboard**


Page 226

Height: 42" or 48" / Width: 24" – 48"


**A F W M Focus Wall Marker Tray**

Page 227

Width: 24" – 96"


**A F W C Focus Wall Flip Chart Hooks**

Page 228

**A F W B Focus Board**

Page 229

Height: 48" / Width: 50"



focus wall basics

Focus Walls provide a vertical writable or tackable surface for collaborative environments.

- ❗ The 48" height matches up with the datum heights of the Altos working wall for applications where dry wall meets perpendicular to an Altos wall
- The 42" height is most appropriate for use in private dry wall offices and can be mounted from worksurface height to line up with casegood datum lines

Focus Wall Frame (AFWF)


- Package of all pieces necessary to make an empty frame in which to hold a whiteboard, tackboard or combination
- Frame is required for every Focus Wall. The Whiteboard (AFWW) or Tackboard (AFWT) cannot be used on their own
- The Focus Wall is for application onto drywall. It cannot be applied to an Altos Wall
- Designed to support compatible Personal Organizers (PAX) (all except PAX90, PAX91, PAX97 and PAX98) and 6" Shelf System (FMS)
- Frame, Marker Tray and Flip Chart Hooks have a clear Anodized finish

Focus Wall Whiteboard (AFWW)

- Fits into the Focus Wall Frame in order to provide an erasable message board
- Must be specified in the same height and width as the Focus Wall Frame if a full Whiteboard is desired
- Whiteboard is a high quality Porcelain:
 - This product accepts magnets
 - Only dry erase markers can be used


Focus Wall Tackboard (AFWT)

- Fits into the Focus Wall Frame in order to provide a tackable work tool
- Must be specified in the same height and width as the Focus Wall Frame
- Combination Whiteboard/Tackboard, the total sum should equal the width of the Focus Wall Frame in which the Whiteboard/Tackboard is being applied
- Available in all Teknion Panel Fabrics




drywall restrictions

The following illustrations demonstrate installation restrictions and are necessary to know in order to accurately specify Focus Wall lengths appropriate for each room and conditions.



The distance between the end of the Focus Wall and the perpendicular wall should be a minimum of 3"



When two Focus Walls are mounted on perpendicular walls, both must be placed a minimum of 5" from the wall


adjacency conditions

Focus Walls can be specified with a variety of combinations of Tackboards and Whiteboards.

⚠ When specifying the Focus Wall Tackboard (AFWT), adjacency conditions must be specified to ensure that the appropriate amount of linking strips are provided for the application desired

Full Tackboard


When a full tackboard is desired, Adjacency Condition "N" (Not adjacent to another Whiteboard or Tackboard) should be selected



Tackboard/Whiteboard Combination (or Tackboard/Tackboard combination of 2 different fabrics)


When a combination Tackboard/Whiteboard/Tackboard is desired (with Whiteboard the middle), Adjacency condition "S" (Adjacent to one Whiteboard or Tackboard of another fabric) should be selected for each tackboard.

Note: When separated by a Whiteboard, each tackboard should be specified separately (For example 2 x 48" not 96")



Tackboard Whiteboard Combination (or Tackboard/Tackboard combination of 2 different fabrics)

When a combination Whiteboard/Tackboard/Whiteboard is desired (with 2 Whiteboards on the ends), Adjacency condition "D" should be selected



focus wall linking strips

The following chart indicates the number of panels and linking strips provided.



Although the maximum width available for both the Focus Wall Whiteboard (AFWW) and Focus Wall Tackboard (AFWT) is 20' (240"), the maximum width of a single panel of whiteboard is 8' (96") and of a tackboard is 4' (48"): Larger sizes comprise of various sized panels totalling the width specified in the product code: Linking strips are required to connect these panels together and automatically come with the order when the Whiteboard or Tackboard is specified in sizes larger than 96" (Whiteboard) or 48" (Tackboard).

Whiteboard (AFWW)

Specified Width	Panels Provided	Linking Strips Provided
24" – 96"	1 Panel	none
102" – 192"	2 Panels of equal width	1
198" – 240"	3 Panels (middle is 96", sides are equal width)	2

Tackboard (AFWT)




Specified Width	Panels Provided	Linking Strips Provided
12" – 48"	1 Panel	none
54" – 96"	2 Panels of equal width	1
102" – 144"	3 Panels (middle is 48", sides are of equal width)	2
150" – 192"	4 Panels (2 middles are 48", sides are of equal width)	3
198" – 240"	5 Panels (3 middles are 48", sides are equal width)	4

focus board basics


The Focus Board is a self-contained, closeable, whiteboard which provided a writable work tool.

Focus Board (AFWB)

- No other components within this section (Frame, Whiteboard, Tackboard etc) need to be specified for the Focus Board to function
- A blocking arm comes on each door to lock it into a 180° position when open
- Has an aesthetic tie to the *Audience* Boardroom furniture



AFWF
Focus Wall Frame



The Focus Wall Frame is a package of all pieces necessary to make an empty frame in which to hold a whiteboard or a tackboard or combination.

WHAT'S INCLUDED

Top and bottom extrusion (frame wider than 96" comes in more than 1 piece). Linking devices (if required, for frame wider than 96"), mounting brackets, end covers (2), hardware.

WHAT'S EXCLUDED

Focus Wall Whiteboard (AFWW), Focus Wall Tackboard (AFWT).

NOTES

Every Focus Wall requires this frame as a basis for every order with the exception of the Focus Board (AFWB).

The height and width of the frame should equal the sum of the Focus Wall Whiteboard (AFWW) and/or Focus Wall Tackboard (AFWT) which is being applied to the frame.

The Maximum width of Focus Wall Frame must be no more than 6" less than the width of the wall to which it is being applied (3" on either side).

Frame has a clear Anodized finish.

PRODUCT OPTIONS

Height	Width (in 6" increments)
42, 48	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96, 102, 108, 114, 120, 126, 132, 138, 144, 150, 156, 162, 168, 174, 180, 186, 192, 198, 204, 210, 216, 222, 228, 234, 240

SAMPLE ORDER CODE

AFWF 42	96
---------	----

DIMENSIONS INCHES / MM		PRICING		DIMENSIONS INCHES / MM		PRICING	
H	W			H	W		
42 / 1067	24 / 610	387		48 / 1219	24 / 610	391	
42 / 1067	30 / 762	430		48 / 1219	30 / 762	434	
42 / 1067	36 / 914	470		48 / 1219	36 / 914	475	
42 / 1067	42 / 1067	513		48 / 1219	42 / 1067	518	
42 / 1067	48 / 1219	555		48 / 1219	48 / 1219	560	
42 / 1067	54 / 1372	595		48 / 1219	54 / 1372	601	
42 / 1067	60 / 1524	638		48 / 1219	60 / 1524	645	
42 / 1067	66 / 1524	679		48 / 1219	66 / 1676	686	
42 / 1067	72 / 1829	721		48 / 1219	72 / 1829	728	
42 / 1067	78 / 1981	764		48 / 1219	78 / 1981	771	
42 / 1067	84 / 2134	804		48 / 1219	84 / 2134	814	
42 / 1067	90 / 2286	847		48 / 1219	90 / 2286	856	
42 / 1067	96 / 2438	865		48 / 1219	96 / 2438	876	
42 / 1067	102 / 2591	909		48 / 1219	102 / 2591	918	
42 / 1067	108 / 2743	950		48 / 1219	108 / 2743	958	
42 / 1067	114 / 2896	990		48 / 1219	114 / 2896	1003	
42 / 1067	120 / 3048	1035		48 / 1219	120 / 3048	1044	
42 / 1067	126 / 3200	1075		48 / 1219	126 / 3200	1085	
42 / 1067	132 / 3454	1116		48 / 1219	132 / 3353	1128	
42 / 1067	138 / 3454	1159		48 / 1219	138 / 3505	1171	
42 / 1067	144 / 3658	1201		48 / 1219	144 / 3658	1213	
42 / 1067	150 / 3810	1243		48 / 1219	150 / 3810	1254	
42 / 1067	156 / 3962	1284		48 / 1219	156 / 3962	1297	
42 / 1067	162 / 4115	1325		48 / 1219	162 / 4115	1339	
42 / 1067	168 / 4267	1368		48 / 1219	168 / 4267	1382	
42 / 1067	174 / 4420	1409		48 / 1219	174 / 4420	1424	
42 / 1067	180 / 4572	1451		48 / 1219	180 / 4572	1466	
42 / 1067	186 / 4724	1494		48 / 1219	186 / 4724	1509	
42 / 1067	192 / 4877	1534		48 / 1219	192 / 4877	1550	
42 / 1067	198 / 5029	1577		48 / 1219	198 / 5029	1592	
42 / 1067	204 / 5182	1618		48 / 1219	204 / 5182	1635	
42 / 1067	210 / 5334	1659		48 / 1219	210 / 5334	1677	
42 / 1067	216 / 5486	1703		48 / 1219	216 / 5486	1718	
42 / 1067	222 / 5639	1743		48 / 1219	222 / 5639	1763	
42 / 1067	228 / 5791	1784		48 / 1219	228 / 5791	1803	
42 / 1067	234 / 5944	1828		48 / 1219	234 / 5944	1844	
42 / 1067	240 / 6096	1831		48 / 1219	240 / 6096	1849	

The Focus Wall Whiteboard fits into a Focus Wall Frame (AFWF) in order to provide a writable work tool within a collaborative environment.

WHAT'S INCLUDED

24" – 96" 1 Whiteboard at specified length

102" – 192" 2 Whiteboards of equal widths, 1 linking strip.

198" – 240" 3 Whiteboards (middle board 96", sides are of equal width), 2 linking strips.

WHAT'S EXCLUDED

Focus Wall Frame (AFWF). Focus Wall Whiteboard cannot be mounted without the frame.

NOTES

The nominal height and width of the Focus Wall Whiteboard should equal the nominal height and width of the Focus Wall Frame.


If a combination wall is desired (Whiteboard and Tackboard), the total sum of the Whiteboard (AFWW) and the Tackboard (AFWT) should equal the width of the Focus Wall Frame (AFWF).

Whiteboard is made of porcelain and accepts magnets.

Linking strips have a clear Anodized finish.

PRODUCT OPTIONS

Height	Width
42, 48	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96, 102, 108, 114, 120, 126, 132, 138, 144, 150, 156, 162, 168, 174, 180, 186, 192, 198, 204, 210, 216, 222, 228, 234, 240



SAMPLE ORDER CODE

AFWW 42	180
---------	-----


DIMENSIONS INCHES / MM

H	W	
42 / 1067	24 / 610	345
42 / 1067	30 / 762	432
42 / 1067	36 / 914	521
42 / 1067	42 / 1067	610
42 / 1067	48 / 1219	697
42 / 1067	54 / 1219	787
42 / 1067	60 / 1524	886
42 / 1067	66 / 1676	979
42 / 1067	72 / 1829	1073
42 / 1067	78 / 1981	1167
42 / 1067	84 / 2134	1261
42 / 1067	90 / 2286	1354
42 / 1067	96 / 2438	1393
42 / 1067	102 / 2591	1521
42 / 1067	108 / 2743	1611
42 / 1067	114 / 2896	1709
42 / 1067	120 / 3048	1807
42 / 1067	126 / 3200	1900
42 / 1067	132 / 3353	1993
42 / 1067	138 / 3505	2088
42 / 1067	144 / 3658	2182
42 / 1067	150 / 3810	2275
42 / 1067	156 / 3962	2369
42 / 1067	162 / 4115	2465
42 / 1067	168 / 4267	2560
42 / 1067	174 / 4420	2653
42 / 1067	180 / 4572	2746
42 / 1067	186 / 4724	2784
42 / 1067	192 / 4877	2822
42 / 1067	198 / 5029	2951
42 / 1067	204 / 5182	3041
42 / 1067	210 / 5334	3139
42 / 1067	216 / 5486	3236
42 / 1067	222 / 5639	3331
42 / 1067	228 / 5791	3423
42 / 1067	234 / 5944	3517
42 / 1067	240 / 6096	3611

DIMENSIONS INCHES / MM

H	W	
48 / 1219	24 / 610	391
48 / 1219	30 / 762	492
48 / 1219	36 / 914	592
48 / 1219	42 / 1067	692
48 / 1219	48 / 1219	794
48 / 1219	54 / 1372	893
48 / 1219	60 / 1524	1006
48 / 1219	66 / 1676	1112
48 / 1219	72 / 1829	1218
48 / 1219	78 / 1981	1325
48 / 1219	84 / 2134	1432
48 / 1219	90 / 2286	1540
48 / 1219	96 / 2438	1583
48 / 1219	102 / 2591	1724
48 / 1219	108 / 2743	1826
48 / 1219	114 / 2896	1935
48 / 1219	120 / 3048	2048
48 / 1219	126 / 3200	2154
48 / 1219	132 / 3353	2261
48 / 1219	138 / 3505	2367
48 / 1219	144 / 3658	2475
48 / 1219	150 / 3810	2582
48 / 1219	156 / 3962	2689
48 / 1219	162 / 4115	2795
48 / 1219	168 / 4267	2903
48 / 1219	174 / 4420	3009
48 / 1219	180 / 4572	3114
48 / 1219	186 / 4724	3159
48 / 1219	192 / 4877	3202
48 / 1219	198 / 5029	3344
48 / 1219	204 / 5182	3444
48 / 1219	210 / 5334	3555
48 / 1219	216 / 5486	3668
48 / 1219	222 / 5639	3775
48 / 1219	228 / 5791	3881
48 / 1219	234 / 5944	3989
48 / 1219	240 / 6096	3956

AFWT
Focus Wall Tackboard



The Focus Wall Tackboard fits into a Focus Wall Frame (AFWF) in order to provide a tackable work tool in a collaborative environment.

WHAT’S INCLUDED

12" – 48" 1 Fabric panel at specified length

54" – 96" 2 Fabric panels of equal width, 1 linking strip

102" – 144" 3 Fabric panels (middle is 48", sides are of equal widths), 2 linking strips

150" – 192" 4 Fabric panels (2 middles are 48", sides are of equal widths), 3 linking strips

198" – 240" 5 Fabric panels (3 middles are 48", sides are of equal widths), 4 linking strips

Hardware.

WHAT'S EXCLUDED

Focus Wall Frame (AFWF). Focus Wall Tackboard cannot be mounted without the frame.

NOTES

The nominal height and width of the Focus Wall Tackboard should equal the nominal height and width of the Focus Wall Frame.

If a combination wall is desired (Whiteboard and Tackboard), the total sum of the Whiteboard (AFWW) and the Tackboard (AFWT) should equal the width of the Focus Wall Frame (AFWF).

Linking Strips have a clear Anodized finish.

PRODUCT OPTIONS

Height	Width	Upholstery Finish	Adjacency Condition
42, 48	12, 18, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96, 102, 108, 114, 120, 126, 132, 138, 144, 150, 156, 162, 168, 174, 180, 186, 192, 198, 204, 210, 216, 222, 228, 234, 240	Panel Fabric	N Not adjacent to another Whiteboard or Tackboard (Full Tackboard Wall) S Adjacent to one Whiteboard or Tackboard of another fabric D Adjacent to two Whiteboards or Tackboards of another fabric

SAMPLE ORDER CODE

AFWT 42	96	K403	N
---------	----	------	---

DIMENSIONS
INCHES / MM

		Fabric Grade						
H	W	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 5	Gr. 6	Gr. 7
42 / 1067	12 / 305	165	178	195	215	283	325	367
42 / 1067	18 / 457	204	218	241	265	349	401	453
42 / 1067	24 / 610	243	262	288	317	418	482	544
42 / 1067	30 / 762	285	305	336	369	487	561	633
42 / 1067	36 / 914	324	349	384	422	558	641	723
42 / 1067	42 / 1067	365	392	432	475	628	722	817
42 / 1067	48 / 1219	406	437	480	529	697	801	907
42 / 1067	54 / 1372	564	603	661	723	944	1080	1215
42 / 1067	60 / 1524	605	648	710	777	1013	1159	1306
42 / 1067	66 / 1676	646	691	757	829	1082	1239	1396

If Adjacency Condition "S" is selected add 36
If Adjacency Condition "D" is selected add 72

DIMENSIONS
INCHES / MM

		Fabric Grade						
H	W	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 5	Gr. 6	Gr. 7
48 / 1219	12 / 305	174	186	205	226	298	342	387
48 / 1219	18 / 457	214	229	253	277	367	422	477
48 / 1219	24 / 610	256	275	303	333	439	504	570
48 / 1219	30 / 762	299	322	354	390	514	591	668
48 / 1219	36 / 914	341	367	405	446	589	677	765
48 / 1219	42 / 1067	385	414	454	500	660	759	859
48 / 1219	48 / 1219	426	459	504	557	734	845	953
48 / 1219	54 / 1372	592	633	693	759	989	1134	1276
48 / 1219	60 / 1524	634	680	745	817	1065	1218	1372
48 / 1219	66 / 1676	678	726	796	874	1140	1305	1469

A F W T

Focus Wall Tackboard

(Continued)

DIMENSIONS INCHES / MM


H	W	PRICING						
		Fabric Grade						
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 5	Gr. 6	Gr. 7
42 / 1067	72 / 1829	685	735	804	882	1152	1318	1485
42 / 1067	78 / 1981	726	778	853	933	1222	1400	1578
42 / 1067	84 / 2134	767	822	899	987	1293	1482	1672
42 / 1067	90 / 2286	808	865	950	1042	1364	1561	1762
42 / 1067	96 / 2438	849	912	997	1095	1432	1642	1849
42 / 1067	102 / 2591	1008	1078	1180	1290	1678	1920	2159
42 / 1067	108 / 2743	1048	1122	1228	1342	1747	1998	2248
42 / 1067	114 / 2896	1088	1166	1275	1396	1816	2078	2337
42 / 1067	120 / 3048	1128	1210	1322	1448	1888	2157	2427
42 / 1067	126 / 3200	1170	1252	1370	1500	1958	2239	2520
42 / 1067	132 / 3353	1211	1296	1419	1554	2028	2322	2614
42 / 1067	138 / 3505	1250	1340	1467	1608	2098	2399	2702
42 / 1067	144 / 3658	1292	1385	1516	1661	2167	2480	2792
42 / 1067	150 / 3810	1451	1553	1697	1857	2414	2757	3102
42 / 1067	156 / 3962	1492	1595	1744	1909	2482	2838	3192
42 / 1067	162 / 4115	1531	1640	1794	1961	2552	2917	3282
42 / 1067	168 / 4267	1572	1682	1839	2013	2622	2996	3371
42 / 1067	174 / 4420	1613	1727	1889	2067	2692	3078	3464
42 / 1067	180 / 4572	1652	1770	1935	2120	2762	3160	3557
42 / 1067	186 / 4724	1695	1813	1986	2174	2832	3240	3646
42 / 1067	192 / 4877	1736	1860	2033	2227	2903	3318	3735
42 / 1067	198 / 5029	1894	2027	2214	2421	3146	3599	4045
42 / 1067	204 / 5182	1934	2070	2263	2475	3218	3675	4136
42 / 1067	210 / 5334	1975	2113	2308	2527	3286	3757	4225
42 / 1067	216 / 5486	2015	2157	2357	2578	3355	3836	4315
42 / 1067	222 / 5639	2056	2200	2406	2632	3427	3916	4407
42 / 1067	228 / 5791	2096	2243	2453	2687	3497	3999	4500
42 / 1067	234 / 5944	2137	2289	2503	2739	3569	4078	4590
42 / 1067	240 / 6096	2178	2333	2550	2792	3637	4158	4680

If Adjacency Condition "S" is selected add 36
If Adjacency Condition "D" is selected add 72

DIMENSIONS INCHES / MM

H	W	PRICING						
		Fabric Grade						
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 5	Gr. 6	Gr. 7
48 / 1219	72 / 1829	720	772	847	927	1214	1390	1565
48 / 1219	78 / 1981	764	818	895	983	1285	1472	1661
48 / 1219	84 / 2134	806	863	946	1038	1358	1556	1755
48 / 1219	90 / 2286	849	910	996	1094	1431	1642	1849
48 / 1219	96 / 2438	891	955	1047	1150	1503	1725	1943
48 / 1219	102 / 2591	1055	1130	1236	1353	1763	2015	2267
48 / 1219	108 / 2743	1100	1176	1287	1409	1836	2100	2363
48 / 1219	114 / 2896	1142	1222	1338	1466	1910	2185	2459
48 / 1219	120 / 3048	1184	1269	1389	1521	1986	2271	2557
48 / 1219	126 / 3200	1228	1313	1438	1577	2057	2355	2652
48 / 1219	132 / 3353	1272	1361	1488	1632	2129	2438	2746
48 / 1219	138 / 3505	1312	1406	1540	1686	2202	2522	2841
48 / 1219	144 / 3658	1355	1452	1589	1742	2274	2605	2934
48 / 1219	150 / 3810	1520	1627	1778	1946	2533	2895	3256
48 / 1219	156 / 3962	1563	1674	1830	2003	2605	2981	3353
48 / 1219	162 / 4115	1607	1718	1880	2059	2682	3068	3451
48 / 1219	168 / 4267	1648	1766	1931	2116	2755	3154	3547
48 / 1219	174 / 4420	1692	1810	1981	2169	2827	3235	3641
48 / 1219	180 / 4572	1736	1858	2030	2225	2898	3318	3735
48 / 1219	186 / 4724	1777	1902	2081	2279	2974	3403	3830
48 / 1219	192 / 4877	1820	1948	2132	2335	3046	3487	3925
48 / 1219	198 / 5029	1986	2123	2322	2539	3303	3777	4248
48 / 1219	204 / 5182	2028	2169	2370	2597	3377	3862	4345
48 / 1219	210 / 5334	2070	2215	2422	2653	3452	3947	4440
48 / 1219	216 / 5486	2112	2261	2474	2710	3526	4033	4536
48 / 1219	222 / 5639	2155	2306	2523	2762	3600	4118	4631
48 / 1219	228 / 5791	2199	2354	2572	2817	3670	4200	4725
48 / 1219	234 / 5944	2241	2398	2625	2874	3743	4285	4821
48 / 1219	240 / 6096	2285	2446	2674	2928	3816	4369	4915

A F W S
Focus Wall Sliding Whiteboard



The Focus Wall Sliding Whiteboard fits onto the Focus Wall Frame (AFWF) to provide a sliding, second level writing surface.

WHAT'S INCLUDED

1 Sliding Whiteboard et Hardware.

NOTES

Whiteboard is made of a porcelain and accepts magnets.

The Focus Wall Sliding Whiteboard width should not exceed half of the Focus Wall Frame width.

Cannot be used with Personal Organizers (PAX) or 6" Shelf System (FMS).

Frame has a clear Anodized finish.

PRODUCT OPTIONS

Height	Width
42, 48	24, 30, 36, 42, 48

SAMPLE ORDER CODE

AFWS 42	36
---------	----

DIMENSIONS
INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219

PRICING

605
720
833
949
1063
657
782
907
1031
1154

Focus Wall Marker Tray fits to the underside of the Focus Wall Frame (AFWF) to provide storage space for markers and brushes.

WHAT'S INCLUDED


1 Marker Tray.

NOTES

The Market Tray can be used when the sliding Whiteboard is used.

Marker Tray has a clear Anodized finish.

A F W M
Focus Wall Marker Tray



PRODUCT OPTIONS


Width
24, 48, 60, 72, 96

SAMPLE ORDER CODE

AFWM 24

DIMENSIONS INCHES / MM	PRICING
W	
24 / 610	180
48 / 1219	279
60 / 1524	326
72 / 1829	372
96 / 2438	471

A F W C
Focus Wall Flip Chart Hooks



Focus Wall Flip Chart Hooks mount to the Focus Wall Frame (AFWF) to allow for the hanging of flip charts.

WHAT INCLUDED
2 Hooks.

NOTES
Can be mounted onto a Focus Wall Sliding Whiteboard.
When mounted directly onto the Focus Wall Frame, it will interfere with the Focus Wall Sliding Whiteboard (AFWS) and therefore may need to be temporarily removed to allow for the maximum lateral movement of the sliding whiteboard when necessary.
Flip Chart Hooks have a clear Anodized finish.

PRICING

167

The Focus Board is a self-contained, closeable whiteboard which provides a writable work tool for use in collaborative environments.

WHAT'S INCLUDED

1 Focus Board, Mounting brackets.


NOTES

Whiteboard is made of porcelain and is magnetic.

No other components within this section (Frame, Whiteboard, Tackboard etc) need to be ordered for the Focus Board to function.

A blocking arm comes on each door to lock it into a 180° position when open.

A F W B Focus Board



PRODUCT OPTIONS

Height	Width	Case & Door Front Finish	Handle Style	Handle Finish
48	50	Source Laminate Flintwood Natural Veneer	B Rectangular C Contemporary	E Ebony 7 Platinum

SAMPLE ORDER CODE

AFWB 48	50	MP	B	7
---------	----	----	---	---

DIMENSIONS INCHES / MM

H	W	Source Laminate	Flintwood	Natural Veneer
48 / 1219	50 / 1270	2457	4196	4662

If Contemporary Handle is specified, add 52

teknion

www.teknion.com

IN CANADA:
1150 Flint Road
Toronto, Ontario
M3J 2J5 Canada
Tel 866.teknion
866.835.6466

IN THE USA:
350 Fellowship Road
Mt Laurel, New Jersey
08054 USA
Tel 877.teknion
877.835.6466

OTHER OFFICES LOCATED IN:
Europe, South and Central America
Middle East, Asia and Russia
For regional contact information
go to www.teknion.com

CAN/US/INT 02-21
©Teknion 2017

®, ™ trade marks of Teknion
Corporation and/or its subsidiaries or
licensed to it. Patents may be pending.

Some products may not be available in
all markets. Contact your local
Teknion Representative for availability.

FEB17-TAB-PG