

HermanMiller Limerick® Chair



Designer

Tom Newhouse

Limerick chairs show up in so many places because they deliver so much value for such a down-to-earth price. You can stack 10 chairs on the floor or move 36 of them stacked on a cart. Ganging glides let you link the chairs easily to make neat rows of seating for classrooms or auditoriums. The back is curved and flexible, to provide lumbar support. An opening between the back and seat provides ventilation—and makes the chair easy to carry.

Technical Specifications

Seat Height: 18"

Seat Depth: 17.5"


Tested and warranted for use by people 300 pounds and under.

Design for the Environment

GREENGUARD Gold Certified

Warranty

The Limerick Chair comes with a 12-year, 3-shift warranty on parts and labor, including pneumatic cylinders, tilts, and all moving mechanisms. For warranty limitations on materials, please visit hermanmiller.com/warranty-terms.



Limerick Chair



Earthright: Herman Miller's Sustainability Goals

Resource Smart

- Zero Waste
- Net Zero Water
- Net Zero Energy

Eco-inspired Design

- All products designed for the environment
- All products BIFMA level 3 certified
- Closed-loop recycling of used product

Community Driven

- All employees engaged in Earthright
- All suppliers committed to be Resource Smart



Environmental Product Summary

Limerick® Chair

Design Story: A Side Chair that's Ergonomic and Green

Designing the award-winning Limerick Chair allowed Tom Newhouse to exercise two of his passions: the study of emerging office issues and the implementation of socially conscious, green design concepts.

He observed that office workers are increasingly using temporary seating, so he made Limerick Chairs light, stackable, and easy to move. Then, Newhouse added the unexpected: He applied his industrial design expertise to make Limerick highly ergonomic, an uncommon feature in side chairs.

And since he's committed to designing products and using technologies that preserve the environment, it's no coincidence that Limerick is also 100 percent recyclable.

Herman Miller's Design Protocol

Our commitment to corporate sustainability naturally includes minimizing the environmental impact of each of our products. Our Design for Environment team (DfE) applies environmentally sensitive design standards to both new and existing Herman Miller products.

The DfE Design Protocol goes beyond regulatory compliance to thoroughly evaluate new product designs in four key areas:


- *Material Chemistry and Safety of Inputs*—What chemicals are in the materials we specify, and are they the safest available?
- *Disassembly*—Can we take products apart at the end of their useful life, to recycle their materials?
- *Recyclability*—Do the materials contain recycled content, and more importantly, can the materials be recycled at the end of the product's useful life?
- *LCA*—Have we optimized the product based on the entire life cycle?

GREENGUARD® Certified

The Limerick Chair has achieved GREENGUARD® Gold certification. GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.


Material Content*

The Limerick Chair's components are constructed from steel and plastic.



The Limerick Chair is up to 100 percent recyclable based on availability of recycling facilities.

Limerick is comprised of 71-percent recycled materials. This figure breaks down to 59- percent post-consumer and 12-percent pre-consumer recycled content.





Environmental Product Summary

Limerick Chair

- Steel components contain approximately 37 percent recycled content and are 100 percent recyclable.
- Most metal components are finished using materials that emit negligible volatile organic compounds (VOCs).
- Plastic components are identified with an ASTM recycling code whenever possible, to aid in returning these materials to the recycling stream.
- Recycling instructions are injection-molded into the seat bottom.
- *Returnable/Recyclable Packaging*—Packaging materials include corrugated cardboard and a polyethylene plastic bag. These materials are part of a closed-loop recycling system, meaning they can be recycled repeatedly.
 - Whenever possible, shipments between Herman Miller and its suppliers include the use of pallets and other returnable packaging to minimize waste.
 - On large North American orders, disposable packaging can be replaced with reusable shipping blankets.

Manufacturing Process

- *Renewable energy and Emissions*—The Limerick Chair is manufactured at Herman Miller's GreenHouse seating operations in West Michigan using 100 percent renewable energy via renewable energy credits and a power purchase agreement. No air or water emissions are released in Limerick's production.
- The GreenHouse is also a LEED Pioneer building.
- *ISO*—The GreenHouse is within the scope of Herman Miller's ISO 14001 certified environmental management system.
- *Worker Health and Safety*—Herman Miller strives to meet or exceed OSHA standards. The GreenHouse is within the scope of Herman Miller's OHSAS 18001 certified safety management system.

Product Performance

- Easy assembly for cost-efficiency and quick parts replacement.
- Easy disassembly for recyclability.
- Lightweight and stackable for easy storage.
- Designed for durability, an important environmental criterion.
- Backed by Herman Miller's 12-year, 24/7 warranty.

Corporate Sustainability Policy

For more information on Herman Miller's Corporate Sustainability Policy and other environmental efforts, please visit HermanMiller.com/environment.

Supplier Support

At Herman Miller, we are committed to working closely with our suppliers to reduce our collective impact on the environment. We not only encourage our suppliers to minimize their operations' environmental impacts, but require they assist us in decreasing our facilities' negative environmental effects, as well.

LEED

The Limerick Chair may contribute to LEED credits due to its returnable/reusable packaging, durability, pre-consumer and post-consumer recycled content. Depending on location, Limerick also may contribute to a LEED Regional Materials credit. The Herman Miller LEED calculator may be found on the websites product pages or contact your Herman Miller representative for detailed LEED information.

rePurposeSM Program

Good design includes thoughtful thinking about how to recycle used products. Our program, rePurpose, gives new life to furniture that's no longer needed. By employing a thoughtful combination of resale, recycling, and donation on each project, rePurpose ensures each asset, including furniture, equipment, and supplies, reaches its best destination. The rePurpose program is a cost-effective, reliable, and efficient service that protects the environment and benefits the community. rePurpose is a single-source approach, which saves time and money, eliminates liability, and keeps 99 percent of product out of landfills. Its robust web-based reporting helps organization of all types and sizes align economic, environmental, and social goals. Want to learn more about rePurpose? Contact us at rePurpose@hermanmiller.com.

It's important to note that no interior furnishings, individually or collectively, can guarantee a specific number of points for LEED certification.

Herman Miller complies with the Federal Trade Commission's Part 260 Guides for the Use of Environmental Marketing Claims.

Herman Miller, , and Limerick are among the registered trademarks of Herman Miller, Inc., and its subsidiaries. * The environmental data provided is representative of LM. © 2017 Herman Miller, Inc., Zeeland, Michigan All rights reserved.



Prices effective February 6, 2017

Limerick® Chairs

Introduction	page 2
Limerick® Chairs	3
Stacking Side Chair	5
Cart	6
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Casters and Glides	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 6, 2017, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $\frac{1}{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.


Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Stacking Side Chair

Cart

Stacking Side Chair

LM



Product Information

Description

This molded chair has a flexible back, waterfall edges, and a sled base. Chairs can stack 10 high on the floor and 36 high on a cart.

The chair complies with the following standards:

- California Technical Bulletin 117 fire safety standard
- CAL 133 and Boston Fire Code requirements


Notes

Chair is tested and warranted for use by persons 300 pounds and under.

For chair used on carpet, no glide (NG) or glide (SG) option is recommended. For chair used on hard floors, glide (SG) option is recommended. For information on glides, see Casters and Glides in Appendices.

Order optional Limerick cart (LMCT) separately.

Dimensions



Specification Information

Step 1.

LM \$187

Step 2. Glide Option

NG no glide, carpet only +\$0
SG glide +\$5
GG ganging glide +\$10


Step 3. Frame Finish

BK black +\$0

Step 4. Seat/Back Finish

BK black +\$0
MB medium blue +\$0
MT medium tone +\$0
PR purple +\$0

Limerick® Stacking Side Chair



Limerick® Cart

Product Information


Description

This chair cart stores and transports up to 36 Limerick stacking side chairs. It has locking nylon wheels. Finish is black.

Notes

For use on carpet, specify hard-wheel casters (HW); for use on hard floors, specify soft-wheel casters (SW).

Dimensions



Specification Information

Step 1.

LMCT \$408

Step 2. Caster Option

HW 2" hard double wheel caster, carpet +\$0

SW 2" soft double wheel caster, hard floor +\$20

20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon **A** will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an **A** are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation


Per Herman Miller Terms and Conditions.



Casters and Glides

▲	WARNING	▲
Depending on the floor surface, chair may unexpectedly roll away from user when entering or exiting the chair, possibly leading to unexpected injury. Please refer to descriptions of floor types when selecting casters.		


32 Caster



17/8-inch-diameter hard double-wheel caster; black nylon wheels and yoke; for use on carpet only

Applicable on:
Keyn Chairs
Sayl® Chairs


BB Caster



2 1/2-inch-diameter hard double-wheel caster; black nylon wheels and yoke; for use on carpet only

Applicable on:
New Aeron® Chairs
Classic Aeron Chairs
Caper® Chairs
Celle® Chairs
Embody® Chairs
Equa 2® Chairs
Ergon 3® Chairs
Mirra 2 Chairs
Sayl Chairs


C7 Caster



2 1/2-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; for use on hard floors or carpet

Applicable on:
New Aeron Chairs
Classic Aeron Chairs
Caper Chairs
Celle Chairs
Embody Chairs
Equa 2 Chairs
Ergon 3 Chairs
Mirra 2 Chairs
Sayl Chairs


CA Caster



2-inch-diameter single-wheel caster; black rubber wheel with black yoke; for use on hard floors or carpet

Applicable on:
Co/Struc® System


49 Caster



1 7/8-inch-diameter soft double-wheel caster; black nylon wheels and yoke; for use on hard floors or carpet

Applicable on:
Keyn Chairs
Sayl Chairs


BSC Caster



2-inch-diameter double-wheel caster; black nylon wheels and hood; soft polyurethane tread; for use on hard floors or carpet

Applicable on:
Eames® Aluminum Group
Eames Executive Chairs
Eames Soft Pad Group

C9 Caster




2 1/2-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; internal brake; for use on hard floors or carpet

Applicable on:
Classic Aeron Chairs
Caper Chairs
Celle Chairs
Embody Chairs
Equa 2 Chairs
Ergon 3 Chairs
Mirra 2 Chairs
Setu® Stools only

Sayl Chairs

DC1 Caster




2 1/2-inch-diameter double-wheel braking caster; black nylon wheels and yoke; for use on hard floors or carpet; quiet roll technology

Applicable on:
New Aeron Chairs

Casters and Glides

continued


DS Caster



2-inch-diameter soft double-wheel braking caster; black nylon wheels and hood; for use on hard floors only

Applicable on:
Aside® Chairs
Caper Chairs


HCC Caster



2 1/2-inch-diameter double-wheel medium roll resistance caster; black yoke; for use on hard floors or carpet.

Applicable on:
Setu Chairs


MD Caster



2-inch-diameter double-wheel caster; black nylon wheels with integral chrome hood; soft polyurethane tread; for use on hard floors or carpet

Applicable on:
Eames® Aluminum Group
Eames Executive Chairs
Eames Soft Pad Group


SC8 Caster



2 1/2-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; quiet roll technology; for use on hard floors or carpet

Applicable on:
Mirra 2 Chairs


H9 Caster



2 1/2-inch-diameter double-wheel caster; clear polycarbonate wheels; nylon yoke; soft polyurethane tread; for use on carpet only.

Applicable on:
Embody Chairs
Setu Chairs

HW Caster



2-inch-diameter double-wheel caster; black nylon wheels and hood; for use on carpet only

Applicable on:
Limerick® Cart


OC Caster



Setu-specific 2 1/2-inch-diameter double-wheel medium roll-resistant caster; black nylon wheels and yoke; soft polyurethane tread; for use on hard floors or carpet; quiet roll technology

Applicable on:
Setu Chairs

SW Caster




2-inch-diameter soft double-wheel caster; black nylon wheels and hood; for use on hard floors only

Applicable on:
Limerick Cart

Casters and Glides

continued


U4 Caster



17/8-inch-diameter hard double-wheel caster; black nylon wheels and yoke; for use on carpet only

Applicable on:
Aside Chairs
Caper Chairs


UD Caster



2-inch-diameter hard double-wheel caster; black nylon wheels with painted hood; for use on carpet only

Applicable on:
Eames® Aluminum Group
Eames Executive Chairs
Eames Soft Pad Group


16 Glide



(Front glide shown)
2 1/8-inch-high glide; black or fog acetal; for use on carpet only

Applicable on:
Sayl Chairs


AGL Glide



2 1/4-inch-high glide; black or white nylon stem; for use on carpet only

Applicable on:
Keyn Chairs


U5 Caster



17/8-inch-diameter soft double-wheel caster; black nylon wheels and yoke; for use on hard floors or carpet

Applicable on:
Aside Chairs
Caper Chairs


VD Caster



2-inch-diameter hard double-wheel caster; black nylon wheels with integral chrome hood; for use on carpet only

Applicable on:
Eames Aluminum Group
Eames Executive Chairs
Eames Soft Pad Group


69 Glide



(Front glide shown)
2 1/8-inch-high glide; black glass-filled nylon stem; steel-plated swivel foot with Floor Saver Glide™ insert; for use on hard floors only

Applicable on:
Sayl Chairs

FSG Glide




2 1/4-inch-high glide; black or white nylon stem; steel-plated swivel foot with Floor Saver Glide™ insert; for use on hard floors only

Applicable on:
Keyn Chairs

Casters and Glides

continued




1½-inch-diameter glide; ½ inch in height; black nylon; for use on hard floors or carpet

Applicable on:
Eames Aluminum Group
Eames Executive Chairs
Eames Soft Pad Group




½-inch-high ganging glide; clear polycarbonate; for use on hard floors or carpet

Applicable on:
Limerick Chairs



¼-inch-high, 1-inch diameter glide; thermoplastic CAP material (G1 base has black glides; XT base has clear glides); for use on hard floors or carpet

Applicable on:
Classic Aeron Chairs
Equa 2 Chairs



½-inch-high glide; clear polycarbonate; for use on hard floors or carpet

Applicable on:
Limerick Chairs



2½-inch-high glide; black nylon; for use on hard floors or carpet

Applicable on:
New Aeron Chairs
Classic Aeron Chairs
Celle Chairs
Equa 2 Chairs
Ergon 3 Chairs
Mirra 2 Chairs
Sayl Chairs



½-inch-high glide; black nylon glide with stainless-steel insert; for use on hard floors or carpet

Applicable on:
Aside Chairs



½-inch-high glide; black nylon; for use on carpet only

Applicable on:
Aside Chairs



⅛-inch-high glide; polycarbonate in black, fog, clear, and studio white finishes; for use on hard floors or carpet

Applicable on:
Sayl Chairs

Casters and Glides

continued


Y7 Glide



1 7/8-inch-high glide; black
acetal; for use on carpet only

Applicable on:
Caper Chairs

YX Glide



1 7/8-inch-high glide; black
nylon stem; steel-plated
swivel foot with Floor Saver
Glide™ insert; for use on
hard floors only

Applicable on:
Caper Chairs

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

This book is recyclable. Printed in U.S.A. on recycled paper.

© 2017 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, ●, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Locale, Logic Mini, Logic Power Access Solutions, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Motia, Multiscrim, Nelson, Pari, Pixelated Support, Plex, PostureFit SL, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis SpA.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.



Prices effective February 6, 2017

Seating

10-Day or Less

Introduction	page 2
Seating 10-Day or Less	
Embody® Chairs	3
Classic Aeron® Chairs	7
Mirra® 2 Chairs	13
Celle® Chairs	19
Sayl® Chairs	25
Equa 2® Chairs	35
Ergon 3® Chairs	41
Setu® Chairs	45
Caper® Chairs	49
Aside® Chairs	55
Limerick® Chairs	59
Indices	63
By Name	63
By Number	65
Appendices	
10-Day or Less Order Information	
10-Day Casters and Glides	
Proprietary Textiles Application Chart - 10-Day Seating	
Proprietary Textile Colors - 10-Day Seating	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 6, 2017, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as dimensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.



Work Chair

CN122
CN132



Specification Information

Step 1.

CN1

Step 2. Height Range

- 22** standard-height range
- 32** extended-height range

Step 3. Arms

- NNAA** no arms
- AWAA** fully adjustable arms

Step 4. Fire Retardancy

For not fire retardant (), skip this step.*
not fire retardant

Prices for Steps 1-4.

		*
CN122	NNAA	\$1430
	AWAA	\$1525
CN132	NNAA	\$1477
	AWAA	\$1574

Step 5. Base Finish

- G1** graphite +\$0
- XT** titanium +\$0

Step 6. Frame Finish

- G1** graphite +\$0
- 91** white +\$55

Step 7. Casters

- BB** 2½" hard caster, black yoke, carpet only +\$0
- C7** 2½" caster, black yoke, hard floors or carpet +\$40

Step 8. Fabric

*See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.*

- Price Category 2 +\$0
- Price Category 4 +\$50
- Price Category 6 +\$240

Work Chair, Ready to Assemble

CN222
CN232



Specification Information

Step 1.

CN2

Step 2. Height Range

- 22** standard-height range
- 32** extended-height range

Step 3. Arms

- NNAA** no arms
- AWAA** fully adjustable arms

Step 4. Fire Retardancy

For not fire retardant (), skip this step.*
not fire retardant

Prices for Steps 1-4.

		*
CN222	NNAA	\$1430
	AWAA	\$1525
CN232	NNAA	\$1477
	AWAA	\$1574

Step 5. Base Finish

- G1** graphite +\$0
- XT** titanium +\$0

Step 6. Frame Finish

- G1** graphite +\$0
- 91** white +\$55

Step 7. Casters

- BB** 2½" hard caster, black yoke, carpet only +\$0
- C7** 2½" caster, black yoke, hard floors or carpet +\$40

Step 8. Fabric

*See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.*

- Price Category 2 +\$0
- Price Category 4 +\$50
- Price Category 6 +\$240

Work Chairs

Stools

Accessories



Work Chair

AE111
AE112
AE113



Specification Information

Step 1.

AE11

Step 2. Tilt

- 1** standard tilt
- 2** tilt limiter
- 3** tilt limiter and seat angle

Step 3. Arms

- N** no arms
- P** fixed arms
- H** height-adjustable arms
- A** fully adjustable arms

Step 4. Armpad Upholstery

For no arms (N)

- N** no arms

For fixed arms (P), height-adjustable arms (H), or fully adjustable arms (A)

- W** nonupholstered armpads

Step 5. Size

- A** a size
- B** b size
- C** c size

Step 6. Fire Retardancy

For not fire retardant (*), skip this step.
not fire retardant

Prices for Steps 1-6.

		A*	B*	C*
AE111	N N	\$1028	1028	1028
	P W	\$1167	1167	1167
	H W	\$1235	1235	1235
	A W	\$1316	1316	1316
AE112	N N	\$1091	1091	1091
	P W	\$1230	1230	1230
	H W	\$1299	1299	1299
	A W	\$1380	1380	1380
AE113	N N	\$1162	1162	1162
	P W	\$1299	1299	1299

H	W	\$1369	1369	1369
A	W	\$1453	1453	1453

Step 7. Back Support Option

For standard tilt (1)

- N2** no additional support +\$0
- AJ** adjustable lumbar support +\$65

For tilt limiter (2) or tilt limiter and seat angle (3)

- N2** no additional support +\$0
- AJ** adjustable lumbar support +\$65
- PJ** adjustable PostureFit® support +\$95

Step 8. Base/Frame Finish

- G1** graphite +\$0
- XT** titanium with smoke frame +\$0

Step 9. Casters/Glides

- BB** 2 1/2" hard caster, black yoke, carpet only +\$0
- C7** 2 1/2" caster, black yoke, hard floors or carpet +\$40

Step 10. Armpad Finish

For nonupholstered armpads (W) with not fire retardant with graphite (G1)

- BK** black +\$0

For nonupholstered armpads (W) with not fire retardant with titanium with smoke frame (XT)

- S8** smoke +\$0

Step 11. Pellicle® Material

See application chart and textiles list for material usage and numbers.
First 2 digits of number indicate material; remaining 2 digits indicate color.

For not fire retardant with graphite (G1)


- Price Category 1 +\$0
- Price Category 2 +\$28

For not fire retardant with titanium with smoke frame (XT)

- Price Category 1 +\$0

Work Stool

AE712
AE713
AE722
AE723



Classic Aeron® Stools

Specification Information

Step 1.

AE7

Step 2. Height

- 1** low
- 2** high

Step 3. Tilt

- 2** tilt limiter
- 3** tilt limiter and seat angle

Step 4. Arms

- H** height-adjustable arms
- A** fully adjustable arms

Step 5. Armpad Upholstery

WB nonupholstered armpads

Step 6. Base/Frame Finish

G1 graphite base/frame

Step 7. Fire Retardancy

For not fire retardant (), skip this step.*
not fire retardant

Prices for Steps 1-7.

			G1*
AE712	H	WB	\$1748
	A	WB	\$1842
AE713	H	WB	\$1818
	A	WB	\$1917
AE722	H	WB	\$1836
	A	WB	\$1936
AE723	H	WB	\$1905
	A	WB	\$2005

Step 8. Back Support Option

- N2** no additional support +\$0
- AJ** adjustable lumbar support +\$65

Step 9. Frame Applique

NN none +\$0

Step 10. Casters/Glides

- BB** 2 1/2" hard caster, black yoke, carpet only +\$0
- C7** 2 1/2" caster, black yoke, hard floors or carpet +\$40

Step 11. Armpad Finish

For nonupholstered armpads (WB) with graphite base/frame (G1)
BK black +\$0


Step 12. Pellicle® Material

See application chart and textiles list for material usage and numbers.
First 2 digits of number indicate material; remaining 2 digits indicate color.

- Price Category 1 +\$0
- Price Category 2 +\$28

PostureFit® Support

AE905



Specification Information

Step 1.

AE905

Step 2. Size

- A** a size
- B** b size
- C** c size

Prices for Steps 1-2.


AE905 A	\$115
B	\$115
C	\$115

Step 3. Finish

G1 graphite	+ \$0
--------------------	-------

Lumbar Kit

AE900



Specification Information

Step 1.

AE900NN

Step 2. Size


- A** a size
- B** b size
- C** c size

Prices for Steps 1-2.

AE900NN A	\$81
B	\$81
C	\$81

Step 3. Finish

BK black	+ \$0
-----------------	-------



Specification Information

Step 1.

AE900

Step 2. Arms

P fixed arms

H height-adjustable arms

A fully adjustable arms

Step 3. Armpad Upholstery

WO nonupholstered armpads

Prices for Steps 1-3.

	WO
AE900 P	\$143
H	\$266
A	\$314

Step 4. Finish

G1 graphite + \$0

Step 5. Armpad Finish

BK black + \$0

Work Chairs

Stools





Specification Information

Step 1.
MRF1

Step 2. Height Adjustment
2 standard-height range

Step 3. Tilt
2 tilt limiter
3 tilt limiter and seat angle

Step 4. Arms
P fixed arms
N no arms
A adjustable arms

Step 5. Armpad Upholstery
For no arms (N)
N no arms

For fixed arms (P) or adjustable arms (A)
W nonupholstered armpads

Step 6. Seat-Depth Adjustment
A FlexFront® adjustable seat depth

Step 7. Back
F Butterfly™ suspension back
P TriFlex™ polymer back

Step 8. Fire Retardancy
For not fire retardant (), skip this step.*
 not fire retardant

Prices for Steps 1-8.

			NAF*	NAP*	WAF*	WAP*
MRF12 2	P		—	—	\$1139	1040
	N		\$1017	918	—	—
	A		—	—	\$1220	1121
3	P		—	—	\$1189	1090
	N		\$1067	968	—	—
	A		—	—	\$1270	1171

Step 9. Back Support Option
AJ adjustable lumbar support +\$60

Step 10. Base/Frame Finish
G1 graphite +\$0
65 fog with studio white frame +\$60

Step 11. Casters/Glides
SC8 2½" caster, black yoke, hard floors or carpet with quiet roll technology +\$50
BB 2½" hard caster, black yoke, carpet only +\$0
GF 2½" glide, hard floors or carpet +\$0
C7 2½" caster, black yoke, hard floors or carpet +\$40
C9 2½" braking caster, black yoke, hard floors or carpet +\$40

Step 12. Back Finish
G1 graphite +\$0
SG slate grey +\$30
DTR dark turquoise +\$35
ZK cappuccino +\$35

Step 13. Butterfly™ Back Color
See application chart and textiles list for material usage and numbers. First 2 digits of number indicate material; remaining 2 digits indicate color.

For graphite (G1) or dark turquoise (DTR), or cappuccino (ZK)
 Price Category 3 +\$0

Step 14. Armpad Finish
For fixed arms (P) or adjustable arms (A) with nonupholstered armpads (W)
BK black +\$0
63 fog +\$0

Step 15. AireWeave™ 2 Suspension Material
See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.
 Price Category 1 +\$0

Mirra® 2 Work Chair, Ready to Assemble

MRF22



Mirra® 2 Work Chairs

Specification Information

Step 1.

MRF2

Step 2. Height Adjustment

2 standard-height range

Step 3. Tilt

2 tilt limiter

3 tilt limiter and seat angle

Step 4. Arms

P fixed arms

N no arms

A adjustable arms

Step 5. Armpad Upholstery

For no arms (N)

N no arms

For fixed arms (P) or adjustable arms (A)

W nonupholstered armpads

Step 6. Seat-Depth Adjustment

A FlexFront® adjustable seat depth

Step 7. Back

F Butterfly™ suspension back

P TriFlex™ polymer back

Step 8. Fire Retardancy

For not fire retardant (*), skip this step.

not fire retardant

Prices for Steps 1-8.

			NAF*	NAP*	WAF*	WAP*
MRF22	2	P	—	—	\$1139	1040
		N	\$1017	918	—	—
		A	—	—	\$1220	1121
	3	P	—	—	\$1189	1090
		N	\$1067	968	—	—
		A	—	—	\$1270	1171

Step 9. Back Support Option

AJ adjustable lumbar support +\$60

Step 10. Base/Frame Finish

G1 graphite +\$0

65 fog with studio white frame +\$60

Step 11. Casters/Glides

SC8 2½" caster, black yoke, hard floors or carpet with quiet roll technology +\$50

BB 2½" hard caster, black yoke, carpet only +\$0

GF 2½" glide, hard floors or carpet +\$0

C7 2½" caster, black yoke, hard floors or carpet +\$40

C9 2½" braking caster, black yoke, hard floors or carpet +\$40

Step 12. Back Finish

G1 graphite +\$0

SG slate grey +\$30

DTR dark turquoise +\$35

ZK cappuccino +\$35

Step 13. Butterfly™ Back Color

See application chart and textiles list for material usage and numbers.

First 2 digits of number indicate material; remaining 2 digits indicate color.

For graphite (G1) or dark turquoise (DTR), or cappuccino (ZK)

Price Category 3 +\$0

Step 14. Armpad Finish

For fixed arms (P) or adjustable arms (A) with nonupholstered armpads (W)

BK black +\$0


63 fog +\$0

Step 15. AireWeave™ 2 Suspension Material

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +\$0



Specification Information

Step 1.

MRF7

Step 2. Height Adjustment

5 stool extended height range

Step 3. Tilt

2 tilt limiter

3 tilt limiter and seat angle

Step 4. Arms

P fixed arms

N no arms

A adjustable arms

Step 5. Armpad Upholstery

For no arms (N)

N no arms

For fixed arms (P) or adjustable arms (A)

W nonupholstered armpads

Step 6. Seat-Depth Adjustment

A FlexFront® adjustable seat depth

Step 7. Back

F Butterfly™ suspension back

P TriFlex™ polymer back

Step 8. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-8.

			NAF*	NAP*	WAF*	WAP*
MRF75	2	P	—	—	\$1394	1295
		N	\$1272	1173	—	—
		A	—	—	\$1474	1376
	3	P	—	—	\$1444	1345
		N	\$1322	1223	—	—
		A	—	—	\$1524	1426

Step 9. Back Support Option

N2 no additional support +\$0

AJ adjustable lumbar support +\$60

Step 10. Base/Frame Finish

For not fire retardant

G1 graphite +\$0

65 fog with studio white frame +\$60

6K7 h alloy with graphite +\$93

6K8 h alloy with studio white +\$153

6K9 semi-polished with graphite +\$300

6KA semi-polished with studio white +\$360

Step 11. Casters/Glides

SC8 2 1/2" caster, black yoke, hard floors or carpet with quiet roll technology +\$50

BB 2 1/2" hard caster, black yoke, carpet only +\$0

GF 2 1/2" glide, hard floors or carpet +\$0

C7 2 1/2" caster, black yoke, hard floors or carpet +\$40

C9 2 1/2" braking caster, black yoke, hard floors or carpet +\$40

Step 12. Back Finish

For not fire retardant

G1 graphite +\$0

SG slate grey +\$30

97 twilight +\$35

DTR dark turquoise +\$35

ZK cappuccino +\$35

ZS lime green +\$40

BRN urban orange +\$45

98 studio white +\$45

Step 13. Butterfly™ Back Color

See application chart and textiles list for material usage and numbers.

First 2 digits of number indicate material; remaining 2 digits indicate color.

For Butterfly™ suspension back (F)

Price Category 3 +\$0

Step 14. Armpad Finish

For fixed arms (P) or adjustable arms (A) with nonupholstered armpads (W)

BK black +\$0

63 fog +\$0

Step 15. AireWeave™ 2 Suspension Material
For not fire retardant
See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.
Price Category 1 +\$0

Work Chairs

Stools



Work Chair

CJ121
CJ122
CJ123



Specification Information

Step 1.

CJ1

Step 2. Height Adjustment

2 standard-height range

Step 3. Tilt

- 1** standard tilt
- 2** tilt limiter
- 3** tilt limiter and seat angle

Step 4. Arms

- N** no arms
- P** fixed arms
- A** adjustable arms

Step 5. Seat-Depth Adjustment

- F** fixed seat depth
- A** adjustable seat depth

Step 6. Seat/Back Material

- CC** Cellular Suspension™ seat and back
- UC** upholstered cushion seat, Cellular Suspension™ back
- UF** upholstered cushion seat, upholstered back

Step 7. Fire Retardancy

For not fire retardant (), skip this step.*
not fire retardant

Prices for Steps 1-7.

			CC*	UC*	UF*
CJ121	N	F	\$651	674	731
		A	\$709	731	790
	P	F	\$721	744	800
		A	\$777	800	859
	A	F	\$800	825	880
		A	\$859	880	939
CJ122	N	F	\$686	709	766
		A	\$744	766	825
	P	F	\$755	777	835
		A	\$813	835	893
	A	F	\$835	859	915
		A	\$893	915	973

CJ123	N	F	\$726	749	806
		A	\$783	806	865
	P	F	\$795	818	875
		A	\$853	875	933
	A	F	\$875	899	956
		A	\$933	956	1013

Step 8. Back Support Option

- N2** no additional support +\$0
- AJ** adjustable lumbar support +\$45

Step 9. Base/Frame Finish

- 3G** brownstone +\$0
- G1** graphite +\$0

Step 10. Casters/Glides

- BB** 2 1/2" hard caster, black yoke, carpet only +\$0
- C7** 2 1/2" caster, black yoke, hard floors or carpet +\$40

Step 11. Seat Finish

For Cellular Suspension™ seat and back (CC) with not fire retardant

- 3G** brownstone +\$0
- DM** champagne +\$0
- G1** graphite +\$0
- ZN** blue fog +\$0

Step 12. Back Finish

- 3G** brownstone +\$0
- DM** champagne +\$0
- G1** graphite +\$0
- ZN** blue fog +\$0

Step 13. Armpad Finish

For fixed arms (P) or adjustable arms (A)

- 3G** brownstone +\$0
- BK** black +\$0

Step 14. Fabric Seat
 See application chart and textiles list for fabric usage and numbers.
 First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For upholstered cushion seat, Cellular Suspension™ back (UC) or upholstered cushion seat, upholstered back (UF)

Price Category 1	+\$0
Price Category 2	+\$13
Price Category 3	+\$25
Price Category 4	+\$43

Step 15. Fabric Back
For upholstered cushion seat, upholstered back (UF) with not fire retardant
 See application chart and textiles list for fabric usage and numbers.
 First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$49



Specification Information

Step 1.
CJ7

Step 2. Height Adjustment
5 stool extended height range

Step 3. Tilt
2 tilt limiter
3 tilt limiter and seat angle

Step 4. Arms
N no arms
P fixed arms
A adjustable arms

Step 5. Seat-Depth Adjustment
F fixed seat depth
A adjustable seat depth

Step 6. Seat/Back Material
CC Cellular Suspension™ seat and back
UC upholstered cushion seat, Cellular Suspension™ back
UF upholstered cushion seat, upholstered back

Step 7. Fire Retardancy
For not fire retardant (), skip this step.*
not fire retardant

Prices for Steps 1-7.

			CC*	UC*	UF*
CJ752	N	F	\$942	965	1022
		A	\$1000	1022	1081
	P	F	\$1011	1034	1091
		A	\$1070	1091	1150
	A	F	\$1091	1116	1171
		A	\$1150	1171	1229
CJ753	N	F	\$982	1005	1062
		A	\$1039	1062	1121
	P	F	\$1051	1075	1131
		A	\$1110	1131	1189
	A	F	\$1131	1156	1212
		A	\$1189	1212	1269

Step 8. Back Support Option
N2 no additional support +\$0
AJ adjustable lumbar support +\$45

Step 9. Base/Frame Finish
3G brownstone +\$0
G1 graphite +\$0

Step 10. Casters/Glides
BB 2 1/2" hard caster, black yoke, carpet only +\$0
C7 2 1/2" caster, black yoke, hard floors or carpet +\$40

Step 11. Seat Finish
For Cellular Suspension™ seat and back (CC) with not fire retardant
3G brownstone +\$0
DM champagne +\$0
G1 graphite +\$0
ZN blue fog +\$0

Step 12. Back Finish
3G brownstone +\$0
DM champagne +\$0
G1 graphite +\$0
ZN blue fog +\$0

Step 13. Armpad Finish
For fixed arms (P) or adjustable arms (A)
3G brownstone +\$0
BK black +\$0

Step 14. Fabric Seat
See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For upholstered cushion seat, Cellular Suspension™ back (UC) with not fire retardant

Price Category 1 +\$0
Price Category 2 +\$13
Price Category 3 +\$25
Price Category 4 +\$43


For upholstered cushion seat, upholstered back (UF) with not fire retardant

Price Category 1 +\$0
Price Category 2 +\$13
Price Category 3 +\$25

Step 15. Fabric Back	
<i>For upholstered cushion seat, upholstered back (UF) with not fire retardant</i>	
<i>See application chart and textiles list for fabric usage and numbers.</i>	
<i>First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.</i>	
Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$49


Work Chairs

Side Chairs



Work Chair, Suspension
Mid-Back, Value Package,
Assembled

AS1VA



Specification Information

Step 1.

AS1VA

Step 2. Height Adjustment

2 standard-height range

Step 3. Tilt

2 tilt limiter

3 tilt limiter and seat angle

Step 4. Arms

N no arms

P fixed arms

H height-adjustable arms

A fully adjustable arms

Step 5. Seat-Depth Adjustment

F fixed seat depth

A adjustable seat depth

Step 6. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-6.

			NF*	NA*	PF*	PA*	HF*	HA*
AS1VA	2	2	\$628	680	690	742	740	792
		3	\$663	716	727	779	777	830

AF* **AA***

AS1VA	2	2					\$794	847
		3					\$832	884

Step 7. Back Support Option

N2 no additional support +\$0

AJ adjustable lumbar support +\$40


Step 8. Casters

BB 2½" hard caster, black yoke, carpet only +\$0

C7 2½" caster, black yoke, hard floors or carpet +\$40

Work Chair, Suspension
Mid-Back, Assembled

AS1SA



Specification Information

Step 1.

AS1SA

Step 2. Height Adjustment

2 standard-height range

Step 3. Tilt

2 tilt limiter

3 tilt limiter and seat angle

Step 4. Arms

N no arms

P fixed arms

H height-adjustable arms

A fully adjustable arms

Step 5. Seat-Depth Adjustment

F fixed seat depth

A adjustable seat depth

Step 6. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-6.

			NF*	NA*	PF*	PA*	HF*	HA*
AS1SA	2	2	\$653	705	716	769	767	819
		3	\$690	742	753	804	802	855

AF* **AA***

AS1SA	2	2					\$821	873
		3					\$857	910

Step 7. Back Support Option

N2 no additional support +\$0

AJ adjustable lumbar support +\$40

Step 8. Base/Y-Tower® Finish

BK black +\$0

65 fog with studio white Y-Tower® +\$45

Step 9. Casters

BB 2½" hard caster, black yoke, carpet only +\$0

C7 2½" caster, black yoke, hard floors or carpet +\$40

Work Chair, Suspension Mid-Back, Assembled *continued*

Work Chair, Upholstered Mid-Back, Value Package, Assembled

AS1VC

Say® Work Chairs

Step 10. Back Suspension Finish

63	fog	+\$0
BK	black	+\$0
SG	slate grey	+\$0
98	studio white	+\$30


Step 11. Armpad Finish

For fixed arms (P), height-adjustable arms (H), or fully adjustable arms (A)

63	fog	+\$0
BK	black	+\$0
SG	slate grey	+\$0

Step 12. Seat Fabric

Price Category 1	+\$0
Price Category 2	+\$11
Price Category 3	+\$22
Price Category 4	+\$33
Price Category 5	+\$44



Specification Information

Step 1.

AS1VC

Step 2. Height Adjustment

2 standard-height range

Step 3. Tilt

2 tilt limiter
3 tilt limiter and seat angle

Step 4. Arms

N no arms
P fixed arms
H height-adjustable arms
A fully adjustable arms

Step 5. Seat-Depth Adjustment

F fixed seat depth
A adjustable seat depth

Step 6. Fire Retardancy

For not fire retardant (*), skip this step.

not fire retardant

Prices for Steps 1-6.

			NF*	NA*	PF*	PA*	HF*	HA*
AS1VC	2	2	\$648	700	710	763	761	814
		3	\$685	737	748	799	797	850

				AF*	AA*
AS1VC	2	2		\$816	868
		3		\$852	904

Step 7. Back Support Option


N2 no additional support +\$0
AJ adjustable lumbar support +\$40

Step 8. Casters

BB 2½" hard caster, black yoke, carpet only +\$0
C7 2½" caster, black yoke, hard floors or carpet +\$40

Work Chair, Upholstered
Mid-Back, Assembled

AS1SC



Specification Information

Step 1.

AS1SC

Step 2. Height Adjustment

2 standard-height range

Step 3. Tilt

2 tilt limiter

3 tilt limiter and seat angle

Step 4. Arms

N no arms

P fixed arms

H height-adjustable arms

A fully adjustable arms

Step 5. Seat-Depth Adjustment

F fixed seat depth

A adjustable seat depth

Step 6. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-6.

			NF*	NA*	PF*	PA*	HF*	HA*
AS1SC	2	2	\$674	727	737	789	787	840
		3	\$710	763	774	827	825	876

				AF*	AA*
AS1SC	2	2		\$842	894
		3		\$878	931

Step 7. Back Support Option

N2 no additional support +\$0

AJ adjustable lumbar support +\$40

Step 8. Base/Y-Tower® Finish

BK black +\$0

65 fog with studio white Y-Tower® +\$45

Step 9. Casters

BB 2½" hard caster, black yoke, carpet only +\$0

C7 2½" caster, black yoke, hard floors or carpet +\$40

Step 10. Armpad Finish

For fixed arms (P), height-adjustable arms (H), or fully adjustable arms (A)

63 fog +\$0

BK black +\$0

SG slate grey +\$0

Step 11. Seat/Back Fabric

For not fire retardant

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +\$0

Price Category 2 +\$22

Price Category 3 +\$50

Price Category 4 +\$77


Price Category E +\$132

Price Category F +\$182

Price Category G +\$247


Work Chair, Upholstered High-Back, Value Package, Assembled

AS1VD



Work Chair, Upholstered High-Back, Assembled

AS1SD



Sayl® Work Chairs

Specification Information

Step 1.

AS1VD

Step 2. Height Adjustment

2 standard-height range

Step 3. Tilt

2 tilt limiter

3 tilt limiter and seat angle

Step 4. Arms

N no arms

P fixed arms

H height-adjustable arms

A fully adjustable arms

Step 5. Seat-Depth Adjustment

F fixed seat depth

A adjustable seat depth

Step 6. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-6.

			NF*	NA*	PF*	PA*	HF*	HA*
AS1VD	2	2	\$722	774	784	837	835	887
		3	\$758	809	821	873	871	923
							AF*	AA*
AS1VD	2	2					\$889	941
		3					\$926	978

Step 7. Back Support Option

N2 no additional support +\$0

AJ adjustable lumbar support +\$40

Step 8. Casters

BB 2½" hard caster, black yoke, carpet only +\$0

C7 2½" caster, black yoke, hard floors or carpet +\$40

Specification Information

Step 1.

AS1SD

Step 2. Height Adjustment

2 standard-height range

Step 3. Tilt

2 tilt limiter

3 tilt limiter and seat angle

Step 4. Arms

N no arms

P fixed arms

H height-adjustable arms

A fully adjustable arms

Step 5. Seat-Depth Adjustment

F fixed seat depth

A adjustable seat depth

Step 6. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-6.

			NF*	NA*	PF*	PA*	HF*	HA*
AS1SD	2	2	\$748	799	809	863	861	913
		3	\$784	837	847	899	897	950
							AF*	AA*
AS1SD	2	2					\$915	968
		3					\$952	1004

Step 7. Back Support Option

N2 no additional support +\$0

AJ adjustable lumbar support +\$40

Step 8. Base/Y-Tower® Finish

BK black +\$0

65 fog with studio white Y-Tower® +\$45

Step 9. Casters

BB 2½" hard caster, black yoke, carpet only +\$0

C7 2½" caster, black yoke, hard floors or carpet +\$40

Work Chair, Upholstered High-Back, Assembled *continued*

Step 10. Armpad Finish

For fixed arms (P), height-adjustable arms (H), or fully adjustable arms (A)

63	fog	+\$0
BK	black	+\$0
SG	slate grey	+\$0

Step 11. Seat/Back Fabric

For not fire retardant


See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+\$0
Price Category 2	+\$22
Price Category 3	+\$50
Price Category 4	+\$77
Price Category 9	+\$350
Price Category B	+\$70
Price Category E	+\$132
Price Category F	+\$182
Price Category G	+\$247
Price Category H	+\$300

Side Chair, 4-Leg Base, Value Package

AS4VS



Specification Information

Step 1.

AS4V

Step 2. Back Style

S suspension back

Step 3. Arms

N no arms

P fixed arms

Step 4. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-4.


AS4VS N	\$405	*
P	\$445	

Step 5. Casters/Glides

16	acetal glide, carpet only	+\$0
69	Floor Saver Glide®, hard floors only	+\$20
32	hard wheel caster, carpet only	+\$50
49	soft wheel caster, carpet or hard floors	+\$50

Side Chair, 4-Leg Base

AS4SS



Specification Information

Step 1.

AS4S

Step 2. Back Style

S suspension back

Step 3. Arms

N no arms

P fixed arms

Step 4. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-4.

AS4SS N	\$424	*
P	\$460	

Step 5. Casters/Glides

16	acetal glide, carpet only	+\$0
69	Floor Saver Glide®, hard floors only	+\$20
32	hard wheel caster, carpet only	+\$50
49	soft wheel caster, carpet or hard floors	+\$50

Step 6. Leg Finish

BK	black	+\$0
MS	metallic silver	+\$20

Step 7. Back/Back Edge Finish

63	fog	+\$0
98	studio white	+\$0
BK	black	+\$0
SG	slate grey	+\$0

Step 8. Back Suspension Finish

63	fog	+\$0
BK	black	+\$0
SG	slate grey	+\$0
98	studio white	+\$30

Step 9. Arm/Glide Finish

63	fog	+\$0
BK	black	+\$0

Side Chair, 4-Leg Base *continued*

Step 10. Seat Fabric

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+\$0
Price Category 2	+\$11
Price Category 3	+\$22
Price Category 4	+\$33

Work Chairs

Stools


Side Chairs

Accessories



Work Chair

EN122
EN123



Specification Information

Step 1.

EN12

Step 2. Tilt

- 2** knee tilt
- 3** knee tilt with lock

Step 3. Arms

- N** no arms
- P** fixed arms, vinyl
- A** adjustable arms, vinyl

Step 4. Size

- B** b size
- C** c size

Step 5. Upholstery

- S** split-pad upholstered

Step 6. Fire Retardancy

For not fire retardant (), skip this step.*
not fire retardant

Prices for Steps 1-6.

			S*
EN122	N	B	\$1019
		C	\$1019
	P	B	\$1160
		C	\$1160
	A	B	\$1309
		C	\$1309
EN123	N	B	\$1098
		C	\$1098
	P	B	\$1237
		C	\$1237
	A	B	\$1388
		C	\$1388

Step 7. Lumbar Option

- N2** no lumbar +\$0
- AJ** adjustable +\$65

Step 8. Base Finish/Frame and Outer Shell Finish

- BU** black umber +\$0
- G1** graphite +\$0
- MT** medium tone +\$0

Step 9. Casters/Glides

- GF** 2 1/2" glide, hard floors or carpet +\$0
- BB** 2 1/2" hard caster, black yoke, carpet only +\$0
- C7** 2 1/2" caster, black yoke, hard floors or carpet +\$40

Step 10. Armpad Finish

For fixed arms, vinyl (P) or adjustable arms, vinyl (A)

- BK** black +\$0
- MT** medium tone +\$0

Step 11. Fabric

*See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.*

- Price Category 1 +\$0
- Price Category 2 +\$25
- Price Category 3 +\$49
- Price Category 4 +\$80

Stool

EN712
EN713
EN722
EN723



Equa 2® Stools

Specification Information

Step 1.

EN7

Step 2. Height

- 1** low
- 2** high

Step 3. Tilt

- 2** knee-tilt swivel
- 3** knee-tilt swivel with lock

Step 4. Arms

- NA** no arms
- AA** adjustable arms, vinyl

Step 5. Upholstery

- S** split-pad upholstered

Step 6. Fire Retardancy

For not fire retardant (), skip this step.*
not fire retardant

Prices for Steps 1-6.

		*
EN712	NA S	\$1416
	AA S	\$1708
EN713	NA S	\$1496
	AA S	\$1788
EN722	NA S	\$1416
	AA S	\$1708
EN723	NA S	\$1496
	AA S	\$1788

Step 7. Lumbar Option

- N2** no lumbar +\$0
- AJ** adjustable +\$65

Step 8. Base Finish/Frame and Outer Shell Finish

- BU** black umber +\$0
- G1** graphite +\$0

Step 9. Casters/Glides

- GF** 2 1/2" glide, hard floors or carpet +\$0
- BB** 2 1/2" hard caster, black yoke, carpet only +\$0
- C7** 2 1/2" caster, black yoke, hard floors or carpet +\$40

Step 10. Armpad Finish

For adjustable arms, vinyl (AA)
BK black +\$0


Step 11. Fabric

For no arms (NA) or adjustable arms, vinyl (AA) with split-pad upholstered (S) with not fire retardant
See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

- Price Category 1 +\$0
- Price Category 2 +\$25
- Price Category 3 +\$49
- Price Category 4 +\$80

Side Chair, Sled Base

EN500



Specification Information

Step 1.

EN500

Step 2. Arms

N no arms

P fixed arms, vinyl

Step 3. Size

B b size

Step 4. Upholstery

S split-pad upholstered

Step 5. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-5.

S*

EN500 N B	\$680
P B	\$822

Step 6. Base Finish/Frame and Outer Shell Finish

BU black umber +\$0

G1 graphite +\$0

MT medium tone +\$0

Step 7. Glide Option

NX no glide +\$0

SB sled-base glide +\$15

Step 8. Armpad Finish

For fixed arms, vinyl (P)

BK black +\$0

MT medium tone +\$0

Step 9. Fabric

For no arms (N) or fixed arms, vinyl (P) with split-pad upholstered (S) with not fire retardant

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +\$0


Price Category 2 +\$25

Price Category 3 +\$49

Price Category 4 +\$80

Adjustable Arm Kit

EN900



Equa 2® Accessories

Specification Information

Step 1.

EN900A

Step 2. Armpad Upholstery

N nonupholstered armpads

Step 3. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-3.

*

EN900A N \$305

Step 4. Frame Finish

BU black umber +\$0

G1 graphite +\$0

MT medium tone +\$0

Step 5. Armpad Finish

BK black +\$0

MT medium tone +\$0


Work Chairs

Accessories



Work Chair

EE122
EE123



Specification Information

Step 1.

EE12

Step 2. Tilt

- 2** knee tilt
- 3** knee tilt with forward angle

Step 3. Arms

- N** no arms
- P** fixed arms, vinyl
- A** adjustable arms, vinyl

Step 4. Size/Back Height

For knee tilt (2)

- K** b size and mid-back
- B** b size and high back

For knee tilt with forward angle (3)

- K** b size and mid-back
- B** b size and high back
- C** c size and high back

Step 5. Fire Retardancy

For not fire retardant (*), skip this step.
not fire retardant

Prices for Steps 1-5.

			*
EE122	N	K	\$1081
		B	\$1081
	P	K	\$1248
		B	\$1248
	A	K	\$1378
		B	\$1378
EE123	N	K	\$1157
		B	\$1157
		C	\$1157
	P	K	\$1324
		B	\$1324
		C	\$1324
	A	K	\$1453
		B	\$1453
		C	\$1453

Step 6. Back Angle

- AJ** adjustable +\$115

Step 7. Base Finish/Frame and Outer Shell Finish

- BU** black umber +\$0
- MT** medium tone +\$0

Step 8. Casters/Glides

- GF** 2 1/2" glide, hard floors or carpet +\$0
- BB** 2 1/2" hard caster, black yoke, carpet only +\$0
- C7** 2 1/2" caster, black yoke, hard floors or carpet +\$40

Step 9. Outer Shell Finish

- U6** nonupholstered +\$0

Step 10. Armpad Finish

For fixed arms, vinyl (P) or adjustable arms, vinyl (A) with nonupholstered (U6)

- BK** black +\$0
- MT** medium tone +\$0


Step 11. Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

- Price Category 1 +\$0
- Price Category 2 +\$31
- Price Category 4 +\$97

Adjustable Arm Kit

EE900



Ergon 3® Accessories

Specification Information

Step 1.

EE900A

Step 2. Armpad Upholstery

N nonupholstered armpads

Step 3. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-3.

*

EE900A N

\$315

Step 4. Frame Finish

BU black umber

+\$0

MT medium tone

+\$0

Step 5. Armpad Finish

BK black

+\$0

MT medium tone

+\$0

Multipurpose Chairs

Stools



Multipurpose Chair

CQ51M
CQ52M
CQ53M



Specification Information

Step 1.

CQ5

Step 2. Base Type/Height Adjustment

- 1** 5-star base, standard-height range
- 2** 5-star base, high-height range
- 3** 4-star base, swivel, fixed height

Step 3. Seat/Back Material

- M** lyris 2™ suspension seat and back

Step 4. Arms

- N** no arms
- A** ribbon arms

Step 5. Fire Retardancy

For not fire retardant (), skip this step.*
not fire retardant

Prices for Steps 1-5.

	*
CQ51M N	\$809
A	\$880
CQ52M N	\$809
A	\$880
CQ53M N	\$781
A	\$853

Step 6. Frame Finish

- G1** graphite +\$0
- SG** slate grey +\$30
- 98** studio white +\$85

Step 7. Base Finish

- L7** h-alloy™ +\$0
- G1** graphite +\$50
- 5Y** semi-polished +\$90

Step 8. Casters/Glides

For 5-star base, standard-height range (1) or 5-star base, high-height range (2)

- HCC** 2 1/2" caster, black yoke, medium roll resistance, hard floors or carpet +\$0
- OC** 2 1/2" caster, medium roll resistance, black yoke, hard floors or carpet, with quiet roll technology +\$45

For 4-star base, swivel, fixed height (3)

- X8** glide, low profile, hard floors or carpet +\$0

Step 9. Bumper

- NNN** none +\$0
- BMP** top corner bumpers +\$10


Step 10. Suspension Material

For lyris 2™ suspension seat and back (M) with not fire retardant
See application chart and textiles list for material usage and numbers.
First 2 digits of number indicate material; remaining 2 digits indicate color.

- Price Category 1 +\$0

Stool

CQ79F
CQ79M



Setu® Stools

Specification Information

Step 1.

CQ7

Step 2. Base Type/Height Adjustment

9 5-star base, stool-height range

Step 3. Seat/Back Material

M lyris 2™ suspension seat and back

F suspended upholstery seat and back

Step 4. Arms

N no arms

A ribbon arms

Step 5. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-5.

*

CQ79M	N	\$1206
	A	\$1274

CQ79F	N	\$1450
	A	\$1520

Step 6. Frame Finish

G1 graphite +\$0

SG slate grey +\$30

98 studio white +\$85

Step 7. Column Finish

For studio white (98)

98 studio white +\$0

For graphite (G1)

G1 graphite +\$0

For slate grey (SG)

BK black +\$0

Step 8. Base Finish

For studio white (98) or black (BK)

L7 h-alloy™ +\$0

5Y semi-polished +\$90

For graphite (G1)

L7 h-alloy™ +\$0

G1 graphite +\$50

5Y semi-polished +\$90

Step 9. Casters/Glides

OC 2½" caster, medium roll resistance, black yoke, hard floors or carpet, with quiet roll technology +\$0

X8 glide, low profile, hard floors or carpet +\$0

HCC 2½" caster, black yoke, medium roll resistance, hard floors or carpet +\$0

Step 10. Bumper

For lyris 2™ suspension seat and back (M)

NNN none +\$0

BMP top corner bumpers +\$10

Step 11. Suspension Material

See application chart and textiles list for material usage and numbers.

First 2 digits of number indicate material; remaining 2 digits indicate color.

For lyris 2™ suspension seat and back (M) with not fire retardant

Price Category 1 +\$0

For suspended upholstery seat and back (F) with not fire retardant

Price Category 1 +\$0

Price Category 2 +\$20

Price Category 4 +\$65

Multipurpose Chairs

Multipurpose Stools

Stacking Chairs



Multipurpose Chair

WC111
WC121



Specification Information

Step 1.

WC1

Step 2. Seat Style

- 11** molded seat
- 21** flexnet™ seat

Step 3. Arms

- N** no arms
- P** fixed arms

Prices for Steps 1-3.

WC111 N	\$635
P	\$739
<hr/>	
WC121 N	\$788
P	\$892

Step 4. Frame Finish

- BK** black +\$0
- MS** metallic silver +\$20

Step 5. Seat/Back Finish

- 3M** berry blue +\$0
- 63** fog +\$0
- 79** green apple +\$0
- 98** studio white +\$0
- BK** black +\$0
- G1** graphite +\$0
- LMN** lemon +\$0
- RO** red +\$0
- TRQ** turquoise +\$0
- ZK** cappuccino +\$0

Step 6. Casters

- BB** 2½" hard caster, black yoke, carpet only +\$0
- C7** 2½" caster, black yoke, hard floors or carpet +\$35

Step 7. Arm Finish/Arm Cap Finish

- 63** fog +\$0
- BK** black +\$0
- SY** silver grey +\$0

Step 8. Flexnet™ Material

For flexnet™ seat (21)

See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1

+\$0

Caper® Multipurpose Stool

WC751
WC752



Caper® Multipurpose Stools

Specification Information

Step 1.

WC7

Step 2. Height Adjustment

5 5-star base, stool height range

Step 3. Seat Style

11 molded seat

21 flexnet™ seat

Step 4. Arms

N no arms

P fixed arms

Prices for Steps 1-4.

WC7511 N \$890

P \$994

WC7521 N \$1043

P \$1147

Step 5. Frame Finish

BK black +\$0

MS metallic silver +\$20

Step 6. Seat/Back Finish

3M berry blue +\$0

63 fog +\$0

79 green apple +\$0

98 studio white +\$0

BK black +\$0

G1 graphite +\$0

LMN lemon +\$0

RO red +\$0

TRQ turquoise +\$0

ZK cappuccino +\$0

Step 7. Casters/Glides

BB 2½" hard caster, black yoke, carpet only +\$0

C7 2½" caster, black yoke, hard floors or carpet +\$35

C9 2½" braking caster, black yoke, hard floors or carpet +\$35

GF 2½" glide, hard floors or carpet +\$0

Step 8. Arm Finish/Arm Cap Finish

63 fog +\$0

BK black +\$0

SY silver grey +\$0

Step 9. Flexnet™ Material

For flexnet™ seat (21)


See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +\$0

Stacking Chair

WC410
WC420



Specification Information

Step 1.

WC4

Step 2. Seat Style

- 10** molded seat
- 20** flexnet™ seat

Step 3. Arms

- N** no arms
- P** fixed arms

Prices for Steps 1-3.

WC410 N	\$234
P	\$325

WC420 N	\$385
P	\$476

Step 4. Frame Finish

- BK** black + \$0
- MS** metallic silver + \$20

Step 5. Seat/Back Finish

- 3M** berry blue + \$0
- 63** fog + \$0
- 79** green apple + \$0
- 98** studio white + \$0
- BK** black + \$0
- G1** graphite + \$0
- LMN** lemon + \$0
- RO** red + \$0
- TRQ** turquoise + \$0
- ZK** cappuccino + \$0

Step 6. Casters/Glides

- Y7** acetal glide, carpet only + \$0
- YX** Floor Saver Glide® insert, hard floors only + \$20
- U4** hard wheel caster, carpet only + \$30
- U5** soft wheel caster, carpet or hard floors + \$30
- DS** 2" soft double wheel braking caster, hard floors + \$40

Step 7. Arm Finish/Arm Cap Finish

- 63** fog + \$0
- BK** black + \$0
- SY** silver grey + \$0

Step 8. Flexnet™ Material

For flexnet™ seat (20)

*See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.*


Price Category 1

+ \$0



Side Chair

AD10P
AD10U



Specification Information

Step 1.

AD10

Step 2. Outer Back

PB nonupholstered outer back

UB upholstered outer back

Step 3. Fire Retardancy

For not fire retardant (), skip this step.*

not fire retardant

Prices for Steps 1-3.

AD10PB \$412

AD10UB \$450

Step 4. Arms

MA metal arms +\$0

Step 5. Casters/Glides

SG glide +\$0

HG glide with insert, carpet or hard floors +\$10

Step 6. Frame Finish

BK black +\$0

MS metallic silver +\$0

MT medium tone +\$0

Step 7. Fabric

See application chart and textiles list for fabric usage and numbers.

First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +\$0

Price Category 2 +\$25

Price Category 4 +\$80


Stacking Chairs

Carts



Stacking Side Chair

LM



Specification Information

Step 1.

LM \$187

Step 2. Glide Option

NG no glide, carpet only +\$0

SG glide +\$5

GG ganging glide +\$10

Step 3. Frame Finish

BK black +\$0

Step 4. Seat/Back Finish

BK black +\$0


MB medium blue +\$0

MT medium tone +\$0

PR purple +\$0

Cart

LMCT



Specification Information

Step 1.
LMCT \$408

Step 2. Caster Option

HW	2" hard double wheel caster, carpet	+\$0
SW	2" soft double wheel caster, hard floor	+\$20

Limerick® Carts

Index by Product Name

Aside® Chairs	
Side Chair	page(s) 57
Caper® Chairs	
Caper® Multipurpose Stool	page(s) 52
Multipurpose Chair	51
Stacking Chair	53
Celle® Chairs	
Celle® Work Stool	page(s) 23
Work Chair	21
Classic Aeron® Chairs	
Arm Kit	page(s) 12
Lumbar Kit	11
PostureFit® Support	11
Work Chair	9
Work Stool	10
Embody® Chairs	
Work Chair	page(s) 5
Work Chair, Ready to Assemble	5
Equa 2® Chairs	
Adjustable Arm Kit	page(s) 40
Side Chair, Sled Base	39
Stool	38
Work Chair	37
Ergon 3® Chairs	
Adjustable Arm Kit	page(s) 44
Work Chair	43
Limerick® Chairs	
Cart	page(s) 62
Stacking Side Chair	61
Mirra® 2 Chairs	
Mirra® 2 Stool	page(s) 17
Mirra® 2 Work Chair	15
Mirra® 2 Work Chair, Ready to Assemble	16
Sayl® Chairs	
Side Chair, 4-Leg Base	page(s) 32
Side Chair, 4-Leg Base, Value Package	32
Work Chair, Suspension Mid-Back, Assembled	27
Work Chair, Suspension Mid-Back, Value Package, Assembled	27
Work Chair, Upholstered High-Back, Assembled	30
Work Chair, Upholstered High-Back, Value Package, Assembled	30
Work Chair, Upholstered Mid-Back, Assembled	29
Work Chair, Upholstered Mid-Back, Value Package, Assembled	28
Setu® Chairs	
Multipurpose Chair	page(s) 47
Stool	48



Index by Product Number

AD10P	Side Chair	page(s)	57	EN712	Stool	38
AD10U				EN713		
AE111	Work Chair		9	EN722		
AE112				EN723		
AE113				EN900	Adjustable Arm Kit	40
AE712	Work Stool		10	LM	Stacking Side Chair	61
AE713				LMCT	Cart	62
AE722				MRF12	Mirra® 2 Work Chair	15
AE723				MRF22	Mirra® 2 Work Chair, Ready to Assemble	16
AE900	Arm Kit		12	MRF75	Mirra® 2 Stool	17
AE900	Lumbar Kit		11	WC111	Multipurpose Chair	51
AE905	PostureFit® Support		11	WC121		
AS1SA	Work Chair, Suspension Mid-Back, Assembled		27	WC410	Stacking Chair	53
AS1SC	Work Chair, Upholstered Mid-Back, Assembled		29	WC420		
AS1SD	Work Chair, Upholstered High-Back, Assembled		30	WC751	Caper® Multipurpose Stool	52
AS1VA	Work Chair, Suspension Mid-Back, Value Package, Assembled		27	WC752		
AS1VC	Work Chair, Upholstered Mid-Back, Value Package, Assembled		28			
AS1VD	Work Chair, Upholstered High-Back, Value Package, Assembled		30			
AS4SS	Side Chair, 4-Leg Base		32			
AS4VS	Side Chair, 4-Leg Base, Value Package		32			
CJ121	Work Chair		21			
CJ122						
CJ123						
CJ752	Celle® Work Stool		23			
CJ753						
CN122	Work Chair		5			
CN132						
CN222	Work Chair, Ready to Assemble		5			
CN232						
CQ51M	Multipurpose Chair		47			
CQ52M						
CQ53M						
CQ79F	Stool		48			
CQ79M						
EE122	Work Chair		43			
EE123						
EE900	Adjustable Arm Kit		44			
EN122	Work Chair		37			
EN123						
EN500	Side Chair, Sled Base		39			



10-Day or Less Order Information

10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

Ordering Procedures

1. Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.
Order Entry fax number for all other products: (616) 654 3085.
2. Orders must be clearly marked “10-day or less program” and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
3. Only fabrics and finishes listed with each product are available through the 10-day or less program.
4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
5. For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation


Per Herman Miller Terms and Conditions.



10-Day Casters and Glides

⚠	WARNING	⚠
Depending on the floor surface, chair may unexpectedly roll away from user when entering or exiting the chair, possibly leading to unexpected injury. Please refer to descriptions of floor types when selecting casters.		


BB Caster



2¹/₂-inch-diameter hard double-wheel caster; black nylon wheels and yoke; for use on carpet only

Applicable on:
 Classic Aeron® Chairs
 Caper® Chairs
 Celle® Chairs
 Embody® Chairs
 Equa 2® Chairs
 Ergon 3® Chairs
 Mirra® 2 Chairs
 Sayl® Chairs


C9 Caster



2¹/₂-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; internal brake; for use on hard floors or carpet

Applicable on:
 Mirra 2 Chairs


HCC Caster



2¹/₂-inch-diameter double-wheel medium roll resistance caster; black yoke; for use on hard floors or carpet.

Applicable on:
 Setu® Chairs


SC8 Caster



2¹/₂-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; quiet roll technology; for use on hard floors or carpet

Applicable on:
 Mirra 2 Chairs


C7 Caster



2¹/₂-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; for use on hard floors or carpet

Applicable on:
 Classic Aeron Chairs
 Caper Chairs
 Celle Chairs
 Embody Chairs
 Equa 2 Chairs
 Ergon 3 Chairs
 Mirra 2 Chairs
 Sayl Chairs


DS Caster



2-inch-diameter soft double-wheel braking caster; black nylon wheels and hood; for use on hard floors only

Applicable on:
 Caper® Chairs


OC Caster



Setu-specific 2¹/₂-inch-diameter double-wheel medium roll-resistant caster; black nylon wheels and yoke; soft polyurethane tread; for use on hard floors or carpet; quiet roll technology

Applicable on:
 Setu Chairs

U4 Caster



1⁷/₈-inch-diameter hard double-wheel caster; black nylon wheels and yoke; for use on carpet only


Applicable on:
 Caper® Chairs

10-Day Casters and Glides

continued

Appendix: 10-Day Casters and Glides

U5 Caster



1 7/8-inch-diameter soft double-wheel caster; black nylon wheels and yoke; for use on hard floors or carpet

Applicable on:
Caper Chairs


GG Glide



1/2-inch-high ganging glide; clear polycarbonate; for use on hard floors or carpet

Applicable on:
Limerick® Chairs


SB Glide



1/4-inch-high, 1-inch diameter glide; thermoplastic CAP material (G1 base has black glides; XT base has clear glides); for use on hard floors or carpet

Applicable on:
Equa 2® Chairs


SG Glide (for Limerick)



1/2-inch-high glide; clear polycarbonate; for use on hard floors or carpet

Applicable on:
Limerick® Chairs


GF Glide



2 1/2-inch-high glide; black nylon; for use on hard floors or carpet

Applicable on:
Mirra® 2 Chairs


HG Glide



1/2-inch-high glide; black nylon glide with stainless-steel insert; for use on hard floors or carpet

Applicable on:
Aside® Chairs


SG Glide (for Aside)



1/2-inch-high glide; black nylon; for use on carpet only

Applicable on:
Aside® Chairs

Y7 Glide




1 7/8-inch-high glide; black acetal; for use on carpet only

Applicable on:
Caper® Chairs

10-Day Casters and Glides

continued

YX Glide



1 7/8-inch-high glide; black nylon stem; steel-plated swivel foot with Floor Saver Glide™ insert; for use on hard floors only

Applicable on:

Caper® Chairs



Proprietary Textiles Application Chart – 10-Day Seating

• Available

[N] Non-woven textile.

	Classic Aeron® Chairs	Mirra® 2 Chairs	Celle® HC Chairs	Celle UC Chairs	Celle UF Chairs	Embody® Chairs	Sayl® Work Chairs	Sayl Side Chairs	Setu® Chairs	Ergon 3® Chairs	Equa 2® Chairs	Aside® Chairs	Caper® Chairs	Workspaces
Price Category 1														
1A7__ AireWeave™ 2		•												
3P14 ColorGuard - Black			•				•	1	•	•	•	•		
8T__ Crossing				•	•					•	•	•		•
6V__ Flexnet™													•	
95__ Gem				•						•	•	•		•
4W__ Lyris 2™									•					
3D__ Pellicle® Classic (3V__)	•													
Price Category 2														
92__ Crepe				•	•		•	•		•	•	•		•
1LM__ Loom				•			•	•						•
3A__ Moiré				•			•	•		•	•	•		
4E__ Pellicle Waves	•													
30__ Rhythm				•	•	•	•	•			•	•		
1RV__ Rivet							1	1				•		•
8R__ Twist				•	•		•	•		•	•	•		•
Price Category 3														
70__ Bento							•	•		•	•	•		•
8M__ Latitude™		•		•	•		•	•			•			
8U12 Stitches				•	•		•	•		•	•	•		•
Price Category 4														
7Y__ Bingo [N]							•	•		•	•	•		
213__ Mercer				•			•	1						
6J__ Plateau										•	•	•		
6S__ Quilty				•			•	•			•	•		•
8Y__ Spools				•			•	•		•	•	•		
22P__ Strata							1	1		•		•		
Price Category 5														
No fabrics available at this time.														
Price Category 6														
35__ Balance							•							

Appendix: Proprietary Textiles Application Chart – 10-Day Seating

1 Not available on Sayl Chairs with upholstered back.



Proprietary Textile Colors – 10-Day Seating

Price Category 1

AireWeave™ 2	
For Mirra® 2 chairs	
67% elastomeric	
33% antimony-free polyester	
1A702	Slate Grey
1A703	Graphite
1A705	Cappuccino
1A707	Dark Turquoise

ColorGuard	
54" wide	
100% vinyl	
3P14	Black

Crossing	
54" wide	
86% antimony-free polyester	
14% polyester	
8T03	Wicker
8T04	Porcelain
8T05	Warm Grey
8T06	Sepia
8T07	Pumpkin
8T08	Copper
8T09	Cranberry
8T10	Tomato
8T11	Mulberry
8T12	Plum
8T13	Green Apple
8T14	Loden
8T15	Spruce
8T16	Periwinkle
8T17	Cerulean
8T18	Indigo
8T19	Shale
8T20	Brownstone
8T21	Bark
8T22	Tin
8T23	Graphite
8T24	Black

Flexnet™	
For Caper® chairs	
69% elastomeric	
31% polyester	
6V01	Black
6V02	Silver Grey

Gem	
54" wide	
100% antimony-free polyester	
9501	Sesame
9502	Tangerine
9503	Red
9510	Berry Blue
9512	Green Apple
9514	Black
9515	Slate Grey
9516	Fog

Lyris 2™	
For Setu® chairs	
74% elastomeric	
26% polyester	
4W21	Alpine
4W26	Slate Grey
4W31	Graphite

Pellicle® Classic	
For Classic Aeron® chairs with a graphite or polished aluminum base.	
70% elastomeric, 30% polyester	
3D01	Carbon
3D02	Lead

Pellicle Classic	
For Classic Aeron chairs with a titanium base.	
70% elastomeric	
30% polyester	
3V01	Zinc
3V03	Quartz

Price Category 2

Crepe	
54" wide	
100% recycled polyester	
9201	Licorice
9203	Smoke
9209	Claret
9223	Cadet
9241	Beachglass
9243	Midnight
9244	Artichoke
9251	Fog
9252	Slate Grey
9260	Brownstone
9261	Shale
9262	Graphite
9263	Tomato
9264	Green Apple

Loom	
54" wide	
100% polyester	
1LM01	Linen
1LM02	Brown Sugar and Spice
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM07	Poppy
1LM09	Loden
1LM11	Deep Sea

Moiré	
54" wide	
100% recycled polyester	
3A01	Concrete
3A03	Rattan
3A04	Chambray
3A12	Cork

Pellicle Waves	
For Classic Aeron chairs with a graphite or polished aluminum base.	
68% elastomeric	
32% polyester	
4E01	Carbon

Rhythm	
54" wide	
100% polyester	
3007	Twilight
3009	Poppy *
3014	Black
3015	Charcoal

* Color not available on Embody Chair.

Rivet	
54" wide	
100% recycled polyester	
1RV01	Twig
1RV02	Deep Clay
1RV03	Woodrose
1RV04	Otter
1RV05	Hemlock
1RV06	Olive
1RV07	Lagoon
1RV08	Deep Sea
1RV09	Charcoal
1RV10	Grey Brindle

Twist	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
8R05	Wicker
8R10	Poppy
8R14	Tin
8R15	Shale
8R16	Graphite
8R17	Birch
8R18	Sepia
8R22	Blueberry
8R23	Green Apple
8R26	Gunmetal
8R28	Citrus
8R30	Tangerine
8R32	Wisteria
8R35	Waterfall
8R37	Carbon Dark

Proprietary Textile Colors – 10-Day Seating

continued

Price Category 3

Bento	
54" wide	
100% antimony-free polyester	
7001 Frost	
7003 Khaki	
7004 Truffle	

Latitude™	
For Mirra 2 chairs	
61" wide	
100% polyester	
8M17 Black	
8M21 Slate Grey	
8M23 French Press	
8M25 Dark Turquoise	

Stitches	
54" wide	
54% polyester	
46% recycled polyester	
8U12 Charcoal	

Price Category 4

Bingo	
54" wide	
100% PVC-free polyester	
7Y05 Rattan	
7Y08 Camel	
7Y17 Seed	
7Y21 Black	
7Y29 Pesto	

Mercer	
54" wide	
50% solution dyed recycled nylon	
50% solution dyed nylon	
BLOCKaide	
21301 Stone	
21302 Rattan	
21303 Cayenne	
21304 Chutney	
21305 Pesto	
21306 Teal Blue	
21307 Ultramarine	
21308 Acai Berry	
21309 Ash Brown	
21310 Charcoal	

Plateau Perspectives® Collection	
knit to size	
100% polyester	
6j10 Thunder	
6j11 Blueberry	
6j12 Rosemary	
6j14 Black	

Quilty	
56" wide	
100% antimony-free polyester	
GreenShield	
6S04 Straw	
6S07 Brick	
6S10 Mink	
6S11 Green Apple	
6S13 Indigo	

Spools	
54" wide	
51% recycled polyester	
49% polyester	
Crypton® Green	
8Y04 Cappuccino	
8Y08 Bluegrass	
8Y09 Lagoon	

Strata	
54" wide	
50% solution dyed recycled nylon	
50% solution dyed nylon	
BLOCKaide	
22P01 Rattan	
22P02 Yellow Jacket	
22P03 Avocado	
22P04 Pesto	
22P05 Peacock	
22P06 Blue Jay	
22P07 Blueberry	
22P08 Boysenberry	
22P09 Mango	
22P10 Paprika	
22P11 Mulberry	
22P12 Wheat	
22P13 Brownstone	
22P14 Bayou	
22P15 Trail	

Proprietary Textile Colors – 10-Day Seating

continued

Price Category 5

No fabrics available at this time.

Price Category 6

Balance
For Embody® chairs
100% polyester
3512 Carbon
3513 Black

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

This book is recyclable. Printed in U.S.A. on recycled paper.

© 2017 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, ●, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Locale, Logic Mini, Logic Power Access Solutions, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Motia, Multiscrim, Nelson, Pari, Pixelated Support, Plex, PostureFit SL, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis SpA.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.