

# HermanMiller Metaform Portfolio™

**Designer**

Studio 7.5

**Original Production Date**

2015

**Warranty**




12-year, 3-shift

**Metaform Portfolio**

With Metaform Portfolio, a system of lightweight, foundational Blocks, you can easily adapt your surroundings to your activities and needs. Create an area where your team can gather for informal meetings, or, if you need privacy, compose a workspace where all of your personal items and tools are right where you need them. In combination with a colorful array of highly versatile add-on accessories and work surfaces, Metaform's possibilities are nearly endless.

[hermanmiller.com/metaform](http://hermanmiller.com/metaform)






HermanMiller  
Metaform Portfolio™



## Equipping You to Shape the Workplace

In the new landscape of work, we increasingly expect our surroundings, furnishings, and tools to be as flexible and intuitive as our personal technology. Metaform Portfolio brings unprecedented agility to the workplace with a system of lightweight, foundational Blocks you can put together, take apart, and rearrange to suit your needs—no help needed.




## Metaform Portfolio

Designed by Studio 7.5, 2015

With Metaform Portfolio, you can easily adapt your surroundings to your activities and needs. Create an area where your team can gather for informal meetings, or, if you need privacy, compose a workspace where

all of your personal items and tools are right where you need them. In combination with a colorful array of highly versatile add-on accessories and work surfaces, Metaform's possibilities are nearly endless.





## Designer Story

In the interest of solving everyday problems for people, the designers of Studio 7.5 continuously study the ways people live and work. They draw on their observations to design furniture, or as they prefer to call it, “equipment,” as in the tools needed for work. “Our goal is to enable people to assume roles similar to those of a craftsman in his shop, surrounded by what he needs to be most productive,” says Carolla Zwick of Studio 7.5. “Metaform empowers people by giving them more control over their environments and tools.”



Studio 7.5

## Commonly Exceptional

Metaform Blocks are made from a versatile material, expanded polypropylene (EPP), which is used in everything from safety gear to high-end automobile components. Through an extensive development process, Studio 7.5 refined EPP to create an aesthetically pleasing surface that doesn't require a finish and is nearly effortless to maintain.

The Blocks can withstand impact without significant damage, and are resistant to water, chemicals, most oils, and temperature extremes. They are also recyclable, so if you ever need to dispose of them, you can do so in an environmentally sensitive manner.







AARON  
CURRY  
BAD  
DIMEN-  
SION

15 x YEARS  
15 x PHOTO  
15 x CHAIRS

## Beyond Boundaries

Combine curved and straight Metaform Blocks to create a multitude of settings—from semi-enclosed spaces where you and your team can gather to those where you can focus on your work. Within these settings, work surfaces can be placed at varying heights on the staggered furrows, allowing you to choose the posture—sitting or standing—that best supports the way you like to work.







**Make Your Space**



There's no wrong way to use Metaform and no tools are required. Its lightweight Blocks—just under 20 pounds—are easy to move, place, and adjust, so you can make what you want of a space, and adjust it as work progresses.

Add accessories to Blocks and staggered furrows to display and store just about anything—from the artifacts of work to the technology needed for information sharing.





## Design for the Environment

Visit [hermanniller.com/metaform](https://hermanniller.com/metaform) for the latest information on Metaform's responsible design.



Metaform Blocks, Vertipedes, and work surfaces combine to create individual workspaces where people have enough privacy to focus on the task at hand.



A configuration of Metaform Blocks, Vertipedes, and Centipedes forms a group space where people can easily connect and have all the tools they need close by.


## Materials

Please visit us at [hermanmiller.com/materials](http://hermanmiller.com/materials) to see representational samples of our complete textile and materials offering for Metaform Portfolio.



## Components

You can arrange Metaform's flexible elements to suit your activities in the moment, then rearrange them as work and activities change.




**For more information, please visit [hermanmiller.com](http://hermanmiller.com) or call 888 443 4357.**

HermanMiller and  are among the registered trademarks of Herman Miller, Inc.  
Metaform Portfolio is among the trademarks of Herman Miller, Inc.

Printed in the USA. Please recycle.  
© 2015 Herman Miller, Inc., Zeeland, Michigan O.BL202  
All rights reserved.


## Details



Centipede



Tackboard



Sparrow and Bolt-It



Straight or Curved Backdrop



Vertipede



Media Rig



### Earthright: Herman Miller's Sustainability Goals

#### Resource Smart

- Zero Waste
- Net Zero Water
- Net Zero Energy

#### Eco-inspired Design

- All products designed for the environment
- All products BIFMA level 3 certified
- Closed-loop recycling of used product

#### Community Driven

- All employees engaged in Earthright
- All suppliers committed to be Resource Smart



### Environmental Product Summary

## Metaform Portfolio™

#### Design Story: Designed to Evolve

In the new landscape of work, people expect everything they encounter in their workday to be as flexible and intuitive as their personal technology devices. Metaform Portfolio enables a more natural and fluid experience of work by allowing people to tailor the workplace to their unique needs, and adjust their surroundings as needs evolve.

Metaform uses a common material—expanded polypropylene (EPP), to create lightweight foundational blocks that fit together, come apart, and rearrange to create customizable settings where people can seamlessly work together to generate new ideas. Accented with a colorful array of highly versatile add-on accessories and elements including worksurfaces, Metaform enables a landscape that reflects the unique purpose, character, and activities of your organization.

Studio 7.5, designers of Metaform Portfolio believe the complexity of design solutions, requires collaboration, and repeated testing of ideas in full-scale models until the most elegant answer emerges. They love designing furniture, or as they prefer to call it, “equipment,” as in the tools needed for work. “Our goal is to enable people to assume roles similar to those of a craftsman in his shop, surrounded by what he needs to be most productive,” says Studio 7.5. “Metaform empowers people by giving them more control over their environments and tools.”

#### Herman Miller's Design Protocol

Our commitment to corporate sustainability naturally includes minimizing the environmental impact of each of our products. Our Design for Environment team (DFE) applies environmentally sensitive design standards to both new and existing Herman Miller products.

The DfE Design Protocol goes beyond regulatory compliance to thoroughly evaluate new product designs in four key areas:

- *Material Chemistry and Safety of Inputs*—What chemicals are in the materials we specify, and are they the safest available?
- *Disassembly*—Can we take products apart at the end of their useful life, to recycle their materials?
- *Recyclability*—Do the materials contain recycled content, and more importantly, can the materials be recycled at the end of the product's useful life?
- *LCA*—Have we optimized the product based on the entire life cycle?

#### FSC® Certification

Herman Miller has Forest Stewardship Council® (FSC) chain of custody certification and offers certain standard laminate and veneer worksurfaces and storage products with wood fronts and tops, with exceptions, as FSC-certified products. For a detailed list of these products and exceptions, please visit [HermanMiller.com/certified-wood](http://HermanMiller.com/certified-wood).



#### GREENGUARD Certified

Metaform Portfolio has achieved GREENGUARD and GREENGUARD Gold Certifications. GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit [ul.com/gg](http://ul.com/gg).

#### Material Content\*


Metaform Portfolio components are constructed from aluminum, particle board, plastic, steel, and miscellaneous.




Environmental Product Summary  
**Metaform Portfolio**

**Material Content**


**Hive**



**Cove-Curved Block**



**Cove-Straight Block**




Metaform Portfolio components are up to 51 percent recyclable based on availability of recycling facilities.


- Metaform Portfolio Hive—45% recyclable
- Metaform Portfolio Cove-Curved Block—51% recyclable
- Metaform Portfolio Cove-Straight Block—49% recyclable

**Recycled Content**


**Hive**



**Cove-Curved Block**



**Cove-Straight Block**



Metaform Portfolio components are comprised of approximately 36-percent to 47-percent recycled materials. This figure breaks down as:

- Metaform Portfolio Hive—1% post-consumer and 38% pre-consumer
- Metaform Portfolio Cove-Curved Block—8% post-consumer and 28% pre-consumer
- Metaform Portfolio Cove-Straight Block—7% post-consumer and 40% pre-consumer



## Environmental Product Summary

# Metaform Portfolio

---

- Steel components contain approximately 37 percent recycled content and are 100 percent recyclable.
- Wood, while not technically recyclable, can be cycled back to the natural environment through processes such as composting. The wood content in our work surfaces, tables, and storage unit substrates is made primarily of sawdust generated by other upstream wood process operations. Additionally, wood waste from our operations is burned in our Energy Center, which generates steam that we use in our manufacturing facilities.
- All veneers used are purchased from suppliers practicing responsible forestry techniques.
  - Approximately 60 to 80 percent of veneers are derived from domestically grown woods, notably cherry.
  - Responsibly harvested, rapidly renewable bamboo work surface veneer is also available.
  - All veneers are adhered to the substrate with water-based glues to minimize air emissions.
- Plastic components are identified with an ASTM recycling code whenever possible, to aid in returning these materials to the recycling stream.
- *Returnable Packaging*—Metaform Portfolio's packaging materials include corrugated cardboard and expanded polystyrene foam. These materials are part of a closed-loop recycling system, meaning they can be recycled repeatedly.
  - Whenever possible, shipments between Herman Miller and its suppliers include the use of pallets and other returnable packaging to minimize waste.
  - On large North American orders, disposable packaging can be replaced with reusable shipping blankets.
- *Renewable Energy*—Metaform Portfolio is manufactured in West Michigan using 100 percent renewable energy via renewable energy credits and a power purchase agreement.
- *ISO*—Metaform Portfolio is manufactured in West Michigan at an ISO 14001-certified site.
- *Worker Health and Safety*—Herman Miller strives to meet or exceed OSHA standards. Metaform Portfolio is manufactured at an OHSAS 18001-certified site.

### Product Performance

- Designed for minimal material use, reduced energy requirements, easy reconfiguration, and durability.
- Backed by Herman Miller's 12-year, 24/7 warranty.

### Corporate Sustainability Policy

For more information on Herman Miller's Corporate Sustainability Policy and other environmental efforts, please visit [HermanMiller.com/environment](http://HermanMiller.com/environment).

### Supplier Support

At Herman Miller, we are committed to working closely with our suppliers to reduce our collective impact on the environment. We not only encourage our suppliers to minimize their operations' environmental impacts but require they assist us in decreasing our facilities' negative environmental effects, as well.

### LEED

Metaform Portfolio may contribute to LEED credits due to its returnable/reusable packaging, durability, pre-consumer recycled content, and post-consumer content. Depending on location, Metaform Portfolio also may contribute to a LEED Regional Materials credit. The Herman Miller LEED calculator may be found on the websites product pages or contact your Herman Miller representative for detailed LEED information.

### rePurpose<sup>SM</sup> Program

Good design includes thinking about how to recycle used products. Our program, rePurpose, gives new life to furniture that's no longer needed. By employing a thoughtful combination of resale, recycling, and donation on each project, rePurpose ensures each asset, including furniture, equipment, and supplies, reaches its best destination. The rePurpose program is a cost-effective, reliable, and efficient service that protects the environment and benefits the community. rePurpose is a single-source approach, which saves time and money, eliminates liability, and keeps 99 percent of product out of landfills. Its robust web-based reporting helps organization of all types and sizes align economic, environmental, and social goals. Want to learn more about rePurpose? Contact us at [rePurpose@hermanmiller.com](mailto:rePurpose@hermanmiller.com).

***It's important to note that no interior furnishings, individually or collectively, can guarantee a specific number of points for LEED certification.***



Prices effective February 6, 2017

# Metaform Portfolio™

<b>Introduction</b>	<b>page 2</b>
<b>Metaform Portfolio™</b>	<b>3</b>
Blocks	5
Media Rig	9
Tables	13
Desks	19
Ridge Tools	20
Collaborative Accessories	26
Power and Data Support	28
<b>Indices</b>	<b>33</b>
By Name	33
By Number	35
<b>Appendices</b>	
20-Day or Less/Assigned Lead-Time Order Information	
<b>For the latest materials information, refer to the Materials pages on <a href="http://HermanMiller.com">HermanMiller.com</a>.</b>	

# Introduction

## A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

### Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

### Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

### The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

## General Information

This book is effective February 6, 2017, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit [www.HermanMiller.com](http://www.HermanMiller.com).

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest  $\frac{1}{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

### 20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

**Blocks**

**Media Rig**

**Tables**

**Desks**

**Ridge Tools**


**Collaborative Accessories**

**Power and Data Support**



# Straight Block

BLB1.



## Product Information

### Description

This freestanding expanded polypropylene block can be used independently or with additional blocks. It weighs 18 pounds and can be easily moved for new configurations. Each block has 3 staggered furrows for storage and display, and 4 ridges that allow accessories and work surfaces to be attached. 4 push button glides allow 1 1/2" of leveling adjustment without tools. Order optional accessories separately. Includes 2 connectors for attachment to additional blocks.


### Notes

Order optional products separately:

- Backdrop (BLP1.)
- Vertipede (BLVo.)
- Centipede (BLCo.)
- Ridge tool (BLRo.)
- Tackboard (BLKo.)
- Markerboard (BLWo.)
- Media rig, straight block (BLM1.)
- Media rig ballast, straight block (BLS1.)
- Curved block (BLB2.)
- Desk (BLD1.)
- Rectangular fixed height table (BLF1.)

Block connectors attach in the top and bottom furrows and push into molded holes.


## Dimensions



Specification Information	
Step 1.	
<b>BLB1.</b> <input type="checkbox"/>	\$1135
Step 2. Block Color	
<b>MY1</b> mineral grey <input type="checkbox"/>	+\$0

# Curved Block

BLB2.



### Product Information

#### Description

This curved freestanding expanded polypropylene block can be used independently or with additional blocks. It weighs 19 pounds and can be easily moved for new configurations. Each block has 3 staggered furrows for storage and display, and 4 ridges that allow accessories and work surfaces to be attached. 5 push button glides allow 1 1/2" of leveling adjustment without tools. Order optional accessories separately. Includes 2 connectors for attachment to additional blocks.





#### Notes

Order optional products separately:

- Backdrop (BLP2.)
- Vertipede (BLVo.)
- Centipede shelf (BLCo.)
- Ridge tool (BLRo.)
- Tackboard (BLKo.)
- Markerboard (BLWo.)
- Media rig, curved block (BLM2.)
- Media rig ballast, curved block (BLS2.)
- Straight block (BLB1.)
- Triangular fixed height table (BLF2.)

Block connectors attach in the top and bottom furrows and push into molded holes.


### Dimensions



Specification Information	
Step 1.	
<b>BLB2.</b> <input type="checkbox"/>	\$1135
Step 2. Block Color	
<b>MY1</b> mineral grey <input type="checkbox"/>	+\$0

# Media Rig, Straight Block

BLM1.



## Product Information



### Description

This assembly supports up to a 42" flat screen monitor or up to 60 pounds of weight. It includes ballast, 2 posts, cross bar assembly, and VESA mounting brackets. Mounting brackets include quick release monitor attachment. Posts allow for vertical adjustment of monitor without tools. The counterweight ballast includes 50 pounds of sand to provide monitor stability and comes with 4 adjustable glides and a bubble level.

### Notes

For use with straight block (BLB1) only. It can be used in 1 block or centered between 2 blocks. For 2-block configuration, 1 additional ballast (BLS1) is required, ordered separately.  
 Monitor mounting hardware must be field supplied.

### Dimensions



## Specification Information


### Step 1.

**BLM1.** A \$1324

### Step 2. Color

**G1** graphite A +\$0

Media Rig Ballast, Straight Block BLS1.




Metaform Portfolio™ Media Rig

**Product Information**

**Description**  
 This counterweight ballast provides monitor stability and has 4 adjustable glides and a bubble level for easy setup. It allows a media rig to be centered between 2 adjacent straight blocks. 50 pounds of sand included.

**Notes**  
 For use with straight block media rig (BLM1.) in 2-straight-block configuration.  
 Order media rig (BLM1.) separately.

**Dimensions**




**Specification Information**

**Step 1.**  
**BLS1.** A \$486

# Media Rig, Curved Block

BLM2.



## Product Information


### Description

This assembly supports up to a 42" flat screen monitor or up to 60 pounds of weight. It includes a curved ballast, 2 posts, cross bar assembly, and VESA mounting brackets. Mounting brackets include quick release monitor attachment. Posts allow for vertical adjustment of monitor without tools. The counterweight ballast includes 50 pounds of sand to provide monitor stability and comes with 4 adjustable glides and a bubble level.

### Notes

For use with curved block (BLB2.) only. It can be used in 1 block or centered between 2 blocks. For 2-block configuration, 1 additional ballast (BLS2.) is required, ordered separately.  
 Monitor mounting hardware must be field supplied.

### Dimensions



## Specification Information


### Step 1.

**BLM2.** [A] \$1324

### Step 2. Color

**G1** graphite [A] +\$0

Media Rig Ballast, Curved Block BLS2.




Metaform Portfolio™ Media Rig

**Product Information**

**Description**  
 This curved counterweight ballast provides monitor stability and has 4 adjustable glides and a bubble level for easy setup. It allows a curved-block media rig to be centered between 2 adjacent curved blocks. 50 pounds of sand included.

**Notes**  
 For use with curved block media rig (BLM2.) in 2-curved-block configuration.  
 Order media rig (BLM2.) separately.

**Dimensions**




**Specification Information**

Step 1.  
**BLS2.** A \$486

# Rectangular Fixed Height Table

BLF1.



## Product Information

### Description

This rectangular fixed height table is a work surface that attaches at 1 end to a straight block and is supported at the other end by a column leg with a cone shaped base that has an integrated carrying handle. The work surface is laminate, has a squared edge and is 1/4" thick. The leg provides 1/2" of leveling adjustment. Attachment hardware included.

### Notes


Rectangular table is compatible with straight blocks only.

Attachment to a block results in a gap of approximately 2" between work surface end and block.

Stiffener is attached to the underside of large table (L).

For additional product options, see Vary Easy Program in appendices.

### Dimensions



## Specification Information

### Step 1.

**BLF1.**  A

### Step 2. Size

**S** small 31 1/2" deep x 52" wide  A

**L** large 36" deep x 72" wide  A

### Step 3. Height

**29** 29" high  A

### Step 4. Leg Type

**C** column leg  A

### Step 5. Surface Material

**L** laminate  A

### Prices for Steps 1-5.

	<b>CL</b>
<b>BLF1. S 29</b>	\$903
<b>L 29</b>	\$1038

### Step 6. Leg Finish

**G1** graphite  A +\$0


### Step 7. Surface Finish

#### Solid-Color Laminate

<b>8Q</b> folkstone grey <input type="checkbox"/> A	+\$0
<b>91</b> white <input type="checkbox"/> A	+\$0
<b>98</b> studio white <input type="checkbox"/> A	+\$0
<b>WL</b> sandstone <input type="checkbox"/> A	+\$0

# Triangular Fixed Height Table

BLF2.



Metaform Portfolio™ Tables

## Product Information


### Description

This triangular fixed height table is a work surface that attaches at 1 end to a curved block and is supported at the other end by a column leg with a cone shaped base that has an integrated carrying handle. The work surface is laminate, has a squared edge and is 1 1/4" thick. The leg provides 1 1/2" of leveling adjustment. Attachment hardware included.

### Notes

Triangular table is compatible with curved blocks only.  
Attachment to a block results in a gap of approximately 2" between work surface end and block.  
Stiffener is attached to the underside of large table (L).  
For additional product options, see Vary Easy Program in appendices.

### Dimensions



## Specification Information

### Step 1.

**BLF2.**  A

### Step 2. Size

**S** small 40" deep x 52" wide  A  
**L** large 58" deep x 72" wide  A

### Step 3. Height

**29** 29" high  A

### Step 4. Leg Type

**C** column leg  A

### Step 5. Surface Material

**L** laminate  A

### Prices for Steps 1-5.

			CL
<b>BLF2.</b>	<b>S</b>	<b>29</b>	\$957
	<b>L</b>	<b>29</b>	\$1105

### Step 6. Leg Finish

**G1** graphite  A + \$0


### Step 7. Surface Finish

#### Solid-Color Laminate

<b>8Q</b>	folkstone grey <input type="checkbox"/> A	+ \$0
<b>91</b>	white <input type="checkbox"/> A	+ \$0
<b>98</b>	studio white <input type="checkbox"/> A	+ \$0
<b>WL</b>	sandstone <input type="checkbox"/> A	+ \$0

# Round End High Performance Height Adjustable Table

BLH1.



## Product Information

### Description

This lightweight table attaches at 1 end to a straight block and is supported at the other end by a height-adjustable column leg with a cone shaped base that has an integrated carrying handle. The table adjusts to 3 heights—sitting (29"), counter (35"), and standing (42")—by using the adjustable column and extending support arms. The leg provides an additional 1 1/2" of leveling adjustment. Support arms extend to maintain work surface position as height is adjusted. The work surface is laminate, has a squared edge and is 3/4" thick. It comes with an integrated handle located for balanced carrying. Attachment hardware included.

### Notes


Round end high performance table is compatible with straight blocks only.

Back edge of surface stays in same location at all heights. Revolving arms extend in 4" increments to accommodate seated, counter and standing heights.


Large size surface does not require a stiffener.

Small table weighs 21 pounds; large table weighs 28 pounds.

## Dimensions



Small Table



Large Table


Metaform Portfolio™ Tables

# Round End High Performance Height Adjustable Table *continued*

Specification Information	
Step 1.	
<b>BLH1.</b>	<input type="checkbox"/>
Step 2. Edge	
<b>S</b>	squared-edge <input type="checkbox"/>
Step 3. Size	
<b>S</b>	small 31½" deep x 52" wide <input type="checkbox"/>
<b>L</b>	large 36" deep x 72" wide <input type="checkbox"/>
Step 4. Leg Type	
<b>A</b>	adjustable column leg <input type="checkbox"/>
Step 5. Surface Material	
<b>L</b>	laminate <input type="checkbox"/>
Prices for Steps 1-5.	
	<b>AL</b>
<b>BLH1. S S</b>	\$2648
<b>L</b>	\$2770
Step 6. Leg Finish	
<b>G1</b>	graphite <input type="checkbox"/> <span style="float: right;">+\$0</span>
Step 7. Surface Finish	
Solid-Color Laminate	
<b>91</b>	white <input type="checkbox"/> <span style="float: right;">+\$0</span>
Step 8. Edge Finish	
<b>MY1</b>	mineral grey <input type="checkbox"/> <span style="float: right;">+\$0</span>

# Triangular High Performance Height Adjustable Table

BLH2.



## Product Information

### Description

This lightweight table attaches at 1 end to a curved block and is supported at the other end by a height-adjustable column leg with a cone shaped base that has an integrated carrying handle. The table adjusts to 3 heights—sitting (29”), counter (35”), and standing (42”)—by using the adjustable column and extending support arms. The leg provides an additional 1½” of leveling adjustment. Support arms extend to maintain work surface position as height is adjusted. The work surface is laminate, has a squared edge and is ¾” thick. It comes with an integrated handle located for balanced carrying. Attachment hardware included.

### Notes



Triangular high performance table is compatible with curved blocks only.

Back edge of surface stays in same location at all heights. Revolving arms extend in 4” increments to accommodate seated, counter and standing heights.

Large size surface does not require a stiffener.

Small table weighs 21 pounds; large table weighs 32 pounds.

## Dimensions




# Triangular High Performance Height Adjustable Table *continued*

Metaform Portfolio™ Tables

Specification Information	
Step 1.	
<b>BLH2.</b>	<input type="checkbox"/>
Step 2. Edge	
<b>S</b>	squared-edge <input type="checkbox"/>
Step 3. Size	
<b>S</b>	40" deep x 52" wide <input type="checkbox"/>
<b>L</b>	58" deep x 72" wide <input type="checkbox"/>
Step 4. Leg Type	
<b>A</b>	adjustable column leg <input type="checkbox"/>
Step 5. Surface Material	
<b>L</b>	laminate <input type="checkbox"/>
Prices for Steps 1-5.	
	<b>AL</b>
<b>BLH2. S S</b>	\$2703
<b>L</b>	\$2838
Step 6. Leg Finish	
<b>G1</b>	graphite <input type="checkbox"/> <span style="float: right;">+\$0</span>
Step 7. Surface Finish	
Solid-Color Laminate	
<b>91</b>	white <input type="checkbox"/> <span style="float: right;">+\$0</span>
Step 8. Edge Finish	
<b>MY1</b>	mineral grey <input type="checkbox"/> <span style="float: right;">+\$0</span>

Desk

BLD1.



**Product Information**


**Description**

This desk is a work surface that attaches at 1 end to a straight block and is supported at the other end by a full-width panel. The work surface is laminate, has a squared edge and is 1¼" thick. The support panel has glides that provide 1½" of leveling adjustment. Attachment hardware included.

**Notes**

Desk is compatible with straight block only.  
 Attachment to a block results in a gap of approximately 2" between work surface end and block.  
 Stiffener is attached to the underside of work surface.  
 For additional product options, see Vary Easy Program in appendices.

**Dimensions**



**Specification Information**

Step 1.

**BLD1.**  A

Step 2. Edge

**S** squared-edge  A

Step 3. Depth

**30** 30" deep  A

Step 4. Width

**60** 60" wide  A

Step 5. Surface Material


**L** laminate  A

Prices for Steps 1-5.

	<b>60L</b>
<b>BLD1. S 30</b>	\$632

Step 6. Surface Finish

<b>8Q</b> folkstone grey <input type="checkbox"/> A	+\$0
<b>91</b> white <input type="checkbox"/> A	+\$0
<b>98</b> studio white <input type="checkbox"/> A	+\$0
<b>WL</b> sandstone <input type="checkbox"/> A	+\$0



**Product Information**

**Description**

These polypropylene ridge tools provide 2 versatile options for supporting work tools on a block. The core element, referred to as the Sparrow, allows the Cradle or the Bolt-It to attach to any unoccupied ridge on a straight or curved block in either direction, and allows for 360° rotation of the tool. Each tool includes 1 Sparrow.

The Cradle supports hand-held devices such as tablets and mobile phones.


The Bolt-It allows the custom attachment to the block of a desired component by drilling a 5/8" diameter hole through the component, affixing the Bolt-It through the hole, and placing the Bolt-It in the Sparrow.

**Notes**

Bolt-It requires customer-drilled 5/8" hole into desired component.

Metaform Portfolio™ Ridge Tools

**Dimensions**



**Specification Information**

Step 1.

**BLRO.**  A

Step 2. Application

**C** cradle + sparrow  A

**S** bolt-it + sparrow  A

Prices for Steps 1-2.


<b>BLRO. C</b>	\$54
<b>S</b>	\$54

Step 3. Color

**MY1** mineral grey  A +\$0

# Vertipede

BLV0.



## Product Information


### Description

The Vertipede adds character, height, and creates a visual boundary. It slides onto any unoccupied top ridge on a straight or curved block. It is made of ABS plastic, comes in several colors, and is available in package quantities of 1, 4 or 5 pieces.

### Notes

8 Vertipedes are needed to completely cover the span of a single straight block. 9 Vertipedes are needed to completely cover the span of a single curved block. Fewer can be used on either block for partial ridge coverage or as accent pieces.

### Dimensions



Metaform Portfolio™ Ridge Tools

## Specification Information

### Step 1.

**BLV0.**

### Step 2. Package

- 1** pack of 1
- 4** pack of 4
- 5** pack of 5

### Prices for Steps 1-2.


<b>BLV0.</b>	<b>1</b>	\$68
	<b>4</b>	\$272
	<b>5</b>	\$340

### Step 3. Color

<b>79</b>	green apple <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>BRN</b>	urban orange <input type="checkbox"/>	+\$0
<b>TRQ</b>	turquoise <input type="checkbox"/>	+\$0

# Centipede Shelves

BLC0.



## Product Information


### Description

This flexible shelf slides onto any unoccupied ridge of a straight or curved block to create display or organizational space. It can attach in either direction on the top ridge. It is made of ABS plastic, comes in several colors, and is available in package quantities of 1 or 3 pieces.

### Notes

Centipede shelf meets BIFMA load requirements.

### Dimensions



## Specification Information

### Step 1.

**BLC0.**

### Step 2. Package

- 1** package of 1
- 3** package of 3

### Prices for Steps 1-2.

<b>BLC0.</b>	<b>1</b>	\$81
	<b>3</b>	\$243


### Step 3. Color

<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>HY1</b>	hyper-orange <input type="checkbox"/>	+\$0
<b>HY3</b>	hyper-lime <input type="checkbox"/>	+\$0
<b>HY4</b>	hyper-blue <input type="checkbox"/>	+\$0

Metaform Portfolio™ Ridge Tools

# Backdrop, Straight Block

BLP1.



### Product Information

**Description**  
This backdrop adds height and creates a visual boundary. It is translucent acrylic and comes with 2 attachment brackets that slide into an unoccupied top furrow on a straight block.

**Notes**  
Straight backdrop is compatible with straight blocks only.


### Dimensions

### Specification Information

Step 1.  
**BLP1.**  A \$392


Step 2. Color  
**CRL** colorless  A +\$0

Metaform Portfolio™ Ridge Tools



# Backdrop, Curved Block

BLP2.



### Product Information


#### Description

This curved backdrop adds height and creates a visual boundary. It is translucent acrylic and comes with 2 attachment brackets that slide into an unoccupied top furrow on a curved block.

#### Notes

Curved backdrop is compatible with curved blocks only.

#### Dimensions



### Specification Information

#### Step 1.


**BLP2.** [A] \$392

#### Step 2. Color

**CRL** colorless [A] +\$0

# Markerboard

BLW0.




### Product Information

**Description**  
This markerboard provides a 2-sided erasable writing surface that slides into any available furrow on a straight or curved block. It is made of white acrylic and includes an integrated carrying handle.

**Notes**  
Surface intended for dry-erase marker only.  
Markers must be customer supplied.

### Dimensions



### Specification Information

Step 1.

**BLW0.**  A

Step 2. Package

**1** single pack  A

Prices for Steps 1-2.


**BLW0. 1** \$311

Step 3. Color

**98** studio white  A +\$0

# Tackboard

BLK0.



### Product Information


#### Description

This tackboard provides a 2-sided lightweight attachment surface that slides into any available furrow on a straight or curved block. It is made of compressed polyester fibers and includes an integrated carrying handle.

#### Notes

Tacks or push-pins must be customer supplied.

#### Dimensions



### Specification Information

#### Step 1.

**BLK0.**

#### Step 2. Package


**1** single pack

#### Prices for Steps 1-2.

**BLK0. 1** \$311

#### Step 3. Color

**BK** black  +\$0




**Product Information**

**Description**  
 This electrical distributor provides a plug-in solution for Metaform Portfolio™ block configurations. It plugs directly into floor, wall, or ceiling drop outlets. Attachment hardware included. Product is UL listed.

**Notes**  
 Furrow attachment (F) is designed to fit product in Metaform block furrow.  
 Product can be installed on a straight block (BLB1.) or curved block (BLB2.).  
 A small LED light illuminates through the USB ports when the USB version is plugged in and powered.  
 USB ports provide 10-watt power to charge most devices and tablets at full speed.  
 Cord color is predetermined. For white (g1) finish cords will be white. For graphite (G1) finish cords will be black.

**Dimensions**



Metaform Portfolio™ Power and Data Support

**Specification Information**

Step 1.

**BLE01.** [A]

Step 2. Configuration

- J** 1 simplex receptacles, 2 powered USB [A]
- K** 2 simplex receptacles [A]

Step 3. Cord/Conduit Length

- 03** 3' cord [A]
- 06** 6' cord [A]
- 10** 10' cord [A]

Step 4. Attachment


- F** furrow [A]

Prices for Steps 1-4.

			<b>F</b>
<b>BLE01. J</b>	<b>03</b>		\$301
	<b>06</b>		\$301
	<b>10</b>		\$312
	<b>K</b>	<b>03</b>	\$164
		<b>06</b>	\$164
		<b>10</b>	\$174

Step 5. Finish

- 91** white [A] +\$0
- G1** graphite [A] +\$0



**Product Information**

**Description**

This electrical distributor provides a plug-in solution for Metaform Portfolio™ block configurations. Multiple module options present the same visual appearance. It plugs directly into floor, wall, or ceiling drop outlets. Attachment hardware included. Product is ETL listed to UL962.

**Notes**

Furrow attachment (F) is designed to fit product in Metaform block furrow.

Product can be installed on a straight block (BLB1.) or curved block (BLB2.).

Jumper length denotes distance between center points of each split point.

Cord length denotes distance from plug end to first split point.



All branch lengths from main power cord to module are 12".

A small LED light illuminates through the USB ports when the USB version is plugged in and powered.


USB ports provide 10-watt power to charge most devices and tablets at full speed.

The cord head contains a circuit breaker when there are more than 3 simplex receptacles.


**Dimensions**



Two Power Modules



Three Power Modules



Four Power Modules

Metaform Portfolio™ Power and Data Support

**Specification Information**

Step 1.

**BLE02.**  A

Step 2. Number of Modules

- 2** two power modules  A
- 3** three power modules  A
- 4** four power modules  A

Step 3. Power Type

- J** 1 simplex receptacles, 2 powered USB, all modules  A
- K** 2 simplex receptacles, all modules  A
- L** first module has 1 AC plus 2 powered USB all other modules have all AC simplexes  A

Step 4. Jumper Length

- 36** 36" between split points  A
- 48** 48" between split points  A
- 60** 60" between split points  A

Step 5. Attachment

**F** furrow  A

Step 6. Cord/Conduit Length

- 06** 6' cord/conduit  A
- 10** 10' cord/conduit  A

Prices for Steps 1-6.


		<b>36F06</b>	<b>36F10</b>	<b>48F06</b>	<b>48F10</b>	<b>60F06</b>	<b>60F10</b>
<b>BLE02. 2</b>	<b>J</b>	\$666	677	674	685	683	693
	<b>K</b>	\$399	409	407	417	415	425
	<b>L</b>	\$533	543	541	551	549	560
<b>3</b>	<b>J</b>	\$992	1002	1009	1019	1025	1035
	<b>K</b>	\$605	615	621	631	638	648
	<b>L</b>	\$740	750	756	767	773	783
<b>4</b>	<b>J</b>	\$1348	1358	1372	1383	1389	1399
	<b>K</b>	\$813	823	837	848	862	872
	<b>L</b>	\$947	957	972	982	996	1007

Step 7. Finish

- 91** white  A + \$0
- G1** graphite  A + \$0

Controlled Receptacle Decal  
(20 per sheet)

G9999.




**Product Information**

**Description**

This decal is to be used for ASHRAE90.1 and Title 24 compliance. The decal is used to mark standard receptacles (new or existing) that are under automated control by the energy management system. 1 sheet includes 20 clear decals with white or black print.

**Dimensions**



**Specification Information**

**Step 1.**

**G9999.**  A

**Step 2. Color**

**B** black print  A

**W** white print  A


**Prices for Steps 1-2.**

<b>G9999. B</b>	\$7
<b>W</b>	\$7



## Index by Product Name

<b>Metaform Portfolio™</b>	
Backdrop, Curved Block	page(s) 25
Backdrop, Straight Block	24
Centipede Shelves	23
Controlled Receptacle Decal (20 per sheet)	31
Curved Block	7
Desk	19
Logic Mini Furrow	28
Logic Mini Furrow - Vine	29
Markerboard	26
Media Rig Ballast, Curved Block	12
Media Rig Ballast, Straight Block	10
Media Rig, Curved Block	11
Media Rig, Straight Block	9
Rectangular Fixed Height Table	13
Ridge Tools	20
Round End High Performance Height Adjustable Table	15
Straight Block	5
Tackboard	27
Triangular Fixed Height Table	14
Triangular High Performance Height Adjustable Table	17
Vertipede	22



## Index by Product Number

BLB1.	Straight Block	page(s) 5
BLB2.	Curved Block	7
BLC0.	Centipede Shelves	23
BLD1.	Desk	19
BLE01.	Logic Mini Furrow	28
BLE02.	Logic Mini Furrow - Vine	29
BLF1.	Rectangular Fixed Height Table	13
BLF2.	Triangular Fixed Height Table	14
BLH1.	Round End High Performance Height Adjustable Table	15
BLH2.	Triangular High Performance Height Adjustable Table	17
BLK0.	Tackboard	27
BLM1.	Media Rig, Straight Block	9
BLM2.	Media Rig, Curved Block	11
BLP1.	Backdrop, Straight Block	24
BLP2.	Backdrop, Curved Block	25
BLR0.	Ridge Tools	20
BLS1.	Media Rig Ballast, Straight Block	10
BLS2.	Media Rig Ballast, Curved Block	12
BLV0.	Vertipede	22
BLW0.	Markerboard	26
G9999.	Controlled Receptacle Decal (20 per sheet)	31



## 20-Day or Less/Assigned Lead-Time Order Information

### 20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon **A** will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an **A** are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

### Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:  
(616) 654 3085.

For more information, contact your Customer Care representative at:  
(866) 854 3048 EXT 3400.

### Shipments and Delivery

Per Herman Miller Terms and Conditions.

### Changes and Cancellation

Per Herman Miller Terms and Conditions.





For more information about our products and services or to see a list of dealers, please visit us at [HermanMiller.com](http://HermanMiller.com) or call (800) 851 1196.

This book is recyclable. Printed in U.S.A. on recycled paper.

© 2017 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, ●, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Locale, Logic Mini, Logic Power Access Solutions, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Motia, Multiscrim, Nelson, Pari, Pixelated Support, Plex, PostureFit SL, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis SpA.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.