

take off

FREESTANDING



USA price list












effective May 1st 2014

UPDATED - January 15th 2017
Update summary - p.335






artopex[®]
the art and the purpose

visual index	2
general information	
general characteristics	24
finish chart	54
typical layouts	62
desks & tables L-M	
assembled desks	64
returns	75
knockdown tables	79
convergent tables	95
storage	
credenzas	116
storage units	119
cabinets	131
pedestals	160
hutches & top storage	
hutches L-M	168
hutches S-T	180
modular hutches	192
wall-mounted hutches	195
bookcase hutches	201
tables / layering S-T	
knockdown tables	212
surface-mounted tables	219
storage 23" H. / layering S-T	238
closed shared tables S	244
shared storage	258
screens & accessories	264
electricity	270
reception units & occasional tables	274
	280
conditions & guarantees	








ASSEMBLED RECTANGULAR DESKS - 64

	DI3060U DI2472U DI2466U DI2460U DI3672U DI3072U DI3066U		DI3060F DI2472F DI2466F DI2460F DI2172F DI3072F DI3066F		DI3060Y DI2472Y DI2466Y DI2460Y DI2172Y DI3072Y DI3066Y		DI3060Z DI2472Z DI2466Z DI2460Z DI2172Z DI3072Z DI3066Z
	DI2472S DI2466S DI2460S DI3072S DI3066S DI3060S		DI2472T DI2466T DI2460T DI3072T DI3066T DI3060T		DI2472V DI2466V DI2460V DI3072V DI3066V DI3060V		DI2472W DI2466W DI2460W DI3072W DI3066W DI3060W
	DI2472P DI2466P DI2460P DI3072P DI3066P DI3060P		DI2472M DI2466M DI2460M DI3072M DI3066M DI3060M DI3048M		DI2472N DI2466N DI2460N DI3072N DI3066N DI3060N DI3048N		



ASSEMBLED BOW FRONT DESK WITH CURVED INTERIOR ACCESS - 70

	DC3672Y		DC3672U		DC3672P		DC3672T		DC3672S
---	---------	---	---------	---	---------	---	---------	---	---------





ASSEMBLED BOW FRONT DESKS - 72

	DD3672Y DD3666Y DD3660Y		DD3672U DD3666U DD3660U		DD3672P DD3666P DD3660P		DD3672N DD3666N DD3660N
	DD3672S DD3666S DD3660S		DD3672T DD3666T DD3660T		DD3672M DD3666M DD3660M		


ASSEMBLED OFFSET BOW FRONT DESKS - 74

	DFL3072S DFL3066S DFL3060S		DFR3072T DFR3066T DFR3060T
---	----------------------------------	---	----------------------------------


ASSEMBLED RETURNS - 75

RIGHT return	LEFT return	RIGHT return	LEFT return
			
RET2442 RET2436 RET2430 RET2148 RET2460 RET2454 RET2448	RES2442 RES2436 RES2430 RES2148 RES2460 RES2454 RES2448	REW2442 REW2436 REW2430 REW2148 REW2460 REW2454 REW2448	REV2442 REV2436 REV2430 REV2148 REV2460 REV2454 REV2448


RIGHT return

	REN2436 REN2430 REN2460 REN2454 REN2448 REN2442
---	--


LEFT return

	REM2436 REM2430 REM2460 REM2454 REM2448 REM2442
---	--


REVERSIBLE RETURNS - 78

	RER2436 RER2430 RER2148 RER2142 RER2136 RER2130 RER2448 RER1836 RER1830
---	---

BRIDGE RETURNS - 78

	REB2148 REB2142 REB2136 REB2130 REB2448 REB2442 REB2436 REB2430
---	--

RECTANGULAR TABLES (FULL END PANELS) - 79



Ti3684LL
Ti3678LL

Ti3672LL
Ti3666LL
Ti3660LL
Ti3654LL
Ti3648LL
Ti3084LL
Ti3078LL

Ti3072LL
Ti3066LL
Ti3060LL
Ti3054LL
Ti3048LL
Ti3042LL
Ti3036LL

Ti3030LL
Ti3024LL
Ti2484LL
Ti2478LL
Ti2472LL
Ti2466LL
Ti2460LL


Ti2454LL
Ti2448LL
Ti2442LL
Ti2436LL
Ti2430LL
Ti2424LL
Ti2184LL

Ti2178LL
Ti2172LL
Ti2166LL
Ti2160LL
Ti2154LL
Ti2148LL
Ti2142LL


Ti2136LL
Ti2130LL
Ti2124LL
Ti1884LL
Ti1878LL
Ti1872LL
Ti1866LL

Ti1860LL
Ti1854LL
Ti1848LL
Ti1842LL
Ti1836LL
Ti1830LL
Ti1824LL


RECTANGULAR TABLES (RECESSED END PANELS) - 81



Ti3084 ...
Ti3078 ...
Ti3072 ...



Ti3066 ...
Ti3060 ...
Ti3054 ...



Ti3048 ...
Ti3042 ...
Ti3036 ...

Ti3030 ...
Ti3024 ...
Ti2484 ...


Ti2478 ...
Ti2472 ...
Ti2466 ...
Ti2460 ...
Ti2454 ...
Ti2448 ...
Ti2442 ...
Ti2436 ...

Ti2430 ...
Ti2424 ...
Ti2184 ...
Ti2178 ...
Ti2172 ...
Ti2166 ...
Ti2160 ...
Ti2154 ...

Ti2148 ...
Ti2142 ...
Ti2136 ...
Ti2130 ...
Ti2124 ...
Ti1884 ...
Ti1878 ...
Ti1872 ...


Ti1866 ...
Ti1860 ...
Ti1854 ...
Ti1848 ...
Ti1842 ...
Ti1836 ...
Ti1830 ...
Ti1824 ...

BOW FRONT TABLES WITH CURVED INTERIOR ACCESS - 83



TC364284LL
TC364272LL
TC303684LL
TC303672LL

BOW FRONT TABLES - 83




TD364284LL
TD364278LL
TD364272LL


TD303684LL
TD303678LL
TD303672LL

TD303666LL
TD303660LL

OFFSET BOW FRONT TABLES - 84




TFL3072
TFL3066
TFL3060




TFR3072
TFR3066
TFR3060

OFFSET BOW FRONT TABLES W/ INTEGRATED HALF-RETURN - 84




TJL367224
TJL366624
TJL366024




TJR367224
TJR366624
TJR366024

TABLES ARRONDIES SUR UN CÔTÉ AVEC DEMI-RETOUR INTÉGRÉ - 85




TCL427224
TCL427221
TCL427218
TCL426618




TCR427224
TCR427221
TCR427218
TCR426618

TABLES À INTÉRIEUR CINTRÉ - 85




TCOL30488424
TCOL30487824
TCOL30487224
TCOL30486624
TCOL30486024
TCOL30427224
TCOL30426624
TCOL30426024




TCOR48308424
TCOR48307824
TCOR48307224
TCOR48306624
TCOR48306024
TCOR42307224
TCOR42306624
TCOR42306024

CONNECTING TABLES - 86

LEFT table



LL




LC


TV36247224 ...
TV36246624 ...
TV36246024 ...
TV30187221 ...
TV30187218 ...
TV30186621 ...

TV30186618 ...
TV30186021 ...
TV30186018 ...
TV30184821 ...
TV30184818 ...
TV24184218 ...

RIGHT table



LL




LC

TV24367224 ...
TV24366624 ...
TV24366024 ...
TV18307221 ...
TV18307218 ...
TV18306621 ...


TV18306618 ...
TV18306021 ...
TV18306018 ...
TV18304821 ...
TV18304818 ...
TV18244218 ...

DUAL DEPTH TABLES - 87

LEFT table



LC




CC

TW302472 ...
TW302466 ...
TW302460 ...
TW302454 ...
TW302448 ...
TW302442 ...
TW302436 ...
TW302430 ...


TW241848 ...
TW241842 ...
TW241836 ...
TW241830 ...

TW218424 ...
TW211872 ...
TW211866 ...
TW211860 ...
TW211854 ...
TW211848 ...
TW211842 ...
TW211836 ...
TW211830 ...
TW211824 ...

RIGHT table



CL




CC

TW243072 ...
TW243066 ...
TW243060 ...
TW243054 ...
TW243048 ...
TW243042 ...
TW243036 ...
TW243030 ...


TW243024 ...
TW182472 ...
TW182466 ...
TW182460 ...
TW182454 ...
TW182448 ...
TW182442 ...
TW182436 ...
TW182430 ...

TW182424 ...
TW182172 ...
TW182166 ...
TW182160 ...
TW182154 ...
TW182148 ...
TW182142 ...
TW182136 ...
TW182130 ...
TW182124 ...


90° CORNER TABLES - 89




CS3048CC
CS3042CC
CS2448CC
CS2442CC
CS2436CC
CS1836CC



CL




LC




CC

CS24243672 ...
CS24243666 ...
CS24243660 ...
CS21213672 ...
CS21213666 ...
CS21213660 ...




CS24247236 ...
CS24246636 ...
CS24246036 ...
CS21217236 ...
CS21216636 ...
CS21216036 ...




CO30304848 ...
CO30244848 ...
CO24304848 ...
CO24244848 ...
CO24244242 ...
CO24243636 ...

90° RIGHT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS - 92



CO30304884 ...	CO30244866 ...	CO24304884 ...	CO24244866 ...
CO30304878 ...	CO30244860 ...	CO24304878 ...	CO24244860 ...
CO30304872 ...	CO30244284 ...	CO24304872 ...	CO24244284 ...
CO30304866 ...	CO30244278 ...	CO24304866 ...	CO24244278 ...
CO30304860 ...	CO30244272 ...	CO24304860 ...	CO24244272 ...
CO30244884 ...	CO30244266 ...	CO24244884 ...	CO24244266 ...
CO30244878 ...	CO30244260 ...	CO24244878 ...	CO24244260 ...
CO30244872 ...	CO30244248 ...	CO24244872 ...	CO24244248 ...


90° LEFT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS - 93



CO30308448 ...	CO30246648 ...	CO24306648 ...	CO24247842 ...
CO30307848 ...	CO30246048 ...	CO24306642 ...	CO24247248 ...
CO30307248 ...	CO24308448 ...	CO24306048 ...	CO24247242 ...
CO30306648 ...	CO24308442 ...	CO24306042 ...	CO24246648 ...
CO30306048 ...	CO24307848 ...	CO24304842 ...	CO24246642 ...
CO30248448 ...	CO24307842 ...	CO24248448 ...	CO24246048 ...
CO30247848 ...	CO24307248 ...	CO24248442 ...	CO24246042 ...
CO30247248 ...	CO24307242 ...	CO24247848 ...	CO24244842 ...


90° EXTENDED CORNER TABLES WITH ERGONOMIC INTERIOR ACCESS - 94

Table GAUCHE




CE24187236 ...
CE24186636 ...
CE24186036 ...

Table DROITE




CE18243672 ...
CE18243666 ...
CE18243660 ...

"D" SHAPED TABLES WITH MODESTY PANEL - 95




DM3684A	DM3084A
DM3678A	DM3078A
DM3672A	DM3072A
DM3666A	DM3066A
	DM3060A
	DM3048A

"D" SHAPED TABLES WITH "T" END PANEL - 96




DT3678B	DT3072B	DT3042B
DT3672B	DT3066B	DT2472B
DT3660B	DT3060B	DT2466B
DT3084B	DT3054B	DT2460B
DT3078B	DT3048B	DT2448B

"D" SHAPED TABLES WITH "T" END PANEL - 97




DT3678 ...	DT3084 ...	DT2472 ...
DT3672 ...	DT3078 ...	DT2466 ...
DT3660 ...	DT3072 ...	DT2460 ...
	DT3066 ...	DT2448 ...
	DT3060 ...	
	DT3054 ...	
	DT3048 ...	

"D" SHAPED TABLES, SURFACE SUPPORTED - 98




DS3672A	DS3072A	DS2472A
DS3660A	DS3066A	DS2466A
	DS3060A	DS2460A
	DS3054A	DS2454A
	DS3048A	DS2448A
	DS3042A	DS2442A
	DS3036A	DS2436A
	DS3030A	DS2430A

"D" SHAPED TABLES, SURFACE SUPPORTED - 99




DS3672 ...	DS3072 ...	DS2472 ...
DS3660 ...	DS3066 ...	DS2466 ...
	DS3060 ...	DS2460 ...
	DS3054 ...	DS2454 ...
	DS3048 ...	DS2448 ...

"D" SHAPED (ARCHED) OR RECT. TABLES W/ MODESTY PANEL - 100




DMA3684A	DMI3684A
DMA3678A	DMI3678A
DMA3672A	DMI3672A
DMA3666A	DMI3666A
DMA3084A	DMI3084A
DMA3078A	DMI3078A
DMA3072A	DMI3072A
DMA3066A	DMI3066A
DMA3060A	DMI3060A
DMA3048A	DMI3048A

"D" SHAPED (ARCHED) OR RECTANGULAR TABLES WITH "T" END PANEL - 101







DTA3678B	DTA3072B	DTA2472B
DTA3672B	DTA3066B	DTA2466B
DTA3660B	DTA3060B	DTA2460B
DTA3084B	DTA3054B	DTA2448B
DTA3078B	DTA3048B	





DTI3678B	DTI3072B	DTI2472B
DTI3672B	DTI3066B	DTI2466B
DTI3660B	DTI3060B	DTI2460B
DTI3084B	DTI3054B	DTI2448B
DTI3078B	DTI3048B	







"D" SHAPED (ARCHED) OR RECTANGULAR TABLES WITH "T" END PANEL - 102

	DTA3678 ...	DTA3072 ...	DTA2472 ...		DTi3678 ...	DTi3072 ...	DTi2472 ...
	DTA3672 ...	DTA3066 ...	DTA2466 ...		DTi3672 ...	DTi3066 ...	DTi2466 ...
	DTA3660 ...	DTA3060 ...	DTA2460 ...		DTi3660 ...	DTi3060 ...	DTi2460 ...
	DTA3084 ...	DTA3054 ...	DTA2448 ...		DTi3084 ...	DTi3054 ...	DTi2448 ...
	DTA3078 ...	DTA3048 ...			DTi3078 ...	DTi3048 ...	
	DTA3678 ...	DTA3072 ...	DTA2472 ...		DTi3678 ...	DTi3072 ...	DTi2472 ...
	DTA3672 ...	DTA3066 ...	DTA2466 ...		DTi3672 ...	DTi3066 ...	DTi2466 ...
	DTA3660 ...	DTA3060 ...	DTA2460 ...		DTi3660 ...	DTi3060 ...	DTi2460 ...
	DTA3084 ...	DTA3054 ...	DTA2448 ...		DTi3084 ...	DTi3054 ...	DTi2448 ...
	DTA3078 ...	DTA3048 ...			DTi3078 ...	DTi3048 ...	



"D" SHAPED (ARCHED) OR RECTANGULAR TABLES WITH "T" END PANEL - 104

	DTA3678G	DTA3072G	DTA2472G		DTi3678G	DTi3072G	DTi2472G
	DTA3672G	DTA3066G	DTA2466G		DTi3672G	DTi3066G	DTi2466G
	DTA3660G	DTA3060G	DTA2460G		DTi3660G	DTi3060G	DTi2460G
	DTA3084G	DTA3054G	DTA2448G		DTi3084G	DTi3054G	DTi2448G
	DTA3078G	DTA3048G			DTi3078G	DTi3048G	



"D" SHAPED (ARCHED) OR RECTANGULAR TABLES, SURFACE SUPPORTED - 105

	DSA3672A	DSA3048A	DSA2460A		DSi3672A	DSi3048A	DSi2460A
	DSA3660A	DSA3042A	DSA2454A		DSi3660A	DSi3042A	DSi2454A
	DSA3072A	DSA3036A	DSA2448A		DSi3072A	DSi3036A	DSi2448A
	DSA3066A	DSA3030A	DSA2442A		DSi3066A	DSi3030A	DSi2442A
	DSA3060A	DSA2472A	DSA2436A		DSi3060A	DSi2472A	DSi2436A
	DSA3054A	DSA2466A	DSA2430A		DSi3054A	DSi2466A	DSi2430A
	DSA3672 ...	DSA3060 ...	DSA2466 ...		DSi3672 ...	DSi3060 ...	DSi2466 ...
	DSA3660 ...	DSA3054 ...	DSA2460 ...		DSi3660 ...	DSi3054 ...	DSi2460 ...
	DSA3072 ...	DSA3048 ...	DSA2454 ...		DSi3072 ...	DSi3048 ...	DSi2454 ...
	DSA3066 ...	DSA2472 ...	DSA2448 ...		DSi3066 ...	DSi2472 ...	DSi2448 ...
	DSA3672 ...	DSA3054 ...	DSA2460 ...		DSi3672 ...	DSi3054 ...	DSi2460 ...
	DSA3660 ...	DSA3048 ...	DSA2454 ...		DSi3660 ...	DSi3048 ...	DSi2454 ...
	DSA3072 ...	DSA3042 ...	DSA2448 ...		DSi3072 ...	DSi3042 ...	DSi2448 ...
	DSA3066 ...	DSA2472 ...	DSA2442 ...		DSi3066 ...	DSi2472 ...	DSi2442 ...
	DSA3060 ...	DSA2466 ...			DSi3060 ...	DSi2466 ...	



"D" SHAPED (ARCHED) OR RECTANGULAR TABLES, SURFACE SUPPORTED - 108

	DSA3672G	DSA3060G	DSA2466G		DSi3672G	DSi3060G	DSi2466G
	DSA3660G	DSA3054G	DSA2460G		DSi3660G	DSi3054G	DSi2460G
	DSA3072G	DSA3048G	DSA2454G		DSi3072G	DSi3048G	DSi2454G
	DSA3066G	DSA2472G	DSA2448G		DSi3066G	DSi2472G	DSi2448G



"P" SHAPED TABLES WITH MODESTY PANEL - 109

	PML364284		PMR364284
	PML364278		PMR364278
	PML364272		PMR364272
	PML303684		PMR303684
	PML303678		PMR303678
	PML303672		PMR303672
	PML303666		PMR303666
	PML303660		PMR303660



"P" SHAPED TABLES WITH "T" END PANEL - 110

	PTL303672		PTR303672
	PTL303666		PTR303666
	PTL303660		PTR303660

"L" SHAPED TABLES WITH MODESTY PANEL - 112


	LML54368424		LMR54368424
	LML54367824		LMR54367824
	LML54367224		LMR54367224
	LML48308424		LMR48308424
	LML48307824		LMR48307824
	LML48307224		LMR48307224
	LML48306624		LMR48306624
	LML48306024		LMR48306024
	LML42307224		LMR42307224
	LML42306624		LMR42306624
	LML42306024		LMR42306024

"P" SHAPED TABLES, SURFACE SUPPORTED - 111

	PSL303672		PSR303672
	PSL303666		PSR303666
	PSL303660		PSR303660
	PSL243060		PSR243060
	PSL243054		PSR243054
	PSL243048		PSR243048


"PL" SHAPED TABLES WITH MODESTY PANEL - 113

LEFT table



PLL486024
PLL486018
PLL427224
PLL427218
PLL487224
PLL426624
PLL487218
PLL426618
PLL486624
PLL426024
PLL486618
PLL426018


RIGHT table



PLR486024
PLR486018
PLR427224
PLR427218
PLR426624
PLR426618
PLR487224
PLR487218
PLR486624
PLR486618
PLR426024
PLR426018


"SHARK" SHAPED TABLES WITH MODESTY PANEL - 114

LEFT table



SHL487824
SHL427224
SHL426624
SHL426618
SHL426018
SHL366618
SHL366018


RIGHT table



SHR487824
SHR427224
SHR426624
SHR426618
SHR426018
SHR366618
SHR366018


TEARDROP END SURFACES - 115

LEFT table




XTL36
XTL30
XTL24

RIGHT table




XTR36
XTR30
XTR24

SHARED CONFERENCE SURFACE - 115




XC60
XC54
XC48


ASSEMBLED CREDENZAS - 29" H. - 116




CZFD247229
CZFD246029
CZFD217229
CZFD216029




CZDF247229
CZDF246029
CZDF217229
CZDF216029




CZDD247229
CZDD246029
CZDD217229
CZDD216029




CZFF247229
CZFF246029
CZFF217229
CZFF216029




CZFO247229
CZFO246029
CZFO217229
CZFO216029




CZOF247229
CZOF246029
CZOF217229
CZOF216029




CZDO247229
CZDO246029
CZDO217229
CZDO216029




CZOD247229
CZOD246029
CZOD217229
CZOD216029



CZCO247229
CZCO246029
CZCO217229
CZCO216029




CZOC247229
CZOC246029
CZOC217229
CZOC216029




CZC247229
CZC246029
CZC217229
CZC216029


STORAGE UNITS - 29" H. - 119




SFF243629
SFF243029
SFF213629
SFF213029




SUUFF243629
SUUFF243029
SUUFF213629
SUUFF213029




SDD243629
SDD243029
SDD213629
SDD213029




SBDD243629
SBDD243029
SBDD213629
SBDD213029




SDUUF243629
SDUUF243029
SDUUF213629
SDUUF213029



SUUF243629
SUUF243029
SUUF213629
SUUF213029




SDO243629
SDO243029
SDO213629
SDO213029




SOD243629
SOD243029
SOD213629
SOD213029

SINGLE CABINETS - 121



SDL241850
SDL241841
SDL241835
SDL241829



SDL211850
SDL211841
SDL211835
SDL211829




SDR241850
SDR241841
SDR241835
SDR241829




SDR211850
SDR211841
SDR211835
SDR211829


ASSEMBLED CREDENZAS - 35" H. - 122




CZ4D247235
CZ4D246035
CZ4D217235
CZ4D216035



CZDOD247235
CZDOD246035
CZDOD217235
CZDOD216035




CZ2B4D247235
CZ2B4D246035
CZ2B4D217235
CZ2B4D216035




CZDUFFD247235
CZDUFFD246035
CZDUFFD217235
CZDUFFD216035


STORAGE UNITS - 35" H. - 123




SUUFF243635
SUUFF243035
SUUFF213635
SUUFF213035



SUFFD243635
SUFFD243035
SUFFD213635
SUFFD213035




SDD243635
SDD243035
SDD213635
SDD213035




SUDD243635
SUDD243035
SUDD213635
SUDD213035


STORAGE UNITS - 41" H. - 124




SFFF243641
SFFF243041
SFFF213641
SFFF213041




SDD243641
SDD243041
SDD213641
SDD213041




SDO243641
SDO243041
SDO213641
SDO213041




SOD243641
SOD243041
SOD213641
SOD213041



S4F243653
S4F243053
S4F213653
S4F213053




SOFF243672 SOFF243650
SOFF243072 SOFF243050
SOFF213672 SOFF213650
SOFF213072 SOFF213050
SOFF243666
SOFF243066
SOFF213666
SOFF213066




SODD243672 SODD243650
SODD243072 SODD243050
SODD213672 SODD213650
SODD213072 SODD213050
SODD243666
SODD243066
SODD213666
SODD213066

COMBINED STORAGE UNITS - 72" - 66" H. - 125




SDD3F243672
SDD3F243072
SDD3F213672
SDD3F213072
SDD3F243666
SDD3F243066
SDD3F213666
SDD3F213066




Contemporary frame		Contemporary frame	Traditional frame
Laminate	H-gloss white	Acrylic	Acrylic
SDDM3F243672	SDDL3F243672	SDDGIC3F243672	SDDGIA3F243672
SDDM3F243072	SDDL3F243072	SDDGIC3F243072	SDDGIA3F243072
SDDM3F213672	SDDL3F213672	SDDGIC3F213672	SDDGIA3F213672
SDDM3F213072	SDDL3F213072	SDDGIC3F213072	SDDGIA3F213072
SDDM3F243666	SDDL3F243666	SDDGIC3F243666	SDDGIA3F243666
SDDM3F243066	SDDL3F243066	SDDGIC3F243066	SDDGIA3F243066
SDDM3F213666	SDDL3F213666	SDDGIC3F213666	SDDGIA3F213666
SDDM3F213066	SDDL3F213066	SDDGIC3F213066	SDDGIA3F213066

COMBINED STORAGE UNITS - 72" - 66" H. - 127




SDDFF243672
SDDFF243072
SDDFF213672
SDDFF213072
SDDFF243666
SDDFF243066
SDDFF213666
SDDFF213066




Contemporary frame		Contemporary frame	Traditional frame
Laminate	H-gloss white	Acrylic	Acrylic
SDDMFF243672	SDDLFF243672	SDDGICFF243672	SDDGIAFF243672
SDDMFF243072	SDDLFF243072	SDDGICFF243072	SDDGIAFF243072
SDDMFF213672	SDDLFF213672	SDDGICFF213672	SDDGIAFF213672
SDDMFF213072	SDDLFF213072	SDDGICFF213072	SDDGIAFF213072
SDDMFF243666	SDDLFF243666	SDDGICFF243666	SDDGIAFF243666
SDDMFF243066	SDDLFF243066	SDDGICFF243066	SDDGIAFF243066
SDDMFF213666	SDDLFF213666	SDDGICFF213666	SDDGIAFF213666
SDDMFF213066	SDDLFF213066	SDDGICFF213066	SDDGIAFF213066

COMBINED STORAGE UNITS - 72" - 66" H. - 129




S4D243672
S4D243072
S4D213672
S4D213072
S4D243666
S4D243066
S4D213666
S4D213066




Contemporary frame		Contemporary frame	Traditional frame
Laminate	H-gloss white	Acrylic	Acrylic
SDDMDD243672	SDDLDD243672	SDDGICDD243672	SDDGIADD243672
SDDMDD243072	SDDLDD243072	SDDGICDD243072	SDDGIADD243072
SDDMDD213672	SDDLDD213672	SDDGICDD213672	SDDGIADD213672
SDDMDD213072	SDDLDD213072	SDDGICDD213072	SDDGIADD213072
SDDMDD243666	SDDLDD243666	SDDGICDD243666	SDDGIADD243666
SDDMDD243066	SDDLDD243066	SDDGICDD243066	SDDGIADD243066
SDDMDD213666	SDDLDD213666	SDDGICDD213666	SDDGIADD213666
SDDMDD213066	SDDLDD213066	SDDGICDD213066	SDDGIADD213066

CABINETS - 72" - 66" - 50" H. - 131



Shelves
SDD243672
SDD243072
SDD213672
SDD213072
SDD243666
SDD243066
SDD213666
SDD213066
SDD243650
SDD243050
SDD213650
SDD213050



Contemporary frame		Contemporary frame	Traditional frame
Laminate	H-gloss white	Acrylic	Acrylic
SDDM243672	SDDL243672	SDDGIC243672	SDDGIA243672
SDDM243072	SDDL243072	SDDGIC243072	SDDGIA243072
SDDM213672	SDDL213672	SDDGIC213672	SDDGIA213672
SDDM213072	SDDL213072	SDDGIC213072	SDDGIA213072
SDDM243666	SDDL243666	SDDGIC243666	SDDGIA243666
SDDM243066	SDDL243066	SDDGIC243066	SDDGIA243066
SDDM213666	SDDL213666	SDDGIC213666	SDDGIA213666
SDDM213066	SDDL213066	SDDGIC213066	SDDGIA213066
SDDM243650	SDDL243650	SDDGIC243650	SDDGIA243650
SDDM243050	SDDL243050	SDDGIC243050	SDDGIA243050
SDDM213650	SDDL213650	SDDGIC213650	SDDGIA213650
SDDM213050	SDDL213050	SDDGIC213050	SDDGIA213050

Wardrobe at left

SWD243672
SWD243072
SWD213672
SWD213072
SWD243666
SWD243066
SWD213666
SWD213066

Wardrobe at left

SWDM243672 SWDL243672 SWDGIC243672
SWDM243072 SWDL243072 SWDGIC243072
SWDM213672 SWDL213672 SWDGIC213672
SWDM213072 SWDL213072 SWDGIC213072
SWDM243666 SWDL243666 SWDGIC243666
SWDM243066 SWDL243066 SWDGIC243066
SWDM213666 SWDL213666 SWDGIC213666
SWDM213066 SWDL213066 SWDGIC213066

Wardrobe at right

SDW243672
SDW243072
SDW213672
SDW213072
SDW243666
SDW243066
SDW213666
SDW213066

Wardrobe at right



SDWM243672 SDWL243672 SDWGIC243672
SDWM243072 SDWL243072 SDWGIC243072
SDWM213672 SDWL213672 SDWGIC213672
SDWM213072 SDWL213072 SDWGIC213072
SDWM243666 SDWL243666 SDWGIC243666
SDWM243066 SDWL243066 SDWGIC243066
SDWM213666 SDWL213666 SDWGIC213666
SDWM213066 SDWL213066 SDWGIC213066



Wardrobe at left

SWDGA243672
SWDGA243072
SWDGA213672
SWDGA213072
SWDGA243666
SWDGA243066
SWDGA213666
SWDGA213066

Wardrobe at right

SDWGA243672
SDWGA243072
SDWGA213672
SDWGA213072
SDWGA243666
SDWGA243066
SDWGA213666
SDWGA213066

		Contemporary frame			Trad. frame - shelves	
	Shelves	Laminate	H-gloss white	Acrylic		Acrylic
 Porte à GAUCHE	SDO243672	SDOM243672	SDOL243672	SDOGIC243672		SDOGIA243672
	SDO243072	SDOM243072	SDOL243072	SDOGIC243072		SDOGIA243072
	SDO213672	SDOM213672	SDOL213672	SDOGIC213672		SDOGIA213672
	SDO213072	SDOM213072	SDOL213072	SDOGIC213072		SDOGIA213072
	SDO243666	SDOM243666	SDOL243666	SDOGIC243666		SDOGIA243666
	SDO243066	SDOM243066	SDOL243066	SDOGIC243066		SDOGIA243066
	SDO213666	SDOM213666	SDOL213666	SDOGIC213666		SDOGIA213666
	SDO213066	SDOM213066	SDOL213066	SDOGIC213066		SDOGIA213066
	SDO243650	SDOM243650	SDOL243650	SDOGIC243650		SDOGIA243650
	SDO213650	SDOM213650	SDOL213650	SDOGIC213650		SDOGIA213650
	SDO213050	SDOM213050	SDOL213050	SDOGIC213050		SDOGIA213050
Wardrobe at left		Wardrobe at left			Wardrobe at left	
	SWO243672	SWOM243672	SWOL243672	SWOGIC243672		SWOGIA243672
	SWO243072	SWOM243072	SWOL243072	SWOGIC243072		SWOGIA243072
	SWO213672	SWOM213672	SWOL213672	SWOGIC213672		SWOGIA213672
	SWO213072	SWOM213072	SWOL213072	SWOGIC213072		SWOGIA213072
	SWO243666	SWOM243666	SWOL243666	SWOGIC243666		SWOGIA243666
	SWO243066	SWOM243066	SWOL243066	SWOGIC243066		SWOGIA243066
	SWO213666	SWOM213666	SWOL213666	SWOGIC213666		SWOGIA213666
	SWO213066	SWOM213066	SWOL213066	SWOGIC213066		SWOGIA213066

		Contemporary frame			Trad. frame - shelves	
	Shelves	Laminate	H-gloss white	Acrylic		Acrylic
 Porte à DROITE	SOD243672	SODM243672	SODL243672	SODGIC243672		SDOGIA243672
	SOD243072	SODM243072	SODL243072	SODGIC243072		SDOGIA243072
	SOD213672	SODM213672	SODL213672	SODGIC213672		SDOGIA213672
	SOD213072	SODM213072	SODL213072	SODGIC213072		SDOGIA213072
	SOD243666	SODM243666	SODL243666	SODGIC243666		SDOGIA243666
	SOD243066	SODM243066	SODL243066	SODGIC243066		SDOGIA243066
	SOD213666	SODM213666	SODL213666	SODGIC213666		SDOGIA213666
	SOD213066	SODM213066	SODL213066	SODGIC213066		SDOGIA213066
	SOD243650	SODM243650	SODL243650	SODGIC243650		SDOGIA243650
	SOD213650	SODM213650	SODL213650	SODGIC213650		SDOGIA213650
	SOD213050	SODM213050	SODL213050	SODGIC213050		SDOGIA213050
Wardrobe at right		Wardrobe at right			Wardrobe at right	
	SOW243672	SOWM243672	SOWL243672	SOWGIC243672		SDOGIA243672
	SOW243072	SOWM243072	SOWL243072	SOWGIC243072		SDOGIA243072
	SOW213672	SOWM213672	SOWL213672	SOWGIC213672		SDOGIA213672
	SOW213072	SOWM213072	SOWL213072	SOWGIC213072		SDOGIA213072
	SOW243666	SOWM243666	SOWL243666	SOWGIC243666		SDOGIA243666
	SOW243066	SOWM243066	SOWL243066	SOWGIC243066		SDOGIA243066
	SOW213666	SOWM213666	SOWL213666	SOWGIC213666		SDOGIA213666
	SOW213066	SOWM213066	SOWL213066	SOWGIC213066		SDOGIA213066





SINGLE DOOR CABINETS WITH SHELVES - 143

		Contemporary frame		Traditional frame	
		Laminate	H-gloss white	Acrylic	Acrylic
GAUCHE	SDL242472	SDML242472	SDLL242472	SDGiCL242472	SDGiAL242472
	SDL212472	SDML212472	SDLL212472	SDGiCL212472	SDGiAL212472
	SDL242466	SDML242466	SDLL242466	SDGiCL242466	SDGiAL242466
	SDL212466	SDML212466	SDLL212466	SDGiCL212466	SDGiAL212466
DROITE	SDR242472	SDMR242472	SDLR242472	SDGiCR242472	SDGiAR242472
	SDR212472	SDMR212472	SDLR212472	SDGiCR212472	SDGiAR212472
	SDR242466	SDMR242466	SDLR242466	SDGiCR242466	SDGiAR242466
	SDR212466	SDMR212466	SDLR212466	SDGiCR212466	SDGiAR212466





SINGLE DOOR CABINETS WITH WARDROBE - 145

		Contemporary frame		Traditional frame	
		Laminate	H-gloss white	Acrylic	Acrylic
GAUCHE	SWL242472	SWML242472	SWLL242472	SWGICL242472	SWGIAL242472
	SWL212472	SWML212472	SWLL212472	SWGICL212472	SWGIAL212472
	SWL242466	SWML242466	SWLL242466	SWGICL242466	SWGIAL242466
	SWL212466	SWML212466	SWLL212466	SWGICL212466	SWGIAL212466
DROITE	SWR242472	SWMR242472	SWLR242472	SWGICR242472	SWGiar242472
	SWR212472	SWMR212472	SWLR212472	SWGICR212472	SWGiar212472
	SWR242466	SWMR242466	SWLR242466	SWGICR242466	SWGiar242466
	SWR212466	SWMR212466	SWLR212466	SWGICR212466	SWGiar212466





COMBINED STORAGE UNITS 50" H. - UF - 147

		Contemporary frame		Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic	
	SWDUF242450 SWDUF212450	SWDUFM242450 SWDUFM212450	SWDUFL242450 SWDUFL212450	SWDUFGIC242450 SWDUFGIC212450	 SWDUF242450 SWDUF212450
	SDUFW242450 SDUFW212450	SDUFWM242450 SDUFWM212450	SDUFWL242450 SDUFWL212450	SDUFWGIC242450 SDUFWGIC212450	 SDUFW242450 SDUFW212450





COMBINED STORAGE UNITS 66" H. - UUF - 149

		Contemporary frame		Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic	
	SWDUUF242466 SWDUUF212466	SWDUUFM242466 SWDUUFM212466	SWDUUFL242466 SWDUUFL212466	SWDUUFGIC242466 SWDUUFGIC212466	 SWDUUF242466 SWDUUF212466
	SDUUFW242466 SDUUFW212466	SDUUFWM242466 SDUUFWM212466	SDUUFWL242466 SDUUFWL212466	SDUUFWGIC242466 SDUUFWGIC212466	 SDUUFW242466 SDUUFW212466




COMBINED STORAGE UNITS 66" H. - FF - 151

		Contemporary frame		Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic	
	SWDFF242466 SWDFF212466	SWDFFM242466 SWDFFM212466	SWDFFL242466 SWDFFL212466	SWDFFGIC242466 SWDFFGIC212466	 SWDFF242466 SWDFF212466
	SDDFW242466 SDDFW212466	SDDFWM242466 SDDFWM212466	SDDFWL242466 SDDFWL212466	SDDFWGIC242466 SDDFWGIC212466	 SDDFW242466 SDDFW212466



COMBINED STORAGE UNITS 72" H. - UFF - 153

		Contemporary frame		Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic	
	SWDUFF242472 SWDUFF212472	SWDUFFM242472 SWDUFFM212472	SWDUFFL242472 SWDUFFL212472	SWDUFFGIC242472 SWDUFFGIC212472	 SWDUFF242472 SWDUFF212472
	SDUFFW242472 SDUFFW212472	SDUFFWM242472 SDUFFWM212472	SDUFFWL242472 SDUFFWL212472	SDUFFWGIC242472 SDUFFWGIC212472	 SDUFFW242472 SDUFFW212472


2-WAY CABINETS - 66" - 50" H. - 155

		
SOUFL241866	SOUFR241866	SOFFL241866
SOUFL211866	SOUFR211866	SOFFL211866
SOUFL241850	SOUFR241850	SOFFL241850
SOUFL211850	SOUFR211850	SOFFL211850



2-WAY CABINETS - 50"H. - 156


	
SOUFL241850	SOUFR241850
SOUFL211850	SOUFR211850

TACKBOARDS - 156


BTL1735
BTL1726
BTL1720


BOOKCASES - 157

	BK243684	BK243084	BK213684	BK213084		BK123684	BK123084
BK243672	BK243072	BK213672	BK213072	BK123672	BK123072		
BK243666	BK243066	BK213666	BK213066	BK123666	BK123066		
BK243650	BK243050	BK213650	BK213050	BK123650	BK123050		
BK243641	BK243041	BK213641	BK213041	BK123641	BK123041		
BK243629	BK243029	BK213629	BK213029	BK123629	BK123029		




BKC3029
BKC2472
BKC2466
BKC2450
BKC2441
BKC2435
BKC2429

BKC2172
BKC2166
BKC2150
BKC2141
BKC2135
BKC2129



BKC1272
BKC1266
BKC1250
BKC1241
BKC1229



STS ...
BTS ...
BKS ...

SUSPENDED PEDESTALS - 160



SPUU



SPF



SPUUU



SPUF



FPUUF



FPFF




FP4U

FREESTANDING PEDESTALS


SUPPORT PEDESTALS - 162

FREESTANDING PEDESTALS WITHOUT TOP - 161


WITH RECYCLING BIN, W/out TOP - 161




FPUUY




FPFY




FSPUUF



FSPFF




45 Series
FP45-28-6612-LT1
FP45-22-6612-LT1
FP45-28-1212-LT1
FP45-22-1212-LT1




47 Series
FP47-28-6612-LT1
FP47-22-6612-LT1
FP47-28-1212-LT1
FP47-22-1212-LT1

FREESTANDING PEDESTALS 29" H. - 163


CAISSONS MOBILES - 164




FSUUF




FSFF




FS4U




FSUUY




FSFY




MPUUF1520



MPFF1520




MPUF1520

cousin
CUS2015


CABINETS WITHOUT TOP - 165

CABINET




LDN2436
LDN2430
LDN2136
LDN2130

LATERAL FILE




LFN2436
LFN2430
LFN2136
LFN2130

COMBINED STORAGE



LCNL2436
LCNL2430
LCNL2136
LCNL2130




LUUFDN2436
LUUFDN2430
LUUFDN2136
LUUFDN2130


CABINETS WITHOUT TOP

TOPS FOR LATERAL FILING - 167

COMBINED STORAGE - 166



LDUUFN2436
LDUUFN2430
LDUUFN2136
LDUUFN2130




LTOP24108
LTOP24102
LTOP2490
LTOP2484
LTOP2478
LTOP2472
LTOP2466
LTOP2460
LTOP2454
LTOP2448
LTOP2442
LTOP2436
LTOP2430

LTOP21108
LTOP21102
LTOP2190
LTOP2184
LTOP2178
LTOP2172
LTOP2166
LTOP2160
LTOP2154
LTOP2148
LTOP2142
LTOP2136
LTOP2130

LTOP18108
LTOP1890
LTOP1884
LTOP1878
LTOP1872
LTOP1866
LTOP1860
LTOP1842
LTOP1836
LTOP1830

OPEN HUTCHES - 168



HO8443
HO7843
HO7243
HO6643
HO6043
HO5443
HO4843
HO4243
HO3643
HO3043
HO2443

HO8437
HO7837
HO7237
HO6637
HO6037
HO5437
HO4837
HO4237
HO3637
HO3037
HO2437

HUTCHES WITH HINGED DOORS - 169

		Contemporary frame		Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic	Acrylic
	HD8443	HDM8443	HDL8443	HDGiC8443	HDGiA8443
	HD7843	HDM7843	HDL7843	HDGiC7843	HDGiA7843
	HD7243	HDM7243	HDL7243	HDGiC7243	HDGiA7243
	HD6643	HDM6643	HDL6643	HDGiC6643	HDGiA6643
	HD6043	HDM6043	HDL6043	HDGiC6043	HDGiA6043
	HD5443	HDM5443	HDL5443	HDGiC5443	HDGiA5443
	HD4843	HDM4843	HDL4843	HDGiC4843	HDGiA4843
	HD4243	HDM4243	HDL4243	HDGiC4243	HDGiA4243
	HD3643	HDM3643	HDL3643	HDGiC3643	HDGiA3643
	HD3043	HDM3043	HDL3043	HDGiC3043	HDGiA3043
	HD2443	HDM2443	HDL2443	HDGiC2443	HDGiA2443
	HD8437	HDM8437	HDL8437	HDGiC8437	HDGiA8437
	HD7837	HDM7837	HDL7837	HDGiC7837	HDGiA7837
	HD7237	HDM7237	HDL7237	HDGiC7237	HDGiA7237
	HD6637	HDM6637	HDL6637	HDGiC6637	HDGiA6637
	HD6037	HDM6037	HDL6037	HDGiC6037	HDGiA6037
	HD5437	HDM5437	HDL5437	HDGiC5437	HDGiA5437
	HD4837	HDM4837	HDL4837	HDGiC4837	HDGiA4837
	HD4237	HDM4237	HDL4237	HDGiC4237	HDGiA4237
	HD3637	HDM3637	HDL3637	HDGiC3637	HDGiA3637
	HD3037	HDM3037	HDL3037	HDGiC3037	HDGiA3037
	HD2437	HDM2437	HDL2437	HDGiC2437	HDGiA2437

HUCHES SEMI-OUVERTES AVEC PORTES - 173

		Contemporary frame		Contemporary frame	Cadre traditionnel
		Laminate	H-gloss white	Acrylic	Acrylique
	HH7243	HHM7243	HHL7243	HHGiC7243	HHGiA7243
	HH6643	HHM6643	HHL6643	HHGiC6643	HHGiA6643
	HH6043	HHM6043	HHL6043	HHGiC6043	HHGiA6043
	HH5443	HHM5443	HHL5443	HHGiC5443	HHGiA5443
	HH4843	HHM4843	HHL4843	HHGiC4843	HHGiA4843
	HH4243	HHM4243	HHL4243	HHGiC4243	HHGiA4243
	HH7237	HHM7237	HHL7237	HHGiC7237	HHGiA7237
	HH6637	HHM6637	HHL6637	HHGiC6637	HHGiA6637
	HH6037	HHM6037	HHL6037	HHGiC6037	HHGiA6037
	HH5437	HHM5437	HHL5437	HHGiC5437	HHGiA5437
	HH4837	HHM4837	HHL4837	HHGiC4837	HHGiA4837
	HH4237	HHM4237	HHL4237	HHGiC4237	HHGiA4237

HUTCHES WITH FLIPPER DOOR(S) - 175


	HF7243	HF7237
	HF6643	HF6637
	HF6043	HF6037
	HF5443	HF5437
	HF4843	HF4837
	HF4243	HF4237
	HF3643	HF3637
	HF3043	HF3037
	HF2443	HF2437

HUTCHES WITH PIVOT-LIFT DOOR(S) - 176

		Contemporary frame		Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic	Acrylic
	HU7243	HUM7243	HUL7243	HUGiC7243	HUGiA7243
	HU6643	HUM6643	HUL6643	HUGiC6643	HUGiA6643
	HU6043	HUM6043	HUL6043	HUGiC6043	HUGiA6043
	HU5443	HUM5443	HUL5443	HUGiC5443	HUGiA5443
	HU4843	HUM4843	HUL4843	HUGiC4843	HUGiA4843
	HU4243	HUM4243	HUL4243	HUGiC4243	HUGiA4243
	HU3643	HUM3643	HUL3643	HUGiC3643	HUGiA3643
	HU3043	HUM3043	HUL3043	HUGiC3043	HUGiA3043
	HU2443	HUM2443	HUL2443	HUGiC2443	HUGiA2443
	HU7237	HUM7237	HUL7237	HUGiC7237	HUGiA7237
	HU6637	HUM6637	HUL6637	HUGiC6637	HUGiA6637
	HU6037	HUM6037	HUL6037	HUGiC6037	HUGiA6037
	HU5437	HUM5437	HUL5437	HUGiC5437	HUGiA5437
	HU4837	HUM4837	HUL4837	HUGiC4837	HUGiA4837
	HU4237	HUM4237	HUL4237	HUGiC4237	HUGiA4237
	HU3637	HUM3637	HUL3637	HUGiC3637	HUGiA3637
	HU3037	HUM3037	HUL3037	HUGiC3037	HUGiA3037
	HU2437	HUM2437	HUL2437	HUGiC2437	HUGiA2437



HUTCHES WITH METAL SIDES

OPEN HUTCHES - 180





HO8443	HO4843	HO8437	HO4837
HO7843	HO4243	HO7837	HO4237
HO7243	HO3643	HO7237	HO3637
HO6643	HO3043	HO6637	HO3037
HO6043	HO2443	HO6037	HO2437
HO5443		HO5437	

HUTCHES WITH HINGED DOORS - 181





	Contemporary frame		Contemporary frame		Traditional frame	
	Laminate	H-gloss white	Acrylic	Acrylic	Acrylic	Acrylic
HD8443	HDM8443	HDL8443	HDGIC8443		HDGIA8443	
HD7843	HDM7843	HDL7843	HDGIC7843		HDGIA7843	
HD7243	HDM7243	HDL7243	HDGIC7243		HDGIA7243	
HD6643	HDM6643	HDL6643	HDGIC6643		HDGIA6643	
HD6043	HDM6043	HDL6043	HDGIC6043		HDGIA6043	
HD5443	HDM5443	HDL5443	HDGIC5443		HDGIA5443	
HD4843	HDM4843	HDL4843	HDGIC4843		HDGIA4843	
HD4243	HDM4243	HDL4243	HDGIC4243		HDGIA4243	
HD3643	HDM3643	HDL3643	HDGIC3643		HDGIA3643	
HD3043	HDM3043	HDL3043	HDGIC3043		HDGIA3043	
HD2443	HDM2443	HDL2443	HDGIC2443		HDGIA2443	
HD8437	HDM8437	HDL8437	HDGIC8437		HDGIA8437	
HD7837	HDM7837	HDL7837	HDGIC7837		HDGIA7837	
HD7237	HDM7237	HDL7237	HDGIC7237		HDGIA7237	
HD6637	HDM6637	HDL6637	HDGIC6637		HDGIA6637	
HD6037	HDM6037	HDL6037	HDGIC6037		HDGIA6037	
HD5437	HDM5437	HDL5437	HDGIC5437		HDGIA5437	
HD4837	HDM4837	HDL4837	HDGIC4837		HDGIA4837	
HD4237	HDM4237	HDL4237	HDGIC4237		HDGIA4237	
HD3637	HDM3637	HDL3637	HDGIC3637		HDGIA3637	
HD3037	HDM3037	HDL3037	HDGIC3037		HDGIA3037	
HD2437	HDM2437	HDL2437	HDGIC2437		HDGIA2437	

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS - 185




	Contemporary frame		Contemporary frame		Traditional frame	
	Laminate	H-gloss white	Acrylic	Acrylic	Acrylic	Acrylic
HH7243	HHM7243	HHL7243	HHGIC7243		HHGIA7243	
HH6643	HHM6643	HHL6643	HHGIC6643		HHGIA6643	
HH6043	HHM6043	HHL6043	HHGIC6043		HHGIA6043	
HH5443	HHM5443	HHL5443	HHGIC5443		HHGIA5443	
HH4843	HHM4843	HHL4843	HHGIC4843		HHGIA4843	
HH4243	HHM4243	HHL4243	HHGIC4243		HHGIA4243	
HH7237	HHM7237	HHL7237	HHGIC7237		HHGIA7237	
HH6637	HHM6637	HHL6637	HHGIC6637		HHGIA6637	
HH6037	HHM6037	HHL6037	HHGIC6037		HHGIA6037	
HH5437	HHM5437	HHL5437	HHGIC5437		HHGIA5437	
HH4837	HHM4837	HHL4837	HHGIC4837		HHGIA4837	
HH4237	HHM4237	HHL4237	HHGIC4237		HHGIA4237	

HUTCHES WITH PIVOT-LIFT DOOR(S) - 188




	Contemporary frame		Contemporary frame		Traditional frame	
	Laminate	H-gloss white	Acrylic	Acrylic	Acrylic	Acrylic
HU7243	HUM7243	HUL7243	HUGIC7243		HUGIA7243	
HU6643	HUM6643	HUL6643	HUGIC6643		HUGIA6643	
HU6043	HUM6043	HUL6043	HUGIC6043		HUGIA6043	
HU5443	HUM5443	HUL5443	HUGIC5443		HUGIA5443	
HU4843	HUM4843	HUL4843	HUGIC4843		HUGIA4843	
HU4243	HUM4243	HUL4243	HUGIC4243		HUGIA4243	
HU3643	HUM3643	HUL3643	HUGIC3643		HUGIA3643	
HU3043	HUM3043	HUL3043	HUGIC3043		HUGIA3043	
HU2443	HUM2443	HUL2443	HUGIC2443		HUGIA2443	
HU7237	HUM7237	HUL7237	HUGIC7237		HUGIA7237	
HU6637	HUM6637	HUL6637	HUGIC6637		HUGIA6637	
HU6037	HUM6037	HUL6037	HUGIC6037		HUGIA6037	
HU5437	HUM5437	HUL5437	HUGIC5437		HUGIA5437	
HU4837	HUM4837	HUL4837	HUGIC4837		HUGIA4837	
HU4237	HUM4237	HUL4237	HUGIC4237		HUGIA4237	
HU3637	HUM3637	HUL3637	HUGIC3637		HUGIA3637	
HU3037	HUM3037	HUL3037	HUGIC3037		HUGIA3037	
HU2437	HUM2437	HUL2437	HUGIC2437		HUGIA2437	

HUTCHES WITH FLIPPER DOOR(S) - 187



HF7243	HF4243	HF7237	HF4237
HF6643	HF3643	HF6637	HF3637
HF6043	HF3043	HF6037	HF3037
HF5443	HF2443	HF5437	HF2437
HF4843		HF4837	

MODULAR HUTCHES - 192




HM8427	HM8421
HM7827	HM7821
HM7227	HM7221
HM6627	HM6621
HM6027	HM6021
HM5427	HM5421
HM4827	HM4821
HM4227	HM4221
HM3627	HM3621
HM3027	HM3021

STORAGE MODULES FOR MODULAR HUTCHES - 193

	Contemporary frame	Contemporary frame	Contemporary frame	Traditional frame
	Laminate	H-gloss white	H-gloss white	Acrylic
	HB42	HB42	HB42	HB42
	Laminate	H-gloss white	H-gloss white	Acrylic
	HB30	HB30	HB30	HB30

OPEN WALL MOUNTED HUTCHES - 195



HWO7216	HWO5416	HWO3616
HWO6616	HWO4816	HWO3016
HWO6016	HWO4216	HWO2416


WALL MOUNTED HUTCHES WITH HINGED DOORS - 195

		Contemporary frame	Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic
		HWD7216	HWD7216	HWD7216
		HWD6616	HWD6616	HWD6616
		HWD6016	HWD6016	HWD6016
		HWD5416	HWD5416	HWD5416
		HWD4816	HWD4816	HWD4816
		HWD4216	HWD4216	HWD4216
		HWD3616	HWD3616	HWD3616
		HWD3016	HWD3016	HWD3016
		HWD2416	HWD2416	HWD2416

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS - 197

		Contemporary frame	Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic
		HWH7216	HWH7216	HWH7216
		HWH6616	HWH6616	HWH6616
		HWH6016	HWH6016	HWH6016
		HWH5416	HWH5416	HWH5416
		HWH4816	HWH4816	HWH4816
		HWH4216	HWH4216	HWH4216


WALL MOUNTED HUTCHES WITH FLIPPER DOOR(S) - 199




HWF7216	HWF5416	HWF3616
HWF6616	HWF4816	HWF3016
HWF6016	HWF4216	HWF2416

WALL MOUNTED HUTCHES WITH PIVOT-LIFT DOOR(S) - 199


		Contemporary frame	Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic
		HWU7216	HWU7216	HWU7216
		HWU6616	HWU6616	HWU6616
		HWU6016	HWU6016	HWU6016
		HWU5416	HWU5416	HWU5416
		HWU4816	HWU4816	HWU4816
		HWU4216	HWU4216	HWU4216
		HWU3616	HWU3616	HWU3616
		HWU3016	HWU3016	HWU3016
		HWU2416	HWU2416	HWU2416



HWB107207
HWB106607
HWB106007
HWB105407
HWB104807
HWB104207
HWB103607
HWB103007
HWB102407




HC43
HC37




HBK3643
HBK3043
HBK3637
HBK3037

BOOKCASE HUTCHES WITH DOOR(S) - 202




HPDD3643
HPDD3043
HPDD3637
HPDD3037



Contemporary frame	
Laminate	H-gloss white
HPDDM3643	HPDDL3643
HPDDM3043	HPDDL3043
HPDDM3637	HPDDL3637
HPDDM3037	HPDDL3037


Contemporary frame

Acrylic
HPDDGIC3643
HPDDGIC3043
HPDDGIC3637
HPDDGIC3037




Traditional frame

Acrylic
HPDDGIA3643
HPDDGIA3043
HPDDGIA3637
HPDDGIA3037




HPDO3643
HPDO3043
HPDO3637
HPDO3037




Contemporary frame	
Laminate	H-gloss white
HPDOM3643	HPDOL3643
HPDOM3043	HPDOL3043
HPDOM3637	HPDOL3637
HPDOM3037	HPDOL3037


Acrylic
HPDOGIC3643
HPDOGIC3043
HPDOGIC3637
HPDOGIC3037



Acrylic
HPDOGIA3643
HPDOGIA3043
HPDOGIA3637
HPDOGIA3037




HPOD3643
HPOD3043
HPOD3637
HPOD3037



Contemporary frame	
Laminate	H-gloss white
HPODM3643	HPODL3643
HPODM3043	HPODL3043
HPODM3637	HPODL3637
HPODM3037	HPODL3037

Acrylic
HPODGIC3643
HPODGIC3043
HPODGIC3637
HPODGIC3037



Acrylic
HPODGIA3643
HPODGIA3043
HPODGIA3637
HPODGIA3037

TACKBOARDS FOR 43" H. HUTCHES - 207



without pigeonhole

BT8225
BT7625
BT7025
BT6425
BT5825
BT5225
BT4625
BT4025
BT3425
BT2825
BT2225

with pigeonhole

BT8221
BT7621
BT7021
BT6421
BT5821
BT5221
BT4621
BT4021
BT3421
BT2821
BT2221


TACKBOARDS FOR 37" H. HUTCHES - 208

without pigeonhole

BT8219
BT7619
BT7019
BT6419
BT5819
BT5219
BT4619
BT4019
BT3419
BT2819
BT2219

with pigeonhole

BT8215
BT7615
BT7015
BT6415
BT5815
BT5215
BT4615
BT4015
BT3415
BT2815
BT2215



TACKBOARD FOR MODULAR HUTCHES - 209


27" H.

BT8219
BT7619
BT7019
BT6419
BT5819
BT5219
BT4619
BT4019
BT3419
BT2819
BT2219

21" H.


BT8213
BT7613
BT7013
BT6413
BT5813
BT5213
BT4613
BT4013
BT3413
BT2813
BT2213

PIGEON-HOLE UNITS - 210




PIH82
PIH76
PIH70
PIH64
PIH58
PIH52


PIH46
PIH40
PIH34
PIH28
PIH22



PI1726
PI1720




PI1426
PI1420




PI726
PI720


RECTANGULAR TABLES (COMBINED MATERIAL END PANELS) - 212



LL



LC



CL

TIX3684LL
TIX3678LL
TIX3672LL
TIX3666LL
TIX3660LL
TIX3654LL
TIX3648LL


TIX3084 ...
TIX3078 ...
TIX3072 ...
TIX3066 ...
TIX3060 ...
TIX3054 ...
TIX3048 ...

TIX3042 ...
TIX3036 ...
TIX3030 ...
TIX3024 ...


TIX2484 ...
TIX2478 ...
TIX2472 ...
TIX2466 ...
TIX2460 ...
TIX2454 ...
TIX2448 ...

TIX2442 ...
TIX2436 ...
TIX2430 ...
TIX2424 ...


RECTANGULAR TABLES (PERFORATED METAL END PANELS) - 213



LL



LC



CL


TIM3684LL
TIM3678LL
TIM3672LL
TIM3666LL
TIM3660LL
TIM3654LL
TIM3648LL

TIM3084 ...
TIM3078 ...
TIM3072 ...
TIM3066 ...
TIM3060 ...
TIM3054 ...
TIM3048 ...

TIM3042 ...
TIM3036 ...
TIM3030 ...
TIM3024 ...

TIM2484 ...
TIM2478 ...
TIM2472 ...
TIM2466 ...
TIM2460 ...
TIM2454 ...
TIM2448 ...

TIM2442 ...
TIM2436 ...
TIM2430 ...
TIM2424 ...

RECTANGULAR TABLES (OPEN METAL END PANELS) - 214



TIO3684LL
TIO3678LL
TIO3672LL
TIO3666LL
TIO3660LL
TIO3654LL
TIO3648LL

TIO3084 ...
TIO3078 ...
TIO3072 ...
TIO3066 ...
TIO3060 ...
TIO3054 ...
TIO3048 ...

TIO3042 ...
TIO3036 ...
TIO3030 ...
TIO3024 ...

TIO2484 ...
TIO2478 ...
TIO2472 ...
TIO2466 ...
TIO2460 ...
TIO2454 ...
TIO2448 ...

TIO2442 ...
TIO2436 ...
TIO2430 ...
TIO2424 ...


RECTANGULAR & CORNER TABLES (OPEN METAL "CC" END PANELS) - 215


TIO3084CC
TIO3078CC
TIO3072CC
TIO3066CC
TIO3060CC
TIO3054CC


TIO3048CC
TIO3042CC
TIO3036CC
TIO3030CC
TIO3024CC

TIO2484CC
TIO2478CC
TIO2472CC
TIO2466CC
TIO2460CC
TIO2454CC

TIO2448CC
TIO2442CC
TIO2436CC
TIO2430CC
TIO2424CC




CSO3048CC
CSO3042CC
CSO2448CC
CSO2442CC
CSO2436CC
CSO1836CC

REVERSIBLE RETURNS (COMBINED MATERIAL END PANEL) - 216


RERX2460
RERX2454
RERX2448
RERX2442
RERX2436
RERX2430

RERX2148
RERX2142
RERX2136
RERX2130


RERX1848
RERX1842
RERX1836
RERX1830



RERM2460
RERM2454
RERM2448
RERM2442
RERM2436
RERM2430


RERM2148
RERM2142
RERM2136
RERM2130

RERM1848
RERM1842
RERM1836
RERM1830

REVERSIBLE RETURNS (OPEN METAL END PANEL) - 217



RERO2460
RERO2454
RERO2448
RERO2442
RERO2436
RERO2430
RERO2148

RERO2142
RERO2136
RERO2130
RERO1848
RERO1842
RERO1836
RERO1830



REB2448
REB2442
REB2436
REB2430
REB2148
REB2142

REB2136
REB2130
REB1848
REB1842
REB1836
REB1830




REBS2448
REBS2442
REBS2436
REBS2430

REBS2148
REBS2142
REBS2136
REBS2130
REBS1848
REBS1842
REBS1836
REBS1830

LAYERING
RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (FULL END PANEL) - 219

LEFT table




DPI3684L
DPI3678L
DPI3672L
DPI3666L
DPI3660L

DPI3084L
DPI3078L
DPI3072L
DPI3066L
DPI3060L

DPI2484L
DPI2478L
DPI2472L
DPI2466L
DPI2460L

RIGHT table




DPI3684R
DPI3678R
DPI3672R
DPI3666R
DPI3660R

DPI3084R
DPI3078R
DPI3072R
DPI3066R
DPI3060R

DPI2484R
DPI2478R
DPI2472R
DPI2466R
DPI2460R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (COMBINED MATERIAL END PANEL) - 220

LEFT table




DPIX3684L
DPIX3678L
DPIX3672L
DPIX3666L
DPIX3660L

DPIX3084L
DPIX3078L
DPIX3072L
DPIX3066L
DPIX3060L

DPIX2484L
DPIX2478L
DPIX2472L
DPIX2466L
DPIX2460L

RIGHT table




DPIX3684R
DPIX3678R
DPIX3672R
DPIX3666R
DPIX3660R

DPIX3084R
DPIX3078R
DPIX3072R
DPIX3066R
DPIX3060R

DPIX2484R
DPIX2478R
DPIX2472R
DPIX2466R
DPIX2460R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (PERFORATED METAL END PANEL) - 221

LEFT table




DPIM3684L
DPIM3678L
DPIM3672L
DPIM3666L
DPIM3660L

DPIM3084L
DPIM3078L
DPIM3072L
DPIM3066L
DPIM3060L

DPIM2484L
DPIM2478L
DPIM2472L
DPIM2466L
DPIM2460L

RIGHT table




DPIM3684R
DPIM3678R
DPIM3672R
DPIM3666R
DPIM3660R

DPIM3084R
DPIM3078R
DPIM3072R
DPIM3066R
DPIM3060R

DPIM2484R
DPIM2478R
DPIM2472R
DPIM2466R
DPIM2460R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (OPEN METAL END PANEL) - 222

LEFT table




DPIO3684L
DPIO3678L
DPIO3672L
DPIO3666L
DPIO3660L

DPIO3084L
DPIO3078L
DPIO3072L
DPIO3066L
DPIO3060L

DPIO2484L
DPIO2478L
DPIO2472L
DPIO2466L
DPIO2460L

RIGHT table



DPIO3684R
DPIO3678R
DPIO3672R
DPIO3666R
DPIO3660R

DPIO3084R
DPIO3078R
DPIO3072R
DPIO3066R
DPIO3060R

DPIO2484R
DPIO2478R
DPIO2472R
DPIO2466R
DPIO2460R

RECTANGULAR SURFACE-MOUNTED "LAYERING" RETURNS WITH "L" SUPPORT - 223

LEFT return			RIGHT return				
	REEP2472L	REEP2172L	REEP1872L		REEP2472R	REEP2172R	REEP1872R
	REEP2466L	REEP2166L	REEP1866L		REEP2466R	REEP2166R	REEP1866R
	REEP2460L	REEP2160L	REEP1860L		REEP2460R	REEP2160R	REEP1860R

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG) - 224

LEFT table			RIGHT table			
	DLDA3684L	DLDA3084L	DLDA2484L	DLDA3684R	DLDA3084R	DLDA2484R
	DLDA3678L	DLDA3078L	DLDA2478L	DLDA3678R	DLDA3078R	DLDA2478R
	DLDA3672L	DLDA3072L	DLDA2472L	DLDA3672R	DLDA3072R	DLDA2472R

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) - 225

Table GAUCHE			Table DROITE		
	Plateau rond	Plateau carré		Plateau rond	Plateau carré
	DLDC3684L	DLDD3684L		DLDC3684R	DLDD3684R
	DLDC3678L	DLDD3678L		DLDC3678R	DLDD3678R
	DLDC3672L	DLDD3672L		DLDC3672R	DLDD3672R
	DLDC3084L	DLDD3084L		DLDC3084R	DLDD3084R
	DLDC3078L	DLDD3078L		DLDC3078R	DLDD3078R
	DLDC3072L	DLDD3072L		DLDC3072R	DLDD3072R
	DLDC2484L	DLDD2484L		DLDC2484R	DLDD2484R
	DLDC2478L	DLDD2478L		DLDC2478R	DLDD2478R
	DLDC2472L	DLDD2472L		DLDC2472R	DLDD2472R

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJ. SUPPORT

TABLES EN "D" DÉPOSÉES AVEC SUPPORT AJUSTABLE

TUBULAR LEG - 226

	DADA3684	DADA3084	DADA2484
	DADA3678	DADA3078	DADA2478
	DADA3672	DADA3072	DADA2472

TUBULAR LEG WITH BASE - 226

	Plateau rond	Plateau carré
	DADC3684	DADD3684
	DADC3678	DADD3678
	DADC3672	DADD3672
	DADC3084	DADD3084
	DADC3078	DADD3078
	DADC3072	DADD3072
	DADC2484	DADD2484
	DADC2478	DADD2478
	DADC2472	DADD2472

TABLES ARQUÉES DÉPOSÉES AVEC SUPPORT EN "L" (PATTE TUBULAIRE) - 227

LEFT table			RIGHT table		
	DLAA3684L	DLAA3084L	DLAA2484L	DLAA3684R	DLAA3084R
	DLAA3678L	DLAA3078L	DLAA2478L	DLAA3678R	DLAA3078R
	DLAA3672L	DLAA3072L	DLAA2472L	DLAA3672R	DLAA3072R

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) - 228


LEFT table			RIGHT table		
	Plateau rond	Plateau carré		Plateau rond	Plateau carré
	DLAC3684L	DLAD3684L		DLAC3684R	DLAD3684R
	DLAC3678L	DLAD3678L		DLAC3678R	DLAD3678R
	DLAC3672L	DLAD3672L		DLAC3672R	DLAD3672R
	DLAC3084L	DLAD3084L		DLAC3084R	DLAD3084R
	DLAC3078L	DLAD3078L		DLAC3078R	DLAD3078R
	DLAC3072L	DLAD3072L		DLAC3072R	DLAD3072R
	DLAC2484L	DLAD2484L		DLAC2484R	DLAD2484R
	DLAC2478L	DLAD2478L		DLAC2478R	DLAD2478R
	DLAC2472L	DLAD2472L		DLAC2472R	DLAD2472R

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEGS) - 229


LEFT table			RIGHT table		
	Pattes rondes	Pattes carrées		Pattes rondes	Pattes carrées
	DLAE3684L	DLAF3684L		DLAE3684R	DLAF3684R
	DLAE3678L	DLAF3678L		DLAE3678R	DLAF3678R
	DLAE3672L	DLAF3672L		DLAE3672R	DLAF3672R
	DLAE3084L	DLAF3084L		DLAE3084R	DLAF3084R
	DLAE3078L	DLAF3078L		DLAE3078R	DLAF3078R
	DLAE3072L	DLAF3072L		DLAE3072R	DLAF3072R
	DLAE2484L	DLAF2484L		DLAE2484R	DLAF2484R
	DLAE2478L	DLAF2478L		DLAE2478R	DLAF2478R
	DLAE2472L	DLAF2472L		DLAE2472R	DLAF2472R

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (MONOLITHIC BASE) - 230

LEFT table			RIGHT table		
	DLAG3684L	DLAG3084L	DLAG2484L	DLAG3684R	DLAG3084R
	DLAG3678L	DLAG3078L	DLAG2478L	DLAG3678R	DLAG3078R
	DLAG3672L	DLAG3072L	DLAG2472L	DLAG3672R	DLAG3072R

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJ. SUPP TABLES ARQUÉES DÉP. SUPPORT AJUSTABLE AVEC PATTE AVEC PLATEAU - 231
TUBULAR LEG - 231



DAAA3684
DAAA3678
DAAA3672
DAAA3084
DAAA3078
DAAA3072
DAAA2484
DAAA2478
DAAA2472

TUBULAR LEG WITH BASE - 231

Round base


DAAC3684
DAAC3678
DAAC3672
DAAC3084
DAAC3078
DAAC3072
DAAC2484
DAAC2478
DAAC2472

Square base


DAAD3684
DAAD3678
DAAD3672
DAAD3084
DAAD3078
DAAD3072
DAAD2484
DAAD2478
DAAD2472

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG) - 232


DLiA3684L
DLiA3678L
DLiA3672L
DLiA3084L
DLiA3078L
DLiA3072L
DLiA2484L
DLiA2478L
DLiA2472L




DLiA3684R
DLiA3678R
DLiA3672R
DLiA3084R
DLiA3078R
DLiA3072R
DLiA2484R
DLiA2478R
DLiA2472R


RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) - 233


DLiC3684L
DLiC3678L
DLiC3672L
DLiC3084L
DLiC3078L
DLiC3072L
DLiC2484L
DLiC2478L
DLiC2472L

DLiD3684L
DLiD3678L
DLiD3672L
DLiD3084L
DLiD3078L
DLiD3072L
DLiD2484L
DLiD2478L
DLiD2472L




DLiC3684R
DLiC3678R
DLiC3672R
DLiC3084R
DLiC3078R
DLiC3072R
DLiC2484R
DLiC2478R
DLiC2472R
DLiD3684R
DLiD3678R
DLiD3672R
DLiD3084R
DLiD3078R
DLiD3072R
DLiD2484R
DLiD2478R
DLiD2472R


RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH LAMINATE "L" SUPPORT (TUBULAR LEGS) - 234


DLiE3684L
DLiE3678L
DLiE3672L
DLiE3084L
DLiE3078L
DLiE3072L
DLiE2484L
DLiE2478L
DLiE2472L


DLiF3684L
DLiF3678L
DLiF3672L
DLiF3084L
DLiF3078L
DLiF3072L
DLiF2484L
DLiF2478L
DLiF2472L




DLiE3684R
DLiE3678R
DLiE3672R
DLiE3084R
DLiE3078R
DLiE3072R
DLiE2484R
DLiE2478R
DLiE2472R
DLiF3684R
DLiF3678R
DLiF3672R
DLiF3084R
DLiF3078R
DLiF3072R
DLiF2484R
DLiF2478R
DLiF2472R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (MONOLITHIC BASE) - 235



DLiG3684L
DLiG3678L
DLiG3672L
DLiG3084L
DLiG3078L
DLiG3072L
DLiG2484L
DLiG2478L
DLiG2472L



DLiG3684R
DLiG3678R
DLiG3672R
DLiG3084R
DLiG3078R
DLiG3072R
DLiG2484R
DLiG2478R
DLiG2472R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT
TUBULAR LEG - 236



DAiA3684
DAiA3678
DAiA3672
DAiA3084
DAiA3078
DAiA3072
DAiA2484
DAiA2478
DAiA2472

TUBULAR LEG WITH BASE - 237

Plateau rond


DAiC3684
DAiC3678
DAiC3672
DAiC3084
DAiC3078
DAiC3072
DAiC2484
DAiC2478
DAiC2472

Plateau carré


DAiD3684
DAiD3678
DAiD3672
DAiD3084
DAiD3078
DAiD3072
DAiD2484
DAiD2478
DAiD2472

CRENZAS - 23" H. - 238



CZOO247223
CZOO246023
CZOO217223
CZOO216023




CZUFO247223
CZUFO246023
CZUFO217223
CZUFO216023




CZOUF247223
CZOUF246023
CZOUF217223
CZOUF216023




CZUFO247223
CZUFO246023
CZUFO217223
CZUFO216023




CZOUFD247223
CZOUFD246023
CZOUFD217223
CZOUFD216023




CZDDO247223
CZDDO246023
CZDDO217223
CZDDO216023




CZODD247223
CZODD246023
CZODD217223
CZODD216023




CZUFUF247223
CZUFUF246023
CZUFUF217223
CZUFUF216023




CZ4D247223
CZ4D246023
CZ4D217223
CZ4D216023




CZUFDD247223
CZUFDD246023
CZUFDD217223
CZUFDD216023




CZDDUF247223
CZDDUF246023
CZDDUF217223
CZDDUF216023



CZO243623
CZO243023
CZO213623
CZO213023




CZDD243623
CZDD243023
CZDD213623
CZDD213023




CZUF243623
CZUF243023
CZUF213623
CZUF213023


MINI STORAGE - 242



PID151805



PIS171805




CUS2472
CUS2460
CUS2436
CUS2430

CUS2172
CUS2160
CUS2136
CUS2130


BENCHING

CLOSED SHARED "BENCHING" TABLES (FULL END PANELS) - 244




BC2i3072
BC2i3066
BC2i3060
BC2i3054
BC2i3048
BC2i3042
BC2i3036

BC2i2472
BC2i2466
BC2i2460
BC2i2454
BC2i2448
BC2i2442
BC2i2436




BC4i3072
BC4i3066
BC4i3060
BC4i3054
BC4i3048
BC4i3042
BC4i3036

BC4i2472
BC4i2466
BC4i2460
BC4i2454
BC4i2448
BC4i2442
BC4i2436



BC6i3072
BC6i3066
BC6i3060
BC6i3054
BC6i3048
BC6i3042
BC6i3036


BC6i2472
BC6i2466
BC6i2460
BC6i2454
BC6i2448
BC6i2442
BC6i2436



BC8i3072
BC8i3066
BC8i3060
BC8i3054
BC8i3048
BC8i3042
BC8i3036


BC8i2472
BC8i2466
BC8i2460
BC8i2454
BC8i2448
BC8i2442
BC8i2436

CLOSED SHARED "BENCHING" TABLES (COMBINED MATERIAL END PANELS) - 247




BC2iX3072
BC2iX3066
BC2iX3060
BC2iX3054
BC2iX3048
BC2iX3042
BC2iX3036

BC2iX2472
BC2iX2466
BC2iX2460
BC2iX2454
BC2iX2448
BC2iX2442
BC2iX2436




BC4iX3072
BC4iX3066
BC4iX3060
BC4iX3054
BC4iX3048
BC4iX3042
BC4iX3036

BC4iX2472
BC4iX2466
BC4iX2460
BC4iX2454
BC4iX2448
BC4iX2442
BC4iX2436



BC6iX3072
BC6iX3066
BC6iX3060
BC6iX3054
BC6iX3048
BC6iX3042
BC6iX3036


BC6iX2472
BC6iX2466
BC6iX2460
BC6iX2454
BC6iX2448
BC6iX2442
BC6iX2436



BC8iX3072
BC8iX3066
BC8iX3060
BC8iX3054
BC8iX3048
BC8iX3042
BC8iX3036


BC8iX2472
BC8iX2466
BC8iX2460
BC8iX2454
BC8iX2448
BC8iX2442
BC8iX2436

CLOSED SHARED "BENCHING" TABLES (PERFORATED METAL END PANELS) - 250




BC2iM3072
BC2iM3066
BC2iM3060
BC2iM3054
BC2iM3048
BC2iM3042
BC2iM3036

BC2iM2472
BC2iM2466
BC2iM2460
BC2iM2454
BC2iM2448
BC2iM2442
BC2iM2436




BC4iM3072
BC4iM3066
BC4iM3060
BC4iM3054
BC4iM3048
BC4iM3042
BC4iM3036

BC4iM2472
BC4iM2466
BC4iM2460
BC4iM2454
BC4iM2448
BC4iM2442
BC4iM2436



BC6iM3072
BC6iM3066
BC6iM3060
BC6iM3054
BC6iM3048
BC6iM3042
BC6iM3036

BC6iM2472
BC6iM2466
BC6iM2460
BC6iM2454
BC6iM2448
BC6iM2442
BC6iM2436




BC8iM3072
BC8iM3066
BC8iM3060
BC8iM3054
BC8iM3048
BC8iM3042
BC8iM3036

BC8iM2472
BC8iM2466
BC8iM2460
BC8iM2454
BC8iM2448
BC8iM2442
BC8iM2436


CLOSED SHARED "BENCHING" TABLES (OPEN METAL END PANELS) - 253

	BC2iO3072	BC2iO2472		BC4iO3072	BC4iO2472
	BC2iO3066	BC2iO2466		BC4iO3066	BC4iO2466
	BC2iO3060	BC2iO2460		BC4iO3060	BC4iO2460
	BC2iO3054	BC2iO2454		BC4iO3054	BC4iO2454
	BC2iO3048	BC2iO2448		BC4iO3048	BC4iO2448
	BC2iO3042	BC2iO2442		BC4iO3042	BC4iO2442
	BC2iO3036	BC2iO2436		BC4iO3036	BC4iO2436
	BC6iO3072	BC6iO2472		BC8iO3072	BC8iO2472
	BC6iO3066	BC6iO2466		BC8iO3066	BC8iO2466
	BC6iO3060	BC6iO2460		BC8iO3060	BC8iO2460
	BC6iO3054	BC6iO2454		BC8iO3054	BC8iO2454
	BC6iO3048	BC6iO2448		BC8iO3048	BC8iO2448
	BC6iO3042	BC6iO2442		BC8iO3042	BC8iO2442
	BC6iO3036	BC6iO2436		BC8iO3036	BC8iO2436

120° CLOSED "BENCHING" TABLES (FULL END PANELS) - 256



BC3CV3048
BC3CV3042
BC3CV3036

BC3CV2448
BC3CV2442
BC3CV2436

120° CLOSED "BENCHING" TABLES (COMB. MAT. END PANELS) - 256



BC3CVX3048
BC3CVX3042
BC3CVX3036

BC3CVX2448
BC3CVX2442
BC3CVX2436

120° CLOSED "BENCHING" TABLES (PERF. METAL END PANELS) - 257



BC3CVM3048
BC3CVM3042
BC3CVM3036

BC3CVM2448
BC3CVM2442
BC3CVM2436


120° CLOSED "BENCHING" TABLES (OPEN METAL END PANELS) - 257


BC3CVO3048
BC3CVO3042
BC3CVO3036


BC3CVO2448
BC3CVO2442
BC3CVO2436

SHARED END-OF-RUN STORAGE UNITS - 258



FBPUUF156029
FBPUUF154829



FBPUF156023
FBPUF154823




CUS1560
CUS1548

OPEN HUTCHES (LOW) - 21"H. - 259



HTCO7221
HTCO6621
HTCO6021
HTCO5421
HTCO4821
HTCO4221
HTCO3621
HTCO3021
HTCO2421

Opening at RIGHT



HTCRO7221
HTCRO6621
HTCRO6021
HTCRO5421
HTCRO4821
HTCRO4221
HTCRO3621
HTCRO3021


Opening at LEFT




HTCOR7221
HTCOR6621
HTCOR6021
HTCOR5421
HTCOR4821
HTCOR4221
HTCOR3621
HTCOR3021

HUTCHES (LOW) WITH SLIDING DOORS - 21"H. - 260

Sliding door at LEFT




HTCGi7221
HTCGi6621
HTCGi6021
HTCGi5421
HTCGi4821
HTCGi4221
HTCGi3621
HTCGi3021



HTCGiO7221
HTCGiO6621
HTCGiO6021
HTCGiO5421
HTCGiO4821
HTCGiO4221
HTCGiO3621
HTCGiO3021


Sliding door at RIGHT



HTCOGi7221
HTCOGi6621
HTCOGi6021
HTCOGi5421
HTCOGi4821
HTCOGi4221
HTCOGi3621
HTCOGi3021


HUTCHES (LOW) WITH SLIDING DOORS AND SHARED ACCESS - 21"H. - 261

Sliding door at LEFT



HTCGiR7221
HTCGiR6621
HTCGiR6021
HTCGiR5421
HTCGiR4821
HTCGiR4221
HTCGiR3621
HTCGiR3021


Sliding door at RIGHT



HTCRGi7221
HTCRGi6621
HTCRGi6021
HTCRGi5421
HTCRGi4821
HTCRGi4221
HTCRGi3621
HTCRGi3021

TACKBOARDS - 261

For 21" H. hutches with shared access.



BTL3414
BTL3114
BTL2814
BTL2514


BTL2214
BTL1914
BTL1614
BTL1314

SHELVES WITH INTEGRATED


SHELVES - 6" H. - 262

END-OF-RUN BOOKCASE - 263


PIGEONHOLE UNIT - 13" H. - 262




HMA7213
HMA6613
HMA6013
HMA5413
HMA4813
HMA4213
HMA3613
HMA3013
HMA2413



HA7206A
HA6606A
HA6006A
HA5406A
HA4806A
HA4206A
HA3606A
HA3006A
HA2406A




HA7206C
HA6606C
HA6006C
HA5406C
HA4806C
HA4206C
HA3606C
HA3006C
HA2406C




BKP151650

25" H. FREESTANDING PEDESTALS FOR SHARED "BENCHING" TABLES - 263




FSLUUF25




FSLFF25

PRIVACY PANELS


LAMINATE - 264



PPOV1572
PPOV1566
PPOV1560
PPOV1554
PPOV1548
PPOV1542
PPOV1536
PPOV1530
PPOV1524
PPOV1518




PPFR2972
PPFR2966
PPFR2960
PPFR2954
PPFR2948
PPFR2942
PPFR2936
PPFR2930
PPFR2924



PPUN1372
PPUN1366
PPUN1360
PPUN1354
PPUN1348
PPUN1342
PPUN1336
PPUN1330
PPUN1324


FROSTED ACRYLIC - 265




PPOVGIA1572
PPOVGIA1566
PPOVGIA1560
PPOVGIA1554
PPOVGIA1548
PPOVGIA1542
PPOVGIA1536
PPOVGIA1530
PPOVGIA1524
PPOVGIA1518

PRIVACY PANELS

FROSTED ACRYLIC - 265




PPFRGIA2972
PPFRGIA2966
PPFRGIA2960
PPFRGIA2954
PPFRGIA2948
PPFRGIA2942
PPFRGIA2936
PPFRGIA2930
PPFRGIA2924



PPUNGIA1372
PPUNGIA1366
PPUNGIA1360
PPUNGIA1354
PPUNGIA1348
PPUNGIA1342
PPUNGIA1336
PPUNGIA1330
PPUNGIA1324

TACKBOARDS

FOR PRIVACY PANELS - 266



BTL7109
BTL6509
BTL5909
BTL5309
BTL4709
BTL4109
BTL3509
BTL2909
BTL2309
BTL1709

WALL MOUNT BRACKETS - 266


FOR TACKBOARDS




BTHK

FROSTED ACRYLIC PRIVACY PANELS


W/SQUARE BRACKETS - 266




AC-VRGIS1572
AC-VRGIS1566
AC-VRGIS1560
AC-VRGIS1554
AC-VRGIS1548
AC-VRGIS1542
AC-VRGIS1536
AC-VRGIS1530
AC-VRGIS1524



ASASP




ASUB




AC-ASWBA

CORNER SHELF - 268




JC1414

STIFFENERS - 268




AC-RSTF64
AC-RSTF52
AC-RSTF46



AC-FJP2


JUNCTION PLATES - 268

CABLING TRAYS - 270




WCMC68
WCMC62
WCMC56
WCMC50
WCMC44
WCMC38
WCMC32
WCMC26
WCMC20

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEMS - 270-271




1 Côté
WCMA58
WCMA52
WCMA46
WCMA40
WCMA34
WCMA28
WCMA22
WCMA16

CABLING CHANNELS - 271



WCMA58
WCMA52
WCMA46
WCMA40
WCMA34
WCMA28
WCMA22
WCMA16

CABLE POLE - 272




A5-EPEU23
A5-EPEU22

4-CIRCUIT ELECTRICAL SYSTEM - 272 - 273


CEILING POWER CONNECTIONS



E2-EC15



E2-EC18



E2-ECWD



E2-ECJO

OUTLET FOR POWER FEED CONNECTORS



E2-EJT82
E2-EJT76
E2-EJT70
E2-EJT64
E2-EJT58

E2-EJT52
E2-EJT47
E2-EJT35
E2-EJT21
E2-EJT18

COUPLING




IE-1

FASTENERS FOR JUMPER



E2-EJB5


4-CIRCUIT ELECTRICAL SYSTEM DUPLEX OUTLETS / USB - 273




E2-ER1
E2-ER2
E2-ER3
E2-ER4
E2-USB

CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (LEFT PEDESTAL) - 274


DESK




RDS3072
RDS3066




RDV3072
RDV3066




RDM3072
RDM3066



RDRT2460
RDRT2448
RDRT2442




RDRW2460
RDRW2448
RDRW2442




RDRN2460
RDRN2448
RDRN2442

CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (RIGHT PEDESTAL) - 275


DESK



RDT3072
RDT3066




RDW3072
RDW3066




RDN3072
RDN3066


RETURN



RDRS2460
RDRS2448
RDRS2442




RDRV2460
RDRV2448
RDRV2442



RDRM2460
RDRM2448
RDRM2442


COUNTERTOPS - 276

Pour convertir un bureau régulier en bureau réception.



RSB1284
RSB1278
RSB1272
RSB1266

RSB1242
RSB1236
RSB1230
RSB1224




RSQ1284
RSQ1278
RSQ1272
RSQ1266

RSQ1242
RSQ1236
RSQ1230
RSQ1224

COUNTERTOP EXTENSIONS - 277

À ajouter à la tablette du bureau réception.


Tablette DROITE



RSR1284
RSR1278
RSR1272
RSR1266

RSR1242
RSR1236
RSR1230
RSR1224


Tablette GAUCHE




RSL1284
RSL1278
RSL1272
RSL1266

RSL1242
RSL1236
RSL1230
RSL1224

OCCASIONAL TABLES (LAMINATE BASE) - 278



TMAR1736
TMAR1730
TMAR1724




TMAS173030

TMAS172448
TMAS172442
TMAS172430
TMAS172424
TMAS172418


TMAS171836
TMAS171830
TMAS171824
TMAS171818

OCCASIONAL TABLES - 278 - 279




TMAB2448
TMAB2442
TMAB2436
TMAB2430


TMAB2424
TMAB1836
TMAB1830
TMAB1824




TMARD1730
TMARD1724



TMAED172136



TSDS173030
TSDS172424



TMAS172436
TMAS172424

Take Off

General Information

DESCRIPTION

With its rectilinear and contemporary design, combination of materials (textured laminate finishes, metal, etc.), various options (legs, pulls, etc.), choice of components (storage, layering or benching tables, etc.) and exclusive features (Noki electronic lock), Take Off meets current office environment requirements by uniting outstanding design, quality and function.

The collection is divided into 4 series of freestanding furniture: **Lima**, **Mike**, **Sierra** and **Tango**. These series differ mainly in the thickness of the surfaces, the options of materials (laminate, combined, metal). The 4 series share a maximum of features, including sizes, finishes, choice of pulls, etc. It is therefore possible, if required, to harmoniously combine components from each series within a configuration.



TAKE OFF : 4 SERIES

The Lima and Mike Series

Pre-assembled laminate furniture (desks, credenzas, storage, etc.) and modular components (returns, tables, etc.).

Classic linear design and uniform height (29" H) allow for the quick configuration of workstations. These series are usually suited to closed office configurations.

L Lima	M Mike
1"	1½"



The Sierra and Tango Series

Modular furniture mixing laminate and metal. Components allow for configurations adapted to new working styles (layering S-T, benching S, etc.).

Contemporary linear design with the possibility of surface supported "layering" workstations (29" and 23" H.) particularly for use in open and shared workspaces.


S Sierra	T Tango
1"	1½"




APPLICATIONS AND COMPONENTS

From the reception area to private office, through to open space layouts, the Take Off Collection of freestanding furniture offers an infinite number of solutions to meet all workplace needs. Examples of applications :


Uniform-Height Workstation (29" H.)



Surface Supported "Layering" Workstation (29" and 23" H.)



Multi-User "Benching" Workstation and Shared Storage



GENERAL INFORMATION

Materials

Work surfaces, storage tops and floor supports are made of 1" (25 mm) thick pressed wood for the **Lima** and **Sierra** series; 1½" (38 mm) thick for the **Mike** and **Tango** series. Surfaces can be ordered in either thermally fused or high pressure laminate. Add 1/16" (1.6 mm) to the thickness of high pressure laminate surfaces.

There is a PVC 3/32" (2.5 mm) thick edge banding on the work surfaces and tops of storage with a choice of matching or contrasting colors, striped or fluted. Other components such as the floor supports also have a PVC 3/32" (2.5 mm) thick edge banding (matching TFL colors).

As a general rule, the panels, sides and backs of storage units, modesty panels and drawer fronts are made of 11/16" (17.5 mm) thick pressed wood and are edged with PVC 3/32" (2.5 mm) thick edge banding (matching TFL colors).

Laminate Finishes

The available finishes are divided into 4 categories:

- The "Surface" finish (applied on the surfaces of desks, tables or storage).
- The type of "Edge Banding" (surface contour).
- The "Base" finish (applied on the sides and back of desks, tables or storage).
- The "Front" finish (applied on the front of the desk drawers or fronts/doors of storage).


Casters, accessories and internal structural or mechanical components have a black finish while metal components (legs, panel supports, structure, etc.) are available in 4 finishes: Silver (**3090**), Polar White (**3002**), Charcoal (**3064**), Black (**3067**).

Refer to the product descriptions and finish charts for more information (p.54-55).

Wood Grain Direction

Surfaces

The wood grain generally runs parallel to the longest side of the surface while tables with symmetrical surfaces have the wood grain positioned at 45°.




Legs, backs, doors and fronts

The wood grain is positioned vertically on:

- table and desks legs.
- sides of storage.
- backs of tables, desks and storage.
- hinged doors.
- flipper or pivot-lift doors.
- drawer fronts.

Horizontally on:



Assembly and Hardware

Assembled products such as **desks, returns with pedestal, credenzas, cabinets and storage** as well as **all pedestals** require no assembly upon delivery except for levelers and pulls.

Knockdown products are delivered with the necessary hardware (brackets and screws) pre-assembled to the parts. The **bridge returns and returns without pedestal, junction surfaces** and **various tables with choice of legs or half legs** are delivered with the necessary hardware for attaching to adjacent surfaces.

All furniture is equipped with adjustable levelers except bridge returns (to be added during installation).

GENERAL INFORMATION (continued)

Doors

The doors have hinges that allow for a 110° opening. They are also available with other door opening mechanisms : flipper doors, flipper doors with soft-closing option and pivot-lift doors.

Drawers

The drawers are equipped with a progressive slide comprised of ball bearings with a total extension of 16", 18" or 22". The weight capacity is 100 pounds for the 6" and 12" drawers on pedestals and cabinets and 150 pounds for lateral file drawers. All drawer slides meet BIFMA Standards.

Interlock

Certain storage units have an Interlock system. Interlock is a blocking mechanism that allows for the opening of only one drawer at a time to eliminate the possibility of the filing unit tipping over.

Accessories for Drawers

Storage units that include at least one 6" utility drawer come with a pencil tray that can be installed either width or length wise.

File drawers have PVC rails along the top for hanging letter or legal size files. A filing bar (letter size) is included with all desks and combined storage units with filing drawers (12"). Filing bars (letter size) must be ordered separately for surface attached, freestanding and mobile pedestals. Front-to-back filing bars are also available. Refer to the product description for more details.

Pulls

Pulls are included on storage units such as credenzas, filing cabinets and cabinets. However, it is necessary to specify the desired type.

Pulls are not included on pedestals (suspended, freestanding or mobile) or assembled desks. Pulls can be added as an option.

Hutch doors do not have pulls, a space behind the door allows for opening. For the types of pulls available, see p.56.


Kick Plate

Storage units (pedestals, credenzas, cabinets, etc.) have a full length kick plate that is flush with the front or doors.



Locks: Noki Electronic Locks / Locks & Keys

In the Take Off Collection, storage and desk drawers are equipped with the chrome-finished Noki, the electronic lock exclusive to Artopex. With some products, such as hutches and bookcase hutches, a Noki electronic lock can be added as an option by specifying it in the "Lock" column of the code. Key locks and keyed-alike locks are also available as an option (no upcharge).


Noki is a simple and efficient locking system.



Pencil tray installed either width or length wise



Kick plate flush with fronts



• Locks are not available on doors with aluminum frames unless specified in the product description.


- A unique combination per user, department or storage unit as required (more than 9,000 combinations).
- A forgotten code, an absent user ... use the master key or an authorized person may obtain a master code from Artopex.
- After four attempts to open with a wrong code, a brief alarm sounds.
- Battery powered (included), with easy access to change the battery.

GROMMET

Factory-installed rectangular grommets are included on tables, returns and bridge returns and are optional on desks and closed shared "Benching" tables as well as credenzas and storage 29" H. or less. To specify products with no grommets, use the "NG" option (no upcharge).

The grommet with the Artopex logo has a cover with two openings:

- The first opening is for large cables (screen, computer, lamp, etc.).
- The second opening is for smaller wires (cell, USB plug, etc.).
- Dimensions of opening when the cover is removed : 3³/₈"x 1⁵/₈".




The grommet is available in two plastic finishes : White (**G1**) and Charcoal (**G2**). The finish must be specified in the product specification.


Products with Grommets

Rectangular tables, returns and bridge returns 42" long or less have 1 grommet at the center and items 48" or more are fitted with 2 grommets. The corner tables have 1 grommet positioned at the center back unless one side measures 60" or more, then 2 grommets are aligned on this side. Modular tables have 1 grommet.

1- Position of grommets on TABLES and CORNERS



2- Position of grommets on RETURNS




3- Position of grommet on CONVERGENT and LAYERED TABLES



Products Without Grommets (optional grommets)

It is possible to add grommets on desks and certain other products when the option is indicated. The finish and the grommet position must be specified in the product specification. For example, if a white grommet (**G1**) positioned to the left (**L**) and right (**R**) is required, add the code **G1LR** under the "Grommet Options" section. For credenzas and storage, the option includes 3 or 4 grommets according to the length of the item. The illustrations below explain the position of the grommet according to the item.


1) Position of grommets on DESKS and RECEPTION DESKS



The placement of pedestals under the desk could affect cable passage.



2) Position of grommets on CREDENZAS and STORAGE 29"H. or less



Grommets on the surface and sides



MULTI-OUTLET MODULES (optional)

A recessed multi-outlet module can be ordered on the majority of products. The surface has a pre-drilled hole but the module must be installed on site.

The black plastic multi-outlet module has:

- 2 electrical outlets with ground and 13AMP circuit-breaker.
- 2 openings for telecommunications adapter.
- The retractable lid can be closed when not in use.






Specify the type and location of the module under the "Options" section (M-Outlet).

Types

The multi-outlet module is available with two types of connections:

A conventional wall connection and a connection for the 1-circuit system.


Both modules are UL and CSA compliant.




- A clearance of 5" is required behind a pedestal to install a multi-outlet module. Refer to the specification chart on pages 60-61 for the clearance requirements for the different pedestals.
- The EC option requires the use of 1-circuit system components such as the AC-ECFK power supply.
- Warning! The installation of the 4-circuit power system, 1-sided (AC-WCMA_) is **not possible** with the UCC and ECC options.
- The installation of the 4-circuit power system, 1-sided (AC-WCMA_) is **possible** with the UCL/UCR and ECL/ECR options but it must be specified **26" shorter** than the length of the surface. Example : For a 72" surface, specify the AC-WCMA46.

The illustrations below explain the position of the multi-outlet modules according to the surface type.


Multi-outlet modules positions on DESKS, RETURNS with pedestals and RECEPTION DESKS



Multi-outlet modules positions on CONVERGENT and LAYERED TABLES



Multi-outlet modules positions on RETURNS without pedestals, TABLES and CORNERS



DESKS AND TABLES

The Take Off work surface height is 29" for the **Lima** and **Sierra** series and 29½" for the **Mike** and **Tango** series unless otherwise indicated. A ¼" space between modesty panel and underside of knockdown table surfaces allows for the installation of a privacy panel or an accessory bar.

Modesty Panel (back)

Tables Lima/Mike

Lima and Mike series tables and desks have a standard modesty panel (back), full height (28").

On **assembled desks**, the modesty panel is recessed:



- 11" on desks 36" in depth.
- 5" on desks 30" in depth.
- Flush on desks 24" or less.

A modesty panel can be ordered with a rounded accent at the base, 1" thick and is the same color as the work surface. Option available on desks 30" in depth or more.

For **knockdown tables**, the modesty panel is recessed :

- 11" on tables 36" in depth.
- Flush on tables 30" in depth or less (unless otherwise indicated).

A modesty panel can be ordered recessed (5") on 30" tables or ordered shorter: 9" or 18" high (no upcharge). These two options cannot be combined and the availability varies depending on the product. Refer to the option choices for each product.





Corner tables with a full height modesty panel have a leveler installed at the connection of two panels for stability.

Those with 18" and 9" high modesty panels have a 1" x 1" black metal leg in the back corner.

Sierra / Tango Tables

Sierra and **Tango** series tables with **combined, perforated metal** and **open metal** end panels have a standard modesty panel, flush, and 4" from the floor. Shorter modesty panels are available: 9" or 18" high (no upcharge).



The **corner tables** have a 2½" x 2½" metal leg in the back corner. The finish is coordinated with the open half-legs.

CHOICE OF SUPPORTS

Different models of legs are available according to the type of table and the selected series (Lima, Mike, Sierra and Tango). Levelers allow for an adjustment of 1 1/2" (38 mm) in height, unless otherwise indicated. The metal legs or legs with metal components are available in a choice of 4 finishes : Silver, Polar White, Charcoal or Black. The laminate legs are available in all the "base" laminate finishes.



LAMINATE end panels *
1" thermally fused laminate panel.



ROUND 2 1/2" leg
Tubular metal leg, 2 1/2" diameter allowing for a height adjustment of 13/16".



COMBINED end panel, metal-laminate *
Frame of 1" x 3" metal tubes with thermally fused laminate panel insertion.
Sierra / Tango series only.



ROUND 4" leg
Metal telescopic leg, 4" in diameter allowing for a height adjustment of 4".



PERFORATED METAL end panel *
Frame of 1" x 3" metal tubes with a perforated metal panel insertion.
Sierra / Tango series only.



TUBULAR leg WITH BASE PLATE
Round 4" diameter tubular leg with round or square base plate. The plate is 18" in diameter or 18" x 18".
Height adjustment from 27" to 30" H. Under the surface.




OPEN METAL end panel *
Frame of 1" x 3" metal tubes.
Sierra / Tango series only.




TUBULAR leg set
(2) round tubular metal legs, 2 1/2" diameter allowing for a height adjustment of 13/16".
OR
(2) square tubular metal legs, 2 1/2" x 2 1/2" with a height adjustment of 2".



MONOLITHIC leg
4" x 12" rectangular base panels made of 1" thermally fused laminate.



Half-legs Laminata
Lima/Mike



Half-legs Open Metal
Sierra/Tango

* Half-legs of knockdown **Lima** and **Mike** tables are **always in thermally fused laminate** while half-legs of knockdown **Sierra** and **Tango** tables are Open Metal end panels.

Bridge Return

The rectangular bridge return is comprised of a surface and a modesty that do not touch the floor once assembled. It is held in place using junction plates and "Z" fasteners (included) to secure the modesty panel to the adjacent units. The height of the regular bridge is 29" for **Lima** and **Sierra** series and 29 1/2" for **Mike** and **Tango** unless otherwise indicated. The bridge return is delivered unassembled and a privacy panel or accessory bar can be installed on it using the 1/4" space between the modesty panel and the top.



It is not possible to attach a suspended pedestal to a bridge return.


The modesty panel of the bridge return in the **Lima** and **Mike** series is full height, and in the **Sierra** and **Tango** series, it is 4" from the floor to align with the modesty panel of tables with Combined, Perforated metal or Open metal ends panels with which it is assembled.

Modesty Panel (option)

Modesty panels are available 9" or 18" H. as an option (no charge).

Bridge Return Without Modesty Panel

This surface is attached to adjacent surfaces using junction plates (included) and allows the joining of two tables, a table and a credenza or table and a desk. This surface may also be supported by support pedestals.



CONVERGENT TABLES

Convergent tables ("D" and "P" shaped, arched tables, etc.) serve as the main work surface or meeting surface of a workstation. They must be attached to an adjacent component (bridge return, credenza ...) and are available in a variety of shapes with a choice of metal legs, a monolithic or laminate leg.

Modesty Panel (back)

The modesty panel on convergent tables is 12" H. and is the same laminate finish as the "base".

X-base Leg

The X-base leg on convergent tables has a clearance for the passage of cables through the grommet.


Multi-Outlet Module (optional)

Recessed multi-outlet modules are available on convergent tables. The surface has a pre-drilled hole but the module must be installed on site. The specification of a multi-outlet module automatically replaces the existing grommet, see p.28.


Stiffener

A stiffener is recommended for surface supported tables 54" or more.


Convergent tables



"L" shaped tables




"P" shaped tables




"Shark" tables


Surface Supported Tables



Arched table




Rectangular tables



Monolithic leg



"D" shaped tables



END SURFACES

The end surfaces ("teardrop" table and meeting surfaces) are placed at the end of a table or two tables back-to-back.

The end surface is attached using junction plates (included) and has a telescopic metal leg, 4" in diameter allowing for a height adjustment of 4". The leg is available in 4 finishes: Silver, Polar White, Charcoal and Black.



STORAGE


The Take Off Collection offers storage in numerous configurations: with drawers, with door(s) or a combination of both and in various dimensions. For further information on storage construction, see p.26-27.

Grommets (option)

Rectangular Artopex grommets can be specified as an option on the surface and sides of credenzas and storage units 29" H. or less to allow for the passage of cables. See p.28.

Privacy Panel and Accessory Bar

A 1/4" space between the surface and back of credenzas and storage units 29" H. or less allows for the installation of a privacy panel or an accessory bar for metal or plastic accessories.



Maximum length of the privacy panel = total length of the unit minus 6"

OR

Maximum length of the privacy panel when installed on a unit with a division (in the construction) = 1/2 the length of the unit minus 6"

Credenzas

Assembled credenzas are available in different configurations with the following features:

- Two depths: 21" and 24".
- Two widths: 60" and 72".
- Two surface thicknesses: 1" and 1 1/2".

Sierra and Tango Series


Assembled credenzas 23" H. are available in many configurations of doors and / or drawers with or without an open section.

Credenzas in the **Sierra** series (1" surface) serve as support for tables to create surface supported "layering" workstations. Grommets are optional on the surface and sides, see p.28.


Lima and Mike Series

Assembled credenzas 29" and 35" H. are available in many configurations of doors and / or drawers, or doors with an open section and adjustable shelves.


Accessory bar with metal Artopex accessories




41" H.




35" H.



29" H.




23" H.



STORAGE UNITS

Storage units are available in various configurations (shelves, drawers, wardrobe, etc.) and heights. Pulls and at least one Noki electronic lock (depending on configuration) are included. A key lock is available as an option (no up-charge). Storage units have 1 door, opening left or right.



Storage Unit Heights

When positioned next to a credenza + hutch configuration:

- Storage unit 66" H. will be flush with the hutch 37" H.
- Storage unit 72" H. will be flush with the hutch 43" H.



The products must have the same surface thickness, either 1" or 1 1/2".


Door Styles

Depending on the configuration of the storage, different door styles are available: all laminate or aluminum frame with choice of interior material, see p.56. Refer to price list for exceptions.

2-Way Cabinets

2-way Cabinets units are 18 1/2" wide and 21" or 24" deep. They are positioned at the end of a credenza or storage unit 23" or 29" H. and are configured with drawers and an open space (left or right) with adjustable shelf or shelves. The section above the drawers has the same laminate finish as the "base".

It is possible to order extra shelves and a tackboard may be added on the section above the drawers.



BOOKCASES


Regular or corner bookcases are available in many sizes (depths : 12", 21", 24"). The shelves and sides of the bookcases are made of 1" laminate panels and the surfaces can be specified 1" (Lima series) or 1 1/2" (series Mike) laminate.

It is recommended to place bookcases that are 12" D. and 41" H. or more as well as corner bookcases over 41" H. against a wall or back-to-back with other storage.

Shelves

Storage units and bookcases with shelves have holes for height adjustment. Shelves are 1" laminate and have the same finish as the base.

Additional shelves can be ordered for certain storage, see product description for details.




PEDESTALS

The Take Off Collection includes many types of pedestals (with or without tops, fixed or mobile...) in various configurations. The Noki electronic lock is always included with laminate pedestals. Key locks, keyed-alike and pulls are optional.


Suspended Pedestals

Suspended pedestals can be attached under the majority of surfaces. Refer to the price list for exceptions.




Freestanding Pedestals - 29" H.

Freestanding pedestals 29" H. can be put adjacent to a table or storage of the same depth, 24" D. They are available with a 1" (Lima series) or 1 1/2" (Mike series) top.



Support Metal Pedestals

Support metal pedestals attach under a surface. Key lock included; the Noki electronic lock and keyed-alike locks are available as an option with no upcharge. Locks are available in current Artopex metal finishes and with 2 styles of pulls: integrated central pull in aluminum or full width.




Surfaces for Storage - 27 1/2" H.

Surfaces are available in lengths from 30" to 108" and can be installed on storage without tops 21" or 24" deep.


Recycling Pedestal

The recycling pedestal is available with or without a top. It is equipped with an opening for inserting paper for recycling and includes a removable bin.






Support Pedestals

Support pedestals do not have tops. They are 24" deep and are attached under a surface or table of the same depth.



Mobile Pedestals

Mobile pedestals (with casters) can be positioned under a surface positioned at 29" H. A cushion may be added on the top.



HUTCHES

Supports




The various models of hutches in the Take Off Collection are available with laminate panel legs or open metal legs. The metal legs are available in a choice of 4 finishes: Silver, Polar White, Charcoal or Black.

Doors

Different styles of doors are available depending on the hutch configuration: all laminate or with an aluminum frame and choice of interior panel material. See possibilities on p.56.

Types of Mechanisms (some exceptions apply):

- Hinged (with 110° hinges).
- Standard flipper.*
- Flipper with "Easy-Down" option (with dampers).*
- Pivot-lift (107° vertical assisted opening and soft closing with dampers).



* The flipper mechanism is not available on aluminum frame doors. Refer to price list for details.

Lock

The Noki electronic lock, the key lock and keyed-alike lock are available as an option on certain hutch models. Refer to the product description.



Clearance Under the Hutch

It is important to check the height clearance under the hutch (shown in the price list) as the space available varies by model, with or without a horizontal pigeon-hole unit. This will influence the choice of a tackboard.


Cable Passage

Hutches feature two elements allowing for the passage of cables :

- There is an opening with a removable cap (black) at the back top center. This allows for the passage of the wire from the light installed under the hutch if no horizontal pigeon-hole unit is installed.
- The back bottom of the hutch has a horizontal grommet (black) that can accommodate all sizes of cables and their connection plug (except oversized adaptors).



Horizontal pigeon-hole units



Pigeon-Hole Units

Available in various models, the Take Off Collection pigeon-holes units can be positioned under any hutch with a vertical clearance of at least 20". Letter or legal size documents can be stored depending on the model. A vertical pigeon-hole unit is also available for storing binders or other rigid materials.


The horizontal pigeon-hole units can simply be placed on the surface or attached under the hutch. It is always 2" shorter in length than the nominal dimension.



* Horizontal pigeon-hole units cannot be used on hutches with open metal legs.

MODULAR HUTCHES

Modular hutches have an integrated horizontal pigeon-hole unit upon which one or more storage modules for modular storage hutches can be installed. The module can be installed in various positions and two modules can be installed facing opposite directions.



Hutch 27" H. - Total height: 43"
Hutch 21" H. - Total height: 37"




TACKBOARDS

Tackboards can be installed on various models of freestanding hutches. Refer to the Accessories price list. Wall hanging supports are available to hang a tackboard directly to the wall (under a wall mounted hutch for example). Refer to the current Artopex charts for the selection of fabrics available.

Round Tackboard

A round tackboard of 1/4" thick Marmoleum (12" diameter) is also available and can be attached using double-sided tape (included) to any vertical laminate panel. Available in red or charcoal.



BOOKCASE HUTCHES


Bookcase hutches are placed on credenzas or other storage. They have adjustable shelves and open bookcase hutches have a horizontal grommet (black) at the base to accommodate all sizes of cables and their connection plug (except oversized adapters).

Doors

Different door styles are available: all laminate or with aluminum frame and choice of interior. See possibilities on p.56.


Dimensions

Bookcase hutches are available in two widths: 30" and 36" and in the same heights and depths as freestanding hutches.




Modularity with Different Height Credenzas / Storage

TOTAL HEIGHT for Lima/ Sierra (Add 1" for Mike/Tango series)



Lock (option)

The Noki electronic lock, key lock and keyed-alike locks are optional on bookcase hutches with laminate doors only (without aluminum frame).




WALL MOUNTED MODULES

Wall mounted modules are constructed entirely of 1" thermally fused laminate and can be specified in all laminate finishes. They attach to the wall with wall mounting brackets (included) and can support a normal, non-excessive weight load.

- Interior: 5 1/2" H x 9" D.
- Module 54" or more with a central divider.



Maximum load :

- Modules 48" long or less - 50 lbs.
- Modules 54" long or more - 100 lbs.




SURFACE SUPPORTED "LAYERING" TABLES - FIXED HEIGHT


Sierra and **Tango** series tables allow for **layering**. Available in left or right versions, they are installed over **Sierra** credenzas 23" H. preferably aligned with the open section and are available in three shapes: rectangular, arched and "D". Various leg options are available according to the surface shape and the type of support selected.



Choice of surfaces and end panels with **LONG** laminate support :




Choice of surfaces and legs with **SHORT** laminate support :



Laminate Support

The laminate support is a 5" H. "L" construction with an end support* and a long or short back depending on the leg model. It attaches to a Sierra 23" H. credenza using the included hardware.

A 1/4" space between the underside of the surface and the back allows for the installation of a privacy panel, accessory bar or modesty panel for use with the short laminate support. Exceptions apply for certain types of tables (dimensions, surface shape, leg model). Refer to the specification charts on pages 58-59.




* A privacy panel or accessory bar cannot be used on the part that is placed on the credenza (end support).

Individual Drawer and Pigeon-Hole Shelf

The layered tables with laminate supports can accommodate small 5" H. storage: drawer or pigeon-hole shelf.

The drawer has side pulls and is placed under left or right work surfaces. It also includes a Noki electronic lock and a grommet 1 1/8" in diameter at the rear for the passage of cables for connecting small devices such as a cell phone, tablet, laptop, etc.




For surfaces 21" deep or less, installing a drawer or a pigeon-hole prevents the cables from passing through the grommet to the floor.

The laminate pigeon-hole is 17" L. x 4 5/8" H. It can be placed under left or right layering surfaces. It has two filing spaces for letter or legal size documents.




Inside drawer dimension :
12" W. x 15" D. x 2" H.




Can accommodate letter or legal size documents.

SURFACE SUPPORTED "LAYERING" - ADJUSTABLE HEIGHT

Sierra and **Tango** series tables are available with a height adjustable metal bracket.



Surface and leg choices with **ADJUSTABLE** metal support :





Adjustable Metal Support

The adjustable metal support is 18" L. x 1 3/4" D. x 5" H. and is available with the leg models shown above. The support is attached under the surface and on the credenza with screws and allows for a mechanical adjustment from 28" to 31" high. It is available in the same finishes as the legs : Silver, Polar White, Charcoal or Black.

The metal support permits the installation of a privacy panel, accessory bar or modesty panel. Exceptions apply for certain types of tables (dimensions), surface shape, leg model). Refer to the specification charts on pages 58-59.



Mechanical height adjustment 28" to 31" H.





Stiffener

It is recommended to use a stiffener on surfaces 54" L. or more, see p.268.

SURFACE SUPPORTED "LAYERING" RETURNS

Layering returns in the **Sierra** and **Tango** series have a long laminate support and are installed on **Sierra** credenzas 23" H. before being attached to a table or desk using junction plates (included).

A 1/4" space between the underside of the surface and the back allows for the installation of a privacy panel or accessory bar. But a privacy panel or accessory bar cannot be installed on the end support (part that is installed on the credenza).



CLOSED SHARED "BENCHING" TABLES

The closed shared tables of the **Sierra** series are available with rectangular or 120 degree work surfaces and are used to create **shared "benching" workstations** for 2, 3, 4, 6 or even 8 users. The surfaces are connected to a structure consisting of legs, metal crosspiece and one or more central modesty panels of 18" H., according to the selected table model. The structure of shared tables with 120 degree surfaces has a central round tubular support. The shared tables are available in two depths: 48" and 60" with a choice of end panels: all laminate, combined, perforated metal or open metal.

Pedestals

Types of pedestals that can be used under shared "benching" tables :


Tables 48" D.

- Mobile pedestal 21" H. (UF).
- Pedestal 25" H. (see p.263).

Tables 60" D.

- Mobile pedestal 21" or 27" H.
- Pedestal without top*
- Suspended pedestal *


* Pedestals without top or suspended must be installed close to full width laminate end panels.



48" D. tables cannot be specified with pedestals without top or suspended pedestals.

Privacy Panels and Accessory Bars

A 1/4" space between the surfaces (front and sides) allows for the installation of privacy panels or accessory bars. It is not possible to install a privacy screen or accessory bar at the end of a surface if a pedestal is installed.




Grommets and Multi-Outlet Modules (optional)

Surfaces do not have grommets. Grommets and multi-outlet modules can be specified on shared "benching" tables. The type, position and finish (grommets) must be indicated in the product specification. For example, white grommets (G1) positioned to the left (L) and right (R) and a centered 1-circuit multi-outlet module (ECC), add the codes "**G1LR-ECC**" in the "Options" section. The illustrations below explain the position of grommets and / or multi-outlet modules according to the type of surface.




The same choice of grommets or multi-outlet option will be applied to all surfaces of the workstation.


Position of Grommet on SHARED "BENCHING" TABLES (Multi-Outlet modules are always in the center)




Surface 36" or less



Surface 42" or more



Surface 36"



Surface 42" or more

Electricity and Cable Management

A 5" H. space between the underside of surfaces and the top of the modesty panel allows for the installation of cable trays for the cables of the 1-circuit electrical system (p.47) or 4-circuit electrical distribution system 4 - 2-sided (appendix p.285).



4-circuit electrical distribution system

SHARED STORAGE

Storage completes the shared "benching" table layout by dividing the space according to the privacy level required and storage needs. The storage may also be used with the other tables, credenzas, etc. of the Take Off Collection.




Low Hutches

Low hutches 15" D. x 21" H. are available in various lengths and configurations. Installed on a surface 29" H., the total height will be 50" H. Tackboards can be installed on the open low hutches with shared access.

1 sided hutches



Shared access hutches



Shelves


Thermally fused laminate shelves 6" H. with 1" thick tops can be installed on the work surfaces. Personal shelves have a structural bar at the back and shared shelves have a central structural bar. Installed on a surface 29" H., the total height is 35" H.

Shelves with Pigeon-Hole Units

Shelves with thermally fused laminate pigeon-holes units 13" H. with 1" thick tops and a central structural bar can be installed on the work surfaces. The pigeon-holes units are open and accessible from both sides. Installed on a surface 29" H., the total height is 42" H. All shelves can be attached using a double-sided adhesive tape.

Toutes les tablettes peuvent être fixées à l'aide d'une bande autocollante double-face.


Shelf Choices



End-of-Run



The end-of-run bookcase is 50" H. and is attached to a low hutch 21" H. using the included hardware.

- A) 1 wardrobe space with silver finish hook.
- B) 2 open spaces (one with an adjustable shelf).
- C) 1 small shared storage space (9" W. x 5" H. x 7" D.).



Shared Pedestals

A shared pedestal can be placed to the left or right, at the end of shared "benching" tables or at the end of two back-to-back tables. This allows two users to have one common bookcase area with an adjustable shelf or shelves and personal storage drawers. Depending on the product height, each user will have:
1 utility drawer / 1 file drawer or 2 utility drawers / 1 file drawer.



A cushion may be added on the top of the pedestal.



PRIVACY PANELS

Tables, credenzas and certain storage 29" H. or less in the Take Off Collection are constructed with a 1/4" space between the surface and the back allowing for the installation of a privacy panels, accessory bar or modesty panel.

Types of Privacy Panels

Privacy panels are available in two heights : 15" or 28" H.

The height of 28" H. serves as both a privacy panel and modesty panel on modular tables, layering tables or supported tables.


Laminate

Laminate panel 11/16" thick, in all "base" laminate finishes.

Translucent

Acrylic panel 1/4" thick, translucent finish, frosted on one side.

The panels are equipped with metal brackets that are attached beneath the surface using screws. Panels 54" or less are equipped with two metal support brackets and panels 60" or more are equipped with three support brackets to ensure rigidity. The metal support brackets are available in 4 finishes : Silver, Polar White, Charcoal or Black.



Accessories for Laminate Privacy Panels

Accessories can be installed on the privacy panels to complete the workstations. Refer to the Accessories price list.

Marker Board


The magnetic marker board 10" H. x 17 1/4" L. is made of folded steel with a high-gloss white enamel paint for writing with dry erase markers only. An integrated trough holds markers.

Tackboards


Rectangular fabric tackboards 9" H. and in various lengths are attached to the laminate privacy panels with Velcro ®. Refer to the current Artopex charts for the complete selection of fabrics available.

Accessory Panel

The accessory panel 10" H. x 17 1/4" L. is made of folded steel with three slots 15 1/4" wide for installing metal or plastic Artopex accessories. Available in 4 finishes: Silver, Polar White, Charcoal or Black.




It is not possible to install the horizontal trays (plastic or metal) on the accessory panel.




ACCESSORY BARS

The accessory bars are made of $\frac{3}{4}$ " thick anodized aluminum in two heights: 8" or 12" H. They are equipped with two metal support brackets that attach under the surface using screws. A variety of plastic and metal Artopex accessories can be installed. Accessories can be installed on both sides of the bar. Refer to the Accessories price list.



Total height:
 • 8" Single bar.
 • 12" Double bar.
 Clearance on top of the surface: 4" H.



Accessory Bars




Specifying Privacy Panels and Accessory Bars

To specify privacy panels or accessory bars on freestanding tables (rectangular, corner, connecting, etc.), surface supported "layering" rectangular tables with a long laminate support, shared "benching" tables, the general rule is (except for assembled desks):


The **MAXIMUM length** must be specified **6" less** than the length of the surface on which the privacy panel or the accessory bar is installed in order to keep a clearance of 3" on each side.




Rectangular and corner tables



Closed shared "benching" tables



"Layering" tables
LONG laminate support



Credenzas or storage, see p.33

- It is not possible to install a panel or accessory bar at the end of a surface if a pedestal is attached.
- Exceptions apply for certain other types of tables according to dimensions, surface shape, or leg model. For more details, refer to the specification tables on pages 58-59.

MODESTY PANELS

Modesty panels 13½" H. can be added to the tables (supported, layering). Once installed, a clearance of 1" H. under the surface allows the passage of cables.

Types of Modesty Panels

Laminate


Laminate panel $\frac{11}{16}$ " thick in all laminate "base" finishes.

Translucent

Acrylic panel $\frac{1}{4}$ " thick, translucent finish, frosted on one side.

The panels are equipped with metal support brackets attached beneath a surface using screws. The panels 54" or less are equipped with two metal support brackets and panels 60" or more are equipped with three brackets to ensure rigidity. The metal support brackets are available in 4 finishes: Silver, Polar White, Charcoal or Black.

Clearance under the surface: 1" H.




For the **MAXIMUM length** of modesty panel that can be installed on tables of the Take Off Collection, refer to the specification chart on page 59.

SCREENS AND ACCESSORIES


Divider Screens

Refer to the Accessories price list.



Translucent Screens with Square Brackets

Translucent screens with square brackets can be attached to a work surface or on top of laminate storage using anchors. They are composed of metal anchors with a brushed nickel finish that grip an acrylic panel $\frac{1}{4}$ " thick, translucent finish, frosted on one side.



Storage Case

The storage case is made of folded metal and is attached under a surface using screws. It is available in 4 finishes: Silver, Polar White, Charcoal or Black and can be used to store binders or books.

Storage space: $7\frac{1}{2}$ " W. x 12" H. x 12" D.




RECEPTION DESKS

Closed reception desks with rounded shelves are available in the **Lima** series (1" thick) or the **Mike** series (1½" thick). The shelves will have the same features as work surfaces (finish, edge band and thickness) but the finish of the drawer fronts of the pedestals must be specified.

The return of the main unit as well as certain shelves must be specified separately. Information on how to order these products is available in the product descriptions of the price list.


Surface and Shelf Heights

The illustration below shows the different heights (surface/shelf). Add ½" for the **Mike** series.




Transaction Shelf

It is possible to convert a rectangular desk (or table) into a reception desk using the transaction shelf. It is attached with double-sided adhesive tape on to the work surface. Once installed on a surface 29" in height, the transaction shelf is at 42" H. An extension can be added on the return, left or right.



OCCASIONAL TABLES - 17½" H.

Occasional tables with various shaped tops are available in the **Lima** series (1" thick) or the **Mike** series (1½" thick) with a choice of laminate or metal base. The metal bases are available with a choice of 4 finishes : Silver, Polar White, Charcoal or Black.



ELECTRICAL WIRING AND MANAGEMENT

The Take Off Collection offers a variety of solutions to provide electricity and cable management in one or more workstations. Cables trays specific to 1-circuit and 4-circuit electrical systems are available in this price list. Refer to the Accessories price list to order multi-outlet modules for conventional electrical outlets, cable conduits and fasteners.

Multi-outlet Modules with Conventional Wall Plug (Refer to the Accessories price list to order)

Multi-outlet modules are available with a conventional 120V wall plug :




EPI Multi-Outlet Module

- Attaches to a 1/2" to 1 1/2" surface with screw claws.
- 2 Electrical outlets 15 AMP.
- 2 USB charger outlet 2.1 AMP.
- Electrical cord is 72" long.
- Aluminum and white casing.




EPU Multi-Outlet Module

- Installs under a surface with screws.
- 2 Electrical outlets 12 amp with a ground and circuit-breaker.
- 1 RJ-11 outlet for telephone-modem-fax.
- 1 RJ-45 computer outlet Category 5.
- Connector and telecom. wiring included.
- Electrical cord is 108" long.
- Communication cables are 162" long.
- Black plastic casing.



ECM Mobile Outlet

- Installs under a surface using the E2-EDT support or the cable tray ACWCMC_.
- 2 Electrical outlets.
- Electrical cord is 108" long.
- Black plastic casing.



Grommets

To facilitate the passage of cables, the Artopex rectangular grommet is provided standard on the tables and returns. This same grommet is also optional on :

- Assembled desks and reception desks.
- Shared "benching" tables.
- Storage units and credenzas 29" H. or less where indicated as an option in the price list.

For more details on this option, see p.28.


Round grommets are also available (sold separately, installed on site in the desired location) to add access for the passage of cables in furniture, refer to Accessories price list.

Cable Management


To complete an installation and to facilitate cable management, cable conduits and fasteners are available in the Accessories price list:

- The **plastic cable conduits** are attached with double-sided tape. They can accomodate cables in order to run them along modesties and other components.

- The **plastic fasteners** (single or double) attach under the surface using screws in order to hold the cables.



Plastic cable conduits



Plastic fasteners

CABLE TRAYS AND 1-CIRCUIT SYSTEM (refer to the Accessories price list for these items)

Cable Trays


The cable trays are attached under the surface using screws. They are made of metal with a silver finish and have openings for movable outlets (AC-ECM, AC-ECMK) or adaptor plates (AC-ERF, E2-ERD), not included.

Cable trays can support several types of wiring and cable and plug access is possible from both sides and ends. They are available in different lengths and have been designed to accommodate the components of the 1-circuit electrical system. Cable trays cannot support the components of the 4-circuit electrical system.

32" or more: 4 openings on each side.



26" or less: 2 openings on each side.



1-circuit electrical system



Includes two types of surface outlets (recessed or movable), jumpers and power supply module, the 1-circuit electrical system is ideal for a simple installation that does not require an electrician and offers reconfiguration flexibility.

- Powered by a **standard 120v outlet** from the wall or floor.
- A **maximum of 8 surface outlets** (16 individual outlets) can be connected to a system.


* Recessed surface outlet (EC) cannot be ordered separately, it is an option on work surfaces only. See p.29.

Cable Tray (AC-WCMC_)


20" at 68" length - p. 270




EPIK
Movable surface outlet



ECMK
Movable outlet




EC *
Recessed surface outlet



EPOSK
Movable surface outlet




ECEJK
Jumper



ECFK
Power supply module

• 1- CIRCUIT ELECTRICAL SYSTEM UNDER SHARED "BENCHING" TABLES (specification)

- The cable tray **must be attached** to the center of the section and at the center of the surfaces. Pre-drilled holes are provided.
- **1 cable tray** is required per shared section (2 facing surfaces).
- Refer to the price list to determine the **required length** (AC-WCMC_), see p.275.




4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM - 1-SIDED

The 4-circuit electrical distribution system is installed under the workstation surface but is not available for shared tables (benching). It includes a bracket with 1 electrical harness and 1 front in metal with a silver finish. The front conceals the harness, part of the shielded cabling and communication cables (if added). It is provided with openings for the double electrical outlets and faceplates (not included).


The system is available in different lengths and designed to accommodate the components of the 4-circuit electric system such as: the jumpers to connect the harnesses, the cables for power supply, etc.

Electrical Distribution System - 1-sided AC-WCMA_



Features of cabling trays with one front:

- 28" or more: 2 spaces for double outlets and 2 openings
- 22": 1 space for double outlet and 2 openings
- 16": 1 space for double outlet



Warning! The installation of the 4-circuit power system, 1-sided (AC-WCMA_) is **not possible** with the UCC and ECC multi-outlet options. The installation of the system is **possible** with the UCL/UCR and ECL/ECR options but it must be specified **26" shorter** than the length of the surface.

Example : For a 72" surface, specify the AC-WCMA46.

Cable Supports

The metal cable support with silver finish is sold separately and is installed on the front of the 4-circuit electrical distribution system (no hardware required). It allows the management of cables that are plugged into the outlets.


Integrated Electric System

It is an 8-cable electrical system and 4 circuits of 20A (U.S.) 15A (CAN) each.



- Rated power of grounded circuit: At single-phase current of 120/240V, 20A, 60HZ or three-phase current of 120/208V, 20A, 60HZ.

- Double outlet capacity: 15A (U.S. and CAN).

- Maximum use of double outlets: 13 (U.S.) or 12 (CAN) per circuit, for a total of 52 (U.S.) or 48 (CAN) on each power supply.



Cable Support




4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM - 1-SIDED (CONTINUED)

•SURFACES AGAINST A WALL or TABLES WITH MODESTY PANEL (specification)


- The 1-sided distribution system must be **attached under the surface and against the modesty panel.**
- Refer to the price list to determine the **required length** (AC-WCMA_), see p.270.

To calculate the **length of jumpers** (cables) required:

- Refer to the **shaded part** of the specification charts, see p.50-51.
- Always specify the **jumper that is the longest and closest to the required length.**
Example: For 54", order the 58" long jumper or E2-EJT58.




1 - Example to provide electricity to a workstation with tables PLACED BACK-TO-BACK



Use the jumper E2-EJT18 to connect distribution systems of tables with modesty panels that are placed back-to-back.

A round grommet 2½" in diameter can be ordered and installed on site so the cable can pass through modesty panel.
See accessories price list.

2 - Example to provide electricity to a workstation with TABLES PLACED END-TO-END



Use specification charts p.50-51 to calculate the length of the jumper:


Table 72" = 30" length under the table

Table 48" = 18" length under the table

30" + 18" = **48" cable length required**

Specify the longest jumper that is closest to the required length: **E2-EJT52**

3 - Example for providing electricity to a workstation with a PERPENDICULAR TABLE



Use specification charts p.50-51 to calculate the length of the jumper:

Table 60" = 48" length under the table

Table 48" = 18" length under the table

48" + 18" = **66" cable length required**


Specify the longest jumper that is closest to the required length: **E2-EJT70**

SPECIFICATION CHARTS – Length of Jumpers (cables)

To calculate the length of jumpers (**E2-EJT...**) required according to the model and dimensions of a table and according to the type of cable installation : continuous, or at 90°, refer to the shaded area of the following charts.


Rectangular tables

Continuous cable




A \ B	18" - 21" - 24" - 30" or 36"
84"	36"
78"	33"
72"	30"
66"	27"
60"	24"
54"	21"
48"	18"
42"	15"
36"	15"
30"	12"
DISTANCE UNDER THE TABLE	

90° cable




A \ B	18"	21"	24"	30"
84"	48"	51"	54"	60"
78"	45"	48"	51"	57"
72"	42"	45"	48"	54"
66"	39"	42"	45"	51"
60"	36"	39"	42"	48"
54"	33"	36"	39"	45"
48"	30"	33"	36"	42"
42"	27"	30"	33"	39"
36"	27"	30"	33"	39"
30"	24"	27"	30"	36"
DISTANCE UNDER THE TABLE				

Connecting tables



A \ B x C	24" x 36"
72"	60"
66"	57"
60"	54"
DISTANCE UNDER THE TABLE	


Rectangular tables (recessed back)



A \ B	30"	36"
84"	55"	55"
78"	52"	52"
72"	49"	49"
66"	46"	46"
60"	43"	43"
54"	40"	40"
48"	37"	37"
42"	34"	-
36"	34"	-
30"	31"	-
DISTANCE UNDER THE TABLE		


SPECIFICATION CHARTS - Length of Jumpers (cables)

90° Corner Tables




A	X	Y
48" x 48"	60"	18"
42" x 42"	51"	15"
36" x 36"	45"	15"
DISTANCE UNDER THE TABLE		

Extended Corner Tables




A x B	X	Y
36" x 72"	60"	30"
36" x 66"	57"	27"
36" x 60"	54"	24"
DISTANCE UNDER THE TABLE		




A x B	X	Y
48" x 84"	78"	36"
48" x 78"	75"	33"
48" x 72"	72"	30"
48" x 66"	69"	27"
48" x 60"	66"	24"
42" x 84"	72"	36"
42" x 78"	69"	33"
42" x 72"	66"	30"
42" x 66"	63"	27"
42" x 60"	60"	24"
36" x 72"	60"	30"
36" x 66"	57"	27"
36" x 60"	54"	24"
DISTANCE UNDER THE TABLE		

Extended Corner Tables (recessed back)




A \ B x C	30" x 42"	30" x 48"
84"	67"	73"
78"	64"	70"
72"	61"	67"
66"	58"	64"
60"	55"	61"
DISTANCE UNDER THE TABLE		

Asymmetrical tables/integrated half-return



A \ B x C	30" x 36"
72"	55"
66"	52"
60"	49"
DISTANCE UNDER THE TABLE	

Tables with 1 rounded side, curved int.




A \ B x C	30" x 42"
72"	61"
66"	58"
DISTANCE UNDER THE TABLE	

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM - 1-SIDED (continued)

•SURFACE SUPPORTED "LAYERING" TABLES (specification)


- The 1-sided distribution system must be **attached under the surface and against the modesty panel.**
 - To establish the **required length** (AC-WCMA_) use the "X" distance (image below) and consult the price list, see p.270.
- To calculate **the length of jumpers** (cables) required:
- Refer to the **shaded part** of the specification charts, below.
 - Always specify the **jumper that is the longest and closest to the required length.**
 - Example: For 54", specify the 58" long jumper: E2-EJT58



SPECIFICATION CHARTS - Jumper Length (cables)


To calculate the length of the jumper required (**E2-EJT...**), refer to the shaded area of the following charts:

Rectangular surface supported "layering" tables




A \ B	24" - 30" - 36"
84"	44"
78"	41"
72"	38"
66"	35"
60"	35"
DISTANCE UNDER THE TABLE	

Storage units or credenzas (with optional grommet)



A \ B	21" - 24"
72"	72"
60"	60"
36"	36"
30"	30"
INTERIOR DISTANCE STORAGE UNIT/CREDENZA	

Do not specify a multi-outlet module to the positions indicated below if a 4-circuit distribution system must be installed.



4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM - 2-SIDED


FOR THE 4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM - 2 SIDES
INSTALLED ON SHARED TABLES (BENCHING),
SEE APPENDIX P.281.

FINISH CHOICES CHART


This is the coding system to use in the specific fields of the list price with reference to choice of colors. Some exceptions apply, see the charts below or finish charts.






Colors, especially dark colors, may vary between thermo fused laminate (T.F.L.) and high pressure laminate (H.P.L.).



SURFACE








EDGE BANDS (surface)

T.F.L.	H.P.L.	Edges REGULAR	Edges FLUTED	Edges STRIPED (NARROW)
DOLOMITE FINISH White (MBW) * Antique White (MAW) * Charcoal (MF) * Frost (MA) * SUEDE FINISH Burgundy (MB) Cherry (MCH) Dark Oak (MDK) Amberwood (MCi) Cayenne Maple (MCM) Honey (MHO) SUPERMAT FINISH Chestnut (MCG) Maritime Maple (MEM) Moka (MPM) Douglas Pine (MDP) Teak (MTE) Tigerwood (MTW) AURA FINISH Carbon (MCB) Galaxy (MGX) Sea Salt (MSM) Twilight (MTL)	MAT FINISH White (SBW) Antique White (SAW) * Charcoal (SF) Frost (SA) Burgundy (SB) Cherry (SCH) Dark Oak (SDK) Amberwood (SCi) Cayenne Maple (SCM) Honey (SHO) Chestnut (SCG) Maritime Maple (SEM) Moka (SPM) Douglas Pine (SDP) Teak (STE) Tigerwood (STW) NATURAL FINISH Carbon (SCB) Galaxy (SGX) Sea Salt (SSM) Twilight (STL)	Aluminum (0W) White (0BW) Antique White (0AW) * Burgundy (0B) Carbon (0CB) Cherry (0CH) Chestnut (0CG) Dark Oak (0DK) Amberwood (0Ci) Cayenne Maple (0CM) Maritime Maple (0EM) Charcoal (0F) Galaxy (0GX) Frost (0A) Honey (0HO) Moka (0PM) Black (0N) * Douglas Pine (0DP) Sea Salt (0SM) Teak (0TE) Tigerwood (0TW) Twilight (0TL)	Aluminum (3W) White (3BW) Antique White (3AW) * Burgundy (3B) Carbon (3CB) Cherry (3CH) Chestnut (3CG) Dark Oak (3DK) Amberwood (3Ci) Cayenne Maple (3CM) Maritime Maple (3EM) Charcoal (3F) Galaxy (3GX) Frost (3A) Honey (3HO) Moka (3PM) Black (3N) * Douglas Pine (3DP) Sea Salt (3SM) Teak (3TE) Tigerwood (3TW) Twilight (3TL)	Multiply Maple (V1) Coordinate with this surface finishes: Maritime Maple - Moka Douglas Pine  Image Actual Size 1" thick surface Edges STRIPED (WIDE) Maple/Honey Striped (R1) Coordinate with surface finishes: Maritime Maple - Honey Burgundy/Honey Striped (R3) Coordinate with surface finishes: Burgundy - Cherry - Amberwood Cayenne Maple - Honey  Image Actual Size 1" thick surface
* Not available for Mike and Tango series. (1½" thick surface).	* Not available for Mike and Tango series. (1½" thick surface).	 * Not available for Mike and Tango series. (1½" thick surface).	 1" Edge: 3 grooves 1½" Edge: 5 grooves * Not available for Mike and Tango series. (1½" thick surface).	

FINISH CHOICES CHART (continued)

Some products have specific finish choices due to the nature of their components. For the metal support pedestals, refer to the current Artopex metal finish chart to view the finishes.




 BASE	 FRONT	 PRIVACY PANEL/ DIVIDER SCREEN	 LEG/SUPPORT STRUCTURE
T.F.L.	T.F.L.	T.F.L.	METAL
DOLOMITE FINISH White (BW) Antique White (AW) Charcoal (F) Frost (A) Black (N)	DOLOMITE FINISH White (BW) Antique White (AW) Charcoal (F) Frost (A) Black (N)	DOLOMITE FINISH White (BW) Antique White (AW) Charcoal (F) Frost (A) Black (N)	Silver (3090) Polar White (3002) Charcoal (3064) Black (3067)
SUEDE FINISH Burgundy (B) Cherry (CH) Dark Oak (DK) Amberwood (Ci) Cayenne Maple (CM) Honey (HO)	SUEDE FINISH Burgundy (B) Cherry (CH) Dark Oak (DK) Amberwood (Ci) Cayenne Maple (CM) Honey (HO)	SUEDE FINISH Burgundy (B) Cherry (CH) Dark Oak (DK) Amberwood (Ci) Cayenne Maple (CM) Honey (HO)	
SUPERMAT FINISH Chestnut (CG) Maritime Maple (EM) Moka (PM) Douglas Pine (DP) Teak (TE) Tigerwood (TW)	SUPERMAT FINISH Chestnut (CG) Maritime Maple (EM) Moka (PM) Douglas Pine (DP) Teak (TE) Tigerwood (TW)	SUPERMAT FINISH Chestnut (CG) Maritime Maple (EM) Moka (PM) Douglas Pine (DP) Teak (TE) Tigerwood (TW)	
AURA FINISH Carbon (CB) Galaxy (GX) Sea Salt (SM) Twilight (TL)	AURA FINISH Carbon (CB) Galaxy (GX) Sea Salt (SM) Twilight (TL)	AURA FINISH Carbon (CB) Galaxy (GX) Sea Salt (SM) Twilight (TL)	
		METAL(support) Silver (3090) Polar White (3002) Charcoal (3064) Black (3067)	


PULLS

Different styles of pulls are available on most storage and furniture with pedestals or with integrated storage. Pulls all have predrilled holes 5" (128 mm) center-to-center.


Some components such as credenzas, lateral files and storage units must have pulls and it is important to specify the type in the line of code. In the case of desks and pedestals, this is an option that must be added (\$22 per drawer). Specify this option under the "Pull" column of the line of coding.




TN - Nickel TECHNO




DN - Nickel DECO




J - Satin Chrome




X - Aluminum



YN - Brushed Nickel



YA - Antique Nickel



YB - Brushed Bronze

FRAMES

Doors with contemporary or traditional style aluminum frames with a choice of interior panel, are available on hutches and most storage 50"H. or more. The codes are listed in the product description, some restrictions apply, refer to the price list. *The high-gloss white finish is a high pressure laminate finish that can be written on with dry erase markers only.



Contemporary/Laminate



Contemporary/High-Gloss White



Contemporary/Frosted Acrylic



Traditional/Frosted Acrylic

FABRICS


For a complete selection of available fabrics, refer to current Artopex fabrics chart.

SPECIFICATION EXAMPLES

Here are some examples of codes applied to different products.

ASSEMBLED DESK WITH RIGHT-SIDE PEDESTAL

Dimensions: 30" x 36" x 72"



Ordering code:

TM-DD3672T-STL/3TL-SM/SM-TN-G2L-JJ

SPECIFY

Series	Code	Surface	Edge	Base	Fronts
T	M	DD3672T	STL / 3TL	SM	SM


OPTIONS

Pull	Grom.	M-Outlet	Mod.
TN	G2L		JJ

Series: Mike (top 1 1/2")
 Surface: Twilight (HPL)
 Edge band: Fluted (Twilight)
 Base: Sea Salt
 Drawer fronts: Sea Salt
 Pulls option: Nickel TECHNO- TN
 Grommet option: Charcoal, left
 Modesty option: With rounded accent

RECTANGULAR SHARED "BENCHING" TABLES WITH COMBINED END PANELS

Dimensions: 60" x 144"



Ordering code:

TS-BC4iX3072-MGX/0GX-GX-3002-G1LR-ECC

SPECIFY

Series	Code	Surface	Edge	Base	Metal
T	S	BC4iX3072	MGX / 0GX	GX	3002


OPTIONS

Grom.	M-Outlet
G1LR	ECC

Series: Sierra (top 1")
 Surface: Galaxy (TFL)
 Edge band: Galaxy
 Base: Galaxy
 Metal: White
 Grommet option: White, left and right
 Multi-outlet module option: 1-circuit multi-outlet module, center.

CREDENZA WITH DRAWERS – 23" H.

Dimensions: 21" x 72" x 23"



Ordering code:

TS-CZOUF217223-MDP/ODP-DP/BW-YN-G14

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T	S	CZOUF217223	MDP / ODP	DP	BW	YN


OPTIONS

Grom.	Lock
G14	

Series: Sierra (top 1")
 Surface: Douglas Pine (TFL)
 Edge band: Douglas Pine
 Base: Douglas Pine
 Drawer fronts: White
 Pulls option: Brushed Nickel - YN
 Grommet option: White

BOOKCASE HUTCH – 2 DOORS

Dimensions: 14" x 36" x 37"



Ordering code:

TL-HPDD3637-MDP/V1-DP/DP-YN-L

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T	L	HPDD3637	MDP / V1	DP	DP	YN


OPTIONS

Lock
L

Series: Lima (top 1")
 Surface: Douglas Pine (TFL)
 Edge band: Striped/Multiply-maple
 Base: Douglas Pine
 Fronts: Douglas Pine
 Pulls option: Brushed Nickel - YN
 Noki electronic lock option

HUTCH WITH FLIPPER DOORS, METAL LEGS, CONTEMPORARY ALUMINUM FRAME, LAMINATE INTERIOR

Dimensions: 14" x 72" x 43"



Ordering code:

TS-HUM7243-GX/CB-3090

SPECIFY


Series	Code	Base	Fronts	Metal
T	S	HUM7243	GX / CB	3090

Series: Sierra
 Base: Galaxy (TFL)
 Fronts: Carbon
 Metal: Silver



SPECIFICATION CHARTS – PRIVACY PANELS AND ACCESSORY BARS

The tables below indicate the **MAXIMUM length** of the privacy panel or accessory bar that can be installed on the different models of tables of the Take Off Collection.



LENGTH of the surface = length indicated in the price list.



CONVERGENT or SUPPORTED Tables					
Surface Shape:	Types of legs:	Tubular 4"	Base plate round or square	Monolithic	Tubular round or square
"D" SHAPED 	36" D.	Maximum length = Surface length minus 24"		-	-
	30" D.			-	-
	24" D.			-	-
	24" D.	Maximum length = Surface length minus 18"		-	-
ARCHED 		Maximum length = Surface length minus 12"		Maximum length = Surface length minus 18"	
RECTANGULAR 		Maximum length = Surface length minus 6"		Maximum length = Surface length minus 12"	




Surface Supported "Layering" Tables					
SHORT laminate or ADJUSTABLE metal support on Sierra credenzas 21" or 24" deep.					
Surface Shape:	Types of legs:	Tubular 4"	Base plate round or square	Monolithic	Tubular round or square
"D" SHAPED 	36x84	Maximum length = 60"		-	-
	36x78	Maximum length = 54"		-	-
	36x72	Maximum length = 48"		-	-
	30x84	Maximum length = 60"		-	-
	30x78	Maximum length = 54"		-	-
	30x72	Maximum length = 48"		-	-
	24x84	Maximum length = 66"		-	-
	24x78	Maximum length = 60"		-	-
	24x72	Maximum length = 54"		-	-
ARCHED 		Maximum length = Surface length minus 12"		Maximum length = Surface length minus 18"	
RECTANGULAR 		Maximum length = Surface length minus 6"		Maximum length = Surface length minus 12"	




SPECIFICATION CHARTS – DOUBLE PANELS AND MODESTY PANELS

The charts below indicate the **MAXIMUM length** of the double panel or modesty panels that can be installed on the different models of tables of the Take Off Collection.

LENGTH of the surface = length indicated in the price list.




CONVERGENT or SUPPORTED Tables					
Surface Shape:	Types of legs:	Tubular 4"	Base plate round or square	Monolithic	Tubular round or square
"D" SHAPED 	36" D.	Maximum length = Surface length minus 24"		-	-
	30" D.			-	-
				-	-
	24" D.	Maximum length = Surface length minus 18"		-	-
ARCHED 		Maximum length = Surface length minus 12"		Maximum length = Surface length minus 18"	
RECTANGULAR 		Maximum length = Surface length minus 6"		Maximum length = Surface length minus 12"	



Modesty panels cannot be used with **CONVERGENT "D" shaped tables 42" or less**, as well as **arched or rectangular SUPPORTED tables of 30"** as the smallest panel is 24" L.











Surface Supported "Layering" Tables					
SHORT laminate or ADJUSTABLE metal support on Sierra credenzas 21" or 24" deep.					
Surface Shape:	Types of legs:	Tubular 4"	Base plate round or square	Monolithic	Tubular round or square
"D" SHAPED 	36x84	Maximum length = 36"		-	-
	36x78	Maximum length = 30"		-	-
	36x72	Maximum length = 24"		-	-
	30x84	Maximum length = 36"		-	-
	30x78	Maximum length = 30"		-	-
	30x72	Maximum length = 24"		-	-
	24x84	Maximum length = 42"		-	-
	24x78	Maximum length = 36"		-	-
	24x72	Maximum length = 30"		-	-
ARCHED 		Maximum length = Surface length minus 36"		Maximum length = Surface length minus 42"	
RECTANGULAR 		Maximum length = Surface length minus 30"		Maximum length = Surface length minus 36"	



SPECIFICATION CHART – INTERIOR CLEARANCE FOR LAMINATE STORAGE


INTERIOR CLEARANCE (horizontal) UNDER THE SURFACE

The tables and desks of the Take Off Collection are available with different interior clearances for the placement of LAMINATE storage units. This chart illustrates the clearance available under the desks and tables.

SURFACE depth	LAMINATE STORAGE UNIT depth			
	18"	20"	21"	24"
18"	Does not fit	Does not fit	Does not fit	Does not fit
21"	 2 1/4" Space	 3/8" Space	Does not fit	Does not fit
24"	 5 1/4" Space	 3 3/8" Space	 2 3/8" Space	Does not fit
30"	 11 1/4" Space	 9 3/8" Space	 8 3/8" Space	 5 3/8" Space
30" (modesty recessed 5")	 6 1/2" Space	 4 3/4" Space	 35/8" Space	 5/8" Space
36"	 17 1/4" Space	 15 3/8" Space	 14 3/8" Space	 11 3/8" Space
36" (modesty recessed 11")	 6 1/2" Space	 4 3/4" Space	 35/8" Space	 5/8" Space

INTERIOR CLEARANCE (vertical) UNDER THE SURFACES














Pictured is the vertical space used when a LAMINATE storage unit is placed under a surface 29" H.



SPECIFICATION CHART – INTERIOR CLEARANCE FOR METAL STORAGE







INTERIOR CLEARANCE (horizontal) UNDER THE SURFACE

The tables and desks of the Take Off Collection are available with different interior clearances for the placement of METAL storage units. Refer to the Metal storage price list for the available products with the exception of the FP45/47 pedestal that is available in this price list on p.162.

SURFACE depth	METAL STORAGE UNIT depth		
	18"	22"	28"
18"	Does not fit	Does not fit	Does not fit
21"	 2 1/4" Space	Does not fit	Does not fit
24"	 5 1/4" Space	 1 1/4" Space	Does not fit
30"	 11 1/4" Space	 7 1/4" Space	 1 1/4" Space
30" (modesty recessed 5")	 6 3/8" Space	 2 3/8" Space	Does not fit
36"	 17 1/4" Space	 13 1/4" Space	 7 1/4" Space
36" (modesty recessed 11")	 6 3/8" Space	 2 3/8" Space	Does not fit

INTERIOR CLEARANCE (Vertical) UNDER THE SURFACES

Pictured is the vertical space used when a METAL storage unit is placed under a surface 29" H.

Pedestals with levers	Pedestals with casters		Lateral files		
					
Pedestals 25.75"H. Space: 2.25"	Pedestals 22.75"H. Space: 5.25"	Pedestals 27.375"H. Space: 0.625"	Pedestals 24.375"H. Space: 3.625"	Pedestals 21.375"H. Space: 6.625"	45 and 47 Series 27.938"H lateral files and combined storage Space: 0.125"



* Other types of 2-drawer lateral files with metal or laminate fronts come into interference with the surface.

TYPICAL LAYOUTS

Prices shown for the typical layouts are based on the following specifications:



- 1" thick surface.
- Grade 1 fabric on cushions.
- No options added.

Refer to the price list for the various options available for each component.





Layout TO-14-01

TL-SWDUFF212472	Combined storage 72" H.	\$ 1544
TL-HWD7216	Wall mounted hutch	\$ 758
TS-CZUFO217223	Credenza 23" H. - drawers	\$ 1305
TS-REEP2172L	Surface-mounted return - left	\$ 273
TL-DI3072T	Rectangular desk - single pedestal UUF	\$ 1056
		\$ 4936





Layout TO-14-02

TS-HF7237	Hutch 37" H. - metal legs	\$ 1539
TL-CZCO217229	Credenza 29" H. - combined storage unit	\$ 1202
TL-REB2148	Bridge return	\$ 305
TL-DTI3072G	Rectangular table - monolithic laminate base	\$ 650
		\$ 3696





Layout TO-14-03

TL-SDDGICFF213672	Combined storage 72" H. - contemp. frame acry.	\$ 2520
TL-HDGiC7243	Hutch - contemporary frame / acrylic	\$ 2023
TL-Ti2172LL	Rectangular table - full end panels	\$ 563
TL-FPUUF	Freestanding pedestal - without top / with pulls	\$ 751
TL-DS2460C	"D" shaped table- round base	\$ 516
		\$ 6373





Layout TO-14-04

TL-SDO213650	Single door cabinet 50" H.	\$ 1056
TL-RER2142	Reversible return	\$ 350
TL-FPUUY	Freestanding pedestal with recycling bin	\$ 646
TL-DTA3072F	"D" shaped table (arched) - square legs	\$ 736
		\$ 2788



Layout TO-14-05



TS-CZDD213623	Storage 23" H. - doors	\$ 758
TL-HWUGiC7216	Wall mounted hutch pivot lift - cont. frame/acrylic	\$ 1936
TS-DPiX3072L	Left surface mounted table - combined material	\$ 750
TS-CZOUF217223	Credenza 23" H. - drawers	\$ 1305
TL-HPDD3643	Bookcase hutch 43" H.	\$ 749
TS-CZUF213623	Storage 23" H. - drawers	\$ 801
		\$ 6299



Layout TO-14-06



TL-SOUFL211850	2-Way cabinet 50" H. - left	\$ 1020
TS-CZOO217223(2)	Open credenza 23" H.	\$ 1790
TL-SOUFR211850	2-Way cabinet 50" H. - right	\$ 1020
TS-DPiO3072R	Right surface mounted table - open metal	\$ 690
TS-DPiO3072L	Left surface mounted table - open metal	\$ 690
TS-PPOV1566	Laminate privacy panel	\$ 312
		\$ 5522

TYPICAL LAYOUTS





Layout TO-14-07

TS-DAID3078 (2)	Surface mounted table adjust. height - square base	\$ 1734
TS-CZOUF217223	Credenza 23" H. - drawers	\$ 1305
TL-HPDD3643	Bookcase hutch 43" H.	\$ 749
TS-CZUF213623	Storage 23" H. - drawers	\$ 801
TS-CZUF0217223	Credenza 23" H. - drawers	\$ 1305
		\$ 5894




Layout TO-14-08

TS-CZUF0217223(3)	Credenza 23" H. - drawers	\$ 3915
TS-DPIX3072R (3)	Right surface mounted table - comb. material	\$ 2250
TL-HW7216 (3)	Wall mounted hutch	\$ 2565
		\$ 8730





Layout TO-14-09

TS-BC2iO3072	Rect. shared "benching" tables - open metal	\$ 1826
TS-PPOV1566	Laminate privacy panel	\$ 312
TL-MPUF1520 (2)	Mobile pedestal	\$ 1116
		\$ 3254





Layout TO-14-10

TS-BC3CVM3048	120° shared "benching" tables - perforated metal	\$ 4516
TS-PPOVGI1542(3)	Frosted acrylic privacy panel	\$ 894
		\$ 5410



Layout TO-14-11


TS-BC4i3060	Rect. shared "benching" tables- full end panels	\$ 2870
TS-FBPUF156023 (2)	Shared end-of-run storage unit	\$ 2578
TL-CUS1560 (2)	Cushion	\$ 994
TL-HMA6013 (2)	Shelf with integrated pigeon-hole unit	\$ 1254
		\$ 7696



Layout TO-14-12

TS-BC6iX3072	Rect. shared "benching" tables - comb. material	\$ 4906
TS-CZDUFO217223(3)	Credenza 23" H. - doors and drawers	\$ 3417
TS-CZOUFD217223(3)	Credenza 23" H. - drawers and doors	\$ 3417
TS-PPOVGI1566 (3)	Frosted acrylic privacy panel	\$ 1239
		\$ 12979

ASSEMBLED RECTANGULAR DESKS



Rectangular desk with double pedestals (6" & 12" drawers).

Desks with depths of 21" and 24" can be used as credenzas.


Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.

L Lima 1"

M Mike 1½"

Dimensions		Code	Price		Specifications				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Lb (L)	Lb (M)
36	72	Di3672U	1492	1707	1726	1865	50.3	296	337
30	72	Di3072U	1458	1651	1669	1795	42.5	287	321
30	66	Di3066U	1417	1606	1623	1749	39.0	253	284
30	60	Di3060U	1403	1518	1535	1658	39.0	242	271
24	72	Di2472U	1386	1494	1509	1620	34.0	264	291
24	66	Di2466U	1356	1454	1461	1580	31.2	257	282
24	60	Di2460U	1282	1412	1428	1538	28.4	249	272
21	72	Di2172U	1363	1433	1437	1553	30.7	244	266
21	66	Di2166U	1327	1396	1405	1516	30.7	237	258
21	60	Di2160U	1253	1360	1373	1480	25.6	218	250



Rectangular desk with double pedestals (12" drawers).

Desks with depths of 21" and 24" can be used as credenzas.

12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 drawers.

36	72	Di3672F	1492	1707	1726	1865	50.3	299	340
30	72	Di3072F	1458	1651	1669	1795	42.5	276	310
30	66	Di3066F	1417	1606	1623	1749	39.0	268	299
30	60	Di3060F	1403	1518	1535	1658	39.0	259	288
24	72	Di2472F	1386	1494	1509	1620	34.0	254	281
24	66	Di2466F	1356	1454	1461	1580	31.2	246	271
24	60	Di2460F	1282	1412	1428	1538	28.4	239	261
21	72	Di2172F	1363	1433	1437	1553	30.7	233	256
21	66	Di2166F	1327	1396	1405	1516	30.7	227	248
21	60	Di2160F	1253	1360	1373	1480	25.6	220	239

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom. M-Outlet Mod. Lock

T - - / - / - - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.


or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of standard multi-outlet module, centered (UCC), add \$213, p.29.


Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



ASSEMBLED RECTANGULAR DESKS



Rectangular desk with double pedestals (3 drawers at left and 2 drawers at right).

Desks with depths of 21" and 24" can be used as credenzas.


Pencil tray included in the 6" top drawer. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.

L Lima 1"

M Mike 1½"

Dimensions		Code	Price		Specifications				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672Y	1492	1707	1726	1865	50.3	304	345
30	72	Di3072Y	1458	1651	1669	1795	42.5	281	315
30	66	Di3066Y	1417	1606	1623	1749	39.0	273	304
30	60	Di3060Y	1403	1518	1535	1658	39.0	264	293
24	72	Di2472Y	1386	1494	1509	1620	34.0	259	286
24	66	Di2466Y	1356	1454	1461	1580	31.2	251	276
24	60	Di2460Y	1282	1412	1428	1538	28.4	244	267
21	72	Di2172Y	1363	1433	1437	1553	30.7	239	261
21	66	Di2166Y	1327	1396	1405	1516	30.7	232	253
21	60	Di2160Y	1253	1360	1373	1480	25.6	226	245



Rectangular desk with double pedestals (2 drawers at left and 3 drawers at right).

Desks with depths of 21" and 24" can be used as credenzas.

Pencil tray included in the 6" top drawer. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.

36	72	Di3672Z	1492	1707	1726	1865	50.3	304	345
30	72	Di3072Z	1458	1651	1669	1795	42.5	281	315
30	66	Di3066Z	1417	1606	1623	1749	39.0	273	304
30	60	Di3060Z	1403	1518	1535	1658	39.0	264	293
24	72	Di2472Z	1386	1494	1509	1620	34.0	259	286
24	66	Di2466Z	1356	1454	1461	1580	31.2	251	276
24	60	Di2460Z	1282	1412	1428	1538	28.4	244	267
21	72	Di2172Z	1363	1433	1437	1553	30.7	239	261
21	66	Di2166Z	1327	1396	1405	1516	30.7	232	253
21	60	Di2160Z	1253	1360	1373	1480	25.6	226	245

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.	Lock
T										

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.


or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of standard multi-outlet module, centered (UCC), add \$213, p.29.


Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



ASSEMBLED RECTANGULAR DESKS




Rectangular desk with single left pedestal.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	72	Di3672S	1100	1296	1167	1417	50.3	247	288
30	72	Di3072S	1056	1238	1133	1343	42.5	218	254
30	66	Di3066S	1023	1197	1114	1305	39.0	207	239
30	60	Di3060S	957	1121	1046	1220	39.0	197	225
24	72	Di2472S	937	1096	1016	1188	34.0	221	248
24	66	Di2466S	871	1016	944	1101	31.2	214	239
24	60	Di2460S	836	957	891	1034	28.4	206	229
21	72	Di2172S	878	1004	935	1086	30.7	201	223
21	66	Di2166S	815	932	868	1005	30.7	194	215
21	60	Di2160S	789	894	837	963	25.6	175	207



Rectangular desk with single right pedestal.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

36	72	Di3672T	1100	1296	1167	1417	50.3	247	288
30	72	Di3072T	1056	1238	1133	1343	42.5	218	254
30	66	Di3066T	1023	1197	1114	1305	39.0	207	239
30	60	Di3060T	957	1121	1046	1220	39.0	197	225
24	72	Di2472T	937	1096	1016	1188	34.0	221	248
24	66	Di2466T	871	1016	944	1101	31.2	214	239
24	60	Di2460T	836	957	891	1034	28.4	206	229
21	72	Di2172T	878	1004	935	1086	30.7	201	223
21	66	Di2166T	815	932	868	1005	30.7	194	215
21	60	Di2160T	789	894	837	963	25.6	175	207

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.	Lock
T										

OPTIONS

Specify: Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.


Multi-Outlet Module (Di__S): Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.

Multi-Outlet Module (Di__T): Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.


Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



ASSEMBLED RECTANGULAR DESKS




Rectangular desk with single left pedestal.

12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	Lb (L)	Lb (M)
36	72	Di3672V	1100	1296	1167	1417	50.3	252	293
30	72	Di3072V	1056	1238	1133	1343	42.5	229	263
30	66	Di3066V	1023	1197	1114	1305	39.0	221	252
30	60	Di3060V	957	1121	1046	1220	39.0	212	241
24	72	Di2472V	937	1096	1016	1188	34.0	207	234
24	66	Di2466V	871	1016	944	1101	31.2	199	224
24	60	Di2460V	836	957	891	1034	28.4	192	214
21	72	Di2172V	878	1004	935	1086	30.7	186	209
21	66	Di2166V	815	932	868	1005	30.7	180	201
21	60	Di2160V	789	894	837	963	25.6	173	192



Rectangular desk with single right pedestal.

12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

36	72	Di3672W	1100	1296	1167	1417	50.3	252	293
30	72	Di3072W	1056	1238	1133	1343	42.5	229	263
30	66	Di3066W	1023	1197	1114	1305	39.0	221	252
30	60	Di3060W	957	1121	1046	1220	39.0	212	241
24	72	Di2472W	937	1096	1016	1188	34.0	207	234
24	66	Di2466W	871	1016	944	1101	31.2	199	224
24	60	Di2460W	836	957	891	1034	28.4	192	214
21	72	Di2172W	878	1004	935	1086	30.7	186	209
21	66	Di2166W	815	932	868	1005	30.7	180	201
21	60	Di2160W	789	894	837	963	25.6	173	192

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom. M-Outlet Mod. Lock
T - - / - / - - - - - - - -

OPTIONS

Specify: Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.


Multi-Outlet Module (Di__V): Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.

Multi-Outlet Module (Di__W): Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.


Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



ASSEMBLED RECTANGULAR DESKS



Rectangular desk with double suspended pedestals.

Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 drawers.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	72	Di3672P	1286	1491	1394	1643	50.3	263	304
30	72	Di3072P	1235	1432	1365	1569	42.5	230	264
30	66	Di3066P	1210	1394	1339	1529	39.0	222	253
30	60	Di3060P	1148	1322	1274	1448	39.0	212	240
24	72	Di2472P	1142	1320	1287	1426	34.0	224	251
24	66	Di2466P	1113	1258	1234	1367	31.2	216	241
24	60	Di2460P	1045	1199	1166	1298	28.4	209	231
21	72	Di2172P	1130	1307	1268	1415	30.7	186	210
21	66	Di2166P	1090	1249	1217	1344	30.7	181	196
21	60	Di2160P	1040	1184	1155	1279	25.6	175	189

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.	Lock
T										

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.


Multi-Outlet Module: Option of standard multi-outlet module, centered (UCC), add \$213, p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.


or Option of 18" high (U18) modesty panel, option free of charge.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



ASSEMBLED RECTANGULAR DESKS



Rectangular desk with single left suspended pedestal.


Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

L Lima 1"

M Mike 1½"

Dimensions		Code	Price		Specifications				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672M	996	1189	1058	1309	50.3	231	272
30	72	Di3072M	972	1137	1042	1245	42.5	203	239
30	66	Di3066M	954	1099	1015	1206	39.0	192	223
30	60	Di3060M	848	1009	935	1109	39.0	181	210
30	48	Di3048M	792	939	888	1026	28.7	160	183
24	72	Di2472M	950	1016	977	1082	34.0	192	219
24	66	Di2466M	811	968	908	1053	31.2	184	209
24	60	Di2460M	798	946	897	1034	28.4	177	199
24	48	Di2448M	736	873	837	948	23.4	137	156
21	72	Di2172M	822	992	936	1005	30.7	159	182
21	66	Di2166M	773	932	879	953	30.7	149	164
21	60	Di2160M	760	905	809	1021	25.6	143	157



Rectangular desk with single right suspended pedestal.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

36	72	Di3672N	996	1189	1058	1309	50.3	231	272
30	72	Di3072N	972	1137	1042	1245	42.5	203	239
30	66	Di3066N	954	1099	1015	1206	39.0	192	223
30	60	Di3060N	848	1009	935	1109	39.0	181	210
30	48	Di3048N	792	939	888	1026	28.7	160	183
24	72	Di2472N	950	1016	977	1082	34.0	192	219
24	66	Di2466N	811	968	908	1053	31.2	184	209
24	60	Di2460N	798	946	897	1034	28.4	177	199
24	48	Di2448N	736	873	837	948	23.4	137	156
21	72	Di2172N	822	992	936	1005	30.7	159	182
21	66	Di2166N	773	932	879	953	30.7	149	164
21	60	Di2160N	760	905	809	1021	25.6	143	157

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.	Lock
T										

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module (Di__M): Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.


Multi-Outlet Module (Di__N): Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.

or Option of 18" high (U18) modesty panel, option free of charge.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.




ASSEMBLED BOW FRONT DESKS WITH CURVED INTERIOR ACCESS

36" wide bow front desk (curved interior access) with double pedestals.

Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.


Noki locks standard, key locks available as an option (no upcharge). Will lock the bottom 4 drawers.




					L Lima 1"		M Mike 1½"					
Dimensions			Code		Price		Specifications					
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Lb (L)	Lb (M)	
30	36	72	DC3672Y		1515	1731	1638	1888	50.3	272	308	

L Lima 1"

M Mike 1½"



30	36	72	DC3672U		1515	1731	1638	1888	50.3	272	308
----	----	----	---------	--	------	------	------	------	------	-----	-----



36" wide bow front desk (curved interior access) with double suspended pedestals.

Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 drawers.

30	36	72	DC3672P		1306	1513	1425	1673	50.3	241	278
----	----	----	---------	--	------	------	------	------	------	-----	-----

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.	Lock
T			/		/					

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.


Multi-Outlet Module: Option of standard multi-outlet module, centered (UCC), add \$213, p.29.

Modesty panel: Option of modesty panel with curved base detail (JJ), add \$83.

Modesty panel (DC_P): Option of 18" high (U18) modesty panel, option free of charge.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.





ASSEMBLED BOW FRONT DESKS WITH CURVED INTERIOR ACCESS

36" wide bow front desk (curved interior access) with single pedestal (left or right).

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Grommet or multi-outlet module option is available at center or the opposite side of the pedestal.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.



			L Lima 1"		M Mike 1½"					
Dimensions			Code	Price				Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Lb (L)	Lb (M)
30	36	72	DC3672S	1121	1320	1190	1441	50.3	226	263
30	36	72	DC3672T	1121	1320	1190	1441	50.3	226	263

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.	Lock
T			/		/					

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.


Multi-Outlet Module (DC__S): Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.

Multi-Outlet Module (DC__T): Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.

Modesty panel: Option of modesty panel with curved base detail (JJ), add \$83.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



Take Off




Price List – USA

ASSEMBLED BOW FRONT DESKS

Bow front desk with double pedestals.

Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.



Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	36	72	DD3672Y		1485	1697	1607	1858	50.3 272 308
30	36	66	DD3666Y		1460	1665	1587	1817	50.3 263 297
30	36	60	DD3660Y		1407	1599	1538	1746	42.1 255 285

30	36	72	DD3672U		1485	1697	1607	1858	50.3 276 314
30	36	66	DD3666U		1460	1665	1587	1817	50.3 264 299
30	36	60	DD3660U		1407	1599	1538	1746	42.1 253 285

Bow front desk with double suspended pedestals.

Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 drawers.

30	36	72	DD3672P		1274	1473	1383	1618	50.3 245 283
30	36	66	DD3666P		1254	1449	1370	1599	50.3 233 269
30	36	60	DD3660P		1190	1376	1326	1533	42.1 222 254

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.	Lock
T			/		/					

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.


Multi-Outlet Module: Option of standard multi-outlet module, centered (UCC), add \$213, p.29.

Modesty panel: Option of modesty panel with curved base detail (JJ), add \$83.

Modesty panel (DD_P): Option of 18" high (U18) modesty panel, option free of charge.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.





ASSEMBLED BOW FRONT DESKS

Bow front desk with single pedestal (left or right).

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.





			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	36	72	DD3672S		1089	1286	1158	1409	50.3 230 268
30	36	66	DD3666S		1065	1256	1142	1371	50.3 218 254
30	36	60	DD3660S		998	1174	1077	1285	42.1 207 239

30	36	72	DD3672T		1089	1286	1158	1409	50.3 230 268
30	36	66	DD3666T		1065	1256	1142	1371	50.3 218 254
30	36	60	DD3660T		998	1174	1077	1285	42.1 207 239

Bow front desk with single suspended pedestal (left or right).

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.



30	36	72	DD3672M		989	1183	1052	1301	50.3 215 253
30	36	66	DD3666M		950	1135	1019	1247	50.3 203 238
30	36	60	DD3660M		912	1088	985	1194	42.1 192 224

30	36	72	DD3672N		989	1183	1052	1301	50.3 215 253
30	36	66	DD3666N		950	1135	1019	1247	50.3 203 238
30	36	60	DD3660N		912	1088	985	1194	42.1 192 224

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.	Lock
T			/		/					

OPTIONS

Specify: Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module (DD__S-M): Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.


Multi-Outlet Module (DD__T-N): Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.

Modesty panel: Option of modesty panel with curved base detail (JJ), add \$83.

Modesty panel (DD_M) (DD_N): Option of 18" high (U18) modesty panel, option free of charge.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



Take Off

Price List – USA



ASSEMBLED OFFSET BOW FRONT DESKS

Offset bow front desk with single pedestal (left or right).

The bow front overhangs by 6".

Pencil tray included in the top 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.



			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	72	24	DFL3072S		1123	1376	1212	1514	50.3 230 268
30	66	18	DFL3066S		1097	1339	1191	1467	50.3 218 254
30	60	18	DFL3060S		1026	1249	1122	1373	42.1 207 239

30	72	24	DFR3072T		1123	1376	1212	1514	50.3 230 268
30	66	18	DFR3066T		1097	1339	1191	1467	50.3 218 254
30	60	18	DFR3060T		1026	1249	1122	1373	42.1 207 239

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.	Lock
T			/		/					

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.


Multi-Outlet Module (DFL__S): Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.

Multi-Outlet Module (DFR__T): Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.

Modesty panel: Option of modesty panel with curved base detail (JJ), add \$83.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



ASSEMBLED RETURNS


29" H. assembled return (right or left) with 3-drawer pedestal.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Returns 48" and longer have 2 grommets included.


Returns 42" and less have 1 grommet included on the opposite side of the pedestal.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

**Multi-Outlet Module (right return):**

- 48" and more: Standard multi-outlet module option (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at left (UCL), add \$213.
- 30": Multi-outlet module option not available.

		L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	60	RET2460		849	1010	891	1029	28,9 146 167
24	54	RET2454		826	978	871	996	26,1 139 159
24	48	RET2448		803	946	851	963	23,4 133 151
24	42	RET2442		780	914	832	930	23,4 126 142
24	36	RET2436		768	881	812	891	17,8 119 133
24	30	RET2430		755	848	791	853	17,8 111 123
21	48	RET2148		788	926	836	930	20,5 127 143
21	42	RET2142		766	894	814	899	18,3 120 134
21	36	RET2136		754	866	795	865	15,8 113 125
21	30	RET2130		743	837	778	831	15,8 105 115

**Multi-Outlet Module (left return):**

- 48" and more: Standard multi-outlet module option (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at right (UCR), add \$213.
- 30": Multi-outlet module option not available.

24	60	RES2460		849	1010	891	1029	28,9 146 167
24	54	RES2454		826	978	871	996	26,1 139 159
24	48	RES2448		803	946	851	963	23,4 133 151
24	42	RES2442		780	914	832	930	23,4 126 142
24	36	RES2436		768	881	812	891	17,8 119 133
24	30	RES2430		755	848	791	853	17,8 111 123
21	48	RES2148		788	926	836	930	20,5 127 143
21	42	RES2142		766	894	814	899	18,3 120 134
21	36	RES2136		754	866	795	865	15,8 113 125
21	30	RES2130		743	837	778	831	15,8 105 115

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Grom.	Pull	M-Outlet	Mod.	Lock
T			/		/					

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Multi-Outlet Module: Option of standard Multi-outlet module, as per above specifications, add \$213 ea., p.29.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Take Off

Price List – USA

ASSEMBLED RETURNS


29" H. assembled return (right or left) with 2 drawer pedestal.

12" drawers include a filing bar for side-to-side filing.

Returns 48" and longer have 2 grommets included.


Returns 42" and less have 1 grommet included on the opposite side of the pedestal.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

**Multi-Outlet Module (right return):**

- 48" and more: Standard multi-outlet module option (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at left (UCL).
- 30": Multi-outlet module option not available.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			Price		Price				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	REW2460	849	1010	891	1029	28,9	150	171
24	54	REW2454	826	978	871	996	26,1	143	163
24	48	REW2448	803	946	851	963	23,4	133	151
24	42	REW2442	780	914	832	930	23,4	126	142
24	36	REW2436	768	881	812	891	17,8	119	133
24	30	REW2430	755	848	791	853	17,8	111	123
21	48	REW2148	788	926	836	930	20,5	127	143
21	42	REW2142	766	894	814	899	18,3	120	134
21	36	REW2136	754	866	795	865	15,8	113	125
21	30	REW2130	743	837	778	831	15,8	105	115

**Multi-Outlet Module (left return):**

- 48" and more: Standard multi-outlet module option (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at right (UCR).
- 30": Multi-outlet module option not available.

24	60	REV2460	849	1010	891	1029	28,9	150	171
24	54	REV2454	826	978	871	996	26,1	143	163
24	48	REV2448	803	946	851	963	23,4	133	151
24	42	REV2442	780	914	832	930	23,4	126	142
24	36	REV2436	768	881	812	891	17,8	119	133
24	30	REV2430	755	848	791	853	17,8	111	123
21	48	REV2148	788	926	836	930	20,5	127	143
21	42	REV2142	766	894	814	899	18,3	120	134
21	36	REV2136	754	866	795	865	15,8	113	125
21	30	REV2130	743	837	778	831	15,8	105	115

SPECIFY

Series Code Surface Edge Base Fronts Grom. Pull M-Outlet Lock

T - - / - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Multi-Outlet Module: Option of standard multi-outlet module, as per above specifications, add \$213 ea., p.29.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED RETURNS


29" H. assembled return (right or left) with 2-drawer suspended pedestal.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Returns 48" and longer have 2 grommets included.

Returns 42" and less have 1 grommet included on the opposite side of the pedestal.


Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.



Multi-Outlet Module (right return):

- 48" and more: Standard multi-outlet module option (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at left (UCL).
- 30": Multi-outlet module option not available.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	REN2460	743	894	859	999	28,9	135	156
24	54	REN2454	717	865	835	960	26,1	128	148
24	48	REN2448	692	835	811	922	23,4	123	141
24	42	REN2442	667	805	787	883	23,4	116	132
24	36	REN2436	653	773	766	845	17,8	109	123
24	30	REN2430	640	740	746	807	17,8	101	113
21	48	REN2148	667	806	787	887	20,5	117	133
21	42	REN2142	656	778	768	853	18,3	110	124
21	36	REN2136	644	749	750	818	15,8	103	115
21	30	REN2130	633	721	732	785	15,8	95	105



Multi-Outlet Module (left return):

- 48" and more: Standard multi-outlet module option (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at right (UCR).
- 30": Multi-outlet module option not available.

24	60	REM2460	743	894	859	999	28,9	135	156
24	54	REM2454	717	865	835	960	26,1	128	148
24	48	REM2448	692	835	811	922	23,4	123	141
24	42	REM2442	667	805	787	883	23,4	116	132
24	36	REM2436	653	773	766	845	17,8	109	123
24	30	REM2430	640	740	746	807	17,8	101	113
21	48	REM2148	667	806	787	887	20,5	117	133
21	42	REM2142	656	778	768	853	18,3	110	124
21	36	REM2136	644	749	750	818	15,8	103	115
21	30	REM2130	633	721	732	785	15,8	95	105

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Grom.	Pull	M-Outlet	Mod.	Lock
T			/		/					

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Multi-Outlet Module: Option of standard multi-outlet module, as per above specifications, add \$213 ea., p.29.

Modesty panel: Option of 18" high (U18) modesty panel, option free of charge.


Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Take Off

Price List – USA

REVERSIBLE RETURNS



29" H. reversible return.


Returns 42" and less have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	RER2460	457	627	572	695	5,1	91	112
24	54	RER2454	424	585	541	645	4,6	84	104
24	48	RER2448	391	543	510	594	4,2	78	96
24	42	RER2442	358	502	480	543	3,9	70	86
24	36	RER2436	327	462	461	512	3,5	63	78
24	30	RER2430	304	431	451	498	3,2	56	68
21	48	RER2148	382	527	502	572	3,8	72	88
21	42	RER2142	350	487	464	525	3,5	64	78
21	36	RER2136	321	435	443	496	3,2	57	70
21	30	RER2130	297	422	430	485	2,9	50	60
18	36	RER1836	315	453	438	494	2,7	51	63
18	30	RER1830	293	413	425	472	2,4	44	53

BRIDGE RETURNS



29" H. bridge return.

Bridge returns cannot accommodate suspended pedestals.

Returns 42" and less have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

24	48	REB2448	311	448	397	497	2.8	60	78
24	42	REB2442	299	406	369	448	2.5	52	68
24	36	REB2436	287	374	349	416	2.1	45	60
24	30	REB2430	276	334	339	402	1.8	38	50
21	48	REB2148	305	437	386	482	2.5	56	72
21	42	REB2142	294	397	359	432	2.2	48	62
21	36	REB2136	282	365	339	402	1.9	41	54
21	30	REB2130	270	323	328	386	1.6	34	44
18	48	REB1848	299	426	375	466	2.2	52	67
18	42	REB1842	287	386	348	417	1.9	44	57
18	36	REB1836	276	354	328	391	1.6	37	49
18	30	REB1830	264	312	317	374	1.3	30	39

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On returns 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

RECTANGULAR TABLES (FULL END PANELS)



Rectangular table with full end panels.

Recessed (11") modesty panel on tables 36" deep ("A" dimension).

Tables 42" and less in length have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	Ti3684LL	729	1005	—	1111	11.1	193	241
36	78	Ti3678LL	712	959	—	1056	10.5	183	227
36	72	Ti3672LL	693	912	777	1001	9.8	173	214
36	66	Ti3666LL	641	886	748	967	9.2	163	201
36	60	Ti3660LL	611	839	715	913	8.6	153	188
36	54	Ti3654LL	580	798	693	872	8.0	143	174
36	48	Ti3648LL	550	752	671	831	7.4	134	161
30	84	Ti3084LL	672	920	—	1010	9.2	168	208
30	78	Ti3078LL	657	880	—	964	8.7	159	196
30	72	Ti3072LL	640	842	730	919	8.1	150	185
30	66	Ti3066LL	609	803	697	869	7.6	142	173
30	60	Ti3060LL	581	763	668	824	7.1	133	162
30	54	Ti3054LL	554	729	651	792	6.6	125	150
30	48	Ti3048LL	526	692	634	758	6.1	116	139
30	42	Ti3042LL	493	651	593	701	5.6	107	127
30	36	Ti3036LL	462	609	558	651	5.1	99	116
30	30	Ti3030LL	454	578	539	618	4.6	90	104
30	24	Ti3024LL	439	538	514	580	4.1	80	92
24	84	Ti2484LL	609	829	—	905	7.4	143	175
24	78	Ti2478LL	596	798	—	868	7.0	136	165
24	72	Ti2472LL	583	767	681	831	6.5	128	155
24	66	Ti2466LL	561	726	650	788	6.1	120	145
24	60	Ti2460LL	524	692	619	745	5.7	113	136
24	54	Ti2454LL	499	660	597	710	5.3	105	126
24	48	Ti2448LL	482	635	584	684	4.9	98	116
24	42	Ti2442LL	449	593	556	635	4.5	90	106
24	36	Ti2436LL	418	552	536	603	4.1	83	96
24	30	Ti2430LL	394	523	526	589	3.7	75	87
24	24	Ti2424LL	371	494	509	560	3.3	68	77

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.


On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18), 9" high (U9) or recessed (R) modesty panel, option free of charge.

"R" option: Offered on tables where dimension "A" is 30", the modesty panel is recessed 5".

"R" option: Not available when the modesty panel is 18" or 9" high (options U18 & U9).

RECTANGULAR TABLES (FULL END PANELS - cont'd)



Rectangular table with full end panels.

Tables 42" and less in length have 1 central grommet included.

Tables 18" cannot accommodate pedestals.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

		L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
21	84	Ti2184LL		586	789	—	855	6.7 120 147
21	78	Ti2178LL		575	761	—	822	6.3 114 139
21	72	Ti2172LL		563	734	658	789	5.9 108 130
21	66	Ti2166LL		542	693	630	750	5.6 101 122
21	60	Ti2160LL		507	662	600	710	5.2 95 114
21	54	Ti2154LL		484	634	579	678	4.9 88 105
21	48	Ti2148LL		466	611	569	657	4.5 82 97
21	42	Ti2142LL		435	572	534	609	4.2 75 88
21	36	Ti2136LL		405	549	514	581	3.8 69 80
21	30	Ti2130LL		382	507	499	569	3.4 62 72
21	24	Ti2124LL		361	482	472	550	3.1 56 63
18	84	Ti1884LL		564	746	—	804	6.0 109 132
18	78	Ti1878LL		554	721	—	776	5.7 103 124
18	72	Ti1872LL		545	697	635	747	5.3 97 117
18	66	Ti1866LL		524	661	607	711	5 91 109
18	60	Ti1860LL		490	634	579	673	4.7 85 102
18	54	Ti1854LL		470	607	560	658	4.4 79 94
18	48	Ti1848LL		450	587	554	629	4.1 73 86
18	42	Ti1842LL		420	552	518	598	3.8 67 79
18	36	Ti1836LL		393	531	502	572	3.5 61 71
18	30	Ti1830LL		371	490	488	550	3.2 56 64
18	24	Ti1824LL		351	468	450	528	2.9 50 56

SPECIFY

Series	Code	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T			/				

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.


On tables 36" or less in length, only the centered module (EC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.


RECTANGULAR TABLES (RECESSED END PANELS)



CL



LC



CC

Rectangular table with with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	Price		Specifications	
A	B		T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
30	84	Ti3084	672	920	—	9.2 154 194
30	78	Ti3078	657	880	—	8.7 145 182
30	72	Ti3072	640	842	730	8.1 136 171
30	66	Ti3066	609	803	697	7.6 128 159
30	60	Ti3060	581	763	668	7.1 119 148
30	54	Ti3054	554	729	651	6.6 111 136
30	48	Ti3048	526	692	634	6.1 102 125
30	42	Ti3042	493	651	593	5.6 93 113
30	36	Ti3036	462	609	558	5.1 85 102
30	30	Ti3030	454	578	539	4.6 76 90
30	24	Ti3024	439	538	514	4.1 67 78
24	84	Ti2484	609	829	—	7.4 134 166
24	78	Ti2478	596	798	—	7 126 156
24	72	Ti2472	583	767	681	6.5 119 146
24	66	Ti2466	561	726	650	6.1 111 136
24	60	Ti2460	524	692	619	5.7 103 126
24	54	Ti2454	499	660	597	5.3 96 117
24	48	Ti2448	482	635	584	4.9 88 107
24	42	Ti2442	449	593	556	4.5 81 97
24	36	Ti2436	418	552	536	4.1 73 87
24	30	Ti2430	394	523	526	3.7 66 77
24	24	Ti2424	371	494	509	3.3 58 67

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - - -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

RECTANGULAR TABLES (RECESSED END PANELS - cont'd)



CL


Rectangular table with with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.


Tables 18" cannot accommodate pedestals.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.



LC



CC

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
21	84	Ti2184	586	789	—	855	6.7	114	140
21	78	Ti2178	575	761	—	822	6.3	107	132
21	72	Ti2172	563	734	658	789	5.9	101	124
21	66	Ti2166	542	693	630	750	5.6	95	115
21	60	Ti2160	507	662	600	710	5.2	88	107
21	54	Ti2154	484	634	579	678	4.9	82	99
21	48	Ti2148	466	611	569	657	4.5	75	90
21	42	Ti2142	435	572	534	609	4.2	69	82
21	36	Ti2136	405	549	514	581	3.8	62	74
21	30	Ti2130	382	507	499	569	3.4	56	65
21	24	Ti2124	361	482	472	550	3.1	49	57
18	84	Ti1884	564	746	—	804	6.0	105	128
18	78	Ti1878	554	721	—	776	5.7	99	120
18	72	Ti1872	545	697	635	747	5.3	93	112
18	66	Ti1866	524	661	607	711	5.0	87	105
18	60	Ti1860	490	634	579	673	4.7	81	97
18	54	Ti1854	470	607	560	658	4.4	75	90
18	48	Ti1848	450	587	554	629	4.1	69	82
18	42	Ti1842	420	552	518	598	3.8	63	75
18	36	Ti1836	393	531	502	572	3.5	57	67
18	30	Ti1830	371	490	488	550	3.2	51	59
18	24	Ti1824	351	468	450	528	2.8	45	52

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

BOW FRONT TABLES WITH CURVED INTERIOR ACCESS



Bow front table with curved interior access.

11" recessed modesty panel on tables 36" deep ("A" dimension).


5" recessed modesty panel on tables 30" deep ("A" dimension).

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

					L Lima 1"		M Mike 1½"					
Dimensions				Code	Price		Specifications					
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Lb (L)	Lb (M)	
36	42	84	18	TC364284LL	846	1166	—	1288	12.5	198	249	
36	42	72	18	TC364272LL	801	1056	895	1158	11.0	178	222	
30	36	84	18	TC303684LL	784	1036	—	1139	10.6	173	215	
30	36	72	18	TC303672LL	737	974	836	1062	9.3	155	191	

BOW FRONT TABLES



Bow front table.

11" recessed modesty panel on tables 36" deep ("A" dimension).

5" recessed modesty panel on tables 30" deep ("A" dimension).

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

36	42	84	TD364284LL	837	1154	—	1279	12.5	204	257
36	42	78	TD364278LL	816	1104	—	1221	11.8	193	243
36	42	72	TD364272LL	798	1055	862	1164	11.0	182	228
30	36	84	TD303684LL	776	1035	—	1143	10.6	177	222
30	36	78	TD303678LL	750	1010	—	1120	10.0	168	209
30	36	72	TD303672LL	732	961	803	1063	9.3	158	197
30	36	66	TD303666LL	700	924	783	1022	8.7	149	184
30	36	60	TD303660LL	667	880	777	997	8.1	140	172

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T			/				

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

Modesty panel: Option of 18" high (U18) modesty panel, option free of charge.

Take Off

Price List – USA



OFFSET BOW FRONT TABLES

Offset bow front table (left or right).

The offset overhangs by 8"; 5" recessed modesty panel.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.



					L Lima 1"		M Mike 1½"					
Dimensions					Code	Price		Specifications				
A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	72	24			TFL3072	771	1021	862	1125	9.7	163	203
30	66	18			TFL3066	748	966	827	1060	9.1	154	190
30	60	18			TFL3060	726	910	793	996	8.5	144	176
30	72	24			TFR3072	771	1021	862	1125	9.7	163	203
30	66	18			TFR3066	748	966	827	1060	9.1	154	190
30	60	18			TFR3060	726	910	793	996	8.5	144	176



OFFSET BOW FRONT TABLES WITH INTEGRATED HALF-RETURN

Bow front table (left or right) with integrated half return.

The offset overhangs by 8"; 5" recessed modesty panel.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.



30	36	72	24	24	TJL367224	770	1092	902	1217	11.4	178	220
30	36	66	18	24	TJL366624	735	1045	865	1166	10.7	167	206
30	36	60	18	24	TJL366024	700	993	827	1130	10.0	157	192

30	36	72	24	24	TJR367224	770	1092	902	1217	11.4	178	220
30	36	66	18	24	TJR366624	735	1045	865	1166	10.7	167	206
30	36	60	18	24	TJR366024	700	993	827	1130	10.0	157	192

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

Modesty panel: Option of 18" high (U18) modesty panel, option free of charge.



BOW FRONT TABLES WITH CURVED INTERIOR ACCESS AND INTEGRATED HALF-RETURN

Bow front table (left or right) with curved interior access and integrated half return.

The offset overhangs by 6"; 5" recessed modesty panel.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.



Dimensions					Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	42	72	24	17	TCL427224	849	1180	971	1304	12.5	189	234
30	42	72	21	20	TCL427221	849	1180	971	1304	12.5	189	234
30	42	72	18	23	TCL427218	849	1180	971	1304	12.5	189	234
30	42	66	18	17	TCL426618	813	1086	914	1194	11.7	178	219
30	42	72	24	17	TCR427224	849	1180	971	1304	12.5	189	234
30	42	72	21	20	TCR427221	849	1180	971	1304	12.5	189	234
30	42	72	18	23	TCR427218	849	1180	971	1304	12.5	189	234
30	42	66	18	17	TCR426618	813	1086	914	1194	11.7	178	219



RECTANGULAR TABLES WITH INTEGRATED HALF-RETURN

Rectangular table (left or right) with integrated half return.

5" recessed modesty panel.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.



30	48	84	24	TCOL30488424	955	1327	—	1441	15.5	232	289
30	48	78	24	TCOL30487824	920	1279	—	1390	14.5	218	270
30	48	72	24	TCOL30487224	884	1232	1009	1368	13.6	204	252
30	48	66	24	TCOL30486624	868	1206	982	1346	12.6	184	228
30	48	60	24	TCOL30486024	854	1179	956	1319	11.7	165	204
30	42	72	24	TCOL30427224	849	1155	971	1304	12.5	165	204
30	42	66	24	TCOL30426624	814	1133	934	1253	11.6	156	192
30	42	60	24	TCOL30426024	779	1081	897	1217	10.7	144	175
48	30	84	24	TCOR48308424	955	1327	—	1441	15.5	232	289
48	30	78	24	TCOR48307824	920	1279	—	1390	14.5	218	270
48	30	72	24	TCOR48307224	884	1232	1009	1368	13.6	204	252
48	30	66	24	TCOR48306624	868	1206	982	1346	12.6	184	228
48	30	60	24	TCOR48306024	854	1179	956	1319	11.7	165	204
42	30	72	24	TCOR42307224	849	1155	945	1265	12.5	165	204
42	30	66	24	TCOR42306624	814	1133	934	1253	11.6	156	192
42	30	60	24	TCOR42306024	779	1081	897	1217	10.7	144	175

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.





Modesty panel (TCL-TCR): Option of 18" high (U18) modesty panel, option free of charge.

Modesty panel (TCOL-TCOR): Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Take Off

Price List – USA

CONNECTING TABLES

**LL****LC****LL****CL**

Left connecting table, available with 2 full end panels (LL) or full / recessed end panels (LC).

Table 42" long has 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

				L Lima 1"		M Mike 1½"				
Dimensions				Code		Price		Specifications		
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
36	24	72	24	TV36247224		685	910	755	993	9.8 149 182
36	24	66	24	TV36246624		664	861	725	938	9.2 141 171
36	24	60	24	TV36246024		616	814	694	882	8.6 132 159
30	18	72	21	TV30187221		630	832	707	905	8.6 129 157
30	18	72	18	TV30187218		630	832	707	905	8.6 129 157
30	18	66	21	TV30186621		613	791	681	858	8.1 122 147
30	18	66	18	TV30186618		613	791	681	858	8.1 122 147
30	18	60	21	TV30186021		595	751	656	811	7.6 114 137
30	18	60	18	TV30186018		595	751	656	811	7.6 114 137
30	18	48	21	TV30184821		539	677	608	734	6.6 98 117
30	18	48	18	TV30184818		539	677	608	734	6.6 98 117
24	18	42	18	TV24184218		470	593	547	635	5.4 80 93

Right connecting table, available with 2 full end panels (LL) or recessed / full end panels (CL).

Table 42" long has 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

24	36	72	24	TV24367224		685	910	755	993	9.8 149 182
24	36	66	24	TV24366624		664	861	725	938	9.2 141 171
24	36	60	24	TV24366024		616	814	694	882	8.6 132 159
18	30	72	21	TV18307221		630	832	707	905	8.6 129 157
18	30	72	18	TV18307218		630	832	707	905	8.6 129 157
18	30	66	21	TV18306621		613	791	681	858	8.1 122 147
18	30	66	18	TV18306618		613	791	681	858	8.1 122 147
18	30	60	21	TV18306021		595	751	656	811	7.6 114 137
18	30	60	18	TV18306018		595	751	656	811	7.6 114 137
18	30	48	21	TV18304821		539	677	608	734	6.6 98 117
18	30	48	18	TV18304818		539	677	608	734	6.6 98 117
18	24	42	18	TV18244218		470	593	547	635	5.4 80 93

SPECIFY

Series	Code	Legs	Surface	Edge	Base	Grom.	OPTIONS	
T							M-Outlet	Mod.

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LL), (LC) or (CL).

Surface / Edge / Base: Take Off finishes, p.54-55.


Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.


or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

DUAL DEPTH TABLES



LC



CC

Left dual depth table, available with full / recessed end panels (LC) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

				L Lima 1"		M Mike 1½"				
Dimensions				Code		Price		Specifications		
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	24	72	55½	TW302472		684	864	752	941	8.1 135 168
30	24	66	49½	TW302466		652	825	721	892	7.6 126 157
30	24	60	43½	TW302460		624	787	689	845	7.1 118 145
30	24	54	37½	TW302454		595	751	673	814	6.6 109 134
30	24	48	31½	TW302448		582	714	656	780	6.1 100 123
30	24	42	25½	TW302442		531	672	614	722	5.6 92 111
30	24	36	19½	TW302436		499	631	579	672	5.1 83 100
30	24	30	16	TW302430		493	598	562	640	4.6 75 88
30	24	24	10	TW302424		475	559	537	593	4.1 66 77
24	18	72	55½	TW241872		607	788	710	859	6.5 117 144
24	18	66	49½	TW241866		579	750	679	816	6.1 110 134
24	18	60	43½	TW241860		552	713	662	788	5.7 102 124
24	18	54	37½	TW241854		515	661	607	719	5.3 94 114
24	18	48	31½	TW241848		476	609	551	651	4.9 87 104
24	18	42	25½	TW241842		447	573	535	618	4.5 79 95
24	18	36	19½	TW241836		421	540	528	607	4.1 72 85
24	18	30	16	TW241830		394	508	510	573	3.7 65 76
24	18	24	10	TW241824		380	475	490	536	3.3 57 66
21	18	72	61¼	TW211872		592	769	694	825	5.9 100 122
21	18	66	55¼	TW211866		563	734	674	794	5.6 98 118
21	18	60	49¼	TW211860		534	695	655	771	5.2 95 114
21	18	54	43¼	TW211854		498	642	603	700	4.9 87 101
21	18	48	37¼	TW211848		461	589	540	628	4.5 81 97
21	18	42	31¼	TW211842		430	552	528	605	4.2 74 88
21	18	36	25¼	TW211836		405	524	514	578	3.8 67 79
21	18	30	19¼	TW211830		383	493	496	545	3.4 60 70
21	18	24	13¼	TW211824		370	464	476	516	3.1 53 61

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - - -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.



Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

DUAL DEPTH TABLES (cont'd)

**CL****CC**

Right dual depth table, available with recessed / full end panels (CL) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

				L Lima 1"		M Mike 1½"				
Dimensions				Price				Specifications		
A	B	C	D	T.F.L. H.P.L.		T.F.L. H.P.L.		Cu.Ft.	lb (L)	lb (M)
24	30	72	55½	TW243072		684	864	752	941	8.1 135 168
24	30	66	49½	TW243066		652	825	721	892	7.6 126 157
24	30	60	43½	TW243060		624	787	689	845	7.1 118 145
24	30	54	37½	TW243054		595	751	673	814	6.6 109 134
24	30	48	31½	TW243048		582	714	656	780	6.1 100 123
24	30	42	25½	TW243042		531	672	614	722	5.6 92 111
24	30	36	19½	TW243036		499	631	579	672	5.1 83 100
24	30	30	16	TW243030		493	598	562	640	4.6 75 88
24	30	24	10	TW243024		475	559	537	593	4.1 66 77
18	24	72	55½	TW182472		607	788	710	859	6.5 117 144
18	24	66	49½	TW182466		579	750	679	816	6.1 110 134
18	24	60	43½	TW182460		552	713	662	788	5.7 102 124
18	24	54	37½	TW182454		515	661	607	719	5.3 94 114
18	24	48	31½	TW182448		476	609	551	651	4.9 87 104
18	24	42	25½	TW182442		447	573	535	618	4.5 79 95
18	24	36	19½	TW182436		421	540	528	607	4.1 72 85
18	24	30	16	TW182430		394	508	510	573	3.7 65 76
18	24	24	10	TW182424		380	475	490	536	3.3 57 66
18	21	72	61¼	TW182172		592	769	694	825	5.9 100 122
18	21	66	55¼	TW182166		563	734	674	794	5.6 98 118
18	21	60	49¼	TW182160		534	695	655	771	5.2 95 114
18	21	54	43¼	TW182154		498	642	603	700	4.9 87 101
18	21	48	37¼	TW182148		461	589	540	628	4.5 81 97
18	21	42	31¼	TW182142		430	552	528	605	4.2 74 88
18	21	36	25¼	TW182136		405	524	514	578	3.8 67 79
18	21	30	19¼	TW182130		383	493	496	545	3.4 60 70
18	21	24	13¼	TW182124		370	464	476	516	3.1 53 61

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

90° CORNER TABLES



90° corner table with recessed end panels.

For corners CS3042CC and CS2436CC: the "D" dimension of 17" limits the keyboard choices.

Woodgrain is positioned at a 45° angle on these surfaces.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	48	25½	CS3048CC	811	1044	979	1183	8.6	135	169
30	30	42	17	CS3042CC	744	949	916	1073	7.2	115	141
24	24	48	34	CS2448CC	781	1010	945	1148	8.6	131	163
24	24	42	25½	CS2442CC	714	915	882	1038	7.2	112	137
24	24	36	17	CS2436CC	642	813	809	924	6.0	94	113
18	18	36	25½	CS1836CC	609	781	776	890	6.0	91	109

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T			/				

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.




Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

Take Off

Price List – USA

90° RIGHT EXTENDED CORNER TABLES

**CL****LC****CC**

90° right extended corner table with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).




Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

				L Lima 1"		M Mike 1½"						
Dimensions				Code	Price		Specifications					
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
24	24	36	72	CS24243672	869	1120	1031	1260	11.8	151	185	
24	24	36	66	CS24243666	842	1081	1009	1219	11.0	143	175	
24	24	36	60	CS24243660	822	1033	978	1162	10.1	132	161	
21	21	36	72	CS21213672	869	1120	1031	1260	11.8	144	175	
21	21	36	66	CS21213666	842	1081	1009	1219	11.0	136	166	
21	21	36	60	CS21213660	822	1033	978	1162	10.1	126	153	

L Lima 1"**M Mike 1½"**

90° LEFT EXTENDED CORNER TABLES

**CL****LC****CC**

90° left extended corner table with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC)

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

24	24	72	36	CS24247236	869	1120	1031	1260	11.8	151	185
24	24	66	36	CS24246636	842	1081	1009	1219	11.0	143	175
24	24	60	36	CS24246036	822	1033	978	1162	10.1	132	161
21	21	72	36	CS21217236	869	1120	1031	1260	11.8	144	175
21	21	66	36	CS21216636	842	1081	1009	1219	11.0	136	166
21	21	60	36	CS21216036	822	1033	978	1162	10.1	126	153

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

90° CORNER TABLES WITH CURVED INTERIOR ACCESS




CL

90° corner table (curved int. access) with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC)


Woodgrain is positioned at a 45° angle on these surfaces.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.



LC



CC

				L Lima 1"		M Mike 1½"						
Dimensions				Code	Price		Specifications					
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
30	30	48	48	C030304848	911	1219	1090	1353	9.8	146	178	
30	24	48	48	C030244848	899	1206	1047	1332	9.4	144	175	
24	30	48	48	C024304848	899	1206	1047	1332	9.8	142	172	
24	24	48	48	C024244848	886	1194	1004	1310	9.4	134	163	
24	24	42	42	C024244242	837	1096	939	1186	8.0	118	142	
24	24	36	36	C024243636	721	963	832	1068	6.8	102	124	
18	18	36	36	C018183636	672	878	787	950	6.8	92	107	

SPECIFY

Series	Code	Legs	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T				/				

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.


Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).


90° RIGHT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS



CL



LC



CC

90° right extended corner table (curved interior access) with one recessed end panel and one full end-panel (CL/LC)

or 2 recessed end panels (CC)

2 grommets are aligned on the side 60" or longer.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.
30	30	48	84	C030304884	1035	1438	—	1643
30	30	48	78	C030304878	1009	1374	—	1569
30	30	48	72	C030304872	983	1309	1187	1493
30	30	48	66	C030304866	939	1236	1132	1412
30	30	48	60	C030304860	895	1166	1077	1332
30	24	48	84	C030244884	997	1387	—	1533
30	24	48	78	C030244878	971	1322	—	1458
30	24	48	72	C030244872	945	1258	1128	1383
30	24	48	66	C030244866	901	1187	1047	1302
30	24	48	60	C030244860	858	1117	967	1221
30	24	42	84	C030244284	920	1287	—	1409
30	24	42	78	C030244278	898	1231	—	1343
30	24	42	72	C030244272	875	1175	1009	1277
30	24	42	66	C030244266	840	1111	960	1206
30	24	42	60	C030244260	806	1047	910	1134
30	24	42	48	C030244248	718	933	839	1018
24	30	48	84	C024304884	997	1387	—	1533
24	30	48	78	C024304878	971	1322	—	1458
24	30	48	72	C024304872	945	1258	1128	1383
24	30	48	66	C024304866	901	1187	1047	1302
24	30	48	60	C024304860	858	1117	967	1221
24	24	48	84	C024244884	997	1387	—	1533
24	24	48	78	C024244878	971	1322	—	1458
24	24	48	72	C024244872	945	1258	1128	1383
24	24	48	66	C024244866	901	1187	1047	1302
24	24	48	60	C024244860	858	1117	967	1221
24	24	42	84	C024244284	920	1287	—	1409
24	24	42	78	C024244278	898	1231	—	1343
24	24	42	72	C024244272	875	1175	1009	1277
24	24	42	66	C024244266	840	1111	960	1206
24	24	42	60	C024244260	806	1047	910	1134
24	24	42	48	C024244248	718	933	839	1018

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - - -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.




Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

90° LEFT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS

**LC****CL****CC**

90° left extended corner table (curved interior access) with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).

2 grommets are aligned on the side 60" or longer.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

					L Lima 1"		M Mike 1½"				
Dimensions				Code	Price				Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Lb (L)	Lb (M)
30	30	84	48	C030308448	1035	1438	—	1643	15.5	232	289
30	30	78	48	C030307848	1009	1374	—	1569	14.5	218	270
30	30	72	48	C030307248	983	1309	1187	1493	13.6	204	252
30	30	66	48	C030306648	939	1236	1132	1412	12.6	184	228
30	30	60	48	C030306048	895	1166	1077	1332	11.7	165	204
30	24	84	48	C030248448	997	1387	—	1533	15.1	202	250
30	24	78	48	C030247848	971	1322	—	1458	14.1	189	234
30	24	72	48	C030247248	945	1258	1128	1383	13.2	173	214
30	24	66	48	C030246648	901	1187	1047	1302	12.2	164	202
30	24	60	48	C030246048	858	1117	967	1221	11.3	153	187
24	30	84	48	C024308448	997	1387	—	1533	15.5	202	250
24	30	84	42	C024308442	920	1287	—	1409	14.7	188	234
24	30	78	48	C024307848	971	1322	—	1458	14.5	189	234
24	30	78	42	C024307842	898	1231	—	1343	13.8	177	219
24	30	72	48	C024307248	945	1258	1128	1383	13.6	173	214
24	30	72	42	C024307242	875	1175	1009	1277	12.9	177	219
24	30	66	48	C024306648	901	1187	1047	1302	12.6	164	202
24	30	66	42	C024306642	840	1111	960	1206	12.0	156	192
24	30	60	48	C024306048	858	1117	967	1221	11.7	153	187
24	30	60	42	C024306042	806	1047	910	1134	11.1	144	175
24	30	48	42	C024304842	718	933	839	1018	9.3	128	155
24	24	84	48	C024248448	997	1387	—	1533	15.1	197	245
24	24	84	42	C024248442	920	1287	—	1409	14.3	188	234
24	24	78	48	C024247848	971	1322	—	1458	14.1	184	229
24	24	78	42	C024247842	898	1231	—	1343	13.4	177	219
24	24	72	48	C024247248	945	1258	1128	1383	13.2	168	209
24	24	72	42	C024247242	875	1175	1009	1277	12.5	165	204
24	24	66	48	C024246648	901	1187	1047	1302	12.2	159	197
24	24	66	42	C024246642	840	1111	960	1206	11.6	156	192
24	24	60	48	C024246048	858	1117	967	1221	11.3	148	182
24	24	60	42	C024246042	806	1047	910	1134	10.7	144	175
24	24	48	42	C024244842	718	933	839	1018	8.9	128	155

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.





Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

Take Off

Price List – USA

90° EXTENDED CORNER TABLES WITH ERGONOMIC INTERIOR ACCESS

**LC****CC****CL****CC**

90° left extended corner table (ergonomic interior access) with full / recessed end panels (LC) or 2 recessed end panels (CC).

2 grommets are aligned on the side 60" or longer.

Allow 16" minimum ("E" dimension) for installation of a pedestal.

Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

						L Lima 1"		M Mike 1½"				
Dimensions			Code			Price		Specifications				
A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Lb (L)	Lb (M)
24	18	72	36	22	CE24187236	869	1120	1031	1260	11.8	144	173
24	18	66	36	16	CE24186636	842	1081	1009	1219	11.0	136	164
24	18	60	36	16	CE24186036	822	1033	978	1162	10.1	126	151

L Lima 1"**M Mike 1½"**

90° left extended corner table (ergonomic interior access) with recessed / full end panels (CL) or 2 recessed end panels (CC).

2 grommets are aligned on the side 60" or longer.

Allow 16" minimum ("E" dimension) for installation of a pedestal.

Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

18	24	36	72	22	CE18243672		869	1120	1031	1260	11.8	144	173
18	24	36	66	16	CE18243666		842	1081	1009	1219	11.0	136	164
18	24	36	60	16	CE18243660		822	1033	978	1162	10.1	126	151

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: **(CL)**, **(LC)** or **(CC)**.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White **(G1)** or Charcoal **(G2)** or "No Grommet" option **(NG)**, option free of charge, p.28.


Options: Multi-Outlet Module: Option of single-circuit multi-outlet module **(EC...)** at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.

or option of standard multi-outlet module **(UC...)** at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.29.

Modesty panel: Option of 18" high **(U18)** or 9" high **(U9)** modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

"D" SHAPED TABLES WITH MODESTY PANEL



"D" shaped table with reversible modesty panel.

Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DM3684A	875	1159	—	1368	10.4	134	179
36	78	DM3678A	858	1117	—	1316	9.8	127	169
36	72	DM3672A	835	1069	1042	1267	9.3	119	158
36	66	DM3666A	812	1026	1014	1214	8.7	114	150
30	84	DM3084A	818	1056	—	1250	9.1	115	153
30	78	DM3078A	805	1020	—	1206	8.7	110	144
30	72	DM3072A	788	1005	1004	1191	8.2	102	135
30	66	DM3066A	773	969	981	1147	7.7	96	126
30	60	DM3060A	751	948	954	1110	7.3	90	117
30	48	DM3048A	713	890	911	1036	6.4	77	99

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T		-	/	-	-	-	-

Specify Series: L or M (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),
or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED TABLES WITH "T" END PANEL

"D" shaped table with "T" end panel and telescopic metal leg.

Adjustable tubular metal leg, 2½" diameter.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			Price						
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DT3678B	688	948	—	1148	7.1	115	115
36	72	DT3672B	671	904	878	1101	6.8	109	109
36	60	DT3660B	625	831	842	1016	6.2	104	104
30	84	DT3084B	671	904	—	1101	6.2	107	107
30	78	DT3078B	639	867	—	1054	6	102	102
30	72	DT3072B	625	831	842	1016	5.7	98	98
30	66	DT3066B	608	809	816	988	5.4	93	93
30	60	DT3060B	590	783	793	945	5.2	88	88
30	54	DT3054B	575	770	773	916	4.9	83	83
30	48	DT3048B	561	734	760	879	4.6	78	78
30	42	DT3042B	546	697	710	795	4.3	73	73
24	72	DT2472B	523	705	771	843	4.7	81	81
24	66	DT2466B	509	675	750	809	4.4	77	77
24	60	DT2460B	496	686	737	788	4.2	73	73
24	48	DT2448B	483	652	718	773	3.8	65	65

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED TABLES WITH "T" END PANEL



"D" shaped table with "T" end panel and telescopic metal leg with base plate.

2 choices of 4" tubular legs: with round or square base plate.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price				Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DT3678C	DT3678D	767	1027	—	1228	12.1	121	163
36	72	DT3672C	DT3672D	750	983	957	1180	11.8	115	148
36	60	DT3660C	DT3660D	704	910	921	1096	11.2	110	146
30	84	DT3084C	DT3084D	750	983	—	1181	11.2	113	148
30	78	DT3078C	DT3078D	718	946	—	1133	11	108	142
30	72	DT3072C	DT3072D	704	910	921	1096	10.7	104	136
30	66	DT3066C	DT3066D	688	888	895	1067	10.4	99	129
30	60	DT3060C	DT3060D	669	862	872	1024	10.2	94	121
30	54	DT3054C	DT3054D	655	849	853	996	9.9	89	114
30	48	DT3048C	DT3048D	640	813	839	958	9.6	84	105
24	72	DT2472C	DT2472D	602	784	850	922	9.7	87	113
24	66	DT2466C	DT2466D	589	755	829	888	9.4	83	108
24	60	DT2460C	DT2460D	575	766	816	867	9.2	79	101
24	48	DT2448C	DT2448D	562	732	798	853	8.8	71	88

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC), or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED TABLES, SURFACE SUPPORTED

"D" shaped table, surface supported.

Telescopic metal leg, 4" diameter.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			Price						
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DS3672A	604	809	809	983	4.5	76	115
36	60	DS3660A	565	761	769	915	3.9	70	107
30	72	DS3072A	565	761	769	915	3.9	64	97
30	66	DS3066A	550	741	751	884	3.6	59	89
30	60	DS3060A	535	716	735	856	3.4	54	81
30	54	DS3054A	520	706	715	818	3.1	49	74
30	48	DS3048A	505	669	694	774	2.8	44	66
30	42	DS3042A	491	633	675	732	2.6	39	59
30	36	DS3036A	476	605	660	710	2.3	35	52
30	30	DS3030A	462	578	649	671	2	30	44
24	72	DS2472A	515	714	763	851	3.3	52	78
24	66	DS2466A	503	684	744	816	3.1	48	73
24	60	DS2460A	493	677	724	795	2.8	44	66
24	54	DS2454A	481	646	705	760	2.6	40	60
24	48	DS2448A	462	640	688	746	2.4	36	53
24	42	DS2442A	454	619	672	722	2.2	32	47
24	36	DS2436A	444	598	656	699	2	28	41
24	30	DS2430A	433	570	638	663	1.8	24	35

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet	
T			/				

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.


Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add \$213 ea., p.29.

"D" SHAPED TABLES, SURFACE SUPPORTED



"D" shaped table, supported by adjacent freestanding furniture.

2 choices of 4" tubular legs: with round or square base plate.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Specifications				
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DS3672C	DS3672D	627	832	832	1007	9.5	82	121
36	60	DS3660C	DS3660D	589	784	792	939	8.9	76	113
30	72	DS3072C	DS3072D	589	784	792	939	8.9	70	103
30	66	DS3066C	DS3066D	573	765	774	908	8.6	65	95
30	60	DS3060C	DS3060D	558	739	758	879	8.4	60	87
30	54	DS3054C	DS3054D	543	729	738	842	8.1	55	80
30	48	DS3048C	DS3048D	528	692	717	798	7.8	50	72
24	72	DS2472C	DS2472D	538	737	787	875	8.3	58	84
24	66	DS2466C	DS2466D	526	707	767	839	8.1	54	79
24	60	DS2460C	DS2460D	516	700	747	818	7.8	50	72
24	54	DS2454C	DS2454D	504	669	728	783	7.6	46	66
24	48	DS2448C	DS2448D	485	663	711	769	7.4	42	59

SPECIFY						OPTIONS
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T			/			

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH MODESTY PANEL

"D" shaped table (arched or rectangular) with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched



Rectangular



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price				Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DMA3684A	875	1159	—	1368	10,4	134	179
36	78	DMA3678A	858	1117	—	1316	9,8	127	169
36	72	DMA3672A	835	1069	1042	1267	9,3	119	158
36	66	DMA3666A	812	1026	1014	1214	8,7	114	150
30	84	DMA3084A	818	1056	—	1250	8,1	115	153
30	78	DMA3078A	805	1020	—	1206	8,7	110	144
30	72	DMA3072A	788	1005	1004	1191	8,2	102	135
30	66	DMA3066A	773	969	981	1147	7,7	96	126
30	60	DMA3060A	751	948	954	1110	7,3	89	117
30	48	DMA3048A	713	890	911	1036	6,4	77	99
36	84	DMi3684A	853	1137	—	1346	10,4	134	179
36	78	DMi3678A	836	1095	—	1294	9,8	127	169
36	72	DMi3672A	813	1047	1020	1245	9,3	119	158
36	66	DMi3666A	790	1004	992	1192	8,7	114	150
30	84	DMi3084A	796	1034	—	1228	8,1	115	153
30	78	DMi3078A	783	998	—	1184	8,7	110	144
30	72	DMi3072A	766	983	982	1169	8,2	102	135
30	66	DMi3066A	751	947	959	1125	7,7	96	126
30	60	DMi3060A	729	926	932	1088	7,3	89	117
30	48	DMi3048A	691	868	889	1014	6,4	77	99

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH "T" END PANEL

"D" shaped table (arched or rectangular) with "T" end panel and telescopic metal leg.


Adjustable tubular metal leg, 2½" diameter.

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched



Rectangular



		L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
36	78	DTA3678B		688	948	—	1148	7.1 115 157
36	72	DTA3672B		671	904	878	1101	6.8 108 141
36	60	DTA3660B		625	831	842	1016	6.2 104 140
30	84	DTA3084B		671	904	—	1101	6.2 107 142
30	78	DTA3078B		639	867	—	1054	6 102 136
30	72	DTA3072B		625	831	842	1016	5.7 98 130
30	66	DTA3066B		608	809	816	988	5.4 93 123
30	60	DTA3060B		590	783	793	945	5.2 88 115
30	54	DTA3054B		575	770	773	916	4.9 83 108
30	48	DTA3048B		561	734	760	879	4.6 78 99
24	72	DTA2472B		523	705	771	843	4.7 81 107
24	66	DTA2466B		509	675	750	809	4.4 77 102
24	60	DTA2460B		496	686	737	788	4.2 73 95
24	48	DTA2448B		483	652	718	773	3.8 65 82
36	78	DTi3678B		666	926	—	1126	7.1 115 157
36	72	DTi3672B		649	882	856	1079	6.8 108 141
36	60	DTi3660B		603	809	820	994	6.2 104 140
30	84	DTi3084B		649	882	—	1079	6.2 107 142
30	78	DTi3078B		617	845	—	1032	6 102 136
30	72	DTi3072B		603	809	820	994	5.7 98 130
30	66	DTi3066B		586	787	794	966	5.4 93 123
30	60	DTi3060B		568	761	771	923	5.2 88 115
30	54	DTi3054B		553	748	751	894	4.9 83 108
30	48	DTi3048B		539	712	738	857	4.6 78 99
24	72	DTi2472B		501	683	749	821	4.7 81 107
24	66	DTi2466B		487	653	728	787	4.4 77 102
24	60	DTi2460B		474	664	715	766	4.2 73 95
24	48	DTi2448B		461	630	696	751	3.8 65 82

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T			/				

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH "T" END PANEL

"D" shaped table (arched or rectangular) with "T" end panel and telescopic metal leg with base.


2 choices of 4" tubular legs: with round or square base.

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched



Rectangular



				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Specifications				
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTA3678C	DTA3678D	767	1027	—	1228	12.1	121	163
36	72	DTA3672C	DTA3672D	750	983	957	1180	11.8	114	147
36	60	DTA3660C	DTA3660D	704	910	921	1096	11.2	110	146
30	84	DTA3084C	DTA3084D	750	983	—	1180	11.2	113	148
30	78	DTA3078C	DTA3078D	718	946	—	1133	11	108	142
30	72	DTA3072C	DTA3072D	704	910	921	1096	10.7	104	136
30	66	DTA3066C	DTA3066D	688	888	895	1067	10.4	99	129
30	60	DTA3060C	DTA3060D	669	862	872	1024	10.2	94	121
30	54	DTA3054C	DTA3054D	655	849	853	996	9.9	89	114
30	48	DTA3048C	DTA3048D	640	813	839	958	9.6	84	105
24	72	DTA2472C	DTA2472D	602	784	850	922	9.7	87	113
24	66	DTA2466C	DTA2466D	589	755	829	888	9.4	83	108
24	60	DTA2460C	DTA2460D	575	766	816	867	9.2	79	101
24	48	DTA2448C	DTA2448D	562	732	798	853	8.8	71	88
36	78	DTi3678C	DTi3678D	745	1005	—	1206	12.1	121	163
36	72	DTi3672C	DTi3672D	728	961	935	1158	11.8	114	147
36	60	DTi3660C	DTi3660D	682	888	899	1074	11.2	110	146
30	84	DTi3084C	DTi3084D	728	961	—	1158	11.2	113	148
30	78	DTi3078C	DTi3078D	696	924	—	1111	11	108	142
30	72	DTi3072C	DTi3072D	682	888	899	1074	10.7	104	136
30	66	DTi3066C	DTi3066D	666	866	873	1045	10.4	99	129
30	60	DTi3060C	DTi3060D	647	840	850	1002	10.2	94	121
30	54	DTi3054C	DTi3054D	633	827	831	974	9.9	89	114
30	48	DTi3048C	DTi3048D	618	791	817	936	9.6	84	105
24	72	DTi2472C	DTi2472D	580	762	828	900	9.7	87	113
24	66	DTi2466C	DTi2466D	567	755	807	866	9.4	83	108
24	60	DTi2460C	DTi2460D	553	744	794	845	9.2	79	101
24	48	DTi2448C	DTi2448D	540	710	776	831	8.8	71	88

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH "T" END PANEL

"D" shaped table (arched or rectangular) with "T" end panel and telescopic metal legs.


2 choices of tubular legs: round (2½" diam.) or square (2½").

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched



Rectangular



		L Lima 1"				M Mike 1½"				
Dimensions		Code		Price		Specifications				
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTA3678E	DTA3678F	799	1059	—	1260	7.1	121	163
36	72	DTA3672E	DTA3672F	782	1015	989	1212	6.8	114	147
36	60	DTA3660E	DTA3660F	736	942	953	1128	6.2	103	139
30	84	DTA3084E	DTA3084F	782	1015	—	1212	6.2	106	141
30	78	DTA3078E	DTA3078F	750	978	—	1165	6	101	135
30	72	DTA3072E	DTA3072F	736	942	953	1128	5.7	97	129
30	66	DTA3066E	DTA3066F	719	920	927	1099	5.4	92	122
30	60	DTA3060E	DTA3060F	701	894	904	1056	5.2	87	114
30	54	DTA3054E	DTA3054F	686	881	884	1027	4.9	82	107
30	48	DTA3048E	DTA3048F	672	845	871	990	4.6	77	98
24	72	DTA2472E	DTA2472F	634	816	882	954	4.7	80	106
24	66	DTA2466E	DTA2466F	620	787	861	920	4.4	76	101
24	60	DTA2460E	DTA2460F	607	798	848	899	4.2	72	94
24	48	DTA2448E	DTA2448F	594	763	829	884	3.8	64	81

36	78	DTi3678E	DTi3678F	777	1037	—	1238	7.1	121	163
36	72	DTi3672E	DTi3672F	760	993	967	1191	6.8	114	147
36	60	DTi3660E	DTi3660F	714	920	931	1106	6.2	103	139
30	84	DTi3084E	DTi3084F	760	993	—	1191	6.2	106	141
30	78	DTi3078E	DTi3078F	728	956	—	1143	6	101	135
30	72	DTi3072E	DTi3072F	714	920	931	1106	5.7	97	129
30	66	DTi3066E	DTi3066F	697	898	905	1077	5.4	92	122
30	60	DTi3060E	DTi3060F	679	872	882	1034	5.2	87	114
30	54	DTi3054E	DTi3054F	664	859	862	1005	4.9	82	107
30	48	DTi3048E	DTi3048F	650	823	849	968	4.6	77	98
24	72	DTi2472E	DTi2472F	612	794	860	932	4.7	80	106
24	66	DTi2466E	DTi2466F	598	787	839	898	4.4	76	101
24	60	DTi2460E	DTi2460F	585	776	826	877	4.2	72	94
24	48	DTi2448E	DTi2448F	572	741	807	862	3.8	64	81

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH "T" END PANEL

"D" shaped table (arched or rectangular) with "T" end panel and laminate leg.


Monolithic laminate base, 4" x 12".

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched



Rectangular



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Specifications				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTA3678G	735	996	—	1196	7.6	127	169
36	72	DTA3672G	718	952	925	1148	7.3	120	153
36	60	DTA3660G	672	878	889	1064	6.7	109	145
30	84	DTA3084G	718	952	—	1148	6.7	112	147
30	78	DTA3078G	686	914	—	1101	6.5	107	141
30	72	DTA3072G	672	878	889	1064	6.2	103	135
30	66	DTA3066G	656	856	864	1035	5.9	98	128
30	60	DTA3060G	637	831	840	992	5.7	93	120
30	54	DTA3054G	623	817	821	964	5.4	88	113
30	48	DTA3048G	608	781	807	926	5.1	83	104
24	72	DTA2472G	570	752	818	890	5.2	86	112
24	66	DTA2466G	557	723	798	856	4.9	82	107
24	60	DTA2460G	543	734	784	835	4.7	72	100
24	48	DTA2448G	530	700	766	821	4.3	64	87
36	78	DTi3678G	713	974	—	1174	7.6	127	169
36	72	DTi3672G	696	930	903	1128	7.3	120	153
36	60	DTi3660G	650	856	867	1042	6.7	109	145
30	84	DTi3084G	696	930	—	1128	6.7	112	147
30	78	DTi3078G	664	892	—	1079	6.5	107	141
30	72	DTi3072G	650	856	867	1042	6.2	103	135
30	66	DTi3066G	634	834	842	1013	5.9	98	128
30	60	DTi3060G	615	809	818	970	5.7	93	120
30	54	DTi3054G	601	795	799	942	5.4	88	113
30	48	DTi3048G	586	759	785	904	5.1	83	104
24	72	DTi2472G	548	730	796	868	5.2	86	112
24	66	DTi2466G	535	723	776	834	4.9	82	107
24	60	DTi2460G	521	712	762	813	4.7	72	100
24	48	DTi2448G	508	678	744	799	4.3	64	87

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet

T - - / - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES, SURFACE SUPPORTED


"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture. Telescopic metal leg, 4" diameter.

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched



Rectangular



Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	72	DSA3672A	604	809	809	983	4.5	76	115
36	60	DSA3660A	565	761	769	916	3.9	70	109
30	72	DSA3072A	565	761	769	916	3.9	64	97
30	66	DSA3066A	550	741	751	884	3.6	59	89
30	60	DSA3060A	535	716	735	856	3.4	54	81
30	54	DSA3054A	520	706	715	818	3.1	49	74
30	48	DSA3048A	505	669	694	774	2.8	44	66
30	42	DSA3042A	491	633	675	732	2.6	39	59
30	36	DSA3036A	476	605	661	710	2.3	35	52
30	30	DSA3030A	462	578	649	671	2	30	44
24	72	DSA2472A	515	714	763	851	3.3	52	78
24	66	DSA2466A	503	684	744	816	3.1	48	73
24	60	DSA2460A	493	677	724	795	2.8	44	66
24	54	DSA2454A	481	646	705	760	2.6	40	60
24	48	DSA2448A	462	640	688	746	2.4	36	53
24	42	DSA2442A	454	619	672	722	2.2	32	47
24	36	DSA2436A	444	598	656	699	2	28	41
24	30	DSA2430A	433	570	638	663	1.8	24	35
36	72	DSi3672A	582	787	787	961	4.5	76	115
36	60	DSi3660A	543	739	747	894	3.9	70	109
30	72	DSi3072A	543	739	747	894	3.9	64	97
30	66	DSi3066A	528	719	729	862	3.6	59	89
30	60	DSi3060A	513	694	713	834	3.4	54	81
30	54	DSi3054A	498	684	693	796	3.1	49	74
30	48	DSi3048A	483	647	672	752	2.8	44	66
30	42	DSi3042A	469	611	653	710	2.6	39	59
30	36	DSi3036A	454	583	639	688	2.3	35	52
30	30	DSi3030A	440	556	627	649	2	30	44
24	72	DSi2472A	493	692	741	829	3.3	52	78
24	66	DSi2466A	481	662	722	794	3.1	48	73
24	60	DSi2460A	471	655	702	773	2.8	44	66
24	54	DSi2454A	459	624	683	738	2.6	40	60
24	48	DSi2448A	440	618	666	724	2.4	36	53
24	42	DSi2442A	432	597	650	700	2.2	32	47
24	36	DSi2436A	422	576	634	677	2	28	41
24	30	DSi2430A	411	548	616	641	1.8	24	35

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet	
T			/				

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC), or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES, SURFACE SUPPORTED

"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture.


2 choices of 4" tubular legs: with round or square base plate.

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched



Rectangular



Dimensions		Code		Price		Specifications				
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DSA3672C	DSA3672D	627	832	832	1007	9.5	82	121
36	60	DSA3660C	DSA3660D	587	784	792	939	8.9	76	115
30	72	DSA3072C	DSA3072D	587	784	792	939	8.9	70	103
30	66	DSA3066C	DSA3066D	573	765	774	908	8.6	65	95
30	60	DSA3060C	DSA3060D	558	739	758	879	8.4	60	87
30	54	DSA3054C	DSA3054D	543	729	738	842	8.1	55	80
30	48	DSA3048C	DSA3048D	528	692	717	798	7.8	50	72
24	72	DSA2472C	DSA2472D	538	737	787	875	8.3	58	84
24	66	DSA2466C	DSA2466D	526	707	767	839	8.1	54	79
24	60	DSA2460C	DSA2460D	516	700	747	818	7.8	50	72
24	54	DSA2454C	DSA2454D	504	669	728	783	7.6	46	66
24	48	DSA2448C	DSA2448D	485	663	711	769	7.4	42	59
36	72	DSi3672C	DSi3672D	605	810	810	985	9.5	82	121
36	60	DSi3660C	DSi3660D	567	762	770	917	8.9	76	115
30	72	DSi3072C	DSi3072D	567	762	770	917	8.9	70	103
30	66	DSi3066C	DSi3066D	551	743	752	886	8.6	65	95
30	60	DSi3060C	DSi3060D	536	717	736	857	8.4	60	87
30	54	DSi3054C	DSi3054D	521	707	716	820	8.1	55	80
30	48	DSi3048C	DSi3048D	506	670	695	776	7.8	50	72
24	72	DSi2472C	DSi2472D	516	715	765	853	8.3	58	84
24	66	DSi2466C	DSi2466D	504	685	745	817	8.1	54	79
24	60	DSi2460C	DSi2460D	494	678	725	796	7.8	50	72
24	54	DSi2454C	DSi2454D	482	647	706	761	7.6	46	66
24	48	DSi2448C	DSi2448D	463	641	689	747	7.4	42	59

SPECIFY

Series Code Surface Edge Metal Grom. M-Outlet

T - - / - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES, SURFACE SUPPORTED

"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture.


2 choices of tubular legs: round (2½" diam.) or square (2½").

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched



Rectangular



				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Specifications				
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DSA3672E	DSA3672F	659	864	864	1038	4.5	82	121
36	60	DSA3660E	DSA3660F	620	816	824	971	3.9	76	115
30	72	DSA3072E	DSA3072F	620	816	824	971	3.9	70	103
30	66	DSA3066E	DSA3066F	605	796	806	939	3.6	65	95
30	60	DSA3060E	DSA3060F	590	771	790	911	3.4	60	87
30	54	DSA3054E	DSA3054F	575	761	770	873	3.1	55	80
30	48	DSA3048E	DSA3048F	560	724	749	829	2.8	50	72
30	42	DSA3042E	DSA3042F	546	688	730	787	2,6	45	65
24	72	DSA2472E	DSA2472F	570	769	818	906	2,3	58	84
24	66	DSA2466E	DSA2466F	558	739	799	871	2,0	54	79
24	60	DSA2460E	DSA2460F	548	732	779	850	2.8	50	72
24	54	DSA2454E	DSA2454F	536	701	760	815	2.6	46	66
24	48	DSA2448E	DSA2448F	517	695	743	801	2.4	42	59
24	42	DSA2442E	DSA2442F	509	674	727	777	2.2	38	53
36	72	DSi3672E	DSi3672F	637	842	842	1016	4.5	82	121
36	60	DSi3660E	DSi3660F	598	794	802	949	3.9	76	115
30	72	DSi3072E	DSi3072F	598	794	802	949	3.9	70	103
30	66	DSi3066E	DSi3066F	583	774	784	917	3.6	65	95
30	60	DSi3060E	DSi3060F	568	749	768	889	3.4	60	87
30	54	DSi3054E	DSi3054F	553	739	748	851	3.1	55	80
30	48	DSi3048E	DSi3048F	538	702	727	807	2.8	50	72
30	42	DSi3042E	DSi3042F	524	666	708	765	2,6	45	65
24	72	DSi2472E	DSi2472F	548	747	796	884	3.3	58	84
24	66	DSi2466E	DSi2466F	536	717	777	849	3.1	54	79
24	60	DSi2460E	DSi2460F	526	710	757	828	2.8	50	72
24	54	DSi2454E	DSi2454F	514	679	738	793	2,6	46	66
24	48	DSi2448E	DSi2448F	495	673	721	779	2,3	42	59
24	42	DSi2442E	DSi2442F	487	652	705	755	2,0	38	53

SPECIFY						OPTIONS
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T						

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES, SURFACE SUPPORTED

"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture.


Monolithic laminate base, 4" x 12".

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched



Rectangular



Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			Price						
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DSA3672G	650	855	855	1030	5	88	127
36	60	DSA3660G	612	807	815	961	4.4	82	121
30	72	DSA3072G	612	807	815	961	4.4	76	109
30	66	DSA3066G	596	788	798	931	4.1	71	101
30	60	DSA3060G	581	762	781	902	3.9	66	93
30	54	DSA3054G	567	752	761	865	3.6	61	86
30	48	DSA3048G	551	715	740	821	3.3	56	78
24	72	DSA2472G	561	760	810	898	3.8	64	90
24	66	DSA2466G	549	730	790	862	3.6	60	85
24	60	DSA2460G	539	723	770	842	3.3	56	78
24	54	DSA2454G	527	692	751	806	3.1	52	72
24	48	DSA2448G	508	686	734	792	2.9	48	65
36	72	DSi3672G	628	833	833	1008	5	88	127
36	60	DSi3660G	590	785	793	939	4.4	82	121
30	72	DSi3072G	590	785	793	939	4.4	76	109
30	66	DSi3066G	574	766	776	909	4.1	71	101
30	60	DSi3060G	559	740	759	880	3.9	66	93
30	54	DSi3054G	545	730	739	843	3.6	61	86
30	48	DSi3048G	529	693	718	799	3.3	56	78
24	72	DSi2472G	539	738	788	876	3.8	64	90
24	66	DSi2466G	527	708	768	840	3.6	60	85
24	60	DSi2460G	517	701	748	820	3.3	56	78
24	54	DSi2454G	505	670	729	784	3.1	52	72
24	48	DSi2448G	486	664	712	770	2.9	48	65

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet

T - - / - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"P" SHAPED TABLES WITH MODESTY PANEL

"P" shaped table, left or right, with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Left



Right



Dimensions			Code	L Lima 1"		M Mike 1½"		Specifications		
				Price						
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	42	84	PML364284	910	1191	—	1431	11.6	146	199
36	42	78	PML364278	892	1166	—	1399	11	141	191
36	42	72	PML364272	848	1130	1085	1342	10.4	130	176
30	36	84	PML303684	848	1130	—	1342	10.4	122	166
30	36	78	PML303678	833	1092	—	1299	9.8	118	159
30	36	72	PML303672	820	1056	1030	1254	9.3	113	152
30	36	66	PML303666	798	1022	1004	1210	8.7	106	142
30	36	60	PML303660	777	989	980	1168	8.2	99	132
36	42	84	PMR364284	910	1191	—	1431	11.6	146	199
36	42	78	PMR364278	892	1166	—	1399	11	141	191
36	42	72	PMR364272	848	1130	1085	1342	10.4	130	176
30	36	84	PMR303684	848	1130	—	1342	10.4	122	166
30	36	78	PMR303678	833	1092	—	1299	9.8	118	159
30	36	72	PMR303672	820	1056	1030	1254	9.3	113	152
30	36	66	PMR303666	798	1022	1004	1210	8.7	106	142
30	36	60	PMR303660	777	989	980	1168	8.2	99	132

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T			/				

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC), or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"P" SHAPED TABLES WITH "T" END PANEL

"P" shaped table with "T" end panel and telescopic metal leg.


Adjustable tubular metal leg, 2½" diameter.

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Left



Right



Dimensions			Code		Price		Specifications				
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	36	72	PTL303672		671	904	878	1102	6.8	108	140
30	36	66	PTL303666		642	864	850	1051	6.5	102	130
30	36	60	PTL303660		625	831	842	1016	6.2	96	120

30	36	72	PTR303672		671	904	878	1102	6.8	108	140
30	36	66	PTR303666		642	864	850	1051	6.5	102	130
30	36	60	PTR303660		625	831	842	1016	6.2	96	120

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T			/				

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"P" SHAPED TABLES, SURFACE SUPPORTED

"P" shaped table (left or right), supported by adjacent freestanding furniture.


Telescopic metal leg, 4" diameter.

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Left



Right



					L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Specifications					
A	B	C		T.F.L	H.P.L	T.F.L	H.P.L	Cu.Ft.	lb (L)	lb (M)	
30	36	72	PSL303672	604	809	809	982	4.5	74	114	
30	36	66	PSL303666	581	788	792	952	4.2	69	105	
30	36	60	PSL303660	564	761	769	916	3.9	63	96	
24	30	60	PSL243060	535	716	735	856	3.4	54	81	
24	30	54	PSL243054	520	706	701	818	3.1	50	76	
24	30	48	PSL243048	506	670	678	774	2.8	46	70	

30	36	72	PSR303672		604	809	809	982	4.5	74	114
30	36	66	PSR303666		581	788	792	952	4.2	69	105
30	36	60	PSR303660		564	761	769	916	3.9	63	96
24	30	60	PSR243060		535	716	735	856	3.4	54	81
24	30	54	PSR243054		520	706	701	818	3.1	50	76
24	30	48	PSR243048		506	670	678	774	2.8	46	70

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet	
T			/				

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (EC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"L" SHAPED TABLES WITH MODESTY PANEL

"L" shaped table, left or right, with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.


Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Left



Right



				L Lima 1"		M Mike 1½"						
Dimensions				Code	Price		Specifications					
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
54	36	84	24	LML54368424	1240	1661	—	1821	13,8	164	218	
54	36	78	24	LML54367824	1174	1572	—	1724	13,1	156	207	
54	36	72	24	LML54367224	1108	1483	1329	1627	12,4	148	196	
48	30	84	24	LML48308424	1101	1474	—	1618	12,9	149	197	
48	30	78	24	LML48307824	1078	1417	—	1549	12,2	141	186	
48	30	72	24	LML48307224	1057	1359	1180	1481	11,4	134	175	
48	30	66	24	LML48306624	1015	1302	1139	1416	10,7	126	163	
48	30	60	24	LML48306024	992	1267	1126	1376	10	118	152	
42	30	72	24	LML42307224	1015	1297	1153	1410	10,4	119	155	
42	30	66	24	LML42306624	1003	1283	1125	1394	9,7	112	145	
42	30	60	24	LML42306024	977	1243	1111	1349	9,1	105	135	

54	36	84	24	LMR54368424		1240	1661	—	1821	13,8	164	218
54	36	78	24	LMR54367824		1174	1572	—	1724	13,1	156	207
54	36	72	24	LMR54367224		1108	1483	1329	1627	12,4	148	196
48	30	84	24	LMR48308424		1101	1474	—	1618	12,9	149	197
48	30	78	24	LMR48307824		1078	1417	—	1549	12,2	141	186
48	30	72	24	LMR48307224		1057	1359	1180	1481	11,4	134	175
48	30	66	24	LMR48306624		1015	1302	1139	1416	10,7	126	163
48	30	60	24	LMR48306024		992	1267	1126	1376	10	118	152
42	30	72	24	LMR42307224		1015	1297	1153	1410	10,4	119	155
42	30	66	24	LMR42306624		1003	1283	1125	1394	9,7	112	145
42	30	60	24	LMR42306024		977	1243	1111	1349	9,1	105	135

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (EC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"PL" SHAPED TABLES WITH MODESTY PANEL

"PL" shaped table, left or right, with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Left



Right



				L Lima 1"		M Mike 1½"					
Dimensions				Code	Price				Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
48	54	72	24	PLL487224	1089	1444	1233	1583	12.5	153	210
48	54	72	18	PLL487218	1089	1444	1233	1583	12.5	153	210
48	54	66	24	PLL486624	1044	1383	1187	1509	11.7	145	199
48	54	66	18	PLL486618	1044	1383	1187	1509	11.7	145	199
48	54	60	24	PLL486024	1020	1340	1170	1462	10.9	138	187
48	54	60	18	PLL486018	1020	1340	1170	1462	10.9	138	187
42	48	72	24	PLL427224	1047	1384	1205	1511	11.4	141	193
42	48	72	18	PLL427218	1047	1384	1205	1511	11.4	141	193
42	48	66	24	PLL426624	1033	1362	1173	1487	10.7	135	177
42	48	66	18	PLL426618	1033	1362	1173	1487	10.7	135	177
42	48	60	24	PLL426024	1003	1316	1155	1434	10	128	168
42	48	60	18	PLL426018	1003	1316	1155	1434	10	128	168
48	54	72	24	PLR487224	1089	1444	1233	1583	12.5	153	210
48	54	72	18	PLR487218	1089	1444	1233	1583	12.5	153	210
48	54	66	24	PLR486624	1044	1383	1187	1509	11.7	145	199
48	54	66	18	PLR486618	1044	1383	1187	1509	11.7	145	199
48	54	60	24	PLR486024	1020	1340	1170	1462	10.9	138	187
48	54	60	18	PLR486018	1020	1340	1170	1462	10.9	138	187
42	48	72	24	PLR427224	1047	1384	1205	1511	11.4	141	193
42	48	72	18	PLR427218	1047	1384	1205	1511	11.4	141	193
42	48	66	24	PLR426624	1033	1362	1173	1487	10.7	135	177
42	48	66	18	PLR426618	1033	1362	1173	1487	10.7	135	177
42	48	60	24	PLR426024	1003	1316	1155	1434	10	128	168
42	48	60	18	PLR426018	1003	1316	1155	1434	10	128	168

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T			/				

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC), or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"SHARK" TABLES WITH MODESTY PANEL

"Shark" table, left or right, with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.


Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Left



Right



Dimensions			Code	Price		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
48	78	24	SHL487824	1068	1440	—	1577	12.2	128	166
42	72	24	SHL427224	1015	1297	1153	1410	10.4	115	148
42	66	24	SHL426624	1003	1283	1125	1394	9.7	108	139
42	66	18	SHL426618	1003	1283	1125	1394	9.7	108	139
42	60	18	SHL426018	977	1243	1111	1349	9.1	101	129
36	66	18	SHL366618	922	1163	1047	1253	8.7	95	121
36	60	18	SHL366018	894	1128	1024	1211	8.2	89	113
48	78	24	SHR487824	1068	1440	—	1577	12.2	128	166
42	72	24	SHR427224	1015	1297	1153	1410	10.4	115	148
42	66	24	SHR426624	1003	1283	1125	1394	9.7	108	139
42	66	18	SHR426618	1003	1283	1125	1394	9.7	108	139
42	60	18	SHR426018	977	1243	1111	1349	9.1	101	129
36	66	18	SHR366618	922	1163	1047	1253	8.7	95	121
36	60	18	SHR366018	894	1128	1024	1211	8.2	89	113

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),


or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

TEARDROP END SURFACES


Teardrop end surface (left or right), supported by adjacent freestanding furniture.

Telescopic metal leg, 4" diameter.

Left




Right



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Specifications				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	37	XTL36	531	714	634	783	2.7	40	55
30	34	XTL30	493	660	597	710	2.2	33	44
24	32	XTL24	475	625	572	660	1.8	28	36

36	37	XTR36	531	714	634	783	2.7	40	55
30	34	XTR30	493	660	597	710	2.2	33	44
24	32	XTR24	475	625	572	660	1.8	28	36

SHARED MEETING SURFACES



Semi-circle shared meeting surface, attaches to the end of 2 back-to-back surfaces.

Telescopic metal leg, 4" diameter.

			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Specifications				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
60	36	XC60	598	799	694	882	3.9	63	95
54	33	XC54	546	726	637	792	3.3	47	71
48	30	XC48	509	668	590	715	2.8	34	50

SPECIFY

Series Code Surface Edge Metal
T - - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

ASSEMBLED CREDENZAS AND STORAGE UNITS - 23" H. For complete listing, see p.238.


ASSEMBLED CREDENZAS - 29" H.

Credenza with lateral filing at left and storage unit at right.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers & doors.

Grommet option available (4 positions), see p.28.



Dimensions			Code		Price				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	29	CZFD247229		1469	1668	1555	1731	34,5	199	218
24	60	29	CZFD246029		1421	1585	1499	1634	28,9	174	191
21	72	29	CZFD217229		1448	1620	1528	1673	30,7	185	202
21	60	29	CZFD216029		1403	1544	1475	1583	25,6	161	174

L Lima 1"


M Mike 1½"

Credenza with storage unit at left and lateral filing at right.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers & doors.

Grommet option available (4 positions), see p.28.




24	72	29	CZDF247229		1469	1668	1555	1731	34,5	199	218
24	60	29	CZDF246029		1421	1585	1499	1634	28,9	174	191
21	72	29	CZDF217229		1448	1620	1528	1673	30,7	185	202
21	60	29	CZDF216029		1403	1544	1475	1583	25,6	161	174

Credenza with double storage units.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 doors.

Grommet option available (4 positions), see p.28.




24	72	29	CZDD247229		1191	1389	1277	1454	34,5	178	198
24	60	29	CZDD246029		1144	1307	1221	1356	28,9	154	171
21	72	29	CZDD217229		1170	1342	1250	1396	30,7	163	180
21	60	29	CZDD216029		1125	1266	1197	1306	25,6	139	153

Credenza with double lateral files.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 drawers.

Grommet option available (4 positions), see p.28.



24	72	29	CZFF247229		1632	1832	1719	1895	34,5	178	198
24	60	29	CZFF246029		1585	1749	1663	1797	28,9	154	171
21	72	29	CZFF217229		1612	1784	1692	1837	30,7	163	180
21	60	29	CZFF216029		1566	1708	1639	1747	25,6	139	153

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	Lock
T								

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Grommet: Add grommets on top and sides & specify color: White (G14) or Charcoal (G24), add \$128, p.28.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED CREDENZAS - 29" H.



Credenza with lateral file at left or right.

Drawer section occupies half of the total length (dimension B).

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Grommet option available (4 positions), see p.28.



Dimensions			Code		Price				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	29	CZFO247229		1188	1378	1261	1438	34,5	162	182
24	60	29	CZFO246029		1144	1299	1208	1343	28,9	138	154
21	72	29	CZFO217229		1167	1331	1233	1379	30,7	151	168
21	60	29	CZFO216029		1125	1258	1184	1293	25,6	127	141



A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	29	CZOF247229		1188	1378	1261	1438	34,5	162	182
24	60	29	CZOF246029		1144	1299	1208	1343	28,9	138	154
21	72	29	CZOF217229		1167	1331	1233	1379	30,7	151	168
21	60	29	CZOF216029		1125	1258	1184	1293	25,6	127	141

Credenza with storage unit at left or right.

Cabinet section occupies half of the total length (dimension B).

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Grommet option available (4 positions), see p.28.



24	72	29	CZDO247229		1010	1208	1096	1273	34,5	157	176
24	60	29	CZDO246029		966	1129	1043	1178	28,9	133	149
21	72	29	CZDO217229		989	1161	1068	1214	30,7	146	163
21	60	29	CZDO216029		947	1088	1019	1128	25,6	122	136

24	72	29	CZOD247229		1010	1208	1096	1273	34,5	157	176
24	60	29	CZOD246029		966	1129	1043	1178	28,9	133	149
21	72	29	CZOD217229		989	1161	1068	1214	30,7	146	163
21	60	29	CZOD216029		947	1088	1019	1128	25,6	122	136

SPECIFY							OPTIONS		
Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	Lock	
T									

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Grommet: Add grommets on top and sides & specify color: White (G14) or Charcoal (G24), add \$128, p.28.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED CREDENZAS - 29" H.




Credenza with a combined unit at left or right.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock both file drawers.

Grommet option available (4 positions), see p.28.



L Lima 1"

M Mike 1½"

Dimensions			Code	Price				Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	29	CZCO247229	1223	1414	1296	1473	34,5	205	139
24	60	29	CZCO246029	1179	1334	1243	1378	28,9	181	197
21	72	29	CZCO217229	1202	1366	1268	1415	30,7	194	211
21	60	29	CZCO216029	1161	1294	1219	1328	25,6	170	184

24	72	29	CZOC247229	1223	1414	1296	1473	34,5	205	139
24	60	29	CZOC246029	1179	1334	1243	1378	28,9	181	197
21	72	29	CZOC217229	1202	1366	1268	1415	30,7	194	211
21	60	29	CZOC216029	1161	1294	1219	1328	25,6	170	184

Credenza with suspended pedestals at left and right and central cabinet.

Pencil tray included in one of the 6" top drawers. File drawers include a lateral filing bar.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	72	29	CZC247229	1345	1510	1528	1705	34,5	254	273
24	60	29	CZC246029	1298	1428	1472	1607	28,9	230	246
21	72	29	CZC217229	1324	1463	1500	1647	30,7	229	249
21	60	29	CZC216029	1279	1387	1448	1557	25,6	207	224

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	OPTIONS		
T							Grom.	Lock	

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Grommet: Add grommets on top and sides & specify color: White (**G14**) or Charcoal (**G24**), add \$128, p.28.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

STORAGE UNITS - 29" H.


Laminate lateral file cabinet with 2 lateral file drawers. "Interlock" mechanism included.

Front-to-back filing bars (AC-BL15) sold separately, p.166.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Grommet option available (3 positions), see p.28.



Dimensions			Code		Price				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	29	SFF243629		911	1033	1012	1096	17,8	140	151
24	30	29	SFF243029		867	989	968	1037	17,8	125	135
21	36	29	SFF213629		877	988	974	1047	15,8	142	152
21	30	29	SFF213029		832	943	927	989	15,8	126	134


Combined storage unit with 2 - 6" drawers, 1 file drawer and 1 lateral file drawer.

Pencil tray included in the 6" top drawer.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock both file drawers.

Grommet option available (3 positions), see p.28.




24	36	29	SUUFF243629		1053	1168	1177	1260	17,8	158	169
24	30	29	SUUFF243029		1007	1109	1131	1200	17,8	139	148
21	36	29	SUUFF213629		1019	1122	1137	1211	15,8	139	149
21	30	29	SUUFF213029		972	1063	1091	1152	15,8	124	132

Cabinet with 2 doors and adjustable shelf.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Grommet option available (3 positions), see p.28.




24	36	29	SDD243629		804	879	948	1078	17,8	155	169
24	30	29	SDD243029		760	838	898	1060	17,8	124	136
21	36	29	SDD213629		765	829	902	1073	15,8	141	153
21	30	29	SDD213029		719	789	854	1000	15,8	114	125

Combined storage unit with a bottom cabinet section and a 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Grommet option available (3 positions), see p.28.



24	36	29	SBDD243629		903	978	1047	1177	17,8	165	179
24	30	29	SBDD243029		859	937	997	1159	17,8	134	146
21	36	29	SBDD213629		864	928	1001	1172	15,8	151	163
21	30	29	SBDD213029		818	888	953	1099	15,8	124	135

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	OPTIONS			
T							Grom.	C-Weight	Lock	

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Grommet:** Add grommets on top and sides & specify color: White (G13) or Charcoal (G23), add \$96, p.28.


Counter-weight (SFF & SUUFF only): For the counter-weight option, add (CW), add \$94.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


STORAGE UNITS - 29" H.

Combined storage unit with 2 - 6" drawers, 1 file drawer and a cabinet section with door, at left.
Pencil tray included in the 6" top drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock all 3 drawers.
Grommet option available (3 positions), see p.28.




Dimensions			Code	Price				Specifications		
				T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B	C						Cu.Ft.	lb (L)	lb (M)
24	36	29	SDUUF243629	1004	1112	1076	1185	17,8	158	169
24	30	29	SDUUF243029	949	1043	1024	1118	17,8	139	148
21	36	29	SDUUF213629	964	1058	1032	1130	15,8	139	149
21	30	29	SDUUF213029	909	990	981	1063	15,8	124	132

Combined storage unit with 2 - 6" drawers, 1 file drawer and a cabinet section with door, at right.
Pencil tray included in the 6" top drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock all 3 drawers.
Grommet option available (3 positions), see p.28.




24	36	29	SUUF243629	1004	1112	1076	1185	17,8	158	169
24	30	29	SUUF243029	949	1043	1024	1118	17,8	139	148
21	36	29	SUUF213629	964	1058	1032	1130	15,8	139	149
21	30	29	SUUF213029	909	990	981	1063	15,8	124	132

Storage unit with a cabinet section with door at left and open section at right.
Extra shelves: Order separately, see p.159.
Noki locks standard, key locks available as an option (no upcharge).
Grommet option available (3 positions), see p.28.



24	36	29	SDO243629	799	873	943	1073	17,8	148	162
24	30	29	SDO243029	755	833	892	1055	17,8	119	130
21	36	29	SDO213629	759	824	897	1067	15,8	135	147
21	30	29	SDO213029	714	783	848	994	15,8	108	119

Storage unit with a cabinet section with door at right and open section at left.
Extra shelves: Order separately, see p.159.
Noki locks standard, key locks available as an option (no upcharge).
Grommet option available (3 positions), see p.28.



24	36	29	SOD243629	799	873	943	1073	17,8	148	162
24	30	29	SOD243029	755	833	892	1055	17,8	119	130
21	36	29	SOD213629	759	824	897	1067	15,8	135	147
21	30	29	SOD213029	714	783	848	994	15,8	108	119

SPECIFY							OPTIONS		
Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	Lock	
T									

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Pull: Pull(s) included, specify type, p.56.

Options: Grommet: Add grommets on top and sides & specify color: White (**G13**) or Charcoal (**G23**), add \$96, p.28.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE CABINETS



Single door cabinet (left).


Adjustable shelves inside.

Noki locks standard, key locks available as an option (no upcharge).

L Lima 1"

M Mike 1½"

Dimensions				Code	Price				Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	18	50	3	SDL241850	1035	1101	1158	1202	15,7	124	129
24	18	41	2	SDL241841	910	976	1090	1134	12,9	102	107
24	18	35	2	SDL241835	853	919	980	1024	11,1	88	93
24	18	29	1	SDL241829	751	817	895	939	9,3	74	78
21	18	50	3	SDL211850	968	1029	1091	1130	13,9	116	120
21	18	41	2	SDL211841	854	914	1034	1073	11,5	96	100
21	18	35	2	SDL211835	813	873	941	979	9,9	82	87
21	18	29	1	SDL211829	712	772	856	894	8,3	69	73



Single door cabinet (right).

Adjustable shelves inside.

Noki locks standard, key locks available as an option (no upcharge).

24	18	50	3	SDR241850	1129	1101	1264	1202	15,7	124	129
24	18	41	2	SDR241841	992	976	1189	1134	12,9	102	107
24	18	35	2	SDR241835	930	919	1069	1024	11,1	88	93
24	18	29	1	SDR241829	820	817	977	939	9,3	74	78
21	18	50	3	SDR211850	1056	1029	1181	1130	13,9	116	120
21	18	41	2	SDR211841	931	914	1116	1073	11,5	96	100
21	18	35	2	SDR211835	887	873	1019	979	9,9	82	87
21	18	29	1	SDR211829	776	772	926	894	8,3	69	73

D: Number of shelves

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED CREDENZAS - 35" H.




Credenza with 2 cabinets.

Adjustable shelves inside.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 doors.

L Lima 1" **M Mike 1½"**

Dimensions			Code	Price				Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	35	CZ4D247235	1663	1914	1772	2028	41,2	202	221
24	60	35	CZ4D246035	1604	1810	1701	1903	34,5	178	194
21	72	35	CZ4D217235	1637	1855	1737	1954	36,5	186	203
21	60	35	CZ4D216035	1580	1758	1671	1837	30,5	162	176




Credenza with cabinet sections at each end and open section at center (2 shelves).

Adjustable shelves inside the cabinets.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

24	72	35	CZDOD247235	1529	1780	1638	1894	41,2	192	212
24	60	35	CZDOD246035	1470	1675	1566	1769	34,5	168	185
21	72	35	CZDOD217235	1503	1720	1603	1819	36,5	177	194
21	60	35	CZDOD216035	1445	1624	1537	1703	30,5	153	167




Credenza with 2 cabinets and 2 - 6" top drawers.

Adjustable shelves inside.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 doors.

24	72	35	CZ2B4D247235	1759	2010	1868	2124	41,0	220	234
24	60	35	CZ2B4D246035	1700	1905	1796	1999	34,5	189	205
21	72	35	CZ2B4D217235	1733	1950	1833	2049	36,5	199	216
21	60	35	CZ2B4D216035	1675	1854	1767	1933	30,5	173	187



Credenza with 2 cabinet sections at each end and 3 drawers (1 - 6" and 2 file drawers) at center.

Adjustable shelves inside.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all central drawers and left door.

24	72	35	CZDUFFD247235	1876	2126	1984	2241	41,2	251	270
24	60	35	CZDUFFD246035	1816	2022	1913	2115	34,5	225	241
21	72	35	CZDUFFD217235	1849	2067	1949	2166	36,5	235	252
21	60	35	CZDUFFD216035	1792	1970	1883	2049	30,5	210	223

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

STORAGE UNITS - 35" H.




Combined storage unit with 1 - 6" drawer, 2 file drawers and a cabinet section with door, at left.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

L Lima 1" **M Mike 1½"**

Dimensions			Code	Price				Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	35	SDUFF243635	1235	1353	1364	1473	21,1	170	181
24	30	35	SDUFF243035	1173	1276	1305	1395	17,8	150	160
21	36	35	SDUFF213635	1188	1294	1313	1409	18,7	151	162
21	30	35	SDUFF213035	1128	1216	1253	1332	15,7	135	143




Combined storage unit with 1 - 6" drawer, 2 file drawers and a cabinet section with door, at right.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	36	35	SUFFD243635	1235	1353	1364	1473	21,1	170	181
24	30	35	SUFFD243035	1173	1276	1305	1395	17,8	150	160
21	36	35	SUFFD213635	1188	1294	1313	1409	18,7	151	162
21	30	35	SUFFD213035	1128	1216	1253	1332	15,7	135	143




Cabinet with 2 doors.

Adjustable shelves inside.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

24	36	35	SDD243635	905	964	1033	1163	21,1	181	195
24	30	35	SDD243035	861	923	982	1145	17,8	147	159
21	36	35	SDD213635	866	914	987	1157	18,7	167	179
21	30	35	SDD213035	821	873	938	1085	15,7	136	148



Combined storage unit with a bottom cabinet section with 2 doors and 6" top drawer.

Adjustable shelves inside.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

24	36	35	SUDD243635	988	1063	1132	1262	21,1	188	202
24	30	35	SUDD243035	944	1022	1081	1244	17,8	153	164
21	36	35	SUDD213635	948	1013	1086	1256	18,7	174	186
21	30	35	SUDD213035	903	972	1037	1184	15,7	142	153

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

STORAGE UNITS - 41" H.



Laminate lateral file cabinet with 3 lateral file drawers. "Interlock" mechanism included.

Front-to-back filing bars (AC-BL15) sold separately, p.166.


In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

L Lima 1"

M Mike 1½"

Dimensions			Code		Price				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	41	SFFF243641		1349	1451	1524	1540	24,5	185	196
24	30	41	SFFF243041		1302	1406	1476	1480	20,7	170	180
21	36	41	SFFF213641		1312	1404	1482	1489	21,7	187	197
21	30	41	SFFF213041		1267	1360	1432	1456	18,3	171	179




Cabinet with 2 doors and 2 adjustable shelves.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

24	36	41	SDD243641		987	1115	1167	1210	24.6	207	221
24	30	41	SDD243041		919	1043	1093	1124	20.7	170	182
21	36	41	SDD213641		931	1046	1100	1135	21.8	189	201
21	30	41	SDD213041		862	974	1026	1049	18.3	156	167




Storage unit with a cabinet section with door at left and open section at right. 4 adjustable shelves (2 per section).

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge).

24	36	41	SDO243641		925	1054	1106	1148	24.6	196	210
24	30	41	SDO243041		857	981	1032	1063	20.7	161	173
21	36	41	SDO213641		869	985	1038	1074	21.8	178	190
21	30	41	SDO213041		801	912	965	988	18.3	146	157



Storage unit with a cabinet section with door at right and open section at left. 4 adjustable shelves (2 per section).

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge).

24	36	41	SOD243641		925	1054	1106	1148	24.6	196	210
24	30	41	SOD243041		857	981	1032	1063	20.7	161	173
21	36	41	SOD213641		869	985	1038	1074	21.8	178	190
21	30	41	SOD213041		801	912	965	988	18.3	146	157

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	OPTIONS	
T							C-Weight	Lock

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Pull: Pull(s) included, specify type, p.56.

Options: **Counter-weight (SFFF only):** For the counter-weight option, add (CW), add \$94.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p. 27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

LATERAL FILE CABINETS WITH 4 DRAWERS - 53" H.



Laminate lateral file cabinet with 4 lateral file drawers. "Interlock" mechanism included.

Front-to-back filing bars (AC-BL15) sold separately, p.166.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	36	53	S4F243653		1697	1819	1800	1882	31,4 230 241
24	30	53	S4F243053		1653	1763	1755	1824	26,4 215 225
21	36	53	S4F213653		1663	1774	1760	1834	27,8 232 242
21	30	53	S4F213053		1618	1729	1714	1775	23,4 216 224

SPECIFY							OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	C-Weight	Lock
T			/		/			

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Pull: Pulls included, specify type, p.56.

Options: Counter-weight: For the counter-weight option, add (CW), add \$94.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 72"- 66" H.



Combined storage unit with 3 lateral file drawers and top cabinet with 2 laminate doors.

Front-to-back filing bars (AC-BL15) sold separately, p.16.

1 adjustable shelf. Extra shelves: Order separately, see p.159.

"Interlock" mechanism on drawers.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

72"	24	36	72	SDD3F243672	2001	2125	2136	2220	42.3	332	346
	24	30	72	SDD3F243072	1889	1999	2025	2093	35.6	287	296
	21	36	72	SDD3F213672	1932	2043	2055	2129	37.4	307	319
	21	30	72	SDD3F213072	1819	1915	1944	2001	31.5	265	273
66"	24	36	66	SDD3F243666	1915	2041	2052	2135	38,9	317	331
	24	30	66	SDD3F243066	1804	1913	1940	2008	32,7	273	283
	21	36	66	SDD3F213666	1846	1957	1969	2043	34,4	293	305
	21	30	66	SDD3F213066	1735	1830	1858	1916	29	252	261

SPECIFY							OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	C-Weight	Lock
T			/		/			

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS WITH ALUMINUM FRAMED DOORS - 72"- 66" H.

Combined storage unit with 3 lateral file drawers and top cabinet with 2 aluminum framed doors.

Front-to-back filing bars (AC-BL15) sold separately, p.166.


1 adjustable shelf. Extra shelves: Order separately, see p.159.

"Interlock" mechanism on drawers.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Choice of finishes for top doors:

L Lima 1" **M Mike 1½"**




72"

66"

Contemporary aluminum frame/
Laminate or H-Gloss White int. panel

Dimensions			Code		Price		Specifications		
A	B	C	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
			Laminate		H-Gloss White				
24	36	72	SDDM3F243672	SDDL3F243672	2741	2866	2877	2960	42.3 332 346
24	30	72	SDDM3F243072	SDDL3F243072	2629	2739	2765	2834	35.6 287 296
21	36	72	SDDM3F213672	SDDL3F213672	2672	2783	2795	2869	37.4 307 319
21	30	72	SDDM3F213072	SDDL3F213072	2560	2655	2684	2741	31.5 265 273
24	36	66	SDDM3F243666	SDDL3F243666	2655	2781	2792	2875	38,9 317 331
24	30	66	SDDM3F243066	SDDL3F243066	2544	2653	2681	2748	32,7 273 283
21	36	66	SDDM3F213666	SDDL3F213666	2586	2697	2709	2783	34,4 293 305
21	30	66	SDDM3F213066	SDDL3F213066	2475	2571	2598	2657	29,0 252 261




72"

66"

Contemporary aluminum frame/
Acrylic interior panel

			Acrylic						
24	36	72	SDDGiC3F243672		2635	2759	2770	2853	42.3 332 346
24	30	72	SDDGiC3F243072		2522	2632	2659	2727	35.6 287 296
21	36	72	SDDGiC3F213672		2565	2676	2688	2762	37.4 307 319
21	30	72	SDDGiC3F213072		2453	2549	2577	2635	31.5 265 273
24	36	66	SDDGiC3F243666		2549	2674	2685	2769	38,9 317 331
24	30	66	SDDGiC3F243066		2438	2547	2574	2641	32,7 273 283
21	36	66	SDDGiC3F213666		2479	2591	2603	2676	34,4 293 305
21	30	66	SDDGiC3F213066		2368	2464	2492	2550	29,0 252 261



72"

66"

Traditional aluminum frame/
Acrylic interior panel

			Acrylic						
24	36	72	SDDGiA3F243672		2673	2798	2809	2893	42.3 332 346
24	30	72	SDDGiA3F243072		2561	2672	2698	2767	35.6 287 296
21	36	72	SDDGiA3F213672		2604	2715	2728	2809	37.4 307 319
21	30	72	SDDGiA3F213072		2493	2587	2617	2682	31.5 265 273
24	36	66	SDDGiA3F243666		2588	2714	2725	2808	38,9 317 331
24	30	66	SDDGiA3F243066		2477	2586	2614	2681	32,7 273 283
21	36	66	SDDGiA3F213666		2519	2630	2642	2716	34,4 293 305
21	30	66	SDDGiA3F213066		2408	2503	2531	2588	29,0 252 261

SPECIFY							OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock	
T								

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 72" - 66" - 50" H.



Combined storage unit with 2 lateral file drawers and top open section with shelves.


Adjustable shelves: 2 (1 for the 50" H. unit). Front-to-back filing bars (AC-BL15) sold separately, p.166.

Extra shelves: Order separately, see p.159.

"Interlock" mechanism on drawers (50" H. unit).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

	Dimensions				Code	Price				Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	2	SOFF243672	1549	1673	1684	1768	42.3	305	319
	24	30	72	2	SOFF243072	1455	1564	1592	1659	35.6	260	273
	21	36	72	2	SOFF213672	1478	1590	1603	1676	37.4	281	293
	21	30	72	2	SOFF213072	1386	1481	1509	1568	31.5	238	246
66"	24	36	66	2	SOFF243666	1480	1605	1616	1700	38,9	294	308
	24	30	66	2	SOFF243066	1385	1494	1520	1588	32.7	250	260
	21	36	66	2	SOFF213666	1410	1521	1533	1607	34,4	269	282
	21	30	66	2	SOFF213066	1315	1410	1439	1496	29.0	229	238
50"	24	36	50	1	SOFF243650	1382	1506	1517	1601	29.7	248	262
	24	30	50	1	SOFF243050	1293	1401	1429	1496	25.0	210	219
	21	36	50	1	SOFF213650	1318	1429	1442	1516	26.3	228	241
	21	30	50	1	SOFF213050	1230	1326	1353	1411	22.2	193	201



Combined storage unit with 2 lateral file drawers and top cabinet with 2 doors.

Front-to-back filing bars (AC-BL15) sold separately, p.166.

2 adjustable shelves. Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

72"	24	36	72	2	SDDFF243672	1738	1863	1874	1958	42,3	317	331
	24	30	72	2	SDDFF243072	1627	1736	1763	1830	35,6	287	296
	21	36	72	2	SDDFF213672	1669	1780	1793	1874	37,4	293	305
	21	30	72	2	SDDFF213072	1558	1653	1681	1739	31,5	265	273
66"	24	36	66	2	SDDFF243666	1653	1779	1790	1872	38,9	317	331
	24	30	66	2	SDDFF243066	1542	1651	1678	1746	32,7	273	283
	21	36	66	2	SDDFF213666	1584	1695	1707	1781	34,4	293	305
	21	30	66	2	SDDFF213066	1472	1568	1596	1653	29	252	261

D: Number of shelves

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


COMBINED STORAGE UNITS WITH ALUMINUM FRAMED DOORS - 72" - 66" H.

Combined storage unit with 2 lateral file drawers and top cabinet with 2 aluminum framed doors (2 adjustable shelves).
 Front-to-back filing bars (AC-BL15) sold separately, p.166.
 2 adjustable shelves. Extra shelves: Order separately, see p.159.
 Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.


Choice of finishes for top doors:

L Lima 1" **M Mike 1½"**


Dimensions			Code		Price				Specifications		
A	B	C	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)		
			Laminate	H-Gloss White							
24	36	72	SDDMFF243672	SDDLFF243672	2776	2902	2913	2996	42,3	317	331
24	30	72	SDDMFF243072	SDDLFF243072	2665	2774	2802	2869	35,6	287	296
21	36	72	SDDMFF213672	SDDLFF213672	2707	2818	2831	2913	37,4	293	305
21	30	72	SDDMFF213072	SDDLFF213072	2596	2692	2719	2778	31,5	265	273
24	36	66	SDDMFF243666	SDDLFF243666	2692	2817	2828	2911	38,9	317	331
24	30	66	SDDMFF243066	SDDLFF243066	2581	2690	2716	2784	32,7	273	283
21	36	66	SDDMFF213666	SDDLFF213666	2622	2734	2746	2819	34,4	293	305
21	30	66	SDDMFF213066	SDDLFF213066	2510	2606	2635	2692	29,0	252	261



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

			Acrylic								
24	36	72	SDDGICFF243672		2589	2715	2726	2809	42,3	317	331
24	30	72	SDDGICFF243072		2478	2587	2615	2682	35,6	287	296
21	36	72	SDDGICFF213672		2520	2631	2644	2726	37,4	293	305
21	30	72	SDDGICFF213072		2409	2505	2532	2591	31,5	265	273
24	36	66	SDDGICFF243666		2505	2630	2641	2724	38,9	317	331
24	30	66	SDDGICFF243066		2394	2503	2529	2597	32,7	273	283
21	36	66	SDDGICFF213666		2435	2547	2559	2632	34,4	293	305
21	30	66	SDDGICFF213066		2323	2419	2448	2505	29,0	252	261

			Acrylic								
24	36	72	SDDGIAFF243672		2525	2650	2661	2745	42,3	317	331
24	30	72	SDDGIAFF243072		2413	2539	2550	2633	35,6	287	296
21	36	72	SDDGIAFF213672		2455	2566	2580	2661	37,4	293	305
21	30	72	SDDGIAFF213072		2344	2455	2468	2550	31,5	265	273
24	36	66	SDDGIAFF243666		2440	2565	2576	2660	38,9	317	331
24	30	66	SDDGIAFF243066		2329	2454	2465	2549	32,7	273	283
21	36	66	SDDGIAFF213666		2371	2482	2494	2567	34,4	293	305
21	30	66	SDDGIAFF213066		2259	2371	2383	2456	29,0	252	261

SPECIFY								OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock		
T									

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 72" - 66" - 50" H.



Combination storage unit with open section and cabinet with 2 doors.


Adjustable shelves: 2 in top section (1 for the 50" H. unit) and 1 in bottom section.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

	Dimensions			Code	Price				Specifications		
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	SODD243672	1434	1572	1573	1665	42,3	303	317
	24	30	72	SODD243072	1331	1452	1471	1546	35,6	252	264
	21	36	72	SODD213672	1342	1464	1475	1551	37,4	274	286
	21	30	72	SODD213072	1240	1345	1366	1431	31,5	228	239
66"	24	36	66	SODD243666	1360	1497	1498	1591	38,9	292	306
	24	30	66	SODD243066	1254	1374	1394	1467	32,7	242	254
	21	36	66	SODD213666	1267	1389	1395	1475	34,4	264	276
	21	30	66	SODD213066	1162	1267	1289	1353	29	219	230
50"	24	36	50	SODD243650	1251	1388	1389	1482	29,7	239	253
	24	30	50	SODD243050	1153	1274	1291	1366	25	197	209
	21	36	50	SODD213650	1167	1289	1294	1374	26,3	217	229
	21	30	50	SODD213050	1069	1173	1195	1258	22,2	178	189

Storage



Combined storage unit with 4 doors.

Adjustable shelves: 2 in top section and 1 in bottom section.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both bottom doors.

72"	24	36	72	S4D243672	1619	1753	1756	1845	42,3	330	344
	24	30	72	S4D243072	1497	1616	1635	1708	35,6	279	291
	21	36	72	S4D213672	1528	1649	1653	1734	37,4	301	313
	21	30	72	S4D213072	1408	1510	1532	1595	31,5	255	266
66"	24	36	66	S4D243666	1526	1662	1663	1753	38,9	315	329
	24	30	66	S4D243066	1406	1524	1542	1615	32,7	265	277
	21	36	66	S4D213666	1436	1555	1561	1640	34,4	287	299
	21	30	66	S4D213066	1315	1419	1440	1504	29	242	253

SPECIFY							OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock	
T								

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS WITH ALUMINUM FRAMED DOORS - 72" - 66" H.

Storage unit with 2 aluminum framed doors (top) and 2 laminate doors (bottom).

Adjustable shelves: 2 in top section and 1 in bottom section.


Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both bottom doors.


Choice of finishes for top doors:

L Lima 1" **M Mike 1½"**


Dimensions			Code		Price				Specifications		
A	B	C	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)		
			Laminate	H-Gloss White							
24	36	72	SDDMDD243672	SDDLDD243672	2672	2806	2808	2897	42,3	330	344
24	30	72	SDDMDD243072	SDDLDD243072	2550	2669	2687	2761	35,6	279	291
21	36	72	SDDMDD213672	SDDLDD213672	2581	2702	2706	2786	37,4	301	313
21	30	72	SDDMDD213072	SDDLDD213072	2461	2563	2585	2648	31,5	255	266
24	36	66	SDDMDD243666	SDDLDD243666	2578	2715	2716	2806	38,9	315	329
24	30	66	SDDMDD243066	SDDLDD243066	2459	2576	2595	2668	32,7	265	277
21	36	66	SDDMDD213666	SDDLDD213666	2488	2608	2614	2693	34,4	287	299
21	30	66	SDDMDD213066	SDDLDD213066	2367	2472	2493	2556	29	242	253



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

			Acrylic								
24	36	72	SDDGiCDD243672		2485	2619	2621	2710	42,3	330	344
24	30	72	SDDGiCDD243072		2363	2482	2500	2574	35,6	279	291
21	36	72	SDDGiCDD213672		2394	2515	2519	2599	37,4	301	313
21	30	72	SDDGiCDD213072		2274	2376	2398	2461	31,5	255	266
24	36	66	SDDGiCDD243666		2391	2528	2529	2619	38,9	315	329
24	30	66	SDDGiCDD243066		2272	2389	2408	2481	32,7	265	277
21	36	66	SDDGiCDD213666		2301	2421	2427	2506	34,4	287	299
21	30	66	SDDGiCDD213066		2180	2285	2306	2369	29	242	253
			Acrylic								
24	36	72	SDDGiADD243672		2280	2405	2407	2490	42,3	330	344
24	30	72	SDDGiADD243072		2169	2294	2296	2379	35,6	279	291
21	36	72	SDDGiADD213672		2191	2308	2312	2386	37,4	301	313
21	30	72	SDDGiADD213072		2080	2197	2201	2275	31,5	255	266
24	36	66	SDDGiADD243666		2195	2320	2321	2405	38,9	315	329
24	30	66	SDDGiADD243066		2083	2209	2210	2294	32,7	265	277
21	36	66	SDDGiADD213666		2111	2223	2226	2300	34,4	287	299
21	30	66	SDDGiADD213066		2000	2112	2115	2189	29	242	253

SPECIFY							OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock	
T								

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

CABINETS 72" - 66" - 50" H. (LAMINATE DOORS)




Cabinet with 2 laminate doors with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.


Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Shelves




Wardrobe cabinet

WARDROBE AT LEFT



Wardrobe cabinet

WARDROBE AT RIGHT



72"

66"

50"

72"

66"

72"

66"

Dimensions	Code				Price				Specifications		
					T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	A	B	C	D							
	24	36	72	4	SDD243672						
	24	30	72	4	SDD243072						
	21	36	72	4	SDD213672						
66"	21	30	72	4	SDD213072						
	24	36	66	4	SDD243666						
	24	30	66	4	SDD243066						
	21	36	66	4	SDD213666						
50"	21	30	66	4	SDD213066						
	24	36	50	3	SDD243650						
	24	30	50	3	SDD243050						
	21	36	50	3	SDD213650						
72"	21	30	50	3	SDD213050						
	24	36	72	4	SWD243672						
	24	30	72	4	SWD243072						
	21	36	72	4	SWD213672						
66"	21	30	72	4	SWD213072						
	24	36	66	4	SWD243666						
	24	30	66	4	SWD243066						
	21	36	66	4	SWD213666						
72"	21	30	66	4	SWD213066						
	24	36	72	4	SDW243672						
	24	30	72	4	SDW243072						
	21	36	72	4	SDW213672						
66"	21	30	72	4	SDW213072						
	24	36	66	4	SDW243666						
	24	30	66	4	SDW243066						
	21	36	66	4	SDW213666						
72"	21	30	66	4	SDW213066						

D: Number of shelves

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

CABINETS 72" - 66" - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Cabinet with 2 doors with shelves only or shelves & wardrobe configuration.

Contemporary aluminum framed door with choice of either laminate or high-gloss white interior panel.

Adjustable shelves with 1 fixed shelf.


Extra shelves: Order separately, see p.159.

Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only. Will lock both doors.


L Lima 1" **M Mike 1½"**

Dimensions	Code				Price				Specifications		
	A	B	C	D	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
72"					Laminate		H-Gloss White				
	24	36	72	4	SDDM243672	SDDL243672	2943	3077	3078	3167	42,3 330 344
	24	30	72	4	SDDM243072	SDDL243072	2824	2940	2959	3031	35,6 279 291
	21	36	72	4	SDDM213672	SDDL213672	2853	2973	2977	3055	37,4 301 313
	21	30	72	4	SDDM213072	SDDL213072	2735	2837	2858	2921	31,5 255 266
	24	36	66	4	SDDM243666	SDDL243666	2852	2985	2988	3077	38,9 315 329
	24	30	66	4	SDDM243066	SDDL243066	2734	2850	2868	2940	32,7 265 277
66"	21	36	66	4	SDDM213666	SDDL213666	2763	2882	2886	2965	34,4 287 299
	21	30	66	4	SDDM213066	SDDL213066	2644	2746	2768	2829	29 242 253
	24	36	50	3	SDDM243650	SDDL243650	2566	2697	2690	2779	29,7 253 267
	24	30	50	3	SDDM243050	SDDL243050	2481	2604	2604	2676	25 210 222
	21	36	50	3	SDDM213650	SDDL213650	2499	2618	2614	2693	26,3 230 242
	21	30	50	3	SDDM213050	SDDL213050	2415	2523	2527	2591	22,2 191 202
72"					Laminate		H-Gloss White				
	24	36	72	4	SWDM243672	SWDL243672	2922	3102	3102	3186	42,3 300 314
	24	30	72	4	SWDM243072	SWDL243072	2817	2999	2999	3081	35,6 252 264
	21	36	72	4	SWDM213672	SWDL213672	2830	3005	3007	3081	37,4 275 287
	21	30	72	4	SWDM213072	SWDL213072	2726	2901	2904	2978	31,5 231 242
	24	36	66	4	SWDM243666	SWDL243666	2837	3017	3017	3101	38,9 281 295
	24	30	66	4	SWDM243066	SWDL243066	2732	2913	2913	2996	32,7 236 248
66"	21	36	66	4	SWDM213666	SWDL213666	2750	2919	2923	2996	34,4 257 269
	21	30	66	4	SWDM213066	SWDL213066	2647	2816	2818	2892	29 217 227
	24	36	72	4	SDWM243672	SDWL243672	2922	3102	3102	3186	42,3 300 314
	24	30	72	4	SDWM243072	SDWL243072	2817	2999	2999	3081	35,6 252 264
	21	36	72	4	SDWM213672	SDWL213672	2830	3005	3007	3081	37,4 275 287
	21	30	72	4	SDWM213072	SDWL213072	2726	2901	2904	2978	31,5 231 242
66"	24	36	66	4	SDWM243666	SDWL243666	2837	3017	3017	3101	38,9 281 295
	24	30	66	4	SDWM243066	SDWL243066	2732	2913	2913	2996	32,7 236 248
	21	36	66	4	SDWM213666	SDWL213666	2750	2919	2923	2996	34,4 257 269
	21	30	66	4	SDWM213066	SDWL213066	2647	2816	2818	2892	29 217 227

Wardrobe cabinet
WARDROBE AT LEFT



Wardrobe cabinet
WARDROBE AT RIGHT



D: Number of shelves

SPECIFY							OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock	
T								

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

CABINETS 72" - 66" - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Cabinet with 2 aluminum framed doors with shelves only or shelves & wardrobe configuration.
Adjustable shelves with 1 fixed shelf.
Extra shelves: Order separately, see p.159.
No lock.

L Lima 1" **M Mike 1½"**

Shelves



72"

Dimensions				Code	Price				Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	72	4	SDDGiC243672	2641	2775	2776	2866	42,3	330	344
24	30	72	4	SDDGiC243072	2522	2639	2658	2729	35,6	279	291
21	36	72	4	SDDGiC213672	2552	2672	2675	2753	37,4	301	313
21	30	72	4	SDDGiC213072	2433	2536	2556	2619	31,5	255	266

66"


24	36	66	4	SDDGiC243666	2551	2684	2686	2775	38,9	315	329
24	30	66	4	SDDGiC243066	2432	2549	2566	2639	32,7	265	277
21	36	66	4	SDDGiC213666	2462	2581	2585	2663	34,4	287	299
21	30	66	4	SDDGiC213066	2343	2444	2466	2528	29	242	253

50"

24	36	50	3	SDDGiC243650	2265	2396	2388	2477	29,7	253	267
24	30	50	3	SDDGiC243050	2179	2302	2302	2375	25	210	222
21	36	50	3	SDDGiC213650	2198	2317	2312	2391	26,3	230	242
21	30	50	3	SDDGiC213050	2113	2222	2225	2289	22,2	191	202

Wardrobe cabinet

WARDROBE AT LEFT



72"


24	36	72	4	SWDGiC243672	2620	2801	2801	2884	42,3	300	314
24	30	72	4	SWDGiC243072	2516	2697	2697	2780	35,6	252	264
21	36	72	4	SWDGiC213672	2529	2704	2706	2780	37,4	275	287
21	30	72	4	SWDGiC213072	2424	2599	2603	2676	31,5	231	242

66"

24	36	66	4	SWDGiC243666	2536	2716	2716	2800	38,9	281	295
24	30	66	4	SWDGiC243066	2431	2611	2611	2695	32,7	236	248
21	36	66	4	SWDGiC213666	2449	2618	2621	2695	34,4	257	269
21	30	66	4	SWDGiC213066	2345	2515	2517	2591	29	217	227

Wardrobe cabinet

WARDROBE AT RIGHT



72"

24	36	72	4	SDWGiC243672	2620	2801	2801	2884	42,3	300	314
24	30	72	4	SDWGiC243072	2516	2697	2697	2780	35,6	252	264
21	36	72	4	SDWGiC213672	2529	2704	2706	2780	37,4	275	287
21	30	72	4	SDWGiC213072	2424	2599	2603	2676	31,5	231	242

66"

24	36	66	4	SDWGiC243666	2536	2716	2716	2800	38,9	281	295
24	30	66	4	SDWGiC243066	2431	2611	2611	2695	32,7	236	248
21	36	66	4	SDWGiC213666	2449	2618	2621	2695	34,4	257	269
21	30	66	4	SDWGiC213066	2345	2515	2517	2591	29	217	227

D: Number of shelves

SPECIFY

Series Code Surface Edge Base Pull
T - - / - -


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

CABINETS 72" - 66" - 50" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Cabinet with 2 aluminum framed doors with shelves only or shelves & wardrobe configuration.
Adjustable shelves with 1 fixed shelf.
Extra shelves: Order separately, see p.159.
No lock.

L Lima 1"


M Mike 1½"

Dimensions	Code				Price				Specifications		
	A	B	C	D	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	SDDGiA243672	2180	2314	2316	2405	42,3	330 344
	24	30	72	4	SDDGiA243072	2061	2178	2197	2268	35,6	279 291
	21	36	72	4	SDDGiA213672	2091	2211	2214	2292	37,4	301 313
	21	30	72	4	SDDGiA213072	1972	2075	2096	2158	31,5	255 266
66"	24	36	66	4	SDDGiA243666	2090	2223	2225	2314	38,9	315 329
	24	30	66	4	SDDGiA243066	1971	2088	2105	2178	32,7	265 277
	21	36	66	4	SDDGiA213666	2001	2120	2124	2202	34,4	287 299
	21	30	66	4	SDDGiA213066	1882	1983	2005	2067	29	242 253

Shelves




Wardrobe cabinet
WARDROBE AT LEFT



72"	24	36	72	4	SWDGiA243672	2159	2340	2340	2423	42,3	300 314
	24	30	72	4	SWDGiA243072	2055	2236	2236	2319	35,6	252 264
	21	36	72	4	SWDGiA213672	2068	2243	2245	2319	37,4	275 287
	21	30	72	4	SWDGiA213072	1964	2138	2142	2215	31,5	231 242
66"	24	36	66	4	SWDGiA243666	2075	2255	2255	2339	38,9	281 295
	24	30	66	4	SWDGiA243066	1970	2151	2151	2234	32,7	236 248
	21	36	66	4	SWDGiA213666	1988	2157	2160	2234	34,4	257 269
	21	30	66	4	SWDGiA213066	1884	2054	2056	2130	29	217 227

Wardrobe cabinet
WARDROBE AT RIGHT



72"	24	36	72	4	SDWGiA243672	2159	2340	2340	2423	42,3	300 314
	24	30	72	4	SDWGiA243072	2055	2236	2236	2319	35,6	252 264
	21	36	72	4	SDWGiA213672	2068	2243	2245	2319	37,4	275 287
	21	30	72	4	SDWGiA213072	1964	2138	2142	2215	31,5	231 242
66"	24	36	66	4	SDWGiA243666	2075	2255	2255	2339	38,9	281 295
	24	30	66	4	SDWGiA243066	1970	2151	2151	2234	32,7	236 248
	21	36	66	4	SDWGiA213666	1988	2157	2160	2234	34,4	257 269
	21	30	66	4	SDWGiA213066	1884	2054	2056	2130	29	217 227

D: Number of shelves

SPECIFY

Series Code Surface Edge Base Pull
T - - / - -


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H.




Shelves



Wardrobe cabinet

WARDROBE AT LEFT



Cabinet with 1 laminate door (LEFT) with shelves only or wardrobe & shelves configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge).

	Dimensions				Code	Price				Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	SDO243672	1499	1634	1635	1724	42,3	309	323
	24	30	72	4	SDO243072	1381	1497	1516	1587	35,6	262	274
	21	36	72	4	SDO213672	1410	1530	1533	1612	37,4	280	292
	21	30	72	4	SDO213072	1291	1394	1415	1477	31,5	237	249
66"	24	36	66	4	SDO243666	1409	1542	1544	1634	38,9	294	308
	24	30	66	4	SDO243066	1290	1407	1425	1497	32,7	250	262
	21	36	66	4	SDO213666	1320	1439	1443	1521	34,4	266	278
	21	30	66	4	SDO213066	1201	1302	1324	1386	29	226	237
50"	24	36	50	3	SDO243650	1123	1254	1246	1335	29,7	239	253
	24	30	50	3	SDO243050	1037	1161	1161	1233	25	198	210
	21	36	50	3	SDO213650	1056	1175	1170	1250	26,3	216	228
	21	30	50	3	SDO213050	971	1080	1084	1147	22,2	180	191
72"	24	36	72	4	SWO243672	1478	1659	1659	1742	42,3	279	293
	24	30	72	4	SWO243072	1374	1555	1555	1638	35,6	235	247
	21	36	72	4	SWO213672	1387	1562	1564	1638	37,4	254	266
	21	30	72	4	SWO213072	1283	1458	1461	1535	31,5	214	224
66"	24	36	66	4	SWO243666	1394	1574	1574	1658	38,9	262	276
	24	30	66	4	SWO243066	1289	1470	1470	1553	32,7	221	232
	21	36	66	4	SWO213666	1307	1476	1480	1553	34,4	239	251
	21	30	66	4	SWO213066	1203	1373	1375	1449	29	201	212

D: Number of shelves

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS - 72" - 66" - 50" H.




Cabinet with 1 laminate door (RIGHT) with shelves only or shelves & wardrobe configuration.
Adjustable shelves with 1 fixed shelf.
Extra shelves: Order separately, see p.159.
Noki locks standard, key locks available as an option (no upcharge).

L Lima 1"

M Mike 1½"


	Dimensions				Code	Price				Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	SOD243672	1499	1634	1635	1724	42,3	309	323
	24	30	72	4	SOD243072	1381	1497	1516	1587	35,6	262	274
	21	36	72	4	SOD213672	1410	1530	1533	1612	37,4	280	292
	21	30	72	4	SOD213072	1291	1394	1415	1477	31,5	237	249
66"	24	36	66	4	SOD243666	1409	1542	1544	1634	38,9	294	308
	24	30	66	4	SOD243066	1290	1407	1425	1497	32,7	250	262
	21	36	66	4	SOD213666	1320	1439	1443	1521	34,4	266	278
	21	30	66	4	SOD213066	1201	1302	1324	1386	29	226	237
50"	24	36	50	3	SOD243650	1123	1254	1246	1335	29,7	239	253
	24	30	50	3	SOD243050	1037	1161	1161	1233	25	198	210
	21	36	50	3	SOD213650	1056	1175	1170	1250	26,3	216	228
	21	30	50	3	SOD213050	971	1080	1084	1147	22,2	180	191

Shelves



Wardrobe cabinet

WARDROBE AT RIGHT



72"	24	36	72	4	SOW243672	1478	1659	1659	1742	42,3	279	293
	24	30	72	4	SOW243072	1374	1555	1555	1638	35,6	235	247
	21	36	72	4	SOW213672	1387	1562	1564	1638	37,4	254	266
	21	30	72	4	SOW213072	1283	1458	1461	1535	31,5	214	224
66"	24	36	66	4	SOW243666	1394	1574	1574	1658	38,9	262	276
	24	30	66	4	SOW243066	1289	1470	1470	1553	32,7	221	232
	21	36	66	4	SOW213666	1307	1476	1480	1553	34,4	239	251
	21	30	66	4	SOW213066	1203	1373	1375	1449	29	201	212

D: Number of shelves

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("CONTEMPORARY" ALUM. FRAME w/ LAMINATE or H-GLOSS WHITE int. panel)




Cabinet with 1 aluminum framed door (LEFT) with shelves only or wardrobe & shelves configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.


Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only.

Shelves



Wardrobe cabinet

WARDROBE AT LEFT



72"

Dimensions				Code		Price		Specifications				
A	B	C	D	Door:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)		
				Laminate	H-Gloss White							
24	36	72	4	SDOM243672	SDOL243672	2226	2361	2362	2451	42,3	309	323
24	30	72	4	SDOM243072	SDOL243072	2108	2224	2243	2314	35,6	262	274
21	36	72	4	SDOM213672	SDOL213672	2137	2257	2261	2339	37,4	280	292
21	30	72	4	SDOM213072	SDOL213072	2019	2121	2142	2204	31,5	237	249

66"

24	36	66	4	SDOM243666	SDOL243666	2136	2269	2272	2361	38,9	294	308
24	30	66	4	SDOM243066	SDOL243066	2017	2134	2152	2224	32,7	250	262
21	36	66	4	SDOM213666	SDOL213666	2047	2166	2170	2248	34,4	266	278
21	30	66	4	SDOM213066	SDOL213066	1928	2030	2052	2113	29	226	237

50"

24	36	50	3	SDOM243650	SDOL243650	1850	1981	1973	2063	29,7	239	253
24	30	50	3	SDOM243050	SDOL243050	1764	1888	1888	1960	25	198	210
21	36	50	3	SDOM213650	SDOL213650	1783	1902	1898	1977	26,3	216	228
21	30	50	3	SDOM213050	SDOL213050	1698	1807	1811	1874	22,2	180	191

72"

24	36	72	4	SWOM243672	SWOL243672	2206	2386	2386	2470	42,3	279	293
24	30	72	4	SWOM243072	SWOL243072	2101	2283	2283	2365	35,6	235	247
21	36	72	4	SWOM213672	SWOL213672	2114	2289	2291	2365	37,4	254	266
21	30	72	4	SWOM213072	SWOL213072	2010	2185	2188	2262	31,5	214	224

66"

24	36	66	4	SWOM243666	SWOL243666	2121	2301	2301	2385	38,9	262	276
24	30	66	4	SWOM243066	SWOL243066	2016	2197	2197	2280	32,7	221	232
21	36	66	4	SWOM213666	SWOL213666	2034	2203	2207	2280	34,4	239	251
21	30	66	4	SWOM213066	SWOL213066	1931	2100	2102	2176	29	201	212

D: Number of shelves

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts (laminates): Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("CONTEMPORARY" ALUM. FRAME w/ LAMINATE or H-GLOSS WHITE int. panel)



Cabinet with 1 aluminum framed door (RIGHT) with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.


Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only.

L Lima 1"

M Mike 1½"


Dimensions	Code				Price				Specifications		
	A	B	C	D	Door:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
					Laminate	H-Gloss White					
72"	24	36	72	4	SODM243672	SODL243672	2226	2361	2362	2451	42,3 309 323
	24	30	72	4	SODM243072	SODL243072	2108	2224	2243	2314	35,6 262 274
	21	36	72	4	SODM213672	SODL213672	2137	2257	2261	2339	37,4 280 292
	21	30	72	4	SODM213072	SODL213072	2019	2121	2142	2204	31,5 237 249
66"	24	36	66	4	SODM243666	SODL243666	2136	2269	2272	2361	38,9 294 308
	24	30	66	4	SODM243066	SODL243066	2017	2134	2152	2224	32,7 250 262
	21	36	66	4	SODM213666	SODL213666	2047	2166	2170	2248	34,4 266 278
	21	30	66	4	SODM213066	SODL213066	1928	2030	2052	2113	29 226 237
50"	24	36	50	3	SODM243650	SODL243650	1850	1981	1973	2063	29,7 239 253
	24	30	50	3	SODM243050	SODL243050	1764	1888	1888	1960	25 198 210
	21	36	50	3	SODM213650	SODL213650	1783	1902	1898	1977	26,3 216 228
	21	30	50	3	SODM213050	SODL213050	1698	1807	1811	1874	22,2 180 191

Shelves



Wardrobe cabinet

WARDROBE AT RIGHT



72"	24	36	72	4	SOWM243672	SOWL243672	2206	2386	2386	2470	42,3 279 293
	24	30	72	4	SOWM243072	SOWL243072	2101	2283	2283	2365	35,6 235 247
	21	36	72	4	SOWM213672	SOWL213672	2114	2289	2291	2365	37,4 254 266
	21	30	72	4	SOWM213072	SOWL213072	2010	2185	2188	2262	31,5 214 224
66"	24	36	66	4	SOWM243666	SOWL243666	2121	2301	2301	2385	38,9 262 276
	24	30	66	4	SOWM243066	SOWL243066	2016	2197	2197	2280	32,7 221 232
	21	36	66	4	SOWM213666	SOWL213666	2034	2203	2207	2280	34,4 239 251
	21	30	66	4	SOWM213066	SOWL213066	1931	2100	2102	2176	29 201 212

D: Number of shelves

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)




Cabinet with 1 aluminum framed door (LEFT) with shelves only or wardrobe & shelves configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.


No lock.

Shelves



Wardrobe cabinet

WARDROBE AT LEFT



	Dimensions				Code	Price				Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	SDOGiC243672	2076	2210	2211	2300	42,3	309	323
	24	30	72	4	SDOGiC243072	1957	2074	2092	2164	35,6	262	274
	21	36	72	4	SDOGiC213672	1987	2107	2110	2188	37,4	280	292
	21	30	72	4	SDOGiC213072	1868	1970	1991	2054	31,5	237	249
66"	24	36	66	4	SDOGiC243666	1986	2119	2121	2210	38,9	294	308
	24	30	66	4	SDOGiC243066	1867	1983	2001	2074	32,7	250	262
	21	36	66	4	SDOGiC213666	1896	2015	2020	2098	34,4	266	278
	21	30	66	4	SDOGiC213066	1778	1879	1901	1962	29	226	237
50"	24	36	50	3	SDOGiC243650	1700	1830	1823	1912	29,7	239	253
	24	30	50	3	SDOGiC243050	1614	1737	1737	1810	25	198	210
	21	36	50	3	SDOGiC213650	1632	1751	1747	1826	26,3	216	228
	21	30	50	3	SDOGiC213050	1548	1657	1660	1724	22,2	180	191
72"	24	36	72	4	SWOGiC243672	2055	2235	2235	2319	42,3	279	293
	24	30	72	4	SWOGiC243072	1950	2132	2132	2214	35,6	235	247
	21	36	72	4	SWOGiC213672	1964	2138	2141	2214	37,4	254	266
	21	30	72	4	SWOGiC213072	1859	2034	2037	2111	31,5	214	224
66"	24	36	66	4	SWOGiC243666	1970	2151	2151	2234	38,9	262	276
	24	30	66	4	SWOGiC243066	1866	2046	2046	2130	32,7	221	232
	21	36	66	4	SWOGiC213666	1883	2053	2056	2130	34,4	239	251
	21	30	66	4	SWOGiC213066	1780	1949	1951	2025	29	201	212

D: Number of shelves

SPECIFY

Series Code Surface Edge Base Pull
T - - / - -


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Cabinet with 1 aluminum framed door (RIGHT) with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.


No lock.

L Lima 1"

M Mike 1½"


Dimensions	Code				Price		Specifications			
	A	B	C	D	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
72"	24	36	72	4	SODGiC243672	2076	2210	2211	2300	42,3 309 323
	24	30	72	4	SODGiC243072	1957	2074	2092	2164	35,6 262 274
	21	36	72	4	SODGiC213672	1987	2107	2110	2188	37,4 280 292
	21	30	72	4	SODGiC213072	1868	1970	1991	2054	31,5 237 249
66"	24	36	66	4	SODGiC243666	1986	2119	2121	2210	38,9 294 308
	24	30	66	4	SODGiC243066	1867	1983	2001	2074	32,7 250 262
	21	36	66	4	SODGiC213666	1896	2015	2020	2098	34,4 266 278
	21	30	66	4	SODGiC213066	1778	1879	1901	1962	29 226 237
50"	24	36	50	3	SODGiC243650	1700	1830	1823	1912	29,7 239 253
	24	30	50	3	SODGiC243050	1614	1737	1737	1810	25 198 210
	21	36	50	3	SODGiC213650	1632	1751	1747	1826	26,3 216 228
	21	30	50	3	SODGiC213050	1548	1657	1660	1724	22,2 180 191

Shelves



Wardrobe cabinet

WARDROBE AT RIGHT



72"	24	36	72	4	SOWGiC243672	2055	2235	2235	2319	42,3 279 293
	24	30	72	4	SOWGiC243072	1950	2132	2132	2214	35,6 235 247
	21	36	72	4	SOWGiC213672	1964	2138	2141	2214	37,4 254 266
	21	30	72	4	SOWGiC213072	1859	2034	2037	2111	31,5 214 224
66"	24	36	66	4	SOWGiC243666	1970	2151	2151	2234	38,9 262 276
	24	30	66	4	SOWGiC243066	1866	2046	2046	2130	32,7 221 232
	21	36	66	4	SOWGiC213666	1883	2053	2056	2130	34,4 239 251
	21	30	66	4	SOWGiC213066	1780	1949	1951	2025	29 201 212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T					


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)




Cabinet with 1 aluminum framed door (LEFT) with shelves only or wardrobe & shelves configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.


No lock.

Shelves



Wardrobe cabinet

WARDROBE AT LEFT



	Dimensions				Code	Price				Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	SDOGiA243672	1845	1979	1980	2069	42,3	309	323
	24	30	72	4	SDOGiA243072	1726	1843	1861	1933	35,6	262	274
	21	36	72	4	SDOGiA213672	1756	1876	1879	1957	37,4	280	292
	21	30	72	4	SDOGiA213072	1637	1739	1760	1823	31,5	237	249
66"	24	36	66	4	SDOGiA243666	1755	1888	1890	1979	38,9	294	308
	24	30	66	4	SDOGiA243066	1636	1752	1770	1843	32,7	250	262
	21	36	66	4	SDOGiA213666	1665	1784	1789	1867	34,4	266	278
	21	30	66	4	SDOGiA213066	1547	1648	1670	1731	29	226	237
50"	24	36	50	3	SDOGiA243650	1469	1599	1592	1681	29,7	239	253
	24	30	50	3	SDOGiA243050	1383	1506	1506	1579	25	198	210
	21	36	50	3	SDOGiA213650	1401	1520	1516	1595	26,3	216	228
	21	30	50	3	SDOGiA213050	1317	1426	1429	1493	22,2	180	191
72"	24	36	72	4	SWOGiA243672	1824	2004	2004	2088	42,3	279	293
	24	30	72	4	SWOGiA243072	1719	1901	1901	1983	35,6	235	247
	21	36	72	4	SWOGiA213672	1733	1907	1910	1983	37,4	254	266
	21	30	72	4	SWOGiA213072	1628	1803	1806	1880	31,5	214	224
66"	24	36	66	4	SWOGiA243666	1739	1920	1920	2003	38,9	262	276
	24	30	66	4	SWOGiA243066	1635	1815	1815	1899	32,7	221	232
	21	36	66	4	SWOGiA213666	1652	1822	1825	1899	34,4	239	251
	21	30	66	4	SWOGiA213066	1549	1718	1720	1794	29	201	212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T					


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Cabinet with 1 aluminum framed door (RIGHT) with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.


No lock.

L Lima 1"

M Mike 1½"


Dimensions	Code				Price				Specifications		
	A	B	C	D	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	SODGiA243672	1845	1979	1980	2069	42,3	309 323
	24	30	72	4	SODGiA243072	1726	1843	1861	1933	35,6	262 274
	21	36	72	4	SODGiA213672	1756	1876	1879	1957	37,4	280 292
	21	30	72	4	SODGiA213072	1637	1739	1760	1823	31,5	237 249
66"	24	36	66	4	SODGiA243666	1755	1888	1890	1979	38,9	294 308
	24	30	66	4	SODGiA243066	1636	1752	1770	1843	32,7	250 262
	21	36	66	4	SODGiA213666	1665	1784	1789	1867	34,4	266 278
	21	30	66	4	SODGiA213066	1547	1648	1670	1731	29	226 237
50"	24	36	50	3	SODGiA243650	1469	1599	1592	1681	29,7	239 253
	24	30	50	3	SODGiA243050	1383	1506	1506	1579	25	198 210
	21	36	50	3	SODGiA213650	1401	1520	1516	1595	26,3	216 228
	21	30	50	3	SODGiA213050	1317	1426	1429	1493	22,2	180 191

Shelves



Wardrobe cabinet

WARDROBE AT RIGHT



72"	24	36	72	4	SOWGiA243672	1824	2004	2004	2088	42,3	279 293
	24	30	72	4	SOWGiA243072	1719	1901	1901	1983	35,6	235 247
	21	36	72	4	SOWGiA213672	1733	1907	1910	1983	37,4	254 266
	21	30	72	4	SOWGiA213072	1628	1803	1806	1880	31,5	214 224
66"	24	36	66	4	SOWGiA243666	1739	1920	1920	2003	38,9	262 276
	24	30	66	4	SOWGiA243066	1635	1815	1815	1899	32,7	221 232
	21	36	66	4	SOWGiA213666	1652	1822	1825	1899	34,4	239 251
	21	30	66	4	SOWGiA213066	1549	1718	1720	1794	29	201 212

D: Number of shelves

SPECIFY

Series Code Surface Edge Base Pull
T - - / - -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS WITH SHELVES (LEFT)

Cabinet (LEFT) with shelves (3 adjustable and 1 fixed).


Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.

Shelves have the same finish as the base color.

Extra shelves: Order separately, see p.159.

Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only. Not available on door


with H-Gloss White or Acrylic interior panel.




Laminate door



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

Dimensions	Code			Price				Specifications		
				T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	24	72	SDL242472			1221	1366	1392	1444
	21	24	72	SDL212472			1167	1304	1330	1376
66"	24	24	66	SDL242466			1165	1311	1334	1387
	21	24	66	SDL212466			1112	1247	1274	1320

L Lima 1"

M Mike 1½"

Door:

				Laminate		H-Gloss White				
				T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	24	72	SDML242472		SDLL242472		2082	2228	2253
	21	24	72	SDML212472		SDLL212472		2028	2165	2191
66"	24	24	66	SDML242466		SDLL242466		2026	2173	2196
	21	24	66	SDML212466		SDLL212466		1973	2109	2135

Acrylic

72"	24	24	72	SDGiCL242472			1887	2032	2057	2110
	21	24	72	SDGiCL212472			1833	1969	1995	2042
66"	24	24	66	SDGiCL242466			1830	1977	2000	2053
	21	24	66	SDGiCL212466			1778	1913	1939	1986

Acrylic

72"	24	24	72	SDGiAL242472			1610	1756	1781	1834
	21	24	72	SDGiAL212472			1557	1693	1719	1766
66"	24	24	66	SDGiAL242466			1554	1701	1724	1777
	21	24	66	SDGiAL212466			1502	1637	1663	1709

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock

T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS WITH SHELVES (RIGHT)

Cabinet (RIGHT) with shelves (3 adjustable and 1 fixed).


Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.

Shelves have the same finish as the base color.

Extra shelves: Order separately, see p.159.

Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only. Not available on door

with H-Gloss White or Acrylic interior panel.




72"

66"


Laminate door



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

L Lima 1"**M Mike 1½"**

Dimensions	Code			Price				Specifications		
	A	B	C	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	24	72	SDR242472			1221	1366	1392	1444
	21	24	72	SDR212472			1167	1304	1330	1376
66"	24	24	66	SDR242466			1165	1311	1334	1387
	21	24	66	SDR212466			1112	1247	1274	1320

Door:

				Laminate	H-Gloss White							
72"	24	24	72	SDMR242472	SDLR242472	2082	2228	2253	2306	29	261	270
	21	24	72	SDMR212472	SDLR212472	2028	2165	2191	2237	25,6	237	246
66"	24	24	66	SDMR242466	SDLR242466	2026	2173	2196	2248	26,6	240	249
	21	24	66	SDMR212466	SDLR212466	1973	2109	2135	2181	23,5	218	226

Acrylic

72"	24	24	72	SDGiCR242472			1887	2032	2057	2110
	21	24	72	SDGiCR212472			1833	1969	1995	2042
66"	24	24	66	SDGiCR242466			1830	1977	2000	2053
	21	24	66	SDGiCR212466			1778	1913	1939	1986

Acrylic

72"	24	24	72	SDGiAR242472			1610	1756	1781	1834
	21	24	72	SDGiAR212472			1557	1693	1719	1766
66"	24	24	66	SDGiAR242466			1554	1701	1724	1777
	21	24	66	SDGiAR212466			1502	1637	1663	1709

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock

T - - / - / - -

OPTIONS

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: **Key locks:** Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS WITH WARDROBE (LEFT)

Cabinet (LEFT) with shelf and coat hanging bar.

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.


Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only. Not available on door with H-Gloss White or Acrylic interior panel.




Laminate door



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

				L Lima 1"	M Mike 1½"					
Dimensions			Code	Price		Specifications				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	72	SWL242472	1015	1140	1161	1207	29	219	229
21	24	72	SWL212472	977	1093	1115	1155	25,6	200	208
24	24	66	SWL242466	967	1090	1111	1157	26,6	206	216
21	24	66	SWL212466	928	1044	1066	1107	23,5	188	196

Door:

			Laminate	H-Gloss White								
24	24	72	SWML242472	SWLL242472	1877	2001	2022	2068	29	219	229	
21	24	72	SWML212472	SWLL212472	1838	1955	1977	2016	25,6	200	208	
24	24	66	SWML242466	SWLL242466	1828	1951	1972	2019	26,6	206	216	
21	24	66	SWML212466	SWLL212466	1790	1905	1927	1968	23,5	188	196	

Acrylic

72"	24	24	72	SWGICL242472	1681	1805	1826	1872	29	219	229
	21	24	72	SWGICL212472	1642	1759	1781	1821	25,6	200	208
66"	24	24	66	SWGICL242466	1632	1756	1777	1823	26,6	206	216
	21	24	66	SWGICL212466	1594	1709	1731	1772	23,5	188	196

Acrylic

72"	24	24	72	SWGIAL242472	1405	1529	1550	1596	29	219	229
	21	24	72	SWGIAL212472	1366	1483	1505	1544	25,6	200	208
66"	24	24	66	SWGIAL242466	1356	1480	1500	1547	26,6	206	216
	21	24	66	SWGIAL212466	1318	1433	1455	1496	23,5	188	196

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS WITH WARDROBE (RIGHT)

Cabinet (RIGHT) with shelf and coat hanging bar.

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.


Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only. Not available on door with H-Gloss White or Acrylic interior panel.




Laminate door



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Specifications				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	72	SWR242472	1015	1140	1161	1207	29	219	229
21	24	72	SWR212472	977	1093	1115	1155	25,6	200	208
24	24	66	SWR242466	967	1090	1111	1157	26,6	206	216
21	24	66	SWR212466	928	1044	1066	1107	23,5	188	196

Door:

			Laminate	H-Gloss White								
24	24	72	SWMR242472	SWLR242472	1877	2001	2022	2068	29	219	229	
21	24	72	SWMR212472	SWLR212472	1838	1955	1977	2016	25,6	200	208	
24	24	66	SWMR242466	SWLR242466	1828	1951	1972	2019	26,6	206	216	
21	24	66	SWMR212466	SWLR212466	1790	1905	1927	1968	23,5	188	196	

Acrylic

72"	24	24	72	SWGICR242472	1681	1805	1826	1872	29	219	229
	21	24	72	SWGICR212472	1642	1759	1781	1821	25,6	200	208
66"	24	24	66	SWGICR242466	1632	1756	1777	1823	26,6	206	216
	21	24	66	SWGICR212466	1594	1709	1731	1772	23,5	188	196

Acrylic

72"	24	24	72	SWGiar242472	1405	1529	1550	1596	29	219	229
	21	24	72	SWGiar212472	1366	1483	1505	1544	25,6	200	208
66"	24	24	66	SWGiar242466	1356	1480	1500	1547	26,6	206	216
	21	24	66	SWGiar212466	1318	1433	1455	1496	23,5	188	196

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 50" H.



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UF) at right.


Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

L Lima 1" **M Mike 1½"**

Dimensions			Code		Price				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	50	SWDUF242450		1306	1486	1486	1569	20,3	225	233
21	24	50	SWDUF212450		1219	1388	1390	1465	18	207	214



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UF) at left.

Pencil tray included in the 6" drawer.


Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	50	SDUFW242450		1306	1486	1486	1569	20,3	225	233
21	24	50	SDUFW212450		1219	1388	1390	1465	18	207	214

COMBINED STORAGE UNITS - 50" H.

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UF) at right. Aluminum framed doors.


Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Doors:	
Laminate	H-Gloss White

24	24	50	SWDUFM24245C	SWDUFL242450	2044	2224	2224	2307	20,3	225	233
21	24	50	SWDUFM21245C	SWDUFL212450	1957	2126	2129	2203	18	207	214



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UF) at left. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Doors:	
Laminate	H-Gloss White

24	24	50	SDUFWM24245C	SDUFWL242450	2044	2224	2224	2307	20,3	225	233
21	24	50	SDUFWM21245C	SDUFWL212450	1957	2126	2129	2203	18	207	214

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)




Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UF) at right. Aluminum framed doors.
Pencil tray included in the 6" drawer.
Extra shelves: Order separately, see p.159.
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

L Lima 1"

M Mike 1½"

Dimensions			Code		Price				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	50	SWDUFGiC242450		1943	2123	2123	2206	20,3	225	233
21	24	50	SWDUFGiC212450		1856	2025	2027	2102	18	207	214




Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UF) at left. Aluminum framed doors.
Pencil tray included in the 6" drawer.
Extra shelves: Order separately, see p.159.
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	50	SDUFWGiC242450		1943	2123	2123	2206	20,3	225	233
21	24	50	SDUFWGiC212450		1856	2025	2027	2102	18	207	214


COMBINED STORAGE UNITS - 50" H. ("TRADITIONAL" FRAME with ACRYLIC interior panel)



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UF) at right. Aluminum framed doors.
Pencil tray included in the 6" drawer.
Extra shelves: Order separately, see p.159.
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	50	SWDUFGiA242450		1960	2142	2142	2224	20,3	225	233
21	24	50	SWDUFGiA212450		1874	2044	2046	2121	18	207	214



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UF) at left. Aluminum framed doors.
Pencil tray included in the 6" drawer.
Extra shelves: Order separately, see p.159.
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	50	SDUFWGiA242450		1960	2142	2142	2224	20,3	225	233
21	24	50	SDUFWGiA212450		1874	2044	2046	2121	18	207	214

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.21.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 66" H.



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UUF) at right.

Pencil tray included in the 6" top drawer.


Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

L Lima 1"

M Mike 1½"

Dimensions			Code		Price				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	66	SWDUUF242466		1533	1690	1690	1772	26,6	257	265
21	24	66	SWDUUF212466		1447	1591	1594	1669	23,5	237	244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UUF) at left.

Pencil tray included in the 6" top drawer.


Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	66	SDUUFW242466		1533	1690	1690	1772	26,6	257	265
21	24	66	SDUUFW212466		1447	1591	1594	1669	23,5	237	244

COMBINED STORAGE UNITS - 66" H.

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UUF) at right. Aluminum framed doors.


Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Doors:	
Laminate	H-Gloss White

24	24	66	SWDUUFM24246	SWDUUFL242466	2272	2428	2428	2510	26,6	257	265
21	24	66	SWDUUFM21246	SWDUUFL212466	2185	2329	2332	2407	23,5	237	244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UUF) at left. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Doors:	
Laminate	H-Gloss White

24	24	66	SDUUFWM24246	SDUUFWL242466	2272	2428	2428	2510	26,6	257	265
21	24	66	SDUUFWM21246	SDUUFWL212466	2185	2329	2332	2407	23,5	237	244

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 66" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)




Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UUF) at right. Aluminum framed doors.
Pencil tray included in the 6" top drawer.
Extra shelves: Order separately, see p.159.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

L Lima 1"

M Mike 1½"

Dimensions			Code		Price				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	66	SWDUUFGiC242466		2170	2327	2327	2409	26,6	257	265
21	24	66	SWDUUFGiC212466		2083	2228	2231	2306	23,5	237	244




Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UUF) at left. Aluminum framed doors.
Pencil tray included in the 6" top drawer.
Extra shelves: Order separately, see p.159.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	66	SDUUFWGiC242466		2170	2327	2327	2409	26,6	257	265
21	24	66	SDUUFWGiC212466		2083	2228	2231	2306	23,5	237	244


COMBINED STORAGE UNITS - 66" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UUF) at right. Aluminum framed doors.
Pencil tray included in the 6" top drawer.
Extra shelves: Order separately, see p.159.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	66	SWDUUFGiA242466		2295	2476	2476	2559	26,6	257	265
21	24	66	SWDUUFGiA212466		2209	2377	2380	2455	23,5	237	244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UUF) at left. Aluminum framed doors.
Pencil tray included in the 6" top drawer.
Extra shelves: Order separately, see p.159.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	66	SDUUFWGiA242466		2295	2476	2476	2559	26,6	257	265
21	24	66	SDUUFWGiA212466		2209	2377	2380	2455	23,5	237	244

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 66" H.



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and 2 file drawers at right.


Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

L Lima 1"

M Mike 1½"

Dimensions			Code		Price				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	66	SWDFF242466		1506	1664	1637	1719	26,6	257	265
21	24	66	SWDFF212466		1416	1565	1541	1616	23,5	237	244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and 2 file drawers at left.


Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	66	SDFFW242466		1506	1664	1637	1719	26,6	257	265
21	24	66	SDFFW212466		1416	1565	1541	1616	23,5	237	244

COMBINED STORAGE UNITS - 66" H.

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Wardrobe at left


Combined storage unit with a wardrobe at left, mini-cabinet and 2 file drawers at right. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Doors:

			Laminate		H-Gloss White						
24	24	66	SWDFFM242466	SWDFFL242466	2244	2402	2375	2457	26,6	257	265
21	24	66	SWDFFM212466	SWDFFL212466	2154	2303	2279	2354	23,5	237	244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and 2 file drawers at left. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Doors:

			Laminate		H-Gloss White						
24	24	66	SDFFWM242466	SDFFWL242466	2244	2402	2375	2457	26,6	257	265
21	24	66	SDFFWM212466	SDFFWL212466	2154	2303	2279	2354	23,5	237	244

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks:** Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 66" H. (CONTEMPORARY ALUMINUM FRAME with ACRYLIC interior panel)



Wardrobe at left


Combined storage unit with a wardrobe at left, mini-cabinet and 2 file drawers at right. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

L Lima 1" **M Mike 1½"**

Dimensions			Code		Price				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	66	SWDFFGiC242466		2143	2301	2274	2356	26,6	257	265
21	24	66	SWDFFGiC212466		2053	2202	2178	2253	23,5	237	244



Wardrobe at right


Combined storage unit with a wardrobe at right, mini-cabinet and 2 file drawers at left. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	66	SDFFWGiC242466		2143	2301	2274	2356	26,6	257	265
21	24	66	SDFFWGiC212466		2053	2202	2178	2253	23,5	237	244

COMBINED STORAGE UNITS - 66" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)




Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and 2 file drawers at right. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	66	SWDFFGiA242466		2243	2423	2423	2506	26,6	257	265
21	24	66	SWDFFGiA212466		2156	2325	2328	2402	23,5	237	244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and 2 file drawers at left. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	66	SDFFWGiA242466		2243	2423	2423	2506	26,6	257	265
21	24	66	SDFFWGiA212466		2156	2325	2328	2402	23,5	237	244

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 72" H.



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UFF) at right.


Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

L Lima 1" **M Mike 1½"**

Dimensions			Code		Price				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	72	SWDUFF242472		1634	1761	1761	1844	29	272	280
21	24	72	SWDUFF212472		1544	1663	1665	1740	25,6	251	257



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UFF) at left.

Pencil tray included in the 6" drawer.


Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	72	SDUFFW242472		1634	1761	1761	1844	29	272	280
21	24	72	SDUFFW212472		1544	1663	1665	1740	25,6	251	257

COMBINED STORAGE UNITS - 72" H.

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UFF) at right. Aluminum framed doors.

Pencil tray included in the 6" drawer.


Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Doors:

Laminate H-Gloss White

24	24	72	SWDUFFM24247; SWDUFFFL242472		2372	2499	2499	2582	29	272	280
21	24	72	SWDUFFM21247; SWDUFFFL212472		2283	2401	2404	2478	25,6	251	257



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UFF) at left. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Doors:

Laminate H-Gloss White

24	24	72	SDUFFWM24247; SDUFFWL242472		2372	2499	2499	2582	29	272	280
21	24	72	SDUFFWM21247; SDUFFWL212472		2283	2401	2404	2478	25,6	251	257

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 72" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UFF) at right. Aluminum framed doors.


Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

L Lima 1" **M Mike 1½"**

Dimensions			Code		Price				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	72	SWDUFFGiC242472		2270	2398	2398	2481	29	272	280
21	24	72	SWDUFFGiC212472		2181	2300	2302	2377	25,6	251	257



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UFF) at left. Aluminum framed doors.


Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	72	SDUFFWGiC242472		2270	2398	2398	2481	29	272	280
21	24	72	SDUFFWGiC212472		2181	2300	2302	2377	25,6	251	257

COMBINED STORAGE UNITS - 72" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Wardrobe at left


Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UFF) at right. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	72	SWDUFFGiA242472		2367	2548	2548	2630	29	272	280
21	24	72	SWDUFFGiA212472		2280	2450	2452	2527	25,6	251	257



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UFF) at left. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	72	SDUFFWGiA242472		2367	2548	2548	2630	29	272	280
21	24	72	SDUFFWGiA212472		2280	2450	2452	2527	25,6	251	257

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

2-WAY CABINETS - 66" - 50" H.


Combined storage unit with front drawer section (UUF) and side open storage with adjustable shelf.

Pencil tray included in the 6" top drawer. Front-to-back filing bars sold separately, see p.166.


Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Tackboard available: 17"x35" (for 66" H. storage) and 17"x20" for (50" H. storage), see next page.

Extra shelves: Order separately, see p.159.



66"




50"


L Lima 1"

M Mike 1½"

Dimensions			Code	Price				Specifications			
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
Left											
24	18½	66	SOUUFL241866	1074	1158	1158	1212	21	159	164	
21	18½	66	SOUUFL211866	1060	1143	1144	1196	18,6	142	147	
24	18½	50	SOUUFL241850	1033	1114	1114	1166	16	121	126	
21	18½	50	SOUUFL211850	1020	1099	1100	1150	14,2	108	113	
Right											
24	18½	66	SOUUFR241866	1074	1158	1158	1212	21	159	164	
21	18½	66	SOUUFR211866	1060	1143	1144	1196	18,6	142	147	
24	18½	50	SOUUFR241850	1033	1114	1114	1166	16	121	126	
21	18½	50	SOUUFR211850	1020	1099	1100	1150	14,2	108	113	



66"



50"

Combined storage unit with front drawer section (FF) and side open storage with adjustable shelf.

Front-to-back filing bars sold separately, see p.166.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Tackboard available: 17"x35" (for 66" H. storage) and 17"x20" for (50" H. storage), see next page.

Extra shelves: Order separately, see p.159.

Left												
24	18½	66	SOFFL241866			1074	1158	1158	1212	21	157	161
21	18½	66	SOFFL211866			1060	1143	1144	1196	18,6	140	144
24	18½	50	SOFFL241850			1033	1114	1114	1166	16	119	124
21	18½	50	SOFFL211850			1020	1099	1100	1150	14,2	107	111
Right												
24	18½	66	SOFFR241866			1074	1158	1158	1212	21	157	161
21	18½	66	SOFFR211866			1060	1143	1144	1196	18,6	140	144
24	18½	50	SOFFR241850			1033	1114	1114	1166	16	119	124
21	18½	50	SOFFR211850			1020	1099	1100	1150	14,2	107	111

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock

T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (Drawers): Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

2-WAY CABINETS - 50" H.



Combined storage unit with front drawer section (UF) and side open storage with adjustable shelf. Use with 23" H. credenzas.

Pencil tray included in the 6" drawer. Front-to-back filing bars sold separately, see p.166.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Tackboard available: 17"x26", see below.

Extra shelves: Order separately, see p.159.



Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications			
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
Left												
24	18½	50	23	SOUFL241850	1033	1114	1114	1166	16	113	118	
21	18½	50	23	SOUFL211850	1020	1099	1100	1150	14,2	100	105	
Right												
24	18½	50	23	SOUFR241850	1033	1114	1114	1166	16	113	118	
21	18½	50	23	SOUFR211850	1020	1099	1100	1150	14,2	100	105	

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock

T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts (Drawers): Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

TACKBOARDS



Fabric-covered tackboard for 2-way cabinets.

Installs with Velcro strips.

Dimensions			Code	Price					Specifications		
A	B	Use with cabinets:		COM	Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb (L)
17	35	66"	BTL1735	206	228	249	263	271	0,8	8	
17	26	50" (with 2 drawers)	BTL1726	153	169	185	196	201	0,6	6	
17	20	50" (with 3 drawers)	BTL1720	130	158	162	172	182	0,5	5	

SPECIFY

Code Fabric

AC - -

Specify Code: Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.



BOOKCASES

Bookcase 24", 21" or 12" deep.

Shelves and sides 1".

Extra shelves: Order separately, see p.159.

* 84" high bookcases have 4 adjustable shelves and 1 fixed shelf.



Dimensions				Code		Price				Specifications			
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
24	36	84	4*	BK243684		1008	1109	1122	1224	49,2	336	346	
24	36	72	4	BK243672		890	994	1008	1110	42,3	289	303	
24	36	66	4	BK243666		846	952	922	1024	38,9	278	292	
24	36	50	3	BK243650		700	804	824	926	29,7	225	239	
24	36	41	2	BK243641		613	716	702	804	24,6	186	196	
24	36	29	1	BK243629		449	551	545	647	17,7	134	144	
24	30	84	4*	BK243084		932	1048	1060	1156	41,4	285	293	
24	30	72	4	BK243072		821	925	945	1041	35,6	245	257	
24	30	66	4	BK243066		779	884	858	954	32,7	234	246	
24	30	50	3	BK243050		635	739	766	861	25	187	198	
24	30	41	2	BK243041		550	655	648	744	20,7	155	163	
24	30	29	1	BK243029		393	497	496	592	14,9	111	119	
21	36	84	4*	BK213684		974	1095	1088	1190	43,5	302	310	
21	36	72	4	BK213672		856	977	974	1076	37,5	260	272	
21	36	66	4	BK213666		812	933	888	990	34,4	250	268	
21	36	50	3	BK213650		664	785	789	891	26,3	202	214	
21	36	41	2	BK213641		579	700	668	770	21,7	167	175	
21	36	29	1	BK213629		415	536	510	613	15,7	121	129	
21	30	84	4*	BK213084		905	1010	1034	1130	36,6	256	263	
21	30	72	4	BK213072		794	899	919	1014	31,5	220	231	
21	30	66	4	BK213066		752	857	832	927	29	210	222	
21	30	50	3	BK213050		607	712	738	834	22,1	168	179	
21	30	41	2	BK213041		524	628	622	717	18,3	139	146	
21	30	29	1	BK213029		366	471	470	565	13,2	100	107	
12	36	84	4*	BK123684		854	902	955	994	26,4	170	177	
12	36	72	4	BK123672		751	803	856	895	22,8	151	158	
12	36	66	4	BK123666		715	768	778	817	20,1	142	148	
12	36	50	3	BK123650		589	640	700	739	16	123	129	
12	36	41	2	BK123641		514	564	590	629	13,2	102	109	
12	36	29	1	BK123629		365	415	448	487	9,9	84	91	
12	30	84	4*	BK123084		785	849	901	934	22,3	151	157	
12	30	72	4	BK123072		690	741	801	834	19,2	134	140	
12	30	66	4	BK123066		656	708	722	755	17,6	126	131	
12	30	50	3	BK123050		531	583	649	682	13,5	108	114	
12	30	41	2	BK123041		459	510	543	576	11,2	90	95	
12	30	29	1	BK123029		317	369	407	440	6,1	72	78	

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base
T				

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.



CORNER BOOKCASES

Freestanding (on floor) corner bookcase 30", 24", 21" or 12" deep.

41" and higher bookcases need to be attached to an adjacent bookcase or to the wall for stability.

The "hutch" version of this bookcase (installed on a surface) is available at p.206.

Storage



Dimensions				Code	Price				Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	29	1	BKC3029	754	875	824	986	18,4	139	151
24	24	72	4	BKC2472	1042	1119	1315	1415	28,9	188	196
24	24	66	4	BKC2466	1002	1078	1269	1368	26,6	180	188
24	24	50	3	BKC2450	870	947	1118	1218	20,3	143	151
24	24	41	2	BKC2441	739	815	967	1067	16,8	116	123
24	24	35	2	BKC2435	700	774	922	1021	14,5	107	114
24	24	29	1	BKC2429	600	675	806	905	12,1	98	105
21	21	72	4	BKC2172	912	981	1172	1250	22,7	154	160
21	21	66	4	BKC2166	879	948	1134	1211	20,8	147	153
21	21	50	3	BKC2150	767	837	1005	1082	15,9	117	123
21	21	41	2	BKC2141	656	725	878	954	13,2	95	100
21	21	35	2	BKC2135	623	692	839	922	11,4	87	93
21	21	29	1	BKC2129	530	600	733	809	9,5	79	85
12	12	72	4	BKC1272	646	696	717	782	8,4	74	76
12	12	66	4	BKC1266	581	630	651	717	7,7	69	71
12	12	50	3	BKC1250	515	565	586	651	5,9	53	55
12	12	41	2	BKC1241	454	502	536	586	4,9	43	45
12	12	29	1	BKC1229	309	351	393	428	3,5	35	37

D: Number of shelves

SPECIFY


Series Code Surface Edge Base
T - - / -

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

EXTRA SHELVES FOR CABINETS, OPEN STORAGE UNITS AND BOOKCASES



Extra shelf for storage units and bookcases.
Shelf has 1" thickness and is compatible with all series.

	Dimensions		Code	Price	Storage type	Specifications	
	A	B				Cu.Ft.	lb
For storage units 24" x 18"	22	16	STS2216	77		0,6	9
	19	16	STS1916	68		0,5	7
For storage units 24" x 36"	22	34	STS2234	123		1,0	18
For storage units 24" x 30"	22	28	STS2228	112		0,8	15
For storage units 21" x 36"	19	34	STS1934	114		0,9	16
For storage units 21" x 30"	19	28	STS1928	106		0,7	13
Single door cabinets 24" x 24"	22	22	STS2222	96		0,7	12
Single door cabinets 21" x 24"	19	22	STS1922	83		0,6	10
DO../SOD../SWO../SOW..)	22	17	STS2217	78		0,5	9
	22	14	STS2214	74		0,4	8
(codes STWS/STSW)	19	17	STS1917	72		0,5	8
two door cabinets 21" x 36"	19	14	STS1914	67		0,4	7
Combination storage 24" x 24"	14	22	STS1422	52		0,4	8
	14	19	STS1419	50		0,4	7
2-way cabinets 24" x 18½"	22	17	BTS2217	77		0,5	9
2-way cabinets 21" x 18½"	19	17	BTS1917	68		0,5	8
For bookcases 24" x 36"	23	34	BKS2334	138		1,0	19
For bookcases 24" x 30"	23	28	BKS2328	116		0,9	16
For bookcases 21" x 36"	20	34	BKS2034	121		0,9	17
For bookcases 21" x 30"	20	28	BKS2028	99		0,8	14
For bookcases 12" x 36"	11	34	BKS1134	55		0,5	9
For bookcases 12" x 30"	11	28	BKS1128	53		0,5	8

SPECIFY


Series Code Base
T L - -

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.


SUSPENDED PEDESTALS

Storage




Suspended pedestal with 2 - 6" drawers.
Pencil tray included in the 6" top drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	18	12	SPUU	342	3,0	33




Suspended pedestal with 1 - 12" drawer.
Noki locks standard, key locks available as an option (no upcharge).
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

15½	18	12	SPF	342	3,0	33
-----	----	----	-----	-----	-----	----



Suspended pedestal with 3 - 6" drawers.
Pencil tray included in the 6" top drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

15½	18	18	SPUUU	477	4,3	39
-----	----	----	-------	-----	-----	----



Suspended pedestal with 1 - 6" drawer and 1 - 12" drawer.
Pencil tray included in the 6" drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.


15½	18	18	SPUF	477	4,3	39
-----	----	----	------	-----	-----	----

SPECIFY				OPTIONS	
Series	Code	Base	Fronts	Pull	Lock
T	L	-	-	-	-


Specify Code: Consult the above product code list.
Base / Fronts: Take Off finishes, p.54-55.
Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.
Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.
Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

FREESTANDING PEDESTALS WITHOUT TOP


Freestanding surface-attached pedestal.
Pencil tray included in the 6" top drawer.
Use under surfaces 21" and deeper.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.



Dimensions			Code	Price (without pull)	Specifications	
A	B	C	T.F.L.			Cu.Ft. lb
Freestanding pedestal with 2 - 6" drawers and 1 - 12" file drawer.						
15½	18	27½	FPUUF	685	6,6	65




Freestanding pedestal with 2 - 12" file drawers.						
15½	18	27½	FPFF	685	6,6	63




Freestanding pedestal with 4 - 6" drawers.						
15½	18	27½	FP4U	701	6,0	67

FREESTANDING PEDESTALS WITH INTEGRATED RECYCLING BIN, WITHOUT TOP



Freestanding surface-attached pedestal with 2 - 6" drawers and 1 recycling bin drawer.
Pencil tray included in the 6" top drawer. Recycling bin included in the bottom drawer.
Use under surfaces 21" and deeper.
Noki locks standard, key locks available as an option (no upcharge). Will lock top 2 drawers.

15½	18	27½	FPUUY	646	6,0	56
-----	----	-----	-------	-----	-----	----





Freestanding surface-attached pedestal with 1 - 12" file drawer and 1 recycling bin drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock top drawer. Recycling bin included in the bottom drawer.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

15½	18	27½	FPFY	646	6,0	54
-----	----	-----	------	-----	-----	----

SPECIFY				OPTIONS	
Series	Code	Base	Fronts	Pull	Lock
T	L	-	-	-	-

Specify Code: Consult the above product code list.
Base / Fronts: Take Off finishes, p.54-55.
Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.
Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.
Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SUPPORT PEDESTALS - LAMINATE



Support pedestal with 2 - 6" drawers and 1 - 12" file drawer.

Use under surfaces 24" and deeper, and replaces an end panel (or leg) when necessary, see p.35.

Pencil tray included in the 6" top drawer.

Noki lock standard, key lock available as an option (no upcharge). Will lock all drawers.

Must be used under a surface without base or modesty panel where the pedestal is positioned.

Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	Lb
15½	24	27½	FSPUUF	699	7,5	70
15½	24	27½	FSPFF	699	7,5	70

SPECIFY

Series Code Base Fronts Pull Lock
T **L** - - / - -

OPTIONS

Specify Code: Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SUPPORT PEDESTALS - METAL

Freestanding surface-attached **metal** pedestal with center pull, with 2 or 3 drawers.

Pencil tray included in the 6" top drawer.


Use 22" deep pedestal under surfaces 24" and deeper.

Use 28" deep pedestal under surfaces 30" and deeper.

Explanations on pedestal dimensions are available, see p.61.


Lock & key included. NOKI lock or keyed-alike available as an option (no upcharge). Will lock all drawers.

45 Series



Drawers							
15	28	27½	3	FP45-28-6612	770	9,1	90
15	22	27½	3	FP45-22-6612	722	6,8	75
15	28	27½	2	FP45-28-1212	773	9,1	90
15	22	27½	2	FP45-22-1212	693	6,8	75

47 Series



Freestanding surface-attached **metal** pedestal with full width pull, with 2 or 3 drawers.

Drawers							
15	28	27½	3	FP47-28-6612	803	9,1	90
15	22	27½	3	FP47-22-6612	781	6,8	75
15	28	27½	2	FP47-28-1212	792	9,1	90
15	22	27½	2	FP47-22-1212	726	6,8	75

SPECIFY

Code Metal Lock
 - -

OPTIONS


Specify Code: Consult the above product code list.

Metal: Specify the metal finish, refer to the current Artopex Enamel Finishes charts. For metallic finishes, add \$39 for the 1212 pedestal and 44\$ for the 6612 pedestal.

Options Lock: Noki electronic lock (**LTI**) or keyed-alike (**K**) options available (no upcharge), p.27.

Specify code K01 to the components in the first workstation; K02 to the components in the second workstation, and so on to identify the keyed-alike products.

FREESTANDING PEDESTALS - 29" H.




Pedestal with 2 - 6" drawers and 1 - 12" file drawer. Can be placed next to a work surface.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Lateral filing bars (letter size: AC-BL12) sold separately, p.166.




Pedestal with 2 - 12" drawers. Can be placed next to a work surface.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Lateral filing bars (letter size: AC-BL12) sold separately, p.166.


In order to meet BIFMA safety standards, a counter-weight preventing pedestal tipping (when overloaded), can be factory installed.



Pedestal with 4 - 6" drawers. Can be placed next to a work surface.

Pencil tray included in the 6" top drawer.


Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.



Pedestal with 2 - 6" drawers and 1 recycling bin drawer. Can be placed next to a work surface.

Pencil tray included in the 6" top drawer. Recycling bin included in the bottom drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock top 2 drawers.



Pedestal with 1 - 12" file drawer and 1 recycling bin drawer. Can be placed next to a work surface.

Recycling bin included in the bottom drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock top drawer.

In order to meet BIFMA safety standards, a counter-weight preventing pedestal tipping (when overloaded), can be factory installed.

Dimensions			Code		Price (without pull)				Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
15½	24	29	FSUUF		699	762	814	943	7,5	79	83

15½	24	29	FSFF		699	762	814	943	7,5	77	81
-----	----	----	------	--	-----	-----	-----	-----	-----	----	----

15½	24	29	FS4U		714	779	832	964	7,5	81	85
-----	----	----	------	--	-----	-----	-----	-----	-----	----	----

15½	24	29	FSUUY		659	718	768	889	7,5	71	75
-----	----	----	-------	--	-----	-----	-----	-----	-----	----	----

15½	24	29	FSFY		659	718	768	889	7,5	69	73
-----	----	----	------	--	-----	-----	-----	-----	-----	----	----

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	C-Weight	Lock
T								

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Counter-weight: (FSFF and FSFY only): For counter-weight option, add (CW), add \$116.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


MOBILE PEDESTALS

Mobile pedestal with 2 - 6" drawers and 1 - 12" file drawer. Equipped with a 5th caster for stability.


Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Pencil tray included in the 6" top drawer.

Striped or fluted edge not available.




Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	20	27	MPUUF1520	685	6,5	61



Mobile pedestal with 2 - 12" file drawers. Equipped with a 5th caster for stability.

In order to meet BIFMA safety standards, a counter-weight preventing pedestal tipping (when overloaded), can be factory installed.

15½	20	27	MPFF1520	685	6,5	61
-----	----	----	-----------------	-----	-----	----



Mobile pedestal with 1 - 6" drawer and 1 - 12" file drawer. Equipped with a 5th caster for stability.

Pencil tray included in the 6" drawer.

15½	20	21	MPUF1520	558	5,1	55
-----	----	----	-----------------	-----	-----	----

SPECIFY

Series	Code	Base	Fronts	Pull	C-Weight	Lock
T	L	-	-	-	-	-

OPTIONS

Specify Code: Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.


Options: **Pull:** Pull option, specify type, add \$22 per drawer, p.56.

Counter-weight: (MPFF only): For counter-weight option, add (CW), add \$116.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

CUSHIONS



Cushion for mobile pedestal.

Installs with Velcro strips.

					Price					Specifications		
					Gr. 1	COM/Gr.2	Gr.3	Gr.4	Gr.5		Cu.Ft.	lb
15½	20	1½	CUS2015		227	246	266	286	318		1	6


SPECIFY

Series	Code	Fabric
T	L	-

Specify Code: Consult the above product code list.

Fabric: Specify fabric for the cushion, refer to current Artopex Seating Fabric charts.

CABINETS WITHOUT TOP



Surface-attached cabinet with 2 doors and 1 adjustable shelf.


Use 21" deep cabinet under surfaces 24" and deeper.

Use 24" deep cabinet under surfaces 30" and deeper.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
24	36	27½	LDN2436	746	17,8	98
24	30	27½	LDN2430	704	17,8	85
21	36	27½	LDN2136	715	15,8	83
21	30	27½	LDN2130	673	15,8	73

LATERAL FILE CABINETS WITHOUT TOP



Surface-attached cabinet with 2 - 12" lateral file drawers.

Use 21" deep cabinet under surfaces 24" and deeper.

Use 24" deep cabinet under surfaces 30" and deeper.


Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

In order to meet BIFMA safety standards, a counter-weight preventing cabinet tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	36	27½	LFN2436	854	17,8	130
24	30	27½	LFN2430	820	17,8	115
21	36	27½	LFN2136	826	15,8	117
21	30	27½	LFN2130	792	15,8	105

COMBINED STORAGE UNITS WITHOUT TOP



Surface-attached combined storage unit with 2 - 6" drawers, 1 - 12" file drawer and 1 - 12" lateral file drawer.

Use 21" deep cabinet under surfaces 24" and deeper.

Use 24" deep cabinet under surfaces 30" and deeper.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Pencil tray included in the 6" top drawer.

In order to meet BIFMA safety standards, a counter-weight preventing cabinet tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 file drawers (right and bottom).

24	36	27½	LCNL2436	1022	17,8	135
24	30	27½	LCNL2430	982	17,8	120
21	36	27½	LCNL2136	994	15,8	119
21	30	27½	LCNL2130	955	15,8	107

SPECIFY

Series	Code	Base	Fronts	Pull	C-Weight	Lock
T	L	-	-	-	-	-

OPTIONS

Specify Code: Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Counter-weight: (LFN or LCNL)** : For counter-weight option, add (CW), LFN add \$105, LCNL add \$94.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS WITHOUT TOP



Surface-attached combined storage unit with 2 - 6" drawers, 1 - 12" file drawer and cabinet section with door.

Use 21" deep cabinet under surfaces 24" and deeper.

Use 24" deep cabinet under surfaces 30" and deeper.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.



Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
24	36	27½	LUUFDN2436	908	17,8	135
24	30	27½	LUUFDN2430	868	17,8	119
21	36	27½	LUUFDN2136	880	15,8	119
21	30	27½	LUUFDN2130	840	15,8	106
24	36	27½	LDUUFN2436	908	17,8	135
24	30	27½	LDUUFN2430	868	17,8	119
21	36	27½	LDUUFN2136	880	15,8	119
21	30	27½	LDUUFN2130	840	15,8	106

SPECIFY

Series Code Base Fronts Pull Lock
T **L** - - / - -

OPTIONS

Specify Code: Consult the above product code list.


Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

DRAWER ACCESSORIES




Lateral filing bar (letter size).

Included with all desks and combined storage units with 12" file drawers.

Must be ordered separately for suspended, freestanding and mobile pedestals.

Sold individually.


Dimensions			Code	Price	Specifications	
A					Cu.Ft.	lb
12			AC-BL12	15	0,1	1
15			AC-BL15	25	0,1	1



Front-to-back filing bars for lateral filing cabinets.

Pack of 2, black finish.

TOPS FOR LATERAL FILING



Tops for storage units 24" or 21" deep and for metal lateral files 18" deep (see "A" dimension).

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
24	108	LTOP24108	333	593	—	763	3,9	71	107
24	102	LTOP24102	319	559	—	721	3,7	67	101
24	90	LTOP2490	289	491	—	636	3,2	59	89
24	84	LTOP2484	268	460	—	593	3,0	55	83
24	78	LTOP2478	249	428	—	551	2,8	51	77
24	72	LTOP2472	227	398	317	512	2,6	47	71
24	66	LTOP2466	213	371	298	479	2,4	43	65
24	60	LTOP2460	195	338	272	435	2,2	39	59
24	54	LTOP2454	182	309	251	398	1,9	35	53
24	48	LTOP2448	167	281	230	360	1,7	32	47
24	42	LTOP2442	153	251	209	322	1,6	28	42
24	36	LTOP2436	139	221	189	283	1,3	24	36
24	30	LTOP2430	125	195	168	249	1,1	20	30
21	108	LTOP21108	310	537	—	691	3,4	62	93
21	102	LTOP21102	298	510	—	657	3,2	59	88
21	90	LTOP2190	272	460	—	590	2,8	52	78
21	84	LTOP2184	251	427	—	548	2,7	48	73
21	78	LTOP2178	231	394	—	506	2,5	45	67
21	72	LTOP2172	211	360	295	463	2,3	41	62
21	66	LTOP2166	204	337	277	432	2,1	38	57
21	60	LTOP2160	184	306	253	394	1,9	34	52
21	54	LTOP2154	171	282	234	361	1,7	31	47
21	48	LTOP2148	156	255	215	327	1,6	28	42
21	42	LTOP2142	143	229	195	293	1,3	24	36
21	36	LTOP2136	130	196	173	257	1,1	21	31
21	30	LTOP2130	119	179	155	227	0,9	17	26
18	108	LTOP18108	287	481	—	618	3	53	80
18	90	LTOP1890	254	429	—	543	2,5	44	67
18	84	LTOP1884	233	394	—	503	2,3	41	62
18	78	LTOP1878	213	360	—	461	2,1	38	58
18	72	LTOP1872	196	321	273	415	2	35	53
18	66	LTOP1866	194	303	256	386	1,8	32	49
18	60	LTOP1860	173	274	234	353	1,6	30	44
18	42	LTOP1842	133	207	180	263	1,1	21	31
18	36	LTOP1836	121	171	156	232	1	18	27
18	30	LTOP1830	112	164	142	205	0,8	15	22

SPECIFY


Series Code Surface Edge
T - - /

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

OPEN HUTCHES



Open hutch with laminate sides.

Hutches 54" and longer have a central divider.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

					L Lima 1"		M Mike 1½"						
Dimensions					Code	Price		Specifications					
A B C D						T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
43" H.	84	14	43	26	H08443	1010	1166	—	1352	35.8	198	207	
	78	14	43	26	H07843	903	1051	—	1095	33.3	185	193	
	72	14	43	26	H07243	826	961	908	1012	30.8	166	182	
	66	14	43	26	H06643	781	908	860	957	28.3	156	170	
	60	14	43	26	H06043	733	847	814	901	25.8	145	159	
	54	14	43	26	H05443	667	771	745	823	23.3	137	149	
	48	14	43	26	H04843	601	693	673	743	20.8	125	136	
	42	14	43	26	H04243	557	638	631	692	18.3	115	124	
	36	14	43	26	H03643	505	575	576	628	15.8	105	113	
	30	14	43	26	H03043	458	520	529	573	13.3	95	101	
24	14	43	26	H02443	411	462	476	510	10.8	84	90		
37" H.	84	14	37	20	H08437	894	1051	—	1240	29.8	173	181	
	78	14	37	20	H07837	838	986	—	1032	27.7	161	169	
	72	14	37	20	H07237	765	900	847	953	25.6	142	158	
	66	14	37	20	H06637	723	849	805	901	23.6	132	147	
	60	14	37	20	H06037	678	792	761	847	21.5	123	136	
	54	14	37	20	H05437	615	719	694	772	19.9	115	127	
	48	14	37	20	H04837	552	644	627	696	17.3	104	114	
	42	14	37	20	H04237	510	592	586	646	15.2	94	103	
	36	14	37	20	H03637	461	531	532	585	13.2	85	92	
	30	14	37	20	H03037	419	480	490	534	11.1	75	82	
24	14	37	20	H02437	375	425	440	475	9.0	65	71		

SPECIFY


Series	Code	Surface	Edge	Base
T		-	/	-

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

HUTCHES WITH HINGED DOORS



Hutch with hinged doors and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Noki lock and key lock not included, available as an option.

							L Lima 1"		M Mike 1½"						
Dimensions							Code	Price		Specifications					
A B C D E F								T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
43" H.	84	14	43	26	5	3	HD8443	1309	1473	—	1627	35.8	225	243	
	78	14	43	26	5	3	HD7843	1209	1362	—	1514	33.3	210	227	
	72	14	43	26	4	2	HD7243	952	1088	1071	1169	30.8	197	213	
	66	14	43	26	4	2	HD6643	903	1027	1052	1141	28.3	184	199	
	60	14	43	26	4	2	HD6043	851	967	968	1049	25.8	172	185	
	54	14	43	26	4	2	HD5443	787	891	932	1004	23.3	159	171	
	48	14	43	26	3	2	HD4843	719	813	821	884	20.8	146	156	
	42	14	43	26	3	2	HD4243	695	780	803	859	18.3	133	142	
	36	14	43	26	2	1	HD3643	661	735	758	806	15.8	120	128	
	30	14	43	26	2	1	HD3043	568	631	689	728	13.3	108	114	
24	14	43	26	2	1	HD2443	474	525	580	612	10.8	95	100		
37" H.	84	14	37	20	5	3	HD8437	1199	1362	—	1520	29.0	185	202	
	78	14	37	20	5	3	HD7837	1147	1301	—	1454	26.9	173	189	
	72	14	37	20	4	2	HD7237	893	1030	1015	1112	24.7	161	175	
	66	14	37	20	4	2	HD6637	847	972	999	1088	22.5	149	162	
	60	14	37	20	4	2	HD6037	800	914	919	999	20.3	137	149	
	54	14	37	20	4	2	HD5437	737	842	884	957	18.1	125	135	
	48	14	37	20	3	2	HD4837	673	767	777	840	16.0	112	122	
	42	14	37	20	3	2	HD4237	651	735	760	815	13.8	100	108	
	36	14	37	20	2	1	HD3637	619	694	718	767	11.6	88	95	
	30	14	37	20	2	1	HD3037	530	593	651	692	9.4	76	81	
24	14	37	20	2	1	HD2437	439	490	546	578	9.4	76	81		

E = Number of doors

F = Number of locks

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Lock	
T							

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base/Fronts: Take Off finishes, p.54-55.

Options: Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$66 per lock, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH HINGED DOORS

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Hutch with hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

L Lima 1"

M Mike 1½"

	Dimensions					Code		Price		Specifications				
	A	B	C	D	E	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Lb (L)	Lb (M)
						Laminate	1-Gloss White							
43" H.	84	14	43	26	5	HDM8443	HDL8443	2806	2970	—	3124	35.8	225	243
	78	14	43	26	5	HDM7843	HDL7843	2706	2859	—	3011	33.3	210	227
	72	14	43	26	4	HDM7243	HDL7243	2149	2286	2269	2367	30.8	197	213
	66	14	43	26	4	HDM6643	HDL6643	2101	2225	2250	2339	28.3	184	199
	60	14	43	26	4	HDM6043	HDL6043	2049	2165	2166	2247	25.8	172	185
	54	14	43	26	4	HDM5443	HDL5443	1984	2089	2130	2202	23.3	159	171
	48	14	43	26	3	HDM4843	HDL4843	1618	1712	1719	1783	20.8	146	156
	42	14	43	26	3	HDM4243	HDL4243	1594	1679	1702	1758	18.3	133	142
	36	14	43	26	2	HDM3643	HDL3643	1261	1334	1357	1406	15.8	120	128
	30	14	43	26	2	HDM3043	HDL3043	1167	1231	1288	1328	13.3	108	114
24	14	43	26	2	HDM2443	HDL2443	1074	1124	1179	1211	10.8	95	100	
37" H.	84	14	37	20	5	HDM8437	HDL8437	2696	2859	—	3017	29.0	185	202
	78	14	37	20	5	HDM7837	HDL7837	2644	2798	—	2951	26.9	173	189
	72	14	37	20	4	HDM7237	HDL7237	2091	2228	2213	2310	24.7	161	175
	66	14	37	20	4	HDM6637	HDL6637	2045	2170	2197	2286	22.5	149	162
	60	14	37	20	4	HDM6037	HDL6037	1998	2112	2116	2197	20.3	137	149
	54	14	37	20	4	HDM5437	HDL5437	1935	2039	2082	2155	18.1	125	135
	48	14	37	20	3	HDM4837	HDL4837	1572	1665	1675	1739	16.0	112	122
	42	14	37	20	3	HDM4237	HDL4237	1550	1634	1659	1714	13.8	100	108
	36	14	37	20	2	HDM3637	HDL3637	1219	1294	1318	1366	11.6	88	95
	30	14	37	20	2	HDM3037	HDL3037	1130	1192	1251	1291	9.4	76	81
	24	14	37	20	2	HDM2437	HDL2437	1038	1089	1145	1177	9.4	76	81

E = Number of doors

SPECIFY


Series Code Surface Edge Base Façade
 T - - / - /

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

HUTCHES WITH HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

						L Lima 1"		M Mike 1½"					
Dimensions					Code	Price		Specifications					
						T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
43" H.	84	14	43	26	5	HDGiC8443	2648	2812	—	2966	35.8	225	243
	78	14	43	26	5	HDGiC7843	2548	2701	—	2852	33.3	210	227
	72	14	43	26	4	HDGiC7243	2023	2159	2143	2241	30.8	197	213
	66	14	43	26	4	HDGiC6643	1975	2099	2123	2212	28.3	184	199
	60	14	43	26	4	HDGiC6043	1923	2038	2039	2121	25.8	172	185
	54	14	43	26	4	HDGiC5443	1858	1962	2003	2076	23.3	159	171
	48	14	43	26	3	HDGiC4843	1524	1617	1625	1689	20.8	146	156
	42	14	43	26	3	HDGiC4243	1499	1584	1607	1663	18.3	133	142
	36	14	43	26	2	HDGiC3643	1197	1271	1294	1342	15.8	120	128
	30	14	43	26	2	HDGiC3043	1103	1167	1224	1264	13.3	108	114
24	14	43	26	2	HDGiC2443	1010	1060	1115	1147	10.8	95	100	
37" H.	84	14	37	20	5	HDGiC8437	2538	2701	—	2859	29.0	185	202
	78	14	37	20	5	HDGiC7837	2486	2640	—	2793	26.9	173	189
	72	14	37	20	4	HDGiC7237	1965	2101	2087	2184	24.7	161	175
	66	14	37	20	4	HDGiC6637	1918	2044	2070	2159	22.5	149	162
	60	14	37	20	4	HDGiC6037	1871	1986	1990	2070	20.3	137	149
	54	14	37	20	4	HDGiC5437	1808	1913	1956	2028	18.1	125	135
	48	14	37	20	3	HDGiC4837	1477	1571	1581	1645	16.0	112	122
	42	14	37	20	3	HDGiC4237	1455	1539	1564	1619	13.8	100	108
	36	14	37	20	2	HDGiC3637	1155	1230	1254	1302	11.6	88	95
	30	14	37	20	2	HDGiC3037	1066	1129	1187	1228	9.4	76	81
24	14	37	20	2	HDGiC2437	975	1025	1081	1113	9.4	76	81	

E = Number of doors

SPECIFY


Series	Code	Surface	Edge	Base
T		-	/	-

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

HUTCHES WITH HINGED DOORS ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

		L Lima 1"		M Mike 1½"									
Dimensions					Code	Price		Specifications					
		A	B	C	D	E	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	84	14	43	26	5	HDGiA8443	2445	2605	—	2806	35.8	225	243
	78	14	43	26	5	HDGiA7843	2350	2498	—	2694	33.3	210	227
	72	14	43	26	4	HDGiA7243	1865	1997	2016	2113	30.8	197	213
	66	14	43	26	4	HDGiA6643	1817	1938	1997	2085	28.3	184	199
	60	14	43	26	4	HDGiA6043	1768	1879	1913	1993	25.8	172	185
	54	14	43	26	4	HDGiA5443	1704	1805	1876	1948	23.3	159	171
	48	14	43	26	3	HDGiA4843	1404	1494	1529	1593	20.8	146	156
	42	14	43	26	3	HDGiA4243	1381	1462	1511	1566	18.3	133	142
	36	14	43	26	2	HDGiA3643	1111	1183	1230	1279	15.8	120	128
	30	14	43	26	2	HDGiA3043	1021	1082	1161	1200	13.3	108	114
24	14	43	26	2	HDGiA2443	931	979	1052	1084	10.8	95	100	
37" H.	84	14	37	20	5	HDGiA8437	2340	2498	—	2701	29.0	185	202
	78	14	37	20	5	HDGiA7837	2290	2439	—	2635	26.9	173	189
	72	14	37	20	4	HDGiA7237	1807	1939	1959	2057	24.7	161	175
	66	14	37	20	4	HDGiA6637	1763	1884	1943	2032	22.5	149	162
	60	14	37	20	4	HDGiA6037	1717	1828	1862	1943	20.3	137	149
	54	14	37	20	4	HDGiA5437	1657	1758	1828	1901	18.1	125	135
	48	14	37	20	3	HDGiA4837	1360	1450	1484	1548	16.0	112	122
	42	14	37	20	3	HDGiA4237	1337	1419	1467	1524	13.8	100	108
	36	14	37	20	2	HDGiA3637	1070	1143	1190	1239	11.6	88	95
	30	14	37	20	2	HDGiA3037	985	1045	1123	1164	9.4	76	81
	24	14	37	20	2	HDGiA2437	897	945	1018	1049	9.4	76	81

E = Number of doors

SPECIFY


Series	Code	Surface	Edge	Base
T		-	/	-

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS



Hutch with central opening, hinged doors and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.


Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Noki lock and key lock not included, available as an option.

	Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	72	14	43	26	HH7243	855	987	1007	1103	31	173	189
	66	14	43	26	HH6643	807	928	987	1076	28	163	177
	60	14	43	26	HH6043	758	870	903	983	26	152	166
	54	14	43	26	HH5443	694	795	867	938	23	144	156
	48	14	43	26	HH4843	663	754	788	851	21	132	143
	42	14	43	26	HH4243	639	722	770	826	18	122	131
37" H.	72	14	37	20	HH7237	799	931	949	1047	27	149	165
	66	14	37	20	HH6637	754	875	933	1022	25	139	154
	60	14	37	20	HH6037	708	820	853	933	22	130	143
	54	14	37	20	HH5437	647	748	820	891	20	122	134
	48	14	37	20	HH4837	618	708	744	807	18	111	121
	42	14	37	20	HH4237	596	679	727	782	16	101	110

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Hutch with central opening, hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

					Doors:								
					Laminate	1-Gloss White							
43" H.	72	14	43	26	HHM7243	HHL7243	1453	1585	1605	1702	31	173	189
	66	14	43	26	HHM6643	HHL6643	1406	1527	1585	1674	28	163	177
	60	14	43	26	HHM6043	HHL6043	1356	1469	1502	1582	26	152	166
	54	14	43	26	HHM5443	HHL5443	1293	1394	1465	1537	23	144	156
	48	14	43	26	HHM4843	HHL4843	1262	1352	1386	1450	21	132	143
	42	14	43	26	HHM4243	HHL4243	1238	1320	1368	1425	18	122	131
37" H.	72	14	37	20	HHM7237	HHL7237	1397	1529	1548	1646	27	149	165
	66	14	37	20	HHM6637	HHL6637	1352	1473	1531	1620	25	139	154
	60	14	37	20	HHM6037	HHL6037	1307	1418	1451	1531	22	130	143
	54	14	37	20	HHM5437	HHL5437	1245	1346	1418	1489	20	122	134
	48	14	37	20	HHM4837	HHL4837	1217	1307	1342	1406	18	111	121
	42	14	37	20	HHM4237	HHL4237	1195	1277	1326	1381	16	101	110

SPECIFY

Series Code Surface Edge Base Fronts Lock
T - - / - / -

OPTIONS

Specify Series: L or M (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Options: Lock (HH...): Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$132, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with central opening, hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and laminate sides.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
A horizontal pigeon-hole unit can be ordered separately, see p.210.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
No lock.

	Dimensions				Code	Price				Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	72	14	43	26	HHGiC7243	1390	1522	1542	1639	31	173	189
	66	14	43	26	HHGiC6643	1343	1464	1522	1612	28	163	177
	60	14	43	26	HHGiC6043	1294	1406	1439	1519	26	152	166
	54	14	43	26	HHGiC5443	1230	1331	1403	1474	23	144	156
	48	14	43	26	HHGiC4843	1199	1289	1323	1387	21	132	143
	42	14	43	26	HHGiC4243	1175	1257	1306	1362	18	122	131
37" H.	72	14	37	20	HHGiC7237	1334	1466	1485	1583	27	149	165
	66	14	37	20	HHGiC6637	1289	1410	1469	1558	25	139	154
	60	14	37	20	HHGiC6037	1244	1355	1388	1469	22	130	143
	54	14	37	20	HHGiC5437	1183	1284	1355	1427	20	122	134
	48	14	37	20	HHGiC4837	1154	1244	1279	1343	18	111	121
	42	14	37	20	HHGiC4237	1132	1214	1263	1318	16	101	110

("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel) HUTCHES WITH CENTRAL OPENING AND HINGED DOORS



Hutch with central opening, hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and laminate sides.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
A horizontal pigeon-hole unit can be ordered separately, see p.210.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
No lock.

43" H.	72	14	43	26	HHGiA7243	1327	1459	1478	1575	31	173	189
	66	14	43	26	HHGiA6643	1279	1400	1459	1548	28	163	177
	60	14	43	26	HHGiA6043	1231	1342	1375	1455	26	152	166
	54	14	43	26	HHGiA5443	1166	1267	1339	1411	23	144	156
	48	14	43	26	HHGiA4843	1135	1225	1260	1323	21	132	143
	42	14	43	26	HHGiA4243	1112	1194	1242	1298	18	122	131
37" H.	72	14	37	20	HHGiA7237	1271	1403	1421	1519	27	149	165
	66	14	37	20	HHGiA6637	1225	1346	1405	1494	25	139	154
	60	14	37	20	HHGiA6037	1180	1291	1324	1405	22	130	143
	54	14	37	20	HHGiA5437	1119	1220	1291	1363	20	122	134
	48	14	37	20	HHGiA4837	1090	1180	1216	1279	18	111	121
	42	14	37	20	HHGiA4237	1068	1151	1199	1254	16	101	110

SPECIFY


Series Code Surface Edge Base
T - - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

HUTCHES WITH FLIPPER DOOR(S)



Hutch with flipper door(s) and laminate sides.

Available with the standard closing mechanism or with the "Easy-Down" option allowing soft closing of the door(s).



Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Noki lock and key lock not included, available as an option.



Flipper door

	Dimensions					Code	Price		Specifications	
	A	B	C	D	E		Standard (TD)	Easy-Down (DW)	Cu.Ft.	lb
43" H.	72	14	43	26	2	HF7243	1287	1393	30.8	197
	66	14	43	26	2	HF6643	1088	1194	28.3	184
	60	14	43	26	2	HF6043	1051	1156	25.8	172
	54	14	43	26	2	HF5443	1008	1113	23.3	159
	48	14	43	26	2	HF4843	958	1064	20.8	146
	42	14	43	26	1	HF4243	827	880	18.3	133
	36	14	43	26	1	HF3643	800	853	15.8	120
	30	14	43	26	1	HF3043	695	748	13.3	108
	24	14	43	26	1	HF2443	623	675	10.8	95
37" H.	72	14	37	20	2	HF7237	1231	1337	26.9	173
	66	14	37	20	2	HF6637	1035	1141	24.7	161
	60	14	37	20	2	HF6037	1000	1106	22.5	149
	54	14	37	20	2	HF5437	959	1065	20.3	137
	48	14	37	20	2	HF4837	914	1020	18.1	125
	42	14	37	20	1	HF4237	783	836	16	112
	36	14	37	20	1	HF3637	760	813	13.8	100
	30	14	37	20	1	HF3037	658	711	11.6	88
	24	14	37	20	1	HF2437	589	641	9.4	76

E = Number of doors

SPECIFY					OPTIONS
Series	Code	Mecan.	Base	Fronts	Lock
T	L	-		/	-

Specify Code: Consult the above product code list.


Mechanism: Specify door mechanism: Standard (TD) or with "Easy-down" soft-closing system (DW).

Base / Fronts: Take Off finishes, p.54-55.

Options: Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$66 per door, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH PIVOT-LIFT DOOR(S)



Hutch with pivot-lift door(s) and laminate sides.

Doors equipped with a soft-close piston system.


Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Noki lock and key lock not included, available as an option.



Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E			T.F.L.	Cu.Ft. lb
43" H.	72	14	43	26	2	HU7243	1593	30.8	197
	66	14	43	26	2	HU6643	1394	28.3	184
	60	14	43	26	2	HU6043	1356	25.8	172
	54	14	43	26	2	HU5443	1313	23.3	159
	48	14	43	26	2	HU4843	1264	20.8	146
	42	14	43	26	1	HU4243	980	18.3	133
	36	14	43	26	1	HU3643	953	15.8	120
	30	14	43	26	1	HU3043	848	13.3	108
	24	14	43	26	1	HU2443	776	10.8	95
37" H.	72	14	37	20	2	HU7237	1537	26.9	173
	66	14	37	20	2	HU6637	1341	24.7	161
	60	14	37	20	2	HU6037	1306	22.5	149
	54	14	37	20	2	HU5437	1265	20.3	137
	48	14	37	20	2	HU4837	1220	18.1	125
	42	14	37	20	1	HU4237	936	16	112
	36	14	37	20	1	HU3637	913	13.8	100
	30	14	37	20	1	HU3037	811	11.6	88
	24	14	37	20	1	HU2437	741	9.4	76

E = Number of doors

SPECIFY				OPTIONS
Series	Code	Base	Fronts	Lock
T L	-		/	-

Specify **Code:** Consult the above product code list.


Base / Fronts: Take Off finishes, p.54-55.

Options: **Lock:** Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$66 per door, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH PIVOT-LIFT DOOR(S)

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and laminate sides.

Doors equipped with a soft-close piston system.


Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

No lock.



Pivot-lift door

Dimensions						Code		Price	Specifications	
A	B	C	D	E		Doors:		T.F.L.	Cu.Ft.	lb
						Laminate	H-Gloss White			
43" H.										
72	14	43	26	2		HUM7243	HUL7243	2508	30.8	197
66	14	43	26	2		HUM6643	HUL6643	2309	28.3	184
60	14	43	26	2		HUM6043	HUL6043	2272	25.8	172
54	14	43	26	2		HUM5443	HUL5443	2229	23.3	159
48	14	43	26	2		HUM4843	HUL4843	2179	20.8	146
42	14	43	26	1		HUM4243	HUL4243	1438	18.3	133
36	14	43	26	1		HUM3643	HUL3643	1410	15.8	120
30	14	43	26	1		HUM3043	HUL3043	1306	13.3	108
24	14	43	26	1		HUM2443	HUL2443	1233	10.8	95
37" H.										
72	14	37	20	2		HUM7237	HUL7237	2452	26.9	173
66	14	37	20	2		HUM6637	HUL6637	2256	24.7	161
60	14	37	20	2		HUM6037	HUL6037	2221	22.5	149
54	14	37	20	2		HUM5437	HUL5437	2180	20.3	137
48	14	37	20	2		HUM4837	HUL4837	2135	18.1	125
42	14	37	20	1		HUM4237	HUL4237	1394	16	112
36	14	37	20	1		HUM3637	HUL3637	1371	13.8	100
30	14	37	20	1		HUM3037	HUL3037	1268	11.6	88
24	14	37	20	1		HUM2437	HUL2437	1199	9.4	76

E = Number of doors


SPECIFY

Series Code Base Fronts
T **L** - - /

Specify Code: Consult the above product code list.

Base / Fronts (laminate): Take Off finishes, p.54-55.

HUTCHES WITH PIVOT-LIFT DOOR(S) ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with frosted acrylic interior panel) and laminate sides.
Doors equipped with a soft-close piston system.


Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

No lock.



Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E			Cu.Ft.	lb
43" H.	72	14	43	26	2	HUGiC7243	2368	30.8	197
	66	14	43	26	2	HUGiC6643	2169	28.3	184
	60	14	43	26	2	HUGiC6043	2132	25.8	172
	54	14	43	26	2	HUGiC5443	2089	23.3	159
	48	14	43	26	2	HUGiC4843	2039	20.8	146
	42	14	43	26	1	HUGiC4243	1368	18.3	133
	36	14	43	26	1	HUGiC3643	1341	15.8	120
	30	14	43	26	1	HUGiC3043	1236	13.3	108
	24	14	43	26	1	HUGiC2443	1164	10.8	95
37" H.	72	14	37	20	2	HUGiC7237	2312	26.9	173
	66	14	37	20	2	HUGiC6637	2116	24.7	161
	60	14	37	20	2	HUGiC6037	2081	22.5	149
	54	14	37	20	2	HUGiC5437	2041	20.3	137
	48	14	37	20	2	HUGiC4837	1995	18.1	125
	42	14	37	20	1	HUGiC4237	1324	16	112
	36	14	37	20	1	HUGiC3637	1301	13.8	100
	30	14	37	20	1	HUGiC3037	1199	11.6	88
	24	14	37	20	1	HUGiC2437	1130	9.4	76

E = Number of doors


SPECIFY

Series	Code	Base
T L	-	-


Specify **Code:** Consult the above product code list.

Base: Take Off finishes, p.54-55.

HUTCHES WITH PIVOT-LIFT DOOR(S) ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with pivot-lift door(s) ("Traditional" aluminum frame with frosted acrylic interior panel) and laminate sides.
 Equipped with a soft-close piston system.
 Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
 A horizontal pigeon-hole unit can be ordered separately, see p.210.
 Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
 Striped or fluted edge not available.
 No lock.



Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E			Cu.Ft.	lb
43" H.	72	14	43	26	2	HUGiA7243	2111	30.8	197
	66	14	43	26	2	HUGiA6643	1912	28.3	184
	60	14	43	26	2	HUGiA6043	1874	25.8	172
	54	14	43	26	2	HUGiA5443	1832	23.3	159
	48	14	43	26	2	HUGiA4843	1782	20.8	146
	42	14	43	26	1	HUGiA4243	1240	18.3	133
	36	14	43	26	1	HUGiA3643	1212	15.8	120
	30	14	43	26	1	HUGiA3043	1108	13.3	108
	24	14	43	26	1	HUGiA2443	1035	10.8	95
37" H.	72	14	37	20	2	HUGiA7237	2055	26.9	173
	66	14	37	20	2	HUGiA6637	1859	24.7	161
	60	14	37	20	2	HUGiA6037	1824	22.5	149
	54	14	37	20	2	HUGiA5437	1783	20.3	137
	48	14	37	20	2	HUGiA4837	1738	18.1	125
	42	14	37	20	1	HUGiA4237	1196	16	112
	36	14	37	20	1	HUGiA3637	1173	13.8	100
	30	14	37	20	1	HUGiA3037	1070	11.6	88
	24	14	37	20	1	HUGiA2437	1001	9.4	76

E = Number of doors


SPECIFY

Series Code Base
T **L** - -

Specify **Code:** Consult the above product code list.

Base: Take Off finishes, p.54-55.

OPEN HUTCHES



Open hutch with metal sides.

Hutches 54" and longer have a central divider.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeon-hole unit.

	Dimensions				Code	S Sierra 1"		T Tango 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	84	14	43	26	H08443	1318	1474	—	1660	35.8	198	207
	78	14	43	26	H07843	1211	1359	—	1403	33.3	185	193
	72	14	43	26	H07243	1134	1269	1216	1320	30.8	166	182
	66	14	43	26	H06643	1089	1216	1168	1265	28.3	156	170
	60	14	43	26	H06043	1041	1155	1122	1209	25.8	145	159
	54	14	43	26	H05443	975	1079	1053	1131	23.3	137	149
	48	14	43	26	H04843	909	1001	981	1051	20.8	125	136
	42	14	43	26	H04243	865	946	939	1000	18.3	115	124
	36	14	43	26	H03643	813	883	884	936	15.8	105	113
	30	14	43	26	H03043	766	828	837	881	13.3	95	101
	24	14	43	26	H02443	719	770	784	818	10.8	84	90
37" H.	84	14	37	20	H08437	1202	1359	—	1548	29.8	173	181
	78	14	37	20	H07837	1146	1294	—	1340	27.7	161	169
	72	14	37	20	H07237	1073	1208	1155	1261	25.6	142	158
	66	14	37	20	H06637	1031	1157	1113	1209	23.6	132	147
	60	14	37	20	H06037	986	1100	1069	1155	21.5	123	136
	54	14	37	20	H05437	923	1027	1002	1080	19.9	115	127
	48	14	37	20	H04837	860	952	935	1004	17.3	104	114
	42	14	37	20	H04237	818	900	894	954	15.2	94	103
	36	14	37	20	H03637	769	839	840	893	13.2	85	92
	30	14	37	20	H03037	727	788	798	842	11.1	75	82
	24	14	37	20	H02437	683	733	748	783	9.0	65	71

SPECIFY

Series	Code	Surface	Edge	Base	Metal
T					


Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH HINGED DOORS



Hutch with hinged doors and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeonhole unit.

Noki lock and key lock not included, available as an option.

	Dimensions						S Sierra 1"		T Tango 1½"		Specifications		
	A	B	C	D	E	F	Code	Price	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
43" H.	84	14	43	26	5	3	HD8443	1617	1781	—	1935	35.8	225 243
	78	14	43	26	5	3	HD7843	1517	1670	—	1822	33.3	210 227
	72	14	43	26	4	2	HD7243	1260	1396	1379	1477	30.8	197 213
	66	14	43	26	4	2	HD6643	1211	1335	1360	1449	28.3	184 199
	60	14	43	26	4	2	HD6043	1159	1275	1276	1357	25.8	172 185
	54	14	43	26	4	2	HD5443	1095	1199	1240	1312	23.3	159 171
	48	14	43	26	3	2	HD4843	1027	1121	1129	1192	20.8	146 156
	42	14	43	26	3	2	HD4243	1003	1088	1111	1167	18.3	133 142
	36	14	43	26	2	1	HD3643	969	1043	1066	1114	15.8	120 128
	30	14	43	26	2	1	HD3043	876	939	997	1036	13.3	108 114
37" H.	24	14	43	26	2	1	HD2443	782	833	888	920	10.8	95 100
	84	14	37	20	5	3	HD8437	1507	1670	—	1828	29.0	185 202
	78	14	37	20	5	3	HD7837	1455	1609	—	1762	26.9	173 189
	72	14	37	20	4	2	HD7237	1201	1338	1323	1420	24.7	161 175
	66	14	37	20	4	2	HD6637	1155	1280	1307	1396	22.5	149 162
	60	14	37	20	4	2	HD6037	1108	1222	1227	1307	20.3	137 149
	54	14	37	20	4	2	HD5437	1045	1150	1192	1265	18.1	125 135
	48	14	37	20	3	2	HD4837	981	1075	1085	1148	16.0	112 122
	42	14	37	20	3	2	HD4237	959	1043	1068	1123	13.8	100 108
	36	14	37	20	2	1	HD3637	927	1002	1026	1075	11.6	88 95
	30	14	37	20	2	1	HD3037	838	901	959	1000	9.4	76 81
	24	14	37	20	2	1	HD2437	747	798	854	886	9.4	76 81

E = Number of doors

F = Number of locks

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Metal	Lock
T							

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$66 per lock, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH HINGED DOORS

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Hutch with hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeonhole unit.

No lock.

S Sierra 1"

T Tango 1½"

	Dimensions					Code		Price			Specifications			
	A	B	C	D	E	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
						Laminate	H-Gloss White							
43" H.	84	14	43	26	5	HDM8443	HDL8443	3114	3278	—	3432	35.8	225	243
	78	14	43	26	5	HDM7843	HDL7843	3014	3167	—	3319	33.3	210	227
	72	14	43	26	4	HDM7243	HDL7243	2457	2594	2577	2675	30.8	197	213
	66	14	43	26	4	HDM6643	HDL6643	2409	2533	2558	2647	28.3	184	199
	60	14	43	26	4	HDM6043	HDL6043	2357	2473	2474	2555	25.8	172	185
	54	14	43	26	4	HDM5443	HDL5443	2292	2397	2438	2510	23.3	159	171
	48	14	43	26	3	HDM4843	HDL4843	1926	2020	2027	2091	20.8	146	156
	42	14	43	26	3	HDM4243	HDL4243	1902	1987	2010	2066	18.3	133	142
	36	14	43	26	2	HDM3643	HDL3643	1569	1642	1665	1714	15.8	120	128
	30	14	43	26	2	HDM3043	HDL3043	1475	1539	1596	1636	13.3	108	114
	24	14	43	26	2	HDM2443	HDL2443	1382	1432	1487	1519	10.8	95	100
37" H.	84	14	37	20	5	HDM8437	HDL8437	3004	3167	—	3325	29.0	185	202
	78	14	37	20	5	HDM7837	HDL7837	2952	3106	—	3259	26.9	173	189
	72	14	37	20	4	HDM7237	HDL7237	2399	2536	2521	2618	24.7	161	175
	66	14	37	20	4	HDM6637	HDL6637	2353	2478	2505	2594	22.5	149	162
	60	14	37	20	4	HDM6037	HDL6037	2306	2420	2424	2505	20.3	137	149
	54	14	37	20	4	HDM5437	HDL5437	2243	2347	2390	2463	18.1	125	135
	48	14	37	20	3	HDM4837	HDL4837	1880	1973	1983	2047	16.0	112	122
	42	14	37	20	3	HDM4237	HDL4237	1858	1942	1967	2022	13.8	100	108
	36	14	37	20	2	HDM3637	HDL3637	1527	1602	1626	1674	11.6	88	95
	30	14	37	20	2	HDM3037	HDL3037	1438	1500	1559	1599	9.4	76	81
	24	14	37	20	2	HDM2437	HDL2437	1346	1397	1453	1485	9.4	76	81

E = Number of doors

SPECIFY

Series Code Surface Edge Base Fronts Metal
T - - / - / -


Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeon-hole unit.

No lock.

						S Sierra 1"		T Tango 1½"				
	Dimensions					Code		Price		Specifications		
	A	B	C	D	E			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
43" H.	84	14	43	26	5	HDGiC8443		2956	3120	—	3274	35.8 225 243
	78	14	43	26	5	HDGiC7843		2856	3009	—	3160	33.3 210 227
	72	14	43	26	4	HDGiC7243		2331	2467	2451	2549	30.8 197 213
	66	14	43	26	4	HDGiC6643		2283	2407	2431	2520	28.3 184 199
	60	14	43	26	4	HDGiC6043		2231	2346	2347	2429	25.8 172 185
	54	14	43	26	4	HDGiC5443		2166	2270	2311	2384	23.3 159 171
	48	14	43	26	3	HDGiC4843		1832	1925	1933	1997	20.8 146 156
	42	14	43	26	3	HDGiC4243		1807	1892	1915	1971	18.3 133 142
	36	14	43	26	2	HDGiC3643		1505	1579	1602	1650	15.8 120 128
	30	14	43	26	2	HDGiC3043		1411	1475	1532	1572	13.3 108 114
	24	14	43	26	2	HDGiC2443		1318	1368	1423	1455	10.8 95 100
37" H.	84	14	37	20	5	HDGiC8437		2846	3009	—	3167	29.0 185 202
	78	14	37	20	5	HDGiC7837		2794	2948	—	3101	26.9 173 189
	72	14	37	20	4	HDGiC7237		2273	2409	2395	2492	24.7 161 175
	66	14	37	20	4	HDGiC6637		2226	2352	2378	2467	22.5 149 162
	60	14	37	20	4	HDGiC6037		2179	2294	2298	2378	20.3 137 149
	54	14	37	20	4	HDGiC5437		2116	2221	2264	2336	18.1 125 135
	48	14	37	20	3	HDGiC4837		1785	1879	1889	1953	16.0 112 122
	42	14	37	20	3	HDGiC4237		1763	1847	1872	1927	13.8 100 108
	36	14	37	20	2	HDGiC3637		1463	1538	1562	1610	11.6 88 95
	30	14	37	20	2	HDGiC3037		1374	1437	1495	1536	9.4 76 81
	24	14	37	20	2	HDGiC2437		1283	1333	1389	1421	9.4 76 81

E = Number of doors

SPECIFY

Series Code Surface Edge Base Metal
T - - / - -


Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH HINGED DOORS ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeon-hole unit.

No lock.

	Dimensions					Code	S Sierra 1"		T Tango 1½"		Specifications		
	A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	84	14	43	26	5	HDGiA8443	2753	2913	—	3114	35.8	225	243
	78	14	43	26	5	HDGiA7843	2658	2806	—	3002	33.3	210	227
	72	14	43	26	4	HDGiA7243	2173	2305	2324	2421	30.8	197	213
	66	14	43	26	4	HDGiA6643	2125	2246	2305	2393	28.3	184	199
	60	14	43	26	4	HDGiA6043	2076	2187	2221	2301	25.8	172	185
	54	14	43	26	4	HDGiA5443	2012	2113	2184	2256	23.3	159	171
	48	14	43	26	3	HDGiA4843	1712	1802	1837	1901	20.8	146	156
	42	14	43	26	3	HDGiA4243	1689	1770	1819	1874	18.3	133	142
	36	14	43	26	2	HDGiA3643	1419	1491	1538	1587	15.8	120	128
	30	14	43	26	2	HDGiA3043	1329	1390	1469	1508	13.3	108	114
37" H.	24	14	43	26	2	HDGiA2443	1239	1287	1360	1392	10.8	95	100
	84	14	37	20	5	HDGiA8437	2648	2806	—	3009	29.0	185	202
	78	14	37	20	5	HDGiA7837	2598	2747	—	2943	26.9	173	189
	72	14	37	20	4	HDGiA7237	2115	2247	2267	2365	24.7	161	175
	66	14	37	20	4	HDGiA6637	2071	2192	2251	2340	22.5	149	162
	60	14	37	20	4	HDGiA6037	2025	2136	2170	2251	20.3	137	149
	54	14	37	20	4	HDGiA5437	1965	2066	2136	2209	18.1	125	135
	48	14	37	20	3	HDGiA4837	1668	1758	1792	1856	16.0	112	122
	42	14	37	20	3	HDGiA4237	1645	1727	1775	1832	13.8	100	108
	36	14	37	20	2	HDGiA3637	1378	1451	1498	1547	11.6	88	95
	30	14	37	20	2	HDGiA3037	1293	1353	1431	1472	9.4	76	81
	24	14	37	20	2	HDGiA2437	1205	1253	1326	1357	9.4	76	81

E = Number of doors

SPECIFY

Series Code Surface Edge Base Metal
T - - / - -


Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS



Hutch with central opening, hinged doors and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.


Noki lock and key lock not included, available as an option.

Cannot accommodate a horizontal pigeon-hole unit.

	Dimensions				Code	S Sierra 1"		T Tango 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	72	14	43	26	HH7243	1163	1295	1315	1411	31	173	189
	66	14	43	26	HH6643	1115	1236	1295	1384	28	163	177
	60	14	43	26	HH6043	1066	1178	1211	1291	26	152	166
	54	14	43	26	HH5443	1002	1103	1175	1246	23	144	156
	48	14	43	26	HH4843	971	1062	1096	1159	21	132	143
	42	14	43	26	HH4243	947	1030	1078	1134	18	122	131
37" H.	72	14	37	20	HH7237	1107	1239	1257	1355	27	149	165
	66	14	37	20	HH6637	1062	1183	1241	1330	25	139	154
	60	14	37	20	HH6037	1016	1128	1161	1241	22	130	143
	54	14	37	20	HH5437	955	1056	1128	1199	20	122	134
	48	14	37	20	HH4837	926	1016	1052	1115	18	111	121
	42	14	37	20	HH4237	904	987	1035	1090	16	101	110

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Hutch with central opening, hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeon-hole unit.

No lock.

					Doors:								
					Laminate	H-Gloss White							
43" H.	72	14	43	26	HHM7243	HHL7243	1761	1893	1913	2010	31	173	189
	66	14	43	26	HHM6643	HHL6643	1714	1835	1893	1982	28	163	177
	60	14	43	26	HHM6043	HHL6043	1664	1777	1810	1890	26	152	166
	54	14	43	26	HHM5443	HHL5443	1601	1702	1773	1845	23	144	156
	48	14	43	26	HHM4843	HHL4843	1570	1660	1694	1758	21	132	143
	42	14	43	26	HHM4243	HHL4243	1546	1628	1676	1733	18	122	131
37" H.	72	14	37	20	HHM7237	HHL7237	1705	1837	1856	1954	27	149	165
	66	14	37	20	HHM6637	HHL6637	1660	1781	1839	1928	25	139	154
	60	14	37	20	HHM6037	HHL6037	1615	1726	1759	1839	22	130	143
	54	14	37	20	HHM5437	HHL5437	1553	1654	1726	1797	20	122	134
	48	14	37	20	HHM4837	HHL4837	1525	1615	1650	1714	18	111	121
	42	14	37	20	HHM4237	HHL4237	1503	1585	1634	1689	16	101	110

SPECIFY

Series Code Surface Edge Base Fronts Metal Lock
T - - / - / - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$132, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with central opening, hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and metal sides.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
Cannot accommodate a horizontal pigeon-hole unit.
No lock.

	Dimensions				Code	S Sierra 1"		T Tango 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	72	14	43	26	HHGiC7243	1698	1830	1850	1947	31	173	189
	66	14	43	26	HHGiC6643	1651	1772	1830	1920	28	163	177
	60	14	43	26	HHGiC6043	1602	1714	1747	1827	26	152	166
	54	14	43	26	HHGiC5443	1538	1639	1711	1782	23	144	156
	48	14	43	26	HHGiC4843	1507	1597	1631	1695	21	132	143
	42	14	43	26	HHGiC4243	1483	1565	1614	1670	18	122	131
37" H.	72	14	37	20	HHGiC7237	1642	1774	1793	1891	27	149	165
	66	14	37	20	HHGiC6637	1597	1718	1777	1866	25	139	154
	60	14	37	20	HHGiC6037	1552	1663	1696	1777	22	130	143
	54	14	37	20	HHGiC5437	1491	1592	1663	1735	20	122	134
	48	14	37	20	HHGiC4837	1462	1552	1587	1651	18	111	121
	42	14	37	20	HHGiC4237	1440	1522	1571	1626	16	101	110

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with central opening, hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and metal sides.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
Cannot accommodate a horizontal pigeon-hole unit.
No lock.

43" H.	72	14	43	26	HHGiA7243	1635	1767	1786	1883	31	173	189
	66	14	43	26	HHGiA6643	1587	1708	1767	1856	28	163	177
	60	14	43	26	HHGiA6043	1539	1650	1683	1763	26	152	166
	54	14	43	26	HHGiA5443	1474	1575	1647	1719	23	144	156
	48	14	43	26	HHGiA4843	1443	1533	1568	1631	21	132	143
	42	14	43	26	HHGiA4243	1420	1502	1550	1606	18	122	131
37" H.	72	14	37	20	HHGiA7237	1579	1711	1729	1827	27	149	165
	66	14	37	20	HHGiA6637	1533	1654	1713	1802	25	139	154
	60	14	37	20	HHGiA6037	1488	1599	1632	1713	22	130	143
	54	14	37	20	HHGiA5437	1427	1528	1599	1671	20	122	134
	48	14	37	20	HHGiA4837	1398	1488	1524	1587	18	111	121
	42	14	37	20	HHGiA4237	1376	1459	1507	1562	16	101	110

SPECIFY

Series Code Surface Edge Base Metal
T - - / - -


Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH FLIPPER DOOR(S)



Hutch with flipper door(s) and metal sides.

Available with the standard closing mechanism or with the "Easy-Down" option allowing soft-closing of the door(s).



Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accommodate a horizontal pigeon-hole unit.

Noki lock and key lock not included, available as an option.



Flipper door

	Dimensions					Code	Price		Price		Specifications	
	A	B	C	D	E		Standard (TD)		Easy-Down (DW)		Cu.Ft.	lb
43" H.	72	14	43	26	2	HF7243	1595		1701		30.8	197
	66	14	43	26	2	HF6643	1396		1502		28.3	184
	60	14	43	26	2	HF6043	1359		1464		25.8	172
	54	14	43	26	2	HF5443	1316		1421		23.3	159
	48	14	43	26	2	HF4843	1266		1372		20.8	146
	42	14	43	26	1	HF4243	1135		1188		18.3	133
	36	14	43	26	1	HF3643	1108		1161		15.8	120
	30	14	43	26	1	HF3043	1003		1056		13.3	108
	24	14	43	26	1	HF2443	931		983		10.8	95
37" H.	72	14	37	20	2	HF7237	1539		1645		26.9	173
	66	14	37	20	2	HF6637	1343		1449		24.7	161
	60	14	37	20	2	HF6037	1308		1414		22.5	149
	54	14	37	20	2	HF5437	1267		1373		20.3	137
	48	14	37	20	2	HF4837	1222		1328		18.1	125
	42	14	37	20	1	HF4237	1091		1144		16	112
	36	14	37	20	1	HF3637	1068		1121		13.8	100
	30	14	37	20	1	HF3037	966		1019		11.6	88
	24	14	37	20	1	HF2437	897		949		9.4	76

E = Number of doors

SPECIFY

Series Code Mecan. Base Fronts Metal Lock
T **S** - - / - - -

OPTIONS

Specify Code: Consult the above product code list.

Mechanism: Specify door mechanism: Standard (TD) or with "Easy-Down" soft-closing system (DW).


Base / Fronts: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$66 per door, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH PIVOT-LIFT DOOR(S)



Hutch with pivot-lift door(s) and metal sides.

Equipped with a soft-close piston system.


Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accommodate a horizontal pigeon-hole unit.

Noki lock and key lock not included, available as an option.



Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E			Cu.Ft.	lb
43" H.	72	14	43	26	2	HU7243	1901	30.8	197
	66	14	43	26	2	HU6643	1702	28.3	184
	60	14	43	26	2	HU6043	1664	25.8	172
	54	14	43	26	2	HU5443	1621	23.3	159
	48	14	43	26	2	HU4843	1572	20.8	146
	42	14	43	26	1	HU4243	1288	18.3	133
	36	14	43	26	1	HU3643	1261	15.8	120
	30	14	43	26	1	HU3043	1156	13.3	108
	24	14	43	26	1	HU2443	1084	10.8	95
	24	14	43	26	1	HU2443	1084	10.8	95
37" H.	72	14	37	20	2	HU7237	1845	26.9	173
	66	14	37	20	2	HU6637	1649	24.7	161
	60	14	37	20	2	HU6037	1614	22.5	149
	54	14	37	20	2	HU5437	1573	20.3	137
	48	14	37	20	2	HU4837	1528	18.1	125
	42	14	37	20	1	HU4237	1244	16	112
	36	14	37	20	1	HU3637	1221	13.8	100
	30	14	37	20	1	HU3037	1119	11.6	88
	24	14	37	20	1	HU2437	1049	9.4	76
	24	14	37	20	1	HU2437	1049	9.4	76

E = Number of doors

SPECIFY

Series Code Base Fronts Metal Lock
T **S** - - / - -

OPTIONS

Specify Code: Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.


Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$66 per door, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH PIVOT-LIFT DOOR(S)

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and metal sides.

Equipped with a soft-close piston system.


Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accommodate a horizontal pigeon-hole unit.

No lock.



Pivot-lift door

	Dimensions					Code		Price	Specifications	
	A	B	C	D	E	Doors:		T.F.L.	Cu.Ft.	Lb
						Laminate	H-Gloss White			
43" H.	72	14	43	26	2	HUM7243	HUL7243	2816	30.8	197
	66	14	43	26	2	HUM6643	HUL6643	2617	28.3	184
	60	14	43	26	2	HUM6043	HUL6043	2580	25.8	172
	54	14	43	26	2	HUM5443	HUL5443	2537	23.3	159
	48	14	43	26	2	HUM4843	HUL4843	2487	20.8	146
	42	14	43	26	1	HUM4243	HUL4243	1746	18.3	133
	36	14	43	26	1	HUM3643	HUL3643	1718	15.8	120
	30	14	43	26	1	HUM3043	HUL3043	1614	13.3	108
	24	14	43	26	1	HUM2443	HUL2443	1541	10.8	95
37" H.	72	14	37	20	2	HUM7237	HUL7237	2760	26.9	173
	66	14	37	20	2	HUM6637	HUL6637	2564	24.7	161
	60	14	37	20	2	HUM6037	HUL6037	2529	22.5	149
	54	14	37	20	2	HUM5437	HUL5437	2488	20.3	137
	48	14	37	20	2	HUM4837	HUL4837	2443	18.1	125
	42	14	37	20	1	HUM4237	HUL4237	1702	16	112
	36	14	37	20	1	HUM3637	HUL3637	1679	13.8	100
	30	14	37	20	1	HUM3037	HUL3037	1576	11.6	88
	24	14	37	20	1	HUM2437	HUL2437	1507	9.4	76

E = Number of doors

SPECIFY


Series	Code	Base	Fronts	Metal
T S	-	-	/	-

Specify Code: Consult the above product code list.

Base / Fronts (laminate): Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH PIVOT-LIFT DOOR(S) ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with frosted acrylic interior panel) and metal sides.

Equipped with a soft-close piston system.


Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accommodate a horizontal pigeon-hole unit.

No lock.



Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E			Cu.Ft.	lb
43" H.	72	14	43	26	2	HUGiC7243	2676	30.8	197
	66	14	43	26	2	HUGiC6643	2477	28.3	184
	60	14	43	26	2	HUGiC6043	2440	25.8	172
	54	14	43	26	2	HUGiC5443	2397	23.3	159
	48	14	43	26	2	HUGiC4843	2347	20.8	146
	42	14	43	26	1	HUGiC4243	1676	18.3	133
	36	14	43	26	1	HUGiC3643	1649	15.8	120
	30	14	43	26	1	HUGiC3043	1544	13.3	108
	24	14	43	26	1	HUGiC2443	1472	10.8	95
37" H.	72	14	37	20	2	HUGiC7237	2620	26.9	173
	66	14	37	20	2	HUGiC6637	2424	24.7	161
	60	14	37	20	2	HUGiC6037	2389	22.5	149
	54	14	37	20	2	HUGiC5437	2349	20.3	137
	48	14	37	20	2	HUGiC4837	2303	18.1	125
	42	14	37	20	1	HUGiC4237	1632	16	112
	36	14	37	20	1	HUGiC3637	1609	13.8	100
	30	14	37	20	1	HUGiC3037	1507	11.6	88
	24	14	37	20	1	HUGiC2437	1438	9.4	76

E = Number of doors

SPECIFY


Series Code Base Metal
T **S** - - -

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH PIVOT-LIFT DOOR(S) ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with pivot-lift door(s) ("Traditional" aluminum frame with frosted acrylic interior panel) and metal sides.

Equipped with a soft-close piston system.


Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accommodate a horizontal pigeon-hole unit.

No lock.



Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E			Cu.Ft.	lb
43" H.	72	14	43	26	2	HUGiA7243	2419	30.8	197
	66	14	43	26	2	HUGiA6643	2220	28.3	184
	60	14	43	26	2	HUGiA6043	2182	25.8	172
	54	14	43	26	2	HUGiA5443	2140	23.3	159
	48	14	43	26	2	HUGiA4843	2090	20.8	146
	42	14	43	26	1	HUGiA4243	1548	18.3	133
	36	14	43	26	1	HUGiA3643	1520	15.8	120
	30	14	43	26	1	HUGiA3043	1416	13.3	108
	24	14	43	26	1	HUGiA2443	1343	10.8	95
37" H.	72	14	37	20	2	HUGiA7237	2363	26.9	173
	66	14	37	20	2	HUGiA6637	2167	24.7	161
	60	14	37	20	2	HUGiA6037	2132	22.5	149
	54	14	37	20	2	HUGiA5437	2091	20.3	137
	48	14	37	20	2	HUGiA4837	2046	18.1	125
	42	14	37	20	1	HUGiA4237	1504	16	112
	36	14	37	20	1	HUGiA3637	1481	13.8	100
	30	14	37	20	1	HUGiA3037	1378	11.6	88
	24	14	37	20	1	HUGiA2437	1309	9.4	76

E = Number of doors

SPECIFY


Series	Code	Base	Metal
T S	-	-	-

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

MODULAR HUTCHES



Modular hutch with integrated horizontal pigeon-hole unit.

One or more storage module(s) can be installed on a modular hutch.

The 27" H. hutch with storage module has an overall height of 43".


The 21" H. hutch with storage module has an overall height of 37".

Hutch is equipped with a horizontal grommet at base.

Do not install this hutch on to a panel-attached surface, unless the surface is supported by floor supports.

	Dimensions				Code	Price	Specifications	
	A	B	C	D			Cu.Ft.	lb
27" H.	84	13	27	20	HM8427	950	21.5	140
	78	13	27	20	HM7827	903	20	131
	72	13	27	20	HM7227	854	19	123
	66	13	27	20	HM6627	811	17	115
	60	13	27	20	HM6027	763	15.5	106
	54	13	27	20	HM5427	724	14	98
	48	13	27	20	HM4827	683	12.5	90
	42	13	27	20	HM4227	642	11	82
	36	13	27	20	HM3627	586	9.5	73
	30	13	27	20	HM3027	539	8	65
21" H.	84	13	21	14	HM8421	834	17	123
	78	13	21	14	HM7821	788	16	116
	72	13	21	14	HM7221	743	15	108
	66	13	21	14	HM6621	702	13.4	101
	60	13	21	14	HM6021	660	12.2	93
	54	13	21	14	HM5421	616	11.1	86
	48	13	21	14	HM4821	584	9.9	78
	42	13	21	14	HM4221	546	8.7	71
	36	13	21	14	HM3621	493	7.5	63
	30	13	21	14	HM3021	449	6.3	56

Storage module can be installed in various positions.



27" H. hutch: X = 43" total
21" H. hutch: X = 37" total

SPECIFY

Series	Code	Base
T L	-	-

Specify **Code:** Consult the above product code list.

Base: Take Off finishes, p.54-55.



STORAGE MODULES FOR MODULAR HUTCHES

Storage modules with hinged doors for modular hutch.

Installs without hardware on the modular hutch.

Can be easily moved from left to right.

Noki lock and key lock not included, available as an option.



						L Lima 1"		M Mike 1½"				
Dimensions			Code			Price				Specifications		
A	B	C	D	F		T.F.L	H.P.L	T.F.L	H.P.L	Cu.Ft.	lb (L)	lb (M)
42	14	16½	3	2	HB42	574	639	666	681	7.4	76	85
30	14	16½	2	1	HB30	488	527	545	556	5.4	58	64

STORAGE MODULES FOR MODULAR HUTCHES



("CONTEMPORARY" ALU. FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Storage modules with hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) for modular hutch.

Installs without hardware on the modular hutch.

Can be easily moved from left to right.

No lock.



						Doors:						
						Laminate	H-Gloss White					
42	14	16½	3			HBM42	HBL42	1473	1538	1564	1580	7.4 76 85
30	14	16½	2			HBM30	HBL30	1088	1126	1144	1155	5.4 58 64

D = Number of doors

F = Number of locks

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Lock	
T							

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.



Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Options: Lock (HB...): Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$66 per lock, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

STORAGE MODULES FOR MODULAR HUTCHES ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Storage modules with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) for modular hutch.
 Installs without hardware on the modular hutch.
 Can be easily moved from left to right.
 No lock.





Dimensions				Code		Price		Specifications			
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
42	14	16½	3	HBGiC42		1378	1443	1470	1485	7.4	76 85
30	14	16½	2	HBGiC30		1024	1063	1080	1091	5.4	58 64

L Lima 1"

M Mike 1½"

STORAGE MODULES FOR MODULAR HUTCHES ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Storage modules with hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) for modular hutch.
 Installs without hardware on the modular hutch.
 Can be easily moved from left to right.
 No lock.



42	14	16½	3	HBGiA42		1222	1298	1373	1388	7.4	76 85
30	14	16½	2	HBGiA30		909	958	1016	1027	5.4	58 64

D = Number of doors

SPECIFY


Series	Code	Surface	Edge	Base
T	-	-	/	-

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

OPEN WALL MOUNTED HUTCHES



Open wall mounted hutch.
Hutches 54" and longer have a central divider.
Wall mounting brackets included.

					L Lima 1"		M Mike 1½"				
Dimensions					Price				Specifications		
A	B	C	D	F	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16			602	682	651	704	13	103	119
66	14½	16			561	637	618	662	12	95	110
60	14½	16			521	592	573	622	11	88	102
54	14½	16			482	548	524	579	10	80	93
48	14½	16			443	505	459	537	9	73	84
42	14½	16			415	463	431	495	8	65	75
36	14½	16			387	422	402	453	7	57	66
30	14½	16			361	382	375	411	6	49	57
24	14½	16			333	343	350	370	4.6	42	48

SPECIFY


Series Code Surface Edge Base
T - - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

WALL MOUNTED HUTCHES WITH HINGED DOORS



Open wall mounted hutch with hinged doors.
Wall mounting brackets included.
Noki lock and key lock not included, available as an option.

72	14½	16	4	2	HWD7216	758	884	953	980	13	121	137
66	14½	16	4	2	HWD6616	729	847	920	945	12	112	126
60	14½	16	4	2	HWD6016	667	774	859	882	11	103	116
54	14½	16	4	2	HWD5416	618	715	805	826	10	94	106
48	14½	16	3	2	HWD4816	546	631	715	734	9	85	95
42	14½	16	3	2	HWD4216	514	590	666	681	8	76	85
36	14½	16	2	1	HWD3616	470	528	583	597	7	67	74
30	14½	16	2	1	HWD3016	437	486	545	556	6	58	64
24	14½	16	2	1	HWD2416	375	416	452	461	4.6	48	54

D = Number of doors

F = Number of locks

SPECIFY

Series Code Surface Edge Base Fronts Lock
T - - / - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options: Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$66 per lock, p.27.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

WALL MOUNTED HUTCHES WITH HINGED DOORS (ALUMINUM FRAME with LAMINATE, H-GLOSS WHITE or ACRYLIC interior panel)


Open wall mounted hutch with hinged aluminum framed doors.

Wall mounting brackets included.


No lock.



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

D = Number of doors

L Lima 1"

M Mike 1½"

Dimensions				Code		Price		Specifications				
A	B	C	D	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
				Laminate	H-Gloss White							
72	14½	16	4	HWDM	7216	HWDL	7216	1956	2082	2151	2178	13 121 137
66	14½	16	4	HWDM	6616	HWDL	6616	1927	2045	2118	2143	12 112 126
60	14½	16	4	HWDM	6016	HWDL	6016	1865	1972	2057	2080	11 103 116
54	14½	16	4	HWDM	5416	HWDL	5416	1816	1913	2003	2024	10 94 106
48	14½	16	3	HWDM	4816	HWDL	4816	1444	1530	1614	1632	9 85 95
42	14½	16	3	HWDM	4216	HWDL	4216	1412	1488	1564	1580	8 76 85
36	14½	16	2	HWDM	3616	HWDL	3616	1069	1128	1183	1197	7 67 74
30	14½	16	2	HWDM	3016	HWDL	3016	1036	1086	1144	1155	6 58 64
24	14½	16	2	HWDM	2416	HWDL	2416	975	1015	1052	1060	4.6 48 54

Acrylic

72	14½	16	4	HWdGIC	7216			1829	1956	2024	2052	13 121 137
66	14½	16	4	HWdGIC	6616			1801	1918	1991	2016	12 112 126
60	14½	16	4	HWdGIC	6016			1738	1846	1931	1954	11 103 116
54	14½	16	4	HWdGIC	5416			1690	1786	1877	1898	10 94 106
48	14½	16	3	HWdGIC	4816			1350	1436	1519	1538	9 85 95
42	14½	16	3	HWdGIC	4216			1318	1394	1470	1485	8 76 85
36	14½	16	2	HWdGIC	3616			1005	1064	1119	1133	7 67 74
30	14½	16	2	HWdGIC	3016			972	1022	1080	1091	6 58 64
24	14½	16	2	HWdGIC	2416			911	952	988	997	4.6 48 54

Acrylic

72	14½	16	4	HWdGIA	7216			1702	1828	1896	1925	13 121 137
66	14½	16	4	HWdGIA	6616			1673	1791	1863	1889	12 112 126
60	14½	16	4	HWdGIA	6016			1610	1719	1804	1826	11 103 116
54	14½	16	4	HWdGIA	5416			1562	1659	1749	1770	10 94 106
48	14½	16	3	HWdGIA	4816			1254	1340	1423	1441	9 85 95
42	14½	16	3	HWdGIA	4216			1222	1298	1373	1388	8 76 85
36	14½	16	2	HWdGIA	3616			942	1000	1055	1069	7 67 74
30	14½	16	2	HWdGIA	3016			909	958	1016	1027	6 58 64
24	14½	16	2	HWdGIA	2416			847	889	924	933	4.6 48 54

SPECIFY


Series Code Surface Edge Base Fronts
T - - / - /

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (HWDM): Take Off finishes, p.54-55.

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS




Wall mounted hutch with central opening, hinged doors.
Wall mounting brackets included.
Noki lock and key lock not included, available as an option.

			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
72	14½	16	HWH7216		693	820	888	915	13 103 119
66	14½	16	HWH6616		663	782	854	879	12 95 110
60	14½	16	HWH6016		601	710	794	816	11 88 102
54	14½	16	HWH5416		552	650	740	761	10 80 93
48	14½	16	HWH4816		513	600	682	701	9 73 84
42	14½	16	HWH4216		481	558	633	648	8 65 75

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Wall mounted hutch with central opening, hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel).
Wall mounting brackets included.
No lock.

Contemporary aluminum frame/
Laminate or Gloss White int. panel

			Doors:							
			Laminate	H-Gloss White						
72	14½	16	HWHM7216	HWHL7216	1293	1419	1487	1515	13	103 119
66	14½	16	HWHM6616	HWHL6616	1263	1382	1453	1478	12	95 110
60	14½	16	HWHM6016	HWHL6016	1200	1309	1394	1416	11	88 102
54	14½	16	HWHM5416	HWHL5416	1152	1250	1340	1361	10	80 93
48	14½	16	HWHM4816	HWHL4816	1112	1199	1282	1300	9	73 84
42	14½	16	HWHM4216	HWHL4216	1080	1157	1232	1247	8	65 75

SPECIFY

Series Code Surface Edge Base Fronts Lock
T [] - [] - [] / [] - [] / [] - []

OPTIONS

Specify Series: L or M (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base / Fronts (HWH & HWHM): Take Off finishes, p.54-55.

Options Lock (HWH...): Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$132, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Wall mounted hutch with central opening, hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel).
Wall mounting brackets included.
No lock.

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Specifications				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16	HWHGiC7216	1229	1355	1423	1451	13	103	119
66	14½	16	HWHGiC6616	1199	1318	1389	1415	12	95	110
60	14½	16	HWHGiC6016	1136	1245	1330	1352	11	88	102
54	14½	16	HWHGiC5416	1088	1186	1276	1297	10	80	93
48	14½	16	HWHGiC4816	1048	1135	1218	1236	9	73	84
42	14½	16	HWHGiC4216	1016	1093	1168	1184	8	65	75

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Wall mounted hutch with central opening, hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel).
Wall mounting brackets included.
No lock.

72	14½	16	HWHGIA7216	1165	1291	1360	1387	13	103	119
66	14½	16	HWHGIA6616	1135	1254	1326	1351	12	95	110
60	14½	16	HWHGIA6016	1073	1181	1266	1288	11	88	102
54	14½	16	HWHGIA5416	1024	1122	1212	1233	10	80	93
48	14½	16	HWHGIA4816	985	1071	1154	1173	9	73	84
42	14½	16	HWHGIA4216	953	1030	1104	1120	8	65	75

SPECIFY



Series Code Surface Edge Base
T - - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

WALL MOUNTED HUTCHES WITH FLIPPER DOOR(S)



Flipper door

D = Number of doors


Wall mounted hutch with flipper door(s).

Available with the standard closing mechanism or with the "Easy-down" option allowing soft-closing of the door(s).

Wall mounting brackets included.

Striped or fluted edge not available.

Noki lock and key lock not included, available as an option.



"easy-down"

Dimensions				Code	Price		Specifications	
A	B	C	D		Standard (TD)	Easy-down (DW)	Cu.Ft.	lb (L)
72	14	16	2	HWF7216	855	960	12.7	121
66	14	16	2	HWF6616	813	919	11.7	112
60	14	16	2	HWF6016	769	875	10.7	103
54	14	16	2	HWF5416	734	839	9.7	94
48	14	16	2	HWF4816	696	802	8.6	85
42	14	16	1	HWF4216	564	617	7.6	76
36	14	16	1	HWF3616	527	580	6.6	67
30	14	16	1	HWF3016	490	542	5.6	58
24	14	16	1	HWF2416	451	504	4.6	48

SPECIFY					OPTIONS	
Series	Code	Mecan.	Base	Fronts	Lock	
T	L	-		/	-	

Specify Code: Consult the above product code list.



Mechanism: Specify door mechanism: Standard (TD) or with "Easy-down" soft-closing system (DW).

Base / Fronts: Take Off finishes, p.54-55.

Options: Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$66 per door, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

WALL MOUNTED HUTCHES WITH PIVOT-LIFT DOOR(S)



Pivot-lift door

D = Number of doors

Wall mounted hutch with pivot-lift door(s). Equipped with a soft-close piston system.

Wall mounting brackets included.

Striped or fluted edge not available.

Noki lock and key lock not included, available as an option.

72	14	16	2	HWU7216	1161	12.7	121
66	14	16	2	HWU6616	1119	11.7	112
60	14	16	2	HWU6016	1075	10.7	103
54	14	16	2	HWU5416	1040	9.7	94
48	14	16	2	HWU4816	1002	8.6	85
42	14	16	1	HWU4216	717	7.6	76
36	14	16	1	HWU3616	680	6.6	67
30	14	16	1	HWU3016	642	5.6	58
24	14	16	1	HWU2416	604	4.6	48

SPECIFY				OPTIONS	
Series	Code	Base	Fronts	Lock	
T	L	-		-	


Specify Code: Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.


Options: Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$66 per door, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH PIVOT-LIFT DOOR(S) (ALUMINUM FRAME with LAMINATE, H-GLOSS WHITE or ACRYLIC interior panel)




Wall mounted hutch with pivot-lift aluminum framed door(s). Equipped with a soft-close piston system.
 Wall mounting brackets included.
 Striped or fluted edge not available.
 No lock.




Contemporary aluminum frame/
 Laminate or H-Gloss White int. panel

Dimensions				Code		Price	Specifications	
A	B	C	D	Doors:		T.F.L.	Cu.Ft.	Lb (L)
				Laminate	H-Gloss White			
72	14	16	2	HWUM7216	HWUL7216	2076	12.7	121
66	14	16	2	HWUM6616	HWUL6616	2034	11.7	112
60	14	16	2	HWUM6016	HWUL6016	1990	10.7	103
54	14	16	2	HWUM5416	HWUL5416	1955	9.7	94
48	14	16	2	HWUM4816	HWUL4816	1917	8.6	85
42	14	16	1	HWUM4216	HWUL4216	1175	7.6	76
36	14	16	1	HWUM3616	HWUL3616	1137	6.6	67
30	14	16	1	HWUM3016	HWUL3016	1100	5.6	58
24	14	16	1	HWUM2416	HWUL2416	1062	4.6	48



Contemporary aluminum frame/
 Acrylic interior panel

Acrylic								
72	14	16	2	HWUGiC7216		1936	12.7	121
66	14	16	2	HWUGiC6616		1894	11.7	112
60	14	16	2	HWUGiC6016		1850	10.7	103
54	14	16	2	HWUGiC5416		1815	9.7	94
48	14	16	2	HWUGiC4816		1778	8.6	85
42	14	16	1	HWUGiC4216		1106	7.6	76
36	14	16	1	HWUGiC3616		1068	6.6	67
30	14	16	1	HWUGiC3016		1031	5.6	58
24	14	16	1	HWUGiC2416		992	4.6	48



Traditional aluminum frame/
 Acrylic interior panel

Acrylic								
72	14	16	2	HWUGiA7216		1679	12.7	121
66	14	16	2	HWUGiA6616		1637	11.7	112
60	14	16	2	HWUGiA6016		1593	10.7	103
54	14	16	2	HWUGiA5416		1558	9.7	94
48	14	16	2	HWUGiA4816		1520	8.6	85
42	14	16	1	HWUGiA4216		977	7.6	76
36	14	16	1	HWUGiA3616		939	6.6	67
30	14	16	1	HWUGiA3016		902	5.6	58
24	14	16	1	HWUGiA2416		864	4.6	48

D = Number of doors


SPECIFY

Series Code Base Fronts
T **L** - - /

Specify Code: Consult the above product code list.

Base / Fronts (HWUM): Take Off finishes, p.54-55.

WALL MOUNTED MODULES



Wall module, interior dimension 5½".

Modules 54" and longer have a central divider.

Wall mounting brackets included, able to support a regular & non excessive load.

Dimensions			Code	Price	Specifications	
A	B	C			T.F.L	Cu.Ft. lb (L)
72	10	7½	HWB107207	481		4.4 88
66	10	7½	HWB106607	449		4 85
60	10	7½	HWB106007	418		3.7 82
54	10	7½	HWB105407	386		3.3 79
48	10	7½	HWB104807	356		3 59
42	10	7½	HWB104207	337		2.6 56
36	10	7½	HWB103607	318		2.2 53
30	10	7½	HWB103007	300		1.9 50
24	10	7½	HWB102407	281		1.5 47


SPECIFY

Series Code Base
T - -

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.

BOOKCASE HUTCHES



Bookcase hutch.

2 shelves: 1 fixed & 1 adjustable.

Hutch is equipped with a horizontal grommet at base.

	Dimensions			Code	Price		Specifications			
	A	B	C		T.F.L	H.P.L	T.F.L	H.P.L	Cu.Ft.	lb (L) lb (M)
43" H.	14	36	43	HBK3643	557	629	691	733	15	85 91
	14	30	43	HBK3043	503	573	644	679	12.6	75 80
37" H.	14	36	37	HBK3637	480	550	575	618	13	76 82
	14	30	37	HBK3037	429	497	531	567	10.9	67 71

SPECIFY

Series Code Surface Edge Base
T - - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

BOOKCASE HUTCHES WITH DOOR(S)


Bookcase hutch with 2 doors.

2 shelves: 1 fixed & 1 adjustable.

Noki lock and key lock not included, available as an option. Will lock both doors.



	Dimensions			Code	Price		Specifications			
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
43" H.	14	36	43	HPDD3643	749	822	883	925	15	134 139
	14	30	43	HPDD3043	695	766	836	871	12.6	117 122
37" H.	14	36	37	HPDD3637	672	743	768	811	13	119 124
	14	30	37	HPDD3037	622	690	724	759	10.9	104 108




Bookcase hutch with door at left.

2 shelves: 1 fixed & 1 adjustable.

Noki lock and key lock not included, available as an option.

43" H.	14	36	43	HPDD3643	653	726	788	829	15	116 121
	14	30	43	HPDD3043	600	670	740	776	12.6	102 107
37" H.	14	36	37	HPDD3637	576	647	672	715	13	103 108
	14	30	37	HPDD3037	526	594	628	663	10.9	91 95



Bookcase hutch with door at right.

2 shelves: 1 fixed & 1 adjustable.

Noki lock and key lock not included, available as an option.

43" H.	14	36	43	HPDD3643	653	726	788	829	15	116 121
	14	30	43	HPDD3043	600	670	740	776	12.6	102 107
37" H.	14	36	37	HPDD3637	576	647	672	715	13	103 108
	14	30	37	HPDD3037	526	594	628	663	10.9	91 95

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T			/		/		

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK) options, add \$66 per lock, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


BOOKCASE HUTCHES WITH DOOR(S)

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)


Bookcase hutch with 2 doors ("Contemporary" aluminum frame with laminate or H-Gloss

2 shelves: 1 fixed & 1 adjustable.

No lock.



			L Lima 1"		M Mike 1½"							
Dimensions			Code		Price		Specifications					
A	B	C	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
			Laminate	H-Gloss White								
43" H.	14	36	43	HPDDM3643	HPDDL3643	1596	1669	1730	1772	15	134	139
	14	30	43	HPDDM3043	HPDDL3043	1542	1613	1683	1718	12.6	117	122
37" H.	14	36	37	HPDDM3637	HPDDL3637	1519	1590	1615	1658	13	119	124
	14	30	37	HPDDM3037	HPDDL3037	1469	1537	1571	1606	10.9	104	108




Bookcase hutch with 1 door at left ("Contemporary" aluminum frame with laminate or gloss white interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	HPDDM3643	HPDDL3643	1077	1150	1211	1253	15	116	121
	14	30	43	HPDDM3043	HPDDL3043	1023	1093	1164	1199	12.6	102	107
37" H.	14	36	37	HPDDM3637	HPDDL3637	1000	1070	1096	1139	13	103	108
	14	30	37	HPDDM3037	HPDDL3037	949	1018	1052	1087	10.9	91	95



Bookcase hutch with 1 door at right ("Contemporary" aluminum frame with laminate or gloss white interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	HPDDM3643	HPDDL3643	1077	1150	1211	1253	15	116	121
	14	30	43	HPDDM3043	HPDDL3043	1023	1093	1164	1199	12.6	102	107
37" H.	14	36	37	HPDDM3637	HPDDL3637	1000	1070	1096	1139	13	103	108
	14	30	37	HPDDM3037	HPDDL3037	949	1018	1052	1087	10.9	91	95

SPECIFY

Series Code Surface Edge Base Fronts Pull
T - - / - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (HP___M): Take Off finishes, p.54-55.


Pull: Pulls included, specify type, p.56.

BOOKCASE HUTCHES WITH DOOR(S) ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)


Bookcase hutch with 2 doors ("Contemporary" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.



	Dimensions			Code	Price		Specifications		Cu.Ft.	lb (L)	lb (M)
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.			
43" H.	14	36	43	HPDDGiC3643	1455	1528	1590	1631	15	134	139
	14	30	43	HPDDGiC3043	1401	1472	1542	1577	12.6	117	122
37" H.	14	36	37	HPDDGiC3637	1378	1449	1474	1517	13	119	124
	14	30	37	HPDDGiC3037	1328	1396	1430	1465	10.9	104	108




Bookcase hutch with 1 door at left ("Contemporary" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	HPDOGiC3643	1007	1079	1141	1183	15	116	121
	14	30	43	HPDOGiC3043	953	1023	1093	1129	12.6	102	107
37" H.	14	36	37	HPDOGiC3637	930	1000	1025	1068	13	103	108
	14	30	37	HPDOGiC3037	879	947	981	1016	10.9	91	95



Bookcase hutch with 1 door at right ("Contemporary" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	HPODGiC3643	1007	1079	1141	1183	15	116	121
	14	30	43	HPODGiC3043	953	1023	1093	1129	12.6	102	107
37" H.	14	36	37	HPODGiC3637	930	1000	1025	1068	13	103	108
	14	30	37	HPODGiC3037	879	947	981	1016	10.9	91	95

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T			/		

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


Pull: Pulls included, specify type, p.56.

BOOKCASE HUTCHES WITH DOOR(S) ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)


Bookcase hutch with 2 doors ("Traditional" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.



	Dimensions			Code	L Lima 1"		M Mike 1½"		Specifications		
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	14	36	43	HPDDGiA3643	1199	1272	1333	1375	15	134	139
	14	30	43	HPDDGiA3043	1145	1216	1286	1321	12.6	117	122
37" H.	14	36	37	HPDDGiA3637	1122	1192	1218	1261	13	119	124
	14	30	37	HPDDGiA3037	1071	1140	1174	1209	10.9	104	108




Bookcase hutch with 1 door at left ("Traditional" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	HPDDGiA3643	1103	1176	1238	1279	15	116	121
	14	30	43	HPDDGiA3043	1049	1120	1190	1225	12.6	102	107
37" H.	14	36	37	HPDDGiA3637	1026	1097	1122	1165	13	103	108
	14	30	37	HPDDGiA3037	976	1044	1078	1113	10.9	91	95



Bookcase hutch with 1 door at right ("Traditional" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	HPDDGiA3643	1103	1176	1238	1279	15	116	121
	14	30	43	HPDDGiA3043	1049	1120	1190	1225	12.6	102	107
37" H.	14	36	37	HPDDGiA3637	1026	1097	1122	1165	13	103	108
	14	30	37	HPDDGiA3037	976	1044	1078	1113	10.9	91	95

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T			/		


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

CORNER ROUNDED BOOKCASE HUTCHES



Corner rounded bookcase hutch.
Bottom shelf is adjustable, top one is fixed.

			L Lima 1"		M Mike 1½"				
Dimensions			Price				Specifications		
A	B	C	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
14	14	43	597	653	633	689	5.7	39	42
14	14	37	553	609	589	645	4.9	35	38

SPECIFY

Series

Code

Surface


Edge

Base

T--/-

Specify Series: L or M (specifications p.24).
Code: Consult the above product code list.
Surface / Edge / Base: Take Off finishes, p.54-55.


TACKBOARDS FOR 43" H. HUTCHES



Tackboard for hutch.


Installs under 43" H. hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.



Dimensions			Code	Price					Specifications	
A	B			COM / Gr.1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Cu.Ft.	lb
82	25	for 84" hutch	BT8225	384	430	472	497	517	2.2	21
76	25	for 78" hutch	BT7625	358	399	439	462	480	2.0	21
70	25	for 72" hutch	BT7025	331	371	405	430	448	1.8	19
64	25	for 66" hutch	BT6425	294	329	362	383	402	1.7	17
58	25	for 60" hutch	BT5825	248	279	304	311	318	1.5	16
52	25	for 54" hutch	BT5225	234	263	287	294	303	1.4	14
46	25	for 48" hutch	BT4625	228	253	273	283	290	1.2	12
40	25	for 42" hutch	BT4025	193	216	232	241	249	1.1	11
34	25	for 36" hutch	BT3425	177	196	216	223	231	0.9	9
28	25	for 30" hutch	BT2825	163	178	195	205	210	0.8	8
22	25	for 24" hutch	BT2225	151	163	176	185	193	0.6	6


TACKBOARDS FOR 43" H. HUTCHES WITH HORIZONTAL PIGEON-HOLE



Tackboard for hutch.

Installs under 43" H. hutches with horizontal pigeon-hole unit, with Velcro strips.

Allows access to the hutch's wiring grommet.



82	21	for 84" hutch	BT8221	355	400	442	468	487	2.2	21
76	21	for 78" hutch	BT7621	330	371	410	433	452	2.0	21
70	21	for 72" hutch	BT7021	304	343	377	403	421	1.8	19
64	21	for 66" hutch	BT6421	267	303	336	356	376	1.7	17
58	21	for 60" hutch	BT5821	222	254	278	286	292	1.5	16
52	21	for 54" hutch	BT5221	210	239	262	270	277	1.4	14
46	21	for 48" hutch	BT4621	204	230	250	259	266	1.2	12
40	21	for 42" hutch	BT4021	171	194	210	218	227	1.1	11
34	21	for 36" hutch	BT3421	155	175	194	202	210	0.9	9
28	21	for 30" hutch	BT2821	142	157	174	184	189	0.8	8
22	21	for 24" hutch	BT2221	131	143	157	165	174	0.6	6


SPECIFY

Code Fabric
AC - -

Specify **Code:** Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.


TACKBOARDS FOR 37" H. HUTCHES



Tackboard for hutch.


Installs under 37" H. hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.



Dimensions			Code	Price					Specifications	
A	B			COM / Gr.1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Cu.Ft.	lb
82	19	for 84" hutch	BT8219	349	394	436	461	481	2.2	21
76	19	for 78" hutch	BT7619	323	365	404	428	446	2.0	21
70	19	for 72" hutch	BT7019	298	337	372	397	416	1.8	19
64	19	for 66" hutch	BT6419	262	297	330	351	371	1.7	17
58	19	for 60" hutch	BT5819	217	250	273	282	287	1.5	16
52	19	for 54" hutch	BT5219	206	234	257	265	273	1.4	14
46	19	for 48" hutch	BT4619	200	226	245	255	264	1.2	12
40	19	for 42" hutch	BT4019	167	190	207	215	222	1.1	11
34	19	for 36" hutch	BT3419	153	172	191	199	206	0.9	9
28	19	for 30" hutch	BT2819	140	155	172	182	187	0.8	8
22	19	for 24" hutch	BT2219	129	141	155	164	172	0.6	6


TACKBOARDS FOR 37" H. HUTCHES WITH HORIZONTAL PIGEON-HOLE



Tackboard for hutch.

Installs under 37" H. hutches with horizontal pigeon-hole unit, with Velcro strips.

Allows access to the hutch's wiring grommet.



82	15	for 84" hutch	BT8215	334	381	422	448	468	2.2	21
76	15	for 78" hutch	BT7615	310	352	392	415	432	2.0	21
70	15	for 72" hutch	BT7015	287	326	361	385	403	1.8	19
64	15	for 66" hutch	BT6415	251	286	320	341	360	1.7	17
58	15	for 60" hutch	BT5815	208	240	264	272	277	1.5	16
52	15	for 54" hutch	BT5215	197	226	250	256	265	1.4	14
46	15	for 48" hutch	BT4615	193	219	238	248	256	1.2	12
40	15	for 42" hutch	BT4015	161	184	200	208	217	1.1	11
34	15	for 36" hutch	BT3415	147	166	186	194	201	0.9	9
28	15	for 30" hutch	BT2815	135	151	167	177	182	0.8	8
22	15	for 24" hutch	BT2215	125	138	152	160	168	0.6	6


SPECIFY

Code Fabric
AC - -

Specify **Code:** Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.


TACKBOARDS FOR 27" H. MODULAR HUTCHES



Tackboard for hutch.


Installs under 27" H. modular hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.



Dimensions		Code	Price					Specifications	
A	B		COM / Gr.1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Cu.Ft.	lb
82	19	for 84" hutch	BT8219	349	394	436	461	481	2.2 21
76	19	for 78" hutch	BT7619	323	365	404	428	446	2.0 21
70	19	for 72" hutch	BT7019	298	337	372	397	416	1.8 19
64	19	for 66" hutch	BT6419	262	297	330	351	371	1.7 17
58	19	for 60" hutch	BT5819	217	250	273	282	287	1.5 16
52	19	for 54" hutch	BT5219	206	234	257	265	273	1.4 14
46	19	for 48" hutch	BT4619	200	226	245	255	264	1.2 12
40	19	for 42" hutch	BT4019	167	190	207	215	222	1.1 11
34	19	for 36" hutch	BT3419	153	172	191	199	206	0.9 9
28	19	for 30" hutch	BT2819	140	155	172	182	187	0.8 8
22	19	for 24" hutch	BT2219	129	141	155	164	172	0.6 6


TACKBOARDS FOR 21" H. MODULAR HUTCHES



Tackboard for hutch.

Installs under 21" H. modular hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.



82	13	for 84" hutch	BT8213	338	383	425	450	471	2.2 21
76	13	for 78" hutch	BT7613	314	355	395	418	437	2.0 21
70	13	for 72" hutch	BT7013	290	329	364	389	407	1.8 19
64	13	for 66" hutch	BT6413	255	290	323	344	364	1.7 17
58	13	for 60" hutch	BT5813	212	244	268	276	282	1.5 16
52	13	for 54" hutch	BT5213	201	231	254	262	270	1.4 14
46	13	for 48" hutch	BT4613	198	224	243	253	262	1.2 12
40	13	for 42" hutch	BT4013	160	187	198	211	216	1.1 11
34	13	for 36" hutch	BT3413	145	165	182	189	200	0.9 9
28	13	for 30" hutch	BT2813	134	149	165	177	182	0.8 8
22	13	for 24" hutch	BT2213	123	132	149	158	166	0.6 6


SPECIFY

Code Fabric
AC - -

Specify **Code:** Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.

PIGEON-HOLE UNITS




Horizontal pigeon-hole unit.

Can be installed on a credenza or suspended underneath a hutch.

Cannot be installed under a hutch with metal sides.

Mounting hardware included (to be used when suspending under a hutch)


Select the appropriate tackboard, see p.207-208-209.



Installed on a credenza


Installed underneath a hutch

Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	lb
82	11	5	for 84" hutch	PiH82	670	4.0	37
76	11	5	for 78" hutch	PiH76	634	3.7	34
70	11	5	for 72" hutch	PiH70	598	3.5	32
64	11	5	for 66" hutch	PiH64	566	3.2	29
58	11	5	for 60" hutch	PiH58	532	2.9	27
52	11	5	for 54" hutch	PiH52	496	2.6	24
46	11	5	for 48" hutch	PiH46	463	2.3	22
40	11	5	for 42" hutch	PiH40	431	2.0	19
34	11	5	for 36" hutch	PiH34	397	1.7	16
28	11	5	for 30" hutch	PiH28	361	1.4	14
22	11	5	for 24" hutch	PiH22	323	1.1	11




Pigeon-hole unit, to accommodate "legal" size documents.

17	11	26		Pi1726	356	3.5	48
17	11	20		Pi1720	325	2.8	37



Pigeon-hole unit, to accommodate "letter" size documents.

14	11	26		Pi1426	295	2.5	37
14	11	20		Pi1420	267	2.0	28



Vertical pigeon-hole unit.

7	11	26	12	Pi726	190	1.6	18
7	11	20	12	Pi720	162	1.2	14

SPECIFY

Series Code Base

T **L** - -

Specify Code: Consult the above product code list.


Base: Take Off finishes, p.54-55.

Edge will match the selected "Base" finish.

Tables / Layering

Sierra-Tango

RECTANGULAR TABLES (COMBINED MATERIAL END PANELS)



29" H. rectangular table with combined-material (metal-laminate) end panels.

Available with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).

NOTE: The recessed end panel always has an "open" design.


Tables 36" deep are only available with full end panels (LL) on each side.

Tables with 2 recessed end panels (CC) can be found at page 215.


Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.

LL



LC



CL

				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price				Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
36	84	TiX3684	LL end panels only	1080	1297	—	1403	11.1	193	241
36	78	TiX3678	LL end panels only	1062	1251	—	1348	10.5	183	227
36	72	TiX3672	LL end panels only	1042	1203	1068	1293	9.8	173	214
36	66	TiX3666	LL end panels only	986	1177	1040	1258	9.2	163	201
36	60	TiX3660	LL end panels only	952	1131	1007	1205	8.6	153	188
36	54	TiX3654	LL end panels only	919	1089	985	1164	8	143	174
36	48	TiX3648	LL end panels only	887	1044	963	1122	7.4	134	161
30	84	TiX3084		986	1178	—	1268	9.2	168	208
30	78	TiX3078		969	1139	—	1222	8.7	159	196
30	72	TiX3072		952	1100	989	1177	8.1	150	185
30	66	TiX3066		917	1062	956	1128	7.6	142	173
30	60	TiX3060		887	1022	926	1082	7.7	133	162
30	54	TiX3054		858	988	910	1051	6.6	125	150
30	48	TiX3048		827	950	892	1016	6.1	116	139
30	42	TiX3042		792	910	851	959	5.6	107	127
30	36	TiX3036		759	868	816	910	5.1	99	116
30	30	TiX3030		750	836	798	877	4.6	90	104
30	24	TiX3024		734	796	772	838	4.1	80	92
24	84	TiX2484		884	1055	—	1131	7.4	143	175
24	78	TiX2478		870	1023	—	1093	7	136	165
24	72	TiX2472		856	992	906	1056	6.5	128	155
24	66	TiX2466		833	952	876	1013	6.1	120	145
24	60	TiX2460		792	917	845	970	5.7	113	136
24	54	TiX2454		766	886	823	935	5.3	105	126
24	48	TiX2448		747	860	810	910	4.9	98	116
24	42	TiX2442		712	818	781	860	4.5	90	106
24	36	TiX2436		678	778	761	828	4.1	83	96
24	30	TiX2430		652	748	751	814	3.7	75	87
24	24	TiX2424		627	719	735	785	3.7	68	77

SPECIFY

Series Code Legs Surface Edge Base Metal Grom. M-Outlet Mod.
T - - / - - - - - -

OPTIONS

Specify: Series: S or T (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LL), (LC) or (CL).

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panels: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.


On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge, p.30.


RECTANGULAR TABLES (PERFORATED METAL END PANELS)



LL



LC



CL

29" H. rectangular table with perforated metal end panels.

Available with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).

NOTE: The recessed end panel always has an "open" design.

Tables 36" deep are only available with full end panels (LL) on each side.

Tables with 2 recessed end panels (CC) can be found at page 215.

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.

S Sierra 1"

T Tango 1½"

Dimensions		Code		Price				Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
36	84	TiM3684	LL end panel only	1080	1297	—	1403	11.1	193	241
36	78	TiM3678	LL end panel only	1062	1251	—	1348	10.5	183	227
36	72	TiM3672	LL end panel only	1042	1203	1068	1293	9.8	173	214
36	66	TiM3666	LL end panel only	986	1177	1040	1258	9.2	163	201
36	60	TiM3660	LL end panel only	952	1131	1007	1205	8.6	153	188
36	54	TiM3654	LL end panel only	919	1089	985	1164	8	143	174
36	48	TiM3648	LL end panel only	887	1044	963	1122	7.4	134	161
30	84	TiM3084		986	1178	—	1268	9.2	168	208
30	78	TiM3078		969	1139	—	1222	8.7	159	196
30	72	TiM3072		952	1100	989	1177	8.1	150	185
30	66	TiM3066		917	1062	956	1128	7.6	142	173
30	60	TiM3060		887	1022	926	1082	7.7	133	162
30	54	TiM3054		858	988	910	1051	6.6	125	150
30	48	TiM3048		827	950	892	1016	6.1	116	139
30	42	TiM3042		792	910	851	959	5.6	107	127
30	36	TiM3036		759	868	816	910	5.1	99	116
30	30	TiM3030		750	836	798	877	4.6	90	104
30	24	TiM3024		734	796	772	838	4.1	80	92
24	84	TiM2484		884	1055	—	1131	7.4	143	175
24	78	TiM2478		870	1023	—	1093	7	136	165
24	72	TiM2472		856	992	906	1056	6.5	128	155
24	66	TiM2466		833	952	876	1013	6.1	120	145
24	60	TiM2460		792	917	845	970	5.7	113	136
24	54	TiM2454		766	886	823	935	5.3	105	126
24	48	TiM2448		747	860	810	910	4.9	98	116
24	42	TiM2442		712	818	781	860	4.5	90	106
24	36	TiM2436		678	778	761	828	4.1	83	96
24	30	TiM2430		652	748	751	814	3.7	75	87
24	24	TiM2424		627	719	735	785	3.7	68	77

SPECIFY

Series Code Legs Surface Edge Base Metal Grom. M-Outlet Mod.
T - - / - - - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LL), (LC) or (CL).

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panels: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge, p.30.

RECTANGULAR TABLES (OPEN METAL END PANELS)



29" H. rectangular table with open metal end panels.

Available with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).


Tables 36" deep are only available with full end panels (LL) on each side.

Tables with 2 recessed end panels (CC) can be found at page 215.


Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.

LL



LC



CL

Dimensions		Code		S Sierra 1"		T Tango 1½"		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (\$)	lb (T)
36	84	Ti03684	LL end panel only	926	1143	—	1249	11.1	174	222
36	78	Ti03678	LL end panel only	908	1097	—	1194	10.5	164	209
36	72	Ti03672	LL end panel only	888	1049	914	1139	9.8	154	196
36	66	Ti03666	LL end panel only	832	1023	886	1104	9.2	145	182
36	60	Ti03660	LL end panel only	798	977	853	1051	8.6	135	169
36	54	Ti03654	LL end panel only	765	935	831	1010	8	125	156
36	48	Ti03648	LL end panel only	733	890	809	968	7.4	115	143
30	84	Ti03084		865	1057	—	1147	9.2	151	191
30	78	Ti03078		848	1018	—	1101	8.7	143	180
30	72	Ti03072		831	979	868	1056	8.1	134	168
30	66	Ti03066		796	941	835	1007	7.6	125	157
30	60	Ti03060		766	901	805	961	7.7	117	145
30	54	Ti03054		737	867	789	930	6.6	108	134
30	48	Ti03048		706	829	771	895	6.1	99	122
30	42	Ti03042		671	789	730	838	5.6	91	111
30	36	Ti03036		638	747	695	789	5.1	82	99
30	30	Ti03030		629	715	677	756	4.6	74	88
30	24	Ti03024		613	675	651	717	4.1	64	75
24	84	Ti02484		774	945	—	1021	7.4	129	161
24	78	Ti02478		760	913	—	983	7	121	151
24	72	Ti02472		746	882	796	946	6.5	113	141
24	66	Ti02466		723	842	766	903	6.1	106	131
24	60	Ti02460		682	807	735	860	5.7	98	121
24	54	Ti02454		656	776	713	825	5.3	91	111
24	48	Ti02448		637	750	700	800	4.9	83	102
24	42	Ti02442		602	708	671	750	4.5	76	92
24	36	Ti02436		568	668	651	718	4.1	68	82
24	30	Ti02430		542	638	641	704	3.7	61	72
24	24	Ti02424		517	609	625	675	3.7	53	62

SPECIFY

Series	Code	Legs	Surface	Edge	Base	Metal	Grom.	M-Outlet	Mod.
T									

OPTIONS

Specify: Series: S or T (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LL), (LC) or (CL).

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panels: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge, p.30.

RECTANGULAR & CORNER TABLES (OPEN METAL "CC" END PANELS)



CC


29" H. rectangular table with open metal end panels. Available with 2 recessed end panels.

This table features the same specifications as the 3 previous tables.

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.

				S Sierra 1"		T Tango 1½"					
Dimensions				Code	Price		Specifications				
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
30	84			Ti03084CC	799	991	—	1081	9.2	154	194
30	78			Ti03078CC	782	952	—	1035	8.7	145	182
30	72			Ti03072CC	765	913	802	990	8.1	136	171
30	66			Ti03066CC	730	875	769	941	7.6	128	159
30	60			Ti03060CC	700	835	739	895	7.1	119	148
30	54			Ti03054CC	671	801	723	864	6.6	111	136
30	48			Ti03048CC	640	763	705	829	6.1	102	125
30	42			Ti03042CC	605	723	664	772	5.6	93	113
30	36			Ti03036CC	572	681	629	723	5.1	85	102
30	30			Ti03030CC	563	649	611	690	4.6	76	90
30	24			Ti03024CC	547	609	585	651	4.1	67	78
24	84			Ti02484CC	752	923	—	999	7.4	134	166
24	78			Ti02478CC	738	891	—	961	7	126	156
24	72			Ti02472CC	724	860	774	924	6.5	119	146
24	66			Ti02466CC	701	820	744	881	6.1	111	136
24	60			Ti02460CC	660	785	713	838	5.7	103	126
24	54			Ti02454CC	634	754	691	803	5.3	96	117
24	48			Ti02448CC	615	728	678	778	4.9	88	107
24	42			Ti02442CC	580	686	649	728	4.5	81	97
24	36			Ti02436CC	546	646	629	696	4.1	73	87
24	30			Ti02430CC	520	616	619	682	3.7	66	77
24	24			Ti02424CC	495	587	603	653	3.3	58	67



CC

90° corner table with recessed open metal end panels. Woodgrain is positioned at a 45° angle on these surfaces.

For corners CS03042CC and CS02436CC: the "D" dimension being 17" limits the keyboard choice.

30	30	48	25½	CS03048CC	954	1187	1122	1326	8.6	135	169
30	30	42	17	CS03042CC	887	1092	1059	1216	7.2	115	141
24	24	48	34	CS02448CC	924	1153	1088	1291	8.6	131	163
24	24	42	25½	CS02442CC	857	1058	1025	1181	7.2	112	137
24	24	36	17	CS02436CC	785	956	952	1067	6	94	113
18	18	36	25½	CS01836CC	752	924	919	1033	6	91	109

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet	Mod.
T			/					

OPTIONS

Specify: Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panels: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge, p.30.

REVERSIBLE RETURNS (COMBINED MATERIAL END PANEL)




29" H. reversible return with combined material (metal-laminate) end panel.

Includes a full height modesty panel, 4" from the floor.

Returns 42" and less in length have 1 central grommet included.

Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
24	60	RERX2460	626	732	658	800	5	97	120
24	54	RERX2454	589	690	628	749	4.6	89	111
24	48	RERX2448	551	648	598	699	4.2	78	96
24	42	RERX2442	514	606	569	648	3.9	70	86
24	36	RERX2436	479	567	550	616	3.5	63	78
24	30	RERX2430	452	536	540	603	3.2	56	68
21	48	RERX2148	534	623	581	668	3.8	72	88
21	42	RERX2142	497	583	545	620	3.5	64	78
21	36	RERX2136	465	560	525	592	3.2	57	70
21	30	RERX2130	438	518	512	581	2.9	50	60
18	48	RERX1848	523	604	570	644	3.3	66	82
18	42	RERX1842	487	567	527	600	3	58	71
18	36	RERX1836	457	547	517	587	2.7	51	63
18	30	RERX1830	431	506	504	565	2.4	44	53

REVERSIBLE RETURNS (PERFORATED METAL END PANEL)



29" H. reversible return with perforated metal end panel.

Includes a full height modesty panel, 4" from the floor.

Returns 42" and less in length have 1 central grommet included.

24	60	RERM2460	626	732	658	800	5	97	120
24	54	RERM2454	589	690	628	749	4.6	89	111
24	48	RERM2448	551	648	598	699	4.2	78	96
24	42	RERM2442	514	606	569	648	3.9	70	86
24	36	RERM2436	479	567	550	616	3.5	63	78
24	30	RERM2430	452	536	540	603	3.2	56	68
21	48	RERM2148	534	623	581	668	3.8	72	88
21	42	RERM2142	497	583	545	620	3.5	64	78
21	36	RERM2136	465	560	525	592	3.2	57	70
21	30	RERM2130	438	518	512	581	2.9	50	60
18	48	RERM1848	523	604	570	644	3.3	66	82
18	42	RERM1842	487	567	527	600	3	58	71
18	36	RERM1836	457	547	517	587	2.7	51	63
18	30	RERM1830	431	506	504	565	2.4	44	53

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet Mod.

T - - / - - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panel: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge, p.30.


REVERSIBLE RETURNS (OPEN METAL END PANEL)



29" H. reversible return with open metal end panel.
Includes a full height modesty panel, 4" from the floor.
Returns 42" and less in length have 1 central grommet included.

Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
24	60	RERO2460	571	677	603	745	5	90	113
24	54	RERO2454	534	635	573	694	4.6	82	104
24	48	RERO2448	496	593	543	644	4.2	71	89
24	42	RERO2442	459	551	514	593	3.9	63	79
24	36	RERO2436	424	512	495	561	3.5	56	71
24	30	RERO2430	397	481	485	548	3.2	49	61
21	48	RERO2148	484	573	531	618	3.8	66	82
21	42	RERO2142	448	534	495	571	3.5	58	72
21	36	RERO2136	416	510	475	542	3.2	51	64
21	30	RERO2130	388	469	462	531	2.9	44	54
18	48	RERO1848	473	554	520	594	3.3	61	76
18	42	RERO1842	438	517	477	550	3	54	66
18	36	RERO1836	407	497	468	538	2.7	46	58
18	30	RERO1830	382	457	454	516	2.4	38	48

BRIDGE-RETURNS



29" H. bridge-return with modesty panel, 4" from the floor.
Bridge-returns can not accomodate suspended pedestals.

24	48	REB2448	311	448	397	497	2.8	60	78
24	42	REB2442	299	406	369	448	2.5	52	68
24	36	REB2436	287	374	349	416	2.1	45	60
24	30	REB2430	276	334	339	402	1.8	38	50
21	48	REB2148	305	437	386	482	2.5	56	72
21	42	REB2142	294	397	359	432	2.2	48	62
21	36	REB2136	282	365	339	402	1.9	41	54
21	30	REB2130	270	323	328	386	1.6	34	44
18	48	REB1848	299	426	375	466	2.2	52	67
18	42	REB1842	287	386	348	417	1.9	44	57
18	36	REB1836	276	354	328	391	1.6	37	49
18	30	REB1830	264	312	317	374	1.3	30	39

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet Mod.
T - - / - - - - -

OPTIONS

Specify: Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panel (RERO): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.


Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge, p.31.

BRIDGE-SURFACES



Bridge-surface with no modesty panel.
Attaches to 2 surfaces.
Surfaces 42" and less in length have 1 central grommet included.
Bridge-surfaces can be used with "support" pedestals but can not accomodate suspended pedestals.

		S Sierra 1"		T Tango 1½"					
Dimensions		Code	Price				Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
24	48	REBS2448	263	399	349	449	1.7	32	47
24	42	REBS2442	255	362	325	404	1.6	28	42
24	36	REBS2436	246	333	308	375	1.3	24	36
24	30	REBS2430	240	298	303	365	1.1	19	30
21	48	REBS2148	256	388	338	433	1.6	28	42
21	42	REBS2142	250	353	315	388	1.3	24	36
21	36	REBS2136	241	325	298	361	1.1	21	31
21	30	REBS2130	233	287	292	350	0.9	17	26
18	48	REBS1848	251	377	327	418	1.3	24	36
18	42	REBS1842	243	342	304	373	1.1	21	31
18	36	REBS1836	235	314	287	350	1	18	27
18	30	REBS1830	228	276	281	338	0.8	15	22



SPECIFY					OPTIONS
Series	Code	Surface	Edge	Grom.	M-Outlet
T					

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (**EC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.
or option of standard multi-outlet module (**UC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.29.
On surfaces 36" or less in length, only the centered module (**ECC/UCC**) is available.

**** NOTE:** The module will not be covered and will be noticeable.



RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (FULL END PANEL)

Left or right rectangular table with 1 full laminate end panel.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DPI3684L	710	926	—	1032	9.9	109	143
36	78	DPI3678L	691	880	—	977	9.4	103	134
36	72	DPI3672L	671	833	697	922	8.8	97	125
36	66	DPI3666L	615	806	669	888	8.2	91	116
36	60	DPI3660L	581	760	636	834	7.6	86	107
30	84	DPI3084L	658	850	—	941	8.0	91	119
30	78	DPI3078L	641	811	—	894	7.5	87	113
30	72	DPI3072L	624	772	661	849	6.9	82	106
30	66	DPI3066L	590	734	628	800	6.4	77	99
30	60	DPI3060L	559	694	598	755	5.9	72	92
24	84	DPI2484L	598	769	—	845	6.6	75	97
24	78	DPI2478L	584	737	—	807	6.2	71	92
24	72	DPI2472L	570	706	620	770	5.7	67	86
24	66	DPI2466L	547	666	590	727	5.3	63	80
24	60	DPI2460L	506	631	559	684	4.9	59	75
RIGHT table									
36	84	DPI3684R	710	926	—	1032	9.9	109	143
36	78	DPI3678R	691	880	—	977	9.4	103	134
36	72	DPI3672R	671	833	697	922	8.8	97	125
36	66	DPI3666R	615	806	669	888	8.2	91	116
36	60	DPI3660R	581	760	636	834	7.6	86	107
30	84	DPI3084R	658	850	—	941	8.0	91	119
30	78	DPI3078R	641	811	—	894	7.5	87	113
30	72	DPI3072R	624	772	661	849	6.9	82	106
30	66	DPI3066R	590	734	628	800	6.4	77	99
30	60	DPI3060R	559	694	598	755	5.9	72	92
24	84	DPI2484R	598	769	—	845	6.6	75	97
24	78	DPI2478R	584	737	—	807	6.2	71	92
24	72	DPI2472R	570	706	620	770	5.7	67	86
24	66	DPI2466R	547	666	590	727	5.3	63	80
24	60	DPI2460R	506	631	559	684	4.9	59	75

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet
T - - / - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.28.



RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (COMBINED MATERIAL END PANEL)

Left or right rectangular table with 1 combined material (metal/laminate) end-panel.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DPiX3684L	853	1069	—	1175	9.9	109	143
36	78	DPiX3678L	834	1023	—	1120	9.4	103	134
36	72	DPiX3672L	814	976	840	1065	8.8	97	125
36	66	DPiX3666L	758	949	812	1031	8.2	91	116
36	60	DPiX3660L	724	903	779	977	7.6	86	107
30	84	DPiX3084L	784	977	—	1067	8.0	91	119
30	78	DPiX3078L	768	937	—	1021	7.5	87	113
30	72	DPiX3072L	750	899	788	976	6.9	82	106
30	66	DPiX3066L	716	860	755	926	6.4	77	99
30	60	DPiX3060L	685	821	725	881	5.9	72	92
24	84	DPiX2484L	708	879	—	955	6.6	75	97
24	78	DPiX2478L	694	847	—	917	6.2	71	92
24	72	DPiX2472L	680	816	730	880	5.7	67	86
24	66	DPiX2466L	657	776	700	837	5.3	63	80
24	60	DPiX2460L	616	741	669	794	4.9	59	75
RIGHT table									
36	84	DPiX3684R	853	1069	—	1175	9.9	109	143
36	78	DPiX3678R	834	1023	—	1120	9.4	103	134
36	72	DPiX3672R	814	976	840	1065	8.8	97	125
36	66	DPiX3666R	758	949	812	1031	8.2	91	116
36	60	DPiX3660R	724	903	779	977	7.6	86	107
30	84	DPiX3084R	784	977	—	1067	8.0	91	119
30	78	DPiX3078R	768	937	—	1021	7.5	87	113
30	72	DPiX3072R	750	899	788	976	6.9	82	106
30	66	DPiX3066R	716	860	755	926	6.4	77	99
30	60	DPiX3060R	685	821	725	881	5.9	72	92
24	84	DPiX2484R	708	879	—	955	6.6	75	97
24	78	DPiX2478R	694	847	—	917	6.2	71	92
24	72	DPiX2472R	680	816	730	880	5.7	67	86
24	66	DPiX2466R	657	776	700	837	5.3	63	80
24	60	DPiX2460R	616	741	669	794	4.9	59	75

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify: Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panel: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.28.



RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (PERFORATED METAL END PANEL)

Left or right rectangular table with 1 perforated metal full end panel.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DPiM3684L	853	1069	—	1175	9.9	109	143
36	78	DPiM3678L	834	1023	—	1120	9.4	103	134
36	72	DPiM3672L	814	976	840	1065	8.8	97	125
36	66	DPiM3666L	758	949	812	1031	8.2	91	116
36	60	DPiM3660L	724	903	779	977	7.6	86	107
30	84	DPiM3084L	784	977	—	1067	8.0	91	119
30	78	DPiM3078L	768	937	—	1021	7.5	87	113
30	72	DPiM3072L	750	899	788	976	6.9	82	106
30	66	DPiM3066L	716	860	755	926	6.4	77	99
30	60	DPiM3060L	685	821	725	881	5.9	72	92
24	84	DPiM2484L	708	879	—	955	6.6	75	97
24	78	DPiM2478L	694	847	—	917	6.2	71	92
24	72	DPiM2472L	680	816	730	880	5.7	67	86
24	66	DPiM2466L	657	776	700	837	5.3	63	80
24	60	DPiM2460L	616	741	669	794	4.9	59	75
RIGHT table									
36	84	DPiM3684R	853	1069	—	1175	9.9	109	143
36	78	DPiM3678R	834	1023	—	1120	9.4	103	134
36	72	DPiM3672R	814	976	840	1065	8.8	97	125
36	66	DPiM3666R	758	949	812	1031	8.2	91	116
36	60	DPiM3660R	724	903	779	977	7.6	86	107
30	84	DPiM3084R	784	977	—	1067	8.0	91	119
30	78	DPiM3078R	768	937	—	1021	7.5	87	113
30	72	DPiM3072R	750	899	788	976	6.9	82	106
30	66	DPiM3066R	716	860	755	926	6.4	77	99
30	60	DPiM3060R	685	821	725	881	5.9	72	92
24	84	DPiM2484R	708	879	—	955	6.6	75	97
24	78	DPiM2478R	694	847	—	917	6.2	71	92
24	72	DPiM2472R	680	816	730	880	5.7	67	86
24	66	DPiM2466R	657	776	700	837	5.3	63	80
24	60	DPiM2460R	616	741	669	794	4.9	59	75

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify: Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panel: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.
or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.28.



RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (OPEN METAL END PANEL)

Left or right rectangular table with 1 open metal full end panel.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DPi03684L	776	992	—	1098	9.9	100	134
36	78	DPi03678L	757	946	—	1043	9.4	94	125
36	72	DPi03672L	737	899	763	988	8.8	88	116
36	66	DPi03666L	681	872	735	954	8.2	82	107
36	60	DPi03660L	647	826	702	900	7.6	77	98
30	84	DPi03084L	724	916	—	1007	8.0	83	111
30	78	DPi03078L	707	877	—	960	7.5	79	105
30	72	DPi03072L	690	838	727	915	6.9	74	98
30	66	DPi03066L	656	800	694	866	6.4	69	91
30	60	DPi03060L	625	760	664	821	5.9	64	84
24	84	DPi02484L	653	824	—	900	6.6	68	90
24	78	DPi02478L	639	792	—	862	6.2	64	85
24	72	DPi02472L	625	761	675	825	5.7	60	79
24	66	DPi02466L	602	721	645	782	5.3	56	73
24	60	DPi02460L	561	686	614	739	4.9	52	68
RIGHT table									
36	84	DPi03684R	776	992	—	1098	9.9	100	134
36	78	DPi03678R	757	946	—	1043	9.4	94	125
36	72	DPi03672R	737	899	763	988	8.8	88	116
36	66	DPi03666R	681	872	735	954	8.2	82	107
36	60	DPi03660R	647	826	702	900	7.6	77	98
30	84	DPi03084R	724	916	—	1007	8.0	83	111
30	78	DPi03078R	707	877	—	960	7.5	79	105
30	72	DPi03072R	690	838	727	915	6.9	74	98
30	66	DPi03066R	656	800	694	866	6.4	69	91
30	60	DPi03060R	625	760	664	821	5.9	64	84
24	84	DPi02484R	653	824	—	900	6.6	68	90
24	78	DPi02478R	639	792	—	862	6.2	64	85
24	72	DPi02472R	625	761	675	825	5.7	60	79
24	66	DPi02466R	602	721	645	782	5.3	56	73
24	60	DPi02460R	561	686	614	739	4.9	52	68

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panel: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (**EC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.
 or option of standard multi-outlet module (**UC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.28.

RECTANGULAR SURFACE-MOUNTED "LAYERING" RETURNS WITH "L" SUPPORT



Rectangular return, left or right.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Returns have 2 grommets.

Assembly hardware included.



		S Sierra 1"		T Tango 1½"					
Dimensions		Code	Price				Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT return									
24	72	REEP2472L	304	440	349	521	3.3	52	71
24	66	REEP2466L	292	418	338	494	3.1	48	66
24	60	REEP2460L	275	396	310	458	2.8	44	60
21	72	REEP2172L	273	410	319	475	3.0	46	63
21	66	REEP2166L	262	388	303	454	2.7	43	58
21	60	REEP2160L	255	366	290	421	2.5	39	53
18	72	REEP1872L	248	370	294	430	2.6	41	55
18	66	REEP1866L	241	332	277	408	2.4	38	51
18	60	REEP1860L	234	320	270	376	2.2	34	47
RIGHT return									
24	72	REEP2472R	304	440	349	521	3.3	52	71
24	66	REEP2466R	292	418	338	494	3.1	48	66
24	60	REEP2460R	275	396	310	458	2.8	44	60
21	72	REEP2172R	273	410	319	475	3.0	46	63
21	66	REEP2166R	262	388	303	454	2.7	43	58
21	60	REEP2160R	255	366	290	421	2.5	39	53
18	72	REEP1872R	248	370	294	430	2.6	41	55
18	66	REEP1866R	241	332	277	408	2.4	38	51
18	60	REEP1860R	234	320	270	376	2.2	34	47

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet
T - - / - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: Multi-Outlet Module: Option of single-circuit multi-outlet module (**EC...**) at left **...L**, centered **...C** and/or at right **...R**, add \$213 ea.
 or option of standard multi-outlet module (**UC...**) at left **...L**, centered **...C** and/or at right **...R**, add \$213 ea., p.28.

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG)



"D" shaped table.

Telescopic metal leg (4" dia.).

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DLDA3684L	756	1041	—	1250	5,1	88	128
36	78	DLDA3678L	744	1002	—	1201	4,8	85	125
36	72	DLDA3672L	725	959	932	1157	4,5	82	121
30	84	DLDA3084L	711	948	—	1142	4,4	79	117
30	78	DLDA3078L	702	916	—	1102	4,1	74	109
30	72	DLDA3072L	689	906	905	1092	3,9	69	102
24	84	DLDA2484L	666	893	—	1034	3,7	64	94
24	78	DLDA2478L	660	872	—	1003	3,5	59	88
24	72	DLDA2472L	652	836	858	975	3,3	56	82
RIGHT table									
36	84	DLDA3684R	756	1041	—	1250	5,1	88	128
36	78	DLDA3678R	744	1002	—	1201	4,8	85	124
36	72	DLDA3672R	725	959	932	1157	4,5	82	121
30	84	DLDA3084R	711	948	—	1142	4,4	79	117
30	78	DLDA3078R	702	916	—	1102	4,1	74	109
30	72	DLDA3072R	689	906	905	1092	3,9	69	102
24	84	DLDA2484R	666	893	—	1034	3,7	64	94
24	78	DLDA2478R	660	872	—	1003	3,5	59	88
24	72	DLDA2472R	652	836	858	975	3,3	56	82

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify: Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (ECC), add \$213

or option of centered standard multi-outlet module (UCC), add \$213, p.29.



"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE)

"D" shaped table with telescopic metal leg (4" dia.) with round or square base plate.

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price				Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)		
LEFT table		Round base	Square base							
36	84	DLDC3684L	DLDD3684L	779	1064	—	1273	10.1	94	134
36	78	DLDC3678L	DLDD3678L	767	1025	—	1224	9.8	91	130
36	72	DLDC3672L	DLDD3672L	748	982	955	1180	9.5	88	127
30	84	DLDC3084L	DLDD3084L	734	971	—	1165	9.4	85	123
30	78	DLDC3078L	DLDD3078L	725	939	—	1125	9.1	80	115
30	72	DLDC3072L	DLDD3072L	712	930	928	1115	8.9	75	108
24	84	DLDC2484L	DLDD2484L	689	916	—	1057	8.7	70	100
24	78	DLDC2478L	DLDD2478L	683	895	—	1026	8.5	65	94
24	72	DLDC2472L	DLDD2472L	675	859	881	998	8.3	62	88
RIGHT table										
36	84	DLDC3684R	DLDD3684R	779	1064	—	1273	10.1	94	134
36	78	DLDC3678R	DLDD3678R	767	1025	—	1224	9.8	91	130
36	72	DLDC3672R	DLDD3672R	748	982	955	1180	9.5	88	127
30	84	DLDC3084R	DLDD3084R	734	971	—	1165	9.4	85	123
30	78	DLDC3078R	DLDD3078R	725	939	—	1125	9.1	80	115
30	72	DLDC3072R	DLDD3072R	712	930	928	1115	8.9	75	108
24	84	DLDC2484R	DLDD2484R	689	916	—	1057	8.7	70	100
24	78	DLDC2478R	DLDD2478R	683	895	—	1026	8.5	65	94
24	72	DLDC2472R	DLDD2472R	675	859	881	998	8.3	62	88

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (ECC), add \$213

or option of centered standard multi-outlet module (UCC), add \$213, p.29.

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG)



"D" shaped table.

Telescopic metal leg (4" dia.).


5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.

Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
36	84	DADA3684	920	1205	—	1414	5,4	92	126
36	78	DADA3678	908	1166	—	1365	5,1	87	119
36	72	DADA3672	889	1123	1096	1321	5	82	111
30	84	DADA3084	875	1112	—	1306	4,9	80	108
30	78	DADA3078	866	1080	—	1266	4,6	76	102
30	72	DADA3072	853	1070	1069	1256	4,4	71	96
24	84	DADA2484	829	1057	—	1198	4,2	68	90
24	78	DADA2478	824	1036	—	1167	4,0	64	85
24	72	DADA2472	816	1000	1022	1139	3,8	61	80

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG WITH BASE)



"D" shaped table with telescopic metal leg (4" dia.) with round or square base plate.

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.

Dimensions		Code	Round base		Square base		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb	lb
36	84	DADC3684	943	1228	—	1437	9,8	99	133
36	78	DADC3678	931	1189	—	1388	9,5	94	125
36	72	DADC3672	912	1146	1119	1344	9,4	88	117
30	84	DADC3084	898	1135	—	1329	9,3	87	115
30	78	DADC3078	889	1103	—	1289	9,0	82	108
30	72	DADC3072	876	1093	1092	1279	8,8	78	102
24	84	DADC2484	853	1080	—	1221	8,6	74	97
24	78	DADC2478	847	1059	—	1190	8,4	71	92
24	72	DADC2472	839	1023	1045	1162	8,2	67	87

SPECIFY

Series Code Surface Edge Metal Grom. M-Outlet
T - - / - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg & support: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG)



"D" shaped table (arched), left or right.

Telescopic metal leg (4" dia.).

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DLAA3684L	756	1041	—	1250	5,1	88	128
36	78	DLAA3678L	744	1002	—	1201	4,8	85	124
36	72	DLAA3672L	725	959	932	1157	4,5	82	121
30	84	DLAA3084L	711	948	—	1142	4,4	79	117
30	78	DLAA3078L	702	916	—	1102	4,1	74	109
30	72	DLAA3072L	689	906	905	1092	3,9	69	102
			0	0	0	0			
24	84	DLAA2484L	666	893	—	1034	3,7	64	94
24	78	DLAA2478L	660	872	—	1003	3,5	59	88
24	72	DLAA2472L	652	836	858	975	3,3	56	82
RIGHT table									
36	84	DLAA3684R	756	1041	—	1250	5,1	88	128
36	78	DLAA3678R	744	1002	—	1201	4,8	85	124
36	72	DLAA3672R	725	959	932	1157	4,5	82	121
30	84	DLAA3084R	711	948	—	1142	4,4	79	117
30	78	DLAA3078R	702	916	—	1102	4,1	74	109
30	72	DLAA3072R	689	906	905	1092	3,9	69	102
24	84	DLAA2484R	666	893	—	1034	3,7	64	94
24	78	DLAA2478R	660	872	—	1003	3,5	59	88
24	72	DLAA2472R	652	836	858	975	3,3	56	82

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (ECC), add \$213

or option of centered standard multi-outlet module (UCC), add \$213, p.29.



ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE)

"D" shaped table (arched), left or right with telescopic metal leg (4" dia.) with round or square base plate.

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price				Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table		Round base	Square base							
36	84	DLAC3684L	DLAD3684L	779	1064	—	1273	10.1	94	134
36	78	DLAC3678L	DLAD3678L	767	1025	—	1224	9.8	91	130
36	72	DLAC3672L	DLAD3672L	748	982	955	1180	9.5	88	127
30	84	DLAC3084L	DLAD3084L	734	971	—	1165	9.4	85	123
30	78	DLAC3078L	DLAD3078L	725	939	—	1125	9.1	80	115
30	72	DLAC3072L	DLAD3072L	712	930	928	1115	8.9	75	108
24	84	DLAC2484L	DLAD2484L	689	916	—	1057	8.7	70	100
24	78	DLAC2478L	DLAD2478L	683	895	—	1026	8.5	65	94
24	72	DLAC2472L	DLAD2472L	675	859	881	998	8.3	62	88
RIGHT table										
36	84	DLAC3684R	DLAD3684R	779	1064	—	1273	10.1	94	134
36	78	DLAC3678R	DLAD3678R	767	1025	—	1224	9.8	91	130
36	72	DLAC3672R	DLAD3672R	748	982	955	1180	9.5	88	127
30	84	DLAC3084R	DLAD3084R	734	971	—	1165	9.4	85	123
30	78	DLAC3078R	DLAD3078R	725	939	—	1125	9.1	80	115
30	72	DLAC3072R	DLAD3072R	712	930	928	1115	8.9	75	108
24	84	DLAC2484R	DLAD2484R	689	916	—	1057	8.7	70	100
24	78	DLAC2478R	DLAD2478R	683	895	—	1026	8.5	65	94
24	72	DLAC2472R	DLAD2472R	675	859	881	998	8.3	62	88

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify: Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (ECC), add \$213

or option of centered standard multi-outlet module (UCC), add \$213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEGS)


"D" shaped table (arched), left or right.

Choice of 2 types of tubular legs: round (2½" diam.) or square (2½").

5" high laminate "L" support (end gable and short modesty panel).


Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



E

F



E

F

				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price				Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)		
LEFT table		Round legs		Square legs						
36	84	DLAE3684L	DLAF3684L	811	1096	—	1305	5,1	94	134
36	78	DLAE3678L	DLAF3678L	799	1057	—	1256	4,8	91	130
36	72	DLAE3672L	DLAF3672L	780	1014	987	1212	4.5	88	127
30	84	DLAE3084L	DLAF3084L	766	1003	—	1197	4,4	85	123
30	78	DLAE3078L	DLAF3078L	757	971	—	1157	4,1	80	115
30	72	DLAE3072L	DLAF3072L	744	961	960	1147	3.9	75	108
24	84	DLAE2484L	DLAF2484L	721	948	—	1089	3,7	70	100
24	78	DLAE2478L	DLAF2478L	715	927	—	1058	3,5	65	94
24	72	DLAE2472L	DLAF2472L	707	891	913	1030	3.3	62	88
RIGHT table										
36	84	DLAE3684R	DLAF3684R	811	1096	—	1305	5,1	94	134
36	78	DLAE3678R	DLAF3678R	799	1057	—	1256	4,8	91	130
36	72	DLAE3672R	DLAF3672R	780	1014	987	1212	4.5	88	127
30	84	DLAE3084R	DLAF3084R	766	1003	—	1197	4,4	85	123
30	78	DLAE3078R	DLAF3078R	757	971	—	1157	4,1	80	115
30	72	DLAE3072R	DLAF3072R	744	961	960	1147	3.9	75	108
24	84	DLAE2484R	DLAF2484R	721	948	—	1089	3,7	70	100
24	78	DLAE2478R	DLAF2478R	715	927	—	1058	3,5	65	94
24	72	DLAE2472R	DLAF2472R	707	891	913	1030	3.3	62	88

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal legs: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or polar white (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (MONOLITHIC BASE)



"D" shaped table (arched), left or right.

Monolithic laminate base, 4" x 12".

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			Price						
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DLAG3684L	747	1032	—	1241	5.0	100	140
36	78	DLAG3678L	735	993	—	1192	5.3	97	136
36	72	DLAG3672L	716	950	923	1148	5.0	94	133
30	84	DLAG3084L	702	939	—	1133	4.9	91	129
30	78	DLAG3078L	693	908	—	1093	4.6	86	121
30	72	DLAG3072L	680	898	897	1084	4.4	81	114
24	84	DLAG2484L	657	884	—	1025	4.2	76	106
24	78	DLAG2478L	651	864	—	994	4.0	71	100
24	72	DLAG2472L	644	827	849	966	3.8	68	64
RIGHT table									
36	84	DLAG3684R	747	1032	—	1241	5.0	100	140
36	78	DLAG3678R	735	993	—	1192	5.3	97	136
36	72	DLAG3672R	716	950	923	1148	5.0	94	133
30	84	DLAG3084R	702	939	—	1133	4.9	91	129
30	78	DLAG3078R	693	908	—	1093	4.6	86	121
30	72	DLAG3072R	680	898	897	1084	4.4	81	114
24	84	DLAG2484R	657	884	—	1025	4.2	76	106
24	78	DLAG2478R	651	864	—	994	4.0	71	100
24	72	DLAG2472R	644	827	849	966	3.8	68	64

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet
T - - / - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG)



"D" shaped table (arched) with telescopic metal leg (4" dia.).


5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.

Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
36	84	DAAA3684	920	1205	—	1414	5,4	92	126
36	78	DAAA3678	908	1166	—	1365	5,1	87	119
36	72	DAAA3672	889	1123	1096	1321	5	82	111
30	84	DAAA3084	875	1112	—	1306	4,9	80	108
30	78	DAAA3078	866	1080	—	1266	4,6	76	102
30	72	DAAA3072	853	1070	1069	1256	4,4	71	96
24	84	DAAA2484	829	1057	—	1198	4,2	68	90,4
24	78	DAAA2478	824	1036	—	1167	4,0	64	85
24	72	DAAA2472	816	1000	1022	1139	3,8	61	80

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG WITH BASE)



"D" shaped table (arched, left or right) with telescopic metal leg (4" dia.) with round or square base plate.

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.

Dimensions		Round base		Square base		Specifications			
A	B					Cu.Ft.	lb (S)	lb (T)	
36	84	DAAC3684	DAAD3684	943	1228	—	1437	9,8	99 133
36	78	DAAC3678	DAAD3678	931	1189	—	1388	9,5	94 125
36	72	DAAC3672	DAAD3672	912	1146	1119	1344	9,4	88 117
30	84	DAAC3084	DAAD3084	898	1135	—	1329	9,3	87 115
30	78	DAAC3078	DAAD3078	889	1103	—	1289	9,0	82 108
30	72	DAAC3072	DAAD3072	876	1093	1092	1279	8,8	78 102
24	84	DAAC2484	DAAD2484	853	1080	—	1221	8,6	74 97
24	78	DAAC2478	DAAD2478	847	1059	—	1190	8,4	71 92
24	72	DAAC2472	DAAD2472	839	1023	1045	1162	8,2	67 87

SPECIFY

Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T						

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.


Metal leg & support: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (ECC), add \$213

or option of centered standard multi-outlet module (UCC), add \$213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG)



Rectangular table, left or right.

Telescopic metal leg (4" dia.).


5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.

S Sierra 1" **T Tango 1½"**

Dimensions		Code	Price				Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DLiA3684L	734	1019	—	1228	5,1	88	128
36	78	DLiA3678L	722	980	—	1179	4,8	85	124
36	72	DLiA3672L	703	937	910	1135	4.5	82	121
30	84	DLiA3084L	689	926	—	1120	4,4	79	117
30	78	DLiA3078L	680	894	—	1080	4,1	74	109
30	72	DLiA3072L	667	884	883	1070	3.9	69	102
24	84	DLiA2484L	644	871	—	1012	3,7	64	94
24	78	DLiA2478L	638	850	—	981	3,5	59	88
24	72	DLiA2472L	630	814	836	953	3.3	56	82



RIGHT table

36	84	DLiA3684R	734	1019	—	1228	5,1	88	128
36	78	DLiA3678R	722	980	—	1179	4,8	85	124
36	72	DLiA3672R	703	937	910	1135	4,5	82	121
30	84	DLiA3084R	689	926	—	1120	4,4	79	117
30	78	DLiA3078R	680	894	—	1080	4,1	74	109
30	72	DLiA3072R	667	884	883	1070	3,9	69	102
24	84	DLiA2484R	644	871	—	1012	3,7	64	94
24	78	DLiA2478R	638	850	—	981	3,5	59	88
24	72	DLiA2472R	630	814	836	953	3,3	56	82

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify: Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE)



Rectangular table, left or right.

Telescopic metal leg (4" dia.) with round or square base plate.

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price				Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table		Round base	Square base							
36	84	DLIC3684L	DLiD3684L	757	1042	—	1251	10.1	94	134
36	78	DLIC3678L	DLiD3678L	745	1003	—	1202	9.8	91	130
36	72	DLIC3672L	DLiD3672L	726	960	933	1158	9.5	88	127
30	84	DLIC3084L	DLiD3084L	712	949	—	1143	9.4	85	123
30	78	DLIC3078L	DLiD3078L	703	917	—	1103	9.1	80	115
30	72	DLIC3072L	DLiD3072L	690	908	906	1093	8.9	75	108
24	84	DLIC2484L	DLiD2484L	667	894	—	1035	8.7	70	100
24	78	DLIC2478L	DLiD2478L	661	873	—	1004	8.5	65	94
24	72	DLIC2472L	DLiD2472L	653	837	859	976	8.3	62	88
RIGHT table										
36	84	DLIC3684R	DLiD3684R	757	1042	—	1251	10.1	94	134
36	78	DLIC3678R	DLiD3678R	745	1003	—	1202	9.8	91	130
36	72	DLIC3672R	DLiD3672R	726	960	933	1158	9.5	88	127
30	84	DLIC3084R	DLiD3084R	712	949	—	1143	9.4	85	123
30	78	DLIC3078R	DLiD3078R	703	917	—	1103	9.1	80	115
30	72	DLIC3072R	DLiD3072R	690	908	906	1093	8.9	75	108
24	84	DLIC2484R	DLiD2484R	667	894	—	1035	8.7	70	100
24	78	DLIC2478R	DLiD2478R	661	873	—	1004	8.5	65	94
24	72	DLIC2472R	DLiD2472R	653	837	859	976	8.3	62	88

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEGS)



Rectangular table, left or right.

Choice of 2 types of tubular legs: round (2½" diam.) or square (2½").

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price				Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table		Round leg	Square leg							
36	84	DLiE3684L	DLiF3684L	789	1074	—	1283	5,1	94	134
36	78	DLiE3678L	DLiF3678L	777	1035	—	1234	4,8	91	130
36	72	DLiE3672L	DLiF3672L	758	992	965	1190	4,5	88	127
30	84	DLiE3084L	DLiF3084L	744	981	—	1175	4,4	85	123
30	78	DLiE3078L	DLiF3078L	735	949	—	1135	4,1	80	115
30	72	DLiE3072L	DLiF3072L	722	939	938	1125	3,9	75	108
24	84	DLiE2484L	DLiF2484L	699	926	—	1067	3,7	70	100
24	78	DLiE2478L	DLiF2478L	693	905	—	1036	3,5	65	94
24	72	DLiE2472L	DLiF2472L	685	869	891	1008	3,3	62	88

RIGHT table										
36	84	DLiE3684R	DLiF3684R	789	1074	—	1283	5,1	94	134
36	78	DLiE3678R	DLiF3678R	777	1035	—	1234	4,8	91	130
36	72	DLiE3672R	DLiF3672R	758	992	965	1190	4,5	88	127
30	84	DLiE3084R	DLiF3084R	744	981	—	1175	4,4	85	123
30	78	DLiE3078R	DLiF3078R	735	949	—	1135	4,1	80	115
30	72	DLiE3072R	DLiF3072R	722	939	938	1125	3,9	75	108
24	84	DLiE2484R	DLiF2484R	699	926	—	1067	3,7	70	100
24	78	DLiE2478R	DLiF2478R	693	905	—	1036	3,5	65	94
24	72	DLiE2472R	DLiF2472R	685	869	891	1008	3,3	62	88

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify: Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (ECC), add \$213

or option of centered standard multi-outlet module (UCC), add \$213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (MONOLITHIC BASE)



Rectangular table, left or right.

Monolithic laminate base, 4" x 12".

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			Price						
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DLiG3684L	725	1010	—	1219	5.0	100	140
36	78	DLiG3678L	713	971	—	1170	5.3	97	136
36	72	DLiG3672L	694	928	901	1126	5.0	94	133
30	84	DLiG3084L	680	917	—	1111	4.9	91	129
30	78	DLiG3078L	671	886	—	1071	4.6	86	121
30	72	DLiG3072L	658	876	875	1062	4.4	81	114
24	84	DLiG2484L	635	862	—	1003	4.2	76	106
24	78	DLiG2478L	629	842	—	972	4.0	71	100
24	72	DLiG2472L	622	805	827	944	3.8	68	64
RIGHT table									
36	84	DLiG3684R	725	1010	—	1219	5.0	100	140
36	78	DLiG3678R	713	971	—	1170	5.3	97	136
36	72	DLiG3672R	694	928	901	1126	5.0	94	133
30	84	DLiG3084R	680	917	—	1111	4.9	91	129
30	78	DLiG3078R	671	886	—	1071	4.6	86	121
30	72	DLiG3072R	658	876	875	1062	4.4	81	114
24	84	DLiG2484R	635	862	—	1003	4.2	76	106
24	78	DLiG2478R	629	842	—	972	4.0	71	100
24	72	DLiG2472R	622	805	827	944	3.8	68	64

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet
T - - / - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG)



Rectangular table.

Telescopic metal leg (4" dia.).

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.

		S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
36	84	DAiA3684		898	1183	—	1392	5,4 92 126
36	78	DAiA3678		886	1144	—	1343	5,1 87 119
36	72	DAiA3672		867	1101	1074	1299	5 82 111
30	84	DAiA3084		853	1090	—	1284	4,9 80 108
30	78	DAiA3078		844	1058	—	1244	4,6 76 102
30	72	DAiA3072		831	1048	1047	1234	4,4 71 96
24	84	DAiA2484		807	1035	—	1176	4,2 68 90
24	78	DAiA2478		802	1014	—	1145	4,0 64 85
24	72	DAiA2472		794	978	1000	1117	3,8 61 80

SPECIFY						OPTIONS
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T		-	/	-	-	-

Specify: Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.


Metal leg & support: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (ECC), add \$213

or option of centered standard multi-outlet module (UCC), add \$213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG WITH BASE)



Rectangular table.
Telescopic metal leg (4" dia.) with round or square base plate.
5" high adjustable metal support. Adjusts from 28" to 31" high.
Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.
Assembly hardware included.

				S Sierra 1"		T Tango 1½"					
Dimensions		Code		Price				Specifications			
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)			
		Round base	Square base								
36	84	DAiC3684	DAiD3684	921	1206	—	1415	9.8	99	133	
36	78	DAiC3678	DAiD3678	909	1167	—	1366	9.5	94	125	
36	72	DAiC3672	DAiD3672	890	1124	1097	1322	9.4	88	117	
30	84	DAiC3084	DAiD3084	876	1113	—	1307	9.3	87	115	
30	78	DAiC3078	DAiD3078	867	1081	—	1267	9.0	82	108	
30	72	DAiC3072	DAiD3072	854	1071	1070	1257	8.8	78	102	
24	84	DAiC2484	DAiD2484	831	1058	—	1199	8.6	74	97	
24	78	DAiC2478	DAiD2478	825	1037	—	1168	8.4	71	92	
24	72	DAiC2472	DAiD2472	817	1001	1023	1140	8.2	67	87	

SPECIFY

Series Code Surface Edge Metal Grom. M-Outlet
T - - / - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.


Metal leg & support: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Multi-Outlet Module: Option of centered single-circuit multi-outlet module (ECC), add \$213

or option of centered standard multi-outlet module (UCC), add \$213, p.29.

OPEN CREDENZAS - 23" H.



Open credenza with 2 adjustable shelves.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.219 to 237.

Grommet option available (4 positions), see p.28.

			S Sierra 1"		T Tango 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
24	72	23	CZ00247223		916	1114	1002	1179	27,8 170 189
24	60	23	CZ00246023		869	1032	946	1081	23,3 146 162
21	72	23	CZ00217223		895	1067	975	1121	24,6 152 169
21	60	23	CZ00216023		850	991	922	1031	20,6 120 134

SPECIFY

Series Code Surface Edge Base Grom.
T - - / - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Options: Grommet: Add grommets & specify color: White (G14) or Charcoal (G24), located on top and sides, add \$128, p.28.

CREDENZAS WITH DRAWERS - 23" H.

Combined credenza (left or right): open storage with adjustable shelf, 1 - 6" and 1 - 12" filing drawer.



Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.219 to 237.

Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Grommet option available (4 positions), see p.28.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.



Drawers at LEFT

24	72	23	CZUF0247223	1326	1525	1412	1588	27,8	187	206
24	60	23	CZUF0246023	1278	1442	1356	1491	23,3	163	179
21	72	23	CZUF0217223	1305	1477	1385	1530	24,6	171	188
21	60	23	CZUF0216023	1260	1401	1332	1440	20,6	149	163

Drawers at RIGHT

24	72	23	CZOUF247223	1326	1525	1412	1588	27,8	187	206
24	60	23	CZOUF246023	1278	1442	1356	1491	23,3	163	179
21	72	23	CZOUF217223	1305	1477	1385	1530	24,6	171	188
21	60	23	CZOUF216023	1260	1401	1332	1440	20,6	149	163

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom. Lock
T - - / - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: Grommet: Add grommets & specify color: White (G14) or Charcoal (G24), located on top and sides, add \$128, p.28.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify: Specify LS or LSK to the components to the front and bottom, LS or LSK to the components to the second and third, and so on, to specify the lock on all components.

COMBINED STORAGE CREDENZAS - 23" H.


Combined credenza (left or right): open storage with adjustable shelf on one side, 1 - 6" drawer, 1 - 12" file drawer and 1 door on the other side.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.219 to 237.

Pencil tray included in the 6" drawer.

Grommet option available (4 positions), see p.28.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.




			S Sierra 1"		T Tango 1½"				
Dimensions			Code	Price				Specifications	
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S) lb (T)
Drawers & door at LEFT									
24	72	23	CZDUF0247223	1159	1324	1342	1519	27,8	185 204
24	60	23	CZDUF0246023	1112	1242	1286	1421	23,3	161 177
21	72	23	CZDUF0217223	1139	1277	1315	1461	24,6	169 186
21	60	23	CZDUF0216023	1093	1201	1262	1371	20,6	147 161
Drawers & door at RIGHT									
24	72	23	CZOUFD247223	1159	1324	1342	1519	27,8	185 204
24	60	23	CZOUFD246023	1112	1242	1286	1421	23,3	161 177
21	72	23	CZOUFD217223	1139	1277	1315	1461	24,6	169 186
21	60	23	CZOUFD216023	1093	1201	1262	1371	20,6	147 161

Combined credenza (left or right): open storage with adjustable shelf, storage with hinged doors and adjustable shelf inside.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.219 to 237.

Grommet option available (4 positions), see p.28.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.



Doors at LEFT										
24	72	23	CZDD0247223	1049	1247	1135	1312	27,8	180	199
24	60	23	CZDD0246023	1002	1165	1079	1214	23,3	155	171
21	72	23	CZDD0217223	1029	1200	1108	1254	24,6	162	179
21	60	23	CZDD0216023	983	1124	1055	1164	20,6	129	143
Doors at RIGHT										
24	72	23	CZODD247223	1049	1247	1135	1312	27,8	180	199
24	60	23	CZODD246023	1002	1165	1079	1214	23,3	155	171
21	72	23	CZODD217223	1029	1200	1108	1254	24,6	162	179
21	60	23	CZODD216023	983	1124	1055	1164	20,6	129	143

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	OPTIONS	
T							Grom.	Lock

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Pull: Pulls included, specify type, p.56.

Options: **Grommet:** Add grommets and specify color: White (G14) or Charcoal (G24), located on top and sides, add \$128, p.28.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

CREDENZAS - 23" H.



Credenza with 4 drawers (2 - 6" drawers and 2 - 12" file drawers).

Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the drawers, see p.219 to 237.

Pencil tray included in one of the 6" drawers.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.


Grommet option available (4 positions), see p.28.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 drawers.

S Sierra 1"

T Tango 1½"

Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
24	72	23	CZUFUF247223		1484	1683	1571	1747	27,8 209 228
24	60	23	CZUFUF246023		1437	1601	1515	1649	23,3 182 198
21	72	23	CZUFUF217223		1463	1636	1543	1689	24,6 193 210
21	60	23	CZUFUF216023		1418	1560	1491	1598	20,6 168 182




Credenza with 4 doors.

Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the storage, see p.219 to 237.

Grommet option available (4 positions), see p.28.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 doors.

24	72	23	CZ4D247223		1180	1378	1266	1443	27,8 191 210
24	60	23	CZ4D246023		1133	1296	1210	1345	23,3 164 180
21	72	23	CZ4D217223		1159	1331	1239	1385	24,6 173 190
21	60	23	CZ4D216023		1114	1255	1186	1295	20,6 138 152



Combined credenza (left or right): storage with hinged doors with adjustable shelf and lateral file unit (1 - 6" + 1 - 12" file drawer).


Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the storage, see p.219 to 237.

Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Grommet option available (4 positions), see p.28.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all doors & drawers.



Drawers at LEFT

24	72	23	CZUFDD247223		1388	1587	1475	1651	27,8 198 217
24	60	23	CZUFDD246023		1341	1505	1419	1553	23,3 172 188
21	72	23	CZUFDD217223		1367	1540	1448	1593	24,6 182 199
21	60	23	CZUFDD216023		1322	1464	1395	1503	20,6 158 172

Drawers at RIGHT

24	72	23	CZDDUF247223		1388	1587	1475	1651	27,8 198 217
24	60	23	CZDDUF246023		1341	1505	1419	1553	23,3 172 188
21	72	23	CZDDUF217223		1367	1540	1448	1593	24,6 182 199
21	60	23	CZDDUF216023		1322	1464	1395	1503	20,6 158 172

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	Lock
T								

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Pull: Pulls included, specify type, p.56.

Options: Grommet: Add grommets & specify color: White (G14) or Charcoal (G24), located on top and sides, add \$128, p.28.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation, LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

STORAGE UNITS - 23" H.



Open storage unit with 1 adjustable shelf.

Grommet option available (3 positions), see p.28.

			S Sierra 1"		T Tango 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
24	36	23	CZ0243623		663	738	807	937	14,3 87 97
24	30	23	CZ0243023		619	697	761	920	12 75 83
21	36	23	CZ0213623		624	689	750	932	12,6 78 87
21	30	23	CZ0213023		579	648	713	859	10,6 68 75

SPECIFY

Series Code Surface Edge Base
T - - / - -

OPTIONS


Grom.

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Options: Grommet: Add grommets & specify color: White (G13) or Charcoal (G23), located on top and sides, add \$128, p.28.




Storage unit with 2 doors.

Grommet option available (3 positions), see p.28.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

24	36	23	CZDD243623	798	872	942	1071	14,3	98	108
24	30	23	CZDD243023	754	832	895	1054	12	84	92
21	36	23	CZDD213623	758	823	884	1066	12,6	89	98
21	30	23	CZDD213023	713	782	847	993	10,6	77	84



Storage unit with 1 - 6" drawer and 1 - file drawer.

Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Grommet option available (3 positions), see p.28.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	36	23	CZUF243623	835	957	936	1020	14,3	99	108
24	30	23	CZUF243023	791	913	892	961	12	85	93
21	36	23	CZUF213623	801	912	898	971	12,6	94	102
21	30	23	CZUF213023	756	867	851	913	10,6	81	88

SPECIFY

Series Code Surface Edge Base Fronts Pull
T - - / - / - - -

OPTIONS

Grom. Lock

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Pull: Pulls included, specify type, p.56.

Options: Grommet: Add grommets & specify color: White (G13) or Charcoal (G23), located on top and sides, add \$128, p.28.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation, LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

DRAWER



Stationary drawer, slides under the work surface.
Installation hardware included.
Noki locks standard, key locks available as an option (no upcharge).

Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	18	5	PiD151805	248	1,4	11

SPECIFY

Series Code Base Fronts Lock
T **S** - - - -


OPTIONS

Specify Code: Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.

Options: **Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



Pigeon-hole that can be slid under a surface-mounted table. Can accommodate "legal" or "letter" size documents.
Installation hardware included.

17	18	5	PiS171805	165	1,5	9
----	----	---	-----------	-----	-----	---


SPECIFY

Series Code Base
T **S** - -

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.

CUSHIONS



Cushion for storage units.
Installs with Velcro strips.

Thickness				Price					Specifications	
				Gr.1	COM / Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
24	72	1½	CUS2472	682	743	803	866	967	2,8	25
24	60	1½	CUS2460	583	636	688	738	824	2,3	21
24	36	1½	CUS2436	387	419	453	486	554	1,4	13
24	30	1½	CUS2430	342	372	400	429	476	1,2	11
21	72	1½	CUS2172	671	732	792	855	956	2,5	22
21	60	1½	CUS2160	572	625	677	727	813	2,1	19
21	36	1½	CUS2136	382	414	448	481	549	1,3	11
21	30	1½	CUS2130	337	366	395	424	471	1,1	9

SPECIFY

Series Code Fabric
T **L** - -

Specify Code: Consult the above product code list.

Fabric: Specify fabric for the cushion, refer to current Artopex Seating Fabric charts.

Shared Tables / Benching

Sierra-Tango

CLOSED SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Full laminate end panels.



Quad unit: Full laminate end panels and recessed mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

**S Sierra 1"**

Dimensions				Price		Specifications	
A	B	C	D	T.F.L.	H.P.L.	Cu.Ft.	Lb
30	72	60 1/4		BC2i3072	1700 1997	13,3	247
30	66	60 1/4		BC2i3066	1631 1920	12,9	234
30	60	60 1/4		BC2i3060	1559 1829	12,3	222
30	54	60 1/4		BC2i3054	1502 1761	11,7	210
30	48	60 1/4		BC2i3048	1440 1686	11,3	198
30	42	60 1/4		BC2i3042	1370 1605	10,7	185
30	36	60 1/4		BC2i3036	1298 1516	10,1	173
24	72	48 1/4		BC2i2472	1552 1825	11,1	208
24	66	48 1/4		BC2i2466	1506 1744	10,7	197
24	60	48 1/4		BC2i2460	1414 1664	10,3	186
24	54	48 1/4		BC2i2454	1361 1601	9,7	176
24	48	48 1/4		BC2i2448	1323 1550	9,3	165
24	42	48 1/4		BC2i2442	1253 1466	8,9	155
24	36	48 1/4		BC2i2436	1179 1379	8,5	144
30	72	60 1/4	144	BC4i3072	3152 3746	23,6	429
30	66	60 1/4	132	BC4i3066	3015 3592	22,8	405
30	60	60 1/4	120	BC4i3060	2870 3411	21,6	380
30	54	60 1/4	108	BC4i3054	2756 3275	20,4	356
30	48	60 1/4	96	BC4i3048	2632 3125	19,6	331
30	42	60 1/4	84	BC4i3042	2492 2962	18,4	306
30	36	60 1/4	72	BC4i3036	2349 2784	17,2	282
24	72	48 1/4	144	BC4i2472	2923 3468	20,2	368
24	66	48 1/4	132	BC4i2466	2830 3306	19,4	347
24	60	48 1/4	120	BC4i2460	2646 3147	18,6	326
24	54	48 1/4	108	BC4i2454	2540 3020	17,4	305
24	48	48 1/4	96	BC4i2448	2465 2918	16,6	283
24	42	48 1/4	84	BC4i2442	2324 2751	15,8	262
24	36	48 1/4	72	BC4i2436	2177 2577	15	241

SPECIFY

Series Code Surface Edge Base Metal Metal Grom. M-Outlet

T **S** - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify **Code** : Consult the above product code list.


Surface / Edge / Base : Take Off finishes, see p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options : **Grommet**: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.



CLOSED SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full laminate end panels and recessed mid panels in the center.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

				S Sierra 1"			
Dimensions				Code	Price		Specifications
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft. lb
30	72	60¼	216	BC6i3072	4604	5495	33,9 612
30	66	60¼	198	BC6i3066	4399	5264	32,7 575
30	60	60¼	180	BC6i3060	4181	4993	30,9 538
30	54	60¼	162	BC6i3054	4010	4788	29,1 501
30	48	60¼	144	BC6i3048	3825	4564	27,9 465
30	42	60¼	126	BC6i3042	3614	4320	26,1 428
30	36	60¼	108	BC6i3036	3399	4052	24,3 391
24	72	48¼	216	BC6i2472	4293	5112	29,3 529
24	66	48¼	198	BC6i2466	4155	4868	28,1 497
24	60	48¼	180	BC6i2460	3878	4630	26,9 465
24	54	48¼	162	BC6i2454	3719	4439	25,1 433
24	48	48¼	144	BC6i2448	3607	4287	23,9 402
24	42	48¼	126	BC6i2442	3396	4036	22,7 370
24	36	48¼	108	BC6i2436	3175	3775	21,5 338

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify **Code:** Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options : **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.



CLOSED SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full laminate end and center panels, and 2 recessed mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4	288	BC8i3072	6303	7491	44,6	814
30	66	60 1/4	264	BC8i3066	6030	7183	43	766
30	60	60 1/4	240	BC8i3060	5740	6822	40,6	716
30	54	60 1/4	216	BC8i3054	5511	6549	38,2	667
30	48	60 1/4	192	BC8i3048	5265	6250	36,6	618
30	42	60 1/4	168	BC8i3042	4983	5925	34,2	569
30	36	60 1/4	144	BC8i3036	4697	5568	31,8	520
24	72	48 1/4	288	BC8i2472	5845	6937	38,3	709
24	66	48 1/4	264	BC8i2466	5661	6611	36,7	667
24	60	48 1/4	240	BC8i2460	5291	6294	35,1	625
24	54	48 1/4	216	BC8i2454	5080	6039	32,7	582
24	48	48 1/4	192	BC8i2448	4930	5837	31,1	540
24	42	48 1/4	168	BC8i2442	4649	5502	29,5	497
24	36	48 1/4	144	BC8i2436	4354	5155	27,9	455

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options : **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.



CLOSED SHARED BENCHING - RECTANGULAR TABLE (MIXED LEGS)

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Mixed legs, metal-laminate end panels.



Quad unit: Mixed legs, metal-laminate end panel and recessed open metal mid panels in the middle.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.



S Sierra 1"

Dimensions				Code		Price		Specifications	
A	B	C	D			T.F.L.	H.P.L.	Cu.Ft.	Lb
30	72	60 1/4		BC2iX3072		2112	2409	13,3	247
30	66	60 1/4		BC2iX3066		2044	2332	12,9	234
30	60	60 1/4		BC2iX3060		1971	2242	12,3	222
30	54	60 1/4		BC2iX3054		1914	2174	11,7	210
30	48	60 1/4		BC2iX3048		1852	2099	11,3	198
30	42	60 1/4		BC2iX3042		1782	2017	10,7	185
30	36	60 1/4		BC2iX3036		1711	1928	10,1	173
24	72	48 1/4		BC2iX2472		1932	2204	11,1	208
24	66	48 1/4		BC2iX2466		1885	2123	10,7	197
24	60	48 1/4		BC2iX2460		1793	2044	10,3	186
24	54	48 1/4		BC2iX2454		1740	1980	9,7	176
24	48	48 1/4		BC2iX2448		1703	1929	9,3	165
24	42	48 1/4		BC2iX2442		1632	1846	8,9	155
24	36	48 1/4		BC2iX2436		1559	1759	8,5	144
30	72	60 1/4	144	BC4iX3072		3509	4103	23,6	429
30	66	60 1/4	132	BC4iX3066		3373	3949	22,8	405
30	60	60 1/4	120	BC4iX3060		3227	3769	21,6	380
30	54	60 1/4	108	BC4iX3054		3113	3632	20,4	356
30	48	60 1/4	96	BC4iX3048		2990	3483	19,6	331
30	42	60 1/4	84	BC4iX3042		2849	3320	18,4	306
30	36	60 1/4	72	BC4iX3036		2706	3142	17,2	282
24	72	48 1/4	144	BC4iX2472		3247	3793	20,2	368
24	66	48 1/4	132	BC4iX2466		3155	3630	19,4	347
24	60	48 1/4	120	BC4iX2460		2970	3472	18,6	326
24	54	48 1/4	108	BC4iX2454		2864	3344	17,4	305
24	48	48 1/4	96	BC4iX2448		2790	3243	16,6	283
24	42	48 1/4	84	BC4iX2442		2649	3076	15,8	262
24	36	48 1/4	72	BC4iX2436		2501	2902	15	241

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options : Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.



CLOSED SHARED BENCHING - RECTANGULAR TABLE (MIXED LEGS)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Mixed legs, metal-laminate end panels and 2 recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.		
30	72	60 1/4	216	BC6iX3072	4906	5797	33,9	612
30	66	60 1/4	198	BC6iX3066	4701	5566	32,7	575
30	60	60 1/4	180	BC6iX3060	4484	5295	30,9	538
30	54	60 1/4	162	BC6iX3054	4312	5091	29,1	501
30	48	60 1/4	144	BC6iX3048	4127	4866	27,9	465
30	42	60 1/4	126	BC6iX3042	3916	4622	26,1	428
30	36	60 1/4	108	BC6iX3036	3702	4355	24,3	391
24	72	48 1/4	216	BC6iX2472	4563	5381	29,3	529
24	66	48 1/4	198	BC6iX2466	4424	5137	28,1	497
24	60	48 1/4	180	BC6iX2460	4147	4899	26,9	465
24	54	48 1/4	162	BC6iX2454	3989	4708	25,1	433
24	48	48 1/4	144	BC6iX2448	3876	4556	23,9	402
24	42	48 1/4	126	BC6iX2442	3665	4305	22,7	370
24	36	48 1/4	108	BC6iX2436	3444	4045	21,5	338

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T	S						

OPTIONS

Specify **Code:** Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options : **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.



CLOSED SHARED BENCHING - RECTANGULAR TABLE (MIXED LEGS)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).
Mixed legs, metal-laminate end panels, full open in the center and 2 recessed open metal mid panels.
Privacy panels can be installed between surfaces or on sides, see p.264.
Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.
Grommet or multi-outlet module option, position will be identical on each table, see p.40.
For appropriate pedestal selection, see p.40.

				S Sierra 1"			
Dimensions				Code	Price		Specifications
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft. lb
30	72	60 1/4	288	BC8iX3072	6669	7857	44,6 814
30	66	60 1/4	264	BC8iX3066	6397	7549	43 766
30	60	60 1/4	240	BC8iX3060	6106	7189	40,6 716
30	54	60 1/4	216	BC8iX3054	5877	6916	38,2 667
30	48	60 1/4	192	BC8iX3048	5631	6617	36,6 618
30	42	60 1/4	168	BC8iX3042	5349	6291	34,2 569
30	36	60 1/4	144	BC8iX3036	5063	5935	31,8 520
24	72	48 1/4	288	BC8iX2472	6212	7303	38,3 709
24	66	48 1/4	264	BC8iX2466	6027	6977	36,7 667
24	60	48 1/4	240	BC8iX2460	5657	6661	35,1 625
24	54	48 1/4	216	BC8iX2454	5446	6405	32,7 582
24	48	48 1/4	192	BC8iX2448	5297	6203	31,1 540
24	42	48 1/4	168	BC8iX2442	5015	5869	29,5 497
24	36	48 1/4	144	BC8iX2436	4720	5521	27,9 455

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T **S** - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify **Code:** Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options : **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.



Take Off

Price List – USA

CLOSED SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Full perforated metal end panels.



Quad unit: perforated metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

**S Sierra 1"**

Dimensions				Code		Price		Specifications	
A	B	C	D			T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4		BC2iM3072		2112	2409	13,3	247
30	66	60 1/4		BC2iM3066		2044	2332	12,9	234
30	60	60 1/4		BC2iM3060		1971	2242	12,3	222
30	54	60 1/4		BC2iM3054		1914	2174	11,7	210
30	48	60 1/4		BC2iM3048		1852	2099	11,3	198
30	42	60 1/4		BC2iM3042		1782	2017	10,7	185
30	36	60 1/4		BC2iM3036		1711	1928	10,1	173
24	72	48 1/4		BC2iM2472		1932	2204	11,1	208
24	66	48 1/4		BC2iM2466		1885	2123	10,7	197
24	60	48 1/4		BC2iM2460		1793	2044	10,3	186
24	54	48 1/4		BC2iM2454		1740	1980	9,7	176
24	48	48 1/4		BC2iM2448		1703	1929	9,3	165
24	42	48 1/4		BC2iM2442		1632	1846	8,9	155
24	36	48 1/4		BC2iM2436		1559	1759	8,5	144
30	72	60 1/4	144	BC4iM3072		3509	4103	23,6	429
30	66	60 1/4	132	BC4iM3066		3373	3949	22,8	405
30	60	60 1/4	120	BC4iM3060		3227	3769	21,6	380
30	54	60 1/4	108	BC4iM3054		3113	3632	20,4	356
30	48	60 1/4	96	BC4iM3048		2990	3483	19,6	331
30	42	60 1/4	84	BC4iM3042		2849	3320	18,4	306
30	36	60 1/4	72	BC4iM3036		2706	3142	17,2	282
24	72	48 1/4	144	BC4iM2472		3247	3793	20,2	368
24	66	48 1/4	132	BC4iM2466		3155	3630	19,4	347
24	60	48 1/4	120	BC4iM2460		2970	3472	18,6	326
24	54	48 1/4	108	BC4iM2454		2864	3344	17,4	305
24	48	48 1/4	96	BC4iM2448		2790	3243	16,6	283
24	42	48 1/4	84	BC4iM2442		2649	3076	15,8	262
24	36	48 1/4	72	BC4iM2436		2501	2902	15	241

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options : **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.



CLOSED SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full perforated metal end panels and 2 recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

				S Sierra 1"			
Dimensions				Code	Price		Specifications
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft. lb
30	72	60 1/4	216	BC6iM3072	4906	5797	33,9 612
30	66	60 1/4	198	BC6iM3066	4701	5566	32,7 575
30	60	60 1/4	180	BC6iM3060	4484	5295	30,9 538
30	54	60 1/4	162	BC6iM3054	4312	5091	29,1 501
30	48	60 1/4	144	BC6iM3048	4127	4866	27,9 465
30	42	60 1/4	126	BC6iM3042	3916	4622	26,1 428
30	36	60 1/4	108	BC6iM3036	3702	4355	24,3 391
24	72	48 1/4	216	BC6iM2472	4563	5381	29,3 529
24	66	48 1/4	198	BC6iM2466	4424	5137	28,1 497
24	60	48 1/4	180	BC6iM2460	4147	4899	26,9 465
24	54	48 1/4	162	BC6iM2454	3989	4708	25,1 433
24	48	48 1/4	144	BC6iM2448	3876	4556	23,9 402
24	42	48 1/4	126	BC6iM2442	3665	4305	22,7 370
24	36	48 1/4	108	BC6iM2436	3444	4045	21,5 338

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T	S	-	-	-	-	-	-

OPTIONS

Grom.	M-Outlet
-	-

Specify **Code:** Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options : **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.



CLOSED SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).
 Full perforated metal end panels, full open halfway panels and 2 recessed open metal mid panels.
 Privacy panels can be installed between surfaces or on sides, see p.264.
 Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.
 Grommet or multi-outlet module option, position will be identical on each table, see p.40.
 For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4	288	BC8iM3072	6669	7857	44,6	814
30	66	60 1/4	264	BC8iM3066	6397	7549	43	766
30	60	60 1/4	240	BC8iM3060	6106	7189	40,6	716
30	54	60 1/4	216	BC8iM3054	5877	6916	38,2	667
30	48	60 1/4	192	BC8iM3048	5631	6617	36,6	618
30	42	60 1/4	168	BC8iM3042	5349	6291	34,2	569
30	36	60 1/4	144	BC8iM3036	5063	5935	31,8	520
24	72	48 1/4	288	BC8iM2472	6212	7303	38,3	709
24	66	48 1/4	264	BC8iM2466	6027	6977	36,7	667
24	60	48 1/4	240	BC8iM2460	5657	6661	35,1	625
24	54	48 1/4	216	BC8iM2454	5446	6405	32,7	582
24	48	48 1/4	192	BC8iM2448	5297	6203	31,1	540
24	42	48 1/4	168	BC8iM2442	5015	5869	29,5	497
24	36	48 1/4	144	BC8iM2436	4720	5521	27,9	455

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets: Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.



CLOSED SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANELS)

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Open metal full end panels.



Quad unit: Open metal full end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.



S Sierra 1"

Dimensions				Code		Price		Specifications	
A	B	C	D			T.F.L.	H.P.L.	Cu.Ft.	Lb
30	72	60 1/4		BC2iO3072		1826	2123	13,3	222
30	66	60 1/4		BC2iO3066		1758	2046	12,9	209
30	60	60 1/4		BC2iO3060		1685	1956	12,3	197
30	54	60 1/4		BC2iO3054		1628	1888	11,7	185
30	48	60 1/4		BC2iO3048		1566	1813	11,3	173
30	42	60 1/4		BC2iO3042		1496	1731	10,7	160
30	36	60 1/4		BC2iO3036		1425	1642	10,1	148
24	72	48 1/4		BC2iO2472		1701	1973	11,1	183
24	66	48 1/4		BC2iO2466		1654	1892	10,7	172
24	60	48 1/4		BC2iO2460		1562	1813	10,3	161
24	54	48 1/4		BC2iO2454		1509	1749	9,7	151
24	48	48 1/4		BC2iO2448		1472	1698	9,3	140
24	42	48 1/4		BC2iO2442		1401	1615	8,9	130
24	36	48 1/4		BC2iO2436		1328	1528	8,5	119
30	72	60 1/4	144	BC4iO3072		3223	3817	23,6	404
30	66	60 1/4	132	BC4iO3066		3087	3663	22,8	380
30	60	60 1/4	120	BC4iO3060		2941	3483	21,6	355
30	54	60 1/4	108	BC4iO3054		2827	3346	20,4	331
30	48	60 1/4	96	BC4iO3048		2704	3197	19,6	306
30	42	60 1/4	84	BC4iO3042		2563	3034	18,4	281
30	36	60 1/4	72	BC4iO3036		2420	2856	17,2	257
24	72	48 1/4	144	BC4iO2472		3016	3562	20,2	343
24	66	48 1/4	132	BC4iO2466		2924	3399	19,4	322
24	60	48 1/4	120	BC4iO2460		2739	3241	18,6	301
24	54	48 1/4	108	BC4iO2454		2633	3113	17,4	280
24	48	48 1/4	96	BC4iO2448		2559	3012	16,6	258
24	42	48 1/4	84	BC4iO2442		2418	2845	15,8	237
24	36	48 1/4	72	BC4iO2436		2270	2671	15	216

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T	S						

OPTIONS

Specify **Code**: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: **Grommet**: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets: Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.



CLOSED SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANELS)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full open metal end panels and 2 recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.		
30	72	60 1/4	216	BC6iO3072	4620	5511	33,9	587
30	66	60 1/4	198	BC6iO3066	4415	5280	32,7	550
30	60	60 1/4	180	BC6iO3060	4198	5009	30,9	513
30	54	60 1/4	162	BC6iO3054	4026	4805	29,1	476
30	48	60 1/4	144	BC6iO3048	3841	4580	27,9	440
30	42	60 1/4	126	BC6iO3042	3630	4336	26,1	403
30	36	60 1/4	108	BC6iO3036	3416	4069	24,3	366
24	72	48 1/4	216	BC6iO2472	4332	5150	29,3	504
24	66	48 1/4	198	BC6iO2466	4193	4906	28,1	472
24	60	48 1/4	180	BC6iO2460	3916	4668	26,9	440
24	54	48 1/4	162	BC6iO2454	3758	4477	25,1	408
24	48	48 1/4	144	BC6iO2448	3645	4325	23,9	377
24	42	48 1/4	126	BC6iO2442	3434	4074	22,7	345
24	36	48 1/4	108	BC6iO2436	3213	3814	21,5	313

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S			/				

OPTIONS

Specify **Code:** Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options : **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.



CLOSED SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANELS)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).
 Full open metal end panels, full open metal halfway panels and 2 recessed open metal mid panels.
 Privacy panels can be installed between surfaces or on sides, see p.264.
 Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.
 Grommet or multi-outlet module option, position will be identical on each table, see p.40.
 For appropriate pedestal selection, see p.40.

				S Sierra 1"			
Dimensions				Code	Price		Specifications
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft. lb
30	72	60 1/4	288	BC8iO3072	6383	7571	44,6 777
30	66	60 1/4	264	BC8iO3066	6111	7263	43 728
30	60	60 1/4	240	BC8iO3060	5820	6903	40,6 679
30	54	60 1/4	216	BC8iO3054	5591	6630	38,2 630
30	48	60 1/4	192	BC8iO3048	5345	6331	36,6 581
30	42	60 1/4	168	BC8iO3042	5063	6005	34,2 531
30	36	60 1/4	144	BC8iO3036	4777	5649	31,8 482
24	72	48 1/4	288	BC8iO2472	5981	7072	38,3 672
24	66	48 1/4	264	BC8iO2466	5796	6746	36,7 630
24	60	48 1/4	240	BC8iO2460	5426	6430	35,1 587
24	54	48 1/4	216	BC8iO2454	5215	6174	32,7 545
24	48	48 1/4	192	BC8iO2448	5066	5972	31,1 502
24	42	48 1/4	168	BC8iO2442	4784	5638	29,5 460
24	36	48 1/4	144	BC8iO2436	4489	5290	27,9 418

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
 T **S** - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify **Code:** Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options : **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.




CLOSED SHARED BENCHING - 120° TABLES (FULL END PANELS)

Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).

Full laminate end panels and 1 round central metal leg.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
30	48	60¼	BC3CV3048	3897	5112	30,3	381
30	42	60¼	BC3CV3042	3827	5030	26,9	352
30	36	60¼	BC3CV3036	3761	4947	23,4	323
24	48	48¼	BC3CV2448	3847	5041	27,3	331
24	42	48¼	BC3CV2442	3776	4958	24,2	304
24	36	48¼	BC3CV2436	3708	4876	21,1	280


CLOSED SHARED BENCHING - 120° TABLES (MIXED LEGS)

Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).

Mixed legs metal-laminate end panels and 1 central metal leg.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

30	48	60¼	BC3CVX3048	4516	5730	30,3	381
30	42	60¼	BC3CVX3042	4445	5649	26,9	352
30	36	60¼	BC3CVX3036	4379	5565	23,4	323
24	48	48¼	BC3CVX2448	4415	5610	27,3	331
24	42	48¼	BC3CVX2442	4345	5526	24,2	304
24	36	48¼	BC3CVX2436	4277	5445	21,1	280

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T	S	-	-	-	-	-	-

OPTIONS

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options : **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.

CLOSED SHARED BENCHING - 120° TABLES (PERFORATED END PANELS)




Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).

Full perforated metal end panels and 1 round central metal leg.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions			Code		Price		Specifications	
A	B	C			T.F.L.	H.P.L.	Cu.Ft.	lb
30	48	60 1/4	BC3CVM3048		4516	5730	30,3	381
30	42	60 1/4	BC3CVM3042		4445	5649	26,9	352
30	36	60 1/4	BC3CVM3036		4379	5565	23,4	323
24	48	48 1/4	BC3CVM2448		4415	5610	27,3	331
24	42	48 1/4	BC3CVM2442		4345	5526	24,2	304
24	36	48 1/4	BC3CVM2436		4277	5445	21,1	280

CLOSED SHARED BENCHING - 120° TABLES (OPEN END PANELS)




Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).

Full open metal end panels and 1 round central metal leg.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

30	48	60 1/4	BC3CVO3048		4087	5301	30,3	344
30	42	60 1/4	BC3CVO3042		4016	5220	26,9	315
30	36	60 1/4	BC3CVO3036		3950	5136	23,4	285
24	48	48 1/4	BC3CVO2448		4069	5264	27,3	294
24	42	48 1/4	BC3CVO2442		3999	5180	24,2	267
24	36	48 1/4	BC3CVO2436		3930	5099	21,1	243

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T	S						

OPTIONS

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options : Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" (ECC) or "standard" multi-outlets modules (UCC) at the center, add \$213 each, see p.29.

SHARED END-OF-RUN STORAGE UNITS



Shared end-of-run storage unit, 29" H.

Pedestal with 2 - 6" drawers / 1 - file drawer at both ends and central opening with 2 adjustable shelves.

Pencil tray included in the 6" top drawers.


To be positioned next to 48" or 60" deep benching tables.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
15½	60¼	29	FBPUUF156029		1298	1408	1469	1577	19.5 176 186
15½	48¼	29	FBPUUF154829		1216	1323	1384	1493	15.7 152 159

S Sierra 1"

T Tango 1½"



Shared end-of-run storage unit, 23" H.

Pedestal with 1 - 6" drawers / 1 - file drawer at both ends and central opening with 1 adjustable shelf.

Pencil tray included in the 6" drawers.

To be positioned next to 48" or 60" deep benching tables.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

15½	60¼	23	FBPUF156023		1289	1397	1458	1566	15.7 147 157
15½	48¼	23	FBPUF154823		1207	1315	1375	1484	12.7 125 132

SPECIFY

Series Code Surface Edge Base Fronts Pull Lock
T - - / - / - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks:** Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

CUSHIONS



Cushion for shared end-of-run storage unit.

Installs with Velcro strips.

Dimensions			Code	Price					Specifications	
A	B	Thickness		Gr.1	COM / Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
15½	60¼	1½	CUS1560	497	542	586	630	703	1.6	14
15½	48¼	1½	CUS1548	407	444	480	517	579	1.3	11


SPECIFY

Series Code Fabric
T **L** - -

Specify Code: Consult the above product code list.

Fabric: Specify fabric for the cushion, refer to current Artopex Seating Fabric charts.

OPEN HUTCHES (LOW) - 21" H.




Open hutch (low).
Hutches 54" and longer have a central divider.
Installs on a work surface, credenza or storage unit.
When installed on a 29" H. unit, total height will be 50".

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
72	15	21	HTC07221	625	17.4	95
66	15	21	HTC06621	582	16	89
60	15	21	HTC06021	540	14.6	83
54	15	21	HTC05421	498	13.2	77
48	15	21	HTC04821	459	11.8	66
42	15	21	HTC04221	428	10.4	60
36	15	21	HTC03621	398	8.9	54
30	15	21	HTC03021	370	7.5	48
24	15	21	HTC02421	341	6.1	42

OPEN HUTCHES (LOW) WITH SHARED ACCESS - 21" H.

Open hutch (low) with shared access (openings on both sides).
Installs on a work surface, credenza or storage unit.
When installed on a 29" H. unit, total height will be 50".
It is possible to install a tackboard on the side surface next to the opening, see p.261.



Opening at RIGHT

72	15	21	HTCR07221	625	17.4	95
66	15	21	HTCR06621	582	16	89
60	15	21	HTCR06021	540	14.6	83
54	15	21	HTCR05421	498	13.2	77
48	15	21	HTCR04821	459	11.8	66
42	15	21	HTCR04221	428	10.4	60
36	15	21	HTCR03621	398	8.9	54
30	15	21	HTCR03021	370	7.5	48

Opening at LEFT

72	15	21	HTCOR7221	625	17.4	95
66	15	21	HTCOR6621	582	16	89
60	15	21	HTCOR6021	540	14.6	83
54	15	21	HTCOR5421	498	13.2	77
48	15	21	HTCOR4821	459	11.8	66
42	15	21	HTCOR4221	428	10.4	60
36	15	21	HTCOR3621	398	8.9	54
30	15	21	HTCOR3021	370	7.5	48

SPECIFY

Series Code Base
T L - -

Specify Code: Consult the above product code list.


Base: Take Off finishes, p.54-55.

HUTCHES (LOW) WITH SLIDING DOORS - 21" H.

Hutch (low) with frosted acrylic sliding doors.

Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 50".




Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
72	15	21	HTCGi7221	919	17.4	107
66	15	21	HTCGi6621	876	16	100
60	15	21	HTCGi6021	834	14.6	93
54	15	21	HTCGi5421	792	13.2	86
48	15	21	HTCGi4821	605	11.8	74
42	15	21	HTCGi4221	574	10.4	67
36	15	21	HTCGi3621	545	8.9	60
30	15	21	HTCGi3021	516	7.5	53

Open hutch (low) with frosted acrylic sliding door and open storage.

Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 50".



Sliding door at LEFT

72	15	21	HTCGi07221	771	17.4	101
66	15	21	HTCGi06621	728	16	95
60	15	21	HTCGi06021	686	14.6	88
54	15	21	HTCGi05421	645	13.2	82
48	15	21	HTCGi04821	531	11.8	70
42	15	21	HTCGi04221	501	10.4	64
36	15	21	HTCGi03621	471	8.9	57
30	15	21	HTCGi03021	442	7.5	51

Sliding door at RIGHT

72	15	21	HTCOGi7221	771	17.4	101
66	15	21	HTCOGi6621	728	16	95
60	15	21	HTCOGi6021	686	14.6	88
54	15	21	HTCOGi5421	645	13.2	82
48	15	21	HTCOGi4821	531	11.8	70
42	15	21	HTCOGi4221	501	10.4	64
36	15	21	HTCOGi3621	471	8.9	57
30	15	21	HTCOGi3021	442	7.5	51

SPECIFY

Series	Code	Base	Pull
T L	-	-	-

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.



Pull: Pulls included, specify type, p.56.

HUTCHES (LOW) WITH SLIDING DOORS AND SHARED ACCESS - 21" H.

Hutch (low) with frosted acrylic sliding door and shared access.

Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 50".



Dimensions			Code	Price	Specifications	
A	B	C			T.F.L.	Cu.Ft.
Sliding door at LEFT						
72	15	21	HTCGiR7221	919	17.4	101
66	15	21	HTCGiR6621	876	16	95
60	15	21	HTCGiR6021	834	14.6	88
54	15	21	HTCGiR5421	792	13.2	82
48	15	21	HTCGiR4821	605	11.8	70
42	15	21	HTCGiR4221	574	10.4	64
36	15	21	HTCGiR3621	545	8.9	57
30	15	21	HTCGiR3021	516	7.5	51

Sliding door at RIGHT						
72	15	21	HTCRGi7221	919	17.4	101
66	15	21	HTCRGi6621	876	16	95
60	15	21	HTCRGi6021	834	14.6	88
54	15	21	HTCRGi5421	792	13.2	82
48	15	21	HTCRGi4821	605	11.8	70
42	15	21	HTCRGi4221	574	10.4	64
36	15	21	HTCRGi3621	545	8.9	57
30	15	21	HTCRGi3021	516	7.5	51

SPECIFY


Series Code Base Pull
T L - - -

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

TACKBOARDS FOR LOW HUTCHES WITH SHARED ACCESS - 21" H.



Fabric tackboard for low shared access hutches 21" H. (HTCRO & HTCOR).

Installs with Velcro strips.

			Price				Specifications		
A	B		COM /	Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft. Lb
34	13½	For low hutch 72" long	BTL3414	146	165	185	193	200	0.7 6
31	13½	For low hutch 66" long	BTL3114	141	144	161	176	193	0.6 6
28	13½	For low hutch 60" long	BTL2814	134	136	151	160	171	0.5 5
25	13½	For low hutch 54" long	BTL2514	131	132	145	157	164	0.5 5
22	13½	For low hutch 48" long	BTL2214	124	125	138	144	152	0.4 4
19	13½	For low hutch 42" long	BTL1914	119	120	128	138	147	0.3 4
16	13½	For low hutch 36" long	BTL1614	109	110	116	124	132	0.3 3
13	13½	For low hutch 30" long	BTL1314	97	98	101	108	114	0.2 2


SPECIFY

Code Fabric
AC - -

Specify Code: Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.

SHELVES WITH INTEGRATED PIGEON-HOLE UNIT - 13" H.



Shelf with integrated pigeon-hole unit. Installs on a work surface, credenza or storage unit.


When installed on a 29" H. unit, total height will be 42".

Can accommodate "letter" or "legal" size documents.

D = Number of openings

Dimensions				Code	Price	Specifications	
A	B	C	D		T.F.L.	Cu.Ft.	lb
72	15	13	5	HMA7213	693	11.2	71
66	15	13	5	HMA6613	660	10.3	67
60	15	13	5	HMA6013	627	9.4	62
54	15	13	4	HMA5413	591	8.5	57
48	15	13	3	HMA4813	529	7.6	52
42	15	13	3	HMA4213	497	6.7	47
36	15	13	2	HMA3613	463	5.8	42
30	15	13	2	HMA3013	427	4.9	38
24	15	13	2	HMA2413	389	3.9	33

SHELVES - 6" H.




Shelf, installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 35".

Structural back panel.

72	15	6	HA7206A	419	6	43
66	15	6	HA6606A	386	5.5	40
60	15	6	HA6006A	382	5	38
54	15	6	HA5406A	345	4.5	35
48	15	6	HA4806A	312	4	32
42	15	6	HA4206A	309	3.5	30
36	15	6	HA3606A	275	3	27
30	15	6	HA3006A	266	2.5	25
24	15	6	HA2406A	229	2	22



Shelf, installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 35".

Structural central panel.

72	15	6	HA7206C	419	6	43
66	15	6	HA6606C	386	5.5	40
60	15	6	HA6006C	382	5	38
54	15	6	HA5406C	345	4.5	35
48	15	6	HA4806C	312	4	32
42	15	6	HA4206C	309	3.5	30
36	15	6	HA3606C	275	3	27
30	15	6	HA3006C	266	2.5	25
24	15	6	HA2406C	229	2	22


SPECIFY

Series Code Base
T **L** - -

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.

END-OF-RUN BOOKCASE - 50" H.



To be positioned next to shared "benching" tables, attached to a 21" H. low hutch.
Open on both sides, with open wardrobe section and coat hook (silver finish).
Assembly hardware included.

Dimensions				Code	Price	Specifications	
A	B	C	D		T.F.L.	Cu.Ft.	lb
16	15	11	50	BKP151650	660	10	60


SPECIFY

Series Code Base
T L - [] - []

Specify Code: Consult the above product code list.


Base: Take Off finishes, p.54-55.

FREESTANDING PEDESTALS 25" H. FOR SHARED "BENCHING" TABLES 24" D.



Pedestal with 2 - 6" drawers and 1 - 12" file drawer. Reduced height to slide under shared "benching" tables 24" D.
Pencil tray included in the 6" top drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.
Counterweight included for stability.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	20	25	FSLUUF25	682	#	6.5 61



Pedestal with 2 - 12" file drawer. Reduced height to slide under shared "benching" tables 24" D.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.
Counterweight included for stability.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

Dimensions	Code	Price	Specifications
15½ 20 25	FSLFF25	682	# 6.5 61

* Striped or fluted edge **not** available.

SPECIFY

Series Code Base Fronts Pull Lock
T L - [] - [] / [] - [] - []

OPTIONS

Specify Code: Consult the above product code list.


Base / Fronts: Take Off finishes, p.54-55.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

LAMINATE PRIVACY PANELS




Rectangular laminate privacy panel, 11/16" thick. Can accommodate tackboards and various accessories, see Accessories price list.

Installs on a work surface, credenza or storage unit with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	Lb
15¼	72	3	78	PPOV1572	317	1,0	22
15¼	66	3	72	PPOV1566	312	0,9	20
15¼	60	3	66	PPOV1560	309	0,9	18
15¼	54	2	60	PPOV1554	264	0,8	16
15¼	48	2	54	PPOV1548	260	0,8	14
15¼	42	2	48	PPOV1542	231	0,6	13
15¼	36	2	42	PPOV1536	227	0,5	11
15¼	30	2	36	PPOV1530	222	0,4	10
15¼	24	2	30	PPOV1524	218	0,4	8
15¼	18	2	24	PPOV1518	213	0,3	7




Rectangular laminate privacy panel (double-height), 11/16" thick. Can accommodate tackboards and various accessories.

Installs on a work surface with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

29¾	72	3	78	PPFR2972	359	2,0	42
29¾	66	3	72	PPFR2966	351	1,8	39
29¾	60	3	66	PPFR2960	343	1,6	36
29¾	54	2	60	PPFR2954	295	1,5	31
29¾	48	2	54	PPFR2948	264	1,3	28
29¾	42	2	48	PPFR2942	256	1,2	25
29¾	36	2	42	PPFR2936	249	1,0	22
29¾	30	2	36	PPFR2930	241	0,8	19
29¾	24	2	30	PPFR2924	233	0,7	16



Rectangular laminate modesty panel, 11/16" thick.

Installs under a work surface with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

13½	72	3	78	PPUN1372	312	1,0	18
13½	66	3	72	PPUN1366	308	0,9	17
13½	60	3	66	PPUN1360	305	0,9	16
13½	54	2	60	PPUN1354	260	0,8	14
13½	48	2	54	PPUN1348	232	0,8	13
13½	42	2	48	PPUN1342	228	0,6	12
13½	36	2	42	PPUN1336	224	0,5	10
13½	30	2	36	PPUN1330	220	0,4	9
13½	24	2	30	PPUN1324	217	0,4	8

C = Number of supports included.

D = Length of the host surface.

SPECIFY


Series Code Base Metal
T **S** - - -

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.

Metal (supports): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

FROSTED ACRYLIC PRIVACY PANELS




Rectangular frosted (on one side) acrylic privacy panel, 1/4 thick.

Installs on a work surface, credenza or certain storage unit with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	Lb
15 1/4	72	3	78	PPOVGIA1572	427	1,0	16
15 1/4	66	3	72	PPOVGIA1566	413	0,9	15
15 1/4	60	3	66	PPOVGIA1560	398	0,9	14
15 1/4	54	2	60	PPOVGIA1554	344	0,8	12
15 1/4	48	2	54	PPOVGIA1548	325	0,8	11
15 1/4	42	2	48	PPOVGIA1542	298	0,6	10
15 1/4	36	2	42	PPOVGIA1536	284	0,5	9
15 1/4	30	2	36	PPOVGIA1530	270	0,4	7
15 1/4	24	2	30	PPOVGIA1524	255	0,4	6
15 1/4	18	2	24	PPOVGIA1518	241	0,3	5




Rectangular (double-height) frosted (on one side) acrylic privacy panel, 1/4 thick.

Installs on a work surface with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

29 3/4	72	3	78	PPFRGiA2972	640	2,0	32
29 3/4	66	3	72	PPFRGiA2966	608	1,8	29
29 3/4	60	3	66	PPFRGiA2960	576	1,6	27
29 3/4	54	2	60	PPFRGiA2954	504	1,5	23
29 3/4	48	2	54	PPFRGiA2948	472	1,3	21
29 3/4	42	2	48	PPFRGiA2942	422	1,2	19
29 3/4	36	2	42	PPFRGiA2936	391	1,0	16,7
29 3/4	30	2	36	PPFRGiA2930	359	0,8	15
29 3/4	24	2	30	PPFRGiA2924	327	0,7	12



Rectangular frosted (on one side) acrylic modesty panel, 1/4 thick.

Installs on a work surface with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

13 1/2	72	3	78	PPUNGIA1372	430	1,0	15
13 1/2	66	3	72	PPUNGIA1366	416	0,9	14
13 1/2	60	3	66	PPUNGIA1360	402	0,9	13
13 1/2	54	2	60	PPUNGIA1354	347	0,8	11
13 1/2	48	2	54	PPUNGIA1348	332	0,8	10
13 1/2	42	2	48	PPUNGIA1342	300	0,6	9
13 1/2	36	2	42	PPUNGIA1336	286	0,5	8
13 1/2	30	2	36	PPUNGIA1330	271	0,4	7
13 1/2	24	2	30	PPUNGIA1324	256	0,4	6

C = Number of supports included.

D = Length of the host surface.

SPECIFY


Series	Code	Metal
T S	-	-

Specify **Code**: Consult the above product code list.

Metal (supports): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

TACKBOARD FOR PRIVACY PANELS

Rectangular fabric-tackboard for 11/16" thick laminate privacy panel.
Installs with Velcro strips on privacy panel.



Dimensions			Code	Price					Specifications	
A	B	C		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	Lb
71	9	72	BTL7109	153	161	165	171	178	0,9	9
65	9	66	BTL6509	147	154	160	165	173	0,8	8
59	9	60	BTL5909	142	149	154	158	167	0,7	7
53	9	54	BTL5309	132	140	144	150	157	0,6	7
47	9	48	BTL4709	130	136	142	147	155	0,6	6
41	9	42	BTL4109	128	134	140	144	153	0,5	5
35	9	36	BTL3509	124	131	136	142	150	0,4	4
29	9	30	BTL2909	124	131	135	141	150	0,4	4
23	9	24	BTL2309	123	130	134	140	149	0,3	3
17	9	18	BTL1709	122	129	133	139	147	0,2	2

C = Length of the host privacy panel.


SPECIFY

Code Fabric
AC - -

Specify Code: Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.

WALL MOUNT BRACKETS FOR HUTCH-TYPE TACKBOARDS



Hook brackets for installing a hutch-type tackboard on a wall.
Order 2 packs for tackboards 60" and over.
Available in 4 colors.
WARNING! Cannot be used with "BTL" tackboards.

Pack of 4	BTHK	50	0,1	1
-----------	------	----	-----	---


SPECIFY

Code Metal
AC - -

Specify Code: Consult the above product code list.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

FROSTED ACRYLIC PRIVACY PANELS WITH SQUARE ANCHORING BRACKETS




Rectangular frosted (on one side) acrylic privacy panel, 1/4 thick.
Installs on a work surface with the provided metal supports (nickel finish).

15	72	3	AC-VRGiS 1572	563	1,0	13
15	66	3	AC-VRGiS 1566	539	0,9	12
15	60	3	AC-VRGiS 1560	513	0,9	11
15	54	2	AC-VRGiS 1554	424	0,8	10
15	48	2	AC-VRGiS 1548	398	0,8	9
15	42	2	AC-VRGiS 1542	372	0,6	8
15	36	2	AC-VRGiS 1536	347	0,5	7
15	30	2	AC-VRGiS 1530	322	0,4	6
15	24	2	AC-VRGiS 1524	297	0,4	5

C = Number of supports included.


ACCESSORY PANEL



Metal accessory panel with 3 attachment levels.
 Installs to any 11/16" thick laminate panel.
 Can hold Artopex accessories (plastic or metal), see Accessories price list.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	Lb
10	17		ASASP	61	0,3	3

STORAGE CASE



Metal storage case for binders or books.
 Installs under a work surface, with screws.

12	7 1/2	12	ASUB	154	0,8	5
----	-------	----	-------------	-----	-----	---


SPECIFY

Code Metal
AC - -

Specify Code: Consult the above product code list.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).


MARKER BOARD PANEL




Magnetic metal marker board (High-gloss white enamel finish).
 Installs to any 11/16" thick laminate panel.
 A base tray for storing markers.
 NOTE: Use only dry-erase markers.

10	17		AC-ASWBA	57	0,3	3
----	----	--	-----------------	----	-----	---

CORNER SHELF



Corner shelf for keyboard or keyboard mechanism in a 90° surface configuration.
Installs to adjacent surfaces with junction plates (included).



Dimensions			Code		Price		Specifications			
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
14	14	20	JC1414		90	110	99	120	0,2	2 4

Lima 1"

Mike 1½"

SPECIFY


Series Code Surface Edge
T - - /

Specify Series: L or M (specifications p24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.


STIFFENERS



Metal stiffener, Charcoal finish.
Suggested for work surfaces 54" or more.
Installation hardware included.

For surface 72" or more	AC-RSTF64	83	0,5	5
For surface 60"	AC-RSTF52	77	0,5	4
For surface 54"	AC-RSTF46	72	0,5	3

JUNCTION PLATES




Metal junction plates, Black finish.
Used to join 2 surfaces side-by-side.

Pack of 2	AC-FJP2	20
-----------	---------	----

Electricity

CABLE TRAYS



Metal CABLE TRAY, silver finish.

Installs under a work surface with screws.

Allows passage of electrical & communication cabling. Cabling access via both ends and sides.

Can accommodate 1-circuit electrical system (see Accessories price list).

32" or more: 4 openings on each side.

26" or less: 2 openings on each side.

Opening can accommodate mobile outlets (AC-ECM, AC-ECMK) or telecommunication outlets (AC-ERF, E2-ERD).


Accessories price list.

Opening dimensions: $2\frac{1}{2}"$ L x $1\frac{3}{8}"$ H.



Dimensions			Code	Price	Use with surface:	Specification	
A	B	C				Cu.Ft.	lb
4 1/4	68	3	WCMC68	150	78" or 84"	1,0	6
4 1/4	62	3	WCMC62	142	72"	0,9	5
4 1/4	56	3	WCMC56	135	66"	0,8	5
4 1/4	50	3	WCMC50	128	60"	0,7	5
4 1/4	44	3	WCMC44	121	54"	0,6	4
4 1/4	38	3	WCMC38	117	48"	0,5	4
4 1/4	32	3	WCMC32	109	42"	0,5	3
4 1/4	26	3	WCMC26	102	36"	0,4	2
4 1/4	20	3	WCMC20	95	30"	0,3	2

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEMS - 1 SIDE



4-circuit electrical distribution system with 1 electrical harness and 1 metal front cover (silver finish).

Installs under a surface placed next to a wall or under a surface with a modesty panel (with screws).

Can accommodate 4-circuit system components and a cabling support (see next page).

28" or more: 2 openings for a duplex outlet and 2 other access openings.


22": 1 opening for a duplex outlet and 2 other access openings.

16": 1 opening for a duplex outlet.


Openings can accommodate cover plates or telecommunication outlets. Opening dimensions: $2\frac{1}{2}"$ L x $1\frac{3}{8}"$ H.

Duplex outlets not included, order separately, see p.273.


To determine the required length of a system under a surface supported "layering" table, see p.52.



28" or more



22"



16"

H = Length of the included harness

A	B	C	H	Code	Price	Use with table:	Specification	
2 1/2	58	5	14 1/2				Cu.Ft.	lb
2 1/2	58	5	14 1/2	WCMA58	278	72" to 84"	0,9	10
2 1/2	52	5	14 1/2	WCMA52	275	66"	0,8	9
2 1/2	46	5	14 1/2	WCMA46	272	60"	0,7	9
2 1/2	40	5	14 1/2	WCMA40	268	54"	0,6	8
2 1/2	34	5	14 1/2	WCMA34	265	48"	0,5	8
2 1/2	28	5	14 1/2	WCMA28	263	42"	0,4	7
2 1/2	22	5	8 1/2	WCMA22	251	36"	0,3	6
2 1/2	16	5	8 1/2	WCMA16	248	30"	0,2	5

SPECIFY

Code

AC - **- 3090**


Specify Code: Consult the above product code list.

CABLING SUPPORTS

Metal cabling support, silver finish.

Installs on the front cover of the 4-circuit electrical distribution system of same length (no hardware required).

Allows management of cables plugged into the outlets.




Dimensions			Code	Price	Specifications	
A	B	C	Use with surface:		Cu.Ft.	lb
2	58		WCMAS58	40	0,2	2
2	52		WCMAS52	39	0,2	2
2	46		WCMAS46	37	0,2	2
2	40		WCMAS40	37	0,1	2
2	34		WCMAS34	36	0,1	2
2	28		WCMAS28	35	0,1	1
2	22		WCMAS22	34	0,1	1
2	16		WCMAS16	34	0,1	1

SPECIFY

Code
AC - **- 3090**

Specify **Code:** Consult the above product code list.

CABLE POLES - 4-CIRCUIT ELECTRICAL SYSTEM



Credenza with grommet

Pole for ceiling power connection (10' H.).

Special raceway end cap and finishing plates included.

Power feed connector to be ordered separately.

Available in sizes (tube): 2" x 2" or 2" x 3".

The 2"x3" cable pole comes with an integrated metal divider down its length.

2	3	120	A5-EPEU23	271	0,8	8
2	2	120	A5-EPEU22	245	0,8	7


SPECIFY

Code Metal
 -

Specify **Code:** Consult the above product code list.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).


COUPLING - 4-CIRCUIT ELECTRICAL SYSTEM



"I" to connect 2 jumpers end-to-end or a ceiling power connector with a "male" end connector.

	Code	Price	Specification	
			Cu.Ft.	lb
"I" Connector	IE-I	64	0,1	1

CEILING POWER CONNECTORS - 4-CIRCUIT ELECTRICAL SYSTEM




The ceiling connector is a shielded flexible cable.
The E2-EC15 connector must be installed by a certified electrician in accordance with local building codes.
Connects at the end of a harness.
The E2-EC18 can be attached to the power feed connector during re-configuration by the user.


Length: 180" (15')	E2-EC15	208	0,6	3
Length: 216" (18')	E2-EC18	365	0,7	4

E2-EC15
To be plugged in the terminal block (supplied by the electrician)

E2-EC18
To be plugged in the outlet for power feed connectors E2-ECWD



OUTLET FOR POWER FEED CONNECTORS - 4-CIRCUIT ELECTRICAL SYSTEM




Box (not included)
Outlet for the power feed connector allows easy plugging/unplugging by the user.
The box (not included) can be installed on the wall (at approximate height of 20") or on the ceiling, near the top of the Cable pole.
Must be installed on site by a certified electrician in accordance with local electricity code. Afterwards, it is possible to plug the E2-EC18 Ceiling power feed connector in to it.

E2-EC18 Power feed connector
(not included, see previous item)

E2-ECWD	257	0,1	1
---------	-----	-----	---

OPEN END PLUG CONNECTOR



To distribute current from the junction box to the power distribution harnesses.
It is fitted with a male plug which connects to a power distribution harness.

Length 60"	E2-ECJO	179	0,1	3
------------	---------	-----	-----	---

JUMPERS - 4-CIRCUIT ELECTRICAL SYSTEM



MALE

MALE

Jumper carries power between 2 - 4-circuit electrical distribution systems.

Equipped at both ends with a terminal "male" connector (8 wires in flexible shielded cable).

To determine required length, see information on pages 49 to 53.

	Code	Price	Specifications	
			Cu.Ft.	lb
82½	E2-EJT82	245	0,1	4
76½	E2-EJT76	242	0,1	4
70½	E2-EJT70	238	0,1	4
64¼	E2-EJT64	215	0,1	3
58	E2-EJT58	209	0,1	3
52	E2-EJT52	205	0,1	3
47	E2-EJT47	202	0,1	2
35	E2-EJT35	196	0,1	2
21½	E2-EJT21	193	0,1	1
18½	E2-EJT18	187	0,1	1

FASTENERS FOR JUMPER






Metal fastener, galvanized steel. Pack of 5 fasteners.

To attach shielded cables (jumpers) under a surface, screws included.

Pack of 5	E2-EJB5	11	0,1	1
-----------	---------	----	-----	---

DUPLEX OUTLETS - 4-CIRCUIT ELECTRICAL SYSTEM



Duplex and USB outlet. Fastened to the power distribution harness by a spring latch.




For protection against induced voltage variations, **circuit #4 is a dedicated circuit** with its own neutral and ground conductors.

Duplex outlet for circuit #1	E2-ER1	25	0,2	1
Duplex outlet for circuit #2	E2-ER2	25	0,2	1
Duplex outlet for circuit #3	E2-ER3	25	0,2	1
Duplex outlet for circuit #4	E2-ER4	25	0,2	1
USB charger outlet	E2-USB	134	0,2	1

NEW

CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (LEFT PEDESTAL)

DESK



Reception desk with pedestal at left, curved countertop and 2 grommets included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.




Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	72	42	RDS3072		1428	1709	1517	1835	58,9 293 345
30	66	42	RDS3066		1393	1653	1448	1730	58,9 283 319

30	72	42	RDV3072		1428	1709	1517	1835	58,9 293 345
30	66	42	RDV3066		1393	1653	1448	1730	58,9 283 319

30	72	42	RDM3072		1349	1615	1429	1741	58,9 278 330
30	66	42	RDM3066		1328	1560	1354	1636	58,9 268 304

RIGHT RETURN



Right return with right pedestal for reception desk with pedestal at left.

Returns 48" and 60" long have 2 grommets included. Return 42" long has 1 centered grommet included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

24	60	41	RDRT2460		1066	1249	1128	1278	39.2 187 205
24	48	41	RDRT2448		1008	1151	1056	1166	31.6 167 181
24	42	41	RDRT2442		975	1107	1025	1123	31.6 156 169

24	60	41	RDRW2460		1066	1249	1128	1278	39.2 187 205
24	48	41	RDRW2448		1008	1151	1056	1166	31.6 167 181
24	42	41	RDRW2442		975	1107	1025	1123	31.6 156 169

24	60	41	RDRN2460		960	1143	1022	1173	39.2 172 190
24	48	41	RDRN2448		902	1045	950	1060	31.6 152 166
24	42	41	RDRN2442		869	1001	920	1018	31.6 141 154

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Grom.	Pull	M-Outlet	Mod.	Lock
T			/		/					

OPTIONS

Specify: Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.




Multi-Outlet Module - DESK: Option of standard multi-outlet module at right (UCR) or centered (UCC), add \$213 ea., p.29.

Multi-Outlet Module - RETURN: (48" & 60") Option of standard multi-outlet module at left (UCL) or centered (UCC), add \$213 ea.
or (42") Option of standard multi-outlet module at left (UCL), add \$213 ea., p.29.

Modesty panel (RDM-RDRN): Option of 18" high (U18) modesty panel, option free of charge, p.30.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (RIGHT PEDESTAL)**DESK**

Reception desk with pedestal at right, curved countertop and 2 grommets included.




Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	72	42	RDT3072		1428	1709	1517	1835	58.9 293 345
30	66	42	RDT3066		1393	1653	1448	1730	58.9 283 319

30	72	42	RDW3072		1428	1709	1517	1835	58.9 293 345
30	66	42	RDW3066		1393	1653	1448	1730	58.9 283 319

30	72	42	RDN3072		1349	1615	1429	1741	58.9 278 330
30	66	42	RDN3066		1328	1560	1354	1636	58.9 268 304

LEFT RETURN

Left return with left pedestal for reception desk with pedestal at right.

Returns 48" and 60" long have 2 grommets included. Return 42" long has 1 centered grommet included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

24	60	41	RDRS2460		1066	1249	1128	1278	39.2 187 205
24	48	41	RDRS2448		1008	1151	1056	1166	31.6 167 181
24	42	41	RDRS2442		975	1107	1025	1123	31.6 156 169

24	60	41	RDRV2460		1066	1249	1128	1278	39.2 187 205
24	48	41	RDRV2448		1008	1151	1056	1166	31.6 167 181
24	42	41	RDRV2442		975	1107	1025	1123	31.6 156 169

24	60	41	RDRM2460		960	1143	1022	1173	39.2 172 190
24	48	41	RDRM2448		902	1045	950	1060	31.6 152 166
24	42	41	RDRM2442		869	1001	920	1018	31.6 141 154

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Grom.	Pull	M-Outlet	Mod.	Lock
T										

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options: Pull: Pull option, specify type, add \$22 per drawer, p.56.

Multi-Outlet Module - DESK: Option of standard multi-outlet module at left (UCL) or centered (UCC), add \$213 ea., p.29.


Multi-Outlet Module - RETURN: (48" & 60") Option of standard multi-outlet module at right (UCR) or centered (UCC), add \$213 ea.
or (42") Option of standard multi-outlet module at right (UCR), add \$213 ea., p.29.

Modesty panel (RDN-RDRM): Option of 18" high (U18) modesty panel, option free of charge, p.30.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COUNTERTOPS (to convert a regular desk into a reception desk)



Countertop with bow front transforms a regular desk into a reception desk.
Attaches to the surface with double sided tape.

Dimensions			Code		Price		Specifications			
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
12	84	13	RSB1284		373	515	—	567	11.0	61 77
12	78	13	RSB1278		365	497	—	547	10.2	57 72
12	72	13	RSB1272		356	481	422	526	9.5	53 67
12	66	13	RSB1266		345	458	404	499	8.7	50 62
12	60	13	RSB1260		334	436	388	475	7.9	46 58
12	54	13	RSB1254		326	419	376	454	7.1	42 53
12	48	13	RSB1248		318	402	364	433	6.4	38 48
12	42	13	RSB1242		309	384	350	413	5.6	35 43
12	36	13	RSB1236		303	367	339	393	4.8	31 38
12	30	13	RSB1230		295	351	327	373	4.0	27 33
12	24	13	RSB1224		285	333	315	352	3.2	24 28



Rectangular countertop transforms a regular desk into a reception desk.
Attaches to the surface with double sided tape.

12	84	13	RSQ1284		347	462	—	506	9.0	55 68
12	78	13	RSQ1278		338	446	—	485	8.3	51 64
12	72	13	RSQ1272		330	428	382	465	7.7	48 59
12	66	13	RSQ1266		319	409	366	442	7.1	45 55
12	60	13	RSQ1260		309	392	352	422	6.4	41 51
12	54	13	RSQ1254		301	374	340	402	5.8	38 46
12	48	13	RSQ1248		293	358	328	381	5.2	35 42
12	42	13	RSQ1242		284	339	314	360	4.5	32 38
12	36	13	RSQ1236		277	323	303	340	3.9	28 34
12	30	13	RSQ1230		270	306	290	320	3.3	25 30
12	24	13	RSQ1224		261	289	278	299	2.6	22 26

SPECIFY

Series Code Surface Edge Base
T - - / -



Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

COUNTERTOP EXTENSIONS (add to elongate a reception countertop)

RIGHT SHELF





Right extension countertop, to be used with a countertop for a reception desk.

Attaches to the surface with double sided tape and 2 flat junction plates, included.

Dimensions			Code	L Lima 1"		M Mike 1½"		Specifications		
				Price						
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
12	84	13	RSR1284	330	444	—	488	9.0	50	64
12	78	13	RSR1278	320	427	—	469	8.3	47	59
12	72	13	RSR1272	312	410	364	448	7.7	44	55
12	66	13	RSR1266	303	393	349	426	7.1	40	51
12	60	13	RSR1260	292	374	336	405	6.4	37	47
12	54	13	RSR1254	284	358	323	384	5.8	34	42
12	48	13	RSR1248	276	340	310	364	5.2	31	38
12	42	13	RSR1242	267	322	297	342	4.5	27	34
12	36	13	RSR1236	261	306	286	323	3.9	24	30
12	30	13	RSR1230	251	289	274	303	3.3	21	25
12	24	13	RSR1224	243	272	261	282	2.6	17	21

LEFT SHELF



Left extension countertop, to be used with a countertop for a reception desk.

Attaches to the surface with double sided tape and 2 flat junction plates, included.

12	84	13	RSL1284	330	444	—	488	9.0	50	64
12	78	13	RSL1278	320	427	—	469	8.3	47	59
12	72	13	RSL1272	312	410	364	448	7.7	44	55
12	66	13	RSL1266	303	393	349	426	7.1	40	51
12	60	13	RSL1260	292	374	336	405	6.4	37	47
12	54	13	RSL1254	284	358	323	384	5.8	34	42
12	48	13	RSL1248	276	340	310	364	5.2	31	38
12	42	13	RSL1242	267	322	297	342	4.5	27	34
12	36	13	RSL1236	261	306	286	323	3.9	24	30
12	30	13	RSL1230	251	289	274	303	3.3	21	25
12	24	13	RSL1224	243	272	261	282	2.6	17	21

SPECIFY

Series Code Surface Edge Base
T - - / -

Specify Series: L or M (specifications p.24).



Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

OCCASIONAL TABLES (LAMINATE BASE)

Round or square occasional tables, 17½" H.

Laminate base.




Dimensions				Code		Price		Specifications			
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
36		17½		TMAR1736		309	462	560	603	15.1	51 68
30		17½		TMAR1730		281	428	502	537	10.6	52 51
24		17½		TMAR1724		241	354	426	455	6.9	38 38

30	30	17½		TMAS173030		292	396	384	444	10.6	59 71
24	48	17½		TMAS172448		319	452	422	512	13.5	61 77
24	42	17½		TMAS172442		304	420	402	473	11.8	57 70
24	30	17½		TMAS172430		268	371	372	420	8.5	48 57
24	24	17½		TMAS172424		234	329	323	362	6.9	43 51
24	18	17½		TMAS172418		244	292	316	322	5.2	39 44
18	36	17½		TMAS171836		284	387	377	435	7.7	40 48
18	30	17½		TMAS171830		256	316	332	351	6.5	36 44
18	24	17½		TMAS171824		244	292	316	321	5.2	33 39
18	18	17½		TMAS171818		233	267	299	315	4.0	29 34

SPECIFY

Series Code Surface Edge Base
T - - / -


OCCASIONAL TABLES WITH RIBBON STYLE DETAIL



Occasional table with ribbon style detail.

Table height: 17½", ribbon height: 18½", ribbon width: 10".

24	48	18½	17½	TMAB2448		449	603	—	—	14.2	61
24	42	18½	17½	TMAB2442		435	571	—	—	12.4	56
24	36	18½	17½	TMAB2436		402	521	—	—	10.7	52
24	30	18½	17½	TMAB2430		386	480	—	—	9	48
24	24	18½	17½	TMAB2424		370	442	—	—	7.2	44
18	36	18½	17½	TMAB1836		384	460	—	—	8.1	42
18	30	18½	17½	TMAB1830		373	436	—	—	6.8	38
18	24	18½	17½	TMAB1824		363	411	—	—	5.5	35



SPECIFY

Series Code Surface Edge Base
T L - - / -


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


OCCASIONAL TABLES (METAL BASE)

Round occasional table with metal tubular leg (3" diam.) and round base plate (18" diam.).
Height: 17½".




Dimensions			L Lima 1"		M Mike 1½"		Specifications		
A	B	C	Price						
			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	17½		680	828	901	936	5,2	58	66
24	17½		658	796	825	855	4,8	52	57

Elliptical occasional table with metal tubular leg (3" diam.) and round base plate (18" diam.).
Height: 17½".




21	36	17½	658	806	901	946	5	54	60
----	----	-----	-----	-----	-----	-----	---	----	----

Square occasional table with metal tubular leg (3" diam.) and square base plate (18" x 18").
Height: 17½".



30	17½		680	828	901	936	5,2	71	81
24	17½		658	796	825	855	4,8	63	69

Square occasional table with square metal tubular legs (2½" x 2½").
Height: 17½".



24	36	17½	546	662	644	758	2,5	35	45
24	24	17½	510	613	614	705	2	28	34

SPECIFY

Series Code Surface Edge Metal
T - - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal: Specify the finish of the base/legs: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to differ or discontinue shipment of any goods or, to refuse any order until time as the default is corrected or the purchaser provides assurance of payment to Artopex.

Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing...) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

Acknowledgments

Orders will be acknowledged with Artopex acknowledgment forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. If not, the purchaser must notify Artopex within 48 hours in writing. Failure to provide corrections within 48 hours could be subject to extra charges (see Changes and Cancellation).

Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and fabric-covered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances. A) Modifications: Standard product already in production will be subject to a 25% modification surcharge. Changes to the shipping date must be taken into consideration. B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

Shipping

- A) Prices are FOB factory, collect.
B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Shipping will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

Return of Goods

- A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
C) Returns of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs.

Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice.

Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

Noki Electronic Lock

Parts are guaranteed for five (5) years and one (1) year for labour.

Artopex Lifetime Warranty

Artopex warrants its products are free of defects in design, material and workmanship for as long as the original purchaser owns them.

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

This warranty provides limits on the following products :

- electrical components, which are warranted for (10) ten years from date of delivery,
- seating mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
- Artopex fabrics which are warranted for (5) five years from date of delivery,
- moving and high wear parts such as covering materials/finishes, arm rests, chair bases, foam, wood framed seating products, stacking chairs, glides, slides, casters, user-adjustable worksurface mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
- non-standard specials, which are warranted for (1) one year from date of delivery.

This warranty does not extend to:

- Customer's Own Material (COM) or finishes applied to Artopex products,
- ballast and light bulbs,
- products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.





This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the express warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

Appendix

general information	
shared table benching	287
storage	289
screens	290
electricity	292
shared tables	
shared table benching-open	293
shared table benching-with doors	309
storage	325
panels and accessories	327
electricity	333





SHARED BENCHING TABLES

RECTANGULAR TABLES (FULL END PANELS)- 293

	BCO2i2872	BCO2i2272		BCO4i2872	BCO4i2272
	BCO2i2866	BCO2i2266		BCO4i2866	BCO4i2266
	BCO2i2860	BCO2i2260		BCO4i2860	BCO4i2260
	BCO2i2854	BCO2i2254		BCO4i2854	BCO4i2254
	BCO2i2848	BCO2i2248		BCO4i2848	BCO4i2248
	BCO2i2842	BCO2i2242		BCO4i2842	BCO4i2242
	BCO2i2836	BCO2i2236		BCO4i2836	BCO4i2236
	BCO6i2872	BCO6i2272		BCO8i2872	BCO8i2272
	BCO6i2866	BCO6i2266		BCO8i2866	BCO8i2266
	BCO6i2860	BCO6i2260		BCO8i2860	BCO8i2260
	BCO6i2854	BCO6i2254		BCO8i2854	BCO8i2254
	BCO6i2848	BCO6i2248		BCO8i2848	BCO8i2248
	BCO6i2842	BCO6i2242		BCO8i2842	BCO8i2242
	BCO6i2836	BCO6i2236		BCO8i2836	BCO8i2236





SHARED BENCHING TABLES

RECTANGULAR TABLES (COMBINED MATERIAL END PANELS) - 297

	BCO2iX2872	BCO2iX2272		BCO4iX2872	BCO4iX2272
	BCO2iX2866	BCO2iX2266		BCO4iX2866	BCO4iX2266
	BCO2iX2860	BCO2iX2260		BCO4iX2860	BCO4iX2260
	BCO2iX2854	BCO2iX2254		BCO4iX2854	BCO4iX2254
	BCO2iX2848	BCO2iX2248		BCO4iX2848	BCO4iX2248
	BCO2iX2842	BCO2iX2242		BCO4iX2842	BCO4iX2242
	BCO2iX2836	BCO2iX2236		BCO4iX2836	BCO4iX2236
	BCO6iX2872	BCO6iX2272		BCO8iX2872	BCO8iX2272
	BCO6iX2866	BCO6iX2266		BCO8iX2866	BCO8iX2266
	BCO6iX2860	BCO6iX2260		BCO8iX2860	BCO8iX2260
	BCO6iX2854	BCO6iX2254		BCO8iX2854	BCO8iX2254
	BCO6iX2848	BCO6iX2248		BCO8iX2848	BCO8iX2248
	BCO6iX2842	BCO6iX2242		BCO8iX2842	BCO8iX2242
	BCO6iX2836	BCO6iX2236		BCO8iX2836	BCO8iX2236


SHARED BENCHING TABLES

RECTANGULAR TABLES (PERFORATED METAL END PANELS) - 301


	BCO2iM2872	BCO2iM2272		BCO4iM2872	BCO4iM2272
	BCO2iM2866	BCO2iM2266		BCO4iM2866	BCO4iM2266
	BCO2iM2860	BCO2iM2260		BCO4iM2860	BCO4iM2260
	BCO2iM2854	BCO2iM2254		BCO4iM2854	BCO4iM2254
	BCO2iM2848	BCO2iM2248		BCO4iM2848	BCO4iM2248
	BCO2iM2842	BCO2iM2242		BCO4iM2842	BCO4iM2242
	BCO2iM2836	BCO2iM2236		BCO4iM2836	BCO4iM2236
	BCO6iM2872	BCO6iM2272		BCO8iM2872	BCO8iM2272
	BCO6iM2866	BCO6iM2266		BCO8iM2866	BCO8iM2266
	BCO6iM2860	BCO6iM2260		BCO8iM2860	BCO8iM2260
	BCO6iM2854	BCO6iM2254		BCO8iM2854	BCO8iM2254
	BCO6iM2848	BCO6iM2248		BCO8iM2848	BCO8iM2248
	BCO6iM2842	BCO6iM2242		BCO8iM2842	BCO8iM2242
	BCO6iM2836	BCO6iM2236		BCO8iM2836	BCO8iM2236

SHARED BENCHING TABLES


RECTANGULAR TABLES (OPEN METAL END PANELS) - 305




BCO2iO2872	BCO2iO2272
BCO2iO2866	BCO2iO2266
BCO2iO2860	BCO2iO2260
BCO2iO2854	BCO2iO2254
BCO2iO2848	BCO2iO2248
BCO2iO2842	BCO2iO2242
BCO2iO2836	BCO2iO2236



BCO4iO2872	BCO4iO2272
BCO4iO2866	BCO4iO2266
BCO4iO2860	BCO4iO2260
BCO4iO2854	BCO4iO2254
BCO4iO2848	BCO4iO2248
BCO4iO2842	BCO4iO2242
BCO4iO2836	BCO4iO2236




BCO6iO2872	BCO6iO2272
BCO6iO2866	BCO6iO2266
BCO6iO2860	BCO6iO2260
BCO6iO2854	BCO6iO2254
BCO6iO2848	BCO6iO2248
BCO6iO2842	BCO6iO2242
BCO6iO2836	BCO6iO2236




BCO8iO2872	BCO8iO2272
BCO8iO2866	BCO8iO2266
BCO8iO2860	BCO8iO2260
BCO8iO2854	BCO8iO2254
BCO8iO2848	BCO8iO2248
BCO8iO2842	BCO8iO2242
BCO8iO2836	BCO8iO2236


RECTANGULAR TABLES (OPEN METAL END PANELS) - 309




BCD2i2672	BCD2i2072
BCD2i2666	BCD2i2066
BCD2i2660	BCD2i2060
BCD2i2654	BCD2i2054
BCD2i2648	BCD2i2048
BCD2i2642	BCD2i2042
BCD2i2636	BCD2i2036



BCD4i2672	BCD4i2072
BCD4i2666	BCD4i2066
BCD4i2660	BCD4i2060
BCD4i2654	BCD4i2054
BCD4i2648	BCD4i2048
BCD4i2642	BCD4i2042
BCD4i2636	BCD4i2036




BCD6i2672	BCD6i2072
BCD6i2666	BCD6i2066
BCD6i2660	BCD6i2060
BCD6i2654	BCD6i2054
BCD6i2648	BCD6i2048
BCD6i2642	BCD6i2042
BCD6i2636	BCD6i2036




BCD8i2672	BCD8i2072
BCD8i2666	BCD8i2066
BCD8i2660	BCD8i2060
BCD8i2654	BCD8i2054
BCD8i2648	BCD8i2048
BCD8i2642	BCD8i2042
BCD8i2636	BCD8i2036

SHARED BENCHING TABLES WITH DOORS


RECTANGULAR TABLES (COMBINED MATERIAL END PANELS) - 313




BCD2iX2672	BCD2iX2072
BCD2iX2666	BCD2iX2066
BCD2iX2660	BCD2iX2060
BCD2iX2654	BCD2iX2054
BCD2iX2648	BCD2iX2048
BCD2iX2642	BCD2iX2042
BCD2iX2636	BCD2iX2036



BCD4iX2672	BCD4iX2072
BCD4iX2666	BCD4iX2066
BCD4iX2660	BCD4iX2060
BCD4iX2654	BCD4iX2054
BCD4iX2648	BCD4iX2048
BCD4iX2642	BCD4iX2042
BCD4iX2636	BCD4iX2036




BCD6iX2672	BCD6iX2072
BCD6iX2666	BCD6iX2066
BCD6iX2660	BCD6iX2060
BCD6iX2654	BCD6iX2054
BCD6iX2648	BCD6iX2048
BCD6iX2642	BCD6iX2042
BCD6iX2636	BCD6iX2036




BCD8iX2672	BCD8iX2072
BCD8iX2666	BCD8iX2066
BCD8iX2660	BCD8iX2060
BCD8iX2654	BCD8iX2054
BCD8iX2648	BCD8iX2048
BCD8iX2642	BCD8iX2042
BCD8iX2636	BCD8iX2036

SHARED BENCHING TABLES WITH DOORS


RECTANGULAR TABLES (PERFORATED METAL END PANELS) - 317




BCD2iM2672	BCD2iM2072
BCD2iM2666	BCD2iM2066
BCD2iM2660	BCD2iM2060
BCD2iM2654	BCD2iM2054
BCD2iM2648	BCD2iM2048
BCD2iM2642	BCD2iM2042
BCD2iM2636	BCD2iM2036



BCD4iM2672	BCD4iM2272
BCD4iM2666	BCD4iM2266
BCD4iM2660	BCD4iM2260
BCD4iM2654	BCD4iM2254
BCD4iM2648	BCD4iM2248
BCD4iM2642	BCD4iM2242
BCD4iM2636	BCD4iM2236




BCD6iM2672	BCD6iM2072
BCD6iM2666	BCD6iM2066
BCD6iM2660	BCD6iM2060
BCD6iM2654	BCD6iM2054
BCD6iM2648	BCD6iM2048
BCD6iM2642	BCD6iM2042
BCD6iM2636	BCD6iM2036




BCD8iM2672	BCD8iM2072
BCD8iM2666	BCD8iM2066
BCD8iM2660	BCD8iM2060
BCD8iM2654	BCD8iM2054
BCD8iM2648	BCD8iM2048
BCD8iM2642	BCD8iM2042
BCD8iM2636	BCD8iM2036


RECTANGULAR TABLES (OPEN METAL END PANELS) - 321




BCD2iO2672	BCD2iO2072
BCD2iO2666	BCD2iO2066
BCD2iO2660	BCD2iO2060
BCD2iO2654	BCD2iO2054
BCD2iO2648	BCD2iO2048
BCD2iO2642	BCD2iO2042
BCD2iO2636	BCD2iO2036



BCD4iO2672	BCD4iO2072
BCD4iO2666	BCD4iO2066
BCD4iO2660	BCD4iO2060
BCD4iO2654	BCD4iO2054
BCD4iO2648	BCD4iO2048
BCD4iO2642	BCD4iO2042
BCD4iO2636	BCD4iO2036




BCD6iO2672	BCD6iO2072
BCD6iO2666	BCD6iO2066
BCD6iO2660	BCD6iO2060
BCD6iO2654	BCD6iO2054
BCD6iO2648	BCD6iO2048
BCD6iO2642	BCD6iO2042
BCD6iO2636	BCD6iO2036




BCD8iO2672	BCD8iO2072
BCD8iO2666	BCD8iO2066
BCD8iO2660	BCD8iO2060
BCD8iO2654	BCD8iO2054
BCD8iO2648	BCD8iO2048
BCD8iO2642	BCD8iO2042
BCD8iO2636	BCD8iO2036

STORAGE EXTENSION - 325




ES001460
ES001448

SURFACE EXTENSION - 325




ET001460
ET001448

COLLABORATIVE SURFACE EXTENSION - 326




ETMO3060
ETMO3048
ETMO2460

LAMINATED PRIVACY PANELS - 327




PPLM1867
PPLM1861
PPLM1855
PPLM1849
PPLM1843
PPLM1837
PPLM1831

FROSTED PRIVACY PANELS - 327



PPCLG1867
PPCLG1861
PPCLG1855
PPCLG1849
PPCLG1843
PPCLG1837
PPCLG1831
PPGiG1867
PPGiG1861
PPGiG1855
PPGiG1849
PPGiG1843
PPGiG1837
PPGiG1831


FABRIC PRIVACY PANELS - 328



PPFA1867
PPFA1861
PPFA1855

PPFA1849
PPFA1843
PPFA1837
PPFA1831


TACKBOARD PRIVACY PANEL - 328



PPBTL1867
PPBTL1861
PPBTL1855


PPBTL1849
PPBTL1843
PPBTL1837
PPBTL1831

ACCESSORY BARS - 329




ACBC65
ACBC59
ACBC53
ACBC47
ACBC41
ACBC35
ACBC29

LATERAL METAL SCREENS - 329




DSMLR1526
DSMLR1520
DSMLL1526
DSMLL1520




DSMLAR1532
DSMLAR1526
DSMLAL1532
DSMLAL1526

LATERAL FABRIC SCREENS / NON TACKABLE - 330




DSFAR1526
DSFAR1520
DSFAL1526
DSFAL1520




DSFAAR1532
DSFAAR1526
DSFAAL1532
DSFAAL1526

LATERAL TACKBOARD PANELS - 331




DSBTLR1526
DSBTLR1520
DSBTL1526
DSBTL1520




DSBTLAR1532
DSBTLAR1526
DSBTLAL1532
DSBTLAL1526

OFFICE SUPPLY TRAY - 332




BCPAP

CENTRAL MOVIBLE CAP FOR SHARED OPEN BENCHING TABLES - 332




HC67BCO
HC61BCO
HC55BCO
HC49BCO
HC43BCO
HC37BCO
HC31BCO

CENTRAL CAP FOR SHARED TABLE BENCHING WITH DOORS - 332




HC67BCD
HC61BCD
HC55BCD
HC49BCD
HC43BCD
HC37BCD
HC31BCD

CABLING TRAYS - 333




WCMBC66
WCMBC60
WCMBC54
WCMBC48
WCMBC42
WCMBC36
WCMBC30

ELECTRICAL 4-CIRCUITS SYSTEM - 2 SIDES - 333



WCMBB22
WCMBB16

OUTLET SUPPORT - 333



E2-EDS

CABLE POLE ON TOP OF SURFACE - 334



A5-EPBC144
A5-EPBC96

Take Off

Appendix General Information



SHARED BENCHING TABLES - OPEN OR WITH DOORS

Shared benching tables, open or with doors, allow for configuration of 2, 4, 6 and 8 users. They are offered in depths of 48" or 60" with rectangular surfaces 1" thick (Sierra). Surfaces rest on a structure composed of legs, metal crosspieces and, depending on the model chosen, one or more central modesty panels 18" in height. The legs are available in laminate, combined material, perforated metal or open metal.

Open shared benching tables

Open shared benching tables have a 3" opening between the surfaces. The finishing caps are installed at the center and at each end of the opening. This opening is used for cabling and privacy screen installation, see p. 327. Grommets are not available for these tables; however, a multi-outlet module (ECC or UCC) at the center is available as an option.



If no privacy screen is installed, a removable cap can be ordered separately to reduce the space between the surfaces, but still allowing access for cabling.



Shared benching tables with doors

The shared benching tables with doors have an 8½" opening between the surfaces and finishing caps are installed at the center and at each end of the opening. This opening includes a door facing each surface allowing for cables to pass through and easy access to the electrical system installed underneath the work surface.


Grommets and multi-outlets are not available for these tables. There is an opening between both doors allowing for the installation of a privacy screen, see p. 327. If no privacy screen is installed, a central finishing cap can be ordered separately to cover the opening.




FINISHING CAPS AND CABLING POLE

Caps installed in the center and on the ends of the shared benching tables are used for finishing as well as for installing a cabling pole. When ordering, the color of the caps must be specified, as well as the model of the cap and the required position of the cabling pole :


Without a cabling pole (NP)




One on the end (EP)




Two on each end (EEP)




One in the center (CP)



Two in the center (CCP)




One on the end and one in the center (ECP)




FINISHING CAPS AND CABLING POLE

The cabling pole is used to supply power from the ceiling to the surface (8' or 12' H). The pole has an internal movable PVC divider used to separate the ceiling power cables from the communications cables.




SURFACE EXTENSIONS

The surface extension is installed on the end of a shared benching table, closed (**BC**), open (**BCO**) or with doors (**BCD**) and with all types of legs. The surface is composed of 1" thick laminate available in lengths of 48¼" and 60¼". The surface comes with a middle support, metal finish must be specified.




STORAGE EXTENSION

The open storage extension is installed on the end of shared benching tables, closed (**BC**), open (**BCO**) or with doors (**BCD**) and with all the different types of legs. Composed of laminate of 1" thick and is offered in lengths of 48¼" and 60¼".



COLLABORATIVE SURFACE EXTENSION


The collaborative surface extension is installed on the end of a shared benching table, closed (**BC**), open (**BCO**) or with doors (**BCD**), with all the different types of legs. The surface is composed of 1" thick laminate panels available in lengths of 48¼" and 60¼", and in depths of 24" and 30". The surface includes one metal U leg made of 1" x 3" metal tube, finish must be specified.



OFFICE SUPPLY TRAY

The office supply tray is a metal accessory for small office supplies (pencils, eraser, scissors, etc). The tray is designed to be installed underneath shared benching table surfaces, open or with doors, at the desired location in the front of the surface.


If installed on shared benching table with doors, the tray will be concealed by the door. The inner dimension of the tray are 9"x3"x¾" high. Metal finish must be specified.



PRIVACY PANELS

The privacy panels can only be installed on shared benching tables open or with doors, since the space between the surfaces and the doors provides room to install it. The panels are available in 7 lengths and have a height of 18¼", with 15¼" visible above the surface. The panels are fixed to the benching table with 2 supports included. They also have a bracket that allows for the vertical adjustment of the panel.


Panels are available in 3 finishes :



Laminated or high-gloss white marker board

Laminate panel 11/16" thick.


Laminate finish, refer to the current Artopex laminate finishes card.
Marker board finish (SBL); high-gloss white marker board



Frosted glass :

Glass panel, 6mm thick.


Glass finish, clear or frosted.



Fabric - non tackable :



Panel 11/16" thick composed of 3/8" laminate covered in fabric on each side.

The visible laminate contour is available in black, white and frost.
Fabric, refer to the current Artopex panel fabric card.



Tackboard :

Panel 1" thick composed of 3/8" laminate in the middle and tackable panel in rough charcoal colored felt or covered in fabric on each side. The visible laminate contour is available in black, white or frost. Fabric, refer to the current Artopex panel fabric card.




ACCESSORY BAR

A pre-drilled accessory bar can be screwed to a laminate panel (PPLM).

The bar is the same length as the tackboards for the laminate panels and is available in various colors.



A maximum of 3 bars can be installed on each side of the privacy panel.



OUTLET SUPPORT

The outlet support is designed for moveable power outlets (AC-ECM, AC-ECMK) or a telecommunication plate (E2-ERD).

The support can be installed on top of the modesty of shared benching tables. Black finish. Size of opening : 2½" x 1⅜".




LATERAL SCREENS


The lateral screens below can be installed on all types of shared benching tables, on the ends or in the $\frac{1}{4}$ " space between the surfaces. Two models are available (equal to or greater than the surface), in 3 finishes (metal, fabric or tackboard), with a height of $15\frac{1}{4}$ " visible above the surface. To properly insert the screen under the surface, the screen must be ordered either right or left, according to the placement.

Screens are available in 2 models :


Screen flush with the front of the surface



Screen 6" in the front of the surface




Screens are available in 3 finishes :




Metal :

Metal structure $\frac{1}{8}$ " thick with grooved option, to hang accessories.

Metal finish : Charcoal, Silver, Polar White, China Blue, Grenadine, Kiwi and Tangerine.



Grooved option




Fabric - non-tackable :

Lateral fabric screens are $\frac{7}{16}$ " thick. The screen is composed of a metal structure $\frac{1}{8}$ " thick with fabric on each side.

Metal finish (structure) : Charcoal, Silver, Polar White, China Blue, Grenadine, Kiwi and Tangerine.

Fabric, refer to the current Artopex panel fabric card.



Tackboard :

Lateral tackboard screens are $\frac{11}{16}$ " thick. The screen is composed of a metal structure $\frac{1}{8}$ " thick with a tackable panel in rough charcoal colored felt or covered in fabric on each side.


Metal finish (structure) : Charcoal, Silver, Polar White, China Blue, Grenadine, Kiwi and Tangerine.

Fabric, refer to the current Artopex panel fabric card.


Screen positions on the different types of shared tables.

* Illustrated screens are flush with the front of the surface.



Shared benching table - closed



Shared benching table with doors




Shared benching table - open



CABLING TRAY


The cabling tray allow for management of electrical and communication cables. It attaches to the modesty panel and provides quick and easy access to cables. Once installed, the cabling tray also doubles as a stiffener and reinforces the modesty panel when a privacy panel is installed. The tray's asymmetrical shape allows for the installation of a tray on both sides of the modesty. Metal finish must be specified.



4-CIRCUIT ELECTRICAL SYSTEM - 2 SIDES


The 4-circuit electrical system is installed on the top of the modesty of all types of benching tables. It contains 1 electrical harness with support and 2 metal fronts (finish must be specified). The system is available in 2 lengths, 16" and 22", and is designed to be used with the 4-circuit electrical components. The double outlets or the USB outlets are not included, must be ordered seperately.

16" long : 1 space for outlet on each side. For tables 36" and 42" in length.
22" long : 2 spaces for outlets on each side. For tables 48" and 72" in length.



SPECIFICATION TABLE - JUMPER LENGTH (cables)

To calculate the length of the jumper (E2-EJT...) required for use with shared tables, please refer to the shaded part of the chart below.



A \ B	B	48"x 60"
72"		E2-EJT64
66"		E2-EJT58
60"		E2-EJT52
54"		E2-EJT47
48"		E2-EJT47
42"		E2-EJT35
36"		E2-EJT35
		CABLE REQUIRED

OPEN SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each end of the surfaces. Model and color must be specified.


Full laminate end panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.



S Sierra 1"

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	BCO2i2872	1742	2039	13,3	247
28½	66	60¼	BCO2i2866	1675	1964	12,9	234
28½	60	60¼	BCO2i2860	1603	1873	12,3	222
28½	54	60¼	BCO2i2854	1547	1806	11,7	210
28½	48	60¼	BCO2i2848	1485	1731	11,3	198
28½	42	60¼	BCO2i2842	1416	1651	10,7	185
28½	36	60¼	BCO2i2836	1345	1563	10,1	173
22½	72	48¼	BCO2i2272	1595	1868	11,1	208
22½	66	48¼	BCO2i2266	1550	1788	10,7	197
22½	60	48¼	BCO2i2260	1458	1708	10,3	186
22½	54	48¼	BCO2i2254	1406	1646	9,7	176
22½	48	48¼	BCO2i2248	1368	1595	9,3	165
22½	42	48¼	BCO2i2242	1299	1513	8,9	155
22½	36	48¼	BCO2i2236	1227	1427	8,5	144

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

M-Outlet

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), or on both ends (EEP).

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

Take Off

NEW

Price List – USA

OPEN SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)




Table with 4 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, see p.332.

Finishing caps are installed on each extremity and in the center of the opening. Model and color must be specified.

Full laminate end panels and recessed mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.		
28½	72	60¼	144	BCO4i2872	3212	3806	23,6	429
28½	66	60¼	132	BCO4i2866	3077	3653	22,8	405
28½	60	60¼	120	BCO4i2860	2933	3474	21,6	380
28½	54	60¼	108	BCO4i2854	2820	3340	20,4	356
28½	48	60¼	96	BCO4i2848	2698	3191	19,6	331
28½	42	60¼	84	BCO4i2842	2559	3029	18,4	306
28½	36	60¼	72	BCO4i2836	2417	2852	17,2	282
22½	72	48¼	144	BCO4i2272	2983	3529	20,2	368
22½	66	48¼	132	BCO4i2266	2892	3367	19,4	347
22½	60	48¼	120	BCO4i2260	2708	3210	18,6	326
22½	54	48¼	108	BCO4i2254	2605	3084	17,4	305
22½	48	48¼	96	BCO4i2248	2531	2984	16,6	283
22½	42	48¼	84	BCO4i2242	2391	2818	15,8	262
22½	36	48¼	72	BCO4i2236	2245	2646	15	241

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), at the center (CP), on extremities and in the center (ECP).

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full laminate end panels and recessed mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	216	BCO6i2872	4682	5573	33,9	612
28½	66	60¼	198	BCO6i2866	4479	5344	32,7	575
28½	60	60¼	180	BCO6i2860	4263	5074	30,9	538
28½	54	60¼	162	BCO6i2854	4093	4872	29,1	501
28½	48	60¼	144	BCO6i2848	3911	4650	27,9	465
28½	42	60¼	126	BCO6i2842	3702	4408	26,1	428
28½	36	60¼	108	BCO6i2836	3489	4143	24,3	391
22½	72	48¼	216	BCO6i2272	4371	5190	29,3	529
22½	66	48¼	198	BCO6i2266	4235	4948	28,1	497
22½	60	48¼	180	BCO6i2260	3959	4711	26,9	465
22½	54	48¼	162	BCO6i2254	3803	4522	25,1	433
22½	48	48¼	144	BCO6i2248	3693	4373	23,9	402
22½	42	48¼	126	BCO6i2242	3484	4124	22,7	370
22½	36	48¼	108	BCO6i2236	3265	3865	21,5	338

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP) .

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full laminate end panels at each end and in the center, recessed mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	288	BCO8i2872	6399	7587	44,6	814
28½	66	60¼	264	BCO8i2866	6128	7281	43	766
28½	60	60¼	240	BCO8i2860	5841	6923	40,6	716
28½	54	60¼	216	BCO8i2854	5614	6653	38,2	667
28½	48	60¼	192	BCO8i2848	5370	6356	36,6	618
28½	42	60¼	168	BCO8i2842	5092	6034	34,2	569
28½	36	60¼	144	BCO8i2836	4808	5679	31,8	520
22½	72	48¼	288	BCO8i2272	5941	7032	38,3	709
22½	66	48¼	264	BCO8i2266	5759	6709	36,7	667
22½	60	48¼	240	BCO8i2260	5392	6395	35,1	625
22½	54	48¼	216	BCO8i2254	5183	6142	32,7	582
22½	48	48¼	192	BCO8i2248	5036	5942	31,1	540
22½	42	48¼	168	BCO8i2242	4758	5611	29,5	497
22½	36	48¼	144	BCO8i2236	4465	5266	27,9	455

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

M-Outlet

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP) .

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.


Full combined-material end panel.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.



S Sierra 1"

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	BCO2iX2872	2155	2452	13,3	247
28½	66	60¼	BCO2iX2866	2088	2376	12,9	234
28½	60	60¼	BCO2iX2860	2015	2286	12,3	222
28½	54	60¼	BCO2iX2854	1959	2219	11,7	210
28½	48	60¼	BCO2iX2848	1898	2144	11,3	198
28½	42	60¼	BCO2iX2842	1828	2064	10,7	185
28½	36	60¼	BCO2iX2836	1758	1976	10,1	173
22½	72	48¼	BCO2iX2272	1975	2247	11,1	208
22½	66	48¼	BCO2iX2266	1929	2167	10,7	197
22½	60	48¼	BCO2iX2260	1837	2088	10,3	186
22½	54	48¼	BCO2iX2254	1785	2025	9,7	176
22½	48	48¼	BCO2iX2248	1748	1975	9,3	165
22½	42	48¼	BCO2iX2242	1679	1892	8,9	155
22½	36	48¼	BCO2iX2236	1606	1806	8,5	144

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

M-Outlet

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :
without cabling pole (NP), on the end (EP), on both ends (EEP).

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)




Table with 4 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panel and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	144	BCO4iX2872	3570	4164	23,6	429
28½	66	60¼	132	BCO4iX2866	3434	4011	22,8	405
28½	60	60¼	120	BCO4iX2860	3290	3831	21,6	380
28½	54	60¼	108	BCO4iX2854	3178	3697	20,4	356
28½	48	60¼	96	BCO4iX2848	3056	3549	19,6	331
28½	42	60¼	84	BCO4iX2842	2916	3387	18,4	306
28½	36	60¼	72	BCO4iX2836	2774	3210	17,2	282
22½	72	48¼	144	BCO4iX2272	3308	3853	20,2	368
22½	66	48¼	132	BCO4iX2266	3216	3692	19,4	347
22½	60	48¼	120	BCO4iX2260	3033	3534	18,6	326
22½	54	48¼	108	BCO4iX2254	2929	3409	17,4	305
22½	48	48¼	96	BCO4iX2248	2856	3309	16,6	283
22½	42	48¼	84	BCO4iX2242	2716	3143	15,8	262
22½	36	48¼	72	BCO4iX2236	2570	2970	15	241

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP) .

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each end at the center of the opening. Model and color must be specified.

Full combined-material end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	216	BCO6iX2872	4984	5875	33,9	612
28½	66	60¼	198	BCO6iX2866	4782	5646	32,7	575
28½	60	60¼	180	BCO6iX2860	4565	5377	30,9	538
28½	54	60¼	162	BCO6iX2854	4396	5174	29,1	501
28½	48	60¼	144	BCO6iX2848	4213	4952	27,9	465
28½	42	60¼	126	BCO6iX2842	4004	4710	26,1	428
28½	36	60¼	108	BCO6iX2836	3792	4445	24,3	391
22½	72	48¼	216	BCO6iX2272	4641	5459	29,3	529
22½	66	48¼	198	BCO6iX2266	4505	5217	28,1	497
22½	60	48¼	180	BCO6iX2260	4228	4981	26,9	465
22½	54	48¼	162	BCO6iX2254	4072	4792	25,1	433
22½	48	48¼	144	BCO6iX2248	3962	4642	23,9	402
22½	42	48¼	126	BCO6iX2242	3753	4393	22,7	370
22½	36	48¼	108	BCO6iX2236	3534	4135	21,5	338

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP) .

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panels, full open metal panels in the center and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	288	BC08iX2872	6765	7953	44,6	814
28½	66	60¼	264	BC08iX2866	6494	7647	43	766
28½	60	60¼	240	BC08iX2860	6207	7290	40,6	716
28½	54	60¼	216	BC08iX2854	5981	7019	38,2	667
28½	48	60¼	192	BC08iX2848	5737	6722	36,6	618
28½	42	60¼	168	BC08iX2842	5458	6400	34,2	569
28½	36	60¼	144	BC08iX2836	5174	6046	31,8	520
22½	72	48¼	288	BC08iX2272	6307	7399	38,3	709
22½	66	48¼	264	BC08iX2266	6125	7075	36,7	667
22½	60	48¼	240	BC08iX2260	5759	6762	35,1	625
22½	54	48¼	216	BC08iX2254	5550	6509	32,7	582
22½	48	48¼	192	BC08iX2248	5402	6309	31,1	540
22½	42	48¼	168	BC08iX2242	5124	5977	29,5	497
22½	36	48¼	144	BC08iX2236	4831	5632	27,9	455

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

M-Outlet

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP) .

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each end of the opening. Model and color must be specified.


Perforated metal end panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.



S Sierra 1"

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	BCO2iM2872	2155	2452	13,3	247
28½	66	60¼	BCO2iM2866	2088	2376	12,9	234
28½	60	60¼	BCO2iM2860	2015	2286	12,3	222
28½	54	60¼	BCO2iM2854	1959	2219	11,7	210
28½	48	60¼	BCO2iM2848	1898	2144	11,3	198
28½	42	60¼	BCO2iM2842	1828	2064	10,7	185
28½	36	60¼	BCO2iM2836	1758	1976	10,1	173
22½	72	48¼	BCO2iM2272	1975	2247	11,1	208
22½	66	48¼	BCO2iM2266	1929	2167	10,7	197
22½	60	48¼	BCO2iM2260	1837	2088	10,3	186
22½	54	48¼	BCO2iM2254	1785	2025	9,7	176
22½	48	48¼	BCO2iM2248	1748	1975	9,3	165
22½	42	48¼	BCO2iM2242	1679	1892	8,9	155
22½	36	48¼	BCO2iM2236	1606	1806	8,5	144

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] [] - []

OPTIONS

M-Outlet

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :
without cabling pole (NP), on the end (EP), or on both ends (EEP).

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.


OPEN SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 4 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full perforated metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.		
28½	72	60¼	144	BCO4iM2872	3570	4164	23,6	429
28½	66	60¼	132	BCO4iM2866	3434	4011	22,8	405
28½	60	60¼	120	BCO4iM2860	3290	3831	21,6	380
28½	54	60¼	108	BCO4iM2854	3178	3697	20,4	356
28½	48	60¼	96	BCO4iM2848	3056	3549	19,6	331
28½	42	60¼	84	BCO4iM2842	2916	3387	18,4	306
28½	36	60¼	72	BCO4iM2836	2774	3210	17,2	282
22½	72	48¼	144	BCO4iM2272	3308	3853	20,2	368
22½	66	48¼	132	BCO4iM2266	3216	3692	19,4	347
22½	60	48¼	120	BCO4iM2260	3033	3534	18,6	326
22½	54	48¼	108	BCO4iM2254	2929	3409	17,4	305
22½	48	48¼	96	BCO4iM2248	2856	3309	16,6	283
22½	42	48¼	84	BCO4iM2242	2716	3143	15,8	262
22½	36	48¼	72	BCO4iM2236	2570	2970	15	241

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

M-Outlet

Specify **Code:** Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP) .

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and in the center of the opening. Model and color must be specified.

Full perforated metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	216	BCO6iM2872	4984	5875	33,9	612
28½	66	60¼	198	BCO6iM2866	4782	5646	32,7	575
28½	60	60¼	180	BCO6iM2860	4565	5377	30,9	538
28½	54	60¼	162	BCO6iM2854	4396	5174	29,1	501
28½	48	60¼	144	BCO6iM2848	4213	4952	27,9	465
28½	42	60¼	126	BCO6iM2842	4004	4710	26,1	428
28½	36	60¼	108	BCO6iM2836	3792	4445	24,3	391
22½	72	48¼	216	BCO6iM2272	4641	5459	29,3	529
22½	66	48¼	198	BCO6iM2266	4505	5217	28,1	497
22½	60	48¼	180	BCO6iM2260	4228	4981	26,9	465
22½	54	48¼	162	BCO6iM2254	4072	4792	25,1	433
22½	48	48¼	144	BCO6iM2248	3962	4642	23,9	402
22½	42	48¼	126	BCO6iM2242	3753	4393	22,7	370
22½	36	48¼	108	BCO6iM2236	3534	4135	21,5	338

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the middle (CCP) or one on the end, and one in the center (ECP) .

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and in the middle of the opening. Model and color must be specified.

Full combined-material end panels, full open metal panels in the center and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cablings tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	288	BCO8iM2872	6765	7953	44,6	814
28½	66	60¼	264	BCO8iM2866	6494	7647	43	766
28½	60	60¼	240	BCO8iM2860	6207	7290	40,6	716
28½	54	60¼	216	BCO8iM2854	5981	7019	38,2	667
28½	48	60¼	192	BCO8iM2848	5737	6722	36,6	618
28½	42	60¼	168	BCO8iM2842	5458	6400	34,2	569
28½	36	60¼	144	BCO8iM2836	5174	6046	31,8	520
22½	72	48¼	288	BCO8iM2272	6307	7399	38,3	709
22½	66	48¼	264	BCO8iM2266	6125	7075	36,7	667
22½	60	48¼	240	BCO8iM2260	5759	6762	35,1	625
22½	54	48¼	216	BCO8iM2254	5550	6509	32,7	582
22½	48	48¼	192	BCO8iM2248	5402	6309	31,1	540
22½	42	48¼	168	BCO8iM2242	5124	5977	29,5	497
22½	36	48¼	144	BCO8iM2236	4831	5632	27,9	455

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP) or one on the end, and one in the center (ECP) .

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANEL)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity of the opening. Model and color must be specified.


Open metal full end panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.



S Sierra 1"

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	BCO2iO2872	1869	2166	13,3	222
28½	66	60¼	BCO2iO2866	1802	2090	12,9	209
28½	60	60¼	BCO2iO2860	1729	2000	12,3	197
28½	54	60¼	BCO2iO2854	1673	1933	11,7	185
28½	48	60¼	BCO2iO2848	1612	1858	11,3	173
28½	42	60¼	BCO2iO2842	1542	1778	10,7	160
28½	36	60¼	BCO2iO2836	1472	1690	10,1	148
22½	72	48¼	BCO2iO2272	1744	2016	11,1	183
22½	66	48¼	BCO2iO2266	1698	1936	10,7	172
22½	60	48¼	BCO2iO2260	1606	1857	10,3	161
22½	54	48¼	BCO2iO2254	1554	1794	9,7	151
22½	48	48¼	BCO2iO2248	1517	1744	9,3	140
22½	42	48¼	BCO2iO2242	1448	1661	8,9	130
22½	36	48¼	BCO2iO2236	1375	1575	8,5	119

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

M-Outlet

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :
without cabling pole (NP), on the end (EP), on both ends (EEP).

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANEL)




Table with 4 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed at extremities of the opening and in the center. Model and color must be specified.

Full open metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	144	BCO4iO2872	3284	3878	23,6	404
28½	66	60¼	132	BCO4iO2866	3148	3725	22,8	380
28½	60	60¼	120	BCO4iO2860	3004	3545	21,6	355
28½	54	60¼	108	BCO4iO2854	2892	3411	20,4	331
28½	48	60¼	96	BCO4iO2848	2770	3263	19,6	306
28½	42	60¼	84	BCO4iO2842	2630	3101	18,4	281
28½	36	60¼	72	BCO4iO2836	2488	2924	17,2	257
22½	72	48¼	144	BCO4iO2272	3077	3622	20,2	343
22½	66	48¼	132	BCO4iO2266	2985	3461	19,4	322
22½	60	48¼	120	BCO4iO2260	2802	3303	18,6	301
22½	54	48¼	108	BCO4iO2254	2698	3178	17,4	280
22½	48	48¼	96	BCO4iO2248	2625	3078	16,6	258
22½	42	48¼	84	BCO4iO2242	2485	2912	15,8	237
22½	36	48¼	72	BCO4iO2236	2339	2739	15	216

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

M-Outlet

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP) or one on the end, and one in the center (ECP) .

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANEL)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity of the opening and in the center. Model and color must be specified.

Full open metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	216	BCO6iO2872	4698	5589	33,9	587
28½	66	60¼	198	BCO6iO2866	4496	5360	32,7	550
28½	60	60¼	180	BCO6iO2860	4279	5091	30,9	513
28½	54	60¼	162	BCO6iO2854	4110	4888	29,1	476
28½	48	60¼	144	BCO6iO2848	3927	4666	27,9	440
28½	42	60¼	126	BCO6iO2842	3718	4424	26,1	403
28½	36	60¼	108	BCO6iO2836	3506	4159	24,3	366
22½	72	48¼	216	BCO6iO2272	4410	5228	29,3	504
22½	66	48¼	198	BCO6iO2266	4274	4986	28,1	472
22½	60	48¼	180	BCO6iO2260	3997	4750	26,9	440
22½	54	48¼	162	BCO6iO2254	3841	4561	25,1	408
22½	48	48¼	144	BCO6iO2248	3731	4411	23,9	377
22½	42	48¼	126	BCO6iO2242	3522	4162	22,7	345
22½	36	48¼	108	BCO6iO2236	3303	3904	21,5	313

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

M-Outlet

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP) .

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANEL)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, see p.332.

Finishing caps are installed on each extremity and in the center of the opening. Model and color must be specified.

Full open metal panels, full open metal panels in the center and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	288	BC08iO2872	6479	7667	44,6	777
28½	66	60¼	264	BC08iO2866	6208	7361	43	728
28½	60	60¼	240	BC08iO2860	5921	7004	40,6	679
28½	54	60¼	216	BC08iO2854	5695	6733	38,2	630
28½	48	60¼	192	BC08iO2848	5451	6436	36,6	581
28½	42	60¼	168	BC08iO2842	5172	6114	34,2	531
28½	36	60¼	144	BC08iO2836	4888	5760	31,8	482
22½	72	48¼	288	BC08iO2272	6076	7168	38,3	672
22½	66	48¼	264	BC08iO2266	5894	6844	36,7	630
22½	60	48¼	240	BC08iO2260	5528	6531	35,1	587
22½	54	48¼	216	BC08iO2254	5319	6278	32,7	545
22½	48	48¼	192	BC08iO2248	5171	6078	31,1	502
22½	42	48¼	168	BC08iO2242	4893	5746	29,5	460
22½	36	48¼	144	BC08iO2236	4600	5401	27,9	418

SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - [] - [] / [] - [] - [] - [] - []

OPTIONS

M-Outlet

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP) .

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options: Multi-outlets : Option to add multi-outlets modules "1 circuit" at center (ECC) or "standard" multi-outlets modules at the center (UCC) , add \$213 each, see p.29.

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (FULL END PANELS)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.


Finishing caps are installed on each end of the surfaces. Model and color must be specified.

Full laminate end panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.



S Sierra 1"

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	Lb
26	72	60¼	BCD2i2672	1851	2148	13,3	247
26	66	60¼	BCD2i2666	1781	2069	12,9	234
26	60	60¼	BCD2i2660	1706	1977	12,3	222
26	54	60¼	BCD2i2654	1596	1856	11,7	210
26	48	60¼	BCD2i2648	1532	1779	11,3	198
26	42	60¼	BCD2i2642	1460	1695	10,7	185
26	36	60¼	BCD2i2636	1386	1604	10,1	173
20	72	48¼	BCD2i2072	1704	1977	11,1	208
20	66	48¼	BCD2i2066	1656	1893	10,7	197
20	60	48¼	BCD2i2060	1561	1812	10,3	186
20	54	48¼	BCD2i2054	1455	1695	9,7	176
20	48	48¼	BCD2i2048	1416	1642	9,3	165
20	42	48¼	BCD2i2042	1343	1557	8,9	155
20	36	48¼	BCD2i2036	1267	1467	8,5	144

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	-	-	-	-

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole:

without cabling pole (NP), on the end (EP), or on both ends (EEP).

Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (FULL END PANELS)




Table with 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each end of the surfaces and in the center. Model and color must be specified.

Full laminate end panels and recessed laminate mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	144	BCD4i2672	3652	4246	23,6	429
26	66	60¼	132	BCD4i2666	3511	4088	22,8	405
26	60	60¼	120	BCD4i2660	3362	3903	21,6	380
26	54	60¼	108	BCD4i2654	3142	3661	20,4	356
26	48	60¼	96	BCD4i2648	3014	3507	19,6	331
26	42	60¼	84	BCD4i2642	2869	3340	18,4	306
26	36	60¼	72	BCD4i2636	2721	3157	17,2	282
20	72	48¼	144	BCD4i2072	3423	3969	20,2	368
20	66	48¼	132	BCD4i2066	3326	3802	19,4	347
20	60	48¼	120	BCD4i2060	3137	3639	18,6	326
20	54	48¼	108	BCD4i2054	2926	3406	17,4	305
20	48	48¼	96	BCD4i2048	2847	3300	16,6	283
20	42	48¼	84	BCD4i2042	2702	3128	15,8	262
20	36	48¼	72	BCD4i2036	2550	2950	15	241

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	-	-	-	-

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole:

without cabling pole (NP), on the end (EP), or on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP).

Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (FULL END PANELS)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full laminate end panels and recessed laminate mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cablings tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	216	BCD6i2672	5326	6217	33,9	612
26	66	60¼	198	BCD6i2666	5114	5979	32,7	575
26	60	60¼	180	BCD6i2660	4890	5701	30,9	538
26	54	60¼	162	BCD6i2654	4561	5339	29,1	501
26	48	60¼	144	BCD6i2648	4369	5108	27,9	465
26	42	60¼	126	BCD6i2642	4151	4858	26,1	428
26	36	60¼	108	BCD6i2636	3929	4583	24,3	391
20	72	48¼	216	BCD6i2072	5016	5834	29,3	529
20	66	48¼	198	BCD6i2066	4870	5583	28,1	497
20	60	48¼	180	BCD6i2060	4586	5338	26,9	465
20	54	48¼	162	BCD6i2054	4270	4990	25,1	433
20	48	48¼	144	BCD6i2048	4151	4831	23,9	402
20	42	48¼	126	BCD6i2042	3934	4574	22,7	370
20	36	48¼	108	BCD6i2036	3705	4305	21,5	338

SPECIFY

Series Code Surface Edge Base Metal Caps Doors

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole:

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).

Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (FULL END PANELS)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8 1/2" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full laminate panels at each end and in the center, recessed mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60 1/4	288	BCD8i2672	7247	8435	44,6	814
26	66	60 1/4	264	BCD8i2666	6965	8118	43	766
26	60	60 1/4	240	BCD8i2660	6666	7748	40,6	716
26	54	60 1/4	216	BCD8i2654	6226	7264	38,2	667
26	48	60 1/4	192	BCD8i2648	5971	6956	36,6	618
26	42	60 1/4	168	BCD8i2642	5680	6622	34,2	569
26	36	60 1/4	144	BCD8i2636	5386	6257	31,8	520
20	72	48 1/4	288	BCD8i2072	6789	7880	38,3	709
20	66	48 1/4	264	BCD8i2066	6596	7546	36,7	667
20	60	48 1/4	240	BCD8i2060	6217	7220	35,1	625
20	54	48 1/4	216	BCD8i2054	5795	6754	32,7	582
20	48	48 1/4	192	BCD8i2048	5636	6543	31,1	540
20	42	48 1/4	168	BCD8i2042	5346	6200	29,5	497
20	36	48 1/4	144	BCD8i2036	5042	5843	27,9	455

SPECIFY

Series Code Surface Edge Base Metal Caps Doors

T S - [] - [] / [] - [] - [] - [] - []

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole:

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).

Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.


Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.



S Sierra 1"

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	Lb
26	72	60¼	BCD2iX2672	2264	2561	13,3	247
26	66	60¼	BCD2iX2666	2193	2482	12,9	234
26	60	60¼	BCD2iX2660	2119	2389	12,3	222
26	54	60¼	BCD2iX2654	2009	2268	11,7	210
26	48	60¼	BCD2iX2648	1945	2191	11,3	198
26	42	60¼	BCD2iX2642	1872	2108	10,7	185
26	36	60¼	BCD2iX2636	1799	2016	10,1	173
20	72	48¼	BCD2iX2072	2083	2356	11,1	208
20	66	48¼	BCD2iX2066	2035	2273	10,7	197
20	60	48¼	BCD2iX2060	1940	2191	10,3	186
20	54	48¼	BCD2iX2054	1835	2075	9,7	176
20	48	48¼	BCD2iX2048	1795	2022	9,3	165
20	42	48¼	BCD2iX2042	1723	1936	8,9	155
20	36	48¼	BCD2iX2036	1647	1847	8,5	144

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	-	-	-	-

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole :
without cabling pole (NP), on the end (EP), or on both ends (EEP).

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)




Table with 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panels and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	144	BCD4iX2672	4010	4604	23,6	429
26	66	60¼	132	BCD4iX2666	3869	4445	22,8	405
26	60	60¼	120	BCD4iX2660	3719	4260	21,6	380
26	54	60¼	108	BCD4iX2654	3499	4018	20,4	356
26	48	60¼	96	BCD4iX2648	3372	3864	19,6	331
26	42	60¼	84	BCD4iX2642	3226	3697	18,4	306
26	36	60¼	72	BCD4iX2636	3079	3515	17,2	282
20	72	48¼	144	BCD4iX2072	3748	4293	20,2	368
20	66	48¼	132	BCD4iX2066	3651	4126	19,4	347
20	60	48¼	120	BCD4iX2060	3462	3963	18,6	326
20	54	48¼	108	BCD4iX2054	3251	3730	17,4	305
20	48	48¼	96	BCD4iX2048	3171	3625	16,6	283
20	42	48¼	84	BCD4iX2042	3026	3453	15,8	262
20	36	48¼	72	BCD4iX2036	2874	3275	15	241

SPECIFY

Series Code Surface Edge Base Metal Caps Doors

T S - [] - [] / [] - [] - [] - [] - []

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole:

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP).

Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panels and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	216	BCD6iX2672	5629	6520	33,9	612
26	66	60¼	198	BCD6iX2666	5416	6281	32,7	575
26	60	60¼	180	BCD6iX2660	5192	6004	30,9	538
26	54	60¼	162	BCD6iX2654	4863	5642	29,1	501
26	48	60¼	144	BCD6iX2648	4672	5411	27,9	465
26	42	60¼	126	BCD6iX2642	4454	5160	26,1	428
26	36	60¼	108	BCD6iX2636	4232	4885	24,3	391
20	72	48¼	216	BCD6iX2072	5286	6104	29,3	529
20	66	48¼	198	BCD6iX2066	5139	5852	28,1	497
20	60	48¼	180	BCD6iX2060	4855	5608	26,9	465
20	54	48¼	162	BCD6iX2054	4540	5259	25,1	433
20	48	48¼	144	BCD6iX2048	4421	5101	23,9	402
20	42	48¼	126	BCD6iX2042	4203	4843	22,7	370
20	36	48¼	108	BCD6iX2036	3974	4575	21,5	338

SPECIFY

Series Code Surface Edge Base Metal Caps Doors

T S - [] - [] / [] - [] - [] - [] [] - []

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors : Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8 1/2" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panels, full open metal panels in the center and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60 1/4	288	BCD8iX2672	7613	8801	44,6	814
26	66	60 1/4	264	BCD8iX2666	7332	8484	43	766
26	60	60 1/4	240	BCD8iX2660	7032	8115	40,6	716
26	54	60 1/4	216	BCD8iX2654	6592	7631	38,2	667
26	48	60 1/4	192	BCD8iX2648	6337	7323	36,6	618
26	42	60 1/4	168	BCD8iX2642	6047	6988	34,2	569
26	36	60 1/4	144	BCD8iX2636	5752	6623	31,8	520
20	72	48 1/4	288	BCD8iX2072	7156	8247	38,3	709
20	66	48 1/4	264	BCD8iX2066	6962	7912	36,7	667
20	60	48 1/4	240	BCD8iX2060	6584	7587	35,1	625
20	54	48 1/4	216	BCD8iX2054	6161	7120	32,7	582
20	48	48 1/4	192	BCD8iX2048	6003	6909	31,1	540
20	42	48 1/4	168	BCD8iX2042	5712	6566	29,5	497
20	36	48 1/4	144	BCD8iX2036	5409	6210	27,9	455

SPECIFY

Series Code Surface Edge Base Metal Caps Doors

T S - [] - [] / [] - [] - [] - [] [] - []

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole:

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).

Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.


Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full perforated metal end panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.



S Sierra 1"

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	BCD2iM2672	2264	2561	13,3	247
26	66	60¼	BCD2iM2666	2193	2482	12,9	234
26	60	60¼	BCD2iM2660	2119	2389	12,3	222
26	54	60¼	BCD2iM2654	2009	2268	11,7	210
26	48	60¼	BCD2iM2648	1945	2191	11,3	198
26	42	60¼	BCD2iM2642	1872	2108	10,7	185
26	36	60¼	BCD2iM2636	1799	2016	10,1	173
20	72	48¼	BCD2iM2072	2083	2356	11,1	208
20	66	48¼	BCD2iM2066	2035	2273	10,7	197
20	60	48¼	BCD2iM2060	1940	2191	10,3	186
20	54	48¼	BCD2iM2054	1835	2075	9,7	176
20	48	48¼	BCD2iM2048	1795	2022	9,3	165
20	42	48¼	BCD2iM2042	1723	1936	8,9	155
20	36	48¼	BCD2iM2036	1647	1847	8,5	144

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	-	-	-	-

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole :
without cabling pole (NP), on the end (EP), or on both ends (EEP).

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (PERFORATED METAL END PANELS)




Table with 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full perforated metal end panels and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications
A	B	C	D		T.F.L.	H.P.L.	
26	72	60¼	144	BCD4iM2672	4010	4604	Cu.Ft. lb
26	66	60¼	132	BCD4iM2666	3869	4445	23,6 429
26	60	60¼	120	BCD4iM2660	3719	4260	22,8 405
26	54	60¼	108	BCD4iM2654	3499	4018	21,6 380
26	48	60¼	96	BCD4iM2648	3372	3864	20,4 356
26	42	60¼	84	BCD4iM2642	3226	3697	19,6 331
26	36	60¼	72	BCD4iM2636	3079	3515	18,4 306
20	72	48¼	144	BCD4iM2072	3748	4293	17,2 282
20	66	48¼	132	BCD4iM2066	3651	4126	20,2 368
20	60	48¼	120	BCD4iM2060	3462	3963	19,4 347
20	54	48¼	108	BCD4iM2054	3251	3730	18,6 326
20	48	48¼	96	BCD4iM2048	3171	3625	17,4 305
20	42	48¼	84	BCD4iM2042	3026	3453	16,6 283
20	36	48¼	72	BCD4iM2036	2874	3275	15,8 262

SPECIFY

Series Code Surface / Edge - Base - Metal - Caps - Doors

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole:

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP).

Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (PERFORATED METAL END PANELS)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full perforated metal end panels and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	216	BCD6iM2672	5629	6520	33,9	612
26	66	60¼	198	BCD6iM2666	5416	6281	32,7	575
26	60	60¼	180	BCD6iM2660	5192	6004	30,9	538
26	54	60¼	162	BCD6iM2654	4863	5642	29,1	501
26	48	60¼	144	BCD6iM2648	4672	5411	27,9	465
26	42	60¼	126	BCD6iM2642	4454	5160	26,1	428
26	36	60¼	108	BCD6iM2636	4232	4885	24,3	391
20	72	48¼	216	BCD6iM2072	5286	6104	29,3	529
20	66	48¼	198	BCD6iM2066	5139	5852	28,1	497
20	60	48¼	180	BCD6iM2060	4855	5608	26,9	465
20	54	48¼	162	BCD6iM2054	4540	5259	25,1	433
20	48	48¼	144	BCD6iM2048	4421	5101	23,9	402
20	42	48¼	126	BCD6iM2042	4203	4843	22,7	370
20	36	48¼	108	BCD6iM2036	3974	4575	21,5	338

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	-	-	-	-

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole:

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).

Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (PERFORATED METAL END PANELS)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full perforated metal end panels, full open metal panels in the center and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	288	BCD8iM2672	7613	8801	44,6	814
26	66	60¼	264	BCD8iM2666	7332	8484	43	766
26	60	60¼	240	BCD8iM2660	7032	8115	40,6	716
26	54	60¼	216	BCD8iM2654	6592	7631	38,2	667
26	48	60¼	192	BCD8iM2648	6337	7323	36,6	618
26	42	60¼	168	BCD8iM2642	6047	6988	34,2	569
26	36	60¼	144	BCD8iM2636	5752	6623	31,8	520
20	72	48¼	288	BCD8iM2072	7156	8247	38,3	709
20	66	48¼	264	BCD8iM2066	6962	7912	36,7	667
20	60	48¼	240	BCD8iM2060	6584	7587	35,1	625
20	54	48¼	216	BCD8iM2054	6161	7120	32,7	582
20	48	48¼	192	BCD8iM2048	6003	6909	31,1	540
20	42	48¼	168	BCD8iM2042	5712	6566	29,5	497
20	36	48¼	144	BCD8iM2036	5409	6210	27,9	455

SPECIFY

Series Code Surface Edge Base Metal Caps Doors

T S - [] - [] / [] - [] - [] - [] - []

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole:

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).

Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (OPEN END PANEL)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.


Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full open metal end panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.



S Sierra 1"

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	Lb
26	72	60¼	BCD2iO2672	1978	2275	13,3	222
26	66	60¼	BCD2iO2666	1907	2196	12,9	209
26	60	60¼	BCD2iO2660	1833	2103	12,3	197
26	54	60¼	BCD2iO2654	1723	1982	11,7	185
26	48	60¼	BCD2iO2648	1659	1905	11,3	173
26	42	60¼	BCD2iO2642	1586	1822	10,7	160
26	36	60¼	BCD2iO2636	1513	1730	10,1	148
20	72	48¼	BCD2iO2072	1852	2125	11,1	183
20	66	48¼	BCD2iO2066	1804	2042	10,7	172
20	60	48¼	BCD2iO2060	1709	1960	10,3	161
20	54	48¼	BCD2iO2054	1604	1844	9,7	151
20	48	48¼	BCD2iO2048	1564	1791	9,3	140
20	42	48¼	BCD2iO2042	1492	1705	8,9	130
20	36	48¼	BCD2iO2036	1416	1616	8,5	119

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	-	-	-	-

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole :
without cabling pole (NP), on the end (EP), or on both ends (EEP).

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (OPEN END PANEL)




Table with 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full open metal end panels and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	144	BCD4iO2672	3724	4318	23,6	404
26	66	60¼	132	BCD4iO2666	3583	4159	22,8	380
26	60	60¼	120	BCD4iO2660	3433	3974	21,6	355
26	54	60¼	108	BCD4iO2654	3213	3732	20,4	331
26	48	60¼	96	BCD4iO2648	3086	3578	19,6	306
26	42	60¼	84	BCD4iO2642	2940	3411	18,4	281
26	36	60¼	72	BCD4iO2636	2793	3229	17,2	257
20	72	48¼	144	BCD4iO2072	3517	4062	20,2	343
20	66	48¼	132	BCD4iO2066	3420	3895	19,4	322
20	60	48¼	120	BCD4iO2060	3231	3732	18,6	301
20	54	48¼	108	BCD4iO2054	3020	3499	17,4	280
20	48	48¼	96	BCD4iO2048	2940	3394	16,6	258
20	42	48¼	84	BCD4iO2042	2795	3222	15,8	237
20	36	48¼	72	BCD4iO2036	2643	3044	15	216

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	-	-	-	-

Specify **Code**: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps: Specify the model of finishing caps and the position of the cabling pole:

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP).

Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (OPEN END PANEL)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8 1/2" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full open metal end panels and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60 1/4	216	BCD6iO2672	5343	6234	33,9	587
26	66	60 1/4	198	BCD6iO2666	5130	5995	32,7	550
26	60	60 1/4	180	BCD6iO2660	4906	5718	30,9	513
26	54	60 1/4	162	BCD6iO2654	4577	5356	29,1	476
26	48	60 1/4	144	BCD6iO2648	4386	5125	27,9	440
26	42	60 1/4	126	BCD6iO2642	4168	4874	26,1	403
26	36	60 1/4	108	BCD6iO2636	3946	4599	24,3	366
20	72	48 1/4	216	BCD6iO2072	5055	5873	29,3	504
20	66	48 1/4	198	BCD6iO2066	4908	5621	28,1	472
20	60	48 1/4	180	BCD6iO2060	4624	5377	26,9	440
20	54	48 1/4	162	BCD6iO2054	4309	5028	25,1	408
20	48	48 1/4	144	BCD6iO2048	4190	4870	23,9	377
20	42	48 1/4	126	BCD6iO2042	3972	4612	22,7	345
20	36	48 1/4	108	BCD6iO2036	3743	4344	21,5	313

SPECIFY

Series Code Surface Edge Base Metal Caps Doors

T S - [] - [] / [] - [] - [] - [] [] - []

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP) or one on the end, and one in the center (ECP).

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors : Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (OPEN END PANEL)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8 1/2" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full open metal panels, full open metal panels in the center and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60 1/4	288	BCD8iO2672	7327	8515	44,6	777
26	66	60 1/4	264	BCD8iO2666	7046	8198	43	728
26	60	60 1/4	240	BCD8iO2660	6746	7829	40,6	679
26	54	60 1/4	216	BCD8iO2654	6306	7345	38,2	630
26	48	60 1/4	192	BCD8iO2648	6051	7037	36,6	581
26	42	60 1/4	168	BCD8iO2642	5761	6702	34,2	531
26	36	60 1/4	144	BCD8iO2636	5466	6337	31,8	482
20	72	48 1/4	288	BCD8iO2072	6925	8016	38,3	672
20	66	48 1/4	264	BCD8iO2066	6731	7681	36,7	630
20	60	48 1/4	240	BCD8iO2060	6353	7356	35,1	587
20	54	48 1/4	216	BCD8iO2054	5930	6889	32,7	545
20	48	48 1/4	192	BCD8iO2048	5772	6678	31,1	502
20	42	48 1/4	168	BCD8iO2042	5481	6335	29,5	460
20	36	48 1/4	144	BCD8iO2036	5178	5979	27,9	418

SPECIFY

Series Code Surface Edge Base Metal Caps Doors

T S - [] - [] / [] - [] - [] - [] - []

Specify Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).


Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP) or one on the end, and one in the center (ECP).

Specify the finish of the caps : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors : Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

STORAGE EXTENSION




Open storage extension.

Installed on the end of the closed shared benching tables (BC), open (BCO) or with doors (BCD).

Installs with all types of legs.

S Sierra 1"

Dimensions			Price		Specifications	
A	B	C	T.F.L.	H.P.L.	Cu.Ft.	lb
14	60 1/4	15	792	920	10,5	80
14	48 1/4	15	759	868	8	70



Storage installed on shared tables with doors


SPECIFY

Series	Code	Surface	Edge	Base
T S	-	-	/	-

Specify Code : Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

SURFACE EXTENSION




Surface extension.

Installed on the end closed shared benching tables (BC), open (BCO) or with doors (BCD).

Installs with all types of legs.

Central support under the surface, metal finish must be specified.

14	60 1/4	ETO1460	347	461	1,4	22
14	48 1/4	ETO1448	336	436	1,1	18



Central support under the surface

Surface installed on shared tables with doors

SPECIFY


Series	Code	Surface	Edge	Metal
T S	-	-	/	-

Specify Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.54-55.

Metal : Central support finish to be specified : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

COLLABORATIVE SURFACE EXTENSION




Collaborative extension surface.

Installs on the extremity of the closed shared benching tables (BC), open (BCO) or with doors (BCD).

U shaped metal legs, finish must be specified.

S Sierra 1"

Dimensions		Code	Price		Specifications	
A	B		T.F.L.	H.P.L.	Cu.Ft.	lb
30	60¼	ETMO3060	607	810	4,1	64
30	48¼	ETMO3048	567	726	3,3	53
24	60¼	ETMO2460	578	737	3,8	55
24	48¼	ETMO2448	545	672	3,1	45



Collaborative surface installed on a shared table with doors

Shared Storage

SPECIFY


Series	Code	Surface	Edge	Metal
T	S	-	-	-

Specify **Code** : Consult the above product code list.

Surface / Edge : Take Off finishes, p.54-55.

Metal : Legs finish to be specified : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

LAMINATE PRIVACY PANELS OR HIGH-GLOSS WHITE BOARD- for open benching or benching with doors.



Rectangular laminate panel of 11/16" thick. Attaches to the modesty panel included with the shared tables.
An accessory bar (AC-ACBC), tackboard (AC-BTL) or a accessory panel (AC-ASASP) can be attached.
Panel is visible 15¼"H above the surface and will leave a space of 2½"H at each extremity of the surface.
It is recommended to use the cabling tray (WCMBC) that doubles as a stiffener and reinforces the panel.

Dimensions			Code	Prices		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
18	67	72	PPLM1867	255	369	2	22
18	61	66	PPLM1861	245	352	1,9	21
18	55	60	PPLM1855	238	338	1,7	19
18	49	54	PPLM1849	228	322	1,6	17
18	43	48	PPLM1843	220	309	1,4	15
18	37	42	PPLM1837	211	294	1,3	13
18	31	36	PPLM1831	202	279	1,2	12

SPECIFY


Series Code Base Metal
T **S** - - -

Specify Code : Consult the above product code list.

Base : High-gloss white board (**SBL**) or Take Off finishes, p.54-55.

Metal (support) : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

GLASS PRIVACY PANEL - for open benching or with doors



Glass panel, 6mm thick.
Attaches to the modesty panel included with the shared tables.
Panel is visible 15¼"H above the surface and will leave a space of 2½"H at each extremity of the surface.
It is recommended to use the cabling tray (WCMBC) that doubles as a stiffener and reinforces the panel.

Glass panel CLEAR			Code	Glass	Specifications	
A	B	C			Cu.Ft.	lb
18	67	72	PPCLG1867	265	2	26
18	61	66	PPCLG1861	255	1,9	24
18	55	60	PPCLG1855	248	1,7	22
18	49	54	PPCLG1849	239	1,6	20
18	43	48	PPCLG1843	230	1,4	17

Glass panel **FROSTED** on both sides

A	B	C	Code	Glass	Cu.Ft.	lb
18	67	72	PPGiG1867	443	2	26
18	61	66	PPGiG1861	425	1,9	24
18	55	60	PPGiG1855	391	1,7	22
18	49	54	PPGiG1849	378	1,6	20
18	43	48	PPGiG1843	366	1,4	17

C= Length of the surface
where the panel is installed


SPECIFY

Series Code Metal
T **S** - -

Specify Code : Consult the above product code list.

Metal (support) : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

PRIVACY PANEL IN NON-TACKABLE FABRIC - *benching tables open or with doors*



Rectangular panel 1 1/16" thick covered in non-tackable fabric. Attaches to the modesty panel included with the shared tables.

The edge of the laminate central panel is visible, the finish must be specified.

Can be attached on a accessory bar (AC-ACBC).

Panel is visible 15 1/4"H above the surface and will leave a space of 2 1/2"H at each extremity of the surface.

It is recommended to use the cabling tray (WCMBC) that doubles as a stiffener and reinforces the panel.

Dimensions			Code	Prices						Specifications	
A	B	C		COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			
18	67	72	PPFA1867	443	470	501	520	561		2	22
18	61	66	PPFA1861	426	450	477	496	534		1,9	21
18	55	60	PPFA1855	409	431	457	474	507		1,7	19
18	49	54	PPFA1849	391	410	433	449	480		1,6	17
18	43	48	PPFA1843	369	386	407	420	448		1,4	15
18	37	42	PPFA1837	352	367	385	397	420		1,3	13
18	31	36	PPFA1831	328	341	356	366	387		1,2	12

SPECIFY

Series Code Edge Fabric Metal

T - - - -


Specify Code : Consult the above product code list.

Laminated central edge : Specify the finish : Black (N), White (BW) or Frost (A).

Fabric : refer to the active Artopex fabric panel samples list.

Metal (supports) : Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

PRIVACY TACKBOARD PANEL - *for benching tables open or with doors*



Rectangular tackboard 1" thick in rough charcoal colored felt or covered in fabric.

Attaches to the modesty panel included with the shared tables.

The edge of the laminate central panel is visible, the finish must be specified.

Panel is visible 15 1/4"H above the surface and will leave a space of 2 1/2"H at each extremity of the surface.

It is recommended to use the cabling tray (WCMBC) that doubles as a stiffener and reinforces the panel.

Dimensions			Code	Prices						Specifications	
A	B	C		FELT	COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5		
18	67	72	PPBTL1867	462	593	619	650	671	711	2	22
18	61	66	PPBTL1861	438	562	586	615	634	671	1,9	21
18	55	60	PPBTL1855	419	532	554	581	597	631	1,7	19
18	49	54	PPBTL1849	394	502	521	543	559	590	1,6	17
18	43	48	PPBTL1843	369	465	483	504	517	545	1,4	15
18	37	42	PPBTL1837	345	436	451	469	481	504	1,3	13
18	31	36	PPBTL1831	319	398	411	427	437	458	1,2	12

C= Length of the surface where the panel is installed

SPECIFY

Series Code Edge Fabric Metal

T - - - -


Specify Code : Consult the above product code list.

Laminated central edge : Specify the finish : Black (N), White (BW) or Frost (A).

Fabric : Specify the code (FF01) for the felt or refer to the active Artopex fabric panel samples list.

Metal (supports) : Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

ACCESSORY BAR



C = Length of the panel

Wall mounted accessory bar - 4"H. Metal finish must be specified.

Attaches to any vertical laminate surface or on a wall with some screws (screws not included).

Designed specially to be mounted on a Take Off laminate panel (PPLM p.327).

The bar extremities are closed.

Dimensions			Code	Prices	Specifications	
A	B	C			Cu.Ft.	lb
4	65	67	ACBC65	209	0,5	7
4	59	61	ACBC59	198	0,4	6
4	53	55	ACBC53	188	0,4	5
4	47	49	ACBC47	178	0,3	5
4	41	43	ACBC41	168	0,3	4
4	35	37	ACBC35	153	0,2	4
4	29	31	ACBC29	143	0,2	3

SPECIFY

AC - Code - Metal

Specify **Code** : Consult the above product code list.

Metal : Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



LATERAL PANELS IN METAL

Lateral metal panels 1/8" thick, finish must be specified.

Installs on any type of shared benching tables as well as tables in the Take Off Collection.

Installed between surfaces or at the end of a surface. It is recommended to use the DSMLR or DSMLL at the end of surfaces.

Optional grooves in panel to hang metal accessories. Length of the grooves : 15 1/2".



C = Depth of the benching

Panel flush with the front of the surface.

right	15 1/4	26	60 1/4	DSMLR1526	106	1,1	13
	15 1/4	20	48 1/4	DSMLR1520	89	1,0	10
left	15 1/4	26	60 1/4	DSMLL1526	106	1,1	13
	15 1/4	20	48 1/4	DSMLL1520	89	1,0	10

Panel in front 6" the front of the surface.

right	15 1/4	32	60 1/4	DSMLAR1532	122	1,4	16
	15 1/4	26	48 1/4	DSMLAR1526	107	1,1	13
left	15 1/4	32	60 1/4	DSMLAL1532	122	1,4	16
	15 1/4	26	48 1/4	DSMLAL1526	107	1,1	13


SPECIFY

Series Code Metal Grooves

Specify **Code** : Consult the above product code list.

Metal : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options Grooves : Grooves in the panel (OO), no upcharge.



Optional

LATERAL FABRIC PANEL - NON-TACKABLE


Lateral panel, fabric 7/16" thick.

Both sides of the panel are finished with the same fabric. (Metal finish must be specified for the panel structure).

Can be installed on all types of benching tables as well as tables from the Take Off Collections.


Permanently installed between the surfaces or at the extremities. It is recommended to use the DSMLR or DSMLL at the end of the surfaces

Panel flush with the front of the surface.



	Dimensions			Code	Price					Specifications	
	A	B	C		COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
right	15¼	26	60¼	DSFAR1526	286	297	310	319	337	1,1	14
	15¼	20	48¼	DSFAR1520	252	261	272	278	293	1,0	11
left	15¼	26	60¼	DSFAL1526	286	297	310	319	337	1,1	14
	15¼	20	48¼	DSFAL1520	252	261	272	278	293	1,0	11

Panel 6" in front of the surface.



right	15¼	32	60¼	DSFAAR1532	323	338	354	365	388	1,4	17
	15¼	26	48¼	DSFAAR1526	286	297	310	319	337	1,1	14
left	15¼	32	60¼	DSFAAL1532	323	338	354	365	388	1,4	17
	15¼	26	48¼	DSFAAL1526	286	297	310	319	337	1,1	14

C= Depth of the benching


SPECIFY

Series	Code	Fabric	Metal
T S			

Specify **Code** : Consult the above product code list.

Fabric : Refer to the current Artopex panel fabric card.

Metal : Black (3067), Charcoal (3064), Silver (3090), Polar White (3002), China Blue (3048), Grenadine (3044), Kiwi (3057) or Tangerine (3020)



LATERAL PANEL TACKBOARD


Lateral panel, tackboard of 7/16" thick.

Both sides of the panel are finished with charcoal felt or with fabric on both sides. (Metal finish must be specified for the panel structure).


Can be installed on all types of benching ends even tables from the Take Off Collection.

Permanently installed between the surfaces or at the extremities. It is recommended to use the DSMLR or DSMLL at the end of the surfaces.

Panel flush with the front of the surface.



	Dimensions			Code	Price						Specifications	
	A	B	C		FELT	COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
right	15¼	26	60¼	DSBTLR1526	262	334	345	359	367	385	1,1	14
	15¼	20	48¼	DSBTLR1520	223	290	299	310	317	331	1,0	11
left	15¼	26	60¼	DSBTLL1526	262	334	345	359	367	385	1,1	14
	15¼	20	48¼	DSBTLL1520	223	290	299	310	317	331	1,0	11



Panel 6" in front of the surface.

right	15¼	32	60¼	DSBTLAR1532	300	384	398	415	426	448	1,4	17
	15¼	26	48¼	DSBTLAR1526	262	334	345	359	367	385	1,1	14
left	15¼	32	60¼	DSBTLAL1532	300	384	398	415	426	448	1,4	17
	15¼	26	48¼	DSBTLAL1526	262	334	345	359	367	385	1,1	14

C= Depth of the benching


SPECIFY

Series	Code	Fabric	Metal
T S	-	-	-


Specify Code : Consult the above product code list.

Fabric : Specify the code (**FF01**) for the felt or refer to the current Artopex panel fabric card.

Metal : Black (**3067**), Charcoal (**3064**), Silver (**3090**), Polar White (**3002**), China Blue (**3048**), Grenadine (**3044**), Kiwi (**3057**) or Tangerine (**3020**).



OFFICE SUPPLY TRAY - for benching tables - open or with doors



Metal accessories for small office supplies such as : pencils, pens, eraser, scissors, etc.

Installed underneath shared benching table surfaces, open or with doors, in the space between the 2 surfaces. Finish must be specified.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
9	3	3/4	BCPAP	33	0,3	1


SPECIFY

AC - Code - Metal

Specify **Code** : Consult the above product code list.

Metal : Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

REMOVABLE CENTER CAP FOR SHARED BENCHING TABLES




A removable center cap used to decrease the central space between the surfaces (BCO).

Once installed, a space remains allowing access for cabling.


Metal finish must be specified.

to be used with surface :

2	67	HC67BCO	77	72"	0,3	3
2	61	HC61BCO	74	66"	0,3	3
2	55	HC55BCO	70	60"	0,3	3
2	49	HC49BCO	68	54"	0,2	2
2	43	HC43BCO	65	48"	0,2	2
2	37	HC37BCO	62	42"	0,2	2
2	31	HC31BCO	58	36"	0,2	2



CENTER CAP FOR SHARED BENCHING TABLES WITH DOORS




The cap is used to hide the space between the surfaces (BCD).

Metal finish must be specified.

to be used with surface :

1	67	HC67BCD	100	72"	1,0	4
1	61	HC61BCD	98	66"	0,9	4
1	55	HC55BCD	96	60"	0,8	3
1	49	HC49BCD	94	54"	0,7	3
1	43	HC43BCD	90	48"	0,6	3
1	37	HC37BCD	88	42"	0,6	2
1	31	HC31BCD	86	36"	0,5	2




SPECIFY

Series Code Metal
T S - -

Specify **Code** : Consult the above product code list.

Metal : Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

CABLING TRAY




Metal cabling tray. Finish must be specified.

The cabling tray is screwed into the modesty panel underneath the surface. It doubles as a stiffener, when a panel is installed.

Allows management of electrical and communication cables, providing quick and easy access.

Dimensions				Code	Price		Specifications	
A	B	C	D			to be used with surface :	Cu.Ft.	lb
3½"	66"			WCMBC66	97	72"	0,5	5
3½"	60"			WCMBC60	94	66"	0,5	4
3½"	54"			WCMBC54	90	60"	0,4	4
3½"	48"			WCMBC48	87	54"	0,4	3
3½"	42"			WCMBC42	85	48"	0,3	3
3½"	36"			WCMBC36	81	42"	0,3	2
3½"	30"			WCMBC30	78	36"	0,3	2

ELECTRICAL 4-CIRCUIT DISTRIBUTION SYSTEM - 2 SIDES



Electrical 4-circuit distribution system electrical, includes 1 electrical harness with support and 2 metal fronts. Finish to be specified.

The electrical system is installed on top of the modesty with screws.

Designed to be used with the 4-circuit electrical system.

22" : 2 spaces on each side for double outlets.

16" : 1 space on each side for double outlets.

Double outlets not included. To order separately, see Electricity section.

to use with table :

2½"	21½"	2½"	15½"	WCMBB22	311	48" à 72"	0,4	5
2½"	15½"	2½"	9½"	WCMBB16	293	36" et 42"	0,4	3

D : Length of harness included


SPECIFY

Series	Code	Metal
AC -		

Specify Code : Consult the above product code list.

Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (3002).

OUTLET SUPPORT



Metal support, black finish.

Installed on top of the modesty on the shared tables.

Designed for movable outlets (**AC-ECM**, **AC-ECMK**) or a telecommunication plate (**E2-ERD**).


Size of opening : 2-1/2" x 1-3/8" .

E2-EDS

24

0,1 1

CABLING POLE ABOVE THE SURFACE - for shared benching-open or with doors




Cabling pole is used to supply power between the surface and the ceiling (8'H or 12'H).

There is an internal movable PVC divider used to separate the ceiling power cables from the communications cables.


A white ceiling tile adapter is included.

Power feed connector must be ordered separately.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	Lb
2	2 1/4	144	A5-EPBC144	352	0,7	12
2	2 1/4	96	A5-EPBC96	325	0,4	8



Cabling pole installed on the end of the tables



Cabling pole installed in the center of the tables

SPECIFY

Code		Metal
	-	

Specify **Code** : Consult the above product code list.

Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

UPDATE SUMMARY

August 15th, 2016

PAGE	SECTION	PRODUCT	UPDATE
p. 68-69-70-72-73	Desks & Tables L-M	Assembled Desks	Modesty panel: added option of 18" high (U18) modesty panel.
p.162	Storage	Pedestals	Changes to the construction of the metal support pedestals and choice of locks.
p. 164	Storage	Cushions	COM fabric is now Grade 2.
p. 242	Storage 23" H	Cushions	COM fabric is now Grade 2.
p. 258	Shared Storage	Cushions	COM fabric is now Grade 2.

January 15th, 2017

PAGE	SECTION	PRODUCT	UPDATE
p.162	Storage	Support pedestals	New code
p.244	Shared tables	Benching	Removal of the 1 1/2" surfaces. The position of multi-outlet module is always in center.
p.266	Screens & accessories	Tackboard	Product description
p.273	Electricity	USB outlet	New USB outlet for 4-circuit electrical system.
p.281	Appendix		Open shared tables, shared tables with doors, storage, privacy panel, accessories and electricity.

*Designing, manufacturing, advising, planning
and supporting: that's the art that
distinguishes our purpose at Artopex.*



HEAD OFFICE

800, Vadnais Street
Granby, Quebec
J2J 1A7
CANADA

Tel.: 450 378-0189
1 800 363-3040
Fax.: 450 378-9712

artopex.com