

united chair[®]

A GROUPE LACASSE BRAND



USA /
Price List
Effective April 2017

Table of Contents

We are United Chair®/How to Use this Price List	3
Control Features Matrix	4
Control Features and Benefits	5
Sample Order	6-7
Seating Collections	8-62
C.O.M./C.O.V. Policy	63
Custom Fabric Form	64
Terms and Conditions	65-66
Warranty	67

Quick Reference Index

Series	Series Abbrev.	Executive / Management	Task / Conference	24-Hour	Multi-Purpose / Guest	Stools	Beam	BIFMA	GREENGUARD	Page
A-Series	A	•						•	•	8
Affinity	VC		•			•		•	•	10
Assante	AS	•						•	•	12
Atto	AT		•					•	•	13
Brylee	BR	•			•	•		•	•	14
Eqüs	EQ	•						•	•	20
Expression	M	•				•		•	•	21
Fortune	FN	•						•	•	23
FreeStyle	FS		•					•	•	25
Onyx	ON	•			•	•		•	•	26
Papillon	PP		•					•	•	32
Radar	RD		•			•		•	•	34
Savvy	SV	•		•		•		•	•	37
Shifter	FT				•	•		•	•	44
Stools – All Purpose	2_ _					•		•	•	46
Stools – Drafting	D					•		•	•	48
Stools – Industrial	1_ _					•		•	•	50
Stools – Medical	D					•		•	•	51
Swatt	SW				•	•		•	•	52
Veinure	VR				•	•		*	•	54
Zago	ZG						•	*	•	55
4800	FE				•			•	•	59

* Products under certification process.

Important note: Any artistic, photographic, clerical, typographical and pricing errors and omissions in this price list are subject to correction. Prices and product specifications are subject to change without notice.

www.groupe-lacasse.com

WE ARE UNITED CHAIR®

United Chair makes your workspace a better place to be, simply.

Embrace the simplicity of a straightforward design approach. Based on your needs, United Chair products are innovative, comfortable and functional. We are proud of them and we want to share this pride with you.

Choose the simplicity of a high-quality service. Putting our customers' satisfaction at the forefront of our success, we strive to provide the best client experience in the office seating business. This is why we respect sustainability principles, to be always one step ahead of this ever changing world.

So take a seat and enjoy the United Chair experience.



United Chair has achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

HOW TO USE THIS PRICE LIST

Find the products you need

Refer to the **Table of Contents** to find the solutions you require. For assistance in understanding the ergonomic functions of each model, please refer to page 5.

Pictures of various models are available on the Groupe Lacasse Website (www.groupelacasse.com).

Specify the upholstery and finishes you want

Once you've selected the products that meet your needs, refer to the United Chair® Upholstery Selection Guide that can be found on Groupe Lacasse's Website and make a note of the applicable codes.

Refer to the **Sample Order** sections specific to each model to ensure integrity of order.

Submit your order

Fax: Groupe Lacasse LLC
Attn: Order Entry
1-800-363-5474

Email: oecc@groupelacasse.com

WHAT ABOUT SPECIAL PRODUCTS?

Groupe Lacasse stands out for its unwavering commitment to flexibility and United Chair is no exception. We can help you with non-standard seating solutions to your specific environment, your special needs and your budget. Please contact **Groupe Lacasse Specials Department** for an assessment of your request.

Contact us if you have questions

Making sure you get what you need – on time and accurately – is our first priority. Should you ever have questions, please feel free to contact our Customer Service department.

Telephone: 1-888-522-2773
Email: customerservice@groupelacasse.com



Control Features Matrix

		1) 360-degree swivel	2) Back angle	3) Back depth adjustment	4) Back height adjustment	5) Forward seat tilt	6) High-performance control	7) Independently adjustable back and seat angle	8) Knee-tilt control	9) Lumbar adjustment	10) Pneumatic seat height	11) Sliding seat pan	12) Swivel-tilt control	13) Synchronous control	14) Tilt lock	15) Tilt tension
A-SERIES	ALL	X	X		X	X	X				X	X			Infinite	X
AFFINITY	ALL	X								X	X	X		X	Upright	X
ASSANTE	ALL	X	X		X	X	X				X				Infinite	X
ATTO	ALL	X							X		X				4-position	X
BRYLEE	ALL	X									X			X	2-position	X
EQÜS	ALL	X	X		X	X	X				X	X			Infinite	X
EXPRESSION	ALL	X			X						X	X		X	4-position	X
FORTUNE	FN16-11	X			X						X		X		X	X
	FNM16-11	X	X		X						X		X		X	X
FREESTYLE	ALL	X									X			X	5-position	X
ONYX	ALL	X			X	X					X	X		X	4-position	X
PAPILLON	ALL	X									X		X		Upright	X
RADAR	RD16-15	X			X			X			X	Opt.	X		Infinite	X
	RD11-10	X	X		X						X		X		X	X
	RD6-5	X									X		X		X	X
	RD52-51	X		X							X					
SAVVY	SVX16-15	X				X	X	X		X	X	Opt.	X		Infinite	X
	SVX11-10	X				X	X	X		X	X	Opt.	X		Infinite	X
	SV16-15	X	X							X	X		X		X	X
	SV11-10	X	X							X	X		X		X	X
	SV6-5	X	X							X	X		X		X	X
	SV24-23	X				X			X	X	X				5-position	X
	SV26-25	X				X			X	X	X				5-position	X
	SV52-51	X								X	X					

Control Features and Benefits

You spend a lot of time sitting in your chair, so why not make it as comfortable as possible?

Our seating solutions are designed to give you the support you need to be more productive... and to feel great hour after hour!



1. 360-Degree Swivel

Seat of chair rotates through 360° allowing access to desired areas within reach. Helps avoid twisting of torso.



2. Back Angle

Allows the user to select a back angle and lock it into a desired position. Helps reduce disc pressure and relaxes back muscles.



3. Back Depth Adjustment

Change the depth of the seat by adjusting the back in or out. Helps accommodate user's build, enhances comfort.



4. Back Height Adjustment

Adjust the back up and down for proper positioning of the lumbar support. Helps reduce back pain by providing an optimum lumbar support.



5. Forward Seat Tilt

Allows chair to tilt forward, changing the angle of your thighs in relation to the floor. Increases comfort while reducing pressure when doing intensive forward leaning tasks.



6. High-Performance Control

Includes a swivel/tilt with tension control, independently adjustable seat and back angle with infinite lock (any position) and forward pitch control. Enhances comfort and provides optimum supportive working position.



7. Independently Adjustable Seat and Back Angle

Adjust the seat and back angle of the chair independently of each other. For optimum custom fit, helps reduce pressure on the thighs and relaxes back muscles.




8. Knee-Tilt Control

Knee-tilt movement from a pivot point positioned at the front of the seat. Allows the user to fully recline while keeping feet comfortably on the floor. Maintains stability while avoiding pressure under the thighs.



9. Lumbar Adjustment

Allows the user to custom fit the chair by adjusting the lumbar support for optimum comfort.



10. Pneumatic Seat Height

Adjust the seat height up and down to allow your feet to rest flat on the floor. Avoids pressure under the thighs and eases blood circulation.



11. Seat depth adjustment

Change the depth of the seat forward and back or lock in a desired position. Accommodates the length of your thighs and keeps your back in contact with the backrest while avoiding pressure behind your knees.




12. Swivel-Tilt Control

Chair tilts from a pivot point directly above the base center and allows the user to lean back in a seating position.



13. Synchronous Control

Automatically adjust the seat and back angle while maintaining a recline ratio. Provides optimum back support and minimal seat rise. Enhances comfort and encourages dynamic body movement.



14. Tilt Lock

Lock the seat and back in an upright position.

Infinite Tilt Lock

Lock the tilt movement in any position to accommodate the user's working posture. Allows the user to lock the chair in a comfortable working position.



15. Tilt Tension

Allows the user to adjust the resistance with which the chair reclines or tilts. The user can rock the chair comfortably, without heavy pushing, reducing muscle fatigue.


1. Controls

FTL	Synchronous control with forward tilt, 4-position back lock (<i>Onyx only</i>)	ST	Swivel-tilt control	SYN	Synchronous control
KT	Knee-tilt control	STB	Swivel-tilt control with back angle adjustment	XCON	Multifunction control
		SW	Swivel only control		


2. Cylinders

CP	Pneumatic seat height cylinder, chrome finish (<i>Atto, Equis, and Papillon only</i>)	SCL	Mid-range pneumatic seat height (20"-27") cylinder
P	Pneumatic seat height cylinder	XTC	Extra-tall pneumatic seat height cylinder (20"-31 ½")


3. Bases




AB
Black nylon angel base




APC
Chrome angel base




CAB
Black cast-aluminum base




NB
Black nylon base




PCB
Polished chrome base



SB
Black steel base with plastic cover




4LB
4-legged base




5LB
5-legged base


4. Casters




BGL
Bell-shaped glides, black



GLD
Flat glides, black




BRC
Braking casters, black (Rolls when weight is applied)



CAS Soft casters for All Purpose Stools, black
HDW Hard dual-wheel casters, black
SDW Soft dual-wheel casters (non-marking), black




For AB base



For APC base

CC Hard dual-wheel casters, chrome
CF Soft dual-wheel casters, chrome



For All Purpose Stools

HRC 2½" hard rubber single-wheel casters
SRC 2" soft rubber single-wheel casters

RG3 ¾" chrome glides for All Purpose Stools

6. Other Options

5P	Five pack	DP	Double pack	PB	Large seat	ULS	Fully upholstered leather back panel for guest and café height models
BB	Small seat	HH	Handle (<i>Veinure</i>)	PBG	Plastic back guard	UP	Fully upholstered back panel
C33	California 133 compliant	HR	Headrest	QP	Quad pack	UPL	Fully upholstered leather back panel
CFR	Polished chrome footrest	ML	Metal legs	SP	Single pack	UPS	Fully upholstered back panel for guest models
CSB	Contrast stitching, black	P33	California 133 compliant (<i>For 4800 Series in black FS33 only</i>)	SSP	Sliding seat pan		
CSW	Contrast stitching, white			TP	Triple pack		


5a. Fixed Arms



For Atto, Eqüs

BA01


Polished chrome arms with black polyurethane pads



For Affinity, Onyx (except Guest)

FA

Fixed arms



For FreeStyle, Savvy

FLA


Full-loop arms



For Fortune, FreeStyle, Radar, Savvy

HLA

Half-loop arms



For Brylee BR16/15/11/10/52/51

LA/UA/UAL

Loop arms, with upholstered armrests in fabric/vinyl (UA) or leather (UAL)


5b. Adjustable Arms



For Assante, Atto, Eqüs, Fortune, FreeStyle, Onyx (except Guest), Radar, Savvy

AA_


Height adjustable arms



For Expression

CHW_ (Chrome accent) HW_ (Black)


Height and width adjustable arms



For Expression

CM3D (Chrome accent) M3D (Black)


Height and width adjustable arms with pivoting armrests



For Expression

CM4D (Chrome accent) M4D (Black)

Height and width adjustable arms with pivoting, front-to-back and side-to-side armrests



For Affinity

HA


Height adjustable arms



For A-Series, Assante, Eqüs, Expression, Fortune, FreeStyle, Radar, Savvy

HWA_


Height and width adjustable arms



For Onyx (except Guest), Savvy

RPA


Height and width arms with pivoting armrests



For Brylee BR16/15/11/10/52/51

UDA/UDU


Height adjustable arms with 9" armrests (UDU: with upholstered armrests)



For Expression

WA_


Width adjustable arms



For Fortune, FreeStyle, Radar, Savvy

3D_

Height adjustable arms with pivoting armrests



For A-Series, Assante, Eqüs

5D

Height and width adjustable arms with pivoting, front-to-back and side-to-side armrests

5c. Armrests (All black)



3/Bead

9" self-skinning polyurethane armrests



5/Cascade

10" PVC skin over polyurethane armrests



7/Curved

9" self-skinning polyurethane armrests



8/Shade

9" self-skinning polyurethane armrests



9/Drop

10" self-skinning polyurethane armrests



EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE CHAIRS

SAMPLE ORDER: AX16-E3-SL23-SL23-XCON-P-PCB-CC-HWA9

AX16



One upholstery – back/seat:
C.O.M.: 1.5 yd – 1,37 m
Dual upholstery – back only:
C.O.M.: 0.85 yd – 0,78 m
Dual upholstery – seat only:
C.O.M.: 0.65 yd – 0,59 m

Standard features

High back
Infinite tilt lock
Back angle adjustment
Seat depth adjustment
Fully upholstered back panel
Waterfall seat
Back height adjustment

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HWA9: Height and width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	39 ½-47 ½	1003-1207
Seat width	19 ¼	489	Overall width	24-27 ½	610-699
Small seat width (BB)	18 ¼	464	Overall depth	24-26	610-660
Large seat width (PB)	20 ¼	514	Width between arms	18-20 ¼	457-514
Seat depth	18-20	457-508			
Small seat depth (BB)	18-20	457-508			
Large seat depth (PB)	19-21	483-533			
Back height	22-25	559-635			
Back width	18 ¼	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
AX16	E3 Black	Grade 1 710	XCON Std	P Std	NB Std	HDW Std	HWA9 Std	CSB 45
		Grade 2 735			PCB 160	SDW 15	5D 90	CSW 45
		Grade 3 760				BRC 25		BB 45
		Grade 4 770				BGL 15		PB 45
		Grade 5 815				CC 135		
		Grade 6 865				CF 115		
		Grade 7 1,255						
		Grade 8 930						

AX15



One upholstery – back/seat:
C.O.M.: 1.5 yd – 1,37 m
Dual upholstery – back only:
C.O.M.: 0.85 yd – 0,78 m
Dual upholstery – seat only:
C.O.M.: 0.65 yd – 0,59 m

Standard features

High back
Infinite tilt lock
Back angle adjustment
Seat depth adjustment
Fully upholstered back panel
Waterfall seat
Back height adjustment

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	39 ½-47 ½	1003-1207
Seat width	19 ¼	489	Overall width	24	610
Small seat width (BB)	18 ¼	464	Overall depth	24-26	610-660
Large seat width (PB)	20 ¼	514			
Seat depth	18-20	457-508			
Small seat depth (BB)	18-20	457-508			
Large seat depth (PB)	19-21	483-533			
Back height	22-25	559-635			
Back width	18 ¼	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
AX15	E3 Black	Grade 1 650	XCON Std	P Std	NB Std	HDW Std	CSB 45
		Grade 2 670			PCB 160	SDW 15	CSW 45
		Grade 3 695				BRC 25	BB 45
		Grade 4 710				BGL 15	PB 45
		Grade 5 755				CC 135	
		Grade 6 805				CF 115	
		Grade 7 1,205					
		Grade 8 875					

AX11



One upholstery – back/seat:
C.O.M.: 1.45 yd – 1,33 m
Dual upholstery – back only:
C.O.M.: 0.8 yd – 0,73 m
Dual upholstery – seat only:
C.O.M.: 0.65 yd – 0,59 m

Standard features

Medium back	XCON: Multifunction control
Infinite tilt lock	P: Pneumatic seat height
Back angle adjustment	NB: Nylon base
Seat depth adjustment	HDW: Hard dual-wheel casters
Fully upholstered back panel	HWA9: Height and width adjustable arms
Waterfall seat	
Back height adjustment	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	36 ½-44 ½	927-1130
Seat width	19 ¼	489	Overall width	24-27 ½	610-699
Small seat width (BB)	18 ¼	464	Overall depth	24-26	610-660
Large seat width (PB)	20 ¼	514	Width between arms	18-20 ¼	457-514
Seat depth	18-20	457-508			
Small seat depth (BB)	18-20	457-508			
Large seat depth (PB)	19-21	483-533			
Back height	19-22	483-559			
Back width	18 ¼	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Castors (\$)	Arms (\$)	Other options (\$)
AX11	E3 Black	Grade 1 675	XCON Std	P Std	NB Std	HDW Std	HWA9 Std	CSB 45
		Grade 2 695			PCB 160	SDW 15	5D 90	CSW 45
		Grade 3 720				BRC 25		BB 45
		Grade 4 730				BGL 15		PB 45
		Grade 5 770				CC 135		
		Grade 6 815				CF 115		
		Grade 7 1,205						
		Grade 8 880						

AX10



One upholstery – back/seat:
C.O.M.: 1.45 yd – 1,33 m
Dual upholstery – back only:
C.O.M.: 0.8 yd – 0,73 m
Dual upholstery – seat only:
C.O.M.: 0.65 yd – 0,59 m

Standard features

Medium back	XCON: Multifunction control
Infinite tilt lock	P: Pneumatic seat height
Back angle adjustment	NB: Nylon base
Seat depth adjustment	HDW: Hard dual-wheel casters
Fully upholstered back panel	
Waterfall seat	
Back height adjustment	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	36 ½-44 ½	927-1130
Seat width	19 ¼	489	Overall width	24	610
Small seat width (BB)	18 ¼	464	Overall depth	24-26	610-660
Large seat width (PB)	20 ¼	514			
Seat depth	18-20	457-508			
Small seat depth (BB)	18-20	457-508			
Large seat depth (PB)	19-21	483-533			
Back height	19-22	483-559			
Back width	18 ¼	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Castors (\$)	Other options (\$)
AX10	E3 Black	Grade 1 600	XCON Std	P Std	NB Std	HDW Std	CSB 45
		Grade 2 625			PCB 160	SDW 15	CSW 45
		Grade 3 645				BRC 25	BB 45
		Grade 4 660				BGL 15	PB 45
		Grade 5 700				CC 135	
		Grade 6 745				CF 115	
		Grade 7 1,160					
		Grade 8 815					



TASK

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133 option. Limited upholstery selection.
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

TASK CHAIRS

SAMPLE ORDER: VC13-E3-MVC-CPT28-SYN-P-AB-HDW-HA

VC13



Dual upholstery – seat only:
C.O.M.: 0.75 yd – 0,69 m

Standard features

Adjustable lumbar support **SYN:** Synchronous tilt control
Black rugged outer polymer shell **AB:** Nylon angel base
Tilt tension adjustment **HDW:** Hard dual-wheel casters
Tilt lock **FA:** Fixed arms with 10" self-skinning polyurethane armrests
Seat depth adjustment
Pneumatic seat height

Dimensions

	(in)	(mm)
Seat height	16 ¼-21 ¼	415-542
Seat width	19	480
Seat depth	16 ½-18 ½	420-470
Back height	21 ½	546
Back width	18 ¾	468

Dimensions

	(in)	(mm)
Overall height	37 ¾-42 ¾	960-1086
Overall width	27 ¾	695
Overall depth	27 ¾	695
Width between arms	18	455

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
VC13	E3 Black	MVA Ash	Grade 1 510	SYN Std	P Std	AB Std	HDW Std	FA Std	C33 135
		MVC Cauldron	Grade 2 515			PCB 160	SDW 15	HA 25	
		MVM Magma	Grade 3 520				BRC 25		
		MVY Yellowstone	Grade 4 525						
			Grade 5 535						
			Grade 6 550						
			Grade 7 740						
			Grade 8 570						

VC12



Dual upholstery – seat only:
C.O.M.: 0.75 yd – 0,69 m

Standard features

Adjustable lumbar support **SYN:** Synchronous tilt control
Black rugged outer polymer shell **AB:** Nylon angel base
Tilt tension adjustment **HDW:** Hard dual-wheel casters
Tilt lock
Seat depth adjustment
Pneumatic seat height

Dimensions

	(in)	(mm)
Seat height	16 ¼-21 ¼	415-542
Seat width	19	480
Seat depth	16 ½-18 ½	420-470
Back height	21 ½	546
Back width	18 ¾	468

Dimensions

	(in)	(mm)
Overall height	37 ¾-42 ¾	960-1086
Overall width	27 ¾	695
Overall depth	27 ¾	695

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
VC12	E3 Black	MVA Ash	Grade 1 470	SYN Std	P Std	AB Std	HDW Std	C33 135
		MVC Cauldron	Grade 2 475			PCB 160	SDW 15	
		MVM Magma	Grade 3 480				BRC 25	
		MVY Yellowstone	Grade 4 485					
			Grade 5 495					
			Grade 6 510					
			Grade 7 690					
			Grade 8 530					



STOOL

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133 option. Limited upholstery selection.
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: VC52-E3-MVC-CPT28-SYN-P-CAB-HDW-FA

VC52



Dual upholstery – seat only:
C.O.M.: 0.75 yd – 0.69 m

Standard features


Adjustable lumbar support
Black rugged outer polymer shell
Tilt tension adjustment
Tilt lock
Seat depth adjustment
Pneumatic seat height
Adjustable polished chrome footring

SYN: Synchronous tilt control
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters
FA: Fixed arms with 10" self-skinning polyurethane armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23½-29	597-737	Overall height	46-52	1168-1321
Seat width	19	480	Overall width	27¾	695
Seat depth	16½-18½	420-470	Overall depth	27¾	695
Back height	21½	546	Width between arms	18	455
Back width	18¾	468			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
VC52	E3 Black	MVA Ash	Grade 1 715	SYN Std	P Std	CAB Std	HDW Std	FA Std	C33 135
		MVC Cauldron	Grade 2 725		SCL 65		SDW 15	HA 25	
		MVM Magma	Grade 3 735		XTC 45		BRC 25		
		MOV Yellowstone	Grade 4 740						
			Grade 5 760						
			Grade 6 780						
			Grade 7 1,055						
			Grade 8 810						

VC51



Dual upholstery – seat only:
C.O.M.: 0.75 yd – 0.69 m

Standard features

Adjustable lumbar support
Black rugged outer polymer shell
Tilt tension adjustment
Tilt lock
Seat depth adjustment
Pneumatic seat height
Adjustable polished chrome footring

SYN: Synchronous tilt control
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23½-29	597-737	Overall height	46-52	1168-1321
Seat width	19	480	Overall width	27¾	695
Seat depth	16½-18½	420-470	Overall depth	27¾	695
Back height	21½	546			
Back width	18¾	468			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
VC51	E3 Black	MVA Ash	Grade 1 670	SYN Std	P Std	CAB Std	HDW Std	C33 135
		MVC Cauldron	Grade 2 680		SCL 65		SDW 15	
		MVM Magma	Grade 3 690		XTC 45		BRC 25	
		MOV Yellowstone	Grade 4 695					
			Grade 5 710					
			Grade 6 730					
			Grade 7 990					
			Grade 8 760					



MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and optional headrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MANAGEMENT CHAIRS

SAMPLE ORDER: AS11-E3-PK01-PK01-XCON-P-NB-SDW-HWA9-HR

AS11



One upholstery – back/seat:
C.O.M.: 1.7 yd – 1,55 m
Dual upholstery – back only:
C.O.M.: 1.7 yd – 1,55 m
Dual upholstery – seat only:
C.O.M.: 0.85 yd – 0,78 m

Standard features

Medium back
Infinite tilt lock
Forward seat pitch
Back height adjustment
Back angle adjustment
Fully upholstered back panel
Waterfall seat
Viscoelastic memory foam

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA9: Height adjustable arms

Dimensions

	(in)	(mm)
Seat height	17 ¼-22 ½	451-572
Seat width	19 ¾	502
Seat depth	19	483
Back height	21-24 ½	533-622
Back width	19 ¾	489

Dimensions

	(in)	(mm)
Overall height	37 ¼-42	946-1067
Overall width	24	610
Overall depth	24	610
Width between arms	17 ¼-20 ½	438-521

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
AS11	E3 Black	Grade 1 845	XCON Std	P Std	NB Std	HDW Std	AA9 Std	HR 90
		Grade 2 910			PCB 160	SDW 15	HWA9 45	
		Grade 3 935				BRC 25	5D 90	
		Grade 4 950				BGL 15		
		Grade 5 995				CC 135		
		Grade 6 1,055				CF 115		
		Grade 7 1,445						
		Grade 8 1,135						

AS10



One upholstery – back/seat:
C.O.M.: 1.7 yd – 1,55 m
Dual upholstery – back only:
C.O.M.: 1.7 yd – 1,55 m
Dual upholstery – seat only:
C.O.M.: 0.85 yd – 0,78 m

Standard features

Medium back
Infinite tilt lock
Forward seat pitch
Back height adjustment
Back angle adjustment
Fully upholstered back panel
Waterfall seat
Viscoelastic memory foam

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	17 ¼-22 ½	451-572
Seat width	19 ¾	502
Seat depth	19	483
Back height	21-24 ½	533-622
Back width	19 ¾	489

Dimensions

	(in)	(mm)
Overall height	37 ¼-42	946-1067
Overall width	24	610
Overall depth	24	610

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
AS10	E3 Black	Grade 1 835	XCON Std	P Std	NB Std	HDW Std	HR 90
		Grade 2 865			PCB 160	SDW 15	
		Grade 3 890				BRC 25	
		Grade 4 905				BGL 15	
		Grade 5 960				CC 135	
		Grade 6 1,020				CF 115	
		Grade 7 1,405					
		Grade 8 1,105					




CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and seat cushions, the second upholstery is for the back and seat shell.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

DUAL UPHOLSTERY APPLICATION



SAMPLE ORDER: AT12-E3-WH08-WH01-KT-P-APC-CF-BA01

CONFERENCE CHAIRS

SAMPLE ORDER: AT12-E3-WH08-WH01-KT-P-APC-CF-BA01

AT14



One upholstery – back/seat:
C.O.M.: 1.65 yd – 1,51 m
Dual upholstery – back only:
C.O.M.: 1.2 yd – 1,1 m
Dual upholstery – seat only:
C.O.M.: 0.9 yd – 0,82 m

Standard features

High back
4-position tilt lock
Fully upholstered back panel
Waterfall seat
KT: Knee-tilt control
P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters
BA01: Polished chrome arms with polyurethane pads

Dimensions

	(in)	(mm)		(in)	(mm)
Seat height	20 1/4-22 3/4	521-578	Overall height	43-45 1/2	1092-1156
Seat width	19 3/4	502	Overall width	27	686
Seat depth	19	483	Overall depth	27	686
Back height	26	660	Width between arms	19	483
Back width	19 1/2	495			

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)	
AT14	E3 Black	Grade 1	995	Grade 5	1,180	KT	Std	P	Std	AB	Std	HDW	Std
		Grade 2	1,055	Grade 6	1,260			CP	30	APC	75	SDW	15
		Grade 3	1,095	Grade 7	1,405							BRC	25
		Grade 4	1,115	Grade 8	1,370							BGL	15
												CC	135
												CF	115

AT12



One upholstery – back/seat:
C.O.M.: 1.7 yd – 1,55 m
Dual upholstery – back only:
C.O.M.: 1.1 yd – 1 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Medium back
4-position tilt lock
Fully upholstered back panel
Waterfall seat
KT: Knee-tilt control
P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters
BA01: Polished chrome arms with polyurethane pads

Dimensions

	(in)	(mm)		(in)	(mm)
Seat height	20 1/4-22 3/4	514-578	Overall height	39 1/2-42	1003-1067
Seat width	19 3/4	502	Overall width	27	686
Seat depth	19	483	Overall depth	27	686
Back height	22 1/2	572	Width between arms	19	483
Back width	19 1/2	495			

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)	
AT12	E3 Black	Grade 1	980	Grade 5	1,135	KT	Std	P	Std	AB	Std	HDW	Std
		Grade 2	1,015	Grade 6	1,210			CP	30	APC	75	SDW	15
		Grade 3	1,050	Grade 7	1,350							BRC	25
		Grade 4	1,070	Grade 8	1,315							BGL	15
												CC	135
												CF	115



MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- Available in Cal-133. Limited option and upholstery selection.
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MANAGEMENT CHAIRS

SAMPLE ORDER: BR16-E3-AE04-P-NB-HDW-LA

BR16



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back/seat:
C.O.M.: One piece

Standard features

2:1 Synchronous control
2-position back lock
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
LA: Loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22	457-560	Overall height	36 ¼-41 ¼	920-1047
Seat width	20 ½	520	Overall width	25	635
Seat depth	17 ¼	440	Overall depth	25	635
Back height	20 ½	522	Width between arms	21	530
Back width	18	471			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
BR16	E3 Black	Grade 1 670	P Std	NB Std	HDW Std	LA Std	C33 135
		Grade 2 720		SB 45	SDW 15	UA 55	UP 180
		Grade 3 755		PCB 160	BRC 25	UAL 90	UPL ⁽²⁾ 245
		Grade 4 790			BGL 15	UDA 105	
		Grade 5 805				UDU ⁽¹⁾ 160	
		Grade 6 865					
		Grade 7 1,300					
		Grade 8 955					

BR15



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back/seat:
C.O.M.: One piece

Standard features

2:1 Synchronous control
2-position back lock
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½-22 ½	444-571	Overall height	36 ¼-41 ¼	920-1047
Seat width	20 ½	521	Overall width	23 ½	597
Seat depth	16 ½	419	Overall depth	25	635
Back height	19 ½	495			
Back width	19 ½	495			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
BR15	E3 Black	Grade 1 630	P Std	NB Std	HDW Std	C33 135
		Grade 2 675		SB 45	SDW 15	UP 180
		Grade 3 710		PCB 160	BRC 25	UPL ⁽²⁾ 245
		Grade 4 740			BGL 15	
		Grade 5 750				
		Grade 6 805				
		Grade 7 1,210				
		Grade 8 890				

(1) **UDU:** Upholstery will match the seat (N/A in leather).

(2) **UPL:** N/A with C33 option.

BR11

One upholstery – back/seat:
C.O.M.: 2 yd – 1.82 m
Dual upholstery – back/seat:
C.O.M.: One piece

Standard features

2:1 Synchronous control
2-position back lock
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
LA: Loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½-22 ½	444-571	Overall height	35 ¼-40 ¼	895-1022
Seat width	18	455	Overall width	23 ½	597
Seat depth	16	405	Overall depth	23 ½	597
Back height	19	483	Width between arms	19 ½	495
Back width	15 ½	398			

Model	Frame	Upholstery / List (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
BR11	E3 Black	Grade 1	630	P	Std	NB	Std	HDW	Std	LA	Std	C33	135
		Grade 2	675			SB	45	SDW	15	UA	55	UP	180
		Grade 3	710			PCB	160	BRC	25	UAL	90	UPL ⁽²⁾	245
		Grade 4	740					BGL	15	UDA	105		
		Grade 5	750							UDU ⁽¹⁾	160		
		Grade 6	805										
		Grade 7	1,210										
		Grade 8	890										

BR10

One upholstery – back/seat:
C.O.M.: 2 yd – 1.82 m
Dual upholstery – back/seat:
C.O.M.: One piece

Standard features

2:1 Synchronous control
2-position back lock
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½-22 ½	444-571	Overall height	35 ¼-40 ¼	895-1022
Seat width	18 ½	470	Overall width	23 ½	597
Seat depth	15 ½	394	Overall depth	23 ½	597
Back height	18 ½	470			
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
BR10	E3 Black	Grade 1	590	P	Std	NB	Std	HDW	Std	C33	135
		Grade 2	635			SB	45	SDW	15	UP	180
		Grade 3	670			PCB	160	BRC	25	UPL ⁽²⁾	245
		Grade 4	700					BGL	15		
		Grade 5	710								
		Grade 6	765								
		Grade 7	1,150								
		Grade 8	845								

(1) **UDU:** Upholstery will match the seat (N/A in leather).

(2) **UPL:** N/A with C33 option.



GUEST

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133. However, Cal-133 guest chairs must have upholstered back panel (UPS option). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- When E8 Metallic Silver frame is chosen, all plastic components remain black.
- BR32C guest chair comes with 2" (51 mm) hard plastic black dual-wheel casters.

GUEST CHAIRS WITH WALL-SAVER LEGS

SAMPLE ORDER: BR32-E3-CPT37-CPT85-SP

BR32



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.65 yd – 0,59 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.5 yd (0,46 m) for
UPS option.

Standard features

Ships 2 per carton
Integrated lumbar support
Stackable up to 6 high on dolly
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	32 ¾	832
Seat width	18 ½	470	Overall width	24 ¾	629
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368	Width between arms	19	483
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR32	E3 Black	Grade 1 400 x 2 = 800	C33 135 x 2 = 270
	E8 Metallic Silver	Grade 2 430 x 2 = 860	UPS 50 x 2 = 100
		Grade 3 450 x 2 = 900	ULS ⁽¹⁾ 100 x 2 = 200
		Grade 4 470 x 2 = 940	SP 45/chair
		Grade 5 480 x 2 = 960	
		Grade 6 515 x 2 = 1,030	
		Grade 7 775 x 2 = 1,550	
		Grade 8 570 x 2 = 1,140	

BR31



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.65 yd – 0,59 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.5 yd (0,46 m) for
UPS option.

Standard features

Ships 2 per carton
Integrated lumbar support
Stackable up to 6 high on dolly
Rugged outer polymer shell
Waterfall seat front
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	32 ¾	832
Seat width	18 ½	470	Overall width	21	533
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR31	E3 Black	Grade 1 360 x 2 = 720	C33 135 x 2 = 270
	E8 Metallic Silver	Grade 2 385 x 2 = 770	UPS 50 x 2 = 100
		Grade 3 405 x 2 = 810	ULS ⁽¹⁾ 100 x 2 = 200
		Grade 4 425 x 2 = 850	SP 45/chair
		Grade 5 430 x 2 = 860	
		Grade 6 465 x 2 = 930	
		Grade 7 700 x 2 = 1,400	
		Grade 8 515 x 2 = 1,030	

(1) ULS: N/A with C33 option.

GUEST CHAIRS WITH CASTERS

SAMPLE ORDER: BR32C-E8-CPT85-SDW

BR32C



Standard features

Ships in a single pack **HDW:** Hard dual-wheel casters
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	32 ¾	832
Seat width	18 ½	470	Overall width	24 ¾	629
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368	Width between arms	19	483
Back width	19	483			


Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
BR32C	E3 Black E8 Metallic Silver	Grade 1	430	HDW Std C33 135
		Grade 2	460	SDW 15 UPS 50
		Grade 3	485	BRC 25 ULS ⁽¹⁾ 100
		Grade 4	505	
		Grade 5	515	
		Grade 6	555	
		Grade 7	835	
		Grade 8	615	

One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.65 yd – 0,59 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.5 yd (0,46 m) for
UPS option.

GUEST CHAIRS WITH SLED BASE

SAMPLE ORDER: BR31S-E3-DN06-DN06-UPS

BR32S



Standard features


Ships in a single pack
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ¾	464	Overall height	33 ¾	845
Seat width	18 ½	470	Overall width	24 ¾	629
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368	Width between arms	19	483
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR32S	E3 Black	Grade 1	480
		Grade 2	515
		Grade 3	540
		Grade 4	565
		Grade 5	575
		Grade 6	620
		Grade 7	930
		Grade 8	685

One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.65 yd – 0,59 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.5 yd (0,46 m) for
UPS option.

BR31S



Standard features

Ships in a single pack
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ¾	464	Overall height	33 ¾	845
Seat width	18 ½	470	Overall width	21	533
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR31S	E3 Black	Grade 1	445
		Grade 2	480
		Grade 3	505
		Grade 4	525
		Grade 5	535
		Grade 6	575
		Grade 7	865
		Grade 8	635

One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.65 yd – 0,59 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.5 yd (0,46 m) for
UPS option.

(1) ULS: N/A with C33 option.



STOOL

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133. However, Cal-133 café height stools must have upholstered back panel (UPS option). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on café height models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- When E8 Metallic Silver frame is chosen on café height stools, all plastic components remain black.
- Control mechanism is black.
- BR51 and BR52 stools comes with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: BR52-E3-WH01-P-HDW-LA

BR52



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back/seat:
C.O.M.: One piece

Standard features

2:1 Synchronous control
2-position back lock
Adjustable polished chrome footring
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters
LA: Loop arms

Dimensions

	(in)	(mm)
Seat height	23 ½-29 ½	596-749
Seat width	18 ½	470
Seat depth	15 ½	394
Back height	17 ½	445
Back width	17 ½	445

Dimensions

	(in)	(mm)
Overall height	41 ¼-46 ¼	1047-1174
Overall width	23 ½	597
Overall depth	23 ½	597
Width between arms	19 ½	495

Model	Frame	Upholstery / List (\$)		Cylinder (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
BR52	E3 Black	Grade 1	810	P	Std	HDW	Std	LA	Std	C33	135
		Grade 2	870	SCL	65	SDW	15	UA	55	UP	180
		Grade 3	915	XTC	45	BRC	25	UAL	90	UPL ⁽²⁾	245
		Grade 4	955			BGL	15	UDA	105		
		Grade 5	970					UDU ⁽¹⁾	160		
		Grade 6	1,045								
		Grade 7	1,570								
		Grade 8	1.155								

BR51



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back/seat:
C.O.M.: One piece

Standard features

2:1 Synchronous control
2-position back lock
Adjustable polished chrome footring
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	23 ½-29 ½	596-749
Seat width	18 ½	470
Seat depth	15 ½	394
Back height	17 ½	445
Back width	17 ½	445

Dimensions

	(in)	(mm)
Overall height	41 ¼-46 ¼	1047-1174
Overall width	23 ½	597
Overall depth	23 ½	597

Model	Frame	Upholstery / List (\$)		Cylinder (\$)		Casters (\$)		Other options (\$)	
BR51	E3 Black	Grade 1	770	P	Std	HDW	Std	C33	135
		Grade 2	830	SCL	65	SDW	15	UP	180
		Grade 3	875	XTC	45	BRC	25	UPL ⁽²⁾	245
		Grade 4	915			BGL	15		
		Grade 5	930						
		Grade 6	1,000						
		Grade 7	1,505						
		Grade 8	1,105						

(1) **UDU:** Upholstery will match the seat (N/A in leather).

(2) **UPL:** N/A with C33 option.

BR32H

One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.65 yd – 0,59 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.5 yd (0,46 m) for
UPS option.

Standard features

Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	31 ¾	807	Overall height	47 ¾	1214
Seat width	18 ½	470	Overall width	25 ¾	642
Seat depth	18	457	Overall depth	24	610
Back height	14 ½	368	Width between arms	19 ¾	489
Back width	19	483			

Model	Frame	Upholstery / List (\$)		Other options (\$)	
BR32H	E3 Black	Grade 1	465	C33	135
	E8 Metallic Silver	Grade 2	500	UPS	50
		Grade 3	525	ULS ⁽¹⁾	100
		Grade 4	550		
		Grade 5	560		
		Grade 6	605		
		Grade 7	910		
		Grade 8	670		

BR31H

One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.65 yd – 0,59 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.5 yd (0,46 m) for
UPS option.


Standard features

Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	31 ¾	807	Overall height	47 ¾	1214
Seat width	18 ½	470	Overall width	21	533
Seat depth	18	457	Overall depth	24	610
Back height	14 ½	368			
Back width	19	483			

Model	Frame	Upholstery / List (\$)		Other options (\$)	
BR31H	E3 Black	Grade 1	455	C33	135
	E8 Metallic Silver	Grade 2	490	UPS	50
		Grade 3	515	ULS ⁽¹⁾	100
		Grade 4	540		
		Grade 5	550		
		Grade 6	590		
		Grade 7	885		
		Grade 8	650		


ACCESSORIES

BRDY**Standard features**

Stacking dolly, black only
To stack 6 BR32 or 6 BR31 models only

Dimensions	(in)	(mm)	Overall dimensions of dolly with 6 chairs	(in)	(mm)
Overall height	14 ½	368	Total height	55 ½	1410
Overall width	24	610	Total width w/BR32	25	635
Overall depth	28	711	Total width w/BR31	24	610
			Total depth	36	914

Model	List (\$)
BRDY-SP	Ships 1 per carton 375
BRDY-DP	Ships 2 per carton 695

BRT-AG**Standard features**

Black metal connecting bars
Kit includes 2 bars and 2 connectors
Chairs with arms and armless can be ganged (BR32, BR31, BR32S and BR31S)

Dimensions	(in)	(mm)
Distance between arms	½	13

Model	List (\$)
BRT-AG	100

(1) ULS: N/A with C33 option.



EXECUTIVE AND CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on café height models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- **C.O.M./C.O.V.** available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE CHAIRS

SAMPLE ORDER: EQ16-E3-WH01-WH01-SYN-P-AB-SDW-5D-HR

EQ16



One upholstery – back/seat:
C.O.M.: 1.35 yd – 1,23 m
Dual upholstery – back only:
C.O.M.: 0.75 yd – 0,69 m
Dual upholstery – seat only:
C.O.M.: 0.6 yd – 0,55 m
Add 0.3 yd (0,28 m) for
optional Headrest.

Standard features

High back
Back height adjustment
Seat depth adjustment
Fully upholstered back panel
Integrated lumbar support
3-position tilt-lock
SYN: 3.3:1 Synchronous control
P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters
5D: Height and width adjustable arms with pivoting, front-to-back and side-to-side adjustable armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22	457-559	Overall height	41 ½-44	1054-1118
Seat width	19	483	Overall width	25 ½	648
Seat depth	18	457	Overall depth	27	686
Back height	20	508	Width between arms	18	457
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
EQ16	E3 Black	Grade 1 875	SYN Std	P Std	AB Std	HDW Std	5D Std	CSB 45
		Grade 2 900		CP 30	APC 75	SDW 15	AA9 25	CSW 45
		Grade 3 925				BRC 25	HWA9 45	HR 90
		Grade 4 940				BGL 15	BA01 70	
		Grade 5 990				CC 135		
		Grade 6 1,045				CF 115		
		Grade 7 1,405						
		Grade 8 1,120						

EQ15



One upholstery – back/seat:
C.O.M.: 1.35 yd – 1,23 m
Dual upholstery – back only:
C.O.M.: 0.75 yd – 0,69 m
Dual upholstery – seat only:
C.O.M.: 0.6 yd – 0,55 m
Add 0.3 yd (0,28 m) for
optional Headrest.

Standard features

High back
Back height adjustment
Seat depth adjustment
Fully upholstered back panel
Integrated lumbar support
3-position tilt-lock
SYN: 3.3:1 Synchronous control
P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22	457-559	Overall height	42 ½-44	1080-1118
Seat width	19	483	Overall width	25 ½	648
Seat depth	18	457	Overall depth	27	686
Back height	20	508			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
EQ15	E3 Black	Grade 1 830	SYN Std	P Std	AB Std	HDW Std	CSB 45
		Grade 2 860		CP 30	APC 75	SDW 15	CSW 45
		Grade 3 890				BRC 25	HR 90
		Grade 4 905				BGL 15	
		Grade 5 955				CC 135	
		Grade 6 1,020				CF 115	
		Grade 7 1,360					
		Grade 8 1,110					



MANAGEMENT

SPECIFICATIONS

- All models ship assembled.⁽¹⁾
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest and optional headrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- Guest chairs are available with the same soft mesh backrest selection under the Shifter collection. Please refer to page 44.

MANAGEMENT CHAIRS

SAMPLE ORDER: M10-E3-MME-XM36-SYN-P-APC-HDW-HR

M11



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m

Standard features

Side tilt tension adjustment **SYN:** 4:1 synchronous control
 Seat depth adjustment **P:** Pneumatic seat height
 4-position back lock **AB:** Nylon angel base
 Height adjustable mesh back **HDW:** Hard dual-wheel casters
WA8: Width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ½	432-546	Overall height	40-44	1017-1115
Seat width	19 ½	497	Overall width	26 ¾	680
Seat depth	16 ½-18	420-460	Overall depth	26 ¾	680
Back height	22 ¾-25	579-635	Width between arms	18 ¼	463
Back width	17 ½	440			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
M11	E3 Black	MMB Balance	Grade 1 810	SYN Std	P Std	AB Std	HDW Std	WA8 Std	HR ⁽¹⁾ 90
		MMC Exact	Grade 2 820			APC 75	SDW 15	HW8 45	
		MME Elegance	Grade 3 835				BRC 25	CHW8 90	
		MMP Perfection	Grade 4 840				BGL 15	M3D 70	
		MMS Passion	Grade 5 860				CC 135	CM3D 115	
			Grade 6 885				CF 115	M4D 90	
			Grade 7 1,190					CM4D 135	
			Grade 8 915						

M10



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m

Standard features

Side tilt tension adjustment **SYN:** 4:1 synchronous control
 Seat depth adjustment **P:** Pneumatic seat height
 4-position back lock **AB:** Nylon angel base
 Height adjustable mesh back **HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ½	432-546	Overall height	40-44	1017-1115
Seat width	19 ½	497	Overall width	26 ¾	680
Seat depth	16 ½-18	420-460	Overall depth	26 ¾	680
Back height	22 ¾-25	579-635			
Back width	17 ½	440			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
M10	E3 Black	MMB Balance	Grade 1 730	SYN Std	P Std	AB Std	HDW Std	HR ⁽¹⁾ 90
		MMC Exact	Grade 2 740			APC 75	SDW 15	
		MME Elegance	Grade 3 750				BRC 25	
		MMP Perfection	Grade 4 760				BGL 15	
		MMS Passion	Grade 5 780				CC 135	
			Grade 6 800				CF 115	
			Grade 7 1,115					
			Grade 8 835					

(1) The headrest requires minimal assembly.



STOOL

SPECIFICATIONS

- All models ship assembled.⁽¹⁾
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest and optional headrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- Café height stools are available with the same soft mesh backrest selection under the Shifter collection. Please refer to page 45.

STOOLS

SAMPLE ORDER: M52-E3-MME-XM36-SYN-P-AB-HDW-WA8

M52



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m

Standard features

Side tilt tension adjustment **SYN**: 4:1 synchronous control
Seat depth adjustment **P**: Pneumatic seat height
4-position back lock **AB**: Nylon angel base
Height adjustable mesh back **HDW**: Hard dual-wheel casters
Adjustable polished chrome footring **WA8**: Width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24½-32	622-813	Overall height	44 ¾-52 ¼	1137-1327
Seat width	19 ½	497	Overall width	26 ¾	680
Seat depth	16 ½-18	420-460	Overall depth	26 ¾	680
Back height	22 ¾-25	579-635	Width between arms	18 ¼	463
Back width	17 ½	440			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
M52	E3 Black	MMB Balance	Grade 1 865	SYN Std	P Std	AB Std	HDW Std	WA8 Std	HR ⁽¹⁾ 90
		MMC Exact	Grade 2 875		SCL 65	APC 75	SDW 15	HW8 45	
		MME Elegance	Grade 3 885		XTC 45		BRC 25	CHW8 90	
		MMP Perfection	Grade 4 895				BGL 15	M3D 70	
		MMS Passion	Grade 5 910				CC 135	CM3D 115	
			Grade 6 935				CF 115	M4D 90	
			Grade 7 1,240					CM4D 135	
			Grade 8 965						

M51



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m

Standard features

Side tilt tension adjustment **SYN**: 4:1 synchronous control
Seat depth adjustment **P**: Pneumatic seat height
4-position back lock **AB**: Nylon angel base
Height adjustable mesh back **HDW**: Hard dual-wheel casters
Adjustable polished chrome footring

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24½-32	622-813	Overall height	44 ¾-52 ¼	1137-1327
Seat width	19 ½	497	Overall width	26 ¾	680
Seat depth	16 ½-18	420-460	Overall depth	26 ¾	680
Back height	22 ¾-25	579-635			
Back width	17 ½	440			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
M51	E3 Black	MMB Balance	Grade 1 790	SYN Std	P Std	AB Std	HDW Std	HR ⁽¹⁾ 90
		MMC Exact	Grade 2 800		SCL 65	APC 75	SDW 15	
		MME Elegance	Grade 3 810		XTC 45		BRC 25	
		MMP Perfection	Grade 4 815				BGL 15	
		MMS Passion	Grade 5 835				CC 135	
			Grade 6 860				CF 115	
			Grade 7 1,170					
			Grade 8 890					

(1) The headrest requires minimal assembly.




EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Upholstery selection is limited to Whisper vinyl in this series.
- Leather/vinyl combo is available. Please refer to grade 6 of the United Chair upholstery guide for Davenport/Whisper codes.
- Vinyl/vinyl dual upholstery is also available. First code is for the seat and backrest cushions. Second code is for the rest of the chair.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- No C.O.M./C.O.V. available.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

DUAL UPHOLSTERY APPLICATION



EXECUTIVE CHAIRS

SAMPLE ORDER: FN16-E3-DL01-DL01-ST-P-NB-HDW-HLA

FN16



Standard features

Tilt tension	ST: Swivel-tilt control
Back height adjustment	P: Pneumatic seat height
Tilt lock	NB: Nylon base
Fully upholstered back panel	HDW: Hard dual-wheel casters
Dual-density memory foam (seat)	HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	37-45	940-1143
Seat width	20	508	Overall width	25 ¼	641
Seat depth	18	457	Overall depth	28	711
Back height	22-25	559-635	Width between arms	20 ½	521
Back width	25 ¼	641			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
FN16	E3 Black	Grade 1 835	ST Std	P Std	NB Std	HDW Std	HLA Std	C33 ⁽¹⁾ 135
		Grade 2 865			PCB 160	SDW 15	AA3 25	
		Grade 3 895				BRC 25	HWA3 45	
		Grade 4 910				BGL 15	3D3 25	
		Grade 5 970						
		Grade 6 1,030						
		Grade 7 1,450						

(1) **C33:** In Patriot and Whisper vinyl only.

EXECUTIVE CHAIRS

SAMPLE ORDER: FNM16-E3-DL01-DL01-STB-P-NB-HDW-HLA

FNM16



Standard features

Tilt tension **STB:** Swivel-tilt control with
Back height adjustment back angle adjustment
Back angle adjustment **P:** Pneumatic seat height
Tilt lock **NB:** Nylon base
Fully upholstered back panel **HDW:** Hard dual-wheel casters
Dual-density memory foam (seat) **HLA:** Half loop arms

Dimensions

(in) (mm)
Seat height 16 ½-21 419-533
Seat width 20 508
Seat depth 18 457
Back height 22-25 559-635
Back width 25 ¼ 641

Dimensions

(in) (mm)
Overall height 37-45 940-1143
Overall width 25 ¼ 641
Overall depth 28 711
Width between arms 20 ½ 521

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
FNM16	E3 Black	Grade 1 915	STB Std	P Std	NB Std	HDW Std	HLA Std	C33⁽¹⁾ 135
		Grade 2 950			PCB 160	SDW 15	AA3 25	
		Grade 3 985				BRC 25	HWA3 45	
		Grade 4 1,000				BGL 15	3D3 25	
		Grade 5 1,065						
		Grade 6 1,135						
		Grade 7 1,595						

MANAGEMENT CHAIRS

SAMPLE ORDER: FN11-E3-WH06-WH06-ST-P-NB-HDW-AA3

FN11



Standard features

Tilt tension **ST:** Swivel-tilt control
Back height adjustment **P:** Pneumatic seat height
Tilt lock **NB:** Nylon base
Fully upholstered back panel **HDW:** Hard dual-wheel casters
Dual-density memory foam (seat) **HLA:** Half loop arms

Dimensions

(in) (mm)
Seat height 16 ½-21 419-533
Seat width 20 508
Seat depth 18 457
Back height 19-22 483-559
Back width 25 ¼ 641

Dimensions

(in) (mm)
Overall height 35-42 889-1067
Overall width 25 ¼ 641
Overall depth 28 711
Width between arms 20 ½ 521

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
FN11	E3 Black	Grade 1 790	ST Std	P Std	NB Std	HDW Std	HLA Std	C33⁽¹⁾ 135
		Grade 2 820			PCB 160	SDW 15	AA3 25	
		Grade 3 850				BRC 25	HWA3 45	
		Grade 4 865				BGL 15	3D3 25	
		Grade 5 920						
		Grade 6 980						
		Grade 7 1,380						

MANAGEMENT CHAIRS

SAMPLE ORDER: FNM11-E3-WH06-WH06-STB-P-NB-SDW-AA3

FNM11



Standard features

Tilt tension **STB:** Swivel-tilt control with
Back height adjustment back angle adjustment
Back angle adjustment **P:** Pneumatic seat height
Tilt lock **NB:** Nylon base
Fully upholstered back panel **HDW:** Hard dual-wheel casters
Dual-density memory foam (seat) **HLA:** Half loop arms

Dimensions

(in) (mm)
Seat height 16 ½-21 419-533
Seat width 20 508
Seat depth 18 457
Back height 19-22 483-559
Back width 25 ¼ 641

Dimensions

(in) (mm)
Overall height 35-42 889-1067
Overall width 25 ¼ 641
Overall depth 28 711
Width between arms 20 ½ 521

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
FNM11	E3 Black	Grade 1 875	STB Std	P Std	NB Std	HDW Std	HLA Std	C33⁽¹⁾ 135
		Grade 2 905			PCB 160	SDW 15	AA3 25	
		Grade 3 940				BRC 25	HWA3 45	
		Grade 4 955				BGL 15	3D3 25	
		Grade 5 1,015						
		Grade 6 1,080						
		Grade 7 1,520						

(1) C33: In Patriot and Whisper vinyl only.



TASK

SPECIFICATIONS

- Available in Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

TASK CHAIRS

SAMPLE ORDER: FS11-E3-DN08-DN08-SYN-P-AB-HDW-3D7

FS11



One upholstery – back/seat:
C.O.M.: 1.75 yd – 1,6 m
Dual upholstery – back only:
C.O.M.: 1.55 yd – 1,42 m
Dual upholstery – seat only:
C.O.M.: 0.85 yd – 0,78 m

Standard features

Synchronous seat control
5-position tilt lock
Fully upholstered back panel
Waterfall seat
Integrated lumbar support
Tilt tension

P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters
3D7: Height adjustable arms with pivoting armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/8-19 3/8	467-492	Overall height	36-40	914-1016
Seat width	18 3/4	476	Overall width	27	686
Seat depth	17 3/4	451	Overall depth	28 1/4	718
Back height	23 3/4	591	Width between arms	18	457
Back width	17 3/8	448			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
FS11	E3 Black	Grade 1 590	SYN Std	P Std	AB Std	HDW Std	3D7 Std	C33 135
		Grade 2 610				SDW 15	FLA 15	
		Grade 3 630				BRC 25	HLA 45	
		Grade 4 640					AA3 25	
		Grade 5 680					HWA3 45	
		Grade 6 725						
		Grade 7 1,090						
		Grade 8 790						

FS10



One upholstery – back/seat:
C.O.M.: 1.75 yd – 1,6 m
Dual upholstery – back only:
C.O.M.: 1.55 yd – 1,42 m
Dual upholstery – seat only:
C.O.M.: 0.85 yd – 0,78 m

Standard features

Synchronous seat control
5-position tilt lock
Fully upholstered back panel
Waterfall seat
Integrated lumbar support
Tilt tension

P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/8-19 3/8	467-492	Overall height	36-40	914-1016
Seat width	18 3/4	476	Overall width	27	686
Seat depth	17 3/4	451	Overall depth	28 1/4	718
Back height	23 3/4	591			
Back width	17 3/8	448			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
FS10	E3 Black	Grade 1 500	SYN Std	P Std	AB Std	HDW Std	C33 135
		Grade 2 520				SDW 15	
		Grade 3 540				BRC 25	
		Grade 4 550					
		Grade 5 585					
		Grade 6 625					
		Grade 7 935					
		Grade 8 680					



EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE CHAIRS

SAMPLE ORDER: ON16-E3-CPT85-CPT85-FTL-P-NB-HDW-AA5

ON16



One upholstery – back/seat:
C.O.M.: 1.8 yd – 1,65 m
Dual upholstery – back only:
C.O.M.: 0.8 yd – 0,73 m
Dual upholstery – seat only:
C.O.M.: 0.75 yd – 0,69 m

Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with 10" PVC armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 3/8-20 3/4	416-526	Overall height	37 1/4-44 3/4	946-1137
Seat width	19	483	Overall width	25 1/2	648
Seat depth	16 1/2-17 3/4	418-451	Overall depth	24 1/2	622
Back height	22 7/8-24	583-610	Width between arms	17 1/4	435
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)
ON16	E3 Black	Grade 1 680	FTL Std	P Std	NB Std	HDW Std	FA Std
		Grade 2 705			SB 45	SDW 15	AA5 30
		Grade 3 730			PCB 160	BRC 25	RPA 70
		Grade 4 745				BGL 15	
		Grade 5 790					
		Grade 6 845					
		Grade 7 1,265					
		Grade 8 920					

ON15



One upholstery – back/seat:
C.O.M.: 1.8 yd – 1,65 m
Dual upholstery – back only:
C.O.M.: 0.8 yd – 0,73 m
Dual upholstery – seat only:
C.O.M.: 0.75 yd – 0,69 m

Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 3/8-20 3/4	416-526	Overall height	37 1/4-44 3/4	946-1137
Seat width	19	483	Overall width	23 3/4	603
Seat depth	16 1/2-17 3/4	418-451	Overall depth	24 1/2	622
Back height	22 7/8-24	583-610			
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
ON15	E3 Black	Grade 1 640	FTL Std	P Std	NB Std	HDW Std
		Grade 2 665			SB 45	SDW 15
		Grade 3 690			PCB 160	BRC 25
		Grade 4 705				BGL 15
		Grade 5 750				
		Grade 6 800				
		Grade 7 1,200				
		Grade 8 870				

ON11



One upholstery – back/seat:
C.O.M.: 1.6 yd – 1,46 m
Dual upholstery – back only:
C.O.M.: 0.7 yd – 0,64 m
Dual upholstery – seat only:
C.O.M.: 0.75 yd – 0,69 m

Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with 10" PVC armrests

Dimensions

(in) (mm)

Seat height 16 3/8-20 3/4 416-526
Seat width 19 483
Seat depth 16 3/8-17 1/2 416-444
Back height 19 7/8-22 505-559
Back width 17 3/4 451

Dimensions

(in) (mm)

Overall height 33 3/8-41 3/8 860-1051
Overall width 25 1/2 648
Overall depth 24 1/2 622
Width between arms 17 3/8 435

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)
ON11	E3 Black	Grade 1 635	FTL Std	P Std	NB Std	HDW Std	FA Std
		Grade 2 660			SB 45	SDW 15	AA5 30
		Grade 3 685			PCB 160	BRC 25	RPA 70
		Grade 4 700				BGL 15	
		Grade 5 745					
		Grade 6 795					
		Grade 7 1,190					
		Grade 8 865					

ON10



One upholstery – back/seat:
C.O.M.: 1.6 yd – 1,46 m
Dual upholstery – back only:
C.O.M.: 0.7 yd – 0,64 m
Dual upholstery – seat only:
C.O.M.: 0.75 yd – 0,69 m

Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions

(in) (mm)

Seat height 16 3/8-20 3/4 416-526
Seat width 19 483
Seat depth 16 3/8-17 1/2 416-444
Back height 19 7/8-22 505-559
Back width 17 3/4 451

Dimensions

(in) (mm)

Overall height 33 3/8-41 3/8 860-1051
Overall width 23 3/4 603
Overall depth 24 1/2 622

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
ON10	E3 Black	Grade 1 595	FTL Std	P Std	NB Std	HDW Std
		Grade 2 620			SB 45	SDW 15
		Grade 3 640			PCB 160	BRC 25
		Grade 4 650				BGL 15
		Grade 5 690				
		Grade 6 740				
		Grade 7 1,110				
		Grade 8 805				



GUEST

SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on ON33, ON33C, ON34 and ON34C models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- When E8 Metallic Silver frame finish is chosen, all plastic components remain black.
- ON31C, ON32C, ON33C and ON34C come with 2" (51 mm) hard plastic black dual-wheel casters.

POLYPROPYLENE BACK AND UPHOLSTERED SEAT GUEST CHAIRS

SAMPLE ORDER: ON32C-E8-ONWH-XM12-HDW-SP

ON32



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – seat only:
C.O.M.: 1 yd – 0,91 m

Standard features

Ships 2 per carton
Stacks 6 high
Polypropylene back shell
Upholstered seat
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests
High-density polyethylene floor glides

Dimensions


	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	15 ¼	387
Back width	17	432

Dimensions

	(in)	(mm)
Overall height	32	819
Overall width	23	584
Overall depth	24 ½	622
Width between arms	19 ½	495

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Other options (\$)
ON32	E3 Black	ONBK Black	Grade 1 360 x 2 = 720	DP Std
	E8 Metallic Silver	ONPT Platinum	Grade 2 375 x 2 = 750	SP 45/chair
		ONWH White	Grade 3 390 x 2 = 780	
			Grade 4 395 x 2 = 790	
			Grade 5 420 x 2 = 840	
			Grade 6 450 x 2 = 900	
			Grade 7 675 x 2 = 1,350	
			Grade 8 490 x 2 = 980	

ON32C



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – seat only:
C.O.M.: 1 yd – 0,91 m

Standard features

Ships 2 per carton **HDW:** Hard dual-wheel casters
Stacks 4 high
Polypropylene back shell
Upholstered seat
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests

Dimensions

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	15 ¼	387
Back width	17	432

Dimensions

	(in)	(mm)
Overall height	32	819
Overall width	23	584
Overall depth	24	610
Width between arms	19 ½	495

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Casters (\$)	Other options (\$)
ON32C	E3 Black	ONBK Black	Grade 1 385 x 2 = 770	HDW Std	DP Std
	E8 Metallic Silver	ONPT Platinum	Grade 2 400 x 2 = 800	SDW 15 x 2 = 30	SP 45/chair
		ONWH White	Grade 3 415 x 2 = 830		
			Grade 4 425 x 2 = 850		
			Grade 5 450 x 2 = 900		
			Grade 6 480 x 2 = 960		
			Grade 7 725 x 2 = 1,450		
			Grade 8 525 x 2 = 1,050		

POLYPROPYLENE BACK AND UPHOLSTERED SEAT GUEST CHAIRS

SAMPLE ORDER: ON31C-E8-ONWH-XM12-HDW-SP

ON31



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – seat only:
C.O.M.: 1 yd – 0,91 m

Standard features

Ships 2 per carton
Stacks 6 high
Polypropylene back shell
Upholstered seat
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
High-density polyethylene floor glides

Dimensions


	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	15 ¼	387
Back width	17	432

Dimensions

	(in)	(mm)
Overall height	32	819
Overall width	20 ½	517
Overall depth	24 ½	622

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Other options (\$)
ON31	E3 Black	ONBK Black	Grade 1 315 x 2 = 630	DP Std
	E8 Metallic Silver	ONPT Platinum	Grade 2 325 x 2 = 650	SP 45/chair
		ONWH White	Grade 3 335 x 2 = 670	
			Grade 4 340 x 2 = 680	
			Grade 5 360 x 2 = 720	
			Grade 6 385 x 2 = 770	
			Grade 7 580 x 2 = 1,160	
			Grade 8 420 x 2 = 840	

ON31C



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – seat only:
C.O.M.: 1 yd – 0,91 m

Standard features

Ships 2 per carton
Stacks 6 high
Polypropylene back shell
Upholstered seat
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing

HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	15 ¼	387
Back width	17	432

Dimensions

	(in)	(mm)
Overall height	32	819
Overall width	20 ½	517
Overall depth	24	610

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Castors (\$)	Other options (\$)
ON31C	E3 Black	ONBK Black	Grade 1 340 x 2 = 680	HDW Std	DP Std
	E8 Metallic Silver	ONPT Platinum	Grade 2 355 x 2 = 710	SDW 15 x 2 = 30	SP 45/chair
		ONWH White	Grade 3 370 x 2 = 740		
			Grade 4 375 x 2 = 750		
			Grade 5 400 x 2 = 800		
			Grade 6 430 x 2 = 860		
			Grade 7 645 x 2 = 1,290		
			Grade 8 470 x 2 = 940		

UPHOLSTERED BACK AND SEAT GUEST CHAIRS

SAMPLE ORDER: ON34-E3-SR01-SR01-SP

ON34



One upholstery – back/seat:
C.O.M.: 1.5 yd – 1,37 m
Dual upholstery – back only:
C.O.M.: 0.85 yd – 0,78 m
Dual upholstery – seat only:
C.O.M.: 1 yd – 0,91 m

Standard features

Ships 2 per carton
Stacks 6 high
Upholstered seat and back
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests
High-density polyethylene floor glides

Dimensions

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	32 ¾	857
Overall width	23	584
Overall depth	24 ½	622
Width between arms	19 ½	495

Model	Frame	Upholstery / List (\$)	Other options (\$)
ON34	E3 Black	Grade 1 420 x 2 = 840	DP Std
	E8 Metallic Silver	Grade 2 435 x 2 = 870	SP 45/chair
		Grade 3 450 x 2 = 900	
		Grade 4 460 x 2 = 920	
		Grade 5 490 x 2 = 980	
		Grade 6 525 x 2 = 1,050	
		Grade 7 785 x 2 = 1,570	
		Grade 8 570 x 2 = 1,140	

ON34C



One upholstery – back/seat:
C.O.M.: 1.5 yd – 1,37 m
Dual upholstery – back only:
C.O.M.: 0.85 yd – 0,78 m
Dual upholstery – seat only:
C.O.M.: 1 yd – 0,91 m

Standard features

Ships 2 per carton **HDW:** Hard dual-wheel casters
Stacks 4 high
Upholstered seat and back
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests

Dimensions

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	32 ¾	857
Overall width	23	584
Overall depth	24	610
Width between arms	19 ½	495

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
ON34C	E3 Black	Grade 1 445 x 2 = 890	HDW Std	DP Std
	E8 Metallic Silver	Grade 2 460 x 2 = 920	SDW 15 x 2 = 30	SP 45/chair
		Grade 3 475 x 2 = 950		
		Grade 4 485 x 2 = 970		
		Grade 5 515 x 2 = 1,030		
		Grade 6 550 x 2 = 1,100		
		Grade 7 825 x 2 = 1,650		
		Grade 8 600 x 2 = 1,200		

ON33



One upholstery – back/seat:
C.O.M.: 1.5 yd – 1,37 m
Dual upholstery – back only:
C.O.M.: 0.85 yd – 0,78 m
Dual upholstery – seat only:
C.O.M.: 1 yd – 0,91 m

Standard features

Ships 2 per carton
Stacks 6 high
Upholstered seat and back
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
High-density polyethylene floor glides

Dimensions


	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	32 ¾	857
Overall width	20 ½	517
Overall depth	24 ½	622

Model	Frame	Upholstery / List (\$)	Other options (\$)
ON33	E3 Black	Grade 1 375 x 2 = 750	DP Std
	E8 Metallic Silver	Grade 2 390 x 2 = 780	SP 45/chair
		Grade 3 405 x 2 = 810	
		Grade 4 410 x 2 = 820	
		Grade 5 435 x 2 = 870	
		Grade 6 465 x 2 = 930	
		Grade 7 695 x 2 = 1,390	
		Grade 8 505 x 2 = 1,010	

ON33C



One upholstery – back/seat:
C.O.M.: 1.5 yd – 1,37 m
Dual upholstery – back only:
C.O.M.: 0.85 yd – 0,78 m
Dual upholstery – seat only:
C.O.M.: 1 yd – 0,91 m

Standard features

Ships 2 per carton **HDW:** Hard dual-wheel casters
Stacks 6 high
Upholstered seat and back
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing

Dimensions

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	32 ¾	857
Overall width	20 ½	517
Overall depth	24	610

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
ON33C	E3 Black	Grade 1 395 x 2 = 790	HDW Std	DP Std
	E8 Metallic Silver	Grade 2 410 x 2 = 820	SDW 15 x 2 = 30	SP 45/chair
		Grade 3 425 x 2 = 850		
		Grade 4 435 x 2 = 870		
		Grade 5 460 x 2 = 920		
		Grade 6 490 x 2 = 980		
		Grade 7 735 x 2 = 1,470		
		Grade 8 535 x 2 = 1,070		



STOOL

SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: ON52-E3-SL01-SL01-FTL-P-CAB-HDW-AA5

ON52



One upholstery – back/seat:
C.O.M.: 1.6 yd – 1,46 m
Dual upholstery – back only:
C.O.M.: 0.7 yd – 0,64 m
Dual upholstery – seat only:
C.O.M.: 0.75 yd – 0,69 m

Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height
Adjustable polished chrome footring

FTL: Synchronous control with forward tilt, 4-position back lock
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters
FA: Fixed arms with 10" PVC armrests

Dimensions

	(in)	(mm)		(in)	(mm)
Seat height	26 ½-32 ¾	673-818	Overall height	45 ½-54 ½	1166-1384
Seat width	19	483	Overall width	25 ½	648
Seat depth	16 ¾-17 ½	416-444	Overall depth	24 ½	622
Back height	19 ¾-22	505-559	Width between arms	17 ¾	435
Back width	17 ¾	451			

Model	Frame	Upholstery / List (\$)	Control	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)
ON52	E3 Black	Grade 1 815	FTL Std	P Std	CAB Std	HDW Std	FA Std
		Grade 2 845		SCL 65		SDW 15	AA5 30
		Grade 3 875		XTC 45		BRC 25	RPA 70
		Grade 4 890				BGL 15	
		Grade 5 945					
		Grade 6 1,010					
		Grade 7 1,515					
		Grade 8 1,100					

ON51



One upholstery – back/seat:
C.O.M.: 1.6 yd – 1,46 m
Dual upholstery – back only:
C.O.M.: 0.7 yd – 0,64 m
Dual upholstery – seat only:
C.O.M.: 0.75 yd – 0,69 m

Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height
Adjustable polished chrome footring

FTL: Synchronous control with forward tilt, 4-position back lock
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)		(in)	(mm)
Seat height	26 ½-32 ¾	673-818	Overall height	45 ½-54 ½	1166-1384
Seat width	19	483	Overall width	25 ½	648
Seat depth	16 ¾-17 ½	416-444	Overall depth	24 ½	622
Back height	19 ¾-22	505-559			
Back width	17 ¾	451			

Model	Frame	Upholstery / List (\$)	Control	Cylinder (\$)	Base (\$)	Casters (\$)
ON51	E3 Black	Grade 1 775	FTL Std	P Std	CAB Std	HDW Std
		Grade 2 805		SCL 65		SDW 15
		Grade 3 835		XTC 45		BRC 25
		Grade 4 850				BGL 15
		Grade 5 905				
		Grade 6 965				
		Grade 7 1,445				
		Grade 8 1,050				




CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl, leather/fabric and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and arms, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters in chrome finish.

DUAL UPHOLSTERY APPLICATION


SAMPLE ORDER: PP14-E3-DN05-DN05-ST-CP-PCB-CF



CONFERENCE CHAIRS

SAMPLE ORDER: PP14-E3-DN05-DN05-ST-CP-PCB-CF

PP14



One upholstery – back/seat:
C.O.M.: 2.1 yd – 1.92 m
Dual upholstery – back only:
C.O.M.: 1.7 yd – 1.55 m
Dual upholstery – seat only:
C.O.M.: 0.7 yd – 0.64 m


Standard features

- High back
Upright back lock
Integrated lumbar support
- ST:** Swivel-tilt control
CP: Chrome pneumatic cylinder
PCB: Polished chrome base
CC: Chrome hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ½-24	470-610	Overall height	40 ½-46	1029-1168
Seat width	16	406	Overall width	30 ¼	768
Seat depth	19 ½	495	Overall depth	26	660
Back height	24 ½	622	Width between arms	19	483
Back width	22	559			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
PP14	E3 Black	Grade 1	1,390	ST Std	CP Std	PCB Std	CC Std
		Grade 2	1,430				CSB 45
		Grade 3	1,465				CF 115
		Grade 4	1,485				GLD 15
		Grade 5	1,550				
		Grade 6	1,630				
		Grade 7	1,995				
		Grade 8	1,735				

PP12



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 1.6 yd – 1,46 m
Dual upholstery – seat only:
C.O.M.: 0.7 yd – 0,64 m

Standard features

Medium back
Upright back lock
Integrated lumbar support

ST: Swivel-tilt control
CP: Chrome pneumatic cylinder
PCB: Polished chrome base
CC: Chrome hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ½-24	470-610	Overall height	37 ½-43	953-1092
Seat width	16	406	Overall width	30 ¼	768
Seat depth	19 ½	495	Overall depth	26	660
Back height	21 ½	546	Width between arms	19	483
Back width	22	559			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
PP12	E3 Black	Grade 1 1,300	ST Std	CP Std	PCB Std	CC Std	CSB 45
		Grade 2 1,330				CF 115	CSW 45
		Grade 3 1,365				GLD 15	
		Grade 4 1,380					
		Grade 5 1,440					
		Grade 6 1,510					
		Grade 7 1,830					
		Grade 8 1,605					

PP4



One upholstery – back/seat:
C.O.M.: 1.95 yd – 1,78 m
Dual upholstery – back only:
C.O.M.: 1.5 yd – 1,37 m
Dual upholstery – seat only:
C.O.M.: 0.7 yd – 0,64 m

Standard features

Low back
Upright back lock
Integrated lumbar support

ST: Swivel-tilt control
CP: Chrome pneumatic cylinder
PCB: Polished chrome base
CC: Chrome hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ½-24	470-610	Overall height	34 ½-40	876-1016
Seat width	16	406	Overall width	30 ¼	768
Seat depth	19 ½	495	Overall depth	26	660
Back height	18 ½	470	Width between arms	19	483
Back width	22	559			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
PP4	E3 Black	Grade 1 1,205	ST Std	CP Std	PCB Std	CC Std	CSB 45
		Grade 2 1,235				CF 115	CSW 45
		Grade 3 1,265				GLD 15	
		Grade 4 1,280					
		Grade 5 1,335					
		Grade 6 1,395					
		Grade 7 1,680					
		Grade 8 1,480					



TASK

SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

TASK CHAIRS

SAMPLE ORDER: RD16-E3-AM24-AM24-XCON-P-NB-HDW-AA5

RD16



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.8 yd – 0,73 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.75 yd (0,69 m) for
UP option.

Standard features


Tilt tension
Black rugged outer polymer shell
Integrated lumbar support
Waterfall seat front
Back height adjustment
Independently adjustable
seat and back angle
Infinite tilt lock

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA5: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092
Seat width	19	483	Overall width	29	737
Seat depth	17	432	Overall depth	25 ½	648
Back height	22 ½-24	572-609	Width between arms	18	457
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
RD16	E3 Black	Grade 1	XCON Std	P Std	NB Std	HDW Std	AA5 Std	SSP ⁽¹⁾ 80
		Grade 2			SB 45	SDW 15	HLA 45	UP 180
		Grade 3			PCB 160	BRC 25	3D5 25	C33 135
		Grade 4				BGL 15	HWA5 45	
		Grade 5						
		Grade 6						
		Grade 7						
		Grade 8						

RD15



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.8 yd – 0,73 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.75 yd (0,69 m) for
UP option.

Standard features

Tilt tension
Black rugged outer polymer shell
Integrated lumbar support
Waterfall seat front
Back height adjustment
Independently adjustable
seat and back angle
Infinite tilt lock

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092
Seat width	19	483	Overall width	26	660
Seat depth	17	432	Overall depth	25 ½	648
Back height	22 ½-24	572-609			
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
RD15	E3 Black	Grade 1	XCON Std	P Std	NB Std	HDW Std	SSP ⁽¹⁾ 80
		Grade 2			SB 45	SDW 15	UP 180
		Grade 3			PCB 160	BRC 25	C33 135
		Grade 4				BGL 15	
		Grade 5					
		Grade 6					
		Grade 7					
		Grade 8					

(1) SSP: Comes with cast-aluminum base.

RD11



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.8 yd – 0,73 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.75 yd (0,69 m) for
UP option.

Standard features

Tilt tension
Black rugged outer polymer shell
Integrated lumbar support
Waterfall seat front
Back height adjustment
Tilt lock

STB: Swivel-tilt control with back angle adjustment
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA5: Height adjustable arms

Dimensions


	(in)	(mm)
Seat height	15-20	381-508
Seat width	19	483
Seat depth	17	432
Back height	22 ½-24	572-609
Back width	17 ½	445

Dimensions

	(in)	(mm)
Overall height	36-43	914-1092
Overall width	29	737
Overall depth	25 ½	648
Width between arms	18	457

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
RD11	E3 Black	Grade 1	STB Std	P Std	NB Std	HDW Std	AA5 Std	UP 180
		Grade 2			SB 45	SDW 15	HLA 45	C33 135
		Grade 3			PCB 160	BRC 25	3D5 25	
		Grade 4				BGL 15	HWA5 45	
		Grade 5						
		Grade 6						
		Grade 7						
		Grade 8						

RD10



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.8 yd – 0,73 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.75 yd (0,69 m) for
UP option.

Standard features

Tilt tension
Black rugged outer polymer shell
Integrated lumbar support
Waterfall seat front
Back height adjustment
Tilt lock

STB: Swivel-tilt control with back angle adjustment
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	15-20	381-508
Seat width	19	483
Seat depth	17	432
Back height	22 ½-24	572-609
Back width	17 ½	445

Dimensions

	(in)	(mm)
Overall height	36-43	914-1092
Overall width	26	660
Overall depth	25 ½	648

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
RD10	E3 Black	Grade 1	STB Std	P Std	NB Std	HDW Std	UP 180
		Grade 2			SB 45	SDW 15	C33 135
		Grade 3			PCB 160	BRC 25	
		Grade 4				BGL 15	
		Grade 5					
		Grade 6					
		Grade 7					
		Grade 8					

RD6



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.8 yd – 0,73 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.75 yd (0,69 m) for
UP option.

Standard features

Tilt tension
Black rugged outer polymer shell
Integrated lumbar support
Waterfall seat front
Tilt lock

ST: Swivel-tilt control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA5: Height adjustable arms

Dimensions

	(in)	(mm)
Seat height	15 ¾-20 ¼	400-514
Seat width	19	483
Seat depth	16 ¼	413
Back height	18 ½	470
Back width	16 ½	419

Dimensions

	(in)	(mm)
Overall height	33-37 ½	838-953
Overall width	29	737
Overall depth	25 ½	648
Width between arms	18	457

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
RD6	E3 Black	Grade 1	ST Std	P Std	NB Std	HDW Std	AA5 Std	UP 180
		Grade 2			SB 45	SDW 15	HLA 45	C33 135
		Grade 3			PCB 160	BRC 25	3D5 25	
		Grade 4				BGL 15	HWA5 45	
		Grade 5						
		Grade 6						
		Grade 7						
		Grade 8						

RD5



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.8 yd – 0,73 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.75 yd (0,69 m) for
UP option.

Standard features

Tilt tension
Black rugged outer polymer shell
Integrated lumbar support
Waterfall seat front
Tilt lock

ST: Swivel-tilt control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	15 ¾-20 ¼	400-514
Seat width	19	483
Seat depth	16 ¼	413
Back height	18 ½	470
Back width	16 ½	419

Dimensions

	(in)	(mm)
Overall height	33-37 ½	838-953
Overall width	26	660
Overall depth	25 ½	648

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
RD5	E3 Black	Grade 1	ST Std	P Std	NB Std	HDW Std	UP 180
		Grade 2			SB 45	SDW 15	C33 135
		Grade 3			PCB 160	BRC 25	
		Grade 4				BGL 15	
		Grade 5					
		Grade 6					
		Grade 7					
		Grade 8					



STOOL

SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: RD51-E3-AM24-AM24-SW-P-CAB-HDW

RD52



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.8 yd – 0,73 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.75 yd (0,69 m) for
UP option.

Standard features

Black rugged outer polymer shell
Integrated lumbar support
Waterfall seat front
Seat depth adjustment
Adjustable polished chrome footring

SW: Swivel only control
P: Pneumatic seat height
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters
AA5: Height adjustable arms

Dimensions


(in) (mm)
Seat height 23 ¼-28 ¾ 591-730
Seat width 19 483
Seat depth 16 ½-18 ½ 413-470
Back height 19 483
Back width 16 ½ 419

Dimensions

(in) (mm)
Overall height 41 ½-47 1054-1194
Overall width 29 ¾ 756
Overall depth 30 762
Width between arms 18 457

Model	Frame	Upholstery / List (\$)		Control (\$)	Cylinder (\$)		Base (\$)	Casters (\$)		Arms (\$)		Other options (\$)			
RD52	E3 Black	Grade 1	690	SW	Std	P	Std	CAB	Std	HDW	Std	AA5	Std	UP	180
		Grade 2	705			SCL	65		SDW	15	HLA	45	C33	135	
		Grade 3	715			XTC	45		BRC	25	3D5	25			
		Grade 4	720				BGL		15	HWA5	45				
		Grade 5	735												
		Grade 6	750												
		Grade 7	965												
		Grade 8	780												

RD51



One upholstery – back/seat:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – back only:
C.O.M.: 0.8 yd – 0,73 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m
Add 0.75 yd (0,69 m) for
UP option.

Standard features

Black rugged outer polymer shell
Integrated lumbar support
Waterfall seat front
Seat depth adjustment
Adjustable polished chrome footring

SW: Swivel only control
P: Pneumatic seat height
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters

Dimensions

(in) (mm)
Seat height 23 ¼-28 ¾ 591-730
Seat width 19 483
Seat depth 16 ½-18 ½ 413-470
Back height 19 483
Back width 16 ½ 419

Dimensions

(in) (mm)
Overall height 41 ½-47 1054-1194
Overall width 26 ¾ 679
Overall depth 30 762

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
RD51	E3 Black	Grade 1	615	SW	Std	P	Std	CAB	Std	HDW	Std	UP	180
		Grade 2	630			SCL	65			SDW	15	C33	135
		Grade 3	640			XTC	45			BRC	25		
		Grade 4	645							BGL	15		
		Grade 5	655										
		Grade 6	670										
		Grade 7	895										
		Grade 8	695										



EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE HIGH-PERFORMANCE CHAIRS

SAMPLE ORDER: SVX16-E3-CPT06C-CPT06C-XCON-P-SB-SDW-3D3-C33

SVX16



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Swivel-tilt control
Tilt tension
Infinite tilt lock
Independently adjustable seat and back angle
Fully upholstered back panel
Forward seat pitch adjustment
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ¾-47 ½	1086-1207
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	25 ½	648	Width between arms	18 ¼	464
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SVX16	E3 Black	Grade 1 700	XCON Std	P Std	NB Std	HDW Std	AA3 Std	SSP 80
		Grade 2 725			SB 45	SDW 15	HLA 45	C33 135
		Grade 3 750			PCB 160	BRC 25	FLA 15	PBG ⁽¹⁾ 45
		Grade 4 765				BGL 15	HWA3 45	
		Grade 5 815					3D3 25	
		Grade 6 870					RPA 70	
		Grade 7 1,300						
		Grade 8 945						

SVX15



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Swivel-tilt control
Tilt tension
Infinite tilt lock
Independently adjustable seat and back angle
Fully upholstered back panel
Forward seat pitch adjustment
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ¾-47 ½	1086-1207
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	25 ½	648			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SVX15	E3 Black	Grade 1 675	XCON Std	P Std	NB Std	HDW Std	SSP 80
		Grade 2 700			SB 45	SDW 15	C33 135
		Grade 3 725			PCB 160	BRC 25	PBG ⁽¹⁾ 45
		Grade 4 740				BGL 15	
		Grade 5 785					
		Grade 6 840					
		Grade 7 1,260					
		Grade 8 915					

(1) PBG: N/A with C33 option.

SVX11



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 0.9 yd – 0,82 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Swivel-tilt control
Tilt tension
Infinite tilt lock
Independently adjustable seat and back angle
Fully upholstered back panel
Forward seat pitch adjustment
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions

	(in)	(mm)
Seat height	17-21 ¾	432-552
Seat width	21 ½	546
Seat depth	17 ½	445
Back height	21 ½	546
Back width	18 ½	470

Dimensions

	(in)	(mm)
Overall height	38 ¾-43 ½	984-1105
Overall width	27	686
Overall depth	26	660
Width between arms	18 ¾	464

Model	Frame	Upholstery / List (\$)		Control (\$)	Cylinder (\$)	Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
SVX11	E3 Black	Grade 1	645	XCON Std	P Std	NB	Std	HDW	Std	AA3	Std	SSP	80
		Grade 2	670			SB	45	SDW	15	HLA	45	C33	135
		Grade 3	695			PCB	160	BRC	25	FLA	15	PBG ⁽¹⁾	45
		Grade 4	710					BGL	15	HWA3	45		
		Grade 5	755							3D3	25		
		Grade 6	805							RPA	70		
		Grade 7	1,205										
		Grade 8	875										

SVX10



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 0.9 yd – 0,82 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Swivel-tilt control
Tilt tension
Infinite tilt lock
Independently adjustable seat and back angle
Fully upholstered back panel
Forward seat pitch adjustment
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	17-21 ¾	432-552
Seat width	21 ½	546
Seat depth	17 ½	445
Back height	21 ½	546
Back width	18 ½	470

Dimensions

	(in)	(mm)
Overall height	38 ¾-43 ½	984-1105
Overall width	25	635
Overall depth	26	660

Model	Frame	Upholstery / List (\$)		Control (\$)	Cylinder (\$)	Base (\$)		Casters (\$)		Other options (\$)	
SVX10	E3 Black	Grade 1	585	XCON Std	P Std	NB	Std	HDW	Std	SSP	80
		Grade 2	605			SB	45	SDW	15	C33	135
		Grade 3	625			PCB	160	BRC	25	PBG ⁽¹⁾	45
		Grade 4	635					BGL	15		
		Grade 5	675								
		Grade 6	720								
		Grade 7	1,080								
		Grade 8	785								

EXECUTIVE CHAIRS

SAMPLE ORDER: SV16-E3-CPT06C-CPT06C-STB-P-SB-SDW-3D3-C33

SV16



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Tilt tension
Tilt lock
Fully upholstered back panel
Patented adjustable lumbar

STB: Swivel-tilt control with back angle adjustment
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions

	(in)	(mm)
Seat height	17-21 ¾	432-552
Seat width	21 ½	546
Seat depth	17 ½	445
Back height	25	635
Back width	19	483

Dimensions

	(in)	(mm)
Overall height	42 ½-47 ¾	1080-1200
Overall width	27	686
Overall depth	26	660
Width between arms	18 ¾	464

Model	Frame	Upholstery / List (\$)		Control (\$)	Cylinder (\$)	Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
SV16	E3 Black	Grade 1	735	STB Std	P Std	NB	Std	HDW	Std	AA3	Std	C33	135
		Grade 2	765			SB	45	SDW	15	HLA	45	PBG ⁽¹⁾	45
		Grade 3	790			PCB	160	BRC	25	FLA	15		
		Grade 4	805					BGL	15	HWA3	45		
		Grade 5	855							3D3	25		
		Grade 6	915										
		Grade 7	1,370										
		Grade 8	995										

(1) PBG: N/A with C33 option.

EXECUTIVE CHAIRS

SAMPLE ORDER: SV15-E3-CPT06C-CPT06C-STB-P-SB-SDW-C33

SV15



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Tilt tension **STB**: Swivel-tilt control with
back angle adjustment
Tilt lock **P**: Pneumatic seat height
Fully upholstered back panel **NB**: Nylon base
Patented adjustable lumbar **HDW**: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¼	432-552	Overall height	42 ½-47 ¼	1080-1200
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV15	E3 Black	Grade 1	640	STB Std	P Std	NB Std	C33 135
		Grade 2	665				
		Grade 3	690				
		Grade 4	705				
		Grade 5	750				
		Grade 6	800				
		Grade 7	1,200				
		Grade 8	870				

MANAGEMENT SWIVEL-TILT CHAIRS

SAMPLE ORDER: SV11-E3-AE10-AE10-ST-P-NB-BRC-AA3

SV11



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 0.9 yd – 0,82 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Tilt tension **ST**: Swivel-tilt control
Tilt lock **P**: Pneumatic seat height
Fully upholstered back panel **NB**: Nylon base
Patented adjustable lumbar **HDW**: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¼	432-552	Overall height	37 ½-42 ¼	953-1073
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
SV11	E3 Black	Grade 1	585	ST	Std	P	Std	NB	Std	HDW	Std	AA3	Std	C33	135
		Grade 2	605					SB	45	SDW	15	HLA	45	PBG ⁽¹⁾	45
		Grade 3	625					PCB	160	BRC	25	FLA	15		
		Grade 4	635							BGL	15	HWA3	45		
		Grade 5	675									3D3	25		
		Grade 6	720												
		Grade 7	1,080												
		Grade 8	785												

SV10



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 0.9 yd – 0,82 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Tilt tension **ST**: Swivel-tilt control
Tilt lock **P**: Pneumatic seat height
Fully upholstered back panel **NB**: Nylon base
Patented adjustable lumbar **HDW**: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¼	432-552	Overall height	37 ½-42 ¼	953-1073
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV10	E3 Black	Grade 1	520	ST Std	P Std	NB Std	C33 135
		Grade 2	540				
		Grade 3	560				
		Grade 4	570				
		Grade 5	605				
		Grade 6	645				
		Grade 7	965				
		Grade 8	700				

(1) PB6: N/A with C33 option.

SV6



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 0.9 yd – 0,82 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Swivel-tilt control with back angle adjustment
Tilt tension
Tilt lock
Fully upholstered back panel
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ¾-21 ¼	425-540	Overall height	37 ½-42 ¼	953-1073
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SV6	E3 Black	Grade 1 610	STB Std	P Std	NB Std	HDW Std	AA3 Std	SSP 80
		Grade 2 635			SB 45	SDW 15	HLA 45	C33 135
		Grade 3 655			PCB 160	BRC 25	FLA 15	PBG⁽¹⁾ 45
		Grade 4 665				BGL 15	HWA3 45	
		Grade 5 705					3D3 25	
		Grade 6 755						
		Grade 7 1,130						
		Grade 8 820						

SV5



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 0.9 yd – 0,82 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Swivel-tilt control with back angle adjustment
Tilt tension
Tilt lock
Fully upholstered back panel
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ¾-21 ¼	425-540	Overall height	37 ½-42 ¼	953-1073
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV5	E3 Black	Grade 1 550	STB Std	P Std	NB Std	HDW Std	SSP 80
		Grade 2 570			SB 45	SDW 15	C33 135
		Grade 3 590			PCB 160	BRC 25	PBG⁽¹⁾ 45
		Grade 4 600				BGL 15	
		Grade 5 635					
		Grade 6 680					
		Grade 7 1,020					
		Grade 8 740					

(1) **PBG:** N/A with C33 option.



24-HOUR

SPECIFICATIONS

- Savvy 24-hour models are rated for 24 hours/7 days use.
- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- Heavy-duty cylinder and knee-tilt control.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

24-HOUR EXECUTIVE CHAIRS

SAMPLE ORDER: SV26-E3-AM62-AM62-KT-P-PCB-HDW-RPA

SV26



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Knee-tilt control
Tilt tension
5-position tilt lock with forward seat pitch adjustment
Fully upholstered back panel
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	42-47	1067-1194
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635	Width between arms	20	508
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SV26	E3 Black	Grade 1	KT Std	P Std	NB Std	HDW Std	HLA Std	C33 135
		Grade 2			SB 45	SDW 15		PBG ⁽¹⁾ 45
		Grade 3			PCB 160	BRC 25		
		Grade 4				BGL 15		
		Grade 5						
		Grade 6						
		Grade 7						
		Grade 8						

SV25



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 1 yd – 0,91 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Knee-tilt control
Tilt tension
5-position tilt lock with forward seat pitch adjustment
Fully upholstered back panel
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	42-47	1067-1194
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV25	E3 Black	Grade 1	KT Std	P Std	NB Std	HDW Std	C33 135
		Grade 2			SB 45	SDW 15	PBG ⁽¹⁾ 45
		Grade 3			PCB 160	BRC 25	
		Grade 4				BGL 15	
		Grade 5					
		Grade 6					
		Grade 7					
		Grade 8					

(1) PBG: N/A with C33 option.

SV24



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 0.9 yd – 0,82 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Knee-tilt control
Tilt tension
5-position tilt lock with forward seat pitch adjustment
Fully upholstered back panel
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions

	(in)	(mm)
Seat height	18-22 ½	457-572
Seat width	21 ½	546
Seat depth	17 ½	445
Back height	21	533
Back width	18 ½	470

Dimensions

	(in)	(mm)
Overall height	38-43	965-1092
Overall width	27	686
Overall depth	26	660
Width between arms	20	508

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
SV24	E3 Black	Grade 1	735	KT	Std	P	Std	NB	Std	HDW	Std	HLA	Std	C33	135
		Grade 2	765					SB	45	SDW	15	RPA	70	PBG ⁽¹⁾	45
		Grade 3	790					PCB	160	BRC	25				
		Grade 4	805							BGL	15				
		Grade 5	855												
		Grade 6	915												
		Grade 7	1,370												
		Grade 8	995												

SV23



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 0.9 yd – 0,82 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Knee-tilt control
Tilt tension
5-position tilt lock with forward seat pitch adjustment
Fully upholstered back panel
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	18-22 ½	457-572
Seat width	21 ½	546
Seat depth	17 ½	445
Back height	21	533
Back width	18 ½	470

Dimensions

	(in)	(mm)
Overall height	38-43	965-1092
Overall width	25	635
Overall depth	26	660

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
SV23	E3 Black	Grade 1	670	KT	Std	P	Std	NB	Std	HDW	Std	C33	135
		Grade 2	695					SB	45	SDW	15	PBG ⁽¹⁾	45
		Grade 3	720					PCB	160	BRC	25		
		Grade 4	735							BGL	15		
		Grade 5	780										
		Grade 6	835										
		Grade 7	1,255										
		Grade 8	910										

(1) **PBG:** N/A with C33 option.



STOOLS

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: SV52-E3-SL25-SL25-SW-P-CAB-HDW-HLA

SV52



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 0.9 yd – 0,82 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features


Swivel only control
Adjustable polished chrome footring
Fully upholstered back panel
Patented adjustable lumbar
Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-29 ½	610-749	Overall height	44 ½-50	1130-1270
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SV52	E3 Black	Grade 1 715	SW Std	P Std	CAB Std	HDW Std	AA3 Std	C33 135
		Grade 2 740		SCL 65		SDW 15	HLA 45	PBG⁽¹⁾ 45
		Grade 3 765		XTC 45		BRC 25	FLA 15	
		Grade 4 780				BGL 15	HWA3 45	
		Grade 5 830					3D3 25	
		Grade 6 885						
		Grade 7 1,330						
		Grade 8 965						

SV51



One upholstery – back/seat:
C.O.M.: 2 yd – 1,82 m
Dual upholstery – back only:
C.O.M.: 0.9 yd – 0,82 m
Dual upholstery – seat only:
C.O.M.: 0.8 yd – 0,73 m

Standard features

Swivel only control
Adjustable polished chrome footring
Fully upholstered back panel
Patented adjustable lumbar
Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-29 ½	610-749	Overall height	44 ½-50	1130-1270
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV51	E3 Black	Grade 1 655	SW Std	P Std	CAB Std	HDW Std	C33 135
		Grade 2 680		SCL 65		SDW 15	PBG⁽¹⁾ 45
		Grade 3 705		XTC 45		BRC 25	
		Grade 4 720				BGL 15	
		Grade 5 765					
		Grade 6 820					
		Grade 7 1,235					
		Grade 8 895					

(1) **PBG:** N/A with C33 option.



GUEST AND STOOL

SPECIFICATIONS

- All models come standard with wall-saver legs and ship assembled.
- Soft mesh backrest with polypropylene seat or fabric, vinyl or leather seat upholstery also available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for the polypropylene or upholstered seat.
- C.O.M/C.O.V available. Please refer to page 63 of the current United Chair Price Book.

GUEST CHAIRS

SAMPLE ORDER: FT32-E1-MMB-BPS-DP

FT32



Dual upholstery – seat only:
C.O.M.: 0.96 yd – 0,88 m

Standard features		Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Ships 2 per carton		Seat height	16¾-17¾	425-450		Overall height	33	838	
Soft mesh back		Seat width	19¼	488		Overall width	22¼	565	
Stacks 4 high		Seat depth	17¾	450		Overall depth	22¼	565	
Black injection-molded fixed arms		Back height	13¼	335		Width between arms	19	480	
7/8", 14-16-gauge, round steel tubing		Back width	18½	468					
Nylon floor glides									
Model	Frame (\$)	Mesh	Polypropylene / Upholstery (\$)		Other options (\$)				
FT32	E3 Black	MMB Balance	BPS Black poly seat	350 x 2 = 700	DP Double pack	Std			
	E1 Polished Chrome 60 x 2 = 120	MMC Exact	Grade 1	395 x 2 = 790	SP Single pack	45/chair			
		MME Elegance	Grade 2	400 x 2 = 800					
		MMP Perfection	Grade 3	410 x 2 = 820					
		MMS Passion	Grade 4	415 x 2 = 830					
			Grade 5	435 x 2 = 870					
			Grade 6	455 x 2 = 910					
			Grade 7	610 x 2 = 1,220					
		Grade 8	480 x 2 = 960						

FT31



Dual upholstery – seat only:
C.O.M.: 0.96 yd – 0,88 m


Standard features		Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Ships 2 per carton		Seat height	16 ¾-17 ¾	425-450	Overall height	33	838		
Soft mesh back		Seat width	19 ¼	488	Overall width	19	484		
Stacks 4 high		Seat depth	17 ¾	450	Overall depth	22 ¼	565		
7/8", 14-16-gauge, round steel tubing		Back height	13 ¼	335					
Nylon floor glides		Back width	18 ½	468					

Model	Frame (\$)	Mesh	Polypropylene / Upholstery (\$)		Other options (\$)	
FT31	E3 Black	MMB Balance	BPS Black poly seat	305 x 2 = 610	DP Double pack	Std
	E1 Polished Chrome 60 x 2 = 120	MMC Exact	Grade 1	350 x 2 = 700	SP Single pack	45/chair
		MME Elegance	Grade 2	360 x 2 = 720		
		MMP Perfection	Grade 3	370 x 2 = 740		
		MMS Passion	Grade 4	375 x 2 = 750		
			Grade 5	395 x 2 = 790		
			Grade 6	415 x 2 = 830		
			Grade 7	570 x 2 = 1,140		
			Grade 8	440 x 2 = 880		

GUEST CHAIRS WITH CASTERS

SAMPLE ORDER: FT32C-E3-MME-TN909-HDW-DP

FT32C



Dual upholstery – seat only:
C.O.M.: 0.96 yd – 0.88 m

Standard features

Ships 2 per carton
Soft mesh back
Stacks 4 high
Black injection-molded fixed arms
7/8", 14-16-gauge, round steel tubing
Black casters

HDW: Hard dual wheel casters

Dimensions

	(in)	(mm)
Seat height	16 3/4-17 3/4	425-450
Seat width	19 1/4	488
Seat depth	17 3/4	450
Back height	13 1/4	335
Back width	18 1/2	468

Dimensions

	(in)	(mm)
Overall height	33	838
Overall width	22 1/4	565
Overall depth	22 1/4	565
Width between arms	19	480

Model	Frame (\$)	Mesh	Polypropylene / Upholstery (\$)	Casters (\$)	Other options (\$)
FT32C	E3 Black	MMB Balance	BPS Black poly seat 390 x 2 = 780	HDW Std	DP Double pack Std
	E1 Polished Chrome 60 x 2 = 120	MMC Exact	Grade 1 435 x 2 = 870	SDW 15 x 2 = 30	SP Single pack 45/chair
		MME Elegance	Grade 2 440 x 2 = 880	CC 135 x 2 = 270	
		MMP Perfection	Grade 3 450 x 2 = 900	CF 115 x 2 = 230	
		MMS Passion	Grade 4 460 x 2 = 920		
			Grade 5 475 x 2 = 950		
			Grade 6 500 x 2 = 1,000		
			Grade 7 650 x 2 = 1,300		
			Grade 8 530 x 2 = 1,060		

GUEST CHAIRS WITH CASTERS

SAMPLE ORDER: FT31C-E3-MME-TN909-HDW-DP

FT31C



Dual upholstery – seat only:
C.O.M.: 0.96 yd – 0.88 m

Standard features

Ships 2 per carton
Soft mesh back
Stacks 4 high
7/8", 14-16-gauge, round steel tubing
Black casters

HDW: Hard dual wheel casters

Dimensions

	(in)	(mm)
Seat height	16 3/4-17 3/4	425-450
Seat width	19 1/4	488
Seat depth	17 3/4	450
Back height	13 1/4	335
Back width	18 1/2	468

Dimensions


	(in)	(mm)
Overall height	33	838
Overall width	19	484
Overall depth	22 1/4	565

Model	Frame (\$)	Mesh	Polypropylene / Upholstery (\$)	Casters (\$)	Other options (\$)
FT31C	E3 Black	MMB Balance	BPS Black poly seat 345 x 2 = 690	HDW Std	DP Double pack Std
	E1 Polished Chrome 60 x 2 = 120	MMC Exact	Grade 1 390 x 2 = 780	SDW 15 x 2 = 30	SP Single pack 45/chair
		MME Elegance	Grade 2 395 x 2 = 790	CC 135 x 2 = 270	
		MMP Perfection	Grade 3 405 x 2 = 810	CF 115 x 2 = 230	
		MMS Passion	Grade 4 410 x 2 = 820		
			Grade 5 430 x 2 = 860		
			Grade 6 450 x 2 = 900		
			Grade 7 605 x 2 = 1,210		
			Grade 8 475 x 2 = 950		

CAFÉ HEIGHT STOOLS

SAMPLE ORDER: FT32H-E1-MMS-BPS

FT32H



Dual upholstery – seat only:
C.O.M.: 0.96 yd – 0.88 m

Standard features

Ships 1 per carton
Soft mesh back
Black injection-molded fixed arms
7/8", 14-16-gauge, round steel tubing
Nylon floor glides

Dimensions


	(in)	(mm)
Seat height	28 1/2-29 1/2	725-750
Seat width	19 1/4	488
Seat depth	17 3/4	450
Back height	13 1/4	335
Back width	18 1/2	468

Dimensions

	(in)	(mm)
Overall height	45	1143
Overall width	22 1/4	565
Overall depth	23	584
Width between arms	19	480

Model	Frame (\$)	Mesh	Polypropylene / Upholstery (\$)
FT32H	E3 Black	MMB Balance	BPS Black poly seat 430
	E1 Polished Chrome 70	MMC Exact	Grade 1 470
		MME Elegance	Grade 2 475
		MMP Perfection	Grade 3 485
		MMS Passion	Grade 4 490
			Grade 5 510
			Grade 6 535
			Grade 7 680
			Grade 8 565

FT31H



Dual upholstery – seat only:
C.O.M.: 0.96 yd – 0.88 m

Standard features

Ships 1 per carton
Soft mesh back
7/8", 14-16-gauge, round steel tubing
Nylon floor glides

Dimensions

	(in)	(mm)
Seat height	28 1/2-29 1/2	725-750
Seat width	19 1/4	488
Seat depth	17 3/4	450
Back height	13 1/4	335
Back width	18 1/2	468

Dimensions

	(in)	(mm)
Overall height	45	1143
Overall width	19 3/4	503
Overall depth	23	584

Model	Frame (\$)	Mesh	Polypropylene / Upholstery (\$)
FT31H	E3 Black	MMB Balance	BPS Black poly seat 385
	E1 Polished Chrome 70	MMC Exact	Grade 1 430
		MME Elegance	Grade 2 435
		MMP Perfection	Grade 3 445
		MMS Passion	Grade 4 450
			Grade 5 465
			Grade 6 490
			Grade 7 640
			Grade 8 520



ALL PURPOSE

SPECIFICATIONS

- All models ship assembled.
- When E8 Metallic Silver or E6 Medium Grey frame is chosen, all plastic components remain black.
- Footring color matches frame color.

ALL PURPOSE STOOLS

SAMPLE ORDER: 211S-E8-RG3

211S



Standard features

Low range
Hardboard seat top
Footring
Flat metal glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-25	432-635	Overall height	17-25	432-635
Seat diameter	14	356	Overall width	14 ½	368
			Overall depth	14 ½	368

Model	Frame/Footing	List (\$)	Other options (\$)
211S	E3 Black	220	RG3 40
	E6 Medium Grey		
	E8 Metallic Silver		

211T




Standard features

High range
Hardboard seat top
Footring
Flat metal glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-32	610-813	Overall height	24-32	610-813
Seat diameter	14	356	Overall width	17	432
			Overall depth	17	432

Model	Frame/Footing	List (\$)	Other options (\$)
211T	E3 Black	245	RG3 40
	E6 Medium Grey		
	E8 Metallic Silver		

221M



Standard features

Mid range
Hardboard seat top
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	22-27 ½	559-699	Overall height	22-27 ½	559-699
Seat diameter	14	356	Overall width	19	483
			Overall depth	19	483


Model	Frame/Footing	List (\$)	Casters options (\$)	Other options (\$)
221M	E3 Black	315	CAS 20	CFR 45
	E6 Medium Grey		BRC 25	
	E8 Metallic Silver			

221T**Standard features**

High range
Hardboard seat top
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	26 ¾-32 ¼	679-819	Overall height	26 ¾-32 ¼	679-819
Seat diameter	14	356	Overall width	19	483
			Overall depth	19	483


Model	Frame/Footing	List (\$)	Casters (\$)	Other options (\$)
221T	E3 Black	335	CAS 20	CFR 45
	E6 Medium Grey		BRC 25	
	E8 Metallic Silver			

223M**Standard features**

Mid range
Hardboard seat top
Metal back
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	22-27 ½	559-699	Overall height	34 ½-42	876-1067
Seat diameter	14	356	Overall width	19	483
Back height	6 ¾	162	Overall depth	19-22	483-559
Back width	12 ½	318			

Model	Frame/Footing	List (\$)	Casters (\$)	Other options (\$)
223M	E3 Black	355	CAS 20	CFR 45
	E6 Medium Grey		BRC 25	
	E8 Metallic Silver			

223T**Standard features**

High range
Hardboard seat top
Metal back
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	26 ¾-32 ¼	679-819	Overall height	39 ¼-46 ¾	997-1187
Seat diameter	14	356	Overall width	19	483
Back height	6 ¾	162	Overall depth	19-22	483-559
Back width	12 ½	318			


Model	Frame/Footing	List (\$)	Casters (\$)	Other options (\$)
223T	E3 Black	380	CAS 20	CFR 45
	E6 Medium Grey		BRC 25	
	E8 Metallic Silver			



DRAFTING

SPECIFICATIONS

- All models ship partially K.D. (minimum assembly required).
- Fabric/fabric, vinyl/fabric and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest (when applicable) and seat sides, the second upholstery is for the seat top only.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- When E8 Metallic Silver frame is chosen, all plastic components remain black.




DRAFTING STOOLS

SAMPLE ORDER: D41L-E8-DN02-AE13-4LB-SDW

D41L	Standard features		Dimensions			Dimensions		
			(in)	(mm)		(in)	(mm)	
	Low range	4LB: 4-legged steel base	Seat height	19-27	483-686	Overall height	31-42	787-1067
	Polished chrome footring		Seat width	17	432	Overall width	19	483
	Manual height adjustment		Seat depth	16	406	Overall depth	19-22	483-559
	Swivel seat		Back height	10	254			
	Nylon glides		Back width	15	381			
Model	Frame	Upholstery / List (\$)			Base (\$)		Casters Options (\$)	
D41L	E3 Black	Grade 1	535	4LB	Std	SDW	15	
	E6 Medium Grey	Grade 2	550	5LB	30	BRC	25	
	E8 Metallic Silver	Grade 3	565			HRC	70	
		Grade 4	575			SRC	70	
		Grade 5	610					
		Grade 6	645					
		Grade 7	935					
		Grade 8	695					

One upholstery – back/seat:
C.O.M.: 1.5 yd – 1.37 m

= ASSEMBLY REQUIRED

D41H

One upholstery – back/seat:
C.O.M.: 1.5 yd – 1,37 m



 = ASSEMBLY REQUIRED

Standard features

High range
Polished chrome footring
Manual height adjustment
Swivel seat
Nylon glides

4LB: 4-legged steel base

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	25-33	635-838	Back width	15	381
Seat width	17	432	Overall height	36-47	914-1194
Seat depth	16	406	Overall width	19	483
Back height	10	254	Overall depth	19-22	483-559

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters Options (\$)
D41H	E3 Black	Grade 1 560	4LB Std	SDW 15
	E6 Medium Grey	Grade 2 575	5LB 30	BRC 25
	E8 Metallic Silver	Grade 3 595		HRC 70
		Grade 4 605		SRC 70
		Grade 5 635		
		Grade 6 675		
		Grade 7 870		
		Grade 8 730		



INDUSTRIAL


SPECIFICATIONS

- All models ship assembled.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

INDUSTRIAL STOOLS

SAMPLE ORDER: 179S-E3-SW-P-NB-BRC

179S



Standard features

Contoured polyurethane back and seat
Manual back height adjustment

SW: Swivel only control
P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	15-20	381-508
Seat width	18	457
Seat depth	17	432
Back height	12	305
Back width	16 ½	419

Dimensions

	(in)	(mm)
Overall height	15-20	381-508
Overall width	24	610
Overall depth	24	610

Model	Frame	List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
179S	E3 Black	485	SW Std	P Std	NB Std PCB 160	HDW Std SDW 15 BRC 25 BGL 15

179M



Standard features

Contoured polyurethane back and seat
Manual back height adjustment
Adjustable polished chrome footring

SW: Swivel only control
P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	23-33 ½	584-851
Seat width	18	457
Seat depth	17	432
Back height	12	305
Back width	16 ½	419

Dimensions

	(in)	(mm)
Overall height	23-33 ½	584-851
Overall width	24	610
Overall depth	24	610

Model	Frame	List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
179M	E3 Black	555	SW Std	XTC Std	NB Std PCB 160	HDW Std SDW 15 BRC 25 BGL 15



MEDICAL

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited vinyl selection.
- Upholstery selection limited to vinyls and C.O.V. only.
- C.O.V. available. Please refer to page 63.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MEDICAL STOOLS

SAMPLE ORDER: D63-E1-PA84-SW-SCL-PCB-SDW-DP

D63



One upholstery – back/seat:
C.O.M.: 0.75 yd – 0.69 m

Standard features

Ships 2 per carton

SW: Swivel only control
P: Hand lever pneumatic seat height adjustment
PCB: Polished chrome base
HDW: Hard dual-wheel casters

Dimensions

(in) (mm)
Seat height 17-22 ¼ 432-565
Seat diameter 16 ¼ 413

Dimensions

(in) (mm)
Overall height 17-22 ¼ 432-565
Overall width 23 ¼ 591
Overall depth 24 ¼ 616

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
D63	E1 Polished Chrome	Grade 1: Vinyls	310 x 2 = 620	Grade 5: Vinyls	350 x 2 = 700	SW	Std	CP	Std	PCB	Std	HDW	Std
		Grade 2: Vinyls	320 x 2 = 640	Grade 6: Vinyls	370 x 2 = 740			SCL	65 x 2 = 130			SDW	15 x 2 = 30
		Grade 3: Vinyls	330 x 2 = 660	Grade 8: Vinyls	395 x 2 = 790							BRC	25 x 2 = 50
		Grade 4: Vinyls	335 x 2 = 670									BGL	15 x 2 = 30
												CC	135 x 2 = 270
												CF	115 x 2 = 230
												DP	Std
												SP	45/Chair
												C33	135 x 2 = 270

DB63



One upholstery – back/seat:
C.O.M.: 1.25 yd – 1.14 m
Dual upholstery – back only:
C.O.M.: 0.44 yd – 0.4 m
Dual upholstery – seat only:
C.O.M.: 0.66 yd – 0.6 m

Standard features

Upholstered back
Ships 2 per carton

SW: Swivel only control
P: Hand lever pneumatic seat height adjustment
PCB: Polished chrome base
HDW: Hard dual-wheel casters

Dimensions

(in) (mm)
Seat height 17-22 ¼ 432-565
Seat diameter 16 ¼ 413
Back height 10 254
Back width 15 ¼ 387

Dimensions

(in) (mm)
Overall height 28-35 711-889
Overall width 23 ¼ 591
Overall depth 24 ¼ 616

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
DB63	E1 Polished Chrome	Grade 1: Vinyls	420 x 2 = 840	Grade 5: Vinyls	480 x 2 = 960	SW	Std	CP	Std	PCB	Std	HDW	Std
		Grade 2: Vinyls	430 x 2 = 860	Grade 6: Vinyls	515 x 2 = 1,030			SCL	65 x 2 = 130			SDW	15 x 2 = 30
		Grade 3: Vinyls	450 x 2 = 900	Grade 8: Vinyls	555 x 2 = 1,110							BRC	25 x 2 = 50
		Grade 4: Vinyls	455 x 2 = 910									BGL	15 x 2 = 30
												CC	135 x 2 = 270
												CF	115 x 2 = 230
												DP	Std
												SP	45/Chair
												C33	135 x 2 = 270

D65



One upholstery – back/seat:
C.O.M.: 0.75 yd – 0.69 m

Standard features

Ships 2 per carton

SW: Swivel only control
P: Ring-activated pneumatic seat height adjustment
PCB: Polished chrome base
HDW: Hard dual-wheel casters

Dimensions

(in) (mm)
Seat height 17-22 ¼ 432-565
Seat diameter 16 ¼ 413

Dimensions

(in) (mm)
Overall height 17-22 ¼ 432-565
Overall width 23 ¼ 591
Overall depth 24 ¼ 616

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
D65	E1 Polished Chrome	Grade 1: Vinyls	390 x 2 = 780	Grade 5: Vinyls	445 x 2 = 890	SW	Std	CP	Std	PCB	Std	HDW	Std
		Grade 2: Vinyls	400 x 2 = 800	Grade 6: Vinyls	470 x 2 = 940			SCL	65 x 2 = 130			SDW	15 x 2 = 30
		Grade 3: Vinyls	415 x 2 = 830	Grade 8: Vinyls	510 x 2 = 1,020							BRC	25 x 2 = 50
		Grade 4: Vinyls	420 x 2 = 840									BGL	15 x 2 = 30
												CC	135 x 2 = 270
												CF	115 x 2 = 230
												DP	Std
												SP	45/Chair
												C33	135 x 2 = 270

D63X



One upholstery – back/seat:
C.O.M.: 0.75 yd – 0.69 m

Standard features

Ships 2 per carton

SW: Swivel only control
P: Ring-activated pneumatic seat height adjustment
PCB: Polished chrome base
HDW: Hard dual-wheel casters

Dimensions

(in) (mm)
Seat height 16-21 406-533
Seat diameter 16 ¼ 413

Dimensions

(in) (mm)
Overall height 16-21 406-533
Overall width 24 610
Overall depth 24 610

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
D63X	E1 Polished Chrome	Grade 1: Vinyls	720 x 2 = 1,440	Grade 5: Vinyls	770 x 2 = 1,540	SW	Std	CP	Std	PCB	Std	HDW	Std
		Grade 2: Vinyls	740 x 2 = 1,480	Grade 6: Vinyls	795 x 2 = 1,590							SDW	15 x 2 = 30
		Grade 3: Vinyls	745 x 2 = 1,490	Grade 8: Vinyls	825 x 2 = 1,650							BRC	25 x 2 = 50
		Grade 4: Vinyls	750 x 2 = 1,500									BGL	15 x 2 = 30
												CC	135 x 2 = 270
												CF	115 x 2 = 230
												DP	Std
												SP	45/Chair



GUEST AND STOOL


SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.

GUEST CHAIRS

SAMPLE ORDER: SW31-E3-RI26-RI26-DP

SW32



One upholstery – back/seat:
C.O.M.: 0.95 yd – 0,87 m
Dual upholstery – back only:
C.O.M.: 0.55 yd – 0,5 m
Dual upholstery – seat only:
C.O.M.: 0.7 yd – 0,64 m

Standard features

Ships 4 per carton
Fully upholstered back panel
7/8", 14-gauge round steel tubing
Nylon floor glides
Injection-molded arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	33 1/4	845
Seat width	20 1/2	521	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14 1/2	368	Width between arms	18 1/2	470
Back width	20 1/2	521			

Model	Frame	Upholstery / List (\$)	Other options (\$)
SW32	E3 Black	Grade 1 330 x 4 = 1,320	QP Std
		Grade 2 345 x 4 = 1,380	DP 25/chair
		Grade 3 360 x 4 = 1,440	SP 45/chair
		Grade 4 365 x 4 = 1,460	
		Grade 5 395 x 4 = 1,580	
		Grade 6 425 x 4 = 1,700	
		Grade 7 640 x 4 = 2,560	
		Grade 8 470 x 4 = 1,880	

SW31



One upholstery – back/seat:
C.O.M.: 0.95 yd – 0,87 m
Dual upholstery – back only:
C.O.M.: 0.55 yd – 0,5 m
Dual upholstery – seat only:
C.O.M.: 0.7 yd – 0,64 m

Standard features

Ships 4 per carton
Fully upholstered back panel
7/8", 14-gauge round steel tubing
Nylon floor glides


Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	33 1/4	845
Seat width	20 1/2	521	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14 1/2	368			
Back width	20 1/2	521			

Model	Frame	Upholstery / List (\$)	Other options (\$)
SW31	E3 Black	Grade 1 305 x 4 = 1,220	QP Std
		Grade 2 325 x 4 = 1,300	DP 25/chair
		Grade 3 335 x 4 = 1,340	SP 45/chair
		Grade 4 345 x 4 = 1,380	
		Grade 5 370 x 4 = 1,480	
		Grade 6 405 x 4 = 1,620	
		Grade 7 620 x 4 = 2,480	
		Grade 8 445 x 4 = 1,780	

GUEST CHAIR WITH CASTERS

SAMPLE ORDER: SW32C-E3-RI26-RI26-HDW-DP

SW32C



One upholstery – back/seat:
C.O.M.: 0.95 yd – 0,87 m
Dual upholstery – back only:
C.O.M.: 0.55 yd – 0,5 m
Dual upholstery – seat only:
C.O.M.: 0.7 yd – 0,64 m

Standard features

Ships 2 per carton **HDW:** Hard dual-wheel casters
Fully upholstered back panel
3/8", 14-gauge round steel tubing
Injection-molded arms


Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	33 1/4	845
Seat width	20 1/2	521	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14 1/2	368	Width between arms	18 1/2	470
Back width	20 1/2	521			

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
SW32C	E3 Black	Grade 1 390 x 2 = 780	HDW Std	DP Std
		Grade 2 405 x 2 = 810	SDW 15 x 2 = 30	SP 45/chair
		Grade 3 420 x 2 = 840		
		Grade 4 425 x 2 = 850		
		Grade 5 455 x 2 = 910		
		Grade 6 485 x 2 = 970		
		Grade 7 810 x 2 = 1,620		
		Grade 8 530 x 2 = 1,060		

CAFÉ HEIGHT STOOL

SAMPLE ORDER: SW32H-E3-RI26-RI26

SW32H



One upholstery – back/seat:
C.O.M.: 0.95 yd – 0,87 m
Dual upholstery – back only:
C.O.M.: 0.55 yd – 0,5 m
Dual upholstery – seat only:
C.O.M.: 0.7 yd – 0,64 m

Standard features

Fully upholstered back panel
3/8", 14-gauge round steel tubing
Nylon floor glides
Injection-molded arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	34 1/2	876	Overall height	58	1473
Seat width	19	483	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14 1/2	368	Width between arms	18 1/2	470
Back width	20 1/2	521			

Model	Frame	Upholstery / List (\$)
SW32H	E3 Black	Grade 1 550
		Grade 2 565
		Grade 3 585
		Grade 4 590
		Grade 5 625
		Grade 6 660
		Grade 7 960
		Grade 8 715

BARIATRIC CHAIR

SAMPLE ORDER: SW32B-E3-RI26-RI26

SW32B



One upholstery – back/seat:
C.O.M.: 0.95 yd – 0,87 m
Dual upholstery – back only:
C.O.M.: 0.55 yd – 0,5 m
Dual upholstery – seat only:
C.O.M.: 0.7 yd – 0,64 m

Standard features

Fully upholstered back panel
3/8", 14-gauge round steel tubing
Nylon floor glides
Injection-molded arms
Rated 500 lb

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 1/2	470	Overall height	33 1/4	845
Seat width	24	610	Overall width	29 1/4	743
Seat depth	18	457	Overall depth	23	584
Back height	14 1/2	368	Width between arms	26 1/2	673
Back width	25	635			

Model	Frame	Upholstery / List (\$)
SW32B	E3 Black	Grade 1 595
		Grade 2 620
		Grade 3 640
		Grade 4 655
		Grade 5 695
		Grade 6 745
		Grade 7 1,120
		Grade 8 815



GUEST AND STOOL

SPECIFICATIONS

- All models ship assembled.
- Stacks up to 8-high.

GUEST CHAIRS

SAMPLE ORDER: VR31-E1-CEY-QP

VR31



Standard features

Ships 4 per carton
Tubular steel frame
Wood maple veneer

E1: Polished chrome frame

Dimensions

	(in)	(mm)
Seat height	17 ½	445
Seat width	15 ¾	400
Seat depth	15	381
Back height	17	432
Back width	15 ¾	400

Dimensions

	(in)	(mm)
Overall height	34	864
Overall width	20	508
Overall depth	18 ½	470

Model	Frame	Wood finish	List (\$)	Other options (\$)
VR31	E1 Polished chrome	BAK Black	340 x 4 = 1,360	QP Std
		CEY Cherry		DP 25/chair
		NAP Natural		SP 45/chair
		OMC Espresso		
		WHT White		

VR31M



Standard features

Ships 4 per carton
Tubular steel frame
Wood maple veneer

E1: Polished chrome frame

Dimensions

	(in)	(mm)
Seat height	17 ½	445
Seat width	16	406
Seat depth	16	406
Back height	17	432
Back width	18 ½	470

Dimensions

	(in)	(mm)
Overall height	33	838
Overall width	18	457
Overall depth	19	483

Model	Frame	Wood finish	List (\$)	Other options (\$)
VR31M	E1 Polished chrome	BAK Black	290 x 4 = 1,160	QP Std
		CEY Cherry		DP 25/chair
		NAP Natural		SP 45/chair
		OMC Espresso		HH 75/chair
		WHT White		

CAFÉ HEIGHT STOOL

VR31H



Standard features

Tubular steel frame
Wood maple veneer

E1: Polished chrome frame

Dimensions

	(in)	(mm)
Seat height	29 ¼	743
Seat width	15 ½	394
Seat depth	15 ½	394
Back height	6	152
Back width	15 ½	394

Dimensions

	(in)	(mm)
Overall height	34 ½	876
Overall width	15 ½	394
Overall depth	20 ½	521

Model	Frame	Wood finish	List (\$)
VR31H	E1 Polished chrome	BAK Black	425
		CEY Cherry	
		NAP Natural	
		OMC Espresso	
		WHT White	






BEAM-SEATING

SPECIFICATIONS

- All items ship assembled. Final assembly of layout is required. Hardware included.
- Privacy screen (ZGPS1) is not available in vinyl, leather or Crypton upholstery.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available for the 2-piece shell (ZG2S). First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 63.
- Tables available in current Lacasse thermofused laminate selection.

ZAGO SOLUTIONS

For more Zago ideas, visit www.grouperlacasse.com.



BEAMS

SAMPLE ORDER: ZG1P-E8

ZG1P



Standard features

1-seat beam
Nylon floor glides
14-gauge steel structure

Dimensions (in) (mm)

Overall height 16 406
Overall width 24 610
Overall depth 23 584

Model	Frame	List (\$)
ZG1P	E8 Metallic Silver	385
	E9 Nu Nickel	

ZG2P



Standard features


2-seat beam
Nylon floor glides
14-gauge steel structure

Dimensions (in) (mm)

Overall height 16 406
Overall width 48 1219
Overall depth 23 584

Model	Frame	List (\$)
ZG2P	E8 Metallic Silver	485
	E9 Nu Nickel	

ZG3P



Standard features


3-seat beam
Nylon floor glides
14-gauge steel structure

Dimensions (in) (mm)

Overall height 16 406
Overall width 72 1828
Overall depth 23 584

Model	Frame	List (\$)
ZG3P	E8 Metallic Silver	560
	E9 Nu Nickel	

ZG4P



Standard features

4-seat beam
Nylon floor glides
14-gauge steel structure

Dimensions (in) (mm)


Overall height 16 406
Overall width 96 2438
Overall depth 23 584

Model	Frame	List (\$)
ZG4P	E8 Metallic Silver	750
	E9 Nu Nickel	

SEATS

SAMPLE ORDER: ZG10-CPT85-QP

ZG10



One upholstery – back/seat:
C.O.M.: 0.7 yd – 0,64 m

Standard features


Fully upholstered ottoman

Dimensions (in) (mm)

Seat thickness 2 51
Seat width 21 533
Seat depth 20 508
Seat height 19 480

Model	Upholstery / List (\$)				Other options (\$)	
ZG10	Grade 1	220 x 4 = 880	Grade 5	265 x 4 = 1,060	QP	N/C
	Grade 2	230 x 4 = 920	Grade 6	285 x 4 = 1,140	TP	20/seat
	Grade 3	240 x 4 = 960	Grade 7	510 x 4 = 2,040	DP	25/seat
	Grade 4	245 x 4 = 980	Grade 8	315 x 4 = 1,260	SP	45/seat

ZG2S



One upholstery – back/seat:
C.O.M.: 1.2 yd – 1,1 m
Dual upholstery – back only:
C.O.M.: 0.9 yd – 0,82 m
Dual upholstery – seat only:
C.O.M.: 0.65 yd – 0,59 m

Standard features

2-piece shell
Fully upholstered
Flex effect

Dimensions (in) (mm)

Seat thickness 2 51
Seat width 20 ½ 521
Seat depth 18 457
Back height 17 432
Back width 20 508
Overall height 34 ¼ 870
Seat height 19 480

Model	Frame	Upholstery / List (\$)				Other options (\$)	
ZG2S	E8 Metallic Silver	Grade 1	460 x 4 = 1,840	Grade 5	530 x 4 = 2,120	QP	N/C
	E9 Nu Nickel	Grade 2	475 x 4 = 1,900	Grade 6	565 x 4 = 2,260	TP	20/seat
		Grade 3	490 x 4 = 1,960	Grade 7	865 x 4 = 3,460	DP	25/seat
		Grade 4	500 x 4 = 2,000	Grade 8	615 x 4 = 2,460	SP	45/seat

Lacasse thermofused laminate finishes


ACA – Mahogany	CER – Cherry	GAN – Anthracite Grey	HZN – Hazelnut	NTL – Natural Cherry	TWT – Tuscany Walnut
BUC – Bourbon Cherry	DCH – Dark Chocolate	GGI – Grigio	KAR – Karoo	PCM – Parchment	WGR – Willow Grey
CAR – Caramello	ERH – Hard Rock Maple	GIN – Ginger	MJV – Mojave	RBY – Ruby	
CCL – Classic Chocolate	FOS – Fossil	GVR – Frost	NCN – Crystal Black	SNO – Snow	

ZG21T**Standard features**

Thermofused laminate square table, 1" thick
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	21	533	Overall height	17	432
Depth	21	533			

Model	Laminate finish	List (\$)	Other options (\$)
ZG21T		215 x 4 = 860	QP N/C
			TP 20/unit
			DP 25/unit
			SP 45/unit

ZG90T**Standard features**

Thermofused laminate 90-degree table, 1" thick
Connecting beam included
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	43 ¼	1099	Overall height	17	432
Depth	23	584			

Model	Frame	Laminate finish	List (\$)
ZG90T	E8 Metallic Silver		660
	E9 Nu Nickel		

ZG120T**Standard features**

Thermofused laminate 120-degree table, 1" thick
Connecting beam included
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	29 ½	749	Overall height	17	432
Depth	21 ½	349			


Model	Frame	Laminate finish	List (\$)
ZG120T	E8 Metallic Silver		555
	E9 Nu Nickel		

ZG360T**Standard features**

Thermofused laminate tri-directional table, 1" thick
Connecting beam included
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	30 ¼	768	Overall height	17	432
Depth	27	685			


Model	Frame	Laminate finish	List (\$)
ZG360T	E8 Metallic Silver		700
	E9 Nu Nickel		

ZG921T**Standard features**

Thermofused laminate rectangular table, 1" thick
Connecting beam included
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	21	533	Overall height	17	432
Depth	10	254			

Model	Frame	Laminate finish	List (\$)
ZG921T	E8 Metallic Silver		240
	E9 Nu Nickel		

ZGPS1

One upholstery – back/seat:
C.O.M.: 1.3 yd – 1.19 m

Standard features

Privacy screen
Ready to install
Hardware included

Dimensions

	(in)	(mm)
Height	48	1219
Width	21	533
Thickness	1	25

Dimensions on beam

	(in)	(mm)
Overall height	56 ¼	1380
Overall depth	23 ¾	603

Model	Frame	Upholstery / List (\$)	Other options (\$)
ZGPS1	E8 Metallic Silver	Grade 1 725 x 4 = 2,900	QP N/C
	E9 Nu Nickel	Grade 2 755 x 4 = 3,020	TP 20/unit
		Grade 3 800 x 4 = 3,200	DP 25/unit
		Grade 4 810 x 4 = 3,240	SP 45/unit
		Grade 5 870 x 4 = 3,480	
		Grade 6 945 x 4 = 3,780	
		Grade 7 1,305 x 4 = 5,220	
		Grade 8 1,040 x 4 = 4,160	

ZG1A**Standard features**

Arm with polyurethane armcap
Painted steel structure
Hardware included

Dimensions

	(in)	(mm)
Height	13 ½	362
Width	7	178
Depth	16	406

Dimensions on beam


	(in)	(mm)
Overall height	26 ¼	667

Model	Frame	List (\$)	Other options (\$)
ZG1A	E8 Metallic Silver	195 x 5 = 975	5P N/C
	E9 Nu Nickel		QP 16/unit
			TP 20/unit
			DP 25/unit
			SP 45/unit

ZG1F**Standard features**


Single metal floor anchor
Includes 2 anchors and hardware

Model	Frame	List (\$)
ZG1F	E8 Metallic Silver	45
	E9 Nu Nickel	

ZG2F**Standard features**

Double metal floor anchor
Includes 2 anchors and hardware

Model	Frame	List (\$)
ZG2F	E8 Metallic Silver	55
	E9 Nu Nickel	

ZG1E**Standard features**

Electric outlet
Hardware included

Model	Frame	List (\$)
ZG1E	E8 Metallic Silver	425
	E9 Nu Nickel	



STACK

SPECIFICATIONS

- All models ship assembled.
- Stacking chairs should be ordered by number of cartons desired.
- Arm to armless chairs will gang.
- Chairs will not stack with optional bookrack and/or with tablet arm.
- P33 option meets Cal-133 compliance. Limited polypropylene (black FS33 only) and upholstery selection.
- C.O.M./C.O.V. available. Please refer to page 63.

POLYPROPYLENE BACK AND SEAT STACK CHAIRS

SAMPLE ORDER: FE02-E1-FS01-QP

FE02



Standard features

Ships 4 per carton
 3/16" solid steel frame
 Polypropylene shell
 Black polypropylene armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 1/2	445	Overall width	22	559
Seat depth	17 1/4	438	Overall depth	22 1/2	572
Back height	13 1/2	343	Width between arms	19 3/4	492
Back width	17 1/2	445			

Model	Frame	Polypropylene shell color	List (\$)	Other options (\$)
FE02	E3 Black	FS01 White	200 x 4 = 800	QP Std
	E1 Polished Chrome	FS03 Black		DP 25/chair
		FS04 Navy		SP 45/chair
		FS06 Red		P33 ⁽²⁾ 40/chair
		FS08 Yellow		
		FS14 Gray		
		FS15 Orange		
		FS21 Green		
		FS27 Blue		
		FS33 Black Cal-133 ⁽¹⁾		

FE01



Standard features

Ships 4 per carton
 3/16" solid steel frame
 Polypropylene shell

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 1/2	445	Overall width	17 1/2	445
Seat depth	17 1/4	438	Overall depth	22 1/2	572
Back height	13 1/2	343			
Back width	17 1/2	445			

Model	Frame	Polypropylene shell color	List (\$)	Other options (\$)
FE01	E3 Black	FS01 White	150 x 4 = 600	QP Std
	E1 Polished Chrome	FS03 Black		DP 25/chair
		FS04 Navy		SP 45/chair
		FS06 Red		P33 ⁽²⁾ 40/chair
		FS08 Yellow		
		FS14 Gray		
		FS15 Orange		
		FS21 Green		
		FS27 Blue		
		FS33 Black Cal-133 ⁽¹⁾		

(1) FS33: Requires P33 option.

(2) P33: FS33 only.

FE04

One upholstery – back/seat:
C.O.M.: 1.25 yd – 1,14 m
Dual upholstery – back only:
C.O.M.: 0.5 yd – 0,46 m
Dual upholstery – seat only:
C.O.M.: 0.7 yd – 0,64 m

Standard features

Ships 2 per carton
7/16" solid steel frame
Polypropylene shell
Black polypropylene armrests

Dimensions

	(in)	(mm)
Seat height	17	432
Seat width	17 1/2	445
Seat depth	17 1/4	438
Back height	13 1/2	343
Back width	17 1/2	445

Dimensions

	(in)	(mm)
Overall height	31	787
Overall width	22	559
Overall depth	22 1/2	572
Width between arms	19 3/4	492

Model	Frame	Polypropylene shell color	Upholstery / List (\$)	Other options (\$)
FE04	E3 Black E1 Polished chrome	FS01 White	Grade 1 310 x 4 = 1,240	DP Std
		FS03 Black	Grade 2 315 x 4 = 1,260	SP 45/chair
		FS04 Navy	Grade 3 325 x 4 = 1,300	P33 ⁽²⁾ 40/chair
		FS06 Red	Grade 4 330 x 4 = 1,320	
		FS08 Yellow	Grade 5 345 x 4 = 1,380	
		FS14 Gray	Grade 6 360 x 4 = 1,440	
		FS15 Orange	Grade 7 585 x 4 = 2,340	
		FS21 Green	Grade 8 460 x 4 = 1,840	
		FS27 Blue		
		FS33 Black Cal-133 ⁽¹⁾		

FE03

One upholstery – back/seat:
C.O.M.: 1.25 yd – 1,14 m
Dual upholstery – back only:
C.O.M.: 0.5 yd – 0,46 m
Dual upholstery – seat only:
C.O.M.: 0.7 yd – 0,64 m

Standard features

Ships 2 per carton
7/16" solid steel frame
Polypropylene shell

Dimensions

	(in)	(mm)
Seat height	17	432
Seat width	17 1/2	445
Seat depth	17 1/4	438
Back height	13 1/2	343
Back width	17 1/2	445

Dimensions

	(in)	(mm)
Overall height	31	787
Overall width	17 1/2	445
Overall depth	22 1/2	572

Model	Frame	Polypropylene shell color	Upholstery / List (\$)	Other options (\$)
FE03	E3 Black E1 Polished chrome	FS01 White	Grade 1 240 x 2 = 480	DP Std
		FS03 Black	Grade 2 245 x 2 = 490	SP 45/chair
		FS04 Navy	Grade 3 250 x 2 = 500	P33 ⁽²⁾ 40/chair
		FS06 Red	Grade 4 255 x 2 = 510	
		FS08 Yellow	Grade 5 265 x 2 = 530	
		FS14 Gray	Grade 6 275 x 2 = 550	
		FS15 Orange	Grade 7 445 x 2 = 890	
		FS21 Green	Grade 8 350 x 2 = 700	
		FS27 Blue		
		FS33 Black Cal-133 ⁽¹⁾		

POLYPROPYLENE BACK / UPHOLSTERED SEAT STACK CHAIRS

SAMPLE ORDER: FE06-E3-FS14-AM24-DP

FE06

Dual upholstery – seat only:
C.O.M.: 0.7 yd – 0,64 m

Standard features

Ships 2 per carton
7/16" solid steel frame
Polypropylene shell
Polypropylene armrests

Dimensions

	(in)	(mm)
Seat height	17	432
Seat width	17 1/2	445
Seat depth	17 1/4	438
Back height	13 1/2	343
Back width	17 1/2	445


Dimensions

	(in)	(mm)
Overall height	31	787
Overall width	22	559
Overall depth	22 1/2	572
Width between arms	19 3/4	492

Model	Frame	Polypropylene shell color	Upholstery / List (\$)	Other options (\$)
FE06	E3 Black E1 Polished chrome	FS01 White	Grade 1 295 x 2 = 590	DP Std
		FS03 Black	Grade 2 300 x 2 = 600	SP 45/chair
		FS04 Navy	Grade 3 305 x 2 = 610	P33 ⁽²⁾ 40/chair
		FS06 Red	Grade 4 310 x 2 = 620	
		FS08 Yellow	Grade 5 325 x 2 = 650	
		FS14 Gray	Grade 6 340 x 2 = 680	
		FS15 Orange	Grade 7 545 x 2 = 1,090	
		FS21 Green	Grade 8 430 x 2 = 860	
		FS27 Blue		
		FS33 Black Cal-133 ⁽¹⁾		

(1) FS33: Requires P33 option.

(2) P33: FS33 only.

FE05

Dual upholstery – seat only:
C.O.M.: 0.7 yd – 0,64 m

Standard features

Ships 2 per carton
7/16" solid steel frame
Polypropylene shell

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 ½	445	Overall width	22	559
Seat depth	17 ¼	438	Overall depth	22 ½	572
Back height	13 ½	343			
Back width	17 ½	445			

Model	Frame	Polypropylene shell color	Upholstery / List (\$)	Other options (\$)
FE05	E3 Black	FS01 White	Grade 1 235 x 2 = 470	DP Std
	E1 Polished chrome	FS03 Black	Grade 2 240 x 2 = 480	SP 45/chair
		FS04 Navy	Grade 3 245 x 2 = 490	P33 ⁽²⁾ 40/chair
		FS06 Red	Grade 4 250 x 2 = 500	
		FS08 Yellow	Grade 5 260 x 2 = 520	
		FS14 Gray	Grade 6 270 x 2 = 540	
		FS15 Orange	Grade 7 440 x 2 = 880	
		FS21 Green	Grade 8 345 x 2 = 690	
		FS27 Blue		
		FS33 Black Cal-133 ⁽¹⁾		

ACCESSORIES**FEDY****Standard features**

Stacking dolly, black only
Enamel steel frame
To stack 40 FE01 or 40 FE02 models only

Dimensions	(in)	(mm)	Overall dimensions of dolly with 40 chairs	(in)	(mm)
Overall width	23 ½	597	Total height	69	1753
Overall depth	28 ½	724	Total width	24	610
			Total depth	38	965


Model	List (\$)
FEDY	695

UPFEDY**Standard features**

Stacking dolly, black only
Enamel steel frame
To stack 22 FE03, FE04, FE05, or FE06 models

Dimensions	(in)	(mm)	Overall dimensions of dolly with 22 chairs	(in)	(mm)
Overall width	21 ¼	540	Total height	66	1676
Overall depth	28 ½	724	Total width	21 ¼	540
			Total depth	34	864

Model	List (\$)
UPFEDY	695

FEBR**Standard features**

Chrome bookrack
Field installation
Bookrack snaps on and off
Does not allow permanent attachment


Model	List (\$)
FEBR	85

(1) FS33: Requires P33 option.

(2) P33: FS33 only.

ACCESSORIES

FETL



Standard features

Tablet arm (left) For FE01, FE03 and FE05 only
 Field installation
 Chrome frame with black writing surface
 Tablet arm flips up but does not articulate

Dimensions

(in)

(mm)

Tablet width 10 ½ 267
 Overall width 11 ½ 292
 Overall depth 20 ½ 521


Model

FETL

List (\$)

170

FETR



Standard features

Tablet arm (right) For FE01, FE03 and FE05 only
 Field installation
 Chrome frame with black writing surface
 Tablet arm flips up but does not articulate

Dimensions

(in)

(mm)

Tablet width 10 ½ 267
 Overall width 11 ½ 292
 Overall depth 20 ½ 521


Model

FETR

List (\$)

170

FEANG



Standard features

Ganging kit
 Field installation
 Gangs 2 chairs without arms together. Arm to armless models will gang together
 Chair with a tablet arm adjacent to another tablet arm cannot be ganged together

Model

FEANG

List (\$)

25

C.O.M./C.O.V. Policy

Fabric approval

All C.O.M./C.O.V. materials must be approved for use by Groupe Lacasse/ United Chair manufacturing facilities.

To request approval, one (1) yard needs to be forwarded along with the material's specifications to our Groupe Lacasse manufacturing facilities to the attention of the C.O.M./C.O.V. coordinator; shipping information can be found on the Custom Fabric Form. If California # 117 compliant, the certification must accompany the material. Please ensure that the custom fabric form is completely filled out and sent to **COM-Info@groupelacasse.com** or the test cannot be processed. The ORIENTATION section is especially important; if it fails to be completed the material will be applied as it comes off the roll.

Once the C.O.M./C.O.V. material has been tested, you will be contacted by the C.O.M./C.O.V. coordinator with the results. Upon approval, you will be directed as to any additional yardage requirements beyond the published C.O.M./C.O.V. yardage. To determine amount of upholstery needed, please refer to the C.O.M./C.O.V. designation (model specific) in the product description section of the website (**www.groupelacasse.com**). Yardage is based on 54" width roll. **Some directional or patterned material may require additional yardage.**

All materials are to be received from the vendor clearly marked with your purchase order number, VENDOR-PATTERN-COLOR and yardage. There should not be more than one piece per roll. Back orders or partial shipments will not be accepted. Rolls must not exceed 50 lbs. All C.O.M./C.O.V. material must be shipped prepaid to our manufacturing facilities. **DO NOT** ship C.O.M./C.O.V. material without positive test results.

Once approved, please forward your purchase order to **COM-Info@groupelacasse.com** and the upholstery to the specified address. Groupe Lacasse is not be responsible for any upholstery excess received or material that cannot be identified. Those will automatically be discarded or returned, on demand only, to the client at their expenses. C.O.M./C.O.V. upholstery is subject to final approval upon arrival. It is the responsibility of the customer or customer's vendor to inspect material for bias and/or flaws prior to shipment to Groupe Lacasse / United Chair.

Disclaimer

The Seller reserves the right to approve all C.O.M./C.O.V. prior to acceptance. Even after preliminary approval, the Seller reserves the right to reject C.O.M./C.O.V. if tests or early production results indicate the material will not meet the Seller's quality standards or excessive unforeseen costs will be incurred. For accepted C.O.M./C.O.V., the Seller assumes no responsibility for its appearance, quality, durability, colorfastness or any other attributes after application to a United Chair product. The Seller will determine any additional yardage, labor charges or surcharges that may be required as a condition of C.O.M./C.O.V. acceptance.

Purchase orders will not be processed until material has been approved and production cannot be scheduled until upholstery has been received. Upon completing these steps, your ship date will be determined. The Seller may split an order at the customer's request and may be subject to a minimum order charge.

The Seller is not responsible for excess C.O.M./C.O.V. from completed orders unless express agreement has been reached in advance. The customer is responsible for the return of any excess material. C.O.M./C.O.V. orders may not be changed or cancelled after acknowledgement.

Please consult the C.O.M./C.O.V. coordinator by phone: 1-888-522-2773, or email at **COM-Info@groupelacasse.com** with any questions regarding this process.

Pricing

C.O.M. (FABRIC): is priced at Grade 2.

C.O.V. (VINYL): is priced at Grade 3.

For internal use only

Tracking #

Date

**Custom Fabric Form**

All information below needs to be supplied in order to process your request and one (1) yard of the fabric must be sent. Additional material may be requested. Please include this form and a Cal-117 certification (if applicable) to all test requests. If fabric is reversible, please indicate up side with a color swatch. Remember that fabric **(C.O.M.) is priced at grade 2 and vinyl (C.O.V.) is priced at grade 3**. Contact the C.O.M. coordinator with any questions.

Please send this form to COM-Info@groupelacasse.com.

General information

Date of request	Ship one (1) yard of the selected upholstery to one of the following address For all other United Chair and Arold products: Attention: C.O.M. Testing Groupe Lacasse 185 Saint-Pierre Saint-Pie, QC J0H 1W0 Canada
Customer name	
Contact person	
Phone #	
E-mail address	

Textile information

Test #	Results		Supplier	Pattern name	Pattern #	Color
	Passed	Failed				
1.						
2.						
3.						
4.						
5.						

For internal use only

	Please check		Orientation		Reversible fabric?		Is fabric Cal-117?		Backer type
	Fabric	Vinyl	Off the roll	Railroaded	Yes	No	Yes	No	(If applicable)
1.									
2.									
3.									
4.									
5.									

Other comments

Terms and Conditions

Order placement

Groupe Lacasse LLC requires that all orders must be submitted in writing as represented by a valid purchase order on company letterhead, which includes the total list and net dollars. This is to ensure that orders are complete, to avoid errors, and to avoid duplication. Please order product by number in order to avoid any possible error. Telephone orders will not be processed for production without proper written confirmation. Groupe Lacasse LLC will not be responsible for errors, omissions and order duplication due to non-compliance with this procedure.

Ordering information

The following information is required to process an order:

Customer information

Sold/Ship to address
Purchase order number
Authorized signature
Contact name and phone
Consignee contact name and phone
Tagging instructions
Bid/Quote # if applicable
Product pricing (list/net)
Order total (list/net)
Preferred delivered date
(Specific delivery date not guaranteed)

Product information

Quantity
Product numbers including options
Fabric and colors (all surfaces)

Order changes

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by our Customer Service before production rescheduling.

Order cancellations

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise.

Order acknowledgment

Orders will be acknowledged by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number.

Returns

Products are made-to-order and may not be cancelled or returned. For warranty issues, please contact Customer Service. The Seller reserves the right to recall any defective items for evaluation.

Surcharges

Expedited Transportation

No shipments have guaranteed delivery time and/or date. Time-sensitive deliveries that require expedited carrier service will result in additional charges that will be passed on to the consignee (dealer).

Prices

All prices listed are suggested retail prices, F.O.B. our factory, St-Pie, Quebec, Canada. Orders are accepted subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment.

Chargeable Parts Orders

Contact customer service for availability. Orders under \$10 are subject to a \$15 minimum parts order charge. The small order charge does not apply to replacement parts orders. Service parts prices are subject to change without notice or approval. A \$15 NET freight charge will be applied on all chargeable part orders, outside US.

Price list dated January 2016 supersedes all other published price lists.

Prices shown in price book have priority to electronic catalog contents.

Terms

Terms of sale are net 30 days to firms who have established satisfactory credit; otherwise we reserve the right to request cash in advance. Interest on past due accounts shall be 2% per month (24% per year). Should the Buyer fail to fulfill the above-mentioned terms of payment, Groupe Lacasse LLC reserves the right to defer further shipments until the Buyer has satisfied all solvency criteria and terms of payment as determined by Groupe Lacasse LLC. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the Seller's property until paid for in full. The Buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full.

Credit

Credit may be established for sales on open account by submitting satisfactory references. A line of credit will be set by our credit department. We may change or cancel credit terms at our discretion and request advance payment at our option. A delay in providing credit information may delay order entry and the shipping date of an order. The Seller reserves the right to delay or cancel any shipment to a customer whose account balance is over the credit limit and/or past due. We do not ship C.O.D. Inactive account of more than one (1) year will result in a reevaluation of the account.

Applicable prices

List prices and discounts are subject to change without notice or approval. Applicable prices are those in effect at the time of the receipt of an order; we reserve the right to use the published list prices effective at the time of shipment if the requested ship date is more than 90 days after the order receipt date. Prices shown in price book have priority to electronic catalog contents.

Services

List prices apply to products only. If, as a result of customer request, the dealer or authorized representative provides planning/design services, storage, special handling, set-up, or installation, the customer will be charged at the local dealer or authorized representative's standard rate.

Quotations

Quotations are valid for a period of thirty (30) days.

Changes

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. The right is reserved to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

Delivery

The scheduled delivery week is specified on our acknowledgment. Groupe Lacasse LLC is not liable for delay or failure to deliver goods due to causes beyond its control. Groupe Lacasse LLC will only make on site deliveries for a full truckload (2,400 cubic feet). An unloading dock must be available to accommodate 53 feet trailers and address is subject to approval. Unloading at destination is the responsibility of the purchaser. Our standard carriers do not have liftgates. Request for liftgates can often be accommodated but will result in extra fees.

Time sensitive deliveries that require expedited carrier service will result in additional charges that will be passed onto the consignee (dealer).

Under no circumstance will Groupe Lacasse deliver goods in a residential area. Groupe Lacasse cannot accommodate inside deliveries.


Ship dates and delays

If the Seller cannot ship products due to causes beyond its reasonable control (such as casualty, acts of nature, labor disputes, or accident; inability to obtain necessary labor, material or transportation; changes requested by the customer), the ship date will be extended to compensate for the delay as determined by the Seller.

Routing

Unless otherwise specified by the buyer and agreed to by Groupe Lacasse LLC, the latter reserves the right to select the route, method of shipment and carrier. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect.

Transportation policy



“Zone 0” shipments are FCA plant.

“Zone 1”, “Zone 2”, “Zone 3”, “Zone 4” and “Zone 5” pricing includes freight cost to your geographical location.

On orders less than \$2,000 net (regardless of brand and/or shipping point) we will add a \$50 small order fee in “Zone 1”. For “Zone 2”, “Zone 3”, “Zone 4” and “Zone 5”, the small order fee is \$100.

Orders under **\$25 net** are subject to a \$20 small order fee (instead of 50\$ or 100\$) regardless of the shipping zone.

Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders.

Storage

In the event the purchaser request postponement of shipment beyond the scheduled shipping week after the goods have become work in process, or are ready to be shipped, Groupe Lacasse LLC can take arrangements to store the goods but at the purchaser's risk and expense. Such transfer to storage shall be deemed delivery to purchaser for all purposes including invoicing and payment.

Freight claims

All FCA destination claims will be handled and filed by the Seller. In order to expedite any credit due, your help and assistance is required. Please adhere to the following guidelines.

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made to Groupe Lacasse LLC as follows:

A. Concealed loss or damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, a written request must be made to Groupe Lacasse Customer Service within 15 days of the receiving date. No disposition will be taken until approved by the manufacturer.

IMPORTANT: Groupe Lacasse's policy in concealed damage is to replace the part or complete product if necessary at no charge to the dealer. However, it is the responsibility of the dealer to provide installation of the replaced part or complete product. Therefore, no labor fees will be accepted on concealed damages.

B. Visible damage or shortage

Any external evidence of damage or shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in refusing to honor a damage claim. When damage or shortage is discovered, a written request must be made to Groupe Lacasse Customer Service within 5 days of the receiving date.

For claims, please contact **Groupe Lacasse Customer Service** by phone at **1-888-522-2773** or by fax at **1-888-248-1865**.

Product

A. Use and installation of products

The Seller recommends that its products be installed according to its written installation procedures. The customer agrees to use the Seller's products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by the Seller and to instruct employees as to the proper care and use of the products according to printed instructions. Installers can be contracted through one of the Seller's dealer or affiliate on a separately negotiated basis.

B. Service

Service requests for design, installation, relocation, storage, trade-in, etc. are handled by the local authorized dealer. Contact the local authorized dealer for more details.

C. California Bulletins #117 and #133 (Seating)

Many models in this price list can be made to comply with State of California Technical Bulletin #133. The standard fire-retardant foam supplied meets the specification of State of California Technical Bulletin #117. Consult Customer Service for the latest models and upcharges.

D. Design

We reserve the right to make changes in product offering, design and materials as well as discontinuance of parts and units when such action is deemed to be an improvement in design or function.

Warranty

The following warranty applies to United Chair products manufactured after April 24, 2017. This warranty is given to the initial buyer and is valid for as long as the product is owned by the original buyer. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of products during the applicable warranty period.

Warranty:

Groupe Lacasse LLC warrants its products, from the date of invoice, to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of delivery being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

Lifetime except those listed below. Weight limit: 310 lbs. (141 kg).

United Chair Products	Applicable Warranty Period
All Purpose Stools	10 years*
4800 Series + related accessories	10 years*
Upholstery	Standard and Carded: 5 years*. C.O.M./C.O.V./SPL/Groupe Lacasse Graded-In Program: Not covered under warranty.
Foam	5 years*
Painted Surfaces	5 years*
Casters/Glides	10 years*
Arm Pads	5 years*
Mechanism	10 years*
Cylinder	10 years*
Savvy 24h	5 years
All other components	Lifetime
Dollies	10 years*

Labor, delivery charges and service not covered under warranty.

This warranty does not apply to “normal wear and tear”, abuse, damage caused by a carrier, damaged caused by transport of product from one site or location to another and alterations to the product not expressly authorized by the Seller. It also does not apply to “Customer’s Own Material”, “Groupe Lacasse Graded-In Program” and “SPL” fabric, (i.e., material specified by the buyer that is not a standard United Chair product offering) used in the manufacture of United Chair products. The Seller does not warrant the matching of color, grain or texture except to within commercially-acceptable standards. For the purposes of warranty claims, upholstery fabrics that have been dropped from United Chair stocked fabric program will be supported for 6 months from the date of discontinuation. For fabrics that are no longer available from the manufacturer, substitute fabrics will be used for warranty claims.

A product will not be considered defective, and it will not be subject to the warranty, if the product is not installed or used as recommended in the Seller’s written planning, installation or user guides. The warranty does not apply to any United Chair seating product that is used by an individual weighing over 310 lbs. (141 kg). Warranty will be void if identification label is removed under the chair or if a proof of purchase cannot be supplied, such as an order number or an invoice.

Except as stated above, the Seller does not make any express or implied warranties as to any product and in particular does not make any warranty of fitness for any particular purpose except for use as standard office furniture. The remedies described above are the buyer’s exclusive remedies for any product defect. The Seller shall not be liable for consequential, economic, indirect, punitive or incidental damages arising from any product defect.

*The applicable warranty period assumes that the product is used an average of not more than 40 hours per week. If a product is used more than this, the applicable warranty period shall be reduced in proportion to the increased usage. For example, if casters are used an average of 50 hours per week, the applicable warranty period for the casters shall be reduced to four years.



united chair[®]

A GROUPE LACASSE BRAND

GROUPE
LACASSE

1 888 522.2773 www.groupelacasse.com

3661
U332-9
4/17
.5M