

Haworth prices in this
book will increase on
March 1, 2017 by 4%

Orlando™ LS

North America Price List – June 2015

This Haworth North American price book contains US list prices.



Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

Orlando LS — Table of Contents

General Specifications 5-12

Desks

Single Pedestal Desk	13
Double Pedestal Desk	14
D-Top Desk Extension	15
D-Top Desk	16

Returns

Return Shell	17
Return with Lateral Storage	18
Return with Pedestal Storage	18

Bridges and Corners

Bridge	19
Corner Unit	19

Credenzas

Credenza with Pedestal	20
Credenza with Lateral Storage	21
Credenza with Symmetrical Kneespace	21
Credenza with Symmetrical Lateral Files	22
Door/Drawer Credenza	23
Door Credenza	23

Vertical and Wall Mounted Storage

Vertical Storage Unit	24
Vertical Storage Unit Open Center	25
Vertical Storage Unit Open	26
Wall Mounted Overhead Storage Unit	27

Slat/Tackboards

Tackboard	28
Slat/Tackboard	28

Lateral Files and Mobile Pedestals

One-High Lateral File	29
Two-High Lateral File	29
Mobile Pedestal	29

Bookcases

Two-High Bookcase	30
Three-High Bookcase	30
Five-High Bookcase	30

Wardrobes

Wardrobe/File Storage Cabinet	31
Wardrobe/Storage Cabinet	31

Tables

Round Table	32
-------------------	----

Accessories

Pencil Tray	33
Front-to-Back Hanging Bars	33
Pedestal Cushion Kit	33
One-High Lateral File Cushion Kit	33
Grommet	33

Lighting — Task

Adaptable Electronic Ballast Task Light	34
Adaptable Electronic Ballast Task Light (Starter Light)	34
Adaptable Electronic Ballast Task Light (Add-On Light)	35
Reed Premier™ Stand-Alone LED Task Light	36
Reed Premier™ Starter LED Task Light	36
Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	37
Reed Premier™ Add-On Occupancy Sensor	37

BRAZO

Freestanding Lighting — BRAZO®	38
Mounted Lighting — BRAZO	38
Grommet — For Use with BRAZO Grommet Mounted Light Only	38

LIM

LIM L	39
LIM C	40
LIM Y	40
LIM Mounted	41, 42
LIM Hardware	42

Work Tools

Binder Bin	43
Tote	43
Tote Strap	43
Tack Strip	43
Gooseneck Kit	43
Mini Shelf	44
Phone Shelf	44
Phone Shelf Bracket	44
Personal Shelf	44
Personal Shelf Bracket	45
Paper Sorter	45
Tool Cup	45
Letter Tray	45
Waste Bin	46
Letter Tray Stacking Kit	46
Letter Tray Stacking Bracket	46

Finishes and Fabrics

Finish / Color Legend	47
Systems/Seating Fabric / Color Legend	48-51
COM Yardage Requirements	52-54

Terms of Sale

North American	55-58
----------------------	-------


Index 59-60

Lifetime Product Warranty Inside Back Cover


This page intentionally blank

Orlando LS Statement of Line


Single Pedestal Desk




Double Pedestal Desk




D-Top Desk Extension




D-Top Desk



Return Shell




Return with Lateral Storage




Orlando LS Statement of Line


Return with Pedestal Storage




Bridge




Corner Unit




Credenza with Pedestal




Credenza with Lateral Storage



Credenza with Symmetrical Kneespace




Credenza with Symmetrical Lateral Files




Orlando LS Statement of Line




Door/Drawer Credenza




Door Credenza



Vertical Storage Unit



Wall Mounted Overhead Storage Unit



Tackboard




Slat/Tackboard




Orlando LS Statement of Line


One-High Lateral File




Two-High Lateral File




Mobile Pedestal




Bookcase




Wardrobe/Storage Cabinet



Wardrobe/File Storage Cabinet



Round Table




Cable Management


To help you route power cords and communication cables around and through Orlando LS casegoods, we have designed several features into the products. We offer accessory products to bring electrical power and data to the desk height and route cords and cables down and around the product.

Desks, returns, bridges and credenzas feature a continuous 1"(25mm) space between the modesty panel and the desk top to allow routing of cords and cables.

Vertical storage units feature a continuous 2"(51mm) space between the top of the back panel and the bottom of the cabinet. This allows for routing of the task light power cord behind the back panel, and it also functions as the attachment location for a tackboard. Additional power cords and communications cables can be routed through two crescent-shaped cutouts in the bottom edge of the back panel on the Vertical Storage Unit. Returns, bridges, and kneespace credenzas feature modesties that are easily detached for power and communication access.




Standard cutout in the kneewell side panel of pedestals and lateral files



Cutouts in vertical storage unit back panel allow routing of power and data

2" space for task light cord routing behind vertical storage unit



Storage Capacities


Orlando LS offers several standard storage features as well as some unique storage options. All desk, return and credenza pedestal file drawers offer interior drawer access to front-to-back letter filing or side-to-side legal filing. All file drawers have full extension slides. The box drawer for the 36"(914mm) depth desk has 3/4 extension slides. All other box drawers have full extension slides.

Standard pedestal accessories include one pencil tray per pedestal in top box drawer.


Lateral file drawers are available in two heights, open/file and open/box/file. File drawers will accommodate side-to-side legal filing and letter.

Pedestal Files — 15 3/16" (385mm) Width	Pedestal Depth	Drawer Depth
	22"	16"
	24"	22"
	30"	22"

SHALLOW DEPTH DRAWER DEEP DEPTH DRAWER




Letter - Front-to-Back
16" (406mm)



Letter - Front-to-Back
22" (559mm)


Lateral Files —
36" (914mm) Width

- Two adjustable bars are included to accommodate side/side letter filing.




Letter / Legal* - Front-to-Back
16" (406mm)


*With separately specified front-to-back hanging bars.



Letter / Legal - Side-to-Side
32" (813mm)



Pedestal storage interior shelf dimensions



Lateral storage interior shelf dimensions


Technical Specifications**Surface Material:**

- Thermofused laminate (TFL) surfaces and side panels made of particleboard panels for 1" (25.4mm) or 1 1/2" (38mm) thick finished with a mar-resistant high-performance thermofused laminate (45 lbs/ft). The particleboard panels are laminated on both sides for proper balance.
- TFL technology consists of a decorative paper impregnated with reactive melamine resins which is thermally fused to a substrate. The heat and pressure produces a permanent thermal bond between the melamine resins, the decorative paper and the substrate. The bonding process results in a clear, hard and non-porous surface.

Top Construction:	1" thick (25.4mm) wood composite core with thermofused laminate on both surfaces.
Modesty Panel Construction:	5/8" (15.8mm) thick wood composite core with thermofused laminate on both surfaces; 3/4 high modesty panel will have an arc shape.
End Panel Construction:	1" thick (25.4mm) wood composite core with thermofused laminate on both surfaces.
Drawer Front Construction:	5/8" (15.8mm) thick wood composite core with thermofused laminate on both surfaces.
Drawer Box Construction:	Wood composite core with black Miterfold.
Drawer and Door Pulls:	Orlando Pull - Zinc die cast with black finish. Linear Pull - Zinc die cast with brushed nickel finish.
Locks:	Black or brushed nickel (chrome) matched to choice of pull. Units without pulls require specification of lock color.

Edge Detail


All Orlando LS worksurfaces feature a standard edge on the user's and visitor's side of the top. The round tables feature the standard edge.




Standard Edge

Drawer Detail

Pedestal drawers, lateral file drawers and wardrobe/storage doors feature an easy-to-grab handle which meets ADA guidelines.



Drawer Pull - Orlando



Drawer Pull - Linear

Note: Drawer pulls are not interchangeable. Hole spacing for Linear pulls is 7.6" (192mm) and Orlando pull is 5.03" (128mm).


Leg DetailD-Top, Corner
and Table Leg – CasterD-Top, Corner
and Table Leg – Glide

Note: Glide and caster are not interchangeable.


General Specifications	Orlando LS product specification numbers are based on an alpha-numeric logic that identifies a product by product line, size and certain characteristics.					
	For instance, a product number that reads BCXL-2272-J8L identifies the product as an Orlando LS credenza with lateral storage, 22"(559mm) deep and 72"(1829mm) wide.					
	The alpha-numeric logic for this product complete with finish color code is shown below:					
		B	CXL-22	72-	J8L,	0G-HZN , 0G-HZN
Product Line	_____					
B	= Orlando LS					
Product Type	_____					
CXL	= Credenza with lateral storage					
Product Depth	_____					
Product Width	_____					
Functional Option	_____					
J	= File/File					
8	= Linear Pull					
L	= Left-hand Desk Orientation					
Finish Color For Top	_____					
Finish Color Vertical Surfaces	_____					
Finishes	A complete listing of finishes and fabrics for Orlando LS casegoods can be found following price pages.					
Lock Programs	Refer to the current Lock Programs Specification Guidelines Price List for part numbers and prices.					

Orlando LS — Single Pedestal Desks

	Height	Depth	Width	Number	①②③④	Price
Single Pedestal Desk	29 3/8"(745mm)	30"(762mm)	60"(1524mm)	BDOS-3060-	■ ■ ■ ■	\$1400.51
			66"(1676mm)	BDOS-3066-	■ ■ ■ ■	1424.51
			72"(1829mm)	BDOS-3072-	■ ■ ■ ■	1448.51
		36"(914mm)	60"(1524mm)	BDOS-3660-	■ ■ ■ ■	\$1448.51
			66"(1676mm)	BDOS-3666-	■ ■ ■ ■	1477.31
			72"(1829mm)	BDOS-3672-	■ ■ ■ ■	1506.11



BDOS-H8FL



Two-tone application

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges, case and one pedestal.
- Pedestal configurations:
 - Box/box/file or open box/file with lock.
- Letter width 15.16"(385mm) pedestal.
- All file drawers have full extension slides; the box drawer for the 36"(914mm) depth desk has 3/4 extension slides. All other box drawers have full extension slides.
- Recessed full-height or 3/4-height modesty panel with continuous wireway cutout.
- Desk top overhang is 6"(153mm).
- Accommodates these separately specified accessories: pencil tray or grommet.
- Drawer pulls are available in black (Orlando) or brushed nickel finish (Linear).
- False pedestal back on side with no pedestal provides a double pedestal desk appearance from the approach side.
- One lock standard per pedestal.
- Kneespace clearance:
 - BDOS-3060 - 28 3/8"(720mm) H x 22 3/8"(568mm) D x 43"(1092mm) W
 - BDOS-3066 - 28 3/8"(720mm) H x 22 3/8"(568mm) D x 49"(1245mm) W
 - BDOS-3072 - 28 3/8"(720mm) H x 22 3/8"(568mm) D x 55"(1397mm) W
 - BDOS-3660 - 28 3/8"(720mm) H x 28 3/8"(720mm) D x 43"(1092mm) W
 - BDOS-3666 - 28 3/8"(720mm) H x 28 3/8"(720mm) D x 49"(1245mm) W
 - BDOS-3672 - 28 3/8"(720mm) H x 28 3/8"(720mm) D x 55"(1397mm) W
- Glides provide 1 1/4"(32mm) adjustment range.
- Desks shipped assembled.

Specification Tips

- Pull choice determines lock finish.
- 3/4 high modesty panel will have an arc shape.
- Desks ordered as left- or right-hand **cannot** be field reconfigured to the opposite orientation.
- Desktop overhang cannot accommodate a vertical storage unit.

To Order, Specify:

- Product number, including:

① Storage Pedestal Option:

- H** Box/Box/File, add \$40.79 list
- M** Open/Box/File

② Pull Option:

- 4** Orlando
- 8** Linear

③ Modesty Panel Option:

- F** Full Height, add \$40.79 list.
- Q** 3/4 Height


④ Pedestal Orientation:

- L** Left-hand
- R** Right-hand


- Laminate finish color for top.
- Laminate finish color for vertical surfaces.

Orlando LS — Double Pedestal Desks


	Height	Depth	Width	Number	①②③④	Price
Double Pedestal Desk	29 3/8"(745mm)	30"(762mm)	66"(1676mm)	BDOD-3066-	■ ■ ■ ■	\$1810.63
			72"(1829mm)	BDOD-3072-	■ ■ ■ ■	1837.63
			78"(1981mm)	BDOD-3078-	■ ■ ■ ■	1864.63
	36"(914mm)	36"(914mm)	66"(1676mm)	BDOD-3666-	■ ■ ■ ■	\$1870.03
			72"(1829mm)	BDOD-3672-	■ ■ ■ ■	1902.43
			78"(1981mm)	BDOD-3678-	■ ■ ■ ■	1934.83



BDOD-HH8F



BDOD-MM8F



Two-tone application

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges, case and two pedestals.
- Pedestal configurations:
 - Box/box/file, file/file or open/box/file with lock.
- Letter width 15.16"(385mm) pedestal.
- All file drawers have full extension slides; the box drawer for the 36"(914mm) depth desk has 3/4 extension slides. All other box drawers have full extension slides.
- Recessed full-height or 3/4-height modesty panel with continuous wireway cutout.
- Desk top overhang is 6"(153mm).
- Accommodates these separately specified accessories: pencil tray or grommet.
- Drawer pulls are available in black (Orlando) or brushed nickel finish (Linear).
- One lock standard per pedestal.
- Kneespace clearance:
 - BDOD-3066 - 28 3/8"(720mm) H x 22 3/8"(568mm) D x 34"(864mm) W
 - BDOD-3072 - 28 3/8"(720mm) H x 22 3/8"(568mm) D x 40"(1016mm) W
 - BDOD-3078 - 28 3/8"(720mm) H x 22 3/8"(568mm) D x 46"(1168mm) W
 - BDOD-3666 - 28 3/8"(720mm) H x 28 3/8"(720mm) D x 34"(864mm) W
 - BDOD-3672 - 28 3/8"(720mm) H x 28 3/8"(720mm) D x 40"(1016mm) W
 - BDOD-3678 - 28 3/8"(720mm) H x 28 3/8"(720mm) D x 46"(1168mm) W
- Glides provide 1 1/4"(32mm) adjustment range.
- Desks shipped assembled.

Specification Tips

- Pull choice determines lock finish.
- 3/4 high modesty panel will have an arch shape.
- File/File pedestal option on left and right side not available.
- Desktop overhang cannot accommodate a vertical storage unit.

To Order, Specify:

1) Product number, including:

① Storage Pedestal Option:

- H** Box/Box/File, add **\$40.79** list
- J** File/File
- M** Open/Box/File

② Storage Pedestal Option:

- H** Box/Box/File, add **\$40.79** list
- J** File/File
- M** Open/Box/File

③ Pull Option:

- 4** Orlando
- 8** Linear

④ Modesty Panel Option:


- F** Full Height, add **\$40.79** list
- Q** 3/4 Height

2) Laminate finish color for top.


3) Laminate finish color for vertical surfaces.

Orlando LS — D-Top Desks

	Height	Depth	Width	Number 1 2	Price
D-Top Desk Extension	29 3/8"(745mm)	30"(762mm)	66"(1676mm)	BRED-3066- <input type="checkbox"/> <input type="checkbox"/>	\$1107.21
			72"(1829mm)	BRED-3072- <input type="checkbox"/> <input type="checkbox"/>	1124.36
			78"(1981mm)	BRED-3078- <input type="checkbox"/> <input type="checkbox"/>	1141.51
			84"(2134mm)	BRED-3084- <input type="checkbox"/> <input type="checkbox"/>	1158.66
	36"(914mm)	66"(1676mm)	66"(1676mm)	BRED-3666- <input type="checkbox"/> <input type="checkbox"/>	\$1144.94
			72"(1829mm)	BRED-3672- <input type="checkbox"/> <input type="checkbox"/>	1165.52
			78"(1981mm)	BRED-3678- <input type="checkbox"/> <input type="checkbox"/>	1186.10
			84"(2134mm)	BRED-3684- <input type="checkbox"/> <input type="checkbox"/>	1206.68



BRED-NC



BRED-HC

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge on user edges and 1mm edge on attachment end, column base, two flat brackets and column base attachment hardware.
- Support leg available in charcoal or metallic silver finish.
- Kneespace clearance:
 - BRED-3066 - 28 3/8"(720mm) H x 14 3/4"(375mm) D x 65"(1651mm) W
 - BRED-3072 - 28 3/8"(720mm) H x 14 3/4"(375mm) D x 71"(1803mm) W
 - BRED-3078 - 28 3/8"(720mm) H x 14 3/4"(375mm) D x 77"(1956mm) W
 - BRED-3084 - 28 3/8"(720mm) H x 14 3/4"(375mm) D x 83"(2108mm) W
 - BRED-3666 - 28 3/8"(720mm) H x 17 3/4"(451mm) D x 65"(1651mm) W
 - BRED-3672 - 28 3/8"(720mm) H x 17 3/4"(451mm) D x 71"(1803mm) W
 - BRED-3678 - 28 3/8"(720mm) H x 17 3/4"(451mm) D x 77"(1956mm) W
 - BRED-3684 - 28 3/8"(720mm) H x 17 3/4"(451mm) D x 83"(2108mm) W
- Available single tone only.
- Shipped unassembled.

Specification Tips

- Not designed to be freestanding.
- Includes two flat brackets to allow attachment to credenza.

To Order, Specify:

- Product number, including:

1 Modesty Panel Option:

- ☐ **H** 1/2 Modesty, add **\$19.82** list
- ☐ **N** No Modesty


2 Grommet Option:

- ☐ **C** Center
- ☐ **N** No Grommet


- Laminate finish color.
- Trim color.

Orlando LS — D-Top Desks

	Height	Depth	Width	Number ①②	Price
D-Top Desk	29 3/8"(745mm)	30"(762mm)	66"(1676mm)	BRDD-3066-■ ■	\$1062.34
			72"(1829mm)	BRDD-3072-■ ■	1075.09
			78"(1981mm)	BRDD-3078-■ ■	1087.84
			84"(2134mm)	BRDD-3084-■ ■	1100.59
	36"(914mm)	66"(1676mm)	66"(1676mm)	BRDD-3666-■ ■	\$1090.39
			72"(1829mm)	BRDD-3672-■ ■	1105.69
			78"(1981mm)	BRDD-3678-■ ■	1120.99
			84"(2134mm)	BRDD-3684-■ ■	1136.29



BRDD-NC



BRDD-HC

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges except the edge supported by end panel, which is 1mm, full-height end panel, 13 3/4"(349mm) high modesty panel and 3"(76mm) elliptical steel support leg.
- Attaches to a return or bridge.
- Support leg available in charcoal or metallic silver finish.
- Kneespace clearance:
 - BRDD-3066 - 28 3/8"(720mm) H x 14 3/4"(375mm) D x 65"(1651mm) W
 - BRDD-3072 - 28 3/8"(720mm) H x 14 3/4"(375mm) D x 71"(1803mm) W
 - BRDD-3078 - 28 3/8"(720mm) H x 14 3/4"(375mm) D x 77"(1956mm) W
 - BRDD-3084 - 28 3/8"(720mm) H x 14 3/4"(375mm) D x 83"(2108mm) W
 - BRDD-3666 - 28 3/8"(720mm) H x 17 3/4"(451mm) D x 65"(1651mm) W
 - BRDD-3672 - 28 3/8"(720mm) H x 17 3/4"(451mm) D x 71"(1803mm) W
 - BRDD-3678 - 28 3/8"(720mm) H x 17 3/4"(451mm) D x 77"(1956mm) W
 - BRDD-3684 - 28 3/8"(720mm) H x 17 3/4"(451mm) D x 83"(2108mm) W
- Available single tone only.
- Shipped unassembled.

Specification Tips

- Designed to be used in a U-shaped or L-shaped configuration; not freestanding.
- If used to support a vertical storage unit, the end panel of the vertical storage unit must align with the perpendicular T-Support panel.
- Vertical storage unit may not be supported on the visitor or user edge of the worksurface.

To Order, Specify:

- Product number, including:

① Modesty Panel Option:

H 1/2 Modesty, add \$19.82 list

N No Modesty

② Grommet Option:


C Center

N No Grommet


- Laminate finish color for top.
- Laminate finish color for vertical surfaces.
- Trim color.

Orlando LS — Returns


	Height	Depth	Width	Number ^①	Price
Return Shell	29 3/8"(745mm)	22"(559mm)	36"(914mm)	BRRN-2236-■	\$550.75
			42"(1067mm)	BRRN-2242-■	568.67
			48"(1219mm)	BRRN-2248-■	586.59
			54"(1372mm)	BRRN-2254-■	604.51
			60"(1524mm)	BRRN-2260-■	622.43



BRRN-L



Two-tone application

**Features**

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges except the edge supported by end panel, which is 1mm, a full modesty panel and two flat brackets.
- Recessed full-height modesty panel with continuous wireway cutout.
- Accommodates separately specified grommet accessory.
- Guest side has a false pedestal appearance.
- Glides provide 1 1/4"(32mm) adjustment range.
- Shipped unassembled.

Specification Tips

- Handed design (left or right) based on position of attachment side.
- Not designed to be freestanding.
- Returns ordered as left- or right-handed **cannot** be field reconfigured to the opposite orientation.

To Order, Specify:

- 1) Product number, including:

① Return Orientation:

L Left-hand

R Right-hand


- 2) Laminate finish color for top.
- 3) Laminate finish color for vertical surfaces.

Orlando LS — Returns


	Height	Depth	Width	Number	①②③	Price
Return with Lateral Storage	29 3/8"(745mm)	22"(559mm)	48"(1219mm)	BRRL-2248-	■ ■ ■	\$1232.25
			54"(1372mm)	BRRL-2254-	■ ■ ■	1282.93
			60"(1524mm)	BRRL-2260-	■ ■ ■	1333.61
			66"(1676mm)	BRRL-2266-	■ ■ ■	1384.29
			72"(1829mm)	BRRL-2272-	■ ■ ■	1434.97



BRRL-J8L



BRRL-M8L



Two-tone application

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges except the edge supported by end panel, which is 1mm, lateral file and attachment hardware.
- Return features a full modesty.
- Lateral file configurations:
 - Two-High lateral files, open/file, open/box/file or file/file with lock.
- Accommodates these separately specified accessories: pencil tray or grommet.
- Lateral files are 36"(914mm) wide.
- Attaches to a single pedestal desk or D-top desk.
- Kneespace clearance:
 - BRRL-2248 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 12"(305mm) W
 - BRRL-2254 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 18"(457mm) W
 - BRRL-2260 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 24"(610mm) W
 - BRRL-2266 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 30"(762mm) W
 - BRRL-2272 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 36"(914mm) W
- Drawer pulls are available in black (Orlando) or brushed nickel finish (Linear).
- One lock standard per return.
- Return features a full modesty.
- Glides provide 1 1/4"(32mm) adjustment range.
- Returns shipped assembled.

Specification Tips

- Pull choice determines lock finish.
- Can accommodate a vertical storage unit when connected to a desk or credenza.
- Handed design (left or right) based on position of attachment side.
- Returns ordered as left- or right-hand **cannot** be field reconfigured to the opposite orientation.
- Not designed to freestanding.

To Order, Specify:

- Product number, including:

① Lateral File Drawer Option:

- G** Open/File
- J** File/File
- M** Open/Box/File, add \$40.79 list

② Pull Option:

- 4** Orlando
- 8** Linear


③ Return Orientation:

- L** Left-hand
- R** Right-hand


- Laminate finish color for top.

- Laminate finish color for vertical surfaces.


Return with Pedestal Storage	29 3/8"(745mm)	22"(559mm)	36"(914mm)	BRRS-2236-	■ ■ ■	\$ 971.95
			42"(1067mm)	BRRS-2242-	■ ■ ■	1014.97
			48"(1219mm)	BRRS-2248-	■ ■ ■	1057.99
			54"(1372mm)	BRRS-2254-	■ ■ ■	1101.01
			60"(1524mm)	BRRS-2260-	■ ■ ■	1144.03



BRRS-J8L



BRRS-M8L



Two-tone application

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges except the edge supported by end panel, which is 1mm, pedestal file and attachment hardware.
- Pedestal configurations:
 - File/file, box/box/file or open/box/file with lock.
- Attaches to a single pedestal desk or D-top desk.
- Accommodates these separately specified accessories: pencil tray or grommet.
- Kneespace clearance:
 - BRRS-2236 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 20"(508mm) W
 - BRRS-2242 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 26"(660mm) W
 - BRRS-2248 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 32"(813mm) W
 - BRRS-2254 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 38"(965mm) W
 - BRRS-2260 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 44"(1118mm) W
- Drawer pulls are available in black (Orlando) or brushed nickel finish (Linear).
- One lock standard per pedestal.
- Glides provide 1 1/4"(32mm) adjustment range.
- Returns shipped assembled.

Specification Tips

- Pull choice determines lock finish.
- Can accommodate a vertical storage unit when connected to a desk or credenza.
- Handed design (left or right) based on position of attachment side.
- Returns ordered as left- or right-hand **cannot** be field reconfigured to the opposite orientation.
- Not designed to be freestanding.

To Order, Specify:

- Product number, including:

① Pedestal Storage Option:

- H** Box/Box/File, add \$40.79 list
- J** File/File
- M** Open/Box/File

② Pull Option:

- 4** Orlando
- 8** Linear

③ Return Orientation:


- L** Left-hand
- R** Right-hand

- Laminate finish color for top.


- Laminate finish color for vertical surfaces.

Orlando LS — Bridges and Corners


	Height	Depth	Width	Number ①	Price
Bridge	29 3/8"(745mm)	22"(559mm)	36"(914mm)	BBR-2236-■	\$408.10
			42"(1067mm)	BBR-2242-■	425.59
			48"(1219mm)	BBR-2248-■	443.08



BBR-F



BBR-N



Two-tone application

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges except the edge supported by end panel, which is 1mm, modesty panel and attachment hardware.
- Attaches to a single pedestal desk or D-top desk and single pedestal credenza.
- Two tone application only applicable when specified with a modesty.
- Kneespace clearance:
BBR-2236 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 36"(914mm) W
BBR-2242 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 42"(1067mm) W
BBR-2248 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 48"(1219mm) W
- Shipped unassembled.

To Order, Specify:

- 1) Product number, including:

① Modesty Panel Option:

F Full modesty, add **\$38.48** list

N No modesty


- 2) Laminate finish color.
- 3) Laminate finish color for modesty only.

Specification Tips


- Designed to be used between single pedestal desk, return shells, and credenza units to configure a U-shaped office.
- Not for use with a corner unit.

Corner Unit


	Height	Depth	Width	Number ①	Price
	29 3/8"(745mm)	22"(559mm)	36"(914mm)	BUC-2236-■ D	\$1021.42
			42"(1067mm)	BUC-2242-■ D	1157.79



BUC-ND



BUC-FD



Two-tone application

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges except the edge supported by end panel, which is 1mm, two full-height end panels and attachment hardware.
- Diagonal grain direction on top.
- Corner unit without modesty panels includes 3"(76mm) elliptical steel support leg.
- Can be attached to return, bridge or desk.
- Elliptical steel support leg is in charcoal or metallic silver finish.
- Kneespace clearance:
BUC-2236 - 28 3/8"(720mm) H x 18 1/2"(470mm) D x 30"(762mm) W
BUC-2242 - 28 3/8"(720mm) H x 18 1/2"(470mm) D x 38 9/16"(979mm) W
- Glides provide 1 1/4"(32mm) adjustment range.
- Shipped unassembled.

To Order, Specify:

- 1) Product number, including:

① Modesty Panel Option:

F Full modesty, add **\$75.79** list

N No modesty


- 2) Laminate finish color for top.
- 3) Laminate finish color for vertical surfaces (modesty only).
- 4) Trim color (no modesty).

Specification Tip


- Not intended to support a vertical storage unit, end panel, bridge or bookcase.

Orlando LS — Credenzas

	Height	Depth	Width	Number	①②③	Price
Credenza with Pedestal	29 3/8"(745mm)	22"(559mm)	60"(1524mm)	BCXS-2260-	■ ■ ■	\$1266.86
			66"(1676mm)	BCXS-2266-	■ ■ ■	1279.22
			72"(1829mm)	BCXS-2272-	■ ■ ■	1291.58
			78"(1981mm)	BCXS-2278-	■ ■ ■	1303.94
			84"(2134mm)	BCXS-2284-	■ ■ ■	1316.30



BCXS-H8L



Two-tone application

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges except the edge supported by the end panel, which is 1mm, case, one pedestal, and one pencil tray in top box drawer.
- Pedestal configurations:
 - File/file or box/box/file with lock.
- One lock standard per pedestal.
- Full-height back panel with continuous wireway cutout.
- All file and box drawers have full extension slides.
- Drawer pulls are available in black (Orlando) or brushed nickel finish (Linear).
- Kneespace clearance:
 - BCXS-2260 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 43"(1092mm) W
 - BCXS-2266 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 49"(1245mm) W
 - BCXS-2272 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 55"(1397mm) W
 - BCXS-2278 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 61"(1549mm) W
 - BCXS-2284 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 67"(1702mm) W
- Glides provide 1 1/4"(32mm) adjustment range.
- Credenzas shipped assembled.

Specification Tips

- Pull choice determines lock finish.
- Can accommodate a vertical storage unit.
- Credenzas ordered as left- or right-hand **cannot** be field reconfigured to the opposite orientation.

To Order, Specify:

1) Product number, including:


① Storage Pedestal Option:**H** Box/Box/File, add **\$40.79** list**J** File/File**② Pull Option:****4** Orlando**8** Linear**③ Pedestal Orientation:****L** Left-hand**R** Right-hand

2) Laminate finish color for top.


3) Laminate finish color for vertical surfaces.

Orlando LS — Credenzas


	Height	Depth	Width	Number	①②③	Price
Credenza with Lateral Storage	29 3/8"(745mm)	22"(559mm)	60"(1524mm)	BCXL-2260-	■ ■ ■	\$1366.11
			66"(1676mm)	BCXL-2266-	■ ■ ■	1428.02
			72"(1829mm)	BCXL-2272-	■ ■ ■	1489.93
			78"(1981mm)	BCXL-2278-	■ ■ ■	1551.84
			84"(2134mm)	BCXL-2284-	■ ■ ■	1613.75
			90"(2286mm)	BCXL-2290-	■ ■ ■	1675.66
			96"(2438mm)	BCXL-2296-	■ ■ ■	1737.57



BCXL-J8L



BCXL-G8L



Two-tone application

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges except the edge supported by the end panel, which is 1mm, lateral file and attachment hardware.
- Lateral file configurations:
 - Two-High lateral files or open/file with lock.
- Lateral files are 36"(914mm) wide.
- Full-height back panel with a continuous wireway cutout.
- Drawer pulls available in black (Orlando) or brushed nickel finish (Linear).
- One lock standard per lateral file.
- Kneespace clearance:
 - BCXL-2260 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 23"(584mm) W
 - BCXL-2266 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 29"(737mm) W
 - BCXL-2272 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 35"(889mm) W
 - BCXL-2278 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 41"(1041mm) W
 - BCXL-2284 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 47"(1194mm) W
 - BCXL-2290 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 53"(1346mm) W
 - BCXL-2296 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 59"(1499mm) W
- Glides provide 1 1/4"(32mm) adjustment range.
- Credenzas shipped assembled.

To Order, Specify:

- Product number, including:

① Lateral File Drawer Option:

- G** Open/File
J File/File

② Pull Option:

- 4** Orlando
8 Linear

③ Lateral Storage Orientation:

- L** Left-hand
R Right-hand


- Laminate finish color for top.
- Laminate finish color for vertical surfaces.

Specification Tips


- Pull choice determines lock finish.
- Can accommodate a vertical storage unit.
- Credenzas ordered as left- or right-hand **cannot** be field reconfigured to the opposite orientation.

Credenza with Symmetrical Kneespace

	29 3/8"(745mm)	22"(559mm)	60"(1524mm)	BCSK-2260-	■ ■	\$1789.67
			66"(1676mm)	BCSK-2266-	■ ■	1809.21
			72"(1829mm)	BCSK-2272-	■ ■	1828.75
			78"(1981mm)	BCSK-2278-	■ ■	1848.29
			84"(2134mm)	BCSK-2284-	■ ■	1867.83



BCSK-HH8



Two-tone application

Features

- Includes 1"(25mm) thermofused laminate worksurface with a 3mm edge, applied to all edges except the edge supported by the end panel, which is 1mm, one pencil tray per pedestal in top box drawer.
- Pedestal configuration:
 - Two file/file or two box/box/file with locks.
- Full-height back panel has a continuous wireway cutout.
- Drawer pulls are available with black (Orlando) or brushed nickel finish (Linear).
- One lock standard per pedestal.
- All file and box drawers have full extension slides.
- Kneespace clearance:
 - BCSK-2260 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 27 7/8"(708mm) W
 - BCSK-2266 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 33 7/8"(860mm) W
 - BCSK-2272 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 39 7/8"(1013mm) W
 - BCSK-2278 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 47 7/8"(1165mm) W
 - BCSK-2284 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 51 7/8"(1318mm) W
- Glides provide 1 1/4"(32mm) adjustment range.
- Credenzas shipped assembled.

To Order, Specify:

- Product number, including:

① Pedestal Storage Option:

- HH** Box/Box/File, add **\$81.58** list
JJ File/File

② Pull Option:

- 4** Orlando
8 Linear




- Laminate finish color for top.
- Laminate finish color for vertical surfaces.

Specification Tips


- Pull choice determines lock finish.
- Can accommodate a vertical storage unit.

Orlando LS — Credenzas


	Height	Depth	Width	Number ¹ ²	Price
Credenza with Symmetrical Lateral Files	29 3/8"(745mm)	22"(559mm)	60"(1524mm)	BCLD-2260-■ ■	\$1918.21
			72"(1829mm)	BCLD-2272-■ ■	2038.09
			96"(2438mm)	BCLD-2296-■ ■	2277.85

BCLD-2260-GG
BCLD-2272-GGBCLD-2260-JJ
BCLD-2272-JJ

BCLD-2296-GG



BCLD-2296-JJ



Two-tone application

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges except the edge supported by the end panel, which is 1mm, lateral file and attachment hardware.
- Lateral files configuration (same on both sides):
 - Two file/file or two open/files with lock.
- Lateral files:
 - 60"(1524mm) width Credenza – 30"(762mm) files
 - 72"(1829mm) and 96"(2438mm) width Credenza – 36"(914mm) files.
- Full-height back panel has a continuous wireway cutout.
- Drawer pulls are available in black (Orlando) or brushed nickel finish (Linear).
- One lock standard per lateral file.
- Kneespace clearance:
 - BCLD-2260 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x n/a W
 - BCLD-2272 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x n/a W
 - BCLD-2296 - 28 3/8"(720mm) H x 20 3/8"(517mm) D x 24 1/8"(613mm) W
- Glides provide 1 1/4"(32mm) adjustment range.
- Credenzas shipped assembled.

Specification Tips

- Pull choice determines lock finish.
- Can accommodate a vertical storage unit.
- Accommodates a three-high bookcase for vertical alignment with other components.

To Order, Specify:

1) Product number, including:

1 Lateral File Option:

GG Open/File

JJ File/File

2 Pull Option:

4 Orlando


8 Linear

2) Laminate finish color for top.

3) Laminate finish color for vertical surfaces.

Orlando LS — Credenzas

	Height	Depth	Width	Number ①②	Price
Door/Drawer Credenza	29 3/8"(745mm)	22"(559mm)	60"(1524mm)	BCFM-2260-■ ■	\$2246.97
			66"(1676mm)	BCFM-2266-■ ■	2280.96
			72"(1829mm)	BCFM-2272-■ ■	2314.95
			78"(1981mm)	BCFM-2278-■ ■	2348.94
			84"(2134mm)	BCFM-2284-■ ■	2382.93



BCFM-8L

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges except the edge supported by the end panel, which is 1mm, two file/file pedestals with locks and two-door center storage with lock option.
- Center storage includes one adjustable shelf and hardware.
- Drawer pulls are available in black (Orlando) or brushed nickel finish (Linear).
- Center storage cabinet interior dimensions:
BCFM-2260 - 25 1/4"(641mm) H x 17 1/2"(445mm) D x 22 3/8"(568mm) W
BCFM-2266 - 25 1/4"(641mm) H x 17 1/2"(445mm) D x 28 3/8"(721mm) W
BCFM-2272 - 25 1/4"(641mm) H x 17 1/2"(445mm) D x 34 3/8"(873mm) W
BCFM-2278 - 25 1/4"(641mm) H x 17 1/2"(445mm) D x 40 3/8"(1025mm) W
BCFM-2284 - 25 1/4"(641mm) H x 17 1/2"(445mm) D x 46 1/2"(1181mm) W
- Glides provide 1 1/4"(32mm) adjustment range.
- Credenza shipped assembled.

To Order, Specify:

- Product number, including:

① Pull Option:

4 Orlando

8 Linear

② Door Lock Option:

L Lock, add **\$127.26** list


N No lock

- Laminate finish color for top.
- Laminate finish color for vertical surfaces.

Specification Tips

- Pull choice determines lock finish.
- Can accommodate a vertical storage unit.

Door Credenza	29 3/8"(745mm)	22"(559mm)	60"(1524mm)	BCDD-2260-■ ■	\$1495.52
			66"(1676mm)	BCDD-2266-■ ■	1584.51
			72"(1829mm)	BCDD-2272-■ ■	1673.50
			78"(1981mm)	BCDD-2278-■ ■	1762.49
			84"(2134mm)	BCDD-2284-■ ■	1851.48
			90"(2286mm)	BCDD-2290-■ ■	1940.47
			96"(2438mm)	BCDD-2296-■ ■	2029.46



BCDD-8L

Features

- Includes 1"(25mm) thick thermofused laminate worksurface with a 3mm edge applied to all edges except the edge supported by the end panel, which is 1mm, four door storage with lock option, and attachment hardware.
- Four door storage includes two adjustable shelves.
- Drawer pulls are available in black (Orlando) or brushed nickel finish (Linear).
- Storage cabinet interior dimensions:
BCDD-2260 - 25 1/4"(641mm) H x 17 1/2"(445mm) D x 27 1/2"(699mm) W
BCDD-2266 - 25 1/4"(641mm) H x 17 1/2"(445mm) D x 30 7/8"(784mm) W
BCDD-2272 - 25 1/4"(641mm) H x 17 1/2"(445mm) D x 33 7/8"(860mm) W
BCDD-2278 - 25 1/4"(641mm) H x 17 1/2"(445mm) D x 36 7/8"(937mm) W
BCDD-2284 - 25 1/4"(641mm) H x 17 1/2"(445mm) D x 39 7/8"(1013mm) W
BCDD-2290 - 25 1/4"(641mm) H x 17 1/2"(445mm) D x 42 7/8"(1089mm) W
BCDD-2296 - 25 1/4"(641mm) H x 17 1/2"(445mm) D x 45 7/8"(1165mm) W
- Glides provide 1 1/4"(32mm) adjustment range.
- Credenza shipped assembled.

To Order, Specify:

- Product number, including:

① Pull Option:

4 Orlando

8 Linear

② Door Lock Option:

L Lock, add **\$254.52** list

N No lock

- Laminate finish color for top.
- Laminate finish color for vertical surfaces.


Specification Tips

- Pull choice determines lock finish.
- Can accommodate a vertical storage unit.


Orlando LS — Vertical Storage Units with Doors

	Height	Depth	Width	Number ①②	Doors	Price
Vertical Storage Unit	38 3/4"(980mm)	16 7/8"(429mm)	48"(1219mm)	BVF-3948-■ ■	3	\$1102.48
			54"(1372mm)	BVF-3954-■ ■	3	1176.63
			60"(1524mm)	BVF-3960-■ ■	4	1411.46
			66"(1676mm)	BVF-3966-■ ■	4	1485.61
			72"(1829mm)	BVF-3972-■ ■	4	1559.76
			78"(1981mm)	BVF-3978-■ ■	4	1633.91
			84"(2134mm)	BVF-3984-■ ■	5	1736.48
			90"(2286mm)	BVF-3990-■ ■	5	1810.63
			96"(2438mm)	BVF-3996-■ ■	6	1935.46

BVF-L
60"-78" widths



84"-90" widths



Two-tone application

Features

- Includes storage cabinets with doors, 2"(51mm) integrated light valance, end panels, and attachment hardware.
- Attaches to a credenza, desk or return.
- 20 7/8"(530mm) clearance from credenza, desk or return top to underside of storage unit valance.
- 84"(2134mm) and higher widths have a third support leg.
- Features a 2"(51mm) continuous space under cabinet to accommodate task light power cord.
- Optional locks available.
- Lock plug is available in black and chrome.
- Storage interior dimensions:
 - BVF-3948 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 22 1/2"(571mm) W
 - BVF-3954 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 25 1/2"(648mm) W
 - BVF-3960 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 28 1/2"(724mm) W
 - BVF-3966 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 31 1/2"(800mm) W
 - BVF-3972 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 34 1/2"(876mm) W
 - BVF-3978 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 37 1/2"(953mm) W
 - BVF-3984 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 40 1/2"(1029mm) W
 - BVF-3990 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 43 1/2"(1105mm) W
 - BVF-3996 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 46 1/2"(1181mm) W
- Shipped assembled.

Specification Tips

- Desktop overhang cannot accommodate a vertical storage unit.
- Accommodates separately specified task lighting, tackboards or slat/tackboards.
- Task light width must be less than width of storage unit.

To Order, Specify:

- 1) Product number, including:

① Lock Option:

- L** Locks
3 or 4 doors, add **\$254.52** list
5 or 6 doors, add **\$381.78** list
- N** No Lock

② Lock Color Option:


- BL** Black
- BP** Chrome

- 2) Laminate finish color for doors.
- 3) Laminate finish color for vertical surfaces.


Orlando LS — Vertical Storage Units — Open Center

	Height	Depth	Width	Number ①②	Price
Vertical Storage Unit Open Center	38 3/4"(984mm)	16 7/8"(429mm)	48"(1219mm)	BVS-3948- ■ ■	\$1049.32
			54"(1372mm)	BVS-3954- ■ ■	1127.80
			60"(1524mm)	BVS-3960- ■ ■	1206.28
			66"(1676mm)	BVS-3966- ■ ■	1284.76
			72"(1829mm)	BVS-3972- ■ ■	1363.24
			78"(1981mm)	BVS-3978- ■ ■	1441.72
			84"(2134mm)	BVS-3984- ■ ■	1520.20
			90"(2286mm)	BVS-3990- ■ ■	1598.68
			96"(2438mm)	BVS-3996- ■ ■	1677.16

BVS-L
48"-78" widths



84"-96" widths



Two-tone application

Features

- Includes storage cabinets with doors, 2"(51mm) integrated light valance, end panels, and attachment hardware.
- Attaches to a credenza, desk or return.
- 20 7/8"(530mm) clearance from credenza, desk or return top to underside of storage unit valance.
- 84"(2134mm) and higher widths have a third support leg.
- Features a 2"(51mm) continuous space under cabinet to accommodate task light power cord.
- Optional locks available.
- Lock plug is available in black and chrome.
- Center storage interior dimensions:
 - BVS-3948 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 15 3/4"(400mm) W
 - BVS-3954 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 21 3/4"(553mm) W
 - BVS-3960 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 27 3/4"(705mm) W
 - BVS-3966 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 33 3/4"(858mm) W
 - BVS-3972 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 39 3/4"(1011mm) W
 - BVS-3978 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 45 3/4"(1163mm) W
 - BVS-3984 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 51 3/4"(1316mm) W
 - BVS-3990 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 57 3/4"(1468mm) W
 - BVS-3996 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 63 3/4"(1620mm) W
- Shipped assembled.

Specification Tips

- Desktop overhang cannot accommodate a vertical storage unit.
- Accommodates separately specified task lighting, tackboards or slat/tackboards.
- Task light width must be less than width of storage unit.

To Order, Specify:

- 1) Product number, including:

① Lock Option:

- L** Locks, add **\$254.52** list
- N** No lock


② Lock Color Option:

- BL** Black
- BP** Chrome


- 2) Laminate finish color for doors.
- 3) Laminate finish color for vertical surfaces.

Orlando LS — Vertical Storage Units — Open

	Height	Depth	Width	Number	Price
Vertical Storage Unit Open	38 3/4"(984mm)	16 7/8"(429mm)	48"(1219mm)	BVO-3948	\$ 830.57
			54"(1372mm)	BVO-3954	899.78
			60"(1524mm)	BVO-3960	968.99
			66"(1676mm)	BVO-3966	1038.20
			72"(1829mm)	BVO-3972	1107.41
			78"(1981mm)	BVO-3978	1176.62
			84"(2134mm)	BVO-3984	1245.83
			90"(2286mm)	BVO-3990	1315.04
			96"(2438mm)	BVO-3996	1384.25



BVO
48"-78" widths



84"-96" widths

Features

- Includes storage cabinets without doors, 2"(51mm) integrated light valance, end panels, and attachment hardware.
- Attaches to a credenza, desk or return.
- 20 7/8"(530mm) clearance from credenza, desk or return top to underside of storage unit valance.
- 84"(2134mm) and higher widths have a third support leg.
- Features a 2"(51mm) continuous space under cabinet to accommodate task light power cord.
- Storage interior dimensions:
 - BVO-3948 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 22 1/2"(571mm) W
 - BVO-3954 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 25 1/2"(648mm) W
 - BVO-3960 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 28 1/2"(724mm) W
 - BVO-3966 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 31 1/2"(800mm) W
 - BVO-3972 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 34 1/2"(876mm) W
 - BVO-3978 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 37 1/2"(953mm) W
 - BVO-3984 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 40 1/2"(1029mm) W
 - BVO-3990 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 43 1/2"(1105mm) W
 - BVO-3996 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 46 1/2"(1181mm) W
- Shipped assembled.



















To Order, Specify:


- 1) Product number.
- 2) Laminate finish color.

Specification Tips

- Desktop overhang cannot accommodate a vertical storage unit.
- Accommodates separately specified task lighting, tackboards or slat/tackboards.
- Task light width must be less than width of storage unit.

Orlando LS — Wall Mounted Overhead Storage Units

	Height	Depth	Width	Number ①②	Doors	Price
Wall Mounted Overhead Storage Unit	18"(457mm)	16 7/8"(429mm)	48"(1219mm)	BBFS-1848-  	3	\$1114.81
			54"(1372mm)	BBFS-1854-  	3	1207.75
			60"(1524mm)	BBFS-1860-  	4	1300.69
			66"(1676mm)	BBFS-1866-  	4	1393.63
			72"(1829mm)	BBFS-1872-  	4	1486.57
			78"(1981mm)	BBFS-1878-  	4	1579.51
			84"(2134mm)	BBFS-1884-  	5	1672.45
			90"(2286mm)	BBFS-1890-  	5	1765.39
			96"(2438mm)	BBFS-1896-  	6	1858.33



Features

- Includes storage cabinets with doors and French cleat with anti-dislodgement feature.
- Optional locks available; each pair of doors and each single lock separately.
- Lock plug is available in black and chrome.
- Storage interior dimensions:
 BBFS-1848 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 22 1/2"(571mm) W
 BBFS-1854 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 25 1/2"(684mm) W
 BBFS-1860 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 28 1/2"(724mm) W
 BBFS-1866 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 31 1/2"(800mm) W
 BBFS-1872 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 34 1/2"(876mm) W
 BBFS-1878 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 37 1/2"(953mm) W
 BBFS-1884 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 40 1/2"(1029mm) W
 BBFS-1890 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 43 1/2"(1105mm) W
 BBFS-1896 - 13 3/8"(340mm) H x 15 1/4"(388mm) D x 46 1/2"(1181mm) W
- Shipped assembled.

Specification Tips

- Must be properly anchored to a structural wall.
- Anchors are not included, must be field installed.
- Accommodates separately specified task lights, see Accessories.
- Task light width must be less than width of storage unit.

To Order, Specify:

- 1) Product number, including:

① Lock Option:

- L** Locks
 3 or 4 doors, add **\$254.52** list
 5 or 6 doors, add **\$381.78** list

- N** No Lock

② Lock Color Option:

- BL** Black
BP Chrome

- 2) Laminate finish color for doors.
- 3) Laminate finish color for vertical surfaces.

Orlando LS — Tackboards

Height	Depth	Width	Description	Number	Fabric Grade		
					A	B	C
19 1/2"(495mm)	1 1/4"(32mm)	24"(610mm)	For 48" storage unit	BTAB-2023	\$179.21	\$190.87	\$202.53
		27"(686mm)	For 54" storage unit	BTAB-2026	183.62	200.56	213.12
		30"(762mm)	For 60" storage unit	BTAB-2029	188.03	210.25	223.71
		32"(813mm)	For 66" storage unit	BTAB-2032	190.97	216.71	230.77
		33"(838mm)	For 72" storage unit	BTAB-2035	192.44	219.94	234.30
		35"(889mm)	For 78" storage unit	BTAB-2038	195.38	226.40	241.36
		39"(991mm)	For 84" storage unit	BTAB-2040	201.26	239.32	255.48
		42"(1067mm)	For 90" storage unit	BTAB-2043	205.67	249.01	266.07
		48"(1219mm)	For 96" storage unit	BTAB-2046	214.49	268.39	287.25

Tackboard

BTAB-2032
BTAB-2035

Features

- Includes one tackboard and mounting hardware.
- Mounts on a vertical storage unit back panel.
- Each vertical storage unit will accept a maximum of two tackboards.

To Order, Specify:


- 1) Product number.
- 2) Fabric surface and color.

Specification Tip

- Designed to mount on wall below equal width vertical storage unit.

19 1/2"(495mm)	1 1/4"(32mm)	24"(610mm)	For 48" storage unit	BTSB-2023	\$307.75	\$324.65	\$336.59
		27"(686mm)	For 54" storage unit	BTSB-2026	312.69	334.83	347.05
		30"(762mm)	For 60" storage unit	BTSB-2029	327.51	365.37	378.43
		32"(813mm)	For 66" storage unit	BTSB-2032	342.33	395.91	409.81
		33"(838mm)	For 72" storage unit	BTSB-2035	357.15	426.45	441.19
		35"(889mm)	For 78" storage unit	BTSB-2038	371.97	456.99	472.57
		39"(991mm)	For 84" storage unit	BTSB-2040	381.85	477.35	493.49
		42"(1067mm)	For 90" storage unit	BTSB-2043	396.67	507.89	524.87
		48"(1219mm)	For 96" storage unit	BTSB-2046	411.49	538.43	556.25

Slat/Tackboard



BTSB

Features

- Includes one slat/tackboard and mounting hardware.
- Mounts on a vertical storage unit back panel.
- Each vertical storage unit will accept a maximum of two slat/tackboards.
- Shipped unassembled.

To Order, Specify:


- 1) Product number.
- 2) Fabric surface and color.
- 3) Trim color.

Specification Tips

- Designed to mount on wall below equal width vertical storage unit.
- Slat accommodates separately specified Jump Stuff Slat Tile tools.

Orlando LS — Lateral Files and Mobile Pedestals

	Height	Depth	Width	Number ^①	Price
One-High Lateral File	15"(381mm)	22"(559mm)	30"(762mm)	BSL1-1530-F ■	\$809.56
			36"(914mm)	BSL1-1536-F ■	837.98



BSL1-F8

Features

- Includes thermofused laminate top, one lateral file drawer, finished back and glides.
- One lock standard per lateral file.
- Letter or legal lateral filing.
- Drawer pulls are available in black (Orlando) or brushed nickel finish (Linear).
- Glides provide 1 1/4"(32mm) adjustment range.
- Shipped assembled.

To Order, Specify:

- 1) Product number, including:

① Pull Option:


4 Orlando

8 Linear


- 2) Laminate finish color for top.

- 3) Laminate finish color for vertical surfaces.


	Height	Depth	Width	Number ^{① ②}	Price
Two-High Lateral File	29 3/8"(745mm)	22"(559mm)	30"(762mm)	BSLF-2930- ■ ■	\$892.37
			36"(914mm)	BSLF-2936- ■ ■	951.69



BSLF-J8



BSLF-G8



Two-tone application

Features

- Includes thermofused laminate top, two lateral file drawers, finished back and glides.
- One lock standard per lateral file.
- Letter or legal lateral filing.
- Anti-tilt mechanism.
- Drawer pulls are available in black (Orlando) or brushed nickel finish (Linear).
- Open/file storage interior dimensions:
BSLF-2930 - 13 3/4"(349mm) H x 20 1/8"(510mm) D x 27 7/8"(709mm) W
BSLF-2936 - 13 3/4"(349mm) H x 20 1/8"(510mm) D x 33 7/8"(861mm) W
- Glides provide 1 1/4"(32mm) adjustment range.
- Shipped assembled.

To Order, Specify:

- 1) Product number, including:

① Lateral File Drawer Option:

G Open/File

J File/File, add **\$252.14** list

② Pull Option:


4 Orlando

8 Linear


- 2) Laminate finish color for top.

- 3) Laminate finish color for vertical surfaces.

	Height	Depth	Width	Number	Price
Mobile Pedestal	27 5/8"(702mm)	20"(508mm)	15 1/4"(387mm)	BPMQ-2015- ■ ■	\$1008.55



BPMQ-2015-J8



BPMQ-2015-M8

Features

- Includes thermofused laminate top, finished back, casters and pencil tray per box drawer.
- One lock standard per lateral file.
- Drawer configuration:
–Box/box/file, file/file, open/box/file or box/file with lock.
- Casters are standard in charcoal finish only.
- Drawer pulls are available in black (Orlando) or brushed nickel finish (Linear).
- Shelf interior dimensions:
–Width: 14 1/4"(362mm)
–Height: 3 1/4"(83mm)
–Depth: 18"(457mm)
- Glides provide 1 1/4"(32mm) adjustment range.
- Shipped assembled.

Specification Tip

- Box/file is 21 1/2"(547mm) high.

To Order, Specify:

- 1) Product number, including:

① Pedestal Option:

H Box/Box/File, add **\$40.79** list

J File/File

M Open/Box/File, add **\$40.79** list

P Box/File

② Pull Option:


4 Orlando

8 Linear

- 2) Laminate finish color.

Orlando LS — Bookcases

	Height	Depth	Width	Number	Price
Two-High Bookcase	29 3/8"(745mm)	14"(356mm)	30"(762mm)	BSBC-2830	\$709.79
			36"(914mm)	BSBC-2836	743.54



BSBC-2830
BSBC-2836


Features

- Includes one adjustable shelf and leveling glides.
- Fits under worksurface with top removed or flush with worksurface with top.
- Glides provide 1 1/4"(32mm) adjustment range.
- Shipped assembled.

To Order, Specify:

- 1) Product number.
- 2) Laminate finish color.

Three-High Bookcase	38 3/4"(984mm)	14"(356mm)	30"(762mm)	BSBC-3930	\$807.38
			36"(914mm)	BSBC-3936	841.13



BSBC-3930
BSBC-3936


Features

- Includes two adjustable shelves, leveling glides and double-sided tape for stacking applications.
- Glides provide 1 1/4"(32mm) adjustment range.
- Shipped assembled.

To Order, Specify:

- 1) Product number.
- 2) Laminate finish color.

Five-High Bookcase	68 1/8"(1730mm)	14"(356mm)	30"(762mm)	BSBC-6830	\$ 994.15
			36"(914mm)	BSBC-6836	1027.90



BSBC-6830
BSBC-6836

Features


- Includes four adjustable shelves and leveling glides.
- Glides provide 1 1/4"(32mm) adjustment range.
- Shipped assembled.

To Order, Specify:

- 1) Product number.
- 2) Laminate finish color.

Orlando LS — Wardrobes

	Height	Depth	Width	Number	① ② ③	Price
Wardrobe/Storage Cabinet	68 1/8"(1730mm)	22"(559mm)	24"(610mm)	BSWC-6824-	■ ■ ■	\$1559.78



BSWC-6824-8LL (Left-hand open view)
(Left-hand with lock, closed view)

Features

- Includes open storage with shelves, wardrobe with coat rod, and door complete with hinges.
- Storage configuration:
 - Full-height storage with four adjustable shelves and full-height wardrobe storage.
- Shelves adjust in 1 1/4"(32mm) increments.
- Door pull is available in black (Orlando) or brushed nickel finish (Linear).
- Shipped assembled.

Specification Tip

- Pull choice determines lock finish.

To Order, Specify:

- 1) Product number, including:

① Pull Option:

4 Orlando

8 Linear

② Door Lock Option:

L Lock, add **\$127.26** list

N No lock


③ Door Swing Orientation:

L Left-hand

R Right-hand


- 2) Laminate finish color for door.

- 3) Laminate finish color for vertical surfaces.



BSWC-6824-8LR (Right-hand open view)
(Right-hand with lock, closed view)

	Height	Depth	Width	Number	① ② ③	Price
Wardrobe/File Storage Cabinet	68 1/8"(1730mm)	22"(559mm)	24"(610mm)	BSWF-6824-	■ ■ ■	\$2196.74
			30"(762mm)	BSWF-6830-	■ ■ ■	2323.83



BSWF-6824-8LL (Left-hand open view)
(Left-hand no lock, closed view)

Features

- Includes two file drawers, closed storage with two adjustable shelves, and valet with coat rod.
- Standard storage configuration:
 - Lower file/file pedestal with lock, upper three-high storage with two adjustable shelves and full-height wardrobe storage.
- Shelves adjust in 1 1/4"(32mm) increments.
- Drawer/door pulls are available in black (Orlando) or brushed nickel finish (Linear).
- Shipped assembled.

Specification Tip

- Pull choice determines lock finish.

To Order, Specify:

- 1) Product number, including:

① Pull Option:

4 Orlando

8 Linear

② Door Lock Option:

L Lock, add **\$127.26** list

N No lock


③ Door Swing Orientation:

L Left-hand

R Right-hand

- 2) Laminate finish color for doors/drawer fronts.


- 3) Laminate finish color for vertical surfaces.




BSWF-6824-8LL (Right-hand open view)
(Left-hand with lock, closed view)

Orlando LS — Tables

	Height	Depth	Number ¹	Price
Round Table	29"(737mm)	36"(914mm)	BBCR-0036-■	\$807.08
		42"(1067mm)	BBCR-0042-■	838.00
		48"(1219mm)	BBCR-0048-■	894.90



BBCR-G




BBCR-C

- Features**
- Includes round thermofused laminate top and four legs with glides or casters.
 - Available with four glides or two locking and two non-locking casters.
 - Table glides and casters standard in charcoal finish only.
 - Table legs available in charcoal or metallic silver finish; shipped in separate box.
 - Shipped unassembled.

- To Order, Specify:**
- 1) Product number, including:
- 1 Leg Option:**
- C** Casters, add **\$44.50** list
 - G** Glides
- 2) Thermofused laminate color.
- 3) Trim color.

Orlando LS — Accessories

	Description	Number	Price
Pencil Tray	Pencil Tray	BAPT-0000	\$30.90



BAPT-0000


Class RC – SIN 711-2;
Discount Group IX**Feature**

- Standard in black finish color only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Front-to-Back Hanging Bars	Front-to-back hanging bars	BAFB-0015	\$29.73
-----------------------------------	----------------------------	-----------	---------




BAFB-0015

Class RC – SIN 711-2;
Discount Group IX**Feature**

- Standard in black finish color only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Pedestal Cushion Kit

BACS-0016

Class RC – SIN 711-2;
Discount Group IX


Height	Depth	Width	Number	Fabric Grade			
				A	B	D	E
1"(25mm)	20"(508mm)	15 1/4(387mm)	BACS-0016	\$136.42	\$154.85	\$226.21	\$280.07

Features

- Includes cushion with fastener.
- For use on 20"(508mm) deep mobile pedestal.
- Field installed.

To Order, Specify:

- 1) Product number.
- 2) Fabric surface and color.

One-High Lateral File Cushion Kit

BACS-0030

Class RC – SIN 711-2;
Discount Group IX

1"(25mm)	22"(559mm)	30"(762mm)	BACS-0030	\$193.06	\$219.17	\$321.25	\$397.19
		36"(914mm)	BACS-0036	216.96	246.31	361.35	446.60

Features

- Includes cushion with fastener.
- For use on 22"(559mm) deep one-high lateral file.
- Field installed.

To Order, Specify:

- 1) Product number.
- 2) Fabric surface and color.

Grommet

JAG-1

Class TA – SIN 711-2;
Discount Group X

	Number	Price
	JAG-1	\$14.06

Features


- Includes one 1 9/16"(40mm) round grommet.
- Field drilled 1 3/4"(44mm) hole.
- Standard in black.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Orlando LS — Lighting — Task

	Height	Depth	Width	Actual Width	Number	Price
Adaptable Electronic Ballast Task Light	1.375"(25mm)	4 1/4"(105mm)	24"(610mm)	19"(483mm)	LUTS-0024-16UEP	\$203.11
			30"(762mm)	25"(635mm)	LUTS-0030-16UEP	209.66
			42"(1067mm)	37"(940mm)	LUTS-0042-16UEP	222.76
			54"(1372mm)	49"(1245mm)	LUTS-0054-16UEP	235.86



LUTS-16UEP

**Features**

- Includes mounting brackets, black power cord, prismatic lens, low mercury content, T-8 optic fluorescent lamp with 3500K color temperature.
- Six foot cord is factory installed on right side; may be field-installed on the left-hand side 42"(1067mm) and 54"(1372mm) units.
- Nine foot cord is available as a specified option.
- Provides task lighting beneath shelves or overhead storage units.
- For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.
- Available on RUSH.

Specification Tips

- A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.
- Task lights may be adjusted front-to-back.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- Attaches to Adaptable, UniGroup Too, UniGroup, PLACES and Compose overhead and shelves.
- Attaches to counter tops and must be specified one width smaller than countertop width.

To Order, Specify:

- Product number.
(No finish specification required.)

Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **\$18.56** list.

Example: LUTS-0030-16UEB

Chicago Specification:

To specify, replace **1** with **C** in the product number and add **\$85.18** list.

Example: LUTS-0030-C6UEP


Chicago only: Plug includes 3 AMP resettable circuit breaker.

9' Cord Option

To specify, replace **6** with **9** in the product number and add **\$37.13** list.

Example: LUTS-0030-19UEP

	Height	Depth	Width	Description	Number	Price
Adaptable Electronic Ballast Task Light (Starter Light)	1 3/8"(35mm)	4 1/4"(108mm)	42"(1067mm)	6' Cord	LUTR-0042-16UEP	\$243.51
				9' Cord	LUTR-0042-19UEP	280.64
			54"(1372mm)	6' Cord	LUTR-0054-16UEP	\$256.61
				9' Cord	LUTR-0054-19UEP	293.74



LUTR

**Features**

- Includes mounting brackets, .33"(8mm) diameter black 3-prong power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500K color temperature.
- Wired to accommodate the addition of add-on task light.
- Cord is factory installed on right side; may be field-installed on the left-hand side.
- Provides task lighting beneath shelves or overhead storage units.
- For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.

To Order, Specify:


- Product number.
(No finish specification required.)

Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **\$18.56** list.

Example: LUTR-0042-16UEB

Orlando LS — Lighting — Task

**Adaptable Electronic Ballast
Task Light (Add-On Light)**

LUTD



Note: Must be attached to a starter light or another add-on light.

Height	Depth	Width	Actual Width	Number	Price
1 3/8"(35mm)	4 1/4"(108mm)	42"(1067mm)	15" Linking Cord	LUTD-0042-11UEP	\$242.42
			48" Linking Cord	LUTD-0042-14UEP	247.88
		54"(1372mm)	15" Linking Cord	LUTD-0054-11UEP	\$255.52
			48" Linking Cord	LUTD-0054-14UEP	260.98

Features

- Includes mounting brackets, linking power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500k color temperature.
- Does not include a power plug.
- Available in charcoal only.

Specification Tips

- **A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.**
- Task lights may be adjusted front-to-back on metal shelf hanger bars.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- A maximum of 5 task lights may be daisy chained together including the starter light and/or not to exceed 20' of overall task light run.
- Choose add-on light with appropriate linking cord length to eliminate excess cord.


To Order, Specify:

- 1) Product number.
(No finish specification required.)





Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **\$18.56** list.

Example: LUTD-0042-11UEB




Orlando LS — Lighting

	Fixture Length	Watts	Number	Price
Reed Premier™ Stand-Alone LED Task Light  LUTS-0017-19ULD5 	16.4"(417mm)	7.8	LUTS-0017-19ULD5	\$210.00
Features <ul style="list-style-type: none"> Includes 17"(432mm) LED fixture, 15 watt power supply with nine foot removable power cord. Standard in anodized (silver) color with white end caps. Height: 0.5"(12.7mm); Width: 2.0"(51mm); Length: 16.4"(417mm). 				
Specification Tips <ul style="list-style-type: none"> For use with 120 volt, 60 hertz electrical system. Color Temp: 3500K. Color Rendition Index: 84 CRI. Rated Lifespan: 5 , 00 hour. Not intended for daisy chaining. Single touch on/off with continuous dimming from 15-100%. Includes screw and magnetic attachment hardware for steel, laminate and wood. Intended for use in horizontal applications. 				
To Order, Specify: <ol style="list-style-type: none"> Product number. (No finish specification required.) 				
Reed Premier™ Starter LED Task Light  LUTS-0017-12ULD6 	16.4"(417mm)	7.8	LUTS-0017-12ULD6	\$288.75
	30.1"(765mm)	17.6	LUTS-0031-12ULD6	420.07
	43.7"(1110mm)	25.9	LUTS-0044-12ULD6	542.01
	57.4"(1458mm)	33.6	LUTS-0058-12ULD6	673.33
Features <ul style="list-style-type: none"> Includes LED fixture, 60 watt power supply with twelve foot removable power cord. Standard in anodized (silver) color with white end caps. Height: 0.5"(12.7mm); Width: 2.0"(51mm); Lengths: 16.4"(417mm), 30.1"(765mm), 43.7"(1110mm) or 57.4"(1458mm). 				
Specification Tips <ul style="list-style-type: none"> For use with 120 volt, 60 hertz electrical system. Color Temp: 3500K. Color Rendition Index: 84 CRI. Rated Lifespan: 5 , 00 hour. Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together. Single touch on/off with continuous dimming from 15-100%. Includes screw and magnetic attachment hardware for steel, laminate and wood. Intended for use in horizontal applications. 				
To Order, Specify: <ol style="list-style-type: none"> Product number. (No finish specification required.) 				

Orlando LS — Lighting

	Fixture Length	Watts	Number	Price
Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	16.4"(417mm)	7.8	LUTD-0017-1NULDN	\$210.00
	30.1"(765mm)	17.6	LUTD-0031-1NULDN	341.32
	43.7"(1110mm)	25.9	LUTD-0044-1NULDN	463.26
	57.4"(1458mm)	33.6	LUTD-0058-1NULDN	594.58



LUTD-0017-1NULDN

**Features**


- Includes LED fixture, 8"(203mm) and 30"(762mm) daisy chain cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5"(12.7mm); Width: 2.0"(51mm); Lengths: 16.4"(417mm), 30.1"(765mm), 43.7"(1110mm) or 57.4"(1458mm).

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 , 00 hour.
- Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100%.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

**Reed Premier™
Add-On Occupancy Sensor**


LUTS-0000

**Features**

- Includes occupancy sensor and attachment connector.
- Standard in anodized (silver) color with white end caps.
- Height: 0.7"(17.8mm); Width: 2.0"(51mm); Length: 2.3"(58mm).

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

LUTS-0000

\$236.25**To Order, Specify:**


- 1) Product number.
(No finish specification required.)

BRAZO

Haworth Collection

Design: Pablo Pardo — Imported from China

	Base Diameter	Model	Number	①	Price
Freestanding Lighting	8 1/2"(216mm)	Desk	LBJ1-0026-19FLC	■	\$696.28
		Floor	LBJ2-0026-19FLC	■	837.68



Features

- Includes base, adjustable height fixture, 26 1/2"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Desk light adjustable height fixture range is 14"-22"(356mm-559mm) from desktop.
- Floor light adjustable height fixture range is 48"-56"(1219-1422mm) from floor.
- Base includes scratch-resistant bottom cover with side cord location.
- For use with 120 volt 60 hertz electrical system.**
- Can be used on any horizontal surface.
- Desk overall height range with arm extended at 180° is 41"(1041mm).
- Floor overall height range with arm extended at 180° is 74 3/4"(1899mm).
- Minor assembly required.
- Available on RUSH.


To Order, Specify:

- 1) Product number, including:

① Finish Color

- N** Brushed Aluminum
W Gloss White, add **\$26.78** list.
B Anodized Black, add **\$26.78** list.
Z Anodized Bronze, add **\$26.78** list.

Mounted Lighting

LBJ3
Class CH

LBJ4



	Grommet/Hole Diameter	Model	Number	① ②	Price
Mounted Lighting	3"(76mm)	Grommet Mount	LBJ3-0026-19GLC	■ ■	\$696.28
	1"(25mm)	Fixed Mount	LBJ4-0026-19GLC	■ ■	723.06

Features

- Grommet Mount includes adjustable height fixture, 26 1/2"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware. **Grommet ordered separately.**
- Fixed Mount includes adjustable height fixture, 26 1/2"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware with trim ring.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Both mounted light adjustable height fixture range is 13"-21"(330mm-533mm) from desktop.
- For use with 120 volt 60 hertz electrical system.**
- Can be field installed on any horizontal surface.
- Overall height range with arm extended at 180° is 40"(1016mm).
- Minor assembly required.

To Order, Specify:

- 1) Product number, including:

① Finish Color

- N** Brushed Aluminum
W Gloss White, add **\$26.78** list.
B Anodized Black, add **\$26.78** list.
Z Anodized Bronze, add **\$26.78** list.

② Worksurface Thickness

- S** 1 3/16"(30mm)
M 2"(51mm)
Q 3"(76mm)

Specification Tips

- Grommet Mount BRAZO requires a separately specified grommet.**
- Field drilling of surface required.

Grommet — For Use with BRAZO Grommet Mounted Light Only

WQAG
Class PT

	Top Thickness	Number	Price
Grommet — For Use with BRAZO Grommet Mounted Light Only	1 3/16"(30mm)	WQAG-0303-PSN	\$29.46
	2"(51mm)	WQAG-0303-PMN	29.46
	3"(76mm)	WQAG-0303-PQN	29.46

Feature

- Includes one 3"(76mm) diameter grommet without cover.





Specification Tips

- Specify grommet to match product top thickness.
- Requires a 2 3/4"(70mm) diameter field drilled hole.
- For use with BRAZO Grommet Mounted Light only.

To Order, Specify:

- 1) Product number.
 2) Trim color.
 Plaster — TR-TW
 Metallic Silver — TR-LE, add **\$5.90** list.
 Metallic Champagne — TR-MC, add **\$5.90** list.
 Metallic Gunmetal — TR-MG, add **\$5.90** list.

	Base/Mount	Number	Price
LIM L	Freestanding Block	LLL1-0022-19FLC	\$593.44
	Freestanding Pivot	LLL2-0022-19FLC	536.67
	Freestanding Floor	LLL3-0022-19FLC	650.21
	Freestanding Add-On	LLLA-0022-19FLC	395.27

Freestanding Block
LLL1Freestanding Pivot
LLL2Freestanding Floor
LLL3Freestanding Add-On
LLLA**Features**

- Includes base/mount, 22"(559mm) arm with LED light with a clear lens, nine foot removable silver tone cord, and one wire management clip.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.

- For use with 120 volt 60 hertz electrical system.**

- Minor assembly required.
- All lights use magnets to attach to base or brackets.

- Freestanding Block:**

- Available in Textured White, Textured Black and Brushed Aluminum.

- Arm rotates around magnetic connection between base and light arm.

- Desk light adjustable height fixture range is 12"-15.75"(305mm-400mm) from desktop.

- Base includes scratch-resistant bottom with cord management.

- Can be used on any horizontal surface.

- Freestanding Block Base size: 6.63"(168mm) height, 3"(76mm) width, 3.5"(89mm) depth.

- Freestanding Pivot:**

- Available in Textured White and Textured Black.

- Desk Pivot rotates 360° around the base.

- Arm rotates around magnetic connection between base and light arm.

- Pivot light does not have adjustable height.

- Base includes scratch-resistant bottom.

- Can be used on any horizontal surface.

- Freestanding Pivot Base size: 5"(127mm) height, 4.5"(114mm) width, 5.5"(140mm) depth.

- Freestanding Floor:**

- Available in Textured White and Textured Black.

- Arm rotates around magnetic connection between base and light arm.

- Floor light adjustable height fixture range is 13"-50.75"(330mm-1289mm) from floor.

- Base includes scratch-resistant bottom.

- Floor Base size: 38"(965mm) height, 9"(229mm) width, 9"(229mm) depth.

- Freestanding Add-On:**

- Available in Textured White, Textured Black and Brushed Aluminum.

◆ Available on RUSH.

To Order, Specify:

1) Product number.

2) Trim color:

Pivot/Floor available in:

Textured White TR-L2

Textured Black TR-L3

Block/Add-On available in:

Textured White TR-L2

Textured Black TR-L3



Brushed Aluminum, TR-L1 add \$27.85 list.

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

	Base/Mount	Average Height	Number	Price
LIM C	Worksurface Mount	18 1/2"(470mm)	LLC1-0022-19WLC	\$508.82
	Grommet Mount	18 1/2"(470mm)	LLC2-0022-19GLC	508.82


Worksurface Mount
LLC1Grommet Mount
LLC2**Features**

- Includes base/mount, 22"(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Under Shelf attachment bracket painted to compliment the LED light.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Worksurface Mount:**
 - Available in Brushed Aluminum, Textured White, Textured Black.
 - Arm rotates at Under Worksurface attachment bracket.
 - Light does not have adjustable height.
 - Flat Bracket is scratch-resistant.
 - Mount includes a 11"(279mm) flat bracket with adhesive.
- **Grommet Mount:**
 - Available in Brushed Aluminum, Textured White, Textured Black.
 - Arm rotates at Under Grommet attachment bracket.
 - Light does not have adjustable height.
 - Flat Bracket is scratch-resistant.
 - Mount includes Grommet configured flat brackets with adhesive.

To Order, Specify:

- 1) Product number.
- 2) Trim color:
 - Textured White TR-L2
 - Textured Black TR-L3
 - Brushed Aluminum, TR-L1 add **\$27.85** list

LIM Y	Worksurface Mount	20.4"(518mm)	LLY1-0013-19WLC	\$847.32
-------	-------------------	--------------	-----------------	----------




Worksurface Mount
LLY1**Features**

- Includes base/mount, 14"(356mm) depth by 35"(889mm) width arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features a LED light source with two levels of dim control.
- 1.5 to 9 watts.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- Magnets are used to attach to base or brackets.
 - Arm does not rotate and uses fixed mount bracket.
 - Light does not have adjustable height.
 - Fixed mount bracket is scratch-resistant.
 - Mount includes bracket with hardware.

To Order, Specify:

- 1) Product number.
- 2) Trim color:
 - Textured White TR-L2
 - Textured Black TR-L3
 - Brushed Aluminum, TR-L1 add **\$27.85** list

	Base/Mount	Panel System	Number	Price
LIM Mounted	Slat/Rail		LLM1-0023-19MLC	\$424.19
	Panel	for PREMISE	LLM2-0023-19MLCN	\$424.19
		for Compose	LLM2-0023-19MLCZ	424.19
		for UniGroup Too	LLM2-0023-19MLCE	424.19

Slat
LLM1Belong Rail
LLM1Panel
LLM2**Features**

- Includes base/mount, 23 1/4" (591mm) arm with LED light with a clear lens, nine foot removable silver tone cord, and one wire management clip.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- *Overall height ranges dependent on the mount.*
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Slat:**
 - Available in Textured White and Textured Black.
 - Rotates 180 degrees horizontally around the mount.
 - Slat Mount can be adjusted within the slat profiles – hooks into the second bottom slat and can be adjusted to the top slat off the slat tiles.
 - Mount is scratch-resistant.
 - Can be used on any Haworth slat tile.
 - Slat Tile Bracket size: 3" (76mm) height, 1" (25mm) width, 3" (76mm) depth.
- **Panel:**
 - Available in Textured White and Textured Black.
 - Rotates 180 degrees horizontally around the mount.
 - Panel Mount can be adjusted within the panel slot profiles.
 - Mount is scratch-resistant.
 - Can be used on any Haworth Panel System.
 - Panel Mount Bracket size: 3" (76mm) height, 1" (25mm) width, 3" (76mm) depth.

To Order, Specify:

- 1) Product number.
- 2) Trim color:



Textured White	TR-L2
Textured Black	TR-L3

LIM


Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

	Base/Mount	Number	Price
LIM Mounted	Under Shelf Flat	LLU1-0023-19ULC	\$424.19
	Under Shelf Proud	LLU2-0023-19ULC	424.19
	Under Shelf Proud-Wood Casegoods	LLU3-0023-19ULC	424.19



LLU1



LLU2

**Features**

- Includes base/mount, 23 1/4"(510mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Under Shelf attachment bracket painted to complement the LED light.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Under Shelf Flat:**
 - Available in **Brushed Aluminum, Textured White, Textured Black.**
 - Arm rotates at Under Shelf attachment bracket.
 - Slat Mount can be adjusted within the slat tile profiles.
 - Flat Bracket is scratch-resistant.
 - Under Shelf Mount includes a 11"(279mm) flat bracket with adhesive.
 - Can be used on: Storage Box.**
- **Under Shelf Proud:**
 - Available in **Brushed Aluminum, Textured White, Textured Black.**
 - Arm rotates at Under Shelf attachment bracket.
 - Slat Mount can be adjusted within the slat tile profiles.
 - Flat Bracket is scratch-resistant.
 - Can be used on: Adaptable Upper Storage.**
- **Under Shelf Proud - Wood Casegoods:**
 - Available in **Brushed Aluminum, Textured White, Textured Black.**
 - Arm rotates at Under Shelf attachment bracket.
 - Slat Mount can be adjusted within the slat tile profiles.
 - Flat Bracket is scratch-resistant.
 - Under Shelf Mount includes a 11"(279mm) flat bracket.
 - Can be used on: Wood Casegoods Vertical Storage Unit.**

To Order, Specify:

- 1) Product number.
- 2) Trim color:
 - Textured White TR-L2
 - Textured Black TR-L3
 - Brushed Aluminum, TR-L1 add **\$27.85** list

LIM Hardware

Base/Mount	Panel System	Units	Number	Price
Slat Mount Bracket		1	LLH1-0000	\$ 56.77
Panel Mount Bracket	for PREMISE	1	LLH2-0000-N	\$ 56.77
	for Compose	1	LLH2-0000-Z	56.77
	for UniGroup Too	1	LLH2-0000-E	56.77
Under Shelf Flat/Under Shelf Proud/Worksurface Bracket*		5	LLH3-0000	\$146.75
Under Shelf Proud - Casework Bracket		5	LLH4-0000	146.75
Grommet Bracket		1	LLH5-0000	29.99
Wire Management Clips		10	LLH6-0000	\$ 71.76

Features

- Hardware for use with LIM lights to provide additional attachment.
- Each bracket description correlates with the appropriate LIM light. Please specify accordingly.
- For use if greater user adjustment is required.
- Slat and Panel Mount available in Textured White and Textured Black.
- Under Shelf available in Textured White, Textured Black and Brushed Aluminum.
- Grommet bracket available in Textured White, Textured Black and Brushed Aluminum.
- Wire management clips are standard in White.

To Order, Specify:


- 1) Product number.
- 2) Trim color for brackets:
 - Textured White TR-L2
 - Textured Black TR-L3
 - Brushed Aluminum, TR-L1 add **\$27.85** list

*Same brackets are used for Under Shelf Flat, Under Shelf Proud and Worksurface Mount C and Y LIM light applications.

Work Tools

Jump Stuff Slat Tile Tools

	Height	Depth	Width	Number	Price
Binder Bin	12 1/2"(318mm)	10 1/2"(267mm)	6 1/2"(165mm)	DTSB-3 ◆	\$47.90



DTSB-3


Features

- Mounts on slat. Can also be used in freestanding applications.
- Bin accommodates two 3"(76mm) thick binders.
- ◆ Available on RUSH.


To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.

	Height	Depth	Width	Description	Number	Price
Tote	10"(254mm)	4"(102mm)	13"(330mm)	Tote	DTTE-3 ◆	\$55.70
				Tote, clips, and strap	DTTH-3 ◆	79.10



DTTE-3



DTTH-3

Features

- Mounts on slat.
- Clip and strap standard in black.
- Fits in lateral files.
- Accommodates hanging files.
- ◆ Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.

Tote Strap					DTHT-1 ◆	\$25.63
-------------------	--	--	--	--	----------	---------



DTHT-1


Features

- Includes strap and two clips.
- Strap is 27"(686mm) long and non-adjustable.
- Converts DTTE-3 to DTTH-3.
- Standard in black.
- ◆ Available on RUSH.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

	Height	Depth	Width	Number	Price
Tack Strip	2 1/2"(64mm)	1/2"(13mm)	12"(305mm)	DTTS-12 ◆	\$27.85
			24"(610mm)	DTTS-24 ◆	33.42

DTTS-12
DTTS-24


Features

- Mounts on slat.
- Brown and black cork and rubber composite material.
- ◆ Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Trim color for bracket.

Gooseneck Kit					DTGK-3 ◆	\$58.41
----------------------	--	--	--	--	----------	---------



DTGK-3

Features

- Includes two flex arms, two base clips, assortment of three tops (one grip clip, one round top, and one flower top) and two stick-on clips.
- Mounts on slat to display miscellaneous notes/items or anywhere with stick-on clips.
- Stick-on clips include double-sided tape.
- ◆ Available on RUSH.


To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.

Work Tools

Jump Stuff Slat Tile Tools

	Height	Depth	Width	Number	Laminate A	B
Mini Shelf	1 3/4"(44mm)	6 1/4"(159mm)	18"(457mm)	DMSP-18	\$ 97.56	\$ 99.79
			24"(610mm)	DMSP-24	102.01	104.24
			30"(762mm)	DMSP-30	106.43	108.66
			36"(914mm)	DMSP-36	110.87	113.10
			42"(1067mm)	DMSP-42	115.29	117.52
			48"(1219mm)	DMSP-48	119.71	121.94



DMSP

Features


- Includes shelf and brackets.
- Mounts on slat.
- Shelf thickness 3/4"(19mm)
- Designed for lightweight accessories.

◆ Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Laminate color.
- 3) Edgeband color.
- 4) Trim color for bracket.
Trim B, add \$2.23 list.

Phone Shelf	2 1/2"(64mm)	11 1/4"(286mm)	9"(229mm)	DTPT-3	\$77.98
--------------------	--------------	----------------	-----------	--------	---------



DTPT-3

Features


- Includes phone shelf and bracket.
- Mounts on slat at 30° angle.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

◆ Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.
- 3) Trim color for bracket.
Trim B, add \$2.23 list.

Phone Shelf Bracket	1 1/2"(38mm)	11"(279mm)	7 1/2"(191mm)	DTBS-3	\$49.02
----------------------------	--------------	------------	---------------	--------	---------



DTBS-3

Feature


- Used to convert DTPT-1 for mounting rail phone shelf to slat.

◆ Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Trim color for bracket.
Trim B, add \$2.23 list.

Personal Shelf	1 3/4"(44mm)	11"(279mm)	8"(203mm)	DTES-3	\$52.36
-----------------------	--------------	------------	-----------	--------	---------



DTES-3

Features

- Includes mounting bracket and personal shelf.
- Mounts on slat at 60° angle or horizontally.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.





◆ Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.
- 3) Trim color for bracket.
Trim B, add \$2.23 list.

Work Tools


Jump Stuff Slat Tile Tools

	Height	Depth	Width	Number	Price
Personal Shelf Bracket  DTAR-3				DTAR-3 ◆	\$34.54
Feature <ul style="list-style-type: none"> Used in combination with DTPR-3 or DTES-3 for mounting rail personal shelf or paper sorter to slat. ◆ Available on RUSH. 					
To Order, Specify: <ol style="list-style-type: none"> Product number. Translucent trim color. Trim color for bracket. Trim B, add \$2.23 list. 					
Paper Sorter  DTPR-3	9 1/4"(235mm)	11"(279mm)	9"-12"(229mm-305mm)	DTPR-3 ◆	\$65.73
Features <ul style="list-style-type: none"> Includes three dividers, one shelf, and mounting bracket. Mounts on slat. Can also be used as a horizontal freestanding tray. Supports maximum of two reams (ten pounds/4.6 kilograms) of paper. ◆ Available on RUSH. 					
To Order, Specify: <ol style="list-style-type: none"> Product number. Translucent trim color. Trim color for bracket. Trim B, add \$2.23 list. 					
Tool Cup  DTWC-2	5 1/2"(140mm)	3 1/2"(89mm)	4"(102mm)	DTWC-2 ◆	\$20.05
Feature <ul style="list-style-type: none"> Mounts on rail and slat. Can also be used in freestanding applications. ◆ Available on RUSH. 					
To Order, Specify: <ol style="list-style-type: none"> Product number. Translucent trim color. 					
Letter Tray  DTLT-2	2 1/2"(64mm)	12"(305mm)	10 1/2"(267mm)	DTLT-2 ◆	\$23.40
Features <ul style="list-style-type: none"> Mounts on rail at 60° angle or horizontally. Mounts on slat horizontally. Can also be used in freestanding applications. Use Letter Tray Stacking Brackets (DTLS-2) to convert to stacking letter trays. Supports maximum of one ream (five pounds/2.3 kilograms) of paper. ◆ Available on RUSH. 					
To Order, Specify: <ol style="list-style-type: none"> Product number. Translucent trim color. 					

Work Tools

Jump Stuff Slat Tile Tools

	Height	Depth	Width	Description	Number	Price
Waste Bin	15 1/2"(394mm)	12"(305mm)	13"(330mm)	Black	DTRB-1B ◆	\$44.56
					DTRB-1 ◆	59.05



DTRB


Features

- Used in freestanding applications.
- Five gallon capacity.
- ◆ Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.

Letter Tray Stacking Kit	8"(203mm)	12"(305mm)	10 1/2"(267mm)		DTLS-2 ◆	\$60.16
---------------------------------	-----------	------------	----------------	--	----------	---------



DTLS-2


Features

- Includes three letter trays and two stacking brackets.
- Used in freestanding applications.
- ◆ Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.

Letter Tray Stacking Bracket	2 1/4"(57mm)	5"(127mm)	9 1/2"(241mm)		DTSB-1 ◆	\$16.71
-------------------------------------	--------------	-----------	---------------	--	----------	---------



DTSB-1

Features

- Includes two stacking brackets.
- Used in freestanding applications.
- ◆ Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Translucent trim color.

Orlando LS — Finish/Color Legends

Trim Color Legend

Lock Colors

LR-BL Black
LR-BP Chrome

Pull Colors

Black
Brushed Nickel

Leg Colors

TR-K Charcoal
TR-LE Metallic Silver

Translucent Colors

TR-LQ Frost — Grade A
TR-LY Moon — Grade B
TR-LU Shadow — Grade B

Jump Stuff Bracket Colors

Paint — Grade A

TR-R Beige
TR-AK Chalk
TR-K Charcoal
TR-J Graphite
TR-G Gray Tone
TR-AA Putty
TR-E Smoke

Metallic — Grade B

TR-MC Metallic Champagne
TR-LE Metallic Silver

Alert:

These materials are current, however they are being considered for future obsolescence due to low volume.
Metallic Gunmetal TR-MG

Thermofused Laminate Color Legend

Laminate colors shown are for Orlando LS ONLY.
No other standard laminates are available.

Wood Grain Laminate Colors

0G-ACA Mahogany
0G-BUC Bourbon Cherry
0G-CAR Carmello
0G-CER Cherry
0G-DCH Dark Chocolate
0G-ERH Hard Rock Maple
0G-GIN Ginger
0G-GRG Grigio
0G-HZN Hazelnut
0G-NTL Natural Cherry
0G-RBY Ruby
0G-CCL Classic Chocolate
0G-NRM Natural Maple
0G-TWT Tuscan Walnut

Solid Laminate Colors

0G-CLY Clay
0G-GAN Anthracite Gray
0G-NCN Crystal Black
0G-SNO Snow
0G-WGR Willow Grey

Patterned Laminate Colors

0G-GVR Frost
0G-PCM Parchment

Orlando LS — Systems/Seating Fabrics/Color Legend

- Fabrics listed on this page apply to Orlando LS tackboard and slat/tackboard.

- To obtain fabric samples contact your authorized Haworth dealer.
- Fabric and finish availability as well as technical information are subject to change; Refer to Haworth.com/surfaces for current information.

(d) = Directional fabric

(n) = Non-directional fabric

Fabric Grade: A (d)

HIGHLANDS

100% Recycled Polyester

L6-AG	Glen
L6-AH	Heather
L6-AL	Loch
L6-AM	Moor
L6-AP	Peat
L6-AT	Thatch

Fabric Grade: A (d)

IOWA

52% Post Industrial Recycled Polyester/ 48% Post Consumer Recycled Polyester

FZ-10	Badger
FZ-6	Bixby
FZ-3	Bobwhite
FZ-2	Cedar Rock
FZ-11	Clear Lake
FZ-13	Emerson
FZ-7	Gar
FZ-9	Honeycreek
FZ-1	Manawa
FZ-5	Rice Lake
FZ-4	Trappers Bay
FZ-12	Walnut Woods
FZ-8	Wapello

Fabric Grade: A (d)

POINT

EE-0AG	Compass
EE-0AC	Decimal
EE-0AF	Focal
EE-0AD	Nib
EE-0AA	Peak
EE-0AE	Vertex

Fabric Grade: A (d)

SAVOY

51% Virgin Polyester/ 49% Recycled Polyester

FJ-CC	Apache
FJ-AD	Balsam
FJ-AP	Bisque
FJ-AE	Blue Ridge
FJ-AA	Blue Willow
FJ-CA	Breaker
FJ-AR	Chamois
FJ-AK	Elephant
FJ-AL	Glacier
FJ-AX	Mango
FJ-AY	Maya
FJ-AW	Poplar
FJ-CD	Raisen
FJ-AT	Shallot
FJ-AM	Stainless
FJ-AF	Tempest

Fabric Grade: A (d)

STRIAE

42% Post Industrial Recycled Polyester/ 42% Post Consumer Recycled Polyester/ 16% Polyester (84% REPVE®)

C1-AJ	Beam
C1-AM	Band
C1-AH	Element
C1-AF	Fillet
C1-AC	Moonlight
C1-AE	Ray
C1-AK	Ribbon
C1-AD	Straws
C1-AA	Stream
C1-AL	Trace

Fabric Grade: A (d)

TAILORED

100% Post Consumer Recycled Polyester

PY-AL	Alter
PY-BU	Buttons
PY-DR	Draper
PY-FC	French Chalk
PY-HE	Hem
PY-MA	Mannequin
PY-SE	Seam
PY-SH	Shears
PY-SU	Suit
PY-TH	Thread
PY-TR	Tradition

Fabric Grade: A (d)

TATAMI

100% Polyester

W5-1	Agave
W5-2	Coir
W5-3	Geta
W5-4	Hemp
W5-5	Jute
W5-6	Kayar
W5-7	Kobe
W5-8	Saffron
W5-9	Sapporo
W5-10	Sisal
W5-12	Tabi
W5-11	Tesori

Fabric Grade: A

TELLURE

100% Polyester

3A-31	Aegean
3A-18	Black
3A-20	Burgundy
3A-40	Chocolate
3A-28	Dynamo
3A-22	Galaxy
3A-42	Geranium
3A-36	Grass
3A-35	Ivory
3A-23	Jodhpurs
3A-33	Miami
3A-19	Navy
3A-06	Nickel
3A-34	Ocean
3A-32	Sky
3A-38	Slate
3A-37	Spring
3A-39	Steel
3A-41	Sunflower
3A-43	Tomato

Fabric Grade: A (d)

TUSCAN

65% Post Industrial Recycled Polyester/ 35% Post Consumer Recycled Polyester (35% REPVE®)

TK-AR	Arno
TK-CA	Carrara
TK-DA	David
TK-ET	Etruscan
TK-FL	Florence
TK-LM	Limoncello
TK-MA	Masonry
TK-ME	Medici
TK-TR	Olive Tree
TK-PS	Pisa
TK-RM	Romanesque
TK-RU	Rustic
TK-SE	Siena

Fabric Grade: B (d)

CLASSIC

82% Recycled Polyester/ 18% Polyester (82% REPVE®)

L5-AJ	Art
L5-AG	Car
L5-AF	Comedy
L5-AH	Design
L5-AD	Drama
L5-AT	Movie
L5-AA	Musical
L5-AC	Radio
L5-AS	Song

Fabric Grade: B (d)

HUE

62% Antimony Free Polyester/ 38% Virgin Polyester

6-BK	Bark
6-ED	Eddy
6-FR	Froth
6-GK	Ginko
6-LT	Latte
6-LF	Leaf
6-LM	Lemon
6-MG	Marigold
6-MR	Marine
6-PP	Poppy
6-RD	Red
6-SS	Seaside
6-SP	Spring
6-ST	Steam
6-TQ	Turquoise
6-WP	Wisp

Fabric Grade: B (d)

KIO

100% Recycled Polyester

ZR-6	Bennett
ZR-8	Cascade
ZR-7	Crew
ZR-5	FUD
ZR-3	Jeanlin
ZR-1	Jib
ZR-11	Reeds Lake
ZR-13	Regatta
ZR-10	Sailor
ZR-2	Sentra
ZR-12	Smurf
ZR-9	TSJ
ZR-4	Yippi Kio

Fabric Grade: B (n)

PUZZLER

48% Post Industrial Recycled Polyester/ 52% Post Consumer Recycled Polyester

7L-C	Clue
7L-CR	Cryptic
7L-E	Enigma
7L-I	Intrigue
7L-M	Maze
7L-R	Riddle

Fabric Grade: B (d)

RITZ

49% Post Industrial Recycled Polyester/ 51% Post Consumer Recycled Polyester (51% REPVE®)

PV-BR	Bravo
PV-BT	Black Tie
PV-CA	Candle Light
PV-CH	Champagne
PV-CL	Classy
PV-CT	Class Act
PV-FR	Formal
PV-VA	Ovation
PV-WT	White Tie

Orlando LS — Systems/Seating Fabrics/Color Legend

Fabric Grade: B (d)
SHIMMER
100% Recycled Polyester

WS-5	Cellophane
WS-8	Copper
WS-13	Dew
WS-14	Diamond
WS-9	Flaxen
WS-4	Gems
WS-11	Glass
WS-1	Glitter
WS-10	Mirage
WS-16	Mirror
WS-2	Moonlight
WS-6	Puddle
WS-15	Reflection
WS-12	Stars
WS-3	Water
WS-7	Wet Grass

Fabric Grade: B (d)
TRAFFIC
**24% Post Industrial
Recycled Polyester/
76% Post Consumer**
Recycled Polyester

WZ-9	Autobon
WZ-6	Country Drive
WZ-7	Freeway
WZ-5	Gridlock
WZ-1	Jam
WZ-3	Merge
WZ-8	Route 66
WZ-4	Ticket
WZ-2	Yield

Fabric Grade: C (d)
BIRDS NEST
**38% Post Industrial
Recycled Polyester/
20% Post Consumer
Recycled Polyester/
42% Recycled Polyester
(20% REPVE®)**

PH-CA	Canary
PH-EA	Eagle
PH-EG	Egret
PH-FA	Falcon
PH-HE	Heron
PH-HU	Hummingbird
PH-MD	Morning Dove
PH-NU	Nuthatch
PH-WL	Owl
PH-RA	Raven
PH-SA	Sandpiper
PH-ST	Stork
PH-SW	Swan

Fabric Grade: C (d)
GEODE
**34% Post Industrial
Recycled Polyester/
26% Post Consumer
Recycled Polyester/
40% Recycled Polyester
(26% REPVE®)**

PR-BS	Bismuth
PR-CA	Calcite
PR-CT	Citrine
PR-CR	Crystal
PR-FL	Fluorite
PR-GA	Galena
PR-HL	Hollow
PR-MA	Malachite
PR-QU	Quartz
PR-WN	Wonder

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Fabric Grade: B (d)
BISCOTTI
100% Recycled Polyester

FN-AJ	Atlantis
FN-AE	Copper
FN-AW	Curry
FN-AT	Fig
FN-AL	Fresco
FN-AX	Icing
FN-AR	Macaroon
FN-AF	Maize
FN-AG	Opal Gray
FN-AD	Pesto
FN-AC	Phoenician
FN-AH	Sea Spray
FN-AA	Shark
FN-AN	Silver Ash
FN-AP	Torte
FN-AM	Wafer

Fabric Grade: B (d)
LANDSCAPE
100% Recycled Polyester

C2-AD	Estate
C2-AH	Harvest
C2-AJ	Panorama
C2-AF	Parkland
C2-AC	Photograph
C2-AE	Seascape
C2-AA	Vista

Fabric Grade: B (d)
TRAX
**24% Post Industrial
Recycled Polyester/
76% Post Consumer
Recycled Polyester**

W9-8	Back
W9-5	Cover Your
W9-2	Eight
W9-4	Field
W9-6	Railroad
W9-1	Sand
W9-7	Tire
W9-3	Trolley

Fabric Grade: C (d)
**MAYPOLE by Maharam
100% Polyester**

2D-004	Reed
2D-003	Rush
2D-006	Sway
2D-001	Tone
2D-005	Twirl
2D-002	Waver

Haworth+

For information on the Haworth+ alliance program, including images and product availability, please refer to:
Haworth.com > Surface Collection > Haworth+ Library

Customer's Own Material (COM)

For general Customer's Own Material information including: processes and forms, please refer to:
Haworth.com/surfaces > COM Section
For information on approved COM's, please refer to:
Haworth.com/surfaces > COM Library
For information on Haworth+ Alliance Program, please refer to:
Haworth.com/surfaces > Haworth+ Library

Orlando LS — Seating Fabrics/Color Legend

- Fabrics listed on this page apply to Orlando LS Pedestal Cushion Kit.

ⓓ = Directional fabric

Ⓝ = Non-directional fabric

- Fabric and finish availability as well as technical information are subject to change; Refer to Haworth.com/surfaces for current information.

Fabric Grade: A ⓓ

COBBLESTONE
65% Post Industrial
Recycled Polyester/
35% Post Consumer
Recycled Polyester

MG-A Alley
MG-AV Avenue
MG-C Courtyard
MG-M Metropolitan
MG-PW Pathway
MG-PA Pavers
MG-P Plaza
MG-S Stickball
MG-V Venezia

Fabric Grade: A ⓓ

DOTTIE
89% Post Industrial
Recycled Polyester/
11% Post Consumer
Recycled Polyester

ME-CA Calico
ME-C Chads
ME-DD Dew Drops
ME-F Flecks
ME-M Morse
ME-P Pip
ME-PD Polka Dots
ME-R Roulette
ME-T Tabby
ME-Y Yahtzee

Fabric Grade: A ⓓ

GAUGE
100% Recycled Polyester

1X-5 Depth
1X-4 Gas
1X-11 Narrow
1X-8 Pressure
1X-2 Rain
1X-12 Sea
1X-13 Standard
1X-10 Test
1X-3 Time
1X-9 Water
1X-6 Weather
1X-1 Wind
1X-7 Wire

Fabric Grade: A ⓓ

HORIZON
100% Polyester

1N-1 Beeline
1N-4 Birdseye
1N-3 Border
1N-2 Compass
1N-5 Panorama
1N-8 Skyline
1N-6 Sweep
1N-7 Vista

Fabric Grade: A Ⓝ

TELLURE
100% Polyester

3A-31 Aegean
3A-18 Black
3A-20 Burgundy
3A-40 Chocolate
3A-28 Dynamo
3A-22 Galaxy
3A-42 Geranium
3A-36 Grass
3A-35 Ivory
3A-23 Jodhpurs
3A-33 Miami
3A-19 Navy
3A-6 Nickel
3A-34 Ocean
3A-32 Sky
3A-38 Slate
3A-37 Spring
3A-39 Steel
3A-41 Sunflower
3A-43 Tomato

Fabric Grade: B ⓓ

COCKTAIL
100% Eco-Intelligent®
Polyester

MBDC Certified
Cradle to Cradle Gold

1W-12 Black Cow
1W-8 Blue Moon
1W-13 Boilermaker
1W-1 Bubbly
1W-3 Gibson
1W-4 Grasshopper
1W-7 Lounge
1W-16 Margarita
1W-10 Martini
1W-14 Mojito
1W-11 Old Fashion
1W-6 Pink Squirrel
1W-15 Sidecar
1W-9 Stinger
1W-2 Stout
1W-5 Swizzle

Fabric Grade: B ⓓ

JEWEL

77% Post Industrial
Recycled Polyester/
23% Post Consumer
Recycled Polyester

MN-AM Amber
MN-A Aquamarine
MN-C Citrine
MN-E Emerald
MN-G Garnet
MN-J Jade
MN-M Malachite
MN-R Ruby
MN-S Sapphire
MN-TE Tiger's Eye

Fabric Grade: B ⓓ

LEEF
51% Post Consumer
Recycled Polyester/
49% Post Industrial
Recycled Polyester

ML-A Aspen
ML-B Beet
ML-C Coca
ML-CN Coconut
ML-F Fennel
ML-HE Henna
ML-H Hosta
ML-HY Hydrangea
ML-M Moonflower
ML-PE Petunia
ML-P Pumpkin
ML-S Sunflower
ML-V Violet

Fabric Grade: B ⓓ

MOODRING
100% Polyester

NQ-4 Calm
NQ-24 Cheerful
NQ-3 Cool
NQ-21 Grounded
NQ-25 Happy
NQ-22 Inspired
NQ-23 Intense
NQ-8 Joy
NQ-10 Liberate
NQ-28 Peaceful
NQ-26 Restful
NQ-27 Zen

Fabric Grade D Ⓝ

COTSWOLD
100% Wool

JB-AN Anquilla
JB-BR Bottlegrass
JB-CA Camp
JB-DN Dandelion
JB-ED Editor Blue
JB-GS Goldfish
JB-HA Heart
JB-KE Kokanee
JB-NE Nettle Bellflower
JB-PL Pickeral Weed
JB-SA Sand
JB-SD Silver Dollar
JB-SU Silverbush
JB-SC Soft Charcoal
JB-TR Tree
JB-WE Wheaton

Fabric Grade: D ⓓ

TANGRAM
57% Polyester/
28% Post Industrial
Recycled Polyester/
15% Post Consumer
Recycled Polyester/

LV-CL Clue
LV-EN Enigma
LV-GU Guess
LV-MA Maze
LV-MU Muse
LV-MT Mystery
LV-MY Mystify
LV-UT Outline
LV-PE Perplex
LV-PC Pieces
LV-PU Puzzle
LV-RD Riddle
LV-SC Scrabble
LV-SL Solve
LV-TE Teaser
LV-TR Trick

Fabric Grade: E ⓓ

BRISA FAUX LEATHER
100% Polyurethane face/
100% Reinforced Rayon Backing

XG-23 Apple Green
XG-22 Ash
XG-3 Aztec
XG-28 Birch
XG-12 Black Onyx
XG-25 Blossom
XG-5 Cambridge Blue
XG-26 Coffee Bean
XG-20 New Sand
XG-18 Night Navy
XG-21 Pompeian Red
XG-1 Salsa
XG-16 Sea Gull
XG-27 Shitake
XG-24 Skyway
XG-17 Sterling Blue
XG-13 White

Orlando LS — Seating Fabrics/Color Legend

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Fabric Grade: A (d)

ESOTERIA
52%Nylon/
31%Post Industrial
Recycled Polyester/
17%Post Consumer
Recycled Polyester

3H-17 Amulet
 3H-14 Antares
 3H-16 Borealis
 3H-6 Celestial
 3H-1 Cryptic
 3H-22 Draco
 3H-15 Enigma
 3H-2 Estuary
 3H-9 Ethereal
 3H-21 Mantra
 3H-11 Scirroco
 3H-19 Shiva
 3H-18 Tarot
 3H-20 Vedic
 3H-5 Visage

Fabric Grade: A (d)

INTERVAL
56%Nylon/
44%Recycled Polyester

3F-3 Adrian
 3F-8 Bayou
 3F-17 Binary
 3F-6 Carnelian
 3F-16 Charm
 3F-12 Chimera
 3F-18 Echo
 3F-14 Flaxen
 3F-1 Mink
 3F-13 Nutra
 3F-2 Polaris
 3F-19 Realis
 3F-15 Tarium

Fabric Grade: A
RAVENNA
56% Nylon/
44% Polyester

3E-15 Aqua Marine
 3E-2 Azurite
 3E-17 Basalt
 3E-19 Jade
 3E-18 Lode
 3E-1 Marquetry
 3E-4 Melange
 3E-12 Omnium
 3E-14 Oolite
 3E-5 Pastiche
 3E-7 Pietra
 3E-16 Sinter
 3E-8 Tesserae

Fabric Grade: A (d)

ZINGER
37%Recycled Polyester/
63%Polyester
(13%REPREVE®)

NI-2 BBQ
 NI-17 Beluga
 NI-10 Bluegill
 NI-8 Chips
 NI-11 Classic
 NI-16 Concord
 NI-13 Frog
 NI-15 Glade
 NI-9 Grain
 NI-12 Granny
 NI-4 Gravel
 NI-18 Kiwi
 NI-20 Mulberry
 NI-3 Onion
 NI-6 Pacific
 NI-1 Roan
 NI-21 Tar
 NI-7 Wagon
 NI-19 Wicker
 NI-5 Wolf

Orlando LS — COM Yardage Requirements

Procedure To confirm approval of or request new approval for COM's/ contact the **Haworth Inquiry Center (1.800.426.8562/ or <http://hub.Haworth.com/> or www.haworth.com > surface collection > COM Library** to determine if the COM you have selected has already been tested and approved for use on our product.

If the fabric is approved/ and the directional orientation (directional rightway/ directional railroad/ or non-directional) of the tested fabric has been confirmed/ then refer to the appropriate column in the chart for yardage requirements.

Steps to follow to calculate fabric usage:


- 1) Identify product type and size.
- 2) Determine method in which fabric is to be cut (directional rightway/ directional railroad or non-directional).
- 3) Determine fabric roll width.
- 4) Find corresponding fabric usage value from the table.
- 5) Calculate fabric required using the formula below:

Fabric usage = number of units x number of sides with fabric x fabric usage (from tables) + C (constant).

Constant	
Product	C
Tackboards	1.5

- 6) Repeat steps 1-5 for each product type/ size and fabric.
- 7) Add all values together to find total number of linear yards required for the order. Add the appropriate percentage shown below to the total yardage to accommodate fabric flaws/ wrinkles and other imperfections.

Up to 500 yards	Add 10%
501 to 1000 yards	Add 5%
More than 1000 yards	Add 3%



Orlando LS — COM Yardage Requirements

Orlando LS Tackboard Fabric Usage

Nominal (Inches)		66 Inch Roll (Linear Yards)			54 Inch Roll (Linear Yards)		
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
Fabric Tackboards for Vertical Storage Units							
16 15/16" (430mm)	28" (711mm)	0.367	0.551		0.367	0.551	
	34" (864mm)	0.446	0.669		0.446	0.669	
	39" (991mm)	0.512	0.767		0.512	0.767	
	45" (1143mm)	0.590	0.885		0.590	0.885	
	51" (1295mm)	0.669	1.004		0.669	1.004	
	57" (1448mm)	0.748	1.122		N/A	N/A	
	63" (1600mm)	0.826	1.240		N/A	N/A	
	69" (1753mm)	0.905	1.358		N/A	N/A	
	75" (1905mm)	0.984	1.476		N/A	N/A	
	81" (2057mm)	1.063	1.594		N/A	N/A	
	87" (2210mm)	1.141	1.712		N/A	N/A	
	93" (2362mm)	1.220	1.830		N/A	N/A	
Fabric Tackboards with Slat Rail for Vertical Storage Units							
16 15/16" (430mm)	28" (711mm)	0.194	1.000		0.194	1.000	
	34" (864mm)	0.236	1.333		0.236	1.333	
	39" (991mm)	0.271	1.667		0.271	1.667	
	45" (1143mm)	0.313	2.000		0.313	2.000	
	51" (1295mm)	0.354	2.333		0.354	2.333	
	57" (1448mm)	0.396	2.667		N/A	N/A	
	63" (1600mm)	0.438	1.000		N/A	N/A	
	69" (1753mm)	0.479	1.333		N/A	N/A	
	75" (1905mm)	0.521	1.667		N/A	N/A	
	81" (2057mm)	0.563	2.000		N/A	N/A	
	87" (2210mm)	0.604	2.333		N/A	N/A	
	93" (2362mm)	0.646	2.667		N/A	N/A	
Fabric Tackboards for Overhead Storage Units							
18 15/16" (481mm)	30" (762mm)	0.440	0.660		0.440	0.660	
	31" (787mm)	0.454	0.682		0.454	0.682	
	36" (914mm)	0.528	0.792		0.528	0.792	
	37" (940mm)	0.542	0.814		0.542	0.814	
	42" (1067mm)	0.616	0.924		0.616	0.924	
	48" (1219mm)	0.704	1.056		0.704	1.056	
	54" (1372mm)	0.792	1.188		N/A	N/A	
	60" (1524mm)	0.880	1.319		N/A	N/A	
	66" (1676mm)	0.968	1.451		N/A	N/A	
	72" (1829mm)	1.056	1.583		N/A	N/A	
	78" (1981mm)	1.144	1.715		N/A	N/A	
	84" (2134mm)	1.231	1.847		N/A	N/A	
	90" (2286mm)	1.319	1.979		N/A	N/A	
	96" (2438mm)	1.407	2.111		N/A	N/A	

Orlando LS — COM Yardage Requirements

Orlando LS Tackboard Fabric Usage/ (continued)

Nominal (Inches)		66 Inch Roll (Linear Yards)			54 Inch Roll (Linear Yards)		
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
Fabric Tackboards with Slat Rail for Overhead Storage Units							
18 15/16" _(481mm)	30" _(762mm)	0.255	0.382		0.255	0.382	
	31" _(787mm)	0.263	0.395		0.263	0.395	
	36" _(914mm)	0.306	0.458		0.306	0.458	
	37" _(940mm)	0.314	0.471		0.314	0.471	
	42" _(1067mm)	0.356	0.535		0.356	0.535	
	48" _(1219mm)	0.407	0.611		0.407	0.611	
	54" _(1372mm)	0.458	0.688		N/A	N/A	
	60" _(1524mm)	0.509	0.764		N/A	N/A	
	66" _(1676mm)	0.560	0.840		N/A	N/A	
	72" _(1829mm)	0.611	0.917		N/A	N/A	
	78" _(1981mm)	0.662	0.993		N/A	N/A	
	84" _(2134mm)	0.713	1.069		N/A	N/A	
	90" _(2286mm)	0.764	1.146		N/A	N/A	
	96" _(2438mm)	0.815	1.222		N/A	N/A	
Fabric Tackboards for Reception Stations							
12 1/2" _(318mm)	72" _(1829mm)	0.722	1.083		N/A	N/A	
	84" _(2134mm)	0.843	1.264		N/A	N/A	

Note: Tackboards over 60" (1524mm) wide are shipped in two equal pieces.

North American Terms of Sale

These Terms of Sale are part of a quotation, bid response, or other sales document issued by Haworth, Inc., Haworth, Ltd. ("Haworth").

These Terms of Sale do not cover products manufactured in North America shipping to non-North American countries nor do they cover products manufactured in non-North American countries shipping to North America. For those terms of sale, please contact Haworth's Global Trade and Compliance Department at 616.393.3000 or through Haworth.com.

A. Ordering Information

Haworth sells its products on the terms set forth in these standard Terms of Sale:

ORDERS MUST BE SUBMITTED IN WRITING OR ELECTRONICALLY (Lynx) AS REPRESENTED BY A VALID PURCHASE ORDER, WHICH INCLUDES PRODUCT TOTAL.

An order is not binding upon Haworth until Haworth issues an order acknowledgment to the customer (the "Customer"), which will include price information and an anticipated delivery date.

1. Order Changes/Cancellations

For Specials, Customer's Own Material (C.O.M.), finish matches, custom colors, custom products, Master lock and key orders, and RUSH orders, no changes or cancellations are allowed 24 hours after order placement. All other products require approval for changes or cancellations. A change/cancellation fee may apply. Contact Order Services for applicable charges.

Ship-to addresses changed within five (5) business days of delivery will incur fees to cover administrative costs due to re-labeling of product and/or reconsignment fees with the carrier.

Order cancellations are complete annulments of orders. Order changes are the deletion of line items or a change in size, color, quantity, ship-to address, or scope of work. There is no penalty for additions; however, any change may cause the order or the line items affected to be rescheduled. Order changes involving additional product and services which increase the value must be accompanied by an amended Purchase Order or other document as agreed.

ALL CHANGES MUST BE IN WRITING, REGARDLESS OF THE (DOLLAR) VALUE. CHANGES ARE NOT BINDING UPON HAWORTH UNTIL HAWORTH ISSUES AN ACKNOWLEDGMENT OF THE CHANGE.

2. C.O.M. (Customer's Own Material)

A Customer who requests a fabric, surface or finish material (C.O.M.) not in Haworth's standard finish offering must first confirm approval of or request new approval for the C.O.M.

Haworth will determine feasibility of the material for manufacturability. For a description of the procedure to submit C.O.M. samples, contact Haworth's Order Services department. For testing information, see the C.O.M. section of the catalog, or call Haworth Order Services.

If Haworth agrees to use the C.O.M., (1) Haworth shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspect of the C.O.M.; and (2) Haworth shall have no liability for any damages, injuries, or losses to the Customer or to any third party that shall be caused by any C.O.M., and the Customer shall hold Haworth harmless for all such liability.

3. Valid/Complete Purchase Order

The following information is required in order to process an order with Haworth:

a. Customer Information

- i. **Sold To:** Legal name, complete address (if Haworth is to bill the end user, provide end user Purchase Order made out to Haworth, Inc., Haworth, Ltd.) and phone and fax number.
- ii. **Ship To:** Legal name and address.
- iii. **Purchase Order Number:** From the party Haworth will be billing.
- iv. **Authorized Signature:** All Purchase Orders must be signed by a duly authorized representative if a signature line is present. Electronically transmitted Purchase Orders will be accepted without a signature if dealer billed and the dealer has an electronic purchase payment agreement on file.
- v. **Contact Name and Phone Number:** Person Haworth should contact with any questions regarding the order.
- vi. **Shipping Contact:** Name and phone number of person to be contacted regarding shipping and delivery matters.
- vii. **Tagging Instructions:** This information will appear on all documentation received from Haworth including: cartons, acknowledgments, and invoices.
- viii. **Price Agreement or National Sales Agreement Number**
- ix. **Product Total:** Net dollars.
- x. **Installation, Design, Project Management, and/or Service Fees**

b. Product Information

- i. **Quantity**
- ii. **Product Numbers**
- iii. **Colors**
- iv. **Specials:** Specify special part number for new special products.
- v. **Customer's Own Material:** Order entry code, manufacturer, pattern, and color.

- vi. **Approval Drawings:** An authorized signature by a duly authorized representative is required for shop drawings when applicable.
- vii. A deposit may be required for custom materials.

c. Order Confirmation

All orders will be acknowledged.

B. Pricing Policies

1. Terms of Payment

Terms of payment and credit limits will be established based on financial information. Standard payment terms on open credit are net thirty (30) days from invoice date. Advance payments or other payment security may be required by Haworth. The account balance must be at or below the credit limit and current at all times (no past-due balances). Haworth reserves the right to delay or cancel any delivery to a Customer whose Haworth account balance is over the credit limit and/or past due. For walls and floors a deposit will be required.

2. Terms of Credit

Customer hereby authorizes Haworth to obtain such credit reports, financial information or other information as Haworth may request, including, without limitation, credit information from any financial institutions or others having a business relationship with the Customer. Customer hereby authorizes any credit references to answer Haworth's inquiries and provide such credit information and documentation as Haworth may request.

The Customer hereby releases and holds Haworth harmless for any inconvenience whatsoever, caused by any temporary or permanent withdrawal or restriction of credit privileges hereunder, or the enforcement of any of the provisions contained in this paragraph.

3. Past-Due Charges

Past-due balances will be increased by a maximum of 1.5% per month, or 18% annually, without forfeit of Haworth's right to immediate payment.

4. Applicable Prices

The price of any product sold to Customer by Haworth will be based upon the North American Price List (Catalog).

Prices and discounts are subject to change without notice or approval. In the event of an adjustment to pricing, National Sales Agreement (NSA) Customers will be notified in advance according to the terms of the NSA.

Applicable prices and currency exchange rates are those in effect at the time of the RECEIPT of an **ORDER**; Haworth reserves the right to use the published pricing effective at the time of shipment, if the requested delivery date is more than 120 days after the order receipt date.

North American Terms of Sale

Haworth Flooring products are sold using the North American price list in US dollars. Currency exchange rates at the time of the transaction will be used to convert the USD amount into the alternate currency. Should the currency exchange rate between the USD and alternate currency change between a quote and the receipt of an order, the alternate currency amount will also change to equal the current, equivalent USD amount.

5. C.O.M. (Customer's Own Material) Charges

Refer to appropriate Customer's Own Material (C.O.M.) form for applicable surface material charges.

6. Taxes

Haworth prices do not include customs duty, sales, use, value added or similar taxes. Any federal, state/provincial or other taxes or assessments based upon the sale or delivery of products or services sold applicable to the customer at present or later imposed by federal, state/provincial or municipal agencies, shall be added and paid by the customer. Customer is responsible for all such taxes.

NOTE: For all countries a valid sales tax exemption certificate must be approved by and on file with Haworth prior to product shipment. Otherwise, sales tax will be due and payable to Haworth when such tax is invoiced to Customer.

7. Services

If, as a result of Customer request, the Haworth dealer or Haworth subsidiary provides planning/design services, storage, project management, special handling, set-up, installation and/or other services, the Customer will be charged at the local Haworth dealer/subsidiary's prevailing rates.

8. Termination by Haworth

Haworth may immediately terminate an order upon written notice in the event bankruptcy or insolvency proceedings are instituted by or against the Customer, or the Customer is adjudicated as bankrupt, becomes insolvent, makes an assignment for the benefit of creditors, or proposes or makes any arrangements for the liquidation of its debts, or a receiver or receiver and manager is appointed with respect to all or any part of the assets of the Customer.

C. Shipping and Delivery

Haworth will have the right to determine the method of shipment and routing of product.

This section does not apply to any of Haworth's Flooring products. All Haworth Flooring products are sold freight collect.

If, for any reason, a delivery has to be made to an intermediate location (i.e. a location other than the "Ship To" location noted on the order or ultimate end user location), all handling and re-delivery costs incurred would be at the Customer's expense.

1. U.S.A. - Contiguous

All deliveries will be CPT (Carriage Paid To) (ICC Incoterms 2010). Haworth's manufacturing facilities or distribution centers. Freight charges will be prepaid by Haworth on all orders to locations within the continental United States. Customer bears all risk of loss or damage to the goods when they are placed on Haworth's means of transport.

2. U.S.A. - Non-contiguous (Alaska, Hawaii and Puerto Rico)

All deliveries will be CIF (Cost, Insurance and Freight) (ICC Incoterms 2010). Haworth's catalog prices include ocean freight and insurance to the port of the final destination. Haworth has the right to determine the carrier, method of shipment and routing. Haworth will contract with the insurer and provide minimal insurance coverage (CIF @ 110%) made payable to the Customer. Customer is responsible to obtain greater insurance if so desired.

Customer bears all risk of loss or damage to the goods when the goods are effectively at the disposal of the Customer on board the vessel at the named port of destination. Proof of delivery is a clean on board bill of lading. Customer will be responsible for all on-carriage from the receiving port to the final destination.

3. Canada

All deliveries will be DDP (Delivered Duty Paid) (ICC Incoterms 2010). Haworth's catalog prices include delivery to Customer's named place, not unloaded from any arriving means of transport. Customer bears all risk of loss or damage to the goods when they are delivered to the Customer's named facility not unloaded. Haworth will assume responsibility to file all freight claims with the carrier for any loss/damage which may occur while product is in transit, and will promptly repair or replace any damaged or lost product. Haworth requires the Customer to report all freight damage and/or loss to both the carrier and to Haworth.

NOTE: Under all delivery terms (U.S.A. and Canada), any additional expense resulting from Customer's request for expedited transportation, special services, packaging, handling, routing, and/or shipping method will be billed to Customer.

4. Mexico

All deliveries will be DAP (Delivered to Place) (ICC Incoterms 2010). Haworth's catalog prices include freight charges for normal surface transportation to a United States point of exportation within the 48 contiguous states. Haworth has the right to determine the carrier, method of shipment and routing.

Customer bears all risk of loss or damage to the goods when the goods are delivered to the named United States point of exportation. Haworth will provide customs clearance facilitation and arrangement of local delivery through an Authorized Dealer in Mexico, on a separately negotiated basis. Otherwise the Customer will be responsible for all customs clearance formalities and on-carriage from the United States point of exportation to the final destination in Mexico.

5. Delivery Dates and Delay

If Haworth cannot deliver products as scheduled due to causes beyond its reasonable control (such as casualty, labor disputes, or accident; inability to obtain necessary labor, material or transportation; or changes requested by the Customer), the delivery date will be extended to compensate for the delay as determined by Haworth.

6. Delivery Shortages and Damage

Product shortages and damage must be noted on delivery receipts at the time of delivery and reported to the carrier for correction.

Claims against Haworth for shortages, errors, or damage must be made within ten (10) days of the date of delivery or the Customer waives the right to make such a claim. Signed Bill of Ladings or Delivery Receipt must be sent in with claims. See the Haworth/Haworth Dealers Roles and Responsibilities document for further details.

7. Storage

Haworth may transfer product to storage at the Customer's risk and expense if the Customer is unable or unwilling to take delivery of product as originally scheduled. Upon such transfer to storage, the Customer assumes risk of loss. Haworth will invoice the Customer for storage fees and the Customer will make payments in accordance with Haworth's standard payment terms.

North American Terms of Sale

D. General Terms

1. Governing Law

For products purchased for delivery in the U.S. pursuant hereto, this Agreement shall be governed by and construed according to the laws of the State of Michigan. Where Products are purchased for delivery in Canada pursuant hereto, this Agreement shall be governed by and construed according to the laws of the Province of Alberta. In either case, the parties attorn to the exclusive jurisdiction of the courts of Michigan and Alberta, respectively for the purpose of hearing any disputes arising under this Agreement or with respect to any Products sold pursuant hereto, and agree that the provisions of the United Nations Convention on Contracts for the International Sale of Goods and any other provision or law which would have the effect of applying the laws of any jurisdiction other than Michigan or Alberta, as the case may be, shall be excluded.

2. Force Majeure

In the event that the performance of Customer or Haworth or its participating dealer assignee(s) would be prevented, restricted, interfered with or rendered commercially impracticable by reason of Force Majeure, then upon the giving of notice to the other parties, the party affected by the Force Majeure shall be excused from performing hereunder until the Force Majeure no longer prevents, restricts, interferes with, or renders such performance commercially impracticable.

"Force Majeure" shall mean: fire, explosion, breakdown of plant, epidemic, hailstorm, snow/ice storms en route, hurricane, tornado, cyclone, flood or power failure; war, revolution, civil or military disturbances, acts of public enemies, acts of terrorism, blockade or embargo; any law, order, proclamation, regulation, ordinance, demand or requirement of any applicable governmental authority or any subdivision, authority, or representative of any such government; labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts; or difficulties beyond Haworth's reasonable control in obtaining necessary raw materials, labor, fuels and electric power, components or facilities, and any other circumstances beyond the control of the party affected.

3. Delays by Customer

Where Haworth has not received adequate site dimensions, Product specifications, shipping information, installation particulars or other information required by Haworth to permit the efficient manufacture of any Products, or where site conditions are not in accordance with the Installation Requirements set forth, or are not otherwise suitable to permit effective and efficient installation, the manufacture and/or delivery of Products may be delayed, and such event shall constitute a delay by the Customer. When manufacture, delivery or installation is delayed by the Customer or at the Customer's

request: (i) Haworth may, at its option, present the invoice for the full price of the Products to the Customer as then due and payable; (ii) the Customer shall pay to Haworth all reasonable storage, handling and other reasonable incidental expenses incurred by Haworth in connection with such delay; and (iii) the Customer shall bear all risk of loss or damage to the Products being held by Haworth for the Customer.

4. Use and Installation of Products

Haworth recommends that its products be installed by certified, qualified and approved installers according to Haworth's written installation procedures. The Customer agrees to use Haworth products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by Haworth, and to instruct employees as to the proper care and use of the products according to printed instructions.

5. Warranty

Haworth's standard North American Warranty will apply as appropriate. All product line warranty specifics are available in each catalog or upon request.

E. Services

Service requests for design, installation, relocation, storage, etc. are handled by the local Haworth dealer on a separately negotiated basis. Contact the local Haworth dealer, affiliate or area sales office for more details.

Scope of Work - Design

Customer acknowledges that the Products to be manufactured or procured by Haworth in connection with the order are or may be custom manufactured for the Customer and that Haworth may be required to perform extensive work in relation to the design and specification of such Products. Where Customer requests that Haworth create as-built drawings or make more than two material revisions to any particular Product design or specification, Customer agrees that Haworth shall be entitled to invoice Customer with respect to such additional work on the basis of Haworth's then prevailing rates for related design and specification services.

Installation Requirements

Where installation services are to be provided by Haworth, its authorized dealer or subcontractor, a document will be provided setting forth the scope of installation work to be performed (the "Scope of Work") and the price to be charged therefore. Unless otherwise specified in the scope of work, Haworth's installation services are limited to products sold by Haworth with the exception of lighting, under floor electrical and data.

General Conditions

(a) Sufficient time shall be allocated by the Customer following delivery of Products and prior to Customer's occupation of the premises to allow the installation of all Products during conventional working hours, Monday through Friday, 7:30 a.m. to 4:30 p.m. Where sufficient time is not allocated and Haworth is required or requested to perform installation work outside of such times, overtime charges shall be charged at Haworth's then prevailing rates. (b) Haworth shall be given free and exclusive access to; (i) a loading dock within 150' of the freight elevator or hoist, which loading dock shall be of sufficient size to enable full-size tractor-trailer deliveries to the premises (where required by Haworth); (ii) a freight elevator or hoist of sufficient size and capacity to allow the efficient movement of the Products; (iii) an unobstructed and safe pathway to the area where Products are to be stored or staged; (iv) a secure storage / staging area; (v) convenient trash facilities; (vi) adequate lighting; (vii) a work site that complies with applicable health and safety legislation. Where such areas and facilities are not available, Haworth shall be entitled to bill Customer for all amounts incurred by Haworth for double-handling, product movement, lifting, hoisting, trash removal and any other resulting charges. (c) The installation site shall be free and clear of existing furniture, debris, or other obstructions (including construction in progress) and shall otherwise be in the reasonable opinion of Haworth ready for installation of the Products. Any building where Products are to be installed shall be fully closed in, dry and protected from the natural elements, with temperatures between 40°F and 90°F (4°C and 32°C) and relative humidity not to exceed 70% at all times including receipt of products, during and after installation and shall be adequately heated and/or air-conditioned. Where unusual site conditions exist which impede or prevent the normal installation of any Products, applicable extra charges shall apply at prevailing rates. (d) Haworth's installation pricing is based upon the installation occurring as one continuous delivery and installation project. Phased installation pricing shall be provided by Haworth on a case by case basis. (e) Electrical hardwiring, plumbing and mechanical work is not included and shall be the responsibility of the Customer. (f) Except as may be otherwise specifically indicated, installation pricing does not apply to projects where union labor is required. Where Haworth has provided installation pricing on the basis that non-union labor be utilized, and where Haworth is required to use union labor or it otherwise becomes impractical to use non-union labor, or where Haworth is required by law to use prevailing wages, Haworth shall be entitled to charge the Customer for any cost differential between the anticipated cost of non-union labor and the actual cost of utilizing union or prevailing wage labor. (g) Haworth shall not be responsible for obtaining permits.

North American Terms of Sale

Project / Site Conditions

Lateral load bracing is not included in the scope of Haworth's work and shall not be performed by Haworth. In areas where flooring Products are to be installed by Haworth overhead construction must be completed prior to the commencement of such work to avoid damage to the panels and finishes. The existing subfloor must be smooth, mopped clean, free of moisture, dust, dirt and debris. Once installed, the access floor must be maintained in the same manner. The subfloor must have a maximum vertical elevation deviation of 0.375" (10mm) over a horizontal span of 10'-0" (3m), and without discontinuities in floor slope. For greater certainty, the scope of Haworth's installation work in such areas shall not be deemed to include any work required to level such subfloor, remove protrusions, remove pre-existing floor coverings or adhesives, or any other work which is required to remedy any conditions which may impede the efficient installation of flooring. Except as may be otherwise specifically indicated in the order, installation pricing for flooring Products and the Scope of Work in relation thereto shall not include any work required to remove and replace floor panels following their initial installation to provide tradespersons or others with access to the underpanel cable management cavity. In areas where movable walls are to be installed, all flooring (including carpeting) and ceiling components (including dropped ceiling grid components) shall be fully complete and ready for the installation of the movable wall products. Further, the existing floor (or other surface on which the movable wall panels are to be installed) shall have a maximum vertical deviation of 1.25" (30mm) and the dropped ceiling grid shall have a maximum vertical deviation of 0.375" (10mm) from the specifications to which such movable wall panels were designed and manufactured (collectively the "Permitted Tolerances"), and shall otherwise comply with any site condition assumptions made known to Haworth prior to the manufacture of such Products (the "Site Assumptions"). Where the Permitted Tolerances or Site Assumptions are not strictly adhered to or met, additional charges may be incurred in connection with site remediation and/or the modification or remanufacture of affected movable wall products, together with all resulting shipping and labor charges at Haworth's then prevailing rates for such Products and services.

Installation Change Orders

Where Customer requests work to be performed or materials to be provided which are not contemplated in the Scope of Work, or Customer otherwise requests Products or services not contemplated in the order (collectively "Extras"), prior to providing such Extras Haworth reserves the right to require the Customer to provide and sign a written Purchase Order or Change Order acceptable to Haworth describing the Extras and the amounts to be charged therefore, and the Customer agrees to pay such charges.

Entire Agreement

The order and this Agreement (including applicable Schedules) constitute the sole agreement between the parties and supercede any prior understanding or written or oral agreements between the parties (excluding National Sales Agreements). No waiver of any of the provisions of these Standard Terms and Conditions shall be binding on Haworth unless expressly agreed in writing.

Revision Date: June 1, 2015

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
BACS-0016	Accessories – Pedestal Cushion Kit	33
BACS-0030	Accessories – One-High Lateral File Cushion Kit	33
BAFB-0015	Accessories – Front-to-Back Hanging Bars	33
BAPT-0000	Accessories – Pencil Tray	33
BBCR-C	Tables – Round Table	32
BBCR-G	Tables – Round Table	32
BBFS	Wall Mounted Overhead Storage Units – Wall Mounted Overhead Storage Unit	27
BBR-F	Bridges and Corners – Bridge	19
BBR-N	Bridges and Corners – Bridge	19
BCDD-8L	Credenzas – Door Credenza	23
BCFM-8L	Credenzas – Door/Drawer Credenza	23
BCLD-2260-GG	Credenzas – Credenza with Symmetrical Lateral Files	22
BCLD-2260-JJ	Credenzas – Credenza with Symmetrical Lateral Files	22
BCLD-2272-GG	Credenzas – Credenza with Symmetrical Lateral Files	22
BCLD-2272-JJ	Credenzas – Credenza with Symmetrical Lateral Files	22
BCLD-2296-GG	Credenzas – Credenza with Symmetrical Lateral Files	22
BCLD-2296-JJ	Credenzas – Credenza with Symmetrical Lateral Files	22
BCSK-HH8	Credenzas – Credenza with Symmetrical Kneespace	21
BCXL-G8L	Credenzas – Credenza with Lateral Storage	21
BCXL-J8L	Credenzas – Credenza with Lateral Storage	21
BCXS-H8L	Credenzas – Credenza with Pedestal	20
BDOD-HH8F	Double Pedestal Desks – Double Pedestal Desk	14
BDOD-MM8F	Double Pedestal Desks – Double Pedestal Desk	14
BDOS-H8FL	Single Pedestal Desks – Single Pedestal Desk	13
BPMQ-2015-J8	Lateral Files and Mobile Pedestals – Mobile Pedestal	29
BPMQ-2015-M8	Lateral Files and Mobile Pedestals – Mobile Pedestal	29
BRDD-HC	D-Top Desks – D-Top Desk	16
BRDD-NC	D-Top Desks – D-Top Desk	16
BRED-HC	D-Top Desks – D-Top Desk Extension	15
BRED-NC	D-Top Desks – D-Top Desk Extension	15
BRRL-J8L	Returns – Return with Lateral Storage	18
BRRL-M8L	Returns – Return with Lateral Storage	18
BRRN-L	Returns – Return Shell	17
BRRS-J8L	Returns – Return with Pedestal Storage	18
BRRS-M8L	Returns – Return with Pedestal Storage	18
BSBC-2830	Bookcases – Two-High Bookcase	30
BSBC-2836	Bookcases – Two-High Bookcase	30
BSBC-3930	Bookcases – Three-High Bookcase	30
BSBC-3936	Bookcases – Three-High Bookcase	30
BSBC-6830	Bookcases – Five-High Bookcase	30
BSBC-6836	Bookcases – Five-High Bookcase	30
BSL1-F8	Lateral Files and Mobile Pedestals – One-High Lateral File	29
BSLF-G8	Lateral Files and Mobile Pedestals – Two-High Lateral File	29
BSLF-J8	Lateral Files and Mobile Pedestals – Two-High Lateral File	29
BSWC-6824-8LL	Wardrobes – Wardrobe/Storage Cabinet	31
BSWC-6824-8LR	Wardrobes – Wardrobe/Storage Cabinet	31
BSWF-6824-8LL	Wardrobes – Wardrobe/File Storage Cabinet	31
BSWF-6824-8LL	Wardrobes – Wardrobe/File Storage Cabinet	31
BTAB-2032	Tackboards – Tackboard	28
BTAB-2035	Tackboards – Tackboard	28
BTSB	Tackboards – Slat/Tackboard	28
BUC-FD	Bridges and Corners – Corner Unit	19
BUC-ND	Bridges and Corners – Corner Unit	19

Index

Product Code	Product Description	Page
BVF-L	Vertical Storage Units with Doors – Vertical Storage Unit	24
BVO	Vertical Storage Units — Open – Vertical Storage Unit Open	26
BVS-L	Vertical Storage Units — Open Center – Vertical Storage Unit Open Center	25
DMSP	Work Tools – Mini Shelf	44
DTAR-3	Work Tools – Personal Shelf Bracket	45
DTBS-3	Work Tools – Phone Shelf Bracket	44
DTES-3	Work Tools – Personal Shelf	44
DTGK-3	Work Tools – Gooseneck Kit	43
DTHT-1	Work Tools – Tote Strap	43
DTLS-2	Work Tools – Letter Tray Stacking Kit	46
DTLT-2	Work Tools – Letter Tray	45
DTPR-3	Work Tools – Paper Sorter	45
DTPT-3	Work Tools – Phone Shelf	44
DTRB	Work Tools – Waste Bin	46
DTSB-1	Work Tools – Letter Tray Stacking Bracket	46
DTSB-3	Work Tools – Binder Bin	43
DTTE-3	Work Tools – Tote	43
DTTH-3	Work Tools – Tote	43
DTTS-12	Work Tools – Tack Strip	43
DTTS-24	Work Tools – Tack Strip	43
DTWC-2	Work Tools – Tool Cup	45
JAG-1	Accessories – Grommet	33
LBJ1	Freestanding Lighting — BRAZO®	38
LBJ2	Freestanding Lighting — BRAZO®	38
LBJ3	Mounted Lighting — BRAZO	38
LBJ4	Mounted Lighting — BRAZO	38
LLC1	LIM C	40
LLC2	LIM C	40
LLH	LIM Hardware	42
LLL1	LIM L	39
LLL2	LIM L	39
LLL3	LIM L	39
LLLA	LIM L	39
LLM1	LIM Mounted	41
LLM1	LIM Mounted	41
LLM2	LIM Mounted	41
LLU1	LIM Mounted	42
LLU2	LIM Mounted	42
LLY1	LIM Y	40
LUTD	Lighting — Task – Adaptable Electronic Ballast Task Light (Add-On Light)	35
LUTD-0017-1NULDN	Lighting – Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	37
LUTR	Lighting — Task – Adaptable Electronic Ballast Task Light (Starter Light)	34
LUTS-0000	Lighting – Reed Premier™ Add-On Occupancy Sensor	37
LUTS-12ULD6	Lighting – Reed Premier™ Starter LED Task Light	36
LUTS-19ULD5	Lighting – Reed Premier™ Stand-Alone LED Task Light	36
LUTS-16UEP	Lighting — Task – Adaptable Electronic Ballast Task Light	34
WQAG	Grommet — For Use with BRAZO Grommet Mounted Light Only	38

PRODUCT NON-OBSOLESCENCE AND WARRANTY POLICY

This North American Haworth Product Non-Obsolescence and Warranty Policy (the “policy”) applies to products manufactured after May 8, 2015. For products manufactured before this date please refer to the policy published in the NA Price List when purchased or contact your local Authorized Haworth Dealer. All Haworth products are warranted for 24 hour / 7 day use over the length of the Applicable Warranty Period as set forth below.

Haworth, Inc. or Haworth, Ltd., (each called “Haworth”) will make a good faith effort to maintain product compatibility within our various generations of integrated product platforms to provide our customers with spaces that adapt to change. Under our non-obsolescence policy, we commit to provide our customers with products of comparable function or operational characteristics for a term equal to the Applicable Warranty Period. Haworth fabrics and finishes must be updated periodically to maintain the market appeal of our products and respond to the demands and changing preferences of our customers. As a result, we or the manufacturer may discontinue some fabrics and finishes before expiration of the Applicable Warranty Period.

If a new product purchased or leased from Haworth or from an Authorized Haworth Dealer proves to be defective (as defined below) while the product is still in the possession of the initial purchaser or lessee and if they, within the Applicable Warranty Period, inform Haworth of the defect by contacting the local Authorized Haworth Dealer, then, except as provided below, Haworth will, at Haworth's option, either repair or replace the product, at Haworth's expense, or refund the purchase price of the product. Except as provided below, a product shall be considered “defective” if Haworth finds that it is defective in material or workmanship and if the defect materially impairs the use of the product to the purchaser or lessee. The applicable warranty period begins on the day the product is manufactured. If a product that the purchaser or lessee references in a notice of defect was not installed by a Haworth Certified installer and/or reconfigured by a Haworth-trained installer, then the product may not be considered defective and Haworth will not be obligated to repair or replace it or to refund its price.

PRODUCTS / APPLICABLE WARRANTY PERIOD

LIFETIME

All Haworth products are warranted for lifetime *except products, components and materials described below:*

TWELVE YEARS

All Haworth NA manufactured seating is warranted for 24/7 multiple shift use by persons up to 325 lbs and includes the framework, mechanisms, seating foam, seat & back mesh and seating glides & casters.

All wood or wood framed products.

TEN YEARS

All wall products (excluding soft close door mechanisms warranted for Two Years), electrical components (excluding Power Base™ AI, USB receptacles and workware products), electrical accessories, fixed task lighting (excluding LED lighting), adjustable keyboard pads, monitor arms and products that are at any time used in a classroom or educational environment (other than administration areas) *except as limited or described below:*

FIVE YEARS

Fabric scrims and fabrics rated Heavy Duty (A) under the Association of Contract Textiles Guidelines, leather, vertical use markerboard laminates, user-adjustable worksurface mechanisms, gel arm caps, thermofused laminates, slow close mechanisms, LED lighting, Power Base™ receptacles with USB charging outlets, electronic ballasts used in task lighting, horizontal glass or thermoplastic table assemblies and Systems Accessories.

THREE YEARS

Power Base AI Electrical products, workware™ products, Hoop products (excludes any warranty for surface damage such as scratches, dents or abrasions), plastic ultraviolet light color fastness and fabrics rated General Contract (a) under the Association of Contract Textiles Guidelines.

ONE TO FIVE YEARS*

Products that are manufactured outside North America and sold into the North American market.

ONE YEAR

Horizontal use markerboard laminate, Openest™ Plume Screens, soft palm rest, mouse pad insert and translucent edging.

Haworth “Specials” products that involve simple modification of a standard based product will be warranted for the same period as the standard catalog product it is based on. Haworth “Specials” products that deviate from standard catalog product in the form of features, construction, function, or aesthetic will be warranted for 1 year.

All software is without warranty of any kind, either expressed or implied.

All service parts are warranted for two years or the remaining balance of the assembly's original warranty period, whichever is longer.

*The Applicable Warranty Period for each such product is specified in Haworth's price list for the product.

A product will not be considered to be defective, and Haworth will not repair, or replace it or refund its price if the product (1) is a consumable product, such as a lamp; (2) is “Customer's Own Material” (i.e. material specified by the purchaser or lessee that is not a standard Haworth product offering, such as Haworth Alliance fabrics); (3) is not installed and used as recommended in Haworth's written specification, installation, care, maintenance and user guides; (4) has been otherwise misused or suffered abusive damage or (5) is a product that is manufactured by a third-party supplier from whom Haworth purchases it for resale without incorporating it into Haworth product (in which case Haworth will assign to the purchaser or lessee any warranty that the manufacturer provides), unless otherwise specified by Haworth in writing. At all times the Covered Product must have been located in a building that is (i) dry, fully closed-in and protected from the natural elements, and (ii) adequately heated, ventilated and air conditioned in order to maintain an internal temperature between 40°F and 90°F (4°C and 32°C) and relative humidity levels between 25% and 55%.

A defect in material or workmanship does not include damage to a product, or failure of a product to operate or perform properly or to maintain appearance, caused by (a) normal wear and tear; (b) an Act of God or transportation; (c) a product alteration made without Haworth's express written authorization; (d) the natural variation of color, grain or texture found in wood and leather; (e) the natural aging found in materials such as wood, fabric and leather which results in colors shifting during use; (f) dye lot variations in fabric, leather or wall covering (g) the natural patina of leather during use; (h) “puddling” of leather or faux leather; or (i) reverse crocking of dyes from clothing onto our seating materials.

EXCEPT AS STATED ABOVE, HAWORTH DOES NOT MAKE A WARRANTY AS TO ANY PRODUCT AND, IN PARTICULAR, DOES NOT MAKE A WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. Product repair or replacement or refund of the price, at Haworth's option, in accordance with this Policy, is the purchaser's or lessee's exclusive remedy for a product defect. Haworth shall not have tort liability with respect to a product, and Haworth shall not be liable for any consequential, economic, indirect, special, punitive or incidental damages arising from a product defect. Haworth shall not be liable for repair or product placement due to improper installation or any defect in materials used for installation which are not manufactured, sold or supplied by Haworth.



HAWORTH®

For more information call 800.344.2600 or 616.393.3000.

Haworth is a registered trademark of Haworth, Inc.

©Haworth, Inc. 2015 6.15

haworth.com | haworth-europe.com | haworth-asia.com