







www.novadesk.com

Classroom Training desks, carrels, and collaboration tables

Audio/Visual Lecterns

traditional and adjustable height

Tables

multipurpose, training, and nesting

Office

desks, storage, shelving and more

Retrofit Kits

for existing furniture and cabinetry

FEBRUARY 2015 CATALOG

New, for bigger widescreens!



The Trolley™ EXL

Features:

- Low voltage electrical motor to lift and lower monitor
- Intelligent Motion Technology[™] provides operational intuition
- Optional keyboard choices
- Display submerges into desktop when not in use
- Tamper-guard security hardware
- Access door automatically opens and closes
- Provides vertical tilt adjustment in "up" position
- Ideal for secure environments
- Durable metal enclosure under desktop
- Available retrofit kit

Fits most widescreens up to <u>24"</u> diagonal

Maximum dimensions for flat panel display

2 3/4"D x 22 7/8" W x 14 1/2" H

Work surface footprint:28.5" W x 8.5" D

Contents



Classroom Training Page 6

Audio/Visual Lecterns

Page 28

Tables

Page 36

Office

Page 46

Retrofit

Page 62

Terms & Conditions

TERMS

NOVA Solutions' (NOVA) standard terms are net 30 days with approved credit. All prices are in U.S. Dollars. Prices herein are list prices effective with the date printed on the cover and supersede all other published price lists. NOVA reserves the right to change prices without prior notice.

SELLING INFORMATION

Distribution of this price list does not in itself constitute an offer to sell. Offers can be received only from authorized NOVA dealers.

PRICES

All prices listed are suggested retail prices, F.O.B. point of shipment, freight allowed (included in list prices) when shipping within the continental United States. Orders are accepted subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, NOVA shall have the right to use the published list prices effective at time of shipment.

ORDER PLACEMENT

NOVA requires that all orders be in writing and accompanied by a layout/drawing. This is to insure that orders are complete, avoid errors, and avoid duplication. Please order products by model numbers specified to avoid any possible error. Telephone orders will not be processed for production without proper written confirmation. NOVA cannot be held responsible for errors, omissions, and order duplication due to non-compliance with this procedure.

ORDERING INFORMATION

Mail, fax or e-mail all orders to:

NOVA Solutions, Inc. 421 W. Industrial Avenue P.O. Box 725 Effingham, Illinois 62401 Phone: 217-342-7070

Phone: 800-730-6682 Fax: 217-342-7006 Fax: 800-940-6682

E-mail: orders@novasolutionsinc.com

For prompt delivery, all orders must include:

- 1) Purchase order number
- 2) Attached layout/drawing
- 3) Billing address
- 4) Ship-to information and e-mail address
- 5) Special handling instructions
- Complete model and finish number
- 7) Correct pricing

ORDER ACKNOWLEDGMENT

Please notify NOVA immediately of any discrepancies in your order acknowledgement. The customer assumes all responsibility for order accuracy. NOVA does not assume responsibility for errors caused by miscommunications from the customer. Orders are accepted only by issuance of NOVA's formal acknowledgement. Orders are subject to the terms and conditions set forth herein, notwithstanding any variance in terms and conditions set forth on buyer's order forms. The order acknowledgement is the final confirmation of the agreement between the customer and NOVA and supersedes all prior oral and written statements regarding the order. Once the order confirmation has been sent, only NOVA approved and signed modifications will supersede the original confirmation.

QUOTATIONS

Quotations are valid for a period of ninety (90) days.

CHANGES

NOVA reserves the right to make changes in design, specifications, construction, pricing or to discontinue products without prior notice. Prices shown in price book have priority over electronic catalog contents. Dimensions are approximate and are within normal industry standards.

ORDER CHANGES

Upon acknowledgement of an order, NOVA may not be able to accept a change order. NOVA will not accept changes on specials or customer items once production begins. Every attempt to make the requested change will be made and the following conditions apply:

- 1) Requested changes must be submitted in writing
- Additional charges for materials, labor, and administrative costs may be charged
- 3) Completion dates may be rescheduled as required based on changes

ORDER CANCELLATIONS

Order cancellations must be requested in writing no later than 48 hours after receipt of original order and are subject to approval of NOVA Solutions, Inc. Cancellations cannot be accepted otherwise.

STORAGE

Orders in which shipment is delayed by the customer beyond 30 days after acknowledged shipping date are subject to a 3% weekly storage fee. Such transfer to storage will be deemed delivery to purchaser for all purposes including invoicing and payment. Customer must provide notification of "shipment delay" at least two weeks prior to the originally scheduled ship date.

SHIPPING INFORMATION

Freight

All shipments are Free On Board (F.O.B.) point of shipment, freight prepaid and allowed (included in list prices) when shipping within the continental United States. Please contact Customer Support for shipments to Alaska, Hawaii, and international. NOVA reserves the right to select the most appropriate carrier and routing on all shipments.

NOVA's product pricing is dock delivered, based on standard delivery between normal business hours Monday through Friday, excluding weekends and holidays. Any charge arising from failure to accept a shipment, rerouting while in transit, or carrier storage charges are not included in prices shown and will be billed to "Sold To" account number on the order. Detention charges will be incurred for untimely off-loading of product or other time delays incurred.

Any orders under list pricing shown below or requiring Special Delivery Services will incur additional charges. All such requirements must be noted on the purchase order. Examples of such services include:

Handling Fee (all orders not able to be shipped via UPS): All orders under \$15,000 list will incur \$100 handling fee

Multiple site deliveries: \$75 per order and location drop charge

Non-Standard Detention Time: \$75 per hour after two hours for each delivery location Delivery Time (outside normal delivery hours): Contact Customer Support for charges and availability

Fuel Surcharge: A fuel surcharge will be added to all items shipped via UPS, Federal Express, or other small parcel carriers.

Carriage

NOVA reserves the right to choose the best method of delivery. All furniture is carefully inspected and securely packed before shipment. The carrier will only accept packages in good condition and agrees to deliver it in the same condition. NOVA relinquishes all responsibility for goods shipped upon a signed receiving document from the carrier.

Terms & Conditions

SHIPPING INFORMATION (continued)

It is the customer's responsibility to inspect merchandise immediately upon receipt.

Loss, Damage or Delay

NOVA shall not be liable for loss, damage, or delay resulting from causes beyond its reasonable control, including but not limited to fire, strike, inclement weather, accidents, or delay in transportation. In the event of a delay, due to any such cause, the delivery date will be postponed.

Shortages

If the shipment is not delivered in accordance with the quantity of cartons and packages shown on the Bill of Lading and/or Freight Bill, do not accept it until such shortages are noted on both documents.

FREIGHT CLAIMS

The merchandise is carefully packed and thoroughly inspected before shipment. The carrier upon acceptance of the shipment assumes responsibility for its safe delivery. Claims for loss or damage sustained in transit must therefore, be made upon the carrier as follows:

Signing the Bill of Lading as "Subject to Inspection" does not make the carrier liable for damage.

Concealed Loss or Damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, make a written request for inspection by the carrier's agent within 7 days of the delivery date. Then file a claim with the carrier since such damage is the carrier's responsibility.

Visible Damage or Shortage

Any external evidence of damage of shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in the carrier refusing to honor a damage claim. The carrier will supply the form required to file such a claim. All cartons and packaging must be kept with the merchandise at the delivered location. Failure to do so constitutes acceptance and a waiver of any such claim.

RETURNS

NOVA will not accept the return of any merchandise without a Returned Material Authorization (RMA). Special order items may not be returned for credit. No returns will be allowed after sixty (60) days from the ship date. If merchandise is approved for return, a restocking fee will be applied. Upon receipt, all returned merchandise will be thoroughly inspected, and any discrepancies will result in an adjustment to the amount of credit issued.

LIMITED LIFETIME WARRANTY

NOVA Solutions warrants that its products are free from defects in materials and workmanship given normal use and care for the lifetime of service; proof of delivery being the only official document accepted by NOVA for any claim. In the event that a product is used more than normal use, the applicable warranty period may be reduced.

This warranty is made by NOVA Solutions to the original customer for as long as the original customer owns and uses the product. NOVA Solutions' warranty is only valid if the products are given normal and proper use, and installed in accordance with NOVA Solutions' installation and/or application guidelines, and installed by an authorized NOVA Solutions' dealer or agent. NOVA Solutions assumes no responsibility for repairs to products sustaining damages resulting from end-user modifications, attachments to a product, misuse, abuse, alteration, or negligence.

This warranty is subject to the limitations, exclusions, and other provisions provided below:

- Twenty-five years: Thermofused laminate
- Twenty years: Drawer slides
- Ten years: Locks
- Five years: Downview technology with flat panel monitor Flat Panel Display Security Arm, laminate, casters, fabrics, metal frame doors, electrical components, PVC extrusions, adjustable surface mechanisms, and accessories.
- Three years: The Trolley™ E and The Trolley™ EXL with Intelligent Motion Technology and NovaLinked™ Components: One year for parts and repair labor; second and third year for parts only. Additional installation labor charges may not be covered by this warranty. Variation in finishes is characteristic, in terms of color & texture, and does not constitute a defect.
- Five years: Electric Hydraulic Lift for Sit-Stand Lectern:
 Two years for parts and repair labor; third, fourth, and fifth year for parts only.

 Additional installation labor charges may not be covered by this warranty.
 Variation in finishes is characteristic, in terms of color & texture, and does not constitute a defect.

As your manufacturer, we stand behind our quality products and will do everything possible to resolve any problems that might arise within the terms of this warranty.

For more information, or to file a warranty claim, please contact NOVA Solutions' Customer Support at 800-730-6682.

GOVERNING LAWS

This contract shall be construed and governed in accordance with the laws and regulations of the state of Illinois.

3

800-730-6682 www.novadesk.com

Product Benefits

Integrated Furniture Features

Extensive Product Portfolio

NOVA Solutions is proud to offer a diverse product portfolio in high-quality laminate, targeting markets that include office, education, training, hospitality, and health care. GSA and State Contracts allow government agencies to participate in NOVA's extensive offering. Architects and designers are critical contacts and liaisons for specifying "The Right SolutionsTM" from NOVA's unique product portfolio.

Exceptional Quality

Quality furniture shipped complete and on time is the standard of excellence required with customers to even be considered a viable offering. NOVA partners with quality suppliers that demand this same philosophy. NOVA's extensive investment in the latest state-of-the-art machining technology provides unlimited flexibility while insuring we exceed our promised fit and finish. Attention to detail at every level in the manufacturing process is a requirement. "Would I spend my money to buy that finished product?" is the final quality check.

Durable Construction

Durability and strength are necessities for utmost value in quality furniture. Our durable thermofused laminate components provide that strength, coupled with our metal-to-metal hardware assembly. Added rigidity is integrated through framed and recessed back panels. Our first-class engineering ensures every product's design includes maximum durability and strength.

Integrated Technology

Visual Display Options are now unique solutions that differentiate NOVA from every furniture manufacturer. The TrolleyTM Personal Monitor Arm System with Intelligent Motion TechnologyTM is the latest addition to the family. The Trolley is a mainstream solution allowing you to view your flat panel display in its normal position. With the push of a button, your monitor emerges from below the work surface. The Downview technology positions your flat panel display below the work surface at the natural 34° reading angle. In our many of our series, we offer the Surface Mount Arm that allows you to secure your display in an upright position.

Quality Look

Attention to detail integrated throughout our product portfolio creates a quality look. Overlapped drawer and door designs in our office solutions products ensure the proper fit for every function. Matching edge banding on all surfaces allows a seamless view that accentuates the product's clean lines. Our Classroom Training Series gets high marks for providing a clear, crisp design that allows our Visual Display Options to blend in perfectly.

Multiple Selections

NOVA Solutions' comprehensive product portfolio confirms your only limitation is your imagination. Impress others with a vast variety of components with multiple options that fit your every need — from the back room to the boardroom. Now you can maintain a consistent company image that matches your facility and its function. Make your furniture an essential element of your productive environment!

Unlimited Flexibility

Throughout each product offering, unlimited flexibility gives you colors and shapes that can be mixed or matched to fit your style in any working or learning environment. Enjoy the freedom to create your own environment!

Customer Friendly

The majority of NOVA Solutions' furniture is shipped assembled, ready-to-install in your working or learning environment. Those components that require some assembly are designed to fit together with simplicity and minimal effort.



NOVA Solutions takes our environmental accountability seriously with regards to our daily processes and products we produce. It is our corporate responsibility to our employees, customers, and community. We maintain the highest sensitivity and follow-through in preserving our natural resources today, and more importantly, for our future generations.

We have chosen suppliers that share this same commitment. Particleboard, the foundation of our furniture design, is manufactured from 100% recycled post-industrial materials. We ensure it is low formaldehyde emission particleboard, use water-based adhesives that are non-toxic in lamination, and band any exposed edges to seal the substrate.

To reduce materials in landfill sites, we integrate remaining cuttings into smaller products or packaging material. Our sawdust is recycled for use on local farms. We use recycled cardboard in all our packaging. NOVA also recycles cardboard, paper, plastics, steel, and aluminum. Even our Visual Display Options (Downview technology and The TrolleyTM) are completely recyclable.

NOVA continually evaluates all initiatives for improving our environmental accounability while providing the highest quality products to our customers.

800-730-6682 www.novadesk.com **5**

Classroom Training







Classroom Training

These products are uniquely suited for the following environments...

- K-12 Classrooms
- College & University Classrooms
- Technical Schools
- Private Training & Tutoring Companies
- Lecture Halls
- Testing Centers
- Corporate Training Rooms
- Government Training Facilities
- Government & Private Security Centers
- Libraries
- Computer Labs
- Common Areas & Lobbies
- Healthcare Facilities
- Correctional Institutions

Smart tools. Smart thinking.

7

800-730-6682 www.novadesk.com



Features, Benefits and Solutions

- Solutions for all learning environments
- Visual Display Options available
- Work surface thickness: 1"
- Standard edge detail: 2mm Flat PVC
- ADA compliant desks available
- Total Access iMod compartment with removable modesty panels (locking optional) for easier networking
- Matching edge banding colors
- Wire management system and power strip included
- Manufactured with recycled post-industrial materials
- Metal ends use 1" tubing

How To Order

1. Select model number

Ex: 46-SM303630RX

- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$195 for single workstation or \$293 for double workstation. Ex: 46-SM303632RX
- Select laminate or metal base and laminate work surface color (see page 79)

Ex: 227 044
Base Worksurface

3. Select metal color for metal iMod modesty or laminate base color for laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty) 227 (Fashion Grey laminate color for laminate modesty)

OPTIONS

4. Select visual display options (see page 15)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

5. Select essential options (see page 74)

Ex: RWG01 (Round wire grommet)

Please Note:

Power strip, wire management and CPU storage shelf are included in Total Access iMod workstations. To indicate no power strip, add -X to model number and deduct \$110 from list price for a single desk and \$220 for a double.

Model Number Structure



46 Series S

SM 303630

<u>R</u>

Type Size
SM... Single desk/ D x W x H
Metal iMod
DM .. Double desk/
Metal iMod

CPU Location R-Right L-Left X-No CPU

SL.... Single desk/ Laminate iMod DL.... Double desk/ Laminate iMod

CPU Storage - Maximum Widths

When adding a Trolley E or 21" Wide Downview Visual Display Option:

32" W Unit = 7 7/16" 36" W Unit = 8 1/2" 42" W Unit = 8 1/2"

63" W Unit = 7 7/16" 71" W Unit = 8 1/2"

When adding a Trolley EXL or 24" Wide Downview Visual Display Option:

32" W Unit = 4"

36" W Unit = 6 3/4" 63" W Unit = 3.5" 42" W Unit = 8 1/2" 71" W Unit = 6 3/4"

18"W Downview or No Visual Display Option

All Widths = 8 1/2"

Visual Display Options To order, see page 15.

The Trolley™ Personal Monitor Arm System

Maximum dimensions for widescreen:

EXL: 21/2" D x 22 7/8" W x 141/2" H

E: 2½" D x 18½" W x 14" H (70mm D x 470mm W x 356mm H)

NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is $6\,\%$ " (171mm)

Downview[™]

Maximum dimensions for widescreen-

18x18 viewport: 17"W x 14½"H (432mm W x 368mm H) 21x21 viewport: 20½%"W x 19"H (511mm W x 483mm H)

16x21 widescreen viewport: 19½"W x 12½" H (495mm W x 318mm H)
18x21 widescreen viewport: 20¹/8"W x 14½"H (511mm W x 368mm H)
21x24 widescreen viewport: 22½"W x 19"H (572mm W x 482mm H)

Surface Mount Arm


Maximum weight for widescreen: 21 lbs.

Maximum dimensions for widescreen: Up to 24" diagonal widescreen




NOVALinked[™] is a networking system that provides complete control of NOVA's Trolley E monitor lifts in a classroom or training room setting. To order, see page 26.

Work Surface Edge Detail



End Styles Straight end panels are standard.

Panel Ends



Optional

Contour End Panels - Specify "S"



Add to list price \$99 for a single desk, and \$147 for a double desk for Contour End Panels.

Metal Ends

Optional

Metal Ends - Specify "M" and a metal color



Add to list price \$292 for a single desk, and \$438 for a double desk for Metal Ends.

If finishing end caps are needed, see page 14 to order.

Grommets

Standard grommets in end panels are rectangular black plastic.

To order, specify:

- Model number
- Laminate base and worksurface colors Metal color for metal iMod or Base color for laminate iMod
- 4. Optional Select visual display option(s)
- 5. Optional Add essential accessory options

Visual Display Options available:

- The Trolley™ E / EXL
- Downview-Flat Panel Display
- Surface Mount Flat Panel Display

Workstations with Perforated Metal Total Access iMod Modesty

CPU Storage Shelf Width: See "How to Order" page.

Specify colors for worksurface, base and metal iMod modesty

Suggested Keyboard Width:

<u>SINGLES</u> • 32" W Unit = 30" KB • 36" W, 42" W Unit = 34" KB

DOUBLES • 63" W Unit = 30" KB • 71" = 34" KB

	DxWxH(in.)	ft ³ / lbs	Model	List Price		DxWxH (in.)	ft ³ / lbs	Model	List Price
Single perforated metal modesty	Monitor LEFT, • Available w		ght pecify "C" and add \$ ⁻	100)	Double perforated metal modesty	Monitors LEFT • Available w		ight pecify "C" and add \$	150)
	24 x 32 x 30	16.4 / 125	46-SM243230RX	\$1,029		24 x 63 x 30	31.3 / 232	46-DM246330RX	\$1,883
\wedge	24 x 36 x 30	18.3 / 133	46-SM243630RX	\$1,085		24 x 71 x 30	35.2 / 248	46-DM247130RX	\$1,996
	24 x 42 x 30	21.2 / 144	46-SM244230RX	\$1,276	/ >				
						26 x 63 x 30	33.8 / 240	46-DM266330RX	\$1,984
`	26 x 32 x 30	17.7 / 130	46-SM263230RX	\$1,087		26 x 71 x 30	37.9 / 256	46-DM267130RX	\$2,104
	26 x 36 x 30	19.8 / 138	46-SM263630RX	\$1,145					
	26 x 42 x 30	22.9 / 150	46-SM264230RX	\$1,347		30 x 63 x 30	38.6 / 257	46-DM306330RX	\$2,204
7						30 x 71 x 30	43.3 / 273	46-DM307130RX	\$2,337
•	30 x 32 x 30	20.2 / 140	46-SM303230RX	\$1,206					
	30 x 36 x 30	22.6 / 148	46-SM303630RX	\$1,272					
	30 v 42 v 30	26.1 / 161	46-SM304230BY	¢1 /05					

Workstations with Laminate Total Access iMod Modesty

Specify colors for worksurface, base and laminate iMod modesty (base color only)


Suggested Keyboard Width:

SINGLES • 32" W Unit = 30" KB • 36" W, 42" W Unit = 34" KB

DOUBLES • 63" W Unit = 30" KB • 71" = 34" KB

CPU Storage Shelf Width: See "How to Order" page.

Single laminate modesty



Monitor LEFT, CPU storage right

 Available with casters (Specify "C" and add \$100) 24 x 32 x 30 16.4 / 125 46-SL243230RX \$636 24 x 36 x 30 18.3 / 133 46-SL243630RX \$648 24 x 42 x 30 21.2 / 144 46-SL244230RX \$842 26 x 32 x 30 17.7 / 130 46-SL263230RX \$670 19.8 / 138 26 x 36 x 30 46-SL263630RX \$682 26 x 42 x 30 22.9 / 150 46-SL264230RX \$874 30 x 32 x 30 20.2 / 140 46-SL303230RX \$704 46-SL303630RX 30 x 36 x 30 22.6 / 148 \$714 30 x 42 x 30 26.1 / 161 46-SL304230RX \$907

Double laminate modesty



. Available with casters (Specify "C" and add \$150) 46-DL246330RX 24 x 63 x 30 \$1,238 31.3 / 232 24 x 71 x 30 35.2 / 248 46-DL247130RX \$1,311 \$1,298 26 x 63 x 30 33.8 / 240 46-DL266330RX 26 x 71 x 30 37.9 / 256 46-DL267130RX \$1,344 38.6 / 257 46-DL306330RX \$1,356 30 x 63 x 30 43.3 / 273 46-DL307130RX 30 x 71 x 30 \$1,377

ADA Workstations with Electric Hydraulic Lifts

Electrically adjustable base height from 30" with 2 1/2" travel. Specify colors for worksurface, base and metal or laminate iMod modesty.

- Available with contoured end panels (Specify "S" & add \$99)
- · Specify "AX" for no CPU shelf

opoully Alt lor no	or o onon			
Perforated metal	24 x 36 x 30	18.3 / 133	46-SM243630AD	\$4,445
modesty	24 x 42 x 30	21.2 / 144	46-SM244230AD	\$4,636
^				
2 1/2"	26 x 36 x 30	19.8 / 138	46-SM263630AD	\$4,505
Range	26 x 42 x 30	22.9 / 150	46-SM264230AD	\$4,707
	30 x 36 x 30	20.2 / 140	46-SM303630AD	\$4,632
	30 x 42 x 30	22.6 / 148	46-SM304230AD	\$4,855



	24 x 36 x 30	18.3 / 133	46-SL243630AD	\$4,008
/	24 x 42 x 30	21.2 / 144	46-SL244230AD	\$4,202
	26 x 36 x 30	19.8 / 138	46-SL263630AD	\$4,042
	26 x 42 x 30	22.9 / 150	46-SL264230AD	\$4,234
	30 x 36 x 30	20.2 / 140	46-SL303630AD	\$4,074
1	30 x 42 x 30	22.6 / 148	46-SL304230AD	\$4,266

9



303630 R

How To Order

1. Select model number

Ex: 46-CM303630RX60

- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$196 for single workstation or \$293 for double workstation. Ex: 46-CM303632RX60
- 2. Select laminate base and work surface color (see page 79)

Ex: 227 044
Base Worksurface

3. Select metal color for metal iMod modesty or laminate base color for laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty) 227 (Fashion Grey laminate color for laminate modesty)

OPTIONS

4. Select visual display options (see page 15)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

5. Select essential options (see page 74)

Ex: RWG01 (Round wire grommet)

Please Note:

Power strip, wire management and CPU storage shelf are included in iMod workstations.

Model Number Structure



46 -

Type CM... Curved workstation Metal iMod Cl... Curved workstation

CM

CL.... Curved workstation Laminate iMod When ordering
Curved Workstations,
specify Arc radius
48 - 48 ft. Arc
60 - 60 ft. Arc

72 - 72 ft. Arc

CPU Storage - Maximum Widths

When adding a Trolley E or 21" Wide Downview Visual Display Option:

32" W Unit = 7 7/16" 48" W Unit = 8 1/2" 36" W Unit = 8 1/2" 63" W Unit = 7 7/16" 42" W Unit = 8 1/2" 71" W Unit = 8 1/2"

When adding a Trolley EXL or 24" Wide Downview Visual Display Option:

32" W Unit = 4" 48" W Unit = 8 1/2" 36" W Unit = 6 3/4" 63" W Unit = 4" 42" W Unit = 8 1/2" 71" W Unit = 6 3/4"

18"W Downview or No Visual Display Option


All Widths = 8 1/2"




NOVALinked[™] is a networking system that provides complete control of NOVA's Trolley E monitor lifts in a classroom or training room setting. To order, see page 26.

48 ft. Radius Arc

To specify a 48-ft. Arc desk, add "-48" to end of model no. (Ex. 46-CM246330RX - 48)






Model number width listed is based on the approach side (iMod modesty side) of workstation

side (liviou modesty side) of workstation.						
▼ Seated side						
(30"D) 5'-6 1/8" (26"D) 5'-5 11/16" (24"D) 5'-5 1/2"	(30"D) 6'-2 9/16" (26"D) 6'-2 1/16" (24"D) 6'-1 13/16" 71"W					
5'-2 7/8"	5'-10 7/8"					
Approach side Model number width listed is based on the approach side (iMod modesty side) of workstation.						

60 ft. Radius Arc

To specify a 60-ft. Arc desk, add "-60" to end of model no. (Ex. 46-CM246330RX - 60)



0"D) 3'-1 1/2" 6"D) 3'-1 5/16" 4"D) 3'-1 3/16"	
4"D) 3'-1 3/16"	(24"D) 3'-7 3/8"
36"W	42"W
3'-0"	3'-6"

Approach side

Model number width listed is based on the approach side (iMod modesty side) of workstation.


▼ Seated side					
(30"D) 5'-5 1/2"	(30"D) 6'-1 13/16"				
(26"D) 5'-5 1/8"	(26"D) 6'-1 7/16"				
(24"D) 5'-5"	(24"D) 6'-1 1/4"				
63"W	71"W				
63"W 	71"W				

Model number width listed is based on the approach

side (iMod modesty side) of workstation.

72 ft. Radius Arc

To specify a 72-ft. Arc desk, add "-72" to end of model no. (Ex. 46-CM246330RX - 72)



▼ Seated side							
(30"D) 2'-9 1/8"	(30"D) 3'-1 1/4"	(30"D) 3'-7 7/16"					
(26"D) 2'-8 15/16"	(26"D) 3'-1 1/16"	(26"D) 3'-7 1/4"					
(24"D) 2'-8 7/8"	(24"D) 3'-1"	(24"D) 3'-7 3/16"					
32"W	36"W	42"W					
2'-8"	3'-0"	3'-6"					

Approach side

Model number width listed is based on the approach side (iMod modesty side) of workstation.

▼ Seated side					
(30"D) 5'-5 1/16"	(30"D) 6'-1 5/16"				
(26"D) 5'-4 3/4"	(26"D) 6'-1"				
(24"D) 5'-4 5/8"	(24"D) 6'-0 7/8"				
63"W	71"W				
63"W 	71"W 5'-10 7/8"				

Approach side

Model number width listed is based on the approach side (iMod modesty side) of workstation.

To order, specify:

- Model number
- 4. Optional Select visual display option(s) . Optional - Add essential accessory options
- Base and worksurface colors
 Metal color for metal iMod and/or Metal End or Base color for laminate iMod

Visual Display Options available:

- The Trolley™ E / EXL
- Downview-Flat Panel Display
- Surface Mount Flat Panel Display

Curved Workstations with Perforated Metal Total Access iMod Modesty

Specify colors for worksurface, base and metal iMod modesty. Specify arc radius with either 48, 60 or 72 at end of model number. [Ex. 46-CM243630RX 48]

Suggested Keyboard Width: 27" KB CPU Storage Shelf Width: See "How to Order" page.

	DxWxH (in.)	ft³ / lbs	Model	Arc Radius	List Price		DxWxH (in.)	ft³ / lbs	Model	Arc Radius	List Price
Single perforated metal modesty	Monitor LEFT, (• Available wi		ight pecify "C" and	l add \$10	0)	Double perforated metal modesty	Monitors LEFT • Available wi	•	, ,	•	0)
	24 x 32 x 30	16.4 / 125	46-CM24323	ORX	\$1,664		24 x 63 x 30	31.3 / 232	46-CM2463	30RX	\$3,121
	24 x 36 x 30	18.3 / 133	46-CM24363	ORX	\$1,733		24 x 71 x 30	35.2 / 248	46-CM2471	30RX	\$3,306
	24 x 42 x 30	21.2 / 144	46-CM24423	ORX	\$2,117	/ /					
							26 x 63 x 30	33.8 / 240	46-CM2663	30RX	\$3,282
	26 x 32 x 30	17.7 / 130	46-CM26323	ORX	\$1,757		26 x 71 x 30	37.9 / 256	46-CM2671	30RX	\$3,448
	26 x 36 x 30	19.8 / 138	46-CM26363	ORX	\$1,827		ì				
Y J	26 x 42 x 30	22.9 / 150	46-CM26423	ORX	\$2,221		30 x 63 x 30	38.6 / 257	46-CM3063	30RX	\$3,559
							30 x 71 x 30	43.3 / 273	46-CM3071	30RX	\$3,714
7	30 x 32 x 30	20.2 / 140	46-CM30323	ORX	\$1,909						
	30 x 36 x 30	22.6 / 148	46-CM30363	ORX	\$1,986	\rangle					
	30 x 42 x 30	26.1 / 161	46-CM30423	ORX	\$2,401						

Curved Workstations with Laminate Total Access iMod Modesty

Specify colors for worksurface, base and laminate iMod modesty (base color only) Specify arc radius with either 48, 60 or 72 at end of model number. [Ex. 46-CL243630RX 48]

Suggested Keyboard Width: 27" KB CPU Storage Shelf Width: See "How to Order" page

Single laminate modesty



Monitor LEFT, CPU storage right Available with casters (Specify "C" and add \$100)

24 x 32 x 30	16.4 / 125	46-CL243230RX	\$1,271
24 x 36 x 30	18.3 / 133	46-CL243630RX	\$1,296
24 x 42 x 30	21.2 / 144	46-CL244230RX	\$1,683
26 x 32 x 30	17.7 / 130	46-CL263230RX	\$1,340
26 x 36 x 30	19.8 / 138	46-CL263630RX	\$1,363
26 x 42 x 30	22.9 / 150	46-CL264230RX	\$1,748
30 x 32 x 30	20.2 / 140	46-CL303230RX	\$1,407
30 x 36 x 30	22.6 / 148	46-CL303630RX	\$1,428
30 x 42 x 30	26.1 / 161	46-CL304230RX	\$1,813

Double laminate modesty

Monitors LEFT in workspace, CPU storage right • Available with casters (Specify "C" and add \$150) 24 x 63 x 30 31.3 / 232 46-CL246330RX 24 x 71 x 30 35.2 / 248 46-CL247130RX

\$2,476


\$2,621

\$2,595

\$2,644

\$2,711

\$2,754




30 x 42 x 30

Curved ADA Workstations with Electric Hydraulic Lifts

Electrically adjustable base height from 30" with 2 1/2" travel. Specify colors for worksurface, base and metal or laminate Total Access iMod modesty.

Available with contoured end panels (Specify "S" & add \$99)





	24 x 36 x 30	18.3 / 133	46-CL243630AD	\$4,656
	24 x 42 x 30	21.2 / 144	46-CL244230AD	\$5,043
	26 x 36 x 30 26 x 42 x 30	19.8 / 138	46-CL263630AD	\$4,675
1	26 x 42 x 30	22.9 / 150	46-CL264230AD	\$5,108
	30 x 36 x 30	20.2 / 140	46-CL303630AD	\$4,788

22.6 / 148

46-CL304230AD

800-730-6682 www.novadesk.com 11



How To Order

1. Select model number

Ex: 46-SM303630RX

- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$196 for single workstation or \$293 for double workstation. Ex: 46-SM303632RX
- 2. Select laminate base and work surface color (see page 79)

Ex: 227 044
Base Worksurface

Select metal color for metal iMod modesty or laminate base color for laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty) 227 (Fashion Grey laminate color for laminate modesty)

OPTIONS

4. Select visual display options (see page 15)
Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

5. Select essential options (see page 74)

Ex: RWG01 (Round wire grommet)

Workstations - Monitor CENTER

Suggested Keyboard Width: 34" CPU Storage Shelf Width:

Monitor center, CPU storage right. Specify colors for worksurface, base and metal or laminate Total Access iMod modesty

- Available with contoured end panels (Specify "S" & add \$99)
- Available with casters (Specify "C" & add \$100)

	DxWxH (in.)	ft ³ / lbs	Model	List Price
Laminate Modesty	24 x 48 x 30	24.1 / 139	46-SL244830RXC	\$1,011
	30 x 48 x 30	29.7 / 156	46-SL304830RXC	\$1,077
	36 x 48 x 30	35.2 / 173	46-SL364830RXC	\$1,274







\$1,301	46-SM244830RXC	24.1 / 139	24 x 48 x 30
\$1,368	46-SM304830RXC	29.7 / 156	30 x 48 x 30
\$1,563	46-SM364830RXC	35.2 / 173	36 x 48 x 30

ADA Compliant Workstation - Monitor CENTER

Suggested Keyboard

CPU Storage Width:

Monitor center, CPU storage right. Specify colors for worksurface, base and metal or laminate Total Access iMod modesty

Laminate Modesty

30 x 48 x 32 31.5 / 165 **46-AL304832RXC \$1,273**





30 x 48 x 32 31.5 / 165 **46-AM304832RXC \$1,563**




Teacher's Stand-up Desks

Suggested Keyboard Width: 34" KB *CPU Storage Shelf Width: See "How to Order" page.

*Dimensions based on Workstation shown, without any Visual Display Options. Adding VDO may affect CPU width.

Stand-up height. Monitor left, CPU storage right. Specify colors for worksurface, base and metal or laminate Total Access iMod modesty.

- Available with heavy duty casters (Specify "C" and add \$366)
 Height will increase by 2 3/4".
- Available with Flip-up Shelf. For factory prep, must specify "U" for left-handed or "V" for right-handed placement.




	DxWxH(in.)	ft³ / lbs	Model	List Price
	24 x 36 x 40	24.1 / 130	46-SL243640RX	\$1,036
	24 x 42 x 40	27.9 / 152	46-SL244240RX	\$1,212
	24 x 48 x 40	31.6 / 158	46-SL244840RX	\$1,270
	30 x 36 x 40	29.6 / 149	46-SL303640RX	\$1,090
	30 x 42 x 40	34.3 / 172	46-SL304240RX	\$1,267
	30 x 48 x 40	38.9 / 179	46-SL304840RX	\$1,325
1				
J	36 x 36 x 40	35.1 / 176	46-SL363640RX	\$1,433
	36 x 42 x 40	40.7 / 193	46-SL364240RX	\$1,495
	36 x 48 x 40	46.2 / 200	46-SL364840RX	\$1,564




48" W Workstation

Perforated Metal Modesty



36" W & 42"W
Workstation

	24 x 36 x 40	24.1 / 130	46-SM243640RX	\$1,326
	24 x 42 x 40	27.9 / 152	46-SM244240RX	\$1,502
	24 x 48 x 40	31.6 / 158	46-SM244840RX	\$1,560
	30 x 36 x 40	29.6 / 149	46-SM303640RX	\$1,380
	30 x 42 x 40	34.3 / 172	46-SM304240RX	\$1.558
	30 x 48 x 40	38.9 / 179	46-SM304840RX	\$1.614
				4 - , - · ·
	36 x 36 x 40	35.1 / 176	46-SM363640RX	\$1,722
,	36 x 42 x 40	40.7 / 193	46-SM364240RX	\$1,785
	36 x 48 x 40	46.2 / 200	46-SM364840RX	\$1.854
	00 X 40 X 40	70.2 / 200	ALIOPOPOUNIO OF	Ψ1,004



To order, specify:

- Model number
 Laminate hase Laminate base and worksurface colors
- Metal color for metal iMod or Base color for laminate iMod
- 4. Optional Select visual display option(s)
- 5. Optional Add essential accessory options

Visual Display Options available:

- The Trolley™ E / EXL
- Downview-Flat Panel Display
- Surface Mount Flat Panel Display

Split Top Workstations

Suggested Keyboard Width: 34" KB

*CPU Storage Shelf Width: See "How to Order" page.

*Dimensions based on Workstation shown, without any Visual Display Options. Adding VDO may affect CPU width.

6" D x 27" H shelf intended for a flat panel monitor with base.

Monitor left, CPU storage right.

Specify colors for worksurface, base and metal or laminate Total Access iMod modesty.

- Available with contoured end panels (Specify "S" & add \$99 for a Single Workstation and add \$136 for a Double Workstation)
- Available with casters (Specify "C" & add \$100 for Single Workstation & add \$150 for Double Workstation)


	DxWxH (in.)	ft ³ / lbs	Model	List Price
Laminate Modesty	I			
<u></u> ►18"	Single, Monitor	Left, CPU Stora	ige right	
	24 x 36 x 30	18.3 / 123	46-SL243630ST	\$903
27"	24 x 42 x 30	21.2 / 130	46-SL244230ST	\$1,127
	30 x 36 x 30	22.6 / 138	46-SL303630ST	\$970
Single 24"D Workstation	30 x 42 x 30	26.1 / 145	46-SL304230ST	\$1,194
Single 30" D Workstation	1			
18°	Double, Monito	ors Left in work	space, CPU Storage r	ight
	24 x 63 x 30	31.3 / 200	46-DL246330ST	\$1,425
27	24 x 71 x 30	35.2 / 212	46-DL247130ST	\$1,523

46-DL306330ST

46-DL307130ST

\$1,491


\$1,596





Single 30" D Workstation

	Double, Monito	rs Left in works	space, CPU Storage rig	ıht
	24 x 63 x 30	31.3 / 200	46-DM246330ST	\$2,005
	24 x 71 x 30	35.2 / 212	46-DM247130ST	\$2,103
_4	00 00 00	00 0 / 000	40 0110000000	40.000
	30 x 63 x 30	38.6 / 220	46-DM306330ST	\$2,076
	30 x 71 x 30	43.3 / 234	46-DM307130ST	\$2,175



Double	30 x 63 x 30	38.6 / 220
24"D	1 30 x 71 x 30	43.3 / 234
Workstation		
1 24		
	* **	
0k/s / / //	3 /	

Factory Installed Keyboard Options (Only ordered when NO Visual Display Options ordered)

Factory Installed Nova Keyboard

Keyboard length to fit casegoods ordered 22" - 34" wide 13



\$123

\$256



Keyboard length to fit casegoods ordered 28", 30", 34" wide 15



800-730-6682 www.novadesk.com 13



How To Order

1. Select model number

Ex: 46-SM303630RX

- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$196 for single workstation or \$293 for double workstation. Ex: 46-SM303632RX
- 2. Select laminate base and work surface color (see page 79)

Ex: <u>227</u> <u>044</u> Worksurface Base

3. Select metal color for metal iMod modesty or laminate base color for laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty) 227 (Fashion Grey laminate color for laminate modesty)

- 4. Select visual display options (see page 15)
- Ex: TE0724NK (The Trolley E with Nova keyboard drawer) 5. Select essential options (see page 74)

Ex: RWG01 (Round wire grommet)

Miscellaneous						
	DxWxH(in.)	ft ³ / lbs	Model	List Price		
Casters	Includes stabi	lization brad	cket.			
	Single Workst	ation / Set o	f 4 (all locking)			
	2 5/8 x 1 3/4 x		-C	\$100/set		
Double Workstation / Set of 6						
	2 5/8 x 1 3/4 x	(3 1/4	-C	\$150/set		
	Teacher Stan		4. crease height by	2 ¾"		
Heavy duty casters	3-1/2 x 03 x 4		-C °	\$366/set		
Contoured end Not available on workstations with Locking Door option (-D)						
oanels 🔍	-S \$99/Single des					
			\$1	47/Double desk		

Metal end



Not available on workstations with Locking Door option (-D) \$292 / Single desk \$438 / Double desk

Finishing end caps for metal end style Fits on right or left open end of metal end. One 2 11/16" W and one 4 3/8" W end cap. Specify metal color.



01 x 08 x 23 0.1/346-08END23 \$125 / set



Black plastic grommet cover is removable for easy wire management. If Installed (available for work surface only):



Please provide sketch to indicate placement location 17/8 x 31/4 x 11/4 (cutout dimensions) **WG1080** \$72 If Sold Separately (not part of base model): \$37 17/8 x 31/4 x 11/4 (cutout dimensions) AC-WG1080 For other grommet options, see page 75.

No Powerstrip

Powerstrip included in all workstations by default, to remove: Deduct \$50 / Single desk Deduct \$100 / Double desk

Miscellaneous ft3 / lbs

Flip-up shelf Shipped Separately. Color matches work surface of unit ordered. Located 3" down from work surface. For 24" & 26" Deep Workstations-

D x **W** x **H** (in.)



Attaches to the LEFT side panel of desk. 46-SH202001L 20 x 20 x 01 1.0 / 14 \$511 Attaches to the RIGHT side panel of desk. 46-SH202001R 20 x 20 x 01 1.0 / 14 \$511

Model

List Price

For 30" Deep Workstations-Attaches to the LEFT side panel of desk. 46-SH222001L \$511 22 x 20 x 01 1.0 / 14 Attaches to the RIGHT side panel of desk. 1.0 / 14 46-SH222001R 22 x 20 x 01 \$511

Locking options



CPU Door

Cover

Lockina Modesty To specify a locking CPU Door, replace "X" in the model number with "D" and add \$351 for a single desk and \$701 for a double desk. **Example:** 46-SM243630RX becomes 46-SM243630RD

- . Not available on workstations 32" or 63" wide
- Not available in combination with Contoured End Panels (-S) -n \$351 / Single desk \$701 / Double desk

To specify a locking modesty cover, specify "L" and add \$152 for a single desk and \$303 for a double desk





For 24" D units

For 30" D units

90 Degree - Includes end panels. Must specify base and work surface color. \$407



24 x 33¹⁵/₁₆ x 30 / 49 46-WG24333090



90 Degree - Includes end panels. Must specify base and work surface color.

46-WG30423090 30 x 42³/₁₆ x 30





For factory prep, must specify "PP" on desk model number. Specify base color only. 6" radius on front. Field installed.

24 x 32 x 15	1.3 / 36	46-PP243215	\$357
24 x 36 x 15	1.5 / 37	46-PP243615	\$370
24 x 42 x 15	1.7 / 40	46-PP244215	\$405
24 x 48 x 15	1.9 / 42	46-PP244815	\$448
26 x 32 x 15	1.3 / 37	46-PP263215	\$375
26 x 36 x 15	1.5 / 38	46-PP263615	\$387
26 x 42 x 15	1.7 / 41	46-PP264215	\$424
26 x 48 x 15	1.9 / 43	46-PP264815	\$465
30 x 32 x 15	1.3 / 40	46-PP303215	\$397
30 x 36 x 15	1.5 / 42	46-PP303615	\$409
30 x 42 x 15	1.7 / 44	46-PP304215	\$451
30 x 48 x 15	1.9 / 47	46-PP304815	\$496

Privacy Panels for Double Monitor Workstation

For factory prep, must specify "PP" on desk model number. Specify base color only. 6" radius on front. Field installed. 1.6 / 48 46-PP246315 \$562 24 x 63 x 15



\$632	46-PP247115	1.8 / 51	24 x 71 x 15	
\$580	46-PP266315	1.6 / 49	26 x 63 x 15	
\$651	46-PP267115	1.8 / 52	26 x 71 x 15	
\$618	46-PP306315	1.6 / 52	30 x 63 x 15	
\$696	46-PP307115	1.8 / 55	30 x 71 x 15	

Workstation for Surface Mount & **Downview only**



Available with casters (Specify "C" and add \$100) Single laminate Total Access iMod modesty 24 x 30 x 30 16.4 / 125 46-SL243030RX

\$637	46-SL263030RX	17.7 / 130	26 x 30 x 30
7			
\$670	46-SL303030RX	20.2 / 135	30 x 30 x 30
	Access iMod modesty	ed metal Total A	Single perforate
\$996	46-SM243030RX	16.4 / 125	24 x 30 x 30
\$1,053	46-SM263030RX	17.7 / 130	^J 26 x 30 x 30
\$1,172	46-SM303030RX	20.2 / 135	30 x 30 x 30

\$603


Visual Display Options

Single monitor workstations require one (1) visual display option. Double monitor workstations require two (2) visual display options.

For Workstations with iMod

Factory installed keyboard-only option for Workstations with Total Access iMod available on page 13.

For details and installation specifications, refer to pages 67-71. For CRT applications, please contact Customer Support: 1-800-730-6682



The Trolley™

- · Trolley does not come installed in any unit.
- 26" min. worksurface depth required for Trolley with Center Mount Articulating Keyboard Tray
- Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 ¾" (171mm) The Trolley™ E

Widescreen:

20" (widescreen)

Maximum Dimensions for

21/2" D x 181/2" W x 14" H

up to 21" (diagonal) or

The Trolley™ EXL **Maximum Dimensions for** Widescreen:

2 ½" D x 22 7/8" W x 14½" H up to 24" diagonal widescreen 36" min. worksurface width

- · Low voltage motor to lift & lower monitor
- Provides vertical tilt adjustment in "up" position
- Durable metal enclosure under desktop
- Wire management system and power strip included

Model

Qty 2 required for Double Wt. Workstations/Tables

With Nova Keyboard Drawer

Nova Keyboard Drawer installed in assembled units only.

TE0728NK	48	The Trolley EXL with Nova Keyboard drawer	\$1,775 ea.
TE0724NK	48	The Trolley E with Nova Keyboard drawer	\$1,339 ea.

With Center Mount Articulating Keyboard Mechanism and Tray

Center Mount Keyboard Tray installed in assembled units only.

26" Min. worksurface depth required.

TE0728CK	47	The Trolley EXL with Center Mount Artic. Keyboard Drawer	\$2,006 ea.
TE0724CK	47	The Trolley E with Center Mount Artic. Keyboard Drawer	\$1,535 ea.

International Customers: Trolleys include Universal Power Control Units, compatible with all power requirements inside and outside the U.S.



up to 19" diagonal

18"D x 18"W viewport **Maximum Dimensions for**

Widescreen: 17"W x 141/2"H

Downview[™]

Maximum Dimensions for Widescreen: 19½"W x 12½" H

up to 21" widescreen 26" min. work surface depth

21"D x 21"W viewport **Maximum Dimensions for** Widescreen: 20 1/8"W x 19"H

up to 21" diagonal

30" min. work surface depth

- · Keeps monitor under glass below work surface
- Wire management system and power strip included

24" min. work surface depth

18"D x 21"W viewport (Widescreen)

16"D x 21"W viewport (Widescreen)

Maximum Dimensions for Widescreen: 20 1/8"W x 141/2"H

up to 21" widescreen

26" min. work surface depth

• Tinted, tempered glass viewport 21"D x 24"W viewport (Widescreen) **Maximum Dimensions for**

> Widescreen: 22 1/2"W x 19"H up to 23" widescreen

30" min. work surface depth 36" min. work surface width

Model Wt.

With Nova Keyboard Drawer

Downview & Nova Keyboard Drawer installed in assembled units only.

FPA1621NK	35 Includes 16"D x 21"W viewport, adjustable arm, and visor.	\$413 ea.
FPA1818NK	35 Includes 18"D x 18"W viewport, adjustable arm, and visor.	\$438 ea.
FPA1821NK	35 Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$438 ea.
FPA2121NK	37 Includes 21"D x 21"W viewport, adjustable arm, and visor.	\$511 ea.
FPA2124NK	39 Includes 21"D x 24"W viewport, adjustable arm, and visor.	\$558 ea.



Surface Mount Arm

Surface mount arm does not come installed in any unit

Maximum Weight / Dimensions for Widescreen:

21 lbs. / Up to 24" diagonal widescreen

· Wire management system and power strip included

Model

List Price Qty 2 required for Double

List Price

List Price Qty 2 required for Double

Workstations/Tables

Workstations/Tables

With Nova Keyboard Drawer

Nova Keyboard Drawer installed in assembled units only.

SMA0203NK 13

\$317 ea.


With Center Mount Articulating Keyboard Mechanism and Tray Center Mount Keyboard Tray installed in assembled units only.

SMA0203CK 15 \$523 ea.

800-730-6682 www.novadesk.com 15

Classroom Training Tables with Total Access iMod





Features, Benefits and Solutions

- Solutions for all learning environments
- Visual Display Options available
- Work surface thickness: 1"
- Standard edge detail: 2mm Flat PVC
- ADA compliant desks available
- Total Access iMod compartment with removable modesty panels (locking optional) for easier networking
- Matching edge banding colors
- Wire management system and power strip included
- Manufactured with recycled post-industrial materials

How To Order

1. Select model number

Ex: 26-RM303630TL

- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$196 for single table or \$293 for double table. Ex: 26-RM303632TL
 To specify an ADA Lift unit, change model number from R to A and add \$4,277 to list
- price. Ex. 26-AM303630TL. Available on single units only.
- 2. Select metal color for legs and laminate color for work surface (see page 79 & 80)

3. Select metal color for metal iMod modesty or laminate base color for laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty) 227 (Fashion Grey laminate color for laminate modesty)

OPTIONS

4. Casters or height-adjustable legs:

For casters, add -C to the model number and add \$46 list, per leg.

Ex: 26-RM244830AL-C

For height-adjustable legs, add -H to the model number and add \$129 list, per leg.

Ex: 26-RM244830AL-H

5. Select visual display options (see page 24)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

6. Select essential options (see page 74)

Ex: RWG01 (Round wire grommet)

7. Select end caps for iMod table with metal modesty

Ex: 26-ENDCAP22 (End caps)

Specify metal color for end caps

Ex: PSL (Polished silver metal color)

Please Note:

Power strip, wire management and CPU holder are included by default in iMod tables.

For no power strip, add -X to the model number and deduct \$50 list, per user.

Ex: 26-RM244230TL-X

For no CPU holder, add -XC to the model number and deduct \$110 list, per user.

Ex: 26-RM244230TL-XC

For Small Form Factor CPU, add -TC to the model number.

Ex: 26-RM244230TL-TC

Visual Display Options To order, see page 24.

The Trollev™ Personal Monitor Arm System

Maximum dimensions for widescreen:

EXL: 2½" D x 22 7/8" W x 14½" H

E: 2½" D x 18½" W x 14" H (70mm D x 470mm W x 356mm H)

NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 34" (171mm)

Downview™

Maximum dimensions for widescreen-

18x18 viewport: 17"W x 141/2"H (432mm W x 368mm H)

21x21 viewport: 201/8"W x 19"H (511mm W x 483mm H)

16x21 widescreen viewport: 191/2"W x 121/2" H (495mm W x 318mm H) 18x21 widescreen viewport: 201/8"W x 141/2"H (511mm W x 368mm H)

21x24 widescreen viewport: 22½"W x 19"H (572mm W x 482mm H)

Surface Mount Arm

Maximum weight for widescreen: 21 lbs.

Maximum dimensions for widescreen: Up to 24" diagonal widescreen



NOVALinked™ is a networking system that provides complete control of NOVA's Trolley E monitor lifts in a classroom or training room setting. To order, see page 26.

Model Number Structure



Series

26

RM Туре

RM - Rectangle top/ Metal iMod RL - Rectangle top/

Laminate iMod AM/AL - w/ ADA Lift (see pg. 18) 303630


Size

DxWxH

Leg Style AL - Arched leg TL - T-lea

Leg Base Styles & Options

Styles



CPU Storage - Maximum Widths

When adding a Trolley E or 21" Wide Downview Visual Display Option:

36" W Unit = 7

42" W Unit = 7.5"

72" W Unit = 7

When adding a Trolley EXL or 24" Wide Downview Visual Display Option:

36" W Unit = 4.5"

42" W Unit = 7.5" 72" W Unit = 4.5'

18"W Downview or No Visual Display Option

All Widths = 7.5"

To order, specify:

- Model number
- Metal leg color & laminate worksurface colors Metal iMod color -or- Base color for laminate iMod
- 4. Optional Ht.-Adjustable Legs or Casters
- Optional Select visual display option(s)
- Optional Specify End caps for metal iMod &
- specify color

Visual Display Options available:


- The Trolley™ E / EXL
- Downview-Flat Panel Display
- Surface Mount Flat Panel Display


Tables with Perforated Metal Total Access iMod Modesty (See p. 18 for optional end caps)

Specify colors for worksurface, metal leg and metal iMod modesty


Suggested Keyboard Width: 36W & 72W Table = 30" KB • 42W Table = 33" KB

CPU Holder Width: See "How To Order" page.





DxWxH (in.)	ft ³ / lbs	Model	List Price
Three leg bases • Available with		al modesty cify "C" and add \$150)
24 x 72 x 30	35.7 / 279	26-RM247230AL	\$3,063
26 x 72 x 30	38.4 / 283	26-RM267230AL	\$3,138
30 x 72 x 30	43.9 / 292	26-RM307230AL	\$3,482



Two leg bases - Single metal modesty

• Available with casters (Specify "C" and add \$100) 24 x 36 x 30 18.3 / 124 26-RM243630TL \$1,546

\$1,670	26-RM244230TL	21.2 / 131	24 x 42 x 30
\$1,582	26-RM263630TL	19.8 / 126	26 x 36 x 30
\$1,712	26-RM264230TL	22.9 / 134	26 x 42 x 30
\$1,758	26-RM303630TL	22.6 / 133	30 x 36 x 30
\$1,899	26-RM304230TL	26.1 / 142	30 x 42 x 30



Three leg bases - Double metal modesty

• Available with casters (Specify "C" and add \$150)

U	24 x /2 x 30	35.7 / 279	26-RM2472301L	\$2,783
0	26 x 72 x 30	38.4 / 283	26-RM267230TL	\$2,848
				. ,
0	30 x 72 x 30	43.9 / 292	26-RM307230TL	\$3,161

Tables with Laminate Total Access iMod Modesty

No end caps required. Finished ends with rectangular black plastic grommets.

Specify colors for worksurface, metal leg and laminate iMod modesty (base color only)

Suggested Keyboard Width: 36W & 72W Table = 30" KB • 42W Table = 33" KB CPU Holder Width: See "How To Order" page.

Arched legs



Two leg bases - Single laminate modesty

• Available with casters (Specify "C" and add \$100)


24 x 36 x 30	18.3 / 124	26-RL243630AL	\$1,389
24 x 42 x 30	21.2 / 131	26-RL244230AL	\$1,492
26 x 36 x 30	19.8 / 126	26-RL263630AL	\$1,431
26 x 42 x 30	22.9 / 134	26-RL264230AL	\$1,538
30 x 36 x 30	22.6 / 133	26-RL303630AL	\$1,589
30 x 42 x 30	26.1 / 142	26-RL304230AL	\$1,707



Three leg bases - Double laminate modesty

• Available with casters (Specify "C" and add \$150)

\$2,412	26-RL247230AL	35.7 / 279	24 x 72 x 30
\$2,484	26-RL267230AL	38.4 / 283	26 x 72 x 30
\$2,760	26-RL307230AL	43.9 / 292	30 x 72 x 30



Two leg bases - Single laminate modesty

• Available with casters (Specify "C" and add \$100)

24 x 36 x 30	18.3 / 124	26-RL243630TL	\$1,219
24 x 42 x 30	21.2 / 131	26-RL244230TL	\$1,320
26 x 36 x 30	19.8 / 126	26-RL263630TL	\$1,255
26 x 42 x 30	22.9 / 134	26-RL264230TL	\$1,360
30 x 36 x 30	22.6 / 133	26-RL303630TL	\$1,395
30 x 42 x 30	26.1 / 142	26-RL304230TL	\$1,511



Three leg bases - Double laminate modesty

Available with casters (Snecify "C" and add \$150)

avanabic with	casters (open	iiy o aiiu auu yiso)	
x 72 x 30	35.7 / 279	26-RL247230TL	\$2,156
x 72 x 30	38.4 / 283	26-RL267230TL	\$2,221
x 72 x 30	43.9 / 292	26-RL307230TL	\$2,466

800-730-6682 www.novadesk.com 17

Classroom Training Tables with Total Access iMod



DxWxH(in.)

ASSEMBLY REQUIRED

List Price

\$72

\$37

How To Order

1. Select model number

Ex: 26-RM303630TL

- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$196 for single table or \$293 for double table. Ex: 26-RM303632TL
- 2. Select metal color for legs and laminate color for work surface (see page 79-80)

Ex: PBL 044 Base Worksurface

3. Select metal color for metal iMod modesty or laminate base color for laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty) 227 (Fashion Grey laminate color for laminate modesty)

OPTIONS

4. Casters or height-adjustable legs:

For casters, add -C to the model number and add \$50 list, per leg.

Ex: 26-RM303630TL**-C**

For height-adjustable legs, add -H to the model number and

add \$140 list, per leg.

Ex: 26-RM303630TL-H

5. Select visual display options (see page 24)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

6. Select essential options (see page 74)

Ex: RWG01 (Round wire grommet)

7. Select end caps for iMod table with metal modesty

Ex: 26-ENDCAP22 (End caps)

Specify metal color for end caps

Ex: PSL (Polished silver metal color)

Miscellaneous

ft3 / lbs Model **List Price D** x W x H (in.) Fits on right or left open end of metal iMod compartment. Specify metal color. 01 x 03 x 20 0.1 / 3 26-ENDCAP22 \$92



Extra ADA end cap

For metal iMod

For metal iMod

End cap

To be used with ADA height units that are intended for stand-alone use only (i.e. Units that are not used as part of a row). Fits on right or left end of metal iMod compartment. Specify metal color. Note: Only one (1) Extra ADA End Cap per unit is needed as ADA height units ship with one ADA

26-ENDCAP24

End Cap included 01 x 03 x 24 0.1/3


Casters

When adding casters, the total height will not change.

Set of 2 required per leg. All locking.

2 5/8 x 1 3/4 x 3 1/4 \$50 per leg

legs




Privacy Panels for Single Table

For factory prep, must specify "PP" on table model number. Specify base color only. 6" radius on front. Field

Model

mstaneu.			
24 x 36 x 15	1.5 / 37	26-PP243615	\$370
24 x 42 x 15	1.7 / 40	26-PP244215	\$405
26 x 36 x 15	1.5 / 38	26-PP263615	\$387
26 x 42 x 15	1.7 / 41	26-PP264215	\$424
30 x 36 x 15	1.5 / 42	26-PP303615	\$407
30 x 42 x 15	1.7 / 44	26-PP304215	\$451

Privacy Panels for Double Table






24 X / I X IO	1.0/31	20-FF24/113	\$032
26 x 71 x 15	1.8 / 52	26-PP267115	\$651
30 x 71 x 15	1.8 / 55	26-PP307115	\$696

Rectangular Wire Grommet



Black plastic grommet cover is removable for easy wire management. If Installed (available for work surface only):

Please provide sketch to indicate placement location



For other grommet options, see page 75.

Locking option For locking modesty cover(s)

Specify "L" and add \$152 for a single table and \$303 for a double table.



\$152 / Single \$303 / Double

ADA lift option Hydraulic lift

21/2" travel

Change model number to 26-AM... / 26-AL.. Electric Hydraulic lift stored within legs, activated with buttons mounted beneath worksurface. Available on single units only. See pg. 16



Factory Installed Keyboard Options (Only ordered when NO Visual Display Options ordered)

Factory Installed Nova Keyboard

\$99

Keyboard length to fit casegoods ordered 22" - 34" wide 13



\$123




Keyboard length to fit casegoods ordered 28", 30", 34" wide 15





Classroom Training Study Carrels





List Price

Features, Benefits and Solutions

- Solutions for library and learning resource environments
- Visual Display Options available
- Work surface thickness: 1"
- Standard edge detail: 2mm Flat PVC
- Matching edge banding colors
- Wire management system and power strip optional
- Manufactured with recycled post-industrial materials

How To Order

1. Select model number

Ex: 65-SC303635CS (single sided study carrel, starter)

2. Select laminate base and work surface color (see page 79)

Ex: 008 C24
Base Worksurface

OPTIONS

3. Select visual display options (see page 24)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

4. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

Model Number Structure



65-SC303635CA

65 Series - <u>SC</u>

SC 303635 Type Size

CS-Starter

SC-Single-sided carrel D x W x H DC-Double-sided carrel SH-Shelving

CA-Add-on

Work Surface Edge Detail



Study Carrels

Wire opening on top. Levelers with 1½" height adjustment. Wire access on side panel of add-on carrels only. If a Visual Display Option is specified, a CPU shelf, wire management channel, and power strip will be added. Rectangular black plastic grommet in work surface. Work surface height: 30". Work surface depth: 28".

Single-sided	Starter			
carrels 35" H	30 x 36 x 35	3.5 / 126	65-SC303635CS	\$884
\wedge	Add-on			
K/	30 x 35 x 35	2.8 / 99	65-SC303535CA	\$707
Starter Add-on				

D x W x H (in.) ft3 / lbs

Single-sided carrels 53" H

8" D fixed accessory shelf. Clearance 15-3/8".



Starter			
30 x 36 x 53	4.7 / 167	65-SC303653CS	\$1237
Add-on			
30 x 35 x 53	3.56 / 126	65-SC303553CA	\$970

Model

carrels 35" H


Add-on

Double-sided

Starter			
59 x 36 x 35	5.4 / 208	65-DC593635CS	\$1,325
Add-on			
59 x 35 x 35	4.3 / 155	65-DC593535CA	\$1,020

Double-sided carrels 53" H

8" D fixed accessory shelf. Clearance 15-3/8".



Starter			
59 x 36 x 53	9.1 / 276	65-DC593653CS	\$2,029
Add-on			
59 x 35 x 53	7.3 / 196	65-DC593553CA	\$1,540




Factory Installed Keyboard Options (Only ordered when NO Visual Display Options ordered)

800-730-6682 www.novadesk.com **19**

Classroom Training Collaboration Tables





How To Order

- 1. Select model number Ex: 46-CR919630CS
- 2. Select laminate base and work surface color (see page 79)

Ex: 227 044 Base Worksurface

OPTIONS

4. Select visual display options (see page 24) Ex: TE0724NK (The Trolley E with Nova keyboard drawer)


5. Select essential options (see page 74) Ex: RWG01 (Round wire grommet)


Wire management system and power strip included. monitor and mounting pole NOT included.

Collaboration Tables


Available Visual Display Options — Trolley E or EXL with Nova Keyboard, Downview (FPA1621NK only), Surface mount (SMA0203NK only).

Two-piece, 6 person table. Six steel legs. Center laminate base.





DxWxH (in.)	Seats	Model	List Price
90-13/16 x 95-5/8 x 30	6	46-CR919630CS	\$10,857



Available Visual Display Options — Trolley E or EXL with Nova Keyboard, Downview (FPA1621NK & AK only), Surface mount (SMA0203NK only).

Two-piece, 5 person table. Six steel legs. Center laminate base.

Model Number Structure



46-CR919630CS

Type

919630

CX-No CPU

CR-Round Shape Table DxWxH CT-Tree Shape Table CD-Diamond Shape Table


AD-with ADA Lift AX-No CPU, ADA Lift

Work Surface Edge Detail






NOVALinked™ is a networking system that provides complete control of NOVA's Trolley E monitor lifts in a classroom or training room setting. To order, see page 26.





DxWxH (in.)	Seats	Model	List Price
93-3/8 x 95-5/8 x 30	5	46-CR949630CS	\$13,248



Factory Installed Keyboard Options (Only ordered when NO Visual Display Options ordered)

Factory Installed Nova Keyboard

Keyboard length to fit casegoods ordered


22" - 34" wide

\$123



Collaboration Tables

Available Visual Display Options — Trolley E or EXL with Nova Keyboard, Downview (FPA1621NK & only), Surface mount (SMA0203NK only).




DxWxH(in.) Model **List Price**

Eight Person

59-9/16 x 151-1/2 x 30 46-CD6015230CS \$10,714

With ADA electric hydraulic lift option. Available for user on end. 46-CD6015230AD \$14,074 59-9/16 x 151-1/2 x 30



DxWxH(in.) Seats Model **List Price**

Ten Person

59-9/16 x 186-5/16 x 30


46-CD6018630CS \$13,775

Five Person 6" D x 38" W Compartment on end for cables

59-11/16 x 100-5/16 x 30


46-CD6010230CS \$7,652

With ADA electric hydraulic lift option. Available for user on end. 46-CD6018630AD \$17,135 59-9/16 x 186-5/16 x 30



10

With ADA electric hydraulic lift option. Available for user on end. 59-11/16 x 100-5/16 x 30 46-CD6010230AD \$11,012




Six Person

59-11/16 x 116-5/8 x 30

46-CD6012330CS \$8,629


With ADA electric hydraulic lift option. Available for user on end. 46-CD6012330AD \$11,988



Six Person 6" D x 38" W Compartment on end for cables

59-11/16 x 115-3/16 x 30

46-CD6011330CS \$9,179




Seven Person 6" D x 38" W Compartment on end for cables

60-9/16 x 138-1/16 x 30

46-CD6013630CS \$10,714

With ADA electric hydraulic lift option. Available for user on end. 46-CD6013630AD \$14,074 60-9/16 x 138-1/16 x 30



800-730-6682 www.novadesk.com 21

Classroom Training Collaboration Tables

How To Order

- **1. Select model number** Ex: 46-CR919630CS
- 2. Select laminate base and work surface color (see page 79)

Ex: $\frac{227}{\text{Base}} \frac{044}{\text{Worksurface}}$

OPTIONS


- 4. Select visual display options (see page 24)
 - Ex: TE0724NK (The Trolley E with Nova keyboard drawer)
- 5. Select essential options (see page 74)

Ex: RWG01 (Round wire grommet)

Wire management system and power strip included. monitor and mounting pole NOT included.

Collaboration Tables

Available Visual Display Options — Trolley E or EXL with Nova Keyboard, Downview (FPA1621NK only), Surface mount (SMA0203NK only).



Starter Tables


Four Person
6" D x 38" W Compartment

on end for cables


DxWxH (in.)	Seats	Model	List Price
59-9/16 x 82 x 30	4	46-CT608230CS	\$6,584
		82" 6" 36"	59 11/16"

Five Person 6" D x 38" W Compartment on end for cables 59-9/16 x 101-5/16 x 30 5 **46-CT6010230CS \$8,115**

With ADA electric hydraulic lift option. Available for user on end. 59-9/16x101-5/16x30 5 46-CT6010230AD \$11,234



Six Person 6" D x 38" W Compartment on end for cables DxWxH(in.)




Model


List Price

Seven Person 6" D x 38" W Compartment on end for cables 59-9/16 x 137-3/8 x 30 7 **46-CT6014230CS \$11,175**

With ADA electric hydraulic lift option. Available for user on end. 59-9/16x137-3/8x30 7 46-CT6014230AD \$14,294




Eight Person 6" D x 38" W Compartment on end for cables 59-9/16 x 154 x 30 8 46-CT6015630CS \$13,630



Nine Person 6" D x 38" W Compartment on end for cables 59-9/16 x 172-5/16 x 30 9 **46-CT6017530CS \$14,236**


With ADA electric hydraulic lift option. Available for user on end. 59-9/16x172-5/16x30 9 46-CT6017530AD \$17,355



DxWxH (in.)	Model	List Price

Ten Person 6" D x 38" W Compartment on end for cables






Eleven Person 6" D x 38" W Compartment on end for cables

59-9/16 x 209-3/8 x 30 11 **46-CT6021130CS \$17,297**

 With ADA electric hydraulic lift option. Available for user on end.

 59-9/16 x 209-3/8 x 30
 11
 46-CT6021130AD \$20,416



800-730-6682 www.novadesk.com **23**


Visual Display Options

Single monitor workstations require one (1) visual display option. Double monitor workstations require two (2) visual display options.

For Tables with iMod, Collaboration Tables & Study Carrels

Factory installed keyboard-only options available on pg. 18 for Tables with iMod, pg. 19 for Study Carrels & pg. 20 for Collaboration Tables.

- For details and installation specifications, refer to pages 67-71.
- For CRT applications, please contact Customer Support: 1-800-730-6682



The Trolley™

Trolley does not come installed in any unit. 26" min. worksurface depth required for Trolley with Center Mount Articulating Keyboard Tray Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

The Trolley™ EXL **Maximum Dimensions for** Widescreen:

2 1/2" D x 22 7/8" W x 141/2" H up to 24" diagonal widescreen 36" min. worksurface width

- The Trolley™ E **Maximum Dimensions for** Widescreen:
- 2½" D x 18½" W x 14" H up to 21" (diagonal) or 20" (widescreen)
- Low voltage motor to lift & lower monitor
- Provides vertical tilt adjustment in "up" position
- Durable metal enclosure under desktop
- Wire management system and power strip included

Model

Qty 2 required for Double Wt. Workstations/Tables

List Price

List Price Qty 2 required for Double

Workstations/Tables

With Nova Keyboard Drawer

Nova Keyboard Drawer installed in assembled units only.

TE0728NK	48	The Trolley EXL with Nova Keyboard drawer	\$1,775 ea.
TE0724NK	48	The Trolley E with Nova Keyboard drawer	\$1,339 ea.

International Customers: Trolleys include Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

Downview[™]

16"D x 21"W viewport (Widescreen) **Maximum Dimensions for** Widescreen: 19½"W x 12½" H

up to 21" widescreen

24" min. work surface depth

Widescreen: 17"W x 141/2"H up to 19" diagonal 26" min. work surface depth

Maximum Dimensions for

18"D x 18"W viewport

21"D x 21"W viewport

18"D x 21"W viewport (Widescreen)

up to 21" widescreen

up to 21" diagonal 28-30" min. work surface depth

Maximum Dimensions for

Widescreen: 20 1/8"W x 19"H

- Tinted, tempered glass viewport
- Keeps monitor under glass below work surface
- · Wire management system and power strip included

Maximum Dimensions for Widescreen: 20 1/8"W x 141/2"H

26" min. work surface depth

21"D x 24"W viewport (Widescreen) **Maximum Dimensions for**

Widescreen: 22 1/2"W x 19"H up to 23" widescreen

30" min. work surface depth 36" min. work surface width

Wt. Model

With Nova Keyboard Drawer Downview & Nova Keyboard Drawer installed in assembled units only.

FPA1621NK	35	Includes 16"D x 21"W viewport, adjustable arm, and visor.	\$413 ea.
FPA1818NK	35	Includes 18"D x 18"W viewport, adjustable arm, and visor.	\$438 ea.
FPA1821NK	35	Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$438 ea.
FPA2121NK	37	Includes 21"D x 21"W viewport, adjustable arm, and visor.	\$511 ea.
EDA212/NK	30	Includes 21"D v 24"M viewport adjustable arm and vicer	\$558 aa



Surface Mount Arm

Surface Mount Arm does not come installed in anv unit

Maximum Weight / Dimensions for Widescreen:

21 lbs. / Up to 24" diagonal widescreen

• Wire management system and power strip included

Model Wt.

With Nova Keyboard Drawer

Nova Keyboard Drawer installed in assembled units only.

SMA0203NK 13

\$317 ea.

List Price Qty 2 required for Double

Workstations/Tables

With Center Mount Articulating Keyboard Mechanism and Tray Center Mount Keyboard Tray installed in assembled units only.

SMA0203CK 15

\$523 ea.

Hardwiring

How To Order Hardwire-Standard Workstation

1. Select a standard workstation, and add -W to the end of the model number

DOUBLES

- 2. Complete room layout with workstations
- 3. Select power entry
- 4. Select jumper length
- 5. Select receptacle block
- 6. Select mounting bracket quantities for all receptacle blocks. NOTE: Mounting brackets with receptacle block always located behind CPU storage.

Standard Features

4-wires, 2 circuits, 20 Amps each (Circuit 1 and 2 only)

13-Duplex receptacles per circuit, 26-15 Amp Duplex receptacles per power infeed maximum Easy to specify

Easy to install and reconfigure

Requires less space

UL Listed as a Manufactured Wiring System

More economical than 8-Wire System

		Elec	ctrical C	components			
	DxWxH (in.)	Model	List Price		DxWxH (in.)	Model	List Price
Receptacle Block	Complete the model	number by indicating its o	ircuit	Female to Female	6" W	BE41920-3-6	\$104
•	number (Circuit 1 or			Jumper	12" W	BE41920-3-12	\$114
		block for Čircuit 1 would be n	nodel		18" W	BE41920-3-18	\$121
	number BE41917-3-A-	1- 8B.			22" W	BE41920-3-22	\$126
		BE41917-3-A	BB \$117		24" W	BE41920-3-24	\$130
	Mounting bracket sold s		4	No.	30" W	BE41920-3-30	\$138
					36" W	BE41920-3-36	\$146
Receptacle to		DE44040 0	***		42" W	BE41920-3-42	\$154
Receptacle Block		BE41919-3	\$26	<i>Q</i> *	48" W	BE41920-3-48	\$169
Connector					54" W	BE41920-3-54	\$179
~>					60" W	BE41920-3-60	\$188
					66" W	BE41920-3-66	\$198
					72" W	BE41920-3-72	\$206
					78" W	BE41920-3-78	\$216
4-Way "H"		BE41921-3	\$43		84" W	BE41920-3-84	\$226
Connector		DL41921-3	φτυ		90" W	BE41920-3-90	\$236
- Control Control					96" W	BE41920-3-96	\$245
					102" W	BE41920-3-102	\$253
					108" W	BE41920-3-108	\$264
					114" W	BE41920-3-114	\$274
Spring clip		BE41955	\$8		120" W	BE41920-3-120	\$281
mounting bracket		BE41900	φo		126" W	BE41920-3-126	\$292
with Screws					132" W	BE41920-3-132	\$301
<i>∕</i> ∂1					138" W	BE41920-3-138	\$310
					144" W	BE41920-3-144	\$320
				Power Entry	36" W	BE41922-3-36	\$186
				-	42" W	BE41922-3-42	\$195
Transition wall					48" W	BE41922-3-48	\$211
		BE42171-3-06	\$179		54" W	BE41922-3-54	\$220
power plate					60" W	BE41922-3-60	\$228
Power entry not included					66" W	BE41922-3-66	\$238
					72" W	BE41922-3-72	\$248
					78" W	BE41922-3-78	\$258
					84" W	BE41922-3-84	\$266
Cristal Control of the Control of th					90" W	BE41922-3-90	\$276
The state of the s					96" W	BE41922-3-96	\$285
	Sample La	avout			102" W	BE41922-3-102	\$295
	Sample L	ayout			108" W	BE41922-3-108	\$304
11					114" W	BE41922-3-114	\$314
SINGLE	<u>S</u>				120" W	BE41922-3-120	\$323
×	<u> </u>	Nower entry			126" W	BE41922-3-126	\$332
	1				132" W	BE41922-3-132	\$342
					138" W	BE41922-3-138	\$351
	2	Circuit 2 Receptacle			144" W	BE41922-3-144	\$360
		F/F Jumper					
	n n n						

800-730-6682 www.novadesk.com 25

NOVALinked[™] Components

NOVALinked™ is a networking system that provides complete control of NOVA's Trolley E monitor lifts in a classroom or training room setting. Utilizing a Crestron, Extron, AMX or other major brand controller, or an ISI component, instructors can raise or lower all of the Trolley monitor lifts in the classroom simultaneously.



LCI - Linking Control Interface

The LCI is required for all NOVALInked™ installations. One LCI is required to control each Trolley E monitor lift. It can be located in an inconspicuous location on each desk/table or within the total access iModTM compartment (if available). 1-9/16" D x 4" W x 1-3/4" H

AC-LCI	3245



CSIM - Control System Interface Module

The CSIM is required for "wired" NOVALInked™ installations. One CSIM is needed for every thirty LCI units/Trolley E monitor lifts. Includes a 24V = 1.67A, 40W MAX Power Supply with Cord.

1-9/16" D x 4-1/8" W x 2-15/16" H

AC-CSIM.....\$486



JCN - Junction

The JCN is a parallel 3 way splitter for the NovaLinked System. One Junction required per row. Designed for use only with the NovaLinked System.

1-9/16" D x 4" W x 1-3/4" H

AC-JCN3 (Three RJ45 ports).....\$184



Components for Wireless NOVALinked™

The Wireless NOVALinked application eliminates the issue of running power from the lectern to the first row of desks, and from row to row.



TXM - Transmitter

The Transmitter allows wireless control of the Trolleys, and is housed in the lectern or any other location in the room. The Transmitter connects to the Controller or ISI, and each one has a unique frequency address. It sends separate commands for On, Off, Up and Down. AC-TXM.....\$465



CAT6 Patch Cable

I	Cat6 molded boot patch cable.	
ı	AC-CAT6-1 (1 Ft.)	\$25
ı	AC-CAT6-2 (2 Ft.)	\$29
ı	AC-CAT6-5 (5 Ft.)	\$31
	AC-CAT6-7 (7 Ft.)	\$34
	AC-CAT6-10 (10 Ft.)	\$42
ı	AC-CAT6-14 (14 Ft.)	\$52
ı		

The ISI allows full control of the On/Off and Up/Down functions of the NOVALinked System



RCVR - Receiver

One Receiver required per row of desks, including the last row.

AC-RCVR....\$465



NOTE: Typically one CSIM is required for every 30 LCI units in the classroom. Each Trolley unit requires one LCI (even with the wireless configuration).

All NOVALinked[™] components shown on this page.



AC-ISI (for Wired Systems).....\$413 AC-ISIRF (for Wireless RF Systems)\$413



NOVALinked[™] Sample Layouts







RF Transmitter, typically located on lectern (Qty 1) Has a unique frequency. AC-TXM





Receiver 1 per row (Qty 4) AC-RCVR





Interface, typically located on lectern (Qty 1) **AC-ISIRF (for Wireless RF Systems)**





1 per Trolley, except in Lectern when using a CSIM or Transmitter If Lectern utilizes a Trolley with CSIM or Transimitter, then no need for an LCI.

(Qty 20) AC-LCI







1ft or 2ft cable needed to run from RCVR to the 1st LCI in each row (Qty 4)


AC-CAT6-2



5ft or 7ft cables needed to run from LCI to LCI in each row (Qty 16) AC-CAT6-5














Modern designs provide a one-stop solution for integrating the latest technology into presentation lecterns.

- · Accommodates latest A/V equipment
- Offers shelves and rack rail systems
- Some models available with Visual Display Options
- · Hides wires and cables for a clutter-free look
- · Heavy duty casters
- Removable modesty panel covers available in laminate or perforated metal
- Easy access to the back of equipment
- Provides security and prevents accidental damage to equipment

Presenting a complete solution.

800-730-6682 www.novadesk.com



How To Order

1. Select model number

Ex: 67-LS303641LM (Lectern 30x36x41 with pullout shelf and laminate modesty)

2. Select color laminate and work surface (see page 79) If ordering perforated metal modesty, select metal color

3. Select door/drawer pull style and finish

Ex: CB (Cup pull with Black Matt finish)

4. Select visual display options (see page 37)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

5. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

Visual Display Options To order, see page 37

The Trolley™ Personal Monitor Arm System

Maximum dimensions for widescreen-

EXL: 21/2" D x 22 7/8" W x 141/2" H

E: 21/2" D x 181/2" W x 14" H (70mm D x 470mm W x 356mm H)

NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

Downview™

Maximum dimensions for widescreen-

18x18 viewport: 17"W x 141/2"H (432mm W x 368mm H)

21x21 viewport: 201/8"W x 19" H (511mm W x 483mm H)

16x21 widescreen viewport: 19½"W x 12½" H (495 mm W x 318 mm H) 18x21 widescreen viewport: 201/8"W x 141/2"H (511mm W x 368mm H) 21x24 widescreen viewport: 221/2"W x 19"H (572mm W x 482mm H)

Surface Mount Arm

Maximum weight for widescreen: 21 lbs.

Maximum dimensions for widescreen: Up to 24" diagonal widescreen

Model Number Structure



w/ pull-out shelf

Series 66 - Lectern 67 - Lectern.

Type DP - Desktop lectern 303641

LS

LC - Lectern with curved top

LD - Lectern w/ D-top

LP - Lectern with privacy sides

LS - Lectern with squared top

LM **Modesty Combination for** Laminate modesty

LC - Laminate modesty panels & CPU shelf

LD - Laminate modesty panels & CPU compartment with door

- Laminate modesty; D-top left

LM - Laminate modesty panels

LR - Laminate modesty; D-top right

LX - Laminate modesty; No CPU shelf

Modesty Combination for perforated metal modesty

MC - Metal modesty panels & CPU shelf

MD - Metal modesty panels


& CPU compartment with door ML - Metal modesty; D-top left

MM - Metal modesty panels

MR - Metal modesty; D-top right

MX - Metal modesty; No CPU shelf

Work Surface Edge Detail & Thickness



Laminate Mod 67-LS303641LM







Grommets

Standard grommets are rectangular black plastic.

Door/Drawer Pull Style and Finish



Cup / Black Matt (CB) Cup / Stainless Steel (CS) Cup / Chrome Polished (ĆP)

Wave / Nickel (WN) Wave / Black (WB)



Steel / Black (SB) Steel / Chrome Matt (SM) Steel / Chrome Polished (SP)




Modern / Chrome Matt (MC) Modern / Black Matt (MB)

2. Colors for base and work surface

3. Door/Drawer Pull Style and Finish

4. Optional-Select visual display options

- The Trolley™ E / EXL
- Downview Flat Panel Display
- Surface Mount Arm



List Price

\$3.990

\$4,101

\$4.331

\$4,440

\$4,439

¢4 555

Lecterns with Pull-out Shelf

Locking pull-out shelf for digital presenter on right side. Locking rear access panels. Locking front access panel for digital presenter. Power strip. Casters. Locking doors. Wire access grommets. 30", 36", 42" W lectern have two doors. 48" W lectern has three doors.

Storage Dimensions:

30" W Unit: Rack rails on left side of storage area - 19 ¼" W. Remaining space is 8 5/8" W 36" W Unit: Left compartment - 14 5/8" W. Right compartment w/ rack rails - 19 ½" W 42" W Unit: Left compartment w/ rack rails - 19 ½" W. Right compartment w/ rack rails - 19 ½" W 18" W Unit: Left compartment w/ rack rails - 25 ¾" W. Right compartment w/ rack rails - 19 ½" W

Suggested Keyboard Width:

Pull-out shelf Interior Dimensions:

30" W Unit: 28" 42" W Unit: 28" 30" D Lecterns: 22-¼" D x 20-¾" W x 7-¾" H 36" W Unit: 34" 48" W Unit: 28" 36" D Lecterns: 28-¼" D x 20-¾" W x 7-¾" H



Lectern

Only 48" W lecterns can accommodate Visual Display Options

DxWxH (in.)	ft³ / lbs	Model	List Price
Perforated me	tal modesty		
10 RU rack rails.			
30 x 30 x 41	25.5 / 382	67-LS303041	IMM \$4,611
		0= 1000001	



10 RU rack rails

IU NU IAUK IAIIS.			
30 x 30 x 41	25.5 / 382	67-LS303041MM	\$4,611
30 x 36 x 41	30.3 / 414	67-LS303641MM	\$4,745
36 x 30 x 41	25.5 / 382	67-LS363041MM	\$4,995
36 x 36 x 41	30.3 / 414	67-LS363641MM	\$5,130



20 RU rack rails 3 drs. avail. on 48" W only

20 RU rack rails	(10 RU's on Left;	10 RU's on Right).
30 x 42 x 41	35.1 / 456	67-LS304241
00 10 11	00.0 / 500	

⊅4, 010	07-L330424 IVIIVI	33.1 / 430	30 X 42 X 4 I
\$4,958	67-LS304841MM	39.9 / 508	30 x 48 x 41
\$5,213	67-LS364241MM	35.1 / 456	36 x 42 x 41
\$5,352	67-LS364841MM	39.9 / 508	36 x 48 x 41

67-LS303041LM

67-LS303641LM

67-LS363041LM

67-LP303047MM

67-LP363047MM \$5.160

67-LP303647MM

67-LP363647MM

\$3.852

\$3,963

\$4,194

\$4,304

\$4.775

\$4,911

\$5,297

Laminate modesty 10 RU rack rails.



10 RU rack rails



30 x 30 x 41 30 x 36 x 41 36 x 30 x 41 36 x 36 x 41

67-LS363641LM 26.8 / 414

22.6 / 382

26.8 / 414

22.6 / 382

/	
\	
	
\checkmark	

20 RU rack rails 3 drs. avail. on 48" W only

20 RU rack rails	(10 RU's on Left;	10 RU's on Right).	
30 x 42 x 41	31.0 / 456	67-LS304241LM	\$4,025
30 x 48 x 41	35.2 / 508	67-LS304841LM	\$4,140
36 x 42 x 41	31.0 / 456	67-LS364241LM	\$4,384
36 x 48 x 41	35.2 / 508	67-LS364841LM	\$4,488

Lectern with Privacv Sides

Only 48" W lecterns can accommodate Visual Display Options

31.7 / 418

31.7 / 418

Perforated metal modesty 10 RU rack rails. 30 x 30 x 461/2 26.7 / 386

30 x 36 x 461/2

36 x 36 x 46½

36 x 30 x 46½ 26.7 / 386



10 RU rack rails

20 RH rack rails	

3 drs. avail. on 48" W only

20 RU rack rails	(10 RU's on Left;	10 RU's on Right).	
30 x 42 x 46½	36.7 / 460	67-LP304247MM	\$4,983
30 x 48 x 46½	41.7 / 512	67-LP304847MM	\$5,123
36 x 42 x 46½	36.7 / 460	67-LP364247MM	\$5,376
36 x 48 x 46½	41.7 / 512	67-LP364847MM	\$5,517



10 RU rack rails



20 RU rack rails (10 RU's on Left; 10 RU's on Right).

23.8 / 386

28.2 / 418

23.8 / 386

28.2 / 418

ft3 / lbs

DxWxH(in.)

10 RU rack rails.

30 x 30 x 46½

30 x 36 x 46½

36 x 30 x 46½

36 x 36 x 46½

Laminate modesty

00 40 401/ 41 10 / 400 67 1	_P304847LM	\$4,278
******	.P364247LM .P364847LM	\$4,513 \$4,626

Model

67-LP303047LM

67-LP303647LM

67-LP363047LM

67-LP363647LM

20 RU rack rails 3 drs. avail. on 48" W only

Lectern with Curved Top & Bottom

Only 48"/54" W lecterns can accommodate Visual Display Options



10 RU rack rails.

Perforated metal modesty

\$5,107	67-LC303641MM	30.3 / 383	30 x 30/36* x 41
\$5,242	67-LC304241MM	35.1 / 415	30 x 36/42* x 41
\$5,491	67-LC363641MM	30.3 / 383	36 x 30/36* x 41
\$5,626	67-LC364241MM	35.1 / 415	36 x 36/42* x 41



20 RU rack rails 3 drs. avail. on 48" W only

20 RU rack rails (10 RU's on Left; 10 RU's on Right). 30 x 42/48* x 41 39.9 / 456 **67-LC304841MM**

\$5,454	67-LC305441MM	44.6 / 507	30 x 48/54* x 41
\$5,707	67-LC364841MM	39.9 / 456	36 x 42/48* x 41
\$5,849	67-LC365441MM	44.6 / 507	36 x 48/54* x 41

^{*}Chassis width / Top width



Laminate modesty 10 RU rack rails.

30 x 30/36* x 41	26.8 / 383	67-LC303641LM	\$4,266
30 x 36/42* x 41	31.0 / 415	67-LC304241LM	\$4,378
36 x 30/36* x 41	26.8 / 383	67-LC363641LM	\$4,609
36 x 36/42* x 41	31.0 / 415	67-LC364241LM	\$4,719



20 RH rack rails 3 drs. avail. on 48" W only

20 RU rack rails (10 RU's on Left; 10 RU's on Right). 30 x 42/48* x 41 35.2 / 456 67-LC304841LM 20 v /8/5/* v /1 30.5 / 507 67-I C2054/11 M

30 X 40/34 X 41	33.37 301	07-L0303441LW	φ4,555
36 x 42/48* x 41	35.2 / 456	67-LC364841LM	\$4,788
36 x 48/54* x 41	39.5 / 507	67-LC365441LM	\$4,903

*Chassis width / Top width



How To Order

1. Select model number

Ex: 67-LS303641LM (Lectern 30x36x41 with pullout shelf and laminate modesty)

2. Select color laminate and work surface (see page 79) If ordering perforated metal modesty, select metal color

<u>376</u>

3. Select door/drawer pull style and finish

Ex: CB (Cup pull with Black Matt finish)

4. Select visual display options (see page 37)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

5. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

Lecterns

36" W - 48"W available with all Visual Display Options

Trolley EXL not available on 30" W lectern

Locking rear access panels. Power strip. Casters. Locking doors. Wire access grommets. 30", 36", 42" W lectern have two doors. 48" W lectern has three doors.

Storage Dimensions:

30" W Unit: Rack rails on left side of storage area - 19 1/4" W. Remaining space is 8 5/8" W

36" W Unit: Left compartment - 14 5/8" W. Right compartment w/ rack rails - 19 ¼" W 42" W Unit: Left compartment w/ rack rails - 19 ¼" W. Right compartment w/ rack rails - 19 ¼" W W. Right compartment w/ rack rails - 19 ¼" W Right compartment w/ rack rails - 19 ¼" W. Right compartment w/ rack rails - 19 ¼" W.

ft3 / lbs

Suggested Keyboard Width:

30" W Unit: 28" / 36" W Unit: 34" / 42" W Unit: 28" / 48" W Unit: 28"

DxWxH(in.)



28 RU rack rails 3 drs. avail. on 48" W only





28 RU rack rails 3 drs. avail. on 48" W only

	Perforated me			
	30 x 30 x 41	25.5 / 372	66-LS303041MM	\$4,059
			00 20000	
	30 x 36 x 41	30.3 / 404	66-LS303641MM	\$4,194
	36 x 30 x 41	25.5 / 372	66-LS363041MM	\$4,445
	36 x 36 x 41	30.3 / 404	66-LS363641MM	\$4,580
	28 RU rack rails	(14 RU's on Left:	14 RU's on Right).	
	30 x 42 x 41	35.1 / 446	66-LS304241MM	\$4,266
	30 x 48 x 41	39.9 / 498	66-LS304841MM	\$4,406
				4 .,
	36 x 42 x 41	35.1 / 446	66-LS364241MM	\$4,661
	36 x 48 x 41	39.9 / 498	66-LS364841MM	\$4,801
y				
	Laminate mod			
	14 RU rack rails.			
	30 x 30 x 41	22.6 / 372	66-LS303041LM	\$3,391
	30 x 36 x 41	26.8 / 404	66-LS303641LM	\$3,502
	36 x 30 x 41	22.6 / 372	66-LS363041LM	\$3,733
	36 x 36 x 41	26.8 / 404	66-LS363641LM	\$3,842
	28 RU rack rails		14 RU's on Right).	
	30 x 42 x 41	31.0 / 446	66-LS304241LM	\$3,563
	30 x 48 x 41	35.2 / 498	66-LS304841LM	\$3,679

31.0 / 446

35.2 / 498

66-LS364241LM

66-LS364841LM

\$3.912

Model

Lecterns with Privacy Sides

36" W - 48"W available with all Visual Display Options Trolley EXL not available on 30" W lecte









3 drs. avail. on 48" W only

List Price

Holicy LAL not available on 30 W locton					
DxWxH (in.)	ft ³ / lbs	Model	List Price		
	Perforated metal modesty				
14 RU rack rails.					
30 x 30 x 46½	26.7 / 376	66-LP303047MM	\$4,224		
30 x 36 x 46½	31.7 / 408	66-LP303647MM	\$4,358		
36 x 30 x 46½	26.7 / 376	66-LP363047MM	\$4,609		
36 x 36 x 46½	31.7 / 408	66-LP363647MM	\$4,743		
28 RU rack rails	(14 RU's on Left	; 14 RU's on Right).			
30 x 42 x 46½	36.7 / 450	66-LP304247MM	\$4,432		
30 x 48 x 46½	41.7 / 502	66-LP304847MM	\$4,571		
36 x 42 x 461/2	36.7 / 450	66-LP364247MM	\$4,825		
36 x 48 x 46½	41.7 / 502	66-LP364847MM	\$4,965		

30 x 36 x 46½	28.2 /
36 x 30 x 46½	23.8 / 3
36 x 36 x 46½	28.2 /
28 RU rack rails (1	14 RU's on
28 RU rack rails (*30 x 42 x 461/2	32.6 / -
,	

Laminate mode	esty		
30 x 30 x 46½	23.8 / 376	66-LP303047LM	\$3,529
30 x 36 x 46½	28.2 / 408	66-LP303647LM	\$3,640
36 x 30 x 46½	23.8 / 376	66-LP363047LM	\$3,870
36 x 36 x 46½	28.2 / 408	66-LP363647LM	\$3,979
28 RU rack rails (1	14 RU's on Left; 1	4 RU's on Right).	
30 x 42 x 461/2	32.6 / 450	66-LP304247LM	\$3,703
30 x 48 x 46½	37.1 / 502	66-LP304847LM	\$3,817
36 x 42 x 46½	32.6 / 450	66-LP364247LM	\$4,052
36 x 48 x 46½	37.1 / 502	66-LP364847LM	\$4,165
111		A B 11	

Lectern with Curved Top & Bottom

36" W - 48"W available with all Visual Display Options Trolley EXL not available on 30" W lectern



14 RU ra	ck rails

Perforated meta 14 RU rack rails.	al modesty		
30 x 30/36* x 41	30.3 / 378	66-LC303641MM	\$4,555
30 x 36/42* x 41	35.1 / 410	66-LC304241MM	\$4,690
36 x 30/36* x 41	30.3 / 378	66-LC363641MM	\$4,941
36 x 36/42* x 41	35.1 / 410	66-LC364241MM	\$5,074



28 RU rack rails 3 drs. avail. on 48" W only

28 RU rack rails (14 RU's on Left; 14 RU's on Right). 30 x 42/48* x 41 39.9 / 452 66-LC304841MM \$4.762 30 x 48/54* x 41 44.6 / 504 66-LC305441MM \$4,902 36 x 42/48* x 41 39.9 / 452 66-LC364841MM \$5.156 66-LC365441MM 36 x 48/54* x 41 44.6 / 504 \$5,295 *Chassis width / Top width



14 RU ra	ck rails

Laminate mode 14 RU rack rails.	<u>esty</u>		
30 x 30/36* x 41	26.8 / 378	66-LC303641LM	\$3,805
30 x 36/42* x 41	31.0 / 410	66-LC304241LM	\$3,917
36 x 30/36* x 41	26.8 / 378	66-LC363641LM	\$4,148
36 x 36/42* x 41	31.0 / 410	66-LC364241LM	\$4,256
		44 800 81 1 10	
28 RU rack rails (• ,	
30 x 42/48* x 41		66-LC304841LM	\$3,979
30 x 48/54* x 41	39.5 / 504	66-LC305441LM	\$4,094

66-LC364841LM

66-LC365441LM

\$4,211

\$4,327



28 RH rack rails 3 drs. avail. on 48" W only

36 x 48/54* x 41 39.5 / 504 *Chassis width / Top width

36 x 42/48* x 41 35.2 / 452

36 x 42 x 41

36 x 48 x 41

To order, specify:

- 1. Model number.
- 2. Colors for base and work surface
- 3. Door/Drawer Pull Style and Finish 4. Optional-Select visual display options
- 5. Optional Select essential accessory options


Visual Display Options (Not available on all units, as noted):

- The Trolley™ E / EXL
- Downview Flat Panel Display
- Surface Mount Arm

Seated Height Lecterns

Available with all Visual Display Options

iMod modesty. Rear access panels. Wire management and power strip. Locking doors. 14 RU rack rails in far right compartment: 19 94% W. Suggested keyboard width: 30%



DxWxH (in.)	ft ³ / lbs	Model	List Price
Perforated me	tal modesty		
26 x 521/4 x 30	28.0 / 217	66-LS265230MX	\$1,766
30 x 521/4 x 30	32.0 / 229	66-LS305230MX	\$1,862
Laminate mod	<u>lesty</u>		
26 x 521/4 x 30	28.0 / 217	66-LS265230LX	\$1,460
30 x 521/4 x 30	32.0 / 229	66-LS305230LX	\$1,539




CPU shelf. CPU storage width: $8\frac{1}{2}$ " Not available with Trolley TM EXL.



rforated motal madest

	Perforated met	tal modesty		
	26 x 521/4 x 30	28.0 / 236	66-LS265230MC	\$1,851
	30 x 52¼ x 30	32.0 / 248	66-LS305230MC	\$1,947
	Laminate mod	<u>esty</u>		
1	26 x 521/4 x 30	28.0 / 236	66-LS265230LC	\$1,545
	30 x 521/4 x 30	32.0 / 248	66-LS305230LC	\$1,625

Shown with metal mod



Shown with metal mod

Locking CPU door. CPU storage width: 10" (8" w/ Trolley™ EXL)

Perforated metal modesty

26 x 601/4 x 30	32.2 / 255	66-LS266030MD	\$2,152
30 x 60¼ x 30	36.8 / 267	66-LS306030MD	\$2,247

Laminate modesty

<u> </u>				
26 x 601/4 x 30	32.2 / 255	66-LS266030LD	\$1,809	
30 x 60¼ x 30	36.8 / 267	66-LS306030LD	\$1,889	

Sit-Stand Lecterns Available with all Visual Display Options

iMod modesty. Rear access panels. Wire management and power strip. Locking doors. 14 RU rack rails in far right compartment: 19 1/4" W. Suggested keyboard width: 30"

D x W x H (in.) ft3 / lbs

Perforated metal modesty

30 x 581/4 x 30 35.0 / 267



Electrically adjustable unit from 30" base height with 11.8" travel. Rocker switch, internal limit switches and thermal overload protection. ADA compliant. System lift capacity up to 750 lbs.



30 x 58¼ x 30	35.0 / 267	66-SS305730MX	\$4,896	
Laminate modesty				

66-SS305730LX

List Price

\$4,574



Shown with metal mod

CPU shelf. CPU storage width: 101/2" Not available with TrolleyTM EXL

Perforated metal modesty

66-SS305730MC 30 x 581/4 x 30 35.0 / 286 \$4,980



66-SS305730LC 30 x 581/4 x 30 35.0 / 286 \$4,659



Shown with metal mod


Locking CPU door. CPU storage width: 10" (8" w/ Trolley™ EXL)

Perforated metal modesty

30 x 661/4 x 30 39.8 / 305 66-SS306530MD \$5,281


Laminate modesty

66-SS306530LD \$4,923 30 x 661/4 x 30 39.8 / 305



Shown with metal mod

800-730-6682 www.novadesk.com 33



List Price

How To Order

1. Select model number

Ex: 67-LS303641LM (Lectern 30x36x41 with pullout shelf and laminate modesty)

2. Select color laminate and work surface (see page 79) If ordering perforated metal modesty, select metal color

376

3. Select door/drawer pull style and finish

Ex: CB (Cup pull with Black Matt finish)

4. Select visual display options (see page 37)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

5. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

Lectern with Shelves

Available with all Visual Display Options

Locking modesty. Rear access panels. Wire management and power strip. Locking doors.

• Available with heavy duty casters (Specify "C" and add \$366). Height will increase by 2 3/4".

 Available with Flip-up Shelf. For factory prep, must specify "U" for left-handed or "V for right-handed placement.



Perforated metal Total Access modesty


2 fixed shelves.

24 x 36 x 40 24.1 / 194 66-LS243640MD \$2.513 30 x 36 x 40 29.6 / 196 66-LS303640MD \$2,577 36 x 36 x 40 35.1 / 231 66-LS363640MD \$2.854

42W Unit = 11"

2 adjustable shelves & 1 fixed shelf. Rear access door.

Separate com	eparate compartment on right with door.		
24 x 42 x 40	27.9 / 212	66-LS244240MD	\$2,994
24 x 48 x 40	31.6 / 224	66-LS244840MD	\$3,088
24 x 60 x 40	41.0 / 236	66-LS246040MD	\$3,423
30 x 42 x 40	34.3 / 294	66-LS304240MD	\$3,060
30 x 48 x 40	38.9 / 306	66-LS304840MD	\$3,154
30 x 60 x 40	50.5 / 318	66-LS306040MD	\$3,499
36 x 42 x 40	40.7 / 323	66-LS364240MD	\$3,447
36 v 48 v 40	46 2 / 375	66-1 2364840MD	¢3 /61



42", 48", 60" W

36" W

36 x 36 x 40

42", 48", 60" W

2 adjustable shelves & 1 fixed shelf. Rear access door.

66-LS243640LD

66-LS303640LD

66-LS363640LD

\$2,288

\$2,564

Laminate Total Access modesty

24.1 / 194

29.6 / 196

35.1 / 231

2 fixed shelves.

24 x 36 x 40

30 x 36 x 40

Separate com	partment on r	ight with door.	
24 x 42 x 40	27.9 / 212	66-LS244240LD	\$2,705
24 x 48 x 40	31.6 / 224	66-LS244840LD	\$2,799
24 x 60 x 40	41.0 / 236	66-LS246040LD	\$3,134
30 x 42 x 40	34.3 / 294	66-LS304240LD	\$2,771
30 x 48 x 40	38.9 / 306	66-LS304840LD	\$2,835
30 x 60 x 40	50.5 / 318	66-LS306040LD	\$3,209
36 x 42 x 40	40.7 / 323	66-LS364240LD	\$3,156
36 x 48 x 40	46.2 / 375	66-LS364840LD	\$3,171

Lecterns with Optional D-top Workstation

DxWxH(in.) ft3/lbs

Lectern-**Door swing Left** Power strip, Locking rear access panels, 1 adjustable shelf. 1 fixed shelf. Locking door. 16 RU rack rails. Work surface height: (User side) 41-1/8". Storage Dimensions: 19 1/4" W

Model



Shown with metal mod

Perforated metal modesty 21 x 21 x 50 16.6 / -66-LD212150MR 30 x 30 x 50 66-LD303050MR \$2,083 320/-

Laminate modesty

21 x 21 x 50 16.6 / ---66-LD212150LR \$1.159 30 x 30 x 50 32.0 / ---66-LD303050LR \$1,855

Optional === **D-top Workstation** on Right

Perforated metal modesty

Attaches to right side of 66-LD212150LMR or 66-LD303050MR. Available with E Trolley, *FPA1621NK and Surface Mount Arm.

Suggested keyboard width: 28"

21 x 39 x 34 66-DT213934MR \$1,107

Laminate modesty

Attaches to right side of 66-LD212150LR or 66-LD303050LR. Available with E Trolley, *FPA1621NK and Surface Mount Arm. Suggested keyboard width: 28"

21 x 39 x 34 20.8 / — 66-DT213934LR

*FPA1621NK Flat Panel Arm will be mounted to modesty panel.

Lectern-**Door swing Right**

Power strip. Locking rear access panels. 1 adjustable shelf. 1 fixed shelf. Locking door. 16 RU rack rails. Work surface height: (User side) 41-1/8". Storage Dimensions: 19 1/4" W



Shown with metal mod

Perforated me	tal modesty		
21 x 21 x 50	16.6 / —	66-LD212150ML	\$1,387
30 x 30 x 50	32.0 / —	66-LD303050ML	\$2,083

Laminate modesty

66-LD212150LL 21 x 21 x 50 16.6 / -\$1.159 30 x 30 x 50 32.0 / ---66-LD303050LL \$1,855


Optional === **D-top Workstation** on Left

Perforated metal modesty

Attaches to left side of 66-LD212150LML or 66-LD303050ML. Available with E Trolley, *FPA1621NK and Surface Mount Arm.

Suggested keyboard width: 28"

66-DT213934ML \$1,107 21 x 39 x 34 —/—



Attaches to left side of 66-LD212150LL or 66-LD303050LL. Available with E Trolley, *FPA1621NK and Surface Mount Arm. Suggested keyboard width: 28"

66-DT213934LL 21 x 39 x 34 20.8 / -

*FPA1621NK Flat Panel Arm will be mounted to modesty panel.

- 1. Model number.
- 2. Colors for base and work surface
- Door/Drawer Pull Style and Finish
 Optional-Select visual display options
- 5. Optional Select essential accessory options

66-LS181844MM

66-LS212444MM

66-LS181844LM

66-LS212444LM

\$936

\$667

\$1,009

\$1,325

Visual Display Options (Not available on all units, as noted):

- The Trolley™ E / EXL
- Downview Flat Panel Display
 Surface Mount Arm

Miscellaneous

DxWxH (in.)	ft ³ / lbs	Model	List Price

Lectern with angled top

1 fixed shelf. Pencil lip - standard is black.

Perforated metal modesty

18 x 18 x 44 21 x 24 x 44	10.7 / 86 16.0 / 86	
Laminate mod	desty	
18 x 18 x 44	10.7 / 86	
21 x 24 x 44	16.0 / 86	

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

Lectern with angled top and privacy sides

Shown with metal mod

1 fixed shelf.

Perforated metal modesty

18 x 18 x 44	10.7 / 86	66-LP181844MM	\$936
21 x 24 x 44	16.0 / 86	66-LP212444MM	\$1,325




Shown with metal mod

Laminate modesty

18 x 18 x 44	10.7 / 86	66-LP181844LM	\$657
21 x 24 x 44	16.0 / 86	66-LP212444LM	\$1,009

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

Mobile cart





Shown with metal mod

Perforated metal modesty

24 X 21 X 30 13.2 / 80 00-LG242130WW \$1,38	24 x 21 x 36	13.2 / 86	66-LC242136MM	\$1,586
---	--------------	-----------	---------------	---------

Laminate modesty

<u>=umato mot</u>			
24 x 21 x 36	13.2 / 86	66-LC242136LM	\$1,322

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

Mobile cart with raised sides

1 adjustable interior shelf. 1 fixed shelf. 2 casters. Power strip. Locking door. 16 RU rack rails. Storage dimensions: 19 ¾" W



Shown with metal mod

Perforated metal modesty

i di idiatoa ilio	tui illouooty		
24 x 21 x 38	13.9 / 86	66-LC242138MM	\$1,658

aminate modesty

Lammate mo	ucoty		
24 x 21 x 38	13.9 / 86	66-LC242138LM	\$1,381

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

Desktop lectern



Freestanding. Available in base color only.

66-DP172417 5.5 / 37 \$317

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

35

Audio/Visual Lecterns



Options for Audio/Visual Lecterns with Laminate and Perforated Metal Modestys

Factory Installed Keyboard Options

D x W x H (in.) ft3 / lbs

Flip-up shelf



Shipped Separately. Color matches work surface of lectern ordered. Located 3" down from work surface. For factory prep, must specify "U" on lectern model number for left-handed, or "V" on lectern model number for right-handed placement.

For 21" D Lecte Attaches to the		el of Lectern.	
20 x 20 x 01	0.9 / 24	66-SH202001L	\$511
Attaches to the	RIGHT side par	nel of Lectern.	
20 x 20 x 01	0.9 / 24	66-SH202001R	\$511
For 30" D or 36	"D Lectern:		
For 30" D or 36 Attaches to the		el of Lecterns.	
Attaches to the	LEFT side pan	el of Lecterns. 66-SH222001L	\$511
Attaches to the	LEFT side pan 1.0 / 24	66-SH222001L	\$511
Attaches to the	LEFT side pan 1.0 / 24 RIGHT side par	66-SH222001L nel of Lecterns.	\$511 \$511

2 space rack drawer



Attaches to rack rails. Takes up 2RU space. 50 lb. weight capacity.

20 x 15 x 3½ 10.4 / 20 66-2DRAWER \$560

Sliding shelf



Attaches to rack rails. 35 lb. weight capacity.

10.4 / 15 66-SSHELF \$369

2 space rack shelf Attaches to rack rails. Takes up 2RU space. 50 lb. weight capacity.



66-2SHELF \$216 20 x 15 x 3½ 10.4 / 15

Removable console



2.0 / 20 66-CONSOLE01 \$644 04 x 28 x 01



Specify cutout location on lectern. 115V fan rated at 57 CFM. 30 dBA.

\$226 01 x 06 x 06 66-FAN


(Only ordered when NO Visual Display Options ordered)

	DxWxH (in.)	ft ³ / lbs	Model	List Price
Factory Installed	Keyboard len	igth to fit I	ectern ordered	
Nova Keyboard	22" - 34" wide	13	NK	\$123
Factory Installed	Kevhoard len	nath to fit I	ectern ordered	
Center Mount	28", 30", 34" wi	-	CK	\$256
Articulating Keyboar		40 10	J.C	\$250
Mechanism & Tray	•			

Visual Display Options *Adding a Flat Panel Arm or Trolley visual display option may affect CPU storage widths.

option may affect CPU storage widths.

For Audio/Visual Lecterns



The Trolley™

Trolley does not come installed in any unit.

Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 34" (171mm)

The Trolley™ E

Widescreen:

Maximum Dimensions for

2½" D x 18½" W x 14" H

up to 21" (diagonal) or 20" (widescreen)

The Trolley™ EXL **Maximum Dimensions for** Widescreen:

2 ½" D x 22 7/8" W x 14½" H up to 24" diagonal widescreen 36" min. worksurface width

- · Low voltage motor to lift & lower monitor
- Provides vertical tilt adjustment in "up" position
- Durable metal enclosure under desktop
- Wire management system and power strip included

Model

Wt.

List Price

With Nova Keyboard Drawer

Nova Keyboard Drawer installed in assembled units only.

TE0728NK 48 The Trolley EXL with Nova Keyboard drawer \$1,775 ea 36" min. worksurface width required

TE0724NK 48 The Trolley E with Nova Keyboard drawer \$1,339 ea.

International Customers: Trolleys include Universal Power Control Units, compatible with all power requirements inside and outside the U.S.



Downview[™]

Model Wt. **List Price**

18"D x 18"W viewport **Maximum Dimensions for** Widescreen: 17"W x 141/2"H up to 19" diagonal

26" min. work surface depth

21"D x 21"W viewport

16"D x 21"W viewport (Widescreen) **Maximum Dimensions for**

up to 21" widescreen

24" min. work surface depth

Maximum Dimensions for Widescreen: 20 1/8"W x 19"H up to 21" diagonal

30" min. work surface depth

- Tinted, tempered glass viewport
- Keeps monitor under glass below work surface
- Wire management system and power strip included

Widescreen: 19½"W x 12½" H

18"D x 21"W viewport (Widescreen) **Maximum Dimensions for**

Widescreen: 20 1/8"W x 141/2"H up to 21" widescreen

26" min. work surface depth

21"D x 24"W viewport (Widescreen) **Maximum Dimensions for**

Widescreen: 22 1/2"W x 19"H up to 23" widescreen

30" min. work surface depth 36" min. work surface width With Nova Keyboard Drawer

Downview & Nova Keyboard Drawer installed in assembled units only.

FPA1621NK 35 Includes 16"D x 21"W viewport, adjustable arm, and visor. \$413 ea. FPA1818NK 35 Includes 18"D x 18"W viewport, adjustable arm, and visor. \$438 ea. \$438 ea. FPA1821NK 35 Includes 18"D x 21"W viewport, adjustable arm, and visor. FPA2121NK \$511 ea. 37 Includes 21"D x 21"W viewport, adjustable arm, and visor. FPA2124NK \$558 ea. 39 Includes 21"D x 24"W viewport, adjustable arm, and visor.



Surface Mount Arm

Surface Mount Arm does not come installed in any unit

Maximum Weight / Dimensions for Widescreen:

21 lbs. / Up to 24" diagonal widescreen

• Wire management system and power strip included

Model

Wt.

List Price

With Nova Keyboard Drawer

Nova Keyboard Drawer installed in assembled units only.

SMA0203NK 13

\$317 ea.

37

With Center Mount Articulating Keyboard Mechanism and Tray

Center Mount Keyboard Tray installed in assembled units only.

SMA0203CK 15 \$523 ea.

- For details and installation specifications, refer to pages 67-71.
- For CRT applications, please contact Customer Support: 1-800-730-6682

800-730-6682 www.novadesk.com

Tables







Tables

Flexibility is paramount in today's training environment. The ability to adapt to various presentation and learning styles is a snap with these reconfigurable options. From formal speeches to group discussions, our tables can be easily rearranged for any learning need.

- · Nesting tables for easy storage
- Standard tables in a variety of shapes
- Up-to-date leg styles and modesty panels
- Ability to include iMod wire management compartment

The future of training.

39

800-730-6682 www.novadesk.com

How To Order

- **1. Select model number and choose leg style** Ex: 25-RT247230AL
- 2. Select finish color for legs and laminate color for work surface (see page 79-80)

Ex: PBL 044 work surface

OPTIONS

3. Casters or height-adjustable legs (Arched or T-legs only)

For casters, add -C to the model number and add \$46 list, per leg.

Ex: 25-RT247230AL-C

For height-adjustable legs, add -H to the model number and add \$129 list, per leg.

Ex: 25-RT247230AL**-H**

4. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

Model Number Structure

25 - <u>RT</u>

27 - Double table with stiffener bar instead of middle

leg base

247230 Size

DxWxH

Leg
AL - Arched leg
TL - T-leg
SL - Straight leg


Work Surface Edge Detail



Leg Base Styles & Options

- 2-inch diameter metal legs, 16 gauge metal
- Leg mounting plates 1/4" thick
- Powder coated paint

Styles



Options







legs (-H)
Adjustable height
from 27"-37"
Specify -H & add \$129
list, per leg
Available with Arched &
T-Leg only

- To order, specify:

 1. Model number

 2. Finish color for legs and laminate color for work surface.

 3. Optional-Adjustable Ht. legs (-H) or Casters (-C)

3. Upulonal-Aujustable Ht. legs (-H) of Casters (-	U
4. Optional - Select essential accessory options.	
optional octoor coornial accounts, options.	

	Rectano	gle Table	S						
	DxWxH (in.)	ft ³ / lbs	Model	List Price		DxWxH (in.)	ft ³ / lbs	Model	List Price
^	Arch Legs Two leg bases.				3rd leg base is replaced with stiffener bars	T-Legs	2 len hases & et	iffener bars in middle fo	nr support
/ >	18 x 36 x 30	5.5 / 50	25-RT183630AL	\$726		18 x 72 x 30	8.2 / 93	27-RT187230TL	\$689
	18 x 42 x 30	5.7 / 55	25-RT184230AL	\$743		18 x 84 x 30	8.8 / 101	27-RT188430TL	\$880
1,	18 x 48 x 30	6.1 / 59	25-RT184830AL	\$774	/	10 X 04 X 30	0.0 / 101	21-N110043UIL	φοου
	18 x 60 x 30	6.6 / 86	25-RT186030AL	\$894		24 x 72 x 30	9.2 / 111	27-RT247230TL	\$824
	10 x 00 x 30	0.07 00	20-N1100030AL	Ф 0 34		24 x 84 x 30	10.0 / 120	27-RT248430TL	\$973
	24 x 36 x 30	6.0 / 61	25-RT243630AL	\$764		24 X 04 X 30	10.07 120	21-1112404301L	φ913
	24 x 42 x 30	6.3 / 65	25-RT244230AL	\$786	` _	30 x 72 x 30	10.3 / 126	27-RT307230TL	\$841
(-C, 2 legs)	24 x 48 x 30	6.7 / 71	25-RT244830AL	\$802		30 x 84 x 30	11.2 / 138	27-RT307230TL	\$1,125
	24 x 60 x 30	7.4 / 102	25-RT246030AL	\$952		30 X 04 X 30	11.27 130	21-013004301L	φ1,120
	24 X 00 X 30	7.47 102	23-111240030AL	φουΣ	(-C, 3 legs)	36 x 72 x 30	11.3 / 151	27-RT367230TL	\$961
	30 x 36 x 30	6.5 / 68	25-RT303630AL	\$787	(0,01093)	36 x 84 x 30	12.4 / 165	27-RT367230TL	\$1,206
	30 x 42 x 30	6.9 / 74	25-RT304230AL	\$812	•	30 x 04 x 30	12.47 100	27-1113004301L	φ1,200
	30 x 48 x 30	7.5 / 80	25-RT304830AL	\$844		Tlogo			
	30 x 60 x 30	8.3 / 114	25-RT306030AL	\$1,030		T Legs	•		
	30 x 00 x 30	0.57 114	25-111300030AL	Ψ1,000		Three leg bases		0E DT407000TI	ተርባባ
	36 x 42 x 30	7.6 / 97	25-RT364230AL	\$863		18 x 72 x 30	8.2 / 93	25-RT187230TL	\$689
	36 x 48 x 30	8.1 / 104	25-RT364830AL	\$897		18 x 84 x 30	8.8 / 101	25-RT188430TL	\$880
	36 x 60 x 30	9.2 / 136	25-RT366030AL	\$1,087	,	18 x 96 x 30	9.4 / 107	25-RT189630TL	\$1,055
	30 x 00 x 30	3.27 130	2J-111300030AL	φ1,001		04 70 00	0.0 / 111	OF DT0.47000TI	#004
rd leg base is replaced	Double table w/	O log booog 9 oti	iffonor haro in middle fo	r ounnort		24 x 72 x 30	9.2 / 111	25-RT247230TL	\$824
vith stiffener bars			iffener bars in middle fo			24 x 84 x 30	10.0 / 120	25-RT248430TL	\$973
	18 x 72 x 30	8.2 / 93	27-RT187230AL	\$960	· ·	24 x 96 x 30	10.7 / 130	25-RT249630TL	\$1,191
/,,>	18 x 84 x 30	8.8 / 101	27-RT188430AL	\$1,180	(0.010==)	30 x 72 x 30	10.3 / 126	25-RT307230TL	\$841
	0.4 70 00	0.0 / 4 4 4	OT DT04700041	44 000	(-C, 3 legs)	30 x 84 x 30	11.2 / 138	25-RT308430TL	\$1,125
\ <u>'</u>	24 x 72 x 30	9.2 / 111	27-RT247230AL	\$1,038					
_	24 x 84 x 30	10.0 / 120	27-RT248430AL	\$1,247		30 x 96 x 30	12.1 / 150	25-RT309630TL	\$1,317
\						00 70 00	44.0/454	0F DT007000TI	#004
	30 x 72 x 30	10.3 / 126	27-RT307230AL	\$1,097		36 x 72 x 30	11.3 / 151	25-RT367230TL	\$961
<i>(**/</i>	30 x 84 x 30	11.2 / 138	27-RT308430AL	\$1,413		36 x 84 x 30	12.4 / 165	25-RT368430TL	\$1,206
(-C, 2 legs)						36 x 96 x 30	13.2 / 181	25-RT369630TL	\$1,399
(-U, 2 legs)	36 x 72 x 30	11.3 / 151	27-RT367230AL	\$1,232	-	01			
	36 x 84 x 30	12.4 / 165	27-RT368430AL	\$1,502	^	Straight legs			
						Four legs 18 x 36 x 30	0.2 / 50	0E DT10262001	\$565
	Three leg bases	S.					2.3 / 50	25-RT183630SL	
	18 x 72 x 30	8.2 / 93	25-RT187230AL	\$960		18 x 42 x 30	2.5 / 55	25-RT184230SL	\$577
	18 x 84 x 30	8.8 / 101	25-RT188430AL	\$1,180		18 x 48 x 30	2.8 / 59	25-RT184830SL	\$588
	18 x 96 x 30	9.4 / 107	25-RT189630AL	\$1,485		18 x 60 x 30	3.3 / 86	25-RT186030SL	\$641
4						04 00 00	0.7./04	OF PT0 4000001	A E07
	24 x 72 x 30	9.2 / 111	25-RT247230AL	\$1,038		24 x 36 x 30	2.7 / 61	25-RT243630SL	\$597
	24 x 84 x 30	10.0 / 120	25-RT248430AL	\$1,247		24 x 42 x 30	3.1 / 65	25-RT244230SL	\$610
	24 x 96 x 30	10.7 / 130	25-RT249630AL	\$1,555		24 x 48 x 30	3.5 / 71	25-RT244830SL	\$624
				. ,		24 x 60 x 30	4.2 / 102	25-RT246030SL	\$679
(-C, 3 legs)	30 x 72 x 30	10.3 / 126	25-RT307230AL	\$1,097			/		
	30 x 84 x 30	11.2 / 138	25-RT308430AL	\$1,413		30 x 36 x 30	3.3 / 68	25-RT303630SL	\$646
	30 x 96 x 30	12.1 / 150	25-RT309630AL	\$1,725		30 x 42 x 30	3.7 / 74	25-RT304230SL	\$666
				,		30 x 48 x 30	4.2 / 80	25-RT304830SL	\$700
	36 x 72 x 30	11.3 / 151	25-RT367230AL	\$1,232		30 x 60 x 30	5.1 / 114	25-RT306030SL	\$773
	36 x 84 x 30	12.4 / 165	25-RT368430AL	\$1,502		00 10 55	4.4.40=	OF PEOP	A
	36 x 96 x 30	13.2 / 181	25-RT369630AL	\$1,811		36 x 42 x 30	4.4 / 97	25-RT364230SL	\$724
						36 x 48 x 30	4.9 / 104	25-RT364830SL	\$752
	T Legs					36 x 60 x 30	5.9 / 136	25-RT366030SL	\$846
	Two leg bases.					Double tell	A admot all de la constant	atifform to the second	
1, ,	18 x 36 x 30	5.5 / 50	25-RT183630TL	\$565	Set of middle legs are			stiffener bars in middle	
	18 x 42 x 30	5.7 / 55	25-RT184230TL	\$577	replaced with stiffener bars	18 x 72 x 30	4.2 / 93	27-RT187230SL	\$689
/ >	18 x 48 x 30	6.4 / 59	25-RT184830TL	\$588	Juli Juli Juli Juli Juli Juli Juli Juli	18 x 84 x 30	4.7 / 101	27-RT188430SL	\$880
	18 x 60 x 30	6.6 / 86	25-RT186030TL	\$641	/."	0470 00	E 0 / 4 4 4	07 PT0 47000C	# 20.4
(00)				•		24 x 72 x 30	5.3 / 111	27-RT247230SL	\$824
(-C, 2 legs)	24 x 36 x 30	6.0 / 61	25-RT243630TL	\$597		24 x 84 x 30	5.9 / 120	27-RT248430SL	\$973
	24 x 42 x 30	6.3 / 65	25-RT244230TL	\$610	u	20 y 70 y 20	60/100	07 DT2070000	¢0.44
	24 x 48 x 30	6.7 / 71	25-RT244830TL	\$624	-	30 x 72 x 30	6.2 / 126	27-RT307230SL	\$841
	24 x 60 x 30	7.4 / 102	25-RT246030TL	\$679		30 x 84 x 30	7.2 / 138	27-RT308430SL	\$1,125
						26 v 70 v 20	65/151	27_DT26722061	¢001
	30 x 36 x 30	6.5 / 68	25-RT303630TL	\$646		36 x 72 x 30	6.5 / 151	27-RT367230SL	\$961
	30 x 42 x 30	6.9 / 74	25-RT304230TL	\$666		36 x 84 x 30	8.4 / 165	27-RT368430SL	\$1,206
	30 x 48 x 30	7.5 / 80	25-RT304830TL	\$700					
	30 x 60 x 30	8.3 / 114	25-RT306030TL	\$773					
	55 % 55 % 50	3.3 / 117		ψ. 10					
	36 x 42 x 30	7.6 / 97	25-RT364230TL	\$724					
	36 x 48 x 30	8.1 / 104	25-RT364830TL	\$752					
	36 x 60 x 30	9.2 / 136	25-RT366030TL	\$846					
200 700 0000	00 x 00 x 30	3.27 130	23-1113000301L	Ф 040					

800-730-6682 www.novadesk.com 41

C = Castors for Arched or T-leg table, add \$50 list, per leg **H** = Height-adjustable legs, add \$140 list, per leg

Laminate and metal base

How To Order

Tables

- 1. Select model number and choose leg style Ex: 25-RT247230AL
- 2. Select finish color for legs and laminate color for work surface see page 79 - 80)

OPTIONS

3. Castors or height-adjustable legs (Arched or T-legs only)

For castors, add -C to the model number and add \$50 list, per leg.

Ex: 25-RT247230AL-C

For height-adjustable legs, add -H to the model number and add

\$146 list, per leg.

Ex: 25-RT247230AL-H

4. Select essential accessory options (see page 75)

Ex: RWG01 (Round wire grommet)

Rectangle Tables



DxWxH (in.)	ft ³ / lbs	Model	List Price
Straight Legs Six legs			
18 x 72 x 30	4.2 / 93	25-RT187230SL	\$745
18 x 84 x 30	4.7 / 101	25-RT188430SL	\$951
18 x 96 x 30	5.3 / 107	25-RT189630SL	\$1,140
24 x 72 x 30	5.3 / 111	25-RT247230SL	\$890
24 x 84 x 30	5.9 / 120	25-RT248430SL	\$1051
24 x 96 x 30	6.7 / 130	25-RT249630SL	\$1,287
30 x 72 x 30	6.2 / 126	25-RT307230SL	\$909
30 x 84 x 30	7.2 / 138	25-RT308430SL	\$1,215
30 x 96 x 30	8.1 / 150	25-RT309630SL	\$1,423
			•
36 x 72 x 30	6.5 / 151	25-RT367230SL	\$1038
36 x 84 x 30	8.4 / 165	25-RT368430SL	\$1,303
36 x 96 x 30	9.4 / 181	25-RT369630SL	\$1,511

Modesty Panels

panels Table not included


Laminate modesty

Specify a base Single modest			
01 x 36 x 12	.25 / 8	25-SM013612	\$174
01 x 42 x 12	.3/9	25-SM014212	\$184
01 x 48 x 12	.3 / 10	25-SM014812	\$195
01 x 60 x 12	.5 / 13	25-SM016012	\$208
01 x 36 x 22 01 x 42 x 22	.45 / 14 .5 / 16	25-SM013622 25-SM014222	\$205 \$208
01 x 48 x 22	.6 / 18	25-SM014822	\$218
01 x 60 x 22	.75 / 23	25-SM016022	\$232



01 x 60 x 22	.75 / 23	25-SM016022	\$232
Double modes	sty		
01 x 72 x 12	.5 / 15	25-SM017212	\$347
01 x 84 x 12	.6 / 18	25-SM018412	\$364
01 x 96 x 12	.75 / 20	25-SM019612	\$387
01 x 72 x 22	1 / 28	25-SM017222	\$407
01 x 84 x 22	1/32	25-SM018422	\$413
01 x 96 x 22	1.2 / 37	25-SM019622	\$432
	Double mode: 01 x 72 x 12 01 x 84 x 12 01 x 96 x 12 01 x 72 x 22 01 x 84 x 22	Double modesty 01 x 72 x 12	Double modesty 01 x 72 x 12 .5 / 15 25-SM017212 01 x 84 x 12 .6 / 18 25-SM018412 01 x 96 x 12 .75 / 20 25-SM019612 01 x 72 x 22 1 / 28 25-SM017222 01 x 84 x 22 1 / 32 25-SM018422

Perforated metal modesty panels Table not included



DxWxH (in.)	ft ³ / lbs	Model	List Price
Specify a metal Single modest			
01 x 36 x 12	.25 / 8	25-PM013612	\$378
01 x 42 x 12	.3 / 9	25-PM014212	\$409
01 x 48 x 12	.3 / 10	25-PM014812	\$447
01 x 60 x 12	.5 / 13	25-PM016012	\$496
01 x 36 x 22	.45 / 14	25-PM013622	\$445
01 x 42 x 22	.5 / 17	25-PM014222	\$463
01 x 48 x 22	.6 / 19	25-PM014822	\$496
01 x 60 x 22	.75 / 24	25-PM016022	\$566
Double modes	ty		
01 x 72 x 12	.5 / 16	25-PM017212	\$755
01 x 84 x 12	.6 / 18	25-PM018412	\$814
01 x 96 x 12	.75 / 21	25-PM019612	\$889
01 x 72 x 22	1 / 29	25-PM017222	\$887
01 x 84 x 22	1 / 33	25-PM018422	\$922
01 x 96 x 22	1.2 / 38	25-PM019622	\$990

iMod laminate modesty panels Table not included

Specify a base color. Includes wire management.



Single modest	ty		
05 x 36 x 12	2.1 / 19	25-SM053612	\$335
05 x 42 x 12	2.5 / 22	25-SM054212	\$344
05 x 48 x 12	2.8 / 25	25-SM054812	\$355
05 x 60 x 12	3.5 / 31	25-SM056012	\$367
05 x 36 x 22	3.7 / 34	25-SM053622	\$390
05 x 42 x 22	4.3 / 40	25-SM054222	\$395
05 x 48 x 22	4.9 / 46	25-SM054822	\$404
05 x 60 x 22	6.1 / 57	25-SM056022	\$416



	Double modest	y		
	05 x 72 x 12	2.1 / 38	25-SM057212	\$547
1	05 x 84 x 12	2.5 / 44	25-SM058412	\$571
/	05 x 96 x 12	2.8 / 50	25-SM059612	\$587
	05 x 72 x 22	3.7 / 69	25-SM057222	\$633
	05 x 84 x 22	4.3 / 80	25-SM058422	\$640
	05 x 96 x 22	4.9 / 92	25-SM059622	\$659

iMod perforated metal Specify a metal color. Includes wire management. modesty panels




Single modes	ty		
05 x 36 x 12	2.1 / 20	25-PM053612	\$555
05 x 42 x 12	2.5 / 23	25-PM054212	\$600
05 x 48 x 12	2.8 / 26	25-PM054812	\$638
05 x 60 x 12	3.5 / 33	25-PM056012	\$687
05 x 36 x 22	3.7 / 36	25-PM053622	\$651
05 x 42 x 22	4.3 / 42	25-PM054222	\$669
05 x 48 x 22	4.9 / 48	25-PM054822	\$701
05 x 60 x 22	6.1 / 60	25-PM056022	\$773



	Double modes	ty		
	05 x 72 x 12	2.1 / 39	25-PM057212	\$975
ı	05 x 84 x 12	2.5 / 46	25-PM058412	\$1,034
	05 x 96 x 12	2.8 / 52	25-PM059612	\$1,111
	05 x 72 x 22	3.7 / 72	25-PM057222	\$1,136
	05 x 84 x 22	4.3 / 83	25-PM058422	\$1,172
	05 x 96 x 22	4.9 / 95	25-PM059622	\$1,239

- Model number
 Finish color for legs and laminate color for work surface.
 Optional Select essential accessory options.

	DxWxH(in.)	ft ³ / lbs	Model	List Pric
IOO buidaa				
8° bridge	18 x 18 x 1 ¹ / ₈	1.0 / 4	25-WG18180118	\$21
\wedge	24 x 24 x 1 ¹ / ₈	1.6 / 10	25-WG24240118	\$23
	30 x 30 x 11/8	2.4 / 25	25-WG30300118	\$24
	36 x 36 x 1 ¹ / ₈	3.4 / 32	25-WG36360118	\$25
0° bridge	18 x 18 x 1 ¹ / ₈	1.0 / 4	25-WG18180130	\$21
^	24 x 24 x 1 ¹ /8	1.6 / 10	25-WG24240130	\$23
	30 x 30 x 1 ¹ / ₈	2.4 / 25	25-WG30300130	\$24
	36 x 36 x 1 ¹ / ₈	3.4 / 32	25-WG36360130	\$25
5° bridge	18 x 18 x 1 ¹ / ₈	1.0 / 4	25-WG18180145	\$21
o bilago	24 x 24 x 1 ¹ / ₈	1.6 / 10	25-WG24240145	\$23
	$30 \times 30 \times 1^{1/8}$	2.4 / 25	25-WG30300145	\$24
				
	Leg is for stal		signed to attach to ot	her unit
H	36 x 36 x 1 ¹ / ₈	7.1 / 59	25-WG36360145	\$52
0° bridge	18 x 18 x 1 ¹ / ₈	1.4 / 4	25-WG18180160	\$21
o biluge	24 x 24 x 1 ¹ / ₈	2.1 / 10	25-WG24240160	\$23
	Z + X Z + X 1 /0	2.17 10	25-W424240100	ΨΖΟ
	Leg is for stat		signed to attach to otl	her unit
	30 x 30 x 1 ¹ / ₈	6.1 / 44	25-WG30300160	\$51
A	36 x 36 x 1 ¹ / ₈	7.1 / 59	25-WG36360160	\$52
0° bridge	18 x 18 x 1 ¹ / ₈	1.4 / 4	25-WG18180190	\$21
	24 x 24 x 1 ¹ /8	2.1 / 10	25-WG24240190	\$23
			ainnad ta attaab ta atl	har unit
	Leg is for stat		Signed to attach to ou	ici uiiit
			25-WG30300190	\$51:



Factory Installed Keyboard Options Only for Tables

Factory Installed Nova Keyboard

Keyboard length to fit casegoods ordered 22" - 34" wide 13 \$123

\$256

Factory Installed

Center Mount


Keyboard length to fit casegoods ordered 28", 30", 34" wide 15

Mechanism & Tray

Articulating Keyboard



perforated metal modesty panel



	5

12" H 01 x 03 x 12 .1/3 25-ENDCAP12 \$90 22" H \$102 01 x 03 x 22 .1/3 25-ENDCAP22

Casters - Locking

When adding casters, the total height will not change.



Set of 2 required per leg. 25/8 x 1 3/4 x 3 1/4 \$50 per leg

Height-adjustable

Adjustable height from 27"-37".



\$140 per leg

800-730-6682 www.novadesk.com 43



- 1. Model number
- 2. Finish color for legs and laminate color for work surface.
- 3. Optional Essential accessory options

How To Order

Nesting / Round / Square / Quarter Round Tables Only

1. Select table model number

Ex: 25-NT247230AL

2. Select finish color for legs and laminate color for work surface (see page 79-80)

Ex: PBL 227 work surface

OPTIONS

3. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

Model Number Structure

25 Series NT Type

NT-Nesting Table

247230

Size D x W x H

D x W x H (in.) ft3 / lbs

Leg

AL - Arched leg TL - T-leg AC - Arched leg w/ casters TC - T-leg w/ casters

Model

List Price

Nesting Tables

Stiffeners included on tables 60" wide and up.

Table with arched legs & folding top





18 x 36 x 30	5.4 / 50	25-NT183630AL	\$1,009
18 x 42 x 30	5.7 / 55	25-NT184230AL	\$958
18 x 48 x 30	6.1 / 59	25-NT184830AL	\$1,031
18 x 60 x 30	6.6 / 65	25-NT186030AL	\$1,147
18 x 72 x 30	7.1 / 72	25-NT187230AL	\$1,186
18 x 84 x 30	7.7 / 80	25-NT188430AL	\$1,238
18 x 96 x 30	8.2 / 86	25-NT189630AL	\$1,272
	0.27 00		+ - , = - =
24 x 36 x 30	6.1 / 61	25-NT243630AL	\$938
24 x 42 x 30	6.3 / 65	25-NT244230AL	\$1,002
24 x 48 x 30	6.7 / 71	25-NT244830AL	\$1,088
24 x 60 x 30	7.5 / 80	25-NT246030AL	\$1,215
24 x 72 x 30	8.2 / 89	25-NT247230AL	\$1,242
24 x 84 x 30	8.9 / 98	25-NT248430AL	\$1,330
24 x 96 x 30	9.6 / 108	25-NT249630AL	\$1,402
24 X 30 X 30	3.07 100	23-N1243030AL	φ1, 4 02
30 x 36 x 30	6.5 / 68	OF NEODOCOUNT	\$990
		25-NT303630AL	
30 x 42 x 30	6.9 / 74	25-NT304230AL	\$1,058
30 x 48 x 30	7.4 / 80	25-NT304830AL	\$1,172
30 x 60 x 30	8.3 / 91	25-NT306030AL	\$1,314
30 x 72 x 30	9.2 / 103	25-NT307230AL	\$1,367
30 x 84 x 30	10.1 / 115	25-NT308430AL	\$1,383
30 x 96 x 30	10.9 / 127	25-NT309630AL	\$1,480

Nesting Tables						
	DxWxH (in.)	ft ³ / lbs	Model	List Price		
Table with arched	18 x 36 x 30	5.4 / 52	25-NT183630AC	\$1,014		
legs, folding top & casters	18 x 42 x 30	5.7 / 57 6.1 / 61	25-NT184230AC	\$1,072		
a casicis	18 x 48 x 30 18 x 60 x 30	6.6 / 67	25-NT184830AC 25-NT186030AC	\$1,144 \$1,260		
	18 x 72 x 30	7.1 / 74	25-NT187230AC	\$1,300		
	18 x 84 x 30	7.7 / 82	25-NT188430AC	\$1,350		
	18 x 96 x 30	8.2 / 88	25-NT189630AC	\$1,385		
, ,	04 00 00	0.4.4.00	o= 11 = 0400040	4.05 4		
6	24 x 36 x 30	6.1 / 63	25-NT243630AC	\$1,051		
	24 x 42 x 30 24 x 48 x 30	6.3 / 67 6.7 / 73	25-NT244230AC 25-NT244830AC	\$1,113 \$1,199		
	24 x 60 x 30	7.5 / 82	25-NT246030AC	\$1,199		
9	24 x 72 x 30	8.2 / 91	25-NT247230AC	\$1,350		
	24 x 84 x 30	8.9 / 100	25-NT248430AC	\$1,442		
	24 x 96 x 30	9.6 / 110	25-NT249630AC	\$1,511		
No.	30 x 36 x 30	6.5 / 70	25-NT303630AC	\$1,101		
	30 x 42 x 30 30 x 48 x 30	6.9 / 76 7.4 / 82	25-NT304230AC 25-NT304830AC	\$1,170 \$1,284		
	30 x 60 x 30	8.3 / 93	25-NT304030AC	\$1,284		
	30 x 72 x 30	9.2 / 105	25-NT307230AC	\$1,478		
	30 x 84 x 30	10.1 / 117	25-NT308430AC	\$1,494		
	30 x 96 x 30	10.9 / 129	25-NT309630AC	\$1,591		
Table with T-legs	18 x 36 x 30	5.4 / 50	25-NT183630TL	\$754		
& folding top	18 x 42 x 30	5.7 / 55	25-NT184230TL	\$804		
	18 x 48 x 30 18 x 60 x 30	6.1 / 59	25-NT184830TL	\$855		
	18 x 72 x 30	6.6 / 65 7.1 / 72	25-NT186030TL 25-NT187230TL	\$1,010 \$1,050		
	18 x 84 x 30	7.7 / 80	25-NT188430TL	\$1,093		
, ,	18 x 96 x 30	8.2 / 86	25-NT189630TL	\$1,131		
				,		
	24 x 36 x 30	6.1 / 61	25-NT243630TL	\$806		
	24 x 42 x 30	6.3 / 65	25-NT244230TL	\$856		
	24 x 48 x 30 24 x 60 x 30	6.7 / 71 7.5 / 80	25-NT244830TL 25-NT246030TL	\$908 \$1,072		
	24 x 72 x 30	8.2 / 89	25-NT247230TL	\$1,072		
	24 x 84 x 30	8.9 / 98	25-NT248430TL	\$1,180		
~	24 x 96 x 30	9.6 / 108	25-NT249630TL	\$1,247		
	30 x 36 x 30	6.5 / 68	25-NT303630TL	\$866		
	30 x 42 x 30 30 x 48 x 30	6.9 / 74 7.4 / 80	25-NT304230TL 25-NT304830TL	\$912 \$961		
	30 x 60 x 30	8.3 / 91	25-NT304030TL	\$1,160		
	30 x 72 x 30	9.2 / 103	25-NT307230TL	\$1,212		
	30 x 84 x 30	10.1 / 115	25-NT308430TL	\$1,228		
	30 x 96 x 30	10.9 / 127	25-NT309630TL	\$1,315		
Table with T-legs,	18 x 36 x 30	5.4 / 52	25-NT183630TC	\$866		
folding top &	18 x 42 x 30	5.4 / 52	25-NT184230TC	\$800 \$917		
casters	18 x 48 x 30	6.1 / 61	25-NT184830TC	\$967		
	18 x 60 x 30	6.6 / 67	25-NT186030TC	\$1,124		
	18 x 72 x 30	7.1 / 74	25-NT187230TC	\$1,161		
	18 x 84 x 30	7.7 / 82	25-NT188430TC	\$1,206		
	18 x 96 x 30	8.2 / 88	25-NT189630TC	\$1,244		
	24 x 36 x 30	6.1 / 63	25-NT243630TC	\$919		
	24 x 42 x 30	6.3 / 67	25-NT244230TC	\$969		
///a	24 x 48 x 30	6.7 / 73	25-NT244830TC	\$1,020		
	24 x 60 x 30	7.5 / 82	25-NT246030TC	\$1,183		
	24 x 72 x 30	8.2 / 91	25-NT247230TC	\$1,250		
	24 x 84 x 30	8.9 / 100	25-NT248430TC	\$1,291		
THE STATE OF THE S	24 x 96 x 30	9.6 / 110	25-NT249630TC	\$1,360		
*	30 x 36 x 30	6.5 / 70	25-NT303630TC	\$975		
	30 x 42 x 30	6.9 / 76	25-NT304230TC	\$1,022		
	30 x 48 x 30	7.4 / 82	25-NT304830TC	\$1,074		
	30 x 60 x 30	8.3 / 93	25-NT306030TC	\$1,272		
	30 x 72 x 30	9.2 / 105	25-NT307230TC	\$1,325		
	30 x 84 x 30	10.1 / 117	25-NT308430TC	\$1,340 \$1,426		
	30 x 96 x 30	10.9 / 129	25-NT309630TC	\$1,426		

800-730-6682 www.novadesk.com **45**

Model

List Price

\$949

\$1,042

How To Order

Nesting / Round / Square / Quarter Round Tables Only

- **1. Select table model number** Ex: 25-NT247230AL
- 2. Select finish color for legs and laminate color for work surface (see page 79-80)

OPTIONS

3. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

Round Tables

DxWxH(in.)	ft ³ / lbs	Model	List Price

Round tables

Height-adjustable leg not available.



			Straight x-leg
\$602	25-FR303030XS	17.9 / 46	30 x 30 x 30
\$693	25-FR363630XS	18.9 / 67	36 x 36 x 30
\$935	25-FR424230XS	20.1 / 85	42 x 42 x 30
\$1,028	25-FR484830XS	21.4 / 102	48 x 48 x 30



			Arcnea x-leg
\$772	25-FR303030XA	17.9 / 46	30 x 30 x 30
\$847	25-FR363630XA	18.9 / 67	36 x 36 x 30
\$1,099	25-FR424230XA	20.1 / 85	42 x 42 x 30
\$1,140	25-FR484830XA	21.4 / 102	48 x 48 x 30



egs	Straight legs			
30	30 x 30 x 30	2.9 / 46	25-FR303030SL	\$772
30	36 x 36 x 30	3.8 / 67	25-FR363630SL	\$847
30	42 x 42 x 30	4.9 / 85	25-FR424230SL	\$1,099
30	48 x 48 x 30	6.3 / 102	25-FR484830SL	\$1,140

Square Tables

Straight Y-log

Arched X-leg 30 x 30 x 30

36 x 36 x 30

48 x 48 x 30

Square tables

Height-adjustable leg not available.

17.9 / 46

18.9 / 67

6.3 / 102



ou aigiit x-icg			
30 x 30 x 30	17.9 / 46	25-SQ303030XS	\$580
36 x 36 x 30	18.9 / 67	25-SQ363630XS	\$681
42 x 42 x 30	20.1 / 85	25-SQ424230XS	\$917
48 x 48 x 30	21.4 / 102	25-SQ484830XS	\$981

25-SQ303030XA

25-SQ363630XA


25-SQ484830SL

\$752

\$823

\$1,084





Quarter Round Tables

DxWxH(in.)

30 x 30 x 30

36 x 36 x 30

ft3 / lbs

Quarter round tables









Height-adjustable leg not available.

Straight X-leg			
24 x 24 x 30	17.1 / 32	25-QR242430XS	\$650
30 x 30 x 30	17.9 / 47	25-QR303030XS	\$765
36 x 36 x 30	18.9 / 62	25-QR363630XS	\$850
Arched X-leg			
24 x 24 x 30	17.1 / 32	25-QR242430XA	\$868
30 x 30 x 30	17.9 / 47	25-QR303030XA	\$949
36 x 36 x 30	18.9 / 62	25-QR363630XA	\$1,042
Straight leg	1.1.100	05. 0004040001	****
24 x 24 x 30	1.1 / 32	25-QR242430SL	\$868

	•	r stab sides	 ned to attach to o	ther units


2.9 / 47

3.8 / 62


25-QR303030SL

25-QR363630SL

30 x 30 x 30	6.1 / 44	25-QR303030TL	\$764
36 x 36 x 30	7.1 / 59	25-QR363630TL	\$850



Office







Office

Our Office line is uniquely suited for the following environments...

- Entry-level offices
- Mid-level offices
- Executive offices
- Commercial offices
- Education
- Training
- · Health care
- Hospitality
- Home office

Smart furniture. Smart business.

49



Features, Benefits and Solutions

- · Solutions for all office environments
- Variety of filing and storage options
- Visual Display Options available
- Standard work surface thickness: 1"
- Standard edge detail: 2mm Flat PVC
- Horizontal wood grain on full length mod over 60"
- Bookmatched vertical grain on door and drawer fronts

- Matching edge banding colors
- Wire management system and power strip optional
- Optional work surface grommets
- Manufactured with recycled post-industrial materials

How To Order

1. Select model number

Ex: 35-RD367230BN (single pedestal desk, 36x72x30 with box/box/file left, return right)

2. Select laminate base and work surface color (see page 79)

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

OPTIONS

4. Select visual display options (see page 63)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

5. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

Visual Display Options To order, see page 63

The Trolley™ Personal Monitor Arm System

Maximum dimensions for widescreen:

EXL: 21/2" D x 22 7/8" W x 141/2" H

E: 2½" D x 18½" W x 14" H (70mm D x 470mm W x 356mm H)

NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

Downview[™]

Maximum dimensions for widescreen-

18x18 viewport: 17"W x 141/2"H (432mm W x 368mm H)

21x21 viewport: 201/8"W x 19" H (511mm W x 483mm H)

16x21 widescreen viewport: 191/2"W x 121/2" H (495mm W x 318mm H)

18x21 widescreen viewport: 201/8"W x 141/2"H (511mm W x 368mm H)

21x24 widescreen viewport: 221/2"W x 19"H (572mm W x 482mm H)

For CRT applications, please call Customer Support: 1-800-730-6682

Model Number Structure:



Series

BD-Bow desk

CZ-Credenza RR-Return Right RI -Return Left BG-Bridge DF-D-top/Full mod DN-D-top/No mod

Type RD-Rectangle 367230 Size

Ped Combination

BN = Box/Box/File left, Return right

Work Surface Edge Detail & Thickness



Grommets

Standard grommets are rectangular black plastic.

3/4 Height Modesty Panel Option

3/4 height modesty panels only available on units with 3/4 pedestals. Specify "M".

Door/Drawer Pull Style and Finish

Hutches do not require pull hardware selection.



Cup / Black Matt (CB) Cup / Stainless Steel (CS)

Cup / Chrome Polished (CP)



Wave / Nickel (WN)

Steel / Black (SB) Steel / Chrome Matt (SM) Steel / Chrome Polished (SP)



Wave / Black (WB)

- 1. Model number
- 2. Colors for base and work surface
- 3. Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, SB, SM, SP, MC, MB)

4. Optional - Select visual display options 5. Optional - Essential accessory options


Visual Display Options available:

- The Trollev™ E / EXL
- . Downview Flat Panel Display

Desks

D x W x H (in.) ft3 / lbs Model **List Price**

Double pedestal desks



			ouout, pu	
\$1,657	35-RD306030GG	36.8 / 278	30 x 60 x 30	
\$1,724	35-RD306630GG	40.3 / 287	30 x 66 x 30	
\$1,752	35-RD307230GG	43.9 / 296	30 x 72 x 30	
\$1,815	35-RD367230GG	52.1 / 326	36 x 72 x 30	



2 pedestals with lock, 1 box drawer and 1 file drawer with legal/letter filing. Pencil tray. Recessed, full height modesty panel.

42 x 66 x 30	55.4 / 326	35-BD426630GG	\$1,775
42 x 72 x 30	60.3 / 346	35-BD427230GG	\$2,025



1 pedestal on left with lock, 1 box drawer and 1 file drawer with legal/letter filing. Pencil tray. Recessed, full height modesty panel.

\$1,125	35-RD304830GN	29.7 / 208	30 x 48 x 30	
\$1,369	35-RD306030GN	36.8 / 226	30 x 60 x 30	
\$1,424	35-RD306630GN	40.3 / 235	30 x 66 x 30	
\$1,527	35-RD307230GN	43.9 / 244	30 x 72 x 30	
\$1,594	35-RD367230GN	52.1 / 267	36 x 72 x 30	

Right single pedestal desks

1 pedestal on right with lock, 1 box drawer and 1 file drawer with legal/letter filing. Pencil tray. Recessed, full height modesty panel.

\$1,125	35-RD304830NG	29.7 / 208	30 x 48 x 30
\$1,369	35-RD306030NG	36.8 / 226	30 x 60 x 30
\$1,424	35-RD306630NG	40.3 / 235	30 x 66 x 30
\$1,527	35-RD307230NG	43.9 / 244	30 x 72 x 30
\$1.594	35-RD367230NG	52.1 / 267	36 x 72 x 30

bow front desks

Left single pedestal 1 pedestal on left with lock, 1 box drawer and 1 file drawer with legal/letter filing. Pencil tray. Recessed, full height modesty panel.

_	
	1
1	$\sqrt{1}$

42 x 66 x 30 55.4 / 274 35-BD426630GN \$1.578 35-BD427230GN \$1,828 42 x 72 x 30 60.3 / 294

Right single pedestal bow front desks

1 pedestal on right with lock, 1 box drawer and 1 file drawer with legal/letter filing. Pencil tray. Recessed, full height modesty panel.



	, pa		
42 x 66 x 30	55.4 / 274	35-BD426630NG	\$1,578
42 x 72 x 30	60.3 / 294	35-BD427230NG	\$1,826

Double pedestal desks

2 full-length pedestals with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestals. Pencil tray. Recessed, full height modesty panel

Model

List Price



\$1,929	35-RD246030BB	29.9 / 245	24 x 60 x 30
\$1,977	35-RD246630BB	32.8 / 253	24 x 66 x 30
\$2,075	35-RD247230BB	35.7 / 261	24 x 72 x 30
\$1,965	35-RD306030BB	36.8 / 313	30 x 60 x 30
\$2,033	35-RD306630BB	40.3 / 322	30 x 66 x 30
\$2,059	35-RD307230BB	43.9 / 331	30 x 72 x 30
\$2,125	35-RD367230BB	52.1 / 361	36 x 72 x 30

Double pedestal bow front desk

2 full-length pedestals with lock, 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestals. Pencil tray. Recessed, full height modesty panel.



42 x 66 x 30 55.4 / 370 35-BD426630BB \$2,162 35-BD427230BB 42 x 72 x 30 60.3 / 381 \$2,333

Left single 1 full-length pedestal on left with lock. 2 box drawers and 1 pedestal desks file drawer with legal/letter filing. Locking pedestal. Pencil tray. Recessed, full height modesty panel

DxWxH(in.) ft3/lbs



24 x 60 x 30 29.9 / 179 35-RD246030BN \$1,439 24 x 66 x 30 32.8 / 186 35-RD246630BN \$1,475 35-RD247230BN 24 x 72 x 30 35.7 / 193 \$1,524 29.7 / 226 30 x 48 x 30 35-RD304830BN \$1,279 36.8 / 244 35-RD306030BN \$1,524 30 x 60 x 30 35-RD306630BN 30 x 66 x 30 40.3 / 253 \$1,577 30 x 72 x 30 43.9 / 262 35-RD307230BN \$1,683 \$1,750 36 x 72 x 30 52.1 / 341 35-RD367230BN

Right single pedestal desks

1 full-length pedestal on right with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestal. Pencil tray. Recessed, full height modesty panel.



\$1,439	35-RD246030NB	29.9 / 179	24 x 60 x 30
\$1,475	35-RD246630NB	32.8 / 186	24 x 66 x 30
\$1,524	35-RD247230NB	35.7 / 193	24 x 72 x 30
\$1,279	35-RD304830NB	29.7 / 226	30 x 48 x 30
\$1,524	35-RD306030NB	36.8 / 244	30 x 60 x 30
\$1,577	35-RD306630NB	40.3 / 253	30 x 66 x 30
\$1,683	35-RD307230NB	43.9 / 262	30 x 72 x 30
\$1.750	35-RD367230NB	52.1 / 341	36 x 72 x 30

Left single pedestal bow front desks

1 full-length pedestal on left with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestal. Pencil tray. Recessed, full height modesty panel.



42 x 66 x 30 55.4 / 290 35-BD426630BN \$1,833 42 x 72 x 30 60.3 / 312 35-BD427230BN \$1,984

Right single pedestal bow front desks

file drawer with legal/letter filing. Locking pedestal. Pencil tray. Recessed, full height modesty panel.



42 x 66 x 30 55.4 / 290 35-BD426630NB \$1,833 42 x 72 x 30 35-BD427230NB \$1,984 60.3 / 312

1 full-length pedestal on right with lock. 2 box drawers and 1



List Price

How To Order

1. Select model number

Ex: 35-RD367230BN (single pedestal desk, 36x72x30 with box/box/file left, return right)

2. Select laminate base and work surface color (see page 79)

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

OPTIONS

4. Select visual display options (see page 63)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)


5. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

Credenzas

DxWxH(in.)	ft ³ / lbs	Model	List Price
		tter/legal filing. (Closed storage





20 x 72 x 30	30.2 / 257	35-CZ207230LS	\$2,059
24 x 72 x 30	35.7 / 281	35-CZ247230LS	\$2,097





Closed storage unit with doors and adjustable shelf. Locks. 20 x 72 x 30 30.2 / 257 35-CZ207230SS \$1,847 24 x 72 x 30 35.7 / 281 35-CZ247230SS \$2,055

Lateral file	
credenzas	

4 lateral file drawers with legal/letter filing. Locks. 20 x 72 x 30 30.2 / 360 35-CZ207230LL \$2,264 24 x 72 x 30 35.7 / 378 35-CZ247230LL \$2,330



Left lateral file 2 lateral file drawers on left with legal/letter filing. Locking. credenzas



20 x 60 x 30	25.3 / 249	35-CZ206030LN	\$1,584
20 x 66 x 30	27.8 / 255	35-CZ206630LN	\$1,630
20 x 72 x 30	30.2 / 261	35-CZ207230LN	\$1,660
24 x 60 x 30	29.9 / 262	35-CZ246030LN	\$1,620
24 x 66 x 30	32.8 / 270	35-CZ246630LN	\$1,640
24 x 72 x 30	35.7 / 278	35-CZ247230LN	\$1,733

Right lateral file credenzas



2 lateral file drawers on right with legal/letter filing. Locking.

\$1,584	35-CZ206030NL	25.3 / 249	20 x 60 x 30
\$1,630	35-CZ206630NL	27.8 / 255	20 x 66 x 30
\$1,660	35-CZ207230NL	30.2 / 261	20 x 72 x 30
\$1,620	35-CZ246030NL	29.9 / 262	24 x 60 x 30
\$1,640	35-CZ246630NL	32.8 / 270	24 x 66 x 30
\$1,733	35-CZ247230NL	35.7 / 278	24 x 72 x 30

Combination credenzas



2 full length pedestals with lock, 2 box drawers and 1 file drawer. Locking pedestals. Closed storage with locking doors. Pencil tray.

Model

ft3 / lbs

DxWxH(in.)

\$2,180	35-CZ206030BS	25.3 / 252	20 x 60 x 30
\$2,239	35-CZ206630BS	27.8 / 258	20 x 66 x 30
\$2,313	35-CZ207230BS	30.2 / 264	20 x 72 x 30
\$2,294	35-CZ246030BS	29.9 / 277	24 x 60 x 30
\$2,313	35-CZ246630BS	32.8 / 287	24 x 66 x 30
\$2,370	35-CZ247230BS	35.7 / 297	24 x 72 x 30

Combination credenzas

2 full length pedestals with lock, 2 box drawers and 1 file drawer. Locking pedestals. Pencil tray.



20 x 60 x 30 25.3 / 229 35-CZ206030BB	\$1,818
20 x 66 x 30 27.8 / 236 35-CZ206630BB	\$1,855
20 x 72 x 30 30.2 / 243 35-CZ207230BB	\$1,912
24 x 60 x 30 29.9 / 245 35-CZ246030BB	\$1,929
24 x 66 x 30 32.8 / 253 35-CZ246630BB	\$1,977
24 x 72 x 30 35.7 / 261 35-CZ247230BB	\$2,075

Combination credenzas

2 full length pedestals with lock, 2 file drawers. Locking pedestals.

030FF \$1,818
630FF \$1,855
230FF \$1,912
030FF \$1,929
630FF \$1,977
230FF \$2,075

Left single pedestal



1 full-length pedestal with	lock on	left, 2 box	drawers	and [·]
file drawer. Pencil trav.				

\wedge	20
\sim	20
	20
/ 1	24
	24
	24

20 x 60 x 30	25.3 / 163	35-CZ206030BN	\$1,319
20 x 66 x 30	27.8 / 170	35-CZ206630BN	\$1,354
20 x 72 x 30	30.2 / 177	35-CZ207230BN	\$1,485
24 x 60 x 30	29.9 / 179	35-CZ246030BN	\$1,439
24 x 66 x 30	32.8 / 186	35-CZ246630BN	\$1,475
24 x 72 x 30	35.7 / 193	35-CZ247230BN	\$1,524

credenzas

Right single pedestal 1 full-length pedestal with lock on right, 2 box drawers and 1 file drawer. Pencil tray.



20 x 60 x 30	25.3 / 163	35-CZ206030NB	\$1,319
20 x 66 x 30	27.8 / 170	35-CZ206630NB	\$1,354
20 x 72 x 30	30.2 / 177	35-CZ207230NB	\$1,485
24 x 60 x 30	29.9 / 179	35-CZ246030NB	\$1,439
24 x 66 x 30	32.8 / 186	35-CZ246630NB	\$1,475
24 x 72 x 30	35.7 / 193	35-CZ247230NB	\$1,524
	20 x 66 x 30 20 x 72 x 30 24 x 60 x 30 24 x 66 x 30	20 x 66 x 30 27.8 / 170 20 x 72 x 30 30.2 / 177 24 x 60 x 30 29.9 / 179 24 x 66 x 30 32.8 / 186	20 x 66 x 30 27.8 / 170 35-CZ206630NB 20 x 72 x 30 30.2 / 177 35-CZ207230NB 24 x 60 x 30 29.9 / 179 35-CZ246030NB 24 x 66 x 30 32.8 / 186 35-CZ246630NB

Left single pedestal credenzas

1 full-length pedestal with lock on left, 2 file drawers.



20 x 60 x 30	25.3 / 153	35-CZ206030FN	\$1,319
20 x 66 x 30	27.8 / 160	35-CZ206630FN	\$1,354
20 x 72 x 30	30.2 / 167	35-CZ207230FN	\$1,485
24 x 60 x 30	29.9 / 169	35-CZ246030FN	\$1,439
24 x 66 x 30	32.8 / 176	35-CZ246630FN	\$1,475
24 x 72 x 30	35.7 / 183	35-CZ247230FN	\$1,524

Right single pedestal 1 full-length pedestal with lock on right, 2 file drawers. credenzas



20 x 60 x 30	25.3 / 153	35-CZ206030NF	\$1,319
20 x 66 x 30	27.8 / 160	35-CZ206630NF	\$1,354
20 x 72 x 30	30.2 / 167	35-CZ207230NF	\$1,485
24 x 60 x 30	29.9 / 169	35-CZ246030NF	\$1,439
24 x 66 x 30	32.8 / 176	35-CZ246630NF	\$1,475
24 x 72 x 30	35.7 / 183	35-CZ247230NF	\$1,524

1. Model number

Com

cred

- Colors for base and work surface
 Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, SB, SM, SP, MC, MB)

4. Optional - Select visual display options 5. Optional - Essential accessory options

Visual Display Options available:

- The Trollev™ E / EXL
- Downview Flat Panel Display

Credenzas

	D x W x H (in.)	π³ / IDS	Model	LIST Price
bination lenzas	•	,	x drawer and 1 file d with locking doors.	rawer.
	20 x 60 x 30	25.3 / 231	35-CZ206030GS	\$1,870
	20 x 66 x 30	27.8 / 239	35-CZ206630GS	\$1,930
	20 x 72 x 30	30.2 / 247	35-CZ207230GS	\$2,002
	24 x 60 x 30	29.9 / 252	35-CZ246030GS	\$1,987
	24 x 66 x 30	32.8 / 262	35-CZ246630GS	\$2,002
	24 x 72 x 30	35.7 / 272	35-CZ247230GS	\$2,059
nenago	O madaatala u	uith laak 1 ha	ov duanton and 1 file d	luarrau

Kneespace credenzas



2 pedestals with lock, 1 box drawer and 1 file drawer. Pencil trav.

20 x 60 x 30	25.3 / 211	35-CZ206030GG	\$1,206
20 x 66 x 30	27.8 / 218	35-CZ206630GG	\$1,508
20 x 72 x 30	30.2 / 225	35-CZ207230GG	\$1,603
24 x 60 x 30	29.9 / 231	35-CZ246030GG	\$1,620
24 x 66 x 30	32.8 / 239	35-CZ246630GG	\$1,668
24 x 72 x 30	35.7 / 247	35-CZ247230GG	\$1,767

Left single pedestal credenzas Pencil tray.



1 pedestal on left with lock, 1 box drawer and 1 file drawer.

•				
	20 x 60 x 30	25.3 / 172	35-CZ206030GN	\$1,164
	20 x 66 x 30	27.8 / 179	35-CZ206630GN	\$1,200
	20 x 72 x 30	30.2 / 186	35-CZ207230GN	\$1,330
	24 x 60 x 30	29.9 / 179	35-CZ246030GN	\$1,285
	24 x 66 x 30	32.8 / 186	35-CZ246630GN	\$1,323
	24 x 72 x 30	35.7 / 193	35-CZ247230GN	\$1,369



Right single 1 pedestal on right with lock, 1 box drawer and 1 file pedestal credenzas drawer. Pencil trav.

urawci. i ciici	ı uay.		
20 x 60 x 30	25.3 / 172	35-CZ206030NG	\$1,164
20 x 66 x 30	27.8 / 179	35-CZ206630NG	\$1,200
20 x 72 x 30	30.2 / 186	35-CZ207230NG	\$1,330
24 x 60 x 30	29.9 / 179	35-CZ246030NG	\$1,285
24 x 66 x 30	32.8 / 186	35-CZ246630NG	\$1,323
24 x 72 x 30	35.7 / 193	35-CZ247230NG	\$1,369
	20 x 60 x 30 20 x 66 x 30 20 x 72 x 30 24 x 60 x 30 24 x 66 x 30	20 x 66 x 30 27.8/179 20 x 72 x 30 30.2/186 24 x 60 x 30 29.9/179 24 x 66 x 30 32.8/186	20 x 60 x 30 25.3 / 172 35-CZ206030NG 20 x 66 x 30 27.8 / 179 35-CZ206630NG 20 x 72 x 30 30.2 / 186 35-CZ207230NG 24 x 60 x 30 29.9 / 179 35-CZ246030NG 24 x 66 x 30 32.8 / 186 35-CZ246630NG

Returns

Right executive returns



Full length pedestal with lock on right, 2 box drawers and
1 file drawer. Pencil tray. Grommet.

20 x 42 x 30	18.0 / 142	35-RR204230NB	\$1,169
20 x 48 x 30	20.4 / 151	35-RR204830NB	\$1,215
24 x 42 x 30	21.2 / 160	35-RR244230NB	\$1,215
24 x 48 x 30	24.1 / 169	35-RR244830NB	\$1,252

Left executive returns



Full length pedestal with lock on left, 2 box drawers and 1 file drawer. Pencil tray. Grommet

inc arawci. i v	onon uay. aron	iiiioti	
20 x 42 x 30	18.0 / 142	35-RL204230BN	\$1,169
20 x 48 x 30	20.4 / 151	35-RL204830BN	\$1,215
24 x 42 x 30	21.2 / 160	35-RL244230BN	\$1,215
24 x 48 x 30	24.1 / 169	35-RL244830BN	\$1,252

Right executive returns



Full length pedestal with lock on right, 2 file drawers. Pencil tray. Grommet.

20 x 42 x 30	18.0 / 132	35-RR204230NF	\$1,169
20 x 48 x 30	20.4 / 141	35-RR204830NF	\$1,215
24 x 42 x 30	21.2 / 150	35-RR244230NF	\$1,215
24 x 48 x 30	24.1 / 159	35-RR244830NF	\$1,252

Left executive returns



Full length pedestal with lock on left, 2 file drawers. Pencil tray Grommet

. onon aug. a.	0111111011		
20 x 42 x 30	18.0 / 132	35-RL204230FN	\$1,169
20 x 48 x 30	20.4 / 141	35-RL204830FN	\$1,215
24 x 42 x 30	21.2 / 150	35-RL244230FN	\$1,215
24 x 48 x 30	24.1 / 159	35-RL244830FN	\$1,252

Returns

D x W x H (in.)

1 pedestal on drawer. Penci	•	k, 1 box drawer and et.	1 file
20 x 42 x 30	18.0 / 123	35-RR204230NG	\$1,015
20 x 48 x 30	20.4 / 130	35-RR204830NG	\$1,062
24 x 42 x 30	21.2 / 143	35-RR244230NG	\$1,062
24 x 48 x 30	24.1 / 150	35-RR244830NG	\$1,098

Model

List Price

Left executive returns

Right executive

returns



1 pedestal on left with lock, 1 box drawer and 1 file

mmet.	
23 35-RL204230GN	\$1,015
35-RL204830GN	\$1,062
35-RL244230GN	\$1,062
50 35-RL244830GN	\$1,098
	35-RL204230GN 35-RL204830GN 35-RL244230GN

Bridge-returns



Full height modern panel 1 grown

Bridges

run neigni mi	Juesty palieli	i gronniet.	
20 x 36 x 30	2.8 / 46	35-BG203630	\$423
20 x 42 x 30	3.3 / 54	35-BG204230	\$453
20 x 48 x 30	3.7 / 62	35-BG204830	\$473
24 x 36 x 30	2.8 / 51	35-BG243630	\$509
24 x 42 x 30	3.3 / 58	35-BG244230	\$527
24 x 48 x 30	3.7 / 65	35-BG244830	\$545

Corner Work Surfaces

Corner work surfaces




Full height modesty nanel 1 grommet

	. 9	oucci, panci	
\$863	35-CD363618	4.1 / 117	36 x 36 x 30
\$863	35-CD363620	4.1 / 117	36 x 36 x 30
\$863	35-CD363624	4.1 / 117	36 x 36 x 30
\$995	35-CD424224	5.6 / 140	42 x 42 x 30
\$1,079	35-CD484830	5.6 / 168	48 x 48 x 30

Complete the model number with 1, 2, 3 or 4. If ordering a

keyboard option, complete the model number with 3 or 4.



Right extended corner work surfaces





(1)=Two full ends

Left extended

corner work surfaces

24" deep

(2)=One full



One recessed

Two grommets.

36 x 66 x 30

36 x 72 x 30



6.3 / 183

6.8 / 194

One full



35-EC366624N _

35-EC367224N _

\$1,220

\$1,258


\$1,220

\$1,258

(4)=Two recessed ends

Complete the model number with 1, 2, 3 or 4. If ordering a keyboard option, complete the model number with 2 or 4. Two grommets.

36 x 66 x 30	6.3 / 183	35-EC663624N _
36 x 72 x 30	6.8 / 194	35-EC723624N



One recessed

(3)=One recessed

One full

(4)=Two recessed ends



List Price

How To Order

1. Select model number

Ex: 35-RD367230BN (single pedestal desk, 36x72x30 with box/box/file left, return right)

2. Select laminate base and work surface color (see page 79)

Ex: 604 604

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

4. Select visual display options (see page 63)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

5. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

	Corner W	ork Surf	aces	
	DxWxH (in.)	ft ³ / lbs	Model	List Pric
Right extended corner work surfaces		on, complete th	with 1, 2, 3 or 4. If ne model number w	
20" deep	36 x 66 x 30	6.3 / 176	35-EC366620N _	\$1,22
	36 x 72 x 30	6.8 / 186	35-EC367220N _	\$1,25
36"				
(1)=Two full ends	(2)=One full One recessed	(3)=One recess One full		essed
	une recesseu	one iun	ends	

Left extended corner work surfaces 20" deep

Complete the model number with 1, 2, 3 or 4. If ordering a keyboard option, complete the model number with 2 or 4. Two grommets.

36"	



(1)=Two full ends



36 x 66 x 30

36 x 72 x 30



One full

6.3 / 176

6.8 / 186

(4)=Two recessed ends

35-EC663620N _ 35-EC723620N _

\$1,258

D-shaped Work Surfaces

D-shaped work surfaces no modesty



Not available with Visual Display Options.

	erieg. i gronnnet.	COIDE IOESU	Specify fileta	
\$779	35-DN244830	3.7 / 99	24 x 48 x 30	
\$800	35-DN246030	4.6 / 102	24 x 60 x 30	
\$844	35-DN246630	5.0 / 105	24 x 66 x 30	
\$948	35-DN306030	4.6 / 108	30 x 60 x 30	
\$995	35-DN306630	5.0 / 117	30 x 66 x 30	
\$1,050	35-DN307230	5.4 / 124	30 x 72 x 30	
\$1,095	35-DN367230	6.5 / 127	36 x 72 x 30	

D-shaped Work Surfaces

ft3 / lbs

DxWxH(in.)

Left D-shaped work surfaces full modesty



Specify metal	color for stee	l leg. 1 grommet.	
30 x 60 x 30	5.7 / 137	35-DF306030L	\$1,024
30 x 66 x 30	6.3 / 146	35-DF306630L	\$1,062
30 x 72 x 30	6.8 / 153	35-DF307230L	\$1,098
36 x 72 x 30	8.1 / 156	35-DF367230L	\$1,164

Model

Right D-shaped work surfaces full modesty



mmet.	steel leg. 1	I color for s	Specify meta	
06030R \$1,024	⁷ 35-	5.7 / 137	30 x 60 x 30	
306630R \$1,062	35 -	6.3 / 146	30 x 66 x 30	
07230R \$1,098	35 -	6.8 / 153	30 x 72 x 30	
67230R \$1,164	35 -	8.1 / 156	36 x 72 x 30	

D-shaped work surfaces no modesty no end panel



Specify metal	color for stee	el leg.	
24 x 48 x 30	3.7 / 60	35-DR244830	\$635
24 x 60 x 30	4.6 / 68	35-DR246030	\$678
24 x 66 x 30	5.0 / 72	35-DR246630	\$697
30 x 60 x 30	4.6 / 66	35-DR306030	\$789
30 x 66 x 30	5.0 / 82	35-DR306630	\$818
30 x 72 x 30	5.4 / 88	35-DR307230	\$874
36 x 72 x 30	6.5 / 100	35-DR367230	\$920

P-shaped Work Surfaces

Left P-shaped work surfaces no modesty



Not available with Visual Display Options. 42" at widest point. Curves down to 36". Specify metal color for steel leg. 1 grommet

)		

			opcon, mou
030L \$1,173	35-PN426030L	6.3 / 138	42 x 60 x 30
630L \$1,220	35-PN426630L	6.9 / 148	42 x 66 x 30
230L \$1,258	35-PN427230L	7.5 / 158	42 x 72 x 30

Right P-shaped work surfaces no modestv



Not available with Visual Display Options. 42" at widest point. Curves down to 36".

.3 / 138
9 / 148
.5 / 158

Specify metal	color for stee	el leg. 1 grommet.	
12 x 60 x 30	6.3 / 138	35-PN426030R	\$1,173
12 x 66 x 30	6.9 / 148	35-PN426630R	\$1,220
12 x 72 x 30	7.5 / 158	35-PN427230R	\$1,258

Left P-shaped work surfaces full modesty



42" at widest point. Curves down to 36". Specify metal color for steel leg. Modesty panel. 1 grommet. 247



42 x 60 x 30	7.8 / 168	35-PF426030L	\$1,247
42 x 66 x 30	8.6 / 178	35-PF426630L	\$1,285
42 x 72 x 30	9.2 / 188	35-PF427230L	\$1,330

Right P-shaped work surfaces full modesty



42" at widest point. Curves down to 36". Specify metal color for steel leg. Modesty panel. 1 grommet. 42 x 60 x 30 7.8 / 168 35-PF426030R

35-PF426630R

35-PF427230R

\$1,285

\$1,330

	42 x 66 x 30	8.6 / 178	
	42 x 72 x 30	9.2 / 188	
,_			
Qr)			

- 1. Model number
- 2. Colors for base and work surface
- 3. Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB SB, SM, SP, MC, MB)

4. Optional - Select visual display options 5. Optional - Essential accessory options

Visual Display Options available:

- The Trollev™ E / EXL
- Downview Flat Panel Display

P-shaped Work Surfaces

DxWxH(in.)	ft ³ / lbs	Model	List Price


Left P-shaped work surfaces no modesty no end panel



42" at widest point. Curves down to 36". Specify metal color for steel leg.

6.5 / 73	35-PR426030L	\$995
6.9 / 77	35-PR426630L	\$1,062
7.5 /87	35-PR427230L	\$1,105
	6.9 / 77	6.9 / 77 35-PR426630L





	- 3		
\$995	35-PR426030R	6.5 / 73	42 x 60 x 30
\$1,062	35-PR426630R	6.9 / 77	42 x 66 x 30
\$1.105	35-PR427230R	7.5 / 87	42 x 72 x 30



Freestanding Work Surfaces

If Freestanding Work Surface is ordered with Visual Display Option, please indicate position of VDO and grommet (Left, Right, Center)

Freestanding 30" deep

Complete the model number with 1, 2, 3 or 4. rectangular surface 3" recessed, full height modesty panel. 1 worksurface grommet.

30 x 24 x 30	2.9 / 99	35-FS302430N_	\$658
30 x 30 x 30	2.9 / 108	35-FS303030N_	\$683
30 x 36 x 30	3.5 / 117	35-FS303630N_	\$708
30 x 42 x 30	4.0 / 126	35-FS304230N_	\$752
30 x 48 x 30	4.6 / 135	35-FS304830N_	\$764
30 x 54 x 30	5.1 / 144	35-FS305430N_	\$828
30 x 60 x 30	5.7 / 153	35-FS306030N_	\$869
30 x 66 x 30	6.3 / 162	35-FS306630N_	\$894
30 x 72 x 30	6.8 / 171	35-FS307230N_	\$935










Freestanding rectangular surface 24" deep

Complete the model number with 1, 2, 3 or 4. Full height modesty panel. 1 worksurface grommet.

\$615	35-FS242430N_	2.9 /86	24 x 24 x 30
\$667	35-FS243030N_	2.9 / 95	24 x 30 x 30
\$694	35-FS243630N_	3.5 / 104	24 x 36 x 30
\$715	35-FS244230N_	4.0 / 113	24 x 42 x 30
\$742	35-FS244830N_	4.6 / 122	24 x 48 x 30
\$767	35-FS245430N_	5.1 / 131	24 x 54 x 30
\$802	35-FS246030N_	5.7 / 140	24 x 60 x 30
\$828	35-FS246630N_	6.3 / 149	24 x 66 x 30
\$877	35-FS247230N	6.8 / 158	24 x 72 x 30










Freestanding asymmetrical surfaces - 30" on left, 24" on right



To complete a standard corner unit. Full height modesty panel. 1 worksurface grommet. Complete the model number with 2 or 4.

Model

List Price

D x W x H (in.) ft3 / lbs

30 x 24 x 30	2.9 / 88	35-FC3024CRN_	\$658
30 x 30 x 30	2.9 / 97	35-FC3030CRN_	\$697
30 x 36 x 30	3.5 / 106	35-FC3036CRN_	\$735
30 x 42 x 30	4.0 / 115	35-FC3042CRN_	\$779
30 x 48 x 30	4.6 / 124	35-FC3048CRN_	\$807
30 x 54 x 30	5.1 / 133	35-FC3054CRN_	\$844
30 x 60 x 30	5.7 / 142	35-FC3060CRN_	\$874
30 x 66 x 30	6.3 / 151	35-FC3066CRN_	\$908
30 x 72 x 30	6.8 / 160	35-FC3072CRN	\$939

Freestanding asymmetrical surfaces - 24" on left, 30" on right



To complete a standard corner unit. Full height modesty panel. 1 worksurface grommet. Complete the model number with 2 or 4.

ηt	30 x 24 x 30	2.9 / 75	35-FC3024CLN_	\$658
	30 x 30 x 30	2.9 / 84	35-FC3030CLN_	\$697
	30 x 36 x 30	3.5/ 93	35-FC3036CLN_	\$735
	30 x 42 x 30	4.0 / 102	35-FC3042CLN_	\$779
	30 x 48 x 30	4.6 / 111	35-FC3048CLN_	\$807
ssed	30 x 54 x 30	5.1 / 120	35-FC3054CLN_	\$844
	30 x 60 x 30	5.7 / 129	35-FC3060CLN_	\$874
	30 x 66 x 30	6.3 / 138	35-FC3066CLN_	\$908
ssed	30 x 72 x 30	6.8 / 147	35-FC3072CLN_	\$939


Freestanding asymmetrical surfaces - 24" on left, 18" on right



To complete a standard corner unit. Full height modesty panel. 1 worksurface grommet. Complete the model number with 2 or 4.

	24 x 24 x 30	2.9 / 88	35-FC2424CRN_	\$622
	24 x 30 x 30	2.9 / 97	35-FC2430CRN_	\$658
	24 x 36 x 30	3.5 / 106	35-FC2436CRN_	\$687
	24 x 42 x 30	4.0 / 115	35-FC2442CRN_	\$724
	24 x 48 x 30	4.6 / 124	35-FC2448CRN_	\$762
sed	24 x 54 x 30	5.1 / 133	35-FC2454CRN_	\$779
	24 x 60 x 30	5.7 / 142	35-FC2460CRN_	\$800
	24 x 66 x 30	6.3 / 151	35-FC2466CRN_	\$828
sed	24 x 72 x 30	6.8 / 160	35-FC2472CRN_	\$855
Jou				


Freestanding asymmetrical surfaces - 18" on left, 24" on right



To complete a standard corner unit. Full height modesty panel. 1 worksurface grommet. Complete the model number with 2 or 4.

24 x 24 x 30	2.9 / 88	35-FC2424CLN_	\$622
24 x 30 x 30	2.9 / 97	35-FC2430CLN_	\$658
24 x 36 x 30	3.5 / 106	35-FC2436CLN_	\$687
24 x 42 x 30	4.0 / 115	35-FC2442CLN_	\$724
24 x 48 x 30	4.6 / 124	35-FC2448CLN_	\$762
24 x 54 x 30	5.1 / 133	35-FC2454CLN_	\$779
24 x 60 x 30	5.7 / 142	35-FC2460CLN_	\$800
24 x 66 x 30	6.3 / 151	35-FC2466CLN_	\$828
24 x 72 x 30	6.8 / 160	35-FC2472CLN_	\$855

800-730-6682 www.novadesk.com



How To Order

1. Select model number

 $\hbox{Ex: } 35\hbox{-RD367230BN (single pedestal desk, } 36x72x30 \hbox{ with box/box/file left, return right)}\\$

2. Select laminate base and work surface color (see page 79)

Ex: 604 604

Hutch with doors

44" high

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

OPTIONS

4. Select visual display options (see page 63)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

5. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

Hutches

Model

Clearance: 21". Adjustable shelf. Grommet. Full-width wire

For a locking hutch, specify "L" and add \$68 per door to list price. For tack boards, see page 62.

D x W x H (in.) ft3 / lbs

access.

14" high	access.			
^4	16 x 24 x 44	12.5 / 116	35-CH162444	\$908
<u> </u>	16 x 30 x 44	15.4 / 132	35-CH163044	\$968
144"	16 x 36 x 44	18.3 / 148	35-CH163644	\$1.034
[]	16 x 42 x 44	21.1 / 164	35-CH164244	\$1,125
1				Ţ:,: <u>=</u> 0
1	16 x 48 x 44	24.0 / 180	35-CH164844	\$1,238
44"	16 x 54 x 44	26.9 / 196	35-CH165444	\$1,330
				*-,
//1	16 x 60 x 44	29.8 / 212	35-CH166044	\$1,434
44"	16 x 66 x 44	32.6 / 228	35-CH166644	\$1,547
Y	16 x 72 x 44	35.5 / 244	35-CH167244	\$1,573
'	16 x 78 x 44	38.4 / 260	35-CH167844	\$1,620
J />1	10 % 70 % 44	30.47 200	33-011107044	φ1,020
44"	16 x 84 x 44	41.3 / 276	35-CH168444	\$1,687
	Clearance: 17	-5/8". Gromme	et. Full-width wire a	iccess.
	16 x 24 x 36	10.3 / 68	35-CH162436	\$735
6" high	16 x 24 x 36 16 x 30 x 36	10.3 / 68 12.7 / 84	35-CH162436 35-CH163036	\$735 \$800
	16 x 24 x 36 16 x 30 x 36 16 x 36 x 36	10.3 / 68 12.7 / 84 15.1 / 100	35-CH162436 35-CH163036 35-CH163636	\$735 \$800 \$855
6" high	16 x 24 x 36 16 x 30 x 36	10.3 / 68 12.7 / 84	35-CH162436 35-CH163036	\$735 \$800 \$855
Hutch with doors 16" high	16 x 24 x 36 16 x 30 x 36 16 x 36 x 36 16 x 42 x 36	10.3 / 68 12.7 / 84 15.1 / 100 17.5 / 116	35-CH162436 35-CH163036 35-CH163636 35-CH164236	\$735 \$800 \$855 \$920
6" high	16 x 24 x 36 16 x 30 x 36 16 x 36 x 36 16 x 42 x 36	10.3 / 68 12.7 / 84 15.1 / 100 17.5 / 116 19.8 / 132	35-CH162436 35-CH163036 35-CH163636 35-CH164236 35-CH164836	\$735 \$800 \$855 \$920 \$1,024
6" high	16 x 24 x 36 16 x 30 x 36 16 x 36 x 36 16 x 42 x 36	10.3 / 68 12.7 / 84 15.1 / 100 17.5 / 116	35-CH162436 35-CH163036 35-CH163636 35-CH164236	\$735 \$800 \$855 \$920 \$1,024
36" high	16 x 24 x 36 16 x 30 x 36 16 x 36 x 36 16 x 42 x 36 16 x 48 x 36 16 x 54 x 36	10.3 / 68 12.7 / 84 15.1 / 100 17.5 / 116 19.8 / 132 22.2 / 148	35-CH162436 35-CH163036 35-CH163636 35-CH164236 35-CH164836 35-CH165436	\$735 \$800 \$855 \$920 \$1,024 \$1,125
6" high	16 x 24 x 36 16 x 30 x 36 16 x 36 x 36 16 x 42 x 36 16 x 48 x 36 16 x 54 x 36	10.3 / 68 12.7 / 84 15.1 / 100 17.5 / 116 19.8 / 132 22.2 / 148	35-CH162436 35-CH163036 35-CH163636 35-CH164236 35-CH164836 35-CH165436	\$735 \$800 \$855 \$920 \$1,024 \$1,125
36" high	16 x 24 x 36 16 x 30 x 36 16 x 36 x 36 16 x 42 x 36 16 x 48 x 36 16 x 54 x 36	10.3 / 68 12.7 / 84 15.1 / 100 17.5 / 116 19.8 / 132 22.2 / 148 24.6 / 164 27.0 / 180	35-CH162436 35-CH163036 35-CH163636 35-CH164236 35-CH164836 35-CH165436 35-CH166036 35-CH166036	\$735 \$800 \$855 \$920 \$1,024 \$1,125 \$1,220 \$1,324
36" high	16 x 24 x 36 16 x 30 x 36 16 x 36 x 36 16 x 42 x 36 16 x 42 x 36 16 x 54 x 36 16 x 60 x 36 16 x 60 x 36 16 x 72 x 36	10.3 / 68 12.7 / 84 15.1 / 100 17.5 / 116 19.8 / 132 22.2 / 148 24.6 / 164 27.0 / 180 29.3 / 196	35-CH162436 35-CH163036 35-CH163636 35-CH164236 35-CH165436 35-CH165436 35-CH166036 35-CH166636 35-CH167236	\$735 \$800 \$855 \$920 \$1,024 \$1,125 \$1,220 \$1,324 \$1,434
6" high	16 x 24 x 36 16 x 30 x 36 16 x 36 x 36 16 x 42 x 36 16 x 48 x 36 16 x 54 x 36	10.3 / 68 12.7 / 84 15.1 / 100 17.5 / 116 19.8 / 132 22.2 / 148 24.6 / 164 27.0 / 180	35-CH162436 35-CH163036 35-CH163636 35-CH164236 35-CH164836 35-CH165436 35-CH166036 35-CH166036	\$735 \$800 \$855 \$920 \$1,024 \$1,125 \$1,220 \$1,324

34.1 / 228

35-CH168436

\$1,527

Hutches

	DxWxH (in.)	ft ³ / lbs	Model	List Price
Open hutch 44" high	Clearance: 23 wire access. 1	•	e shelf. Grommet. F see page 62.	ull-width
	16 x 24 x 44	12.5 / 84	35-0H162444	\$678
	16 x 30 x 44	15.4 / 100	35-0H163044	\$724
	16 x 36 x 44	18.3 / 116	35-0H163644	\$779
	16 x 42 x 44	21.1 / 132	35-0H164244	\$863
$\sqrt{}$				
	16 x 48 x 44	24.0 / 148	35-0H164844	\$920
	16 x 54 x 44	26.9 / 164	35-0H165444	\$958
	16 x 60 x 44	29.8 / 180	35-0H166044	\$1,003
	16 x 66 x 44	32.6 / 196	35-0H166644	\$1,098
	16 x 72 x 44	35.5 / 212	35-0H167244	\$1,125
7	16 x 78 x 44	38.4 / 228	35-0H167844	\$1,173
	16 x 84 x 44	41.3 / 244	35-0H168444	\$1,229

Open hutch 36" high



Clearance: 20". Gro	mmet. Full-width wire access.
---------------------	-------------------------------

16 x 24 x 36	9.12 / 55.9	35-0H162436	\$539
16 x 30 x 36	11.4 / 69.9	35-0H163036	\$584
16 x 36 x 36	13.5 / 78.5	35-0H163636	\$640
16 x 42 x 36	15.6 / 87.2	35-0H164236	\$687



List Price

Clearance: 19-5/8". Grommet. Full-width wire access.

\$762	35-0H164836	17.8 / 103	16 x 48 x 36
\$818	35-0H165436	19.9 / 108.7	16 x 54 x 36
\$874	35-0H166036	22.1 / 120.8	16 x 60 x 36
\$939	35-0H166636	24.3 / 129.5	16 x 66 x 36
\$1,034	35-0H167236	26.5 / 141.1	16 x 72 x 36
\$1,079	35-0H167836	29.6 / 165.5	16 x 78 x 36
\$1,125	35-0H168436	31.8 / 177.6	16 x 84 x 36

Transaction Tops

Transaction Top



13 x 24 x 14	4.1 / 11	35-TA132414	\$254
13 x 30 x 14	5.0 / 12	35-TA133014	\$267
13 x 36 x 14	5.9 / 13	35-TA133614	\$278
13 x 42 x 14	6.9 / 14	35-TA134214	\$289
13 x 48 x 14	7.8 / 15	35-TA134814	\$295
13 x 54 x 14	8.8 / 17	35-TA135414	\$314
13 x 60 x 14	9.7 / 18	35-TA136014	\$334
13 x 66 x 14	10.7 / 20	35-TA136614	\$410
13 x 72 x 14	11.6 / 25	35-TA137214	\$428
13 x 78 x 14	12.5 / 28	35-TA137814	\$443
13 x 84 x 14	13.4 / 35	35-TA138414	\$459

Storage

Lateral file units	Legal/letter fi	iling. Lock.		
	20 x 30 x 30	13.1 / 174	35-LF203030L2	\$1,190
	20 x 36 x 30	15.5 / 182	35-LF203630L2	\$1,265
	24 x 30 x 30	15.5 / 190	35-LF243030L2	\$1,258
30" H unit	24 x 36 x 30	18.3 / 198	35-LF243630L2	\$1,274
	20 x 30 x 43	18.4 / 230	35-LF203043L3	\$1,559
	20 x 36 x 43	21.8 / 238	35-LF203643L3	\$1,609
	24 x 30 x 43	21.7 / 244	35-LF243043L3	\$1,600
43" H unit	24 x 36 x 43	25.8 / 254	35-LF243643L3	\$1,662
	20 x 30 x 58	24.5 / 292	35-LF203058L4	\$1,977
	20 x 36 x 58	29.1 / 310	35-LF203658L4	\$2,045
	24 x 30 x 58	28.9 / 326	35-LF243058L4	\$2,030
58" H unit	24 x 36 x 58	34.4 / 346	35-LF243658L4	\$2,108

16 x 84 x 36

- 1. Model number
- Colors for base and work surface
 Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, SB, SM, SP, MC, MB)

D -- W -- 11 (in)

20 x 36 x 30

24 x 36 x 30

24 x 36 x 74

4. Optional - Select visual display options 5. Optional - Essential accessory options

Visual Display Options available:

- The Trollev™ E / EXL
- Downview Flat Panel Display

Storage

443 / Iba

Closed storage units

D X W X II (III.)	าเรา เมอ	Model	LIST FILE
Adjustable she	lf. Lock.		
20 x 24 x 30	11.3 / 98	35-CS202430	\$860
20 x 30 x 30	13.1 / 116	35-CS203030	\$908
20 x 36 x 30	15.5 / 134	35-CS203630	\$958
24 x 24 x 30	13.3 / 112	35-CS242430	\$835
24 x 30 x 30	15.5 / 134	35-CS243030	\$929
24 x 36 x 30	18.3 / 156	35-CS243630	\$1,024

Storage unit with lateral file

Liet Dries

\$1,202

\$1,223

\$1.819

2 adjustable shelves. 2 lateral file drawers with legal/letter filing. Lock.

Model

List Price

DxWxH(in.) ft3/lbs

Single door - Swing right



\rightarrow
Swing right
,) =



Single door - Sv	ving left		
20 x 24 x 66	22.6 / 190	35-SL202466SL	\$1,819
24 x 24 x 66	26.7 / 217	35-SL242466SL	\$1,898
20 x 24 x 74	25.2 / 205	35-SL202474SL	\$1,840
24 x 24 x 74	29.8 / 240	35-SL242474SL	\$1,933



Combination

20 x 36 x 30	15.5 / 196	35-CP203630FR	\$1,202
24 x 36 x 30	18.3 / 218	35-CP243630FR	\$1,223

35-CP203630FL

35-CP243630FL

35-SC243674

25 CC2024CCCD #1 100

2 box drawers, 2 file drawers with legal/letter filing. Lock.

2 box drawers, 2 file drawers with legal/letter filing. Lock.

15.5 / 196

18.3 / 218



2 adjustable shelves		
14½ x 36 x 36 11.7 / 110	35-BC143636S2	\$724
2 adjustable shelves		
14¼ x 36 x 48 15.4 / 125	35-BC143648S2	\$835
3 adjustable shelves, 1 fixed	shelf at 29"	
14¼ x 36 x 66 21.0 / 185	35-BC143666S4	\$969
3 adjustable shelves, 1 fixed	shelf at 29"	
14¼ x 36 x 74 23.4 / 195	35-BC143674S4	\$1,052
Additional shelf		



3 adjustable and 1 full-width fixed shelves. Clothes hanger bar.

74" high storage unit matches the height of a credenza with

a 44" H hutch. 66" H storage unit matches the height of a credenza with a 36" H hutch. Lock.



Storage or

wardrobe units

\$1,685	35-SC203666	32.9 / 260	20 x 36 x 66
\$1,744	35-SC243666	38.9 / 300	24 x 36 x 66
\$1,760	35-SC203674	36.8 / 280	20 x 36 x 74

Corner bookcases

1 adjustable	shelf
20 4 20 4 20	0

13¼ x 34 x 01 .9 / 12



Top surface is

1" thick

20 x 20 x 30	9.0 / 70	35-CB202030S1	\$583
24 x 24 x 30	12.6 / 90	35-CB242430S1	\$700

35-BC133401S1

\$137



4 adjustable s	shelves		
20 x 20 x 66	19.1 / 140	35-CB202066S4	\$894
24 x 24 x 66	26.7 / 180	35-CB242466S4	\$1,063
3 adjustable s	shelves, 1 fixed	l shelf	
20 x 20 x 74	21.3 / 150	35-CB202074S4	\$935
$24 \times 24 \times 74$	29.8 / 200	35_CR2//2//7/S/	¢1 103

Storage or wardrobe units

3 adjustable and 1 full-width fixed shelves. Clothes hanger bar. Lock

43.5 / 320



Swing right

Single door - Swing right 20 v 24 v 66 226/187

20 X 24 X 00	22.07 107	33-30202 4 00311	φ1,109
24 x 24 x 66	26.7 / 217	35-SC242466SR	\$1,294
20 x 24 x 74	25.2 / 205	35-SC202474SR	\$1,168
24 x 24 x 74	29.8 / 240	35-SC242474SR	\$1,329

Mobile pedestals



2 box drawers, 1 file drawer. Pencil tray. Brakes on front casters. Locking pedestal. Fits under a work surface. Specify base color & drawer pull style/finish.

locka	t

All casters are hle

18 x 15 x 27½	6.0 / 92	35-MP181528B	\$1,098
22 x 15 x 27½	7.1 / 110	35-MP221528B	\$1,135



Single aoor - Si	wing lett		
20 x 24 x 66	22.6 / 187	35-SC202466SL	\$1,109
24 x 24 x 66	26.7 / 217	35-SC242466SL	\$1,294
20 x 24 x 74	25.2 / 205	35-SC202474SL	\$1,168
24 x 24 x 74	29.8 / 240	35-SC242474SL	\$1,329

2 file drawers. Brakes on front casters. Lock. Fits under a work surface. Specify base color & drawer pull style/ finish.

All casters are lockable

22 x 15 x 27½ 7.1 / 106 35-MP221528F





2 adjustable shelves. 2 lateral file drawers with legal/letter filing. Lock. 74" high storage unit matches the height of a credenza with a 44" H hutch. 66" H storage unit matches the height of a credenza with a 36" H hutch.

\$1,939	35-SL203666	32.9 / 280	20 x 36 x 66
\$2,189	35-SL243666	38.9 / 320	24 x 36 x 66
\$2,043	35-SL203674	36.8 / 300	20 x 36 x 74
\$2,282	35-SL243674	43.5 / 340	24 x 36 x 74



1 box drawer, 1 file drawer. Brakes on front castor. Lock. Fits under work surface. Specify base color only.

18 x 15 x 21½	4.8 / 85	35-MP181522G	\$958
22 x 15 x 21½	5.7 / 100	35-MP221522G	\$975

800-730-6682



How To Order

1. Select model number

Ex: 35-RD367230BN (single pedestal desk, 36x72x30 with box/box/file left, return right)

2. Select laminate base and work surface color (see page 79)

Ex: 604 604

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

OPTIONS

4. Select visual display options (see page 63)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

5. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

Storage

	DXWXH(In.)	ft ^o / lbs	Model	List Price
s		,	er. Pencil tray. Loc	J



style/finish. 6.1 / 92 \$929 18 x 15 x 29 35-FP181529B



2 file drawers. Lock. Fits under work surface. Specify base color & drawer pull style/finish.

35-FP181529F \$844 18 x 15 x 29 6.1 / 92

Combination pedestal to hang

1 box drawer, 1 file drawer. Pencil tray. Lock. Fits under work surface. Specify base color only.



35-FP181523G 18 x 15 x 23 5.0 / 85



Add to modular ped to make finished unit. Field installed with 4 screws. Increases height of modular ped by 1".

35-PT181501 18 x 15 x 01 0.6 / 12 \$157

Center drawer



Supply drawer provides convenient storage and access to small office supplies. Drawer cannot be used in conjunction with Visual Display Options. Drawer face plate width will be adjusted to fill knee space width of desk. Specify base color, drawer pull style and finish.

24 x 21 x 03 .88 / 12 \$303

Tables

Other base shapes are available: For more designs or a quote, contact Customer Support.

	DxWxH (in.)	ft ³ / lbs	Model	List Price
Circular tops	For table. Orde	er base sepa	rately.	
	36 x 36 x 1 ¹ / ₈	2.5 / 80	35-CT363601	\$474
	42 x 42 x 1 ¹ /8	3.3 / 90	35-CT424201	\$624
	48 x 48 x 1 ¹ / ₈	4.3 / 100	35-CT484801	\$708
Rectangular tops	For conferenc	e tables.		
	36 x 72 x 1 ¹ /8	4.8 / 220	35-RT367201	\$700
	48 x 96 x 1 ¹ / ₈	8.5 / 270	35-RT489601	\$995



For conference tables.	120" and	144"	tops are in
two pieces.			

tito piococi			
48 x 96 x 1 ¹ / ₈	8.5 / 270	35-BT489601	\$1,095
48 x 120 x 1 ¹ / ₈	7.1 / 320	35-BT481200	\$1,345
48 x 144 x 1 ¹ / ₈	8.5 / 370	35-BT481440	\$1,515



For conference tables.	120" and 144"	tops are in
two pieces.		

	two pieces.			
	36 x 72 x 1 ¹ / ₈	4.8 / 210	35-RC367201	\$767
	48 x 96 x 1 ¹ / ₈	8.5 / 260	35-RC489601	\$1,112
)	48 x 120 x 1 ¹ / ₈	7.1 / 310	35-RC481200	\$1,407
	48 x 144 x 1 ¹ /8	8.5 / 360	35-RC481440	\$1,557



For	35-C	T363	601	to	p.	
00	00	00	- 4	4	1 4	^

μ.	
40 35-BB202029CB \$ 4	474
0.	
52 35-BB272729CB \$ 5	5542
p.	
66 35-BB333329CB \$7	700



Priced per pair. Tables 72" & 96" require 1 pair. Tables 120" & 144" require 2 pair.

\$708 16 x 16 x 29 1.0 / 36 35-BB161629V







For 96" tables	. (Order on	e per table)	
24 v 48 v 29	23/80	35-RR244829P	

\$615

\$707

\$667



For '	120"	tables.	(Order	one	per table)
24 x	84 x	29	27/13	0	35-BB2

24 x 84 x 29	2.7 / 130	35-BB248429P	\$928
For 144" table	s. (Order one	per table)	
24 x 108 x 29	2.7 / 160	35-BB2410829P	\$1,052



Specify metal	color for stee	l leg.
33 x 33 x 29	21.9 / 26	35-BB333329CL

- 1. Model number
- Colors for base and work surface
 Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, SB, SM, SP, MC, MB)

4. Optional - Select visual display options 5. Optional - Essential accessory options

Visual Display Options available:

- The Trolley™ E / EXL
- Downview Flat Panel Display

Tables

	DxWxH (in.)	ft ³ / lbs	Model	List Price
T- base	Specify metal	color for ste	eel leg.	
	02 x 30 x 29	2.2 / 18	35-BB023029T	\$500
L on hase	Specify meta	l color for etc	ool log. Priood nor log	



Spe	cify	metal	color	for	steel leg.	Priced	per leg.	
~ .	~ .	~~	~ ~		_		~	

\$374 04 x 04 x 29 2.2 / 11 35-BB040429L



Printer table

1 height adjustable sliding shelf. Grommet on modesty panel. 24 x 30 x 30 35-PS243030 \$724



End table



22 x 22 x 18	1.1 / 45	35-ET222218	\$408



Magazine table

22 x 48 x 18 2.7 / 72 35-MT224818



Circulation/Reception Desks

Levelers with 11/2" height adjustment. All side panels with wire access unless otherwise specified. Specify edge detail.

End finishing panels are required to complete a circulation desk layout.

Rectangular counters 40" H



W
W

Must order	finishing	end panels	S
------------	-----------	------------	---

28 x 36 x 40	4.7 / 135	65-CC283640R	\$1,300
28 x 42 x 40	5.1 / 149	65-CC284240R	\$1,399
28 x 48 x 40	5.9 / 163	65-CC284840R	\$1,497
28 x 54 x 40	6.6 / 176	65-CC285440R	\$1,595
28 x 60 x 40	7.3 / 190	65-CC286040R	\$1,694
28 x 66 x 40	8.1 / 203	65-CC286640R	\$1,794
28 x 72 x 40	8.8 / 217	65-CC287240R	\$1,892
28 x 78 x 40	9.5 / 230	65-CC287840R	\$1,989
28 x 84 x 40	10.3 / 244	65-CC288440R	\$2,088

Rectangular counters 30" H



-36" W to 42" W: 1 grommet -48" W to 84" W: 2 grommets

Must order finishing end panels.

28 x 36 x 30	3.3 / 115	65-CC283630R	\$1,153
28 x 42 x 30	3.9 / 127	65-CC284230R	\$1,250
28 x 48 x 30	4.5 / 140	65-CC284830R	\$1,348
28 x 54 x 30	5.1 / 148	65-CC285430R	\$1,448
28 x 60 x 30	5.6 / 165	65-CC286030R	\$1,548
28 x 66 x 30	6.2 / 177.	65-CC286630R	\$1,645
28 x 72 x 30	6.7 / 190	65-CC287230R	\$1,752
28 x 78 x 30	7.3 / 202	65-CC287830R	\$1,852
28 x 84 x 30	7.8 / 215	65-CC288430R	\$1,949

Bow front counters 40" H



-36" W to 42" W: 1 grommet -48" W to 84" W: 2 grommets

DxWxH (in.)	ft ³ / lbs	Model	List Price
Must order fin	ishing end pa	anels.	
31 x 36 x 40	4.4 / 135	65-CC313640B	\$1,315
31 x 42 x 40	5.1 / 149	65-CC314240B	\$1,415
31 x 48 x 40	5.9 / 163	65-CC314840B	\$1,512
31 x 54 x 40	6.6 / 176	65-CC315440B	\$1,613
31 x 60 x 40	7.3 / 190	65-CC316040B	\$1,710
31 x 66 x 40	8.1 / 203	65-CC316640B	\$1,808
31 x 72 x 40	8.8 / 217	65-CC317240B	\$1,909
31 x 78 x 40	9.5 / 230	65-CC317840B	\$2,007
31 x 84 x 40	10.5 / 244	65-CC318440B	\$2,104
			. ,

Bow front counters 30" H




-36" W to 42" W: 1 grommet -48" W to 84" W: 2 grommets

muot or uor m	monning ona pa	110101	
31 x 36 x 30	3.3 / 115	65-CC313630B	\$1,268
31 x 42 x 30	3.9 / 127	65-CC314230B	\$1,373
31 x 48 x 30	4.5 / 140	65-CC314830B	\$1,480
31 x 54 x 30	5.1 / 148	65-CC315430B	\$1,645
31 x 60 x 30	5.6 / 165	65-CC316030B	\$1,703
31 x 66 x 30	6.2 / 177	65-CC316630B	\$1,808
31 x 72 x 30	6.7 / 190	65-CC317230B	\$1,924
31 x 78 x 30	7.3 / 202	65-CC317830B	\$2,032
31 x 84 x 30	7.8 / 215	65-CC318430B	\$2,144

Must order finishing end panels.

Reception desks





-36" W to 42"	И
1 grommet	
-48" W to 84"	И
2 grommets	

28 x 36 x 40	3.3 / 136	65-CR283640R	\$1,430
28 x 42 x 40	3.9 / 151	65-CR284240R	\$1,530
28 x 48 x 40	4.5 / 167	65-CR284840R	\$1,629
28 x 54 x 40	5.1 / 184	65-CR285440R	\$1,752
28 x 60 x 40	5.6 / 196	65-CR286040R	\$1,933
28 x 66 x 40	6.2 / 212	65-CR286640R	\$2,072
28 x 72 x 40	6.7 / 227	65-CR287240R	\$2,245
28 x 78 x 40	7.3 / 243	65-CR287840R	\$2,278
28 x 84 x 40	7.8 / 258	65-CR288440R	\$2,318

Reception desks



-36" W to 42" W: 1 grommet -48" W to 84" W: 2 grommets

Grommet. 13" D bow front transaction shelf. Must order finishing end panels.




			4
31 x 36 x 40	3.3 / 136	65-CR313640B	\$1,448
31 x 42 x 40	3.9 / 151	65-CR314240B	\$1,548
31 x 48 x 40	4.5 / 167	65-CR314840B	\$1,645
31 x 54 x 40	5.1 / 184	65-CR315440B	\$1,768
31 x 60 x 40	5.6 / 196	65-CR316040B	\$1,949
31 x 66 x 40	6.2 / 212	65-CR316640B	\$2,088
31 x 72 x 40	6.7 / 227	65-CR317240B	\$2,245
31 x 78 x 40	7.3 / 243	65-CR317840B	\$2,293
31 x 84 x 40	7.8 / 258	65-CR318440B	\$2,335

End finishing panels



1 panel. Requir a circulation d		nused wire access and	l complete
28 x 01 x 32	18/25	65-FP280132	\$272

28 x 01 x 42



ADA counter 32"H



No wire access	on side panels.		
28 x 36 x 32	3.7 / 104	65-CC283632AD	\$1,089




ADA bow front counter 32"H

No	wire	access	on	side	panels
31	x 36	x 32	3	7/1	08

110	WILL	auuuus	un siuc	, pancis.		
31	x 36	x 32	3.7 / 1	108	65-CC313632AD	\$1,167





How To Order

1. Select model number

Ex: 35-RD367230BN (single pedestal desk, 36x72x30 with box/box/file left, return right)

2. Select laminate base and work surface color (see page 79)

Ex: $\frac{604}{\text{base}} \frac{604}{\text{work}}$

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

OPTIONS

4. Select visual display options (see page 63)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

5. Select essential accessory options (see page 74)

Ex: RWG01 (Round wire grommet)

Circulation Desk Storage Units

Levelers with 1½" height adjustment. All side panels with wire access unless otherwise specified. Specify edge detail.

End finishing panels are required to complete a circulation desk layout.					
	DxWxH (in.)	ft ³ / lbs	Model	List Price	
Bookcase units	2 adjustable she	lves for 40" H, 1	adjustable shelf for 30'	' H unit	
with doors	28 x 36 x 30	21.4 / 162	65-BC283630DX	\$1,825	
^	Locking.				
	28 x 36 x 30	21.4 / 162	65-BC283630DXL	\$1,892	
	28 x 36 x 40	28.0 / 208	65-BC283640DX	\$1,875	
	Locking.				
✓	28 x 36 x 40	28.0 / 208	65-BC283640DXL	\$1,942	
Combined	2 drawers (9" H	fronts). Bookca	ase with doors, 1 adjus	table shelf	
storage units	28 x 36 x 40	28.0 / 254	65-CS283640D2	\$2,318	
	Locking.				
	28 x 36 x 40	28.0 / 254	65-CS283640D2L	\$2,384	
Combined	2 drawers (6" H	fronts). Bookc	ase with doors.		
storage units	28 x 36 x 30	21.4 / 228	65-CS283630D2	\$2,123	
	Locking.				
	28 x 36 x 30	21.4 / 228	65-CS283630D2L	\$2,187	

	Locking.			
	28 x 36 x 40	28.0 / 254	65-CS283640D2L	\$2,384
\longrightarrow				
Combined	2 drawers (6" H	l fronts). Bookca	ase with doors.	
storage units	28 x 36 x 30	21.4 / 228	65-CS283630D2	\$2,123
	Locking.			
	28 x 36 x 30	21.4 / 228	65-CS283630D2L	\$2,187
Combined storage units	2 drawers (9" H Interlock system		al files with legal/letter	filing.
	28 x 36 x 40	28.0 / 269	65-CS283640L2	\$2,968
	Locking.			
	28 x 36 x 40	28.0 / 269	65-CS283640L2L	\$3,033
Combined storage units			3" x 9½". 3 drawers (6 ing. Interlock system.	" H fronts
	28 x 36 x 40	28.0 / 269	65-CS283640L1	\$2,695
	Locking.			
	28 x 36 x 40	28.0 / 269	65-CS283640L1L	\$2,763
Combined	3 drawers (6" H	l fronts). 1 latera	al file with legal/letter f	iling.
storage units	28 x 36 x 30	21.4 / 238	65-CS283630L1	\$2,533
	Locking.			
	28 x 36 x 30	21.4 / 238	65-CS283630L1L	\$2,597

	DxWxH (in.)	ft ³ / lbs	Model	List Pric
ateral file units	1 open storage s legal/letter filing		3" x 9½". 2 lateral file	s with
	28 x 36 x 40	28.0 / 225	65-LF283640L2	\$2,327
	Locking.	20.0 / 220	00 1. 1000 .011	42,02.
	28 x 36 x 40	28.0 / 225	65-LF283640L2L	\$2,393
ateral file units	2 lateral files wi	th legal/letter f	iling. Interlock system.	
	28 x 36 x 30	21.4 / 228	65-LF283630L2	\$2,137
	Locking.			
	28 x 36 x 30	21.4 / 228	65-LF283630L2L	\$2,203
Storage units	4 drawers (8" H	fronts).		
vith drawers	28 x 36 x 40	28.0 / 279	65-SU283640D4	\$2,745
	Locking.	00.0 / 070	OF 0110000 105	A0.5 45
	28 x 36 x 40	28.0 / 279	65-SU283640D4L	\$2,810
Storage units with drawers	4 drawers (6" H	fronts). 21.4 / 235	65-SU283630D4	\$2,639
with thawers	Locking.	21.47233	03-3020303004	Ф 2,039
	28 x 36 x 30	21.4 / 235	65-SU283630D4L	\$2,705
Bookcase unit	1 adjustable she			
	28 x 36 x 30	21.4 / 147	65-BC283630S1	\$1,457
Bookcase unit	2 adjustable she			
	28 x 36 x 40	28.0 /185	65-BC283640S2	\$1,670
ateral file units	1 drawer (9" H f Interlock systen	ront). 2 lateral 1 1.	iles with legal/letter fi	ling.
	28 x 36 x 40	28.0 / 279	65-LF283640L3	\$2,745
Y :	Locking.			
	28 x 36 x 40	28.0 / 279	65-LF283640L3L	\$2,810
Book return unit	Book slot openir 36-3/8" H	ng: 14" W x 4" ł	I. Interior space: 33¼"	x 23" x
	28 x 36 x 40	28.0 / 135	65-BR283640	\$1,358

Delivered assembled.

13.3 / 97

18 x 30 x 36

All casters are lockable

\$1,522

65-MC183036

SB, SM, SP, MC, MB)

- 1. Model number
- Colors for base and work surface
 Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB,
- 4. Optional Select visual display options 5. Optional Essential accessory options

Visual Display Options available:

- The Trolley™ E / EXL
- Downview Flat Panel Display

Shelving

Thermofused laminate shelves and frame. Levelers with 11/2" height adjustment. Shelves: load capacity 150 lbs. Anti-tip shelves can be individually positioned flat or angled at 45° for display. 11/4" increments. Shelves are packaged separately. One shelf: .81 ft3 / 12.3 lbs. Specify one color (base color only).

	DxWxH (in.)	ft ³ / lbs	Model	List Price
Single sided shelvings / closed back	and stability.	helving must	be anchored to a wall	for safety
\nearrow	Starter 14 x 37 x 42	4.4 / 123	65-SH143742CS	\$1,103
	Add-on	7.77 120	00 01114074200	Ψ1,100
	14 x 36 x 42	4.4 / 105	65-SH143642CA	\$980
C44	Starter	E 1 / 101	CE CUI 407 4000	64 400
Starter	14 x 37 x 48 Add-on	5.1 / 131	65-SH143748CS	\$1,160
Add-on	14 x 36 x 48	5.1 / 112	65-SH143648CA	\$1,063
40.0.40".11.	14 1 30 1 40	J.1/11Z	03-3111430400A	φ1,003
- 48 & 42" H: 2 adjustable shelves	Starter			
2 dajaotable briowee	14 x 37 x 60	6.3 / 159	65-SH143760CS	\$1,439
- 60" H:	Add-on			,
3 adjustable shelves	14 x 36 x 60	6.3 / 135	65-SH143660CA	\$1,250
- 72" H:	_			
4 adjustable shelves	Starter			
r dajaotable orientee	14 x 37 x 72	7.5 / 187	65-SH143772CS	\$1,645
- 84" H:	Add-on	7.5 /4.50	05 014 4007004	64 400
5 adjustable shelves	14 x 36 x 72	7.5 / 158	65-SH143672CA	\$1,480
	Starter			
	14 x 37 x 84	8.7 / 221	65-SH143784CS	\$1,808
	Add-on	0.1 / 221	00 0111-070-00	Ψ1,000
	14 x 36 x 84	8.7 / 191	65-SH143684CA	\$1,638
				, ,
Double sided	Starter			
shelvings /	26 x 37 x 42	4.4 / 192	65-SH263742CS	\$1,728
closed back	Add-on			
\wedge	26 x 36 x 42	4.4 / 161	65-SH263642CA	\$1,522
$\langle \rangle$				
	Starter			4
	26 x 37 x 48	5.1 / 205	65-SH263748CS	\$1,825
	Add-on	E 1 /100	CE CHOCOCAOCA	#1 C10
Starter	26 x 36 x 48	5.1 / 169	65-SH263648CA	\$1,619
Starter	Starter			
₹//	26 x 37 x 60	6.3 / 249	65-SH263760CS	\$2,163
Add-on	Add-on	0.07 LT0	00 01120070000	Ψ=,100
	26 x 36 x 60	6.3 / 205	65-SH263660CA	\$1,957
48 & 42" H:				,
4 adjustable shelves	Starter			
60" H:	26 x 37 x 72	7.5 / 293	65-SH263772CS	\$2,549
6 adjustable shelves	Add-on			
72" H: 8 adjustable shelves	26 x 36 x 72	7.5 / 240	65-SH263672CA	\$2,293
о аијивтарне внегиев	Starter			
84" H:	26 x 37 x 84	8.7 / 282	65-SH263784CS	\$2,885
10 adjustable shelves	Add-on			, ,
	26 x 36 x 84	8.7 / 276	65-SH263684CA	\$2,590

Laminate shelf can be positioned flat or angled for display.

.8 / 13

65-SH123502AS

Corner Shelves

D x W x H (in.) ft³ / lbs

2 adjustable shelves. No wire access on side panels. Delivered assembled. Corner bookcase 28 x 28 x 40 22.1 / 154 65-CB282840 \$1,342

Model

List Price

\$1,234

Corner bookcase unit 30"H

unit 40"H

1 adjustable shelf. No wire access on side panels. Delivered assembled. 28 x 28 x 30 16.9 / 128 65-CB282830



Miscellaneous

Right reception desks

3 grommets. Bow shaped transaction shelf. 2 pedestals with lock. 1 box drawer and 1 file drawer with legal/ letter filing. Pencil tray. Full height modesty panel.



Left desk			
30 x 72 x 42	60.3 / 325	35-RS307242GN	\$1,969
Right returns,	1 grommet		
24 x 42 x 42	29.2 / 172	35-RS244242NG	\$1,323
24 x 48 x 42	33.2 / 190	35-RS244842NG	\$1,407

Left reception desks

3 grommets. Bow shaped transaction shelf. 2 pedestals with lock. 1 box drawer and 1 file drawer with legal/ letter filing. Pencil tray. Full height modesty panel.



Right desk 30 x 72 x 42	60.3 / 325	35-RS307242NG	\$1,969
Left returns, 1	grommet		
24 x 42 x 42	29.2 / 172	35-RS244242GN	\$1,323
24 x 48 x 42	33.2 / 190	35-RS244842GN	\$1,407

Right reception desks

3 grommets. Bow shaped transaction shelf. 2 full-length pedestals with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestals. Pencil tray. Full height modesty panel.



Left desk 30 x 72 x 42	60.3 / 345	35-RS307242BN	\$2,304
Right returns 24 x 42 x 42 24 x 48 x 42	29.2 / 194	35-RS244242NB	\$1,630
	33.2 / 210	35-RS244842NB	\$1,715

reception desks

3 grommets. Bow shaped transaction shelf. 2 full-length pedestals with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestals. Pencil tray. Full height modesty panel.



60.3 / 345	35-RS307242NB	\$2,30
29.2 / 194	35-RS244242BN	\$1,63
33.2 / 210	35-RS244842BN	\$1,71
	29.2 / 194	29.2 / 194 35-RS244242BN

Additional shelf

12 x 35 x 02



How To Order

1. Select model number

Ex: 35-RD367230BN (single pedestal desk, 36x72x30 with box/box/file left, return right)

2. Select laminate base and work surface color (see page 79)

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

OPTIONS

4. Select visual display options (see page 63)

Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

5. Select essential accessory options (see page 74)


Ex: RWG01 (Round wire grommet)

Miscellaneous

Mobile serving carts




DxWxH (in.)	ft ³ / lbs	Model	List Price
1 alidina abalf	1 hay duay	vor Donoil trov 1	daar 1 ahalf
i shang shen	, i box arav	ver. Pencil tray. 1 (aoor. I snen.
21 x 20 x 36	11.2 / 130	35-MC21203	6 \$1.040



21 x 36 x 36 19.3 / 205 35-MC213636

All casters are lockable

Audio/visual cabinets





25 x 36 x 66	41.0 / 375	35-AV253666	\$3,252
25 x 36 x 74	45.8 / 425	35-AV253674	\$3,359

Marker board



Non-magnetic surface for use with dry-erase markers. Eraser tray along bottom of board. 180° hinges. Top and bottom trim pieces available in woodgrain colors only. Must select base color for doors. Includes tackboard (Fabric Color: Parchment 1602) inside both doors and paper pad on inside of left door.

10.8 / 95 35-MB054851 05 x 48 x 51

Mobile lectern

1 fixed shelf. 4 casters, 2 with brakes.

\$837 18 x 18 x 44 10.7 / 86 35-LC181844



All casters are lockable

Additional legs



One full width One recessed For workstation re-configuration. Specify "1" for two full width legs, "2" for one full and one recessed leg. Priced

	01 x 20 x 27½	1.2 / 28	35-LG012027X_	\$322
	01 x 24 x 27½	1.4 / 38	35-LG012427X_	\$322
١,	01 x 30 x 27½	1.7 / 48	35-LG013027X_	\$322

Miscellaneous

	DxWxH (in.)	ft ³ / lbs	Model	List Price
Additional legs	2 recessed leg	s. Priced pe	r pair.	
4	01 x 13 x 27½	0.8 / 23	35-LG011327	\$322

Vertical Pigeon holes

When ordering, must select the same color for work surface, and base

21" H - 6 compartments; 17" H - 5 compartments



Legai size.			
12 x 18 x 21	3.8 / 30	35-VP121821	\$287
12 x 18 x 17	3.1 / 26	35-VP121817	\$260
Letter size.			
12 x 12 x 21	2.7 / 26	35-VP121221	\$210
12 x 12 x 17	2.2 / 22	35-VP121217	\$192

Tack Boards



ches		
0.9 / 4	35-TB012219	\$418
1.1 / 5	35-TB012819	\$469
1.4/6	35-TB013419	\$515
1.6 / 7	35-TB014019	\$564
1.8 / 8	35-TB014619	\$613
2.0 / 10	35-TB015219	\$663
2.2 / 11	35-TB015819	\$710
2.5 / 12	35-TB016419	\$760
2.7 / 13	35-TB017019	\$807
2.9 / 14	35-TB017619	\$857
3.1 / 15	35-TB018219	\$904
ches		
0.8/3	35-TB012215	\$323
0.9 / 4	35-TB012815	\$358
1.0/5	35-TB013415	\$395
1.3 / 6	35-TB014015	\$433
1.5 / 7	35-TB014615	\$468
1.6 / 8	35-TB015215	\$503
1.8/9	35-TB015815	\$539
2.0 / 10	35-TB016415	\$574
2.2 / 10	35-TB017015	\$610
2.4 / 11	35-TB017615	\$644
2.5 / 12	35-TB018215	\$680
	0.9/4 1.1/5 1.4/6 1.6/7 1.8/8 2.0/10 2.2/11 2.5/12 2.7/13 2.9/14 3.1/15 ches 0.8/3 0.9/4 1.0/5 1.3/6 1.5/7 1.6/8 1.8/9 2.0/10 2.2/10 2.4/11	0.9/4 35-TB012219 1.1/5 35-TB012819 1.4/6 35-TB013419 1.6/7 35-TB014019 1.8/8 35-TB014619 2.0/10 35-TB015219 2.2/11 35-TB015219 2.5/12 35-TB016419 2.7/13 35-TB017019 2.9/14 35-TB017619 3.1/15 35-TB018219 ches 0.8/3 35-TB012215 0.9/4 35-TB012815 1.0/5 35-TB013415 1.3/6 35-TB014015 1.5/7 35-TB014615 1.5/7 35-TB015215 1.6/8 35-TB015215 1.8/9 35-TB015215 1.8/9 35-TB015815 2.0/10 35-TB016415 2.2/10 35-TB017015 2.4/11 35-TB017615

Factory Installed Keyboard Options (Only ordered when NO Visual Display Options ordered)

Factory Installed Nova Keyboard

\$1,369

Keyboard length to fit casegoods ordered \$113 22" - 34" wide



Keyboard length to fit casegoods ordered **Center Mount** Articulating Keyboard 28", 30 & 34" wide 15

\$237




Mechanism & Tray

Visual Display Options

For Office

Factory installed keyboard-only option available on page 62.



21"D x 21"W viewport **Maximum Dimensions for** Widescreen: 20 1/8"W x 19"H up to 21" diagonal

30" min. work surface depth

- Tinted, tempered glass viewport
- Keeps monitor under glass below work surface
- · Wire management system and power strip included

18"D x 21"W viewport (Widescreen) **Maximum Dimensions for** Widescreen: 20 1/8"W x 141/2"H

up to 21" widescreen

24" min. work surface depth

21"D x 24"W viewport (Widescreen) **Maximum Dimensions for**

Widescreen: 22 1/2"W x 19"H up to 23" widescreen

30" min. work surface depth 36" min. work surface width

FPA1621NK	35	Includes 16"D x 21"W viewport, adjustable arm, and visor.	\$413 ea.
FPA1818NK	35	Includes 18"D x 18"W viewport, adjustable arm, and visor.	\$438 ea.
FPA1821NK	35	Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$438 ea.
FPA2121NK	37	Includes 21"D x 21"W viewport, adjustable arm, and visor.	\$511 ea.
FPA2124NK	39	Includes 21"D x 24"W viewport, adjustable arm, and visor.	\$558 ea.

For details and installation specifications, refer to pages 67-71.

800-730-6682 www.novadesk.com 63

Retrofit

Technology Support Systems

The Trolley™



Downview[™]



Surface Mount Arm



How To Order

1. Select model number

Ex: FPA-0-1818-NK-30 (Flat Panel Arm Kit with 18"x18" viewport and Nova keyboard drawer, 30" wide.)

Technology Description

The Trolley™ Personal Monitor Arm System

Maximum dimensions for widescreen:

EXL: 2½" D x 22 7/8" W x 14½" H

E: 2½" D x 18½" W x 14" H (70mm D x 470mm W x 356mm H)

NOTE: Maximum distance from center of wall mount VESA plate to bottom of

monitor is 6 3/4" (171mm)

- Provides flexible, mainstream flat screen location when raised
- Low voltage motor to lift and lower monitor
- Intelligent Motion Technology™ provides operational intuition
- · Clears line-of-sight when submerged
- Allows for multi-use workstations and classrooms
- · Hides confidential information when necessary
- Reduces the risk of damage to flat panels displays
- · Creates a clean, uncluttered look in the classroom or office
- Reduces the risk of damage to computer equipment
- Provides clean, ergonomical solutions
- Manage technology in your workspace environment

Downview[™]

Maximum dimensions for widescreen —

18x18 viewport: 17"W x 18"H (432mm x 457.2mm)

21x21 viewport: 20-1/8" W x 19" H (511mm x 482mm)

16x21 widescreen viewport: 191/2" W x 121/2"H (495mm x 318mm)

18x21 widescreen viewport: 20-1/8" W x 141/2"H (511 mm x 368 mm)

21x24 widescreen viewport: 22-1/2" W x 19"H (572 mm x 482 mm)

- Keeps monitor under glass below work surface
- · Allows for multi-use working and learning environments
- Proven to be ergonomically beneficial, increase productivity
- Saves premium classroom and desktop space
- Hides confidential information
- Creates a clean, uncluttered look in the classroom
- Reduces the risk of damage to computer equipment

Model Number Structure

Technology

Type
TE - Trolley
SMA-Surface Mount Arm

- 0724

0724 - Trolley E

0728 - Trolley EXL

- NK Keyboard

- <u>30</u>

(Width)

Type
NK-Nova keyboard
CK-Center mount
keyboard
XK-No keyboard

Surface Mount Arm

Maximum weight for widescreen: 21 lbs.

Maximum dimensions for widescreen: Up to 24" diagonal widescreen

- Allows for multi-use working and learning environments
- Proven to be ergonomically beneficial, increase productivity
- Saves premium classroom and desktop space
- · Creates a clean, uncluttered look in the classroom or office
- Reduces the risk of damage to computer equipment
- · Height and tilt adjustable

Technology Type FPA-Flat Panel

Arm

Monitor

0-Fully-Recessed

Viewport Size (D x W) - NK -Keyboard Type

NK-Nova keyboard

XK-No keyboard

Keyboard Size (Width)

30

RETROFIT KIT PRICING DOES NOT INCLUDE INSTALLATION.

The Trolley™ E for Widescreens up to 20" widescreen format

For Widescreens that have a VESA standard attachment method on the back. NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6¾" (171mm).

- Maximum dimensions for widescreen: 2½" D x 18½" W x 14" H
- Minimum 28" work surface height required.
- Minimum 24" depth of clearance underneath work surface.
- . Weight of widescreen cannot exceed 21 lbs.
- Fits most displays up to 21" diagonal or 20" widescreen

	Min. Clearance (Width)	Ft3 / Wt.	Model	List Price
The Trolley E	With Nova keybo	oard drawer.		
	22" wide	4.7 / 43	TE-0-0724-NK-22	\$1,490
	25-7/8" wide	4.8 / 44	TE-0-0724-NK-24	\$1,490
	28-5/8" wide	4.9 / 45	TE-0-0724-NK-27	\$1,490
	29-1/2" wide	4.9 / 45	TE-0-0724-NK-28	\$1,490
	31-5/8" wide	5.0 / 46	TE-0-0724-NK-30	\$1,490
	34-5/8" wide	5.2 / 47	TE-0-0724-NK-33	\$1,490
	35-1/2" wide	5.2 / 48	TE-0-0724-NK-34	\$1,490
	With Center Mou	ınt Articulatin	g keyboard drawer.	
	28"	5.3 / 47	TE-0-0724-CK-28	\$1,685
	30"	5.4 / 47	TE-0-0724-CK-30	\$1,685
	34"	5.7 / 47	TE-0-0724-CK-34	\$1,685
	Without keyboa	ard drawer		
	21"	3.7 / 32	TE-0-0724-XK	\$1,403
	Box size: 11"D	x 26" W x 26	"H	•

International Customers: E units include Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

The Trolley™ EXL for Widescreens up to 24" widescreen format

- Maximum dimensions for widescreen: 2½" D x 22 7/8" W x 14 1/2" H
- Minimum 28" work surface height required.
 Minimum 24" depth of clearance underneath work surface
- Minimum 27" kneespace width
- · Weight of widescreen cannot exceed 21 lbs.
- Fits most displays up to 24" diagonal widescreen

	Min. Clearance (Width)		Model	List Price
The Trolley EXL	With Nova keyb	oard drawer.		
4.8	28-5/8" wide	4.9 / 45	TE-0-0728-NK-27	\$1,971
	29-1/2" wide	4.9 / 45	TE-0-0728-NK-28	\$1,971
	31-5/8" wide	5.0 / 46	TE-0-0728-NK-30	\$1,971
	34-5/8" wide	5.2 / 47	TE-0-0728-NK-33	\$1,971
	35-1/2" wide	5.2 / 48	TE-0-0728-NK-34	\$1,971
	•			
•	With Center Mo	unt Articulatin	ng keyboard drawer.	
	28"	5.3 / 47	TE-0-0728-CK-28	\$2,168
	30"	5.4 / 47	TE-0-0728-CK-30	\$2,168
	34"	5.7 / 47	TE-0-0728-CK-34	\$2,168

Without keyboard drawer

Box size: 11"D x 30" W x 26"H

3.7 / 32

TE-0-0728-XK

Downview

For Widescreens that have a VESA standard attachment method on the back.

Kit includes: glass, visor, trim ring, Nova keyboard drawer with hangers, and adjustable arm.

With Nova keyboard drawer

- · Weight of widescreen cannot exceed 21 lbs.
- . Minimum 28" work surface height required.

Min. Clearance (Width)	Ft3 / Wt.	Model	List Price
1,			

16"D x 21"W

- Maximum dimensions for widescreen: 191/2" W x 121/2" H
- Widescreen Viewport (495mm x 318mm) *Dimensions do not include display base. Minimum 24" depth of clearance underneath work surface.



with Hove Roy	Douis alawei		
25-7/8" wide	3.4 / 27	FPA-0-1621-NK-24	\$572
28-5/8" wide	3.4 / 27	FPA-0-1621-NK-27	\$572
29-1/2" wide	3.4 / 27	FPA-0-1621-NK-28	\$572
31-5/8" wide	4.7 / 34	FPA-0-1621-NK-30	\$572
34-5/8" wide	4.9 / 35	FPA-0-1621-NK-33	\$572
35-1/2" wide	4.9 / 35	FPA-0-1621-NK-34	\$572

Without key	board drawer		
22"	3.4 / 18	FPA-0-1621-XK	\$481

18"D x 18"W Viewport



- Maximum dimensions for widescreen: 17" W x 141/2" H (432mm x 368mm) *Dimensions do not include display base.
- Minimum 24" depth of clearance underneath work surface.



Without keyboa	rd drawer		
19"	3.4 / 18	FPA-0-1818-XK	\$505

- 18"D x 21"W
- Maximum dimensions for widescreen: 20-1/8" W x 14½" H (511mm x 368mm) *Dimensions do not include display base. Widescreen Viewport
 - · Minimum 24" depth of clearance underneath work surface.



With Nova keyboard drawer 25-7/8" wide 3.4 / 27 FPA-0-1821-NK-24 \$597 28-5/8" wide 3.4 / 27 FPA-0-1821-NK-27 \$597 29-1/2" wide 3.4 / 27 FPA-0-1821-NK-28 \$597 31-5/8" wide 4.7 / 34 FPA-0-1821-NK-30 \$597 34-5/8" wide 4.9 / 35 FPA-0-1821-NK-33 \$597 35-1/2" wide FPA-0-1821-NK-34 \$597 4.9/35

Without keybo	oard drawer		
22"	3.4 / 18	FPA-0-1821-XK	\$505

\$597

\$597

\$597

\$597

\$597

Retrofit

How To Order

1. Select model number

Ex: FPA-0-1818-NK-30

Downview

For Widescreens that have a VESA standard attachment method on the back. Kit includes: glass, visor, trim ring, Nova keyboard drawer with hangers, and adjustable arm.

- Weight of widescreen cannot exceed 21 lbs.
- Minimum 28" work surface height required.

(Width)	Ft3 / Wt.	Model	List Price
(511mm x 482mn	n) *Dimensions	do not include o	lisplay base
	• Maximum dime (511mm x 482mm	• Maximum dimensions for wide (511mm x 482mm) *Dimensions	(Width) Ft3 / Wt. Model Maximum dimensions for widescreen: 20-1/8" (511mm x 482mm) *Dimensions do not include de control of the con

21"D x 21 Viewport



Maximum dimensions for widescreen: 20-1/8" w x 19" h
(511mm x 482mm) *Dimensions do not include display base
14: 0 0 4/4 1 1 1 1 1 1 1 1 1 1

• Minimum 27-1/4" depth of clearance underneath work surface.

Mi+h	Movo	kevhoard	drawa
NITN	NOVA	kevnoard	arawe

25-7/8" wide	3.4 / 28	FPA-0-2121-NK-24	\$669
28-5/8" wide	3.4 / 29	FPA-0-2121-NK-27	\$669
29-1/2" wide	3.4 / 29	FPA-0-2121-NK-28	\$669
31-5/8" wide	4.8 / 32	FPA-0-2121-NK-30	\$669
34-5/8" wide	4.9 / 33	FPA-0-2121-NK-33	\$669
35-1/2" wide	4.9 / 33	FPA-0-2121-NK-34	\$669

Without ke	yboard drawer		
22"	3.4 / 20	FPA-0-2121-XK	\$578

Surface Mount Arm

Up to 24" diagonal widescreen

For Widescreens that have a VESA standard attachment method on the back. Kit includes: Surface mount arm and keyboard drawer. Arm mounts under work surface through grommet cutout.

- · Weight of widescreen cannot exceed 21 lbs.
- Maximum dimensions for widescreen: Up to 24" diagonal widescreen
- . Minimum 18" depth of clearance underneath work surface.

	DxWxH	Ft3 / Wt.	Model	List Price
Surface Mount Arm	With Nova keyboard drawer			
	22" wide	2.4 / 12	SMA-1-0203-NK	-22 \$390
	25-7/8" wide	2.5 / 12	SMA-1-0203-NK	-24 \$390
	28-5/8" wide	2.6 / 12	SMA-1-0203-NK	-27 \$390
	29-1/2" wide	2.7 / 12	SMA-1-0203-NK	-28 \$390
(46)	31-5/8" wide	2.8 / 13	SMA-1-0203-NK	-30 \$390
	34-5/8" wide	2.9 / 13	SMA-1-0203-NK	-33 \$390
/ & \	35-1/2" wide	2.9 / 13	SMA-1-0203-NK	-34 \$390
	With Center Mo	ount Articulatii	ng keyboard drawe	r
	28"	3.1 / 15	SMA-1-0203-CK	-28 \$597
	30"	3.2 / 15	SMA-1-0203-CK	-30 \$597
AC.	34"	3.4 / 15	SMA-1-0203-CK	-34 \$597
	Without keybo	oard drawer		
	•	1.4/3	SMA-1-0203-XK	\$299

Arm for Widescreen

. Weight of widescreen cannot exceed 21 lbs.




Adjustable from fully- to semi-recessed positions. **Converts existing standard Nova Downview CRT** monitor system to a widescreen system.

> .2/3 FPA-8-2006 \$258

21"D x 24"W

- Maximum dimensions for widescreen: 22-1/2" W x 19" H Widescreen Viewport (572mm x 482mm) *Dimensions do not include display base
 - Minimum 27-1/4" depth of clearance underneath work surface.



with Nova Key	board drawer		
28-5/8" wide	3.4 / 29	FPA-0-2124-NK-27	\$740
29-1/2" wide	3.4 / 29	FPA-0-2124-NK-28	\$740
31-5/8" wide	4.8 / 32	FPA-0-2124-NK-30	\$740
34-5/8" wide	4.9 / 33	FPA-0-2124-NK-33	\$740
35-1/2" wide	4.9 / 33	FPA-0-2124-NK-34	\$740

Without ke	yboard drawer		
25"	3.4 / 20	FPA-0-2124-XK	\$651

Options

Tinted and tempered glass Can only be ordered as replacement glass. Must provide PO number of purchased desk. Shipped separately.



8 x 18 x ¼	.5 / 8	AC-SG10701818	\$89
1 x 18 x ¼	.5 / 9	AC-SG10721821	\$92
1 x 21 x ¼	.6 / 10	AC-SG10712121	\$102
4 x 21 x ¼	.6 / 11	AC-SG10732124	\$106

widescreen gi	ass		
16 x 21 x 1/4	.5 / 9	AC-SG10701621W	\$92
18 x 21 x 1/4	.5 / 9	AC-SG10721821W	\$92
21 x 24 x 1/4	.6 / 11	AC-SG10732124W	\$106

The Trolley EXL / Components and Dimensions

Work surface footprint: 28 1/2" W x 8½" D Work surface cut-out: 28 1/8" W x 7 7/8" D

Min. work surface depth: 24" Min. kneespace width: 27"


Maximum Dimensions for Flat Panel Display: 2½" D x 22 7/8" W x 14 1/2" H
Fits most widescreens up to 24" diagonal


TROLLEY EXL

Low voltage electrical motor to lift and lower monitor. Display submerges into desktop when not in use. Intelligent Motion Technology™ provides operational intuition. Tamper guard security hardware. Provides vertical tilt adjustment in "up" position. Access doors automtically open and close. Secure to worksurface with supplied locking clips.


KEYBOARD DRAWER


Textured black thermoformed ABS keyboard drawer features soft radius edges. Five positive inward and outward stop locations. Outward locking tabs prevent accidental removal of keyboard drawer.





Keyboard size	Dimension A Min. Kneespace Width	Dimension B Keyboard drill pattern
27"	28 ⁵ /8" (727 mm)	25 ⁵ /16" (643 mm)
28"	29 ½" (742 mm)	26 ¹ /8" (663 mm)
30"	31 ⁵ /8" (799 mm)	28 ¹ /16" (712 mm)
33"	34 ⁵ /8" (878 mm)	31 ¼" (793 mm)
34"	35 ½" (900 mm)	32 ¹ /8" (815 mm)





Retrofit

The Trolley E / Components and Dimensions

Work surface footprint: 24 1/2" W x 8 1/2"D Work surface cut-out: 24 3/32" W x 7 7/8" D

Min. work surface depth: 24" Min. kneespace width: 25"


Maximum Dimensions for Flat Panel Display: $2\frac{1}{2}$ " D x 18.5" W x 14" H (70mm x 470mm x 356mm) Fits most monitors up to 21" (diagonal) or 20" widescreen


TROLLEY E

Low voltage electrical motor to lift and lower monitor. Display submerges into desktop when not in use. Intelligent Motion TechnologyTM provides operational intuition. Tamper guard security hardware. Provides vertical tilt adjustment in "up" position. Access doors automtically open and close. Secure to worksurface with supplied locking clips.


KEYBOARD DRAWER

Textured black thermoformed ABS keyboard drawer features soft radius edges. Five positive inward and outward stop locations. Outward locking tabs prevent accidental removal of keyboard drawer.






* Noto	If using a '	22" width ke	vhoard trav	Trolley mi	iet ha eat l	hack a m	ninimum of 1	5"
MOLE.	ii usiiiy a 4	ZZ WIUIII KE	yuualu ilay,	HOHEY HILL	ו ושה שמ ופג	uaun a 11	III III II UI II UI II	υ.




Keyboard size	Dimension A Min. Kneespace Width	Dimension B Keyboard drill pattern
22"	22" (562 mm)	18 ¹³ /16" (478 mm)
24"	25 ⁷ /8" (658 mm)	22 ¹⁹ /32" (574 mm)
27"	28 ⁵ /8" (727 mm)	25 ⁵ /16" (643 mm)
28"	29 ½" (742 mm)	26 ¹ /8" (663 mm)
30"	31 ⁵ /8" (799 mm)	28 ¹ /16" (712 mm)
33"	34 ⁵ /8" (878 mm)	31 ¼" (793 mm)
34"	35 ½" (900 mm)	32 1/8" (815 mm)




Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal.

FPA-8-2006 Widescreen Arm / Components and Dimensions

Maximum Weight for Flat Panel Display: 21 lbs.



Work Surface Thickness: 1" - 2" thick work surface









PLATE SIZES

The arm ships with a 100mm VESA plate only. The 75mm VESA plate is available as a seperate line item. (See pg. 77)












WORK SURFACE SPECIFICATION DIAGRAMS


The following are meant to be used as a guide to help determine the appropriate application (fully-recessed or semi-recessed) for your flat panel display size and hole cut-out size.





Please take into consideration the outer casing of the flat panel display when using in a semi-recessed position.












Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal.

Retrofit

Downview™ / Components and Dimensions



For unusual lighting situations or to create the optimal level of viewing comfort, each fully-recessed retrofit kit includes a textured black thermoformed ABS Visor. 12" D x 20-3/4" W x 6" H (AC-1060) 12" D x 23-1/2" W x 6" H (AC-1062) 12" D x 26-1/2" W x 6" H (AC-1064)

GLASS

Tinted (T41 rating) and tempered with screen printed border and graphics.

Glass for FPA-0-1621: 16" D x 21" W x 1/4" H Glass for FPA-0-1818: 18" D x 18" W x 1/4" H Glass for FPA-0-121: 18" D x 21" W x 1/4" H Glass for FPA-0-2121: 21" D x 21" W x 1/4" H Glass for FPA-0-2124: 21" D x 24" W x 1/4" H

TRIM RING

Manufactured using injection molded plastic, allowing support of view port.


Trim ring for FPA-0-1621: $16" D \times 21" W \times 1\%" H$ Trim ring for FPA-0-1818: $18" D \times 18" W \times 1\%" H$ Trim ring for FPA-0-1821: $18" D \times 21" W \times 1\%" H$ Trim ring for FPA-0-2121: $21" D \times 21" W \times 1\%" H$ Trim ring for FPA-0-2124: $21" D \times 24" W \times 1\%" H$


FLAT PANEL ARM

Mounts underneath work surface, supporting the flat panel display on a tension-mounted steel arm. The display attaches with a VESA compliant steel plate. Can be adjusted to fit fully-recessed or semi-recessed positions.


KEYBOARD DRAWER

Textured black thermoformed ABS keyboard drawer features soft radius edges. Five positive inward and outward stop locations. Outward locking tabs prevent accidental removal of keyboard drawer






Keyboard size	Dimension A Min. Kneespace Width	Dimension B Keyboard drill pattern
22"	22" (562 mm)	18 ¹³ /16" (478 mm)
24"	25 ⁷ /8" (658 mm)	22 ¹⁹ /32" (574 mm)
27"	28 ⁵ /8" (727 mm)	25 ⁵ /16" (643 mm)
28"	29 ½" (742 mm)	26 ¹ /8" (663 mm)
30"	31 ⁵ /8" (799 mm)	28 ¹ /16" (712 mm)
33"	34 ⁵ /8" (878 mm)	31 ¼" (793 mm)
34"	35 ½" (900 mm)	32 ¹ /8" (815 mm)



Kit Model No.	Dimension C Min. Work Surface Depth	Dimension D1 x Dimension D2 View Port Cut-Out (W x D)
FPA-0-1621	24" (610 mm)	21 1/4" (540 mm) x 161/4" (413 mm)
FPA-0-1818	24" (610 mm)	18 ¼" (464 mm) x 18¼" (464 mm)
FPA-0-1821	24" (610 mm)	20 11/16" (526 mm) x 181/4" (464 mm)
FPA-0-2121	27¼" (692 mm)	21 1/4" (540 mm) x 211/4" (540 mm)
FPA-0-2124	271/4" (692 mm)	24 ¼" (616 mm) x 21¼" (540 mm)
Keyboard drawer pulls out 10" from edge of work surface.		



The flat panel arm ships with 100mm VESA plate only. 75mm VESA plate available as seperate item.

Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal.

To offset your viewport and keyboard drawer, please call Customer Support at 1-800-730-6682 for special installation instructions.

Surface Mount Arm / Components and Dimensions

Maximum Weight for Flat Panel Display: 21 lbs. Maximum Dimensions for Flat Panel Display: Up to 24" diagonal widescreen

SURFACE MOUNT FLAT PANEL ARM


Mounts underneath work surface through grommet hole, supporting the flat panel display on a steel arm. The display attaches with a VESA compliant steel plate.

GROMMET


Black plastic work surface grommet with removable cover.


KEYBOARD DRAWER

Textured black thermoformed ABS keyboard drawer features soft radius edges. Five positive inward and outward stop locations. Outward locking tabs prevent accidental removal of keyboard drawer.





Arm with 75mm VESA plate







Keyboard size	Dimension A Min. Kneespace Width	Dimension B Keyboard drill pattern
22"	22" (562 mm)	18 ¹³ /16" (478 mm)
24"	25 ⁷ /8" (658 mm)	22 19/32" (574 mm)
27"	28 ⁵ /8" (727 mm)	25 ⁵ /16" (643 mm)
28"	29 ½" (742 mm)	26 ¹ /8" (663 mm)
30"	31 ⁵ /8" (799 mm)	28 ¹ /16" (712 mm)
33"	34 ⁵ /8" (878 mm)	31 ¼" (793 mm)
34"	35 ½" (900 mm)	32 ¹ /8" (815 mm)









Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal. To offset your viewport and keyboard drawer, please call Customer Support at 1-800-730-6682 for special installation instructions.

Visual Display Options

Display Option

Features, Benefits and Options



The Trolley™ Personal Monitor Arm Systems

- Available in all Series
- Low voltage electrical motor to lift and lower monitor
- Intelligent Motion Technology[™] provides operational intuition
- Optional keyboard choices
- **EXL** suitable for most widescreens up to 24" diagonal
- E suitable for most widescreens up to 21" diagonal or 20" widescreen

- Display submerges into desktop when not in use
- Tamper-guard security hardware
- Access door automatically opens and closes
- Provides vertical tilt adjustment in "up" position
- Ideal for secure environments
- Durable metal enclosure under desktop
- Available retrofit kit



Downview™

- Available in all Series except Tables
- Monitor size varies by Visual Display Option selected
- Places display at a natural viewing angle
- Saves valuable desktop space
- Tamper-guard security hardware

- Tinted, tempered glass viewport
- Protects valuable hardware
- Available retrofit kit
- Optional keyboard choices



Surface Mount Arm for Widescreen

- Available in all Series
- Height and tilt adjustable
- Easily accommodates up to 24" diagonal widescreen monitor
- Provides added security and control in any environment
- Secures flat panel to desk to protect valuable hardware
- Optional keyboard choices

Dimensions & Tolerances

Keyboard Options See next page for keyboard details and other Essential Accessories

- Minimum work surface depth: 24"
- Minimum knee space width: **E:** 25" **EXL:** 27"
- Work surface footprint: **EXL:** 28.5" W x 8.5" D **E:** 24.5" W x 8.5" D
- Monitor, viewport and keyboard sizes vary by Series. For specifications, refer to Visual Display Options in each selected Series.



NOVA Keyboard Tray Trolley E - 22" to 34" Widths Trolley EXL - 27" to 34" Widths



Center Mount Articulating Keyboard Mechanism and Tray 28" to 34" Widths

- Minimum work surface depth: 24"-26"
- Viewport and monitor sizes vary by Series. For specifications, refer to Visual Display Options page in each selected Series.



NOVA Keyboard Tray 22" to 34" Widths

Center Mount Articulating Keyboard Mechanism and Tray is not available with this Visual Display Option

- Minimum work surface depth: 18"
- Monitor sizes vary by Series. For specifications, refer to Visual Display Options in each selected Series.



NOVA Keyboard Tray 22" to 34" Widths



Center Mount Articulating Keyboard Mechanism and Tray 28" to 34" Widths

73

800-730-6682 www.novadesk.com

Essential Accessories



Center Mount Articulating Retractable Keyboard Mechanism & Tray

Features lift and lock arm and easy guide track. Swivels, tilts, and tucks neatly under work surface. Tray is black, matte finish plastic with room for a mouse.

AC-CK102802KM 28"......\$329 AC-CK103002KM 30".....\$329 AC-CK103402KM 34".....\$329



Organizer Drawer - Large Keep small supplies

Keep small supplies organized with this handy drawer. Attaches to underside of work surface.

19" D x 23.5" W x 2.5 H"

AC-ODL17243.....\$146



NOVA Keyboard Tray

Tucks neatly away under the work surface. Five locking positions. Tray is black, matte finish plastic.

AC-NK102022	22"W	\$196
AC-NK102024	24"W	\$196
AC-NK102027	27"W	\$196
AC-NK102028	28"W	\$196
AC-NK102030	30"W	\$196
AC-NK102033	33"W	\$196
AC-NK102034	34"W	\$196



Organizer Drawer - Small

Smaller, smart design keeps office supplies within easy reach. Attaches to underside of work surface.

16.5" D x 22.5" W x 2.5" H

AC-0DS17203.....\$134



Organizer Tray

Black plastic tray fits into standard sized box drawer. Provides ample space for small office supplies. Tray can be removed or slid out of the way for access to the bottom of the drawer.

12.75" W x 6" D x 1" H

AC-0TB61.....\$32

Please Note: All items on this page must be **Field** installed.



Rectangular Wire Grommet

Black plastic grommet cover is removable for easy wire management.

1 7/8" D x 3 1/4" W x 1 1/4" H (cutout dimensions)

If Installed (available for work surface only): Please provide sketch to indicate placement location WG1080.....\$72 If Sold Separately (not part of base model):

AC-WG1080.....\$37



Power Center

Two grounded receptacles. 6Ft, 15 Amp cord. Made of die-cast zinc. Black powder coat finish. Ul Listed.

3 3/4"D x 5"W cutout dimensions

If Installed (available for work surface only): Please provide sketch to indicate

placement location. 11225PP.....\$346 If Sold Separately (not part of base model): AC-11225PP.....\$303



Round Wire Grommet

Black plastic grommet cover can be swiveled shut if not in use.

2.75" Diameter x 1" H

If Installed (available for work surface only):

Please provide sketch to indicate placement location RWG01.....\$85

If Sold Separately (not part of base model): AC-RWG01.....\$43



Power/Data Center

One grounded receptacle. One opening for voice/ data jack. 6Ft, 15 Amp cord. Made of die-cast zinc. Black powder coat finish. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. UL Listed. 3 3/4"D x 5"W cutout dimensions

If Installed (available for work surface only): Please provide sketch to indicate placement location. 11225PD\$346 If Sold Separately (not part of base model):

AC-11225PD.....\$303

75



Star Cut Wire Grommet

Black plastic grommet with star cut opening allows more cords and cables to pass through. 2.75" Diameter x 1" H

If Installed (available for work surface only): Please provide sketch to indicate placement location RWGSC.....\$85 If Sold Separately (not part of base model): AC-RWGSC.....\$43

800-730-6682 www.novadesk.com

Essential Accessories (continued)



Power Strip

Six foot power cord. Six outlets total. Switch is located on the strip. UL listed. 15A 125V 60Hz 1875W. Please verify your local codes before making electrical connections.

AC-PS1125.....\$104



Adjustable CPU Holder

Mounts to underside of work surface. Fits most CPUs up to 18" H. Width adjusts to fit CPUs from 4.25" to 7.5" W.

AC-ACPU1.....\$196



Wire Management

Black plastic self-adhesive wire channel keeps all cords and cables under control. Position wherever cable management is needed.

98.5" x 1.5" x 1.5"

AC-WM68.....\$69



Task Light & Connector Cord

16 Watt, T4 fluorescent bulb produces warm, 3000K, white light. Ten foot power cord.

3 5/16" D x 19 1/2" W x 1 7/8" H

AC-TL1220BLACK.....\$142

Connector cord
AC-FC891 (12" long)......\$12
AC-FC892 (24" long).....\$13
AC-FC893 (48" long).....\$16




USB Port Extension

Features one USB port with living hinged cover. Fits into designated opening on top of Trolley E housing. Six foot cord plugs into USB port in CPU.

2.5" x 1" x 1"

AC-USB01.....\$62


Please Note: All items on this page and next page are **Field** installed.



Visor

Black plastic visor can be used with NOVA's downview technology when unusual lighting conditions are present.

12" D x 23-1/2" W x 6" H (for 21" W Viewport)	
AC-1062	\$81
12"D x 26-1/2"W x 6" H (for 24" W Viewport)	
AC-1064	\$90



Flat Panel Adapter

Allows NOVA CRT desks to accommodate widescreens and still use NOVA's downview technology.

For 18" x 18" or 18" x 21" viewports AC-FA4018	\$43
For 21" x 21" viewports AC-FA4021	\$43



Tackboards

NOVA tackboards come in a variety of colors and sizes to fit under any size hutch we offer.

See the end of each product section for specific sizes.

See the inside back cover of this catalog for fabric color selections.



Extended VESA Plate Adapter

For widescreens with off-center VESA mount locations, an Extended VESA Plate Adapter is required for use with NOVA Visual Display Options

3 3/4" W x 6 1/8" H

AC-VESA\$44



Wire Hutch Dividers

Keep things organized with these wire dividers designed for your overhead storage hutch. Set of six. Note: Hutches come with one set of dividers included.

Wire hutch dividers for Office Solutions only.

AC-1100.....\$56



75mm VESA Plate

For monitors with 75mm VESA plates, required for use with NOVA Visual Display Options

3" W x 3" H

AC-VESA75\$22



Replacement Viewport Glass

For furniture that incorporates the Downview Visual Display option — replacement for damaged or broken viewport glass.

AC-SG10701621W (1)	6"D x 21"W)\$92
AC-SG10721821W (1)	8"D x 21"W)\$92
	1"D x 24"W)\$106
	•
AC-SG10701818 (18	3"D x 18"W)\$89
	l"D x 18"W)\$92
	l"D x 21"W)\$102
AC-SG10732124 (24	ł"D x 21"W)\$106

77

For series specific accessories, please refer to the back of each product section

800-730-6682 www.novadesk.com

Sample Purchase Order

Customer Information

Customer Name Address City, State, Zip Phone # Fax # E-mail Address

Purchase Order #	
Date Issued:	

Vendor Information

NOVA Solutions, Inc. P.O. Box 725 Effingham, IL, USA 62401

Ship To:

Name (your point of destination) Address (your point of destination) City, State, Zip Phone # Delivery Contact Name

		Model Numbers	Description	Qty	List Price	Ext. List Price
Line 1: Base Model Number:		66-LS304841LM	Lectern, 30"D x 48"W x 41"H Laminate modesty, three front doors	1	\$3,406	\$3,406
Subset of Line 1*	Color:	174 030	Black/Graphite Nebula (Base & Work Surface)			
	Drawer or Door Pull Style/Finish:	SM	Steel pull / Chrome Matt finish			
Subset	Visual Display: Accessories:	FPA1821NK RWG01	Downview-Flat panel display 18"D x 21"W Round wire grommet (Specify location on worksurface)	1 1	\$ 405 \$ 78	\$ 405 \$ 78
			Subtotal (line 1)		\$ 3,889	\$3,889
Line	2: Base Model Number:	66-SH222201L	Flip-up Shelf, Left (Field Installed)	1	\$ 473	\$ 473
Subtotal (all lines)				\$4,362		
Handling Fee**				\$ 100		
Grand Total					\$4,462	

Please add any taggings:

Example: Computer classroom #104

Please add point of contact, phone number and e-mail address:

Example: Debbie Smith, 800-555-5678, dsmith@domainname.com

Please add any shipping or special instructions:

Example: Please call Doug at 555-687-5309, 24 hours before delivery

Example: Must have delivery by 12/31

B = Base Color W = Work Surface Color

79

Laminate Selections



Colors are subject to variations in printing. For exact color matching, please request a laminate chip sample by calling customer support at 1-800-730-6682 or your local sales representative.

800-730-6682 www.novadesk.com

Fabric Selections



Parchment 1602



Misty 1595



Gravel 1599



Sky Blue 1613



Seafoam 1601



Lagoon 1616



Moonbeam 1604



Sanddrift 1617



Terra Cotta 1611



Lilac 1597



Red Wine 1614



Twilight 1618



Flint 1619



Stardust 1606




Silverleaf 1610

Polished Silver

(PSL)

Matching Metal Colors





Colors are subject to variations in printing. For exact color matching, please request a metal chip sample by calling customer support at 1-800-730-6682 or your local sales representative.

Company Overview

It all began when John Lechman, cofounder of a kitchen cabinet company in Denver, Colorado, discovered a unique computer desk concept at an office furniture trade show in Chicago, IL. All of the computer hardware was contained beneath the work surface with the monitor positioned at an angle beneath the desktop.

Mr. Lechman secured the rights to produce the product in wood and laminate— purchasing the parts and materials from an Effingham, Illinois-based company. Production began on the new line of wood computer furniture in Denver, Colorado in 1988. He then began selling the product to corporate offices across the United States and Canada. Soon after, users began to report experiencing less neck and eye discomfort after using the new desk technology. The "Downward Gaze"™ angle was, in fact, a viable, ergonomic solution that helped to alleviate many of the physical problems experienced by computer users.

In 1990, John Lechman moved the operation to Effingham, Illinois. In 1995 the company changed its name from Nova Office Furniture to Nova Solutions, Inc. The new name better reflected the company's quest to provide furniture solutions for computer users in a variety of market segments.

In 2003, Mr. Lechman began the daunting task of developing a solution for flat panel displays. The goal was to find an innovative solution for computer users who preferred to view their monitor in the traditional, straightforward position, while maximizing desktop work space and providing a level of security and privacy. After years of testing, field research, and several prototypes, The TrolleyTM was born. The TrolleyTM is a Personal Monitor Arm System that raises and lowers a flat panel display from beneath the desktop on demand. The TrolleyTM gets its name from the inner workings of the mechanism. The display mounts to an arm that moves up and down on a track much like a trolley car.

Today, Nova Solutions, Inc., remains one of the industry's fastest growing and most innovative manufacturers of unique computer desks and high quality office furniture.

Although integrating technology via the *Downview* or *The Trolley* TM remains an important part of Nova's success, the company has grown to be much more than just a computer workstation company. Nova provides a comprehensive array of laminate and furniture that allows users to make the most of available work space.

From reception areas and training rooms to mid-management and executive offices, Nova provides complete solutions for a variety of work environments. Its "solutions" and accessories are used in virtually every electronic environment imaginable, including offices, call centers, banks, hotels, medical facilities, airports, training companies, classrooms, kitchens, homes, and many other locations.

NOVA Solutions, Inc.







© 2015, NOVA Solutions, Inc.
Reorder #: CT005
Version Date: February 2015
VOVA Solutions products are protected by various
J.S. and foreign patents issued and/or pending.

2015 Catalog



421 W. Industrial Avenue Effingham, IL 62401 Phone: 800-730-6682 Fax: 800-940-6682 www.novadesk.com info@novasolutionsinc.com