

### WHOLEGOODS PRICE LIST EFFECTIVE DECEMBER 1, 2015

These pages are a complete revision of this section and contain new model and product information. All prices are effective as of December 1, 2015.

NOTE: Tire prices appear per piece.

#### 2016 MISSISSIPPI GROUNDS MAINTENANCE EQUIPMENT PROPOSAL

Kubota "Z Series" Mowers (Z700, ZD, ZG & ZP models)  
Attachments & Accessories = 13.0% discount from indicated SLP \$

Kubota "F Series" (F2690E, F2690 & F3990 front mount power units)  
Implements, Attachments & Accessories = 18.0% discount from indicated SLP \$

**This page intentionally left blank.**

		PAGE NUMBER	MODEL	GROSS ENGINE H.P. ②		SUGGESTED LIST PRICE
CURRENT MODELS						
Kommander Z100 Series	Gas	2-4	Z122R-42 ①	21.5		\$4,355.00
		2-5	Z122E-48 ①	22		\$5,018.00
		2-6	Z121S-48 ①	21		\$5,491.00
		2-7	Z125E-54 ①	25		\$5,859.00
		2-8	Z125S-54 ①	25		\$6,332.00
		2-9	Z100 Series Matching Chart			
Z700 Series	Gas	2-9	Z100 Series Implements & Attachments			
		2-10	Z723KH-48 ①	23		\$8,299.00
		2-11	Z724KH-54 ①	24		\$8,799.00
		2-12	Z725KH-60 ①	25		\$9,299.00
		2-10	Z724XKW-48 ①	23.5		\$8,699.00
		2-11	Z724XKW-54 ①	23.5		\$9,059.00
		2-12	Z726XKW-60 ①	25.5		\$9,629.00
Z200 Series	Gas	2-13	Z700 Series Matching Chart			
		2-14	Z700 Series Implements & Attachments			
		2-15	ZG222A-48S	22		\$8,160.00
		2-15	ZG222A-48	22		\$8,568.00
		2-16	ZG227A-54	27		\$9,894.00
		2-16	ZG227LA-60	27		\$10,190.00
	Diesel	2-17	ZD221-48*	21		\$11,659.00
		2-17	ZD221-54*	21		\$11,863.00
		2-18	Z200 Series Matching Chart			
Z1000 Series	Diesel	2-19	Z200 Series Implements & Attachments			
		2-22	ZD1011-48	19.3		\$12,474.00
		2-22	ZD1011-54	19.3		\$12,689.00
		2-23	ZD1021-60	21.6		\$14,300.00
		2-24	Z1000 Series Matching Chart			
		2-25	Z1000 Series Implements & Attachments			
Z300 Series	Gas	2-26	ZG327PA-60	27		\$11,394.00
		2-26	ZG327RPA-60R	27		\$11,725.00
		2-27	ZG332P-60	32.5		\$14,168.00
		2-27	ZG332LP-72*	32.5		\$14,678.00
	Pro- pane	2-28	ZP330P-60	31		\$15,861.00
		2-28	ZP330LP-72*	31		\$16,422.00
		2-29	ZD323-60*	23		\$13,872.00
		2-30	ZD326S-60*	26		\$14,586.00
		2-30	ZD326P-60*	26		\$14,892.00
		2-30	ZD326RP-60R*	26		\$14,898.00
		2-30	ZD326HL-72	26		\$15,677.00
		2-31	ZD331LP-72	31		\$17,178.00
		2-32	Z300 Series Matching Chart			
		2-33	Z300 Series Implements & Attachments			
Z1200 Series	Diesel	2-38	ZD1211-60	24.8		\$15,723.00
		2-38	ZD1211R-60R	24.8		\$16,096.00
		2-38	ZD1211L-72	24.8		\$16,543.00
		2-38	ZD1211RL-72R	24.8		\$16,936.00
		2-39	Z1200 Series Matching Chart			
		2-40	Z1200 Series Implements & Attachments			
F Series	Diesel	2-42	F2690E ④	25.5		\$16,860.00
		2-43	F2690 ④	25.5		\$19,530.00
		2-44	F3990 ④	39		\$23,470.00
		2-45	F Series Matching Chart			
Commercial Walk Behinds	Gas	2-47	F Series Implements & Attachments			
		2-51	WG14-36	14.5		\$3,923.00
		2-52	WH15-48	15		\$6,045.00
		2-53	WHF19-52	19		\$7,519.00
		2-54	CWB Series Matching Chart			
		2-55	CWB Series Implement and Attachments			
		2-56	Z Series / F Series Replacement Engines			

\* Subject to availability.

① For PROMO PRICING refer to Bulletin Number: DSB-2014-038 R4

② The engine horsepower information is provided by the engine manufacturer. Refer to the engine manufacturer's web site for additional information.

③ Price includes standard tires

## Kommander Z122R

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GASOLINE ENGINE

Kawasaki FR Series  
Air-cooled  
V-Twin Vertical Shaft  
21.5 Gross HP @ 3600 rpm\*  
Displacement 726 cc

#### TRANSMISSION

Hydro-Gear Commercial ZT2200  
Integrated Zero-Turn Transaxle  
Internal Parking Brake  
Forward Speeds 0 - 6.5 mph  
Reverse Speeds 0 - 4 mph

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

#### FLUID CAPACITY

Fuel Tank 3.22 gal  
Oil 2.3 qts  
Transaxle 1.6 - 1.68 qts

#### TIRES AND WHEELS

Front Casters 11 x 4-5 Smooth  
Rear 18 x 7.5-10 Turf

#### DIMENSIONS

Height 65.4"  
Length 74.4"  
Width Overall 42.4" w/o deck  
Wheelbase 48.7"

#### OPERATING FEATURES

Zero Turn Radius  
Full pressure lube system  
Hands-free K-Lift Deck Lift  
Cup Holder & Storage Compartment

#### SAFETY EQUIPMENT

Seat Safety Switch  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Fixed ROPS

#### MOWER DECK

Ogura GT1A Electric Clutch  
42" Cutting Width  
1.5-4.25" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
Fabricated 10 Gauge Steel  
4.5" Deep Design  
2 Blades  
17,700 fpm Blade Tip Speed  
Maintenance-Free, Sealed Bearings

\* Manufacturer's estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>Z122RKW-42</b>	<b>Zero Turn Mower with ROPS</b> 42" Mower Deck	1472	\$ 4,355.00
-------------------	--	------	-------------

#### Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth
K3001-17200	Rear 18 x 7.5-10 Turf

Order from Parts Department  
Order from Parts Department

## Kommander Z122E

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### GASOLINE ENGINE

Briggs & Stratton Professional Series  
Air-cooled  
V-Twin Vertical Shaft  
22 Gross HP @ 3600 rpm\*  
Displacement 724 cc

### TRANSMISSION

Hydro-Gear Commercial ZT3100  
Integrated Zero-Turn Transaxle  
Internal Parking Brake  
Forward Speeds 0 - 8 mph  
Reverse Speeds 0 - 4 mph

### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

### FLUID CAPACITY

Fuel Tank 4.3 gal  
Oil 2 qts  
Transaxle 2.4 qts

### TIRES AND WHEELS

Front Casters 11 x 4  
Rear 22 x 10-14 Turf

### DIMENSIONS

Height 65"  
Length 77.5"  
Width Overall 52"  
Wheelbase 45.5"

### OPERATING FEATURES

Zero Turn Radius  
Full pressure lube system  
Hands-free K-Lift Deck Lift  
2 Cup Holders & 4 Storage Compartments

### SAFETY EQUIPMENT

Seat Safety Switch  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Fixed ROPS

### MOWER DECK

Ogura GT1A Electric Clutch  
48" Cutting Width  
1.5-4.5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
Fabricated 10 Gauge Steel  
5" Deep Design  
3 Blades  
18,300 fpm Blade Tip Speed  
Maintenance Free Sealed Bearings

\* Manufacturer's estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

\*\*\* STANDARD MACHINE \*\*\*

<b>Z122EBR-48</b>	<b>Zero Turn Mower with ROPS</b> 48" Mower Deck	1472	\$ 5,018.00
-------------------	--	------	-------------

### Replacement Tires and Wheels (price per piece)

K3011-18020 Front Tire Assembly 11 x 4-5 Pneumatic Smooth  
AZR8630 Rear 22 x 10-14 Turf Ultrascaper Z

Order from Parts Department  
\$ 144.00

## Kommander Z121S

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GASOLINE ENGINE

Kohler Courage Professional Series  
Air-cooled  
V-Twin Vertical Shaft  
21 Gross HP @ 3600 rpm\*  
Displacement 725 cc

#### TRANSMISSION

Hydro-Gear Commercial ZT3100  
Integrated Zero-Turn Transaxle  
Internal Parking Brake  
Forward Speeds 0 - 8 mph  
Reverse Speeds 0 - 4 mph

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

#### FLUID CAPACITY

Fuel Tank 4.3 gal  
Oil 2 qts  
Transaxle 2.4 qts

#### TIRES AND WHEELS

Front Casters 11 x 4  
Rear 22 x 10-14 Turf

#### DIMENSIONS

Height 65"  
Length 77.5"  
Width Overall 52"  
Wheelbase 45.5"

#### OPERATING FEATURES

Zero Turn Radius  
Full pressure lube system  
Hands-free K-Lift Deck Lift  
2 Cup Holders & 4 Storage Compartments  
LED Headlights  
Full Seat Suspension

#### SAFETY EQUIPMENT

Seat Safety Switch  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Fixed ROPS

#### MOWER DECK

48" Cutting Width  
1.5-4.5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
Fabricated 10 Gauge Steel  
5" Deep Design  
3 Blades  
18,300 fpm Blade Tip Speed  
Maintenance Free Sealed Bearings  
Ogura GT1A Electric Clutch

\* Manufacturer's estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>Z121SKH-48</b>	<b>Zero Turn Mower with ROPS</b> 48" Mower Deck	1472	\$ 5,491.00
-------------------	--	------	-------------

#### Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth	Order from Parts Department	
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z	\$	144.00

## Kommander Z125E

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GASOLINE ENGINE

Briggs & Stratton  
Cyclonic Commercial Turf  
Air-cooled  
V-Twin Vertical Shaft  
25 Gross HP @ 3600 rpm\*  
Displacement 724 cc

#### TRANSMISSION

Hydro-Gear Commercial ZT3100  
Integrated Zero-Turn Transaxle  
Internal Parking Brake  
Forward Speeds 0 - 8 mph  
Reverse Speeds 0 - 4 mph

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

#### FLUID CAPACITY

Fuel Tank 4.3 gal  
Oil 2 qts  
Transaxle 2.4 qts

#### TIRES AND WHEELS

Front Casters 11 x 4  
Rear 22 x 10-14 Turf

#### DIMENSIONS

Height 65"  
Length 77.5"  
Width Overall 57"  
Wheelbase 45.5"

#### OPERATING FEATURES

Zero Turn Radius  
Full pressure lube system  
5-step Integrated Cyclonic Air Cleaner  
Hands-free K-Lift Deck Lift  
2 Cup Holders & 4 Storage Compartments

#### SAFETY EQUIPMENT

Seat Safety Switch  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Fixed ROPS

#### MOWER DECK

54" Cutting Width  
1.5-4.5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
Fabricated 10 Gauge Steel  
5" Deep Design  
3 Blades  
18,300 fpm Blade Tip Speed  
Maintenance Free Sealed Bearings  
Ogura GT1A Electric Clutch

\* Manufacturer's estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>Z125EBR-54</b>	<b>Zero Turn Mower with ROPS</b> 54" Mower Deck	1472	\$ 5,859.00
-------------------	--	------	-------------

#### Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z

Order from Parts Department  
\$ 144.00

## Kommander Z125S

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GASOLINE ENGINE

Kohler Courage Professional Series  
Air-cooled  
V-Twin Vertical Shaft  
25 Gross HP @ 3600 rpm\*  
Displacement 725 cc

#### TRANSMISSION

Hydro-Gear Commercial ZT3100  
Integrated Zero-Turn Transaxle  
Internal Parking Brake  
Forward Speeds 0 - 8 mph  
Reverse Speeds 0 - 4 mph

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

#### FLUID CAPACITY

Fuel Tank 4.3 gal  
Oil 2 qts  
Transaxle 2.4 qts

#### TIRES AND WHEELS

Front Casters 11 x 4  
Rear 22 x 10-14 Turf

#### DIMENSIONS

Height 65"  
Length 77.5"  
Width Overall 57"  
Wheelbase 45.5"

#### OPERATING FEATURES

Zero Turn Radius  
Full pressure lube system  
Hands-free K-Lift Deck Lift  
2 Cup Holders & 4 Storage Compartments  
LED Headlights  
Full Seat Suspension

#### SAFETY EQUIPMENT

Seat Safety Switch  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Fixed ROPS

#### MOWER DECK

54" Cutting Width  
1.5-4.5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
Fabricated 10 Gauge Steel  
5" Deep Design  
3 Blades  
18,300 fpm Blade Tip Speed  
Maintenance Free Sealed Bearings  
Ogura GT1A Electric Clutch

\* Manufacturer's estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>Z125SKH-54</b>	<b>Zero Turn Mower with ROPS</b> 54" Mower Deck	1472	\$ 6,332.00
-------------------	--	------	-------------

#### Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth	Order from Parts Department	
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z	\$	144.00



## Kommander Z100 Series Implements and Attachments

Kommander Z100 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Model	Z122R-42	Z122E-48	Z125E-54	Z121S-48	Z125S-54
Implements					
Grass Catcher, 2-Bag	GCK42-122Z	GCK54-100Z			
Replacement Deck	RCK42P-122Z	RCK48P-124Z	RCK54P-127Z	RCK48P-124Z	RCK54P-127Z
Blade, Replacement (1 blade)	K5559-34330*	K5575-34330*	K5617-34330*	K5575-34330*	K5617-34330*
Blade, Replacement Mulching (1 blade)	K5124-71930*	K5579-34350*	K5639-34350*	K5579-34350*	K5639-34350*
Blade, Replacement High-Lift (1 blade)	K6041-34330*	K5579-92330*	K5639-92330*	K5579-92330*	K5639-92330*
Blade Set, Replacement High-Lift (3 blades)		K5579-92300*	K5639-92300*	K5579-92300*	K5639-92300*
Attachments					
Hitch Kit	ZG1343	Hitch Kit Standard			
Spark Arrester Kit		70000-01602		70000-01602	
LED Light Kit	ZG1302			LED Lights Standard	
Mower Deck Lift Assist Kit	N/A	ZG1337			
Mulch Kit	ZG1342	ZG1348	ZG1354	ZG1348	ZG1354
Seat Suspension Kit	ZG1356			Seat Suspension Standard	
Arm Rest Kit	ZG1341	N/A			
Tuff Top Canopy SUNSHADE	N/A	Z3366 (Not approved with grass catcher)			
Replacement ROPS	SFZ-122				
Tires (Replacement)					
Front Tire Assy Pneumatic Smooth 11x4.0-5	K3011-18020*				
Rear Turf Tire Assembly	K3001-17200*	AZR8630 (22x10 -14)			

\*Order from Parts Department

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>GRASS CATCHER</b>			
GCK54-100Z	Grass Catcher Z100E & S models, 2-Bag, 6 Bushel Capacity	270	\$ 760.00
GCK42-122Z	Grass Catcher Z122R models, 2-Bag, 4 Bushel Capacity	270	\$ 649.00
<b>HITCH KIT</b>			
ZG1343	Hitch Kit for Z122R	4	\$ 28.00
<b>LED LIGHT KIT</b>			
ZG1302	LED Light Kit for Z100 Series	4	\$ 191.00
<b>MID MOUNT MOWER DECK (REPLACEMENT)</b>			
RCK42P-122Z	42" Mid-mount Mower Deck		\$ 800.00
RCK48P-124Z	48" Mid-mount Mower Deck	190	\$ 950.00
RCK54P-127Z	54" Mid-mount Mower Deck	190	\$ 1,100.00
<b>MOWER DECK LIFT ASSIST KIT</b>			
ZG1337	Mower Lift Assist Kit for Z100 E & S Models	14	\$ 19.00
<b>MULCH KIT</b>			
ZG1342	Mulch Kit for Z100 with 42" Deck		\$ 139.00
ZG1348	Mulch Kit for Z100 with 48" Deck	24	\$ 199.00
ZG1354	Mulch Kit for Z100 with 54" Deck	24	\$ 199.00
<b>ROPS, FIXED (Replacement)</b>			
SFZG-124	ROPS	150	\$ 200.00
SFZ-122	Replacement ROPS for Z122R		\$ 200.00
<b>SEAT SUSPENSION</b>			
ZG1356	Seat Suspension Kit	20	\$ 238.00
<b>ARM REST KIT</b>			
ZG1341	Arm rest kit for Z122R	20	\$ 52.00

## Z723-48 / Z724X - 48

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GASOLINE ENGINE

Air-cooled V-Twin Vertical Shaft

#### Z723KH-48

KOHLER, Model GH680V

23 Gross HP @ 3600 rpm\*

Displacement 694 cc

#### Z724XKW-48

KAWASAKI, Model FX GH735V

23.5 hp @ 3,600 RPM

Displacement 726 cc

#### TRANSMISSION

Parker Torqpack GT14

Integrated 14cc pump and wheel motor

Internal Parking Brake

Forward Speeds 0 - 11.2 mph

Reverse Speeds 0 - 5.6 mph

#### STEERING / MOTION CONTROL

(2) Hand Levers

Hydraulically Damped

#### FLUID CAPACITY

Fuel Tank 11.6 gal

Oil 2.2 qts

Transaxle 3.5 qts

#### TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Flat free

Rear 24 x 9.5 -12 Turf

#### DIMENSIONS

Height 69.9"

Length 83.9"

Width w/o deck 50.4"

Wheelbase 51"

#### OPERATING FEATURES

Zero Turn Radius

Foot Controlled Brake

Adjustable Levers and Mower Deck Lift Pedal

Cup Holder & Storage Compartments

Semi-pneumatic, Smooth, Flat free Front Tires

#### SAFETY EQUIPMENT

Seat Safety Switch

Control Lever Safety Switch

Parking Brake Safety Switch

Foldable ROPS

#### PTO SYSTEM

Belt Driven

Dynamo-Electric clutch

#### MOWER DECK

48" Cutting Width

1-5" Cut Height, Adjustable

1/4" Increments

Flexible Discharge Cover

Fabricated 8 Gauge Steel

6" Deep Design

3 Blades

18,100-18,600 fpm Blade Tip Speed

Maintenance-Free Sealed Spindles

\* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>Z723KH-48</b>	<b>Commercial Zero Turn Mower with ROPS</b> 48" Mower Deck, KOHLER Engine		\$ 8,299.00
<b>Z724XKW-48</b>	<b>Commercial Zero Turn Mower with ROPS</b> 48" Mower Deck, KAWASAKI FX Engine		\$ 8,699.00

#### Replacement Tires and Wheels (price per piece)

K3831-18022	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6	Order from Parts Department
K3831-17200	Rear 24 x 9.5 -12 Turf Tire Assembly	Order from Parts Department

## Z724-54 / Z724X-54

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GASOLINE ENGINE

Air-cooled, V-Twin Vertical Shaft

#### Z724KH-54

KOHLER Model GH730V

24 Gross HP @ 3600 rpm\*

Displacement 747 cc

#### Z724XKW-54

KAWASAKI, Model FX GH735V

23.5 hp @ 3,600 RPM

Displacement 726 cc

#### TRANSMISSION

Parker Torqpack GT14

Integrated 14cc pump and wheel motor

Internal Parking Brake

Forward Speeds 0 - 11.2 mph

Reverse Speeds 0 - 5.6 mph

#### STEERING / MOTION CONTROL

(2) Hand Levers

Hydraulically Damped

#### FLUID CAPACITY

Fuel Tank 11.6 gal

Oil 2.2 qts

Transaxle 3.5 qts

#### TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Flat free

Rear 24 x 9.5 -12 Turf

#### DIMENSIONS

Height 69.9"

Length 83.9"

Width w/o deck 50.4"

Wheelbase 51"

#### OPERATING FEATURES

Zero Turn Radius

Foot Controlled Brake

Adjustable Levers and Mower Deck Lift Pedal

Cup Holder & Storage Compartments

Semi-pneumatic, Smooth, Flat free Front Tires

#### SAFETY EQUIPMENT

Seat Safety Switch

Control Lever Safety Switch

Parking Brake Safety Switch

Foldable ROPS

#### PTO SYSTEM

Belt Driven

Dynamo-Electric clutch

#### MOWER DECK

54" Cutting Width

1-5" Cut Height, Adjustable

1/4" Increments

Flexible Discharge Cover

Fabricated 8 Gauge Steel

6" Deep Design

3 Blades

18,100-18,600 fpm Blade Tip Speed

Maintenance-Free Sealed Spindles

\* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>Z724KH-54</b>	<b>Commercial Zero Turn Mower with ROPS</b> 54" Mower Deck, KOHLER Engine		\$ 8,799.00
<b>Z724XKW-54</b>	<b>Commercial Zero Turn Mower with ROPS</b> 54" Mower Deck, KAWASAKI FX Engine		\$ 9,059.00

#### Replacement Tires and Wheels (price per piece)

K3831-18022	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6	Order from Parts Department
K3831-17200	Rear 24 x 9.5 -12 Turf Tire Assembly	Order from Parts Department

## Z725-60 / Z726X-60

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GASOLINE ENGINE

Air-cooled, V-Twin Vertical Shaft

#### Z725KH-60

Model GH740V

25 Gross HP @ 3600 rpm\*

Displacement 747 cc

#### Z726XKW-60

KAWASAKI, Model FX 860V

25.5 hp @ 3,600 RPM

Displacement 852 cc

#### FLUID CAPACITY

Fuel Tank 11.6 gal

Oil 2.4 qts

Transaxle 3.5 qts

#### TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 Flat free

Rear 24 x 12 - 12 Turf

#### DIMENSIONS

Height 69.9"

Length 83.9"

Width w/o deck 54.7"

Wheelbase 51"

#### OPERATING FEATURES

Zero Turn Radius

Foot Controlled Brake

Adjustable Levers and Mower Deck Lift Pedal

Cup Holder & Storage Compartments

Semi-pneumatic, Smooth, Flat free Front Tires

#### SAFETY EQUIPMENT

Seat Safety Switch

Control Lever Safety Switch

Parking Brake Safety Switch

Foldable ROPS

#### PTO SYSTEM

Belt Driven

Dynamo-Electric clutch

#### MOWER DECK

60" Cutting Width

1-5" Cut Height, Adjustable

1/4" Increments

Flexible Discharge Cover

Fabricated 8 Gauge Steel

6" Deep Design

3 Blades

18,100-18,600 fpm Blade Tip Speed

Maintenance-Free Sealed Spindles

#### TRANSMISSION

Parker Torqpack GT14

Integrated 14cc pump and wheel motor

Internal Parking Brake

Forward Speeds 0 - 11.2 mph

Reverse Speeds 0 - 5.6 mph

#### STEERING / MOTION CONTROL

(2) Hand Levers

Hydraulically Damped

\* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>Z725KH-60</b>	<b>Commercial Zero Turn Mower with ROPS</b> 60" Mower Deck, KOHLER Engine	K7Z253Z22		\$ 9,299.00
<b>Z726XKW-60</b>	<b>Commercial Zero Turn Mower with ROPS</b> 60" Mower Deck, KAWASAKI FX Engine	K7Z510Z62		\$ 9,629.00

#### Replacement Tires and Wheels (price per piece)

K3811-18022	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6
K3811-17200	Rear 24 x 12 -12 Turf Tire Assembly

Order from Parts Department  
Order from Parts Department

## Z700 Series Implements and Attachments

Z700 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	Model	Z723-48 / Z724X-48	Z724-54 / Z724X-54	Z725-60 / Z726X-60
3 Bag Grass Catcher		GCK48-700Z	GCK54-700Z	GCK60-700Z
Front Suitcase Weight (Requires 6)		G8103		
Replacement Deck		RCK48P-723Z	RCK54P-724Z	RCK60P-725Z
<b>Blades*</b>				
Replacement blade kit (3 blades)		K5583-97530	K5613-97530	K5647-97530
Replacement blade (1 blade)		K5583-34340	K5613-34340	K5647-34340
Mulching blade (1 blade)		K5583-34350	K5613-34350	K5645-34342
<b>Attachments</b>				
Hitch		Z3308		
Halogen Work Lights (ROPS Mounted)**		Z3317		
LED Work Lights		Z3318		
Maintenance Lift Kit		Z3338		
Adapter Bracket -Maintenance Lift kit (use w/grass catcher)		Z1340		
Mulch Kit		Z3448	Z3454	Z3460
Operator Controlled Discharge Chute (OCDC)		Z3348	Z3354	Z3360
Replacement ROPS		SFZ-F726		
ROPS Organizer		E1184		
Seat Suspension Kit		Z3356A		
<b>Tires*</b>				
Front Semi-Pneumatic Caster Tire/Wheel Assembly		K3831-18022	K3831-18022	K3811-18022
Rear Turf Tire/Wheel Assembly		K3831-17200	K3831-17200	K3811-17200

\*Order through Parts Department

\*\*Subject to availability.

## Z700 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>GRASS CATCHER</b>			
GCK48-700Z	3 Bag, 10 Bushel Bagger	270	\$ 2,350.00
GCK54-700Z	3 Bag, 10 Bushel Bagger	270	\$ 2,350.00
GCK60-700Z	3 Bag, 11 Bushel Bagger	270	\$ 2,450.00
G8103	Front Suitcase Weights	25	\$ 37.00
<b>MID-MOUNT MOWER DECK (REPLACEMENT)</b>			
RCK48P-723Z	48" Fabricated Deck Assembly, Z700 Series 48" Deck		\$ 1,520.00
RCK54P-724Z	54" Fabricated Deck Assembly, Z700 Series 54" Deck		\$ 1,760.00
RCK60P-725Z	60" Fabricated Deck Assembly, Z700 Series 60" Deck		\$ 2,070.00
<b>OPTIONAL / REPLACEMENT MOWER BLADES</b>			
<b>Deck Lift Assist Kit</b>			
Z1340	Deck Lift Assist Kit	56	\$ 60.00
<b>Hitch Kits</b>			
Z3308	Towing Hitch for All Z700 Models	9	\$ 35.00
<b>Work Lights</b>			
Z3317*	Halogen Work Lights for All Z700 Models	4	\$ 133.00
Z3318	LED Work Lights for All Z700 Models	4	\$ 199.00
<b>Maintenance Lift Kit</b>			
Z3338	Maintenance Lift Kit for All Z700 Models	56	\$ 159.00
Z1340	Adapter Bracket, Maint. Lift kit (for use w/grass catcher)		\$ 60.00
<b>Mulch Kits</b>			
Z3448	Mulch Kit for Z700 Series 48" Deck	20	\$ 289.00
Z3454	Mulch Kit for Z700 Series 54" Deck	20	\$ 289.00
Z3460	Mulch Kit for Z700 Series 60" Deck	20	\$ 289.00
<b>Operator Controlled Discharge Chute</b>			
Z3348	OCDC, Hand operated for Z700 Series 48" Deck	50	\$ 239.00
Z3354	OCDC, Hand operated for Z700 Series 54" Deck	50	\$ 239.00
Z3360	OCDC, Hand operated Z700 Series 60" Deck	50	\$ 239.00
<b>Foldable ROPS</b>			
SFZ-F726	Replacement ROPS Z700 Models	141	\$ 275.00
E1184	ROPS Organizer	141	\$ 57.00
<b>Seat Suspension Kit</b>			
Z3356A	Seat Suspension Kit for Z700 Series	20	\$ 399.00
<b>SPARK ARRESTOR</b>			
77700-06209	Spark Arrestor for Kohler models only.	Order from Parts Department	
77700-06208	Spark Arrestor Exhaust Diverter Elbow Diverter must be installed when using Grasscatcher.	Order from Parts Department	

\*Subject to availability.

## ZG222

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GASOLINE ENGINE

Kubota KGZ770-E2-M3  
Overhead Valve - air cooled  
2 Cylinders  
+22 Gross HP @ 3600 rpm

#### FLUID CAPACITY

Fuel Tank 7.4 gal  
Crankcase w/ Filter 1.9 qts  
Transmission Case 7.9 qts  
and Axle Gear

#### OPERATING FEATURES

Zero Turn Radius  
Dual Element Air Filter  
Hands-free Hydraulic Deck Lift  
Hands-free Parking Brake  
Cup Holder

#### TRANSMISSION

Hydrostatic Drive  
(2) HST w/Gear Reduction  
Brake - Wet Multi Disks  
Forward Speeds 0 - 9 mph  
Reverse Speeds 0 - 5 mph

#### TIRES AND WHEELS

Front 13 x 5.0 - 6 Turf  
Rear 23 x 10.5 - 12 Turf

#### DIMENSIONS

Height 69.9"  
Length (ZG222A-48S) 81.1"  
(ZG222A-48) 82.4"  
Width Overall 61.1"  
Wheelbase 51.0"

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

#### POWER TAKE OFF

Hydraulic Independent PTO  
Shaft Drive Mower Deck  
Wet Disk Clutch

#### SAFETY EQUIPMENT

Electric Key Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS

#### MOWERS

1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades  
ZG222A-48S, Stamped 10 Gauge,  
5" Deep Design Deck  
ZG222A-48, Fabricated 9 Gauge,  
6" Deep Design Deck

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
<b>ZG222A-48S</b>	<b>Zero Turn Mower with ROPS</b> 48" Mower (Stamped Deck)	1504	\$ 8,160.00
<b>ZG222A-48</b>	<b>Zero Turn Mower with ROPS</b> 48" PRO Commercial Mower Deck	1504	\$ 8,568.00
<b>Replacement Tires and Wheels (price per piece)</b>			
AZR8637	Front 13 x 5.00 - 6 Turf	10	\$ 57.00
AZR8633A	Rear 23 x 10.5 - 12 Turf	40	\$ 146.00

## ZG227

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GASOLINE ENGINE

Kubota KGZ770-E2-M2  
Overhead Valve - air cooled  
2 Cylinders  
+27 Gross HP @ 3600 rpm

#### FLUID CAPACITY

Fuel Tank	7.4 gal
Crankcase w/ Filter	2.1 qts
Transmission Case and Axle Gear	7.9 qts

#### OPERATING FEATURES

Zero Turn Radius  
Dual Element Air Filter  
Hands-free Hydraulic Deck Lift  
Hands-free Parking Brake  
Cup Holder

#### TRANSMISSION

Hydrostatic Drive  
(2) HST w/Gear Reduction  
Brake - Wet Multi Disks  
Forward Speeds 0 - 9 mph  
Reverse Speeds 0 - 5 mph

#### TIRES AND WHEELS

Front 13 x 5.0 - 6 Turf  
Rear 23 x 10.5 - 12 Turf

#### SAFETY EQUIPMENT

Electric Key Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

#### DIMENSIONS

Height	69.9"
Length	(ZG227A-54) 82.4"
	(ZG227LA-60) 83.9"
Width Overall	(ZG227A-54) 67.3"
	(ZG227LA-60) 75.2"
Wheelbase	51.0"

#### MOWERS

6" Deep, Fabricated Decks  
1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades  
ZG227A-54, 8 Gauge, 54" Cut  
ZG227LA-60, 8 Gauge, 60" Cut

#### POWER TAKE OFF

Hydraulic Independent PTO  
Shaft Drive Mower Deck  
Wet Disk Clutch

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>ZG227A-54</b>	<b>Zero Turn Mower with ROPS</b> 54" PRO Commercial Mower Deck	2042	\$ 9,894.00
<b>ZG227LA-60</b>	<b>Zero Turn Mower with ROPS</b> 60" PRO Commercial Mower Deck	1742	\$ 10,190.00
<b>Replacement Tires and Wheels (price per piece)</b>			
AZR8637	Front 13 x 5.00 - 6 Turf	10	\$ 57.00
AZR8633A	Rear 23 x 10.5 - 12 Turf	40	\$ 146.00



## ZD221

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

3 Cylinder, Model # D782  
+21 Gross HP @ 3200 rpm  
47.5 cu. in. Displacement  
12v 450 Amp Hr. Battery  
14 Amps Charging Output

#### FLUID CAPACITY

Fuel Tank	6.1 gal
Engine Coolant	1.53 qts
Crankcase w/ Filter	3.7 qts
Transmission Case and Axle Gear	7.9 qts

#### OPERATING FEATURES

Zero Turn Radius  
Dual Element Air Filter  
Hands-free Hydraulic Deck Lift  
Hands-free Parking Brake  
Cup Holder

#### TRANSMISSION

Hydrostatic Drive  
(2) HST w/Gear Reduction  
Brake - Wet Multi Disks  
Forward Speeds 0 - 9 mph  
Reverse Speeds 0 - 5 mph

#### TIRES AND WHEELS

Front 13 x 5.0 - 6 Turf  
Rear 23 x 10.5 - 12 Turf

#### SAFETY EQUIPMENT

Electric Key Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

#### DIMENSIONS

Height	69.9"
Length	83.9"
Width Overall	
(ZD221-48)	61.1"
(ZD221-54)	67.3"
Wheelbase	51.0"

#### MOWERS

6" Deep, Fabricated Decks  
1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades  
ZD221-48, 8 Gauge, 48" Cut  
ZD221-54, 8 Gauge, 54" Cut

#### POWER TAKE OFF

Hydraulic Independent PTO  
Shaft Drive Mower Deck  
Wet Disk Clutch

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>ZD221-48*</b>	<b>Zero Turn Mower with ROPS</b> 48" PRO Commercial Mower Deck	1455	\$ 11,659.00
<b>ZD221-54*</b>	<b>Zero Turn Mower with ROPS</b> 54" PRO Commercial Mower Deck	1587	\$ 11,863.00

#### Replacement Tires and Wheels (price per piece)

AZR8637	Front 13 x 5.00 - 6 Turf	10	\$ 57.00
AZR8633A	Rear 23 x 10.5 - 12 Turf	40	\$ 146.00

\* Subject to availability.

## Z200 Series Implements and Attachments

Z200 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Model	ZG222A	ZG227A	ZD221
<b>Implements</b>			
Grass Catcher -- GCK54-200ZB ①	X	X	X
48" Replacement Deck -- RCK48-222Z	ZG222A-48S	--	--
48" Replacement Deck -- RCK48P-222Z	ZG222A-48	--	ZD221-48
54" Replacement Deck -- RCK54P-227Z	--	ZG227A-54	ZD221-54
60" Replacement Deck -- RCK60P-227Z	--	ZG227LA-60	--
<b>Attachments</b>			
Mount Kit for use with GCK54-200ZA	--	--	ZD3154
Mount Kit for use with GCK54-200ZB	ZG3164	ZG3164	ZD3154
Blower Kit (for 48" Deck) -- ZD3140	ZG222A-48S	--	--
Blower Kit (for 48" Deck) -- ZD3141	ZG222A-48	--	ZD221-48
Blower Kit (for 54" Deck) -- ZG3152	--	ZG227A-54	ZD221-54
Blower Kit (for 60" Deck) -- ZG3162	--	ZG227LA-60	--
Weight Kit (for GCK54-200ZB) -- ZG3131	--	--	ZD221 (Below S/N 30001)
Weight Kit (for GCK54-200ZB) -- ZG3132	ZG222A-48S, ZG222A-48	ZG227A-54	ZD221 (Above S/N 30001)
Mulch Kit (for 48" Deck) -- ZG3049	ZG222A-48S	--	--
Mulch Kit (for 48" Deck) -- ZD3145	ZG222A-48	--	ZD221-48
Mulch Kit (for 54" Deck) -- ZG3156	--	ZG227A-54	ZD221-54
Mulch Kit (for 60" Deck) -- ZG3157	--	ZG227LA-60	--
Maintenance Lift Kit - ZG3127	X	X	X
Canopy, Deluxe Fiberglass -- E1123 ②	X	X	X
Work Light Kit - ZD3116A	X	X	X
ROPS Organizer -- E1184	X	X	X
SPARK ARRESTOR KIT -- ZG3123③	X	X	--
SPARK ARRESTOR KIT -- ZD3125	--	--	X
Foldable ROPS (replacement) - SFZD-F221	--	--	X
Foldable ROPS (replacement) - SFZG-F222	X	X	--
Foldable ROPS (replacement) - SFZG-F27A*	--	--	X
<b>Tires (Replacement)</b>			
AZR8637 Pneumatic, Front (13x5.0-6)	X	X	X
AZR8633A Turf, Rear (23x10.5-12)	X	X	X

① See Grass Catcher Matching Chart for necessary Weight Brackets, Mount Kits, and Blower Kits.

② Requires Canopy Mount Kit (E1124) for use with E1123 Deluxe Canopy.

③ ZG200A Series require additional ZG Adapter Kit (ZG3133).

## Z200 Series Implements and Attachments

Z200 Series Grass Catchers											
	Grass Catcher		Blower Kit				Mount Kit			Weight Kit	
	GCK54-200ZA	GCK54-200ZB	ZD3140	ZD3141	ZG3152	ZG3162	ZG3144	ZD3154	ZG3164	ZG3131	ZG3132
ZG222A-48S		X	X						X		⑤
ZG222A-48		X		X					X		④
ZG227A-54		X			X				X		X
ZG227LA-60		X				X			X		
ZD221-48 ①		X		X				X			④
ZD221-54 ①		X			X			X			X
ZD221-48 ②	X	X		X				X		③	
ZD221-54 ②	X	X			X			X		③	

① ZD200 Models ABOVE S/N 30001

② ZD200 Models BELOW S/N 30001

③ Required only for GCK54-200ZB

④ Requires the addition of one (1) G8103 Suitcase Weights

⑤ Requires the addition of two (2) G8103 Suitcase Weights

## Z200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>GRASS CATCHER</b>			
GCK54-200ZB	2-Bag Grass Catcher, 8 bu. Capacity Fits Z200/Z200A Series 48", 54", & 60" decks May require Blower Kit, Weight Kit, & Mount Kit	270	\$ 703.00
<b>BLOWER KIT, required for use with Grass Catcher</b>			
ZD3140	48" Blower Kit for ZG222(A)-48S	61	\$ 609.00
ZD3141	48" Blower Kit for ZG222(A)-48 & ZD221-48	74	\$ 1,017.00
ZG3152	54" Blower Kit for ZG227(A)-54 & ZD221-54	75	\$ 1,017.00
ZG3162	60" Blower Kit for ZG227L(A)-60	78	\$ 1,232.00
<b>MOUNT KIT, required for use with Grass Catcher</b>			
ZG3144	Mount Kit for ZG200 Series w/ GCK54-200Z(A)(B)	20	\$ 352.00
ZG3164	Mount Kit for ZG200A Series w/ GCK54-200ZB	20	\$ 372.00
ZD3154	Mount Kit for ZD200 Series w/ GCK54-200Z(A)(B)	20	\$ 380.00
<b>WEIGHT KIT, may be required for use with GCK54-200ZB Grass Catcher</b>			
ZG3131	Weight kit for all ZG200, and ZD200 under S/N 30001 (ZG227L-60 does not require Weight Kit)	14	\$ 34.00
ZG3132	Weight kit for all ZG200A, and ZD200 over S/N 30001 (ZG227LA-60 does not require Weight Kit) **ZG3132 requires (2) G8103 Suitcase Weights	14	\$ 103.00
<b>MULCH KIT</b>			
ZG3049	48" Mulch Kit for ZG222(A)-48S	20	\$ 163.00
ZD3145	48" Mulch Kit for ZG222(A)-48 & ZD221-48	37	\$ 288.00
ZG3156	54" Mulch Kit for ZG227(A)-54 & ZD221-54	24	\$ 288.00
ZG3157	60" Mulch Kit for ZG227L(A)-60	37	\$ 309.00
<b>OPTIONAL / REPLACEMENT MOWER BLADES</b>			
K5575-97530	48" Stamped Deck Replacement Blade Set (3 blades)	Order from Parts Department	
K5575-97590	48" Stamped Deck Mulch Blade Set (3 blades)	Order from Parts Department	
K5576-97530	48" Pro Deck Replacement Blade Set (3 blades)	Order from Parts Department	
K5576-34340	48" Pro Deck Mulch Blade (1 blade)	Order from Parts Department	
K5619-97530	54" Pro Deck Replacement Blade Set (3 blades)	Order from Parts Department	
K5351-99040	54" Pro Deck Mulch Blade (1 blade)	Order from Parts Department	
K5647-97530	60" Pro Deck Replacement Blade Set (3 blades)	Order from Parts Department	
K5645-34340	60" Pro Deck Mulch Blade (1 blade)	Order from Parts Department	
<b>MAINTENANCE LIFT KIT</b>			
ZG3127	Fits all Z200(A) Series	14	\$ 129.00
<b>CANOPY</b>			
E1123	Canopy Sunshade (Deluxe Fiberglass)	90	\$ 322.00
E1124	Mounting Bracket for E1123	30	\$ 180.00
<b>WORK LIGHT KIT</b>			
ZD3116A	Work Light Kit (ROPS Mounted) Fits all Z-Series	10	\$ 112.00

\* Subject to availability.

## Z200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>ROPS ORGANIZER</b>			
E1184	Storage organizer (ROPS mounted) 5 protective pockets with zippers	TBA	\$ 57.00
<b>MID MOUNT MOWERS (replacement)</b>			
RCK48S-222Z	48" Stamped Deck, for ZG222(A)-48S	208	\$ 1,507.00
RCK48P-222Z	48" Fabricated Deck (Pro Commercial) for ZG222(A)-48 & ZD221-48	190	\$ 1,643.00
RCK54P-227Z	54" Fabricated Deck (Pro Commercial) for ZG227(A)-54 & ZD221-54	190	\$ 1,903.00
RCK60P-227Z	60" Fabricated Deck (Pro Commercial) for ZG227L(A)-60	190	\$ 2,233.00
<b>SPARK ARRESTOR MUFFLER KIT</b>			
ZG3123	Spark Arrestor Kit (screen type) Fits ZG200 Series **ZG200A Series require additional ZG3133 Adapter Kit	TBA	\$ 226.00
ZG3133	Adapter Kit required for ZG200A Models w/ ZG3123	TBA	\$ 20.00
ZD3125	Spark Arrestor (screen type) Fits ZD200 Series	TBA	TBA
<b>FOLDABLE ROPS (replacement)</b>			
SFZD-F221	Fits ZD200 Series (Supersedes SFZG-F27A)	TBA	\$ 350.00
SFZG-F222	Fits ZG200A Series (Evaporative Regulations)	TBA	\$ 350.00
SFZG-F27A*	Fits all Z200 Series	150	\$ 350.00

\* Subject to availability.

## ZD1011

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

3 Cylinder, Model # D782  
19.3 Gross HP @ 3200 rpm  
47.5 cu. in. Displacement  
12v 430 Amp Hr. Battery  
14 Amps Charging Output

#### TRANSMISSION

Hydrostatic Drive  
(2) HST w/Gear Reduction  
Brake - Wet Multi Disks  
Forward Speeds 0 - 9 mph  
Reverse Speeds 0 - 5 mph

#### STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable  
Hydraulically Damped, Adjustable

#### FLUID CAPACITY

Fuel Tank	5.8 gal
Engine Coolant w/ Recovery Tank	3.11 qts
Crankcase w/ Filter	3.7 qts
Transmission Case and Axle Gear	7.9 qts

#### TIRES AND WHEELS

Front 13 x 5.0 - 6  
Rear 24 x 9.5-14 Turf, Low Profile

#### DIMENSIONS

Height	74.4"
Length	87.8"
Width Overall	
(ZD1011-48)	61.6"
(ZD1011-54)	67.3"
Wheelbase	54.3"

#### POWER TAKE OFF

Hydraulic Independent PTO  
Shaft Drive Mower Deck  
Wet Disk Clutch

#### OPERATING FEATURES

Zero Turn Radius  
Dual Element Air Filter  
Adj. Front Axle: Rigid/Oscillating  
Deluxe Suspension Seat  
Hands-free Hydraulic Deck Lift  
Hands-free Parking Brake  
Cup Holder

#### SAFETY EQUIPMENT

Electric Key Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS  
Seat Safety Switch

#### MOWERS

6" Deep, Pro Deck w/ACS  
1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades  
ZD1011-48, 8 Gauge, 48" Cut  
ZD1011-54, 8 Gauge, 54" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>ZD1011-48</b>	<b>Zero Turn Mower with ROPS</b> 48" Kubota PRO Deck w/ACS	1632	\$ 12,474.00
<b>ZD1011-54</b>	<b>Zero Turn Mower with ROPS</b> 54" Kubota PRO Deck w/ACS	1659	\$ 12,689.00
<b>ZD1011-48/54 Replacement Tires and Wheels (price per piece)</b>			
K3411-18020	Front Pneumatic Caster Tire/Wheel Assembly	Order from Parts Department	
K3411-14300	Rear Turf Tire/Wheel Assembly	Order from Parts Department	

## ZD1021

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

3 Cylinder, Model # D902  
21.6 Gross HP @ 3200 rpm  
54.8 cu. in. Displacement  
12v 430 Amp Hr. Battery  
14 Amps Charging Output

#### FLUID CAPACITY

Fuel Tank 5.8 gal  
Engine Coolant w/  
Recovery Tank 3.11 qts  
Crankcase w/ Filter 3.7 qts  
Transmission Case 7.9 qts  
and Axle Gear

#### OPERATING FEATURES

Zero Turn Radius  
Dual Element Air Filter  
Adj. Front Axle: Rigid/Oscillating  
Deluxe Suspension Seat  
Hands-free Hydraulic Deck Lift  
Hands-free Parking Brake  
Cup Holder

#### TRANSMISSION

Hydrostatic Drive  
(2) HST w/Gear Reduction  
Brake - Wet Multi Disks  
Forward Speeds 0 - 9 mph  
Reverse Speeds 0 - 5 mph

#### TIRES AND WHEELS

Front 13 x 6.5 - 6  
Rear 24 x 12 - 14 Turf, Low Profile

#### SAFETY EQUIPMENT

Electric Key Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS  
Seat Safty Switch

#### STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable  
Hydraulically Damped, Adjustable

#### DIMENSIONS

Height 74.4"  
Length 88.6"  
Width Overall 73.8"  
Wheelbase 54.3"

#### POWER TAKE OFF

Hydraulic Independent PTO  
Shaft Drive Mower Deck  
Wet Disk Clutch

#### MOWERS

6" Deep, Pro Deck w/ACS  
1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades  
ZD1021-60, 8 Gauge, 60" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	-------------------	---------------------	-------------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>ZD1021-60</b>	<b>Zero Turn Mower with ROPS</b> 60" PRO Commercial ACS Mower Deck	K11Z154Z00	1725	\$ 14,300.00
------------------	---	------------	------	--------------

#### ZD1021-60 Replacement Tires and Wheels (price per piece)

K3421-18020	Front Pneumatic Caster Tire/Wheel Assembly	Order from Parts Department
K3411-14300	Rear Turf Tire/Wheel Assembly	Order from Parts Department

## Z1000 Series Implements and Attachments

Z1000 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	ZD1011-48	ZD1011-54	ZD1021-60
2 Bag Grass Catcher	GCK48-ZD1011	GCK54-ZD1011	GCK60-ZD1021
Replacement Deck	RCK48P-1000Z	RCK54P-1000Z	RCK60P-1000Z
<b>Blades*</b>			
Replacement blade kit (3 blades)	K5915-97530*	K5935-97530*	K5945-97530*
Replacement blade (1 blade)	K5915-34361*	K5935-34361*	K5945-34361*
<b>Attachments</b>			
Hitch	Z3328		
Maintenance Lift Kit	Z3117		
Mulch Kit	ZD3145	ZG3156	ZG3157
Operator Controlled Discharge Chute (OCDC)	ZD6148	ZD6154	ZD6160
Replacement ROPS	SFZD-F1021		
ROPS Organizer	E1184		
<b>Tires*</b>			
Front Pneumatic Caster Tire/Wheel Assembly	K3411-18020*		K3421-18020*
Rear Turf Tire/Wheel Assembly	K3411-17300*		K3421-17300*

\*Order through Parts Department



## Z1000 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>GRASS CATCHER</b>				
GCK48-ZD1011	2-Bag Grass Catcher, 8 bu. Capacity Requires (2) G8103 Front Weights	K1Z911Z00	TBA	\$ 2,450.00
GCK54-ZD1011	2-Bag Grass Catcher, 8 bu. Capacity Requires (2) G8103 Front Weights	K1Z911Z00	TBA	\$ 2,450.00
GCK60-ZD1021	2-Bag Grass Catcher, 8 bu. Capacity Requires (2) G8103 Front Weights	K1Z911Z00	TBA	\$ 2,450.00
<b>MID MOUNT MOWERS (Replacement)</b>				
RCK48P-1000Z	48" Kubota PRO Deck w/ACS for ZD1011	K1Z287Z00	301	\$ 1,650.00
RCK54P-1000Z	54" Kubota PRO Deck w/ACS for ZD1011	K1Z491Z36	301	\$ 1,912.00
RCK60P-1000Z	60" Kubota PRO Deck w/ACS for ZD1021	K1Z662Z96	306	\$ 2,132.00
<b>MULCH KIT</b>				
ZD3145	48" Mulch Kit for ZD1011-48	K224Z64	33	\$ 288.00
ZG3156	54" Mulch Kit for ZD1011-54	K224Z64	TBA	\$ 288.00
ZG3157	60" Mulch Kit for ZD1021-60	K241Z02	TBA	\$ 309.00
<b>MAINTENANCE LIFT KIT</b>				
ZD3117	Fits all ZD1000 Series	K116Z22	TBA	\$ 149.00
<b>OPERATOR CONTROLLED DISCHARGE CHUTE</b>				
ZD6148	OCDC, Hand operated for ZD1000 series 48" Deck	K202Z02	TBA	\$ 259.00
ZD6154	OCDC, Hand operated for ZD1000 series 54" Deck	K202Z02	TBA	\$ 259.00
ZD6160	OCDC, Hand operated for ZD1000 series 60" Deck	K202Z02	TBA	\$ 259.00
<b>HITCH KIT</b>				
ZD3328	Fits all ZD1000 Series	K42Z90	TBA	\$ 55.00
<b>OPTIONAL / REPLACEMENT MOWER BLADES</b>				
K5915-97530	48" Kubota PRO Deck Replacement Blade Set (3 blades)for RCK48P-1000Z			Order from Parts Department
K5915-34361	48" Kubota PRO Deck Replacement Blade Set (1 blade)for RCK48P-1000Z			Order from Parts Department
K5576-34340	48" Kubota PRO Deck Mulch Blade (1 blade)for RCK48P-1000Z			Order from Parts Department
K5935-97530	54" Kubota PRO Deck Replacement Blade Set (3 blades)for RCK54P-1000Z			Order from Parts Department
K5935-34361	54" Kubota PRO Deck Replacement Blade Set (1 blade)for RCK54P-1000Z			Order from Parts Department
K5351-99040	54" Kubota PRO Deck Mulch Blade (1 blade)for RCK54P-1000Z			Order from Parts Department
K5945-97530	60" Kubota PRO Deck Replacement Blade Set (3 blades)for RCK60P-1000Z			Order from Parts Department
K5945-34361	60" Kubota PRO Deck Replacement Blade Set (1 blade)for RCK60P-1000Z			Order from Parts Department
K5645-34340	60" Kubota PRO Deck Mulch Blade (1 blade)for RCK60P-1000Z			Order from Parts Department
<b>FOLDABLE ROPS (Replacement)</b>				
SFZD-F1021	Fits all ZD1000 Series	K304Z20	197	\$ 390.00
<b>CANOPY</b>				
TBA	Canopy Sunshade (Deluxe Fiberglass, Orange)	TBA	TBA	TBA
TBA	Mounting Bracket	TBA	TBA	TBA

## Z1000 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>ROPS ORGANIZER</b>			
E1184	Storage organizer (ROPS mounted) 5 protective pockets with zippers	TBA	\$ 57.00
<b>WORK LIGHT KIT</b>			
ZD3116A	Work Light Kit (ROPS Mounted)	10	\$ 112.00
<b>SPARK ARRESTOR MUFFLER KIT</b>			
TBA	Spark Arrestor (screen type) Fits ZD1000 Series	TBA	TBA

## ZG327

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GASOLINE ENGINE

Kubota KGZ770-E2-M1  
Overhead Valve - air cooled  
2 Cylinders  
+27 Gross HP @ 3600 rpm

#### FLUID CAPACITY

Fuel Tank	12.7 gal
Crankcase w/ Filter	2.1 qts
Transmission Case and Axle Gear	12.8 qts

#### OPERATING FEATURES

Zero Turn Radius  
Dual Element Air Filter  
Deluxe Suspension Seat  
Hands-free Hydraulic Deck Lift  
Hands-free Parking Brake  
Cup Holder

#### TRANSMISSION

Hydrostatic Drive  
(2) HST w/Gear Reduction  
Brake - Wet Multi Disks  
Forward Speeds 0 - 10.6 mph  
Reverse Speeds 0 - 5.3 mph

#### TIRES AND WHEELS

Front 15 x 6.0 - 6, Flat Free  
Rear 26 x 12.0 - 12 Turf

#### DIMENSIONS

Height	75.4"
Length	87.8"
Width Overall	
(ZG327PA-60)	75.2"
(ZG327RPA-60R)	63.1"
Wheelbase	55.5"

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

#### POWER TAKE OFF

Hydraulic Independent PTO  
Shaft Drive Mower Deck  
Wet Disk Clutch

#### SAFETY EQUIPMENT

Electric Key Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS

#### SIDE DISCHARGE MOWER

60" PRO Commercial Deck  
7 Gauge, 6.5" Deep Deck  
1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades

#### REAR DISCHARGE MOWER

60" Fabricated Deck  
5.5" Deep Deck  
1-5" Cut Height, Adjustable  
1/4" Increments  
3 Blades  
Bolt-on Skid Bars

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>ZG327PA-60</b>	<b>Zero Turn Mower with ROPS</b> 60" PRO Commercial Mower Deck	1742	\$ 11,394.00
<b>ZG327RPA-60R</b>	<b>Zero Turn Mower with ROPS</b> 60" Rear Discharge Mower Deck	1742	\$ 11,725.00

#### Replacement Tires and Wheels (price per piece)

AZR8638	Front 15 x 6.00 - 6 Semi-pneumatic, Flat-free	21	\$ 121.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	44	\$ 182.00

## ZG332

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### GASOLINE ENGINE

Kubota WG972  
Liquid Cooled  
3 Cylinders  
+32.5 Gross HP @ 3600 rpm

#### FLUID CAPACITY

Fuel Tank 12.7 gal  
Crankcase w/ Filter 2.1 qts  
Transmission Case 12.8 qts  
and Axle Gear

#### OPERATING FEATURES

Zero Turn Radius  
Dual Element Air Filter  
Deluxe Suspension Seat  
Hands-free Hydraulic Deck Lift  
Hands-free Parking Brake  
Cup Holder

#### TRANSMISSION

Hydrostatic Drive  
(2) HST w/Gear Reduction  
Brake - Wet Multi Disks  
Forward Speeds 0 - 10.6 mph  
Reverse Speeds 0 - 5.3 mph

#### TIRES AND WHEELS

Front 15 x 6.0 - 6, Flat Free  
Rear 26 x 12.0 - 12 Turf

#### DIMENSIONS

Height 75.4"  
Length  
(ZG332P-60/LP-72) 91.7" / 95.0"  
Width  
(ZG332P-60/LP-72) 75.2" / 88.0"  
Wheelbase 52.5" / 58.9"

#### SIDE DISCHARGE MOWER

60" or 72" PRO Commercial Deck  
7 Gauge, 6.5" Deep Deck  
1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

#### POWER TAKE OFF

Hydraulic Independent PTO  
Shaft Drive Mower Deck  
Wet Disk Clutch

#### SAFETY EQUIPMENT

Electric Key Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>ZG332P-60</b>	<b>Zero Turn Mower with ROPS</b> 60" PRO Commercial Mower Deck	1742	\$ 14,168.00
<b>ZG332LP-72</b>	* <b>Zero Turn Mower with ROPS</b> 72" PRO Commercial Mower Deck	1742	\$ 14,678.00

#### Replacement Tires and Wheels (price per piece)

AZR8638	Front 15 x 6.00 - 6 Semi-pneumatic, Flat-free	21	\$ 121.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	44	\$ 182.00

\* Subject to availability.

## ZP330

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### PROPANE ENGINE

Kubota WG972  
Liquid Cooled  
3 Cylinders  
+31.0 Gross HP @ 3600rpm

#### TRANSMISSION

Hydrostatic Drive  
(2)-HST w/Gear Reduction  
Brake - Wet Multi Disc  
Forward Speeds 0 – 10.6 mph  
Reverse Speeds 0 – 5.3 mph

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically damped

#### POWER TAKE OFF

Hydraulic Independent PTO  
Shaft Drive Mower Deck  
Wet Disk Clutch

#### FLUID CAPACITY

Dual Fuel Tank 33.5 lbs x 2 tanks  
Crankcase w/ Filter 2.1 qts  
Transmission Case 12.8 qts  
and Axle Gear

#### TIRES AND WHEELS

Front: 15 x 6.0 - 6 Flat-Free  
Rear: 26 x 12.0 - 12 Turf

#### DIMENSIONS

Height 75.4"  
Length 91.7"  
Width 75.2"  
Wheel Base 55.5"

#### SAFETY EQUIPMENT

Electric Key Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS

#### OPERATING FEATURES

Zero Turn Radius  
Dual Element Air Filter  
Deluxe Suspension Seat  
Hands-free Hydraulic Deck Lift  
Hands-free Parking Brake  
Cup Holder

#### SIDE DISCHARGE MOWER

60" or 72" PRO Commercial Deck  
7 Gauge, 6.5" Deep Deck  
1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>ZP330P-60</b>	<b>Zero Turn Mower with ROPS</b> 60" PRO Commercial Mower Deck	TBA	\$ 15,861.00
<b>ZP330LP-72*</b>	<b>Zero Turn Mower with ROPS</b> 72" PRO Commercial Mower Deck	TBA	\$ 16,422.00
<b>Replacement Tires and Wheels (price per piece)</b>			
AZR8638	Front 15 x 6.00 - 6 Semi-pneumatic, Flat-free	21	\$ 121.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	44	\$ 182.00

\* Subject to availability.

## ZD323

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

3 Cylinder, Model # D902  
+23 Gross HP @ 3200 rpm  
54.8 cu. in. Displacement  
12v 450 Amp Hr. Battery  
14 Amps Charging Output

#### FLUID CAPACITY

Fuel Tank	12.9 gal
Engine Coolant	3.96 qts
Crankcase w/ Filter	3.6 qts
Transmission Case and Axle Gear	12.8 qts

#### OPERATING FEATURES

Zero Turn Radius  
Adj. Front Axle: Rigid/Oscillating  
Dual Element Air Filter  
Deluxe Suspension Seat  
Hands-free Hydraulic Deck Lift  
Hands-free Parking Brake  
Cup Holder

#### TRANSMISSION

Hydrostatic Drive  
(2) HST w/Gear Reduction  
Brake - Wet Multi Disks  
Forward Speeds 0 - 9.3 mph  
Reverse Speeds 0 - 5.2 mph

#### TIRES AND WHEELS

Front 15 x 6.0 - 6  
Rear 26 x 12.0 - 12 (60" Deck)

#### DIMENSIONS

Height	75.4"
Length	87.4"
Width Overall	72.8"
Wheelbase	55.5"

#### SAFETY EQUIPMENT

Electric Key Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

#### POWER TAKE OFF

Hydraulic Independent PTO  
Shaft Drive Mower Deck  
Wet Disk Clutch

#### MOWER

PRO Commercial Deck  
6.5" Deep Design (60" deck)  
1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>ZD323-60*</b>	<b>Zero Turn Mower with ROPS</b> 60" PRO Commercial Mower Deck	2064	\$ 13,872.00
<b>Replacement Tires and Wheels (price per piece)</b>			
AZR8636	Front 15 x 6.0 - 6 Turf	10	\$ 62.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	44	\$ 182.00

\* Subject to availability.

## ZD326

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

3 Cylinder, Model # D1005  
+26 Gross HP @ 3200 rpm  
61.1 cu. in. Displacement  
12v 450 Amp Hr. Battery  
14 Amps Charging Output

#### FLUID CAPACITY

Fuel Tank	12.9 gal
Engine Coolant	3.96 qts
Crankcase w/ Filter	4.1 qts
Transmission Case and Axle Gear	12.8 qts

#### OPERATING FEATURES

Zero Turn Radius  
Adj. Front Axle: Rigid/Oscillating  
Dual Element Air Filter  
Deluxe Suspension Seat  
Hands-free Hydraulic Deck Lift  
Hands-free Parking Brake  
Cup Holder

#### TRANSMISSION

Hydrostatic Drive  
(2) HST w/Gear Reduction  
Brake - Wet Multi Disks  
Forward Speeds 0 - 9.3 mph (ZD326S)  
0 - 10.6 mph (ZD326RP/P)  
Reverse Speeds 0 - 5.2 mph (ZD326S)  
0 - 5.3 mph (ZD326RP/R)

#### TIRES AND WHEELS

Front 15 x 6.0 - 6 (ZD326S)  
Front 15 x 6.0 - 6 Flat-free (ZD326RP/P)  
Rear 26 x 12.0 - 12

#### DIMENSIONS

Height	75.4"
Length	87.4"
Width Overall	
(ZD326S/P)	75.2"
(ZD326RP)	63.1"
(ZD326H)	88"
Wheelbase	55.5"

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

#### POWER TAKE OFF

Hydraulic Independent PTO  
Shaft Drive Mower Deck  
Wet Disk Clutch

+ Manufacturer Estimate

#### SAFETY EQUIPMENT

Electric Key Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS

#### SIDE DISCHARGE MOWER

60" PRO Commercial Deck  
7 Gauge, 6.5" Deep Deck  
1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades

#### REAR DISCHARGE MOWER

60" Fabricated Deck  
5.5" Deep Deck  
1-5" Cut Height, Adjustable  
1/4" Increments  
3 Blades  
Bolt-on Skid Bars

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>ZD326S-60*</b>	<b>Zero Turn Mower with ROPS</b> 60" PRO Commercial Mower Deck	2042	\$ 14,586.00
<b>ZD326P-60*</b>	<b>Zero Turn Mower with ROPS</b> 60" PRO Commercial Mower Deck	2200	\$ 14,892.00
<b>ZD326RP-60R*</b>	<b>Zero Turn Mower with ROPS</b> 60" Rear Discharge Mower Deck	2200	\$ 14,898.00
<b>ZD326HL-72*</b>	<b>Zero Turn Mower with ROPS</b> 72" PRO Commercial Mower Deck		\$ 15,677.00
<b>Replacement Tires and Wheels (price per piece)</b>			
AZR8636	Front 15 x 6.0 - 6 Turf (ZD326S)	10	\$ 62.00
AZR8638	Front 15 x 6.0 - 6 Semi-pneumatic, Flat-free (ZD326RP/P)	21	\$ 121.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	44	\$ 182.00

\* Subject to availability.

## ZD331

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

3 Cylinder, Model # D1305  
+31 Gross HP @ 3000 rpm  
77.0 cu. in. Displacement  
12v 450 Amp Hr. Battery  
14.5 Amps Charging Output

#### FLUID CAPACITY

Fuel Tank 12.9 gal  
Engine Coolant 3.96 qts  
Crankcase w/ Filter 6.0 qts  
Transmission Case 12.8 qts  
and Axle Gear

#### OPERATING FEATURES

Zero Turn Radius  
Adj. Front Axle: Rigid/Oscillating  
Dual Element Air Filter  
Deluxe Suspension Seat  
Hands-free Hydraulic Deck Lift  
Hands-free Parking Brake  
Cup Holder

#### TRANSMISSION

Hydrostatic Drive  
(2) HST w/Gear Reduction  
Brake - Wet Multi Disks  
Forward Speeds 0 - 10.6 mph  
Reverse Speeds 0 - 5.3 mph

#### TIRES AND WHEELS

Front 15 x 6.0 - 6 Flat-free  
Rear 26 x 12.0 - 12

#### DIMENSIONS

Height 75.4"  
Length (ZD331RP/P) 87.4"  
(ZD331LP) 91.9"  
Width Overall (ZD331RP) 63.1"  
(ZD331P) 75.2"  
(ZD331LP) 87.6"  
Wheelbase (ZD331RP/P) 55.5"  
(ZD331LP) 59.8"

#### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

#### SIDE DISCHARGE MOWER

PRO Commercial Deck (60" & 72")  
7 Gauge, 6.5" Deep Deck  
1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades

#### SAFETY EQUIPMENT

Electric Key Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS

#### REAR DISCHARGE MOWER

60" Fabricated Deck  
5.5" Deep Deck  
1-5" Cut Height, Adjustable  
1/4" Increments  
3 Blades  
Bolt-on Skid Bars

#### POWER TAKE OFF

Hydraulic Independent PTO  
Shaft Drive Mower Deck  
Wet Disk Clutch

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

ZD331LP-72	Zero Turn Mower with ROPS 72" PRO Commercial Mower Deck	2450	\$ 17,178.00
------------	--	------	--------------

#### Replacement Tires and Wheels (price per piece)

AZR8638	Front 15 x 6.0 - 6 Flat-Free	21	\$ 121.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	44	\$ 182.00



## Z300 Series Implements and Attachments

Z300 SERIES IMPLEMENT AND ATTACHMENT MATCHING CHART

GRASS COLLECTION SYSTEMS	ZG327PA-60	ZG332P-60	ZG332LP-72	ZP330-60/72	ZD323-60	ZD326S/P-60	ZD326HL-72	ZD331-72
GRASS CATCHER BAGGER STYLE	GCK60-331ZA	GCK60-331ZA			GCK60-331ZA	GCK60-331ZA		
Blower Kit	ZD3163	ZD3163			ZD3163	ZD3163		
Mount Kit		ZG3174						
Weight Kit	ZG3134	ZG3134						
Suitcase Weight		G8103 (2)						
GRASS CATCHER HOPPER STYLE	GCK60H-300Z	GCK60H-332Z	GCK72H-332Z		GCK60H-300Z	GCK60H-300Z		GCK72H-300Z
Blower Kit	ZD3163	ZD3163	ZG3172		ZD3163	ZD3163		
Mount Kit					ZD3121	ZD3121		
Weight Kit	ZG3126							
Suitcase Weight	G8103 (4)	G8103 (6)	G8103 (4)					
Boss Kit								ZD3128 ①
MOWER DECKS & MULCH KITS	ZG327PA-60	ZG332P-60	ZG332LP-72	ZP330-60/72	ZD323	ZD326	ZD326HL-72	ZD331-72
60" Replacement Deck	RCK60P-327Z	RCK60P-327Z		RCK60P-327Z	RCK60P-331Z	RCK60P-331Z		
Mulch Kit 60" Deck	ZD3165	ZD3165		ZD3165	ZD3165	ZD3165		
60" Replacement Deck -Rear Disch.	RCK60R-331Z					RCK60R-331Z		
Mulch Kit 60" Rear Disch. Deck	F5266					F5266		
72" Replacement Deck			RCK72P-332Z	RCK72P-332Z			TBA	RCK72P-331Z
Mulch Kit 72" Deck			ZD3175	ZD3175			F5372	ZD3175
ATTACHMENTS	ZG327PA-60	ZG332P-60	ZG332LP-72	ZP330-60/72	ZD323-60	ZD326-60	ZD326HL-72	ZD331-72
Canopy - Plastic	E1133	E1133	E1133	E1133	E1133	E1133	E1133	E1133
Canopy, Deluxe - Fiberglass	E1123	E1123	E1123	E1123	E1123	E1123	E1123	E1123
Canopy, Deluxe - Mount Kit③	E1124	E1124	E1124	E1124	E1124	E1124	E1124	E1124
Front Push Blade	ZD3110	ZD3110	ZD3110	ZD3110	ZD3110	ZD3110	ZD3110A	ZD3110
Maintenance Lift Kit	ZG3137	ZG3137	ZG3138	ZG3137 -60" ZP3147 -72"				
ROPS, Foldable (Replacement)	SFZG-F31	SFZG-F31	SFZG-F31	SFZP-F330	SFZD-F31	SFZD-F31	SFZD-F31	SFZD-F31
ROPS Organizer	E1184	E1184	E1184	E1184				
Rear Weight Bracket							ZD3124 ②	ZD3124②
Spark Arresting Muffler Kit	ZG3123	ZG3123	ZG3123		ZD3125	ZD3125	ZD3125	ZD3125
Spark Arrester Kit m	ZG3133							
Stripe Kit	ZD3122	ZD3122	ZD3122	ZD3122	ZD3122	ZD3122		ZD3122
Work Light Kit	ZD3116A	ZD3116A	ZD3116A	ZD3116A	ZD3116A	ZD3116A	ZD3116A	ZD3116A
TIRES (REPLACEMENT)	ZG327PA-60	ZG332P-60	ZG332LP-72	ZP330-60/72	ZD323-60	ZD326-60	ZD326HL-72	ZD331-72
Full Pneumatic Front Tire								
Front Pneumatic 15 x 6 x 6.5					AZR8636	AZR8636 (S)		
Front Semi-Pneumatic 15 x 6 x 6.5	AZR8638	AZR8638	AZR8638	AZR8638		AZR8636 (P)	AZR8638	AZR8638
Rear Turf 26 x 12 x 12	AZR8532	AZR8532	AZR8532	AZR8532	AZR8532	AZR8532	AZR8632A	AZR8532

①Boss Kit ZD3128 is required for decks below #30375 (See PSB-2010-009)

②Rear Weight Kit ZD3124 requires G8103 Suitcase Weights

③Canopy Mount Kit (E1124) is required for use with E1123 Deluxe Canopy

## Z300 Series Implements and Attachments

Model	ZG327*	ZG327A	ZG332	ZP330	ZD321*	ZD323	ZD326	ZD331
<b>Tires (Replacement)</b>								
AZR8636 Pneumatic, Front (15x6.0-6.5)	--	--	--	--	X	X	ZD326S-60	--
AZR8638 Semi-Pneumatic, Front (15x6.0-6.5)	X	X	X	X	--	--	ZD326P-60 ZD326RP-60R	X
AZR8634 Turf, Rear (26x10.5-12)	--	--	--	--	ZD321N-54	--	--	--
AZR8532 Turf, Rear (26 x 12.0-12)	X	X	X	X	ZD321-60	X	X	X

\* Subject to availability

Z300 Series Grass Catchers						
GCK60-331ZA		Blower Kit			Mount / Weight Kit	
		ZD3151	ZD3161	ZD3163	ZG3174	ZG3134
ZG327P-60*	GCK60-331ZA		(1)	X		
ZG327PA-60			(1)	X		X
ZG332P-60			(1)	X	X	(2)
ZD321N-54*		X				
ZD321-60*			(1)			
ZD323-60			(1)	X		
ZD326S/P-60			(1)	X		
ZD331P-60			(1)	X		
(1) ZD3161 will be replaced by ZD3163						
(2) Requires the addition of two G8103 Suitcase Weights						
* Subject to availability						

<b>Z300 Series Hopper Style Grass Catchers</b>									
	<b>GCK60H-300Z</b>	<b>GCK60H-332Z</b>	<b>GCK72H-300Z</b>	<b>GCK72H-332Z</b>	<b>Blower Kit</b>			<b>Weight &amp; Mount Kits</b>	
					ZD3161	ZD3163	ZG3172	ZD3121	ZG3126 G8103
<b>ZG327P(A)-60</b>	X				(1)	X			X (4)
<b>ZG332P-60</b>		X				X			(6)
<b>ZG332LP-72</b>				X			X		(4)
<b>ZD323-60</b>	X				(1)	X		X	
<b>ZD326S/P-60</b>	X				(1)	X		X	
<b>ZD331P-60</b>	X				(1)	X		X	
<b>ZD331LP-72</b>			(2)						

(1) ZD3161 will be replaced by ZD3163 (updated Blower Kit includes Steel Impeller)

(2) GCK72H-300Z is available for ZD331LP-72

GCK72H-300Z contains Blower & Mount Kit, requires no additions

Boss Kit ZD3128 is required for decks below #30375 (See PSB-2010-009)

(4) Requires addition of four G8103 Suitcase Weights

(6) Requires addition of six G8103 Suitcase Weights

## Z300 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>GRASS CATCHERS</b>			
GCK60-331ZA	2-Bag / 1-Tray Grass Catcher, 12.2 bu. Capacity Fits ZG/ZD300(A) Series 54" and 60" Decks May require Blower Kit, Weight Kit, & Mount Kit	270	\$ 1,130.00
GCK60H-300Z	Hopper Style Grass Catcher, 11.4 bu. Capacity Fits ZD323, ZD326S/P, ZG327P(A), & ZD331P, w/ 60" Decks ***May require Blower Kit and Weight / Mount Kit	270	\$ 1,957.00
GCK60H-332Z	Hopper Style Grass Catcher, 11.4 bu capacity Fits ZG332P-60, requires Blower Kit and Weights	270	\$ 2,500.00
GCK72H-300Z	Hopper Style Grass Catcher, 11.4 bu. Capacity Fits ZD331LP-72 Includes Blower Kit and Mount Kit ***May require ZD3128 Boss KIT. See PSB-2010-009	450	\$ 3,887.00
GCK72H-332Z	Hopper Style Grass Catcher, 11.4 bu. Capacity Fits ZG332LP-72, requires Blower Kit	270	\$ 2,522.00
<b>Boss KIT, may be required for use with GCK72H-300Z Grass Catcher (See PSB-2010-009)</b>			
ZD3128	Boss Kit, 72" mower deck for mounting Blower Unit	10	\$ 20.00
<b>BLOWER KIT, required for use with Grass Catcher</b>			
ZD3151	54" Blower Kit for ZD321N-54 (with RCK54 below serial number 30000)	80	\$ 1,437.00
ZG3152	54" Blower Kit for ZD321N-54 (with RCK54 above serial number 30001)	TBA	\$ 1,017.00
ZD3163	60" Blower Kit for ZD323, ZD326, ZG327(A), ZD331, ZG332, and ZP330 (Steel Impeller Fan)	78	\$ 1,582.00
ZG3172	72" Blower Kit for ZG332LP-72	75	\$ 1,695.00

## Z300 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>MOUNT KIT, may be required for use with Grass Catcher</b>			
ZG3174	Mount Kit for ZG332P-60 w/ GCK60-331ZA ***Requires (2) G8103 Suitcase Weights	20	\$ 102.00
ZD3121	Mount Kit for ZD323, ZD326, or ZD331 w/ GCK60H-300Z	103	\$ 390.00
<b>WEIGHT KIT, may be required for use with Grass Catcher</b>			
ZG3134	Weight Kit required for use w/ GCK60-331ZA on ZG327PA & ZG332P-60. Addition of (2) G8103 Suitcase Weights also required for ZG332P-60.	14	\$ 121.00
ZG3126	Weight Kit for ZG327(A) models w/ GCK60H-300Z. Kit includes Weight Bracket ***Requires (4) G8103 Suitcase Weights	14	\$ 391.00
G8103	Single Suitcase Weight	25	\$ 37.00
<b>MULCH KIT</b>			
ZD3155	54" Mulch Kit for ZD321N-54	37	\$ 288.00
ZD3165	60" Mulch Kit for ZD321-60, ZD323-60, ZP330P-60, ZD326S-60, ZD326P-60, ZG327P(A)-60, ZD331P-60, ZG332P-60	46	\$ 309.00
F5266	60" Mulch Kit for ZD326RP-60R, ZG327RP(A)-60R, & ZD331RP-60R	66	\$ 321.00
ZD3175	72" Mulch Kit for ZD331P-72, ZP330LP-72, and ZG332LP-72	56	\$ 332.00
<b>OPTIONAL / REPLACEMENT MOWER BLADES</b>			
K5619-97530	54" Standard Replacement Blade Set (3 blades)	Order from Parts Department	
K5647-97530	60" Standard Replacement Blade Set (3 blades)	Order from Parts Department	
K5645-97530	60" Rear Discharge Replacement Blade Set (3 blades)	Order from Parts Department	
K5677-97530	72" Standard Replacement Blade Set (3 blades)	Order from Parts Department	
K5615-34340	54" Replacement Mulch Blade (1 blade)	Order from Parts Department	
K5645-34340	60" Replacement Mulch Blade (1 blade)	Order from Parts Department	
K5647-97590	60" Rear Discharge Mulch Blade Set (3 blades)	Order from Parts Department	
K5698-34340	72" Replacement Mulch Blade (1 blade)	Order from Parts Department	

## Z300 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>MAINTENANCE LIFT KIT</b>			
ZG3137	Fits all ZG327(A), ZG332, ZP330P-60 Models *Applications on ZG332LP-72 require ZG3138 Bracket	14	\$ 134.00
ZG3138	Fit ZG332LP-72	14	\$ 267.00
ZP3147	Fit ZP330LP-72	TBA	\$ 259.00
<b>CANOPY</b>			
E1133	Canopy Sunshade, includes mount (Plastic, Orange)	63	\$ 437.00
E1123	Canopy Sunshade (Deluxe Fiberglass, Orange)	90	\$ 322.00
E1124	Mounting Bracket for E1123	30	\$ 180.00
<b>WORK LIGHT KIT</b>			
ZD3116A	Work Light Kit (ROPS Mounted) Fits all Z-Series	10	\$ 112.00
<b>STRIPE KIT</b>			
ZD3122	Fits all Z300 Series with side discharge mounted decks	54	\$ 394.00
<b>FRONT BLADE</b>			
ZD3110A	Fits all Z300 Series	177	\$ 675.00
<b>REAR WEIGHT BRACKET</b>			
ZD3124	For ZD331P-72 (requires G8103, maximum 4)	30	\$ 91.00
G8103	Single Suitcase Weight	25	\$ 37.00
<b>MID MOUNT MOWERS (replacement)</b>			
RCK54P-321Z	54" Fabricated Deck (Pro Commercial) for ZD321N-54	190	\$ 2,055.00
RCK60P-327Z	60" Fabricated Deck (Pro Commercial) for ZG327P(A)-60, ZG323P-60, ZP330P-60	190	\$ 2,336.00
RCK60P-331Z	60" Fabricated Deck (Pro Commercial) for ZD321-60, ZD323-60, ZD326S-60, ZD326P-60, & ZD331P-60	190	\$ 2,336.00
RCK60R-331Z	60" Rear Discharge Deck for ZD326RP-60R, ZG327RP(A)-60R, & ZD331RP-60R	190	\$ 3,315.00
RCK72P-331Z	72" Fabricated Deck (Pro Commercial) for ZD331LP-72, ZP330LP-72	190	\$ 2,896.00
RCK72P-332Z	72" Fabricated Deck (Pro Commercial) for ZG332LP-72	190	\$ 2,896.00
<b>SPARK ARRESTOR MUFFLER KIT</b>			
ZD3125	Screen Type Spark Arrestor. Fits ZD300 Series	TBA	TBA
ZG3123	Screen Type Spark Arrestor. Fits ZG300 Series. ZG300A Series require additional ZG3133 Adapter Kit	78	\$ 226.00
ZG3133	Adapter Kit, required for ZG300A Models w/ ZG3123	TBA	\$ 20.00
<b>FOLDABLE ROPS (replacement)</b>			
SFZG-F300	Fits ZG300A Series (Evaporative Regulations)	162	\$ 385.00
SFZG-F332	Fits ZG332 Series	150	\$ 393.00
SFZD-F31	Fits ZD300 Series	150	\$ 385.00
SFZG-F31	Fits ZG300 Series	150	\$ 385.00
<b>ROPS ORGANIZER</b>			
E1184	Storage organizer (ROPS mounted) 5 protective pockets with zippers	TBA	\$ 57.00

**This page intentionally left blank.**

## ZD1211

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

3 Cylinder, Kubota Model # D1105  
24.8 Gross HP @ 3000 rpm  
68.5 cu. in. Displacement  
12v 430 Amp Hr. Battery  
14 Amps Charging Output

#### TRANSMISSION

Hydrostatic Drive  
(2) HST w/Gear Reduction  
Brake - Wet Multi Disks  
Forward Speeds 0 - 10.6 mph  
Reverse Speeds 0 - 5.3 mph

#### STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable  
Hydraulically Damped, Adjustable

#### POWER TAKE OFF

Hydraulic Independent PTO  
Shaft Drive Mower Deck  
Wet Disk Clutch

#### FLUID CAPACITY

Fuel Tank 13.1 gal  
Engine Coolant 3.96 qts  
w/ Recovery tank  
Crankcase w/ Filter 4.1 qts  
Transmission Case 12.8 qts  
and Axle Gear

#### TIRES AND WHEELS

Front 15 x 6.0 - 6 Flat-free  
Rear 26 x 12.0 - 16 Turf, Low Profile

#### DIMENSIONS

Height 78.7"  
Length  
(ZD1211) 89.0"  
(ZD1211L) 93.7"  
Width Overall  
(ZD1211) 73.8"  
(ZD1211R) 63.0"  
(ZD1211L) 85.8"  
(ZD1211RL) 75.2"  
Wheelbase  
(ZD1211) 56.7"  
(ZD1211L) 61.4"

#### SAFETY EQUIPMENT

Electric Key Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS  
Seat Safety Switch

#### OPERATING FEATURES

Zero Turn Radius  
Adj. Front Axle: Rigid/Oscillating  
Dual Element Air Filter  
Deluxe Suspension Seat  
Hands-free Hydraulic Deck Lift  
Hands-free Parking Brake  
Cup Holder

#### SIDE DISCHARGE MOWER

60" and 72" Kubota PRO Deck w/ACS  
8 Gauge, 6" Deep Deck  
1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades

#### REAR DISCHARGE MOWER

60" and 72" Kubota PRO Deck  
5.5" Deep Deck  
1-5" Cut Height, Adjustable  
1/4" Increments  
3 Blades  
Bolt-on Skid Bars

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>ZD1211-60</b>	<b>Zero Turn Mower with ROPS</b> 60" Kubota PRO Deck w/ACS	2056	\$ 15,723.00
<b>ZD1211L-72</b>	<b>Zero Turn Mower with ROPS</b> 72" Kubota PRO Deck w/ACS	2166	\$ 16,543.00
<b>ZD1211R-60R</b>	<b>Zero Turn Mower with ROPS</b> 60" Kubota PRO Deck; Rear Discharge Mower Deck	2036	\$ 16,096.00
<b>ZD1211RL-72R</b>	<b>Zero Turn Mower with ROPS</b> 72" Kubota PRO Deck; Rear Discharge Mower Deck	2146	\$ 16,936.00
<b>Replacement Tires and Wheels (price per piece)</b>			
K3441-18030	Front Semi-pneumatic Caster Tire/Wheel Assembly	Order from Parts Department	
K3441-17300	Rear Turf Tire/Wheel Assembly	Order from Parts Department	

## Z1200 Series Implements and Attachments

Z1200 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	ZD1211-60	ZD1211L-72	ZD1211R-60R	ZD1211RL-72R
Bagger Style Grass Catcher	GCK60-ZD1211	GCK72-ZD1211L	-	-
Hopper Style Grass Catcher	GCK60H-ZD1211	GCK72H-ZD1211L	-	-
Replacement Deck	RCK60P-1200Z	RCK72P-1200Z	RCK60RP-1200Z	RCK72RP-1200Z
<b>Blades*</b>				
Replacement blade kit (3 blades)	K5955-97530	K5975-97530	K5645-97530	K5698-97530
Replacement blade (1 blade)	K5955-34361	K5955-34361	K5955-34342	K5698-34342
<b>Attachments</b>				
Hitch	Z3358			
Mulch Kit	TBA	TBA	F5266	ZD3168
Operator Controlled Discharge Chute (OCDC)	ZD5960	ZD5972	-	-
Replacement ROPS	SFZD-F1211			
ROPS Organizer	E1184			
<b>Tires*</b>				
Front Semi-Pneumatic Caster Tire/Wheel Assembly	K3441-18030			
Rear Turf Tire/Wheel Assembly	K3441-17300			

\*Order through Parts Department



## Z1200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHERS			
GCK60-ZD1211	2-Bag / 1-Tray Grass Catcher, 12.2 bu. Capacity Requires (2) G8103 Front Weights	TBA	\$ 2,950.00
GCK60H-ZD1211	Hopper Style Grass Catcher, 11.4 bu. Capacity Requires (6) G8103 Front Weights	TBA	\$ 4,140.00
GCK72-ZD1211L	2-Bag / 1-Tray Grass Catcher, 12.2 bu. Capacity Requires (2) G8103 Front Weights	TBA	\$ 2,950.00
GCK72H-ZD1211L	Hopper Style Grass Catcher, 11.4 bu. Capacity Requires (2) G8103 Front Weights	TBA	\$ 4,140.00
MULCH KIT			
TBA	* 60" Mulch Kit for ZD1211-60	TBA	TBA
TBA	* 72" Mulch Kit for ZD1211L-72	TBA	TBA
F5266	60" Mulch Kit Rear Discharge for ZD1211R-60R	36	\$ 321.00
ZD3168	72" Mulch Kit Rear Discharge for ZD1211RL-72R	TBA	\$ 345.00
OPERATOR CONTROLLED DISCHARGE CHUTE			
ZD5960	OCDC, Hand operated for ZD1200 series 60" Deck	TBA	\$ 259.00
ZD5972	OCDC, Hand operated for ZD1200 series 72" Deck	TBA	\$ 259.00
HITCH KIT			
ZD3358	Fits all ZD1200 Series	7	\$ 60.00
OPTIONAL / REPLACEMENT MOWER BLADES			
K5955-97530	** 60" Kubota PRO Deck Replacement Blade Set (3 blades) for RCK60P-1200Z	Order from Parts Department	
K5955-34361	** 60" Kubota PRO Deck Replacement Blade (1 blade) for RCK60P-1200Z	Order from Parts Department	
K5975-97530	** 72" Kubota PRO Deck Replacement Blade Set (3 blades) for RCK72P-1200Z	Order from Parts Department	
K5975-34361	** 72" Kubota PRO Deck Replacement Blade (1 blade) for RCK72P-1200Z	Order from Parts Department	
K5645-97530	60" Kubota PRO Deck; Rear Discharge Replacement Blade Set (3 blades) for RCK60RP-1200Z	Order from Parts Department	
K5955-34342	60" Kubota PRO Deck; Rear Discharge Replacement Blade Set (1 blade) for RCK60RP-1200Z	Order from Parts Department	
K5647-92342	60" Kubota PRO Deck; Rear Discharge Mulch Blade Set (1 blade) for RCK60RP-1200Z	Order from Parts Department	
K5698-97530	72" Kubota PRO Deck; Rear Discharge Replacement Blade Set (3 blades) for RCK72RP-1200Z	Order from Parts Department	
K5698-34342	72" Kubota PRO Deck; Rear Discharge Replacement Blade Set (1 blade) for RCK72RP-1200Z	Order from Parts Department	
K5677-92342	72" Kubota PRO Deck; Rear Discharge Mulch Blade Set (1 blade) for RCK72RP-1200Z	Order from Parts Department	
FOLDABLE ROPS (Replacement)			
SFZD-F1211	Fits ALL ZD1200 Series models	270	\$ 430.00
CANOPY			
TBA	Canopy Sunshade (Deluxe Fiberglass, Orange)	TBA	TBA
TBA	Mounting Bracket	TBA	TBA
WORK LIGHT KIT			
ZD3116A	Work Light Kit (ROPS Mounted)	10	\$ 112.00
FRONT BLADE			
TBA		TBA	TBA

\* Standard blade is used in Mulch kit.

\*\* Order Replacement Blade as replacement for Mulch Kit.

## Z1200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>MID MOUNT MOWERS (Replacement)</b>			
RCK60P-1200Z	60" Kubota PRO Deck w/ACS Mower Deck for ZD1211	412	\$ 2,346.00
RCK60RP-1200Z	60" Kubota PRO Deck; Rear Discharge Deck for ZD1211R	470	\$ 3,330.00
RCK72P-1200Z	72" Kubota PRO Deck w/ACS Mower Deck for ZD1211L	390	\$ 2,908.00
RCK72RP-1200Z	72" Kubota PRO Deck; Rear Discharge Deck for ZD1211RL	449	\$ 3,503.00
<b>SPARK ARRESTOR MUFFLER KIT</b>			
TBA		TBA	TBA
<b>ROPS ORGANIZER</b>			
E1184	Storage organizer (ROPS mounted) 5 protective pockets with zippers	TBA	\$ 57.00

## F2690E

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model #D1105  
3 Cyl., 1123 cu. cm.  
+25.5 Gross Eng. HP  
@3000 Eng. RPM  
CARB Certified  
Alternator -- 40 Amps  
Hand Throttle  
Dual Element Air Cleaner

#### OPERATING FEATURES

Tilt Steering Wheel  
Power Steering  
Deluxe Suspension Seat  
w/ 4 Adj. Controls

#### HYDRAULICS

Open Center -- Gear Type  
2 Point Hitch Lift  
Cap. at Lift Point -- 573 lbs  
8.6 GPM Hyd. Pump Cap.  
6 GPM Remote Outlet

#### HYD. INDEPENDENT PTO

Hyd. Multi-Disc PTO  
Single Speed PTO  
2545 rpm @ 3000 Eng. rpm

#### FLUID CAPACITY

Fuel Tank	16.1 gal
Cooling System	4.9 qts
Engine Oil	3.7 qts
Transmission and Hydraulics	14.8 qts

#### TIRES AND WHEELS

Front 23 x 10.5 - 12 Multi-Trac C/S  
Rear 16 x 6.5 - 8 Multi-Trac C/S

#### TRANSMISSION

Hydrostatic Drive (F2/R2)  
Forward Speed -- 0 - 12.0 mph  
Reverse Speed -- 0 - 6.2 mph  
Front Differential Lock

#### INSTRUMENTS

Liquid Chrystal Display (LCD) Panel  
Hour Meter  
Electric Fuel Gauge  
Temperature Gauge  
Easy Checker™  
Oil Light  
Charge Light  
Glow Plug Light

#### SAFETY EQUIPMENT

2 Post Foldable ROPS w/  
Retractable Sear Belt  
ROPS meet ISO and OSHA  
Safety Start Switch  
Operator Presence Control  
Parking Brake  
Overheat Alarm Buzzer

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>F2690E</b>	<b>2WD FRONT MOWER w/ ROPS</b>		\$ 16,860.00
	(Tires and Mower Decks must be ordered separately)		(w/Std. tires and ROPS)

F2690E		Price with Tire Option		
TIRES AND WHEELS (priced per piece)		APPROX SHIP WT.	SUGGESTED LIST PRICE	SUGG. LIST
AF9364	** Front TIRE 23x10.5-12 R3 TF Steel Bias BB	34	\$ 117.00	\$ 16,860.00
AF8603	** Rear TIRE 16x6.5-8 R3 TF Steel Bias BB	14	\$ 65.00	

\*\* Standard tires.

## F2690

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model #D1105  
3 Cyl., 1123 cu. cm.  
+25.5 Gross Eng. HP  
@3000 Eng. RPM  
CARB Certified  
Alternator -- 40 Amps  
Hand Throttle  
Dual Element Air Cleaner

#### OPERATING FEATURES

Tilt Steering Wheel  
Power Steering  
Deluxe Suspension Seat  
w/ 4 Adj. Controls

#### HYDRAULICS

Open Center -- Gear Type  
2 Point Hitch Lift  
Cap. at Lift Point -- 573 lbs  
8.6 GPM Hyd. Pump Cap.  
6 GPM Remote Outlet

#### HYD. INDEPENDENT PTO

Hyd. Multi-Disc PTO  
Single Speed PTO  
2545 rpm @ 3000 Eng. rpm

#### FLUID CAPACITY

Fuel Tank	16.1 gal
Cooling System	4.9 qts
Engine Oil	3.7 qts
Transmission and Hydraulics	14.8 qts

#### TIRES AND WHEELS

Front 24 x 12 - 12 Multi-Trac C/S  
Rear 18 x 9.5 - 8 Multi-Trac C/S

#### TRANSMISSION

Hydrostatic Drive (F2/R2)  
Forward Speed -- 0 - 12.5 mph  
Reverse Speed -- 0 - 6.8 mph  
Front Differential Lock

#### INSTRUMENTS

Liquid Chrystal Display (LCD) Panel  
Hour Meter  
Electric Fuel Gauge  
Temperature Gauge  
Easy Checker™  
Oil Light  
Charge Light  
Glow Plug Light

#### SAFETY EQUIPMENT

2 Post Foldable ROPS w/  
Retractable Seat Belt  
ROPS meet ISO and OSHA  
Safety Start Switch  
Operator Presence Control  
Parking Brake  
Overheat Alarm Buzzer

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>F2690</b>	<b>4WD FRONT MOWER w/ ROPS</b>		\$ 19,530.00
	(Tires and Mower Decks must be ordered separately)		(w/Std. tires and ROPS)

F2690		Price with Tire Option		
TIRES AND WHEELS (priced per piece)		APPROX SHIP WT.	SUGGESTED LIST PRICE	SUGG. LIST
AR8641	** Front TIRE 24x12-12 R3 TF Steel Bias BB	34	\$ 190.00	\$ 19,530.00
AF9398A	** Rear TIRE 18x9.5-8 R3 TF Steel Bias AA	14	\$ 83.00	

\*\* Standard tires.

## F3990

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### DIESEL ENGINE

Model #V1505T-IDI+DPF  
4 Cyl., 1498 cu. cm.  
+39 Gross Eng. HP  
@3000 Eng. RPM  
CARB Certified  
Alternator -- 60 Amps  
Hand Throttle  
Dual Element Air Cleaner

#### OPERATING FEATURES

Tilt Steering Wheel  
Power Steering  
Deluxe Suspension Seat  
w/ 4 Adj. Controls

#### HYDRAULICS

Open Center -- Gear Type  
2 Point Hitch Lift  
Cap. at Lift Point -- 573 lbs  
8.6 GPM Hyd. Pump Cap.  
6 GPM Remote Outlet

#### HYD. INDEPENDENT PTO

Hyd. Multi-Disc PTO  
Single Speed PTO  
2583 rpm @ 2500 Eng. rpm

#### FLUID CAPACITY

Fuel Tank	16.1 gal
Cooling System	3.9 qts
Engine Oil	5 qts
Transmission and Hydraulics	14.8 qts

#### TIRES AND WHEELS

Front 24 x 12 - 12 Multi-Trac C/S  
Rear 18 x 9.5 - 8 Multi-Trac C/S

#### TRANSMISSION

Hydrostatic Drive (F2/R2)  
Forward Speed -- 0 - 12.5 mph  
Reverse Speed -- 0 - 6.8 mph  
Front Differential Lock

#### INSTRUMENTS

Liquid Chrystal Display (LCD) Panel  
Hour Meter  
Electric Fuel Gauge  
Temperature Gauge  
Easy Checker™  
Oil Light  
Charge Light  
Glow Plug Light

#### SAFETY EQUIPMENT

2 Post Foldable ROPS w/  
Retractable Seat Belt  
ROPS meet ISO and OSHA  
Safety Start Switch  
Operator Presence Control  
Parking Brake  
Overheat Alarm Buzzer

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

<b>F3990</b>	<b>4WD FRONT MOWER w/ ROPS</b>	\$ 23,470.00
	(Tires and Mower Decks must be ordered separately)	(w/Std. tires and ROPS)

F3990		Price with Tire Option		
TIRES AND WHEELS (priced per piece)		ORDER CODE	DESCRIPTION	
ORDER CODE	DESCRIPTION	APPROX SHIP WT.	SUGGESTED LIST PRICE	SUGG. LIST
AR8641	** Front TIRE 24x12-12 R3 TF Steel Bias BB	34	\$ 190.00	\$ 23,470.00
AF9398A	** Rear TIRE 18x9.5-8 R3 TF Steel Bias AA	14	\$ 83.00	

\*\* Standard tires.

## F Series Implement Matching Chart

Model	F2690E	F2690	F3990
Implements			
60" Side Discharge Mower	RCK60P-F39		
60" Rear Discharge Mower	RCK60R-F36		
72" Side Discharge Mower	RCK72P-F39		
72" Rear Discharge Mower	RCK72R-F36		
100" Flex Mower Deck④⑤	---	---	RCL100F-F36
Low Dump Hopper Style Grass Catcher/F90 ①②	GCK72-F39		
Front Debris Blower (Quick Attach Style) ①	F2535D		
Front Blade (Quick Attach Style) ①	B2765A		
Front Rotary Sweeper (Quick Attach Style) ①	L2163		
Front Snowblower (Quick Attach Style) ①	F5220B		
Attachments			
Deluxe Hard Cab ③④	F5206		
Canopy / 2 Post ROPS	E1133		
Cruise Control	F8281		
Hazard Light Kit ④	F8271		
Mulching Kit 60" Side Discharge	ZG3157		
Mulching Kit 60" Rear Discharge	F5266		
Mulching Kit 72" Side Discharge	F5372		
Mulching Kit 72" Rear Discharge	F5276		
Replacement Seat	F8280R		
Replacement ROPS	SFF-F36		
ROPS Organizer	E1184		
Tachometer, Engine	STANDARD		
Turn Assist Brakes ④			
Worklight Kit (ROPS Mounted) ④			
Tires (Replacement)			
AF9364 - Front 23 x 10.5 - 12 Multi-Trac C/S	AF9364	--	--
AF8603 - Rear 16 x 6.50 - 8 Multi-Trac C/S	AF8603	--	--
AF8641 - Front 24 x 12 - 12 Pro-Tech Turf	--	AF8641	AF8641
AF9398A - Rear 18 x 9.5 - 8 Turf Trac R/S	--	AF9398	AF9398

① Additional Kits are required for mounting. (Please see Implement Section.) F8284 Second Auxiliary Hydraulic Valve Kit required for use with wholegoods requiring F8283 single valve in conjunction with grass catcher.

② Not compatible with Hard Cab F5205 or F5206.

③ Not compatible with F8282 Turn Assist Brakes.

④ Not compatible with Grass Catcher GCK72-F36 or GCK72-F39.

⑤ Requires F8283 Hydraulic Valve Kit, F5216 Hyd Hose Kit, (5) M8701 Suitcase Weights and M8703 Bolt/Bar Kit.

## F Series Grass Catcher Matching Chart

	Deck Size	Model	Grass Catcher	Boot kit	Mount Kit	Hydraulic Valve
F80 Series	60"	F2680	GCK72-F36 or GCK72-F39 (requires F5326 mount kit)	F8286	<i>F5326 required ONLY with GCK72-F39</i>	F8283
		F3080				
		F3680				
	72"	F2680		F8287		
		F3080				
		F3680				
F90 Series	60"	F2690E	GCK72-F39	F8288	F5326	F8283
		F2690			F5339	
		F3990				
	72"	F2690E		F8289	F5326	
		F2690			F5339	
		F3990				

**NOTE:**

1. Grass Catcher is not compatible with Rear Discharge Decks.
2. Grass Catcher is not compatible with Hard Cabs.
3. Requires F8284 Seond Auziliary Hydraulic Valve Kit if used in confunction with a front mounted implement
4. Grass catchers on lower hp units with larger decks will perform best in mild, flat mowing conditions.

## F Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT MOUNT MOWERS</b>			
RCK60P-F39	60" Cutting Width, HiPro3 Standard Side Discharge Deck. Fits all F90 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	489	\$ 3,455.00
RCK72P-F39	72" Cutting Width, HiPro3 Standard Side Discharge Deck. Fits all F90 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	571	\$ 4,385.00
RCK60P-F36	60" Cutting Width, HiPro3 Standard Side Discharge Deck. Fits all F80 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	489	\$ 3,240.00
RCK60R-F36	60" Cutting Width, Fabricated Rear Discharge Deck. Fits all F80 Series, 3 – Blade Mower / Rear Discharge / Shaft Drive / Quick Mount Mechanism	494	\$ 3,315.00
RCK72P-F36	72" Cutting Width, HiPro3 Standard Side Discharge Deck. Fits all F80 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	571	\$ 4,170.00
RCK72R-F36	72" Cutting Width, Fabricated Rear Discharge Deck. Fits all F80 Series, 3 – Blade Mower / Rear Discharge / Shaft Drive / Quick Mount Mechanism	541	\$ 4,246.00
RCL100F-F36	100" Cutting Width, Contour Flex Mower Deck rear discharge, compatible ONLY w/ F3680 & F3990, five 21" deck pan design, Shaft Drive / Belt Driven Decks includes rear weight bracket and front lower links Requires F8283 Hydraulic Valve Kit, F5216 Hydraulic Hose Kit, (5) M8071 Suitcase Weights, and M8073 Bolt Bar Kit. Not compatible with F5205 Deluxe Cab	TBA	\$ 16,254.00
<b>PERFORMANCE BAFFLE KITS - Fine Cut</b>			
F5267	Baffle Kit for RCK60P-F36	14	\$ 74.00
F5277	Baffle Kit for RCK72P-F36	16	\$ 79.00
Note: Performance Baffle Kits are not available for Rear Discharge Decks			
<b>MULCHING KITS, include mulching blades</b>			
F5265	Mulching Kit for RCK60P-F36	42	\$ 257.00
F5266	Mulching Kit for RCK60R-F36	66	\$ 321.00
F5275	Mulching Kit for RCK72P-F36	42	\$ 279.00
F5276	Mulching Kit for RCK72R-F36	66	\$ 349.00
F5372	Mulching Kit for RCK72P-F39		\$ 336.00
ZG3157	Mulching Kit for RCK60P-F39		\$ 309.00
<b>OPTIONAL / REPLACEMENT MOWER BLADES</b>			
K5647-97530	* 60" Side Replacement Blade Set (3 blades)	Order from Parts Department	
K5647-97590	* 60" Side Discharge Mulch Blade Set (3 blades.)	Order from Parts Department	
K5645-97530	* 60" Rear Replacement Blade Set (3 blades)	Order from Parts Department	
K5647-97590	* 60" Rear Discharge Mulch Blade Set (3 blades)	Order from Parts Department	
K5677-97530	* 72" Side Replacement Blade Set (3 blades)	Order from Parts Department	
K5677-97590	* 72" Side Discharge Mulch Blade Set (3 blades)	Order from Parts Department	
K5698-97530	* 72" Rear Replacement Blade Set (3 blades)	Order from Parts Department	
K5677-97590	* 72" Rear Discharge Mulch Blade Set (3 blades)	Order from Parts Department	

\* Subject to availability.



## F Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHERS			
GCK72-F39	Grass Catcher - Low Dump, Hopper Style F90 Series 12 Bushel Capacity, Hydraulic Dump from Operator's seat Requires Boot Kit, Mount Kit and Hydraulic Vavle	515	\$ 4,009.00
Note:	1. Grass Catcher is not compatible with Rear Discharge Decks. 2. Grass Catcher is not compatible with Hard Cabs. 3. Requires F8284 Second Auxiliary Hydraulic Valve Kit if used in conjunction with a front mounted implement. 4. Grass catchers on lower hp units with larger decks will perform best in mild, flat mowing conditions.		
BOOT KIT, required for use with GCK72-F36			
F8286	Boot kit for RCK60P-F36 Deck	31	\$ 267.00
F8287	Boot kit for RCK72P-F36 Deck	31	\$ 267.00
F8288	Boot kit for RCK60P-F39 Deck	31	\$ 267.00
F8289	Boot kit for RCK72P-F39 Deck	31	\$ 267.00
HYDRAULIC VALVE, required for use with GCK72-F36 or RCL100F-F36			
F8283	Hydraulic Valve, Single	12	\$ 440.00
F8284	Second Auxiliary Hydraulic Valve Kit For use with wholegoods requiring F8283 Single Valve in conjunction with grass catcher	16	\$ 654.00
GRASS CATCHER MOUNT KIT			
F5326	Required to mount GCK72-F39 to F2690E & F2690 and to all F 80 models.	16	\$ 382.00
F5339	Required to mount GCK72-F39 to F3990	16	\$ 382.00
BLOCK HEATER			
70000-73274	Engine Block Heater for Cold Weather Starts	Order through Parts Department	
CANOPY			
E1133	Orange, ABS Plastic Canopy Sunshade. Fits all F90 Series	63	\$ 437.00
CRUISE CONTROL KIT			
F8281	Fits all F90 Series	10	\$ 273.00
HAZARD LIGHT KIT			
F8271	Two Light Assembly -- ROPS Mounted Includes all mounting hardware Not compatible with Hard Cab F5205 or F5206	3	\$ 158.00
REPLACEMENT SEAT			
F8280R	Deluxe Suspension Seat with Adjustable Controls Fits all F90 Series	58	\$ 405.00
TURN ASSIST BRAKES			
F8282	Turn Assist Brakes (not compatible with F5205 & F5206 Hard Cab)	20	\$ 225.00
WORKLIGHT KIT			
F8255	ROPS Mounted Worklight Kit	10	\$ 100.00
ROPS ORGANIZER			
E1184	Storage Organizer (ROPS mounted) 5 protective pockets with zippers	TBA	\$ 57.00

## F Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>DELUXE HARD CAB</b>			
F5206	Deluxe Hard Cab Standard Features Glass Windows, Removable Doors, Steel Frame and Roof, Front LED Work Lights, HD Pantograph Windshield Wiper, Overhead Dome Light, Switch Panel, Blower/Defroster Fan Assembly. Shipped assembled. Fits F90 Series Hard Cab not compatible with Grass Catcher.	TBA	\$ 4,980.00
<b>Deluxe Hard Cab Options</b>			
F5311	Cab Heater w/Quick Connect Hose Fittings	TBA	\$ 465.00
F5312	Rear LED Work Light Kit - Includes 2 Lights	TBA	\$ 132.00
F5313	Roof Mounted LED Strobe Light Kit	TBA	\$ 135.00
F5314	Interior Rearview Mirror	TBA	\$ 55.00
<b>DEBRIS BLOWER</b>			
F2535D	Produces up to 250 mph air velocity. Hydraulic 230 degree chute rotation is standard. Requires: F5212 Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, F2523B ½ PTO Shaft, (1) BX8064 Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits.	350	\$ 2,964.00
<b>FRONT BLADE</b>			
B2765A	60" Heavy Duty Dozer Blade with Quick Attach Design. Hydraulic Lift, Hydraulic Angle, Skid Shoes, and Spring Trip are Standard Equipment. Requires: F5212 Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, (1) BX8064 Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits. Optional B2766 60" rubber cutting edge.	411	\$ 1,647.00
B2766	60" Rubber cutting edge, option for B2765A	50	\$ 206.00
<b>ROTARY SWEEPER</b>			
L2163	60" Rotary Sweeper, Hydraulic Angle Standard Requires: F5212 Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, (1) BX8064A Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits, (1) F2524 1/2 PTO Shaft Kit. <i>Std Brush: 100% polypropylene ; Option: 50% steel/50% polypropylene</i>	444	\$ 3,704.00
BL2178	Gauge Wheel Kit, option for L2163	47	\$ 439.00
L2168	Rubber Dust Deflector Kit, option for L2163	31	\$ 153.00

## F Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>SNOWBLOWER</b>				
F5220B	Heavy Duty 51" Two Stage Snowblower with 4 Blade 17.75" Impeller. Features Hydraulic Chute Rotator standard with Manual Chute Deflector. Requires: F5212 Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, (1) BX8064 Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits.		625	\$ 3,617.00
B2516	Electric Chute Deflector, option for F5220B		8	\$ 597.00
B2786	Side Extensions (5" overall), option for F5220B		27	\$ 113.00
<b>SUBFRAMES (MOUNTING KITS)</b>				
F5212A	Male Quick Hitch		103	\$ 294.00
<b>HYDRAULIC KITS / VALVE</b>				
F5216	Remote Hydraulic Kit, Hose Kit Requires F8283 Hydraulic Valve, Single		4	\$ 170.00
F8283	Hydraulic Valve, Single		12	\$ 440.00
F8284	Second Auxiliary Hydraulic Valve Kit For use with wholegoods requiring F8283 Single Valve in conjunction with grass catcher		16	\$ 654.00
<b>WEIGHT BRACKETS (Rear)</b>				
BX8064A	Rear Weight Bracket		25	\$ 103.00
<b>SUITCASE WEIGHT</b>				
BL8060-1	One (1) 55 lbs. Weight, requires one (1) BL8062 Bolt Kit		55	\$ 71.00
BL8062	Suitcase Weight Bolt Kit (Qty: 1)		1	\$ 6.00
M8071	One (1) Suitcase Weight (100" Flex Deck)		105	\$ 87.00
M8073	Bolt/Bar Kit for M8071 Weights (Qty: 1) (100" Flex Deck)		9	\$ 52.00
<b>PTO KITS</b>				
F2524	1/2 PTO Shaft Kit for F2535D and L2163			\$ 214.00

## WG14-36

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### ENGINE

Kawasaki FS481V  
+14.5 Gross HP @ 3600 rpm  
603cc Displacement

#### FLUID CAPACITY

Fuel Tank	5.2 gal
Engine Coolant	N/A
Crankcase w/ Filter	1.8 qts
Transmission Case and Axle Gear	N/A

#### OPERATING FEATURES

36" Fixed Deck mower  
Dual Element Air Filter  
Drum Brakes  
1" Deck Spindles  
Electric Clutch

#### TRANSMISSION

Peerless Gear box  
5 Speed with Reverse assist

#### TIRES AND WHEELS

Front 9 x 3.5 - 4 Turf - No flat  
Rear 13 x 6.5- 6 Turf - 4 ply

Forward Speed: 0 - 5.1 mph  
Reverse Speed: Assist only

#### DIMENSIONS

Height	40.3"
Length	78"
Width Overall	
Chute up	N/A
Chute down	N/A
Wheelbase	51"

#### STEERING / MOTION CONTROL

Pistol grip with  
Adjustable control force

#### POWER TAKE OFF

Electric PTO - 125 ft-lb  
Belt drive mower

#### SAFETY EQUIPMENT

Key Switch Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch

#### MOWERS

6" Deep, Fabricated Commercial Deck  
1.5-4.5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
2 Blades  
WG14-36, 7 Gauge, 36" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

WG14-36	Commercial Walk Behind - Gear Drive 36" Fabricated Fixed Commercial Deck	428	\$ 3,923.00
---------	---	-----	-------------

## WH15-48

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### ENGINE

Kawasaki FS541V  
+15 Gross HP @ 3600 rpm  
603cc Displacement

#### FLUID CAPACITY

Fuel Tank	5.2 gal
Engine Coolant	N/A
Crankcase w/ Filter	1.8 qts
Transmission Case and Axle Gear	N/A

#### OPERATING FEATURES

48" Fixed Deck mower  
Dual Element Air Filter  
Hydrostatic Braking  
1" Deck Spindles  
Electric Clutch  
Separate Parking Brake

#### TRANSMISSION

2 - Hydro-Gear 10cc variable displacement pumps with Parker wheel motors

#### TIRES AND WHEELS

Front 9 x 3.5 - 4 Turf - No flat  
Rear 16 x 7.5- 6 Turf - 4 ply

Forward Speeds 0 - 6 mph  
Reverse Speeds 0 - 3.5 mph

#### DIMENSIONS

Height	43"
Length	78"
Width Overall	
Chute up	N/A
Chute down	N/A
Wheelbase	51"

#### STEERING / MOTION CONTROL

Twin Lever Hydro Control  
Adjustable control force

#### POWER TAKE OFF

Electric PTO - 125 ft-lb  
Belt drive mower

#### SAFETY EQUIPMENT

Key Switch Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch

#### MOWERS

6" Deep, Fabricated Commercial Deck  
1.38-4.63" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades  
WH15-48, 7 Gauge, 48" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

WH15-48	Commercial Walk Behind - Hydro drive 48" Fabricated Fixed Commercial Deck	528	\$ 6,045.00
---------	--	-----	-------------

## WHF19-52

### \*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

#### ENGINE

Kawasaki FX600V  
+19 Gross HP @ 3600 rpm  
603cc Displacement

#### FLUID CAPACITY

Fuel Tank	5.2 gal
Engine Coolant	N/A
Crankcase w/ Filter	1.8 qts
Transmission Case and Axle Gear	N/A

#### OPERATING FEATURES

52" Floating Deck mower  
Dual Element Air Filter  
Hydrostatic Braking  
1" Deck Spindles  
Electric Clutch  
Separate Parking Brake

#### TRANSMISSION

2 - Hydro-Gear 10cc variable displacement pumps with Parker wheel motors

#### TIRES AND WHEELS

Front 11 x 4 - 5 Smooth - Pneumatic  
Rear 18 x 7.5- 8 Turf - 4 ply

Forward Speeds 0 - 6 mph  
Reverse Speeds 0 - 3.5 mph

#### DIMENSIONS

Height	43"
Length	78"
Width Overall	
Chute up	N/A
Chute down	N/A
Wheelbase	51"

#### STEERING / MOTION CONTROL

Twin Lever Hydro Control  
Adjustable control force

#### POWER TAKE OFF

Electric PTO - 175 ft-lb  
Belt drive mower

#### SAFETY EQUIPMENT

Key Switch Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch

#### MOWERS

6" Deep, Fabricated Commercial Deck  
1.25-4.5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
3 Blades  
WHF19-52, 10 Gauge top with  
10 Gauge reinforcements.

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

### \*\*\* STANDARD MACHINE \*\*\*

WHF19-52	Commercial Walk Behind - Hydro drive 52" Fabricated Fixed Commercial Deck	528	\$ 7,519.00
----------	--	-----	-------------

## Commercial Walk Behind Series Implements and Attachments

### Commercial Walk Behind SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Model			
Implements	WG14-36	WH15-48	WHF19-52
<b>Blades*</b>			
Replacement blade kit (3 blades)	TBD	TBD	TBD
Replacement blade (1 blade)	TBD	TBD	TBD
<b>Attachments</b>			
Mulch Kit	WMK36	WMK48	WMK52
Discharge Plate	WBP36	WBP48	WBP52
Cold Start Kit	-	WCS00	
Walk Behind Weight Kit	WWK01	-	-
Grass Catcher Kit	-	-	WGCB02
<b>Tires*</b>			
Front Semi-Pneumatic Caster Tire/Wheel Assembly	TBD	TBD	TBD
Rear Turf Tire/Wheel Assembly	TBD	TBD	TBD

\*Order through Parts Department

# KUBOTA

## Commercial Walk Behind Series Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>Mulch Kits</b>			
WMK36	Fits 36" Fixed deck	TBA	\$ 165.00
WMK48	Fits 48" Fixed deck	TBA	\$ 240.00
WMK52	Fits 52" Floating deck	TBA	\$ 240.00
<b>Discharge Plate</b>			
WBP36	Fits 36" Fixed deck	TBA	\$ 50.00
WBP48	Fits 48" Fixed deck	TBA	\$ 50.00
WBP52	Fits 52" Floating deck	TBA	\$ 50.00
<b>Cold Start Kit</b>			
WCS00	Cold start kit for Hydro units	TBA	\$ 35.00
<b>Grass Catcher Kit</b>			
WGCB02	Fits 52" Floating deck Hydro unit	TBA	\$ 41.00
<b>Walk Behind Weight Kit</b>			
WWK01	Fits 36" Fixed unit	TBA	\$ 176.00
<b>SPARK ARRESTOR MUFFLER KIT</b>			
TBA	Spark Arrestor (screen type) Fits All Commercial Walk Behinds	TBA	TBA



## Replacement Engines

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
---------------	-------------	---------------------	-------------------------

Effective June 2, 2014 all replacement engines must be ordered through the Parts Department.  
See Parts Bulletin DPB-2014-011 R01.