

Table of Contents

Standard Fabrics	2
Standard Finishes.....	3
Introduction to Verity	4-6
Terms & Conditions	50-51

STAND ALONE UNITS

ABOUT STAND ALONE	4-6
Ordering Verity: Stand Alone Units	4
Powering Verity	6
STAND ALONE UNITS	8-13
Single-Sided with Triangle Legs	
Non-Powered	8
Powered	9
Double-Sided with Triangle Legs	
Non-Powered	10
Powered	11

ELEMENTS

ABOUT ELEMENTS	13-14
Ordering Verity Elements	13
Powering Verity	14
STARTER/END ELEMENTS	15-18
Single-Sided Starter/End	
Non-Powered	15
Powered	16
Double-Sided Starter/End	
Non-Powered	17
Powered	18
EXTENSION ELEMENTS	19-24
Single-Sided Extension	
Non-Powered	19
Powered	20
Double-Sided Extension	
Non-Powered	21
Powered	24
STAND-ALONE ELEMENTS	25-26
Double-Sided Stand-Alone	
Non-Powered	25
Powered	26
WORKSURFACE SUPPORTS	27-30
Single-Sided	
For Start/End of a Run.....	27
For Center of a Run	28
Double-Sided	
For Start/End of a Run.....	29
For Center of a Run	30
SUPPORTING STORAGE	31-34
Pedestals	31-32
Credenzas	32
Cabinets.....	33
Attachment Brackets.....	34
ELECTRICAL DISTRIBUTION	35-37

WORKSURFACE (MY-HITE)

ADJUSTABLE HEIGHT WORKSURFACE	36-37
Rectangular	36
Corner.....	37

ADDITIONS

ABOUT ADDITIONS	40
Return Worksurface	41
STORAGE	42-48
Mobile Pedestals.....	42
Credenzas	44
Cabinets.....	45
Over-Worksurface Storage	
Single-Sided	46
Double-Sided	47
Supports.....	48
TRACK-MOUNTED ACCESSORIES	49-50
Fabric Tackboard	49
Glass Screen.....	49
Metal Shelf	50
Monitor Arm.....	50
WORKSURFACE-MOUNTED ACCESSORIES	51-52
Fabric Tackboard	51
Glass Screen.....	51
Markerboard Screen.....	52
Modesty Panel.....	52

Standard Fabrics

PASSAGE		TERRAIN		SLIDE	
PF601-1	Gull	PF701-1	Cloud	PF101-1	Caramel
PF601-2	Grove	PF701-2	Dusk	PF101-2	Slate
PF601-3	Wing	PF701-3	Wave	PF101-3	Pewter
PF601-4	Quartz	PF701-4	Earth	PF101-4	Verde
PF601-5	Leaf			PF101-5	Twilight
PF601-6	Brook			PF101-6	Vintage
PF601-7	Trail			PF101-7	Java
PF601-8	Amber			PF101-8	Latte
				PF101-9	Sterling
				PF101-10	Crema
				PF101-11	Breeze
				PF101-12	Stem

NOTE: Fabric direction as per Friant’s fabric card.

All textiles listed are 66” wide.

Order fabric cards online at www.friant.com/samples.

Colors may vary slightly between dye lots.

Passage and Terrain are not available for application on cushions.

Please consult your Friant sales consultant for:

- Other colors not listed above
- C.O.M. fabric

SKY		SILKY		STICKS	
PF301-1	Terra	PF401-1	Natural	PF501-1	Smoke
PF301-2	Birch	PF401-2	Parids	PF501-2	Almond
PF301-3	Moss	PF401-3	Overcast	PF501-3	Sage
		PF401-4	Field	PF501-4	Straw
		PF401-5	Graphite		

Tackboard Fabric Directions

NOTE: Passage and Terrain fabrics run in horizontal direction (i.e directional) for application on tackboards.



horizontal →

Standard Finishes

For other worksurface finish colors, please consult your Friant sales consultant.

NOTE: For information on LEED or environmental information about our products, contact our Design department at spec@friant.com or visit our website at www.friant.com/environment.

WORKSURFACE FINISHES with standard grommet color			EDGE FINISHES (3MM PVC)		PAINT FINISH
M1	Light Maple	CW grommets	E1	Light Maple	CW Cloud White
M2	Light Cherry	BU grommets	E2	Light Cherry	
M3	Medium Cherry	BU grommets	E3	Medium Cherry	
M4	Mahogany	BU grommets	E4	Mahogany	
M5	Light Mahogany	BU grommets	E5	Light Mahogany	
M6	Light Gray	CW grommets	E6	Light Gray	
M7	White	CW grommets	E7	White	
M8	Gray Specks	CW grommets	E8	Black Umber	
M9	Cloud White	CW grommets	E9	Cloud White	
M10	Espresso	BU grommets	E10	Espresso	
M11	Light Walnut	CW grommets	E11	Medium Tone	
M12	Medium Walnut	BU grommets	E12	Dark Tone	
M13	Licorice	BU grommets	E13	Licorice	
			E14	Light Walnut	
			E15	Medium Walnut	

Ordering Verity: Stand-Alone Units

Verity benching can be ordered as Stand-Alone Units or as Elements.
See below for further details about Stand-Alone Units and a guide on how to order.

Stand-Alone Units

Stand-Alone Units are pre-configured, freestanding units. All Stand-Alone Units include the basic parts necessary to build a unit: structure, support and worksurface.

Additions, such as storage and accessories, are not included and need to be ordered separately.

Available single-sided or double-sided, either non-powered or powered.

Support Options*	Single-Sided	Double-Sided
Triangle Legs (both sides)	X	X
Triangle Legs and Pedestals		X

***Not to be connected to other SA Units or elements**




How to Order Stand-Alone Units

1 Select a Stand-Alone Unit.

Choose	Specify Part #	Specify Finishes
	FVSAPD.4848-E4	worksurface: M1 Light Maple edge: E1 Light Maple finish: CW Cloud White front finish: M1 Light Maple worksurface finish (pedestal): M1 Light Maple







2 Order electrical components, as necessary.

Order infeeds, duplexes and power jumpers from page 36.

	4-Circuit Power Infeed Hardwire power infeed. Must be hardwired by an electrician.
	4-Circuit Power Jumper Connects power from one structure to another.
	Duplexes Provides access to I, II, III, IIII circuit. Provides dedicated circuit with "IIII" receptacle.

3 Optional: Select Additions to complete your unit.

For all specification options and details, please reference the corresponding page from the table of contents.

Pedestals	Credenzas	Cabinets	Overhead Storage	Privacy Screens*	Accessories
					

*Available as fabric tackboards, glass, markerboards and modesty panels.

Ordering Verity: Elements

Verity benching can be ordered as Stand-Alone Units or as Elements.

See below for further details about Elements and a guide on how to order.

Elements

Elements are parts to build a larger and more customized complete unit. They are not freestanding, must be combined with other elements, and require ordering supports separately. An Element consists of structure and worksurface only.

There are three types of Elements:

- Starter/End Elements
- Extension Elements
- SA Elements (Stand Alone)

Starter/End Elements are required at both the start and end of every run. Extension Elements are used anywhere between the Starter and End Elements.

Support options for Elements include legs, pedestals, cabinets or credenzas.


Additions, such as storage and accessories, are not included and need to be ordered separately.

Available single-sided or double-sided, either non-powered or powered.

How to Order Elements

1 Build a run with Starter/End and Extension Elements.

First, select a Starter/End Element to start the run. Next, select one or more Extension Elements to extend the run. Last, select a Starter/End Element to end the run.



2 Select the supports.


Starter/End Elements can be supported by triangle legs or supporting storage. Extension Elements can be supported by open center legs, enclosed center legs or credenzas.



All storage supports require ordering attachment brackets separately.


3 Order electrical components, as necessary.

Order infeeds, duplexes and power jumpers from page 36.



4 Optional: Select Additions to complete your unit.

For all specification options and details, please reference the corresponding page from the table of contents.



*Available as fabric, tackboards, glass, and markerboards


*Not to exceed 20'

Powering Verity

A guide to ordering electrical components for Verity benching.
See below for further details about running electrical/data.

Connecting to Power

Power can be brought in 3 different ways, which are all shown below.
Select the option that best fits the needs of the space and order from the components shown on pages 30-31.



- **Wire Manager + Basefeed**
connect power anywhere along the run and use the wire manager to conceal wires.
- **Power Pole**
may be used only at the start or end of a run.
- **Enclosed Center Leg + Basefeed**
connect power at the center of a run and conceal wires inside the leg.

Power Duplexes


Order two duplexes per workstation.
Duplexes provide access to I, II, III, and IIII circuits. Use receptacle IIII for a dedicated circuit.

Power Jumper Sizing Chart

	48	54	60	66	72	78	84
48	FVJUMP.48	FVJUMP.54	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66
54	FVJUMP.54	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72
60	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72
66	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78
72	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78
78	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78	FVJUMP.84
84	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78	FVJUMP.84	FVJUMP.84

STAND-ALONE UNITS

Stand-Alone Unit, Single-Sided Triangle Legs
NON-POWERED



DESCRIPTION

Pre-configured freestanding unit; does not require ordering legs or supports separately.

Includes a support structure with triangle leg on both sides, wire management trough, and worksurface with access grommet.

NOTES


- Cannot be part of a longer run. Can be placed next to other Stand-Alone units or units built with Elements.

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE


product #: FVSALS.2448-N
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Triangle Legs (support)



Worksurface

NON-POWERED, 25.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSALS.2448-N	—	48"	25.5"		\$1,322
FVSALS.2454-N	—	54"	25.5"		\$1,375
FVSALS.2460-N	—	60"	25.5"		\$1,450
FVSALS.2466-N	—	66"	25.5"		\$1,514
FVSALS.2472-N	—	72"	25.5"		\$1,579
FVSALS.2478-N	—	78"	25.5"		\$1,643
FVSALS.2484-N	—	84"	25.5"		\$1,707

NOTES


NON-POWERED, 31.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSALS.3048-N	—	48"	31.5"		\$1,397
FVSALS.3054-N	—	54"	31.5"		\$1,454
FVSALS.3060-N	—	60"	31.5"		\$1,536
FVSALS.3066-N	—	66"	31.5"		\$1,578
FVSALS.3072-N	—	72"	31.5"		\$1,676
FVSALS.3078-N	—	78"	31.5"		\$1,747
FVSALS.3084-N	—	84"	31.5"		\$1,817

NOTES

Stand-Alone Unit, Single-Sided Triangle Legs

POWERED



DESCRIPTION

Pre-configured freestanding unit; does not require ordering legs or supports separately.

Includes a support structure with triangle leg on both sides, wire management trough, and worksurface with access grommet.

NOTES


- Includes a 4-circuit power block.
- Order 4-circuit power infeed and duplexes separately.
- Each grommet has 2 duplex locations
- Cannot be part of a longer run. Can be placed next to other Stand-Alone units or units built with Elements.

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE


product #: FVSALS.2448-E4
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Triangle Legs (support)



Worksurface

4-CIRCUIT, 25.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSALS.2448-E4	—	48"	25.5"		\$1,407
FVSALS.2450-E4	—	50"	25.5"		\$1,436
FVSALS.2454-E4	—	54"	25.5"		\$1,463
FVSALS.2460-E4	—	60"	25.5"		\$1,539
FVSALS.2462-E4	—	62"	25.5"		\$1,571
FVSALS.2466-E4	—	66"	25.5"		\$1,603
FVSALS.2472-E4	—	72"	25.5"		\$1,668
FVSALS.2478-E4	—	78"	25.5"		\$1,733
FVSALS.2484-E4	—	84"	25.5"		\$1,797

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately


4-CIRCUIT, 31.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSALS.3048-E4	—	48"	31.5"		\$1,485
FVSALS.3050-E4	—	50"	31.5"		\$1,510
FVSALS.3054-E4	—	54"	31.5"		\$1,543
FVSALS.3060-E4	—	60"	31.5"		\$1,625
FVSALS.3062-E4	—	62"	31.5"		\$1,647
FVSALS.3066-E4	—	66"	31.5"		\$1,667
FVSALS.3072-E4	—	72"	31.5"		\$1,766
FVSALS.3078-E4	—	78"	31.5"		\$1,836
FVSALS.3084-E4	—	84"	31.5"		\$2,102

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately

Stand-Alone Unit, Double-Sided Triangle Legs POWERED



DESCRIPTION

Pre-configured freestanding unit; does not require ordering legs or supports separately.

Includes a support structure with triangle leg on both sides, 4-circuit power block, wire management trough, and two worksurfaces with access grommet.

NOTES


- Includes a 4-circuit power block.
- Order 4-circuit power infeed and duplexes separately.
- Each grommet has 2 duplex locations
- Cannot be part of a longer run. Can be placed next to other Stand-Alone units or units built with Elements.

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE


product #: FVSALD.4848-E4
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Triangle Legs (support)



Worksurfaces (2)

4-CIRCUIT, 49.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSALD.4848-E4	—	48"	49.5"		\$2,264
FVSALD.4854-E4	—	54"	49.5"		\$2,341
FVSALD.4860-E4	—	60"	49.5"		\$2,472
FVSALD.4866-E4	—	66"	49.5"		\$2,576
FVSALD.4872-E4	—	72"	49.5"		\$2,681
FVSALD.4878-E4	—	78"	49.5"		\$2,785
FVSALD.4884-E4	—	84"	49.5"		\$2,889

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately


4-CIRCUIT, 61.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSALD.6048-E4	—	48"	61.5"		\$2,406
FVSALD.6054-E4	—	54"	61.5"		\$2,497
FVSALD.6060-E4	—	60"	61.5"		\$2,636
FVSALD.6066-E4	—	66"	61.5"		\$2,695
FVSALD.6072-E4	—	72"	61.5"		\$2,868
FVSALD.6078-E4	—	78"	61.5"		\$2,984
FVSALD.6084-E4	—	84"	61.5"		\$3,100

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately

Stand-Alone Unit, Double-Sided Triangle Leg & Pedestals POWERED



DESCRIPTION

Pre-configured freestanding unit; does not require ordering legs or supports separately.

Includes a support structure with triangle leg on one side and two pedestals on the other side, 4-circuit power block, wire management trough, and two worksurfaces with access grommet.

NOTES


- Includes a 4-circuit power block.
- Order 4-circuit power infeed and duplexes separately.
- Each grommet has 2 duplex locations
- Cannot be part of a longer run. Can be placed next to other Stand-Alone units or units built with Elements.
- Width of the unit is measured as the worksurface width plus an additional 15" for the pedestal surface.

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White
front finish (pedestal): see page 3
worksurface finish (pedestal): see page 3

ORDER EXAMPLE


product #: FVSAPD.4848-E4
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White
front finish (pedestal): M1 Light Maple
worksurface finish (pedestal): M1 Light Maple



Support Structure



Triangle Leg & Pedestals (support)



Worksurfaces (2)

4-CIRCUIT, 49.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAPD.4848-E4	—	63"	49.5"		\$4,264
FVSAPD.4854-E4	—	69"	49.5"		\$4,345
FVSAPD.4860-E4	—	75"	49.5"		\$4,472
FVSAPD.4866-E4	—	81"	49.5"		\$4,576
FVSAPD.4872-E4	—	87"	49.5"		\$4,680
FVSAPD.4878-E4	—	93"	49.5"		\$4,784
FVSAPD.4884-E4	—	99"	49.5"		\$4,888

NOTES

- Width of the unit is measured as the worksurface width plus an additional 15" for the pedestal surface.
- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately

4-CIRCUIT, 61.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAPD.6048-E4	—	63"	61.5"		\$4,574
FVSAPD.6054-E4	—	69"	61.5"		\$4,665
FVSAPD.6060-E4	—	75"	61.5"		\$4,804
FVSAPD.6066-E4	—	81"	61.5"		\$4,863
FVSAPD.6072-E4	—	87"	61.5"		\$5,036
FVSAPD.6078-E4	—	93"	61.5"		\$5,152
FVSAPD.6084-E4	—	99"	61.5"		\$5,268

NOTES

- Width of the unit is measured as the worksurface width plus an additional 15" for the pedestal surface.
- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately

ELEMENTS

Ordering Verity: Elements

Verity benching can be ordered as Stand-Alone Units or as Elements.

See below for further details about Elements and a guide on how to order.

Elements

Elements are parts to build a larger and more customized complete unit. They are not freestanding, must be combined with other elements, and require ordering supports separately. An Element consists of structure and worksurface only.

There are two types of Elements:

- Starter/End Elements
- Extension Elements
- SA Elements (Stand Alone)

Starter/End Elements are required at both the start and end of every run. Extension Elements are used anywhere between the Starter and End Elements.

Support options for Elements include legs, pedestals, cabinets or credenzas.


Additions, such as storage and accessories, are not included and need to be ordered separately.

Available single-sided or double-sided. Single-sided elements are available either non-powered or powered. Double-sided units are available powered only.

How to Order Elements


1 Build a run with Starter/End and Extension Elements.

First, select a Starter/End Element to start the run. Next, select one or more Extension Elements to extend the run. Last, select a Starter/End Element to end the run.



2 Select the supports.


Starter/End Elements can be supported by triangle legs or supporting storage. Extension Elements can be supported by open center legs, enclosed center legs or credenzas.



All storage supports require ordering attachment brackets separately.


3 Order electrical components, as necessary.

Order infeeds, duplexes and power jumpers from pages 36-37.



4 Optional: Select Additions to complete your unit.

For all specification options and details, please reference the corresponding page from the table of contents.



*Available as fabric tackboards, glass, markerboards and modesty panels.


*Not to exceed 20'

Powering Verity

A guide to ordering electrical components for Verity benching.
See below for further details about running electrical/data.

Connecting to Power

Power can be brought in 3 different ways, which are all shown below.
Select the option that best fits the needs of the space and order from the components shown on page 37.



- **Wire Manager + Infeed**
connect power anywhere along the run and use the wire manager to conceal wires.
- **Power Pole**
may be used only at the start or end of a run.
- **Enclosed Center Leg + Infeed**
connect power at the center of a run and conceal wires inside the leg.

Power Distribution

To bring power from one Element to another, order a 4-circuit power jumper.
Order power jumper based on the widest length of the two structures it will connect.
Example: When connecting a 48"W with a 60"W structure, order the 60"W jumper.

Power Jumper for 96"W Elements

When connecting power for a 96"W element, order only one 48"W jumper.

Power Jumper Sizing Chart


	48	54	60	66	72	78	84
48	FVJUMP.48	FVJUMP.54	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66
54	FVJUMP.54	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72
60	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72
66	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78
72	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78
78	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78	FVJUMP.84
84	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78	FVJUMP.84	FVJUMP.84

Power Duplexes

Order two duplexes per workstation.
Duplexes provide access to I, II, III, and IIII circuits. Use receptacle IIII for a dedicated circuit.

Starter/End Element, Single-Sided

NON-POWERED



DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with wire management trough, and work surface with access grommet.

NOTES

Starter/End Elements:


- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE

product #: FVSES.2448-N
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Worksurface

NON-POWERED, 25.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSES.2448-N	—	48"	25.5"		\$1,216
FVSES.2454-N	—	54"	25.5"		\$1,269
FVSES.2460-N	—	60"	25.5"		\$1,345
FVSES.2466-N	—	66"	25.5"		\$1,410
FVSES.2472-N	—	72"	25.5"		\$1,474
FVSES.2478-N	—	78"	25.5"		\$1,539
FVSES.2484-N	—	84"	25.5"		\$1,603
FVSES.2496-N	—	96"	25.5"		\$2,224


NOTES

NON-POWERED, 31.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSES.3048-N	—	48"	31.5"		\$1,269
FVSES.3054-N	—	54"	31.5"		\$1,327
FVSES.3060-N	—	60"	31.5"		\$1,409
FVSES.3066-N	—	66"	31.5"		\$1,451
FVSES.3072-N	—	72"	31.5"		\$1,550
FVSES.3078-N	—	78"	31.5"		\$1,620
FVSES.3084-N	—	84"	31.5"		\$1,691
FVSES.3096-N	—	96"	31.5"		\$2,394

NOTES

Starter/End Element, Single-Sided
POWERED



DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with 4-circuit power block, wire management trough, and worksurface with access grommet.

NOTES


- Starter/End Elements:
- Order another Starter/End Element (required) separately to complete run.
 - Order Extension Elements (optional) to expand a run.
 - Order supports separately (supporting legs, pedestals, cabinets, credenzas).
 - 96"W worksurfaces have two grommets.
- Powered:
- Includes a 4-circuit power block.
 - Order 4-circuit power infeed, jumper, and duplexes separately.
 - Each grommet has 2 duplex locations

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE

product #: FVSES.2448-E4
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Worksurface

4-CIRCUIT, 25.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSES.2448-E4	—	48"	25.5"		\$1,299
FVSES.2454-E4	—	54"	25.5"		\$1,352
FVSES.2460-E4	—	60"	25.5"		\$1,428
FVSES.2466-E4	—	66"	25.5"		\$1,493
FVSES.2472-E4	—	72"	25.5"		\$1,557
FVSES.2478-E4	—	78"	25.5"		\$1,622
FVSES.2484-E4	—	84"	25.5"		\$1,686
FVSES.2496-E4	—	96"	25.5"		\$2,466

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

4-CIRCUIT, 31.5" DEPTH


PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSES.3048-E4	—	48"	31.5"		\$1,352
FVSES.3054-E4	—	54"	31.5"		\$1,410
FVSES.3060-E4	—	60"	31.5"		\$1,492
FVSES.3066-E4	—	66"	31.5"		\$1,534
FVSES.3072-E4	—	72"	31.5"		\$1,633
FVSES.3078-E4	—	78"	31.5"		\$1,703
FVSES.3084-E4	—	84"	31.5"		\$1,774
FVSES.3096-E4	—	96"	31.5"		\$2,636

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Starter/End Element, Double-Sided

NON-POWERED



DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with wire management trough, and two worksurfaces with access grommet.

NOTES

Starter/End Elements:


- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.

SPECIFICATION OPTIONS



product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE

product #: FVSED.4848-N
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Worksurfaces (2)

NON-POWERED, 49.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSED.4848-N	—	48"	49.5"		\$1,772
FVSED.4854-N	—	54"	49.5"		\$1,953
FVSED.4860-N	—	60"	49.5"		\$1,980
FVSED.4866-N	—	66"	49.5"		\$2,084
FVSED.4872-N	—	72"	49.5"		\$2,188
FVSED.4878-N	—	78"	49.5"		\$2,293
FVSED.4884-N	—	84"	49.5"		\$2,525
FVSED.4896-N	—	96"	49.5"		\$3,833


NOTES

NON-POWERED, 61.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSED.6048-N	—	48"	61.5"		\$1,877
FVSED.6054-N	—	54"	61.5"		\$1,968
FVSED.6060-N	—	60"	61.5"		\$2,107
FVSED.6066-N	—	66"	61.5"		\$2,167
FVSED.6072-N	—	72"	61.5"		\$2,339
FVSED.6078-N	—	78"	61.5"		\$2,455
FVSED.6084-N	—	84"	61.5"		\$2,571
FVSED.6096-N	—	96"	61.5"		\$4,515

NOTES

Starter/End Element, Double-Sided
POWERED



DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with 4-circuit power block, wire management trough, and two worksurfaces with access grommet.

NOTES


- Starter/End Elements:
- Order another Starter/End Element (required) separately to complete run.
 - Order Extension Elements (optional) to expand a run.
 - Order supports separately (supporting legs, pedestals, cabinets, credenzas).
 - 96"W worksurfaces have two grommets.
- Powered:
- Includes a 4-circuit power block.
 - Order 4-circuit power infeed, jumper, and duplexes separately.
 - Each grommet has 2 duplex locations

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE

product #: FVSED.4848-E4
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Worksurfaces (2)

4-CIRCUIT, 49.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSED.4848-E4	—	48"	49.5"		\$1,972
FVSED.4854-E4	—	54"	49.5"		\$2,153
FVSED.4860-E4	—	60"	49.5"		\$2,180
FVSED.4866-E4	—	66"	49.5"		\$2,284
FVSED.4872-E4	—	72"	49.5"		\$2,388
FVSED.4878-E4	—	78"	49.5"		\$2,493
FVSED.4884-E4	—	84"	49.5"		\$2,725
FVSED.4896-E4	—	96"	49.5"		\$4,033

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

4-CIRCUIT, 61.5" DEPTH


PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSED.6048-E4	—	48"	61.5"		\$2,077
FVSED.6054-E4	—	54"	61.5"		\$2,168
FVSED.6060-E4	—	60"	61.5"		\$2,307
FVSED.6066-E4	—	66"	61.5"		\$2,367
FVSED.6072-E4	—	72"	61.5"		\$2,539
FVSED.6078-E4	—	78"	61.5"		\$2,655
FVSED.6084-E4	—	84"	61.5"		\$2,771
FVSED.6096-E4	—	96"	61.5"		\$4,715

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Extension Element, Single-Sided

NON-POWERED



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with wire management trough, and work surface with access grommet.

NOTES

Extension Elements:


- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE

product #: FVES.2448-N
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Worksurface

NON-POWERED, 25.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVES.2448-N	—	48"	25.5"		\$1,332
FVES.2454-N	—	54"	25.5"		\$1,385
FVES.2460-N	—	60"	25.5"		\$1,461
FVES.2466-N	—	66"	25.5"		\$1,526
FVES.2472-N	—	72"	25.5"		\$1,590
FVES.2478-N	—	78"	25.5"		\$1,655
FVES.2484-N	—	84"	25.5"		\$1,719
FVES.2496-N	—	96"	25.5"		\$2,393


NOTES

NON-POWERED, 31.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVES.3048-N	—	48"	31.5"		\$1,385
FVES.3054-N	—	54"	31.5"		\$1,443
FVES.3060-N	—	60"	31.5"		\$1,525
FVES.3066-N	—	66"	31.5"		\$1,567
FVES.3072-N	—	72"	31.5"		\$1,666
FVES.3078-N	—	78"	31.5"		\$1,736
FVES.3084-N	—	84"	31.5"		\$1,807
FVES.3096-N	—	96"	31.5"		\$2,521

NOTES

Extension Element, Single-Sided
POWERED



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with 4-circuit power block, wire management trough, and worksurface with access grommet.

NOTES


- Extension Elements:
- Order two Starter/End Elements (required) separately to complete a run.
 - Order supports separately (supporting legs, pedestals, cabinets, credenzas).
 - 96"W worksurfaces have two grommets.
- Powered:
- Includes a 4-circuit power block.
 - Order 4-circuit power infeed, jumper, and duplexes separately.
 - Each grommet has 2 duplex locations

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE

product #: FVES.2448-E4
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Worksurface

4-CIRCUIT, 25.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVES.2448-E4	—	48"	25.5"		\$1,415
FVES.2454-E4	—	54"	25.5"		\$1,468
FVES.2460-E4	—	60"	25.5"		\$1,544
FVES.2466-E4	—	66"	25.5"		\$1,609
FVES.2472-E4	—	72"	25.5"		\$1,673
FVES.2478-E4	—	78"	25.5"		\$1,738
FVES.2484-E4	—	84"	25.5"		\$1,802
FVES.2496-E4	—	96"	25.5"		\$2,635

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately


4-CIRCUIT, 31.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVES.3048-E4	—	48"	31.5"		\$1,468
FVES.3054-E4	—	54"	31.5"		\$1,526
FVES.3060-E4	—	60"	31.5"		\$1,608
FVES.3066-E4	—	66"	31.5"		\$1,650
FVES.3072-E4	—	72"	31.5"		\$1,749
FVES.3078-E4	—	78"	31.5"		\$1,819
FVES.3084-E4	—	84"	31.5"		\$1,890
FVES.3096-E4	—	96"	31.5"		\$2,763

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Extension Element, Double-Sided NON-POWERED



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with wire management trough and two worksurfaces with access grommet.

NOTES

Extension Elements:


- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- Order support legs separately.

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE

product #: FVED.4848-N
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Worksurfaces (2)

NON-POWERED, 49.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVED.4848-N	—	48"	49.5"		\$2,071
FVED.4854-N	—	54"	49.5"		\$2,152
FVED.4860-N	—	60"	49.5"		\$2,279
FVED.4866-N	—	66"	49.5"		\$2,383
FVED.4872-N	—	72"	49.5"		\$2,488
FVED.4878-N	—	78"	49.5"		\$2,592
FVED.4884-N	—	84"	49.5"		\$2,696
FVED.4896-N	—	96"	49.5"		\$5,320


NOTES

NON-POWERED, 61.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVED.6048-N	—	48"	61.5"		\$2,176
FVED.6054-N	—	54"	61.5"		\$2,267
FVED.6060-N	—	60"	61.5"		\$2,279
FVED.6066-N	—	66"	61.5"		\$2,466
FVED.6072-N	—	72"	61.5"		\$2,639
FVED.6078-N	—	78"	61.5"		\$2,755
FVED.6084-N	—	84"	61.5"		\$2,870
FVED.6096-N	—	96"	61.5"		\$5,717

NOTES

Extension Element, Double-Sided
POWERED



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with 4-circuit power block, wire management trough, and two worksurfaces with access grommet.

NOTES


- Extension Elements:
- Order two Starter/End Elements (required) separately to complete a run.
 - Order supports separately (supporting legs, pedestals, cabinets, credenzas).
 - 96"W worksurfaces have two grommets.
- Powered:
- Includes a 4-circuit power block.
 - Order 4-circuit power infeed, jumper and duplexes separately.
 - Each grommet has 2 duplex locations
 - Order support legs separately.

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE

product #: FVED.4848-E4
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Worksurfaces (2)

4-CIRCUIT, 49.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVED.4848-E4	—	48"	49.5"		\$2,271
FVED.4854-E4	—	54"	49.5"		\$2,352
FVED.4860-E4	—	60"	49.5"		\$2,479
FVED.4866-E4	—	66"	49.5"		\$2,583
FVED.4872-E4	—	72"	49.5"		\$2,688
FVED.4878-E4	—	78"	49.5"		\$2,792
FVED.4884-E4	—	84"	49.5"		\$2,896
FVED.4896-E4	—	96"	49.5"		\$5,520

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

4-CIRCUIT, 61.5" DEPTH


PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVED.6048-E4	—	48"	61.5"		\$2,376
FVED.6054-E4	—	54"	61.5"		\$2,467
FVED.6060-E4	—	60"	61.5"		\$2,479
FVED.6066-E4	—	66"	61.5"		\$2,666
FVED.6072-E4	—	72"	61.5"		\$2,839
FVED.6078-E4	—	78"	61.5"		\$2,955
FVED.6084-E4	—	84"	61.5"		\$3,070
FVED.6096-E4	—	96"	61.5"		\$5,917

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Stand-Alone Element, Double-Sided

NON-POWERED



DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with wire management trough, and two worksurfaces with access grommet.

NOTES

Stand-Alone Elements:


- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" worksurfaces require a center support. Order separately.

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE

product #: FVSAED.4848-N
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Worksurfaces (2)

4-CIRCUIT, 49.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAED.4848-N	—	48"	49.5"		\$1,579
FVSAED.4854-N	—	54"	49.5"		\$1,656
FVSAED.4860-N	—	60"	49.5"		\$1,787
FVSAED.4866-N	—	66"	49.5"		\$1,890
FVSAED.4872-N	—	72"	49.5"		\$1,994
FVSAED.4878-N	—	78"	49.5"		\$2,098
FVSAED.4884-N	—	84"	49.5"		\$2,201
FVSAED.4896-N	—	96"	49.5"		\$3,509


NOTES

4-CIRCUIT, 61.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAED.6048-N	—	48"	61.5"		\$1,684
FVSAED.6054-N	—	54"	61.5"		\$1,775
FVSAED.6060-N	—	60"	61.5"		\$1,913
FVSAED.6066-N	—	66"	61.5"		\$1,973
FVSAED.6072-N	—	72"	61.5"		\$2,145
FVSAED.6078-N	—	78"	61.5"		\$2,260
FVSAED.6084-N	—	84"	61.5"		\$2,375
FVSAED.6096-N	—	96"	61.5"		\$4,191

NOTES

Stand-Alone Element, Double-Sided
POWERED



DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with 4-circuit power block, wire management trough, and two worksurfaces with access grommet.

NOTES


- Stand-Alone Elements:
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
 - 96"W worksurfaces have two grommets.
 - 96" worksurfaces require a center support. Order separately.
- Powered:
- Includes a 4-circuit power block.
 - Order 4-circuit power infeed, jumper and duplexes separately
 - Each grommet has 2 duplex locations
 - Basefeed occupies 1 duplex location
 - Order support legs separately.

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE

product #: FVSAED.4848-E4
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White



Support Structure



Worksurfaces (2)

4-CIRCUIT, 49.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAED.4848-E4	—	48"	49.5"		\$1,779
FVSAED.4854-E4	—	54"	49.5"		\$1,856
FVSAED.4860-E4	—	60"	49.5"		\$1,987
FVSAED.4866-E4	—	66"	49.5"		\$2,090
FVSAED.4872-E4	—	72"	49.5"		\$2,194
FVSAED.4878-E4	—	78"	49.5"		\$2,298
FVSAED.4884-E4	—	84"	49.5"		\$2,401
FVSAED.4896-E4	—	96"	49.5"		\$3,709

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

4-CIRCUIT, 61.5" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAED.6048-E4	—	48"	61.5"		\$1,884
FVSAED.6054-E4	—	54"	61.5"		\$1,975
FVSAED.6060-E4	—	60"	61.5"		\$2,113
FVSAED.6066-E4	—	66"	61.5"		\$2,173
FVSAED.6072-E4	—	72"	61.5"		\$2,345
FVSAED.6078-E4	—	78"	61.5"		\$2,460
FVSAED.6084-E4	—	84"	61.5"		\$2,575
FVSAED.6096-E4	—	96"	61.5"		\$4,391

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Worksurface Supports, Single-Sided

FOR START/END OF A RUN

DESCRIPTION

Worksurface supports for single-sided Starter/End Elements.

SPECIFICATION OPTIONS

product #: see charts below
finish: CW Cloud White
left or right (if applicable): L for Left, R for Right


NOTES

- Not for use with Stand Alone Units.
- Specify paint finish.
- Specify the correct size for unit.

ORDER EXAMPLE

product #: FVTLS.24
finish: CW Cloud White
left or right (if applicable): L for Left

TRIANGLE LEG SINGLE-SIDED 25.5" WIDE




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTLS.24L	—	25.5"	—	—	\$180
FVTLS.24R	—	25.5"	—	—	\$180

NOTES

Worksurface support leg for double-sided structure.
 For single-sided 24" deep units.
 For use at the start or end of a run only.
 Specify L for Left and R for Right.

TRIANGLE LEG SINGLE-SIDED 31.5" WIDE




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTLS.30L	—	31.5"	—	—	\$191
FVTLS.30R	—	31.5"	—	—	\$191

NOTES

Worksurface support leg for double-sided structure.
 For single-sided 30" deep units.
 For use at the start or end of a run only.
 Specify L for Left and R for Right.

TRAPEZOID LEG SINGLE-SIDED 25.5" WIDE




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTZLS.24L	—	25.5"	—	—	\$241
FVTZLS.24R	—	25.5"	—	—	\$241

NOTES

Worksurface support leg for double-sided structure.
 For single-sided 24" deep units.
 For use at the start or end of a run only.
 Specify L for Left and R for Right.

TRAPEZOID LEG SINGLE-SIDED 31.5" WIDE



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTZLS.30L	—	25.5"	—	—	\$264
FVTZLS.30R	—	25.5"	—	—	\$264

NOTES


Worksurface support leg for double-sided structure.
 For single-sided 30" deep units.
 For use at the start or end of a run only.
 Specify L for Left and R for Right.

Worksurface Supports, Single-Sided
FOR CENTER OF A RUN

DESCRIPTION	SPECIFICATION OPTIONS
Worksurface supports for single-sided Extension Elements.	product #: see charts below finish: CW Cloud White
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">Not for use with Stand Alone Units.Specify paint finish.Specify the correct size for unit.	product #: FVCLS.24-O.24 finish: CW Cloud White


OPEN CENTER LEG
SINGLE-SIDED
24"/30" DEEP UNIT

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVCLS-O	—	—	—	—	\$262	For single-sided 24" or 30" deep units. For use at the center of a run only. Leg style is open.



ENCLOSED CENTER LEG
SINGLE-SIDED
24"/30" DEEP UNIT

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVCLS-C	—	—	—	—	\$511	For single-sided 24" or 30" deep units. For use at the center of a run only. Leg style is enclosed.



Worksurface Supports, Double-Sided

FOR START/END OF A RUN

DESCRIPTION

Worksurface supports for double-sided Starter/End Elements or stand alone elements

NOTES

- Not for use with Stand Alone Units.
- Specify paint finish.
- Specify the correct size for unit.


SPECIFICATION OPTIONS

product #: see charts below
finish: CW Cloud White

ORDER EXAMPLE

product #: FVTLD.48
finish: CW Cloud White

TRIANGLE LEG DOUBLE-SIDED 49.5" WIDE




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTLD.48	—	49.5"	—	—	\$239

NOTES

Worksurface support leg for double-sided structure.
For double-sided 24" deep units.
For use at the start or end of a run only or stand alone elements.

TRIANGLE LEG DOUBLE-SIDED 61.5" WIDE




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTLD.60	—	61.5"	—	—	\$257

NOTES

Worksurface support leg for double-sided structure.
For double-sided 30" deep units.
For use at the start or end of a run only or stand alone elements.

TRAPEZOID LEG DOUBLE-SIDED 49.5" WIDE




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTZLD.48	—	49.5"	—	—	\$325

NOTES

Worksurface support leg for double-sided structure.
For double-sided 24" deep units.
For use at the start or end of a run only or stand alone elements.

TRAPEZOID LEG DOUBLE-SIDED 61.5" WIDE




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTZLD.60	—	61.5"	—	—	\$366

NOTES

Worksurface support leg for double-sided structure.
For double-sided 30" deep units.
For use at the start or end of a run only or stand alone elements.

WORKSURFACE ATTACHMENT BRACKET PAIR



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVFB.08	—	8"	2"	—	\$30

NOTES


Worksurface brackets that attach a single-sided Stand Alone unit at the end of a double-sided run.

Worksurface Supports, Double-Sided
FOR CENTER OF A RUN

DESCRIPTION	SPECIFICATION OPTIONS
Worksurface supports for double-sided Extension Elements.	product #: see charts below finish: CW Cloud White
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">Not for use with Stand Alone Units.Specify paint finish.Specify the correct size for unit.	product #: FVCLD.24-O finish: CW Cloud White


OPEN CENTER LEG
DOUBLE-SIDED
48”/60” DEEP UNIT

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVCLD-O	—	—	—	—	\$315	For double-sided 24” or 30” deep units. For use at the center of a run only. Leg style is open.




ENCLOSED
CENTER LEG
DOUBLE-SIDED
48”/60” DEEP UNIT

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVCLD-C	—	—	—	—	\$535	For double-sided 24” or 30” deep units. For use at the center of a run only. Leg style is enclosed.



WORKSURFACE SUPPORTS

Supporting Storage



DESCRIPTION

Supporting storage options attach to the work surface. Casing is Cloud White finish.

NOTES

- Order storage attachment bracket separately.
- Specify work surface finish for pedestal top and front finish for pedestal drawers.
- Specify front finish and left/right pull location for credenza door.
- Specify fabric for tackboard on cabinet.

SPECIFICATION OPTIONS

product #: see charts below
front finish (if applicable): see page 3
work surface finish (if applicable): see page 3
fabric (if applicable): see page 2
left or right (if applicable): L for Left, R for Right


ORDER EXAMPLE

product #: FVBBF.24-LAM
front finish: M1 Light Maple
work surface finish: M9 Cloud White

product #: FVBSC.1848 L
front finish: M1 Light Maple
left or right: L for Left

product #: FVWSTT.1824
fabric (if applicable): PF401-1 Silky-Natural

SUPPORTING BOX/BOX/FILE PEDESTAL 24" DEPTH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVBBF.24-LAM	29.5"	15.5"	24.75"	—	\$1,033

NOTES

Supporting laminate pedestal storage with drawers and pulls.


Work surface height. Order storage attachment bracket separately.

Supports double-sided units only. Not supporting for single-sided units. Can be freestanding.

For 24" deep units.

Specify work surface finish for pedestal top and front finish for pedestal drawers. Casing is CW.

SUPPORTING BOX/BOX/FILE PEDESTAL 30" DEPTH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVBBF.30-LAM	29.5"	15.5"	30.75"	—	\$1,117

NOTES

Supporting laminate pedestal storage with drawers and pulls.

Work surface height. Order storage attachment bracket separately.


Supports double-sided units only. Not supporting for single-sided units. Can be freestanding.

For 30" deep units.

Specify work surface finish for pedestal top and front finish for pedestal drawers. Casing is CW.

Supporting Storage continued

SUPPORTING
FILE/FILE
PEDESTAL
24" DEPTH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVFF.24-LAM	29.5"	15.5"	24.75"	—	\$1,033

NOTES

Supporting laminate pedestal storage with drawers and pulls.


Worksurface height. Order storage attachment bracket separately.

Supports double-sided units only. Not supporting for single-sided units. Can be freestanding.

For 24" deep units.

Specify worksurface finish for pedestal top and front finish for pedestal drawers. Casing is CW.

SUPPORTING
FILE/FILE
PEDESTAL
30" DEPTH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVFF.30-LAM	29.5"	15.5"	30.75"	—	\$1,117

NOTES

Supporting laminate pedestal storage with drawers and pulls.


Worksurface height. Order storage attachment bracket separately.

Supports double-sided units only. Not supporting for single-sided units. Can be freestanding.

For 30" deep units.

Specify worksurface finish for pedestal top and front finish for pedestal drawers. Casing is CW.

CREDENZA



(Left Handed Shown)

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVBSC.1848 L/R	24"	48"	17.75"	—	\$966
FVBSC.1860 L/R	24"	60"	17.75"	—	\$1,093
FVBSC.1872 L/R	24"	72"	17.75"	—	\$1,261

NOTES

Supporting laminate credenza with open shelf and sliding door with pull.

Order storage attachment bracket separately.


Specify front finish for door. Casing is CW.

Specify L for left or R for right indicating door pull location.


WORKSURFACE SUPPORTS

Supporting Storage continued

SUPPORTING CABINET: TACKBOARD & BOOKCASE



front shown




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVWSTT.1824	45"	24.75"	18"	—	\$964
FVWSTT.1830	45"	30.75"	18"	—	\$1,109


NOTES

Supporting laminate cabinets with tackboard top and open bookcase bottom on one side, with open top and solid surface on the opposite side. Specify fabric for tackboard. Casing is CW.

SUPPORTING CABINET: OPEN & BOOKCASE



front shown




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVWSTO.1824	45"	24.75"	18"	—	\$806
FVWSTO.1830	45"	30.75"	18"	—	\$894


NOTES

Supporting laminate cabinets with open top and open bookcase bottom on one side, with solid surface on the opposite side. Casing is CW.

SUPPORTING CABINET: TACKBOARD & SHARED BOOKCASE



front shown



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVWSTS.1824	45"	24.75"	18"	—	\$1,036
FVWSTS.1830	45"	30.75"	18"	—	\$1,218

NOTES

Supporting laminate cabinets with tackboard top and shared bookcase bottom on both sides. Shared bookcase has one open shelf and one solid surface on each side. Specify fabric for tackboard. Casing is CW.

Supporting Storage Attachment Brackets

DESCRIPTION	SPECIFICATION OPTIONS
Worksurface attachment brackets for use with supporting storage.	product #: see charts below finish: CW Cloud White
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">Not for use with Stand Alone Units.Specify paint finish.Specify the correct size for unit.	product #: FVCLD.24-O finish: CW Cloud White

STORAGE ATTACHMENT BRACKET, 48" DEEP



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSS.24	—	—	48"	—	\$173

NOTES
For use at the start or end of a run only. Supports two 24" deep tops. Worksurface supporting bracket for attaching pedestal or cabinet. Order one attachment bracket per attachment location.


STORAGE ATTACHMENT BRACKET, 60" DEEP



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSS.30	—	—	60"	—	\$191

NOTES
For use at the start or end of a run only. Supports two 30" deep tops. Worksurface supporting bracket for attaching pedestal or cabinet. Order one attachment bracket per attachment location.

CREDENZA ATTACHMENT BRACKET DOUBLE-SIDED 24"/30" DEEP UNIT



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVCCLD	—	—	—	—	\$245

NOTES
For use at the center of a run only. For double-sided 24" or 30" deep units. Used with two supporting credenzas to support the worksurface.

Electrical Distribution

4-CIRCUIT POWER INFEEED



DESCRIPTION

Electrical distribution components.

SPECIFICATION OPTIONS

product #: see charts below

NOTES

ORDER EXAMPLE

product #: FVBPI.1CIR


PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVBPI.4CIR	—	—	—	—	\$271	Hardwire power infeed for use with 4-circuit power distribution.
						MUST BE HARDWIRED BY AN ELECTRICIAN.

POWER POLE

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVPP-S	—	—	—	—	\$650	Connects a ceiling electrical supply to the trough of a powered element. Distributes up to four 20-amp circuits.
FVPP-D	—	—	—	—	\$650	
						Includes a rigid conduit and conduit connector, factory installed power harness, 12' pole.
						<ul style="list-style-type: none"> Attaches to Single side unit order FVPP-S. Double sided order FVPP-D. Available in CW only.


MUST BE HARDWIRED BY AN ELECTRICIAN.

RECEPTACLE 4-CIRCUITS



PART #	DESCRIPTION	LIST	NOTES
FVRECP.I	circuit A	\$26	Provides access to I, II, III, IIII circuit.
FVRECP.II	circuit B	\$26	
FVRECP.III	circuit C	\$26	Provides dedicated circuit with "IIII" receptacle. Receptacle -CONT are permanently marked CONTROLLED on the face of the receptacle and must be connected to a timer or motion sensor at the infeed location by a licensed electrician in order to comply with California T24
FVRECP.IIIII	circuit D (dedicated)	\$26	
FVRECP.II-CONT	circuit B	\$26	
FVRECP.III-CONT	circuit C	\$26	

WIRE MANAGER




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVWM	28"	—	—	—	\$129	A housing that conceals power & other wires from the floor to the trough.
						CW finish.

DATA PORT PLATE

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVDPP	2.125	3.625	0.75	0.10	\$37	For use with non-powered structures only.
						Includes four port locations and comes with one blank insert.
						Data port plates are included with powered Stand-Alone Units and powered Elements.

Electrical Distribution continued


DOUBLE SIDED
CONNECTING TROUGH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FV-DCT	—	—	—	—	\$154

NOTES
Included in the elements and sold here separately for special situations.


SINGLE SIDED
CONNECTING TROUGH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FV-SCT	—	—	—	—	\$100

NOTES
Included in the elements and sold here separately for special situations.


DOUBLE SIDED
TROUGH, POWERED



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FV-DT-E4	—	—	—	—	\$380

NOTES
Included in the elements and sold here separately for special situations. Order Duplexes/infeed jumpers separate

SINGLE SIDED TROUGH,
POWERED



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FV-ST-E4	—	—	—	—	\$194

NOTES
Included in the elements and sold here separately for special situations. Order Duplexes/infeed jumpers separate

ELECTRICAL DISTRIBUTION

Electrical Distribution continued

4-CIRCUIT POWER JUMPER



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVJUMP.48	—	—	—	—	\$233	Connects power from one Element to another.
FVJUMP.54	—	—	—	—	\$252	
FVJUMP.60	—	—	—	—	\$280	For a 96"W element, order one additional for middle 48" power jumper, FVJUMP.48.
FVJUMP.66	—	—	—	—	\$305	
FVJUMP.72	—	—	—	—	\$327	When connecting two elements of equal width, order Power Jumper to match width of elements.
FVJUMP.78	—	—	—	—	\$353	
FVJUMP.84	—	—	—	—	\$381	When connecting two elements of different width, reference chart below for applicable Jumper size.

Power Jumper Sizing Chart

	48	54	60	66	72	78	84
48	FVJUMP.48	FVJUMP.54	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66
54	FVJUMP.54	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72
60	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72
66	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78
72	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78
78	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78	FVJUMP.84
84	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78	FVJUMP.84	FVJUMP.84

Example Jumper Calculation

Calculate the jumper needed between element A and element B.

Step 1 - Take the width of the first element and find that number in the left column.


A is 54" and 54 is the second row down in the table.

Step 2 - Take the width of the second element and find that number across the top.


B is 78" and 78 is sixth column to the right.

Step 3 - Where the row and column intersect that is the required jumper needed.

54 and 78 intersects at FVJUMP.66.



Rectangular Worksurfaces For Use w/ MY-HITE Base



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add circular grommet (add \$75 list)
Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
top, edge finish: **worksurface finish:** see page 5


ORDER EXAMPLE

product #: FVRSW.2370
edge finish: DT Dark Tone, E12
worksurface finish: Light Maple, M1
grommet: GC (Rear Center)

SQUARE EDGE RECTANGULAR WORKSURFACE

PART #	DEPTH	WIDTH	PRICE	NOTES
FVRSW.2340	23"	40"	\$269	Sizes are actual for example FVRSW.2358 is 23" x 58"
FVRSW.2346	23"	46"	\$305	
FVRSW.2352	23"	52"	\$340	
FVRSW.2358	23"	58"	\$376	
FVRSW.2364	23"	64"	\$416	
FVRSW.2370	23"	70"	\$451	
FVRSW.2376	23"	76"	\$487	
FVRSW.2940	29"	40"	\$328	
FVRSW.2946	29"	46"	\$371	
FVRSW.2952	29"	52"	\$414	
FVRSW.2958	29"	58"	\$457	
FVRSW.2964	29"	64"	\$469	
FVRSW.2970	29"	70"	\$548	
FVRSW.2976	29"	76"	\$591	

Corner Worksurfaces For Use w/ MY-HITE Base



DESCRIPTION	SPECIFICATION OPTIONS
Corner worksurface top only, for use with height adjustable base within workstation application.	product #: see charts below top, edge finish: worksurface finish: see page 5
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">• Add circular grommet (add \$75 list)• Specify GL, GC, GR• Order base separately from MY-HITE pricebook <p>Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation applications.</p>	product #: FVCWT.3042 edge finish: DT Dark Tone, E12 worksurface finish: Light Maple, M1 grommet: GC (Rear Center)

SQUARE EDGE CORNER WORKSURFACE

PART #	DEPTH	WIDTH	PRICE	NOTES
FVCWT.2340	24"	42"	\$601	Sizes are actual for example FVCWT.2942 is 29" x 40"
FVCWT.2346	24"	48"	\$636	
FVCWT.2940	30"	42"	\$654	
FVCWT.2946	30"	48"	\$688	

WORKSURFACE (MY-HITE)













ADDITIONS

Ordering Verity: Additions

Additions can be used with both Stand-Alone Units or Elements.
See below for a quick overview of the types of Additions available.

Additions

Additions are storage or accessory items that can be added to a unit. Options include:

- **Return Worksurfaces**
- **Pedestals**
- **Credenzas**
- **Cabinets**
- **Over-worksurface Storage**
- **Fabric Tackboards**
- **Glass Screens**
- **Markerboards**
- **Metal Shelves**
- **Open Shelves**
- **Monitor Arms**
- **Modesty Panels**

Accessories

Accessories are available as either track-mounted, worksurface-mounted, or available in both.

Accessories	Track-Mounted	Worksurface-Mounted
Fabric Tackboard	X	X
Glass Screen	X	X
Markerboard		X
Metal Shelf	X	
Open Shelf	X	
Monitor Arm	X	
Modesty Panel		X


Tackboard: Fabric Directions

Passage and Terrain fabrics run in horizontal direction (i.e directional) for application on tackboards.




Return Worksurface

Return Worksurfaces attach perpendicular to a worksurface either at the end of a run (A style attachment) or at the worksurface seam (B style attachment).




A Style Attachment
at the end of a run



B Style Attachment
at the worksurface seam

Return Worksurface



A Style attachment shown

See page 38 for drawings of how to specify A style or B style return worksurfaces.

DESCRIPTION

Attaches perpendicular to a worksurface, either at the end of a run (Attachment A) or at the worksurface seam (Attachment B).

Includes an open leg on one side, worksurface attachment bracket on the other, and worksurface without power/data grommet.

NOTES

- Specify -A or -B style attachment.
- Cannot use A style attachment for:
 - 24"D Return Worksurface on a 48"W or 96"W Element.
 - 30"D Return Worksurface on a 54", 60", 66" or 72"W Element.
- Can be used with Stand Alone units, Starter/End Elements or Extension Elements.

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 3
edge finish: see page 3
finish: CW Cloud White

ORDER EXAMPLE

product #: FVRL.1836
worksurface finish: M1 Light Maple
edge finish: E1 Light Maple
finish: CW Cloud White

18" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVRL.1836-A/B	—	36"	18"		\$564
FVRL.1842-A/B	—	42"	18"		\$586
FVRL.1848-A/B	—	48"	18"		\$608
FVRL.1854-A/B	—	54"	18"		\$656
FVRL.1860-A/B	—	60"	18"		\$729

NOTES

Specify -A style for end of run attachment or -B style for worksurface seam attachment.

24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVRL.2436-A/B	—	36"	24"		\$611
FVRL.2442-A/B	—	42"	24"		\$639
FVRL.2448-A/B	—	48"	24"		\$696
FVRL.2454-A/B	—	54"	24"		\$771
FVRL.2460-A/B	—	60"	24"		\$799

NOTES

Specify -A style for end of run attachment or -B style for worksurface seam attachment.

Cannot use A style attachment for:

- 24"D Return Worksurface on a 48"W or 96"W Element.
- 30"D Return Worksurface on a 54", 60", 66" or 72"W Element.

30" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVRL.3036-A/B	—	36"	30"		\$692
FVRL.3042-A/B	—	42"	30"		\$706
FVRL.3048-A/B	—	48"	30"		\$759
FVRL.3054-A/B	—	54"	30"		\$899
FVRL.3060-A/B	—	60"	30"		\$933

NOTES

Specify -A style for end of run attachment or -B style for worksurface seam attachment.

Cannot use A style attachment for:

- 24"D Return Worksurface on a 48"W or 96"W Element.
- 30"D Return Worksurface on a 54", 60", 66" or 72"W Element.

36" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVRL.3636-B	—	36"	36"		\$732
FVRL.3642-B	—	42"	36"		\$772
FVRL.3648-B	—	48"	36"		\$812
FVRL.3654-B	—	54"	36"		\$958
FVRL.3660-B	—	60"	36"		\$998


NOTES

B style attachment only.

Mobile Pedestals

DESCRIPTION	SPECIFICATION OPTIONS
Mobile pedestals (available in both laminate or metal) fit underneath the worksurface. Please view individual product details below.	product #: see charts below front finish (laminate pedestal): see page 3 worksurface finish (laminate pedestal): see page 3 finish (metal pedestal): CW Cloud White fabric (cushion): see page 2
NOTES	ORDER EXAMPLES
<ul style="list-style-type: none">Cannot be used to support the worksurface.Cushion may be used with metal mobile box/file pedestal only.	product #: FVBFBMOB.20-LAM front finish (laminate pedestal): M1 Light Maple worksurface finish (laminate pedestal): M1 Light Maple product #: FPEDSQP.BF-MOB-MET finish: CW Cloud White product #: FPEDSW.CUSH fabric (cushion): PF401-1 Silky-Natural


LAMINATE MOBILE BOX/FILE PEDESTAL



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVBFBMOB.20-LAM	24"	15.5"	20"	—	\$770	Locking mobile laminate pedestal with drawers, pencil tray and pulls. Fits underneath the worksurface.

Specify worksurface finish for pedestal top and front finish for pedestal drawers. Casing is CW.


LAMINATE MOBILE PENCIL/BOX/FILE PEDESTAL



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVPBFBMOB.20-LAM	25"	15.5"	20"	—	\$928	Locking mobile laminate pedestal with drawers, pencil tray and pulls. Fits underneath the worksurface.

Specify worksurface finish for pedestal top and front finish for pedestal drawers. Casing is CW.

BOX/FILE MOBILE LAMINATE PEDESTAL CUSHION




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVPED.CUSH	1.75"	15.35"	19.68"	—	\$272	For laminate mobile box/file pedestal only.

Note: If cushion is placed on a full height mobile pedestal, it will not fit under a worksurface.

STORAGE

Mobile Pedestals continued

METAL MOBILE BOX/FILE PEDESTAL




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FPEDSQP.BF-MOB-MET	22"	15"	20"	85	\$665

NOTES

Locking mobile metal pedestal with square front, pencil tray and silver pulls. Fits underneath the worksurface.

Specify paint finish.

BOX/FILE MOBILE METAL PEDESTAL CUSHION



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FPEDSQ.CUSH	1.75"	15"	20"	—	\$272


NOTES

For metal mobile box/file pedestal only.

Credenzas

DESCRIPTION	SPECIFICATION OPTIONS
Storage credenzas with open shelves and sliding doors with pull. Casing is CW.	product #: see charts below front finish: see page 3 left or right: L for Left, R for Right
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">Specify front finish and left/right pull location for credenza door.	product #: FVBSC.1860 front finish: M1 Light Maple left or right: L for Left

CREDENZA




(Left Handed Shown)

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVBSC.1848 L/R	24"	48"	17.75"	—	\$966	Specify front finish for door.
FVBSC.1860 L/R	24"	60"	17.75"	—	\$1,093	Specify L for left or R for right indicating door pull location.
FVBSC.1872 L/R	24"	72"	17.75"	—	\$1,261	

Casing is CW.
May also be specified as
worksurface-supporting credenza.
See Supporting Storage section
for details.

MOBILE
CREDENZA,
36" WIDE




(Left Handed Shown)

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVBCEMOB.1836 L/R	21.75"	36"	17.75"	—	\$693	Mobile storage credenza with sliding door and pull.


Specify front finish for door.
Specify L for left or R for right
indicating door pull location.
Casing is CW.

CREDENZA CUSHION



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FCREDSQ.CUSH30	1.75"	30"	18"	—	\$280	For use with supporting/ freestanding credenza only. Not for use with mobile credenza.
FCREDSQ.CUSH36	1.75"	36"	18"	—	\$286	
FCREDSQ.CUSH42	1.75"	42"	18"	—	\$322	Specify standard fabric.
FCREDSQ.CUSH48	1.75"	48"	18"	—	\$358	
FCREDSQ.CUSH60	1.75"	60"	18"	—	\$430	
FCREDSQ.CUSH72	1.75"	72"	18"	—	\$550	

Cabinets



DESCRIPTION

Storage cabinets with open shelf and doors with pulls. Casing is CW.

NOTES

- Specify front finish for cabinet doors.


SPECIFICATION OPTIONS

product #: see charts below
front finish: see page 3

ORDER EXAMPLE

product #: FVBFF.24-LAM
front finish: M1 Light Maple

FREESTANDING
STORAGE CABINET



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVST.1824	45"	24"	17.75"	—	\$876
FVST.1830	45"	30"	17.75"	—	\$987
FVST.1836	45"	36"	17.75"	—	\$1,147

NOTES

Fixed open shelf above.
Adjustable shelf behind, locking swing doors.
Does not support worksurfaces.
Specify front finish for cabinet doors only.
Casing is CW.

Over-Worksurface Storage, Single-Sided

DESCRIPTION

Single-sided storage that is mounted above the worksurface, perpendicular to the spine. Available with open shelf, or sliding door and markerboard. Casing is CW.

NOTES

- Specify support (post leg or cabinet) separately.
- Specify front finish and left/right pull location for storage door (if applicable)


SPECIFICATION OPTIONS

product #: see charts below
front finish (if applicable): see page 3
left or right (if applicable): L for Left, R for Right

ORDER EXAMPLE

product #: FVOSDSN.1524
front finish (if applicable): M1 Light Maple
left or right (if applicable): L for Left

WITH SLIDING DOOR
15" HIGH




right hand shown

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVOSDSN.1524 L/R	15"	24"	13.75"	—	\$485
FVOSDSN.1530 L/R	15"	30"	13.75"	—	\$536
FVOSDSN.1548 L/R	15"	48"	13.75"	—	\$701
FVOSDSN.1560 L/R	15"	60"	13.75"	—	\$906
FVOSDSN.1572 L/R	15"	72"	13.75"	—	\$983

NOTES
Laminate storage with sliding door and solid back.
Specify L for left or R for right indicating door pull location.
Specify front finish for sliding door.
Casing is CW.


WITH OPEN SHELF
15" HIGH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVOSOSN.1524	15"	24"	13.75"	—	\$264
FVOSOSN.1530	15"	30"	13.75"	—	\$344
FVOSOSN.1548	15"	48"	13.75"	—	\$479
FVOSOSN.1560	15"	60"	13.75"	—	\$561
FVOSOSN.1572	15"	72"	13.75"	—	\$634

NOTES
Laminate storage with open shelf, and solid back
24"W and 30"W do not have a center divider.
48"W or wider have a center divider.
Casing is CW.

WITH OPEN SHELF
8" HIGH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVOSOS.0824	8"	24"	13.75"	—	\$176
FVOSOS.0830	8"	30"	13.75"	—	\$205
FVOSOS.0848	8"	48"	13.75"	—	\$321
FVOSOS.0860	8"	60"	13.75"	—	\$378
FVOSOS.0872	8"	72"	13.75"	—	\$429

NOTES
Laminate storage with open shelf, open back and center divider.
24"W and 30"W do not have a center divider.
48"W or wider have a center divider.
Casing is CW.

STORAGE

Over-Worksurface Storage, Double-Sided

DESCRIPTION

Double-sided (shared) storage that is mounted above the worksurface, perpendicular to the spine. Available with open shelf, or sliding door and markerboard. Casing is CW.

NOTES

- Specify support (post leg or cabinet) separately.
- Specify front finish and left/right pull location for storage door (if applicable)


SPECIFICATION OPTIONS

product #: see charts below
front finish (if applicable): see page 3
left or right (if applicable): L for Left, R for Right

ORDER EXAMPLE

product #: FVOSDSH.1524
front finish (if applicable): M1 Light Maple
left or right (if applicable): L for Left

WITH SLIDING DOOR 15" HIGH



left hand shown

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVOSDSH.1524 L/R	15"	24"	13.75"	—	\$776
FVOSDSH.1530 L/R	15"	30"	13.75"	—	\$864
FVOSDSH.1548 L/R	15"	48"	13.75"	—	\$1,155
FVOSDSH.1560 L/R	15"	60"	13.75"	—	\$1,328
FVOSDSH.1572 L/R	15"	72"	13.75"	—	\$1,462

NOTES


Laminate storage with sliding door and markerboard on each side

Specify L for left or R for right indicating door pull location.

Specify front finish for sliding door.

Casing is CW.

WITH OPEN SHELF 15" HIGH



left hand shown

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVOSOSH.1524 L/R	15"	24"	13.75"	—	\$238
FVOSOSH.1530 L/R	15"	30"	13.75"	—	\$238
FVOSOSH.1548 L/R	15"	48"	13.75"	—	\$395
FVOSOSH.1560 L/R	15"	60"	13.75"	—	\$427
FVOSOSH.1572 L/R	15"	72"	13.75"	—	\$477


NOTES

Laminate storage with open shelf and markerboard on each side.

Specify L for left or R for right indicating open shelf location.

Casing is CW.

WITH OPEN SHELF 8" HIGH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVOSOS.0824	8"	24"	13.75"	—	\$176
FVOSOS.0830	8"	30"	13.75"	—	\$205
FVOSOS.0848	8"	48"	13.75"	—	\$321
FVOSOS.0860	8"	60"	13.75"	—	\$378
FVOSOS.0872	8"	72"	13.75"	—	\$429

NOTES

Laminate storage with open shelf, open back and center divider.

24"W and 30"W do not have a center divider.


48"W or wider have a center divider.

Casing is CW.

Support for Over-Worksurface Storage


DESCRIPTION	SPECIFICATION OPTIONS
Supporting post leg or cabinet for over-worksurface mounted cabinets.	product #: see charts below finish: CW Cloud White front finish (if applicable): see page 3
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none">Specify front finish for support cabinet.	product #: FVSL.3 finish: CW Cloud White product #: FVSC.1416 front finish (if applicable): M1 Light Maple

SUPPORT COLUMN LEG WITH DISC BASE



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVSL.3	29.5"	3"/14"	—	—	\$390	Supporting column leg with disc base for over-worksurface mounted cabinets. 3"W column, 14"W disc base. Specify paint finish.

SUPPORT CABINET



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVSC.1416	29.5"	15.5"	13.75"	—	\$694	Supporting cabinet for over-worksurface mounted cabinets. Specify front finish. Casing is CW. Opposite side is closed at top and bottom.

STORAGE

Track-Mounted Accessories

DESCRIPTION

Accessories mounted to the center track.
Please view individual product details below.

SPECIFICATION OPTIONS

product #: see charts below
fabric (if applicable): see page 2
finish (if applicable): CW Cloud White
front finish (if applicable): see page 3

NOTES


- Support brackets are Cloud White.

ORDER EXAMPLE

product #: FVTKBDT.1536
fabric (if applicable): PF401-1 Silky-Natural
product #: FVDSS
finish (if applicable): CW Cloud White

product #: FVOSS.16
finish (if applicable): CW Cloud White
front finish (if applicable): see page 3

FABRIC TACKBOARD (track-mounted)




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTKBDT.1536	15"	34"	1.25"	—	\$292
FVTKBDT.1542	15"	40"	1.25"	—	\$328
FVTKBDT.1548	15"	46"	1.25"	—	\$354
FVTKBDT.1554	15"	52"	1.25"	—	\$416
FVTKBDT.1560	15"	58"	1.25"	—	\$450
FVTKBDT.1566	15"	64"	1.25"	—	\$485
FVTKBDT.1572	15"	70"	1.25"	—	\$506

NOTES

Specify fabric.

CLEAR GLASS SCREEN



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVGSTCL.1524	15"	23.25"	1.25"	—	\$167
FVGSTCL.1530	15"	29.25"	1.25"	—	\$191
FVGSTCL.1536	15"	35.25"	1.25"	—	\$215
FVGSTCL.1542	15"	41.25"	1.25"	—	\$237
FVGSTCL.1548	15"	47.25"	1.25"	—	\$262
FVGSTCL.1554	15"	53.25"	1.25"	—	\$308
FVGSTCL.1560	15"	59.25"	1.25"	—	\$308
FVGSTCL.1566	15"	65.25"	1.25"	—	\$349
FVGSTCL.1572	15"	71.25"	1.25"	—	\$349

NOTES


Glass is clear.

For 78" tops, order 1 piece of 42" glass and 1 piece of 36" glass.

For 84" tops, order 2 pieces of 42" glass.

For 96" tops, order 2 pieces of 48" glass.

FROSTED GLASS SCREEN (track-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVGSTFR.1524	15"	23.25"	1.25"	—	\$253
FVGSTFR.1530	15"	29.25"	1.25"	—	\$300
FVGSTFR.1536	15"	35.25"	1.25"	—	\$345
FVGSTFR.1542	15"	41.25"	1.25"	—	\$391
FVGSTFR.1548	15"	47.25"	1.25"	—	\$438
FVGSTFR.1554	15"	53.25"	1.25"	—	\$556
FVGSTFR.1560	15"	59.25"	1.25"	—	\$556
FVGSTFR.1566	15"	65.25"	1.25"	—	\$648
FVGSTFR.1572	15"	71.25"	1.25"	—	\$648

NOTES

Glass is frosted.


For 78" tops, order 1 piece of 42" glass and 1 piece of 36" glass.

For 84" tops, order 2 pieces of 42" glass.

For 96" tops, order 2 pieces of 48" glass.

Track-Mounted Accessories continued


METAL SHELF
(track-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSS	6.5"	12"	5"	—	\$119

NOTES
Specify finish.


OPEN SHELF
(track-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVOSS.16	—	15.75"	—	—	\$210
FVOSS.22	—	21.5"	—	—	\$245

NOTES
Specify finish (painted metal) and front finish (laminate shelf base).

MONITOR ARM




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FARM	12"	4.5"	4.5"	—	\$525

NOTES
CW Finish
Includes attachment hardware for clamp, grommet and Verity track mount.

Worksurface-Mounted Accessories


DESCRIPTION	SPECIFICATION OPTIONS
Accessories mounted to the worksurface. Please review individual notes per each accessory item.	product #: see charts below fabric (if applicable): see page 2 finish (if applicable): CW Cloud White
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none"> Support brackets are Cloud White. 	product #: FVTKBDW.1522 fabric (if applicable): PF401-1 Silky-Natural finish (if applicable): CW Cloud White

FABRIC TACKBOARD (surface-mounted)




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVTKBDW.1522	15"	22"	1"	—	\$196	Mounts along the worksurface.
FVTKBDW.1528	15"	28"	1"	—	\$242	Specify fabric. Includes hardware.

CLEAR GLASS SCREEN (surface-mounted)




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVGSWCL.1522	15"	22"	1"	—	\$215	Mounts along the worksurface.
FVGSWCL.1528	15"	28"	1"	—	\$268	Glass is clear. Includes hardware.

FROSTED GLASS SCREEN (surface-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVGSWFR.1522	15"	22"	1"	—	\$297	Mounts along the worksurface.
FVGSWFR.1528	15"	28"	1"	—	\$333	Glass is frosted. Includes hardware.

MARKERBOARD SCREEN (surface-mounted)




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVMKRW.1522	15"	22"	1"	—	\$293
FVMKRW.1528	15"	28"	1"	—	\$380

NOTES

Mounts along the worksurface.

Markerboard with write and erase surface.

MODESTY PANEL (under surface-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVMOD.1648	13.75"	40"	1"	—	\$190
FVMOD.1654	13.75"	46"	1"	—	\$191
FVMOD.1660	13.75"	52"	1"	—	\$201
FVMOD.1666	13.75"	58"	1"	—	\$214
FVMOD.1672	13.75"	64"	1"	—	\$226
FVMOD.1678	13.75"	70"	1"	—	\$331

NOTES

For use with single-sided units only.


Perforated metal modesty panel mounts under the worksurface.

Specify paint finish.

For a 96"W worksurface, order two 48" modesty panels.

SUPPORTING BRACKETS

For worksurface mounted fabric/markerboard screen



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FV - X				—	\$75


NOTES

CW Finish

Supporting brackets for worksurface mounted fabric or Markerboard screen.

SUPPORTING BRACKETS

For worksurface mounted fabric/markerboard screen



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FV-XT					\$75

NOTES

CW Finish

Supporting brackets for worksurface mounted glass screen.

For use with customers own material screen.

Keyed-Alike Information

DESCRIPTION	SPECIFICATION OPTIONS
	product #: see charts below
NOTES	ORDER EXAMPLE
	product #: FLCKA

KEYED-ALIKE LOCKS

PART #	DESCRIPTION	PRICE	NOTES
FLCKA	Lock Core Keyed-Alike (set of 4)	\$115	<p>All Friant Pedestals, Lateral Files, and Overhead Cabinets can be keyed-alike.</p> <p>Keyed-Alike Lock Cores are sold in sets of 4.</p> <p>Each set includes four Lock Cores, each with two keys, all with the same lock number.</p> <p>One Lock Core Removal Key is shipped with every order.</p> <p>Additional Lock Core Removal Keys and Master Keys are available.</p>
FCK	Lock Core Removal Key	\$17	
FMK	Lock Core Master Key	\$17	
FV-CK	Verity Change Key	\$17	
FV-KA	Verity Key Alike Core with Keys (Set of 2)	\$58	
FV-MK	Verity Master Key	\$17	

Terms and Conditions

PRICES

All Prices are F.O.B. destination (Continental U.S.). We reserve the right to change prices without prior notice. See Friant policy at www.Friant.com

ORDERING

Purchase Orders should be sent to Friant & Associates, LLC at orders@friant.com, or faxed to (510) 535-6895. If your specifications were created with CAP, GIZA, or Project Matrix please send the worksheet (SP4) with your Purchase Order.

TERMS

Net 30 days from date of invoice. Invoices are delinquent if not paid 30 days from date of invoice. In the event timely payment is not made, interest will be charged at the rate of 1.5% per month on delinquent accounts. Buyers will also be liable for normal collection costs and attorney's fee. 50% deposit is required with every order, unless prior arrangements have been made.

ORDERS

Orders are only accepted by issuance of our formal acknowledgment, and are subject to the terms set forth herein and on our order acknowledgment. It is the responsibility of the buyer to review our acknowledgment for its accuracy, and to notify Friant within 48 hours from the date of the acknowledgment of any discrepancies.

LEAD TIME

Lead times are subject to availability.

SHIPPING

Friant generally palletizes, boxes and/or shrink-wraps its products. If buyer requests additional packaging or special shipping, then it is responsible for any extra costs that result. Buyer obtains title to products and assumes the risk of loss for them upon shipment from Friant's plant.

CLAIMS

We are not responsible for damage suffered in transit. Merchandise should be inspected for possible freight damage upon delivery. The consignee should file for damage or shortages with the carrier within 5 days of delivery. You are also protected for "concealed damage" if you file claim with the carrier within 5 days of delivery. Buyer must make all claims against Friant for defects, errors or shortages in writing within 10 days after delivery. Failure to make such a claim shall constitute full acceptance.

RETURNS

No merchandise may be returned without our written consent and shipping instructions. Unauthorized returns will not be accepted and will be returned freight collect.

PARTIAL SHIPMENTS

We will make every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments, as merchandise is ready. Invoices covering these shipments are to be paid as they become due.

ORDER CHANGE — CANCELLATIONS

Our order confirmation is final and binding. Any order change or cancellation is subject to our ability to conform. Such requests are to be made in writing to our office.

SHIPMENT AND PREPAID FREIGHT

Unless otherwise instructed, we reserve the option to ship by what is, in our opinion, the best possible way. Upon request, we will prepay and add freight for accounts with established credit.

DELIVERY

We are not liable for delay or failure of delivery due to strikes and/or differences with workmen, war, riot, fire, compliance with government regulations, acts of nature, failure or delays of sources of supply, or any other causes beyond our control.

STORAGE

If buyer cannot accept delivery when merchandise is ready, we reserve the right to transfer goods to storage. Costs of transfer and storage will be charged to the buyer's account, and we will deem such transfer as constituting shipment for all purposes, including invoicing, as of the date the transfer is made.

Terms and Conditions

CONSTRUCTION — SPECIFICATIONS

All items are produced to price list specifications unless otherwise advised. All dimensions shown are approximate. Manufacturer reserves the right to make modifications and/or improvements without prior notice.

FABRIC APPLICATION

Standard fabric application is horizontal application.

Friant & Associates is not responsible for charges associated with replacement of products due to incorrect specifications. Please note: Some patterns require horizontal or vertical application specifically tailored to those products. See individual pricebook specifications for details.

CUSTOMER'S OWN MATERIAL

Yardage requirement is based on 66" wide plain covering material, and must be increased if less than 66" wide. Special instructions for handling material (pattern, directional fabric, right side of reversible fabric, etc.) must be submitted in writing before fabric is delivered. In the absence of special instructions, we reserve the right to use our own judgment. We reserve the right to reject any covering, which in our opinion, is unsuitable for our upholstery purposes. However, in no instance shall we be held responsible for unsatisfactory results due to use of covering unsuitable for our upholstery methods.

We will not be responsible for errors caused by buyers not supplying us with sample cuttings attached to their order giving full identification of covering material, (name of supplier, covering name, number and color) for identification purposes and advising us of model number and quantity to which each cover is to be applied.

Customer's own material that is shipped freight collect will be refused. A service charge will be applied for the return of unusable C.O.M. Contact factory.

RIGHTS AND WARRANTIES — LIMITED LIFETIME WARRANTY

This warranty is given to the initial purchaser and is valid from the date of purchase, for as long as the initial purchaser owns the product. This warranty covers defects in material and craftsmanship found during normal usage of the product during the warranty period. If the product is defective, and if written notice of the defect is given to Friant & Associates within the applicable warranty period, Friant & Associates, at its option, will either repair or replace the defective product with a comparable component or product. This warranty applies to all products except as noted below.

High wear parts, such as wood veneer, fabrics, laminates, and other covering material/finishes, foam, glides, etc. are warranted for one (1) year. This warranty does not apply to damage caused by a carrier, alteration to the product not expressly authorized by Friant & Associates, nor to product considered to be of a consumable nature such as bulbs, light ballasts, etc. It also does not apply to "Customer's Own Material" (i.e. material specified by the customer that is not a standard Friant & Associates offering) used in the manufacture of Friant & Associates products.

Friant & Associates does not warrant the matching of colors, grain or texture, except to within commercially acceptable standards. This includes normal variations between dye lots (fabrics).

A product will not be considered defective, and Friant & Associates will not be obligated to replace it, if it is not installed in a proper manner (i.e. product not leveled, not secured properly, etc.).

Except as noted above, Friant & Associates makes no express or implied warranties to any product, and in particular makes no warranty of fitness for any particular use. At Friant & Associates' option, product repair and replacement is the customer's exclusive remedy for any and all product defects.

Friant & Associates shall not be liable for consequential, economic, or incidental damages arising from any product defect.

CALIFORNIA PROP 65 WARNING

Products in this catalog may contain a chemical known to the state of California to cause cancer, or birth defects or other reproductive harm.

