


SAFETY
QUALITY & DURABILITY
EASE OF OPERATION
VALUE FOR YOUR INVESTMENT



GENERAL PRODUCTS



AmTab Manufacturing Corporation

652 N. Highland Ave. • Aurora, IL 60506

(Office) 630 301-7600 • 800 878-2257

(Fax) 630 896-7945

www.AmTab.com



Quality Products

Our products are designed, manufactured and sold under AmTab's **core principles**:

1. Safety
2. Quality & Durability
3. Ease of Operation
4. Value for Your Investment

Personalized Service

AmTab provides an excellent customer service experience. From Quote, to Order, to Delivery, AmTab works hand-in-hand with you each and every time to ensure that your facility is furnished, both functionally and beautifully.

Made in the USA

AmTab products are proudly manufactured and assembled in America with domestic materials and labor.



Policy and Warranty

TO ORDER — Write the catalog number of each item. Add quantity. Include colors of table tops, metal finish and color of molding where applicable.

TERMS OF SALE — Net 30 days, for dealers who qualify for credit in AmTab's judgement. All orders are subject to acceptance by AmTab. All prices listed herein are f.o.b. factory.

ACKNOWLEDGEMENTS — Every order is acknowledged. Orders are manufactured and invoiced based upon the information in the acknowledgement. If there is any discrepancy, the dealer or customer must notify AmTab within 5 working days. Orders are accepted by AmTab per terms herein and on the acknowledgement. AmTab rejects any terms and conditions contained in any customer purchase orders or other business forms which are different from the terms stated herein and on the acknowledgement.

PHONE ORDERS — AmTab accepts phone orders as a service to meet customers' needs. However a purchase order marked: "confirmation" must follow immediately. Duplicate orders not marked "confirmation" are the responsibility of the customer.

SHIPMENT DAMAGE CLAIMS — All shipments should be carefully inspected by the consignee before acceptance and the delivering carrier should be requested to record any damage or shortage on the delivery receipt before the consignee signs it. If further damage is found after delivery, immediate inspection by the delivering carrier should be requested. Notification of concealed damages must be made to the delivering carrier within 15 days after delivery of merchandise. Carrier liability ceases after 15 days. **CAUTION:** After obtaining a clear receipt for shipment, the delivering carrier is no longer responsible for damage or shortages.


RETURNS — Merchandise returned will not be accepted without written consent of AmTab. After approval, returned merchandise must be shipped pre-paid and subject to minimum of 15% handling charge unless it is AmTab's responsibility.

WARRANTY — AmTab warrants products purchased hereunder to be free of defects in materials and workmanship for a period of fifteen (15) years from the date of shipment. This warranty shall not apply in the event products are

damaged as a result of misuse, abuse, neglect, accident, improper application, modification or repair by persons not authorized by AmTab, where products are damaged during shipment, or where the date stamps on the products has been defaced, modified or removed. **UNLESS CONSIDERED UNENFORCEABLE OR UNLAWFUL UNDER APPLICABLE LAW.**

- a. ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY EXCLUDED.
- b. PURCHASER'S REMEDY, IF ANY, FOR ANY DEFECTIVE PRODUCTS SHALL BE LIMITED TO A REFUND, REPLACEMENT OR ADJUSTMENT BY AMTAB OF THE PRODUCTS AT AMTAB'S OPTION, AND SHALL IN NO EVENT INCLUDE DAMAGES OF ANY KIND, WHETHER INCIDENTAL, CONSEQUENTIAL OR OTHERWISE.

DYNALITE™ ABS TABLES



Steel Frame Support

All welded, unitized, heavy duty steel internal frame work provides strength and stability for years of use



Built-in Corner Edge Protection

Solid, built-in corner edge construction prevents damage from high impact and rigorous, rough day-to-day activities



Round Glide

14 gauge x 1 1/16" dia. steel tubular legs are capped with high impact, load bearing, non-marking plastic glides

- 3/4" thick ABS plastic top
- 100% pure, high impact ABS plastic top and bottom surface
- Rigid, heavy duty honey comb core
- 14 gauge steel tube legs
- Glide-matic™ positive locking system
- Available top colors in gray, beige, and brown
- Available leg colors in black, brown, beige, gray, titanium, and champagne



R60DL



TT186DL



306DL

DYNALITE™ ABS PLASTIC TABLES

MODEL NUMBER	SHAPE	SIZE W x L x H	WEIGHT LBS
WISHBONE STYLE ROUND TUBE STEEL LEGS			
186DL	RECTANGLE	18" x 72" x 29"	39
188DL	RECTANGLE	18" x 96" x 29"	47
246DL	RECTANGLE	24" x 72" x 29"	43
248DL	RECTANGLE	24" x 96" x 29"	53
305DL	RECTANGLE	30" x 60" x 29"	44
306DL	RECTANGLE	30" x 72" x 29"	49
308DL	RECTANGLE	30" x 96" x 29"	58
366DL	RECTANGLE	36" x 72" x 29"	55
368DL	RECTANGLE	36" x 96" x 29"	67
R48DL	ROUND	48" DIA x 29"	45
R60DL	ROUND	60" DIA x 29"	62
R66DL	ROUND	66" DIA x 29"	73
R72DL	ROUND	72" DIA x 29"	78
HR60DL	1/2 ROUND	1/2-60"DIA x 29"	51
QR60DL	1/4 ROUND	1/4-60"DIA x 29"	29
SQ30DL	SQUARE	30"x 30" x 29"	32
SQ36DL	SQUARE	36"x 30" x 29"	40
SE305DL	SERPENTINE	30" x 60" x 29"	55
CANTILEVER SQUARE STEEL TUBE LEGS			
TT186DL	RECTANGLE	18" x 72" x 29"	39
TT188DL	RECTANGLE	18" x 96" x 29"	47
TT246DL	RECTANGLE	24" x 72" x 29"	43
TT248DL	RECTANGLE	24" x 96" x 29"	53



COMPUTER TABLES All-Welded

- 1 1/4" thick, high pressure plastic laminate top
- 16 gauge x 2" x 1" rectangle steel frame
- 14 gauge x 1 1/4" square steel legs
- Wire Management System Standard
- *Optional* - Deeper Wire Management System*
- Vinyl T-molding edge — optional Dyna-Rock™ edge



Key Lock — Optional

Key lock available with flip top table



Caster — Optional

Heavy duty 3" diameter non-marking and load bearing twin wheel casters

ALL-WELDED COMPUTER TABLES

FLIP TOP		SIZE W x L x H	GROMMET HOLE	
MODEL NUMBER	WEIGHT LBS		MODEL NUMBER	WEIGHT LBS
CTF243	63	24" x 36" x 29"	CTG243	63
CTF244	75	24" x 48" x 29"	CTG244	75
CTF245	88	24" x 60" x 29"	CTG245	88
CTF246	98	24" x 72" x 29"	CTG246	98
CTF247	115	24" x 84" x 29"	CTG247	115
CTF303	73	30" x 36" x 29"	CTG303	73
CTF304	88	30" x 48" x 29"	CTG304	88
CTF305	100	30" x 60" x 29"	CTG305	100
CTF306	115	30" x 72" x 29"	CTG306	115
CTF307	130	30" x 84" x 29"	CTG307	130
CTF364	98	36" x 48" x 29"	CTG364	98
CTF365	115	36" x 60" x 29"	CTG365	115
CTF366	130	36" x 72" x 29"	CTG366	130
CTF367	145	36" x 84" x 29"	CTG367	145



CTF245D
(Flip Top)
* Optional -
Deeper Wire Management

CTG245

TABLES W/ WIRE MANAGEMENT

MODEL NUMBER	SIZE W x L	WEIGHT LBS
A185PW	18" x 60"	88
A186PW	18" x 72"	96
A188PW	18" x 96"	110
A245PW	24" x 60"	102
A246PW	24" x 72"	108
A248PW	24" x 96"	130
A305PW	30" x 60"	115
A306PW	30" x 72"	125
A366PW	36" x 72"	140

TABLES W/ PEDESTAL LEGS

MODEL NUMBER	SIZE W x L	WEIGHT LBS
A185PL	18" x 60"	88
A186PL	18" x 72"	96
A188PL	18" x 96"	110
A245PL	24" x 60"	102
A246PL	24" x 72"	108
A248PL	24" x 96"	130
A305PL	30" x 60"	115
A306PL	30" x 72"	125
A366PL	36" x 72"	140

Table is shipped with top and welded frame separate. May require field assembly.

COMPUTER TABLES PEDESTAL LEGS

- 1 1/4" thick, high pressure plastic laminate top
- 16 gauge x 2" x 1" rectangle steel legs with 1-1/2"x1" chrome plated leg inserts
- Wire management system
- Vinyl T-molding edge — optional Dyna-Rock™ edge



Solid Construction

Legs interlocked with steel rectangle frame to provide stability and durability



Wire management
Strong, durable steel wire management system

A306PW

Adjustable Height Leg

Height adjusts in 1" increments from 22" to 29"



PLYWOOD CORE TABLES

- 3/4" thick premium grade plywood core
- High pressure plastic laminate top
- 14 gauge x 1 1/16" round tubular steel wishbone legs
- Glide-matic™ positive locking system
- 16 gauge steel-formed channel frame
- Vinyl T-molding edge



R60DP



306DP



186DP



PLYWOOD CORE TABLES

MODEL NUMBER	SIZE W x L x H	WEIGHT LBS
185DP	18" x 60" x 29"	40
186DP	18" x 72" x 29"	45
188DP	18" x 96" x 29"	55
245DP	24" x 60" x 29"	50
246DP	24" x 72" x 29"	52
248DP	24" x 96" x 29"	56
305DP	30" x 60" x 29"	58
306DP	30" x 72" x 29"	65
308DP	30" x 96" x 29"	70
366DP	36" x 72" x 29"	72
368DP	36" x 96" x 29"	85
R42DP	42" Dia. x 29"	52
R48DP	48" Dia. x 29"	60
R60DP	60" Dia. x 29"	84
R66DP*	66" Dia. x 29"	92
R72DP*	72" Dia. x 29"	110
SQ30DP	30" x 30" x 29"	39
SQ36DP	36" x 36" x 29"	48

PLYWOOD CORE BENCHES

B155DP	15" x 60" x 17"	30
B156DP	15" x 72" x 17"	33
B158DP	15" x 96" x 17"	44

* Round table models R66DP and R72DP have visible seam (must be manufactured from two sheets of plastic laminate).

• Legs do not fold flat on 5' models.



Round Glide

14 gauge x 1 1/16" dia. steel tube legs are capped with high impact, load bearing, non-marking plastic glides



Safety Throughout Design

Legs lock securely in open and closed position with patented spring loaded Glide-matic™ positive locking system. 1 3/4" wide 16-gauge steel apron fastened with screws every 8 to 10 inches and welded at seams and corners rounded for safety



Vinyl T-Molding Edge

Heavy duty vinyl edge with plywood core withstands shocks while protecting chair backs and preserving table edge

TRAINING TABLES

Cantilever Legs

- High pressure plastic laminate top
- 16 gauge x 1 1/4" square steel tube cantilever legs
- Glide-matic™ positive locking system
- 16 gauge steel-formed channel frame
- Vinyl T-molding edge



TT188DPM
Modesty Panel



TT188DP



TRAINING TABLES				
3/4" THICK PLYWOOD		SIZE W x L x H	5/8" THICK PARTICLE BOARD	
MODEL NUMBER	WEIGHT		MODEL NUMBER	WEIGHT
TT185DP	43	18" x 60" x 29"	TT185D	47
TT186DP	47	18" x 72" x 29"	TT186D	52
TT187DP	53	18" x 84" x 29"	TT187D	58
TT188DP	57	18" x 96" x 29"	TT188D	64
TT245DP	54	24" x 60" x 29"	TT245D	58
TT246DP	58	24" x 72" x 29"	TT246D	64
TT247DP	62	24" x 84" x 29"	TT247D	65
TT248DP	67	24" x 96" x 29"	TT248D	74
WITH MODESTY PANEL				
TT185DPM	58	18" x 60" x 29"	TT185DM	65
TT186DPM	65	18" x 72" x 29"	TT186DM	70
TT187DPM	74	18" x 84" x 29"	TT187DM	76
TT188DPM	80	18" x 96" x 29"	TT188DM	82
TT245DPM	68	24" x 60" x 29"	TT245DM	73
TT246DPM	76	24" x 72" x 29"	TT246DM	85
TT247DPM	82	24" x 84" x 29"	TT247DM	85
TT248DPM	90	24" x 96" x 29"	TT248DM	94

- For adjustable height, add letter "A".
- Dyna-Rock™ Edge available upon request, add letters "DR".
- Legs do not fold flat on 5' models



Safety Throughout Design

Legs lock securely in open and closed position with patented spring loaded Glide-matic™ positive locking system. 1 3/4" wide 16-gauge steel apron fastened with screws every 8 to 10 inches and welded at seams and corners rounded for safety



Vinyl T-Molding Edge

Heavy duty vinyl edge with plywood core withstands shocks while protecting chair backs and preserving table edge



Mitered Corners

Square steel tube legs bottom mitered for strength and visual appeal

PLYWOOD TOP TABLES

Sealed & Stained Top

- 3/4" thick premium grade plywood
- Sealed and stained top
- 14 gauge x 1 1/16" round tubular steel wishbone legs
- Glide-matic™ positive locking system
- 16 gauge steel-formed channel frame
- Choice of vinyl T-molding edge, or aluminum edge



308PA

PLYWOOD TOP TABLES				
ALUMINUM T-MOLDING EDGE - PA		SIZE W x L x H	VINYL T-MOLDING EDGE - PM	
MODEL #	WEIGHT LBS		MODEL #	WEIGHT LBS
185PA	37	18" x 60" x 29"	185PM	37
186PA	40	18" x 72" x 29"	186PM	40
188PA	50	18" x 96" x 29"	188PM	50
245PA	43	24" x 60" x 29"	245PM	43
246PA	48	24" x 72" x 29"	246PM	48
248PA	56	24" x 96" x 29"	248PM	56
305PA	48	30" x 60" x 29"	305PM	48
306PA	54	30" x 72" x 29"	306PM	54
308PA	70	30" x 96" x 29"	308PM	70
366PA	62	36" x 72" x 29"	366PM	62
368PA	78	36" x 96" x 29"	368PM	78
R36PA	32	36" Dia. x 29"	R36PM	32
R48PA	50	48" Dia. x 29"	R48PM	50
R60PA	65	60" Dia. x 29"	R60PM	65
R66PA	75	66" Dia. x 29"	R66PM	75
R72PA	82	72" Dia. x 29"	R72PM	82
HR30PA	28	1/2 of 30" Dia. x 29"	HR30PM	28
HR48PA	32	1/2 of 48" Dia. x 29"	HR48PM	32
HR60PA	45	1/2 of 60" Dia. x 29"	HR60PM	45
HR72PA	54	1/2 of 72" Dia. x 29"	HR72PM	54
HR96PA	76	1/2 of 96" Dia. x 29"	HR96PM	76
QR48PA	24	1/4 of 48" Dia. x 29"	QR48PM	24
QR60PA	30	1/4 of 60" Dia. x 29"	QR60PM	30
QR72PA	32	1/4 of 72" Dia. x 29"	QR72PM	32
QR96PA	42	1/4 of 96" Dia. x 29"	QR96PM	42
SQ30PA	30	30" x 30" x 29"	SQ30PM	30
SQ36PA	35	36" x 36" x 29"	SQ36PM	35
SE305PA	50	30" x 30/60" x 29"	SE305PM	50
SE306PA	70	30" x 42/72" x 29"	SE306PM	70

• Legs do not fold flat on 5' models.



SE306PA



R60PA



245PA



Round Glide

14 gauge x 1 1/16" dia. steel tube legs are capped with high impact, load bearing, non-marking plastic glides



Aluminum Edge (PA)

Heavy duty aluminum edge withstands shocks while protecting chair backs and preserving table edge



Vinyl T-Molding Edge

Heavy duty vinyl edge withstands shocks while protecting chair backs and preserving table edge.

CONFERENCE / CLASSROOM

All-Welded Tables

- 1 1/4" thick particle board core
- High pressure plastic laminate top
- Vinyl T-molding edge
- Dyna-Rock™ edge — optional
- 14 gauge x 1 1/4" square steel tubular non-folding legs
- 16 gauge x 2" x 1" rectangle steel all welded frame
- 1" thick plywood top core — optional



AW306D



AW245D

ALL-WELDED CONFERENCE/ CLASS ROOM TABLES

1 1/4" THICK PARTICLE BOARD CORE TOP		SIZE W x L x H
MODEL NUMBER	WEIGHT LBS	
AW243D	58	24" x 36" x 29"
AW244D	70	24" x 48" x 29"
AW245D	83	24" x 60" x 29"
AW246D	95	24" x 72" x 29"
AW247D	108	24" x 84" x 29"
AW303D	67	30" x 36" x 29"
AW304D	83	30" x 48" x 29"
AW305D	97	30" x 60" x 29"
AW306D	112	30" x 72" x 29"
AW307D	127	30" x 84" x 29"
AW364D	93	36" x 48" x 29"
AW365D	111	36" x 60" x 29"
AW366D	128	36" x 72" x 29"
AW367D	145	36" x 84" x 29"
AW425D	125	42" x 60" x 29"
AW426D	145	42" x 72" x 29"
AWR36D	73	t36" Dia x 29"
AWR42D	92	42" Dia x 29"
AWR48D	111	48" Dia x 29"
AWR60D	160	60" Dia x 29"
AWSQ36D	75	36" x 36" x 29"
AWSQ42D	94	42" x 42" x 29"
AWSQ48D	115	48" x 48" x 29"
AWSQ60D	167	60" x 60" x 29"



Caster — Optional
Heavy duty 3" diameter
non-marking and load bearing
twin wheel casters



Adjustable Height Leg — Optional
Height easily adjusts in 1" increments



CONFERENCE / CLASSROOM T-Leg Designed Tables

- 1 1/4" thick particle board core
- High pressure plastic laminate top
- Vinyl T-Mold Edge
- 2" dia. heavy gauge, non-folding legs
- Optional Dyna-Rock™ Edge



LT306D



LT186D



T-LEG DESIGN TABLE

MODEL NUMBER	SIZE W x L x H	WEIGHT LBS
LT185D	18" x 60" x 29"	88
LT186D	18" x 72" x 29"	96
LT187D	18" x 84" x 29"	104
LT188D	18" x 96" x 29"	110
LT245D	24" x 60" x 29"	102
LT246D	24" x 72" x 29"	108
LT247D	24" x 84" x 29"	120
LT248D	24" x 96" x 29"	130
LT305D	30" x 60" x 29"	115
LT306D	30" x 72" x 29"	125
LT308D	30" x 96" x 29"	150
LTT366D	36" x 72" x 29"	140
LTT368D	36" x 96" x 29"	170



LTT366D

CONFERENCE/CLASS ROOM TABLES T-LEGS WITH MATCHING PANEL

- 3/4" thick premium grade plywood core
- High pressure plastic laminate top
- Vinyl T-mold Edge
- Glide-matic™ positive locking system
- T-legs — folding with matching panel
- 16 gauge steel-formed channel frame



LTP186

T-LEGS W/ MATCHING PANEL TABLE

MODEL NUMBER	SIZE W x L x H	WEIGHT LBS
LTP185	18" x 60" x 29"	46
LTP186	18" x 72" x 29"	50
LTP188	18" x 96" x 29"	58
LTP245	24" x 60" x 29"	57
LTP246	24" x 72" x 29"	61
LTP248	24" x 96" x 29"	70
LTP305	30" x 60" x 29"	65
LTP306	30" x 72" x 29"	72
LTP308	30" x 96" x 29"	85
LTP366	36" x 72" x 29"	82
LTP368	36" x 96" x 29"	98

- For adjustable height add letter A.



LTP306

ACTIVITY TABLES

- 1 1/4" thick particle board core
- High pressure plastic laminate top
- Vinyl T-molding edge – optional Dyna-Rock™ edge
- 1 1/8" diameter tube steel legs upper
- 1" diameter tube steel chrome plated leg inserts
- Adjustable height legs



AK486D
Kidney Shape



AFL60D



AA306D



AT305D













Slide and place leg into already mounted bracket, insert one screw and lock



Height easily adjusts in 1" increments and self locking screw tightens leg against upper fixed leg assembly

ACTIVITY TABLES

1 1/4" THICK PARTICLE BOARD CORE		SHAPE	SIZE W x L x H	OPTIONAL 1 1/4" THICK PREMIUM GRADE PLYWOOD	
MODEL NUMBER	WEIGHT LBS			MODEL NUMBER	WEIGHT LBS
AA243D	40	 RECTANGLE	24" x 36" x 22/29"	AA243DP	28
AA244D	52		24" x 48" x 22/29"	AA244DP	37
AA245D	65		24" x 60" x 22/29"	AA245DP	45
AA246D	72		24" x 72" x 22/29"	AA246DP	53
AA304D	59		30" x 48" x 22/29"	AA304DP	40
AA305D	73		30" x 60" x 22/29"	AA305DP	52
AA306D	85		30" x 72" x 22/29"	AA306DP	60
AA307D	95		30" x 84" x 22/29"	AA307DP	70
AA308D	104		30" x 96" x 22/29"	AA308DP	78
AA365D	85		36" x 60" x 22/29"	AA365DP	65
AA366D	102		36" x 72" x 22/29"	AA366DP	78
AA425D	110		42" x 60" x 22/29"	AA425DP	85
AR36D	45	 ROUND	36" Dia x 22/29"	AR36DP	26
AR42D	58		42" Dia x 22/29"	AR42DP	42
AR48D	70		48" Dia x 22/29"	AR48DP	54
AR60D	105		60" Dia x 22/29"	AR60DP	80
AHR48D	39	 HALF-ROUND	1/2 of 48 Dia x 22/29	AHR48DP	32
ASQ36D	52	 SQUARE	36" x 36" x 22/29"	ASQ36DP	42
ASQ42D	74		42" x 42" x 22/29"	ASQ42DP	60
ASQ48D	84		48" x 48" x 22/29"	ASQ48DP	74
AT244D	36	 TRAPEZOID	24" x 24" x 48" x 22/29"	AT244DP	26
AT305D	48		30" x 30" x 60" x 22/29"	AT305DP	37
AK486D	105	 KIDNEY	48" x 72" x 22/29"	AK486DP	90
AK488D	142		48" x 96" x 22/29"	AK488DP	116
AHS665D	120	 HORSESHOE	60" x 66" x 22/29"	AHS665DP	93
AC48D	65	 CLOVER	48" x 48" x 22/29"	AC48DP	53
AFL60D	104	 FLOWER	60" x 60" x 22/29"	AFL60DP	75
AHX60D	104	 HEXAGON	60" x 60" x 22/29"	AHX60DP	75

- Standard height — 22-29"; Junior height — 17-24".
- Junior height tables available at same cost.

FEEDING / ACTIVITY TABLES



- 1 1/4" thick, particle board core
- High pressure plastic laminate top
- Vinyl T-molding edge
- Available with or without casters
- Wheelchair accessible tables
- Horseshoe shape accommodates 4 people

FEEDING AND ACTIVITY TABLES

MODEL NUMBER	SIZE W x L x H	WEIGHT LBS
AS6000	48" x 72" x 32"	85
AS6000C	48" x 72" with Casters x 32"	86
AS6001	48" x 72" x 32" Adjustable	90
AS6001C	48" x 72" with Casters x 32"	92
AF6000	48" x 72" x 32" Folding Leg	85
AF6000C	48" x 72" with Casters x 32"	86
AF6001	48" x 72" x 32" Adjustable	90
AF6001C	48" x 72" with Casters x 32"	92

(S) Stationary
(F) Folding
(C) Casters
(1) Adjustable Height



AS6000



AF6000C
with casters

PARTICLE BOARD CORE TABLES

- 5/8" thick particle board core
- High pressure plastic laminate top
- 14 gauge x 1 1/16" round tubular steel wishbone legs
- Vinyl T-molding edge
- Glide-matic™ positive locking system
- 16 gauge steel-formed channel frame



R60D



186D



306D

PARTICLE BOARD CORE TABLES

MODEL NUMBER	SIZE W x L x H	WEIGHT LBS
185D	18" x 60" x 29"	44
186D	18" x 72" x 29"	50
188D	18" x 96" x 29"	62
245D	24" x 60" x 29"	54
246D	24" x 72" x 29"	58
248D	24" x 96" x 29"	75
305D	30" x 60" x 29"	64
306D	30" x 72" x 29"	72
308D	30" x 96" x 29"	94
366D	36" x 72" x 29"	80
368D	36" x 96" x 29"	108
R48D	48" Dia. x 29"	65
R60D	60" Dia. x 29"	88
R66D*	66" Dia. x 29"	106
R72D*	72" Dia. x 29"	120
SQ30D	30" x 30" x 29"	38
SQ36D	36" x 36" x 29"	52

PARTICLE BOARD CORE BENCHES

B156D	15" x 72" x 17"	40
B158D	15" x 96" x 17"	50

* Round table models R66D and R72D have visible seam (must be manufactured from two sheets of plastic laminate).

CAFE | COCKTAIL TABLES



- 3/4" thick, high pressure plastic laminate top
- Vinyl T-molding edge
- Standard heights 30", 36" & 42"
- Adjustable heights all-in-one 30" to 36" to 42"
- Cast iron star base standard — optional round base



CTR30A
(30"-36"-42" Ht.)



CTR3042
(42" Ht.)

COCKTAIL TABLES

MODEL NUMBER	SIZE W x L x H	WEIGHT LBS
CTR3030	30" Dia. x 30"	30
CTR3036	30" Dia. x 36"	31
CTR3042	30" Dia. x 42"	33
CTR3630	36" Dia. x 30"	35
CTR3636	36" Dia. x 36"	36
CTR3642	36" Dia. x 42"	37
ADJUSTABLE HEIGHT		
CTR30A	30" Dia. x 30", - 36" - 42"	30
CTR36A	36" Dia. x 30", - 36" - 42"	35

MOBILE BAR/BUFFET TABLES

- 3/4" thick premium grade plywood core
- Vinyl T-molding edge



BF306DP
Bar Table

- 14 gauge x 1 1/4" round tube steel folding legs
- Removable bottom storage shelf
- 4" dia. x 1 3/8" wide, heavy duty, non marking, load bearing locking casters



Folds Flat for
Storage



BT306DP
Buffet Table

MOBILE BAR TABLES

MODEL NUMBER	SIZE W x L x H	WEIGHT LBS
PLASTIC LAMINATE PLYWOOD CORE TOP WITH TOP SHELF		
BF306DP	30" x 72" x 30"	115
BF308DP	30" x 96" x 30"	135
SEALED AND STAINED PLYWOOD TOP WITH TOP SHELF		
BF306P	30" x 72" x 30"	110
BF308P	30" x 96" x 30"	128

BUFFET TABLES

MODEL NUMBER	SIZE W x L x H	WEIGHT LBS
PLASTIC LAMINATE PLYWOOD CORE TOP WITHOUT TOP SHELF		
BT306DP	30" x 72" x 30"	98
BT308DP	30" x 96" x 30"	110
SEALED AND STAINED PLYWOOD TOP WITHOUT TOP SHELF		
BT306P	30" x 72" x 30"	93
BT308P	30" x 96" x 30"	106

PEDESTAL TABLES

- 1 1/4" thick high pressure plastic laminate top
- Vinyl T-molding edge - optional Dyna-Rock™ (DR) edge
- Heights 30", 36" & 42"
- Cast iron star or optional round base

PEDESTAL TABLES

MODEL NUMBER	SIZE W x L x H	WEIGHT LBS
SQUARE PEDESTAL TABLE		
PT3030	30 x 30 x 30	58
PT3042	30 x 30 x 42	60
PT3630	36 x 36 x 30	83
PT3642	36 x 36 x 42	85
PT4230	42 x 42 x 30	100
PT4242	42 x 42 x 42	102
ROUND PEDESTAL TABLE		
PTR3630	36 Dia x 30	62
PTR3642	36 Dia x 42	64
PTR4230	42 Dia x 30	84
PTR4242	42 Dia x 42	86
PTR4830	48 Dia x 30	100
PTR4842	48 Dia x 42	102
RECTANGULAR PEDESTAL TABLE		
LT30542	Rectangle, LT-base	98
LT30530	Swerve, LT-base	110
LT30542	Swerve, LT-base	112
LTE30530	Ellipse, LT-base	110
LTE30542	Ellipse, LT-base	112



PTR3642



PT3030

EZ-TILT MOBILE TABLES

MODEL NUMBER	SHAPE	TABLE LxW	FOLDED WxDxH	TABLE TOP HEIGHT	SHIPPING WEIGHT (lbs.)
CBR30	ROUND	30" DIA	30"x30 1/2"x [43"/55 1/2"]	29" - 42"	42
CBR36	ROUND	36" DIA	36"x30 1/2"x [43"/55 1/2"]	29" - 42"	46
CBR42	ROUND	42" DIA	42"x30 1/2"x [43"/55 1/2"]	29" - 42"	50



LT30542



CBR36DR



MOBILE E-Z RISER



(Picture shown with **PCR3** Models)

- Patent pending E-Z Riser™ is constructed with all steel square and rectangular tubing to insure strength and durability
- Powerful custom built, high speed Finger Lift™ gas cylinder proven through rigorous testing procedures —any one person can easily operate E-Z Riser
- Built in back rail, factory installed design allows faster set-up and provides additional safety and security
- All-in-One mobile unit ships completely assembled and stores compactly
- Simply set-up and perform — you are in total harmony!!!

**PATENT
PROTECTED**

PCR4



NOW THAT'S MUSIC TO YOUR EARS!!!



Storage Position

Compact for easy storage



Heavy Duty Ball Bearing Casters

3" dia x 1 1/4" wide heavy duty double ball bearing non-marking casters easily rolls through any standard doorway



Easy Set Up

Patent pending design allows one person set up


MOBILE E-Z RISER

E-Z Riser™ Arrangements


E-Z Risers™ can be arranged in many configurations (as shown)




For a straight arrangement, alternate reversed riser units with regular units.



For a horseshoe arrangement, reverse the center unit and add three regular units to each end.



For a winged arrangement, reverse only the center unit.





For a semicircular arc, place regular units end to end.

PICTURE SHOWS
STRAIGHT
CONFIGURATION



E-Z RISER™

- E-Z Risers™ create a spectacular display when grouped in sets. Use the sample charts below as a guideline when determining your event needs.

MODEL NUMBER	NO. OF UNITS	W x D	GROUP CAPACITY
 PCR3	1	6' x 4'5"	12-16
	2	11'10" x 5'2"	24-32
	3	17'6" x 5'10"	36-48
	4	22'5" x 7'4"	48-64
	5	26'10" x 9'	60-80
 PCR4	1	6'6" x 5'9"	17-23
	2	12'10" x 6'7"	34-46
	3	18'10" x 7'3"	51-69
	4	24'3" x 8'9"	68-92
	5	29'1" x 10'	85-115

E-Z RISER™ — BUILT-IN BACK RAIL — STANDARD

MODEL NO.	NO. OF DECKS	DECK WIDTH	OPEN W x D x H	GROUP CAPACITY	WEIGHT LBS
PCR3	3	18"	72" x 53" x 24"	12-16	230
PCR4	4	18"	78" x 69" x 32"	17-23	295
PCSR3	Side Rails – pair		36"H x 52"L	—	38
PCSR4	Side Rails – pair		42"H x 58"L	—	46

- Charcoal carpet deck with black frame - standard.
For other colors, please call us.



Side Rails

Optional side rails can be attached easily



Couplings

Level to level drop in couplings securely connects multiple units to eliminate riser movement when in use



Custom High Speed Gas Cylinders™

Two custom built, high speed gas cylinders ease operation and provides safer work environment

STAGES | STAGE SETS



Stages:


AmTab's stages are built with heavy duty square steel tubing to provide superior structural integrity. With our durable construction and 15 year warranty, you can expect to have many years of reliable service. The design is versatile and flexible and can be configured into any multi-level stage, fashion show runway, speaker podium, graduation event and much more. AmTab's wide range of stage offerings saves space, time and money. This affordable stage meets any tight budget!



ST3824C
with wheels standard



STA4824C
with wheels standard



Built in Coupling lock system
Built in coupling system securely locks level-to-level or dual height arrangements.



Height Adjustments
16"-24" or 24"-32" easily adjust to desired height



SEATED RISERS

AmTab's band and choral riser sets are designed and built to fit any space for any occasion. They can be arranged and rearranged in your rehearsal room within minutes, allowing maximum flexibility.





Straight riser and pie sections may be used to construct a variety of arrangements



STC — Stage Caddy



Stage caddy holds up to 8 stages



Stage/Riser — Deck Options



STAGES

STAGES — FIXED HEIGHT

CARPET TOP		POLYPROPYLENE TOP		HARDBOARD TOP			
MODEL NUMBER	WEIGHT LBS	MODEL NUMBER	WEIGHT LBS	MODEL NUMBER	WEIGHT LBS	W x L	HEIGHT
ST3408C	60	ST3408P	62	ST3408H	63	3' x 4'	8"
ST3416C	66	ST3416P	68	ST3416H	69	3' x 4'	16"
ST3424C	70	ST3424P	72	ST3424H	72	3' x 4'	24"
ST3608C	83	ST3608P	85	ST3608H	86	3' x 6'	8"
ST3616C	94	ST3616P	96	ST3616H	98	3' x 6'	16"
ST3624C	100	ST3624P	102	ST3624H	103	3' x 6'	24"
ST3808C	110	ST3808P	113	ST3808H	115	3' x 8'	8"
ST3816C	118	ST3816P	122	ST3816H	125	3' x 8'	16"
ST3824C	120	ST3824P	124	ST3824H	126	3' x 8'	24"
ST3832C	126	ST3832P	130	ST3832H	132	3' x 8'	32"
ST4408C	74	ST4408P	76	ST4408H	78	4' x 4'	8"
ST4416C	88	ST4416P	85	ST4416H	86	4' x 4'	16"
ST4424C	88	ST4424P	92	ST4424H	94	4' x 4'	24"
ST4608C	100	ST4608P	104	ST4608H	106	4' x 6'	8"
ST4616C	120	ST4616P	124	ST4616H	125	4' x 6'	16"
ST4624C	128	ST4624P	132	ST4624H	133	4' x 6'	24"
ST4808C	130	ST4808P	135	ST4808H	136	4' x 8'	8"
ST4816C	150	ST4816P	155	ST4816H	157	4' x 8'	16"
ST4824C	158	ST4824P	163	ST4824H	165	4' x 8'	24"
ST4832C	165	ST4832P	170	ST4832H	172	4' x 8'	32"

STAGES — ADJUSTABLE HEIGHT

CARPET TOP		POLYPROPYLENE TOP		HARDBOARD TOP		W x L	HEIGHT
MODEL NUMBER	WEIGHT LBS	MODEL NUMBER	WEIGHT LBS	MODEL NUMBER	WEIGHT LBS	W x L	HEIGHT
STA3416C	66	STA3416P	68	STA3416H	69	3' x 4'	16 - 24"
STA3424C	70	STA3424P	72	STA3424H	72	3' x 4'	24 - 32"
STA3616C	94	STA3616P	96	STA3616H	98	3' x 6'	16 - 24"
STA3624C	100	STA3624P	102	STA3624H	103	3' x 6'	24 - 32"
STA3816C	118	STA3816P	122	STA3816H	125	3' x 8'	16 - 24"
STA3824C	120	STA3824P	124	STA3824H	126	3' x 8'	24 - 32"
STA3832C	126	STA3832P	130	STA3832H	132	3' x 8'	32 - 40"
STA4416C	88	STA4416P	85	STA4416H	86	4' x 4'	16 - 24"
STA4424C	88	STA4424P	92	STA4424H	94	4' x 4'	24 - 32"
STA4616C	120	STA4616P	124	STA4616H	125	4' x 6'	16 - 24"
STA4624C	128	STA4624P	132	STA4624H	133	4' x 6'	24 - 32"
STA4816C	150	STA4816P	155	STA4816H	157	4' x 8'	16 - 24"
STA4824C	158	STA4824P	163	STA4824H	165	4' x 8'	24 - 32"
STA4832C	165	STA4832P	170	STA4832H	172	4' x 8'	32 - 40"

GUARD RAILS WITH CHAIR STOP

MODEL NUMBER	SIZE W x H	WEIGHT LBS
STGR25	25" x 31"	14
STGR36	34" x 31"	16
STGR48	46" x 31"	18

STEPS — FURNISHED WITH HAND RAILS

MODEL NUMBER	STEPS	HEIGHT	WEIGHT LBS
STP1	1	8	50
STP2	2	16	90
STP3	3	24	125

SKIRTING — SHIRRED PLEAT


STAGE HEIGHT	SKIRTING HEIGHT	LENGTH SUPPLIED	COLORS
8"	7"	48", 72", and 96" Long Pieces	Black standard other colors available
16"	15"		
24"	23"		
32"	31"		

Steps



STP3

Skirting



Supplied with Velcro
* Factory Installation Available



STGR
Guard Rail



STC48

PIE SHAPED RISER SETS

PIE SHAPE	CARPET TOP		POLYPROPYLENE TOP		HARDBOARD TOP			
	MODEL NUMBER	WEIGHT LBS	MODEL NUMBER	WEIGHT LBS	MODEL NUMBER	WEIGHT LBS	HEIGHT	DECKS
36" Wide	STP361C	40	STP361P	40	STP361H	45	8"	1
	STP362C	120	STP362P	120	STP362H	125	16"	2
	STP363C	210	STP363P	215	STP363H	230	24"	3
48" Wide	STP481C	45	STP481P	45	STP481H	50	8"	1
	STP482C	140	STP482P	145	STP482H	150	16"	2
	STP483C	295	STP483P	300	STP483H	310	24"	3

STAGE CADDY

- All welded steel angle construction
- 5" Dia. heavy duty casters
- Caddy holds 8 stages or risers

MODEL NUMBER	SIZE W x L x H	WEIGHT LBS
STC36	30" x 72" x 44"	120
STC48	30" x 72" x 56"	128

CADDIES & OPTIONS



- All welded steel angle iron construction
- Table caddy holds 10-12 tables
- 5" dia. 1 1/4" wide heavy duty casters



TTC6



TCE




TCR

CADDIES			
MODEL #	DESCRIPTION	W x L x H	WEIGHT LBS
TTC6	18"/24"W x 72"LTABLES	20" x 72" x 36"	60
TTC8	18"/24"W x 96"LTABLES	20" x 96" x 36"	64
TC6	30"/36"W x 72"LTABLES	31" x 72" x 36"	68
TC8	30"/36"W x 96"LTABLES	31" x 96" x 36"	65
TCE	TABLE EDGE CADDY	30" x 48" x 32"	60
TCR	48"/60"/72"W ROUND	30" x 48" x 41"	60


STANDARD OFFERINGS — COLORS AND CHOICES

A Wide Variety of Non-Standard Colors And Choices Are Also Available • Call the Factory


LAMINATE COLORS




METAL COLORS



T-MOLDING COLORS



STAGE & RISER DECK OPTIONS



CARPET COLORS





www.AmTab.com



To see AmTab's complete line of products, look at our General Line Catalog or visit us online at www.AmTab.com.



printed on FSC paper



AmTab Manufacturing Corporation
 652 N. Highland Avenue • Aurora, IL 60506
 PHONE: 630 301-7600
 FAX: 630 896-7945
 TOLL FREE: 800 878-2257