


SAFETY
QUALITY & DURABILITY
EASE OF OPERATION
VALUE FOR YOUR INVESTMENT


AmTab®
American Tables - Since 1958

MOBILE TABLES



AmTab Manufacturing Corporation

652 N. Highland Ave. • Aurora, IL 60506

(Office) 630 301-7600 • 800 878-2257

(Fax) 630 896-7945

www.AmTab.com



ADA Models Available

MOBILE TABLE CATALOG



Quality Products

Our products are designed, manufactured and sold under AmTab's **core principles**:

1. Safety
2. Quality & Durability
3. Ease of Operation
4. Value for Your Investment

Personalized Service

AmTab provides an excellent customer service experience. From Quote, to Order, to Delivery, AmTab works hand-in-hand with you each and every time to ensure that your facility is furnished, both functionally and beautifully.

Made in the USA

AmTab products are proudly manufactured and assembled in America with domestic material and labor.

AmTab is the best choice.
We have what you need.



MOBILE BENCH TABLE



MBT12DR

MBT12DRC



EZ-Free™ Multiple Entrances

EZ-Free™ multiple entrances for easy access and comfort

EZ-Autolock™

EZ-Autolock™ automatically locks table when folded and opens from either side



DYNAGRIP™ Custom Glides

Extra-wide, high impact, non-marking, load bearing glides for floor safety



Torsion Bar & High Speed™ Gas Cylinder Stabilizer Assist

For long-lasting opening and closing functions

Heavy-duty Casters

Wide heavy-duty double ball bearing non-marking swivel casters for strength.

PATENT PROTECTED

Cleaning Position

Intermediate locking position allows for easy cleaning, set up and reset up



MBE10



MOBILE BENCH TABLE —Table Height 29" and Bench Height 17" Standard

MODEL NUMBER	TABLE & BENCH HEIGHTS	TABLE LxW	FOLDED STORAGE POSITION DxWxH	SEATS	SHIPPING WEIGHT (lbs.)
MBT08	29"-17" 27"-17"	8'1"x30"	34"x56"x59"	8-12	285
MBT10	29"-17" 27"-17"	10'1"x30"	34"x56"x69"	10-14	315
MBT12	29"-17" 27"-15"	12'1"x30"	34"x56"x81.5"	12-16	340
MBE10	29"-17" ———	10'1"x46" EMPIRE	41"x56"x69"	10-14	365

Please visit our website to see our product demonstration videos!

MOBILE CONVERTIBLE BENCH

ALL-IN-ONE Mobile Convertible Bench

PATENT
PROTECTED



ALL-IN-ONE Extra Benefits

Mobile Convertible Benches are versatile. They can be used for various activities & folds for easy storage and cleaning.

1



Top Support Legs

Legs provide extra support, strength, and stability to table top



4 X increased
load capacity

2



Shorter Caster Beam

Best solution to add capacity for seating



Shortest caster beam
in the industry!

3

Compact Nesting and Storage

All-in-One design provides easy set up and compact storage

4

Heavy-duty Casters

3" dia. x 1 1/4" wide heavy-duty non-marking double ball bearing casters for strength and stability.



MOBILE CONVERTIBLE BENCH



**PATENT
PROTECTED**

Built-In Safety Feature

Built-in safety feature prevents fingers from being pinched when folding table




Steel Frame with Gussets

Table top is supported with heavy duty 14 gauge steel frame reinforced with metal gussets for extra strength and keeps table top flat



EZ-Coupling Device (CD)

Table-to-table coupling (hookup) device **standard** on all models



DYNAGRIP™ Custom Glides

Extra-wide, high impact, non-marking, load bearing glides for floor safety

ALL-IN-ONE MOBILE CONVERTIBLE BENCH

Table Height 29" and Bench Height 17" Standard

MODEL NUMBER	SEATS	TABLE & BENCH HEIGHTS	TABLE LxW	FOLDED WxDxH	SHIPPING WEIGHT (lbs.)
ACB6	3-4	29"-17" 27"-15"	72" X 29"	72"x8"x34"	142
ACB7	4-5	29"-17" 27"-15"	84" X 29"	84"x8"x34"	152
ACB8	4-6	29"-17" 27"-15"	96" X 29"	96"x8"x34"	164

MOBILE CONVERTIBLE BENCH

Table Height 29" and Bench Height 17" Standard

MODEL NUMBER	SEATS	TABLE & BENCH HEIGHTS	TABLE LxW	FOLDED WxDxH	SHIPPING WEIGHT (lbs.)
MCB6	3-4	29"-17" 27"-15"	72" X 29"	72"x8"x34"	135
MCB7	4-5	29"-17" 27"-15"	84" X 29"	84"x8"x34"	145
MCB8	4-6	29"-17" 27"-15"	96" X 29"	96"x8"x34"	150

Flexible Design Retrofit

Retrofit kit available to convert standard unit to All-in-One



MCB8DR



MOBILE CAFE TABLE

**PATENT
PROTECTED**



CBR36DR

Easy Storage and Set-up

Easy unlocking mechanism from flat to storage position

Adjustable Height

Table adjusts from 30", 36" to 42" heights

Strong, Reliable Casters

Table has strong casters to ensure quality and durability



PT3030



PTR3642



LTSW30542

EZ-TILT MOBILE TABLES

MODEL NUMBER	SHAPE	TABLE LxW	FOLDED WxDxH	TABLE TOP HEIGHT	SHIPPING WEIGHT (lbs.)
CBR30	ROUND	30" DIA	30"x30 1/2"x [43"/55 1/2"]	29" - 42"	42
CBR36	ROUND	36" DIA	36"x30 1/2"x [43"/55 1/2"]	29" - 42"	46
CBR42	ROUND	42" DIA	42"x30 1/2"x [43"/55 1/2"]	29" - 42"	50

- 1 1/4" thick high pressure plastic laminate top
- Dyna-Rock™ (DR) edge - standard

Custom Shapes Available

Call the office for details and pricing

MOBILE ROUND TABLE



DYNAGRIP™ Custom Glides
Extra-wide, high impact, non-marking, load bearing glides for floor safety

High-Powered, High-Speed™ Gas Cylinders

Four custom made, high-powered, High-Speed™ gas cylinders help for easily opening and closing functions



MBR604DR

PATENT PROTECTED

Our seating exceeds expectations on comfort and safety!




AmTab's Standard

*not to scale



Industry Standard



Square steel tube columns eliminate stool spinning and easier faster seat installations



MSR608DR



MSBR6042C-COMBO
Bench and stool may be combined for maximum seating



MOBILE TABLE — Table Height 29" and Bench Height 17" Standard

MODEL NUMBER	NO. OF STOOLS OR BENCHES	TABLE & BENCH OR STOOL HEIGHTS			TABLE LxW	FOLDED WxDxH	SHIPPING WEIGHT (lbs.)
MSR608	8 Stools	29"-17"	27"-15"	25"-13"	60" Diameter Round	84½"x37½"x54½"	270
MSOC608	8 Stools	29"-17"	27"-15"	25"-13"	60" Octagonal	84½"x37½"x54½"	330
MBR604	4 Benches	29"-17"	27"-15"	25"-13"	60" Diameter Round	84½"x37½"x54½"	290
MBOC604	4 Benches	29"-17"	27"-15"	25"-13"	60" Octagonal	84½"x37½"x54½"	290
MSBR6042	4 Stools 2 Benches	29"-17"	27"-15"	25"-13"	60" Diameter Round	84½"x37½"x54½"	280



MOBILE STOOL TABLES



MSE1012DRC
Empire

Our seating exceeds expectations on comfort and safety!



14"


AmTab's Standard

*not to scale



13"

Industry Standard



Square steel tube columns eliminate stool spinning and easier faster seat installations

PATENT PROTECTED

Our **Mobile Stool Tables** are all designed to keep your cafeteria efficient and uncluttered. Built-in stools eliminate the need for stacks of chairs. When it's time to clean or free up floor space, this cafeteria table has a **torsion bar mechanism** for hassle-free set up, break down and storage.

NEW!
10 SEATER



MSE610DRC



ADA Models Available

MOBILE STOOL TABLES

DYNAGRIP™ Custom Glides

Extra-wide, high impact, non-marking, load bearing glides for floor safety



EZ-Autolock™

EZ-Autolock™ automatically locks table when folded and opens from either side



Cleaning Position

Intermediate locking position allows for easy cleaning, set up and reset up



MST1216DR



ADA Models Available



MST1212DR

* pictured with custom logo

MOBILE STOOL TABLE — Table Height 29" and Bench Height 17" Standard

MODEL NUMBER	NUMBER OF STOOLS	TABLE & STOOL HEIGHTS			TABLE LxW	FOLDED WxDxH	SHIPPING WEIGHT (lbs.)
MST44	4	29"-17"	27"-15"	25"-13"	4'0"x30"	—	168
MST88	8	29"-17"	27"-15"	25"-13"	8'1"x30"	60" x 33" x 56"	230
MST1012	12	29"-17"	27"-15"	25"-13"	10'1"x30"	60" x 38" x 75"	275
MST1212	12	29"-17"	27"-15"	25"-13"	12'1"x30"	60" x 38" x 80"	300
MST1216	16	—	28"-15"	25"-13"	12'1"x30"	60" x 39" x 83"	315
MSE610	10	29"-17"	27"-15"	25"-13"	6'1" x 54"	60" x 40" x 83"	310
MSE1012	12	29"-17"	27"-15"	27"-15"	10'1"x46"	77" x 40" x 75"	345

* For other ADA options call us!

MOBILE EZ-TILT TABLES



MRZT60DR

* pictured with custom logo



Balanced Construction

A well-balanced, strong underside with 14 gauge steel construction keeps table flat and sturdy for years of service

Special High-Speed™ Gas Cylinder Stabilizer



EZ-Tilt Extra Benefits




MSQZT60



One-Piece Top

EZ-Tilt flexible, seamless top allows for quick, easy cleaning before, during, and after dining



Spring Loaded T-Autolock

Spring loaded T-Autolock ensures top stays safely locked in ready-to-use position

1. Open

Smoothly lower table from vertical storage position into flat open position until spring loaded T-Autolock firmly engages onto table **with a click**



2. Close

Simultaneously pull spring loaded T-Autolock and lift table top, then fold vertically for storage

3. Compact Storage

EZ-Tilt tables nest easily and stores compactly



MOCZT60

* pictured with custom logo

EZ-TILT MOBILE TABLES - Dyna-Rock™ Edge Standard

MODEL NUMBER	SHAPE	TABLE LxW	FOLDED WxDxH	TABLE TOP HEIGHT	SHIPPING WEIGHT (lbs.)
MRZT48	ROUND	48" Dia.	48"x20 1/2"x70"	29"	130
MRZT60	ROUND	60" Dia.	60"x20 1/2"x70"	29"	130
MSQZT60	SQUARE	60"	60"x20 1/2"x70"	29"	135
MHXZT60	HEXAGON	60"	60"x20 1/2"x70"	29"	132
MOCZT60	OCTAGON	60"	60"x20 1/2"x70"	29"	132
MOVZT72	OVAL	60" x 72"	72"x20 1/2"x70"	29"	138
CB2448	RECTANGLE	24" x 48"	20"x48"x36"	29"	60
CB2460	RECTANGLE	24" x 60"	20"x60"x36"	29"	64
CB3072	RECTANGLE	30" x 72"	20"x72"x36"	29"	72

MOBILE SHAPE TABLES



Round Glide

14 gauge x 1 1/16" dia. steel tubular legs are capped with high impact, load bearing, non-marking plastic glides



Balanced Construction

A well-balanced, strong underside with 14 gauge steel construction keeps table flat and sturdy for years of service



Lift Off Wheels

4" x 1 3/8" wide, heavy-duty, non-marking casters automatically lift from floor for stability when table is opened for use



MRD60DR



ADA Models Available

MOBILE SHAPE TABLES — 29" Table Ht. Standard / 27" Ht. Available

MODEL NUMBER	TOP	FOLDED DIMENSIONS D x W x H	SHIPPING WEIGHT (lbs.)
MRD48	Round 48" Dia.	20 1/2" x 48" x 40 1/2"	130
MSQ48	Square 48"	20 1/2" x 48" x 40 1/2"	135
MHX48	Hexagonal 48"	20 1/2" x 48" x 40 1/2"	130
MRD60	Round 60" Dia	20 1/2" x 60" x 40 1/2"	165
MSQ60	Square 60"	20 1/2" x 60" x 40 1/2"	185
MOC60	Octagonal 60"	20 1/2" x 60" x 40 1/2"	170
MRD72	Round 72" Dia.	20 1/2" x 72" x 40 1/2"	195
MOV72	Oval 60" x 72"	20 1/2" x 60" x 40 1/2"	185

MOBILE SHAPE TABLE with T-LEGS — 29" Table Ht. Standard / 27" Ht. Available

MODEL NUMBER	TOP	FOLDED DIMENSIONS D x W x H	SHIPPING WEIGHT (lbs.)
MRD48TL	Round 48" Dia	20 1/2" x 48" x 40 1/2"	135
MRD60TL	Round 60" Dia	20 1/2" x 60" x 40 1/2"	170

• 32" height and 42" height tables available on certain models. Please contact us!



MOBILE TABLES

MTEI046



Table Storage

Folded storage position with EZ-Autolock™



EZ-Autolock™

EZ-Autolock™ automatically locks table when folded and opens from either side

DYNAGRIP™ Custom Glides

Extra-wide, high impact, non-marking, load bearing glides for floor safety



MTI2DRC



ADA Models Available

MOBILE RECTANGLE TABLE — Table Height 29" Standard

MODEL NUMBER	TABLE LxW	FOLDED WxDxH	SHIPPING WEIGHT (lbs.)
MT06	6'1" x 30"	30" x 23" x 60"	150
MT08	8'1" x 30"	30" x 23" x 60"	175
MT10	10'1" x 30"	30" x 23" x 69"	190
MT12	12'1" x 30"	30" x 23" x 81 1/4"	220
MT836	8'1" x 36"	36" x 23" x 60"	185
MT1036	10'1" x 36"	36" x 23" x 69"	210
MT1236	12'1" x 36"	36" x 23" x 81 1/4"	250
MTEI046	10'1" x 46"	46 1/2" x 34" x 69"	200

* 27" table height available upon request.



Heavy-duty Center Leg

Heavy duty center leg construction keeps table flat and strong

MOBILE SPACE SAVER

AmTab introduces the new **Space Saver System**, recessed or surface mounted table and benches. For various activities AmTab's Space Saver, table and bench system, can provide the most efficient use of space in a cafeteria or other multi-purpose room setting.



MSS2I4DR

Features & Benefits

Authorized Access

Key activated unlocking ensures limited access to table

Ease of Operation

Locking system activates and pops lower lock, which releases only bottom portion of table and benches a good distance away from pocket for easy opening

Automatic Lower Lock

Automatic lower lock latches when table and benches are in full storage position for added safety

Automatic Upper Lock

Spring loaded automatic upper lock positively engages when table and benches are folded for storage to ensure full compliance with state laws

Pocket Safety Guides

Safety guides lead table and benches into proper locked and unfolded positions

SPACE SAVER RECESSED —Table Height 29"/Bench Height 17" Standard

MODEL NUMBER	DESCRIPTION	TABLES PER CABINET	BENCHES PER CABINET	TABLE LXW	BENCH LXW	SHIPPING WEIGHT (lbs.)
MSS1I4	RECESSED SINGLE POCKET	1	2	14'x28"	14'x12"	576
MSS2I4	RECESSED DOUBLE POCKET	2	4	14'x28"	14'x12"	1152

SPACE SAVER SURFACE MOUNTED—Table Height 29"/Bench Height 17" Standard


MODEL NUMBER	DESCRIPTION	TABLES PER CABINET	BENCHES PER CABINET	TABLE LXW	BENCH LXW	SHIPPING WEIGHT (lbs.)
MSSA1I4	SURFACE MOUNTED SINGLE POCKET	1	2	14'x28"	14'x12"	576
MSSA2I4	SURFACE MOUNTED DOUBLE POCKET	2	4	14'x28"	14'x12"	1152

Please visit our website to see our product demonstration videos!

PRODUCT OPTIONS

AmTab ...beyond ordinary

Table Top Standard Laminate and Colors



Whole line of standard and special finishes.

Standard Stool Colors



METAL COLORS



Standard Metal Colors
Chrome — Optional

OPTIONAL Plywood Core (P)



OPTIONAL Chrome Under Structure (C)



Chrome Under Structure (C)

* For an additional cost
**Table frame under tops are powder coated on chrome models

T-Molding Edge



Vinyl T-Molding

Tops and benches are edged with heavy-duty vinyl T-molding and fastened around perimeter with staples
(Optional — other colors available)

OPTIONAL Dyna-Rock™(DR) Colors




Dyna-Rock™ Edge (DR)

Top and bench edges are sealed and protected with 100% solid polyurethane resin sprayed and permanently bonded to edges of plastic laminate, core, and plastic laminate backing sheet

Customize with graphics and colors for your school!!!

Four E-Z Steps

1. You provide artwork
2. We provide sample
3. You approve
4. We ship to you



Policy and Warranty

TO ORDER — Write the catalog number of each item. Add quantity. Include colors of table tops, metal finish and color of molding where applicable.

TERMS OF SALE — Net 30 days, for dealers who qualify for credit in AmTab's judgement. All orders are subject to acceptance by AmTab. All prices listed herein are f.o.b. factory.

ACKNOWLEDGEMENTS — Every order is acknowledged. Orders are manufactured and invoiced based upon the information in the acknowledgement. If there is any discrepancy, the dealer or customer must notify AmTab within 5 working days. Orders are accepted by AmTab per terms herein and on the acknowledgement. AmTab rejects any terms and conditions contained in any customer purchase orders or other business forms which are different from the terms stated herein and on the acknowledgement.

PHONE ORDERS — AmTab accepts phone orders as a service to meet customers' needs. However a purchase order marked "confirmation" must follow immediately. Duplicate orders not marked "confirmation" are the responsibility of the customer.

SHIPMENT DAMAGE CLAIMS — All shipments should be carefully inspected by the consignee before acceptance and the delivering carrier should be requested to record any damage or shortage on the delivery receipt before the consignee signs it. If further damage is found after delivery, immediate inspection by the delivering carrier should be requested. Notification of concealed damages must be made to the delivering carrier within 15 days after delivery of merchandise. Carrier liability ceases after 15 days. **CAUTION:** After obtaining a clear receipt for shipment, the delivering carrier is no longer responsible for damage or shortages.

RETURNS — Merchandise returned will not be accepted without written consent of AmTab. After approval, returned merchandise must be shipped pre-paid and subject to minimum of 15% handling charge unless it is AmTab's responsibility.

WARRANTY — AmTab warrants products purchased hereunder to be free of defects in materials and workmanship for a period of fifteen (15) years from the date of shipment. This warranty shall not apply in the event products are

damaged as a result of misuse, abuse, neglect, accident, improper application, modification or repair by persons not authorized by AmTab, where products are damaged during shipment, or where the date stamps on the products has been defaced, modified or removed. **UNLESS CONSIDERED UNENFORCEABLE OR UNLAWFUL UNDER APPLICABLE LAW.**

- a. ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY EXCLUDED.
- b. PURCHASER'S REMEDY, IF ANY, FOR ANY DEFECTIVE PRODUCTS SHALL BE LIMITED TO A REFUND, REPLACEMENT OR ADJUSTMENT BY AMTAB OF THE PRODUCTS AT AMTAB'S OPTION, AND SHALL IN NO EVENT INCLUDE DAMAGES OF ANY KIND, WHETHER INCIDENTAL, CONSEQUENTIAL OR OTHERWISE.



ADA Models Available

www.AmTab.com



To see AmTab's complete line of products, look at our General Line Catalog or visit us online at www.AmTab.com.



AmTab Manufacturing Corporation

652 N. Highland Avenue • Aurora, IL 60506

PHONE: 630 301-7600

FAX: 630 896-7945

TOLL FREE: 800 878-2257