



PRODUCT DATA SHEET

CWT 8540 - CLOSED SYSTEM TREATMENT

GENERAL DESCRIPTION:

CWT 8540 is a highly effective nitrite-borate corrosion inhibitor. Yellow metal inhibitors are also incorporated into this formula for the protection of multi-metal systems containing ferrous and non-ferrous metals. CWT 8540 is designed for use in both hot and chilled water systems. CWT 8540 is compatible with glycol antifreeze.

PRODUCT CHARACTERISTICS:

Form.....Yellow Liquid
pH.....Approximately 12.5
Density.....10.75 lbs./gallon

FEEDING:

CWT 8540 may be introduced into the system by means of a by-pass feeder, pump or any other convenient method of assuring complete system distribution. Consult your service representative for specific recommendations.

PRECAUTIONS AND HANDLING:

Product is an alkaline material. Avoid contact with skin and eyes. Do not take internally. Protective gloves and chemical splash goggles are recommended. Wear impervious apron and boots to minimize potential contact. General ventilation is adequate, however, a NIOSH approved breathing apparatus should be used for exposures above OSHA threshold limit values. Consult material safety data sheet for more information.

PACKAGING:

55 GALLON DRUMS
30 GALLON DRUMS
5 GALLON PAILS