

State of Mississippi

Department of Transportation

Statewide Agency Contract

Hot/Cold Asphalt

7/1/2017 Approval Through 06/30/2018

TABLE OF CONTENTS

OT	AND COLD MIX ASPHALT	PAGE	NO.
4	ADCAMP, INC	3	
1		4	
4	· · · · · · · · · · · · · · · · · · ·		
4	APAC-MISSISSIPPI INC (GLEN)	8	
1	APAC-MISSISSIPPI INC (GREENVILLE)	10	
1	APAC-MISSISSIPPI INC (GREENWOOD)	12	
4	APAC-MISSISSIPPI INC (GUNTOWN)	14	
1	APAC-MISSISSIPPI INC (JACKSON)	16	
1	APAC-MISSISSIPPI INC (MERIDIAN)	18	
4	APAC-MISSISSIPPI INC (NEW ALBANY)	20	
4	APAC-MISSISSIPPI INC (TUPELO)	22	
1	APAC-MISSISSIPPI INC (VICKSBURG)	24	
1	APAC-MISSISSIPPI INC (YAZOO CITY)	26	
2	APAC-TENNESSEE INC (MEMPHIS)	.28	
4			
3			
2	,		
2	,		
2	· · · · · · · · · · · · · · · · · · ·		
2			
2	20111 110112 20112 110 (001011211), 11111111111111111111111111111111		
2	, · · · · · · · · · · · · · · · · ·		
2	,		
4			
4	,,		
4	,,,, (,,,,,,,,,,,,		
4			
4			
4			
1			
4			
1	,,,,,,,		
4			
4			
2	=================================		
2	• • • • • • • • • • • • • • • • • • • •		
2	, , ,		
2			
1	<u>-</u>		
4	• • • • • • • • • • • • • • • • • • • •		
4	, , , , , , , , , , , , , , , , , , , ,		
4	WHITEHEAD CONSTRUCTION COMPANY	68	

^{1 =} MDOT ONLY

^{2 =} MDOT AND OTHER STATE AGENCIES

^{3 =} MDOT & GOVERNING AUTHORITIES

^{4 =} MDOT, GOVERNING AUTHORITIES, & OTHER STATE AGENCIES

ADCAMP, INC. 1353 FLOWOOD DRIVE FLOWOOD, MS 39232 601/939-4493

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _1353 FLOWOOD DRIVE, FLOWOOD, MS 39232____ are as follows:

HOT BITUMINOUS PAVEMENT SURFAC	CE COURSE GRADATION SC-1:
(1) Type 8, Crushed Gravel, or Combined with Limestone or Slag	e @58.85 per ton
CONTRACTORS HOT MIS ASPHALT SP	
(21) Hot Mix Asphalt	@55.85 per ton
	THE STATE TO ANY POINT IN THE STATE OF THE S

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>CANTON</u>, MS____ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1: (1) Type 8, Crushed Gravel, or @__56.00__per ton Combined with Limestone or Slag 907-403-A HOT MIX ASPHALT, ST: (2) 4.75 mm Mixture @ 70.00 per ton (3) 9.5mm Mixture @ 55.00_ per ton (4) 12.5 mm Mixture @ 55.00 per ton (5) 19 mm Mixture @ 52.00 per ton (6) 25 mm Mixture @ 70.00 per ton 907-403-A HOT MIX ASPHALT, MT: (7) 4.75 mm Mixture @__70.00___per ton (8) 9.5 mm Mixture @ 54.00 per ton (9) 12.5 mm Mixture @__54.00___per ton @ 52.00 per ton (10) 19 mm Mixture @ 70.00 per ton (11) 25 mm Mixture 907-403-A HOT MIX ASPHALT, HT: @__70.00__per ton (12) 4.75 mm Mixture (13) 9.5 mm Mixture @ 54.00 per ton

(14) 12.5 mm Mixture @__54.00__per ton

(15) 19 mm Mixture @ 53.00 per ton

(16) 25 mm Mixture @ 70.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture @__95.00__per ton

(18) 9.5 mm Mixture @ 75.00 per ton

(19) 12.5 mm Mixture @__75.00__per ton

(20) 19 mm Mixture @ 75.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @__54.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.25_ PER TON PER MILE, WITH _3.50__ PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at — COLUMBUS/HAMILTON PLANTS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @__68.00_ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	<pre>@68.00_ per ton</pre>
``	, Julian Haracaro	C 00.00 PCI 0011

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5 mm	Mixture	@	67.	.00	per	ton
-----	--------	---------	---	-----	-----	-----	-----

(9)	12.5 mm	Mixture	@	64.00	per	ton
-----	---------	---------	---	-------	-----	-----

(10) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5 m	m Mixture	@	67.0	0 per	ton
(13)		m wixcure	w	0/.0	o ber	LO.

(14) 12.5 mm Mixture @__64.00_ per ton

(15) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18)	9.5 mm	Mixture	@	75.00	per ton

(19) 12.5 mm Mixture @__72.00_ per ton

(20) 19 mm Mixture @ 66.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@<u>68.00</u> per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt

@__70.00_ per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29)Cold Mix Asphalt

@___90.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ____.25__ PER TON PER MILE, WITH ___5.25__ PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508

JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at ___CORINTH_2700 HIGHWAY 72 GLEN, MS 38846__ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1: (1) Type 8, Crushed Gravel, or @__68.00__ per ton Combined with Limestone or Slag 907-403-A HOT MIX ASPHALT, ST: (2) 4.75 mm Mixture @ 70.00 per ton (3) 9.5mm Mixture @__68.00_ _ per ton (4) 12.5 mm Mixture @ 66.00 per ton (5) 19 mm Mixture @ 63.00 per ton 907-403-A HOT MIX ASPHALT, MT: __70.00____ per ton (7) 4.75 mm Mixture (8) 9.5 mm Mixture 68.00 per ton (9) 12.5 mm Mixture @ 66.00 __per ton (10) 19 mm Mixture @ 63.00 per ton 907-403-A HOT MIX ASPHALT, HT: (12) 4.75 mm Mixture __70.00____ _ per ton @ 68.00 per ton (13) 9.5 mm Mixture (14) 12.5 mm Mixture @__66.00____ per ton (15) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture	@80.00 per ton
(18) 9.5 mm Mixture	@ 74.00 per ton
(19) 12.5 mm Mixture	@71.00 per ton
CONTRACTORS HOT MIS ASPHALT SPEC	<u>IFICATIONS</u>
(21) Hot Mix Asphalt	@68.00 per ton
ULTRA-THIN HOT MIX ASPHALT (UHMA	
(22) Hot Mix Asphalt	@70.00 per ton
CONTRACTOR'S COLD BITUMINOUS MIX	TURE SPECIFICATIONS
(29)Cold Mix Asphalt	@82.00 per ton
CONTRACTOR WILL DELIVER ASPHALT:30 PER TON PER MILE, WITH	MIXTURES TO ANY POINT IN THE STATE FOR 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __2559 HARBOR FRONT ROAD, GREENVILLE, MS 39701__ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1: (1) Type 8, Crushed Gravel, or @__74.95___ per ton Combined with Limestone or Slag 907-403-A HOT MIX ASPHALT, ST: (2) 4.75 mm Mixture @ 80.55 per ton @_69.55_ _ per ton (3) 9.5mm Mixture @ 66.55 per ton (4) 12.5 mm Mixture @ 64.55 per ton (5) 19 mm Mixture (6) 25 mm Mixture @ 64.55 per ton 907-403-A HOT MIX ASPHALT, MT: (7) 4.75 mm Mixture @__81.55___ per ton (8) 9.5 mm Mixture @ 73.55 per ton @_69.55___ per ton (9) 12.5 mm Mixture (10) 19 mm Mixture @ 68.55 per ton @ 68.55 per ton (11) 25 mm Mixture 907-403-A HOT MIX ASPHALT, HT: (12) 4.75 mm Mixture @__77.55___ per ton (13) 9.5 mm Mixture @ 66.55 per ton @ _64.55____ per ton (14) 12.5 mm Mixture (15) 19 mm Mixture @ 62.55 per ton

(16) 25 mm	n Mixture	<u></u>	62.55	_per	ton
907-403-A	HOT MIX ASPHALT, HT, PO	OLYI	MER MODIFIEI) (P	3 76-22):
(17) 4.75	mm Mixture	@ <u></u>	_87.55	per	ton
(18) 9.5 m	mm Mixture	@	76.55	per	ton
(19) 12.5	mm Mixture	@ <u></u>	_74.55	per	ton
(20) 19 mm	n Mixture	<u></u>	72.55	per	ton
CONTRACTOR	RS HOT MIS ASPHALT SPEC	IFIC	CATIONS		
(21) Hot M	Mix Asphalt	@ <u></u>	65.55	per	ton
ULTRA-THIN	N HOT MIX ASPHALT (UHMA	- 5	SEE ATTACHEI	<u>)</u>	
(22) Hot M	Mix Asphalt	@ <u></u>	87.55	per	ton
CONTRACTOR	R'S COLD BITUMINOUS MIX	ruri	E SPECIFICAT	rions	<u>3</u>

(29)Cold Mix Asphalt

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.27_$ PER TON PER MILE, WITH $_4.00_$ PER TON MINIMUM HAUL.

@_110.00____ per ton

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _1801 CYPRESS AVENUE, GREENWOOD, MS_ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1: (1) Type 8, Crushed Gravel, or @__70.05 ____ per ton Combined with Limestone or Slag 907-403-A HOT MIX ASPHALT, ST: (2) 4.75 mm Mixture @ 75.95 per ton @ _65.95___ _ per ton (3) 9.5mm Mixture (4) 12.5 mm Mixture @ 62.95 per ton (5) 19 mm Mixture @ 61.95 per ton (6) 25 mm Mixture @ 63.95 per ton 907-403-A HOT MIX ASPHALT, MT: (7) 4.75 mm Mixture @__77.95____ per ton (8) 9.5 mm Mixture @ 68.95 per ton @__65.95____ per ton (9) 12.5 mm Mixture (10) 19 mm Mixture @ 64.45 per ton (11) 25 mm Mixture @ 66.95 per ton 907-403-A HOT MIX ASPHALT, HT: (12) 4.75 mm Mixture @__74.95____ per ton (13) 9.5 mm Mixture @ 64.95 per ton (14) 12.5 mm Mixture 61.95 per ton (15) 19 mm Mixture 59.95 per ton (16) 25 mm Mixture @ 61.95 per ton

907-403-A HOT MIX ASPHALT, HT, P	OLYMER MODIFIED (PG 76-22):
(17) 4.75 mm Mixture	@84.95 per ton
(18) 9.5 mm Mixture	@ 74.95per ton
(19) 12.5 mm Mixture	@71.95 per ton
(20) 19 mm Mixture	@ 69.95per ton
CONTRACTORS HOT MIS ASPHALT SPEC	
ULTRA-THIN HOT MIX ASPHALT (UHMA	- SEE ATTACHED)
(22) Hot Mix Asphalt	@84.95 per ton
CONTRACTOR'S COLD BITUMINOUS MIX	TURE SPECIFICATIONS
(29)Cold Mix Asphalt	@110.00 per ton
CONTRACTOR WILL DELIVER ASPHALT27 PER TON PER MILE, WITH _	MIXTURES TO ANY POINT IN THE STATE FOR 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _GUNTOWN, MS 331 MESSNER ROAD / GUNTOWN, MS 38849_ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @__68.00__ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (2) 4.75 mm Mixture @ 70.00 per ton
- (3) 9.5mm Mixture @__68.00_ _ per ton
- (4) 12.5 mm Mixture @ 66.00 per ton
- (5) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (7) 4.75 mm Mixture @__70.00___ per ton
- (8) 9.5 mm Mixture @ 68.00 per ton
- (9) 12.5 mm Mixture @__66.00__ per ton
- (10) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT:

- (12) 4.75 mm Mixture @__70.00___ per ton
- (13) 9.5 mm Mixture @ 68.00 per ton
- (14) 12.5 mm Mixture @__66.00___ per ton
- (15) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture @__80.00__ per ton

 (18) 9.5 mm Mixture
 @ 74.00 per ton

 (19) 12.5 mm Mixture
 @ 71.00 per ton

 CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

 (21) Hot Mix Asphalt
 @ 68.00 per ton

 ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

 (22) Hot Mix Asphalt
 @ 70.00 per ton

 CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

 (29)Cold Mix Asphalt
 @ 82.00 per ton

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _JACKSON, MS__ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1: (1) Type 8, Crushed Gravel, or @_ 55.00 _ per ton Combined with Limestone or Slag 907-403-A HOT MIX ASPHALT, ST: (2) 4.75 mm Mixture @ 75.00 per ton (3) 9.5mm Mixture 55.00_ _ per ton (4) 12.5 mm Mixture 56.00 per ton (5) 19 mm Mixture 49.00 per ton (6) 25 mm Mixture 65.00 per ton 907-403-A HOT MIX ASPHALT, MT: (7) 4.75 mm Mixture 75.00____ per ton (8) 9.5 mm Mixture 54.00 per ton (9) 12.5 mm Mixture 54.00___ per ton (10) 19 mm Mixture 49.00 per ton (11) 25 mm Mixture 65.00 per ton 907-403-A HOT MIX ASPHALT, HT: (12) 4.75 mm Mixture 75.00 ___ per ton 54.00 (13) 9.5 mm Mixture per ton (14) 12.5 mm Mixture 54.00 per ton (15) 19 mm Mixture 49.00 per ton

(16) 25 mm Mixture

@ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@___95.00____ per ton

(18) 9.5 mm Mixture

@ 65.00 per ton

(19) 12.5 mm Mixture

@___65.00____ per ton

(20) 19 mm Mixture

@ 65.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@___53.00____ per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(24) Bulk form: R3 @_129.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ____.25__ PER TON PER MILE, WITH ___3.50__ PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __MERIDIAN, MS__ are as follows:

нот	BITUMINOUS PAVEMENT SURFACE	COURSE C	GRADAT	OI	1 SC-	·1:
(1)	Type 8, Crushed Gravel, or Combined with Limestone or Slag	@ <u>71.(</u>	00 <u> </u>	er	ton	
907-	-403-A HOT MIX ASPHALT, ST:					
(3)	9.5mm Mixture	@ <u>71.5</u>	50 <u> </u>	er	ton	
(4)	12.5 mm Mixture	@ <u>64.</u> 0	00 r	er	ton	
(5)	19 mm Mixture	@ <u>59.</u> (00 r	er	ton	
907	-403-A HOT MIX ASPHALT, MT:					
(8)	9.5 mm Mixture	@ <u>71.5</u>	50 r	er	ton	
(9)	12.5 mm Mixture	@ <u>64.</u>	00 <u> </u>	er	ton	
(10) 19 mm Mixture	@ <u>59.</u> 0	20 r	er	ton	
907	-403-A HOT MIX ASPHALT, HT:					
(13) 9.5 mm Mixture	@ <u>71.5</u>	50 p	er	ton	
(14) 12.5 mm Mixture	@64.0	00 <u> </u>	er	ton	
(15) 19 mm Mixture	<u> </u>	00 r	er	ton	
907	-403-A HOT MIX ASPHALT, HT, P	OLYMER N	MODIFI	ED	(PG	76-22)
(18) 9.5 mm Mixture	@ <u>76.</u> 0	00 p	er	ton	
(19) 12.5 mm Mixture	@ <u>69.</u>	00 <u> </u>	er	ton	
) 19 mm Mixture FRACTORS HOT MIS ASPHALT SPEC	@ <u>64.(</u>		er	ton	
(21) Hot Mix Asphalt	@ <u></u> 67.0		er	ton	

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29)Cold Mix Asphalt

@___96.00__ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ______ PER TON PER MILE, WITH ______ PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at $__{110\ GAP\ DRIVE}$, NEW ALBANY, MS $__{}$ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE	COURSE GRADA	TION SC-1:
(1) Type 8, Crushed Gravel, or Combined with Limestone or Slag	@ <u>71.00</u>	per ton
907-403-A HOT MIX ASPHALT, ST:		
(2) 4.75 mm Mixture	@ 73.00	_per ton
(3) 9.5mm Mixture	@ <u>71.00</u>	per ton
(4) 12.5 mm Mixture	@ 68.00	_per ton
(5) 19 mm Mixture	@ 66.00	_per ton
907-403-A HOT MIX ASPHALT, MT:		
(7) 4.75 mm Mixture	@ <u>73.00</u>	per ton
(8) 9.5 mm Mixture	@ 71.00	_per ton
(9) 12.5 mm Mixture	@ <u>68.00</u>	per ton
(10) 19 mm Mixture	@ 66.00	_per ton
907-403-A HOT MIX ASPHALT, HT:		
(12) 4.75 mm Mixture	@ <u></u> 73.00	per ton
(13) 9.5 mm Mixture	@ 71.00	_per ton
(14) 12.5 mm Mixture	@68.00	per ton
(15) 19 mm Mixture	@ 66.00	_per ton
907-403-A HOT MIX ASPHALT, HT,	POLYMER MODIF	'IED (PG 76-
(17) 4.75 mm Mixture	@90.00	per ton
(18) 9.5 mm Mixture	@ 80.00	per ton

- (19) 12.5 mm Mixture @__75.00___ per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@__71.00___ per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt

@__73.0<u>0</u>___ per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29)Cold Mix Asphalt

@___82.00___ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.30___ PER TON PER MILE, WITH __4.00__ PER TON MINIMUM HAUL.

> APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _AUBURN ROAD 459 N. EASON BLVD, TUPELO, MS 38801__ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @____68.00_ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (2) 4.75 mm Mixture @ 70.00 per ton
- (3) 9.5mm Mixture @____68.00 _ per ton
- (4) 12.5 mm Mixture @ 66.00 per ton
- (5) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (7) 4.75 mm Mixture @____70.00__ per ton
- (8) 9.5 mm Mixture @ 68.00 per ton
- (9) 12.5 mm Mixture @____66.00__ per ton
- (10) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT:

- (12) 4.75 mm Mixture @____70.00__ per ton
- (13) 9.5 mm Mixture @ 68.00 per ton
- (14) 12.5 mm Mixture @____66.00__ per ton
- (15) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (17) 4.75 mm Mixture @____80.00 __ per ton
- (18) 9.5 mm Mixture @ 74.00 per ton
- (19) 12.5 mm Mixture @____71.00___ per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt	@68.00 per ton
ULTRA-THIN HOT MIX ASPHALT (UHI	MA - SEE ATTACHED)
(22) Hot Mix Asphalt	@70.00 per ton
CONTRACTOR'S COLD BITUMINOUS M	IXTURE SPECIFICATIONS
(29)Cold Mix Asphalt	@82.00 per ton
CONTRACTOR WILL DELIVER ASPHALT 30 PER TON PER MILE, WITH	T MIXTURES TO ANY POINT IN THE STATE FOR $\underline{\hspace{0.4cm}}$ PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _VICKSBURG, MS_ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @___64.00___ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (2) 4.75 mm Mixture @ 89.00 per ton
- (3) 9.5mm Mixture @___64.00__ per ton
- (4) 12.5 mm Mixture @ 64.00 per ton
- (5) 19 mm Mixture @ 64.00 per ton
- (6) 25 mm Mixture @ 89.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (7) 4.75 mm Mixture @___89.00___ per ton
- (8) 9.5 mm Mixture @ 64.00 per ton
- (9) 12.5 mm Mixture @___64.00___ per ton
- (10) 19 mm Mixture @ 64.00 per ton
- (11) 25 mm Mixture @ 89.00 per ton

907-403-A HOT MIX ASPHALT, HT:

- (12) 4.75 mm Mixture @___89.00___ per ton
- (13) 9.5 mm Mixture @ 64.00 per ton
- (14) 12.5 mm Mixture @__64.00 ____ per ton
- (15) 19 mm Mixture @ 64.00 per ton
- (16) 25 mm Mixture @ 89.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture @__98.00____ per ton

(18) 9.5 mm Mixture	@ <u>78.00</u>	_per ton		
(19) 12.5 mm Mixture	@ <u>78.00</u> _	per ton		
(20) 19 mm Mixture	@ 78.00	_per ton		
CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS				
(21) Hot Mix Asphalt	@ <u></u> 59.00	per ton		

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ____.25__ PER TON PER MILE, WITH ___3.50__ PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __YAZOO CITY, MS_____ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @__62.00__ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (2) 4.75 mm Mixture @ 89.00 per ton
- (3) 9.5mm Mixture @__69.00_ per ton
- (4) 12.5 mm Mixture @ 69.00 per ton
- (5) 19 mm Mixture @ 67.00 per ton
- (6) 25 mm Mixture @ 89.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (7) 4.75 mm Mixture @__89.00__ per ton
- (8) 9.5 mm Mixture @ 68.00 per ton
- (9) 12.5 mm Mixture @__68.00___ per ton
- (10) 19 mm Mixture @ 65.00 per ton
- (11) 25 mm Mixture @ 89.00 per ton

907-403-A HOT MIX ASPHALT, HT:

- (12) 4.75 mm Mixture @__89.00__ per ton
- (13) 9.5 mm Mixture @ 69.00 per ton
- (14) 12.5 mm Mixture @__69.00___ per ton
- (15) 19 mm Mixture @ 68.00 per ton
- (16) 25 mm Mixture @ 89.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @__62.00__ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _____ PER TON PER MILE, WITH ____ 3.50_____ PER TON MINIMUM HAUL.

APAC-TENNESSEE, INC. 1210 HARBOR AVENUE MEMPHIS, TN 38113 901/947-5600

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __4765 TUGGLE ROAD, MEMPHIS, TN__ are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @___58.00____ per ton

(4) 12.5 mm Mixture @ 53.50 per ton

(5) 19 mm Mixture @ 54.75 per ton

P.O. BOX 1576
BOUTTE, LA 70039
985/331-3559

of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located atBOUTTE, LA are as follows:
404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES
BARRIERE CONST.
(23) Bagged form: STREET WISE Manufactured by: COMPANY, LLC.
Product Name
@_400.00 per ton (10.00 PER BAG)
BARRIERE CONST.
(24) Bulk form: STREET WISE Manufactured by: COMPANY, LLC. Product Name
@_90.00 per ton
e <u></u>
CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS
(29)Cold Mix Asphalt @90.00 per ton
CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
14 PER TON PER MILE, WITH5.00 PER TON MINIMUM HAUL.

Our price for material produced in accordance with Mississippi Department

CENTRAL PIPE SUPPLY 101 WARE ROAD PEARL, MS 39208 601/939-3322

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant as follows:

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFI	CATIONS
--	---------

(29)Cold Mix Asphalt @___500.00___ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $\underline{\text{MO}}$ CHARGE_ PER TON PER MILE, WITH ___1.50_ PER TON MINIMUM HAUL.

P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _983 OLD HWY 51, BROOKHAVEN, MS__ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or Combined with Limestone or Slag	@56.00 per ton
907-403-A HOT MIX ASPHALT, ST:	
(3) 9.5mm Mixture	@56.00 per ton
(4) 12.5 mm Mixture	@ 55.00 per ton
(5) 19 mm Mixture	@ 52.00 per ton
907-403-A HOT MIX ASPHALT, MT:	
(8) 9.5 mm Mixture	@ 56.00 per ton
(9) 12.5 mm Mixture	@55.00 per ton
(10) 19 mm Mixture	@ 52.00 per ton
907-403-A HOT MIX ASPHALT, HT:	
(13) 9.5 mm Mixture	@ 56.00 per ton
(14) 12.5 mm Mixture	@55.00 per ton
(15) 19 mm Mixture	@ 52.00 per ton
907-403-A HOT MIX ASPHALT, HT,	POLYMER MODIFIED (PG 76-22):
(18) 9.5 mm Mixture	@ 64.00 per ton
(19) 12.5 mm Mixture	@63.00 per ton
(20) 19 mm Mixture	@ 62.00 per ton
CONTRACTORS HOT MIS ASPHALT SPE	CIFICATIONS
(21) Hot Mix Asphalt	@56.00 per ton
40 PER TON PER MILE, WITH DICKE	MIXTURES TO ANY POINT IN THE STATE FOR STATE F
BROC	OKHAVEN, MS 39602

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

601/833-4291

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _HIGHWAY 16 EAST, CARTHAGE___ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or Combined with Limestone or Slag	@ <u>67.00</u> per ton	
907-403-A HOT MIX ASPHALT, ST:		
(3) 9.5mm Mixture	@67.00 per ton	
(4) 12.5 mm Mixture	@ 65.00 per ton	
(5) 19 mm Mixture	@ 64.00 per ton	
907-403-A HOT MIX ASPHALT, MT:		
(8) 9.5 mm Mixture	@ 67.00 per ton	
(9) 12.5 mm Mixture	@65.00 per ton	
(10) 19 mm Mixture	@ 64.00 per ton	
907-403-A HOT MIX ASPHALT, HT:		
(13) 9.5 mm Mixture	@ 67.00 per ton	
(14) 12.5 mm Mixture	@65.00 per ton	
(15) 19 mm Mixture	@ 64.00 per ton	
907-403-A HOT MIX ASPHALT, HT, PO	OLYMER MODIFIED (PG 76-22):	
(18) 9.5 mm Mixture	@ 77.00 per ton	
(19) 12.5 mm Mixture	@77.00 per ton	
(20) 19 mm Mixture	@ 77.00 per ton	
CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS		
(21) Hot Mix Asphalt	@67.00 per ton	
40 PER TON PER MILE, WITHDICKERS	MIXTURES TO ANY POINT IN THE STATE FOR 5.00 PER TON MINIMUM HAUL. SON & BOWEN, INC.	
F,	O. DOM TOO	

BROOKHAVEN, MS 39602 601/833-4291

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at ___2642 GALLATIN STREET, JACKSON, MS _ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @____54.00 ___ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (3) 9.5mm Mixture @___53.00__ per ton
- (4) 12.5 mm Mixture @ 52.00 per ton
- (5) 19 mm Mixture @ 49.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (8) 9.5 mm Mixture @ 53.00 per ton
- (9) 12.5 mm Mixture @___52.00___ per ton
- (10) 19 mm Mixture @ 49.00 per ton

907-403-A HOT MIX ASPHALT, HT:

- (13) 9.5 mm Mixture @ 53.00 per ton
- (14) 12.5 mm Mixture @___52.00___ per ton
- (15) 19 mm Mixture @ 49.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (18) 9.5 mm Mixture @ 62.00 per ton
- (19) 12.5 mm Mixture @___59.00___ per ton
- (20) 19 mm Mixture @ 56.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @___54.00___ per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29)Cold Mix Asphalt @___107.00__ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ___.40___ PER TON PER MILE, WITH __5.00__ PER TON MINIMUM HAUL.

> DICKERSON & BOWEN, INC. P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _HIGHWAY 98 EAST, MCCOMB, MS __ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1: (1) Type 8, Crushed Gravel, or @__56.00 ___ per ton Combined with Limestone or Slag 907-403-A HOT MIX ASPHALT, ST: (3) 9.5mm Mixture @__56.00 ___ per ton (4) 12.5 mm Mixture @ 55.00 per ton @ 52.00 per ton (5) 19 mm Mixture 907-403-A HOT MIX ASPHALT, MT: (8) 9.5 mm Mixture @ 56.00 per ton (9) 12.5 mm Mixture @__55.00____ per ton @ 52.00 per ton (10) 19 mm Mixture 907-403-A HOT MIX ASPHALT, HT: @ 56.00 per ton (13) 9.5 mm Mixture @__55.0<u>0</u>____ per ton (14) 12.5 mm Mixture (15) 19 mm Mixture @ 52.00 per ton 907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22): @ 64.00 per ton (18) 9.5 mm Mixture @<u>63.00</u> per ton (19) 12.5 mm Mixture (20) 19 mm Mixture @ 62.00 __per ton CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS @__56.00____ per ton (21) Hot Mix Asphalt CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS @__100.00___ per ton

(29)Cold Mix Asphalt

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.40__ PER TON PER MILE, WITH __5.00__ PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC. P.O. BOX 6560 LAUREL, MS 39441 601/649-4111

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __188 HIGHWAY 98 EAST, COLUMBIA _ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @___61.50__ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (2) 4.75 mm Mixture @___80.25 per ton
- (3) 9.5mm Mixture @___61.50__ per ton
- (4) 12.5 mm Mixture @ 60.75 per ton
- (5) 19 mm Mixture @ 59.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (7) 4.75 mm Mixture @___80.25__ per ton
- (8) 9.5 mm Mixture @ 62.50 per ton
- (9) 12.5 mm Mixture @___60.25__ per ton
- (10) 19 mm Mixture @ 58.60 per ton

907-403-A HOT MIX ASPHALT, HT:

- (12) 4.75 mm Mixture @___80.25__ per ton
- (13) 9.5 mm Mixture @ 63.60 per ton
- (14) 12.5 mm Mixture @___62.25__ per ton
- (15) 19 mm Mixture @ 59.10 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (17) 4.75 mm Mixture @___92.50___ per ton
- (18) 9.5 mm Mixture @ 69.00 per ton
- (19) 12.5 mm Mixture @___67.00___ per ton
- (20) 19 mm Mixture @ 64.00 per ton

(21) Hot Mix Asphalt	@59.00 per ton
ULTRA-THIN HOT MIX ASPHALT (UHMA	- SEE ATTACHED)
(22) Hot Mix Asphalt	@59.00 per ton
CONTRACTOR WILL DELIVER ASPHALT I PER TON PER MILE, WITH	MIXTURES TO ANY POINT IN THE STATE FOR4.00 PER TON MINIMUM HAUL.

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

DUNN ROADBUILDERS, LLC. P.O. BOX 6560 LAUREL, MS 39441 601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _509 AVENUE D., LAUREL, MS __ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or Combined with Limestone or Slag ___65.60___ per ton

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture

@ 78.25 per ton

(3) 9.5mm Mixture

@___64.50__ _ per ton

(4) 12.5 mm Mixture

@ 63.50 per ton

(5) 19 mm Mixture

@ 61.50 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture

@____78.25____ per ton

(8) 9.5 mm Mixture

@ 64.50 per ton

(9) 12.5 mm Mixture

@___59.50____ per ton

(10) 19 mm Mixture

@ 58.25 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture

@___78.25____ per ton

(13) 9.5 mm Mixture

@ 65.50 per ton

(14) 12.5 mm Mixture

@___65.00____ per ton

(15) 19 mm Mixture

@ 61.50 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@___90.25____ per ton

(18) 9.5 mm Mixture

@ 72.25 per ton

(19) 12.5 mm Mixture

@____71.25____ per ton

(20) 19 mm Mixture

@ 66.50 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@___60.50____ per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA	A - SEE ATTACHED)
(22) Hot Mix Asphalt	@60.50 per ton
CONTRACTOR'S COLD BITUMINOUS MIX	KTURE SPECIFICATIONS
(29)Cold Mix Asphalt	@100.00 per ton
CONTRACTOR WILL DELIVER ASPHALT	MIXTURES TO ANY POINT IN THE STATE FOR
22 PER TON PER MILE, WITH	4.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC. P.O. BOX 6560 LAUREL, MS 39441 601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _157 CHEVIS LEE ROAD, PETAL, MS__ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1: (1) Type 8, Crushed Gravel, or @____63.50__ _ per ton Combined with Limestone or Slag 907-403-A HOT MIX ASPHALT, ST: (2) 4.75 mm Mixture 77.75 per ton (3) 9.5mm Mixture __63.55___ per ton (4) 12.5 mm Mixture @ 60.50 per ton (5) 19 mm Mixture @ 60.30 per ton 907-403-A HOT MIX ASPHALT, MT: 78.75____ per ton (7) 4.75 mm Mixture 63.45 per ton (8) 9.5 mm Mixture (9) 12.5 mm Mixture 59.00_ __ per ton (10) 19 mm Mixture 57.00 per ton 907-403-A HOT MIX ASPHALT, HT: (12) 4.75 mm Mixture 77.25____ per ton (13) 9.5 mm Mixture 64.70 per ton (14) 12.5 mm Mixture 59.00_ _ per ton (15) 19 mm Mixture 55.50 per ton 907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22): @__90.50____ per ton (17) 4.75 mm Mixture (18) 9.5 mm Mixture @ 71.50 per ton ___ per ton (19) 12.5 mm Mixture @ 70.50 ___per ton (20) 19 mm Mixture **@** 65.75 CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(21) Hot Mix Asphalt

@__60.50____ per ton

(22) Hot Mix Asphalt	@ <u>_60.50</u> per ton
CONTRACTOR'S COLD BITUMINOUS M	IXTURE SPECIFICATIONS
(29)Cold Mix Asphalt	@97.00 per ton
	T MIXTURES TO ANY POINT IN THE STATE FOR H4.00 PER TON MINIMUM HAUL.

P.O. BOX 758
PICAYUNE, MS 39466
601/798-2981

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _Picayune, MS___ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @__71.00__ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

@ 76.00 per ton (2) 4.75 mm Mixture

(3) 9.5mm Mixture @__71.00 _ per ton

(4) 12.5 mm Mixture @ 71.00 per ton

@ 71.00 per ton (5) 19 mm Mixture

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @__76.00__ per ton

@ 71.00 per ton (8) 9.5 mm Mixture

(9) 12.5 mm Mixture @__71.00__ per ton

(10) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @__76.00__ per ton

(13) 9.5 mm Mixture @ 71.00 per ton

(14) 12.5 mm Mixture @__71.00__ per ton

(15) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture @__82.00____ per ton

@ 77.00 per ton (18) 9.5 mm Mixture

@__77.00____ per ton (19) 12.5 mm Mixture

(20) 19 mm Mixture @ 77.00____per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @__71.00____ per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

________ per ton (22) Hot Mix Asphalt

P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 7, 1775 FARRISH GRAVEL ROAD, BATESVILLE, MS 38606</u> are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @___68.00___ per ton
(4) 12.5 mm Mixture @__65.00__ per ton

(5)	19	mm	Mixture	@	60.00

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 68.00 per ton

per ton

(9)12.5 mm Mixture @___65.00____ per ton

(10) 19 mm Mixture @ 60.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 68.00 per ton

(14) 12.5 mm Mixture @___65.00____ per ton

(15) 19 mm Mixture @ 60.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @___80.00___ per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(24) Bulk form: QPR COLD MIX Manufactured by: QPR Product Name

@__130.00__ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ______ PER TON PER MILE, WITH ______ PER TON MINIMUM HAUL.

P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _PLANT 10, 161 STONEWALL ROAD, BYHALIA, MS 38611____ are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @__68.00_ _ per ton

(4) 12.5 mm Mixture @ 65.00 per ton

- (5) 19 mm Mixture @ 60.00 per ton 907-403-A HOT MIX ASPHALT, MT: (8) 9.5 mm Mixture @ 68.00 per ton @__65.00___ per ton (9) 12.5 mm Mixture (10) 19 mm Mixture @ 60.00 per ton 907-403-A HOT MIX ASPHALT, HT: @ 68.00 per ton (13) 9.5 mm Mixture (14) 12.5 mm Mixture @__65.00___ per ton @ 60.00 per ton (15) 19 mm Mixture
- 404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(24) Bulk form: QPR COLD MIX____ Manufactured by: QPR____ Product Name
@_140.00__ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _____ PER TON PER MILE, WITH ____ 5.00___ PER TON MINIMUM HAUL.

P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __PLANT 6, 6158 HIGHWAY 51 SOUTH, HERNANDO, MS 38632__ are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @___68.00__ per ton
(4) 12.5 mm Mixture @__65.00__ per ton

(5) 19 mm Mixture	@	60.00	_per	ton
907-403-A HOT MIX ASPHALT, MT:				
(8) 9.5 mm Mixture	@	68.00	_per	ton
(9) 12.5 mm Mixture	@ <u></u>	_65.00	per	ton
(10) 19 mm Mixture	@	60.00	_per	ton
907-403-A HOT MIX ASPHALT, HT:				
(13) 9.5 mm Mixture	@	68.00	_per	ton
(14) 12.5 mm Mixture	@ <u></u>	_65.00	per	ton
(15) 19 mm Mixture	@	60.00	_per	ton
LEHMAN	I-ROBI	ERTS COMP	ANY	
		BOX 1603	1	
	-	74-4000	1	
HOT AND COLD BE PERIOD JULY 1,	_			_
Our price for material produced of Transportation Specifications at our plant located atPLANT 38655 are as follows:	F.O.	.B. Depar	tment	t of Transportation Truck
907-403-A HOT MIX ASPHALT, ST:				

67.00

(3) 9.5mm Mixture

(5) 19 mm Mixture

(4) 12.5 mm Mixture

69.00 _ per ton

63.00 per ton

__per ton

907-403-A HOT MIX ASPHALT, MT:				
(8) 9.5 mm Mixture	@	69.00	_per	ton
(9) 12.5 mm Mixture	@	_67.00	per	ton
(10) 19 mm Mixture	@	63.00	_per	ton
907-403-A HOT MIX ASPHALT, HT:				
(13) 9.5 mm Mixture	@	69.00	_per	ton
(14) 12.5 mm Mixture	@	_67.00	per	ton
(15) 19 mm Mixture	@	63.00	_per	ton
ULTRA-THIN HOT MIX ASPHALT (UHMA	- SE	E ATTACHE	D)	
(22) Hot Mix Asphalt	@ <u></u>	_80.00	per	ton
404-A PRE-APPROVED COMMERCIAL CO				
(24) Bulk form: QPR COLD MIX Product Name @135.00 per ton	Mai	nufacture	d by:	:QPR
CONTRACTOR WILL DELIVER ASPHALT I25 PER TON PER MILE, WITH	_		_	
		TS COMPAN	Y	
		OX 1603 TN 38101		
9	01/77	4-4000		
HOT AND COLD BI PERIOD JULY 1, 2				_
Our price for material produced of Transportation Specifications at our plant located atPLANT : follows:	F.O.	B. Depart	ment	of Transportation Trucks
907-403-A HOT MIX ASPHALT, ST:				
(3) 9.5mm Mixture	@	70.00 _ p	er to	on
(4) 12.5 mm Mixture	@	65.50 p	er to	on
(5) 19 mm Mixture	@	62.00 p	er to	on

907-403-A HOT MIX ASPHALT, MT:	
(8) 9.5 mm Mixture	@ 70.00 per ton
(9) 12.5 mm Mixture	@65.50 per ton
(10) 19 mm Mixture	@ 62.00 per ton
907-403-A HOT MIX ASPHALT, HT:	
(13) 9.5 mm Mixture	@ 70.00 per ton
(14) 12.5 mm Mixture	@65.50 per ton
(15) 19 mm Mixture	@ 62.00 per ton
ULTRA-THIN HOT MIX ASPHALT (UHMA	
(22) Hot Mix Asphalt	@80.00 per ton
CONTRACTOR WILL DELIVER ASPHALT25_ PER TON PER MILE, WITH	MIXTURES TO ANY POINT IN THE STATE FOR 5.00_ PER TON MINIMUM HAUL.
37 GAU	CONSTRUCTION COMPANY, INC. 08 HIGHWAY 90 TIER, MS 39553 228/497-2523
	ITUMINOUS ASPHALT MIXTURES 2017 THROUGH JUNE 30, 2018
Our price for material produced	in accordance with Mississippi Department

of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at ____2601 OLD SPANISH TRAIL, GAUTIER, MS 39553__ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @__64.75___ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture

@ 64.75 per ton

@__64.75___ _ per ton (3) 9.5mm Mixture (4) 12.5 mm Mixture @ 64.75 __per ton (5) 19 mm Mixture @ 64.75 per ton (6) 25 mm Mixture @ 64.75 per ton 907-403-A HOT MIX ASPHALT, MT: @__64.75____ per ton (7) 4.75 mm Mixture (8) 9.5 mm Mixture @ 64.75 per ton (9) 12.5 mm Mixture @<u>64.75</u> per ton (10) 19 mm Mixture @ 64.75 per ton (11) 25 mm Mixture @ 64.75 per ton 907-403-A HOT MIX ASPHALT, HT: @<u>64.75</u> per ton (12) 4.75 mm Mixture (13) 9.5 mm Mixture @ 64.75 per ton (14) 12.5 mm Mixture @__6<u>4.75</u>____ per ton @ 64.75 per ton (15) 19 mm Mixture @ 64.75 per ton (16) 25 mm Mixture 907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22): @__74.75____ per ton (17) 4.75 mm Mixture @ 74.75 per ton (18) 9.5 mm Mixture @__74.75____ per ton (19) 12.5 mm Mixture @ 74.75 per ton (20) 19 mm Mixture CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS (21) Hot Mix Asphalt @__64.75____ per ton

(22) Hot Mix Asphalt

@__69.75____ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ___.21_ PER TON PER MILE, WITH ___5.00___ PER TON MINIMUM HAUL.

MATERIAL RESOURCES, INC. P.O. BOX 1183 PORT ALLEN, LA 70767 225/267-6464

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __4323 NORTH RIVER ROAD, PORT ALLEN, LA 70767___ are as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bagged form: __PM PLUS__ Manufactured by: _RESOURCES, INC.__
Product Name
@_340.00__ per ton 8.50/BAG 56 BAGS/PALLET

MATERIAL

(24) Bulk form: __PM PLUS _ Manufactured by: _RESOURCES, INC. __

Product Name
@__90.00__ per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS @___90.00__ per ton (29)Cold Mix Asphalt CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .18__ PER TON PER MILE, WITH __4.00__ PER TON MINIMUM HAUL. PANDLE, INC. 2401 PETIT BOIS PASCAGOULA, MS 39581 228/762-3300 HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018 Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _PASCAGOULA, MS__ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @___69.00 _ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 68.00 per ton

(3) 9.5mm Mixture @___68.00_ per ton

(4) 12.5 mm Mixture @ 68.00 per ton

(5) 19 mm Mixture	@	68.00	_per	ton
(6) 25 mm Mixture	<u>@</u>	68.00	_per	ton
005 400 2 205 252 2552 25				
907-403-A HOT MIX ASPHALT, MT:				
(7) 4.75 mm Mixture	@ <u></u>	_68.00	per	ton
(8) 9.5 mm Mixture	@	68.00	_per	ton
(9) 12.5 mm Mixture	@ <u></u>	68.00	per	ton
(10) 19 mm Mixture	@	68.00	_per	ton
(11) 25 mm Mixture	@	68.00	_per	ton
907-403-A HOT MIX ASPHALT, HT, I	POLYM	ER MODIFI	ED (1	PG 76-22):
(20) 19 mm Mixture	@	68.00	_per	ton
CONTRACTORS HOT MIS ASPHALT SPEC	マエデエク	'ATTONS		
CONTINUE TO THE ADMINIST DEED	<u> </u>	211 10110		
(21) Hot Mix Asphalt	@	70.00	per	ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR

___.23___ PER TON PER MILE, WITH __5.00____ PER TON MINIMUM HAUL.

SUPERIOR ASPHALT, INC. 5990 I-55 SOUTH BYRAM, MS 39272 601/376-3000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at ___BYRAM, MS____ are as follows: HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1: (1) Type 8, Crushed Gravel, or @__55.00____ per ton Combined with Limestone or Slag 907-403-A HOT MIX ASPHALT, ST: (3) 9.5mm Mixture @__55.00____ per ton @ 52.00 per ton (4) 12.5 mm Mixture @ 47.50 __per ton (5) 19 mm Mixture 907-403-A HOT MIX ASPHALT, MT: @ 55.00 per ton (8) 9.5 mm Mixture @__52.00____ per ton (9) 12.5 mm Mixture (10) 19 mm Mixture @ 47.50 per ton 907-403-A HOT MIX ASPHALT, HT: @ 55.00 per ton (13) 9.5 mm Mixture @__52.00____ per ton (14) 12.5 mm Mixture (15) 19 mm Mixture @ 47.50 per ton 907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22): @ 62.00 per ton (18) 9.5 mm Mixture @<u>61.00</u> per ton (19) 12.5 mm Mixture @ 56.00 per ton (20) 19 mm Mixture CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS @__51.00____ per ton (21) Hot Mix Asphalt

__.32___ PER TON PER MILE, WITH ___4.00__ PER TON MINIMUM HAUL.

SUPERIOR ASPHALT, INC.

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR

5990 I-55 SOUTH BYRAM, MS 39272 601/376-3000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __JACKSON, MS (CLAY STREET)_ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Type 8, Crushed Gravel,	or	@	_55.50	per	ton
	Combined with					
	Limestone or Slag					

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	@	_56.00	_	per t	ton	
-----	-------	---------	---	--------	---	-------	-----	--

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5 mm Mixture	@	56.00	per ton
	J.J HHL MIRCUIC	•		DOT COIL

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 56.00 per	ton
---------------------------------	-----

(15) 19 mm Mixture @ 53.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 65.00 per ton

(19) 12.5 mm Mixture @__63.00__ per ton

(20) 19 mm Mixture @ 61.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @__51.50___ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
_______ PER TON PER MILE, WITH _______ PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.

P.O. BOX 1208

MOUNT OLIVE, MS 39119 601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __BYRAM, MS__ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @__56.00__ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@55.00 _ per to	n
-------------------	-----------------	---

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@ 55.00 per ton
--------------------	-----------------

(10) 19 mm Mixture @ 55.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5	mm	Mixture	@	55.00	per	ton
------	-----	----	---------	---	-------	-----	-----

(14) 12.5 mm Mixture @__55.00__ per ton

(15) 19 mm Mixture @ 55.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @__52.00__ per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @__52.00__ per ton

W.E. BLAIN & SONS, INC.

P.O. BOX 1208

MOUNT OLIVE, MS 39119

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __MORTON, MS_____ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @__67.00__ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	@)	_65.00		per	ton
-----	-------	---------	---	---	--------	--	-----	-----

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5 mm Mixture	@ 66 . 00	per ton
-----	----------------	------------------	---------

(10) 19 mm Mixture @ 59.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5	mm	Mixture	@	66.00	per	ton
------	-----	----	---------	---	-------	-----	-----

(15) 19 mm Mixture @ 59.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @_63.00___ per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @_63.00___ per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(24) Bulk form: QPR Manufactured by: QPR Product Name
@_140.00_ per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ____30___ PER TON PER MILE, WITH __5.00___ PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC. P.O. BOX 1208 MOUNT OLIVE, MS 39119 601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __MOUNT OLIVE, MS_____ are as follows:

HOT E	BITUMINOUS PA	VEMENT	SURFACE	COUR	SE GRADA	TION	sc-1:
	Type 8, Crush Combined with Limestone or	ì	vel, or	@ <u></u>	_65.00 <u></u> _	per	ton
907-4	103-A HOT MIX	ASPHAI	T, ST:				
(3) 9	.5mm Mixture	.		<u> </u>	_63.00 _	per	ton
(4) 1	12.5 mm Mixtu	ıre		@	61.00	_per	ton
(5) 1	9 mm Mixture	•		@	56.00	_per	ton
907-4	103-A HOT MIX	ASPHAI	T, MT:				
(8)	.5 mm Mixtur	e		<u> </u>	63.00	_per	ton
(9) 1	12.5 mm Mixtu	ıre		@ <u></u>	_61.00	per	ton
(10)	19 mm Mixtur	e:		<u> </u>	56.00	_per	ton
907-4	LO3-A HOT MIX	ASPHAI	T, HT:				
(13)	9.5 mm Mixtu	ıre		@	64.00	_per	ton
(14)	12.5 mm Mixt	ure		@ <u></u>	_62.00	per	ton
(15)	19 mm Mixtur	e.		@	57.00	_per	ton
CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS							
(21)	Hot Mix Asph	alt		@ <u></u>	_59.00	per	ton
<u>ULTR</u>	A-THIN HOT MI	X ASPHA	LT (UHMA	A - S	EE ATTAC	HED)	
(22)	Hot Mix Asph	alt		@ <u></u>	59.00_	_ per	ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _____30___ PER TON PER MILE, WITH ___5.00____ PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC. P.O. BOX 1208 MOUNT OLIVE, MS 39119 601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __WASHINGTON, MS_____ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1: (1) Type 8, Crushed Gravel, or @__67.00___ per ton Combined with Limestone or Slag 907-403-A HOT MIX ASPHALT, ST: @ 72.00 per ton (2) 4.75 mm Mixture (3) 9.5mm Mixture @<u>67.00</u> per ton (4) 12.5 mm Mixture @ 65.00 per ton (5) 19 mm Mixture @ 60.00 per ton 907-403-A HOT MIX ASPHALT, MT: @ 69.0<u>0</u> per ton (8) 9.5 mm Mixture (9) 12.5 mm Mixture @__66.00___ per ton CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS (21) Hot Mix Asphalt @__65.00___ per ton ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED) @__72.00___ per ton (22) Hot Mix Asphalt CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ___.25__ PER TON PER MILE, WITH __4.00__ PER TON MINIMUM HAUL.

WG CONSTRUCTION COMPANY, INC. 12051 HIGHWAY 4 EAST RIPLEY, MS 38663 662/837-8811

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __BOONEVILLE, MS___ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1: (1) Type 8, Crushed Gravel, or @__69.00___ per ton Combined with Limestone or Slag 907-403-A HOT MIX ASPHALT, ST: @ 74.00 per ton (2) 4.75 mm Mixture @__69.00_ _ per ton (3) 9.5mm Mixture 907-403-A HOT MIX ASPHALT, MT: (7) 4.75 mm Mixture @__74.00___ per ton @ 69.00___per ton (8) 9.5 mm Mixture (10) 19 mm Mixture @ 68.00 per ton 907-403-A HOT MIX ASPHALT, HT: (13) 9.5 mm Mixture @ 69.00 per ton (15) 19 mm Mixture @ 68.00 per ton CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS (21) Hot Mix Asphalt @<u>68.00</u> per ton ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED) @__71.00___ per ton (22) Hot Mix Asphalt

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ____.25__ PER TON PER MILE, WITH ___4.00__ PER TON MINIMUM HAUL.

WARREN PAVING, INC. P.O. BOX 2545 GULFPORT, MS 39505 228/896-8003

PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at __11211 REICHOLD ROAD, GULFPORT, MS___ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @___68.00__ per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (2) 4.75 mm Mixture @ 73.75 per ton
- (3) 9.5mm Mixture @___66.25 _ per ton
- (4) 12.5 mm Mixture @ 60.75 per ton
- (5) 19 mm Mixture @ 57.00 per ton
- (6) 25 mm Mixture @ 57.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (7) 4.75 mm Mixture @___74.25__ per ton
- (8) 9.5 mm Mixture @ 66.75 per ton
- (9) 12.5 mm Mixture @___61.25__ per ton
- (10) 19 mm Mixture @ 57.50 per ton
- (11) 25 mm Mixture @ 57.50 per ton

907-403-A HOT MIX ASPHALT, HT:

- (12) 4.75 mm Mixture @___74.75__ per ton
- (13) 9.5 mm Mixture @ 67.25 per ton
- (14) 12.5 mm Mixture @__61.75___ per ton
- (15) 19 mm Mixture @ 58.00 per ton
- (16) 25 mm Mixture @ 58.00 per ton

@<u>83.00</u> per ton (17) 4.75 mm Mixture (18) 9.5 mm Mixture @ 76.50 per ton @__75.75___ per ton (19) 12.5 mm Mixture (20) 19 mm Mixture @ 63.25 per ton CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS (21) Hot Mix Asphalt @__65.00___ per ton ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED) (22) Hot Mix Asphalt @__58.75___ per ton CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS (29)Cold Mix Asphalt @___95.00___ per ton CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR __.20__ PER TON PER MILE, WITH __4.00___ PER TON MINIMUM HAUL.

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

WARREN PAVING, INC. P.O. BOX 2545 GULFPORT, MS 39505 228/896-8003

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at ___562 ELKS LAKE ROAD, HATTIESBURG, MS__ are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @___62.50__per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (2) 4.75 mm Mixture
 @ 72.00 per ton

 (3) 9.5mm Mixture
 @ 64.00 per ton

 (4) 12.5 mm Mixture
 @ 62.50 per ton
- (5) 19 mm Mixture @ 60.00 per ton
- (6) 25 mm Mixture @ 60.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (7) 4.75 mm Mixture @___72.50___ per ton
- (8) 9.5 mm Mixture @ 64.50 per ton
- (9) 12.5 mm Mixture @___63.00___ per ton
- (10) 19 mm Mixture @ 60.50 per ton
- (11) 25 mm Mixture @ 60.50 per ton

907-403-A HOT MIX ASPHALT, HT:

- (12) 4.75 mm Mixture @___73.00___ per ton
- (13) 9.5 mm Mixture @ 65.00 per ton
- (14) 12.5 mm Mixture @___63.50____ per ton
- (15) 19 mm Mixture @ 61.00 per ton
- (16) 25 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture	@82.50 per ton
(18) 9.5 mm Mixture	@ 74.00 per ton
(19) 12.5 mm Mixture	@72.50 per ton
(20) 19 mm Mixture	@ 70.00 per ton
CONTRACTORS HOT MIS ASPHALT SPEC (21) Hot Mix Asphalt	IFICATIONS @61.25 per ton
ULTRA-THIN HOT MIX ASPHALT (UHMA	- SEE ATTACHED)
(22) Hot Mix Asphalt	@61.75 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR

___.20___ PER TON PER MILE, WITH __4.00___ PER TON MINIMUM HAUL.

WHITEHEAD CONSTRUCTION COMPANY, INC. 5602 INDUSTRIAL ROAD PASCAGOULA, MS 39581 228/762-6951

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2017 THROUGH JUNE 30, 2018

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at ___5602 INDUSTRIAL ROAD, PASCAGOULA, MS 39581__ are as follows:

404-A	PRE-APPROVED	COMMERCIAL	COLD	BITUMINOUS	MIXTURES
-------	--------------	------------	------	------------	----------

(23) Bagged form: PROLINE / MRI Manufactured by: MRI PROLINE, LOGAN CO. ASPHALT

Product Name
@__640.00__ per ton FOB PASCAGOULA, MS

(24) Bulk form: __PM PLUS____ Manufactured by: __MRI___ Product Name @_130.00___ per ton FOB PASCAGOULA, MS