

RAY
YOU
PRESTO
RAINBOW
MULTISTACK
THERAPOD
CHIROFORM
MULTITEK
TUCK
REQUISITE
FLUID
MULTIFLEX
YOU TOO
M.O.
DOVE
ZIP
INERTIA
TWIST
CPOD
VIVA
AYR

allseating



Price List
2015

Table of Contents

	Page		Page
Allseating Intro	3	INERTIA® +Plus Upholstered Back	56
Allseating's Quality Policy, Cal TB133 Compliance Information, 72hr Express	4	INERTIA® Upholstered Back Task Highback	57
SpecAll	6	INERTIA® Upholstered Back Task Midback	58
GSA Contract Page	7	INERTIA® Upholstered Back Conference	59
Control Choices	8	INERTIA® Upholstered Back Stool	60
Arms	17	INERTIA® Upholstered Back Side and Executive Side	61
Customer's Own Material (COM)		INERTIA® Upholstered Back Bar Stool	62
and Customer's Own Leather (COL)	19	M.O.™ Task	63
Fabric Upgrade Chart	21	MULTIFLEX®	64
Product Category Guide	22	MULTISTACK®	65
How to order an Allseating chair	23	MULTITEK™	66
AYR™ Stacker	25	PRESTO® Task HB	67
AYR™ Upholstered	26	PRESTO® Task MB	68
CHIROFORM™ Task HB	27	PRESTO® 24:7	69
CHIROFORM™ Task MB	28	PRESTO® Petite	70
CHIROFORM™ Big HB	29	PRESTO® Stool	71
CHIROFORM™ Ultra HB	30	RAINBOW™ Round Back	72
CHIROFORM™ Ultra MB	31	RAINBOW™ Square Back	73
CHIROFORM™ Ultra MB Stool	32	RAINBOW™ Junior & Big	74
CHIROFORM™ Ultra 24:7	33	RAY™ Conference	75
CPOD™	34	RAY™ Task	76
DOVE™	35	REQUISITE™ HB Conference	77
FLUID® Task	36	REQUISITE™ MB Conference	78
FLUID® Stool	37	THERAPOD® Basic EHB	79
FLUID® Basic Task	38	THERAPOD® Basic HB	80
FLUID® Basic Stool	39	THERAPOD® Therapist EHB	81
FLUID® Side	40	THERAPOD® Therapist HB	82
FLUID® Basic Side	41	TUCK™ Stacker	83
INERTIA® +Plus Knit Back	42	TUCK™ Counter & Bar Stool	84
INERTIA® Knit Back Task Highback	43	TWIST™ Multi-Purpose Collaborative	85
INERTIA® Knit Back Task Midback	44	TWIST™ UPH Side	86
INERTIA® Knit Back Conference	45	VIVA™	87
INERTIA® Knit Back Stool	46	YOU™ HB	88
INERTIA® Knit Back Side and +Plus Side	47	YOU™ MB	89
INERTIA® Knit Back Bar Stool	48	YOU™ MB	90
INERTIA® +Plus Mesh Back	49	YOU™ MB Stool	91
INERTIA® Mesh Back Task HB	50	ZIP™ Black Leather Instock Program HB/MB	92
INERTIA® Mesh Back Task MB	51	ZIP™ Fully UPH MB	93
INERTIA® Mesh Back Conference	52	ZIP™ Fully UPH HB	94
INERTIA® Mesh Back Stool	53	ZIP™ UPH Stool	95
INERTIA® Mesh Side	54	ZIP™ Mesh Back	96
INERTIA® Mesh Back, Bar Stool	55	ZIP™ Mesh Stool	97
		ZIP™ Mesh Side	98
		Conditions of Sale	99
		Product Code Index	101



We're **all**seating but we are
so much more than chairs.TM

Since we spend the majority of our day, every day, sitting in a chair, our sole focus is to design solutions that make being in the seated position more comfortable.

Being eco-logical is good for the environment, and good for business

Allseating has always been an environmentally conscious company – not simply because it's the right way to work, but because it's the smarter way to work. In fact, the more steps we take towards reducing our carbon footprint, the more benefits we're seeing to our bottom-line. To learn about these specific initiatives, please visit allseating.com.

Whether clients are curious if the grass is greener on the other side of the fence, or a few steps ahead of us along the greener path, we enjoy sharing thoughts, ideas and feedback. Our green committee representative can be contacted at marketing@allseating.com.

Allseating's Quality Policy

Our Quality Objectives:

1. Developing, implementing, maintaining and continually improving an effective Business Management System that complies with ISO 9001
2. Delivering quality products and services on time and at a competitive price.
3. Fostering and supporting a culture that promotes individual and corporate growth.
4. Cultivating partnerships with key suppliers and customers, which emphasize continuous improvement in quality, service and support.
5. Establishing and measuring relevant corporate objectives.

CAL TB133 Compliance Information

Please see individual product pages under option code for models that are CAL TB133 compliant. Allseating encourages the selection of polyester fabrics for CAL TB133 applications as they perform well in conjunction with a barrier. If you wish to specify a particular fabric – or COM fabric – please contact customer service to check if fire retardancy tests have been performed. If not, we can perform the test on your behalf at a fee of \$565 net charge (non-refundable). Allseating cannot guarantee that a fabric will pass CAL TB133 certification.

72HR Express Shipping


There's no need to wait to start benefiting from a more comfortable seated position. Our 72hr express program includes many of our most popular seating and personal work tools. Simply pick the solution that best suits your needs, choose from any of our carded fabrics, and submit your order to Allseating's customer service department via fax at **1 800 272 9911**, or email us at orders@allseating.com.

Terms and Conditions

- Maximum quantity 25 units per model.
- 72hrs does not include weekends or holidays.
- Products indicated as 72hr express will be treated as such unless the customer specifies otherwise on their order.
- Orders will ship 72 hours after the receipt of a clean purchase order. Orders received after 12pm EST will be processed the next business day.

72^{HR}EXPRESS

72^{HR}EXPRESS



INERTIA[®] Mesh Back Task Midback

Overall: 37.5"-41.75"H, 28"W, 28"D
 Seat: 16.5"-20.75"H, 18.5"W, 18"D
 Back: 21"H, 19"W
 COM: 0.75 yd.

Design: Allseating Design Team
 GSA SIN: 711-18

Model List Price		Option Code	
Model	Control	Model Code	Option Code
Midback	Basic Synchro Tilt (BF-4)	77089	408 424 436 453 476 515 563 614 648 682 785 22 39 30 28 57 107 60 79 N/A N/C 90
Midback	Synchro Tilt (ST)	77040	482 498 510 527 550 589 637 688 722 756 859 22 39 30 28 57 107 60 79 86 N/C 90
Midback	Deluxe Tilt J-Bar (DJ)	77080	568 584 596 613 636 675 723 774 808 842 945 22 39 30 28 57 107 60 79 INCL N/C 90

*P - Pressure Blocking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP - Reverse Blocking Casters - Casters allow the chair to roll only when someone is not in the chair.

Arm Option Codes/Prices

NA No Arm +\$0	T2 Task 2 Arm +\$79 Available with AWK or AWL	4D 4 Dimensional Arm +\$100 Available with AWK or AWL	MF Multi-Functional Arm +\$150 (width adjustment incl.) See page 18.	TW Twister Arm +\$174
-----------------------------	--	--	---	------------------------------------

1. Model Code Please fill in the boxes below.

77 Series 77 Inertia [®] Mesh Back	0 Back Style 0 Midback	40 Control 40 Synchro-Tilt 80 Deluxe Tilt J-Bar 89 Basic Synchro Tilt	NA Arm NA No Arm T2 Task 2 Arm 4D 4 Dimensional Arm MF Multi-functional Arm TW Twister Arm	FM-NBLK Back Mesh FM-NFLA Flare FM-NGRN Green Apple FM-NGRY Grey FM-NNAY Navy FM-NSND Sandstone FM-NSIL Silver
--	--	---	--	--

2. Options Code

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam with stitched upholstery detail
- For arm features and travel specifications See Page 18
- Carpet Casters

Note

†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

SpecAll, www.allseating.com/specall

Ships Knocked Down, see page 24

72^{HR}EXPRESS 72^{HR} Express, see page 4 & 5

GSA Contract Holder

GREENGUARD

51 ALLSEATING COLLECTION JANUARY, 2015

1 Identifies Series as 72HR Express.

2 Identifies Options available on 72HR Express.

3 Identifies Finishes available on 72HR Express when all are not included.

4 72HR Express Notes.

SpecAll


Spec it. Price it. It's never been easier.

We're constantly developing new and evolving existing products - so no matter how much planning goes into this price book, details can change. That's why we developed SpecAll – a convenient online tool that enables you to specify and price your product in real-time without ever leaving the comfort of your chair.

It really is that easy. Simply visit allseating.com, choose your chair and customize it by selecting your preferred options, fabrics and finishes. When you're done you can email it, or save it for future reference.

specall

Specifications and Pricing valid at time of publishing. Please refer to Spec-All for most up-to-date information at www.allseating.com/specall



- 1 We start with the base model.
- 2 Change and customize your chair's mechanism, armstyle, finish and any other options available for your model.
- 3 Choose your textile by clicking on the fabric thumbnail.
- 4 Share with colleagues, add to your wish list, print or email your model.
- 5 Need More? Online Product Support includes product specifications, supporting documentation, video and image library.
- 6 Click to enter Spec-all's main menu and give you access to all our popular models.



General Services Administration



Federal Supply Service Authorized Federal Supply Schedule Catalog and Price List Federal Supply Schedule for Special Purpose Seating

Contract Number:	GS-29F-004AA
Award Special Item Numbers:	SIN 711-18, SIN 711-19, SIN 711-2
DUNS Number:	243651288
Cage Code:	3AC60
FEIN#:	98-011-0664
Contract Period:	January 10, 2013 - January 9, 2018
Business Size:	Other than Small Business
Geographical Coverage:	48 Contiguous States and District of Columbia
Ordering Address:	Allseating Corporation 5800 Avebury Road, Unit 3 Mississauga, ON L5R 3M3 Canada
Head Office Phone:	1-800-563-3502
Head Office Fax:	1-800-272-9911
Payment Address:	Same as Ordering Address
Time of Delivery:	30-90 days ARO or sooner
Discount:	List Price Discount \$0 to \$100,000 60% \$100,001 to \$300,000 62% \$300,001 to \$500,000 64% \$500,001 and Above Negotiable
FOB:	Destination freight prepaid to 48 contiguous states
Prompt Payment Discount:	1% - 20 days, Net - 30 days
Lowest Priced Model:	SIN 711-18 Dove Stool Model 16017-PY @ \$97.20 SIN 711-19 Tuck Stack Chair Model 11050-NA @ \$72 SIN 711-2 Adjustable Foot Rest, Model A1502 @ \$36
Maximum Order Limitation:	SIN 711-18 \$200,000 SIN 711-19 \$200,000 SIN 711-2 \$500,000
Minimum Order:	\$50.00
Production Point:	Mississauga, Ontario, Canada
Conditions of Sale:	Warranty: 10 year parts and labor.
Cancellation Charge:	No cancellation charge prior to production. After production, only actual costs incurred that cannot be recovered through resale of the merchandise in a reasonable length of time (six months).
Restocking Charge (on approval):	20%

Control Choices


Deluxe Tilter Heavy Duty (DJ/DH) - 11

Overview: Task applications which require extensive adjustability. Center pivot tilting action with infinite tilt lock. Suitable for chairs with independent seat and back construction.




1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.





2. Forward Seat Angle Adjustment

To engage forward seat tilt, recline slightly in the chair and roll the bar backwards. As you bring the chair back to an upright position, the seat of the chair will angle forward. To disengage forward seat tilt, recline slightly in the chair and roll the bar forwards. As you bring the chair back to an upright position, the seat will return to a neutral position.




3. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.




4. Back Height Adjustment

To adjust back height, lean forward and grasp the sides of the outside back. To raise, slide the back up. To lower, slide it all the way to the top and then lower to desired height. Release to lock in place.



5. Infinite Tilt Lock

To adjust the recline angle, pull the paddle up to unlock it. Recline to the desired position and push the paddle down to lock in place.





6. Back Angle Adjustment

To increase the angle of the back, lift the paddle up while putting your weight on the back of the chair until you reach the desired angle. Release the paddle to lock into place. To decrease the angle of the back, lift the paddle up while removing your weight from the back until you reach the desired angle. Release the paddle to lock into place.



Deluxe Synchro Tilt (DST) - 12

Overview: Task applications, which require extensive adjustability. Suitable for chairs with independent seat and back construction. Synchronized tilting action allows user's feet to remain on the floor as they tilt backwards. Side-activated tension for ease of adjustment. "J-Bar" construction provides enhanced visual appeal.





1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.




2. Seat Depth Adjustment (Optional)

To adjust the seat depth, lift up on paddle and simultaneously lift your weight from the seat while sliding the seat forward or backward. Release the paddle to lock the seat in place.



3. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, pull knob out and rotate counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.





4. Tilt Lock

To adjust the recline angle, twist knob forward to unlock it. Recline to the desired position and twist knob backwards to lock in place.

Control Choices (Continued)

Basic Posture (B) - 17

Overview: Task applications where only seat height adjustment is required.





1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.



Deluxe Synchro Tilt w/Back Angle (DST2) - 18

Overview: Task applications, which require extensive adjustability. Suitable for chairs with independent seat and back construction. Synchronized tilting action allows user's feet to remain on the floor as they tilt backwards. Side-activated tension for ease of adjustment. "J-Bar" construction provides enhanced visual appeal.




1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.




2. Seat Depth Adjustment (Optional)

To adjust the seat depth, lift up on paddle and simultaneously lift your weight from the seat while sliding the seat forward or backward. Release the paddle to lock the seat in place.




3. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, pull knob out and rotate counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.



4. Tilt Lock

To adjust the recline angle, twist knob forward to unlock it. Recline to the desired position and twist knob backwards to lock in place.





5. Back Angle Adjustment

To increase the angle of the back, rotate the knob in clockwise motion until desired angle is reached. To decrease the angle of the back, rotate the knob in a counter-clockwise motion.

Control Choices (Continued)



Swivel Tilt (T) – 20

Overview: For use in boardroom, executive and management applications. Suitable for chairs with combined seat and back construction.




1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.



2. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.





3. Upright Tilt Lock

To adjust the recline angle, pull the paddle out to unlock it. Recline to the desired position. Push the paddle in to lock in upright position.


React (R) - 22

Overview: Collaborative, Conference, or Executive Task Application, which require moderate adjustability. The React™ mechanism intuitively adjusts the tilt tension based on the weight of the user when reclining. When the user reclines, the seat slides forward, encouraging proper posture and bringing the user closer to the work surface.



1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.





2. Tilt Lock

Recline to the desired position and push the paddle inwards to lock in place.

Knee Tilt (KT2) - 25

Overview: For use in boardroom, executive and management applications. Suitable for chairs with combined seat and back construction.




1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.



2. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.





3. Tilt Lock

To adjust the recline angle, pull the paddle up to unlock it. Recline to the desired position and push the paddle down to lock in place.

Control Choices (Continued)


Posture Back (P) - 30

Overview: Task applications which require moderate and affordable adjustability. Suitable for chairs with independent seat and back construction. Suitable for stool applications.




1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.



2. Back Height Adjustment

To increase the height of the back, rotate the knob in a counter-clockwise motion to release the back. Lift back up to the desired height and tighten the knob by turning it clockwise. To lower the back height, rotate the knob in a counter-clockwise motion to release the back. Lower the back to the desired height and tighten the knob by turning it clockwise.






3. Back Angle Adjustment

To increase the angle of the back, lift the paddle up while putting your weight on the back of the chair until you reach the desired angle. Release the paddle to lock into place. To decrease the angle of the back, lift the paddle up while removing your weight from the back until you reach the desired angle. Release the paddle to lock into place.


Knee-Tilt (KT3) -35

Overview: For use in conference rooms, executive and management spaces. Suitable for chairs with combined seat and back construction. Side tension control provides a solid ergonomic solution to users.




1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.



2. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.





3. Tilt Lock

To adjust the recline angle, pull the paddle up to unlock it. Recline to the desired position and push the paddle down to lock in place.

Control Choices (Continued)


Synchro Tilt (ST) - 40

Overview: Task applications which require extensive adjustability. Suitable for chairs with independent seat and back construction. Synchronized tilting action allows user's feet to remain on the floor as they tilt backwards. "J-Bar" construction provides enhanced visual appeal.




1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.




2. Seat Depth Adjustment (Optional)

To adjust the seat depth, lift up on paddle and simultaneously lift your weight from the seat while sliding the seat forward or backward. Release the paddle to lock the seat in place.





3. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.



4. Tilt Lock

To adjust the recline angle, push the paddle forwards to unlock it. Recline to the desired position and push the paddle back to lock in place.





5. Back Height Adjustment (Optional)

To adjust back height, lean forward and grasp the sides of the outside back. To raise, slide the back up. To lower, slide it all the way to the top and then lower to desired height. Release to lock in place.

Note: Fluid and Zip do not have this feature.


Intuitive Synchro - Tilt (VT) - 45

Overview: Task applications which require moderate adjustability. The Intuitive Synchro mechanism adjusts the tilt tension based on the weight of the user when reclining.



1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.






2. Tilt Lock

To adjust the recline angle, push the paddle down to unlock it. Recline to the desired position. Pull the paddle up to lock in the upright position.

Control Choices (Continued)



Dynamic Synchro Tilt (DYT) - 46

Overview: Task applications which require moderate adjustability. The Dynamic Synchro mechanism adjusts the tilt tension based on the weight of the user when reclining.




1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.



2. Tilt Lock

To adjust the recline angle, push the paddle down to unlock it. Recline to the desired position. Pull the paddle up to lock in the upright position.





3. Seat Slider

To adjust the seat depth, pull the paddle up to unlock it and adjust to the desired position. Release the paddle.


Basic Tilt 3 (BT3) - 50

Overview: Task applications which require moderate and affordable adjustability. Suitable with chairs with separate seat and back construction. Central pivot tilting action with lock in upright position only.




1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.



2. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.





3. Tilt Lock

To adjust the chair tilt, pull the paddle out to unlock it. Recline to the desired position and push the paddle in to lock in place.

Control Choices (Continued)



Deluxe Synchro Tilt (DST-3) - 66

Overview: Task applications, which require extensive adjustability. Suitable for chairs with independent seat and back construction. Synchronized tilting action allows user's feet to remain on the floor as they tilt backwards. Side-activated tension for ease of adjustment. "J-Bar" construction provides enhanced visual appeal.




1. Seat Height Adjustment

To raise the chair, push the paddle down while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, push the paddle allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.





2. Seat Depth Adjustment (Optional)

To adjust the seat depth, lift up on paddle and simultaneously lift your weight from the seat while sliding the seat forward or backward. Release the paddle to lock the seat in place.




3. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, pull knob out and rotate counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.




4. Tilt Lock

To adjust the recline angle, twist knob forward to unlock it. Recline to the desired position and twist knob backwards to lock in place.




Deluxe Tilt J-Bar (DJ) - 80

Overview: Task applications which require extensive adjustability. Center pivot tilting action with infinite tilt lock. Suitable for chairs with independent seat and back construction. "J-Bar" construction provides enhanced visual appeal.




1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.




2. Forward Seat Angle Adjustment

To tilt the seat forward, first recline slightly in the chair and then rotate handle clockwise until desired angle is reached. To return to a neutral position, rotate handle counter-clockwise.





3. Seat Depth Adjustment (Optional)

To adjust the seat depth, lift up on paddle and simultaneously lift your weight from the seat while sliding the seat forward or backward. Release the paddle to lock the seat in place.




4. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.





5. Back Height Adjustment

To adjust back height, lean forward and grasp the sides of the outside back. To raise, slide the back up. To lower, slide it all the way to the top and then lower to desired height. Release to lock in place.



6. Infinite Tilt Lock

To adjust the recline angle, pull the paddle up to unlock it. Recline to the desired position and push the paddle down to lock in place.





7. Back Angle Adjustment

To increase the angle of the back, lift the paddle up while putting your weight on the back of the chair until desired angle. Release the paddle to lock. To decrease the angle of the back, lift the paddle up while removing your weight from the back until you reach the desired angle. Release the paddle to lock into place.

Control Choices (Continued)


Basic Synchro-Tilt 4 (BT4) - 89

Overview: Task applications which require moderate and affordable adjustability. Suitable for chairs with separate seat and back construction. Synchro-Tilt action with lock in upright position only.



1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.





2. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.


Value Plus (VP) - 90

Overview: Task applications which require extensive adjustability. Center pivot tilting action with infinite tilt lock. Suitable for chairs with independent seat and back construction. "J-Bar" construction provides enhanced visual appeal.




1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.




2. Forward Seat Angle Adjustment

To tilt the seat forward, first recline slightly in the chair and then rotate handle clockwise until desired angle is reached. To return to a neutral position, rotate handle counter-clockwise.



3. Seat Depth Adjustment

To adjust the seat depth, lift up on paddle and simultaneously lift your weight from the seat while sliding the seat forward or backward. Release the paddle to lock the seat in place.




4. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.




5. Back Height Adjustment

To adjust back height, lean forward and grasp the sides of the outside back. To raise, slide the back up. To lower, slide it all the way to the top and then lower to desired height. Release to lock in place.



6. Infinite Tilt Lock

To adjust the recline angle, pull the paddle up to unlock it. Recline to the desired position and push the paddle down to lock in place.





7. Back Angle Adjustment

To increase the angle of the back, lift the paddle up while putting your weight on the back of the chair until desired angle. Release the paddle to lock. To decrease the angle of the back, lift the paddle up while removing your weight from the back until you reach the desired angle. Release the paddle to lock into place.

Control Choices (Continued)



Basic Tilt w/Back Angle (BT2) - 99

Overview: Task applications which require moderate and affordable adjustability. Suitable for chairs with separate seat and back construction. Center pivot tilting action with lock in upright position only. "J-Bar" construction provides enhanced visual appeal.




1. Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.




2. Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.





3. Tilt Lock

To adjust the chair tilt, pull the paddle out to unlock it. Recline to the desired position and push the paddle in to lock in place.



4. Back Angle Adjustment

To increase the angle of the back, pull the paddle up and lean back in the chair until desired angle is reached. Push paddle down to lock in place. To decrease the angle of the back, pull the paddle up to unlock and lean forward until desired angle is reached. Push paddle down to lock in place.





5. Back Height Adjustment

To adjust back height, lean forward and grasp the sides of the outside back. To raise, slide the back up. To lower, slide it all the way to the top and then lower to desired height. Release to lock in place.



Arms

Multi-Functional Arm




Arm Height Adjustment

To increase the arm height, pull up on the arm until the desired height is reached. To decrease the arm height, pull up on the arm and then lower to desired height.





Width Adjustment

To adjust the arm width, loosen the knob found under the seat, move the arm to the desired width and tighten the knob to lock in place.





Arm Cap Adjustment - Side to Side

Arm caps can be moved in or out by sliding the cap in the desired direction.



Arm Cap Adjustment - Front to Back



To change arm cap depth slide the arm cap forwards or backwards to desired position.



Arm Cap Adjustment - Pivot



To change the angle of the arm cap, twist the arm cap either left or right.

4D Arm (4 Dimensional Arm)



Arm Height Adjustment


To adjust the arm height, push the button in and move the arm to the desired height. Release the button to lock in place.



Width Adjustment


To adjust the arm width, loosen the knob found under the seat, move the arm to the desired width and tighten the knob to lock in place.

Note: Optional on some models



Arm Cap Adjustment - Front and Back

Arm caps can be moved in or out by sliding the cap in the desired direction.





Arm Cap Adjustment - Side to Side

Arm caps can be moved in or out by sliding the cap in the desired direction.

Pivot Inwards



Arm caps can be moved in or out by sliding the cap in the desired direction.

Adjustable T Arm



Arm Height Adjustment


To adjust the arm height, push the button up and move the arm to the desired height. Release the button to lock in place.



Arm Width Adjustment



To adjust the arm width, loosen the knob found under the seat, move the arm to the desired width and tighten the knob to lock in place.

Note: Optional on some models





Arms (Continued)

Task 2 Arm



Arm Height Adjustment

To adjust the arm height, push the button up and move the arm to the desired height. Release the button to lock in place.




Arm Width Adjustment


To adjust the arm width, loosen the knob found under the seat, move the arm to the desired width and tighten the knob to lock in place.

Note: Optional on some models

Twister Arm





* Depending on model



Arm Height Adjustment



To adjust the arm height, push the button up and move the arm to the desired height. Release the button to lock in place.



Arm Width Adjustment

To adjust the arm width, loosen the knob found under the seat, move the arm to the desired width and tighten the knob to lock in place.

Note: Optional on some models





Arm Cap Adjustment - Side to Side

Arm caps can be moved in or out by sliding the cap in the desired direction.

Arm Travel Specifications Summary



- T2 arms adjustable 4" height (width adjustment optional)
- MF arms adjustable 4" height, pivots and slides side to side and front to back
- TW arm adjustable 3 1/4" height and rotates 360° (width adjustment optional)
- 4D arms adjustable 3 1/4" height, cap pivots inwards and slides side to side and front to back (width adjustment optional)
- AT arms adjustable 2 1/2" height (width adjustment optional)
- T3 arms adjustable 2.75" height.

Arm Width Option Specifications



AWK: Arm width adjustment with a turn knob

Available for: NA (No Arms), AT, WA, T2, 4D, MF, TW.



AWL: Arm width adjustment with lever

Available for: T2 and 4D only.

Standard with MF Arms.

Customer's Own Material (COM) and Customer's Own Leather (COL)

For any COM fabric application, please request the official COM notification form QSF 182 for quality control and order tracing purposes.

One memo sample (6" x 6") of all COM/COL fabrics must be submitted for approval. COM/COL memo samples must be marked with the following information:

1. Customer Purchase Order
2. Chair Name/Model Code/Quantity
3. Fabric Supplier
4. Fabric Name/Number/Color

All COM/COL memo samples, with the above information, must be sent to the following address for approval:

Allseating
Attention: Customer Service Department
5800 Avebury Rd., Unit 3
Mississauga, ON
L5R 3M3
CANADA

Allseating is not responsible for the return of samples; nor the durability, color inaccuracies, dye lot variations, tailoring quality or other defects of any COM/COL.

COM/COL Approval

Upon application approval of COM/COL, fabric must be sent with the following:

1. COM/COL Notification Form
2. Commercial Invoice
3. NAFTA Certificate – If shipment originates from the U.S.A.

to the following address:

Allseating
5800 Avebury Rd., Unit 3
Mississauga, ON
L5R 3M3
CANADA

All COM and COL packages must be marked clearly with the following information on BOTH the exterior package and the upholstery material when sent to Allseating.

1. Your company name & contact person
2. Your purchase order number

On your Purchase Order, the following information must be supplied to the factory regarding COM/COL fabric:

1. Manufacturer's name
2. Correct style number to which COM or COL is to be applied
3. A sample (6" x 6") of the COM or COL
4. Instructions for proper application
5. Manufacturer's pattern and color number
6. Correct side of fabric

When no instructions are received with your COM or COL, Allseating will use our own judgment with no recourse. Extended lead times may occur if COM or COL is not properly identified when received by Allseating. Allseating is not responsible for any unclaimed COM/COL 30 days beyond shipment of goods.

COM yardage shown in the Price Catalog is based on single chair requirements. For multiples, the yardage may be reduced, please call Customer Service for details. Regular COM orders will be charged at Group 1 pricing and regular COL orders will be charged at Group 4 pricing.

Allseating reserves the right to reject any COM Fabric or COL Material which, in our opinion, is unsuitable. COM fabric must be supplied in one piece. Where patterns or repeats are involved additional yardage may be required.

All COM/COL orders will not be scheduled for production until Customer Service receives confirmation from our warehouse or receiving department that the fabric has arrived. Shipping will be approximately 4 weeks from receipt of fabric.

All items are available with material furnished by the customer. Yardage requirements listed in our price list are based on 54" wide plain material. Generally, additional yardage is required if striped or patterned material is used, if pattern requires matching, or if width of material is less than 54" wide. Please contact factory if goods are less than 54" wide. We can take no responsibility for tailoring, wearability, or application of COM/COL covers. Allseating is not held responsible for receipt of defective fabrics, as we apply all COM/COL as first quality goods.

COM/COL is applied at customer's own risk and Allseating assumes no liability for the material.

The additional yardage is based on 54" wide goods. Please contact factory if goods are less than 54" wide.


Repeat	COM/COL Usage
0.25-5"	Add 10%
6-9"	Add 15%
10-13"	Add 20%
14-20"	Add 25%
21-27"	Add 30%
28-34"	Add 35%

Though every effort has been made to estimate excess yardage required for stripes and matches, Allseating takes no responsibility where additional material must be ordered.


Customer's Own Leather

If you wish to provide your own leather, please figure 17 square feet of leather per yard of material required, based on the yardage requirement listed for each piece. Allseating will not order special leather from any other supplier other than our own.

Explanation of what **Railroad** and **Right Way** means.



RR = Railroad
or **Top to Selvage**



RW = Right Way
(As woven)
or **Top Right** or
In and Out of Both
or **Up the Goods**

Contact Customer Service for Railroaded yardage requirements or for more information.


Fabric Upgrade Chart

All Standard Seating Fabrics are applied Right Way (Off-the-Bolt)

Usually, seating fabrics are patterned to run Right-Way (off-the-bolt).

Allseating will upholster all seating products with the fabric pattern running off the bolt unless special instructions stating otherwise are received.

Right Way Application (off-the-bolt)



To avoid unnecessary confusion, always specify Right Way or Railroad.

For Fabrics Graded 1 – 8

Use the corresponding list prices as published in this Catalog.

For Fabrics Graded 9 – 12

Determine the amount of fabric required for the product by referencing the COM yardage requirements as published. Once yardage has been determined, add the indicated list amount in the chart below to the published Group 8 price and discount as required.

Yardage	Group 9	Group 10	Group 11	Group 12
0.25	\$18	\$37	\$55	\$74
0.5	\$37	\$74	\$110	\$146
0.75	\$55	\$110	\$165	\$221
1	\$74	\$146	\$221	\$293
1.25	\$92	\$183	\$275	\$366
1.5	\$110	\$221	\$330	\$439
1.75	\$128	\$256	\$384	\$513
2	\$147	\$293	\$439	\$587
2.5	\$183	\$366	\$549	\$733
5	\$366	\$733	\$1,098	\$1,466
5.5	\$403	\$805	\$1,209	\$1,612
6.5	\$477	\$952	\$1,429	\$1,905
8	\$587	\$1,173	\$1,759	\$2,345
8.5	\$624	\$1,245	\$1,868	\$2,492
10	\$733	\$1,466	\$2,199	\$2,932

Product Category Guide

This Guide lists all of the categories that are available within each Chair Series. The numbers in the squares indicate the page number of where you can find pricing information about a particular chair Series.

	Task Seating	Executive/Managerial Seating	Conference Seating	Guest Seating	Stacking	Stool	Special Applications
Ayr™ Stacker				25	25		
Ayr™ Upholstered				26			
Chiroform™	27-28	27				28	29
Chiroform™ Ultra	31	30				32	33
C-Pod™	34						
Dove™						35	35
Fluid®	36-38	36-38		40-41	40-41	37-39	
Inertia® Knit Back	43-44	42-43	45	47	47	46	48
Inertia® Mesh Back	50-51	49-50	52	54	54	53	55
Inertia® Upholstered	57-58	56-57	59	61	61	60	62
M.O.	63						
Multiflex®				64	64		64
Multistack™				65	65		65
Multitek™	66						
Presto®	67-68 69	67				71	70
Rainbow™				72-73	72-73		74
Ray™	76	75	75				
Requisite™		77-78	77-78				
Therapod®	80-82	79-81					
Tuck™				83	83	84	
Twist™			85	86			
Viva™	87						
You™	88-90	88	88-89			91	
Zip™ Instock	92	92	92				
Zip™ Upholstered	93	94	93-94			95	
Zip™ Mesh	96		96	98		97	

How to Order an Allseating Chair

Choose your chair, and follow the steps below:

For specific applications, please check the Product Application Guide on page 22. If you have any questions about your order or the ordering process, please contact Allseating's Customer Service Department at **1 800 563 3502**.

1 STEP 1: Model Code

Determine your MODEL CODE. The boxes in the middle of each pricing page indicate the Series, Back Style, Controls, and Arms available. These boxes correspond to the Model Code column in the chart.

2 STEP 2: Option Code

Select your Option Code. Refer to the Option Code availability and the upcharge for each option. Choose the options you require, and fill in the boxes with the appropriate code. Please add additional boxes as necessary. If you do not fill in any Option Code, you will be shipped the Standard Components.

3 STEP 3: Fabric Code

Select your FABRIC CODE. Refer to the Allseating fabric cards, and select your fabric. The pricing pages indicate list prices for Group 1 - Group 8 Fabrics, as well as Leather 1-3. Enter your selected Fabric Code into the appropriate box. Allseating customers may provide their own fabric or leather, and if you wish to do so, please see page 19 for COM and COL information.

Check your completed codes for accuracy and completeness. As an example, if ordering a Therapod® Therapist Highback with Deluxe Tilt J-Bar Mechanism, Multi-Functional Arm, Hard Surface Casters and Seat Slider with Infusion Pool Fabric F-IPOOL, your completed model code should look like this:

50180 - MF - H - SS - F-IPOOL (Infusion Pool)

Model Code: 50180 - MF

Option Code: H - SS

Fabric Code: F-IPOOL (Infusion Pool)

If you prefer to order one of our most popular chairs, simply select a Fabric Code from the Allseating Fabric Cards and complete the Fabric Code box.

4 STEP 4: Determine your Final List Price

The group of the fabric you select determines the list price of your chair. Please refer to the price chart in the middle of the pricing page to determine the list price.

If options are selected, add the corresponding upcharge to the list price.

i.e. Therapod® Therapist Highback with Deluxe Tilt J-Bar Mechanism, Multi-Functional Arm, Hard Surface Casters and Seat Slider with Infusion Pool (F-IPOOL)

Model Code	Option Code	Fabric
50180-MF	H-SS	F-IPOOL (Infusion Pool)

50180-MF \$1,358 + H \$28 + SS \$79

Final List Price = \$1,456

AYR™ Stacker



AYR™ Stacker No Arm

Overall: 33"H, 21"W, 23"D
 Seat: 17.875"H, 17.6"W, 18"D
 Back: 15"H, 18.5"W
 COM: 0.75 yd.


AYR™ Stacker with Arms

Overall: 33"H, 24.5"W, 23"D

Design: Miles Keller

	Model List Price															+ Option Code	
	Model	Control	Model Code	Polypropylene Seat and Back	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	CA Carpet Casters	TC Tile Casters
AYR No Arm	N/A	14054	214	274	290	302	319	342	381	429	480	514	548	651	45	53	

+ Arm Option Codes/Prices



Model Code/Price



AYR Dolly 12
 Overall: 15"H, 25.5"W, 30"D
 + \$363

1. Model Code Please fill in the boxes below.

14

Series
14
AYR™

0

Back Style
0
Midback

54

Leg
54
4 Leg

Arm
NA
No Arm
WA
With Arm

Frame Finish
BK
Black
SIL
Silver

Polypropylene
Seat and Back
BK 72^H
Black
GR
Graphite
AP
Aspen
TI
Titanium
FL
Flame
BS
Blue Sky
SL
Spring Leaf

2. Options Code

Please refer to Option Code
as listed in the above chart.

3. Fabric Code

Upholstered
Seat
US
Upholstered
Seat

Please refer to
Allseating fabric cards
for fabric codes.

Leather and vinyl upholstered seat
not recommended for this product
in stacking applications.

Features

- Nylon Non-Marring Glides
- Polypropylene Seat and Back
- Upholstered Seat Option
- Polypropylene Armcaps
- Wallsaver Frame Design

Note

Ayr with upholstered seat will not stack.




Ayr with casters does not stack.

Stacks 12 High on Dolly.

Stacks 6 on the Floor.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





AYR™ Upholstered

AYR™ Upholstered No Arm

Overall: 33"H, 21"W, 23"D
 Seat: 18"H, 18"W, 18"D
 Back: 15"H, 18.5"W
 COM: 1.25 yd.

AYR™ Upholstered with Arms

Overall: 33"H, 24.5"W, 23"D

Design: Miles Keller

Model	Control	Model Code	Model List Price											+ Option Code		
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	CA Carpet Casters	TC Tile Casters	CL CAL TB133
AYR Upholstered	N/A	15054	340	366	386	415	454	518	598	683	N/A	N/A	N/A	45	53	90

Leather and vinyl upholstery is not available for this product.

+ Arm Option Codes/Prices

NA
No Arm
+\$0

WA
With AYR Arm
+\$30

1. Model Code Please fill in the boxes below.

<div>15</div>	—	<div>0</div>	—	<div>54</div>	—	<div></div>	—	<div></div>	—	<div></div>
Series		Back Style		Leg		Arm		Arm Cap Finish		Frame Finish
15 AYR™ Upholstered		0 Midback		54 4 Leg		NA No Arm WA With Arm		BK Black AP Aspen FL Flame BS Blue Sky SL Spring Leaf	GR Graphite TI Titanium	BK Black SIL Silver

2. Options Code

—

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Leather and vinyl upholstery is not available for this product.

Features

- Nylon Non-Marring Glides
- Upholstered Seat and Back
- Wallsaver Frame Design

Note

Ayr Upholstered Side does not stack.


Ayr Dolly 12 is not applicable for this product.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.

For Fully Assembled Blanket Wrapped products please contact Customer Service for details. Please note that minimum quantity guidelines will apply.





CHIROFORM™ Task Highback

Overall: 40.5"-47"H, 28"W, 28"D
 Seat: 16.5"-20"H, 21"W, 18.5"D
 Back: 24"-27"H, 19"W
 COM: 1.75 yds

Design: Allseating Design Team

			Model List Price													⊕ Option Code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Model	Control	Model Code	Group 1/COM		Group 2		Group 3		Group 4/COL		Group 5		Group 6		Group 7		Group 8		Leather 1		Leather 2		Leather 3		Adjustable Width Bracket (Knob)		Adjustment Width Bracket (Lever)		Hard Surface Casters		Glides*		Pressure Braking Casters*		Reverse Pressure Braking Casters**		Bumper Trim		Ballistic Nylon Back		Seat Slider		Shukra Adjustable Lumbar		CAL TB133																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			AWK	AWL	H	G	P	RP	BU	BN	SS	LU	CL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Highback	Posture Back (P)	98130	770	807	835	875	929	1,019	1,131	1,250	1,329	1,409	1,649	22	39	28	28	57	107	28	45	N/A	67	90																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						</

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

Arm Option Codes/Prices

NA
 No Arm
 + \$0

AT
 Adjustable T Arm
 + \$63

4D
 4 Dimensional Arm
 + \$100
 Available with AWK or AWL

MF
 Multi-Functional Arm
 + \$150
 (width adjustment incl.)
 See Page 18

TW
 Twister Arm
 + \$158

1. Model Code Please fill in the boxes below.

98 – **1** – **30** – **NA**
 Series Back Style Control Arm
 98 CHIROFORM™ Task
 1 Highback
 30 Posture Back
 40 Synchro Tilt
 80 Deluxe Tilt J-Bar
 NA No Arm
 4D 4 Dimensional Arm
 ATD Adjustable T/push button/diamond arm cap
 MF Multi-functional Arm
 ATK Adjustable T/push button/kidney arm cap
 TW Twister Arm
 ATO Adjustable T/push button/oval arm cap

2. Options Code

[] – []
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

[]
 Please refer to Allseating fabric cards for fabric codes.

Features

- 3 1/2" or 5 1/2" Cylinder (depending on control)
- Black TVO Nylon Base
- Molded Seat Foam
- For arm features and travel specifications See Page 18
- Carpet Casters


Note

*Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





CHIROFORM™ Task Midback

Overall: 37.5"-44"H, 28"W, 28"D
 Seat: 16.5"-20"H, 19"W, 18.5"D
 Back: 21"-24"H, 19"W
 COM: 1.5 yds

Design: Allseating Design Team

			Model List Price													+ Option Code																																
Model	Control	Model Code	Group 1/COM		Group 2		Group 3		Group 4/COL		Group 5		Group 6		Group 7		Group 8		Leather 1		Leather 2		Leather 3		Adjustable Width Bracket (Knob)		Adjustment Width Bracket (Lever)		Hard Surface Casters		Glides¹		Pressure Braking Casters²		Reverse Pressure Braking Casters³		8" Stool Package		Bumper Trim		Ballistic Nylon Back		Seat Slider		Shultra Adjustable Lumbar		CAL TB133	
			AWK	AWL	H	G	P	RP	8	BU	BN	SS	LU	CL																																		
Midback	Posture Back (P)	98030	746	778	802	836	883	959	1,055	1,157	1,225	1,294	1,499	22	39	28	28	57	107	112	28	45	N/A	67	90																							
Midback	Synchro Tilt (ST)	98040	791	823	847	881	928	1,004	1,100	1,202	1,270	1,339	1,544	22	39	28	28	57	107	N/A	28	45	79	67	90																							
Midback	Deluxe Tilt J-Bar (DJ)	98080	928	960	984	1,018	1,065	1,141	1,237	1,339	1,407	1,476	1,681	22	39	28	28	57	107	N/A	28	45	79	67	90																							

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

Arm Option Codes/Prices

NA
 No Arm
 + \$0

AT
 Adjustable T Arm
 + \$63

4D
 4 Dimensional Arm
 + \$100
 Available with AWK or AWL

MF*
 Multi-Functional Arm
 + \$150
 (width adjustment incl.)
 See Page 18
 * Not Available with Stool Package

TW*
 Twister Arm
 + \$158

1. Model Code Please fill in the boxes below.

98 – **0** – **30** – **NA**
 Series Back Style Control Arm
98 **0** **30** **NA**
 CHIROFORM™ Midback Posture Back No Arm Task
40 **ATD** **4D**
 Synchro Tilt Adjustable T/push button/ Multi-functional Arm
80 **ATK** **MF**
 Deluxe Tilt J-Bar Adjustable T/push button/ kidney arm cap Multi-functional Arm
ATO **TW**
 Adjustable T/ push button/oval arm cap Twister Arm

2. Options Code

[] – []
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

[]
 Please refer to Allseating fabric cards for fabric codes.

Features

- 3 1/2" or 5 1/2" Cylinder (depending on control)
- Black TVO Nylon Base
- Molded Seat Foam
- For arm features and travel specifications See Page 18
- Carpet Casters


Note


†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.






CHIROFORM™ Big Highback

Overall: 42"-50"H, 29"W, 29"D
 Seat: 18"-23.5"H, 24"W, 20"D
 Back: 24"-27"H, 21.5"W
 COM: 2.75 yds

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											Option Code		
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Hard Surface Casters	Bumper Trim	CAL TB133
Highback	Deluxe Tilter H.D. (DJ/DH)	99111	990	1,037	1,073	1,125	1,195	1,310	1,454	1,607	1,709	1,811	2,120	28	28	134


Arm Option Codes/Prices



NA
No Arm
+\$0



AL
Adjustable Loop Arm
+\$116



Arm Height Adjustment
Twist the knob forward to increase height or twist backwards to decrease the height.

1. Model Code Please fill in the boxes below.

<input type="text" value="99"/>	—	<input type="text" value="1"/>	—	<input type="text" value="11"/>	—	<input type="text"/>
Series		Back Style		Control		Arm
99 CHIROFORM™ Big		1 Highback		11 Deluxe Tilter Heavy Duty (DJ/DH)		NA No Arm AL Adjustable Loop Arm

2. Options Code

<input type="text"/>	—	<input type="text"/>
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

<input type="text"/>
Please refer to Allseating fabric cards for fabric codes.

To order Follow these simple steps.

Features

- 5 1/2" Heavy Duty Cylinder
- Heavy Duty Base
- Memory Foam
- Adjustable Loop Arm
- Heavy Duty Carpet Casters

Note

Suitable for up to 500lbs.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



SpecAll,
www.allseating.com/
specall




Ships Knocked Down,
see page 24



CHIROFORM™ Ultra Highback

Overall: 40.5"-47"H, 28"W, 28"D
 Seat: 16.5"-20"H, 21"W, 18.5"D
 Back: 24"-27"H, 19"W
 COM: 1.75 yds

Design: Alex Harley

	Model	Control	Model Code	Model List Price											⊕ Option Code										
															72HR EXPRESS										
				Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	Hard Surface Casters	Pressure Braking Casters*	Reverse Pressure Braking Casters*	Bumper Trim	Seat Slider	Ballistic Nylon Back	Low Seat Height with 5" Travel	CAL TB133	
Highback	Synchro Tilt (ST)	96140	552	589	617	657	711	801	913	1,032	1,111	1,191	1,431	22	39	28	57	107	28	79	45	50	90		
Highback	Deluxe Synchro Tilt (DST)	96112	642	679	707	747	801	891	1,003	1,122	1,201	1,281	1,521	22	39	28	57	107	28	79	45	50	90		
Highback	Deluxe Tilt J-Bar (DJ)	96180	607	644	672	712	766	856	968	1,087	1,166	1,246	1,486	22	39	28	57	107	28	79	45	50	90		

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

Arm Option Codes/Prices

NA
 No Arm
 + \$0

T2
 Task 2 Arm
 + \$79
 Available with AWK or AWL

4D
 4 Dimensional Arm
 + \$100
 Available with AWK or AWL

MF
 Multi-Functional Arm
 + \$150
 (width adjustment incl.)
 See page 18.

TW
 Twister Arm
 + \$174

1. Model Code Please fill in the boxes below.

96 – **1** – **40** – **NA**
 Series Back Style Control Arm
 96 CHIROFORM™ Ultra
 1 Highback
 40 Synchro Tilt
 12 Deluxe Synchro Tilt
 80 Deluxe Tilt J-Bar
 T2 Task 2 Arm
 4D 4 Dimensional Arm
 MF Multi-functional Arm
 TW Twister Arm

2. Options Code

–
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 3 1/2" Cylinder
- Black TVO Nylon Base
- For arm features and travel specifications See Page 18
- Carpet Casters



Note

*Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72HR 72HR Express, see page 4 & 5






CHIROFORM™ Ultra Midback

Overall: 37.5"-44"H, 28"W, 28"D
 Seat: 16.5"-20"H, 19"W, 18.5"D
 Back: 21-24"H, 18"W
 COM: 1.5 yds

Design: Alex Harley

	Model	Control	Model Code	Model List Price													+ Option Code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																	72H EXPRESS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Group 1/COM			Group 2		Group 3		Group 4/COL		Group 5		Group 6		Group 7		Group 8		Leather 1		Leather 2		Leather 3		Adjustable Width Bracket (Knob)		Adjustable Width Bracket (Lever)		Hard Surface Casters		Pressure Braking Casters*		Reverse Pressure Braking Casters**		Bumper Trim		Seat Slider		Ballistic Nylon Back		Low Seat Height with 5" Travel		CAL TB133																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
				AWK	AWL	H	P	RP	BU	SS	BN	LS	CL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0

T2
 Task 2 Arm
 + \$79
 Available with AWK or AWL

4D
 4 Dimensional Arm
 + \$100
 Available with AWK or AWL

MF
 Multi-Functional Arm
 + \$150
 (width adjustment incl.)
 See page 18.

TW
 Twister Arm
 + \$174

1. Model Code Please fill in the boxes below.

96 – **0** – **40** – **NA**
 Series Back Style Control Arm
 96 CHIROFORM™ Ultra
 0 Midback
 40 Synchro Tilt
 12 Deluxe Synchro Tilt
 80 Deluxe Tilt J-Bar
 T2 Task 2 Arm
 4D 4 Dimensional Arm
 MF Multi-functional Arm
 TW Twister Arm

2. Options Code

–
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 3 1/2" Cylinder
- Black TVO Nylon Base
- For arm features and travel specifications See Page 18
- Carpet Casters



Note

ⁱComposite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72HR 72HR Express, see page 4 & 5





CHIROFORM™ Ultra Midback Stool


Overall: 39.5"-50"H, 28"W, 28"D
 Seat: 18.5"-26"H, 19"W, 18.5"D
 Back: 21"H, 18"W
 COM: 1.5 yds

Design: Alexx Harley

Model List Price

+ Option Code

72HR EXPRESS

			72 ^{EX} RESS																			
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	Hard Surface Casters	Pressure Braking Casters*	Reverse Pressure Braking Casters**	Bumper Trim	10" Stool Package Back	Ballistic Nylon	CAL TB133
Model	Control	Model Code																				
Midback	Basic Stool (B2)	96019	570	602	626	660	707	783	879	981	1,049	1,118	1,323	22	39	28	57	107	28	34	45	90
Midback	Posture Back (P)	96030	640	672	696	730	777	853	949	1,051	1,119	1,188	1,393	22	39	28	57	107	28	N/A	45	90

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0

T2
 Task 2 Arm
 + \$79
 Available with
 AWK or AWL

4D
 4 Dimensional Arm
 + \$100
 Available with
 AWK or AWL

1. Model Code Please fill in the boxes below.

<div>96</div> Series	–	<div>0</div> Back Style	–	<div></div> Control	–	<div></div> Arm
96 CHIROFORM™ Ultra		0 Midback		19 Basic Stool 30 Posture Back		NA No Arm T2 Task 2 Arm 4D 4 Dimensional Arm

2. Options Code

–
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 8" Cylinder
- Composite Base
- For arm features and travel specifications See Page 18
- Carpet Casters



Note

10" Stool Package : Seat: 18.5"-28.5"H, 19"W, 18.5"D

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





CHIROFORM™ Ultra 24:7 Highback and Midback


Design: Alex Harley

Highback Dimensions

 Overall: 40.5"-47"H, 28"W, 28"D
 Seat: 16.5"-22"H, 21"W, 18.5"D
 Back: 24-27"H, 19"W
 COM: 1.75 yd.

Midback Dimensions

 Overall: 37.5"-46"H, 28"W, 28"D
 Seat: 16.5"-22"H, 19"W, 18.5"D
 Back: 21-24"H, 18"W
 COM: 1.5 yd.

	Model List Price													+ Option Code						
														72 ^{HR} EXPRESS						
Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	AWL	H	SS	BN	CL	
Midback	Deluxe Tilter H.D. (DJ/DH)	97011	681	713	737	771	818	894	990	1,092	1,160	1,229	1,434	22	39	28	79	INCL	90	
Highback	Deluxe Tilter H.D. (DJ/DH)	97111	765	802	830	870	924	1,014	1,126	1,245	1,324	1,404	1,644	22	39	28	79	INCL	90	

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

NA
No Arm
+\$0

T2
Task 2 Arm
+\$79
Available with
AWK or AWL

4D
4 Dimensional Arm
+\$100
Available with
AWK or AWL

1. Model Code Please fill in the boxes below.

97 – **0** – **11** – **NA**
 Series Back Style Control Arm
 97 CHIROFORM™ Ultra
 0 Midback
 1 Highback
 11 Deluxe Tilter Heavy Duty
 NA No Arm
 T2 Task 2 Arm
 4D 4 Dimensional Arm

2. Options Code

–
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 5 1/2" Heavy Duty Cylinder
- Heavy Duty Base
- Memory Foam
- For arm features and travel specifications See Page 18
- Heavy Duty Carpet Casters


Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

To order Follow these simple steps.



SpecAll,
www.allseating.com/
specall



Ships Knocked Down,
see page 24



72HR Express,
see page 4 & 5





CPOD™ Task

Overall: 40.5"-46"H, 28"W, 28"D
 Seat: 16.5"-20"H, 21"W, 19"D
 Back: 24-26"H, 16.5"W
 COM: 1 yd.

Model List Price

+ Option Code

Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	AWL	H	HAB	SS	MED	LS	HR	
Highback	Deluxe Synchro Tilt (DST)	57112	1,082	1,103	1,119	1,142	1,173	1,224	1,288	1,356	1,402	1,447	1,584	22	39	28	60	79	N/C	50	75	
Highback	Deluxe Synchro Tilt w/ Back Angle (DST2)	57118	1,174	1,195	1,211	1,234	1,265	1,316	1,380	1,448	1,494	1,539	1,676	22	39	28	60	79	N/C	50	75	
Highback	Deluxe Tilt J-Bar (DJ)	57180	1,064	1,085	1,101	1,124	1,155	1,206	1,270	1,338	1,384	1,429	1,566	22	39	28	60	79	N/C	50	75	

"LS" option not compatible when the options of HAB is selected.

+ Arm Option Codes/Prices

NA
No Arm
+\$0

T2
Task 2 Arm
+\$79
Available with AWK or AWL

4D
4 Dimensional Arm
+\$100
Available with AWK or AWL

MF
Multi-Functional Arm
+\$150
(width adjustment incl.)
See page 18.

TW
Twister Arm
+\$174

1. Model Code Please fill in the boxes below.

57

Series
57
CPOD™

1

Back Style
1
Highback

Control
12
Deluxe Synchro Tilt

18

Deluxe Synchro Tilt w/back angle

80

Deluxe Tilt J-Bar

Arm
NA
No Arm

T2

Task 2 Arm

4D

4 Dimensional Arm

MF

Multi-functional Arm

TW

Twister Arm

2. Options Code

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

To order Follow these simple steps.

Features

- 3 1/2" Cylinder
- Black TVO Nylon Base
- Molded Seat Foam
- Standard Black Mesh Back
- For arm features and travel specifications See Page 18
- Carpet Casters

Note

*Composite base will be substituted if these options are selected.

Headrest finished in black vinyl.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.


Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

specall

SpecAll,
www.allseating.com/
specall



Ships Knocked Down,
see page 24



DOVE™

Polyurethane Lab Chair

Overall: 28"-37"H, 24"W, 24"D
 Seat: 15"-20.5"H, 17.5"W, 17"D
 Back: 13-16.5"H, 17"W
 COM: N/A

Polyurethane Scooter Stool

Overall: 20.5"H, 24"W, 24"D
 Seat: 15"-20.5"H, 13" Diameter
 Back: N/A
 COM: N/A



Design: Allseating Design Team

+ Option Code

Model	Control	Model Code	Option Code							
			Polypropylene Seat and Back	Hard Surface Casters	Glides	Pressure Braking Casters*	Reverse Pressure Braking Casters**	8" Stool Package	10" Stool Package	
Polyurethane Lab Chair	Posture Back (P)	16030-PY	641	28	28	57	107	112	134	
Polyurethane Scooter Stool	Basic Posture (B)	16017-PY	248	28	28	57	107	112	134	

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.

**RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

1. Model Code Please fill in the boxes below.

Series
16
DOVE™

Back Style
0
Midback

Control
17
Basic Posture
30
Posture Back

Seat
PY
Polyurethane

2. Options Code

 –

Please refer to Option Code as listed in the above chart.

Features

- 5 1/2" Cylinder
- Composite Base
- Carpet Casters

Note

Foot Ring is included with 8" or 10" Stool Package; Base Diameter change (Seat 8: 22"-30" / Seat 10: 24.5"-34.5"H)

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

SpecAll,
www.allseating.com/specall



Ships Knocked Down,
 see page 24



FLUID® Task

Overall: 39.25"-43.75"H, 28"W, 28"D
 Seat: Mesh: 16.5"-20.75"H, 19"W, 19"D
 Upholstered: 16.25"-20.5"H, 19"W, 19"D
 Back COM 23"H, 19"W
 COM 0.75 yd.

Model List Price

+ Option Code

72HR EXPRESS

Model	Control	Model Code	Mesh Seat & Mesh Back	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	HAB	LH	SS	LP	HR	LS
Fluid	Deluxe Synchro Tilt (DST)	81012	1,183	1,093	1,109	1,121	1,138	1,161	1,200	1,248	1,299	1,333	1,367	1,470	22	60	30	79	96	75	50
Fluid	Deluxe Synchro Tilt (DST2)	81018	1,267	1,177	1,193	1,205	1,222	1,245	1,284	1,332	1,383	1,417	1,451	1,554	22	60	30	79	96	75	50
Fluid	Deluxe Synchro Tilt (DST3)	81066	1,127	1,037	1,053	1,065	1,082	1,105	1,144	1,192	1,243	1,277	1,311	1,414	22	60	30	79	96	75	50
Fluid	Synchro Tilt (ST)	81040	1,037	947	963	975	992	1,015	1,054	1,102	1,153	1,187	1,221	1,324	22	60	30	79	96	75	50

"LS" option not compatible when the options of HAB/LH are selected.

+ Arm Option Codes/Prices

NA
No Arm
+ \$0

T2
Task 2 Arm
+ \$79

4D
4 Dimensional Arm
+ \$100

MF
Multi-Functional Arm
+ \$150
(width adjustment incl.)
See page 18.

TW
Twister Arm
+ \$174

1. Model Code Please fill in the boxes below.

81	-	0	-		-		-		-	
Series 81 FLUID®		Back Style 0 Midback		Control 12 Deluxe Synchro Tilt 66 Deluxe Synchro Tilt 3 18 Synchro Synchro Tilt w/back angle 40 Synchro Tilt		Arm NA No Arm T2 Task 2 Arm 4D 4 Dimensional Arm MF Multi-functional Arm TW Twister Arm		Back Mesh <u>Closed Mesh</u> 7CB72H Black/White + \$39 <u>Open Mesh</u> 10B72H Ebony 20B Cobalt 50B Silica 60B Sandstone		Seat Mesh <u>Closed Mesh</u> 7CS72H Black/White + \$26 <u>Open Mesh</u> 10S72H Ebony 20S Cobalt 50S Silica 60S Sandstone

2. Options Code

-

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features


- Polyester co-polymer elastomeric mesh
- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam
- For arm features and travel specifications See Page 18
- LP Height Adjustable: 2" with Flexible depth
- Carpet Casters

Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72HR 72HR Express, see page 4 & 5






FLUID[®] Stool

Overall: 42.25"-43.75"H, 28"W, 28"D
 Seat: Mesh: 19.5"-27.5"H, 19"W, 19"D
 Upholstered: 19.25"-27.25"H, 19"W, 19"D
 Back COM 23"H, 19"W
 0.75 yd.

Design: Allseating Design Team

			Model List Price													+ Option Code			
																72H EXPRESS			
Model	Control	Model Code	Mesh Seat & Mesh Back	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	H	LP	10	
Fluid	Basic Stool (B2)	81019	1,078	988	1,004	1,016	1,033	1,056	1,095	1,143	1,194	1,228	1,262	1,365	22	28	96	34	

+ Arm Option Codes/Prices

NA
No Arm
+ \$0

T2
Task 2 Arm
+ \$79

4D
4 Dimensional Arm
+ \$100

1. Model Code Please fill in the boxes below.

81

Series
81
FLUID[®]

0

Back Style
0
Midback

19

Control
19
Basic Stool

Arm
NA
No Arm
T2
Task 2 Arm
4D
4 Dimensional Arm

Back Mesh
Closed Mesh
7CB72^{HR}
Black/White
+ \$39
Open Mesh
10B72^{HR}
Ebony
20B
Cobalt
50B
Silica
60B
Sandstone

70B
Dark Grey
80B
Herbal Green

10HCB
Black Honey Comb

Seat Mesh
Closed Mesh
7CS72^{HR}
Black/White
+ \$26
Open Mesh
10S72^{HR}
Ebony
20S
Cobalt
50S
Silica
60S
Sandstone

10HCS
Black Honey Comb

2. Options Code

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- Polyester co-polymer elastomeric mesh
- 8" Cylinder
- Composite base
- Molded Seat Foam
- For arm features and travel specifications See Page 18
- LP Height Adjustable: 2" with Flexible depth
- Carpet Casters



Note

10" Stool Package: Seat: 20.5"-30.5"H

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



Ships Knocked Down, see page 24

72^{HR} 72HR Express, see page 4 & 5





FLUID[®] Basic Task

Overall: 39"-43"H, 28"W, 28"D
 Seat: 16.25"-20.5"H, 19"W, 19"D
 Back: 23"H, 19"W
 COM: 0.75 yd.


Model	Control	Model Code	Model List Price											+ Option Code							
														72H EXPRESS							
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	AWL	HAB	LH	SS	LP	HR	LS
Fluid	Deluxe Synchro Tilt (DST)	82012	956	972	984	1,001	1,024	1,063	1,111	1,162	1,196	1,230	1,333	22	39	60	30	79	96	75	50
Fluid	Deluxe Synchro Tilt (DST2)	82018	1,040	1,056	1,068	1,085	1,108	1,147	1,195	1,246	1,280	1,314	1,417	22	39	60	30	79	96	75	50
Fluid	Deluxe Synchro Tilt (DST3)	82066	900	916	928	945	968	1,007	1,055	1,106	1,140	1,174	1,277	22	39	60	30	79	96	75	50
Fluid	Synchro Tilt (ST)	82040	810	826	838	855	878	917	965	1,016	1,050	1,084	1,187	22	39	60	30	79	96	75	50


"LS" option not compatible when the options of HAB/LH are selected.

+ Arm Option Codes/Prices

NA
No Arm
+ \$0

 **T2**
Task 2 Arm
+ \$79
Available with
AWK or AWL

 **4D**
4 Dimensional Arm
+ \$100
Available with
AWK or AWL

 **MF**
Multi-Functional Arm
+ \$150
(width adjustment incl.)
See page 18.

 **TW**
Twister Arm
+ \$174

1. Model Code Please fill in the boxes below.

82 — **0** — **12** — **NA** — **FM-BMESH**
 Series Back Style Control Arm Back Mesh
 82 FLUID[®] Basic 0 Midback 12 Deluxe Synchro Tilt NA No Arm FM-BMESH Fluid Basic Mesh Black
 66 Deluxe Synchro Tilt 3 4D 4 Dimensional Arm T2 Task 2 Arm MF Multi-functional Arm TW Twister Arm
 18 Synchro Synchro Tilt w/back angle 40 Synchro Tilt

2. Options Code

—
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- Basic polyester mesh
- Fluid Basic Mesh Back
- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam
- For arm features and travel specifications See Page 18
- LP Height Adjustable: 2" with Flexible depth
- Carpet Casters

Note


*Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

 SpecAll,
www.allseating.com/
specall


 Ships Knocked Down,
see page 24

72HR 72HR Express,
see page 4 & 5




FLUID[®] Basic Stool


Overall: 42.25"-50.5"H, 28"W, 28"D
 Upholstered: 19.25"-27.25"H, 19"W, 19"D
 Back COM 19"W, 19"D
 COM 0.75 yd.

	Model List Price														+ Option Code				
	Model	Control	Model Code												72H EXPRESS				
				Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Brackets (Knob)	Adjustable Width Brackets (Lever)	Hard Surface Casters	Lumbar Plus	10" Stool Package
Fluid	Basic Stool (B2)	82019	851	867	879	896	919	958	1,006	1,057	1,091	1,125	1,228	22	39	28	96	34	

+ Arm Option Codes/Prices



NA
No Arm
+ \$0



T2
Task 2 Arm
+ \$79
Available with
AWK or AWL



4D
4 Dimensional Arm
+ \$100
Available with
AWK or AWL

1. Model Code Please fill in the boxes below.

Series
82
FLUID[®]
Basic

Back Style
0
Midback

Control
19
Basic Mesh
Stool

Arm
NA
No Arm

T2
Task 2 Arm
4D
4 Dimensional
Arm

Back Mesh
FM-BMESH
Fluid Basic Mesh Black

2. Options Code

 -

Please refer to Option Code
as listed in the above chart.

3. Fabric Code

Please refer to Allseating
fabric cards for fabric codes.

To order Follow these simple steps.

Features

- Basic polyester mesh
- 8" Cylinder
- Composite Base
- Molded Seat Foam
- For arm features and travel specifications See Page 18
- LP Height Adjustable: 2" with Flexible depth
- Carpet Casters

Note

10" Stool Package: Seat: 21.25"-31.25"H.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



SpecAll,
www.allseating.com/specall




Ships Knocked Down,
see page 24



72HR Express,
see page 4 & 5



FLUID[®] Side


Side No Arm

Overall: 32"H, 18"W, 24"D
 Seat 17.5", 18"W, 18.5"D
 Back 14.5"H, 18"W
 COM 0.75 yd.

Side with Arm

Overall: 32"H, 24"W, 24"D

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											+ Option Code				
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	CA	TC	GBWA	GBNA	CL
Fluid [®] Side	N/A	81054	351	367	379	396	419	458	506	557	591	625	728	45	53	35	30	90

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0

WA
 Fluid Side Arm
 + \$45

Model Code/Price

Fluid Dolly-10
 Overall: 48"H, 22"W, 32"D
 + \$340

1. Model Code Please fill in the boxes below.

81	—	0	—	54	—		—		—	
Series		Back Style		Leg		Arm		Frame Finish		Back Mesh
81		0		54		NA		SIL 72 ^{HR}		<u>Closed Mesh</u>
FLUID [®]		Midback		4 Leg		No Arm		Silver		7CB72 ^{HR}
Side						WA		BK 72 ^{HR}		Black/White
						With Arm		Black		+ \$39
								GM		<u>Open Mesh</u>
								Metallic		10B72 ^{HR}
								Gunmetal		Ebony
										70B
										Dark Grey
										20B
										Cobalt
										80B
										Herbal Green
										50B
										Silica
										10HCB
										Black Honey
										Comb
										60B
										Sandstone

2. Options Code

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- Polyester co-polymer elastomeric mesh
- Upholstered Seat
- Black Non-Marring glides

Note




Fully Loaded Stack 10 on Dolly / Dimensions: 66"H, 24"W, 36"D

Stacks 5 on the Floor


Fluid Side stacks 2 high with casters

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



FLUID[®] Basic Side


Side No Arm

Overall: 32"H, 18"W, 24"D
 Seat 17.5", 18"W, 18.5"D
 Back 14.5"H, 18"W
 COM 0.75 yd.

Side with Arm

Overall: 32"H, 24"W, 23"D

Design: Allseating Design Team

Model	Control	Model Code	Model List Price												Option Code				
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	CA	TC	GBWA	GBNA	CL	72HR EXPRESS
Fluid [®] Basic Side	N/A	82054	319	335	347	364	387	426	474	525	559	593	696	45	53	35	30	90	

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0



WA
 Fluid Side Arm
 + \$45

Model Code/Price



Fluid Dolly-10
 Overall: 48"H, 22"W, 32"D
 + \$340

1. Model Code Please fill in the boxes below.

Series
 82
 FLUID[®]
 Side

Back Style
 0
 Midback

Leg
 54
 4 Leg

Arm
 NA
 No Arm
 WA
 With Arm

Frame Finish
 SIL 72^{HR}
 Silver
 BK 72^{HR}
 Black
 GM
 Metallic
 Gunmetal

Back Mesh
 FM-BMESH
 Fluid Basic Mesh Black

2. Options Code

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

To order Follow these simple steps.

Features

- Basic polyester mesh
- Upholstered Seat
- Black Non-Maring glides

Note

Fully Loaded Stack 10 on Dolly / Dimensions: 66"H, 24"W, 36"D

Stacks 5 on the Floor

Fluid Side stacks 2 high with casters

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

specall

SpecAll,
www.allseating.com/specall



For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.

72HR


72HR Express, see page 4 & 5





INERTIA® +Plus Knit Back

Overall: 42"-46.25"H, 28"W, 28"D
 Seat: 16.5"-20.75"H, 21"W, 18.5"D
 Back: 25.5"H, 21"W
 COM: 1 yd.



Model	Control	Model Code	Model List Price										+ Option Code 72Hr EXPRESS									
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK Adjustable Width Brackets (Knob)	AWL Adjustable Width Brackets (Lever)	LH 65mm (2.5") Hard Surface Casters	G Glide†	P Pressure Braking Casters*	RP Reverse Pressure Braking Casters**	HAB High Profile Aluminum Base w/65mm Casters	SS Seat Sliders	CL CAL TB133
+Plus	Synchro Tilt (ST)	78440	593	614	630	653	684	735	799	867	913	958	1,095	22	39	30	28	57	107	60	79	90

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

	NA No Arm +\$0		T2 Task 2 Arm +\$79 Available with AWK or AWL		4D 4 Dimensional Arm +\$100 Available with AWK or AWL		MF Multi-Functional Arm +\$150 (width adjustment incl.) See page 18.		TW Twister Arm +\$174
--	-----------------------------	--	---	--	---	--	---	--	------------------------------------

1. Model Code Please fill in the boxes below.

78	–	4	–	40	–		–		–	
Series		Back Style		Control		Arm		Back Knit		
78 Inertia® Knit Back		4 +Plus		40 Synchro-Tilt		NA No Arm		FK-EB072 Ebony		FK-PAP Paprika
						T2 Task 2 Arm		FK-SIL Silver		FK-ORC Orchid
						4D 4 Dimensional Arm		FK-GUN Gunmetal		
						MF Multi-functional Arm		FK-IND Indigo		
						TW Twister Arm		FK-SIS Sisal		
								FK-FRO Frost		

2. Options Code

	–	
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam
- For arm features and travel specifications See Page 18
- Carpet Casters

Note


†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

To order Follow these simple steps.



72HR 72HR Express,
see page 4 & 5




INFO
AIR™
CHIROFORM™
GRID™
DOME™
FLUID™
INERTIA®
M.O.™
MULTI™
PRESTO®
RAINBOW™
RAY™
REQUISITE™
THERAPOD®
TUCK™
TWIST™
VIVA™
YOU™
ZIP™



INERTIA® Knit Back Task Highback

Overall: 40"-44.25"H, 28"W, 28"D
 Seat: 16.5"-20.75"H, 18.5"W, 18.5"D
 Back: 23.5"H, 19"W
 COM: 0.75 yd.

	Model	Control	Model Code	Model List Price												+ Option Code																				
																72Hr EXPRESS																				
				Group 1/COM			Group 2		Group 3	Group 4/COL		Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)		Adjustable Width Bracket (Lever)		65mm (2.5") Hard Surface Casters		Glides†	Pressure Braking Casters*		Reverse Pressure Braking Casters**		High Profile Aluminum Base w/65mm Casters		Seat Slider	Back Height Adjustment	Inertia Ergonomic Small Seat (16"Dx19"W)	Lumbar Support	CAL TB133
				AWK	AWL	LH	G	P	RP	HAB	SS	BHA	IES	LU	CL																					
Highback	Basic Synchro Tilt (BT-4)	78189	487	503	515	532	555	594	642	693	727	761	864	22	39	30	28	57	107	60	79	N/A	N/C	90	90											
Highback	Synchro Tilt (ST)	78140	561	577	589	606	629	668	716	767	801	835	938	22	39	30	28	57	107	60	79	86	N/C	90	90											
Highback	Deluxe Tilt J-Bar (DJ)	78180	647	663	675	692	715	754	802	853	887	921	1,024	22	39	30	28	57	107	60	79	INCL	N/C	90	90											

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

Arm Option Codes/Prices

NA No Arm +\$0	T2 Task 2 Arm +\$79 Available with AWK or AWL	4D 4 Dimensional Arm +\$100 Available with AWK or AWL	MF Multi-Functional Arm +\$150 (width adjustment incl.) See page 18.	TW Twister Arm +\$174
-----------------------------	---	---	---	------------------------------------

1. Model Code Please fill in the boxes below.

78	–	1	–		–		–		–	
Series		Back Style		Control		Arm		Back Knit		
78 Inertia® Knit Back		1 Highback		40 Synchro-Tilt		NA No Arm		FK-EB072 Ebony		FK-PAP Paprika
				80 Deluxe Tilt J-Bar		T2 Task 2 Arm		FK-SIL Silver		FK-ORC Orchid
				89 Basic Synchro Tilt		4D 4 Dimensional Arm		FK-GUN Gunmetal		
						MF Multi-functional Arm		FK-IND Indigo		
						TW Twister Arm		FK-SIS Sisal		
								FK-FRO Frost		

2. Options Code

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam with stitched upholstery detail
- For arm features and travel specifications See Page 18
- Carpet Casters



Note

†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.


Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





INERTIA® Knit Back Task Midback

Overall: 37.5"-41.75"H, 28"W, 28"D
 Seat 16.5"-20.75"H, 18.5"W, 18"D
 Back 21"H, 19"W
 COM 0.75 yd.

			Model List Price													⊕ Option Code																					
																72 ^{HR} EXPRESS																					
																Adjustable Width Bracket (Knob)										Adjustable Width Bracket (Lever)		65mm (2.5") Hard Surface Casters		Glides ¹	Pressure Braking Casters [*]		Reverse Pressure Braking Casters ^{**}		High Profile Aluminum Base w/65mm Casters		Seat Slider
			Model	Control	Model Code	Group 1/COM		Group 2		Group 3		Group 4/COL		Group 5		Group 6		Group 7		Group 8		Leather 1		Leather 2		Leather 3		AWK	AWL	LH	G	P	RP	HAB	SS	BHA	IES
Midback	Basic Synchro Tilt (BT-4)	78089	462	478	490	507	530	569	617	668	702	736	839	22	39	30	28	57	107	60	79	N/A	N/C	90	90												
Midback	Synchro Tilt (ST)	78040	536	552	564	581	604	643	691	742	776	810	913	22	39	30	28	57	107	60	79	86	N/C	90	90												
Midback	Deluxe Tilt J-Bar (DJ)	78080	622	638	650	667	690	729	777	828	862	896	999	22	39	30	28	57	107	60	79	INCL	N/C	90	90												

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

Arm Option Codes/Prices

NA
No Arm
+\$0

T2
Task 2 Arm
+\$79
Available with AWK or AWL

4D
4 Dimensional Arm
+\$100
Available with AWK or AWL

MF
Multi-Functional Arm
+\$150
(width adjustment incl.)
See page 18.

TW
Twister Arm
+\$174

1. Model Code Please fill in the boxes below.

78	–	0	–		–		–		–	
Series		Back Style		Control		Arm		Back Knit		
78 Inertia® Knit Back		0 Midback		40 Synchro-Tilt		NA No Arm		FK-EB072 ^{HR} Ebony		FK-PAP Paprika
				80 Deluxe Tilt J-Bar		T2 Task 2 Arm		FK-SIL Silver		FK-ORC Orchid
				89 Basic Synchro Tilt		4D 4 Dimensional Arm		FK-GUN Gunmetal		
						MF Multi-functional Arm		FK-IND Indigo		
						TW Twister Arm		FK-SIS Sisal		
								FK-FRO Frost		

2. Options Code

	–	
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam with stitched upholstery detail
- For arm features and travel specifications See Page 18
- Carpet Casters


Note

†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72^{HR} 72HR Express,
see page 4 & 5





INERTIA® Knit Back Conference

Midback Dimensions

Overall: 37.5"-41.75"H, 28"W, 28"D
 Seat 16.5"-20.75"H, 18.5"W, 18"D
 Back 21"H, 19"W
 COM 0.75 yd.

Highback Dimensions

Overall: 40"-44.25"H, 28"W, 28"D
 Seat 16.5"-20.75"H, 18.5"W, 18.5"D
 Back 23.5"H, 19"W
 COM 0.75 yd.

+Plus Dimensions

Overall: 42"-46.25"H, 28"W, 28"D
 Seat 16.5"-20.75"H, 21"W, 18.5"D
 Back 25.5"H, 21"W
 COM 1 yd.

Model	Control	Model Code	Model List Price											+ Option Code							
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	LH	G	P	RP	HAB	SS	IES	CL
Midback w/Conference Arm	Synchro Tilt (ST)	78040	584	600	612	629	652	691	739	790	824	858	961	30	28	57	107	60	79	N/C	90
Midback w/Conference Arm	Basic Synchro Tilt (BT-4)	78089	510	526	538	555	578	617	665	716	750	784	887	30	28	57	107	60	79	N/C	90
Highback w/Conference Arm	Synchro Tilt (ST)	78140	608	624	636	653	676	715	763	814	848	882	985	30	28	57	107	60	79	N/C	90
Highback w/Conference Arm	Basic Synchro Tilt (BT-4)	78189	534	550	562	579	602	641	689	740	774	808	911	30	28	57	107	60	79	N/C	90
+Plus w/Conference Arm	Synchro Tilt (ST)	78440	638	659	675	698	729	780	844	912	958	1,003	1,140	30	28	57	107	60	79	N/A	90

+ Arm Option Codes/Prices

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.


CA

Conference Arm
Included

1. Model Code Please fill in the boxes below.

78

Series
78
Inertia®
Knit Back

0

Back Style
0
Midback
1
Highback
4
+ Plus

40

Control
40
Synchro-Tilt
89
Basic
Synchro-Tilt
Control 89
not available
for Plus+

CA

Arm
CA
Conference
Arm

FK-EB072

Back Knit
FK-EB072
Ebony
FK-SIL
Silver
FK-GUN
Gunmetal
FK-IND
Indigo
FK-SIS
Sisal
FK-FRO
Frost

FK-PAP
Paprika

FK-ORC
Orchid

2. Options Code

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam with stitched upholstery detail
- Carpet Casters

Note

†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



SpecAll,
www.allseating.com/specall



Ships Knocked Down,
see page 24



72HR Express,
see page 4 & 5





INERTIA® Knit Back Stool

Overall: 41"-49"H, 28"W, 28"D
 Seat: 20"-28"H, 18.5"W, 18"D
 Back: 21"H, 19"W
 COM: 0.75 yd.



Model	Control	Model Code	Model List Price											+ Option Code								
														72H EXPRESS								
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	AWL	H	G	P	RP	10	IES	CL
Midback Stool	Basic Stool (B2)	78019	584	600	612	629	652	691	739	790	824	858	961	22	39	28	28	57	107	34	N/C	90

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0

T2
 Task 2 Arm
 + \$79
 Available with
 AWK or AWL

4D
 4 Dimensional Arm
 + \$100
 Available with
 AWK or AWL

1. Model Code Please fill in the boxes below.

78	–	0	–	19	–		–	
Series		Back Style		Control		Arm		Back Knit
78 Inertia® Knit Back		0 Midback		19 Basic Stool		NA No Arm		FK-EB072# Ebony
						T2 Task 2 Arm		FK-SIL Silver
						4D 4 Dimensional Arm		FK-GUN Gunmetal
								FK-IND Indigo
								FK-SIS Sisal
								FK-FRO Frost
								FK-PAP Paprika
								FK-ORC Orchid

2. Options Code

	–	
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 8" Cylinder
- Composite base
- Molded Seat Foam with stitched upholstery detail
- For arm features and travel specifications See Page 18
- Adjustable Foot Ring
- Carpet Casters




Note

10" Stool Package Seat: 22"-32"H


This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

To order Follow these simple steps.



INERTIA[®] Knit Side


Side Dimensions

No Arms Overall: 32"H, 18"W, 24"D
 With Arms Overall: 32"H, 24"W, 24"D
 Seat 17.5"H, 18"W, 18.5"D
 Back 14.5"H, 18"W
 COM 0.75 yd.

+Plus Side Dimensions

No Arms Overall: 32"H, 20"W, 24"D
 With Arms Overall: 32"H, 26"W, 24"D
 Seat 17.5"H, 19"W, 18.5"D
 Back 14.5"H, 20"W
 COM 0.75 yd.

Model	Control	Model Code	Model List Price											+ Option Code				
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	CA	TC	GBWA	GBNA	CL
Side	N/A	78054	284	300	312	329	352	391	439	490	524	558	661	45	53	35	30	90
+Plus Side	N/A	78454	314	330	342	359	382	421	469	520	554	588	691	45	53	35	30	90

+ Arm Option Codes/Prices

NA
No Arm
+ \$0

WA
Inertia Side Arm
+ \$42

Model Code/Price

Inertia Dolly -10
Overall: 48"H, 22"W, 32"D
+ \$340

1. Model Code Please fill in the boxes below.

78	—	0	—	54	—	NA	—	SIL	—	FK-EB072	—	FK-PAP
Series		Back Style		Leg		Arm		Frame Finish		Back Knit		FK-PAP
78		0		54		NA		SIL 72 ^{HR}		Ebony		Paprika
Inertia [®]		Midback		4 Leg		No Arm		BK 72 ^{HR}		Silver		Orchid
Knit Back		4		+Plus		WA		GM		FK-SIL		
						With Arm		Metallic		Gunmetal		
								Gunmetal		FK-GUN		
										Indigo		
										FK-SIS		
										Sisal		
										FK-FRO		
										Frost		

2. Options Code

—
Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- Mesh Back
- Upholstered Seat
- Black Non-Marring glides

Note

Fully Loaded Stack 10 on Dolly / Dimensions: 66"H, 24"W, 36"D



Stacks 5 on the Floor


Inertia Side stacks 2 high with casters

Inertia -10 Dolly not available for +Plus Side

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.





INERTIA® Knit Back Bar Stool

Dimensions (NA) Overall: 43.5"H, 21"W, 25"D
 Dimensions (WA) Overall: 43.5"H, 24"W, 25"D
 Seat 29"H, 18"W, 18.5"D
 Back 14.5"H, 18"W
 COM 0.75 yd.

Model	Control	Model Code	Model List Price												Option Code
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	CL CAL TB133	
Bar Stool	N/A	78056	366	382	394	411	434	473	521	572	606	640	743	90	

+ Arm Option Codes/Prices

	NA No Arm +\$0		WA Inertia Barstool Arm +\$42
--	-----------------------------	---	--

1. Model Code Please fill in the boxes below.

78

 -

0

 -

56

 - - -

Series
78
Inertia®
Knit Back

Back Style
0
Midback

Leg
56
Bar Stool

Arm
NA
No Arm
WA
With Arm

Frame Finish
SIL
Silver
BK
Black
GM
Metallic
Gunmetal

Back Knit
FK-EBO
Ebony
FK-SIL
Silver
FK-GUN
Gunmetal
FK-IND
Indigo
FK-SIS
Sisal
FK-FRO
Frost
FK-PAP
Paprika
FK-ORC
Orchid

2. Options Code

 -
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

 Please refer to Allseating fabric cards for fabric codes.

To order Follow these simple steps.


Features

- Knit Back
- Upholstered Seat
- Black Non-Marring glides

Note

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.






INERTIA® +Plus Mesh Back

Overall: 42"-46.25"H, 28"W, 28"D
 Seat: 16.5"-20.75"H, 21"W, 18.5"D
 Back: 25.5"H, 21"W
 COM: 1 yd.

Design: Allseating Design Team

	Model List Price													+ Option Code								
														72H EXPRESS								
	Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK Adjustable Width Brackets (Knob)	AWL Adjustable Width Brackets (Lever)	LH 65mm (2.5") Hard Surface Casters	G Glides†	P Pressure Braking Casters*	RP Reverse Pressure Braking Casters**	HAB High Profile Aluminum Base w/65mm Casters	SS Seat Sliders
+Plus	Synchro Tilt (ST)	77440	534	555	571	594	625	676	740	808	854	899	1,036	22	39	30	28	57	107	60	79	90

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

	NA No Arm + \$0		T2 Task 2 Arm + \$79 Available with AWK or AWL		4D 4 Dimensional Arm + \$100 Available with AWK or AWL		MF Multi-Functional Arm + \$150 (width adjustment incl.) See page 18.		TW Twister Arm + \$174
--	------------------------------	--	--	--	--	--	--	--	-------------------------------------

1. Model Code Please fill in the boxes below.

77	–	4	–	40	–		–	
Series		Back Style		Control		Arm		Back Mesh 72^{HR}
77 Inertia® Mesh Back		4 +Plus		40 Synchro-Tilt		NA No Arm		FM-NBLK Black
						T2 Task 2 Arm		FM-NFLA Flare
						4D 4 Dimensional Arm		FM-NGRN Green Apple
						MF Multi-functional Arm		FM-NGRY Grey
						TW Twister Arm		FM-NNAY Navy
								FM-NSBL Sky Blue
								FM-NNGY Grey
								FM-NSND Sandstone
								FM-NSIL Silver

2. Options Code

	–	
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam
- For arm features and travel specifications See Page 18
- Carpet Casters



Note

†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





INERTIA® Mesh Back Task Highback

Overall: 40"-44.25"H, 28"W, 28"D
 Seat: 16.5"-20.75"H, 18.5"W, 18.5"D
 Back: 23.5"H, 19"W
 COM: 0.75 yd.

Design: Allseating Design Team

			Model List Price											+ Option Code											
Model	Control	Model Code												72 ^{HR} EXPRESS											
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	65mm (2.5") Hard Surface Casters	Glides¹	Pressure Casters²	Braking Casters³	Reverse Pressure Braking Casters⁴*	High Profile Aluminum Base w/65mm Casters	Seat Slider	Back Height Adjustment	Inertia Ergonomic Small Seat (16"Dx19"W)	CAL TB133
Highback	Basic Synchro Tilt (BT-4)	77189	431	447	459	476	499	538	586	637	671	705	808	22	39	30	28	57	107	60	79	N/A	N/C	90	
Highback	Synchro Tilt (ST)	77140	505	521	533	550	573	612	660	711	745	779	882	22	39	30	28	57	107	60	79	86	N/C	90	
Highback	Deluxe Tilt J-Bar (DJ)	77180	591	607	619	636	659	698	746	797	831	865	968	22	39	30	28	57	107	60	79	INCL	N/C	90	

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

Arm Option Codes/Prices

NA No Arm +\$0	 T2 Task 2 Arm +\$79 Available with AWK or AWL	 4D 4 Dimensional Arm +\$100 Available with AWK or AWL	 MF Multi-Functional Arm +\$150 (width adjustment incl.) See page 18.	 TW Twister Arm +\$174
-----------------------------	--	--	--	---

1. Model Code Please fill in the boxes below.

77	–	1	–		–		–		–	
Series		Back Style		Control		Arm		Back Mesh 72^{HR}		
77 Inertia® Mesh Back		1 Highback		40 Synchro-Tilt		NA No Arm		FM-NBLK Black		FM-NFLA Flare
				80 Deluxe Tilt J-Bar		T2 Task 2 Arm		FM-NGRN Green Apple		FM-NSBL Sky Blue
				89 Basic Synchro Tilt		4D 4 Dimensional Arm		FM-NGRY Grey		
						MF Multi-functional Arm		FM-NNAY Navy		
						TW Twister Arm		FM-NSND Sandstone		
								FM-NSIL Silver		

2. Options Code

	–	
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam with stitched upholstery detail
- For arm features and travel specifications See Page 18
- Carpet Casters



Note

†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72^{HR} 72HR Express,
see page 4 & 5






INERTIA® Mesh Back Task Midback

Overall: 37.5"-41.75"H, 28"W, 28"D
 Seat: 16.5"-20.75"H, 18.5"W, 18"D
 Back: 21"H, 19"W
 COM: 0.75 yd.

Design: Allseating Design Team



Model	Control	Model Code	Model List Price												+ Option Code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
															72HREXPRESS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			Group 1/COM			Group 2		Group 3		Group 4/COL		Group 5		Group 6		Group 7		Group 8		Leather 1		Leather 2		Leather 3		Adjustable Width Bracket (Knob)		Adjustable Width Bracket (Lever)		65mm (2.5") Hard Surface Casters		Glides†		Pressure Braking Casters*		Reverse Braking Casters**		High Profile Aluminum Base w/65mm Casters		Seat Slider		Back Height Adjustment		Inertia Ergonomic Small Seat (16"Dx19"W)		CAL TB133																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			AWK	AWL	LH	G	P	RP	HAB	SS	BHA	IES	CL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

Arm Option Codes/Prices

NA No Arm +\$0	 T2 Task 2 Arm +\$79 Available with AWK or AWL	 4D 4 Dimensional Arm +\$100 Available with AWK or AWL	 MF Multi-Functional Arm +\$150 (width adjustment incl.) See page 18.	 TW Twister Arm +\$174
-----------------------------	--	--	--	---

1. Model Code Please fill in the boxes below.

77	–	0	–		–		–		–	
Series		Back Style		Control		Arm		Back Mesh 72HR		
77 Inertia® Mesh Back		0 Midback		40 Synchro-Tilt		NA No Arm		FM-NBLK Black		FM-NFLA Flare
				80 Deluxe Tilt J-Bar		T2 Task 2 Arm		FM-NGRN Green Apple		FM-NSBL Sky Blue
				89 Basic Synchro Tilt		4D 4 Dimensional Arm		FM-NGRY Grey		
						MF Multi-functional Arm		FM-NNAY Navy		
						TW Twister Arm		FM-NSND Sandstone		
								FM-NSIL Silver		

2. Options Code

	–	
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam with stitched upholstery detail
- For arm features and travel specifications See Page 18
- Carpet Casters



Note

†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





INERTIA® Mesh Back Conference

Midback Dimensions

Overall: 37.5"-41.75"H, 28"W, 28"D
 Seat 16.5"-20.75"H, 18.5"W, 18"D
 Back 21"H, 19"W
 COM 0.75 yd.

Highback Dimensions

Overall: 40"-44.25"H, 28"W, 28"D
 Seat 16.5"-20.75"H, 18.5"W, 18.5"D
 Back 23.5"H, 19"W
 COM 0.75 yd.

+Plus Dimensions

Overall: 42"-46.25"H, 28"W, 28"D
 Seat 16.5"-20.75"H, 21"W, 18.5"D
 Back 25.5"H, 21"W
 COM 1 yd.

	Model List Price													⊕ Option Code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Model	Control	Model Code														72 ^{EX} PRESS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				Group 1/COM			Group 2		Group 3		Group 4/COL		Group 5		Group 6		Group 7		Group 8		Leather 1		Leather 2		Leather 3		65mm (2.5") Hard Surface Casters		Glide†		Pressure Braking Casters*		Reverse Pressure Braking Casters**		High Profile Aluminum Base w/60mm Casters		Seat Sliders		Inertia Ergonomic Small Seat (16"Dx19"W)		CAL TB133																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				LH	G	P	RP	HAB	SS	IES	CL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

+ Arm Option Codes/Prices

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.


CA

Conference Arm
Included

1. Model Code Please fill in the boxes below.

77

Series
77
Inertia®
Mesh Back

0

Back Style
0
Midback
1
Highback
4
+ Plus

40

Control
40
Synchro-Tilt
89
Basic
Synchro-Tilt
Control 89
not available
for Plus+

CA

Arm
CA
Conference
Arm

72HR

Back Mesh
FM-NBLK Black
FM-NGRN Green Apple
FM-NGRY Grey
FM-NNAY Navy
FM-NSND Sandstone
FM-NSIL Silver

FM-NFLA Flare
FM-NSBL Sky Blue

2. Options Code

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam with stitched upholstery detail
- Carpet Casters

Note

†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



SpecAll,
www.allseating.com/
specall



Ships Knocked Down,
see page 24



72HR Express,
see page 4 & 5






INERTIA® Mesh Back Stool

Overall: 41"-49"H, 28"W, 28"D
 Seat: 20"-28"H, 18.5"W, 18"D
 Back: 21"H, 19"W
 COM: 0.75 yd.

Design: Allseating Design Team

	Model List Price																			+ Option Code				
	Model	Control	Model Code										72H EXPRESS											
				Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	AWL	H	G	P	RP	10	IES	CL	
Midback Stool	Basic Stool (B2)	77019	525	541	553	570	593	632	680	731	765	799	902	22	39	28	28	57	107	34	N/C	90		

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

Arm Option Codes/Prices

NA
No Arm
+\$0

T2
Task 2 Arm
+\$79
Available with
AWK or AWL

4D
4 Dimensional Arm
+\$100
Available with
AWK or AWL

1. Model Code Please fill in the boxes below.

77	–	0	–	19	–		–	
Series		Back Style		Control		Arm		Back Mesh 72^{HR}
77 Inertia® Mesh Back		0 Midback		19 Basic Stool		NA No Arm		FM-NBLK Black
						T2 Task 2 Arm		FM-NFLA Flare
						4D 4 Dimensional Arm		FM-NGRN Green Apple
								FM-NSBL Sky Blue
								FM-NGRY Grey
								FM-NNAY Navy
								FM-NSND Sandstone
								FM-NSIL Silver

2. Options Code

	–	
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 8" Cylinder
- Composite base
- Molded Seat Foam with stitched upholstery detail
- For arm features and travel specifications See Page 18
- Foot Ring
- Carpet Casters




Note

10" Stool Package Seat: 20"-30"H


This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

To order Follow these simple steps.



INERTIA® Mesh Side


Side Dimensions

No Arms Overall: 32"H, 18"W, 24"D
 With Arms Overall: 32"H, 24"W, 24"D
 Seat 17.5"H, 18"W, 18.5"D
 Back 14.5"H, 18"W
 COM 0.75 yd.

+Plus Side Dimensions

No Arms Overall: 32"H, 20"W, 24"D
 With Arms Overall: 32"H, 26"W, 24"D
 Seat 17.5"H, 19"W, 18.5"D
 Back 14.5"H, 20"W
 COM 0.75 yd.

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											+ Option Code				
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	CA	TC	GBWA	GBNA	CL
Side	N/A	77054	255	271	283	300	323	362	410	461	495	529	632	45	53	35	30	90
+Plus Side	N/A	77454	285	301	313	330	353	392	440	491	525	559	662	45	53	35	30	90

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0

WA
 Inertia Side Arm
 + \$42

Model Code/Price

Inertia Dolly -10
 Overall: 48"H, 22"W, 32"D
 + \$340

1. Model Code Please fill in the boxes below.

77

Series
 77
 Inertia®
 Mesh Back

0

Back Style
 0
 Midback
 4
 +Plus

54

Leg
 54
 4 Leg

NA

Arm
 NA
 No Arm
 WA
 With Arm

SIL

Frame Finish
 SIL 72R
 Silver
 BK 72R
 Black
 GM
 Metallic
 Gunmetal

FM-NBLK

Back Mesh 72R
 FM-NBLK
 Black
 FM-NGRN
 Green Apple
 FM-NGRY
 Grey
 FM-NNAY
 Navy
 FM-NSND
 Sandstone
 FM-NSIL
 Silver

FM-NFLA
 Flare
 FM-NSBL
 Sky Blue

2. Options Code

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- Mesh Back
- Upholstered Seat
- Black Non-Marring glides

Note


Fully Loaded Stack 10 on Dolly / Dimensions: 66"H, 24"W, 36"D

Stacks 5 on the Floor

Inertia Side stacks 2 high with casters


Inertia -10 Dolly not available for +Plus Side

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.



72HR Express, see page 4 & 5





INERTIA® Mesh Back Bar Stool

Dimensions (NA) Overall: 43.5"H, 21"W, 25"D
 Dimensions (WA) Overall: 43.5"H, 24"W, 25"D
 Seat 29"H, 17"W, 18.5"D
 Back 14.5"H, 18"W
 COM 0.75 yd.

Design: Allseating Design Team

Model	Control	Model Code	Model List Price												Option Code
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	CL CAL TB133	
Bar Stool	N/A	77056	366	382	394	411	434	473	521	572	606	640	743	90	

+ Arm Option Codes/Prices

NA
No Arm
+\$0

WA
Inertia Barstool Arm
+\$42

1. Model Code Please fill in the boxes below.

77

Series
77
Inertia®
Mesh Back

0

Back Style
0
Midback

56

Leg
56
Bar Stool

Arm
NA
No Arm
WA
With Arm

Frame Finish
SIL
Silver
BK
Black
GM
Metallic
Gunmetal

Back Mesh
FM-NBLK
Black
FM-NFLA
Flare
FM-NGRN
Green Apple
FM-NSBL
Sky Blue
FM-NGRY
Grey
FM-NNAY
Navy
FM-NSND
Sandstone
FM-NSIL
Silver

2. Options Code

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.


Features

- Mesh Back
- Upholstered Seat
- Black Non-Marring glides

Note

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.


Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





INERTIA® +Plus Upholstered Back

Overall: 42"-46.25"H, 28"W, 28"D
 Seat: 16.5"-20.75"H, 21"W, 18.5"D
 Back: 25.5"H, 21"W
 COM: 2.25 yd.



Model	Control	Model Code	Model List Price											+ Option Code								
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Brackets (Knob)	Adjustable Width Brackets (Lever)	65mm (2.5") Hard Surface Casters	Glides†	Pressure Braking Casters*	Reverse Pressure Braking Casters**	High Profile Aluminum Base w/65mm Casters	Seat Sliders	CAL TB133
+Plus	Synchro Tilt (ST)	79440	706	748	780	826	888	990	1,118	1,254	1,345	1,436	1,710	22	39	30	28	57	107	60	79	90

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

NA
No Arm
+ \$0

T2
Task 2 Arm
+ \$79
Available with
AWK or AWL

4D
4 Dimensional Arm
+ \$100
Available with
AWK or AWL

MF
Multi-Functional Arm
+ \$150
(width adjustment incl.)
See page 18.

TW
Twister Arm
+ \$174

1. Model Code Please fill in the boxes below.

79 – **4** – **40** – **NA**
 Series Back Style Control Arm
 79 Inertia® Upholstered Back
 4 +Plus
 40 Synchro-Tilt
 NA No Arm

T2
Task 2 Arm
4D
4 Dimensional Arm
MF
Multi-functional Arm
TW
Twister Arm

2. Options Code

P – **RP**
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

79
 Please refer to Allseating fabric cards for fabric codes.
 Only Select Leathers and Vinyls can be applied.
 Contact customer service for details.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam with stitched upholstery detail
- For arm features and travel specifications See Page 18
- Carpet Casters

Note


†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.


To order Follow these simple steps.





INERTIA® Upholstered Back Task Highback

Overall: 40"-44.25"H, 28"W, 28"D
 Seat: 16.5"-20.75"H, 18.5"W, 18.5"D
 Back: 23.5"H, 19"W
 COM: 2 yd.

	Model	Control	Model Code	Model List Price												⊕ Option Code									
																72H EXPRESS									
				Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	65mm (2.5") Hard Surface Casters	Glides¹	Pressure Braking Casters*	Reverse Pressure Braking Casters**	High Profile Aluminum Base w/65mm Casters	Seat Slider	Back Height Adjustment	Inertia Ergonomic Small Seat (16"Dx19"W)	CAL TB133
Highback	Basic Synchro Tilt (BT-4)	79189	601	643	675	721	783	885	1,013	1,149	1,240	1,331	1,605	22	39	30	28	57	107	60	79	N/A	N/C	90	
Highback	Synchro Tilt (ST)	79140	675	717	749	795	857	959	1,087	1,223	1,314	1,405	1,679	22	39	30	28	57	107	60	79	86	N/C	90	
Highback	Deluxe Tilt J-Bar (DJ)	79180	761	803	835	881	943	1,045	1,173	1,309	1,400	1,491	1,765	22	39	30	28	57	107	60	79	INCL	N/C	90	

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0

T2
 Task 2 Arm
 + \$79
 Available with
 AWK or AWL

4D
 4 Dimensional Arm
 + \$100
 Available with
 AWK or AWL

MF
 Multi-Functional Arm
 + \$150
 (width adjustment incl.)
 See page 18.

TW
 Twister Arm
 + \$174

1. Model Code Please fill in the boxes below.

79 – **1** – **40** – **NA**
 Series Back Style Control Arm
 79 Inertia® Highback
 1 Synchro-Tilt
 40 Deluxe Tilt J-Bar
 Control
 89 Basic Synchro-Tilt
 MF Multi-functional Arm
 TW Twister Arm

2. Options Code

–
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.
Only Select Leathers and Vinyls can be applied. Contact customer service for details.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam with stitched upholstery detail
- For arm features and travel specifications See Page 18
- Carpet Casters


Note

†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72HR 72HR Express, see page 4 & 5



INERTIA® Upholstered Back Task Midback

Overall: 37.5"-41.75"H, 28"W, 28"D
 Seat: 16.5"-20.75"H, 18.5"W, 18"D
 Back COM: 21"H, 19"W
 COM: 1.75 yd.

Model	Control	Model Code	Model List Price												Option Code									
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	65mm (2.5") Hard Surface Casters	Gldes*	Pressure Braking Casters*	Reverse Pressure Braking Casters**	High Profile Aluminum Base w/65mm Casters	Seat Slider	Back Height Adjustment	Inertia Ergonomic Small Seat (16"Dx19"W)	CAL TB133
Midback	Basic Synchro Tilt (BT-4)	79089	528	565	593	633	687	777	889	1,008	1,087	1,167	1,407	22	39	30	28	57	107	60	79	N/A	N/C	90
Midback	Synchro Tilt (ST)	79040	602	639	667	707	761	851	963	1,082	1,161	1,241	1,481	22	39	30	28	57	107	60	79	86	N/C	90
Midback	Deluxe Tilt J-Bar (DJ)	79080	688	725	753	793	847	937	1,049	1,168	1,247	1,327	1,567	22	39	30	28	57	107	60	79	INCL	N/C	90

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

NA
No Arm
+\$0

T2
Task 2 Arm
+\$79
Available with AWK or AWL

4D
4 Dimensional Arm
+\$100
Available with AWK or AWL

MF
Multi-Functional Arm
+\$150
(width adjustment incl.)
See page 18.

TW
Twister Arm
+\$174

1. Model Code Please fill in the boxes below.

79 – **0** – **40** – **NA**

Series **Back Style** **Control** **Arm**
 79 Inertia® Upholstered Back
 0 Midback
 40 Synchro-Tilt
 NA No Arm

80
Deluxe Tilt J-Bar

89
Basic Synchro-Tilt

MF
Multi-functional Arm

TW
Twister Arm

2. Options Code

AWK – **AWL** – **LH** – **G** – **P** – **RP** – **HAB** – **SS** – **BHA** – **IES** – **CL**

Please refer to Option Code as listed in the above chart.

3. Fabric Code

72HR

Please refer to Allseating fabric cards for fabric codes.

Only Select Leathers and Vinyls can be applied. Contact customer service for details.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam with stitched upholstery detail
- For arm features and travel specifications See Page 18
- Carpet Casters


Note

†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72HR 72HR Express, see page 4 & 5



INERTIA® Upholstered Back Conference

Midback Dimensions

Overall: 37.5"-41.75"H, 28"W, 28"D
 Seat 16.5"-20.75"H, 18.5"W, 18"D
 Back 21"H, 19"W
 COM 1.75 yd.

Highback Dimensions

Overall: 40"-44.25"H, 28"W, 28"D
 Seat 16.5"-20.75"H, 18.5"W, 18.5"D
 Back 23.5"H, 19"W
 COM 2 yds.

+Plus Dimensions

Overall: 42"-46.25"H, 28"W, 28"D
 Seat 16.5"-20.75"H, 21"W, 18.5"D
 Back 25.5"H, 21"W
 COM 2.25 yd.

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											Option Code							
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	LH	G	P	RP	HAB	SS	IES	CL
Midback w/Conference Arm	Synchro Tilt (ST)	79040	650	687	715	755	809	899	1,011	1,130	1,209	1,289	1,529	30	28	57	107	60	79	N/C	90
Midback w/Conference Arm	Basic Synchro Tilt (BT-4)	79089	576	613	641	681	735	825	937	1,056	1,135	1,215	1,455	30	28	57	107	60	79	N/C	90
Highback w/Conference Arm	Synchro Tilt (ST)	79140	717	759	791	837	899	1,001	1,129	1,265	1,356	1,447	1,721	30	28	57	107	60	79	N/C	90
Highback w/Conference Arm	Basic Synchro Tilt (BT-4)	79189	643	685	717	763	825	927	1,055	1,191	1,282	1,373	1,647	30	28	57	107	60	79	N/C	90
+Plus w/Conference Arm	Synchro Tilt (ST)	79440	747	789	821	867	929	1,031	1,159	1,295	1,386	1,477	1,751	30	28	57	107	60	79	N/A	90

+ Arm Option Codes/Prices

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.


CA

 Conference Arm
 Included

1. Model Code Please fill in the boxes below.

79
Series

 79
 Inertia®
 Upholstered Back

Back Style

 0 Midback
 1 Highback
 4 +Plus

Control

 40 Synchro-Tilt
 89 Basic Synchro-Tilt
Control 89 not available for Plus+
CA
Arm

 CA
 Conference Arm

2. Options Code

 –

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Only Select Leathers and Vinyls can be applied. Contact customer service for details.

Features

- 4 1/4" Cylinder
- Black Nylon Base
- Molded Seat Foam with stitched upholstery detail
- Carpet Casters

Note

†Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.


 SpecAll,
www.allseating.com/specall

 Ships Knocked Down,
 see page 24


 72HR Express,
 see page 4 & 5



INERTIA® Upholstered Back Stool

Overall: 41"-49"H, 28"W, 28"D
 Seat: 20"-28"H, 18.5"W, 18"D
 Back: 21"H, 19"W
 COM: 1.75 yd.



Design: Allseating Design Team



Model	Control	Model Code	Model List Price												+ Option Code																				
			Group 1/COM			Group 2			Group 3			Group 4/COL			Group 5			Group 6			Group 7			Group 8			Leather 1			Leather 2			Leather 3		
			AWK	AWL	H	G	P	RP	10	IES	CL	Adjustable Width Brackets (Knob)	Adjustable Width Brackets (Lever)	Hard Surface Casters	Glides†	Pressure Braking Casters*	Reverse Pressure Braking Casters**	10" Stool Package	Ergonomic Small Seat 16"D X 19"W	CAL TB133															
Midback Stool	Basic Stool (B2)	79019	650	687	715	755	809	899	1,011	1,130	1,209	1,289	1,529	22	39	28	28	57	107	34	N/C	90													

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices



1. Model Code Please fill in the boxes below.

79 – **0** – **19** – **NA**

Series

79

Inertia®
Upholstered Back

Back Style

0

Midback

Control

19

Basic Stool

Arm

NA

No Arm

T2

Task 2 Arm

4D

4 Dimensional

Arm

2. Options Code

AWK – **AWL** – **H** – **G** – **P** – **RP** – **10** – **IES** – **CL**

Please refer to Option Code as listed in the above chart.

3. Fabric Code

AWK – **AWL** – **H** – **G** – **P** – **RP** – **10** – **IES** – **CL**

Please refer to Allseating fabric cards for fabric codes.

Only Select Leathers and Vinyls can be applied. Contact customer service for details.

Features

- 8" Cylinder
- Composite base
- Molded Seat Foam with stitched upholstery detail
- For arm features and travel specifications See Page 18
- Foot Ring
- Carpet Casters




Note


10" Stool Package Seat: 20"-30"H

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

To order Follow these simple steps.






INERTIA® Upholstered Side

Side Dimensions

No Arms Overall: 32"H, 18"W, 24"D
 With Arms Overall: 32"H, 24"W, 24"D
 Seat 17.5"H, 18"W, 18.5"D
 Back 14.5"H, 18"W
 COM 1.5 yd.

+Plus Side Dimensions

No Arms Overall: 32"H, 20"W, 24"D
 With Arms Overall: 32"H, 26"W, 24"D
 Seat 17.5"H, 19"W, 18.5"D
 Back 14.5"H, 20"W
 COM 1.75 yd.

	Model List Price														+ Option Code				
															72H EXPRESS				
Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	CA	TC	GBWA	GBNA	CL	
Side	N/A	79054	337	369	393	427	474	550	646	748	816	885	1,090	45	53	35	30	90	
+Plus Side	N/A	79454	367	404	432	472	526	616	728	847	926	1,006	1,246	45	53	35	30	90	

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0

WA
 Inertia Side Arm
 + \$42

Model Code/Price

Inertia Dolly -10
 Overall: 48"H, 22"W, 32"D
 + \$340

1. Model Code Please fill in the boxes below.

79

Series
 79
 Inertia®
 Upholstered Back

Back Style
 0
 Midback
 4
 +Plus

54

Leg
 54
 4 Leg

Arm
 NA
 No Arm
 WA
 With Arm

Frame Finish
 SIL 72^{HR}
 Silver
 BK 72^{HR}
 Black
 GM
 Metallic
 Gunmetal

2. Options Code

 -

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Only Select Leathers and Vinyls can be applied. Contact customer service for details.

Features

- Upholstered Seat and Back
- Black Non-Marring glides

Note

Fully Loaded Stack 10 on Dolly / Dimensions: 66"H, 24"W, 36"D



Stacks 5 on the Floor

Inertia Side stacks 2 high with casters

Inertia -10 Dolly not available for +Plus Side


This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

To order Follow these simple steps.



72^{HR} 72HR Express,
 see page 4 & 5





INERTIA[®] Upholstered Back Bar Stool

Dimensions (NA) Overall: 43.5"H, 21"W, 25"D
 Dimensions (WA) Overall: 43.5"H, 24"W, 25"D
 Seat 29"H, 17"W, 18.5"D
 Back 14.5"H, 18"W
 COM 0.75 yd.

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											Option Code
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	
Bar Stool	N/A	79056	418	450	474	508	555	631	727	829	897	966	1,171	90

+ Arm Option Codes/Prices

	NA No Arm + \$0		WA Inertia Barstool Arm + \$42
--	------------------------------	---	---

1. Model Code Please fill in the boxes below.

<input type="text" value="79"/>	—	<input type="text" value="0"/>	—	<input type="text" value="56"/>	—	<input type="text"/>	—	<input type="text"/>
Series 79 Inertia [®] Upholstered Back		Back Style 0 Midback		Leg 56 Bar Stool		Arm NA No Arm WA With Arm		Frame Finish SIL Silver BK Black GM Metallic Gunmetal

2. Options Code

<input type="text"/>	—	<input type="text"/>
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

<input type="text"/>
Please refer to Allseating fabric cards for fabric codes.
Only Select Leathers and Vinyls can be applied. Contact customer service for details.

Features



- Upholstered Seat and Back
- Black Non-Marring glides

Note

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

To order Follow these simple steps.






M.O.TM Task

[Modus Operandi]

Design: Allseating Design Team


Overall
Seat
Back
COM

43.75"-48.25"H, 28"W, 28"D
18"-22.5"H, 20.25"W, 20"D
25.75"H, 19"W
1 yd.




Model	Control	Model Code	Model List Price										Option Code					
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	SS	LH	LU	CL
Highback	Dynamic Synchro	48146	629	645	657	674	697	736	784	835	869	903	1,006	INCL	INCL	30	30	90

+ Arm Option Codes/Prices

**T2**


Task 2 Arm

+ \$0
STANDARD
OPTION

**4D**

4D Arm

+ \$0
STANDARD
OPTION

**SS**

2" Travel Seat Slider

+ \$0
STANDARD
OPTION

1. Model Code Please fill in the boxes below.

48

Series

48
MOTM

1

Back Style

1
High Back

46

Control

46
Dynamic
Synchro

Arm

T2
Task 2 Arms
4D
4 Dimensional
ArmsBack Mesh 72^{HR}FM-MCOA
CoalFM-MSTO
StoneFM-MAQU
AquaFM-MFIR
FireFM-MLEA
Leaf

2. Options Code

Please refer to Option Code
as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric
cards for fabric codes.

Features

- 4.5" Cylinder
- Black Nylon Base
- Self adjusting tension supports various body types
- Molded Seat Foam with stitched upholstery detail
- For arm features and travel specifications See Page 18
- Optional Adjustable lumbar support

Note

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

To order Follow these simple steps.

SpecAll,
www.allseating.com/specall




Ships Knocked Down,
see page 24

72^{HR}

72HR Express,
see page 4 & 5



MULTIFLEX[®]


No Arm Dimensions

Overall: 33"H, 22.05"W, 24"D
 Seat: 17.7"H, 18.55"W, 17.75"D
 Back: 15.5"H, 18"W
 COM: 0.75 yd. Upholstered Seat


With Arm Dimensions

Overall: 33"H, 24.65"W, 24"D

With Tablet Arm Dimensions

Overall: 33"H, 26"W, 29.5"D
 Tablet: 28.5"H, 19"W, 12"D

Design: Zooney Chu

	Model List Price																	+ Option Code		
	72 ^{HR} EXPRESS																			
Model	Control	Model Code	Polypropylene Seat and Back	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	GB Ganging Brackets (set of 2)	BB Book Basket - Silver	CA Carpet Casters	TC Tile Casters	CLP CAL TB133 Black Polypropylene	CLU CAL TB133 Black Polypropylene Upholstered Seat
Multiflex	N/A	39054	438	486	502	514	531	554	593	641	692	726	760	863	17	43	45	53	80	103

+ Arm Option Codes/Prices

NA
No Arm
+\$0

WA
Multiflex with Arm
+\$30

WTR
Writing Tablet Right Arm
+\$190

WTL
Writing Tablet Left Arm
+\$190

Model Code/Price

Multi Dolly-12
Overall: 44"H, 29"W, 46.5"D
+\$383

1. Model Code Please fill in the boxes below.

39	—	0	—	54	—		—		—	
Series 39 Multiflex [®]		Back Style 0 Midback		Leg 54 4 Leg		Arm NA 72 ^{HR} No Arm WA 72 ^{HR} With Arm WTR Writing Tablet Right WTL Writing Tablet Left		Frame Finish SIL 72 ^{HR} Silver BK 72 ^{HR} Black		Polypropylene Seat and Back EB 72 ^{HR} Epoxy Black SL 72 ^{HR} Slate SD Sandstone PR Poppy Red CB Cobalt Blue AP Aspen

2. Options Code

	—	
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

US	—	
Upholstered Seat US Upholstered Seat		Please refer to Allseating fabric cards for fabric codes.
Leather and vinyl upholstered seat not recommended for this product in stacking applications.		

Features

- Polypropylene Seat and Back
- Upholstered Seat Option
- Flexing Seat
- Pivoting Back
- Stacks 5 on the floor
- Optional Tablet is Black Finish

Note

Fully Loaded Stack 12 on Dolly

Multiflex[®] with Upholstered seats are not stackable.

Multiflex[®] with Casters are not stackable.

Multiflex[®] with Tablet are not stackable and do not support caster options.

Extended Lead times apply to CAL TB133.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



SpecAll,
www.allseating.com/specall




For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order (WTR & WTL excluded).



72^{HR} Express,
 see page 4 & 5



MULTISTACK®



No Arm Dimensions

Overall: 33"H, 22.05"W, 24"D
 Seat: 17.7"H, 18.55"W, 17.75"D
 Back: 15.5"H, 18"W
 COM: 0.75 yd. Upholstered Seat

With Arm Dimensions

Overall: 33"H, 24.65"W, 24"D

With Tablet Arm Dimensions

Overall: 33"H, 26"W, 29.5"D
 Tablet: 28.5"H, 19"W, 12"D

Design: Zooney Chu

Model	Control	Model Code	Model List Price												Option Code					
			Polypropylene Seat and Back	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	72HR EXPRESS GB	BB	CA	TC	CLP	CLU
Multistack	N/A	38054	350	398	414	426	443	466	505	553	604	638	672	775	17	43	45	53	80	103

Arm Option Codes/Prices

NA
No Arm
+\$0

WA
Multistack with Arm
+\$30

WTR
Writing Tablet Right Arm
+\$190

WTL
Writing Tablet Left Arm
+\$190

Model Code/Price

Multi Dolly-12
Overall: 44"H, 29"W, 46.5"D
+\$383

1. Model Code Please fill in the boxes below.

38

Series
38
Multistack®

0

Back Style
0
Midback

54

Leg
54
4 Leg

Arm
NA 72H
No Arm

Frame Finish
SIL 72H
Silver

Polypropylene Seat and Back

EB 72H
Epoxy Black

SL 72H
Slate

SD
Sandstone

PR
Poppy Red

CB
Cobalt Blue

AP
Aspen

WA 72H
With Arm

WTR
Writing Tablet Right

WTL
Writing Tablet Left

BK 72H
Black

CM
Chrome
+\$80

2. Options Code

Please refer to Option Code as listed in the above chart.

3. Fabric Code

US

Upholstered Seat

US
Upholstered Seat

Leather and vinyl upholstered seat not recommended for this product in stacking applications.

Please refer to Allseating fabric cards for fabric codes.

Features

- Polypropylene Seat and Back
- Upholstered Seat Option
- Stacks 5 on the floor
- Optional Tablet is Black Finish

Note

Fully Loaded Stack 12 on Dolly

Multistack® with Upholstered seats are not stackable.

Multistack® with Casters are not stackable.

Multistack® with Tablet are not stackable and do not support caster options.

Extended Lead times apply to CAL TB133.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



SpecAll,
www.allseating.com/
specall



For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order (WTR & WTL excluded).




72HR Express,
see page 4 & 5






MULTITEK™

Overall: 34"-37.5"H, 28"W, 28"D
 Seat 16.5-20"H, 18.55"W, 17.72"D
 Back 17.5"H, 18"W
 COM 0.75 yd. Upholstered Seat

	Model List Price														+ Option Code						
	Model	Control	Model Code												72H EXPRESS						
															H	G	P	RP	CLP	CLU	
			Polypropylene Seat and Back	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Hard Surface Casters	Glide†	Pressure Braking Casters**	Reverse Pressure Braking Casters**	CAL TB133 Black Polypropylene	CAL TB133 Black Polypropylene Upholstered Seat	
Multitek	Basic Tilt 3	38050	456	504	520	532	549	572	611	659	710	744	778	881	28	28	57	107	80	103	

+ Arm Option Codes/Prices



1. Model Code Please fill in the boxes below.

38	—	0	—	50	—		—	BK	—	
Series		Back Style		Control		Arm		Frame Finish		Polypropylene Seat and Back
38 Multitek™		0 Midback		50 Basic Tilt 3		NA No Arm		BK 72 ^{HR} Black		EB 72 ^{HR} Epoxy Black
						T3 Task 3 Arm				SL 72 ^{HR} Slate
						T2 Task 2 Arm				SD Sandstone
										PR Poppy Red
										CB Cobalt Blue
										AP Aspen

2. Options Code

	—	
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

US	—	
Upholstered Seat		Please refer to Allseating fabric cards for fabric codes.
US Upholstered Seat		

Features

- 3 1/2" Cylinder
- Black TVO Nylon Base
- Polypropylene Seat and Back
- Upholstered Seat Option
- For arm features and travel specifications See Page 18
- Carpet Casters

Note



†Composite base will be substituted if these options are selected

Extended Lead times apply to CAL TB133.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

To order Follow these simple steps.





PRESTO® Task Highback

Overall: 42.25"-45.75"H, 28"W, 28"D
 Seat: 16.5"-20"H, 21"W, 18.5"D
 Back: 25.75"H, 17.5"W
 COM: 2 yds

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											+ Option Code									
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustment Width Brackets (Knob)	Adjustment Width Brackets (Lever)	Hard Surface Casters	Glides†	Pressure Braking Casters*	Reverse Pressure Braking Casters**	Bumper Trim	Ballistic Nylon Back	Seat Slider	CAL TB133
Task Highback	Basic Posture (B)	52117	437	479	511	557	619	721	849	985	1,076	1,167	1,441	22	39	28	28	57	107	28	45	N/A	90
Task Highback	Swivel Tilt (T)	52120	487	529	561	607	669	771	899	1,035	1,126	1,217	1,491	22	39	28	28	57	107	28	45	N/A	90
Task Highback	Posture Back (P)	52130	547	589	621	667	729	831	959	1,095	1,186	1,277	1,551	22	39	28	28	57	107	28	45	N/A	90
Task Highback	Synchro-Tilt (ST)	52140	547	589	621	667	729	831	959	1,095	1,186	1,277	1,551	22	39	28	28	57	107	28	45	79	90
Task Highback	Deluxe Tilt J-Bar (DJ)	52180	651	693	725	771	833	935	1,063	1,199	1,290	1,381	1,655	22	39	28	28	57	107	28	45	79	90
Task Highback	Value Plus (VP)	52190	681	723	755	801	863	965	1,093	1,229	1,320	1,411	1,685	22	39	28	28	57	107	28	45	INCL	90

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0

AT
 Adjustable T Arm
 + \$63

4D
 4 Dimensional Arm
 + \$100
 Available with AWK or AWL

MF
 Multi-Functional Arm
 + \$150
 (width adjustment incl.)
 See page 18.

TW
 Twister Arm
 + \$158

1. Model Code Please fill in the boxes below.

52	–	1	–		–	
Series		Back Style		Control		Arm
52 PRESTO® Task		1 Highback		17 Basic Posture		NA No Arm
				20 Swivel Tilt		4D 4 Dimensional Arm
				30 Posture Back		ATD Adjustable T/push button/diamond arm cap
				40 Synchro Tilt		MF Multi-functional Arm
				80 Deluxe Tilt J-Bar		TW Twister Arm
				90 Value Plus		
						ATK Adjustable T/push button/kidney arm cap
						ATO Adjustable T/push button/oval arm cap

2. Options Code

–

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

To order Follow these simple steps.

Features



- 3 1/2" or 5 1/2" Cylinder (depending on options selected)
- Composite base
- Molded Seat Foam
- For arm features and travel specifications See Page 18
- Carpet Casters

Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72HR 72HR Express,
 see page 4 & 5



PRESTO® Task Midback

Overall: 39-42.5"H, 28"W, 28"D
 Seat: 16.5"-20"H, 20"W, 18"D
 Back: 22.5"H, 16"W
 COM: 1.75 yds

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											+ Option Code 72HR EXPRESS									
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	AWL	H	G	P	RP	BU	BN	SS	CL
Task Midback	Basic Posture (B)	52017	367	404	432	472	526	616	728	847	926	1,006	1,246	22	39	28	28	57	107	28	45	N/A	90
Task Midback	Swivel Tilt (T)	52020	417	454	482	522	576	666	778	897	976	1,056	1,296	22	39	28	28	57	107	28	45	N/A	90
Task Midback	Posture Back (P)	52030	477	514	542	582	636	726	838	957	1,036	1,116	1,356	22	39	28	28	57	107	28	45	N/A	90
Task Midback	Synchro-Tilt (ST)	52040	477	514	542	582	636	726	838	957	1,036	1,116	1,356	22	39	28	28	57	107	28	45	79	90
Task Midback	Deluxe Tilt J-Bar (DJ)	52080	581	618	646	686	740	830	942	1,061	1,140	1,220	1,460	22	39	28	28	57	107	28	45	79	90
Task Midback	Value Plus (VP)	52090	611	648	676	716	770	860	972	1,091	1,170	1,250	1,490	22	39	28	28	57	107	28	45	INCL	90

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

	NA No Arm +\$0		AT Adjustable T Arm +\$63		4D 4 Dimensional Arm +\$100 Available with AWK or AWL		MF Multi-Functional Arm +\$150 (width adjustment incl.) See page 18.		TW Twister Arm +\$158
--	-----------------------------	--	--	--	---	--	---	--	------------------------------------

1. Model Code Please fill in the boxes below.

52	–	0	–		–	
Series		Back Style		Control		Arm
52 PRESTO® Task		0 Midback		17 Basic Posture		NA No Arm
				20 Swivel Tilt		4D 4 Dimensional Arm
				30 Posture Back		ATD Adjustable T/push button/diamond arm cap
				40 Synchro Tilt		MF Multi-functional Arm
				80 Deluxe Tilt J-Bar		TW Twister Arm
				90 Value Plus		ATK Adjustable T/push button/kidney arm cap
						ATO Adjustable T/push button/oval arm cap

2. Options Code

–
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features



- 3 1/2" or 5 1/2" Cylinder (depending on options selected)
- Composite base
- Molded Seat Foam
- For arm features and travel specifications See Page 18
- Carpet Casters

Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





PRESTO® 24:7 Midback

Overall: 39-44.5"H, 29"W, 29"D
 Seat: 16.5"-22"H, 20"W, 18"D
 Back: 22.5"H, 16"W
 COM: 1.75 yds

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											+ Option Code									
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	Hard Surface Casters	Glides	Pressure Braking Casters*	Reverse Pressure Braking Casters**	Bumper Trim	Ballistic Nylon Back	Seat Slider	CAL TB133
Presto 24:7	Deluxe Tilter H.D. (DJ/DH)	52011	714	751	779	819	873	963	1075	1194	1273	1353	1593	22	39	28	28	57	107	28	INCL	79	90

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0

AT
 Adjustable T Arm
 + \$63

4D
 4 Dimensional Arm
 + \$100
 Available with AWK or AWL

MF
 Multi-Functional Arm
 + \$150
 (width adjustment incl.)
 See page 18.

TW
 Twister Arm
 + \$158

1. Model Code Please fill in the boxes below.

52	0	11	
Series	Back Style	Control	Arm
52 PRESTO® 24:7	0 Midback	11 Deluxe Tilter Heavy Duty (DJ/DH)	NA No Arm 4D 4 Dimensional Arm ATD Adjustable T/push button/ diamond arm cap ATK Adjustable T/push button/ kidney arm cap ATO Adjustable T/ push button/oval arm cap

2. Options Code

Please refer to Option Code as listed in the above chart.	

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features



- 5 1/2" Heavy Duty Cylinder
- Composite base
- Memory Foam
- For arm features and travel specifications See Page 18
- Carpet Casters

Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72HR 72HR Express,
 see page 4 & 5






PRESTO® Petite

Overall: 33.5-37"H, 25"W, 25"D
 Seat: 16"-19.5"H, 17"W, 15.5"D
 Back: 17.5"H, 15"W
 COM: 1.5 yds.

Design: Allseating Design Team

			Model List Price											⊕ Option Code							
														72H EXPRESS							
	Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Hard Surface Casters	Glides†	Pressure Braking Casters*	Reverse Pressure Braking Casters**	Bumper Trim	Ballistic Nylon Back	Seat Slider
Petit Midback	Basic Posture (B)	52217	365	397	421	455	502	578	674	776	844	913	1,118	28	28	57	107	28	45	N/A	90
Petit Midback	Swivel Tilt (T)	52220	415	447	471	505	552	628	724	826	894	963	1,168	28	28	57	107	28	45	N/A	90
Petit Midback	Posture Back (P)	52230	475	507	531	565	612	688	784	886	954	1,023	1,228	28	28	57	107	28	45	N/A	90
Petit Midback	Synchro-Tilt (ST)	52240	475	507	531	565	612	688	784	886	954	1,023	1,228	28	28	57	107	28	45	79	90
Petit Midback	Deluxe Tilt J-Bar (DJ)	52280	578	610	634	668	715	791	887	989	1,057	1,126	1,331	28	28	57	107	28	45	79	90

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.

**RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

NA
No Arm
+\$0

AT
Adjustable T Arm
+\$63

TW
Twister Arm
+\$158

1. Model Code Please fill in the boxes below.

<input type="text" value="52"/>	–	<input type="text" value="2"/>	–	<input type="text"/>	–	<input type="text"/>
Series		Back Style		Control		Arm
52 PRESTO® Petite		2 Petite		17 Basic Posture		NA No Arm
				20 Swivel Tilt		TW Twister Arm
				30 Posture Back		ATD Adjustable T/push button/diamond arm cap
				40 Synchro Tilt		ATK Adjustable T/push button/kidney arm cap
				80 Deluxe Tilt J-Bar		ATO Adjustable T/push button/oval arm cap

2. Options Code

–

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

To order Follow these simple steps.

Features



- 3 1/2" Cylinder
- Composite base
- Molded Seat Foam
- For arm features and travel specifications See Page 18
- Carpet Casters

Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72HR 72HR Express, see page 4 & 5





PRESTO® Stool

Overall: 41.5-49.5"H, 29"W, 29"D
 Seat: 19"-27"H, 20"W, 18"D
 Back: 22.5"H, 16"W
 COM: 1.75 yds.

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											Option Code									
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	72HR EXPRESS									
Presto Stool	Basic Posture (B)	52917	484	521	549	589	643	733	845	964	1,043	1,123	1,363	AWK	AWL	H	G	P	RP	BU	BN	10	CL
Presto Stool	Posture Back (P)	52930	594	631	659	699	753	843	955	1,074	1,153	1,233	1,473	22	39	28	28	57	107	28	45	34	90

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

	NA No Arm + \$0		AT Adjustable T Arm + \$63		4D 4 Dimensional Arm + \$100 Available with AWK or AWL
--	------------------------------	--	---	--	--

1. Model Code Please fill in the boxes below.

<input type="text" value="52"/>	–	<input type="text" value="9"/>	–	<input type="text"/>	–	<input type="text"/>
Series 52 PRESTO® Stool		Back Style 9 Stool		Control 17 Basic Posture 30 Posture Back		Arm NA No Arm 4D 4 Dimensional Arm ATD Adjustable T/push button/diamond arm cap ATK Adjustable T/push button/kidney arm cap ATO Adjustable T/push button/oval arm cap

2. Options Code

<input type="text"/>	–	<input type="text"/>
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

<input type="text"/>
Please refer to Allseating fabric cards for fabric codes.

Features

- 8" Cylinder
- Composite base
- Molded Seat Foam
- For arm features and travel specifications See Page 18
- Carpet Casters




Note

Presto Stool with 10" Stool Package: Seat 22"-32"H.


All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



RAINBOW™ Round Back



RAINBOW™
Overall (NA):
Overall (WA):
Seat
Back
COM

4 Leg
34"H, 20.5"W, 25"D
34"H, 23.5"W, 25"D
17.5"H, 18"W, 17.5"D
16.5"H, 18.5"W
1.25 yds.

RAINBOW™ Sled Base
Overall (NA): 34"H, 23"W, 26"D
Overall (WA): 34"H, 23.5"W, 26"D
Note: Sled Base with Arm is non-stackable



Design: Allseating Design Team

Model List Price

+ Option Code

72HR EXPRESS

Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AG	CR	CA	TC	1	GB	BN	CL
Four Leg (Stackable)	N/A	33554 NA	304	330	350	379	418	481	561	646	703	760	931	17	25	45	53	28	36	39	90
Sled Base	N/A	33550-NA	354	380	400	429	468	531	611	696	753	810	981	N/A	N/A	N/A	N/A	28	36	39	90
Sled Base	N/A	33555-WA	354	380	400	429	468	531	611	696	753	810	981	N/A	N/A	N/A	N/A	28	36	39	90

+ Arm Option Codes/Prices

NA
No Arm
+\$0



WA
With Rainbow Arm
+\$32
Mandatory with Sled Base 55

Model Code/Price



Rainbow Dolly-7
Overall: 41"H, 21"W, 47"D
+\$439

Model Code/Price



Rainbow Dolly-14
Overall: 36"H, 21"W, 80"D
+\$540

1. Model Code Please fill in the boxes below.

33

Series
33
Rainbow™

5

Back Style
5
Round Back

54

Leg
54 72H
4 Leg
50
Stackable Sled Base (NA Only)
55
Non-Stackable Sled Base (WA Only)

NA

Arm
NA
No Arm
WA
With Arm

EB

Frame Finish
EB 72H
Epoxy Black

BK

Arm Finish
BK 72H
Black

SIL

Silver
CM
Chrome

+\$80
(CA and TC Options not available)

2. Options Code

—

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- Double Curve and Open Back
- 4 Leg Features a wall saver design unless ordered with casters
- Black non-marring Glides
- Stacks 4 on the Floor/Dimensions.

Note

*Adjustable Swivel Glides ship un-installed.

Fully Loaded Stack 14 on Dolly / Dimensions: 57"H, 21"W, 81"D

Fully Loaded Stack 7 on Dolly / Dimensions: 43.75"H, 21"W, 47"D

Sled Frames cannot be used with Dolly.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

specall

SpecAll,
www.allseating.com/specall




For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.

72HR

72HR Express, see page 4 & 5



RAINBOW™ Square Back



RAINBOW™ 4 Leg

Overall (NA): 34"H, 20.5"W, 25"D
 Overall (WA): 34"H, 23.5"W, 25"D
 Seat: 17.5"H, 18"W, 17.5"D
 Back COM: 16.5"H, 18.5"W
 COM: 1.25 yds.

RAINBOW™ Sled Base

Overall (NA): 34"H, 23"W, 26"D
 Overall (WA): 34"H, 23.5"W, 26"D
 Note: Sled Base with Arm is non-stackable



Design: Allseating Design Team

Model List Price

+ Option Code

Model	Control	Model Code	72 ^{HR} EXPRESS															
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AG	CR	CA	TC	1
Four Leg (Stackable)	N/A	33654 NA	304	330	350	379	418	481	561	646	703	760	931	17	25	45	53	28
Sled Base	N/A	33650-NA	354	380	400	429	468	531	611	696	753	810	981	N/A	N/A	N/A	N/A	28
Sled Base	N/A	33655-WA	354	380	400	429	468	531	611	696	753	810	981	N/A	N/A	N/A	N/A	28

+ Arm Option Codes/Prices

NA
No Arm
+\$0



WA
With Rainbow Arm
+\$32

Mandatory with Sled Base 55

Model Code/Price



Rainbow Dolly-7
Overall: 41"H, 21"W, 47"D
+\$439

Model Code/Price



Rainbow Dolly-14
Overall: 36"H, 21"W, 80"D
+\$540

1. Model Code Please fill in the boxes below.

33

Series
33
Rainbow™

6

Back Style
6
Square Back

54

Leg
54 72^{HR}
4 Leg
50
Stackable Sled Base (NA Only)
55
Non-Stackable Sled Base (WA Only)

NA

Arm
NA
No Arm
WA
With Arm

EB

Frame Finish
EB 72^{HR}
Epoxy Black

BK

Arm Finish
BK 72^{HR}
Black

SIL

Silver

CM

Chrome
+\$80
(CA and TC Options not available)

2. Options Code

—

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- Double Curve and Open Back
- 4 Leg Features a wall saver design unless ordered with casters
- Black non-marring Glides
- Stacks 4 on the Floor/Dimensions.

Note

*Adjustable Swivel Glides ship un-installed.

Fully Loaded Stack 14 on Dolly / Dimensions: 57"H, 21"W, 81"D

Fully Loaded Stack 7 on Dolly / Dimensions: 43.75"H, 21"W, 47"D

Sled Frames cannot be used with Dolly.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

specall

SpecAll,
www.allseating.com/specall




For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.

72^{HR}

72HR Express, see page 4 & 5



RAINBOW™ Junior and Big



RAINBOW™ Junior

Overall: 26"H, 15"W, 15"D
 Seat: 14"H, 15"W, 13.75"D
 Back: 12"H, 14"W
 COM: 0.60 yds.

RAINBOW™ Big Four Leg No Arm

Overall: 34"H, 24"W, 26"D
 Seat: 20"H, 22"W, 21.5"D
 Back: 14"H, 22"W
 COM: 1.5 yds.

RAINBOW™ Big Four Leg With Arm

Overall: 34"H, 26.75"W, 26"D

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											+ Option Code			
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AG	CR	BN	CL
Rainbow Junior	N/A	33854	238	251	260	274	293	323	362	403	430	457	539	17	25	34	90
Rainbow 4 Leg Big	N/A	33754	488	520	544	578	625	701	797	899	968	1,036	1,241	N/A	N/A	39	112

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0

WA
 Rainbow Big Arm
 + \$32

1. Model Code Please fill in the boxes below.

— — — —
Series **Back Style** **Leg** **Arm** **Frame Finish**
 33 8 54 NA BK
 Rainbow™ Junior 4 Leg No Arm Black
 7 7 WA SIL
 Big With Arm (Big only) Silver

2. Options Code

—
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- Double Curve and Open Back
- 4 Leg Features a wall saver design
- Black non-marring Glides
- Black Frame

Note


*Adjustable Swivel Glides ship un-installed.

Rainbow Big suitable for up to 400lbs.

Stacks 4 on the Floor.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





RAY™ Conference

Ray™ Conference Midback

Overall: 42"H, 28"W, 28"D
 Seat: 17- 20.5"H, 19"W, 19.29"D
 Back: 21.5"H, 18.5"W
 COM: 1.5 yd.

Ray™ Conference Highback

Overall: 48.5"H, 28"W, 24"D
 Back: 28"H, 18.5"W
 COM: 2 yds.

Design: Fig 40

Model List Price

+ Option Code

Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	LH	OHC	OHH	CL
Midback Conference Arm	React (R)	18022	935	967	991	1,025	1,072	1,148	1,244	1,346	1,414	1,483	1,688	30	60	90	141
Midback Conference Arm	Knee Tilt (KT2)	18025	935	967	991	1,025	1,072	1,148	1,244	1,346	1,414	1,483	1,688	30	60	90	141
Highback Conference Arm	React (R)	18122	1,108	1,145	1,173	1,213	1,267	1,357	1,469	1,588	1,667	1,747	1,987	30	60	90	141
Highback Conference Arm	Knee Tilt (KT2)	18125	1,108	1,145	1,173	1,213	1,267	1,357	1,469	1,588	1,667	1,747	1,987	30	60	90	141

+ Arm Option Codes/Prices



CA

Conference Arm
Included

1. Model Code Please fill in the boxes below.

18

Series

18
RAY™

0

Back Style

0
Midback
1
Highback

22

Control

22
React
25
Knee Tilt

CA

Arm

CA
Conference Arm

2. Options Code

—

Please refer to Option Code as listed in the above chart.

3. Fabric Code

—

Please refer to Allseating fabric cards for fabric codes.

Features

- 3 1/2" Cylinder
- **Poly-Back Shell**
- Molded Seat and Back Foam
- Aluminum Base
- Aluminum Conference Arms
- Black Polyurethane Armcaps
- Carpet Casters

Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



SpecAll,
www.allseating.com/specall



Ships Knocked Down,
see page 24



RAY™ Task

Ray™ Midback

Overall: 42"H, 28"W, 28"D
 Seat: 17- 20.5"H, 19"W, 19.29"D
 Back: 21.25"H, 18.5"W
 COM: 1.5 yd.

Ray™ Highback

Overall: 48.5"H, 28"W, 28"D
 Back: 28"H, 18.5"W
 COM: 2 yds.

Design: Fig 40

Model List Price

+ Option Code

Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Brackets (Knob)	Aluminum Base with 65mm (2.5") Casters	Hard Surface Casters	65mm (2.5") Hard Surface Casters	OH Carpet Casters	OH Hard Surface Casters	CAL TB133
Task Midback	Knee Tilt (KT2)	18025	812	844	868	902	949	1,025	1,121	1,223	1,291	1,360	1,565	22	60	28	30	60	90	141
Task Highback	Knee Tilt (KT2)	18125	982	1,019	1,047	1,087	1,141	1,231	1,343	1,462	1,541	1,621	1,861	22	60	28	30	60	90	141

*H - Hard Surface Casters - not available with AB.

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0

WA
 With Arm
 + \$60

1. Model Code Please fill in the boxes below.

- - -
Series **Back Style** **Control** **Arm**
 18 RAY™ 0 Midback 25 Knee Tilt (KT2) NA No Arm
 1 Highback WA Task Arm

2. Options Code

-
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

To order Follow these simple steps.

Features


- 3 1/2" Cylinder
- **Poly-Back Shell**
- Molded Seat and Back Foam
- Black Nylon Base
- WA Arms Adjustable 3" in Height (width adjustment optional)
- Carpet Casters


Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.






REQUISITE™ Highback Conference

Overall: 46.25"H, 28"W, 28"D
 Seat: 17.25-21.25"H, 19"W, 17.25"D
 Back: 29"H, 16.5"W
 COM: 2 yds.
 COM UPH Arms: 1 yd.

Design: Todd Yetman

	Model List Price														+ Option Code					
	Model	Control	Model Code												72H EXPRESS					
				Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Aluminum Base	Auto Return Cylinder	Low Seat Height	65mm (2.5") Hard Surface Casters	OH Carpet Casters	OH Hard Surface Casters
Highback	Knee Tilt (KT3)	21135-BCA/SCA	1,029	1,071	1,103	1,149	1,211	1,313	1,441	1,577	1,668	1,759	2,033	60	79	50	30	60	90	N/C
Highback UPH Arms	Knee Tilt (KT3)	21135-UPH	1,149	1,212	1,260	1,329	1,422	1,575	1,767	1,971	2,108	2,244	2,655	60	79	50	30	60	90	N/C

+ Arm Option Codes/Prices



B/S-CA

Nylon Loop
Arm w/wrap
+ see above



ACA

Aluminum Loop
Arm w/wrap
+ \$90



UPH

Upholstered
Arm
+ see above

1. Model Code Please fill in the boxes below.

21

Series

21
REQUISITE™

1

Back Style

1
Highback

35

Control

35
Knee Tilt
(KT3)

Arm

BCA
Black Nylon
Loop Arms w/wrap

SCA

Smoke Nylon
Loop Arms w/wrap

* Smoke base to
match when specified

ACA

Aluminum
Loop Arms w/wrap

UPH

Upholstered Arms

2. Options Code

Please refer to Option Code
as listed in the above chart.

3. Fabric Code

Please refer to Allseating
fabric cards for fabric codes.

Features

- 4" Cylinder
- Side Tension Control
- Black Nylon Base standard
- Molded Seat and Foam Back
- Standard Carpet Casters

Note

RC Specifications: Arm Height is 27.5"H from floor; Seat Height 19"H.

LS4 Specifications: Seat: 16.25"-20.25"H.

Fabrics, Leathers, and Vinyl upholstery will have matching arm wraps.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

SpecAll

SpecAll,
www.allseating.com/specall




Ships Knocked Down,
see page 24

72HR


72HR Express,
see page 4 & 5

REQUISITE™ Midback Conference



Overall: 39.25"H, 28"W, 28"D
 Seat: 17.25-21.25"H, 19"W, 17.25"D
 Back: 22"H, 16.5"W
 COM: 1.75 yds.
 COM UPH Arms: 1 yd.

Design: Todd Yetman

	Model List Price														+ Option Code					
															72H EXPRESS					
Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AB	RC	LS4	LH	OHC	OHH	FS
Midback	Knee Tilt (KT3)	21035-BCA/SCA	869	906	934	974	1,028	1,118	1,230	1,349	1,428	1,508	1,748	60	79	50	30	60	90	N/C
Midback UPH Arms	Knee Tilt (KT3)	21035-UPH	989	1,047	1,091	1,154	1,239	1,380	1,556	1,743	1,868	1,993	2,370	60	79	50	30	60	90	N/C

+ Arm Option Codes/Prices



B/S-CA
 Nylon Loop
 Arm w/wrap
 + see above



ACA
 Aluminum Loop
 Arm w/wrap
 + \$90



UPH
 Upholstered
 Arm
 + see above

1. Model Code Please fill in the boxes below.

21

Series

21
REQUISITE™

0

Back Style

0
Midback

35

Control

35
Knee Tilt
(KT3)

Arm

BCA
Black Nylon
Loop Arms w/wrap

SCA

Smoke Nylon
Loop Arms w/wrap

* Smoke base to
match when specified

ACA

Aluminum
Loop Arms w/wrap

UPH

Upholstered Arms

2. Options Code

Please refer to Option Code
as listed in the above chart.

3. Fabric Code

Please refer to Allseating
fabric cards for fabric codes.

Features

- 4" Cylinder
- Side Tension Control
- Black Nylon Base standard
- Molded Seat and Foam Back
- Standard Carpet Casters

Note

RC Specifications: Arm Height is 27.5"H from floor; Seat Height 19"H.

LS4 Specifications: Seat: 16.25"-20.25"H.

Fabrics, Leathers, and Vinyl upholstery will have matching arm wraps.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

SpecAll

SpecAll,
www.allseating.com/
specall



Ships Knocked Down,
see page 24

72HR

72HR Express,
see page 4 & 5



THERAPOD® Basic Extra Highback

Overall: 47"-50.5"H, 28"W, 28"D
 Seat: 16.5"-20"H, 20"W, 18"D
 Back: 30.5"H, 17"W
 COM: 2.0 yds.

Design: Allseating Design Team

Model List Price

+ Option Code

Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	Hard Surface Casters	Glides	Pressure Braking Casters*	Reverse Pressure Braking Casters**	Seat Slider	Neck Pad	Deluxe Aluminum Satin Base	CAL TBL33
Extra Highback	Posture Back (P)	55330	759	796	824	864	918	1,008	1,120	1,239	1,318	1,398	1,638	22	39	28	28	57	107	N/A	28	79	134
Extra Highback	Deluxe Tilt J-Bar (DJ)	55380	943	980	1,008	1,048	1,102	1,192	1,304	1,423	1,502	1,582	1,822	22	39	28	28	57	107	79	28	79	134
Extra Highback	Value Plus (VP)	55390	975	1,012	1,040	1,080	1,134	1,223	1,335	1,454	1,534	1,614	1,853	22	39	28	28	57	107	INCL	28	79	134

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0

AT
 Adjustable T Arm
 + \$63

4D
 4 Dimensional Arm
 + \$100
 Available with AWK or AWL

MF
 Multi-Functional Arm
 + \$150
 (width adjustment incl.)
 See page 18.

TW
 Twister Arm
 + \$158

1. Model Code Please fill in the boxes below.

<input type="text" value="55"/>	–	<input type="text" value="3"/>	–	<input type="text"/>	–	<input type="text"/>
Series		Back Style		Control		Arm
55 THERAPOD® Basic		3 Extra Highback		30 Posture Back		NA No Arm
				80 Deluxe Tilt J-Bar		4D 4 Dimensional Arm
				90 Value Plus		ATD Adjustable T/push button/diamond arm cap
						MF Multi-functional Arm
						TW Twister Arm
						ATK Adjustable T/push button/kidney arm cap
						ATO Adjustable T/push button/oval arm cap

2. Options Code

–

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

To order Follow these simple steps.

Features


- 3 1/2" or 5 1/2" Cylinder (depending on options selected)
- Composite base
- For arm features and travel specifications See Page 18
- Carpet Casters


Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





THERAPOD® Basic Highback

Overall: 40.5"-44"H, 28"W, 28"D
 Seat: 16.5"-20"H, 20"W, 18"D
 Back: 24"H, 17"W
 COM: 1.75 yds.

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											+ Option Code									
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	Hard Surface Casters	Glides	Pressure Braking Casters*	Reverse Pressure Braking Casters**	Seat Slider	Neck Pad	Deluxe Aluminum Satin Base	CAL TBL33
Highback	Posture Back (P)	55130	666	698	722	756	803	879	975	1,077	1,145	1,214	1,419	22	39	28	28	57	107	N/A	28	79	134
Highback	Deluxe Tilt J-Bar (DJ)	55180	850	882	906	940	987	1,063	1,159	1,261	1,329	1,398	1,603	22	39	28	28	57	107	79	28	79	134
Highback	Value Plus (VP)	55190	882	914	938	972	1,019	1,095	1,191	1,293	1,361	1,430	1,635	22	39	28	28	57	107	INCL	28	79	134

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

	NA No Arm + \$0		AT Adjustable T Arm + \$63		4D 4 Dimensional Arm + \$100 Available with AWK or AWL		MF Multi-Functional Arm + \$150 (width adjustment incl.) See page 18.		TW Twister Arm + \$158
--	------------------------------	--	---	--	--	--	--	--	-------------------------------------

1. Model Code Please fill in the boxes below.

55	–	1	–		–		–		
Series		Back Style		Control		Arm			
55 THERAPOD® Basic		1 Highback		30 Posture Back		NA No Arm		4D 4 Dimensional Arm	
				80 Deluxe Tilt J-Bar		ATD Adjustable T/push button/diamond arm cap		MF Multi-functional Arm	
				90 Value Plus		ATK Adjustable T/push button/kidney arm cap		TW Twister Arm	
						ATO Adjustable T/push button/oval arm cap			

2. Options Code

–
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features


- 3 1/2" or 5 1/2" Cylinder (depending on options selected)
- Composite base
- For arm features and travel specifications See Page 18
- Carpet Casters

Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.






THERAPOD® Therapist Extra Highback

Overall: 47"-50.5"H, 28"W, 28"D
 Seat: 16.5"-20"H, 20"W, 18"D
 Back: 30.5"H, 17"W
 COM: 2.0 yds.

Design: Allseating Design Team

	Model List Price														⊕ Option Code																			
	Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	72H EXPRESS																			
															AWK	AWL	H	G	P	RP	SS	NP	DAS	LS	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	Hard Surface Casters	Glides	Pressure Braking Casters*	Reverse Pressure Braking Casters**	Seat Slider	Neck Pad	Deluxe Aluminum Satin Base	Low Seat Height with 5" Travel
Extra Highback	Deluxe Synchro-Tilt (DST)	50312	1,092	1,129	1,157	1,197	1,251	1,341	1,453	1,572	1,651	1,731	1,971	22	39	28	28	57	107	79	28	79	50											
Extra Highback	Deluxe Synchro-Tilt (DST2)	50318	1,176	1,213	1,241	1,281	1,335	1,425	1,537	1,656	1,735	1,815	2,055	22	39	28	28	57	107	79	28	79	50											
Extra Highback	Deluxe Tilt J-Bar (DJ)	50380	1,049	1,086	1,114	1,154	1,208	1,298	1,410	1,529	1,608	1,688	1,928	22	39	28	28	57	107	79	28	79	50											
Extra Highback	Value Plus (VP)	50390	1,081	1,118	1,146	1,186	1,240	1,330	1,442	1,561	1,640	1,720	1,960	22	39	28	28	57	107	INCL	28	79	50											

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.
 "LS" options not compatible when the options of DAS/LH/LC are selected.

+ Arm Option Codes/Prices

NA No Arm +\$0	AT Adjustable T Arm +\$63	4D 4 Dimensional Arm +\$100 Available with AWK or AWL	MF Multi-Functional Arm +\$150 (width adjustment incl.) See page 18.	TW Twister Arm +\$158
-----------------------------	--	---	---	------------------------------------

1. Model Code Please fill in the boxes below.

50

 –

3

 – –

Series	Back Style	Control	Arm
50 THERAPOD® Basic	3 Extra Highback	12 Deluxe Synchro Tilt	NA No Arm
		18 Deluxe Synchro Tilt w/Back Angle	ATD Adjustable T/push button/diamond arm cap
		80 Deluxe Tilt J-Bar	ATK Adjustable T/push button/kidney arm cap
		90 Value Plus	ATO Adjustable T/push button/oval arm cap

4D
4 Dimensional Arm
MF
Multi-functional Arm
TW
Twister Arm

2. Options Code

 –
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

 Please refer to Allseating fabric cards for fabric codes.

Features


- 3 1/2" or 5 1/2" Cylinder (depending on options selected)
- Composite base
- For arm features and travel specifications See Page 18
- Carpet Casters

Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72HR 72HR Express, see page 4 & 5





THERAPOD® Therapist Highback


Overall: 40.5"-44"H, 28"W, 28"D
 Seat: 16.5"-20"H, 20"W, 18"D
 Back: 24"H, 17"W
 COM: 1.75 yds.

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											Option Code									
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	72HR EXPRESS									
														AWK	AWL	H	G	P	RP	SS	NP	DAS	LS
Highback	Deluxe Synchro-Tilt (DST)	50112	1,038	1,070	1,094	1,128	1,175	1,251	1,347	1,449	1,517	1,586	1,791	22	39	28	28	57	107	79	28	79	50
Highback	Deluxe Synchro-Tilt (DST2)	50118	1,122	1,154	1,178	1,212	1,259	1,335	1,431	1,533	1,601	1,670	1,875	22	39	28	28	57	107	79	28	79	50
Highback	Deluxe Tilt J-Bar (DJ)	50180	995	1,027	1,051	1,085	1,132	1,208	1,304	1,406	1,474	1,543	1,748	22	39	28	28	57	107	79	28	79	50
Highback	Value Plus (VP)	50190	1,027	1,059	1,083	1,117	1,164	1,240	1,336	1,438	1,506	1,575	1,780	22	39	28	28	57	107	INCL	28	79	50

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.
 "LS" options not compatible when the options of DAS/LH/LC are selected.

+ Arm Option Codes/Prices

NA No Arm +\$0		AT Adjustable T Arm +\$63		4D 4 Dimensional Arm +\$100 Available with AWK or AWL		MF Multi-Functional Arm +\$150 (width adjustment incl.) See page 18.		TW Twister Arm +\$158
-----------------------------	---	--	---	---	---	---	---	------------------------------------

1. Model Code Please fill in the boxes below.

50

 –

1

 – –

Series	Back Style	Control	Arm
50 THERAPOD® Therapist	1 Highback	12 Deluxe Synchro Tilt	NA No Arm
		18 Deluxe Synchro Tilt w/Back Angle	ATD Adjustable T/push button/diamond arm cap
		80 Deluxe Tilt J-Bar	ATK Adjustable T/push button/kidney arm cap
		90 Value Plus	ATO Adjustable T/push button/oval arm cap

2. Options Code

 –

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features



- 3 1/2" or 5 1/2" Cylinder (depending on options selected)
- Composite base
- For arm features and travel specifications See Page 18
- Carpet Casters

Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.


Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72HR 72HR Express, see page 4 & 5




TUCK™ Stacker



Stacker No Arm
 Overall: 32.25"H, 21.5"W, 23"D
 Seat 18", 17.25"W, 18"D
 Back 14.25"H, 18.5"W
 COM 0.75 yd.

Stacker with Arm
 Overall: 32.25"H, 24.25"W, 23"D

Design: Todd Yetman



Model	Control	Model Code	Model List Price											+ Option Code						
			Polypropylene Seat and Back	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	NG	FG	GG	GB	CLP	CLU
Tuck™	N/A	11050	198	258	274	286	303	326	365	413	464	498	532	635	N/C	13	10	10	48	71

+ Arm Option Codes/Prices

NA
 No Arm
 + \$0



WA
 With Arm
 + \$50

Model Code/Price



Tuck Dolly-35
 Overall: 15"H, 25.5"W, 30"D
 + \$363

1. Model Code Please fill in the boxes below.

11

Series
 11
 TUCK™

0

Back Style
 0
 Midback

50

Leg
 50
 Stackable
 Sled Base

Arm
 NA
 No Arm
 WA
 With Arm

Frame Finish
 BK
 Black
 CM
 Chrome

Polypropylene
 Seat and Back

BK 72H
 Black

AP 72H
 Aspen

GR 72H
 Graphite

FL
 Flame

BS
 Blue Sky

SL
 Spring Leaf

TI
 Titanium

PR
 Poppy Red

CB
 Cobalt Blue

2. Options Code

Please refer to Option Code
 as listed in the above chart.

3. Fabric Code

US

Upholstered
 Seat
 US
 Upholstered
 Seat

Leather and vinyl upholstered seat
 not recommended for this product
 in stacking applications.

Please refer to
 Allseating fabric cards
 for fabric codes.

Features

- Standard Polycarbonate Glide
- Polypropylene Seat and Back
- Upholstered Seat Option
- Custom Upholstery Bumper to protect Upholstered Seat when Stacked.
- Polypropylene Armcaps
- Wall-Saving designed frame

General Guideline for Glide Selection

The following information is strictly as a general guideline.

- Standard Clarified Polycarbonate: carpet, ceramic tile
- Nylon: carpet, ceramic tile, concrete, vinyl, VCT, rubber
- Felt Covered Glides: hardwood, marble

Samples glides are available upon request to aid the customer in their selection (contact Customer Service).

Note

Ganging Glides are factory installed, Armless version only.

Ganging Brackets shipped separately: Requires Installation.

Stacks 35 High on Dolly / Dimension: 73.5"H, 26"W, 42"D.

Stacks 18 High with Upholstered seats on Dolly

Stacks 12 on the Floor / Dimension: 43"H, 34"D.

Stacks 6 on the floor with Upholstered seats.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



SpecAll,
www.allseating.com/specall



For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.



72HR Express,
 see page 4 & 5





TUCK™ Counter & Bar Stool


Counter Stool No Arm

Overall: 39.75"H, 23.5"W, 26"D
 Seat: 25", 17.25"W, 19"D
 Back: 14.75"H, 18.5"W
 COM: 0.75 yd.

Bar Stool No Arm

Overall: 45.75"H, 24.5"W, 27.5"D
 Seat: 31"H, 17.25"W, 19"D

Design: Todd Yetman

	Model	Control	Model Code	Model List Price												+ Option Code					
				Polypropylene Seat and Back	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	NG	FG	GG	GB	CLP	CLU
	Tuck™ Counter Stool	N/A	11053	435	495	511	523	540	563	602	650	701	735	769	872	N/C	13	10	10	48	71
	Tuck™ Bar Stool	N/A	11056	465	525	541	553	570	593	632	680	731	765	799	902	N/C	13	10	10	48	71

+ Arm Option Codes/Prices

NA
No Arm
+\$0

WA
With Arm
+\$50

1. Model Code Please fill in the boxes below.

11	—	0	—		—		—		—	
Series 11 TUCK™		Back Style 0 Midback		Leg 53 Counter Stool 56 Bar Stool		Arm NA No Arm WA With Arm		Frame Finish BK Black CM Chrome		Polypropylene Seat and Back BK Black AP Aspen GR Graphite FL Flame BS Blue Sky SL Spring Leaf

2. Options Code

—

Please refer to Option Code as listed in the above chart.

3. Fabric Code

US —

Upholstered Seat
US
Upholstered Seat

Please refer to Allseating fabric cards for fabric codes.

Leather and vinyl upholstered seat not recommended for this product in stacking applications.

Features

- Standard Polycarbonate Glide
- Polypropylene Seat and Back
- Upholstered Seat Option
- Polypropylene Armcaps
- Stacks 5 units on the Floor;
4 units with upholstered seat.

General Guideline for Glide Selection

The following information is strictly as a general guideline.

- Standard Clarified Polycarbonate: carpet, ceramic tile
- Nylon: carpet, ceramic tile, concrete, vinyl, VCT, rubber
- Felt Covered Glides: hardwood, marble

Samples glides are available upon request to aid the customer in their selection (contact Customer Service).

Note


Ganging Glides are factory installed, Armless version only.

Ganging Brackets shipped separately: Requires Installation.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

Ships 1-4 units per Box.






TWIST™ Multi-Purpose Collaborative Chair

Overall: 36"H, 28"W, 28"D
 Seat: 16.5"-20"H, 19"W, 18.25"D
 Back: 19.5"H, 18"W
 COM: 1.75 yd.

Design: Allseating Design Team



Model	Control	Model Code	Model List Price												+ Option Code			
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	H	LH	HAB	CL	
TWIST™	Swivel-Tilt (T)	27020	516	548	572	606	653	729	825	927	995	1,064	1,269	28	30	60	90	

*Extended lead times apply to CAL TB133.

1. Model Code Please fill in the boxes below.

27

0

20

TCA

Series

Back Style

Control

Arm

Arm Frame Finish

27

0

20

TCA

BK

TWIST™

Midback

Swivel Tilt

Twist Conference Arm

Black

SIL

CM

+

 \$110

Silver

Chrome

2. Options Code

—

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 3 1/2" Cylinder
- Black TVO Nylon Base
- Black Polyurethane Arm Caps
- Carpet Casters


Note


All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

To order Follow these simple steps.





TWIST™ Upholstered Side

Overall: 33.75"H, 24"W, 25"D
 Seat: 17.75"H, 17.75"W, 17.75"D
 Back: 16"H, 19"W
 COM: 1.25 yd.

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											Option Code
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	
TWIST™	N/A	27754 WA	386	412	432	461	500	564	644	729	785	842	1,014	CL CAL TB133 90

*Extended lead times apply to CAL TB133.

1. Model Code Please fill in the boxes below.

27

7

54

WA

Series

27
TWIST™

Back Style

7
Upholstered Back

Leg

54
4 Leg

Arm

WA
With Arm

Arm Frame Finish

BK 72R
Black

SIL 72R
Silver

CM
Chrome
+ \$80

2. Options Code

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- Upholstered Back and Seat
- Black Molded Arms
- Black non-marring glides
- Wall-Saving designed frame


Note

Stacks 2 on the Floor

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

To order Follow these simple steps.



72HR 72HR Express, see page 4 & 5





VIVA™ Task

Overall: 38.5"-42"H, 28"W, 28"D
 Seat: 16.5"-20"H, 19"W, 18.25"D
 Back: 22"H, 16.4"W
 COM: 0.75 yd.

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											Option Code
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	
VIVA Midback	Intuitive Synchro	49045-VA	757	773	785	802	825	864	912	963	997	1,031	1,134	CL CAL TB133 90

*Extended lead times apply to CAL TB133.



Arm Height Adjustment

To adjust the arm height, push the button inwards and move the arm to the desired height. Release the button to lock in place.



Arm Cap Depth Adjustment

To adjust the armcap depth, push the cap button inwards and move to desired depth. Release the button to lock in place.

1. Model Code Please fill in the boxes below.

<input type="text" value="49"/>	—	<input type="text" value="0"/>	—	<input type="text" value="45"/>	—	<input type="text" value="VA"/>	—	<input type="text" value="VBLK"/>
Series		Back Style		Leg		Arm		Back Mesh
49		0		45		VA		VBLK
VIVA™		Midback		Intuitive Synchro		Viva Arm		Black

2. Options Code

<input type="text"/>	—	<input type="text"/>
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

<input type="text"/>
Please refer to Allseating fabric cards for fabric codes.

Features

- Upholstered Seat
- Black Nylon Base
- Black Mesh Back
- VA Arms adjustable 3" height; and 2" in Armcap depth
- Carpet Casters


Note

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

To order Follow these simple steps.



72HR Express, see page 4 & 5





YOU™ Highback

Overall: 42.5"-46"H, 28"W, 28"D
 Seat: 16.5"-20"H, 21"W, 20"D
 Back: 26"H, 18.75"W
 COM: 0.75 yd.

Design: Allseating Design Team

			Model List Price												+ Option Code							
Model	Control	Model Code													72 ^{HR} EXPRESS							
			Mesh Seat and Mesh Back	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	HAB	LH	OHC	OHH	SS	MED	LS
Highback	Deluxe Synchro Tilt (DST)	84112	1,086	976	992	1,004	1,021	1,044	1,083	1,131	1,182	1,216	1,250	1,353	22	60	30	60	90	79	N/C	50

LS Option not available when LH, HAB, OHC, OHH are selected.

Arm Option Codes/Prices

	NA No Arm +\$0		YCA Conference Arm +\$214 AW not applicable Not applicable w/Mesh Seat		T2 Task 2 Arm +\$79		4D 4 Dimensional Arm +\$100		MF Multi-Functional Arm +\$150 (width adjustment incl.) See page 18.		TW Twister Arm +\$174
--	-----------------------------	--	---	--	----------------------------------	--	--	--	---	--	------------------------------------

1. Model Code Please fill in the boxes below.

84	—	1	—	12	—		—		—	
Series		Back Style		Control		Arm		Back Mesh		Seat Mesh
84		1		12		NA		Closed Mesh		Closed Mesh
You™		Highback		Deluxe Synchro Tilt		No Arm		7CB 72^{HR}		7CS
						YCA		Black/White		Black/White
						Conference Arm		+\$39		+\$26

2. Options Code

<input type="text"/>	—	<input type="text"/>
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

<input type="text"/>
Please refer to Allseating fabric cards for fabric codes.

Open Mesh	Open Mesh	Open Mesh	Back Frame Finish
60B	70B	60S	BK
Sandstone	Dark Grey	Sandstone	Black Aluminum
Not available with Mesh Seat		Not available with Mesh Seat	
80B	10HCB	70S	AL
Herbal Green	Black Honey Comb	Dark Grey	Polished Aluminum
		Not available with Mesh Seat	+\$90
10HCB		80S	
Black Honey Comb		Herbal Green	
		Not available with Mesh Seat	
50B		10HCS	
Silica		Black Honey Comb	
Not available with Mesh Seat			

Features

- Aluminum Back Frame
- 3 1/2" Cylinder
- Black TVO Nylon Base
- Molded Seat Foam
- Innovative Back Suspension
- Lumbar Dial and Back Height Support of 3.54"
- Optional mesh Seat (20"W X 18"D)
- For arm features and travel specifications See Page 18.

Note



†Composite base will be substituted if these options are selected.

YCA Conference Arm is standard polished aluminum shroud.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





YOU™ Midback

Overall: 38.5"-42"H, 28"W, 28"D
 Seat: 16.5"-20", 20"W, 18"D
 Back: 22"H, 18.75"W
 COM: 0.75 yd.

Design: Allseating Design Team

Model	Control	Model Code	Model List Price											Option Code									
			Mesh Seat and Mesh Back	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Brackets (Knob)	High Profile Aluminum Base with 65mm (2.5") Casters	65mm (2.5") Hard Surface Casters	OH Carpet Casters	OH Hard Surface Casters	Seat Sliders	Full Seat (21"W x 20"D)	Low Seat Height with 5" Travel	CAL TB133
			1,063	953	969	981	998	1,021	1,060	1,108	1,159	1,193	1,227	1,330	AWK	HAB	LH	OHC	OHH	SS	FS	LS	CL
Midback	Deluxe Synchro Tilt (DST)	84012													22	60	30	60	90	79	N/C	50	90

LS Option not available when LH, HAB, OHC, OHH are selected.
 CL available with upholstered seat only with 10B Mesh.

+ Arm Option Codes/Prices

	NA No Arm +\$0		YCA Conference Arm +\$214 AW not applicable		T2 Task 2 Arm +\$79		4D 4 Dimensional Arm +\$100		MF Multi-Functional Arm +\$150 (width adjustment incl.) See page 18.		TW Twister Arm +\$174
--	-----------------------------	--	---	--	----------------------------------	--	--	--	---	--	------------------------------------

1. Model Code Please fill in the boxes below.

84	—	0	—	12	—		—		—		—	
Series		Back Style		Control		Arm		Back Mesh		Open Mesh		Seat Mesh
84		0		12		NA		Closed Mesh				Closed Mesh
You™		Midback		Deluxe Synchro Tilt		No Arm		7CB 72^{HR}		60B		Black/White
						YCA		Black/White		Not available with Mesh Seat		Black/White
						Conference Arm		+\$39				+\$26
						T2		Open Mesh		70B		Open Mesh
						Task 2 Arm		10B 72^{HR}		Dark Grey		60S
						4D		Ebony		Not available with Mesh Seat		Sandstone
						4 Dimensional Arm		20B		Herbal Green		Not available with Mesh Seat
						TW		Cobalt		10HCB		70S
						Twister Arm		50B		Black Honey Comb		Dark Grey
						MF		Silica		50S		Not available with Mesh Seat
						Multi-functional Arm		Not available with Mesh Seat		Silica		80S
										Not available with Mesh Seat		Herbal Green
												Not available with Mesh Seat
												10HCS
												Black Honey Comb

2. Options Code

—

Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- Aluminum Back Frame
- 3 1/2" Cylinder
- Black TVO Nylon Base
- Molded Seat Foam
- Innovative Back Suspension
- Lumbar Dial and Back Height Support of 3.54"
- Optional mesh Seat (20"W X 18"D)
- For arm features and travel specifications see page 19.

Note



¹Composite base will be substituted if these options are selected.

YCA Conference Arm is standard polished aluminum shroud.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72^{HR} 72HR Express, see page 4 & 5






Special
Introductory
Offer

YOU TOO™ Midback

Overall: 39.25"-42.75"H, 28"W, 28"D
Seat: 17.75"-21.25"H, 20"W, 18"D
Back: 22"H, 17"W
COM: 0.75 yd.

Design: Allseating Design Team

	Model List Price														+ Option Code						
	Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	LH	OHC	OHH	SS	LS	BHA
Midback	Synchro Tilt (ST)	85040	699	715	727	744	767	806	854	905	939	979	1,076	22	30	60	90	79	50	86	N/C

+ Arm Option Codes/Prices

NA
No Arm
+\$0

T2
Task 2 Arm
+\$79

4D
4 Dimensional Arm
+\$100

1. Model Code Please fill in the boxes below.

85	0	40			
Series	Back Style	Control	Arm	Back Mesh	Frame Finish
85	0	40	NA	<u>Closed Mesh</u>	BKN
YOU TOO™	Midback	Synchro Tilt	No Arm	7CB Black/White +\$39	Black Nylon
			T2	<u>Open Mesh</u>	SKN*
			Task 2 Arm	60B Sandstone	Smoke Nylon
			4D	70B Dark Gray	*Available Spring 2015.
			4 Dimensional Arm	80B Herbal Green	
			Smoke Finish available for T2 only	10HCB Black Honey Comb	
				50B Silica	

2. Options Code

Please refer to Option Code as listed in the above chart.	

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- Nylon Base and back frame
- 3½" Cylinder
- Molded Seat Foam
- Innovative Back Suspension
- Optional Back Height Adjustment.


Note

*Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.






YOU™ Midback Stool


Overall: 42-50"H, 28"W, 28"D
 Seat: 20"-28"H, 20"W, 18"D
 Back: 22"H, 17"W
 COM: 0.75 yds.

Design: Allseating Design Team

	Model List Price														+ Option Code					
	Model	Control	Model Code	Mesh Seat and Mesh Back	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	H	G	SS	FS
Midback	Basic Stool	84019	1,118	1,008	1,024	1,036	1,053	1,076	1,115	1,163	1,214	1,248	1,282	1,385	22	28	28	79	N/C	90

CL available with upholstered seat only.

+ Arm Option Codes/Prices



1. Model Code Please fill in the boxes below.

84	0	19				
Series	Back Style	Control	Arm	Back Mesh	Seat Mesh	Back Frame Finish
84	0	19	NA	<u>Closed Mesh</u>	<u>Closed Mesh</u>	BK
You™	Midback	Basic Stool	No Arm	7CB	7CS	Black Aluminum
			T2	Black/White	Black/White	
			Task 2 Arm	+\$39	+\$26	

2. Options Code

Please refer to Option Code as listed in the above chart.	

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Open Mesh

10B
Ebony

20B
Cobalt

50B
Silica
Not available with Mesh Seat

Open Mesh

60B
Sandstone
Not available with Mesh Seat

70B
Dark Gray

80B
Herbal Green

10HCB
Black Honey Comb

Open Mesh

10S
Ebony

20S
Cobalt

50S
Silica
Not available with Mesh Seat

Open Mesh

60S
Sandstone
Not available with Mesh Seat

70S
Dark Gray

80S
Herbal Green
Not available with Mesh Seat

10HCS
Black Honey Comb

AL

Polished Aluminum
+\$90

Features


- 8" Cylinder
- Composite base
- For arm features and travel specifications see page 19.

specall

SpecAll,
www.allseating.com/
specall



Ships Knocked Down,
see page 24



ZIP™ Black Leather - Instock Program

Design: Allseating Design Team

Highback

 Overall: 44"-48"H, 28"W, 28"D
 Seat: 18"-22"H, 19"W, 17"D
 Back: 27.5"H, 18.5"W

Midback

 Overall: 38"-42"H, 28"W, 28"D
 Seat: 18"-22"H, 19"W, 17"D
 Back: 21.5"H, 18.5"W

Model List Price

Model	Control	Model Code	
Midback w/Conference Arm	Synchronized Tilt (ST)	94040 CA	802
Midback w/Task Arm	Synchronized Tilt (ST)	94040 WA	802
Highback w/Conference Arm	Synchronized Tilt (ST)	94140 CA	868

+ Arm Option Codes/Prices


CA

Conference Arm


WA

Zip Arm

 Available with
Midback chair only

1. Model Code Please fill in the boxes below.

94

Series

94

 ZIP™
Black Leather
instock Program

Back Style

0

 Midback
1
Highback

40

Control

40

Synchro Tilt

Arm

CA

 Conference
Arm

WA

Task Arm

BA

Arm Pad

BA

Black

2. Fabric Code

BL

Instock Program

BL

Zip Black Leather

To order Follow these simple steps.

Features

- 4" Cylinder
- Aluminum base
- Aluminum Conference Arms
- Task Arm adjustable 3" Height
- Carpet Casters

Note

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

 SpecAll,
www.allseating.com/
specall

 Ships Knocked Down,
see page 24

72HR

 72HR Express,
see page 4 & 5




ZIP™ Fully Upholstered Midback

Overall: 38"-41.5"H, 28"W, 28"D
 Seat: 16.5"-20"H, 19"W, 17"D
 Back: 21.5"H, 18.5"W
 COM: 2.0 yds

NEW! NYLON BASE IS NOW THE STANDARD BASE.

Model	Control	Model Code	Model List Price												+ Option Code											
															72H EXPRESS											
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	Aluminum Base with 65mm (2.5") Casters	65mm (2.5") Carpet Casters	65mm (2.5") Hard Surface Casters	Hard Surface Casters	Pressure Braking Casters*	Reverse Pressure Braking Casters**	Seat Slider	Ergonomic Small Seat (15.5" x 19")	Low Seat Height with 5" Travel	CAL TB133	
Midback	Synchronized Tilt (ST)	92040	611	643	667	701	748	824	920	1,022	1,090	1,159	1,364	22	39	60	30	30	28	57	107	79	N/C	50	141	

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.
 "LS" option not compatible when the options of HAB/LC/LH are selected

+ Arm Option Codes/Prices

	NA No Arm +\$0		CA Conference Arm +\$60 AW not applicable		WA Task Arm +\$60		T2 Task 2 Arm +\$79 Available with AWK or AWL		4D 4 Dimensional Arm +\$100 Available with AWK or AWL		MF Multi-Functional Arm +\$150 (width adjustment incl.)		TW Twister Arm +\$174
--	-----------------------------	--	---	--	--------------------------------	--	---	--	---	--	---	--	------------------------------------

1. Model Code Please fill in the boxes below.

<div>92</div>	–	<div>0</div>	–	<div>40</div>	–	<div></div>	–	<div></div>
Series		Back Style		Control		Arm		Arm Pad
92 ZIP™ Fully Upholstered		0 Midback		40 Synchro Tilt		NA No Arm TW Twister Arm		BA Black
						CA Conference Arm		C1 Upholstered Cap +\$50.00 (Conference Arm Only) add 0.25 yds.
						WA Task Arm		
						T2 Task 2 Arm		
						4D 4 Dimensional Arm		
						MF Multi-functional Arm		

2. Options Code

<div></div>	–	<div></div>

Please refer to Option Code as listed in the above chart.

3. Fabric Code

<div></div>

Please refer to Allseating fabric cards for fabric codes.

Features

- 3 1/2" Cylinder
- Nylon Base
- Task Arm Adjustable 3" height (width adjustment optional)
- For arm features and travel specifications See Page 18
- Carpet Casters



Note


*Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





ZIP™ Fully Upholstered Highback

Overall: 44"-47.5"H, 28"W, 28"D
 Seat: 16.5"-20"H, 19"W, 17"D
 Back: 27.5"H, 18.5"W
 COM: 2.75 yds

NEW! NYLON BASE IS NOW THE STANDARD BASE.

			Model List Price											+ Option Code											
Model	Control	Model Code												72H EXPRESS											
			Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	Aluminum Base with 65mm (2.5") Casters	65mm (2.5") Carpet Casters	65mm (2.5") Hard Surface Casters	Hard Surface Casters	Pressure Casters	Casters* Braking	Reverse Pressure Braking Casters**	Seat Slider	Low Seat Height with 5" Travel†	CAL TB133
AWK	AWL	HAB	LC	LH	H	P	RP	SS	LS	CL															
Highback	Synchronized Tilt (ST)	92140	667	720	760	817	895	1,022	1,182	1,352	1,466	1,580	1,922	22	39	60	30	30	28	57	107	79	50	141	

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.

**RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

+ Arm Option Codes/Prices

	NA No Arm +\$0		CA Conference Arm +\$60 AW not applicable		WA Task Arm +\$60		T2 Task 2 Arm +\$79 Available with AWK or AWL		4D 4 Dimensional Arm +\$100 Available with AWK or AWL		MF Multi-Functional Arm +\$150 (width adjustment incl.)		TW Twister Arm +\$174
--	-----------------------------	--	---	--	--------------------------------	--	---	--	---	--	---	--	------------------------------------

1. Model Code Please fill in the boxes below.

<div>92</div>	–	<div>1</div>	–	<div>40</div>	–	<div></div>	–	<div></div>
Series		Back Style		Control		Arm		Arm Pad
92 ZIP™ Fully Upholstered		1 Highback		40 Synchro Tilt		NA No Arm TW Twister Arm		BA Black
						CA Conference Arm		C1 Upholstered Cap +\$50.00 (Conference Arm Only) add 0.25 yds.
						WA Task Arm		
						T2 Task 2 Arm		
						4D 4 Dimensional Arm		
						MF Multi-functional Arm		

2. Options Code

<div></div>	–	<div></div>

Please refer to Option Code as listed in the above chart.

3. Fabric Code

<div></div>

Please refer to Allseating fabric cards for fabric codes.

Features

- 3 1/2" Cylinder
- Nylon Base
- Task Arm Adjustable 3" height (width adjustment optional)
- For arm features and travel specifications See Page 18
- Carpet Casters


Note

*Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.


Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.






ZIP™ Upholstered Stool

Overall:	42.5"-50.5"H, 28"W, 28"D
Seat	21"-29"H, 19"W, 17"D
Back	21.5"H, 18.5"W
COM	2.0 yds

	Model List Price													+ Option Code									
														72H EXPRESS									
	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	Hard Surface Casters	Glides	Pressure Braking Casters*	Reverse Pressure Braking Casters**	10" Stool Package	Ergonomic Small Seat (15.5" x 19")	CAL TB133			
Model	Control	Model Code																					
Upholstered Stool	Basic Stool (B2)	92019	666	698	722	756	803	879	975	1,077	1,145	1,214	1,419	22	39	28	28	57	107	34	N/C	141	

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

⊕ Arm Option Codes/Prices



1. Model Code Please fill in the boxes below.

92	—	0	—	19	—	
Series		Back Style		Control		Arm
92		0		19		NA
ZIP™		Midback		Basic Stool		No Arm
						WA
						Task Arm
						T2
						Task 2 Arm
						4D
						4 Dimensional Arm

2. Options Code

□ — □
Please refer to Option Code
as listed in the above chart.

3. Fabric Code

Please refer to Allseating
fabric cards for fabric codes.

Features

- 8" Cylinder
- Composite base
- Upholstered Seat and Back
- Task Arm Adjustable 3" height (width adjustment optional)
- For arm features and travel specifications See Page 18
- Carpet Casters

Note

10" Stool Package: Seat: 23"-33"H

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



SpecAll,
[www.allseating.com/
specall](http://www.allseating.com/specall)



Ships Knocked Down,
see page 24


72^{HR} 72HR Express,
see page 4 & 5



ZIP™ Mesh Back

Overall: 38"-41.5"H, 28"W, 28"D
 Seat: 16.5"-20"H, 19"W, 17"D
 Back: 21.5"H, 18.5"W
 COM: 1.0 yds

NEW! NYLON BASE IS NOW THE STANDARD BASE.

			Model List Price											+ Option Code											
	Model	Control	Model Code												72H EXPRESS										
				Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	Adjustable Width Bracket (Knob)	Adjustable Width Bracket (Lever)	Aluminum Base with 65mm (2.5") Casters	65mm (2.5") Carpet Casters	65mm (2.5") Hard Surface Casters	Hard Surface Casters	Pressure Braking Casters*	Reverse Pressure Braking Casters**	Seat Slider	Ergonomic Small Seat (15.5" x 19")	Low Seat Height with 5" Travel
Midback	Synchronized Tilt (ST)	95040	611	632	648	671	702	753	817	885	931	976	1,113	22	39	60	30	30	28	57	107	79	N/C	50	90

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.
 "LS" option not compatible when the options of HAB/LC/LH are selected

Arm Option Codes/Prices

	NA No Arm +\$0		CA Conference Arm +\$60 AW not applicable		WA Task Arm +\$60		T2 Task 2 Arm +\$79 Available with AWK or AWL		4D 4 Dimensional Arm +\$100 Available with AWK or AWL		MF Multi-Functional Arm +\$150 (width adjustment incl.)		TW Twister Arm +\$174
--	-----------------------------	--	---	--	--------------------------------	--	---	--	---	--	---	--	------------------------------------

1. Model Code Please fill in the boxes below.

<div>95</div>	–	<div>0</div>	–	<div>40</div>	–	<div></div>	–	<div>BA</div>	–	<div></div>
Series		Back Style		Control		Arm		Arm Pad		Arm Pad
95 ZIP™ Mesh Back		0 Midback		40 Synchro Tilt		NA No Arm TW Twister Arm		BA Black		HM Horizontal Mesh SM Sheer Latitude Mesh
						CA Conference Arm WA Task Arm T2 Task 2 Arm 4D 4 Dimensional Arm MF Multi-functional Arm				

2. Options Code

<div></div>	–	<div></div>
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

<div></div>
Please refer to Allseating fabric cards for fabric codes.

Features

- 3 1/2" Cylinder
- Nylon Base
- Task Arm Adjustable 3" height (width adjustment optional)
- For arm features and travel specifications See Page 18
- Carpet Casters


Note

*Composite base will be substituted if these options are selected.

All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72HR 72HR Express, see page 4 & 5






ZIP™ Mesh Stool

Overall: 42.5"-41.5"H, 28"W, 28"D
 Seat: 16.5"-20"H, 19"W, 17"D
 Back: 21.5"H, 18.5"W
 COM: 1.0 yds

Model List Price

Option Code

	72HR EXPRESS																						
	Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3	AWK	AWL	H	G	P	RP	10	ZES	CL
Mesh Stool	Basic Stool (B2)	95019	666	687	703	726	757	808	872	940	986	1,031	1,168	22	39	28	28	57	107	34	N/C	90	

*P – Pressure Braking Casters - Casters allow the chair to roll only when someone is sitting in the chair.
 **RP – Reverse Braking Casters - Casters allow the chair to roll only when someone is not in the chair.

Arm Option Codes/Prices

NA
No Arm
+\$0

WA
With Arm
+\$60

T2
Task 2 Arm
+\$79
Available with
AWK or AWL

4D
4 Dimensional Arm
+\$100
Available with AWK
or AWL

1. Model Code Please fill in the boxes below.

95 – **0** – **19** – **BA** – **HM**
 Series Back Style Control Arm Arm Pad Arm Pad
 95 ZIP™ Mesh Back 0 Midback 19 Basic Stool NA No Arm BA Black HM Horizontal Mesh
 WA Task Arm SM Sheer Latitude Mesh
 T2 Task 2 Arm
 4D 4 Dimensional Arm

2. Options Code

–
 Please refer to Option Code as listed in the above chart.

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

Features

- 8" Cylinder
- Composite base
- Upholstered Seat and Back
- Task Arm Adjustable 3" height (width adjustment optional)
- For arm features and travel specifications See Page 18
- Carpet Casters




Note

10" Stool Package: Seat: 23"-33"H


All other features are dependant on the control specified. Please refer to Control Choice on page 8 to 16 for full description of available features.

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



ZIP™ Mesh Side


No Arm

Overall: 34"H, 22.5"W, 24"D
 Seat: 17.5"H, 18.75"W, 17.25"D
 Back: 16.5"H, 19"W
 COM: 1.0 yd.

With Arm

Overall: 34.5"H, 23"W, 24"D

Design: Allseating Design Team

Model List Price

Model	Control	Model Code	Group 1/COM	Group 2	Group 3	Group 4/COL	Group 5	Group 6	Group 7	Group 8	Leather 1	Leather 2	Leather 3
ZIP Mesh Side	N/A	95054	428	444	456	473	496	535	583	634	668	702	805

+ Arm Option Codes/Prices

NA No Arm +\$0	WA With Arm +\$42
-----------------------------	--------------------------------

1. Model Code Please fill in the boxes below.

95	—	0	—	54	—		—		—	
Series		Back Style		Leg		Arm		Arm / Frame Finish		Arm Pad
95		0		54		NA		BK 72 ^{HR}		HM
ZIP™		Midback		4 Leg		No Arm		Black		Horizontal Mesh
Mesh Back						WA		SIL 72 ^{HR}		SM
						With Arm		Silver		Sheer Latitude Mesh
								CM		
								+ Chrome		
								\$80		

2. Options Code

	—	
Please refer to Option Code as listed in the above chart.		

3. Fabric Code

Please refer to Allseating fabric cards for fabric codes.

To order Follow these simple steps.

Features


- Black Mesh Back
- Upholstered Seat
- Black non-marring glides
- Wall-saving designed frame

Note

Stacks 2 on the Floor

This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 325 lbs.

Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



72^{HR} 72HR Express, see page 4 & 5



Conditions of Sale

Pricing

Allseating reserves the right to change published prices without notice. Prices in effect at the time of the order acceptance shall apply. All applicable taxes are extra. All prices in this catalog are list.

Order Acceptance

Orders will be accepted through all authorized Allseating Dealers upon issuance of a written purchase order on letterhead or purchase order of the customer being invoiced. Faxed orders or orders by email (orders@allseating.com) are acceptable, no verbal orders will be accepted. All purchase orders must contain a valid signature.

Order Cancellation

Orders which have been acknowledged are considered firm. In the event a cancellation request is accepted by Allseating, restocking charges may be incurred up to 100% of the order depending on the stage of production.

Credit Terms

Terms are net 30 days O.A.C. Terms are subject to change and review based upon performance. Customers are required to provide a completed signed Dealer Application for the purpose of updating or setting up an account. All payments should be made to Allseating.

Packaging and Shipping

As a standard, all products are shipped in knocked down condition, in a box.

Assembled Chairs

On special request and at an upcharge, chairs may be shipped assembled (except base and cylinder). For assembled and fully assembled blanket wrapped products, contact customer service for details. Please note that minimum quantity guidelines will apply.

Freight Policy

Allseating reserves the right to use its own or commercial carriers for the "best way" to ship, at its sole discretion. Normal delivery is dock to dock. **Special requests such as inside delivery, specific delivery dates and times, residential delivery, etc. are subject to additional charges. All additional charges will be the responsibility of the consignee.** Allseating reserves the right to charge for freight services over and above standard "best way" delivery. Delivered pricing is based on shipment to the 48 U.S. contiguous states and Canada excluding N.W.T., YK, and NU. For shipments to other destinations, we reserve the right to add a surcharge.

Qualifications For Delivered Pricing

Please call your Allseating Sales Representative for your qualifications for delivered pricing.

Loss / Damage Liability

Every effort is undertaken to effect secure packaging; however, our liability ends when the carrier issues a

clear receipt acknowledging that the shipment has been received in good condition. The carrier is then liable for loss or delay or damage. Signing for a shipment without noting damage or deficiencies absolves Allseating of further responsibility and a freight claim will have to be made by the customer.

NOTE: A packing slip signed by the carrier for pick-up at Allseating Warehouse constitutes "Clear Receipt" and absolves Allseating of further responsibility for damage or loss or delay.

Any claim submitted for freight damage must be done within 7 days of receiving the products. Any claims after that time may not be covered under our warranty. If the packaging arrives visibly damaged, then waybill should be signed as "subject to inspection" or "damage noticed".

Specifications

Allseating reserves the right to institute changes to materials, specifications and designs, or to discontinue models at any time. Images and line drawings featured in the catalog may not reflect the current product offering. Components are subject to change at Allseating's discretion.

Our Parts and Labor Warranty

At Allseating, we pride ourselves on engineering products that stand up in today's demanding work environments. So if you receive a product from us that doesn't measure up to our quality standards, we promise to swiftly investigate and solve the problem.

Seating and Work Tools

Our warranty is simple. We cover all of our products and the components we use to make them – for 10 years. This includes pneumatic cylinders, foam, thermoplastics, urethanes, arm pads and mechanisms. And we pay for all preapproved labor costs.

Lighting

Allseating lighting products are covered for 1 year, assuming normal use 8 hours per day 5 days a week.

Warranty Resolution

We understand that dealing with warranties is often frustrating. So we developed a dedicated Warranty Response Team to eliminate headaches. They're specially trained to expedite warranty-related issues, so you can get back to business quickly and painlessly.

Contact our Warranty Response Team at warranty@allseating.com or toll free at 1(800) 563-3502.

Applicable Provisions to All Products and Services

Allseating products, including those designated for Multi-Shift, are warranted to be free from defects in materials and workmanship for a period of 10 years from original date of purchase. This warranty applies to all chair models and extends to original purchasers who acquire new product directly from Allseating or our authorized dealers.

During the warranty period, Allseating, at its sole discretion, will repair or replace (at its option) any product, part or component covered by this warranty that fails under normal use due to defective materials or workmanship. Allseating will repair or replace the defective product, part or component with comparable product, part or component. To be eligible for this warranty coverage, all products, parts or components must be installed, used and maintained in accordance with Allseating's published instructions and must not have been subject to misuse or abuse.

Allseating does not warrant the following:

- Normal wear and tear
- Natural variations, scars, marks or wrinkles occurring in leather
- Colourfastness of textiles
- Colour matching of textiles exactly to samples or swatches or past purchases
- COM or COL fabrics
- Products exposed to extreme environmental conditions or improper storage conditions
- Chairs used by individuals who weigh in excess of 325lbs.

Allseating's products meet the requirements of national and specific local codes as stated in the price book and other written publications. Please visit the company's website at allseating.com for further details regarding product specifications.

This document inclusively describes Allseating's warranty and remedies available with respect to the company's products and services. Allseating disclaims any other warranty whether express or implied, statutory or otherwise, in relation to the company's products and services.

To the extent allowed by law, any implied warranties, including any warranty of merchantability or fitness for a particular purpose, are disclaimed and to the extent they are legally required, are limited in duration to the duration of this written warranty.

Allseating shall not be liable for loss of time, inconvenience, commercial loss, or incidental or consequential damages.

Returns / Restock

Returns are coordinated and authorized by the Return Authorization Coordinator (RAC). Merchandise may not be returned without prior consent and a Return Authorization (RA) Number. All returns must be securely packaged and boxes clearly marked with an assigned RA number on the outside. Carrier for return goods must be specified by Allseating. Goods returned without a RA Number or by an unauthorized carrier will not be accepted. Unauthorized returned goods will be subject to a restock charge and/or a charge for any required reconditioning. Returns must be shipped prepaid, unless other arrangements have been made. Custom fabricated merchandise may not be returned.

General Information

Dimensions

The price catalog and product literature, show dimensions rounded to the nearest half inch. All dimensions are approximate and may be subject to change without notice. Dimensions are dependent on options selected. Product can be configured to comply with BIFMA G1-2002 Ergonomics Guideline. Where exact measurements are required, contact Customer Service.

Storage Policy

We will store product at our warehouse for 3 days at no charge. Any order requiring storage for a longer period will be charged at a rate of \$1.00 per day per carton. Order postponements must be received 2 weeks prior to the scheduled production time.

Fire Code

Allseating's entire line of office seating meets California Technical Bulletin 117 (CAL 117) which has been in effect since October of 1975. This is a standard by which upholstered furniture has been tested for approval to meet a minimum fire standard. Allseating's chairs can be upgraded to meet the California Technical Bulletin (CAL TB133). Additional charges of \$565 per chair series (per burn test) and lead times will apply for chairs with special configurations of COM fabrics, not already tested by Allseating.

CAL TB133

CAL TB133 is a standard of furniture flammability required by the California Bureau of Home Furnishings and Thermal Insulation for furniture used in public buildings such as Healthcare facilities, Hospitals, Hotels and Motels, Stadiums, Child Care Facilities, Convalescent Homes, Prisons and Jails.

The CAL TB133 test is a full scale fire test for furniture manufactured for the use in public buildings. The standard does not specify how to construct furniture, but only how it should perform when tested. To pass the fire standard test, a fire blocking liner is placed between the fabric and the foam of our chairs. This liner acts as a fire extinguisher by smothering the flame.

To order CAL TB133

Clearly specify CAL TB133 on your order. Please check individual series upcharge.

There is a standard 4 week lead time for CAL TB133.

ANSI/BIFMA Testing

Allseating chairs have been ANSI/BIFMA tested and approved.

Product Code Index – Allseating Collection

CODE	PAGE
TUCK™ Stacker	
11050-NA	83
11050-WA	83
11053-NA	84
11053-WA	84
11056-NA	84
11056-WA	84
Tuck Dolly -35	83
AYR™ Stacker	
14054-NA	25
14054-WA	25
Ayr Dolly -12	25
AYR™ Upholstered	
15054-NA	25
15054-WA	25
DOVE™ Stool	
16017-PY	35
16030-PY	35
RAY™ Conference	
18022-CA	75
18025-CA	75
18122-CA	75
18125-CA	75
RAY™ Task	
18025-NA	76
18025-WA	76
18125-NA	76
18125-WA	76
REQUISITE™ Conference	
21035-BCA	78
21035-SCA	78
21035-ACA	78
21035-UPH	78
21135-BCA	77
21135-SCA	77
21135-ACA	77
21135-UPH	77
TWIST™	
27020-TCA	85
27754-WA	86
RAINBOW™ Round	
33554-NA	72
33554-WA	72
33550-NA	72
33555-WA	72
Rainbow Dolly-7	72
Rainbow Dolly-14	72
RAINBOW™ Square	
33654-NA	73
33654-WA	73
33650-NA	73
33655-WA	73
Rainbow Dolly-7	73
Rainbow Dolly-14	73
RAINBOW™ Big	
33754-NA	74
33754-WA	74

CODE	PAGE
RAINBOW™ Junior	
33854-NA	74
MULTITEK™	
38050-NA	66
38050-T2	66
38050-T3	66
MULTISTACK®	
38054-NA	65
38054-WA	65
38054-WTL	65
38054-WTR	65
Multi Dolly-12	65
MULTIFLEX®	
39054-NA	64
39054-WA	64
39054-WTL	64
39054-WTR	64
Multi Dolly-12	64
M.O.™ Task	
48146-T2	63
48146-4D	63
VIVA®	
49045-VA	87
THERAPOD® Therapist	
50112-4D	82
50112-AT	82
50112-MF	82
50112-NA	82
50112-TW	82
50118-4D	82
50118-AT	82
50118-MF	82
50118-NA	82
50118-TW	82
50180-4D	82
50180-AT	82
50180-MF	82
50180-NA	82
50180-TW	82
50190-4D	82
50190-AT	82
50190-MF	82
50190-NA	82
50190-TW	82
50312-4D	81
50312-AT	81
50312-MF	81
50312-NA	81
50312-TW	81
50318-4D	81
50318-AT	81
50318-MF	81
50318-NA	81
50318-TW	81
50380-4D	81
50380-AT	81
50380-MF	81

CODE	PAGE
50380-NA	81
50380-TW	81
50390-4D	81
50390-AT	81
50390-MF	81
50390-NA	81
50390-TW	81
PRESTO® 24:7	
52011-4D	69
52011-AT	69
52011-MF	69
52011-NA	69
52011-TW	69
PRESTO® Task	
52017-4D	68
52017-AT	68
52017-MF	68
52017-NA	68
52017-TW	68
52020-4D	68
52020-AT	68
52020-MF	68
52020-NA	68
52020-TW	68
52030-4D	68
52030-AT	68
52030-MF	68
52030-NA	68
52030-TW	68
52040-4D	68
52040-AT	68
52040-MF	68
52040-NA	68
52040-TW	68
52080-4D	68
52080-AT	68
52080-MF	68
52080-NA	68
52080-TW	68
52090-4D	68
52090-AT	68
52090-MF	68
52090-NA	68
52090-TW	68
52117-4D	67
52117-AT	67
52117-MF	67
52117-NA	67
52117-TW	67
52120-4D	67
52120-AT	67
52120-MF	67
52120-NA	67
52120-TW	67
52130-4D	67
52130-AT	67
52130-MF	67

Product Code Index – Allseating Collection (Continued)

CODE	PAGE	CODE	PAGE	PAGE	CODE	PAGE	PAGE
52130-NA	67	55330-AT	79		77140-MF	50	
52130-TW	67	55330-MF	79		77140-NA	50	
52140-4D	67	55330-NA	79		77140-T2	50	
52140-AT	67	55330-TW	79		77140-TW	50	
52140-MF	67	55380-4D	79		77140-CA	52	
52140-NA	67	55380-AT	79		77180-4D	50	
52140-TW	67	55380-MF	79		77180-MF	50	
52180-4D	67	55380-NA	79		77180-NA	50	
52180-AT	67	55380-TW	79		77180-T2	50	
52180-MF	67	55390-4D	79		77180-TW	50	
52180-NA	67	55390-AT	79		77189-4D	50	
52180-TW	67	55390-MF	79		77189-MF	50	
52190-4D	67	55390-NA	79		77189-NA	50	
52190-AT	67	55390-TW	79		77189-T2	50	
52190-MF	67	CPOD™			77189-TW	50	
52190-NA	67	57112-4D	34		77189-CA	52	
52190-TW	67	57112-MF	34		INERTIA® Mesh +Plus		
PRESTO® Petite		57112-NA	34		77440-4D	49	
52217-AT	70	57112-T2	34		77440-MF	49	
52217-NA	70	57112-TW	34		77440-NA	49	
52217-TW	70	57118-4D	34		77440-T2	49	
52220-AT	70	57118-MF	34		77440-TW	49	
52220-NA	70	57118-NA	34		77440-CA	52	
52220-TW	70	57118-T2	34		77454-NA	54	
52230-AT	70	57118-TW	34		77454-WA	54	
52230-NA	70	57180-4D	34		INERTIA® Knit		
52230-TW	70	57180-MF	34		78019-4D	46	
52240-AT	70	57180-NA	34		78019-NA	46	
52240-NA	70	57180-T2	34		78019-T2	46	
52240-TW	70	57180-TW	34		78040-4D	44	
52280-AT	70	INERTIA® Mesh			78040-CA	45	
52280-NA	70	77019-4D	53		78040-MF	44	
52280-TW	70	77019-NA	53		78040-NA	44	
PRESTO® Stool		77019-T2	53		78040-T2	44	
52917-4D	71	77040-4D	51		78040-TW	44	
52917-AT	71	77040-CA	52		78054-NA	47	
52917-NA	71	77040-MF	51		78054-WA	47	
52930-4D	71	77040-NA	51		Inertia Dolly -10	47	
52930-AT	71	77040-T2	51		78056-NA	48	
52930-NA	71	77040-TW	51		78056-WA	48	
THERAPOD® Basic		77054-NA	54		78080-4D	44	
55130-4D	80	77054-WA	54		78080-MF	44	
55130-AT	80	Inertia Dolly -10	54		78080-NA	44	
55130-MF	80	77056-NA	55		78080-T2	44	
55130-NA	80	77056-WA	55		78080-TW	44	
55130-TW	80	77080-4D	51		78089-4D	44	
55180-4D	80	77080-MF	51		78089-MF	44	
55180-AT	80	77080-NA	51		78089-NA	44	
55180-MF	80	77080-T2	51		78089-T2	44	
55180-NA	80	77080-TW	51		78089-TW	44	
55180-TW	80	77089-4D	51		78089-CA	45	
55190-4D	80	77089-MF	51		78140-4D	43	
55190-AT	80	77089-NA	51		78140-CA	45	
55190-MF	80	77089-T2	51		78140-MF	43	
55190-NA	80	77089-TW	51		78140-NA	43	
55190-TW	80	77089-CA	52		78140-T2	43	
55330-4D	79	77140-4D	50		78140-TW	43	

Product Code Index – Allseating Collection (Continued)

CODE	PAGE	CODE	PAGE	CODE	PAGE
78180-4D	43	79189-4D	57	82040-4D	38
78180-MF	43	79189-MF	57	82040-MF	38
78180-NA	43	79189-NA	57	82040-NA	38
78180-T2	43	79189-T2	57	82040-T2	38
78180-TW	43	79189-TW	57	82040-TW	38
78189-4D	43	79189-CA	59	82066-4D	38
78189-MF	43	INERTIA® Upholstered +Plus		82066-MF	38
78189-NA	43	79440-CA	59	82066-NA	38
78189-T2	43	79440-4D	56	82066-T2	38
78189-TW	43	79440-MF	56	82066-TW	38
78189-CA	45	79440-NA	56	FLUID® Basic Side	
INERTIA® Knit +Plus		79440-T2	56	82054-NA	41
78440-4D	42	79440-TW	56	82054-WA	41
78440-MF	42	79454-NA	61	Fluid Dolly-10	41
78440-NA	42	79454-WA	61	YOU™	
78440-T2	42	FLUID® Task		84112-4D	88
78440-TW	42	81012-4D	36	84112-MF	88
78440-CA	45	81012-MF	36	84112-NA	88
78454-NA	47	81012-NA	36	84112-T2	88
78454-WA	47	81012-T2	36	84112-TW	88
INERTIA® Upholstered		81012-TW	36	84112-YCA	88
79019-4D	60	81018-4D	36	84012-4D	89
79019-NA	60	81018-MF	36	84012-MF	89
79019-T2	60	81018-NA	36	84012-NA	89
79040-CA	59	81018-T2	36	84012-T2	89
79040-4D	58	81018-TW	36	84012-TW	89
79040-MF	58	81019-4D	37	84012-YCA	89
79040-NA	58	81019-NA	37	YOU™ Stool	
79040-T2	58	81019-T2	37	84019-NA	91
79040-TW	58	81040-4D	36	84019-T2	91
79054-NA	61	81040-MF	36	84019-4D	91
79054-WA	61	81040-NA	36	YOUTOO™	
Inertia Dolly -10	61	81040-T2	36	85040-NA	90
79056-NA	62	81040-TW	36	85040-T2	90
79056-WA	62	81066-4D	36	85040-4D	90
79080-4D	58	81066-MF	36	ZIP™ Upholstered	
79080-MF	58	81066-NA	36	92019-4D	95
79080-NA	58	81066-T2	36	92019-NA	95
79080-T2	58	81066-TW	36	92019-T2	95
79080-TW	58	FLUID® Side		92019-WA	95
79089-4D	58	81054-NA	40	92040-4D	93
79089-MF	58	81054-WA	40	92040-CA	93
79089-NA	58	Fluid Dolly-10	40	92040-MF	93
79089-T2	58	FLUID® Basic		92040-NA	93
79089-TW	58	82012-4D	38	92040-T2	93
79089-CA	59	82012-MF	38	92040-TW	93
79140-CA	59	82012-NA	38	92040-WA	93
79140-4D	57	82012-T2	38	92140-4D	94
79140-MF	57	82012-TW	38	92140-CA	94
79140-NA	57	82018-4D	38	92140-MF	94
79140-T2	57	82018-MF	38	92140-NA	94
79140-TW	57	82018-NA	38	92140-T2	94
79180-4D	57	82018-T2	38	92140-TW	94
79180-MF	57	82018-TW	38	92140-WA	94
79180-NA	57	82019-4D	39	ZIP™ Instock Program	
79180-T2	57	82019-NA	39	94040-CA	92
79180-TW	57	82019-T2	39	94040-WA	92

Product Code Index – Allseating / Anatome Collection

CODE	PAGE
94140-CA	92
ZIP™ Mesh	
95019-4D	97
95019-NA	97
95019-T2	97
95019-WA	97
95040-4D	96
95040-CA	96
95040-MF	96
95040-NA	96
95040-T2	96
95040-TW	96
95040-WA	96
ZIP™ Mesh Side	
95054-NA	98
95054-WA	98
CHIROFORM™ Ultra	
96012-4D	31
96012-MF	31
96012-NA	31
96012-T2	31
96012-TW	31
96019-4D	32
96019-NA	32
96019-T2	32
96030-4D	32
96030-NA	32
96030-T2	32
96040-4D	31
96040-MF	31
96040-NA	31
96040-T2	31
96040-TW	31
96080-4D	31
96080-MF	31
96080-NA	31
96080-T2	31
96080-TW	31
96112-4D	30
96112-MF	30
96112-NA	30
96112-T2	30
96112-TW	30
96140-4D	30
96140-MF	30
96140-NA	30
96140-T2	30
96140-TW	30
96180-4D	30
96180-MF	30
96180-NA	30
96180-T2	30
96180-TW	30
CHIROFORM™ Ultra 24:7	
97011-NA	33
97011-4D	33
97011-T2	33

CODE	PAGE
97111-NA	33
97111-4D	33
97111-T2	33
CHIROFORM™ Task	
98030-4D	28
98030-AT	28
98030-MF	28
98030-NA	28
98030-TW	28
98040-4D	28
98040-AT	28
98040-MF	28
98040-NA	28
98040-TW	28
98080-4D	28
98080-AT	28
98080-MF	28
98080-NA	28
98080-TW	28
98130-4D	27
98130-AT	27
98130-MF	27
98130-NA	27
98130-TW	27
98140-4D	27
98140-AT	27
98140-MF	27
98140-NA	27
98140-TW	27
98180-4D	27
98180-AT	27
98180-MF	27
98180-NA	27
98180-TW	27
CHIROFORM™ Big	
99111-AL	29
99111-NA	29

