



compile systems



PROTECTING THE ENVIRONMENT FOR FUTURE GENERATIONS

Our environmental success story began with the challenge to create an office system that would meet today's business requirements while maintaining a firm commitment to save and protect the environment.

Sustainability became a part of the creative focus and development of Compile that incorporates the latest technology and design features to provide excellent performance at a competitive price.

As government and industry environment ratings such as LEEDS & Greenguard become more prevalent, Compile offers designers and architects functional, attractive, and economical office designs that meet these standards.

Evolve Furniture Group is a leader in reducing waste in the manufacturing of its products as well as utilizing recycled materials wherever possible. We make extensive use of recycled plastic and wood waste from other Global factories.

Evolve Furniture Group is committed to the continuous improvement of our environmental systems, the prevention of pollution, and to comply with both the spirit and the letter of all relevant environmental legislation.

Compile Panels are 100% recyclable at the end of their lifespan. Nothing from an Evolve Panel needs to end up in a landfill.

SUSTAINABILITY INFORMATION

Compile offers fabrics that are made from 100% recycled polyester, which means less waste going to landfills. These fabrics also reduced the demand for petroleum products, and decrease the environmental impacts of processing those petroleum products into polyester.

Compile's epoxy powder coating process involves no liquids and is solvent free. It contains no harmful VOC's or lead. Up to 99% of over sprayed powdered is reclaimed, mixed with virgin powder and reused.

Compile's entire panel is up to 82% recycled.

Compile masonite is up to 85% recycled.

Compile's entire product line is up to 99% recyclable.

REFERENCES

Features, Benefits & General Information 3

Coding an Order 4-6

Textiles & Finishes 88-89

Panel COM Form 90

Panel Fabric Specification Sheet 91

Panel Fabric Sample..... 92

Appendix 93

Terms & Conditions 94-95

Index 96-98

PANELS

Panels – Technical Information..... 8

Panel – Types 9-12

Panel Package – Configuration 13

Monolithic Panel Packages 14-18

Segmented Panel Packages..... 19-23

Acoustic Panel Packages 24-28

Glazed Panel Packages 29-33

Partly Glazed Panel Packages 34-36

Connectors - Panel Packages 37-38

Single Panel – Configuration 39

Monolithic Single Panels 40

Segmented Single Panels 41

Acoustic Single Panels..... 42

Glazed Single Panels..... 43

Partly Glazed Single Panels 44

Privacy Glass 37 & 44

Raceway & Knockout Covers 45

Connectors & Trims 46-48

ELECTRICAL

Electrical – Technical Information 50

Electrical – Wire Schematic 51

Electrical – Configuration..... 52

Power Distribution Housing 53

Cables..... 53-54

I Connector 54

Duplex Receptacle 55

Power Entry 55

Electrical Box..... 55-56

Post Extension..... 56

Ceiling Feed..... 56

Task Lights..... 57

WORKSURFACES

Worksurfaces – Technical Information 60

Worksurfaces – Configuration 61

Rectangular Worksurface 62

Curvilinear Worksurface 63

Corner Worksurface 64

Extended Curved Corner..... 65-66

“D” Worksurface 67

Hatchet Worksurface 67

Straight Wedge Worksurfaces 67

Quarter Round Panel Worksurface 68

Transaction Worksurface 68-69

Accessories 70-71

STORAGE

Storage – Technical Information 74

Storage – Configuration 75

Pedestals 76-77

Overhead Storage 77-78

Lateral Files..... 78-79

Key Alike Form 80

ACCESSORIES

Tack Board 82

White Marker Board 82

Load Bars..... 83

Rail Accessories..... 83-85



PANELS

- Panel Fabric modules consist of Module Frames, Module Interiors and Fabric Skins.

Fabric

- Fabric offerings include selections woven with 100% recycled yarn.

Panel Frame

- Panel is made of 82.3% recycled material.
- Acoustic panels are light tackable with 0.70 NRC and a 26 STC rating.
- Raceway covers are aluminum.
- Aluminum top cap.

Metal Components/Raceway Finish

- All aluminum components are painted with environmentally friendly epoxy powder.
- Raceway interiors are coated with recycled epoxy powder.
- The entire Compile Panel and the processes used to manufacture it are designed to save and protect the environment. Compile Panels are made from recycled materials and are 100% recyclable.

Panel Options

- Compile Panels come in 4 heights: 30", 42", 54" and 66".
- Panel widths come in 7 sizes including: 24", 30", 36", 42", 48", 54" and 60".
- Panels conform to CGSB and ANSI/BIFMA standards.
 - This is your assurance that the quality, and performance level of these Panels have been tested to equal or exceed the requirements of the US government.
- Rigid, aluminum Panel Frame is 2 3/8" thick.
- Aluminum Panel Frame combined with easy to assemble "Quick Connect" clips, create a rigid Panel Wall.
- Levelling glides extend 2".
 - Enables the client to deal with severe undulations in the flooring levels of a building.
- Compile makes it easy to select a Panel function that is suitable for your application.
- Compile makes it easy to select a Panel type and height that is suitable for your application.

VOICE/DATA AND ELECTRICAL POWER

- Voice/data cables can be inserted at the base. 8 wire, 4 circuit electrical capability, 2 utility + 2 dedicated circuits, each with 10 gauge (oversized) neutrals. All circuits can support up to 20 amps (15 CSA).
- Raceway Cover opening sizes conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.345 x 2.80.
- Panels and electrical components are CSA/UL approved.
- The base raceway cavity can accommodate 50 Category 5 data cables or 30 Category 5 data cables when the power distribution housings are present.
- No tools are required to install electrical in the Compile Panel System. Compile Panel System.
- Post extension cable capacities without electric - 30, with electric - 20.

WORKSURFACES

- 1" thick worksurfaces come in a variety of shapes and sizes. Essentially, they are 24" or 30" deep and are available in 6" increments from 24" to 84" wide.
- Cable scoops located at the back of each Worksurface provide routing of power and data cables.
- This convenient feature, together with a 3/8" gap between the Worksurface and the Panel, allows access to cables without having grommet holes in the Worksurface.
- With this choice of product, we can tailor each installation to your requirements. The addition of custom sizes shows a commitment to client satisfaction that not every manufacturer offers.
- Thermally fused laminate tops are available.
- All Worksurfaces utilize balanced construction.
- Predrilled holes in worksurfaces enable installer to properly align worksurface.

STORAGE

- 19", 23" and 29" deep Pedestals. Freestanding and Worksurface supporting options available.
- Drawer divider and pencil tray included in all Freestanding Pedestals containing box drawers. Drawer divider and pencil tray not included in Worksurface Supporting Pedestals.
- Adjustable glides are accessible from the inside of the cabinet.
- Positive and secure locking system on all Pedestals is standard.
- Full height drawer sides are standard on all file drawers. This enables you to hang files from the drawer side so no extra hardware is necessary. File drawers accept legal, letter and metric sized files.
- Steel construction guarantees the performance of the product over the long term. Welded joints with a full top, back and base ensure that the Pedestal will sit square and adequately support the Worksurface where necessary.

- Worksurface supporting Pedestals are standard with Compile.
- Shelves feature all metal construction.
- All storage components as well as the Panel Frames are epoxy powder coated.
- Glides enable you to level the cabinet to the floor and or Worksurface. The convenient adjustment feature allows the installer to adjust the height of the cabinet while it is under the Worksurface. This saves time in the installation process.
- For additional security and peace of mind, locks can be keyed alike or master keyed for additional convenience. standard recessed handle offers uncluttered aesthetic.
- "Environmentally friendly" epoxy powder coat is 15 times more durable in independent testing than a wet paint spray. This helps maintain the look of the product over its many years of service.


WARRANTIES AND PERFORMANCE

- A Lifetime Warranty
- Non Obsolescence Warranty
- Reduced cost of assembly and reconfiguration
- ISO9001:2008 Registered
- ISO14001:2004 Registered
- GreenGuard Certified
- Level 2 Certified
- ANSI/BIFMA CGSB testing on all products
- For piece of mind over the long term, we cover you with a comprehensive warranty that is supported by our dealer network.
- Some installation companies claim that the Compile Panels System can be installed in half the time it takes to install most of our competitor's segmented panels. This cost saving can amount to thousands of dollars over the lifetime of our furniture.
- Your assurance of consistent quality to an international standard. Evolve Furniture Group is committed to design, manufacture and distribute superior quality office furniture, which meets or exceeds the requirements of our customers.
- Confirmation that Evolve Furniture Group is committed (1) to providing product that, through their entire life cycle, minimize negative environmental impacts on the environment, (2) to continuous improvement to our environmental systems and programs and (3) to comply to all relevant environmental legislation and regulations.
- Compile Panel System can help a company meet LEED requirements for office furniture.
- Compile components are tested to the highest standard in the industry. This is your assurance of quality and longevity.

Compile products have been coded using alphas that correspond with the product name. This creates an easy-to-remember code. The following breaks down the coding logic and highlights the required code components needed to order within each product category.

Panels

Example: **Product:** Compile Fabric Monolithic Panel



Base Code found on the product page to the left of the product name and a simple product illustration.

CoMpile product line

Fabric-covered Panel

Monolithic panel category

2 CMFM**6648**

Panel size offering. Listed on every product page with price listing.
Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

3 CMFM6648-**BK**


Standard paint code for frame. See the Fabric & Finish listing in this section.

To specify fabric for a Compile Panel, please note:

4 CMFM6648-BK-**B84A**


Fabric code for all modules on both sides of the Panel*. See the Fabric & Finish listing in this section.

* **NOTE:** If different fabrics are to be included on a Compile Panel, please use the following ordering format. **Start at the bottom** of one side of a Panel and work to the top module of that Panel. Then start the process over on the other side of the Panel. As an example:



Electrical

Example: Product: Flexible Mesh Jumper Cable



Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Electrical category.


Cable Panel.

Pass-Through.

Product size offering – length. Listed on every product page with price listing. Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

Worksurfaces

Example: Product: Curvilinear Worksurface – Left



Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Worksurface category.

CurVilinear shape.

Left hand configuration.


Worksurface size offering. Listed on every product page with price listing. Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

Laminate code for surface. See the Fabric & Finish listing in this section.

PVC code for trim. See the Fabric & Finish listing in this section.

Worksurfaces – Hardware

Example: Product: End Panel



Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Hardware category.


End Panel.

End Panel.

Laminte code for End Panel. See the Fabric & Finish listing in this section.

Storage

Example: Product: Box, Box, File Pedestal



Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Storage category.

19 Product Series.

23" Pedestal depth in inches.

Box drawer, Box drawer, File drawer.

panels

THE INFORMATION LISTED BELOW PROVIDES YOU WITH BASIC FEATURES OF COMPILE PANELS:

- Compile Panels are:
 - Available in four (4) heights: 30", 42", 54" and 66"; and seven (7) widths: 24", 30", 36", 42", 48", 54" and 60".
 - 2 3/8" thick.
 - Monolithic, segmented and acoustic.
- Acoustic panels are lightly tackable with 0.70 NRC rating and a 26 STC rating.
- Compile Non - Acoustic panels are not tackable.
- Raceway openings are 1.345" x 2.80".
- Opposite sides of each Module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at the highest grade.
- Standard with aluminum frame.
- Individual fabric covered acoustic modules incorporated into an aluminum frame.
- Reinforced aluminum raceway covers are included when ordering panel packages or may be ordered and shipped separately. Raceway covers can be replaced in the field to change a panel from non-powered to powered (or vice versa).
- Base raceway lifts up and locks in an upright 90-degree position, or can be removed for open access to base raceway.
- Electric knockouts in the raceway have black plastic covers that snap into place from the outside of the cover, when a duplex is not required. Electric knockout covers must be specified separately.
- 3 panel connector brackets per side for 42"h and 54"h come installed on panels and universal posts.
- 4 panel connector brackets per side for 66"h panels come installed on panels and universal posts.
- Panel connector brackets are opposite direction of each other per panel side, and can be removed with one screw per bracket.


GENERAL WARRANTY INFORMATION:

- Panel textiles, adjustable keyboard mechanisms, task lights and electrical devices = five (5) Years
- Other parts = Lifetime Warranty




PANEL PACKAGES - PAGES 14-18


Non-Powered Compile Fabric Monolithic Panel Package




Powered Compile Fabric Monolithic Panel Package




Non-Powered Compile Fabric Monolithic Panel Package



Powered Compile Fabric Monolithic Panel Package




Non-Powered Compile Fabric Monolithic Panel Package




SEGMENTED - PANEL PACKAGES - PAGES 19-23


Non-Powered Compile Single Segmented Fabric Panel Package



Non-Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package




SEGMENTED - PANEL PACKAGES - PAGES 19-23

Powered Compile Single Segmented Fabric Panel Package




Powered Compile Single Segmented Fabric Panel Package




ACOUSTIC PANEL PACKAGES - PAGES 24-28


Non-Powered Compile Monolithic Acoustic Panel Package




Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package



Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package




GLAZED PANEL PACKAGES - PAGES 29-33


Non-Powered Compile Glazed Panel Package




Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package



Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package




PARTLY GLAZED PANEL PACKAGES - PAGES 34-36


Non-Powered Compile Partly Glazed Premium Panel Package




Non-Powered Compile Partly Glazed Premium Panel Package




Non-Powered Compile Partly Glazed Premium Panel Package




Powered Compile Partly Glazed Premium Panel Package



Powered Compile Partly Glazed Premium Panel Package




Compile Privacy Glass




SINGLE PANELS - PAGES 40-44


Compile Fabric Monolithic Panel




Compile Single Segmented Fabric Panel




Compile Fabric Acoustic Panel




Compile Glazed Panel



Compile Partly Glazed Premium Panel



Compile Privacy Glass



This page provides an exploded view of a sample Panel Package highlighting each **Panel** component included within the package.

Package Components

Package 1 CMFM6636N0




- A. (1) 66"h x 36"w Monolithic Fabric Panel
- B. (2) - 36"w Raceway Cover Without Knockouts

Package 2 CMFF6636P2

- C. (1) 66"h x 36"w Single Segmented Fabric Panel
- D. (2) 36"w Raceway Cover with Knockouts
- E. (1) 36"w Power Distribution Housing





Package 3 CHP66-2

- F. (1)- 66"h Universal Corner Post
- G. (2) Trim Insert for 66"h Universal Corner Post
- H. (1) Post Base Cover for 2-Way Application
- I. "Quick Connect" Comes standard with Panels and Universal Corner Post



CMFMXXYYN0 - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE





- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Fabric Monolithic Panel Package - 30"	CMFM3024N0	235	255	30	24	2 3/8
		CMFM3030N0	265	285	30	30	2 3/8
		CMFM3036N0	289	329	30	36	2 3/8
		CMFM3042N0	319	359	30	42	2 3/8
		CMFM3048N0	339	379	30	48	2 3/8
		CMFM3054N0	375	415	30	54	2 3/8
		CMFM3060N0	395	435	30	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 42"	CMFM4224N0	235	255	42	24	2 3/8
		CMFM4230N0	265	285	42	30	2 3/8
		CMFM4236N0	289	329	42	36	2 3/8
		CMFM4242N0	319	359	42	42	2 3/8
		CMFM4248N0	339	379	42	48	2 3/8
		CMFM4254N0	375	415	42	54	2 3/8
		CMFM4260N0	395	435	42	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 54"	CMFM5424N0	245	269	54	24	2 3/8
		CMFM5430N0	277	301	54	30	2 3/8
		CMFM5436N0	308	356	54	36	2 3/8
		CMFM5442N0	344	392	54	42	2 3/8
		CMFM5448N0	363	411	54	48	2 3/8
		CMFM5454N0	391	439	54	54	2 3/8
		CMFM5460N0	427	475	54	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 66"	CMFM6624N0	274	305	66	24	2 3/8
		CMFM6630N0	315	346	66	30	2 3/8
		CMFM6636N0	360	419	66	36	2 3/8
		CMFM6642N0	405	464	66	42	2 3/8
		CMFM6648N0	438	497	66	48	2 3/8
		CMFM6654N0	488	547	66	54	2 3/8
		CMFM6660N0	535	594	66	60	2 3/8







CMFMXXYYN1 - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- Non powered.
- Includes one panel, one raceway cover with no punchout and one raceway cover with punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Fabric Monolithic Panel Package - 30"	CMFM3024N1	235	255	30	24	2 3/8
		CMFM3030N1	265	285	30	30	2 3/8
		CMFM3036N1	289	329	30	36	2 3/8
		CMFM3042N1	319	359	30	42	2 3/8
		CMFM3048N1	339	379	30	48	2 3/8
		CMFM3054N1	375	415	30	54	2 3/8
		CMFM3060N1	395	435	30	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 42"	CMFM4224N1	235	255	42	24	2 3/8
		CMFM4230N1	265	285	42	30	2 3/8
		CMFM4236N1	289	329	42	36	2 3/8
		CMFM4242N1	319	359	42	42	2 3/8
		CMFM4248N1	339	379	42	48	2 3/8
		CMFM4254N1	375	415	42	54	2 3/8
		CMFM4260N1	395	435	42	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 54"	CMFM5424N1	245	269	54	24	2 3/8
		CMFM5430N1	277	301	54	30	2 3/8
		CMFM5436N1	308	356	54	36	2 3/8
		CMFM5442N1	344	392	54	42	2 3/8
		CMFM5448N1	363	411	54	48	2 3/8
		CMFM5454N1	391	439	54	54	2 3/8
		CMFM5460N1	427	475	54	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 66"	CMFM6624N1	274	305	66	24	2 3/8
		CMFM6630N1	315	346	66	30	2 3/8
		CMFM6636N1	360	419	66	36	2 3/8
		CMFM6642N1	405	464	66	42	2 3/8
		CMFM6648N1	438	497	66	48	2 3/8
		CMFM6654N1	488	547	66	54	2 3/8
		CMFM6660N1	535	594	66	60	2 3/8

CMFMXXYYN2 - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE





- Non powered.
- Includes one panel and two raceway covers with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Fabric Monolithic Panel Package - 30"	CMFM3024N2	235	255	30	24	2 3/8
		CMFM3030N2	265	285	30	30	2 3/8
		CMFM3036N2	289	329	30	36	2 3/8
		CMFM3042N2	319	359	30	42	2 3/8
		CMFM3048N2	339	379	30	48	2 3/8
		CMFM3054N2	375	415	30	54	2 3/8
		CMFM3060N2	395	435	30	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 42"	CMFM4224N2	235	255	42	24	2 3/8
		CMFM4230N2	265	285	42	30	2 3/8
		CMFM4236N2	289	329	42	36	2 3/8
		CMFM4242N2	319	359	42	42	2 3/8
		CMFM4248N2	339	379	42	48	2 3/8
		CMFM4254N2	375	415	42	54	2 3/8
		CMFM4260N2	395	435	42	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 54"	CMFM5424N2	245	269	54	24	2 3/8
		CMFM5430N2	277	301	54	30	2 3/8
		CMFM5436N2	308	356	54	36	2 3/8
		CMFM5442N2	344	392	54	42	2 3/8
		CMFM5448N2	363	411	54	48	2 3/8
		CMFM5454N2	391	439	54	54	2 3/8
		CMFM5460N2	427	475	54	60	2 3/8
	Non-Powered Compile Fabric Monolithic Panel Package - 66"	CMFM6624N2	274	305	66	24	2 3/8
		CMFM6630N2	315	346	66	30	2 3/8
		CMFM6636N2	360	419	66	36	2 3/8
		CMFM6642N2	405	464	66	42	2 3/8
		CMFM6648N2	438	497	66	48	2 3/8
		CMFM6654N2	488	547	66	54	2 3/8
		CMFM6660N2	535	594	66	60	2 3/8







CMFMXXYP1 - POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Fabric Monolithic Panel Package - 30"	CMFM3024P1	341	361	30	24	2 3/8
		CMFM3030P1	408	428	30	30	2 3/8
		CMFM3036P1	439	479	30	36	2 3/8
		CMFM3042P1	472	512	30	42	2 3/8
		CMFM3048P1	504	544	30	48	2 3/8
		CMFM3054P1	541	581	30	54	2 3/8
		CMFM3060P1	562	602	30	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 42"	CMFM4224P1	341	361	42	24	2 3/8
		CMFM4230P1	408	428	42	30	2 3/8
		CMFM4236P1	439	479	42	36	2 3/8
		CMFM4242P1	472	512	42	42	2 3/8
		CMFM4248P1	504	544	42	48	2 3/8
		CMFM4254P1	541	581	42	54	2 3/8
		CMFM4260P1	562	602	42	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 54"	CMFM5424P1	351	375	54	24	2 3/8
		CMFM5430P1	420	444	54	30	2 3/8
		CMFM5436P1	458	506	54	36	2 3/8
		CMFM5442P1	497	545	54	42	2 3/8
		CMFM5448P1	528	576	54	48	2 3/8
		CMFM5454P1	557	605	54	54	2 3/8
		CMFM5460P1	594	642	54	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 66"	CMFM6624P1	380	411	66	24	2 3/8
		CMFM6630P1	458	489	66	30	2 3/8
		CMFM6636P1	510	569	66	36	2 3/8
		CMFM6642P1	558	617	66	42	2 3/8
		CMFM6648P1	603	662	66	48	2 3/8
		CMFM6654P1	654	713	66	54	2 3/8
		CMFM6660P1	702	761	66	60	2 3/8

CMFMXXYP2 - POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE




- With power distribution harness
- Includes one panel, power harness, and two raceway covers with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Fabric Monolithic Panel Package - 30"	CMFM3024P2	341	361	30	24	2 3/8
		CMFM3030P2	408	428	30	30	2 3/8
		CMFM3036P2	439	479	30	36	2 3/8
		CMFM3042P2	472	512	30	42	2 3/8
		CMFM3048P2	504	544	30	48	2 3/8
		CMFM3054P2	541	581	30	54	2 3/8
		CMFM3060P2	562	602	30	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 42"	CMFM4224P2	341	361	42	24	2 3/8
		CMFM4230P2	408	428	42	30	2 3/8
		CMFM4236P2	439	479	42	36	2 3/8
		CMFM4242P2	472	512	42	42	2 3/8
		CMFM4248P2	504	544	42	48	2 3/8
		CMFM4254P2	541	581	42	54	2 3/8
		CMFM4260P2	562	602	42	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 54"	CMFM5424P2	351	375	54	24	2 3/8
		CMFM5430P2	420	444	54	30	2 3/8
		CMFM5436P2	458	506	54	36	2 3/8
		CMFM5442P2	497	545	54	42	2 3/8
		CMFM5448P2	528	576	54	48	2 3/8
		CMFM5454P2	557	605	54	54	2 3/8
		CMFM5460P2	594	642	54	60	2 3/8
	Powered Compile Fabric Monolithic Panel Package - 66"	CMFM6624P2	380	411	66	24	2 3/8
		CMFM6630P2	458	489	66	30	2 3/8
		CMFM6636P2	510	569	66	36	2 3/8
		CMFM6642P2	558	617	66	42	2 3/8
		CMFM6648P2	603	662	66	48	2 3/8
		CMFM6654P2	654	713	66	54	2 3/8
		CMFM6660P2	702	761	66	60	2 3/8






CMFFXXYYN0 - NON-POWERED COMPILE SINGLE SEGMENTD FABRIC PANEL PACKAGE

- Non powered.
- Includes one panel, two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Power Compile Single Segmented Fabric Panel Package - 42"	CMFF4224N0	246	266	42	24	2 3/8
		CMFF4230N0	277	297	42	30	2 3/8
		CMFF4236N0	293	333	42	36	2 3/8
		CMFF4242N0	335	375	42	42	2 3/8
		CMFF4248N0	357	397	42	48	2 3/8
		CMFF4254N0	398	438	42	54	2 3/8
		CMFF4260N0	425	465	42	60	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 54"	CMFF5424N0	268	292	54	24	2 3/8
		CMFF5430N0	298	322	54	30	2 3/8
		CMFF5436N0	336	384	54	36	2 3/8
		CMFF5442N0	381	429	54	42	2 3/8
		CMFF5448N0	412	460	54	48	2 3/8
		CMFF5454N0	438	486	54	54	2 3/8
		CMFF5460N0	471	519	54	60	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 66"	CMFF6624N0	314	345	66	24	2 3/8
		CMFF6630N0	359	390	66	30	2 3/8
		CMFF6636N0	399	458	66	36	2 3/8
		CMFF6642N0	455	514	66	42	2 3/8
		CMFF6648N0	482	541	66	48	2 3/8
		CMFF6654N0	523	582	66	54	2 3/8
		CMFF6660N0	556	615	66	60	2 3/8




CMFFXXYYN1 - NON-POWERED COMPILE SINGLE SEGMENTD FABRIC PANEL PACKAGE

- Non powered.
 - Includes one panel, one raceway cover with no punchout and one raceway cover with punchout.
 - Individual fabric-covered modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
 - Note: Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Single Segmented Fabric Panel Package - 42"	CMFF4224N1	246	266	42	24	2 3/8
		CMFF4230N1	277	297	42	30	2 3/8
		CMFF4236N1	293	333	42	36	2 3/8
		CMFF4242N1	335	375	42	42	2 3/8
		CMFF4248N1	357	397	42	48	2 3/8
		CMFF4254N1	398	438	42	54	2 3/8
		CMFF4260N1	425	465	42	60	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 54"	CMFF5424N1	268	292	54	24	2 3/8
		CMFF5430N1	298	322	54	30	2 3/8
		CMFF5436N1	336	384	54	36	2 3/8
		CMFF5442N1	381	429	54	42	2 3/8
		CMFF5448N1	412	460	54	48	2 3/8
		CMFF5454N1	438	486	54	54	2 3/8
		CMFF5460N1	471	519	54	60	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 66"	CMFF6624N1	314	345	66	24	2 3/8
		CMFF6630N1	359	390	66	30	2 3/8
		CMFF6636N1	399	458	66	36	2 3/8
		CMFF6642N1	455	514	66	42	2 3/8
		CMFF6648N1	482	541	66	48	2 3/8
		CMFF6654N1	523	582	66	54	2 3/8
		CMFF6660N1	556	615	66	60	2 3/8




CMFFXXYYN2 - NON-POWERED COMPILE SINGLE SEGMENTD FABRIC PANEL PACKAGE

- Non powered.
- Includes one panel, two raceway covers with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Power Compile Single Segmented Fabric Panel Package - 42"	CMFF4224N2	246	266	42	24	2 3/8
		CMFF4230N2	277	297	42	30	2 3/8
		CMFF4236N2	293	333	42	36	2 3/8
		CMFF4242N2	335	375	42	42	2 3/8
		CMFF4248N2	357	397	42	48	2 3/8
		CMFF4254N2	398	438	42	54	2 3/8
		CMFF4260N2	425	465	42	60	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 54"	CMFF5424N2	268	292	54	24	2 3/8
		CMFF5430N2	298	322	54	30	2 3/8
		CMFF5436N2	336	384	54	36	2 3/8
		CMFF5442N2	381	429	54	42	2 3/8
		CMFF5448N2	412	460	54	48	2 3/8
		CMFF5454N2	438	486	54	54	2 3/8
		CMFF5460N2	471	519	54	60	2 3/8
	Non-Powered Compile Single Segmented Fabric Panel Package - 66"	CMFF6624N2	314	345	66	24	2 3/8
		CMFF6630N2	359	390	66	30	2 3/8
		CMFF6636N2	399	458	66	36	2 3/8
		CMFF6642N2	455	514	66	42	2 3/8
		CMFF6648N2	482	541	66	48	2 3/8
		CMFF6654N2	523	582	66	54	2 3/8
		CMFF6660N2	556	615	66	60	2 3/8




CMFFXXYP1 - POWERED COMPILE SINGLE SEGMENTD FABRIC PANEL PACKAGE

- With power distribution harness.
 - Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
 - Individual fabric-covered modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
 - Note: Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Single Segmented Fabric Panel Package - 42"	CMFF4224P1	352	372	42	24	2 3/8
		CMFF4230P1	420	440	42	30	2 3/8
		CMFF4236P1	443	483	42	36	2 3/8
		CMFF4242P1	488	528	42	42	2 3/8
		CMFF4248P1	522	562	42	48	2 3/8
		CMFF4254P1	564	604	42	54	2 3/8
		CMFF4260P1	592	632	42	60	2 3/8
	Powered Compile Single Segmented Fabric Panel Package - 54"	CMFF5424P1	374	398	54	24	2 3/8
		CMFF5430P1	441	465	54	30	2 3/8
		CMFF5436P1	486	534	54	36	2 3/8
		CMFF5442P1	534	582	54	42	2 3/8
		CMFF5448P1	577	625	54	48	2 3/8
		CMFF5454P1	604	652	54	54	2 3/8
		CMFF5460P1	638	686	54	60	2 3/8
	Powered Compile Single Segmented Fabric Panel Package - 66"	CMFF6624P1	420	451	66	24	2 3/8
		CMFF6630P1	502	533	66	30	2 3/8
		CMFF6636P1	549	608	66	36	2 3/8
		CMFF6642P1	608	667	66	42	2 3/8
		CMFF6648P1	647	706	66	48	2 3/8
		CMFF6654P1	689	748	66	54	2 3/8
		CMFF6660P1	723	782	66	60	2 3/8




CMFFXXYP2 - POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, and two raceway cover with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Single Segmented Fabric Panel Package - 42"	CMFF4224P2	352	372	42	24	2 3/8
		CMFF4230P2	420	440	42	30	2 3/8
		CMFF4236P2	443	483	42	36	2 3/8
		CMFF4242P2	488	528	42	42	2 3/8
		CMFF4248P2	522	562	42	48	2 3/8
		CMFF4254P2	564	604	42	54	2 3/8
		CMFF4260P2	592	632	42	60	2 3/8
	Powered Compile Single Segmented Fabric Panel Package - 54"	CMFF5424P2	374	398	54	24	2 3/8
		CMFF5430P2	441	465	54	30	2 3/8
		CMFF5436P2	486	534	54	36	2 3/8
		CMFF5442P2	534	582	54	42	2 3/8
		CMFF5448P2	577	625	54	48	2 3/8
		CMFF5454P2	604	652	54	54	2 3/8
		CMFF5460P2	638	686	54	60	2 3/8
	Powered Compile Single Segmented Fabric Panel Package - 66"	CMFF6624P2	420	451	66	24	2 3/8
		CMFF6630P2	502	533	66	30	2 3/8
		CMFF6636P2	549	608	66	36	2 3/8
		CMFF6642P2	608	667	66	42	2 3/8
		CMFF6648P2	647	706	66	48	2 3/8
		CMFF6654P2	689	748	66	54	2 3/8
		CMFF6660P2	723	782	66	60	2 3/8




CMFMAXYYNO - NON-POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- Non powered.
 - Includes one panel and two raceway covers with no punchouts.
 - Individual fabric-covered acoustic modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Monolithic Acoustic Panel Package - 42"	CMFMA4224N0	279	299	42	24	2 3/8
		CMFMA4230N0	314	334	42	30	2 3/8
		CMFMA4236N0	342	382	42	36	2 3/8
		CMFMA4242N0	377	417	42	42	2 3/8
		CMFMA4248N0	400	440	42	48	2 3/8
		CMFMA4254N0	291	315	42	54	2 3/8
		CMFMA4260N0	465	505	42	60	2 3/8
	Non-Powered Compile Monolithic Acoustic Panel Package - 54"	CMFMA5424N0	291	315	54	24	2 3/8
		CMFMA5430N0	328	352	54	30	2 3/8
		CMFMA5436N0	364	412	54	36	2 3/8
		CMFMA5442N0	407	455	54	42	2 3/8
		CMFMA5448N0	429	477	54	48	2 3/8
		CMFMA5454N0	461	509	54	54	2 3/8
		CMFMA5460N0	503	551	54	60	2 3/8
	Non-Powered Compile Monolithic Acoustic Panel Package - 66"	CMFMA6624N0	326	357	66	24	2 3/8
		CMFMA6630N0	374	405	66	30	2 3/8
		CMFMA6636N0	427	486	66	36	2 3/8
		CMFMA6642N0	480	539	66	42	2 3/8
		CMFMA6648N0	519	578	66	48	2 3/8
		CMFMA6654N0	577	636	66	54	2 3/8
		CMFMA6660N0	633	692	66	60	2 3/8




CMFMAXYYN1 - NON-POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- Non powered.
- Includes one panel, one raceway cover with no punchout and one raceway cover with punchout.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Monolithic Acoustic Panel Package - 42"	CMFMA4224N1	279	299	42	24	2 3/8
		CMFMA4230N1	314	334	42	30	2 3/8
		CMFMA4236N1	342	382	42	36	2 3/8
		CMFMA4242N1	377	417	42	42	2 3/8
		CMFMA4248N1	400	440	42	48	2 3/8
		CMFMA4254N1	442	482	42	54	2 3/8
		CMFMA4260N1	465	505	42	60	2 3/8
	Non-Powered Compile Monolithic Acoustic Panel Package - 54"	CMFMA5424N1	291	315	54	24	2 3/8
		CMFMA5430N1	328	352	54	30	2 3/8
		CMFMA5436N1	364	412	54	36	2 3/8
		CMFMA5442N1	407	455	54	42	2 3/8
		CMFMA5448N1	429	477	54	48	2 3/8
		CMFMA5454N1	461	509	54	54	2 3/8
		CMFMA5460N1	503	551	54	60	2 3/8
	Non-Powered Compile Acoustic Panel Package - 66"	CMFMA6624N1	326	357	66	24	2 3/8
		CMFMA6630N1	374	405	66	30	2 3/8
		CMFMA6636N1	427	486	66	36	2 3/8
		CMFMA6642N1	480	539	66	42	2 3/8
		CMFMA6648N1	519	578	66	48	2 3/8
		CMFMA6654N1	577	636	66	54	2 3/8
		CMFMA6660N1	633	692	66	60	2 3/8

CMFMAXYYN2 - NON-POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE




- Non powered.
- Includes one panel and two raceway covers with punchouts.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Monolithic Acoustic Panel Package - 42"	CMFMA4224N2	279	299	42	24	2 3/8
		CMFMA4230N2	314	334	42	30	2 3/8
		CMFMA4236N2	342	382	42	36	2 3/8
		CMFMA4242N2	377	417	42	42	2 3/8
		CMFMA4248N2	400	440	42	48	2 3/8
		CMFMA4254N2	442	482	42	54	2 3/8
		CMFMA4260N2	465	505	42	60	2 3/8
	Non-Powered Compile Monolithic Acoustic Panel Package - 54"	CMFMA5424N2	291	315	54	24	2 3/8
		CMFMA5430N2	328	352	54	30	2 3/8
		CMFMA5436N2	364	412	54	36	2 3/8
		CMFMA5442N2	407	455	54	42	2 3/8
		CMFMA5448N2	429	477	54	48	2 3/8
		CMFMA5454N2	461	509	54	54	2 3/8
		CMFMA5460N2	503	551	54	60	2 3/8
	Non-Powered Compile Monolithic Acoustic Panel Package - 66"	CMFMA6624N2	326	357	66	24	2 3/8
		CMFMA6630N2	374	405	66	30	2 3/8
		CMFMA6636N2	427	486	66	36	2 3/8
		CMFMA6642N2	480	539	66	42	2 3/8
		CMFMA6648N2	519	578	66	48	2 3/8
		CMFMA6654N2	577	636	66	54	2 3/8
		CMFMA6660N2	633	692	66	60	2 3/8






CMFMAXYYYP1 - POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Monolithic Acoustic Panel Package - 42"	CMFMA4224P1	385	405	42	24	2 3/8
		CMFMA4230P1	457	477	42	30	2 3/8
		CMFMA4236P1	492	532	42	36	2 3/8
		CMFMA4242P1	530	570	42	42	2 3/8
		CMFMA4248P1	565	605	42	48	2 3/8
		CMFMA4254P1	608	648	42	54	2 3/8
		CMFMA4260P1	632	672	42	60	2 3/8
	Powered Compile Monolithic Acoustic Panel Package - 54"	CMFMA5424P1	397	421	54	24	2 3/8
		CMFMA5430P1	471	495	54	30	2 3/8
		CMFMA5436P1	514	562	54	36	2 3/8
		CMFMA5442P1	560	608	54	42	2 3/8
		CMFMA5448P1	594	642	54	48	2 3/8
		CMFMA5454P1	627	675	54	54	2 3/8
		CMFMA5460P1	670	718	54	60	2 3/8
	Powered Compile Monolithic Acoustic Panel Package - 66"	CMFMA6624P1	432	463	66	24	2 3/8
		CMFMA6630P1	517	548	66	30	2 3/8
		CMFMA6636P1	577	636	66	36	2 3/8
		CMFMA6642P1	633	692	66	42	2 3/8
		CMFMA6648P1	684	743	66	48	2 3/8
		CMFMA6654P1	743	802	66	54	2 3/8
		CMFMA6660P1	800	859	66	60	2 3/8

CMFMAXYP2 - POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE




- With power distribution harness
- Includes one panel, power harness, and two raceway covers with punchouts.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Monolithic Acoustic Panel Package - 42"	CMFMA4224P2	385	405	42	24	2 3/8
		CMFMA4230P2	457	477	42	30	2 3/8
		CMFMA4236P2	492	532	42	36	2 3/8
		CMFMA4242P2	530	570	42	42	2 3/8
		CMFMA4248P2	565	605	42	48	2 3/8
		CMFMA4254P2	608	648	42	54	2 3/8
		CMFMA4260P2	632	672	42	60	2 3/8
	Powered Compile Monolithic Acoustic Panel Package - 54"	CMFMA5424P2	397	421	54	24	2 3/8
		CMFMA5430P2	471	495	54	30	2 3/8
		CMFMA5436P2	514	562	54	36	2 3/8
		CMFMA5442P2	560	608	54	42	2 3/8
		CMFMA5448P2	594	642	54	48	2 3/8
		CMFMA5454P2	627	675	54	54	2 3/8
		CMFMA5460P2	670	718	54	60	2 3/8
	Powered Compile Monolithic Acoustic Panel Package - 66"	CMFMA6624P2	432	463	66	24	2 3/8
		CMFMA6630P2	517	548	66	30	2 3/8
		CMFMA6636P2	577	636	66	36	2 3/8
		CMFMA6642P2	633	692	66	42	2 3/8
		CMFMA6648P2	684	743	66	48	2 3/8
		CMFMA6654P2	743	802	66	54	2 3/8
		CMFMA6660P2	800	859	66	60	2 3/8






CMFGXXYYN0 - NON-POWERED COMPILE GLAZED PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.
- Standard clear (CLR) plexi.
- Optional smoked plexi-Glass or Frosted Plexi with 15% upcharge.
- PVC glass retainer in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Glazed Panel Package - 42"	CMFG4224N0	308	318	42	24	2 3/8
		CMFG4230N0	352	364	42	30	2 3/8
		CMFG4236N0	394	409	42	36	2 3/8
		CMFG4242N0	440	457	42	42	2 3/8
		CMFG4248N0	482	500	42	48	2 3/8
		CMFG4254N0	542	562	42	54	2 3/8
		CMFG4260N0	598	621	42	60	2 3/8
	Non-Powered Compile Glazed Panel Package - 54"	CMFG5424N0	333	344	54	24	2 3/8
		CMFG5430N0	390	402	54	30	2 3/8
		CMFG5436N0	443	458	54	36	2 3/8
		CMFG5442N0	498	514	54	42	2 3/8
		CMFG5448N0	542	561	54	48	2 3/8
		CMFG5454N0	632	652	54	54	2 3/8
		CMFG5460N0	715	739	54	60	2 3/8
	Non-Powered Compile Glazed Panel Package - 66"	CMFG6624N0	418	434	66	24	2 3/8
		CMFG6630N0	486	505	66	30	2 3/8
		CMFG6636N0	554	575	66	36	2 3/8
		CMFG6642N0	624	650	66	42	2 3/8
		CMFG6648N0	678	706	66	48	2 3/8
		CMFG6654N0	783	814	66	54	2 3/8
		CMFG6660N0	886	919	66	60	2 3/8




CMFGXXYYN1 - NON-POWERED COMPILE GLAZED PANEL PACKAGE

- Non powered.
 - Includes one panel, one raceway cover with no punchout and one raceway cover with punchout.
 - Individual fabric-covered modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides.
 - Standard clear (CLR) plexi.
 - Optional smoked plexi-Glass or Frosted Plexi with 15% upcharge.
 - PVC glass retainer in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Glazed Panel Package - 42"	CMFG4224N1	308	318	42	24	2 3/8
		CMFG4230N1	352	364	42	30	2 3/8
		CMFG4236N1	394	409	42	36	2 3/8
		CMFG4242N1	440	457	42	42	2 3/8
		CMFG4248N1	482	500	42	48	2 3/8
		CMFG4254N1	542	562	42	54	2 3/8
		CMFG4260N1	598	621	42	60	2 3/8
	Non-Powered Compile Glazed Panel Package - 54"	CMFG5424N1	333	344	54	24	2 3/8
		CMFG5430N1	390	402	54	30	2 3/8
		CMFG5436N1	443	458	54	36	2 3/8
		CMFG5442N1	498	514	54	42	2 3/8
		CMFG5448N1	542	561	54	48	2 3/8
		CMFG5454N1	632	652	54	54	2 3/8
		CMFG5460N1	715	739	54	60	2 3/8
	Non-Powered Compile Glazed Panel Package - 66"	CMFG6624N1	418	434	66	24	2 3/8
		CMFG6630N1	486	505	66	30	2 3/8
		CMFG6636N1	554	575	66	36	2 3/8
		CMFG6642N1	624	650	66	42	2 3/8
		CMFG6648N1	678	706	66	48	2 3/8
		CMFG6654N1	783	814	66	54	2 3/8
		CMFG6660N1	886	919	66	60	2 3/8




CMFGXXYYN2 - NON-POWERED COMPILE GLAZED PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.
- Standard clear (CLR) plexi.
- Optional smoked plexi-Glass or Frosted Plexi with 15% upcharge.
- PVC glass retainer in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Glazed Panel Package - 42"	CMFG4224N2	308	318	42	24	2 3/8
		CMFG4230N2	352	364	42	30	2 3/8
		CMFG4236N2	394	409	42	36	2 3/8
		CMFG4242N2	440	457	42	42	2 3/8
		CMFG4248N2	482	500	42	48	2 3/8
		CMFG4254N2	542	562	42	54	2 3/8
		CMFG4260N2	598	621	42	60	2 3/8
	Non-Powered Compile Glazed Panel Package - 54"	CMFG5424N2	333	344	54	24	2 3/8
		CMFG5430N2	390	402	54	30	2 3/8
		CMFG5436N2	443	458	54	36	2 3/8
		CMFG5442N2	498	514	54	42	2 3/8
		CMFG5448N2	542	561	54	48	2 3/8
		CMFG5454N2	632	652	54	54	2 3/8
		CMFG5460N2	715	739	54	60	2 3/8
	Non-Powered Compile Glazed Panel Package - 66"	CMFG6624N2	418	434	66	24	2 3/8
		CMFG6630N2	486	505	66	30	2 3/8
		CMFG6636N2	554	575	66	36	2 3/8
		CMFG6642N2	624	650	66	42	2 3/8
		CMFG6648N2	678	706	66	48	2 3/8
		CMFG6654N2	783	814	66	54	2 3/8
		CMFG6660N2	886	919	66	60	2 3/8




CMFGXXYP1 - POWERED COMPILE GLAZED PANEL PACKAGE

- With power distribution harness.
 - Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
 - Individual fabric-covered modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides.
 - Standard clear (CLR) plexi.
 - Optional smoked plexi-Glass or Frosted Plexi with 15% upcharge.
 - PVC glass retainer in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Glazed Panel Package - 42"	CMFG4224P1	414	424	42	24	2 3/8
		CMFG4230P1	495	507	42	30	2 3/8
		CMFG4236P1	544	559	42	36	2 3/8
		CMFG4242P1	593	610	42	42	2 3/8
		CMFG4248P1	647	665	42	48	2 3/8
		CMFG4254P1	708	728	42	54	2 3/8
		CMFG4260P1	765	788	42	60	2 3/8
	Powered Compile Glazed Panel Package - 54"	CMFG5424P1	439	450	54	24	2 3/8
		CMFG5430P1	533	545	54	30	2 3/8
		CMFG5436P1	593	609	54	36	2 3/8
		CMFG5442P1	651	667	54	42	2 3/8
		CMFG5448P1	707	726	54	48	2 3/8
		CMFG5454P1	798	818	54	54	2 3/8
		CMFG5460P1	882	906	54	60	2 3/8
	Powered Compile Glazed Panel Package - 66"	CMFG6624P1	524	540	66	24	2 3/8
		CMFG6630P1	629	648	66	30	2 3/8
		CMFG6636P1	704	725	66	36	2 3/8
		CMFG6642P1	777	803	66	42	2 3/8
		CMFG6648P1	843	871	66	48	2 3/8
		CMFG6654P1	949	980	66	54	2 3/8
		CMFG6660P1	1053	1086	66	60	2 3/8



CMFGXXYP2 - POWERED COMPILE GLAZED PANEL PACKAGE

- With power distribution harness
- Includes one panel, power harness, and two raceway covers with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.
- Standard clear (CLR) plexi.
- Optional smoked plexi-Glass or Frosted Plexi with 15% upcharge.
- PVC glass retainer in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Glazed Panel Package - 42"	CMFG4224P2	414	424	42	24	2 3/8
		CMFG4230P2	495	507	42	30	2 3/8
		CMFG4236P2	544	559	42	36	2 3/8
		CMFG4242P2	593	610	42	42	2 3/8
		CMFG4248P2	647	665	42	48	2 3/8
		CMFG4254P2	708	728	42	54	2 3/8
	Powered Compile Glazed Panel Package - 54"	CMFG5424P2	439	450	54	24	2 3/8
		CMFG5430P2	533	545	54	30	2 3/8
		CMFG5436P2	593	609	54	36	2 3/8
		CMFG5442P2	651	667	54	42	2 3/8
		CMFG5448P2	707	726	54	48	2 3/8
		CMFG5454P2	798	818	54	54	2 3/8
	Powered Compile Glazed Panel Package - 66"	CMFG6624P2	524	540	66	24	2 3/8
		CMFG6630P2	629	648	66	30	2 3/8
		CMFG6636P2	704	725	66	36	2 3/8
		CMFG6642P2	777	803	66	42	2 3/8
		CMFG6648P2	843	871	66	48	2 3/8
		CMFG6654P2	949	980	66	54	2 3/8
		CMFG6660P2	1053	1086	66	60	2 3/8



CMPGXYYN0 - NON-POWERED COMPILE PARTLY GLAZED PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.
- Standard clear (CLR) plexi.
- Optional smoked plexi-Glass or Frosted Plexi with 15% upcharge.
- PVC glass retainer in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Partly Glazed Panel Package - 54"	CMPG5424N0	355	381	54	24	2 3/8
		CMPG5430N0	409	443	54	30	2 3/8
		CMPG5436N0	457	492	54	36	2 3/8
		CMPG5442N0	508	551	54	42	2 3/8
		CMPG5448N0	562	613	54	48	2 3/8
		CMPG5454N0	620	674	54	54	2 3/8
		CMPG5460N0	674	734	54	60	2 3/8
	Non-Powered Compile Partly Glazed Panel Package - 66"	CMPG6624N0	389	417	66	24	2 3/8
		CMPG6630N0	447	481	66	30	2 3/8
		CMPG6636N0	501	592	66	36	2 3/8
		CMPG6642N0	558	601	66	42	2 3/8
		CMPG6648N0	617	667	66	48	2 3/8
		CMPG6654N0	680	733	66	54	2 3/8
		CMPG6660N0	740	798	66	60	2 3/8

CMPGXYYN1 - NON-POWERED COMPILE PARTLY GLAZED PANEL PACKAGE



- Non powered.
- Includes one panel, one raceway cover with no punchout and one raceway cover with punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.
- Standard clear (CLR) plexi.
- Optional smoked plexi-Glass or Frosted Plexi with 15% upcharge.
- PVC glass retainer in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Partly Glazed Panel Package - 54"	CMPG5424N1	355	381	54	24	2 3/8
		CMPG5430N1	409	443	54	30	2 3/8
		CMPG5436N1	457	492	54	36	2 3/8
		CMPG5442N1	508	551	54	42	2 3/8
		CMPG5448N1	562	613	54	48	2 3/8
		CMPG5454N1	620	674	54	54	2 3/8
		CMPG5460N1	674	734	54	60	2 3/8
	Non-Powered Compile Partly Glazed Panel Package - 66"	CMPG6624N1	389	417	66	24	2 3/8
		CMPG6630N1	447	481	66	30	2 3/8
		CMPG6636N1	501	592	66	36	2 3/8
		CMPG6642N1	558	601	66	42	2 3/8
		CMPG6648N1	617	667	66	48	2 3/8
		CMPG6654N1	680	733	66	54	2 3/8
		CMPG6660N1	740	798	66	60	2 3/8





CMPGXXYYN2 - NON-POWERED COMPILE PARTLY GLAZED PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.
- Standard clear (CLR) plexi.
- Optional smoked plexi-Glass or Frosted Plexi with 15% upcharge.
- PVC glass retainer in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Non-Powered Compile Partly Glazed Panel Package - 54"	CMPG5424N2	355	381	54	24	2 3/8
		CMPG5430N2	409	443	54	30	2 3/8
		CMPG5436N2	457	492	54	36	2 3/8
		CMPG5442N2	508	551	54	42	2 3/8
		CMPG5448N2	562	613	54	48	2 3/8
		CMPG5454N2	620	674	54	54	2 3/8
	Non-Powered Compile Partly Glazed Panel Package - 66"	CMPG6624N2	389	417	66	24	2 3/8
		CMPG6630N2	447	481	66	30	2 3/8
		CMPG6636N2	501	592	66	36	2 3/8
		CMPG6642N2	558	601	66	42	2 3/8
		CMPG6648N2	617	667	66	48	2 3/8
		CMPG6654N2	680	733	66	54	2 3/8
		CMPG6660N2	740	798	66	60	2 3/8



CMPGXXYYP1 - POWERED COMPILE PARTLY GLAZED PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.
- Standard clear (CLR) plexi.
- Optional smoked plexi-Glass or Frosted Plexi with 15% upcharge.
- PVC glass retainer in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Partly Glazed Panel Package - 54"	CMPG5424P1	461	487	54	24	2 3/8
		CMPG5430P1	552	586	54	30	2 3/8
		CMPG5436P1	607	642	54	36	2 3/8
		CMPG5442P1	661	704	54	42	2 3/8
		CMPG5448P1	727	778	54	48	2 3/8
		CMPG5454P1	786	840	54	54	2 3/8
	Powered Compile Partly Glazed Panel Package - 66"	CMPG5460P1	841	901	54	60	2 3/8
		CMPG6624P1	495	523	66	24	2 3/8
		CMPG6630P1	590	624	66	30	2 3/8
		CMPG6636P1	651	742	66	36	2 3/8
		CMPG6642P1	711	754	66	42	2 3/8
		CMPG6648P1	782	832	66	48	2 3/8
		CMPG6654P1	846	899	66	54	2 3/8
		CMPG6660P1	907	965	66	60	2 3/8


CMPGXXYP2 - POWERED COMPILE PARTLY GLAZED PREMIUM PANEL PACKAGE

- With power distribution harness
- Includes one panel, power harness, and two raceway covers with punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides.
- Standard clear (CLR) plexi.
- Optional smoked plexi-Glass or Frosted Plexi with 15% upcharge.
- PVC glass retainer in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Powered Compile Partly Glazed Premium Panel Package - 54"	CMPG5424P2	461	487	54	24	2 3/8
		CMPG5430P2	552	586	54	30	2 3/8
		CMPG5436P2	607	642	54	36	2 3/8
		CMPG5442P2	661	704	54	42	2 3/8
		CMPG5448P2	727	778	54	48	2 3/8
		CMPG5454P2	786	840	54	54	2 3/8
		CMPG5460P2	841	901	54	60	2 3/8
	Powered Compile Partly Glazed Premium Panel Package - 66"	CMPG6624P2	495	523	66	24	2 3/8
		CMPG6630P2	590	624	66	30	2 3/8
		CMPG6636P2	651	742	66	36	2 3/8
		CMPG6642P2	711	754	66	42	2 3/8
		CMPG6648P2	782	832	66	48	2 3/8
		CMPG6654P2	846	899	66	54	2 3/8
		CMPG6660P2	907	965	66	60	2 3/8

CMPSXX - COMPILE PRIVACY GLASS




- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.
- Clamps available in satin chrome finish only.
- Note: Width dimensions given are width of glass only.
- Attachment hardware is provided for attaching to panels.
- Square profile on clamps and glass corners.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Compile Privacy Glass	CMPS24	203	246	12	24	
		CMPS30	214	248	12	30	
		CMPS36	228	250	12	36	
		CMPS42	234	274	12	42	
		CMPS48	241	293	12	48	
		CMPS54	249	311	12	54	
		CMPS60	257	336	12	60	





CHP CONNECTOR PACKAGE

- Universal Post with all "Quick-Connection" clips.
- Post trim(s)
- Post base and top cap

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	2 - Way Connector	CHP30-2	73		30		
		CHP42-2	73		42		
		CHP54-2	90		54		
		CHP66-2	107		66		
	3 - Way Connector	CHP30-3	64		30		
		CHP42-3	64		42		
		CHP54-3	80		54		
		CHP66-3	96		66		
	4 - Way Connector	CHP30-4	50		30		
		CHP42-4	50		42		
		CHP54-4	65		54		
		CHP66-4	80		66		

CHPXW - 60 DEGREE CONNECTOR PACKAGE


- Universal Post with all “Quick-Connection” clips.
 - Post trim is incorporated into 2 - Way aluminum post extrusion.
 - Post top cap
- PVC post trims can not be added to 60 degree posts.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	2 - Way - 60 Degree Connector Package	CHP2W30	50		30		
		CHP2W42	50		42		
		CHP2W54	65		54		
		CHP2W66	80		66		
	3 - Way - 60 Degree Connector Package	CHP3W30	50		30		
		CHP3W42	50		42		
		CHP3W54	65		54		
		CHP3W66	80		66		

Many components make up a Panel configuration. This page provides an exploded view of a sample configuration highlighting each **Panel** component required when spec this configuration. Note: all components in this configuration must be purchased separately.




Components

A.	CMET66	66"h End of Run Trim Insert for Panel	G.	CMFF4236	42"h x 36"w Single Segmented Fabric Panel
B.	CMFF6636	66"h x 36"w Single Segmented Fabric Panel	H.	CMET42	42"h End of Run Trim Insert for Panel
C.	CHP66	66"h Universal Corner Post	I.	CMRC36NP	36"w Raceway Cover Without Knockouts
D.	CMETP66	Trim Insert for 66"h Universal Corner Post	J.	CMRCB01BLK	Raceway Knockout Cover (Black only)
E.	CMPC2	Post Base Cover for 2-Way Application	K.	CMRC36PO	36"w Raceway Cover with Knockouts
F.	CMET24	24"h Trim Insert for Step Down	L.	"Quick Connect"	Comes standard with Panels and Universal Corner Post






CMFM - COMPILE FABRIC MONOLITHIC PANEL

- Raceway Covers must be specified separately with or without knockouts, one per side.
 - Individual fabric-covered acoustic modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - An aluminum top cap is integrated into the panel.
- Panels are not tackable or acoustical.
 - Note: Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Compile Fabric Monolithic Panel - 42"	CMFM4224	217	237	42	24	2 3⁄8
		CMFM4230	241	261	42	30	2 3⁄8
		CMFM4236	261	301	42	36	2 3⁄8
		CMFM4242	287	327	42	42	2 3⁄8
		CMFM4248	303	343	42	48	2 3⁄8
		CMFM4254	331	371	42	54	2 3⁄8
		CMFM4260	347	387	42	60	2 3⁄8
	Compile Fabric Monolithic Panel - 54"	CMFM5424	227	251	54	24	2 3⁄8
		CMFM5430	253	277	54	30	2 3⁄8
		CMFM5436	280	328	54	36	2 3⁄8
		CMFM5442	312	360	54	42	2 3⁄8
		CMFM5448	327	375	54	48	2 3⁄8
		CMFM5454	347	395	54	54	2 3⁄8
		CMFM5460	379	427	54	60	2 3⁄8
	Compile Fabric Monolithic Panel - 66"	CMFM6624	256	287	66	24	2 3⁄8
		CMFM6630	291	322	66	30	2 3⁄8
		CMFM6636	332	391	66	36	2 3⁄8
		CMFM6642	373	432	66	42	2 3⁄8
		CMFM6648	402	461	66	48	2 3⁄8
		CMFM6654	444	503	66	54	2 3⁄8
		CMFM6660	487	546	66	60	2 3⁄8




CMFF - COMPILE SINGLE SEGMENTED FABRIC PANEL

- Raceway Covers must be specified separately with or without knockouts, one per side.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum top cap is integrated into the panel.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42" h and 54" h panels.
- 4 Panel connector brackets per side come standard with 66" h panels.
- Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Compile Single Segmented Fabric Panel - 42"	CMFF4224	228	248	42	24	2 3/8
		CMFF4230	253	273	42	30	2 3/8
		CMFF4236	265	305	42	36	2 3/8
		CMFF4242	303	343	42	42	2 3/8
		CMFF4248	321	361	42	48	2 3/8
		CMFF4254	354	394	42	54	2 3/8
		CMFF4260	377	417	42	60	2 3/8
	Compile Single Segmented Fabric Panel - 54"	CMFF5424	250	274	54	24	2 3/8
		CMFF5430	274	298	54	30	2 3/8
		CMFF5436	308	356	54	36	2 3/8
		CMFF5442	349	397	54	42	2 3/8
		CMFF5448	376	424	54	48	2 3/8
		CMFF5454	394	442	54	54	2 3/8
		CMFF5460	423	471	54	60	2 3/8
	Compile Single Segmented Fabric Panel - 66"	CMFF6624	296	327	66	24	2 3/8
		CMFF6630	335	366	66	30	2 3/8
		CMFF6636	371	430	66	36	2 3/8
		CMFF6642	423	482	66	42	2 3/8
		CMFF6648	446	505	66	48	2 3/8
		CMFF6654	479	538	66	54	2 3/8
		CMFF6660	508	567	66	60	2 3/8




CMFMAXXX - COMPILE FABRIC ACOUSTIC PANEL

- Raceway Covers must be specified separately with or without knockouts, one per side.
 - Individual fabric-covered acoustic modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - An aluminum top cap is integrated into the panel.
- Panels are lightly tackable.
 - Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Compile Fabric Acoustic Panel - 42"	CMFMA4224	261	285	42	24	2 3/8
		CMFMA4230	290	314	42	30	2 3/8
		CMFMA4236	314	362	42	36	2 3/8
		CMFMA4242	345	393	42	42	2 3/8
		CMFMA4248	364	412	42	48	2 3/8
		CMFMA4254	398	446	42	54	2 3/8
		CMFMA4260	417	465	42	60	2 3/8
	Compile Fabric Acoustic Panel - 54"	CMFMA5424	273	302	54	24	2 3/8
		CMFMA5430	304	333	54	30	2 3/8
		CMFMA5436	336	394	54	36	2 3/8
		CMFMA5442	375	432	54	42	2 3/8
		CMFMA5448	393	450	54	48	2 3/8
		CMFMA5454	417	474	54	54	2 3/8
		CMFMA5460	455	513	54	60	2 3/8
	Compile Fabric Acoustic Panel - 66"	CMFMA6624	308	345	66	24	2 3/8
		CMFMA6630	350	387	66	30	2 3/8
		CMFMA6636	399	470	66	36	2 3/8
		CMFMA6642	448	519	66	42	2 3/8
		CMFMA6648	483	554	66	48	2 3/8
		CMFMA6654	533	604	66	54	2 3/8
		CMFMA6660	585	656	66	60	2 3/8



CMFGXXYY - COMPILE GLAZED PANEL

- Raceway Covers must be specified separately with or without knockouts, one per side.
 - Individual fabric-covered modules incorporated into an aluminum frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides.
 - Standard clear (CLR) plexi.
 - Optional smoked plexi-Glass or Frosted Plexi with 15% upcharge.
 - PVC glass retainer in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Compile Glazed Panel - 42"	CMFG4224	414	424	42	24	2 3/8
		CMFG4230	495	507	42	30	2 3/8
		CMFG4236	544	559	42	36	2 3/8
		CMFG4242	593	610	42	42	2 3/8
		CMFG4248	647	665	42	48	2 3/8
		CMFG4254	708	728	42	54	2 3/8
		CMFG4260	765	788	42	60	2 3/8
	Compile Glazed Panel - 54"	CMFG5424	315	326	54	24	2 3/8
		CMFG5430	366	378	54	30	2 3/8
		CMFG5436	415	430	54	36	2 3/8
		CMFG5442	466	482	54	42	2 3/8
		CMFG5448	506	525	54	48	2 3/8
		CMFG5454	588	608	54	54	2 3/8
		CMFG5460	667	691	54	60	2 3/8
	Compile Glazed Panel - 66"	CMFG6624	290	300	66	24	2 3/8
		CMFG6630	328	340	66	30	2 3/8
		CMFG6636	366	381	66	36	2 3/8
		CMFG6642	408	425	66	42	2 3/8
		CMFG6648	446	464	66	48	2 3/8
		CMFG6654	498	518	66	54	2 3/8
		CMFG6660	550	573	66	60	2 3/8


CMPGXXYY - COMPILE PARTLY GLAZED PANEL

- Raceway Covers must be specified separately with or without knockouts, one per side.
 - Individual fabric-covered module in lower position incorporated into a solid steel frame.
 - Opposite sides of each module may have a different fabric within the same grade at no upcharge.
 - If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
 - Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
 - 3 Panel connector brackets per side come standard with 42”h and 54”h panels.
 - 4 Panel connector brackets per side come standard with 66”h panels.
 - Panels contain leveling glides.
 - Standard clear (CLR) plexi.
 - Optional smoked plexi-Glass or Frosted Plexi with 10% upcharge.
 - PVC glass retainer in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Compile Partly Glazed Panel - 54"	CMPG5424	337	363	54	24	2 3/8
		CMPG5430	385	419	54	30	2 3/8
		CMPG5436	429	464	54	36	2 3/8
		CMPG5442	476	519	54	42	2 3/8
		CMPG5448	527	577	54	48	2 3/8
		CMPG5454	576	630	54	54	2 3/8
		CMPG5460	626	686	54	60	2 3/8
	Compile Partly Glazed Panel - 54"	CMPG6624	371	399	66	24	2 3/8
		CMPG6630	423	457	66	30	2 3/8
		CMPG6636	473	511	66	36	2 3/8
		CMPG6642	526	569	66	42	2 3/8
		CMPG6648	581	630	66	48	2 3/8
		CMPG6654	636	689	66	54	2 3/8
		CMPG6660	692	750	66	60	2 3/8


CMPSXX - COMPILE PRIVACY GLASS

- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.
- Clamps available in satin chrome finish only.
- Note: Width dimensions given are width of glass only.
- Attachment hardware is provided for attaching to panels.
- Square profile on clamps and glass corners.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	Compile Privacy Glass	CMPS24	203	246	12	24
		CMPS30	214	248	12	30
		CMPS36	228	250	12	36
		CMPS42	234	274	12	42
		CMPS48	241	293	12	48
		CMPS54	249	311	12	54
		CMPS60	257	336	12	60


CMRCXXNP - COMPILE RACEWAY COVER - WITHOUT KNOCKOUTS

- No electrical knockouts included.
- Note: Made of reinforced aluminum.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Compile Raceway Cover Without Knockouts	CMRC24NP	9		24	
		CMRC30NP	12		30	
		CMRC36NP	14		36	
		CMRC42NP	16		42	
		CMRC48NP	18		48	
		CMRC54NP	22		54	
		CMRC60NP	24		60	

CMRCXXPO - COMPILE RACEWAY COVER - WITH KNOCKOUTS

- Contains one knockout for 24" w and two knockouts for 30" w+.
- Raceway Knockout Cover must be added to openings where duplex receptacles are not used.
- Note: Made of reinforced aluminum.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Compile Raceway Cover With Knockouts	CMRC24PO	9		24	
		CMRC30PO	12		30	
		CMRC36PO	14		36	
		CMRC42PO	16		42	
		CMRC48PO	18		48	
		CMRC54PO	22		54	
		CMRC60PO	24		60	

CMRCB01 - COMPILE RACEWAY KNOCKOUT COVER

- Fills knockout when duplex is not used.
- Available in Black only.
- Note: Knockout covers are made of plastic.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Compile Raceway Knockout Cover	CMRCB01	8			

CHP - 90-DEGREE UNIVERSAL CORNER POST

- Available in 42", 54" and 66"h.
 - Standard Compile paint options.
 - Specify the corner post height that matches the tallest or smallest panel connection.
 - Can be used for any variation of 90-degree connections: 2-way, 3-way or 4-way.
 - Requires post trim inserts to finish off post where there are no panel connections. Post trim inserts are specified separately.
- 6" shorter than panel height to accommodate electric in base.
 - Requires a post basecover to finish off post at the base (for 2- or 3-way). Refer to CMPC.
 - See Panel Configuration Tips for application.
 - Note: Made of aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D



90-Degree Universal Corner Post	CHP30	50	30		
	CHP42	50	36		
	CHP54	65	48		
	CHP66	80	60		

CMET - END OF RUN TRIM INSERT FOR PANEL

- Trim inserts are not included with panels.
 - Cannot be used for a universal post application.
 - Used at the end of each panel run and cannot be used to attach a panel run to a fixed wall.
 - Vertical trims must be specified separately. Trim snaps in the panel at the end of run.
- Standard Compile paint options.
 - See Panel Configuration Tips for application.
 - Note: Trims are PVC.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D



End of Run Trim Insert for Panel	CMET30	8	30		
	CMET42	8	42		
	CMET54	9	54		
	CMET66	10	66		


CMETP - TRIM INSERT FOR UNIVERSAL CORNER POST

- Does not come with a post.
 - Trim installs on all exposed sides of a Universal Corner Post.
 - Post base cover must be specified separate (plastic to match post). These are connected with screws at the base and the trims at the post will slide to meet.
 - Specify to equal post height.
 - Vertical trims must be specified separately. Trim snaps in the post.
- Available in standard Compile paint options.
 - 6" shorter than Universal Corner Post to accommodate Post Base Cover (must be specified separate).
 - Can not be applied to 60 degree posts.
 - See Panel Configuration Tips for application.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Trim Insert for Universal Corner Post	CMETP30	8	30	
		CMETP42	8	36	
		CMETP54	9	48	
		CMETP66	10	60	


CMET - TRIM INSERT FOR STEP DOWN

- Does not come with a post. Trim inserts are not included with Universal Corner Posts.
 - Specify to meet the taller post.
 - Trim snaps in the post or end of run at a change in height.
- Available in standard Compile paint options.
 - Can not be applied to 60 degree posts.
 - See Panel Configuration Tips for application.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Trim Insert for Step Down	CMET12	3	12	
		CMET24	6	24	
		CMET36		36	



CMPC - UNIVERSAL POST CAP

- Comes standard with universal post.
- Specified separately for reconfiguration purposes.
- Available in standard Compile paint options.
- Note: Made of PVC.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Universal Post Cap	CMPC	2	2 3/8	


CMPC - POST BASE COVER

- Post Base Covers are not included with Universal Corner Posts.
- Base trim for universal post. These are connected with screws at the base and the trims at the post will slide to meet.
- Available for 2-way and 3-way configurations.
- Note: Finish is smooth plastic.
- Available in standard Compile paint options.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Post Base Cover - 3-Way Connection	CMPC1	6	6		
	Post Base Cover - 2-Way Connection	CMPC2	7	6		

CHWAXX - WALL ADAPTER

- Same profile as vertical extrusion.
- Wall attachment hardware not provided.
- Note: Made of aluminum.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Wall Adapter	CHWA30	25	30		
		CHWA42	25	42		
		CHWA54	30	54		
		CHWA66	36	66		

electrical

STEP-BY-STEP SPECIFICATION – 8-WIRE ELECTRICAL SYSTEM

- Step

1

Determine the location of the source power entering the Panel Run.

1. At the base of the Panel.

(a) Use CE8FR1 Reversible Floor Power Entry (default to CE8FR1).

(b) Select the Panel to which the Floor Power Entry will be attached.

(c) Select the side of the Panel and the receptacle outlet to which the Floor Power Entry is to be attached.

Note: When using Pass Through Connectors in conditions other than a straight line, you must use a CE8CI-1 I-Connector along with a CE8CP17 Flexible Mesh Jumper Cable through the corner post.
- Step

2

Determine which Panels are to be powered.

1. Use CE8PD Power Distribution Housing that corresponds with the width of the Panel.
- Step

3

Connect power to the powered Panels.

1. Use CE8CP17 Flexible Mesh Jumper Cable between two adjacent powered Panels.

2. Use CE8CP17 Flexible Mesh Jumper Cable between two adjacent powered Panels separated by a post.

3. Use CE8CP17 Flexible Mesh cable (to turn the post) and a CE8CI-1 “I” Connector to attach the CE8CP Pass Through Cable.

(a) The length of the Pass-Through Cable is calculated by adding together the widths of the non-powered Panels that separate the two powered Panels and applying an additional 16” to the total. (CE8PD Power Distribution Housing is positioned 8” in from the ends of the powered Panel.)

(b) An additional 3” must be added to the Pass-Through Cable for each post that the cable passes through.

(c) Subtract 17” from the total length to find the pass through cable length required.

4. From the price list, select the CE8CP Pass-Through Cable that matches the calculated length. If the length is between listed sizes, use the next size up.
- Step

4

Determine the location and circuitry of the receptacles.

1. Each powered Panel has four (4) potential locations for CE8RD Duplex Receptacles – 2 per side. (Exception: 24” wide Panel has only two potential locations – 1 per side.)

2. At each receptacle location there is a choice of four circuit options. Select a circuit option for each location. Circuits one & two are utility circuits; circuits A & B are dedicated circuits.

COMPILE’S 8-WIRE ELECTRICAL SYSTEM

Electrical
This modification allows for the integration of the commonly required “2+2” configuration (2 utility circuits, 2 dedicated circuits) found in the source power of most of today’s North American buildings.

- This system is rated for connection to:**
1. A grounded 120/240V, single phase, 20 A, 60Hz
2. A 120/208V, 3 phase, 20 A, 60Hz branch circuit

EQUIPMENT AMPERAGE



Calculator	0.25
Electric Eraser	0.50
Pencil Sharpener.....	1.00
Radio	0.05
Paper Shredder.....	4.40 - 13.00
Electric Typewriter	1.20
Personal Computer	2.00 - 4.00
Video Display Terminal	0.08
Draft / Letter Quality Printer	1.20 - 3.00
Laser Printer	5.00 - 8.00
Processor / Disk Unit.....	1.00 - 10.00

Data/Comm
Compile’s duplex receptacle openings (1.345 x 2.80) will conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38 +/- .035 x 2.71 +/- .04

Desk Top Plotter	1.50
Fan	1.00
Heater	8.50 - 12.50
Coffee Pot.....	15.00
Task Light	1.00
Slide Projector	2.00 - 6.00

Since some equipment, such as large copiers, printers, plotters, heaters and coffee makers would occupy most of the circuit capacity, it is recommended that such devices be supplied with the power directly from the wall or building receptacle.

Wiring Schematic



Defining "2 + 2" Wiring Configurations

2 + 2 Configuration (8 wire, 4 circuit)

Two Utility Circuits [Compile's new #1 & #2 circuits] share one neutral wire and one ground wire.

(2 hot [circuit] wires + 1 neutral wire*** + 1 green ground wire* = 4 wires)

Two Dedicated Circuits [Compile's new "A" & "B" circuits] share one neutral wire and one ground wire.

(2 hot [circuit] wires + 1 neutral wire*** + 1 green/yellow ground wire** = 4 wires)

Note:

It is the ground wire that makes the difference between "Utility" and "Dedicated" circuits. Refer to Wiring Schematics found above.

* A Green ground wire is a "system" ground. This means it could be grounded to any piece of metal, including the Panel.


** A Green/Yellow ground wire is isolated, within the wiring conduit, all the way back to the box at the source (building ground).

*** All Neutral Wires are 10 gauge rather than 12 gauge meaning they are larger than normal, allowing greater protection against "noise" or interference on the circuit.

This page provides an exploded view of a sample configuration highlighting each **Electrical** component required when specifying this configuration.


Components

- A. CE8PD36 Power Distribution Housing
Note: 8 wire, 4 circuits, 2+2 configuration
- B. CE8CP17 Flexible Mesh Jumper Cable (connects two panels side by side or separated by a post)
- C. CE8RD Duplex Receptacle
- D. CE8CI-1 "I" Connector
- E. CE8CP Pass-Through Cable
Note: Must run in a straight line application only
Note: Pass-Through Extension Cable (CE8CPF154) available – extends power capability beyond 208".




E8PD - POWER DISTRIBUTION HOUSING

- Power housing is specified per panel size (e.g. CE8PD36 is for use in a 36" panel).
- 8 wire, 4 circuits (4th circuit dedicated).
- Power distribution housing is required for each powered panel, the power distribution housing should equal the width of the panel that it is specified in.
- Provides two duplex receptacle ports per panel side on all panel widths except the 24" wide panel.
- 24" wide panel allows for only one (1) duplex receptacle on one panel side.
- Each power distribution housing supports 15-20 amps.
- Must specify Raceway Cover with Knockouts on panels, where Power Distribution Housings will be utilized.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Power Distribution Housing	CE8PD24	106	6 1/4	
		CE8PD30	143	11 1/2	
		CE8PD36	150	17 1/2	
		CE8PD42	153	23 1/2	
		CE8PD48	165	29 1/2	
		CE8PD54	166	39 1/4	
		CE8PD60	167	41 1/2	


CE8CP17 - FLEXIBLE MESH JUMPER CABLE

- 17" mesh jumper.
- Jumper cable is used to pass through a post or connect two panels together.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Flexible Mesh Jumper Cable	CE8CP17	81	17	


CE8CP - PASS THROUGH CABLE

- Flexible metal conduit is used to distribute electrical power through non-powered panels.
 - Metal conduit pass through cables should be in used in a straight runs. Metal conduit pass through cables cannot pass through a post.
 - Flexible conduit is required to turn a post. This only comes as 17" w. If panels at the posts do not all have power distribution housings, they must be added even if duplexes are not specified.
- To calculate the length of a Pass-Through Cable, add the widths of the non-powered panels separating the powered panels (panels with distribution housing attached). To this add 16" (distance from the edge of the panel to the distribution housing x 2).
 - Add additional 3" when passing through a corner post. See the Tips at the beginning of the section for more details.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Pass Through Cable	CE8CP28		28 1/2	
		CE8CP40		40 1/2	
		CE8CP46		46 1/2	
		CE8CP52		52 1/2	
		CE8CP58		58 1/2	
		CE8CP64		64 1/2	
		CE8CP70		70 1/2	
		CE8CP76		76 1/2	
		CE8CP82		82 1/2	
		CE8CP88		88 1/2	
		CE8CP94		94 1/2	
		CE8CP100		100 1/2	
		CE8CP106		106 1/2	
		CE8CP118		118 1/2	
		CE8CP130		130 1/2	
		CE8CP142		142 1/2	
		CE8CP154		154 1/2	
		CE8CP172		172 1/2	
		CE8CP190		190 1/2	
		CE8CP208		208 1/2	
Pass Through Extension Cable	CE8CPF154	211		154 1/2	

CE8CI-1 - "I" CONNECTOR

- Female - Female connector connects two Pass-Through Cables.
- Connects 17" Flexible Jumper Cable or ceiling feeds to pass through cables.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	"I" Connector	CE8CI-1		60	


ELECTRICAL

CE8RD - DUPLEX RECEPTACLE

- Up to 3 receptacles per circuit
- Duplex Receptacles standard in Black (BLK).
- CE8RD1 = Circuit #1 (utility circuit)
- CE8RD2 = Circuit #2 (utility circuit)
- CE8RDA = Circuit A (dedicated)
- CE8RDB = Circuit B (dedicated)

NOTE:

- CE8RD1 and CE8RD2 (#1 and #2 share common ground)
- CE8RDA and CE8RDB (A and B share common ground)

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Duplex Receptacle	CE8RD1	22		
		CE8RD2	22		
		CE8RDA	22		
		CE8RDB	22		

CE8FR1 - REVERSIBLE FLOOR POWER ENTRY

- Takes the place of a duplex receptable by snapping into the base power way.
- Includes 144" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"


CE8FR2 - REVERSIBLE FLOOR POWER ENTRY

- Takes the place of a duplex receptable by snapping into the base power way.
- Includes 72" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Reversible Floor Power Entry	CE8FR1	239	72	
	Reversible Floor Power Entry	CE8FR2	309	144	

CMEB01 - ELECTRICAL BOX - CHICAGO


- Can be retrofitted in any size of panel at the receptacle location.
- Gives access from one side only at each location.
- Customer to supply conduit, wiring, receptacle, and face plate.
- 2 per panel ,except 24" panel only one
- Note: A licensed electrician must provide hardware connection with the junction box.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Electrical Box - Chicago	CMEB01	68		

ELECTRICAL


CMEB02NY - ELECTRICAL BOX - NEW YORK

- Shipped assembled.
- Comes with pig tail electric.
- Use with 30" wide Panel of larger

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Electrical Box - New York	CMEB02NY	306			


CEPEXX - POST EXTENSION

- Same profile as post.
- Includes two post extension brackets, four screws and four trim inserts.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Post Extension	CEPE64	125	64		
	CEPE82	165	82		

CE8ECX - CEILING FEED


- Snaps into the end of a Power Distribution Housing.
 - Flexible metal conduit extends into the ceiling through a corner post and post extension.
- Must be hard wired to source power by a licensed electrician.
 - 4" junction box included.
 - Post extension ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Ceiling Feed	CE8EC1	184	132		
	CE8EC2	323	144		
	CE8EC3	365	180		

ELECTRICAL


CEET - UNDER STORAGE LOW WATTAGE (T5) TASK LIGHTS

- Task light must be at least 6" shorter than storage component to which it is attached.
 - T5 rapid start fluorescent lamps
 - Uses low wattage for energy efficient illumination
 - Meets Chicago and NY electrical codes
 - Electronic ballast
- Miniature rocker switch, positive position rocker
 - 7 ft. black cord on all under storage models except 48". 48" models come with a 9 ft. cord.
 - Available in black only
 - Task light bulbs not replaced by manufacturer.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Under Storage Low Wattage (T5) Task Lights	CEET5L18	136		18	
		CEET5L24	143		24	
		CEET5L36	153		36	
		CEET5L48	171		48	

CMECC - CABLE COVER

- Attaches to panels vertically between modules to provide enclosures for power or data cords.
 - Available in 21" and 36" lengths, 6 per pack.
- Available in Steel (STL), Black (BLK), Nevada (NEV) only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Cord Cover	CMECC21	21	21	0.5	1
		CMECC36	32	36	0.5	1


NOTES







worksurfaces

The information listed below provides you with basic features of Compile Worksurfaces.

- Compile thermally fused Worksurfaces are 1" thick and are finished with 3 mm PVC edging on all sides.
- Worksurfaces are predrilled to enable proper alignment with worksurface supports.
- Standard laminate offerings are available in thermally-fused (T). See laminate listings for details.
- Wood grain laminates on corner Worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used.
- Most wood grain laminate Worksurfaces will have matching woodgrain trim unless specified otherwise.
- Depth of the Worksurface scoops are 1 1/8" when measured from the Panel the Worksurface is attached to.
- All Worksurfaces require support items. These are priced separately within this section.
- Grain Direction for Worksurfaces are as follows:




- Communication and electrical wires are routed through a cable scoop located at the back of the Worksurface. When specifying a Straight Worksurface (CWS) or a Curvilinear Worksurface (CWVL), note that the number of cable scoops depends upon the width of the Worksurface. All other Worksurface shapes have one scoop on Panel edges.



This page provides a three dimensional view of a sample configuration highlighting each **Worksurface** component required when specifying this configuration.

Components



- A.** CWVL2436 Curvilinear Worksurface – Left
Note: When deepest end equals 24", opposite depth is 18"
When deepest end equals 30", opposite depth is 24"
- B.** CWCC3618 Corner Curved Worksurface
- C.** CWVR2436 Curvilinear Worksurface – Right



WORKSURFACES



CWS - RECTANGULAR WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Rectangular Worksurfaces - 24" Deep	CWS2424	94	24	24
		CWS2430	101	24	30
		CWS2436	114	24	36
		CWS2442	147	24	42
		CWS2448	177	24	48
		CWS2454	207	24	54
		CWS2460	232	24	60
		CWS2466	243	24	66
		CWS2472	253	24	72
		CWS2478	408	24	78
	Rectangular Worksurfaces - 30" Deep	CWS3024	111	30	24
		CWS3030	118	30	30
		CWS3036	140	30	36
		CWS3042	197	30	42
		CWS3048	207	30	48
		CWS3054	228	30	54
		CWS3060	243	30	60
		CWS3066	252	30	66
		CWS3072	267	30	72
		CWS3078	508	30	78
		CWS3084	516	30	84

CWSP - RECTANGULAR WORKSURFACES - SPAN A POST



- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Rectangular Worksurfaces - 24" Deep Span a Post	CWSP2426	94	24	26
		CWSP2432	101	24	32
		CWSP2438	114	24	38
		CWSP2444	147	24	44
		CWSP2450	177	24	50
		CWSP2456	207	24	56
		CWSP2462	232	24	62
		CWSP2468	243	24	68
		CWSP2474	254	24	74
		CWSP2480	408	24	80
	Rectangular Worksurfaces - 30" Deep Span a Post	CWSP2486	412	24	86
		CWSP3026	112	30	26
		CWSP3032	118	30	32
		CWSP3038	140	30	38
		CWSP3044	197	30	44
		CWSP3050	207	30	50
		CWSP3056	228	30	56
		CWSP3062	243	30	62
		CWSP3068	253	30	68
		CWSP3074	267	30	74
		CWSP3080	508	30	80
		CWSP3086	515	30	86

WORKSURFACES



CWVR - CURVILINEAR WORKSURFACES - RIGHT

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Curvilinear Worksurfaces - 24" Deep	CWVR2424	122	24	24
	CWVR2430	127	24	30
	CWVR2436	152	24	36
	CWVR2442	177	24	42
	CWVR2448	203	24	48
	CWVR2454	228	24	54
	CWVR2460	247	24	60
	CWVR2466	273	24	66
	CWVR2472	293	24	72
	CWVR2478	408	24	78
 Curvilinear Worksurfaces - 30" Deep	CWVR3024	127	30	24
	CWVR3030	133	30	30
	CWVR3036	159	30	36
	CWVR3042	218	30	42
	CWVR3048	228	30	48
	CWVR3054	252	30	54
	CWVR3060	273	30	60
	CWVR3066	293	30	66
	CWVR3072	311	30	72
	CWVR3078	508	30	78
	CWVR3084	516	30	84

CWVL - CURVILINEAR WORKSURFACES - LEFT




- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Curvilinear Worksurfaces - 24" Deep	CWVL2424	122	24	24
	CWVL2430	127	24	30
	CWVL2436	152	24	36
	CWVL2442	177	24	42
	CWVL2448	203	24	48
	CWVL2454	228	24	54
	CWVL2460	247	24	60
	CWVL2466	273	24	66
	CWVL2472	293	24	72
	CWVL2478	408	24	78
 Curvilinear Worksurfaces - 30" Deep	CWVL3024	127	30	28
	CWVL3030	133	30	30
	CWVL3036	159	30	36
	CWVL3042	218	30	42
	CWVL3048	228	30	48
	CWVL3054	252	30	54
	CWVL3060	273	30	60
	CWVL3066	293	30	66
	CWVL3072	311	30	72
	CWVL3078	508	30	78
	CWVL3084	516	30	84

WORKSURFACES




CWCC - CORNER CURVED WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
 - Compile worksurfaces feature a 3mm edge.
 - Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
 - Note: Wood grain laminates do not run diagonally on corner worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Corner Curved Worksurfaces - 36"	CWCC3618	321	18	36
		CWCC3624	351	24	36
	Corner Curved Worksurfaces - 42"	CWCC4224	476	24	42
		CWCC4230	517	30	42
	Corner Curved Worksurfaces - 48"	CWCC4824	556	24	48
		CWCC4830	583	30	48

CWCF - FIVE SIDED WORKSURFACES


- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
 - Compile worksurfaces feature a 3mm edge.
 - Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
 - Note: Wood grain laminates do not run diagonally on corner worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Five Sided Worksurface - 36"	CWCF3618	318	18	36
		CWCF3624	351	24	36
	Five Sided Worksurface - 42"	CWCF4224	476	24	42
		CWCF4230	517	30	42
	Five Sided Worksurface - 48"	CWCF4824	556	24	48
		CWCF4830	583	30	48

WORKSURFACES

CWCEL - EXTENDED CURVED CORNER - LEFT


- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
	Extended Curved Corner - 36" x 24"	CWCEL362448	435	36	24	48
		CWCEL362460	474	36	24	60
		CWCEL362466	521	36	24	66
		CWCEL362472	577	36	24	72
		CWCEL362478	616	36	24	78
		CWCEL362484	663	36	24	84
	Extended Curved Corner - 42" x 24"	CWCEL422460	499	42	24	60
		CWCEL422466	548	42	24	66
		CWCEL422472	607	42	24	72
		CWCEL422478	648	42	24	78
		CWCEL422484	699	42	24	84
	Extended Curved Corner - 42" x 30"	CWCEL423060	562	42	30	60
		CWCEL423066	616	42	30	66
		CWCEL423072	673	42	30	72
		CWCEL423078	722	42	30	78
		CWCEL423084	769	42	30	84
	Extended Curved Corner - 48" x 24"	CWCEL482460	591	48	24	60
		CWCEL482466	639	48	24	66
		CWCEL482472	686	48	24	72
		CWCEL482478	755	48	24	78
		CWCEL482484	785	48	24	84
	Extended Curved Corner - 48" x 30"	CWCEL483060	625	48	30	60
		CWCEL483066	681	48	30	66
		CWCEL483072	739	48	30	72
		CWCEL483078	794	48	30	78
		CWCEL483084	830	48	30	84

WORKSURFACES


CWCER - EXTENDED CURVED CORNER - RIGHT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
	Extended Curved Corner - 36" x 24"	CWCER362448	435	36	24	48
		CWCER362460	474	36	24	60
		CWCER362466	521	36	24	66
		CWCER362472	577	36	24	72
		CWCER362478	616	36	24	78
		CWCER362484	663	36	24	84
	Extended Curved Corner - 42" x 24"	CWCER422460	499	42	24	60
		CWCER422466	548	42	24	66
		CWCER422472	607	42	24	72
		CWCER422478	648	42	24	78
		CWCER422484	699	42	24	84
	Extended Curved Corner - 42" x 30"	CWCER423060	562	42	30	60
		CWCER423066	616	42	30	66
		CWCER423072	673	42	30	72
		CWCER423078	722	42	30	78
		CWCER423084	769	42	30	84
	Extended Curved Corner - 48" x 24"	CWCER482460	591	48	24	60
		CWCER482466	639	48	24	66
		CWCER482472	686	48	24	72
		CWCER482478	755	48	24	78
		CWCER482484	785	48	24	84
	Extended Curved Corner - 48" x 30"	CWCER483060	625	48	30	60
		CWCER483066	681	48	30	66
		CWCER483072	739	48	30	72
		CWCER483078	794	48	30	78
		CWCER483084	830	48	30	84

CWC6 - CURVED CORNER WORKSURFACE FOR 60° POST


- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE TF	DIMENSIONS/INCHES	
				D	W
	Curved Corner Worksurface for 60° Post - 24"	CWC62424	300	24	24
		CWC62430	533	24	30
		CWC62436	601	24	36
		CWC62442	918	24	42
		CWC62448	1001	24	48
	Curved Corner Worksurface for 60° Post - 30"	CWC6K3024	300	30	24
		CWC6K3030	533	30	30
		CWC6K3036	601	30	36
		CWC6K3042	918	30	42
		CWC6K3048	1001	30	48

WORKSURFACES


CWD - "D" WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	"D" Worksurface - 24"	CWD2442	355	24	42
		CWD2448	365	24	48
		CWD2460	383	24	60
		CWD2472	410	24	72
	"D" Worksurface - 30"	CWD3042		30	42
		CWD3048	390	30	48
		CWD3060	410	30	60
		CWD3072	455	30	72

CWH - HATCHET WORKSURFACE (RIGHT SHOWN)



- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included
- Must be specified either left or right handed.
- Note: Wood Grain Laminates do not run diagonally on Hatchet Corners

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
	Hatchet Worksurface - Left	CWHL3672	784	36	30	72
	Hatchet Worksurface - Right	CWHR3672	784	36	30	72

Right Shown

CWSW - STRAIGHT WEDGE WORKSURFACES


- Support hardware must be ordered separately. See the listings in this section.
- Must be specified either left or right handed.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
	Straight Wedge Worksurface - Left	CWSW241848	248	24	18	48
		CWSW241854	279	24	18	54
		CWSW241860	308	24	18	60
		CWSW241866	341	24	18	66
		CWSW241872	371	24	18	72
		CWSW302448	308	30	24	48
		CWSW302454	348	30	24	54
		CWSW302460	387	30	24	60
	Straight Wedge Worksurface - Right	CWSW182448	248	18	24	48
		CWSW182454	279	18	24	54
		CWSW182460	308	18	24	60
		CWSW182466	341	18	24	66
		CWSW182472	371	18	24	72
		CWSW243048	308	24	30	48
		CWSW243054	348	24	30	54
		CWSW243060	387	24	30	60
		CWSW243066	425	24	30	66
		CWSW243072	465	24	30	72

WORKSURFACES


CWQR - QUARTER ROUND PANEL WORKSURFACE

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- Left hand surface shown.
- Support hardware must be ordered separately. See the listings in this section.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Quarter Round Panel Worksurface - Left	CWQRL2424	147	24	24
		CWQRL3030	194	30	30
	Quarter Round Panel Worksurface - Right	CWQRR2424	147	24	24
		CWQRR3030	194	30	30


CWQRC - QUARTER ROUND PANEL CORNER WORKSURFACE

- Wraps around a 90° corner post.
- Support hardware must be ordered separately. See the listing in this section.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Quarter Round Panel Corner Worksurface	CWQRC2424	176	24	24
		CWQRC3030	217	30	30

CWT - STRAIGHT TRANSACTION WORKSURFACE


- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Straight Transaction Worksurface	CWT1512	43	15	12
		CWT1518	57	15	18
		CWT1524	68	15	24
		CWT1530	82	15	30
		CWT1536	93	15	36
		CWT1542	106	15	42
		CWT1548	120	15	48
		CWT1554	130	15	54
		CWT1560	145	15	60
		CWT1566	156	15	66
		CWT1572	169	15	72
		CWT1578	182	15	78
		CWT1584	193	15	84

WORKSURFACES


CWTE - END TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Extends 1.5" past end of run.
- Compile worksurfaces feature a 3mm edge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	End Transaction Surface	CWTE1512	57	15	14
		CWTE1518	68	15	20
		CWTE1524	82	15	26
		CWTE1530	93	15	32
		CWTE1536	106	15	38
		CWTE1542	120	15	44
		CWTE1548	130	15	50
		CWTE1554	145	15	56
		CWTE1560	156	15	62
		CWTE1566	169	15	68
		CWTE1572	182	15	74


CWTCL - "L" CORNER TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- When specifying this item along with a straight surface, deduct 12" from each return side.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	"L" Corner Transaction Surface	CWTCL90	123	15	21

CW9T - CORNER TRANSACTION SURFACE FOR 90° POST


- Support hardware must be ordered separately. See the listing in this section.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Corner Transaction Surface for 90° Post	CW9T1524	168	15	24
		CW9T1530	201	15	30
		CW9T1536	231	15	36
		CW9T1542	264	15	42
		CW9T1548	299	15	48

WORKSURFACES


CHCB2 - CORNER BRACKET

- Attaches the corner of any worksurface to a panel connector.
- Priced and shipped in pairs.
- Available in standard paint colors.
- Cannot be used off modular.
- Can be used when a panel is the same depth as the worksurface in the front and back application.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Corner Bracket	CHCB2	12	2.5	

CHWB1 - MID SPAN SUPPORT BRACKET

- Does not need to be on module.
- Used when a panel exceeds the depth of the adjacent worksurface.
- Can only be used with a Segmented Panel.
- Comes in unfinished zinc.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Mid Span Support Bracket	CHWB1	7		


CHC15- CANTILEVER

- Attaches a worksurface to a panel.
- Used to support two convergent worksurfaces when specified with 2 Flat Brackets.
- Does not include Flat Brackets.
- Priced individually
- Specify handedness of each cantilever
- Available in standard paint colors.
- Right and left Cantilever needs to be specified unless flat brackets are also specified.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Cantilever	CHC15L	30	15	6
		CHC15R	30	15	6

CHFB1 - FLAT BRACKET


- Use in conjunction with Cantilever to make it a shared Cantilever to support convergent worksurfaces.
- Used at the front of 2 convergent worksurfaces to keep worksurfaces flush at seams.
- Available in Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Flat Bracket	CHFB1	11	3	4

WORKSURFACES


CHTB2 - TRANSACTION TOP BRACKETS

- Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.
- Priced and shipped in pairs.
- Available in Anodized Aluminum only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Transaction Top Brackets	CHTB2	16		


CHEP - END PANEL

- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.
- Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- If wood grains is selected, grain runs vertically.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	End Panel - 28"High	CHEP2924	182	28	24
		CHEP2930	213	28	30

CHMSL - MID SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				H	
	Mid Support Leg - Round	CHMSL1	62	28	
	Mid Support Leg - Square	CHMSL2	62	28	

WORKSURFACES

PEDESTAL FILLER BRACKET

- Screws to back of pedestal
- Fills the gap between the pedestal and panel when wing panel is not used.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Pedestal Filler Bracket-	CHPBF	35	26.875	1.375



storage

LATERAL FILE FEATURES

DRAWERS/SHELVES

- Drawer interlocking system
- Three-stage, anti-bounceback suspension
- Pre-installed, side-to-side file bars for letter, legal and A4
- Front-to-back file bars – optional
- Full-height dividers – optional
- Angled full pull

CONSTRUCTION

- Top stiffener bar
- Corner gussets
- Four (4) ganging drill points are marked to ensure correct positioning
- Cam lock included
- Leveling glides
- Counterweights are included in 2, 3 and 4 drawer cabinets. BIFMA does not require counterweight in 5 drawer cabinets.

PEDESTAL FEATURES

DRAWERS/SHELVES

- All drawer fronts feature a recessed, angled full pull.
- Drawers feature ball bearing suspension.

CONSTRUCTION

- Central Core removable cam locks.
- Pedestals are 15” wide.
- Counterweight is standard on all Freestanding models.
- Worksurfaces supporting models have holes drilled in top to attach underneath a worksurface.

STANDARD PAINT COLORS

BLK	BLACK
NEV	NEVADA
STL	STEEL


GENERAL WARRANTY INFORMATION

- Evolve warrants all components of metal storage and filing for the lifetime of the product to the original purchaser.

This page provides a three dimensional view of a sample configuration highlighting each storage component required when specifying this configuration.

Components


- A. CSOF13XX KD Overhead
- B. CSSL13XX Low-Profile Shelf
- C. CM19XXBBF Worksurface Supporting Box, Box, File Pedestal



STORAGE


CS19XXBBF - WORKSURFACE SUPPORTING BOX/BOX/FILE 15" PEDESTAL

- Worksurface supporting, with predrilled holes in the top.
 - Also available as freestanding with finished top.
 - All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
 - Pencil tray included.
 - Lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Worksurface Supporting	CS1919BBF	330	27 5/8	18 5/8	15
	Box/Box/File 15" Pedestal	CS1923BBF	340	27 5/8	22 5/8	15
		CS1929BBF	385	27 5/8	29 5/8	15


CS19XXFF - WORKSURFACE SUPPORTING FILE/FILE 15" PEDESTAL

- Worksurface supporting, with predrilled holes in the top.
 - Also available as freestanding with finished top.
 - All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
 - Lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Worksurface Supporting	CS1919FF	330	27 5/8	18 5/8	15
	File/File 15" Pedestal	CS1923FF	340	27 5/8	22 5/8	15
		CS1929FF	385	27 5/8	29 5/8	15


CS19FXBBF - FREESTANDING BOX/BOX/FILE 15" PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
 - Pedestal height shown includes glide.
 - Finished top.
- Counterweight included.
 - Pencil tray included.
 - Lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Freestanding	CS19F19BBF	340	27 5/8	18 5/8	15
	Box/Box/File 15" Pedestal	CS19F23BBF	350	27 5/8	22 5/8	15
		CS19F29BBF	395	27 5/8	29 5/8	15

CS19FXFF - FREESTANDING FILE/FILE 15" PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
 - Pedestal height shown includes glide.
 - Finished top.
- Counterweight included.
 - Lock included.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Freestanding	CS19F19FF	340	27 5/8	18 5/8	15
	File/File 15" Pedestal	CS19F23FF	350	27 5/8	22 5/8	15
		CS19F29FF	395	27 5/8	29 5/8	15

STORAGE

CS19MPXXBBF - MOBILE BOX/BOX/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.
- Counterweight included.
- Pencil tray included.
- Lock included.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Mobile Box/Box/File Pedestal	CS19MP19BBF	450	27 5/8	18 5/8	15
	CS19MP23BBF	475	27 5/8	22 5/8	15



CS19MPXXFF - MOBILE FILE/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.
- Counterweight included.
- Lock included.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Mobile File/File Pedestal	CS19MP19FF	450	27 5/8	18 5/8	15
	CS19MP23FF	475	27 5/8	22 5/8	15



CSSL13 - LOW PROFILE SHELF

- 13" deep panel-mounted storage shelf with backlip.
- Mounting brackets are included.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Low Profile Shelf - 13"	CSSL1324	80	14.5	13	24
	CSSL1330	89	14.5	13	30
	CSSL1336	96	14.5	13	36
	CSSL1342	104	14.5	13	42
	CSSL1348	109	14.5	13	48
	CSSL1354	114	14.5	13	54
	CSSL1360	119	14.5	13	60



CSOF13 - KD OVERHEAD

- Mounting brackets are included.
- Door retracts up and over the cabinet.
- Ready for quick assembly on site.
- Quality steel construction.
- 60" unit is reinforced for proper weight distribution.
- Inside dimensions: 12" h x 12.75" d
- Lock sold separately.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
KD Overhead - 13"	CSOF1324	214	14.5	13	24
	CSOF1330	235	14.5	13	30
	CSOF1336	260	14.5	13	36
	CSOF1342	275	14.5	13	42
	CSOF1348	290	14.5	13	48
	CSOF1354	328	14.5	13	54
	CSOF1360	355	14.5	13	60




STORAGE

CMSLK13 - LOCK FOR KD OVERHEAD

- Must be specified seperately.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Lock for KD Overhead	CMSLK13	25			

CMS__ - ADDITIONAL & MASTER KEY

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	MK - Master Key	CMSMK93	20			
	CK - Core Key	CMSCK93	20			
	LOCKKEY - Core and Key	CSLOCKKEY	25			


CMADAXPM - ADA COMPLIANT OVERHEAD STORAGE UNIT

- Panel Mounted Overhead Storage with metal sides and opaque door that retracts on top of the unit
 - Meets CSA B651 Barrier Free Design & ADA (American Disabilities Act).
 - 16" high units accept standard and A4 binders.
 - All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 12" deep.
 - Unit includes attachment hardware, lock and mounting brackets. Back not included.
 - Shipped partially assembled.
 - Available in standard Compile paint colors only. Door made of opaque plastic.
**add 10% upcharge for Tungsten

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	ADA Compliant Overhead Storage Unit	CMADA30PM	658	16	14.2	30
		CMADA36PM	710	16	14.2	36
		CMADA42PM	759	16	14.2	42
		CMADA48PM	810	16	14.2	48
		CMADA54PM	861	16	14.2	54
		CMADA60PM	910	16	14.2	60

CS19XXP - 2F12 - LATERAL FILES - 2 DRAWERS WITH COUNTERWEIGHT


- Counterweight is standard. Two fixed front drawers.
 - Side-to-side hanging file bars included.
 - Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
 - Lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Lateral Files - 2 Drawers with Counterweight	CS1930P-2F12	595	27.14	19 1/4	30
		CS1936P-2F12	640	27.14	19 1/4	36
		CS1942P-2F12	665	27.14	19 1/4	42

STORAGE


CS19XXP - 3F12 - LATERAL FILES - 3 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Three fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
- Lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Lateral Files - 3 Drawers	CS1930P-3F12	740	39.52	19 1/4	30
	with Counterweight	CS1936P-3F12	780	39.52	19 1/4	36
		CS1942P-3F12	815	39.52	19 1/4	42


CS19XXP - 4F12 - LATERAL FILES - 4 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Four fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
- Posting shelf option NOT available.
- Lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Lateral Files - 4 Drawers with Counterweight	CS1930P-4F12	945	51.89	19 1/4	30
		CS1936P-4F12	990	51.89	19 1/4	36
		CS1942P-4F12	1065	51.89	19 1/4	42

CS19XXP - 5F12 - LATERAL FILES - 5 DRAWERS

- Four fixed front drawers plus top drawer with receding door and roll-out shelf.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
- Posting shelf option NOT available.
- Lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Lateral Files - 5 Drawers	CS1930P-5F12	1125	66.39	19 1/4	30
		CS1936P-5F12	1175	66.39	19 1/4	36
		CS1942P-5F12	1240	66.39	19 1/4	42

SO#

PO#

TAG#

Date

KEY#	SETS REQ'D	KEY#	SETS REQ'D	KEY#	SETS REQ'D	KEY#	SETS REQ'D	KEY#	SETS REQ'D
401		431		461		491		521	
402		432		462		492		522	
403		433		463		493		523	
404		434		464		494		524	
405		435		465		495		525	
406		436		466		496		526	
407		437		467		497		527	
408		438		468		498		528	
409		439		469		499		529	
410		440		470		500		530	
411		441		471		501		531	
412		442		472		502		532	
413		443		473		503		533	
414		444		474		504		534	
415		445		475		505		535	
416		446		476		506		536	
417		447		477		507		537	
418		448		478		508		538	
419		449		479		509		539	
420		450		480		510		540	
421		451		481		511		541	
422		452		482		512		542	
423		453		483		513		543	
424		454		484		514		544	
425		455		485		515		545	
426		456		486		516		546	
427		457		487		517		547	
428		458		488		518		548	
429		459		489		519		549	
430		460		490		520		550	

401-430 =

431-460 =

461-490 =

491-520 =

521-550 =

Total:


NOTE : If Key Alike Instructions are not submitted to EVOLVE with the Customer’s Purchase Order, all components will be keyed randomly.

accessories

ACCESSORIES


CATB - TACK BOARD

- Provide a tackable surface for notes and memos in a work area.
- Includes two pairs of panel-mounting brackets.
- Only fabric must be specified.
- 10" to be installed on 42"h panels.
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overhangs.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	Tack Board - 10" High	CATB1024	126	132	10	24
		CATB1030	133	141	10	30
		CATB1036	148	156	10	36
		CATB1042	162	172	10	42
		CATB1048	179	189	10	48
		CATB1054	197	210	10	54
		CATB1060	211	225	10	60
Tack Board - 21" High		CATB2124	183	189	21	24
		CATB2130	198	206	21	30
		CATB2136	226	232	21	36
		CATB2142	257	267	21	42
		CATB2148	289	298	21	48
		CATB2154	317	330	21	54
		CATB2160	348	362	21	60
Tack Board - 24" High		CATB2424	183	189	24	24
		CATB2430	198	206	24	30
		CATB2436	226	232	24	36
		CATB2442	257	267	24	42
		CATB2448	289	298	24	48
		CATB2454	317	330	24	54
		CATB2460	348	362	24	60

CAWB - WHITE MARKER BOARD

- Provides a writing surface within a work area.
- Includes two pairs of panel-mounting brackets.
- 10" to be installed on 42"h panels.
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overhangs.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	White Marker Board - 10" High	CAWB1030	121	10	30
		CAWB1036	136	10	36
		CAWB1042	151	10	42
		CAWB1048	174	10	48
White Marker Board - 21" High		CAWB2130	212	21	30
		CAWB2136	239	21	36
		CAWB2142	269	21	42
		CAWB2148	313	21	48
White Marker Board - 24" High		CAWB2430	212	24	30
		CAWB2436	239	24	36
		CAWB2442	269	24	42
		CAWB2448	313	24	48



ACCESSORIES


CALB - LOAD BAR

- Frame available in Steel (STL), Black (BLK), and Nevada (NEV) only.
- Mounting brackets and clear end caps are included.

DESCRIPTION		PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Load Bar	CALB24	102	2.25	24	1
		CALB30	113	2.25	30	1
		CALB36	123	2.25	36	1
		CALB42	143	2.25	42	1
		CALB48	165	2.25	48	1
		CALB54	176	2.25	54	1
		CALB60	189	2.25	60	1


CSABB01 - BINDER BIN

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Binder Bin	CSABB01	53	9	4	10.25


CSALT01 - LETTER TRAY

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Letter Tray	CSALT01	42	2	13.5	9.25

CSASS01 - SLANT SORTER


- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Slant Sorter	CSASS01L	33	9.5	5	10.25
		CSASS01R	33	9.5	5	10.25

ACCESSORIES


EVAMB01 - MEDIA BIN

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See “Textile & Finish Listings” in Introduction for complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Media Bin	CSAMB01	42	3	5.75	5.25


CSAUT01 - UTILITY TRAY

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See “Textile & Finish Listings” in Introduction for complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Utility Tray	CSAUT01	28	1	8.5	3.75

CSAFS01 - FLIP SORTER

- Must be ordered in conjunction with a load bar option. in Introduction for complete list of offerings and conditions.
- Comes with nickel plated wire.
- Available in standard and premium paint selections. See “Textile & Finish Listings”


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Flip Sorter	CSAFS01	39	9.25	2.75	9.25



ACCESSORIES


CSAPP01 - MAIL BOX

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See “Textile & Finish Listings” in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Mail Box	CSAPP01	68	9	12	2.75

SATH01 - TELEPHONE HOLDER

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See “Textile & Finish Listings” in Introduction for complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Telephone Holder	CSATH01	65	2	9	10

NOTES



textiles and finishes

Care and Cleaning

The following guide encompasses the Compile System line.

The guide was compiled using information from our “raw” material suppliers and is relevant only to our standard offering finishes and textiles.

FABRICS

To extend the life of your upholstered panels, regularly dust the panel to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

PANEL FRAMES

The panel frames are manufactured out of sturdy aluminum with a powder coated enamel paint finish. To clean the frames of the panels, and all hardware associated with the Evolve line, simply utilize a clean, damp cloth. For stubborn stains on the panel frames, you may consider adding a mild detergent.

GLAZED PANELS

Cleaning of the glazing in panels should only be done with a damp lint-free cloth. A mild detergent can be used if necessary. Do not use paper towels in combination with a window cleaner-this may cause scratches to the glazing.

WORKSURFACES

The worksurfaces are manufactured using primarily Nevamar Brand laminates as the exposed surface. To properly clean these areas, it is best to use a clean, damp cloth and circular motion to prevent streaks. For stubborn stains, you are able to add a mild detergent to the water. Be certain not to use an ammonia-based solution. It will react with the PVC, or wood edge trim, causing permanent damage to the contacted areas.

ACCESSORIES

The accessories sold with the Evolve product line can be simply cleaned with a clean, damp cloth. If they are really dirty, a mild, non-abrasive solution may be added. Wipe with a damp cloth after the solution, and finally, a dry cloth.

LAMINATES – THERMALLY FUSED

Absolute Acajou	W150LP
Asian Night	794938LP
Avant Cherry*	W357LP
Avant Honey*	W356LP
Black	1595-60LP
Brushed Cobalt	BRCLP
Clear Maple*	WM8340TLP
Constellation Java	T823
Custom Grey	S548LP
Dark Espresso	W142LP
Desert Zephyr	4841-60LP
Empire Mahogany+	7122T-07LP
Grey	T551
Grey Matrix	MR61TLP
Loden Zephyr	4844-60LP
Manitoba Maple	7911-60LP
Misted Zephyr	4843-60LP
Pearl Bisque	D485-07LP
Pearl Dust	D488-07LP
Pearl Silver	D487-07LP
Shaker Cherry	7935-07LP
Storm Grey	T565
Studio White Matrix	MR71TLP
String	S477
Hayden Grey (Taupe)	S427LP
Tiger Fruitwood*	T821
Tiger Mahogany*	T822
Tiger Maple*	T820
Tiger Walnut*	T819
Titanium	4810-60LP
True White	S645LP
Willow Grey	T431
Winter Cherry	WCRLP
White Chocolate	T492LP

Additional paint and laminates may be available. Contact Evolve Customer Support for details.

* Matching Wood Grain PVC edge available.

+ For matching purposes Empire Mahogany laminate can be coordinated with Global's Quartered Mahogany laminate and PVC trim.

PVC EDGE TRIM

Absolute Acajou	AAE
Asian Night	ASE
Avant Cherry	ACE
Avant Honey	AHE
Avant Maple	AME
Avant Natural	ANE
Black	BLK
Charcoal	CHR
Clear Maple	CME
Dark Espresso*	DES
Designer White	DWT
Figured Mahogany	MAF
Nevada	NEV
Pearl Dust	PDE
Quartered Mahogany	QTM
Shaker Cherry	SKE
Silver	SIL
Taupe	TPE
Tiger Fruitwood*	TFW
Tiger Mahogany	TMA
Tiger Maple*	TMP
Tiger Walnut*	TWL
Tungsten	TUN
White Chocolate	CBE

PAINT & FRAME COLORS

(for application to trim, steel components, PVC, vertical and horizontal members)	
Black	BLK
Nevada	NEV
Steel	STL



PANEL FABRICS – GRADE 1**Birdseye** - 100% Recycled Polyester

Outlook.....	BE21
Rock.....	BE22
Vista.....	BE23
Soar.....	BE24
Impression.....	BE25
Glide.....	BE26
Panorama.....	BE27
Storm.....	BE28
Flight.....	BE29
Altitude.....	BE30

Charisma - 100% Polyester

Pebble.....	CH91
Heather.....	CH92
Fields.....	CH93
Stone.....	CH95
Charcoal.....	CH97

Coordinate - 100% Polyester

Sand.....	CN31
Stone.....	CN32
Beige.....	CN35
Grey.....	CN36
Cactus.....	CN39
Cinder.....	CN40
Sage.....	CN41
Glance.....	CN43
Chess.....	CN45
Safari.....	CN46

Coronet - 100% Polyester

Charcoal.....	C011
Stone.....	C012
Pebble.....	C013
Blue Stone.....	C017
Tourmaline.....	C020
Moss.....	C026
Aqua Brush.....	C027
Red.....	C030
Coffee Brown.....	C031
Apple Green.....	C033
Black.....	C034
Wolf.....	C035
Lime.....	C036
Sunshine.....	C037
Goose.....	C038
Fossil.....	C039
Pumpkin.....	C049

Crepe - 100% Polyester

Silver.....	CR59
Fields.....	CR63
Cream.....	CR64
Heather.....	CR66
Blue Sky.....	CR67

Loopy - 100% Recycled Polyester

Oyster.....	LP60
Putty.....	LP61
Marble.....	LP62
Hazelnut.....	LP63
Latte.....	LP64
Bay.....	LP65
Wild Rice.....	LP66
Harbor.....	LP67

Melody - 100% Recycled Polyester

Spray.....	ME40
Pond.....	ME41
Sand Bar.....	ME42
Silt.....	ME43
Pebble.....	ME44
Lake.....	ME45
Gravel.....	ME46
Boulder.....	ME47

Meander - 100% Polyester

Sandshell.....	MN71
Overcast.....	MN72
Agate Taupe.....	MN73

Tracery - 100% Polyester

Brindle.....	TC41
Egret.....	TC42

Universe - 100% Polyester

Milkyway.....	UV01
Crepe Brulee.....	UV02
Whitecap.....	UV03
Wheat.....	UV04
Seneca.....	UV05
Mica.....	UV06
Cosmic.....	UV07
Depth.....	UV08

PANEL FABRICS – GRADE 2**Coastline** - 100% Recycled Polyester

Sand.....	CL20
Meringue.....	CL21
Gull.....	CL22
Limeade.....	CL23
Coral.....	CL24
Sunset.....	CL25
Beach Glass.....	CL26
Bluff.....	CL27
Blue Grass.....	CL28
Vapor.....	CL29
Dove.....	CL30
Seal.....	CL31

Constellation - 100% Polyester

Stars.....	C040
Gemini.....	C041
Stellar.....	C042
Chameleon.....	C043
Phoenix.....	C044
Orion.....	C045

Crosstown - 100% Polyester

Ray.....	CT60
Chamois.....	CT61
Buff.....	CT62
Sterling.....	CT63
Stucco.....	CT64
Fieldstone.....	CT65
Waterfront.....	CT66
Cement.....	CT67

Frost - 100% EcoPolyester

Dew.....	FR30
Earth.....	FR31
Blight.....	FR32
Chill.....	FR34

Mesh - 100% Recycled Polyester

Canyon.....	B33A
Napa Valley.....	B34A
Huntington.....	B36A
Huron.....	B37A
Heartland.....	B39A
Oat.....	B81A
Pepper.....	B82A
Limestone.....	B84A
Lagoon.....	B85A
Zinc.....	B86A

Peripheral - 100% Eco Polyester

Smut.....	PE82
Smudge.....	PE83
Coal.....	PE84
Ash.....	PE85
Cream.....	PE86
Powder.....	PE87

Scribble - 100% Recycled Polyester

Again.....	VV20
Contrary.....	VV21
About Face.....	VV22
Reverse.....	VV23
Opposite.....	VV24
Backwards.....	VV25
Separate.....	VV26
Divergent.....	VV27
Foil.....	VV28
Inverse.....	VV29

Traffic - 100% Polyester

Metal.....	TR60
Linen.....	TR61
Sable.....	TR62
Thunder.....	TR63
Horizon.....	TR64
Sierra Beige.....	TR65
Chalk Grey.....	TR66
Surf.....	TR67
Clay.....	TR68
Grass.....	TR69
Water.....	TR70
Topaz.....	TR71
Volcano.....	TR72
Storm.....	TR73

PANEL COM REQUEST FOR APPLICATION TEST

SEND COMPLETED FORM AND FABRIC TO:

Compile Customer Service
555 Petrolia Road
Toronto, Ontario M3J2X8
Phone: 416.739.5000

Requested By: _____

Phone #: _____ Fax #: _____

Dealer/Specifier _____

Dealer Contact: _____ Evolve CSR: _____

Phone #: _____ Fax #: _____

FABRIC INFORMATION

Fabric Manufacturer: _____

Color Name: _____ Color #: _____

Pattern Name: _____ Pattern #: _____

Content: _____

Weight: _____ Width: _____

Repeat Horizontal: _____ Repeat Vertical: _____

Other Comments: _____

REQUEST FOR APPLICATION TEST (THIS REQUIRES 2 YARDS OF FABRIC)

_____ Compile Panel _____ Compile Tackboard

Total Number of yards for testing: _____

Please Note:
Compile is not responsible for the duty and brokerage fees for C.O.M. Fabric to clear customs. These charges will be billed to the dealer on a separate invoice.

PANEL FABRIC SPECIFICATION SHEET

<div>SEND COMPLETED FORM TO: Compile Customer Support 555 Petrolia Road Toronto, Ontario M3J2X8 Phone: 416.739.5000</div>		
<div>SUPPLIER PATTERN WIDTH CONTENT</div>	<div>REMARKS: <hr/><hr/><hr/><hr/><hr/></div>	
<div>LIGHT FASTNESS FLAMMABILITY TUNNER TEST</div>	<div>REMARKS: <hr/><hr/><hr/><hr/><hr/></div>	
<div>CUT PRICE 1 - 3 ROLLS 4 ROLLS</div>	<div>REMARKS: <hr/><hr/><hr/><hr/><hr/></div>	
<div>DIRECTIONAL PANELS CORNERS RACEWAY COVER RACEWAY CORNERS STRETCH</div>	<div>REMARKS: <hr/><hr/><hr/><hr/><hr/></div>	<div>EASYHARDX-HARD</div>
<div>APPROVED <input type="checkbox"/>NOT APPROVED <input type="checkbox"/>CONDITIONAL APPROVAL <input type="checkbox"/></div> <div>REMARKS: <hr/><hr/><hr/></div> <div><div>* This fabric is approved for upholster-ability only. The approval does not account for the durability of the fabric at the time of, and after installation of the product</div><div>APPROVAL SIGNATURE:DATE:</div></div>		

TOP

**STAPLE
MINIMUM 6" X 6"
FABRIC SAMPLE HERE
IN THE DIRECTION IT IS TO BE
APPLIED TO THE PRODUCT**

BOTTOM



APPENDIX

The Evolve Furniture Group has partnered with the software vendors listed below to provide you with an online source for viewing the 2014 Compile Electronic Catalog. Please visit their websites for additional information and download details.

2020 Technologies

www.2020technologies.com
5503 Mile Road NW
Grand Rapids, MI 49544
Phone: 800-638-6002

Ice Edge Business Solutions

www.ice-edge.com
4001 S 700 East, Suite 450
Salt Lake City, UT 84107
Phone: 801-747-0373

KISP

www.kisp.com
Customer Support: 416-499-2457
Cad Services Team: 416-499-2457 x3
Customer Service e-mail: tellmemore@kisp.com
CAD Services requests CadServices@kisptech.com

Project Matrix

www.projectmatrix.com
11655 Lebanon Rd.
Cincinnati, OH 45241
Tech Support Instant Messenger: projectmatrixtech@yahoo.com
Phone: 513.554.1665
Fax: 513.554.1255

Quintero-Smith Incorporated/Midnight Oil

www.midnight-oil.com
10469 Kinnard Avenue
Los Angeles, CA 90024
voice: 800-350-7434 (US Only)
international: 310-478-5140
fax: 310-478-4572
e-mail: jimsr@q-si.com



TERMS & CONDITIONS

APPLICATION OF STANDARD TERMS

Sales of Evolve products are made only on Evolve standard terms and conditions of sale which are contained in the Price Book and in Evolve's order acknowledgments. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Evolve's authorized personnel at its head office in Marlton, New Jersey. An offer by Purchaser of said terms and conditions shall not be binding until accepted by Evolve in writing.

All illustrations, specifications and prices in this Price List are based on the latest product information available at the time of publication. Evolve reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

PRICES AND PAYMENT

The prices shown in this Price List, as well as those quoted by Evolve, shall be in US dollars for orders shipped to destinations within the continental United States.

Prices listed herein are for standard product. Quotations for special product are available through Evolve Customer Support Department in Marlton, New Jersey.

If shipping date requested is more than 90 days from date of order Evolve shall use published list prices effective at the time of shipment.

Not included in the list price are special or export packing, unpacking and installation. Orders are invoiced at the time of shipment. The Customer agrees to pay a charge of 2% per month of invoices outstanding more than 30 days.

FOR PAYMENTS ONLY, MAIL TO:

Evolve Furniture Group, a division of:
Global Industries, Inc.
17 West Stow Road
P.O. Box 562
Marlton, New Jersey 08053

Any products sold shall remain the property of Evolve until fully paid for in cash. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Evolve until such time as the goods have been paid for in full.

Freight charges will be prepaid by Evolve to destinations within the contiguous United States on orders of \$10,000 list and greater. For purchase orders less than \$10,000 list, the freight charge will be 5% of the total list price.

Please note exception below:

All showroom and mock-up orders will be subject to actual freight charges.

Evolve shall, in its sole discretion, determine the most appropriate method of shipment routing and carrier. Shipments of less than a full trailer load (LTL) shall ship via common carrier. **These LTL shipments are not subject to specific delivery days or times.** Full trailer loads will provide for dedicated delivery time and schedule. Purchaser may request special packaging or method of shipment at Purchaser's sole expense.

TAXES

All sales, use, excise and other applicable taxes and the collection and reporting thereof (excluding only taxes on the net income of Evolve) are the Purchaser's responsibility and will be invoiced to the Purchaser. If Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish an appropriate exemption certificate to Evolve.

ORDER INFORMATION

Evolve requires that **all orders be submitted in writing** to avoid errors and/or duplication. Orders will be acknowledged with Evolve's acknowledgement forms governing the transaction. The details appearing on the acknowledgement will describe the items to be shipped to Purchaser who must ascertain that they are correct. If not correct, Purchaser should notify Evolve immediately by telephone or fax followed by written confirmation. Acknowledgment shows approximate shipping date of items ordered. **Shipping dates are assigned to orders based on the item having the longest manufacturing lead time.** Orders with Customer's Own Material (C.O.M.), or missing or incorrect information (finish selections, fabric selections, etc.) will be scheduled for manufacturing upon receipt of COM or correct complete information. Purchaser must indicate if multiple shipping schedules are required including noting if the shipping date requested is longer than standard posted lead time. Each shipment will be invoiced at time of shipping and will be subject to payment terms described herein.

C.O.M. CUSTOMER'S OWN MATERIAL

Should Purchaser request a fabric, not standard to the Evolve upholstery line, Purchaser shall submit a sample of not less than two yards for approval. Evolve will determine whether fabric is suitable to manufacturing process and applicable UL or code requirements. Should Evolve be required to test such fabric, it shall so advise Purchaser, and Purchaser shall be responsible for all costs associated therewith. This includes all duty and brokerage fees.

Fabric yardage requirement will be determined by Evolve. An additional charge may be made to cover the cost of cutting, matching or sewing unusual or directional patterns. Evolve shall have no responsibility for condition, quality, performance, physical properties or any other aspect of C.O.M. For panels, price as if grade 1 fabric is used.

Evolve reserves the right to reject any C.O.M. deemed unsuitable.

Evolve reserves the right to cancel an order at any time if C.O.M. is, in the sole judgement of Evolve, inadequate for any reason.

CHANGES AND CANCELLATION

The order may not be changed or cancelled by Purchaser without the written consent of Evolve. This charge can be as much as 100% based upon proximity to scheduled shipment date. Special order items and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Fabric-covered items are considered to be in production once the fabric has been cut.

DEPOSIT ON SPECIAL ORDERS

Orders for nonstandard products may, at Evolve's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

SUSPENSION

In the event that the Purchaser defaults in the payment of any sum due Evolve, or in the event the Purchaser's financial condition becomes unsatisfactory to Evolve, Evolve shall have the right at its option, upon written notice to the Purchaser, to cancel shipment of any goods, unless within ten (10) days of Purchaser's receipt of such notice Purchaser provides assurance of payment to Evolve in such form, content and/or amounts as Evolve, in its sole discretion, deems adequate.

COMBINED SHIPMENTS

Evolve will make every effort to combine shipments and orders on written request. However, acceptance of such request shall be with Evolve's sole discretion.

CODE RESTRICTIONS

Evolve portable furniture may be subject to local fire, electrical and/or building codes applicable to portable furniture. It shall be Purchaser's sole responsibility for the proper application of Evolve items within the limitations of such local codes, which may be different from area to area.

SERVICE

Service problems shall be handled by the authorized Evolve dealer. Where this cannot be accomplished on a local level, service problems should be referred to:

Evolve Furniture Group
Customer Support
17 West Stow Road
Marlton, New Jersey USA 08053
856-552-4000 888-827-2500
Attention: Evolve Operations Manager



TERMS & CONDITIONS

STORAGE

In the event Purchaser requests postponement of delivery beyond the acknowledged shipping date, Evolve may transfer the goods to storage on Purchaser's account and at Purchaser's risk and expense subject to a daily storage rate. Such transfer to storage shall be deemed shipment to Purchaser for all purposes, including invoicing and payment.

DELAYS

Evolve's order acknowledgement will state a shipping date which is Evolve's best estimate at the time the order is acknowledged. However, Evolve shall not incur any obligation or liability to Purchaser for failure to ship by a specified date. In addition, Evolve shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Evolve, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Evolve may, without causing any breach or incurring liability, allocate goods which are in short supply, regardless of the reasons therefore, among purchasers, in any manner which Evolve, in its sole discretion, deems advisable.

BACK CHARGES

Evolve will not accept charges for expense incurred by the Purchaser in expediting shipments or otherwise. Evolve will not accept charges for the repair of damage by others.

CLAIMS

All goods are sold F.O.B. Toronto, Canada, unless otherwise agreed to in writing by Evolve. Evolve is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Any claims made against Evolve for apparent defects, errors or shortages must be made by the Purchaser in writing, within ten (10) working days after any delivery. Failure by the Purchaser to make any claim against Evolve within the above-described ten days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

RETURNS

No returns of goods will be accepted without written consent and shipping instructions, including Evolve's Return Goods Authorization (R.G.A.) numbers, to Evolve. A minimum restocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Evolve in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items and fabric-covered items are in no event subject to return. All returns must be approved and authorized in writing by Evolve Customer Support, Marlton, New Jersey.

LIFETIME WARRANTY

Evolve warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original purchaser. This warranty is made by Evolve only to original customers acquiring the product directly from Evolve's authorized dealers. The customer's sole remedy pursuant to this warranty is limited to repair or replacement of parts or product at Evolve's option. Consent from Evolve must be obtained before any warranty work is performed. This warranty shall not apply to any products which must be replaced because of normal wear and tear, negligence, abuse or "accident", shipping damage, or product use and installation other than in accordance with written instructions or warnings. It shall also not apply when product has been modified or altered, repaired or refurbished by someone other than Evolve or an authorized dealer or because of natural variations over which Evolve has no control. In the event of repair and/or replacement of any defective product, Evolve does not warrant matching color, grain, texture or dye lots. Evolve's warranty does not cover the cost of transportation or labor. Repair or replacement will be at Evolve's option. Evolve makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set forth in this Price List. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Evolve be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

This Lifetime Warranty is NOT applicable to customers who use Evolve products for rental purposes and is effective only for products, parts or components manufactured after January 1, 2011.

Evolve does not warrant color fastness on Customer's Own Material.

Because of natural variations over which Evolve has no control, this warranty does not extend to color, grain or texture of wood, and Evolve does not warrant matching of color, grain or texture.

Evolve makes no warranties, including implied warranties of merchantability and fitness for a particular purpose, other than the express warranties contained herein.

LIMITATION OF REMEDY

Purchaser's sole and exclusive remedy (excluding the repair or replacement of goods for breach of the express warranty above) for any matter or claim arising under or relating to these terms and conditions, the goods covered hereby and any transaction involving or relating to such goods, whether in contract, tort (including negligence) or otherwise, shall be payment of the lesser of the cost to repair or replace said product or the purchase price for the goods to which the claim relates. In no event shall Evolve be liable for any special, indirect, consequential, or incidental damages, including without limitation, damages for loss of business profits, business interruptions, or loss of information.

EVOLVE'S WARRANTY DOES NOT APPLY (FOR ANY PRODUCT CATEGORY) TO THE FOLLOWING:

- Failures due to wear and tear
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Evolve's written instructions and warnings
- Modifications, attachments or repair methods not approved by Evolve
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials and color matching of textiles
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes

Evolve's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.

INDEX

CALB24.....	83	CE8CP82.....	54	CMECC36.....	57	CMFF5436.....	40	CMFF6660.....	40	CMFG5454N0.....	29
CALB30.....	83	CE8CP88.....	54	CMETP30.....	46	CMFF5436N0.....	19	CMFF6660N0.....	19	CMFG5454N1.....	30
CALB36.....	83	CE8CP94.....	54	CMETP42.....	46	CMFF5436N1.....	20	CMFF6660N1.....	20	CMFG5454N2.....	31
CALB42.....	83	CE8EC1.....	56	CMETP54.....	46	CMFF5436N2.....	21	CMFF6660N2.....	21	CMFG5454P1.....	32
CALB48.....	83	CE8EC2.....	56	CMETP66.....	46	CMFF5436P1.....	22	CMFF6660P1.....	22	CMFG5454P2.....	33
CALB54.....	83	CE8EC3.....	56	CMET12.....	46	CMFF5436P2.....	23	CMFF6660P2.....	23	CMFG5460N0.....	29
CALB60.....	83	CE8FR1.....	50, 55	CMET24.....	46	CMFF5442.....	40	CMFG4224N0.....	11, 29	CMFG5460N1.....	30
CATB1024.....	82	CE8FR2.....	55	CMET30.....	45	CMFF5442N0.....	19	CMFG4224N1.....	11, 30	CMFG5460N2.....	31
CATB1030.....	82	CE8PD24.....	53	CMET36.....	46	CMFF5442N1.....	20	CMFG4224N2.....	11, 31	CMFG5460P1.....	32
CATB1036.....	82	CE8PD30.....	53	CMET42.....	45	CMFF5442N2.....	21	CMFG4224P1.....	11, 32	CMFG5460P2.....	33
CATB1042.....	82	CE8PD36.....	53	CMET54.....	45	CMFF5442P1.....	22	CMFG4224P2.....	11, 33	CMFG6624N0.....	11, 29
CATB1048.....	82	CE8PD42.....	53	CMET66.....	45	CMFF5442P2.....	23	CMFG4230N0.....	29	CMFG6624N1.....	11, 30
CATB1054.....	82	CE8PD48.....	53	CMFF4224.....	12, 40	CMFF5448.....	40	CMFG4230N1.....	30	CMFG6624N2.....	11, 31
CATB1060.....	82	CE8PD54.....	53	CMFF4224N0.....	9, 19	CMFF5448N0.....	19	CMFG4230N2.....	31	CMFG6624P1.....	11, 32
CATB2124.....	82	CE8PD60.....	53	CMFF4224N1.....	9, 20	CMFF5448N1.....	20	CMFG4230P1.....	32	CMFG6624P2.....	11, 33
CATB2130.....	82	CE8RDA.....	55	CMFF4224N2.....	9, 21	CMFF5448N2.....	21	CMFG4230P2.....	33	CMFG6630N0.....	29
CATB2136.....	82	CE8RDB.....	55	CMFF4224P1.....	9, 22	CMFF5448P1.....	22	CMFG4236N0.....	29	CMFG6630N1.....	30
CATB2142.....	82	CE8RD1.....	55	CMFF4224P2.....	10, 23	CMFF5448P2.....	23	CMFG4236N1.....	30	CMFG6630N2.....	31
CATB2148.....	82	CE8RD2.....	55	CMFF4230.....	40	CMFF5454.....	40	CMFG4236N2.....	31	CMFG6630P1.....	32
CATB2154.....	82	CHCB2.....	70	CMFF4230N0.....	19	CMFF5454N0.....	19	CMFG4236P1.....	32	CMFG6630P2.....	33
CATB2160.....	82	CHC15L.....	70	CMFF4230N1.....	20	CMFF5454N1.....	20	CMFG4236P2.....	33	CMFG6636N0.....	29
CATB2424.....	82	CHC15R.....	70	CMFF4230N2.....	21	CMFF5454N2.....	21	CMFG4242N0.....	29	CMFG6636N1.....	30
CATB2430.....	82	CHEP2924.....	71	CMFF4230P1.....	22	CMFF5454P1.....	22	CMFG4242N1.....	30	CMFG6636N2.....	31
CATB2436.....	82	CHEP2930.....	71	CMFF4230P2.....	23	CMFF5454P2.....	23	CMFG4242N2.....	31	CMFG6636P1.....	32
CATB2442.....	82	CHF81.....	70	CMFF4236.....	40	CMFF5460.....	40	CMFG4242P1.....	32	CMFG6636P2.....	33
CATB2448.....	82	CHP30.....	45	CMFF4236N0.....	19	CMFF5460N0.....	19	CMFG4242P2.....	33	CMFG6642N0.....	29
CATB2454.....	82	CHP30-2.....	37	CMFF4236N1.....	20	CMFF5460N1.....	20	CMFG4248N0.....	29	CMFG6642N1.....	30
CATB2460.....	82	CHP30-3.....	37	CMFF4236N2.....	21	CMFF5460N2.....	21	CMFG4248N1.....	30	CMFG6642N2.....	31
CAWB1030.....	82	CHP30-4.....	37	CMFF4236P1.....	22	CMFF5460P1.....	22	CMFG4248N2.....	31	CMFG6642P1.....	32
CAWB1036.....	82	CHP42.....	45	CMFF4236P2.....	23	CMFF5460P2.....	23	CMFG4248P1.....	32	CMFG6642P2.....	33
CAWB1042.....	82	CHP42-2.....	37	CMFF4242.....	40	CMFF6624.....	12, 40	CMFG4248P2.....	33	CMFG6648N0.....	29
CAWB1048.....	82	CHP42-3.....	37	CMFF4242N0.....	19	CMFF6624N0.....	9, 19	CMFG4254N0.....	29	CMFG6648N1.....	30
CAWB2130.....	82	CHP42-4.....	37	CMFF4242N1.....	20	CMFF6624N1.....	9, 20	CMFG4254N1.....	30	CMFG6648N2.....	31
CAWB2136.....	82	CHP54.....	45	CMFF4242N2.....	21	CMFF6624N2.....	9, 21	CMFG4254N2.....	31	CMFG6648P1.....	32
CAWB2142.....	82	CHP54-2.....	37	CMFF4242P1.....	22	CMFF6624P1.....	9, 22	CMFG4254P1.....	32	CMFG6648P2.....	33
CAWB2148.....	82	CHP54-3.....	37	CMFF4242P2.....	23	CMFF6624P2.....	10, 23	CMFG4254P2.....	33	CMFG6654N0.....	29
CAWB2430.....	82	CHP54-4.....	37	CMFF4248.....	40	CMFF6630.....	40	CMFG4260N0.....	29	CMFG6654N1.....	30
CAWB2436.....	82	CHP66.....	45	CMFF4248N0.....	19	CMFF6630N0.....	19	CMFG4260N1.....	30	CMFG6654N2.....	31
CAWB2442.....	82	CHP66-2.....	37	CMFF4248N1.....	20	CMFF6630N1.....	20	CMFG4260N2.....	31	CMFG6654P1.....	32
CAWB2448.....	82	CHP66-3.....	37	CMFF4248N2.....	21	CMFF6630N2.....	21	CMFG4260P1.....	32	CMFG6654P2.....	33
CEET5L18.....	57	CHP66-4.....	37	CMFF4248P1.....	22	CMFF6630P1.....	22	CMFG4260P2.....	33	CMFG6660N0.....	29
CEET5L24.....	57	CHP2W30.....	38	CMFF4248P2.....	23	CMFF6630P2.....	23	CMFG5424N0.....	11, 29	CMFG6660N1.....	30
CEET5L36.....	57	CHP2W42.....	38	CMFF4254.....	40	CMFF6636.....	40	CMFG5424N1.....	11, 30	CMFG6660N2.....	31
CEET5L48.....	57	CHP2W54.....	38	CMFF4254N0.....	19	CMFF6636N0.....	19	CMFG5424N2.....	11, 31	CMFG6660P1.....	32
CEPE64.....	56	CHP2W66.....	38	CMFF4254N1.....	20	CMFF6636N1.....	20	CMFG5424P1.....	11, 32	CMFG6660P2.....	33
CEPE82.....	56	CHP3W30.....	38	CMFF4254N2.....	21	CMFF6636N2.....	21	CMFG5424P2.....	11, 33	CMFMA4224N0.....	10, 24
CE8CI-1.....	50, 54	CHP3W42.....	38	CMFF4254P1.....	22	CMFF6636P1.....	22	CMFG5430N0.....	29	CMFMA4224N1.....	10, 25
CE8CP154.....	54	CHP3W54.....	38	CMFF4254P2.....	23	CMFF6636P2.....	23	CMFG5430N1.....	30	CMFMA4224N2.....	10, 26
CE8CP100.....	54	CHP3W66.....	38	CMFF4260.....	40	CMFF6642.....	40	CMFG5430N2.....	31	CMFMA4224P1.....	10, 27
CE8CP106.....	54	CHT82.....	71	CMFF4260N0.....	19	CMFF6642N0.....	19	CMFG5430P1.....	32	CMFMA4224P2.....	10, 28
CE8CP118.....	54	CHWA30.....	47	CMFF4260N1.....	20	CMFF6642N1.....	20	CMFG5430P2.....	33	CMFMA4230N0.....	24
CE8CP130.....	54	CHWA42.....	47	CMFF4260N2.....	21	CMFF6642N2.....	21	CMFG5436N0.....	29	CMFMA4230N1.....	25
CE8CP142.....	54	CHWA54.....	47	CMFF4260P1.....	22	CMFF6642P1.....	22	CMFG5436N1.....	30	CMFMA4230N2.....	26
CE8CP154.....	54	CHWA66.....	47	CMFF4260P2.....	23	CMFF6642P2.....	23	CMFG5436N2.....	31	CMFMA4230P1.....	27
CE8CP17.....	50, 53	CHWB1.....	70	CMFF5424.....	12, 40	CMFF6648.....	40	CMFG5436P1.....	32	CMFMA4230P2.....	28
CE8CP172.....	54	CHMSL1.....	71	CMFF5424N0.....	9, 19	CMFF6648N0.....	19	CMFG5436P2.....	33	CMFMA4236N0.....	24
CE8CP190.....	54	CHMSL2.....	71	CMFF5424N1.....	9, 20	CMFF6648N1.....	20	CMFG5442N0.....	29	CMFMA4236N1.....	25
CE8CP208.....	54	CMADA30PM.....	78	CMFF5424N2.....	9, 21	CMFF6648N2.....	21	CMFG5442N1.....	30	CMFMA4236N2.....	26
CE8CP28.....	54	CMADA36PM.....	78	CMFF5424P1.....	9, 22	CMFF6648P1.....	22	CMFG5442N2.....	31	CMFMA4236P1.....	27
CE8CP40.....	54	CMADA42PM.....	78	CMFF5424P2.....	10, 23	CMFF6648P2.....	23	CMFG5442P1.....	32	CMFMA4236P2.....	28
CE8CP46.....	54	CMADA48PM.....	78	CMFF5430.....	40	CMFF6654.....	40	CMFG5442P2.....	33	CMFMA4242N0.....	24
CE8CP52.....	54	CMADA54PM.....	78	CMFF5430N0.....	19	CMFF6654N0.....	19	CMFG5448N0.....	29	CMFMA4242N1.....	25
CE8CP58.....	54	CMADA60PM.....	78	CMFF5430N1.....	20	CMFF6654N1.....	20	CMFG5448N1.....	30	CMFMA4242N2.....	26
CE8CP64.....	54	CMEB01.....	55	CMFF5430N2.....	21	CMFF6654N2.....	21	CMFG5448N2.....	31	CMFMA4242P1.....	27
CE8CP70.....	54	CMEB02NY.....	56	CMFF5430P1.....	22	CMFF6654P1.....	22	CMFG5448P1.....	32	CMFMA4242P2.....	28
CE8CP76.....	54	CMECC21.....	57	CMFF5430P2.....	23	CMFF6654P2.....	23	CMFG5448P2.....	33	CMFMA4248N0.....	24



INDEX

CMFMA4248N125	CMFMA6642N226	CMPG546043	CMFM4242P218	CMFM6624P29, 18	CMPG5454N235
CMFMA4248N226	CMFMA6642P127	CMPG662443	CMFM424839	CMFM663039	CMPG5454P135
CMFMA4248P127	CMFMA6642P228	CMPG663043	CMFM4248N014	CMFM6630N014	CMPG5454P236
CMFMA4248P228	CMFMA6648N024	CMPG663643	CMFM4248N115	CMFM6630N115	CMPG5460N034
CMFMA4254N024	CMFMA6648N125	CMPG664243	CMFM4248N216	CMFM6630N216	CMPG5460N134
CMFMA4254N125	CMFMA6648N226	CMPG664843	CMFM4248P117	CMFM6630P117	CMPG5460N235
CMFMA4254N226	CMFMA6648P127	CMPG665443	CMFM4248P218	CMFM6630P218	CMPG5460P135
CMFMA4254P127	CMFMA6648P228	CMPG666043	CMFM425439	CMFM663639	CMPG5460P236
CMFMA4254P228	CMFMA6654N024	CMFM3024N09, 14	CMFM4254N014	CMFM6636N014	CMPG6624N012, 34
CMFMA4260N024	CMFMA6654N125	CMFM3024N19, 15	CMFM4254N115	CMFM6636N115	CMPG6624N112, 34
CMFMA4260N125	CMFMA6654N226	CMFM3024N29, 16	CMFM4254N216	CMFM6636N216	CMPG6624N212, 35
CMFMA4260N226	CMFMA6654P127	CMFM3024P19, 17	CMFM4254P117	CMFM6636P117	CMPG6624P112, 35
CMFMA4260P127	CMFMA6654P228	CMFM3024P29, 18	CMFM4254P218	CMFM6636P218	CMPG6624P212, 36
CMFMA4260P228	CMFMA6660N024	CMFM3030N014	CMFM426039	CMFM664239	CMPG6630N034
CMFMA5424N010, 24	CMFMA6660N125	CMFM3030N115	CMFM4260N014	CMFM6642N014	CMPG6630N134
CMFMA5424N110, 25	CMFMA6660N226	CMFM3030N216	CMFM4260N115	CMFM6642N115	CMPG6630N235
CMFMA5424N210, 26	CMFMA6660P127	CMFM3030P117	CMFM4260N216	CMFM6642N216	CMPG6630P135
CMFMA5424P110, 27	CMFMA6660P228	CMFM3030P218	CMFM4260P117	CMFM6642P117	CMPG6630P236
CMFMA5424P210, 28	CMFMA422441	CMFM3036N014	CMFM4260P218	CMFM6642P218	CMPG6636N034
CMFMA5430N024	CMFMA423041	CMFM3036N115	CMFM542412, 39	CMFM664839	CMPG6636N134
CMFMA5430N125	CMFMA423641	CMFM3036N216	CMFM5424N09, 14	CMFM6648N014	CMPG6636N235
CMFMA5430N226	CMFMA424241	CMFM3036P117	CMFM5424N19, 15	CMFM6648N115	CMPG6636P135
CMFMA5430P127	CMFMA424841	CMFM3036P218	CMFM5424N29, 16	CMFM6648N216	CMPG6636P236
CMFMA5430P228	CMFMA425441	CMFM3042N014	CMFM5424P19, 17	CMFM6648P117	CMPG6642N034
CMFMA5436N024	CMFMA426041	CMFM3042N115	CMFM5424P29, 18	CMFM6648P218	CMPG6642N134
CMFMA5436N125	CMFMA542441	CMFM3042N216	CMFM543039	CMFM665439	CMPG6642N235
CMFMA5436N226	CMFMA543041	CMFM3042P117	CMFM5430N014	CMFM6654N014	CMPG6642P135
CMFMA5436P127	CMFMA543641	CMFM3042P218	CMFM5430N115	CMFM6654N115	CMPG6642P236
CMFMA5436P228	CMFMA544241	CMFM3048N014	CMFM5430N216	CMFM6654N216	CMPG6648N034
CMFMA5442N024	CMFMA544841	CMFM3048N115	CMFM5430P117	CMFM6654P117	CMPG6648N134
CMFMA5442N125	CMFMA545441	CMFM3048N216	CMFM5430P218	CMFM6654P218	CMPG6648N235
CMFMA5442N226	CMFMA546041	CMFM3048P117	CMFM543639	CMFM666039	CMPG6648P135
CMFMA5442P127	CMFMA662441	CMFM3048P218	CMFM5436N014	CMFM6660N014	CMPG6648P236
CMFMA5442P228	CMFMA663041	CMFM3054N014	CMFM5436N115	CMFM6660N115	CMPG6654N034
CMFMA5448N024	CMFMA663641	CMFM3054N115	CMFM5436N216	CMFM6660N216	CMPG6654N134
CMFMA5448N125	CMFMA664241	CMFM3054N216	CMFM5436P117	CMFM6660P117	CMPG6654N235
CMFMA5448N226	CMFMA664841	CMFM3054P117	CMFM5436P218	CMFM6660P218	CMPG6654P135
CMFMA5448P127	CMFMA665441	CMFM3054P218	CMFM544239	CMPC147	CMPG6654P236
CMFMA5448P228	CMFMA666041	CMFM3060N014	CMFM5442N014	CMPC247	CMPG6660N034
CMFMA5454N024	CMFG422442	CMFM3060N115	CMFM5442N115	CMPG5424N012, 34	CMPG6660N134
CMFMA5454N125	CMFG423042	CMFM3060N216	CMFM5442N216	CMPG5424N112, 34	CMPG6660N235
CMFMA5454N226	CMFG423642	CMFM3060P117	CMFM5442P117	CMPG5424N212, 35	CMPG6660P135
CMFMA5454P127	CMFG424242	CMFM3060P218	CMFM5442P218	CMPG5424P112, 35	CMPG6660P236
CMFMA5454P228	CMFG424842	CMFM422412, 39	CMFM544839	CMPG5424P212, 36	CMPS2436, 43
CMFMA5460N024	CMFG425442	CMFM4224N09, 14	CMFM5448N014	CMPG5430N034	CMPS3012, 36, 43
CMFMA5460N125	CMFG426042	CMFM4224N19, 15	CMFM5448N115	CMPG5430N134	CMPS3636, 43
CMFMA5460N226	CMFG542442	CMFM4224N29, 16	CMFM5448N216	CMPG5430N235	CMPS4236, 43
CMFMA5460P127	CMFG543042	CMFM4224P19, 17	CMFM5448P117	CMPG5430P135	CMPS4836, 43
CMFMA5460P228	CMFG543642	CMFM4224P29, 18	CMFM5448P218	CMPG5430P236	CMPS5436, 43
CMFMA6624N010, 24	CMFG544242	CMFM423039	CMFM545439	CMPG5436N034	CMPS6036, 43
CMFMA6624N110, 25	CMFG544842	CMFM4230N014	CMFM5454N014	CMPG5436N134	CMRCB0144
CMFMA6624N210, 26	CMFG545442	CMFM4230N115	CMFM5454N115	CMPG5436N235	CMRC24NP44
CMFMA6624P110, 27	CMFG546042	CMFM4230N216	CMFM5454N216	CMPG5436P135	CMRC24PO44
CMFMA6624P210, 28	CMFG662442	CMFM4230P117	CMFM5454P117	CMPG5436P236	CMRC30NP44
CMFMA6630N024	CMFG663042	CMFM4230P218	CMFM5454P218	CMPG5442N034	CMRC30PO44
CMFMA6630N125	CMFG663642	CMFM423639	CMFM546039	CMPG5442N134	CMRC36NP44
CMFMA6630N226	CMFG664242	CMFM4236N014	CMFM5460N014	CMPG5442N235	CMRC36PO44
CMFMA6630P127	CMFG664842	CMFM4236N115	CMFM5460N115	CMPG5442P135	CMRC42NP44
CMFMA6630P228	CMFG665442	CMFM4236N216	CMFM5460N216	CMPG5442P236	CMRC42PO44
CMFMA6636N024	CMFG666042	CMFM4236P117	CMFM5460P117	CMPG5448N034	CMRC48NP44
CMFMA6636N125	CMPG542443	CMFM4236P218	CMFM5460P218	CMPG5448N134	CMRC48PO44
CMFMA6636N226	CMPG543043	CMFM424239	CMFM662412, 39	CMPG5448N235	CMRC54NP44
CMFMA6636P127	CMPG543643	CMFM4242N014	CMFM6624N09, 14	CMPG5448P135	CMRC54PO44
CMFMA6636P228	CMPG544243	CMFM4242N115	CMFM6624N19, 15	CMPG5448P236	CMRC60NP44
CMFMA6642N024	CMPG544843	CMFM4242N216	CMFM6624N29, 16	CMPG5454N034	CMRC60PO44
CMFMA6642N125	CMPG545443	CMFM4242P117	CMFM6624P19, 17	CMPG5454N134	CMSCK9378

INDEX

CMSLK13.....	78	CWCC4230.....	64	CWD3060.....	67	CWS3042.....	62	CWVR3024.....	63
CMSMK93.....	78	CWCC4824.....	64	CWD3072.....	67	CWS3048.....	62	CWVR3030.....	63
CSABB01.....	83	CWCC4830.....	64	CWHL3672.....	67	CWS3054.....	62	CWVR3036.....	63
CSAFS01.....	84	CWCCEL362448.....	65	CWHR3672.....	67	CWS3060.....	62	CWVR3042.....	63
CSALT01.....	83	CWCCEL362460.....	65	CWQRC2424.....	68	CWS3066.....	62	CWVR3048.....	63
CSAMB01.....	84	CWCCEL362466.....	65	CWQRC3030.....	68	CWS3072.....	62	CWVR3054.....	63
CSAPP01.....	85	CWCCEL362472.....	65	CWQRL2424.....	68	CWS3078.....	62	CWVR3060.....	63
CSASS01L.....	83	CWCCEL362478.....	65	CWQRL3030.....	68	CWS3084.....	62	CWVR3066.....	63
CSASS01R.....	83	CWCCEL362484.....	65	CWQRR2424.....	68	CWTCL90.....	69	CWVR3072.....	63
CSATH01.....	85	CWCCEL422460.....	65	CWQRR3030.....	68	CWTE1512.....	69	CWVR3078.....	63
CSAUT01.....	84	CWCCEL422466.....	65	CWSP2426.....	62	CWTE1518.....	69	CWVR3084.....	63
CSOF1324.....	77	CWCCEL422472.....	65	CWSP2432.....	62	CWTE1524.....	69	CW9T1524.....	69
CSOF1330.....	77	CWCCEL422478.....	65	CWSP2438.....	62	CWTE1530.....	69	CW9T1530.....	69
CSOF1336.....	77	CWCCEL422484.....	65	CWSP2444.....	62	CWTE1536.....	69	CW9T1536.....	69
CSOF1342.....	77	CWCCEL423060.....	65	CWSP2450.....	62	CWTE1542.....	69	CW9T1542.....	69
CSOF1348.....	77	CWCCEL423066.....	65	CWSP2456.....	62	CWTE1548.....	69	CW9T1548.....	69
CSOF1354.....	77	CWCCEL423072.....	65	CWSP2462.....	62	CWTE1554.....	69		
CSOF1360.....	77	CWCCEL423078.....	65	CWSP2468.....	62	CWTE1560.....	69		
CSSL1324.....	77	CWCCEL423084.....	65	CWSP2474.....	62	CWTE1566.....	69		
CSSL1330.....	77	CWCCEL482460.....	65	CWSP2480.....	62	CWTE1572.....	69		
CSSL1336.....	77	CWCCEL482466.....	65	CWSP2486.....	62	CWT1512.....	68		
CSSL1342.....	77	CWCCEL482472.....	65	CWSP3026.....	62	CWT1518.....	68		
CSSL1348.....	77	CWCCEL482478.....	65	CWSP3032.....	62	CWT1524.....	68		
CSSL1354.....	77	CWCCEL482484.....	65	CWSP3038.....	62	CWT1530.....	68		
CSSL1360.....	77	CWCCEL483060.....	65	CWSP3044.....	62	CWT1536.....	68		
CS19F19BBF.....	76	CWCCEL483066.....	65	CWSP3050.....	62	CWT1542.....	68		
CS19F19FF.....	76	CWCCEL483072.....	65	CWSP3056.....	62	CWT1548.....	68		
CS19F23BBF.....	76	CWCCEL483078.....	65	CWSP3062.....	62	CWT1554.....	68		
CS19F23FF.....	76	CWCCEL483084.....	65	CWSP3068.....	62	CWT1560.....	68		
CS19F29BBF.....	76	CWCER362448.....	66	CWSP3074.....	62	CWT1566.....	68		
CS19F29FF.....	76	CWCER362460.....	66	CWSP3080.....	62	CWT1572.....	68		
CS19MP19BBF.....	77	CWCER362466.....	66	CWSP3086.....	62	CWT1578.....	68		
CS19MP23BBF.....	77	CWCER362472.....	66	CWSW182448.....	67	CWT1584.....	68		
CS19MP19FF.....	77	CWCER362478.....	66	CWSW182454.....	67	CWVL2424.....	63		
CS19MP23FF.....	77	CWCER362484.....	66	CWSW182460.....	67	CWVL2430.....	63		
CS1919BBF.....	76	CWCER422460.....	66	CWSW182466.....	67	CWVL2436.....	63		
CS1919FF.....	76	CWCER422466.....	66	CWSW182472.....	67	CWVL2442.....	63		
CS1923BBF.....	76	CWCER422472.....	66	CWSW241848.....	67	CWVL2448.....	63		
CS1923FF.....	76	CWCER422478.....	66	CWSW241854.....	67	CWVL2454.....	63		
CS1929BBF.....	76	CWCER422484.....	66	CWSW241860.....	67	CWVL2460.....	63		
CS1929FF.....	76	CWCER423060.....	66	CWSW241866.....	67	CWVL2466.....	63		
CS1930P-2F12.....	78	CWCER423066.....	66	CWSW241872.....	67	CWVL2472.....	63		
CS1930P-3F12.....	79	CWCER423072.....	66	CWSW243048.....	67	CWVL2478.....	63		
CS1930P-4F12.....	79	CWCER423078.....	66	CWSW243054.....	67	CWVL2484.....	63		
CS1930P-5F12.....	79	CWCER423084.....	66	CWSW243060.....	67	CWVL3024.....	63		
CS1936P-2F12.....	78	CWCER482460.....	66	CWSW243066.....	67	CWVL3030.....	63		
CS1936P-3F12.....	79	CWCER482466.....	66	CWSW243072.....	67	CWVL3036.....	63		
CS1936P-4F12.....	79	CWCER482472.....	66	CWSW302448.....	67	CWVL3042.....	63		
CS1936P-5F12.....	79	CWCER482478.....	66	CWSW302454.....	67	CWVL3048.....	63		
CS1942P-2F12.....	78	CWCER482484.....	66	CWSW302460.....	67	CWVL3054.....	63		
CS1942P-3F12.....	79	CWCER483060.....	66	CWSW302466.....	67	CWVL3060.....	63		
CS1942P-4F12.....	79	CWCER483066.....	66	CWSW302472.....	67	CWVL3066.....	63		
CS1942P-5F12.....	79	CWCER483072.....	66	CWS2424.....	62	CWVL3072.....	63		
CWC62424.....	66	CWCER483078.....	66	CWS2430.....	62	CWVL3078.....	63		
CWC62430.....	66	CWCER483084.....	66	CWS2436.....	62	CWVL3084.....	63		
CWC62436.....	66	CWCF3618.....	64	CWS2442.....	62	CWVR2424.....	63		
CWC62442.....	66	CWCF3624.....	64	CWS2448.....	62	CWVR2430.....	63		
CWC62448.....	66	CWCF4224.....	64	CWS2454.....	62	CWVR2436.....	63		
CWC6K3024.....	66	CWCF4230.....	64	CWS2460.....	62	CWVR2442.....	63		
CWC6K3030.....	66	CWCF4824.....	64	CWS2466.....	62	CWVR2448.....	63		
CWC6K3036.....	66	CWCF4830.....	64	CWS2472.....	62	CWVR2454.....	63		
CWC6K3042.....	66	CWD2442.....	67	CWS2478.....	62	CWVR2460.....	63		
CWC6K3048.....	66	CWD2448.....	67	CWS2484.....	62	CWVR2466.....	63		
CWCC3618.....	64	CWD2460.....	67	CWS3024.....	62	CWVR2472.....	63		
CWCC3624.....	64	CWD2472.....	67	CWS3030.....	62	CWVR2478.....	63		
CWCC4224.....	64	CWD3048.....	67	CWS3036.....	62	CWVR2484.....	63		



Evolve Furniture Group

17 West Stow Rd. P.O. Box 562 Marlton, New Jersey USA 08053 **T** 856•552•4000 888•827•2500 **F** 856•552•4001 evolvefurnituregroup.com

