




List Price Book  
Effective March 1, 2014

evolve systems  


# evolve systems



ISO 14001:2004 Registered  
CGSB #006b



the BIFMA sustainability standard  
SCIENTIFIC CERTIFICATION SYSTEMS  
SCS-SCF0245-4

## PROTECTING THE ENVIRONMENT FOR FUTURE GENERATIONS

Our environmental success story began with the challenge to create an office system that would meet today's business requirements while maintaining a firm commitment to save and protect the environment.

Sustainability became a part of the creative focus and development of Evolve that incorporates the latest technology and design features to provide excellent performance at a competitive price.

As government and industry environment ratings such as LEEDS & Greenguard become more prevalent, Evolve offers designers and architects functional, attractive, and economical office designs that meet these standards.

Evolve is a leader in reducing waste in the manufacturing of its products as well as utilizing recycled materials wherever possible. We make extensive use of recycled plastic and wood waste from other Global factories.

Evolve is committed to the continuous improvement of our environmental systems, the prevention of pollution, and to comply with both the spirit and the letter of all relevant environmental legislation.

Evolve Panels are 100% recyclable at the end of their lifespan. Nothing from an Evolve Panel needs to end up in a landfill.

## PRODUCT INFORMATION

Evolve offers fabrics that are made from 100% recycled polyester, which means less waste going to landfills. These fabrics also reduced the demand for petroleum products, and decrease the environmental impacts of processing those petroleum products into polyester.

Evolve has developed a Panel interior made from 100% recycled wood and polypropylene. Through innovative design and technology, Evolve utilizes waste that would have normally been sent to landfill.

Evolve Panels are insulated with Roxul, a mineral wood insulation made from slag, an inert steel by-product, and basalt rock. Roxul is a high density product that provides maximum sound absorption to reduce noise in the work environment. Roxul insulation is fire resistant, water repellent and will not support the growth of fungi or mildew.

Evolve's epoxy powder coating process involves no liquids and is solvent free. It contains no harmful VOC's or lead. Up to 99% of over sprayed powdered is reclaimed, mixed with virgin powder and reused.



## REFERENCES

Features, Benefits & General Information .....	4-5
Coding an Order .....	6-8
Textiles & Finishes .....	240-241
Panel COM Form .....	242
Panel Fabric Specification Sheet .....	243
Panel Fabric Sample .....	244
Appendix .....	245
Terms & Conditions .....	246-247
Index .....	248-263

## PANELS

Panels – Technical Information .....	10
Panel – Types .....	11-17
Panel – Configurations .....	18-19
Monolithic .....	20-25
Segmented .....	26-31
Partly Glazed .....	32-41
Fully Glazed .....	42-45
Pass-thru Sliding door .....	46-47
Slatwall .....	48-55
Write Board .....	56-57
Laminate .....	58-61
Airflow .....	62-65
Metal Skin .....	66-69
Open .....	70-75
1" Laminate .....	76-79
Door .....	80-81

## EXTENSION MODULES

Extension Modules – Technical Information .....	82
Extension Modules – Types .....	82
Fabric .....	83
Glazed .....	84
Write Board .....	85
Laminate .....	86-87
Airflow .....	88
Open .....	89
Privacy Glass .....	90

## PANELS - CONNECTORS

Panels – Technical Information .....	92
Inline Connector .....	93-95
End-of-Run .....	96
Two-Way Post .....	97-99
Three-Way Post .....	100-102
Four-Way Post .....	103-105
One Way Post .....	106-107
Inline Two-Way Post .....	108-109
60 Degree .....	110-112
45 Degree .....	113
Upmount End of Run .....	113-114
Extension .....	115-118
Trims .....	119-122

## ELECTRICAL

Electrical – Technical Information .....	124
Electrical – Wire Schematic .....	125
Electrical – Configurations .....	126-127
Power Distribution Housing .....	128
Cables .....	128-129
Power Entry .....	129-131
Post Extension .....	131-132
Task Lights .....	132-134
Accessories .....	134-136

## WORKSURFACES

Worksurfaces – Technical Information .....	138
Worksurfaces – Configuration .....	139
Worksurfaces – Grain Direction .....	140
Straight Worksurface .....	141-142
Curvilinear Worksurface .....	143
Corner Worksurface .....	144-148
"L" Worksurface .....	149
Transition Worksurface .....	149
Hatchet Worksurface .....	149
"D" Worksurface .....	150
Straight Wedge Worksurfaces .....	150
"P" Top .....	150
Piano Top .....	151-152
Quarter Round Panel Worksurface .....	152
Radius Worksurface .....	153
"L" Keyboard Worksurface .....	153
"T" Island Worksurface .....	153
Arc Front Worksurface .....	154
Extended Corner Worksurface .....	154
Angle Front Edge Worksurface .....	154

Transaction Worksurfaces .....	155-158
Accessories .....	158-162

## FREESTANDING DESKING

Freestanding Desking – Technical Information .....	164
Chassis .....	165-174
Hutch .....	175
Tack Board - Hutch .....	176
Load bar - Hutch .....	177
Corner Legs .....	178-179
Modesty Panel .....	180-181
Desking Hardware .....	181-182

## STORAGE

Storage – Technical Information .....	184-187
Overhead Storage .....	188-195
1200 Series Pedestal .....	196-198
Lateral Files .....	198-200, 207-210, 212
Conversion Kits .....	200-201
Double Wall Cabinets .....	202-205
1200 Series Storage Towers .....	205-206
Storage Cabinets .....	210-211
eStor Storage .....	213-216
Accessories .....	217-220
Key Alike Form .....	221

## ACCESSORIES

Tack Board .....	224
White Marker Board .....	224
Load Bars .....	225-226
Rail Accessories .....	226-228
Keyboard Supports .....	229
Mouse Supports .....	230
Keyboard Combination Chart .....	231
Keyboard Rests .....	232
Monitor Arms .....	233-236
Laptop Support .....	236
Desktop Document Holder .....	236
Foot Rest .....	237
Touch-up Paint Kit .....	237

# INTRODUCTION

# FEATURES, BENEFITS & GENERAL INFORMATION

## PANELS

- NOTE: Panels consist of module frames, module interiors and a variety of skins.

### Panel Information

- All metal components are painted with environmentally friendly epoxy powder.
- Raceway Interiors are coated with recycled epoxy powder.
- The entire Evolve Panel and the processes used to manufacture it are designed to save and protect the environment. Evolve panels are made from recycled materials and are 100% recyclable.
- Panels conform to CGSB and ANSI/BIFMA Standards
- The quality and performance level of these panels have been tested to equal or exceed the requirements of the U.S. Government.
- Classified as Acoustic, these panels meet the acoustical requirements of the U.S. Government with the following ratings:
  - .65 NRC
  - 23 STC
- Panel has a steel frame and is 2 7/8" thick. Corner posts create a panel creep of 3 1/4".
- Leveling Glides extend 2 1/2" high. (Carpet grippers are available, contact Evolve Customer Support).

### Panel Options

- Standard, Beltline and Light\* Segmented Panels are available in the following heights: 30", 42", 54" and 66".
  - Standard, Beltline and Light\* Monolithic Panels are available in the following heights: 42", 48", 54" and 66"
- \*Light panels do not contain a base raceway, therefore the listed heights consider the 6" open space that would have contained a raceway.
- Standard and Light Panel widths come in (8) sizes: 18", 24", 30", 36", 42", 48", 54" and 60"
  - Beltline Panel widths come in (7) sizes: 24", 30", 36", 42", 48", 54" and 60". The 6" Power Belt Module is metal with knockouts on both sides.
  - Beltline Panel with Chimney widths come in (2) sizes: 36" and 42".

### Panel Skin Options

- Acoustic Fabric (Tackable), Glazed, Open, Laminate, Whiteboard, Metal, Air Flow, Slat

### Panel Extension Modules

- Attaches to the top of Standard, Beltline or Light panels.
- Offered in 6", 12", 18" and 24" heights
- Can be stacked in an excess of 14'-0". (Contact the Evolve Specification Department regarding additional support required.)

## Extension Module Options

- Fabric, Glazed, Open, Laminate, Whiteboard and Airflow. Laminate and Whiteboard available in single and double sided.

## Panel Reconfiguration

- Panels can be modified on site by replacing fabric modules with Glazed, Open, Laminate, Whiteboard or Air Flow at any time after the initial installation\*.
- All panel types existing on site can have their height altered by replacing the vertical liners (on each side of the panel) and adding or subtracting modules\* as required.
- Fabric can be replaced easily; using pre-cut segments of fabric, a drawstring (C-Jex) is sewn in around the edges. Then a rubber spline is used to 'screen' the fabric in place.
- Panels can be removed from the workstation, without having to remove an overhead or worksurface.
- Corner connectors can be converted from 2-way to 3-way, etc., by attaching an in-line connector with one screw.
- The Power Belt Module for the Beltline Panels cannot be relocated.

\*Contact Evolve Customer Support for information on field installed modules (they are available in heights of 6", 12" and 24")

## VOICE/DATA AND ELECTRICAL POWER

- NOTE: Panels and Electric components are CSA/UL approved. Tools are not required to install electrical in the Evolve Panel System.

### Voice and Data can be run at the following levels\*:

- \*7) CAT5 cables can be run at the top of the panel.
- Standard Panels—Base and the top of the panel.
  - Beltline Panels—Base, Beltline and top of the panel.
  - Light Panels—Top of the panel
  - Beltline Light Panels—Beltline and top of the panel.

### Electric can be run at the following levels:

- Standard Panels—Base raceway
- Beltline Panels—Base and/or Beltline raceway
- Light Panels—Do not contain a raceway for electric.
- Beltline Light Panels—Beltline raceway

## Additional Data and Electric Options

- A panel mounted power bar can be mounted on-module at any level and contains a 14' cord.
- Desktop modules are available to install in the worksurface scoop for electric and data.
- 6" Vertical Panel provides electric and data above the worksurface and electric just below the worksurface.

## Electric Information

- Electric can be run in any raceway whether it is at the base or Beltline.
  - 8-Wire, 4-Circuit Capability
  - 2 Utility + 2 Dedicated Circuits
  - 10 Gauge (oversized) Neutrals.
- All circuits can support up to 20 amps (15 CSA).

## Raceway Information

- Raceway knockouts sizes conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38" x 2.71" at the base and Beltline.
- Standard data face mount plates can be used without the need of adapter plates (supplied by others).
- Cabling Capacities (calculations below are based on CAT5 cables)
- Base Raceway – for Standard and Beltline Panels
  - Without Electric – 140 Cables
  - With Electric – 48 Cables
- Beltline Raceway – for Beltline and Light Beltline Panels
  - Without Electric – 65 Cables
  - With Electric – 54 Cables

## WORKSURFACES

- NOTE: Worksurfaces come in a variety of shapes and sizes.

### Worksurface Options

- Standard worksurface depths are 18"d, 24"d and 30"d.
- Standard worksurface widths range from 24"w – 84"w standard depending on the shape.

### Worksurface Laminate Options

- Thermally Fused – 1-1/8" thick
- High Pressure – 1-1/16" thick
- High Pressure – 1-7/16" thick
- Wood Veneer – Contact Customer Support for Quotes

### Worksurface Information

- Cable scoops are located in the back of each worksurface to route power and data cables
- Depth from center of scoop to panel is 1-1/8".
- Once installed there is a 3/8" gap between the worksurface and the panels for additional cabling needs.
- Custom sizes are available, contact Customer Support for Quotes.
- Metal inserts are standard for a metal to metal connection between the worksurface and the supporting hardware. This will allow product to be reconfigured many times and still perform.
- All worksurfaces utilize balanced construction.



## Worksurface Information (Continued)

- Panel Connectors - 45 Degree Connectors Posts
  - Without Electric - 20 Cables
  - With Electric - 6 Cables
- Panel Connectors - 60 Degree Connector Posts
  - Without Electric - 20 cables
  - With Electric - 6 Cables
- Post Extension - 90 Degree Post
  - Without Electric - 45 Cables
  - With Electric - 25 Cables
- Post Extension - 45 Degree Post
  - Without Electric - 20 Cables
  - With Electric - 6 Cables
- Post Extension - 60 Degree Post
  - Without Electric - 20 Cables
  - With Electric - 6 Cables

## STORAGE

### Pedestals

- Available as Worksurface Supporting, Freestanding and Mobile.
- Mobile pedestals are available with or without a cushion. Mobile pedestals with a cushion can have an upholstery fabric applied to them.
- Standard Pedestal Depths are 19”d, 24”d and 30”d
- Pedestal widths are 15”w.

### File Drawers

- 150 lb Full Extension Slides
- Full height drawer sides are standard on all File drawers which enables the hanging of files from the drawer side so no extra hardware is necessary. File drawers accept legal, letter and metric sized files.

### Box Drawers

- 75 lb Single Action Slides

### Drawer Information

- Steel construction guarantees the performance of the product over the long term.
- Welded joints with a full top, back and base ensure that the pedestal will sit square and adequately support the worksurface where necessary.
- Double wall drawer face
- 20 gauge steel
- Metal roller ball bearing slides
- Adjustable glides are accessible from the inside of the pedestal.
- Standard positive and secure locking system.
- Epoxy powder coated.
- Locks can be keyed alike or master keyed\*.
- \*Master Key must be ordered separate.
- Standard recessed handle offers uncluttered aesthetic.

### Lateral Files

- All lateral files are 18” deep
- Standard widths are 30”w, 36”w and 42”w.
- Standard Heights are 27.625”h, 40.5”h, 54”h and 65.25”h.
- Available with fixed front drawers, receding doors with roll-out shelf, and half height drawers (See page 184 for more information Lateral File)

### Lateral File Information

- Drawer anti-locking system
- Three Stage, anti-bounceback suspension
- Receding door features 16 gauge, spring loaded hinges
- Premium drawer slides with black zinc coating for smoother, quieter motion.
- Pre-Installed file bars
- 18-20 gauge steel
- Adjustable glides are accessible from the inside of the lateral file.

### Storage Towers

- Features all metal construction and a choice of 20 different configurations.
- Heights include 54”h and 65.25”h.
- 24”w x 24”d
- Side shelving available.

### Bookcases and Storage Cabinets

- Features all metal construction.
- Available in widths of 30”w, 36”w and 42”w.
- Heights include 27.625”h, 40.5”h, 54”h and 65.25”h.

### eStor Cabinets

- Features all metal construction and a choice of 18 different configurations.
- Available in widths of 30”w and 36”w.
- Standard height is 54”h.
- Allows for electric to pass through the base of the cabinet.

### Overhead Storage

- Standard widths include 24”w (not available on all units), 30”w, 36”w, 42”w, 48”w, 54”w and 60”w.
- Standard heights range from 12”h to 17.5”h.
- Overhead Options
  - Flat Front 12” Flipper Door - Optional soft close mechanism available at an upcharge
  - Flat Front 17” Flipper Door
  - Full Pull 13” Flipper Door
  - Full Pull Double Wall Flipper Door (also available with shelf option)
  - Full Pull 16” Flipper Door (door retracts inside cabinet)
  - Sliding glass or fabric doors
  - ADA Compliant Overhead with soft close mechanism
  - High and Low Profile Shelf
  - A magnetic whiteboard is available for metal front overheads.


## WARRANTIES AND PERFORMANCE

- A Lifetime Warranty
- Non Obsolescence Warranty
- Reduced cost of assembly and reconfiguration
- ISO9001:2000 Registered
- ISO14001:2004 Registered
- GreenGuard Certified
- ANSI/BIFMA CGSB testing on all products
- For piece of mind over the long term, we cover you with a comprehensive warranty that is supported by our dealer network.
- Some installation companies claim that the Evolve Panels System can be installed in half the time it takes to install most of our competitor's segmented panels. This cost saving can amount to thousands of dollars over the lifetime of our furniture.
- Your assurance of consistent quality to an international standard. Evolve Systems is committed to design, manufacture and distribute superior quality office furniture, which meets or exceeds the requirements of our customers.
- Confirmation that Evolve is committed (1) to providing product that, through their entire life cycle, minimize negative environmental impacts on the environment, (2) to continuous improvement to our environmental systems and programs and (3) to comply to all relevant environmental legislation and regulations.
- Evolve Systems can help a company meet LEED requirements for office furniture.
- Evolve components are tested to the highest standard in the industry. This is your assurance of quality and longevity.

Evolve products have been coded using alphas that correspond with the product name. This creates an easy-to-remember code. The following breaks down the coding logic and highlights the required code components needed to order within each product category.

## PANELS

**Example:**      **Product:**      **Segmented Panel**



Base Code found on the product page to the left of the product name and a simple product illustration.

**E**Volve product line

**P**anel category

**F**abric-covered or partly fabric-covered Panel

**A**coustic Panel  
(EVPF P – represents Premium Acoustic)

**2** EVPFA**6648**

Panel size offering. Listed on every product page with price listing.  
Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

**3** EVPFA6648-**BLK**


Finish code for frame. See Textiles & Finishes pages 240-241.

To specify fabric for an Evolve Panel, please note:

**4** EVPFA6648-BLK-B**84A**

Fabric code for all modules on both sides of the Panel\*.  
See Textiles & Finishes pages 240-241.

**\* NOTE:** If different fabrics are to be included on an Evolve Panel, please use the following ordering format. **Start at the bottom** of one side of a Panel and work to the top module of that Panel. Then start the process over on the other side of the Panel. As an example:



= 66	I1	B86A	I = Inside
Position 3	I2	B84A	O = Outside
	I3	B86A	
	01	B86A	
Position 2	02	B86A	
	03	B86A	
Position 1			




**ELECTRICAL**

**Example:**      **Product:**      Pass-Through Cables

Specify

(1)



Base Code found on the product page to the left of the product name and a simple product illustration.

**EV**olve product line

**E**lectrical category

**C**able Panel.

**P**ass-Through.

(2)

EVE8CP40

Product size offering – length. Listed on every product page with price listing.


Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

**WORKSURFACES**

**Example:**      **Product:**      Curvilinear Worksurface - Left

Specify

(1)



Base Code found on the product page to the left of the product name and a simple product illustration.

**EV**olve product line

**W**orksurface category

**C**ur*V*ilinear shape

**L**eft hand configuration

(2)

EVWVL3042

Worksurface size offering. Listed on every product page with price listing.  
Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

(3)

EVWVL3042-T431

Laminate code for surface. See Textiles & Finishes pages 240-241.

(4)

EVWVL3042-T431-CHR


PVC code for trim. See Textiles & Finishes pages 240-241.



## WORKSURFACES - HARDWARE

Example:

Product: End Panel



Base Code found on the product page to the left of the product name and a simple product illustration.

**E**Volve product line

**H**ardware category

**E**nd Panel.

End **P**anel.




Laminate code for End Panel. See Textiles & Finishes pages 240-241.

---

## STORAGE

Example:

Product: Box, Box, File Pedestal



Base Code found on the product page to the left of the product name and a simple product illustration.

**E**Volve product line

**S**torage category

**B**ox drawer

**B**ox drawer


**F**ile drawer

---

## ACCESSORIES

Example:

Product: White Board



Base Code found on the product page to the left of the product name and a simple product illustration.

**E**Volve product line

**A**ccessories category

**W**hite Board

**W**hite Board



# panels

## TECHNICAL FEATURES OF EVOLVE PANELS:

- Evolve Panels are 2 7/8" thick.
- An aluminum low profile top cap is included with the panel.
- Base Raceway will allow for 140 data cables without electrical, or 48 data cables with electrical.
- Beltline Raceway will allow for 65 data cables without electrical or 54 data cables with electrical.
- 90 degree post extension will allow for 45 data cables without electric and 25 data cables with electric.
- Raceway knockout openings are 1.38" x 2.71".
- Acoustic Rating: 65 = NRC - Noise Reduction Coefficient
- STC: 23 = Sound Transmission Coefficient

## BASIC FEATURES OF EVOLVE PANELS:

- Evolve Segmented Panels are available in four (4) basic heights: 30", 42", 54" and 66"; and eight (8) widths: 18", 24", 30" 36", 42", 48", 54" High and 60".
- Evolve Monolithic Panels are available in four (4) basic heights: 42", 48", 54" and 66"; and eight (8) widths: 18", 24", 30" 36", 42", 48", 54" and 60".
- Evolve Panels must include the same segmentation on both sides of the panel. Cannot be Monolithic on one side and Segmented on the other.
- Opposite sides of each Fabric Module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at the highest grade.
- There is no panel creep in a straight Panel-to-Panel configuration; however, a corner post (2, 3, 4 way) will add 3.25" inches to a panel run.
- All Fabric Acoustic Panels (EVPFA) are composed of a 6" raceway module and a 24" base-height module which create the EVPFA30. Subsequent heights are created by adding either a 12" high module to create an EVPFA42 or a 24" high module to create an EVPFA54. The addition of both 12" and 24" modules creates a EVPFA66.
- In contrast, a Premium Panel (EVPFP) is composed of a 6" raceway module, a 24" base-height module and either two (2) or three (3) 12" modules which make up the two premium heights: EVPFP54 and EVPFP66.
- All Panels available with Aluminum trim as a standard option.
- Individual fabric covered acoustic modules incorporated into a rigid steel frame.
- Raceway covers included with panels
- Beltline Panels contain a 6" Power Belt Module that is metal with knockouts on both sides.

## BASIC FEATURES OF EXTENSION MODULES:









- Stackability: Evolve Panels can be increased in height in 6", 12", 18" or 24" increments. See Extension Module (pages 82-90) for part numbers.
- Panel Extension Modules stack on the top of a Panel.
- Modules can be stacked to add privacy or divide space.
- Opposite sides of a fabric module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one Panel, the entire Module must be priced at highest grade.

## GENERAL WARRANTY INFORMATION:











- Panel and tackboard textiles, adjustable keyboard mechanisms, tasklights and electrical devices = five (5) Years
- Other parts = Lifetime Warranty



## MONOLITHIC PANELS - PAGES 20-25


**Monolithic Panel****Monolithic Light Panel****Monolithic Beltline Powered Panel****Monolithic Beltline Powered Light Panel****Monolithic Beltline Powered Chimney Panel****Chimney Jumper Cable Kit****Monolithic Beltline Non-Powered Panel****Monolithic Beltline Non-Powered Light Panel**

## SEGMENTED PANELS - PAGES 26-31

**Segmented Panel****Segmented Light Panel****Segmented Premium Panel****Segmented Premium Light Panel****Segmented Beltline Powered Panel****Segmented Beltline Powered Light Panel****Segmented Beltline Powered Chimney Panel****Chimney Jumper Cable Kit****Segmented Beltline Non-Powered Panel****Segmented Beltline Non-Powered Light Panel**


## PARTLY GLAZED - TEMPERED GLASS PANELS - PAGES 32-41

**Monolithic 12"H Glazed Panel**



EVPMTU48 EVPMTU54 EVPMTU66

**Monolithic 12"H Glazed Light Panel**



EVPLMTU48 EVPLMTU54 EVPLMTU66

**Segmented 12"H Glazed Panel**




EVPFGTU66

**Segmented 12"H Glazed Light Panel**




EVPLFGTU66

**Segmented 12"H Glazed Premium Panel**




EVPFPGTU54 EVPFPGTU66

**Segmented 12"H Glazed Premium Light Panel**




EVPLFPGTU54 EVPLFPGTU66

**Partly Glazed Panel**



EVPFGT42 EVPFGT54 EVPFGT66

**Partly Glazed Light Panel**



EVPLFGT42 EVPLFGT54 EVPLFGT66

**Partly Glazed Panel - 36"H**




EVPFGTX66

**Partly Glazed Light Panel - 36"H**




EVPLFGTX66

**Partly Glazed Beltline Powered Panel**




EVPBFGT54 EVPBFGT66

**Partly Glazed Beltline Powered Light Panel**




EVPBLFGT54 EVPBLFGT66

**Partly Glazed Beltline Powered Chimney Panel**




EVPBCFGT54 EVPBCFGT66

**Chimney Jumper Cable Kit**




EVE8CPCP

**Partly Glazed Premium Panel**








EVPFPGT54 EVPFPGT66

**Partly Glazed Premium Light Panel**




EVPLFPGT54 EVPLFPGT66



**FULLY GLAZED - TEMPERED GLASS PANELS - PAGES 42-45****Fully Monolithic Panel****Fully Monolithic Light Panel****Fully Glazed Segmented Panel****Fully Glazed Segmented Light Panel****Fully Glazed Premium Panel****Fully Glazed Premium Light Panel****PASS-THRU SLIDING DOOR - PAGES 46-47****Pass-Thru Sliding Door Glazed Panel****Fabric Glazed Pass-Thru Sliding Door Panel**


## SLATWALL PANELS - PAGES 48-55

### Slatwall Panel - Single Sided




EVPF1S42    EVPF1S54    EVPF1S66    EVPF1S66M

### Slatwall Light Panel - Single Sided




EVPLF1S42    EVPLF1S54    EVPLF1S66    EVPLF1S66M

### Slatwall Panel - Double Sided




EVPF2S42    EVPF2S54    EVPF2S66    EVPF2S66M

### Slatwall Light Panel - Double Sided




EVPLF2S42    EVPLF2S54    EVPLF2S66    EVPLF2S66M

### Frameless Slatwall Panel - Double Sided




EVPS2FA42    EVPS2FA54    EVPS2FA66

### Frameless Slatwall Beltline Powered Panel - DS




EVPBSFA42    EVPBSFA54    EVPBSFA66

### Frameless Slatwall Beltline Powered Light Panel - DS




EVPBLSFA42    EVPBLSFA54    EVPBLSFA66

### Frameless Slatwall Beltline Powered Chimney Panel - Double Sided



EVPBCSFA42    EVPBCSFA54    EVPBCSFA66


### Chimney Jumper Cable Kit



EVE8CPCP


## WRITE BOARD PANELS - PAGES 56-57

### Write Board Panel - Single Sided




EVPF1W54    EVPF1W66

### Write Board Light Panel - Single Sided




EVPLF1W54    EVPLF1W66

### Write Board Panel - Double Sided



EVPF2W54    EVPF2W66

### Write Board Light Panel - Double Sided




EVPLF2W54    EVPLF2W66




## LAMINATE PANELS - PAGES 58-61

## Laminate Panel - Single Sided




EVPH1S30 EVPH1S42 EVPH1S54 EVPH1S66

## Laminate Light Panel - Single Sided




EVPLH1S30 EVPLH1S42 EVPLH1S54 EVPLH1S66

## Laminate Panel - Double Sided



EVPH2S30 EVPH2S42 EVPH2S54 EVPH2S66


## Laminate Light Panel - Double Sided



EVPLH2S30 EVPLH2S42 EVPLH2S54 EVPLH2S66


## AIRFLOW PANELS - PAGES 62-65

## Airflow Panel




EVPFAF30 EVPFAF42 EVPFAF54 EVPFAF66

## Airflow Light Panel




EVPLFAF30 EVPLFAF42 EVPLFAF54 EVPLFAF66

## Airflow Premium Panel




EVPPFAF54 EVPPFAF66

## Airflow Premium Light Panel




EVPPFAF42 EVPPFAF66

## Airflow Middle Premium Panel



EVPPFMAF54 EVPPFMAF66


## Airflow Middle Premium Light Panel



EVPLFMAF66


## METAL SKIN PANELS - PAGES 66-69

## Metal Skin Panel - Single Sided




EVPM1S30 EVPM1S42 EVPM1S54 EVPM1S66

## Metal Skin Light Panel - Single Sided




EVPLM1S30 EVPLM1S42 EVPLM1S54 EVPLM1S66

## Metal Skin Panel - Double Sided



EVPM2S30 EVPM2S42 EVPM2S54 EVPM2S66

## Metal Skin Light Panel - Double Sided




EVPLM2S30 EVPLM2S42 EVPLM2S54 EVPLM2S66




## OPEN PANELS - PAGES 70-75


Open Bottom Panel




Open Bottom Light Panel




Open Bottom Premium Panel




Open Bottom Premium Light Panel




Open Middle Panel - 12" H Opening



Open Middle Light Panel - 12" H Opening




Open Middle Premium Panel - 12" H Opening




Open Middle Premium Light Panel - 12" H Opening



Open Middle Panel - 24" H Opening




Open Middle Light Panel - 24" H Opening




## 1" LAMINATE PANELS - PAGES 76-79


1" Laminate End Panel




1" Laminate Middle Panel




1" Laminate End Panel w/ Accessory Rail



1" Laminate Middle Panel w/ Accessory Rail




Double Inline Panel Connector




Beltline Double Inline Panel Connector




Double Inline Connector Trim




Double Inline Panel Connector Top Trim - Aluminum



**DOOR PANELS - PAGES 80-81****Door Panel - Solid**

EVPDS84


EVPDS90

**Knob Lock Set**

EVPDSL01


**Lever Lock Set**

EVPDSL02

**Sliding Privacy Door**

EVPDSL66

EVPDSL81

**Mini Panel Kit**

EVMPK02


**High Profile Foot**

EVHHF01

This page provides an exploded view of a sample configuration highlighting each **Panel** component required when specifying this configuration.

#### Components


- |              |                                                                                                                                                                                                     |              |                                                                                  |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------------------------------------------------------------------|
| A. EVPERA66  | End-of-Run Kit (Wall mount)<br>Note: adds 1" to the width of a Panel Run.                                                                                                                           | E. EVPVC66   | Variable-Height Connector<br>Note: Connector height must reference taller Panel. |
| B. EVPFA6636 | Segmented Panel                                                                                                                                                                                     | F. EVPTVA24  | Panel Trim Variable-Height                                                       |
| C. EVPIC66   | Inline Panel Connector                                                                                                                                                                              | G. EVPFA4236 | Segmented Panel                                                                  |
| D. EVPCPA266 | Two-Way Corner Post<br>Note: Trim kit included.<br>Post Connectors can be custom manufactured<br>with or without slots. Contact your Evolve Customer<br>Support Representative for a special quote. |              |                                                                                  |



This page provides an exploded view of a sample configuration highlighting each **Beltline Power Panel** component required when specifying this configuration.



### Components

- |                        |                                                                                                                                                                                                                                                                                                                                       |                       |                                                                                                               |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------|
| <b>A.</b> EVPERA66     | End-of-Run Kit (Wall mount)<br>Note: adds 1" to the width of a Panel Run.                                                                                                                                                                                                                                                             | <b>E.</b> EVPVC66     | Variable-Height Connector for Beltline Electric Panels<br>Note: Connector height must reference taller Panel. |
| <b>B.</b> EVPBCFAM6636 | Monolithic Beltline Powered Chimney Panel                                                                                                                                                                                                                                                                                             | <b>F.</b> EVPTEA24    | Panel Extension Trim                                                                                          |
| <b>C.</b> EVPBIC66     | Inline Panel Connector for Beltline Electric Panels                                                                                                                                                                                                                                                                                   | <b>G.</b> EVPBFAM4236 | Monolithic Beltline Powered Panel                                                                             |
| <b>D.</b> EVPBIPA266   | Two-Way Corner Post for Beltline Electric Panels<br><br>Note: Trim kit included.<br>Post Connectors can be custom manufactured with or without slots. Contact your Evolve Customer Support Representative for a special quote.<br>Note: All beltline post connectors come with PVC covers to install at beltline height on all sides. |                       |                                                                                                               |



**EVPFAM - MONOLITHIC PANEL**


- Monolithic Panel incorporates fabric modules within a solid steel frame.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Panel - 42" High	EVPFAM4218 EVPFAM4224 EVPFAM4230 EVPFAM4236 EVPFAM4242 EVPFAM4248 EVPFAM4254 EVPFAM4260	244 260 299 318 352 384 422 457	266 286 331 355 397 434 476 516	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic Panel - 48" High	EVPFAM4818 EVPFAM4824 EVPFAM4830 EVPFAM4836 EVPFAM4842 EVPFAM4848 EVPFAM4854 EVPFAM4860	247 272 314 343 382 415 459 499	269 300 347 380 426 464 514 559	48 48 48 48 48 48 48 48	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic Panel - 54" High	EVPFAM5418 EVPFAM5424 EVPFAM5430 EVPFAM5436 EVPFAM5442 EVPFAM5448 EVPFAM5454 EVPFAM5460	250 275 320 355 397 432 474 519	272 302 352 394 441 481 530 580	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic Panel - 66" High	EVPFAM6618 EVPFAM6624 EVPFAM6630 EVPFAM6636 EVPFAM6642 EVPFAM6648 EVPFAM6654 EVPFAM6660	309 339 382 445 499 541 602 662	331 367 416 483 543 589 655 721	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPLFAM - MONOLITHIC LIGHT PANEL**


- Monolithic Light Panel incorporates fabric modules within a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Monolithic Light Panel - 42" High	EVPLFAM4218 EVPLFAM4224 EVPLFAM4230 EVPLFAM4236 EVPLFAM4242 EVPLFAM4248 EVPLFAM4254 EVPLFAM4260	233 246 283 302 336 365 402 435	253 273 315 339 377 412 452 490	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic Light Panel - 48" High	EVPLFAM4818 EVPLFAM4824 EVPLFAM4830 EVPLFAM4836 EVPLFAM4842 EVPLFAM4848 EVPLFAM4854 EVPLFAM4860	236 258 299 325 363 394 437 460	256 284 330 361 405 441 488 516	48 48 48 48 48 48 48 48	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic Light Panel - 54" High	EVPLFAM5418 EVPLFAM5424 EVPLFAM5430 EVPLFAM5436 EVPLFAM5442 EVPLFAM5448 EVPLFAM5454 EVPLFAM5460	237 261 304 339 377 410 450 493	258 286 336 375 419 457 504 550	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic Light Panel - 66" High	EVPLFAM6618 EVPLFAM6624 EVPLFAM6630 EVPLFAM6636 EVPLFAM6642 EVPLFAM6648 EVPLFAM6654 EVPLFAM6660	295 321 363 422 474 514 571 628	315 348 396 459 516 560 623 686	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPBFAM - MONOLITHIC BELTLINE POWERED PANEL**


- Monolithic Beltline Powered Panel incorporates fabric modules with a power beltline raceway, within a solid steel frame.
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both side.
- A Chimney Panel is required to run electric and data from the base to belt.
- Beltline Connectors must be used in conjunction with beltline panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Beltline Powered Panel - 42" High 24" Fabric /6" Power Belt /6" Fabric	EVPBFAM4224 EVPBFAM4230 EVPBFAM4236 EVPBFAM4242 EVPBFAM4248 EVPBFAM4254 EVPBFAM4260	322 381 434 489 541 593 647	339 401 457 516 571 627 684	42 42 42 42 42 42 42	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic Beltline Powered Panel - 54" High 24" Fabric /6" Power Belt /18" Fabric	EVPBFAM5424 EVPBFAM5430 EVPBFAM5436 EVPBFAM5442 EVPBFAM5448 EVPBFAM5454 EVPBFAM5460	387 454 512 576 633 695 754	410 481 544 612 676 742 804	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic Beltline Powered Panel - 66" High 24" Fabric /6" Power Belt /30" Fabric	EVPBFAM6624 EVPBFAM6630 EVPBFAM6636 EVPBFAM6642 EVPBFAM6648 EVPBFAM6654 EVPBFAM6660	458 535 605 682 753 826 899	500 583 661 747 826 907 989	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPBLFAM - MONOLITHIC BELTLINE POWERED LIGHT PANEL**



- Monolithic Beltline Powered Light Panel incorporates fabric modules with a power beltline raceway within a solid steel frame
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- There is no base raceway in Light Panels to accommodate electrical
- Light Beltline Panel Connectors must be used in conjunction with Light Beltline Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Beltline Powered Light Panel - 42" High 24" Fabric /6" Power Belt /6" Fabric	EVPBLFAM4224	306	322	42	24	2 7/8
		EVPBLFAM4230	362	381	42	30	2 7/8
		EVPBLFAM4236	412	436	42	36	2 7/8
		EVPBLFAM4242	464	490	42	42	2 7/8
		EVPBLFAM4248	514	543	42	48	2 7/8
		EVPBLFAM4254	564	598	42	54	2 7/8
		EVPBLFAM4260	614	651	42	60	2 7/8
	Monolithic Beltline Powered Light Panel - 54" High 24" Fabric /6" Power Belt /18" Fabric	EVPBLFAM5424	355	379	54	24	2 7/8
		EVPBLFAM5430	417	445	54	30	2 7/8
		EVPBLFAM5436	471	503	54	36	2 7/8
		EVPBLFAM5442	528	565	54	42	2 7/8
		EVPBLFAM5448	583	625	54	48	2 7/8
		EVPBLFAM5454	641	687	54	54	2 7/8
		EVPBLFAM5460	693	744	54	60	2 7/8
	Monolithic Beltline Powered Light Panel - 66" High 24" Fabric /6" Power Belt /30" Fabric	EVPBLFAM6624	426	468	66	24	2 7/8
		EVPBLFAM6630	496	545	66	30	2 7/8
		EVPBLFAM6636	562	619	66	36	2 7/8
		EVPBLFAM6642	633	698	66	42	2 7/8
		EVPBLFAM6648	699	774	66	48	2 7/8
		EVPBLFAM6654	768	849	66	54	2 7/8
		EVPBLFAM6660	835	925	66	60	2 7/8




**EVPBCFAM - MONOLITHIC BELTLINE POWERED CHIMNEY PANEL**

- Monolithic Chimney Beltline Powered Panel incorporates fabric modules with a power beltline raceway within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- Separate electric harness required to go from base to belt (see EVE8CPCP).
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module listings for part numbers

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Beltline Powered Chimney Panel - 42" High 24" Fabric Chimney /6" Power Belt /6" Fabric	EVPBCFAM4236 EVPBCFAM4242	488 543	512 570	42	36	2 7/8
	Monolithic Beltline Powered Chimney Panel - 54" High 24" Fabric Chimney /6" Power Belt /18" Fabric	EVPBCFAM5436 EVPBCFAM5442	565 629	598 666	54	36	2 7/8
	Monolithic Beltline Powered Chimney Panel - 66" High 24" Fabric Chimney /6" Power Belt /30" Fabric	EVPBCFAM6636 EVPBCFAM6642	658 735	715 800	66	36	2 7/8

**EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT**

- Contains two (2) 17" flexible harnesses and one (1) "I" connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			H	W	W	D	
	Chimney Panel Jumper Cable Kit	EVE8CPCP		229			



**EVPBFFAM - MONOLITHIC BELTLINE NON-POWERED PANEL**

- Monolithic Beltline Non-Powered Panel incorporates fabric modules within a solid steel frame.
- Electrical cannot pass through panel at the beltline level.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Monolithic Beltline Non-Powered Panel - 54" High 24" Fabric /6" Fabric /18" Fabric	EVPBFFAM5424	387	413	54	24	2 7/8
	EVPBFFAM5430	454	485	54	30	2 7/8
	EVPBFFAM5436	512	548	54	36	2 7/8
	EVPBFFAM5442	576	618	54	42	2 7/8
	EVPBFFAM5448	633	682	54	48	2 7/8
	EVPBFFAM5454	695	749	54	54	2 7/8
	EVPBFFAM5460	754	813	54	60	2 7/8
Monolithic Beltline Non-Powered Panel - 66" High 24" Fabric /6" Fabric /30" Fabric	EVPBFFAM6624	458	502	66	24	2 7/8
	EVPBFFAM6630	535	586	66	30	2 7/8
	EVPBFFAM6636	605	665	66	36	2 7/8
	EVPBFFAM6642	682	752	66	42	2 7/8
	EVPBFFAM6648	753	831	66	48	2 7/8
	EVPBFFAM6654	826	913	66	54	2 7/8
	EVPBFFAM6660	899	995	66	60	2 7/8

**EVPBLFFAM - MONOLITHIC BELTLINE NON-POWERED LIGHT PANEL**


- Monolithic Beltline Non-Powered Light Panel incorporates all fabric modules within a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Electrical cannot pass through panel at the beltline level.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Monolithic Beltline Non-Powered Light Panel - 54" High 24" Fabric /6" Fabric /18" Fabric	EVPBLFFAM5424	355	382	54	24	2 7/8
	EVPBLFFAM5430	419	451	54	30	2 7/8
	EVPBLFFAM5436	471	507	54	36	2 7/8
	EVPBLFFAM5442	528	571	54	42	2 7/8
	EVPBLFFAM5448	583	630	54	48	2 7/8
	EVPBLFFAM5454	641	693	54	54	2 7/8
	EVPBLFFAM5460	693	752	54	60	2 7/8
Monolithic Beltline Non-Powered Light Panel - 66" High 24" Fabric /6" Fabric /30" Fabric	EVPBLFFAM6624	426	470	66	24	2 7/8
	EVPBLFFAM6630	496	548	66	30	2 7/8
	EVPBLFFAM6636	562	623	66	36	2 7/8
	EVPBLFFAM6642	633	705	66	42	2 7/8
	EVPBLFFAM6648	699	779	66	48	2 7/8
	EVPBLFFAM6654	768	855	66	54	2 7/8
	EVPBLFFAM6660	835	931	66	60	2 7/8



**EVPFA - SEGMENTED PANEL**

- Segmented Panel incorporates fabric modules within a solid steel frame.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Panel - 30" High	EVPFA3018 EVPFA3024 EVPFA3030 EVPFA3036 EVPFA3042 EVPFA3048 EVPFA3054 EVPFA3060	237 246 275 298 318 351 380 408	246 260 289 315 340 375 406 437	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented Panel - 42" High	EVPFA4218 EVPFA4224 EVPFA4230 EVPFA4236 EVPFA4242 EVPFA4248 EVPFA4254 EVPFA4260	262 278 323 347 396 426 472 518	277 298 347 374 426 462 512 562	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented Panel - 54" High	EVPFA5418 EVPFA5424 EVPFA5430 EVPFA5436 EVPFA5442 EVPFA5448 EVPFA5454 EVPFA5460	282 308 352 393 445 495 537 577	303 333 384 430 487 543 588 633	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented Panel - 66" High	EVPFA6618 EVPFA6624 EVPFA6630 EVPFA6636 EVPFA6642 EVPFA6648 EVPFA6654 EVPFA6660	355 382 424 497 560 602 653 708	381 415 462 544 612 661 719 780	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented Panel - 66" High	EVPFA6618S EVPFA6624S EVPFA6630S EVPFA6636S EVPFA6642S EVPFA6648S EVPFA6654S EVPFA6660S	355 382 424 497 560 602 653 708	381 415 462 544 612 661 719 780	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPLFA - SEGMENTED LIGHT PANEL**

- Segmented Light Panel incorporates fabric modules within a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Light Panel - 30" High	EVPLFA3018 EVPLFA3024 EVPLFA3030 EVPLFA3036 EVPLFA3042 EVPLFA3048 EVPLFA3054 EVPLFA3060	225 235 261 282 302 334 361 387	235 246 276 299 322 357 385 415	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented Light Panel - 42" High	EVPLFA4218 EVPLFA4224 EVPLFA4230 EVPLFA4236 EVPLFA4242 EVPLFA4248 EVPLFA4254 EVPLFA4260	249 264 307 330 376 405 440 492	263 282 330 355 405 440 485 535	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented Light Panel - 54" High	EVPLFA5418 EVPLFA5424 EVPLFA5430 EVPLFA5436 EVPLFA5442 EVPLFA5448 EVPLFA5454 EVPLFA5460	268 294 336 374 422 471 510 547	287 317 365 408 462 516 559 603	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented Light Panel - 66" High	EVPLFA6618 EVPLFA6624 EVPLFA6630 EVPLFA6636 EVPLFA6642 EVPLFA6648 EVPLFA6654 EVPLFA6660	339 362 403 473 533 571 621 672	362 394 440 517 582 627 684 741	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented Light Panel - 66" High	EVPLFA6618S EVPLFA6624S EVPLFA6630S EVPLFA6636S EVPLFA6642S EVPLFA6648S EVPLFA6654S EVPLFA6660S	339 362 403 473 533 571 621 672	362 394 440 517 582 627 684 741	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPFP - SEGMENTED PREMIUM PANEL**

- Segmented Premium Panel incorporates fabric modules within a solid steel frame.
- Segmented Premium panels incorporate 12"H acoustic modules above 30"H base section.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	EVFP5418	331	351	54	18	2 7/8
	EVFP5424	351	377	54	24	2 7/8
	EVFP5430	388	418	54	30	2 7/8
	EVFP5436	457	493	54	36	2 7/8
	EVFP5442	516	558	54	42	2 7/8
	EVFP5448	552	599	54	48	2 7/8
	EVFP5454	586	640	54	54	2 7/8
	EVFP5460	620	678	54	60	2 7/8
	EVFP6618	416	441	66	18	2 7/8
	EVFP6624	434	466	66	24	2 7/8
	EVFP6630	472	512	66	30	2 7/8
	EVFP6636	500	547	66	36	2 7/8
	EVFP6642	536	649	66	42	2 7/8
	EVFP6648	652	712	66	48	2 7/8
	EVFP6654	695	760	66	54	2 7/8
	EVFP6660	739	812	66	60	2 7/8

**EVPLFP - SEGMENTED LIGHT PANEL - PREMIUM**

- Segmented Premium Light Panel incorporates fabric modules within a solid steel frame.
- Segmented Premium panels incorporate 12"H acoustic modules above 30"H base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	EVPLFP5418	315	334	54	18	2 7/8
	EVPLFP5424	334	359	54	24	2 7/8
	EVPLFP5430	369	398	54	30	2 7/8
	EVPLFP5436	435	469	54	36	2 7/8
	EVPLFP5442	490	530	54	42	2 7/8
	EVPLFP5448	524	569	54	48	2 7/8
	EVPLFP5454	557	607	54	54	2 7/8
	EVPLFP5460	588	645	54	60	2 7/8
	EVPLFP6618	396	419	66	18	2 7/8
	EVPLFP6624	412	442	66	24	2 7/8
	EVPLFP6630	448	485	66	30	2 7/8
	EVPLFP6636	475	520	66	36	2 7/8
	EVPLFP6642	565	617	66	42	2 7/8
	EVPLFP6648	620	676	66	48	2 7/8
	EVPLFP6654	661	722	66	54	2 7/8
	EVPLFP6660	701	771	66	60	2 1/4



**EVPBFA - SEGMENTED BELTLINE POWERED PANEL**

- Segmented Beltline Powered Panel incorporates fabric modules with a power beltline raceway, within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline connectors must be used in conjunction with beltline panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Beltline Powered Panel - 54" High 24" Fabric /6" Power /6" Fabric /12" Fabric	EVPBFA5424	386	409	54	24	2 7/8
		EVPBFA5430	452	479	54	30	2 7/8
		EVPBFA5436	521	554	54	36	2 7/8
		EVPBFA5442	585	622	54	42	2 7/8
		EVPBFA5448	640	682	54	48	2 7/8
		EVPBFA5454	701	749	54	54	2 7/8
		EVPBFA5460	764	816	54	60	2 7/8
	Segmented Beltline Powered Panel - 66" High 24" Fabric /6" Power /6" Fabric /24" Fabric	EVPBFA6624	462	492	66	24	2 7/8
		EVPBFA6630	541	576	66	30	2 7/8
		EVPBFA6636	614	656	66	36	2 7/8
		EVPBFA6642	691	739	66	42	2 7/8
		EVPBFA6648	763	817	66	48	2 7/8
		EVPBFA6654	838	898	66	54	2 7/8
		EVPBFA6660	912	977	66	60	2 7/8

**EVPBLFA - SEGMENTED BELTLINE POWERED LIGHT PANEL**


- Segmented Beltline Powered Light Panel incorporates fabric modules with a power beltline raceway, within a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Light Panel Connectors must be used in conjunction with Beltline Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Beltline Powered Light Panel - 54" High 24" Fabric /6" Power /6" Fabric /12" Fabric	EVPBLFA5424	354	377	54	24	2 7/8
		EVPBLFA5430	415	442	54	30	2 7/8
		EVPBLFA5436	480	513	54	36	2 7/8
		EVPBLFA5442	539	576	54	42	2 7/8
		EVPBLFA5448	588	630	54	48	2 7/8
		EVPBLFA5454	646	692	54	54	2 7/8
		EVPBLFA5460	705	755	54	60	2 7/8
	Segmented Beltline Powered Light Panel - 66" High 24" Fabric /6" Power /6" Fabric /24" Fabric	EVPBLFA6624	426	455	66	24	2 7/8
		EVPBLFA6630	497	533	66	30	2 7/8
		EVPBLFA6636	565	608	66	36	2 7/8
		EVPBLFA6642	636	684	66	42	2 7/8
		EVPBLFA6648	701	755	66	48	2 7/8
		EVPBLFA6654	771	830	66	54	2 7/8
		EVPBLFA6660	839	905	66	60	2 7/8




**EVPBCFA - SEGMENTED BELTLINE POWERED CHIMNEY PANEL**

- Segmented Chimney Beltline Powered Panel incorporates fabric modules with a power beltline raceway, within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- Separate electric harness required to go from base to belt (see EVE8CPCP).
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Beltline Powered Chimney Panel - 54" High 24" Fabric Chimney /6" Power / 6" Fabric /12" Fabric	EVPBCFA5436 EVPBCFA5442	576 640	608 676	54 54	36 42	2 7/8 2 7/8
	Segmented Beltline Powered Chimney Panel - 66" High 24" Fabric Chimney /6" Power / 6" Fabric /24" Fabric	EVPBCFA6636 EVPBCFA6642	668 745	711 793	66 66	36 42	2 7/8 2 7/8

**EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT**



- Contains two (2) 17" flexible harnesses and one (1) "I" connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			H	W	D		
	Chimney Panel Jumper Cable Kit	EVE8CPCP		229			




**EVPBFFA - SEGMENTED BELTLINE NON-POWERED PANEL**

- Double Beltline Non-Powered Panel incorporates all fabric modules within a solid steel frame.
- Electrical cannot pass through panel at the beltline level.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Segmented Beltline Non-Powered Panel - 54" High 24" Fabric /6" Fabric /6" Fabric /12" Fabric	EVPBFFA5424 EVPBFFA5430 EVPBFFA5436 EVPBFFA5442 EVPBFFA5448 EVPBFFA5454 EVPBFFA5460	372 408 480 541 580 613 643	393 439 517 583 627 666 700	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented Beltline Non-Powered Panel - 66" High 24" Fabric /6" Fabric /6" Fabric /24" Fabric	EVPBFFA6624 EVPBFFA6630 EVPBFFA6636 EVPBFFA6642 EVPBFFA6648 EVPBFFA6654 EVPBFFA6660	404 474 548 615 673 740 806	436 513 593 668 732 805 880	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

**EVPBLFFA - SEGMENTED BELTLINE NON-POWERED LIGHT PANEL**




- Double Beltline Non-Powered Panel incorporates all fabric modules within a solid steel frame.
- Electrical cannot pass through panel at the beltline level.
- There is no base raceway in Light Panels to accommodate electrical
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments.
- See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Segmented Beltline Non-Powered Light Panel - 54" High 24" Fabric /6" Fabric /6" Fabric /12" Fabric	EVPBLFFA5424 EVPBLFFA5430 EVPBLFFA5436 EVPBLFFA5442 EVPBLFFA5448 EVPBLFFA5454 EVPBLFFA5460	307 362 411 460 510 582 610	333 392 448 503 557 634 668	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented Beltline Non-Powered Light Panel - 66" High 24" Fabric /6" Fabric /6" Fabric /24" Fabric	EVPBLFFA6624 EVPBLFFA6630 EVPBLFFA6636 EVPBLFFA6642 EVPBLFFA6648 EVPBLFFA6654 EVPBLFFA6660	382 424 497 560 602 653 708	414 462 543 613 661 719 780	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPMTU - MONOLITHIC 12"H GLAZED PANEL - TEMPERED GLASS**

- Monolithic 12"H Glazed Panel incorporates a lower fabric module with a 12"H top position glazed module, into a solid steel frame.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Monolithic 12"H Glazed Panel - Tempered Glass - 48" High	EVPMTU4818 EVPMTU4824 EVPMTU4830 EVPMTU4836 EVPMTU4842 EVPMTU4848 EVPMTU4854 EVPMTU4860	362 423 491 562 624 678 753 826	382 450 524 602 667 729 804 888	48 48 48 48 48 48 48 48	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic 12"H Glazed Panel - Tempered Glass - 54" High	EVPMTU5418 EVPMTU5424 EVPMTU5430 EVPMTU5436 EVPMTU5442 EVPMTU5448 EVPMTU5454 EVPMTU5460	373 434 495 552 613 678 742 805	396 460 530 588 657 729 797 867	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic 12"H Glazed Panel - Tempered Glass - 66" High	EVPMTU6618 EVPMTU6624 EVPMTU6630 EVPMTU6636 EVPMTU6642 EVPMTU6648 EVPMTU6654 EVPMTU6660	398 477 544 609 677 748 818 890	419 506 579 648 721 798 872 950	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPLMGTU - MONOLITHIC 12"H GLAZED LIGHT PANEL - TEMPERED GLASS**

- Monolithic 12"H Glazed Light Panel incorporates a lower fabric module with a 12"H top position glazed module, into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.


- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Monolithic 12"H Glazed Light Panel - Tempered Glass - 48" High	EVPLMGTU4818	353	374	48	18	2 7/8
	EVPLMGTU4824	414	441	48	24	2 7/8
	EVPLMGTU4830	481	514	48	30	2 7/8
	EVPLMGTU4836	552	589	48	36	2 7/8
	EVPLMGTU4842	611	654	48	42	2 7/8
	EVPLMGTU4848	664	715	48	48	2 7/8
	EVPLMGTU4854	737	788	48	54	2 7/8
	EVPLMGTU4860	810	870	48	60	2 7/8
Monolithic 12"H Glazed Light Panel - Tempered Glass - 54" High	EVPLMGTU5418	366	388	54	18	2 7/8
	EVPLMGTU5424	425	451	54	24	2 7/8
	EVPLMGTU5430	485	519	54	30	2 7/8
	EVPLMGTU5436	541	577	54	36	2 7/8
	EVPLMGTU5442	602	645	54	42	2 7/8
	EVPLMGTU5448	664	715	54	48	2 7/8
	EVPLMGTU5454	727	781	54	54	2 7/8
	EVPLMGTU5460	790	850	54	60	2 7/8
Monolithic 12"H Glazed Light Panel - Tempered Glass - 66" High	EVPLMGTU6618	390	411	66	18	2 7/8
	EVPLMGTU6624	468	496	66	24	2 7/8
	EVPLMGTU6630	534	567	66	30	2 7/8
	EVPLMGTU6636	597	634	66	36	2 7/8
	EVPLMGTU6642	663	708	66	42	2 7/8
	EVPLMGTU6648	732	782	66	48	2 7/8
	EVPLMGTU6654	801	856	66	54	2 7/8
	EVPLMGTU6660	872	930	66	60	2 7/8




**EVPGTU - FABRIC 12"H GLAZED PANEL - TEMPERED GLASS**

- Segmented 12"H Glazed Panel incorporates a lower fabric module with a 12"H top position glazed module, into a solid steel frame.
- Panels incorporate 12"H acoustic modules above 30"H base section with a 12"H glazed module at the top.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric 12" Glazed Panel - Tempered Glass 66" High	EVPGTU6618 EVPGTU6624 EVPGTU6630 EVPGTU6636 EVPGTU6642 EVPGTU6648 EVPGTU6654 EVPGTU6660	446 521 595 667 752 816 912 1006	467 548 626 705 793 863 964 1063	66	18	2 7/8
					66	24	2 7/8
					66	30	2 7/8
					66	36	2 7/8
					66	42	2 7/8
					66	48	2 7/8
					66	54	2 7/8
					66	60	2 7/8

**EVPLFGTU - FABRIC 12"H GLAZED LIGHT PANEL**

- Segmented 12"H Glazed Light Panel incorporates a lower fabric module with a 12"H top position glazed module, into a solid steel frame.
- Panels incorporate 12"H acoustic modules above 30"H base section with a 12"H glazed module at the top.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments.
- See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric 12"H Glazed Light Panel - 66" High	EVPLFGTU6618 EVPLFGTU6624 EVPLFGTU6630 EVPLFGTU6636 EVPLFGTU6642 EVPLFGTU6648 EVPLFGTU6654 EVPLFGTU6660	437 511 583 654 736 799 893 986	456 538 613 690 777 846 945 1041	66	18	2 7/8
					66	24	2 7/8
					66	30	2 7/8
					66	36	2 7/8
					66	42	2 7/8
					66	48	2 7/8
					66	54	2 7/8
					66	60	2 7/8



**EVPPGTU - SEGMENTED 12"H GLAZED PANEL - PREMIUM - TEMPERED GLASS**

- Segmented 12"H Glazed Premium Panel incorporates a lower fabric module with a 12"H top position glazed module, into a solid steel frame.
- Premium panels incorporate 12"H acoustic modules above 30"H base section with a 12"H glazed module at the top.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Segmented 12"H Glazed Premium Panel - Tempered Glass - 54" High	EVPPGTU5418 EVPPGTU5424 EVPPGTU5430 EVPPGTU5436 EVPPGTU5442 EVPPGTU5448 EVPPGTU5454 EVPPGTU5460	411 482 545 613 689 748 838 927	425 502 570 642 721 783 878 971	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented 12"H Glazed Premium Panel - Tempered Glass - 66" High	EVPPGTU6618 EVPPGTU6624 EVPPGTU6630 EVPPGTU6636 EVPPGTU6642 EVPPGTU6648 EVPPGTU6654 EVPPGTU6660	504 590 672 756 853 923 1032 1147	522 618 701 793 895 970 1085 1206	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

**EVPLFPGTU - SEGMENTED 12"H GLAZED PREMIUM LIGHT PANEL – TEMPERED GLASS**

- Segmented 12"H Glazed Premium Light Panel incorporates a lower fabric module with a 12"H top position glazed module, into a solid steel frame.
- Premium panels incorporate 12"H acoustic modules above 30"H base section with a 12"H glazed module at the top.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments.
- See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Segmented 12"H Glazed Premium Panel - Premium - Tempered Glass - 54" High	EVPLFPGTU5418 EVPLFPGTU5424 EVPLFPGTU5430 EVPLFPGTU5436 EVPLFPGTU5442 EVPLFPGTU5448 EVPLFPGTU5454 EVPLFPGTU5460	403 473 535 602 675 732 822 908	416 492 558 628 708 768 860 952	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented 12"H Glazed Premium Panel - Premium - Tempered Glass - 66" High	EVPLFPGTU6618 EVPLFPGTU6624 EVPLFPGTU6630 EVPLFPGTU6636 EVPLFPGTU6642 EVPLFPGTU6648 EVPLFPGTU6654 EVPLFPGTU6660	494 579 658 741 836 904 1011 1125	512 606 688 777 878 951 1063 1182	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPFGT - PARTLY GLAZED PANEL - TEMPERED GLASS**

- Partly Glazed Panel incorporates a lower fabric module with a 12"H or 24"H top position glazed module, into a solid steel frame.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Panel - Tempered Glass - 42" High	EVPFGT4218 EVPFGT4224 EVPFGT4230 EVPFGT4236 EVPFGT4242 EVPFGT4248 EVPFGT4254 EVPFGT4260	316 373 422 471 525 574 642 709	327 386 438 490 547 597 667 737	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Partly Glazed Panel - Tempered Glass - 54" High	EVPFGT5418 EVPFGT5424 EVPFGT5430 EVPFGT5436 EVPFGT5442 EVPFGT5448 EVPFGT5454 EVPFGT5460	349 406 471 535 599 652 757 859	361 419 487 554 620 676 783 890	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Partly Glazed Panel - Tempered Glass - 66" High	EVPFGT6618 EVPFGT6624 EVPFGT6630 EVPFGT6636 EVPFGT6642 EVPFGT6648 EVPFGT6654 EVPFGT6660	444 515 595 677 762 827 952 1078	459 536 619 705 795 863 992 1122	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPLFGT - PARTLY GLAZED LIGHT PANEL - TEMPERED GLASS**

- Partly Glazed Light Panel incorporates a lower fabric module with a 12"H or 24"H top position glazed module, into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Partly Glazed Light Panel - Tempered Glass - 42" High	EVPLFGT4218 EVPLFGT4224 EVPLFGT4230 EVPLFGT4236 EVPLFGT4242 EVPLFGT4248 EVPLFGT4254 EVPLFGT4260	309 366 413 460 515 561 628 694	320 379 430 480 537 585 654 722	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Partly Glazed Light Panel - Tempered Glass - 54" High	EVPLFGT5418 EVPLFGT5424 EVPLFGT5430 EVPLFGT5436 EVPLFGT5442 EVPLFGT5448 EVPLFGT5454 EVPLFGT5460	343 398 460 523 587 640 742 842	352 411 477 543 608 663 768 872	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Partly Glazed Light Panel - Tempered Glass - 66" High	EVPLFGT6618 EVPLFGT6624 EVPLFGT6630 EVPLFGT6636 EVPLFGT6642 EVPLFGT6648 EVPLFGT6654 EVPLFGT6660	435 504 583 663 748 812 932 1057	451 524 607 690 779 846 972 1099	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPGTX - PARTLY GLAZED PANEL - 36"H TEMPERED GLASS**

- Partly Glazed Panel incorporates a lower fabric module with 36"H top position glazed module, into a solid steel frame.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Fabric 36" Glazed Panel - Tempered Glass - 66" High	EVPGTX6618	512	521	66	18	2 7/8
	EVPGTX6624	567	581	66	24	2 7/8	
	EVPGTX6630	656	673	66	30	2 7/8	
	EVPGTX6636	747	765	66	36	2 7/8	
	EVPGTX6642	835	857	66	42	2 7/8	
	EVPGTX6648	915	938	66	48	2 7/8	
	EVPGTX6654	1006	1032	66	54	2 7/8	
	EVPGTX6660	1097	1127	66	60	2 7/8	

**EVPLFGTX - PARTLY GLAZED LIGHT PANEL - 36"H TEMPERED GLASS**

- Partly Glazed Light Panel incorporates a lower fabric module with 36"H top position glazed module, into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Partly Glazed Light Panel - 36"H Tempered Glass - 66" High	EVPLFGTX6618	496	506	66	18	2 7/8
	EVPLFGTX6624	549	563	66	24	2 7/8	
	EVPLFGTX6630	637	652	66	30	2 7/8	
	EVPLFGTX6636	723	743	66	36	2 7/8	
	EVPLFGTX6642	810	830	66	42	2 7/8	
	EVPLFGTX6648	888	911	66	48	2 7/8	
	EVPLFGTX6654	975	1000	66	54	2 7/8	
	EVPLFGTX6660	1064	1094	66	60	2 7/8	



**EVPBFGT - PARTLY GLAZED BELTLINE POWERED PANEL**

- Partly Glazed Beltline Powered Panel incorporates fabric modules with a power beltline raceway and a 12"H or 24"H glazed module, within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Beltline Powered Panel - 54" High 24" Fabric /6" Power Belt/ 6" Fabric /12" Glass	EVPBFGT5424	518	535	54	24	2 7/8
		EVPBFGT5430	607	626	54	30	2 7/8
		EVPBFGT5436	690	714	54	36	2 7/8
		EVPBFGT5442	778	804	54	42	2 7/8
		EVPBFGT5448	861	891	54	48	2 7/8
		EVPBFGT5454	946	979	54	54	2 7/8
		EVPBFGT5460	1031	1067	54	60	2 7/8
	Partly Glazed Beltline Powered Panel - 66" High 24" Fabric /6" Power Belt/ 6" Fabric /24" Glass	EVPBFGT6624	588	605	66	24	2 7/8
		EVPBFGT6630	686	706	66	30	2 7/8
		EVPBFGT6636	780	803	66	36	2 7/8
		EVPBFGT6642	877	903	66	42	2 7/8
		EVPBFGT6648	968	998	66	48	2 7/8
		EVPBFGT6654	1064	1087	66	54	2 7/8
		EVPBFGT6660	1158	1194	66	60	2 7/8

**EVPBLFGT - PARTLY GLAZED BELTLINE POWER LIGHT PANEL**



- Partly Glazed Beltline Powered Light Panel incorporates fabric modules with a power beltline raceway and a 12"H or 24"H glazed module, within a solid steel frame.
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Beltline Panel Connectors must be used in conjunction with Light Beltline Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Beltline Powered Light Panel - 54" High 24" Fabric /6" Power Belt/ 6" Fabric /12" Glass	EVPBLFGT5424	492	509	54	24	2 7/8
		EVPBLFGT5430	577	596	54	30	2 7/8
		EVPBLFGT5436	655	679	54	36	2 7/8
		EVPBLFGT5442	739	765	54	42	2 7/8
		EVPBLFGT5448	818	848	54	48	2 7/8
		EVPBLFGT5454	899	932	54	54	2 7/8
		EVPBLFGT5460	979	1016	54	60	2 7/8
	Partly Glazed Beltline Powered Light Panel - 66" High 24" Fabric /6" Power Belt/ 6" Fabric /24" Glass	EVPBLFGT6624	542	558	66	24	2 7/8
		EVPBLFGT6630	651	671	66	30	2 7/8
		EVPBLFGT6636	741	764	66	36	2 7/8
		EVPBLFGT6642	831	859	66	42	2 7/8
		EVPBLFGT6648	921	951	66	48	2 7/8
		EVPBLFGT6654	1011	1044	66	54	2 7/8
		EVPBLFGT6660	1100	1137	66	60	2 7/8




**EVPBCFGT - PARTLY GLAZED BELTLINE POWERED CHIMNEY PANEL - TEMPERED GLASS**

- Partly Glazed Beltline Powered Chimney Panel incorporates fabric modules with a power beltline raceway and a 12"H or 24"H glazed module, within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- Separate electric harness required to go from base to belt (see EVE8CPCP).
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Beltline Powered Chimney Panel - Tempered Glass - 54" High 24" Fabric Chimney /6" Power Belt / 6" Fabric /12" Glass	EVPBCFGT5436 EVPBCFGT5442	744 831	768 859	54	36	2 7/8
	Partly Glazed Beltline Powered Chimney Panel - Tempered Glass - 66" High 24" Fabric Chimney /6" Power Belt / 6" Fabric /24" Glass	EVPBCFGT6636 EVPBCFGT6642	845 930	868 957	66	36	2 7/8

**EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT**

- Contains two (2) 17" flexible harnesses and one (1) "I" connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			H	W	W	D	
	Chimney Panel Jumper Cable Kit	EVE8CPCP		229			



**EVPPG - PARTLY GLAZED PREMIUM PANEL - TEMPERED GLASS**

- Partly Glazed Premium Panel incorporates 12"H glazed modules above 30"H fabric base section.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Partly Glazed Premium Panel - Tempered Glass - 54" High	EVPPG5418	422	434	54	18	2 7/8
	EVPPG5424	504	516	54	24	2 7/8
	EVPPG5430	564	581	54	30	2 7/8
	EVPPG5436	628	648	54	36	2 7/8
	EVPPG5442	699	721	54	42	2 7/8
	EVPPG5448	770	794	54	48	2 7/8
	EVPPG5454	861	889	54	54	2 7/8
	EVPPG5460	950	981	54	60	2 7/8
Partly Glazed Premium Panel - Tempered Glass - 66" High	EVPPG6618	527	538	66	18	2 7/8
	EVPPG6624	634	650	66	24	2 7/8
	EVPPG6630	711	727	66	30	2 7/8
	EVPPG6636	784	803	66	36	2 7/8
	EVPPG6642	874	896	66	42	2 7/8
	EVPPG6648	965	990	66	48	2 7/8
	EVPPG6654	1090	1119	66	54	2 7/8
	EVPPG6660	1215	1246	66	60	2 7/8


**EVPLFP - PARTLY GLAZED PREMIUM LIGHT PANEL – TEMPERED GLASS**

- Partly Glazed Premium Panel incorporates 12"H glazed modules above 30"H fabric base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments.
- See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Partly Glazed Premium Light Panel - Tempered Glass - 54" High	EVPLFP5418	409	420	54	18	2 7/8
	EVPLFP5424	489	501	54	24	2 7/8
	EVPLFP5430	547	563	54	30	2 7/8
	EVPLFP5436	610	628	54	36	2 7/8
	EVPLFP5442	679	699	54	42	2 7/8
	EVPLFP5448	748	770	54	48	2 7/8
	EVPLFP5454	835	862	54	54	2 7/8
	EVPLFP5460	922	952	54	60	2 7/8
Partly Glazed Premium Light Panel - Tempered Glass - 66" High	EVPLFP6618	512	521	66	18	2 7/8
	EVPLFP6624	615	630	66	24	2 7/8
	EVPLFP6630	689	706	66	30	2 7/8
	EVPLFP6636	760	780	66	36	2 7/8
	EVPLFP6642	849	869	66	42	2 7/8
	EVPLFP6648	935	960	66	48	2 7/8
	EVPLFP6654	1058	1085	66	54	2 7/8
	EVPLFP6660	1179	1208	66	60	2 7/8

**EVPXGT - FULLY GLAZED MONOLITHIC PANEL - TEMPERED GLASS**

- Fully Glazed Monolithic Panels are incorporated into a solid steel frame.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Monolithic Panel - Tempered Glass - 42" High	EVPXGT4218 EVPXGT4224 EVPXGT4230 EVPXGT4236 EVPXGT4242	339 373 434 488 543	42	18	2 7/8
	Fully Glazed Monolithic Panel - Tempered Glass - 48" High	EVPXGT4818 EVPXGT4824 EVPXGT4830 EVPXGT4836 EVPXGT4842	301 386 427 527 555	48	18	2 7/8
	Fully Glazed Monolithic Panel - Tempered Glass - 54" High	EVPXGT5418 EVPXGT5424 EVPXGT5430 EVPXGT5436 EVPXGT5442	375 441 511 577 640	54	18	2 7/8
	Fully Glazed Monolithic Panel - Tempered Glass - 66" High	EVPXGT6618 EVPXGT6624 EVPXGT6630 EVPXGT6636 EVPXGT6642	440 509 588 662 736	66	18	2 7/8



**EVPLXGT - FULLY GLAZED MONOLITHIC LIGHT PANEL - TEMPERED GLASS**


- Fully Glazed Monolithic Light Panels are incorporated into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- An aluminum low profile top cap is included.

- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Monolithic Light Panel - Tempered Glass - 42" High	EVPLXGT4218 EVPLXGT4224 EVPLXGT4230 EVPLXGT4236 EVPLXGT4242	321 354 412 462 516	42	18	2 7/8
				42	24	2 7/8
				42	30	2 7/8
				42	36	2 7/8
				42	42	2 7/8
	Fully Glazed Monolithic Light Panel - Tempered Glass - 48" High	EVPLXGT4818 EVPLXGT4824 EVPLXGT4830 EVPLXGT4836 EVPLXGT4842	285 367 406 502 526	48	18	2 7/8
				48	24	2 7/8
				48	30	2 7/8
				48	36	2 7/8
				48	42	2 7/8
	Fully Glazed Monolithic Light Panel - Tempered Glass - 54"	EVPLXGT5418 EVPLXGT5424 EVPLXGT5430 EVPLXGT5436 EVPLXGT5442	357 419 484 547 607	54	18	2 7/8
				54	24	2 7/8
				54	30	2 7/8
				54	36	2 7/8
				54	42	2 7/8
	Fully Glazed Monolithic Light Panel - Tempered Glass - 66" High	EVPLXGT6618 EVPLXGT6624 EVPLXGT6630 EVPLXGT6636 EVPLXGT6642	418 483 559 628 699	66	18	2 7/8
				66	24	2 7/8
				66	30	2 7/8
				66	36	2 7/8
				66	42	2 7/8

**EVPGT - FULLY GLAZED SEGMENTED PANEL - TEMPERED GLASS**


- Fully Glazed Segmented Panel incorporates (2) 24"H Glazed modules into a solid steel frame.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Segmented Panel - Tempered Glass - 54" High	EVPGT5418 EVPGT5424 EVPGT5430 EVPGT5436 EVPGT5442 EVPGT5448 EVPGT5454 EVPGT5460	480 589 651 711 788 879 968 1057	54	18	2 7/8
				54	24	2 7/8
				54	30	2 7/8
				54	36	2 7/8
				54	42	2 7/8
				54	48	2 7/8
				54	54	2 7/8
				54	60	2 7/8



**EVPLGT - FULLY GLAZED SEGMENTED LIGHT PANEL - TEMPERED GLASS**

- Fully Glazed Segmented Light Panel incorporates (2) 24"H Glazed modules into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Segmented Light Panel Tempered Glass - 54" High	EVPLGT5418 EVPLGT5424 EVPLGT5430 EVPLGT5436 EVPLGT5442 EVPLGT5448 EVPLGT5454 EVPLGT5460	456 560 619 675 750 834 920 1003	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

**EVPGPT - FULLY GLAZED PREMIUM PANEL - TEMPERED GLASS**

- Fully Glazed Premium Panel incorporates 12"H Glazed Modules into a solid steel frame.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Premium Panel - Tempered Glass - 42" High	EVPGPT4218 EVPGPT4224 EVPGPT4230 EVPGPT4236 EVPGPT4242 EVPGPT4248 EVPGPT4254 EVPGPT4260	473 579 642 699 777 863 951 1037	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Fully Glazed Premium Panel - Tempered Glass - 54" High	EVPGPT5418 EVPGPT5424 EVPGPT5430 EVPGPT5436 EVPGPT5442 EVPGPT5448 EVPGPT5454 EVPGPT5460	600 736 814 888 986 1098 1210 1320	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Fully Glazed Premium Panel - Tempered Glass - 66" High	EVPGPT6618 EVPGPT6624 EVPGPT6630 EVPGPT6636 EVPGPT6642 EVPGPT6648 EVPGPT6654 EVPGPT6660	726 892 988 1074 1193 1329 1467 1603	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPLGPT - FULLY GLAZED PREMIUM LIGHT PANEL - TEMPERED GLASS**


- Fully Glazed Premium Light Panel incorporates 12"H Glazed Modules into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Premium Light Panel - Tempered Glass - 42" High	EVPLGPT4218 EVPLGPT4224 EVPLGPT4230 EVPLGPT4236 EVPLGPT4242 EVPLGPT4248 EVPLGPT4254 EVPLGPT4260	458 561 622 679 753 837 923 1006	42	18	2 7/8
				42	24	2 7/8
				42	30	2 7/8
				42	36	2 7/8
				42	42	2 7/8
				42	48	2 7/8
				42	54	2 7/8
				42	60	2 7/8
	Fully Glazed Premium Light Panel - Tempered Glass - 54" High	EVPLGPT5418 EVPLGPT5424 EVPLGPT5430 EVPLGPT5436 EVPLGPT5442 EVPLGPT5448 EVPLGPT5454 EVPLGPT5460	582 715 788 861 956 1065 1173 1280	54	18	2 7/8
				54	24	2 7/8
				54	30	2 7/8
				54	36	2 7/8
				54	42	2 7/8
				54	48	2 7/8
				54	54	2 7/8
				54	60	2 7/8
	Fully Glazed Premium Light Panel - Tempered Glass - 66" High	EVPLGPT6618 EVPLGPT6624 EVPLGPT6630 EVPLGPT6636 EVPLGPT6642 EVPLGPT6648 EVPLGPT6654 EVPLGPT6660	705 865 958 1041 1158 1290 1422 1555	66	18	2 7/8
				66	24	2 7/8
				66	30	2 7/8
				66	36	2 7/8
				66	42	2 7/8
				66	48	2 7/8
				66	54	2 7/8
				66	60	2 7/8



**EVPFSG - PASS-THRU SLIDING DOOR GLAZED PANEL - TEMPERED GLASS**

- Pass-Thru Sliding Door Glazed Panel incorporates fabric modules on upper and lower positions, with Middle 12"H Pass-Thru Sliding Door module, into a solid steel frame.
- Tracks for Sliding glass door available in Tungsten only.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Pass-Thru Sliding Door Glazed Panel - Tempered Glass - 54" High	EVPFSG5424 EVPFSG5430 EVPFSG5436 EVPFSG5442 EVPFSG5448 EVPFSG5454 EVPFSG5460	482 545 613 689 748 838 927	502 570 642 721 783 878 971	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Pass-Thru Sliding Door Glazed Panel - Tempered Glass - 66" High	EVPFSG6624 EVPFSG6630 EVPFSG6636 EVPFSG6642 EVPFSG6648 EVPFSG6654 EVPFSG6660	521 595 667 752 816 912 1027	548 626 705 793 863 964 1063	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Pass-Thru Sliding Door Glazed Panel - Tempered Glass - 66" High	EVPFPSG6624 EVPFPSG6630 EVPFPSG6636 EVPFPSG6642 EVPFPSG6648 EVPFPSG6654 EVPFPSG6660	521 595 667 752 816 912 1027	548 626 705 793 863 964 1063	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPFSGX - FABRIC GLAZED PASS-THRU SLIDING DOOR PANEL - TEMPERED GLASS**

- Pass-Thru Sliding Door Glazed Panel incorporates fabric modules with 12"H or 24"H Pass-Thru Sliding Door module, into a solid steel frame.
- Tracks for Sliding glass door available in Tungsten only.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Fabric Glazed Pass-Thru Sliding Door Panel - Tempered Glass - 42" High	EVPFSGX4224 EVPFSGX4230 EVPFSGX4236 EVPFSGX4242 EVPFSGX4248 EVPFSGX4254 EVPFSGX4260	373 422 471 525 574 642 709	386 438 490 547 597 667 737	42 42 42 42 42 42 42	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Fabric Glazed Pass-Thru Sliding Door Panel - Tempered Glass - 54" High	EVPFSGX5424 EVPFSGX5430 EVPFSGX5436 EVPFSGX5442 EVPFSGX5448 EVPFSGX5454 EVPFSGX5460	406 471 535 599 652 757 859	419 487 554 620 676 783 890	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Fabric Glazed Pass-Thru Sliding Door Panel - Tempered Glass - 66" High	EVPFSGX6624 EVPFSGX6630 EVPFSGX6636 EVPFSGX6642 EVPFSGX6648 EVPFSGX6654 EVPFSGX6660	515 595 677 762 827 952 1078	536 619 705 795 863 992 1122	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPF1S - SLATWALL PANEL - SINGLE SIDED**



- Slatwall Panel incorporates fabric modules with a single 12"H or 24"H top position slatwall module, into a solid steel frame.
- 66"H panel can be configured with either a 24"H slatwall module at the top or a 12"H slatwall at the middle Position (EVPF1S66xxM)
- Opposite side is fabric covered.
- Slatwall is made of aluminum.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Slatwall Panel - Single Sided - 42" High	EVPF1S4218 EVPF1S4224 EVPF1S4230 EVPF1S4236 EVPF1S4242 EVPF1S4248 EVPF1S4254 EVPF1S4260	352 420 493 564 642 697 775 849	366 438 513 587 667 727 806 886	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Slatwall Panel - Single Sided - 54" High	EVPF1S5418 EVPF1S5424 EVPF1S5430 EVPF1S5436 EVPF1S5442 EVPF1S5448 EVPF1S5454 EVPF1S5460	415 500 585 672 760 829 924 1016	430 519 609 698 793 866 964 1056	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Slatwall Panel - Single Sided - 66" High	EVPF1S6618 EVPF1S6624 EVPF1S6630 EVPF1S6636 EVPF1S6642 EVPF1S6648 EVPF1S6654 EVPF1S6660	528 634 743 856 973 1060 1179 1300	545 662 775 889 1016 1102 1226 1350	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Slat Wall Panel - Single Sided - Middle Module - 66" High	EVPF1S6618M EVPF1S6624M EVPF1S6630M EVPF1S6636M EVPF1S6642M EVPF1S6648M EVPF1S6654M EVPF1S6660M	513 619 722 831 948 1031 1147 1262	536 648 757 873 995 1084 1207 1328	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPLF1S - SLATWALL LIGHT PANEL - SINGLE SIDED**


- Slatwall Light Panel incorporates fabric modules with a single 12"H or 24"H top position slatwall module, into a solid steel frame.
- 66"H panel can be configured with either a 24"H slatwall module at the top or a 12"H slatwall at the middle Position (EVPLF1S66xxM)
- Opposite side is fabric covered
- Slatwall is made of aluminum.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- There is no base raceway in Light Panels to accommodate electrical.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Slatwall Light Panel - Single Sided- 42" High	EVPLF1S4218	345	358	42	18	2 7/8
		EVPLF1S4224	412	430	42	24	2 7/8
		EVPLF1S4230	483	503	42	30	2 7/8
		EVPLF1S4236	554	576	42	36	2 7/8
		EVPLF1S4242	628	654	42	42	2 7/8
		EVPLF1S4248	684	713	42	48	2 7/8
		EVPLF1S4254	759	791	42	54	2 7/8
		EVPLF1S4260	831	868	42	60	2 7/8
	Slatwall Light Panel - Single Sided - 54" High	EVPLF1S5418	407	420	54	18	2 7/8
		EVPLF1S5424	490	509	54	24	2 7/8
		EVPLF1S5430	574	597	54	30	2 7/8
		EVPLF1S5436	658	685	54	36	2 7/8
		EVPLF1S5442	745	777	54	42	2 7/8
		EVPLF1S5448	814	850	54	48	2 7/8
		EVPLF1S5454	905	945	54	54	2 7/8
		EVPLF1S5460	995	1034	54	60	2 7/8
	Slatwall Light Panel - Single Sided - 66" High	EVPLF1S6618	518	535	66	18	2 7/8
		EVPLF1S6624	622	649	66	24	2 7/8
		EVPLF1S6630	728	759	66	30	2 7/8
		EVPLF1S6636	838	871	66	36	2 7/8
		EVPLF1S6642	954	995	66	42	2 7/8
		EVPLF1S6648	1038	1080	66	48	2 7/8
		EVPLF1S6654	1155	1201	66	54	2 7/8
		EVPLF1S6660	1274	1324	66	60	2 7/8
	Slatwall Light Panel - Single Sided - Middle Module - 66" High	EVPLF1S6618M	503	524	66	18	2 7/8
		EVPLF1S6624M	607	634	66	24	2 7/8
		EVPLF1S6630M	709	742	66	30	2 7/8
		EVPLF1S6636M	816	857	66	36	2 7/8
		EVPLF1S6642M	928	975	66	42	2 7/8
		EVPLF1S6648M	1010	1062	66	48	2 7/8
		EVPLF1S6654M	1125	1183	66	54	2 7/8
		EVPLF1S6660M	1237	1301	66	60	2 7/8



**EVPF2S - SLATWALL PANEL - DOUBLE SIDED**

- Slatwall Panel incorporates fabric modules with a single 12"H or 24"H top position slatwall module, into a solid steel frame.
- 66"H panel can be configured with either a 24"H slatwall module at the top or a 12"H slatwall at the middle Position (EVPF2S66xxM)
- Slatwall module has slatwall on both sides.
- Slatwall is made of aluminum.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Slatwall Panel - Double Sided - 42" High	EVPF2S4218 EVPF2S4224 EVPF2S4230 EVPF2S4236 EVPF2S4242 EVPF2S4248 EVPF2S4254 EVPF2S4260	394 477 562 655 748 837 922 1002	405 491 579 675 769 861 948 1033	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Slatwall Panel - Double Sided - 54" High	EVPF2S5418 EVPF2S5424 EVPF2S5430 EVPF2S5436 EVPF2S5442 EVPF2S5448 EVPF2S5454 EVPF2S5460	461 565 668 779 891 1001 1102 1201	472 580 685 798 913 1025 1128 1231	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Slatwall Panel - Double Sided- 66" High	EVPF2S6618 EVPF2S6624 EVPF2S6630 EVPF2S6636 EVPF2S6642 EVPF2S6648 EVPF2S6654 EVPF2S6660	599 736 872 1012 1159 1300 1435 1567	613 757 896 1039 1191 1335 1473 1612	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Slatwall Panel - Double Sided - Middle Module - 66" High	EVPF2S6618M EVPF2S6624M EVPF2S6630M EVPF2S6636M EVPF2S6642M EVPF2S6648M EVPF2S6654M EVPF2S6660M	582 716 849 985 1127 1262 1396 1525	603 743 880 1020 1168 1310 1447 1583	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPLF2S - SLATWALL LIGHT PANEL - DOUBLE SIDED**


- Slatwall Light Panel incorporates fabric modules with a single 12"H or 24"H top position slatwall module, into a solid steel frame.
- 66"H panel can be configured with either a 24"H slatwall module at the top or a 12"H slatwall at the middle Position (EVPLF2S66xxM)
- Slatwall module has slatwall on both sides.
- Slatwall is made of aluminum.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments.
- See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Slatwall Light Panel - Double Sided - 42" High	EVPLF2S4218 EVPLF2S4224 EVPLF2S4230 EVPLF2S4236 EVPLF2S4242 EVPLF2S4248 EVPLF2S4254 EVPLF2S4260	387 468 552 643 732 821 903 982	397 481 567 662 754 844 928 1012	42	18	2 7/8
	Slatwall Light Panel - Double Sided - 54" High	EVPLF2S5418 EVPLF2S5424 EVPLF2S5430 EVPLF2S5436 EVPLF2S5442 EVPLF2S5448 EVPLF2S5454 EVPLF2S5460	452 555 655 763 873 981 1080 1176	461 568 671 782 894 1004 1105 1206	54	18	2 7/8
	Slatwall Light Panel - Double Sided - 66" High	EVPLF2S6618 EVPLF2S6624 EVPLF2S6630 EVPLF2S6636 EVPLF2S6642 EVPLF2S6648 EVPLF2S6654 EVPLF2S6660	587 721 856 992 1136 1274 1406 1536	602 742 879 1019 1167 1307 1444 1579	66	18	2 7/8
	Slatwall Light Panel - Double Sided - 66" High	EVPLF2S6618M EVPLF2S6624M EVPLF2S6630M EVPLF2S6636M EVPLF2S6642M EVPLF2S6648M EVPLF2S6654M EVPLF2S6660M	565 701 831 965 1104 1237 1367 1495	590 728 862 999 1144 1283 1418 1552	66	18	2 7/8
	Slatwall Light Panel - Double Sided - 66" High	EVPLF2S6624M EVPLF2S6630M EVPLF2S6636M EVPLF2S6642M EVPLF2S6648M EVPLF2S6654M EVPLF2S6660M	701 831 965 1104 1237 1367 1495	728 862 999 1144 1283 1418 1552	66	24	2 7/8
	Slatwall Light Panel - Double Sided - 66" High	EVPLF2S6630M EVPLF2S6636M EVPLF2S6642M EVPLF2S6648M EVPLF2S6654M EVPLF2S6660M	831 965 1104 1237 1367 1495	862 999 1144 1283 1418 1552	66	30	2 7/8
	Slatwall Light Panel - Double Sided - 66" High	EVPLF2S6636M EVPLF2S6642M EVPLF2S6648M EVPLF2S6654M EVPLF2S6660M	965 1104 1237 1367 1495	999 1144 1283 1418 1552	66	36	2 7/8
	Slatwall Light Panel - Double Sided - 66" High	EVPLF2S6642M EVPLF2S6648M EVPLF2S6654M EVPLF2S6660M	1104 1237 1367 1495	1144 1283 1418 1552	66	42	2 7/8



**EVPS2FA - FRAMELESS SLATWALL PANEL - DOUBLE SIDED ONLY**




- Frameless Slatwall Panel incorporates fabric modules with a single 12"H slatwall module, into a solid steel frame.
- Slatwall module has slatwall on both sides only, and is not available Single Sided.
- Slatwall is made of aluminum.
- Slatwall is not encompassed within a frame, as standard Slatwall modules are.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Frameless Slatwall Panel - Double Sided Only - 42" High	EVPS2FA4224	409	422	42	24	2 7/8
		EVPS2FA4230	483	491	42	30	2 7/8
		EVPS2FA4236	574	591	42	36	2 7/8
		EVPS2FA4242	645	666	42	42	2 7/8
		EVPS2FA4248	716	740	42	48	2 7/8
		EVPS2FA4254	788	814	42	54	2 7/8
		EVPS2FA4260	862	891	42	60	2 7/8
	Frameless Slatwall Panel - Double Sided Only - 54" High	EVPS2FA5424	451	471	54	24	2 7/8
		EVPS2FA5430	529	553	54	30	2 7/8
		EVPS2FA5436	640	666	54	36	2 7/8
		EVPS2FA5442	717	748	54	42	2 7/8
		EVPS2FA5448	784	820	54	48	2 7/8
		EVPS2FA5454	863	903	54	54	2 7/8
		EVPS2FA5460	945	989	54	60	2 7/8
	Frameless Slatwall Panel - Double Sided Only - 66" High	EVPS2FA6624	608	632	66	24	2 7/8
		EVPS2FA6630	711	743	66	30	2 7/8
		EVPS2FA6636	839	876	66	36	2 7/8
		EVPS2FA6642	942	985	66	42	2 7/8
		EVPS2FA6648	1043	1091	66	48	2 7/8
		EVPS2FA6654	1148	1200	66	54	2 7/8
		EVPS2FA6660	1263	1319	66	60	2 7/8



**EVPBSFA - FRAMELESS SLATWALL BELTLINE POWERED PANEL - DOUBLE SIDED ONLY**

- Frameless Slatwall Beltline Powered Panel incorporates fabric modules with a single 6"H slatwall module above a power beltline raceway, into a solid steel frame.
- Slatwall module has slatwall on both sides only, and is not available Single Sided.
- Slatwall is made of aluminum.
- Slatwall is not encompassed within a frame.
- A Chimney Panel is required to run electric and data from the base to belt
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Frameless Slatwall Beltline Powered Panel - Double Sided Only - 42" High	EVPBSFA4224 EVPBSFA4230 EVPBSFA4236 EVPBSFA4242 EVPBSFA4248 EVPBSFA4254 EVPBSFA4260	349 407 474 533 588 647 703	363 421 491 554 630 673 732	42 42 42 42 42 42 42	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Frameless Slatwall Beltline Powered Panel - Double Sided Only - 54" High	EVPBSFA5424 EVPBSFA5430 EVPBSFA5436 EVPBSFA5442 EVPBSFA5448 EVPBSFA5454 EVPBSFA5460	442 513 607 679 748 812 885	461 537 633 710 784 852 929	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Frameless Slatwall Beltline Powered Panel - Double Sided Only - 66" High	EVPBSFA6624 EVPBSFA6630 EVPBSFA6636 EVPBSFA6642 EVPBSFA6648 EVPBSFA6654 EVPBSFA6660	492 571 660 741 819 897 975	517 603 696 783 866 949 1032	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPBLSFA - FRAMELESS SLATWALL BELTLINE POWERED LIGHT PANEL - DOUBLE SIDED ONLY**

- Frameless Slatwall Beltline Powered Light Panel incorporates fabric modules with a single 6"H slatwall module above a power beltline raceway, into a solid steel frame.
- Slatwall module has slatwall on both sides only, and is not available Single Sided.
- Slatwall is made of aluminum.
- Slatwall is not encompassed within a frame.
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Beltline Panel Connectors must be used in conjunction with Light Beltline Panels.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Frameless Slatwall Beltline Powered Light Panel - Double Sided Only- 42" High	EVPBLSFA4224	333	346	42	24	2 7/8
		EVPBLSFA4230	387	402	42	30	2 7/8
		EVPBLSFA4236	452	470	42	36	2 7/8
		EVPBLSFA4242	507	528	42	42	2 7/8
		EVPBLSFA4248	561	585	42	48	2 7/8
		EVPBLSFA4254	618	644	42	54	2 7/8
		EVPBLSFA4260	671	699	42	60	2 7/8
	Frameless Slatwall Beltline Powered Light Panel - Double Sided Only- 54" High	EVPBLSFA5424	410	430	54	24	2 7/8
		EVPBLSFA5430	448	500	54	30	2 7/8
		EVPBLSFA5436	535	592	54	36	2 7/8
		EVPBLSFA5442	632	663	54	42	2 7/8
		EVPBLSFA5448	696	732	54	48	2 7/8
		EVPBLSFA5454	756	795	54	54	2 7/8
		EVPBLSFA5460	825	868	54	60	2 7/8
	Frameless Slatwall Beltline Powered Light Panel - Double Sided Only - 66" High	EVPBLSFA6624	456	480	66	24	2 7/8
		EVPBLSFA6630	527	559	66	30	2 7/8
		EVPBLSFA6636	612	648	66	36	2 7/8
		EVPBLSFA6642	685	728	66	42	2 7/8
		EVPBLSFA6648	757	804	66	48	2 7/8
		EVPBLSFA6654	830	881	66	54	2 7/8
		EVPBLSFA6660	903	960	66	60	2 7/8



**EVPBCSFA - FRAMELESS SLATWALL BELTLINE POWERED CHIMNEY PANEL - DOUBLE SIDED ONLY**

- Frameless Slatwall Beltline Powered Chimney Panel incorporates fabric modules with a single 6"H slatwall module above a power beltline raceway, into a solid steel frame.
- Slatwall module has slatwall on both sides only, and is not available Single Sided.
- Slatwall is made of aluminum.
- Slatwall is not encompassed within a frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- Separate electric harness required to go from base to belt (see EVE8CPCP).
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Frameless Slatwall Beltline Powered - Chimney Panel - Double Sided Only - 42" High	EVPBCSFA4236 EVPBCSFA4242	525 584	543 606	42	36	2 7/8 2 7/8
	Frameless Slatwall Beltline Powered - Chimney Panel - Double Sided Only- 54" High	EVPBCSFA5436 EVPBCSFA5442	658 730	685 761	54	36	2 7/8 2 7/8
	Frameless Slatwall Beltline Powered - Chimney Panel - Double Sided Only - 66" High	EVPBCSFA6636 EVPBCSFA6642	712 792	748 834	66	36	2 7/8 2 7/8

**EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT**

- Contains two (2) 17" flexible harnesses and one (1) "I" connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			H	W		D	
	Chimney Panel Jumper Cable Kit	EVE8CPCP		229			



**EVPF1W - WRITE BOARD PANEL - SINGLE SIDED**

- Write Board Panel incorporates fabric modules with a single 24"H top position write board module, into a solid steel frame.
- Use erasable writeboard markers only.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Write Board Panel - Single Sided - 54" High	EVPF1W5418 EVPF1W5424 EVPF1W5430 EVPF1W5436 EVPF1W5442 EVPF1W5448 EVPF1W5454 EVPF1W5460	344 426 514 570 642 723 804 886	354 446 538 597 674 759 830 929	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Write Board Panel - Single Sided - 66" High	EVPF1W6618 EVPF1W6624 EVPF1W6630 EVPF1W6636 EVPF1W6642 EVPF1W6648 EVPF1W6654 EVPF1W6660	437 538 639 711 805 899 999 1103	453 563 668 748 848 947 1054 1162	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

**EVPLF1W - WRITE BOARD LIGHT PANEL - SINGLE SIDED**

- Write Board Panel incorporates fabric modules with a single 24"H top position write board module, into a solid steel frame.
- Use erasable writeboard markers only.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Light panel connectors must be used for Light Panels.
- There is no base raceway in Light Panels to accommodate electrical.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Write Board Light Panel - Single Sided - 54" High	EVPLF1W5418 EVPLF1W5424 EVPLF1W5430 EVPLF1W5436 EVPLF1W5442 EVPLF1W5448 EVPLF1W5454 EVPLF1W5460	333 413 499 553 622 701 781 859	344 433 521 579 653 736 805 901	54 54 54 54 54 54 54 54	18 18 18 18 18 18 18 18	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Write Board Light Panel - Single Sided - 66" High	EVPLF1W6618 EVPLF1W6624 EVPLF1W6630 EVPLF1W6636 EVPLF1W6642 EVPLF1W6648 EVPLF1W6654 EVPLF1W6660	424 521 619 689 782 871 969 1069	439 546 648 725 822 918 1022 1127	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPF2W - WRITE BOARD PANEL - DOUBLE SIDED**

- Write Board Panel incorporates fabric modules with a single 24"H top position write board module, into a solid steel frame.
- Use erasable writeboard markers only.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Write Board Panel - Double Sided - 54" High	EVPF2W5418 EVPF2W5424 EVPF2W5430 EVPF2W5436 EVPF2W5442 EVPF2W5448 EVPF2W5454 EVPF2W5460	371 466 580 628 712 833 926 1020	381 477 595 648 733 857 952 1051	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Write Board Panel - Double Sided - 66" High	EVPF2W6618 EVPF2W6624 EVPF2W6630 EVPF2W6636 EVPF2W6642 EVPF2W6648 EVPF2W6654 EVPF2W6660	462 576 705 771 874 1006 1122 1237	477 595 729 799 906 1040 1162 1281	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

**EVPLF2W - WRITE BOARD LIGHT PANEL - DOUBLE SIDED**



- Write Board Light Panel incorporates fabric modules with a single 24"H top position write board module, into a solid steel frame.
- Use erasable writeboard markers only.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Write Board Light Panel - Double Sided - 54" High	EVPLF2W5418 EVPLF2W5424 EVPLF2W5430 EVPLF2W5436 EVPLF2W5442 EVPLF2W5448 EVPLF2W5454 EVPLF2W5460	361 451 562 610 690 808 898 990	369 462 578 628 712 830 924 1019	54 54 54 54 54 54 54 54	18 18 18 18 18 18 18 18	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Write Board Light Panel - Double Sided - 66" High	EVPLF2W6618 EVPLF2W6624 EVPLF2W6630 EVPLF2W6636 EVPLF2W6642 EVPLF2W6648 EVPLF2W6654 EVPLF2W6660	449 558 683 749 849 975 1088 1166	462 578 708 776 880 1009 1127 1206	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPH1S - LAMINATE PANEL - SINGLE SIDED**



- Laminate Panel incorporates single sided laminate modules, into a solid steel frame.
- Opposite side is fabric covered.
- Laminate faces on all modules provide durable, washable surfaces on Single Sided of the panel.
- Available in high pressure laminate only.
- If wood grain is selected, grain runs horizontally.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Laminate Panel - Single Sided - 30" High	EVPH1S3018 EVPH1S3024 EVPH1S3030 EVPH1S3036 EVPH1S3042 EVPH1S3048 EVPH1S3054 EVPH1S3060	283 339 393 449 510 555 612 672	288 346 402 459 519 565 626 686	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Panel - Single Sided - 42" High	EVPH1S4218 EVPH1S4224 EVPH1S4230 EVPH1S4236 EVPH1S4242 EVPH1S4248 EVPH1S4254 EVPH1S4260	337 401 470 538 610 664 736 808	344 411 482 553 626 682 757 830	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Panel - Single Sided - 54" High	EVPH1S5418 EVPH1S5424 EVPH1S5430 EVPH1S5436 EVPH1S5442 EVPH1S5448 EVPH1S5454 EVPH1S5460	394 476 558 640 725 791 880 967	402 490 574 657 747 815 905 996	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Panel - Single Sided - 66" High	EVPH1S6618 EVPH1S6624 EVPH1S6630 EVPH1S6636 EVPH1S6642 EVPH1S6648 EVPH1S6654 EVPH1S6660	489 588 688 793 902 982 1093 1203	502 606 709 817 928 1011 1126 1239	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPLH1S - LAMINATE LIGHT PANEL - SINGLE SIDED**

- Laminate Panel incorporates single sided laminate modules, into a solid steel frame.
- Opposite side is fabric covered.
- Laminate faces on all modules provide durable, washable surfaces on Single Sided of the panel.
- Available in high pressure laminate only
- If wood grain is selected, grain runs horizontally.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Laminate Light Panel - Single Sided - 30" High	EVPLH1S3018 EVPLH1S3024 EVPLH1S3030 EVPLH1S3036 EVPLH1S3042 EVPLH1S3048 EVPLH1S3054 EVPLH1S3060	275 329 382 436 494 539 593 651	280 336 389 446 504 548 608 665	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Light Panel - Single Sided - 42" High	EVPLH1S4218 EVPLH1S4224 EVPLH1S4230 EVPLH1S4236 EVPLH1S4242 EVPLH1S4248 EVPLH1S4254 EVPLH1S4260	327 388 455 521 591 645 715 784	333 399 469 537 608 661 734 805	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Light Panel - Single Sided - 54" High	EVPLH1S5418 EVPLH1S5424 EVPLH1S5430 EVPLH1S5436 EVPLH1S5442 EVPLH1S5448 EVPLH1S5454 EVPLH1S5460	383 461 542 620 703 766 853 937	389 475 556 639 723 790 879 966	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Light Panel - Single Sided - 66" High	EVPLH1S6618 EVPLH1S6624 EVPLH1S6630 EVPLH1S6636 EVPLH1S6642 EVPLH1S6648 EVPLH1S6654 EVPLH1S6660	474 571 667 769 874 953 1060 1167	487 587 687 792 900 981 1093 1203	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPH2S - LAMINATE PANEL - DOUBLE SIDED**

- Laminate Panel incorporates double sided laminate modules, into a solid steel frame.
- Laminate faces on all modules provide durable, washable surfaces on Single Sided of the panel.
- Available in high pressure laminate only
- If wood grain is selected, grain runs horizontally.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Laminate Panel - Double Sided - 30" High	EVPH2S3018 EVPH2S3024 EVPH2S3030 EVPH2S3036 EVPH2S3042 EVPH2S3048 EVPH2S3054 EVPH2S3060	386 386 456 521 593 663 734 793	30	18	2 7/8
	Laminate Panel - Double Sided - 42" High	EVPH2S4218 EVPH2S4224 EVPH2S4230 EVPH2S4236 EVPH2S4242 EVPH2S4248 EVPH2S4254 EVPH2S4260	375 456 537 625 712 798 878 954	42	18	2 7/8
	Laminate Panel - Double Sided - 54" High	EVPH2S5418 EVPH2S5424 EVPH2S5430 EVPH2S5436 EVPH2S5442 EVPH2S5448 EVPH2S5454 EVPH2S5460	440 539 639 742 848 953 1050 1143	54	18	2 7/8
	Laminate Panel - Double Sided - 66" High	EVPH2S6618 EVPH2S6624 EVPH2S6630 EVPH2S6636 EVPH2S6642 EVPH2S6648 EVPH2S6654 EVPH2S6660	555 682 808 937 1073 1203 1328 1451	66	18	2 7/8



**EVPLH2S - LAMINATE LIGHT PANEL - DOUBLE SIDED**



- Laminate Panel incorporates double sided laminate modules, into a solid steel frame.
- Laminate faces on all modules provide durable, washable surfaces on Single Sided of the panel.
- Available in high pressure laminate only
- If wood grain is selected, grain runs horizontally.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	W	D	
	Laminate Light Panel - Double Sided - 30" High	EVPLH2S3018 EVPLH2S3024 EVPLH2S3030 EVPLH2S3036 EVPLH2S3042 EVPLH2S3048 EVPLH2S3054 EVPLH2S3060	374 374 442 506 577 644 713 769	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Light Panel - Double Sided - 42" High	EVPLH2S4218 EVPLH2S4224 EVPLH2S4230 EVPLH2S4236 EVPLH2S4242 EVPLH2S4248 EVPLH2S4254 EVPLH2S4260	365 442 520 607 690 775 851 926	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Light Panel - Double Sided - 54" High	EVPLH2S5418 EVPLH2S5424 EVPLH2S5430 EVPLH2S5436 EVPLH2S5442 EVPLH2S5448 EVPLH2S5454 EVPLH2S5460	427 522 619 719 822 925 1018 1108	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Light Panel - Double Sided - 66" High	EVPLH2S6618 EVPLH2S6624 EVPLH2S6630 EVPLH2S6636 EVPLH2S6642 EVPLH2S6648 EVPLH2S6654 EVPLH2S6660	474 661 784 909 1040 1167 1289 1408	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPFAF - AIRFLOW PANEL**


- Airflow Panel incorporates bottom 24"H airflow module with individual fabric modules, within a steel frame.
- The 24"H Metal airflow module is positioned in the base section to provide air circulation.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Panel - 30" High	EVPFAF3024 EVPFAF3030 EVPFAF3036 EVPFAF3042 EVPFAF3048 EVPFAF3054 EVPFAF3060	324 385 427 474 535 614 693	30 30 30 30 30 30 30	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8	
	Airflow Panel - 42" High	EVPFAF4224 EVPFAF4230 EVPFAF4236 EVPFAF4242 EVPFAF4248 EVPFAF4254 EVPFAF4260	413 489 545 605 684 779 791	419 497 555 615 695 792 805	42 42 42 42 42 42 42	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Airflow Panel - 54" High	EVPFAF5424 EVPFAF5430 EVPFAF5436 EVPFAF5442 EVPFAF5448 EVPFAF5454 EVPFAF5460	464 534 598 667 749 872 951	477 549 617 689 773 900 980	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Airflow Panel - 66" High	EVPFAF6624 EVPFAF6630 EVPFAF6636 EVPFAF6642 EVPFAF6648 EVPFAF6654 EVPFAF6660	541 639 716 798 899 1016 1131	560 662 744 829 934 1056 1175	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPLFAF - AIRFLOW LIGHT PANEL**

- Airflow Light Panel incorporates bottom 24"H airflow module with individual fabric modules, within a steel frame.
- The 24"H Metal airflow module is positioned in the base section to provide air circulation.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module listings for part numbers

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Light Panel - 30" High	EVPLFAF3024 EVPLFAF3030 EVPLFAF3036 EVPLFAF3042 EVPLFAF3048 EVPLFAF3054 EVPLFAF3060	315 373 414 459 518 596 673		30 30 30 30 30 30 30	18 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
		EVPLFAF4224 EVPLFAF4230 EVPLFAF4236 EVPLFAF4242 EVPLFAF4248 EVPLFAF4254 EVPLFAF4260	402 474 528 586 663 755 766	407	42 42 42 42 42 42 42	18 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
		EVPLFAF5424 EVPLFAF5430 EVPLFAF5436 EVPLFAF5442 EVPLFAF5448 EVPLFAF5454 EVPLFAF5460	450 517 580 647 726 847 923	462	54 54 54 54 54 54 54	18 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
		EVPLFAF6624 EVPLFAF6630 EVPLFAF6636 EVPLFAF6642 EVPLFAF6648 EVPLFAF6654 EVPLFAF6660	524 619 694 775 871 986 1098	543	66 66 66 66 66 66 30	18 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPFPAF - AIRFLOW PREMIUM PANEL**

- Airflow Premium Panel incorporates bottom 24"H airflow module with individual fabric modules, within a steel frame.
- The 24"H Metal airflow module is positioned in the base section to provide air circulation.
- Premium panels incorporate 12"H acoustic modules above 30"H base section.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Premium Panel - 54" High	EVPFPAF5424 EVPFPAF5430 EVPFPAF5436 EVPFPAF5442 EVPFPAF5448 EVPFPAF5454 EVPFPAF5460	515 590 661 733 831 941 1052	527 607 679 755 856 968 1080	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
		EVPFPAF6624 EVPFPAF6630 EVPFPAF6636 EVPFPAF6642 EVPFPAF6648 EVPFPAF6654 EVPFPAF6660	591 694 778 863 981 1105 1231	611 718 805 894 1017 1145 1274	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

**EVPLFPAF - AIRFLOW PREMIUM LIGHT PANEL**



- Airflow Premium Light Panel incorporates bottom 24"H airflow module with individual 12"H fabric modules, within a steel frame.
- The 24"H Metal airflow module is positioned in the base section to provide air circulation.
- Premium panels incorporate 12"H acoustic modules above 30"H base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Premium Light Panel - 54" High	EVPLFPAF5424 EVPLFPAF5430 EVPLFPAF5436 EVPLFPAF5442 EVPLFPAF5448 EVPLFPAF5454 EVPLFPAF5460	500 574 642 712 806 913 1020	512 588 658 732 829 936 1048	54 54 54 54 54 54 54	18 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
		EVPLFPAF6624 EVPLFPAF6630 EVPLFPAF6636 EVPLFPAF6642 EVPLFPAF6648 EVPLFPAF6654 EVPLFPAF6660	575 674 754 837 952 1072 1194	592 696 782 867 987 1108 1236	66 66 66 66 66 66 66	18 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8




**EVPPPM - AIRFLOW MIDDLE PREMIUM PANEL**

- Airflow Panel Middle Premium Panel incorporates a 12"H middle position airflow module with fabric modules, within a steel frame.
- Premium panels incorporate 12"H modules above 30"H base section.
- 12"H airflow panel is located at the beltline.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Airflow Middle Premium Panel - 54" High	EVPPPM5424	567	589	54	24	2 7/8
		EVPPPM5430	671	698	54	30	2 7/8
		EVPPPM5436	762	795	54	36	2 7/8
		EVPPPM5442	857	893	54	42	2 7/8
		EVPPPM5448	957	998	54	48	2 7/8
		EVPPPM5454	1083	1129	54	54	2 7/8
		EVPPPM5460	1208	1260	54	60	2 7/8
	Airflow Middle Premium Panel - 66" High	EVPPPM6624	644	668	66	24	2 7/8
		EVPPPM6630	760	778	66	30	2 7/8
		EVPPPM6636	864	899	66	36	2 7/8
		EVPPPM6642	968	1008	66	42	2 7/8
		EVPPPM6648	1083	1128	66	48	2 7/8
		EVPPPM6654	1221	1271	66	54	2 7/8
		EVPPPM6660	1358	1413	66	60	2 7/8

**EVPLFPM - AIRFLOW MIDDLE PREMIUM LIGHT PANEL**


- Airflow Panel Middle Premium Light Panel incorporates a 12"H middle position airflow module with fabric modules, within a steel frame.
- Premium panels incorporate 12"H modules above 30"H base section.
- 12"H airflow panel is located at the beltline.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Airflow Middle Premium Light Panel - 66" High	EVPLFPM6624	519	543	66	18	2 7/8
		EVPLFPM6630	613	636	66	30	2 7/8
		EVPLFPM6636	698	733	66	36	2 7/8
		EVPLFPM6642	786	824	66	42	2 7/8
		EVPLFPM6648	955	1000	66	48	2 7/8
		EVPLFPM6654	987	1034	66	54	2 7/8
		EVPLFPM6660	1099	1153	66	60	2 7/8



**EVPM1S - METAL SKIN PANEL - SINGLE SIDED**




- Metal Skin Panel incorporates single sided metal skin modules, into a solid steel frame.
- Opposite side is fabric covered.
- Metal faces on all modules provide durable, washable and magnetic surfaces on Single Sided of the panel.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Metal Skin Panel - Single Sided 30" High	EVPM1S3018 EVPM1S3024 EVPM1S3030 EVPM1S3036 EVPM1S3042 EVPM1S3048 EVPM1S3054 EVPM1S3060	368 440 511 583 662 720 796 872	373 447 518 592 673 731 809 887	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Metal Skin Panel - Single Sided 42" High	EVPM1S4218 EVPM1S4224 EVPM1S4230 EVPM1S4236 EVPM1S4242 EVPM1S4248 EVPM1S4254 EVPM1S4260	437 519 610 698 793 862 957 1051	444 528 622 714 809 881 976 1073	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Metal Skin Panel - Single Sided 54" High	EVPM1S5418 EVPM1S5424 EVPM1S5430 EVPM1S5436 EVPM1S5442 EVPM1S5448 EVPM1S5454 EVPM1S5460	513 619 725 829 942 1028 1143 1257	522 631 740 849 964 1052 1170 1285	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Metal Skin Panel - Single Sided 66" High	EVPM1S6618 EVPM1S6624 EVPM1S6630 EVPM1S6636 EVPM1S6642 EVPM1S6648 EVPM1S6654 EVPM1S6660	634 764 893 1031 1172 1275 1419 1564	648 781 914 1055 1198 1305 1452 1601	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPLM1S - METAL SKIN LIGHT PANEL - SINGLE SIDED**

- Metal Skin Light Panel incorporates single sided metal skin modules, into a solid steel frame.
- Opposite side is fabric covered.
- Metal faces on all modules provide durable, washable and magnetic surfaces on Single Sided of the panel.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Metal Skin Light Panel - Single Sided - 30" High	EVPLM1S3018 EVPLM1S3024 EVPLM1S3030 EVPLM1S3036 EVPLM1S3042 EVPLM1S3048 EVPLM1S3054 EVPLM1S3060	357 427 495 565 643 698 773 847	363 434 503 576 652 710 785 860	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Metal Skin Light Panel - Single Sided - 42" High	EVPLM1S4218 EVPLM1S4224 EVPLM1S4230 EVPLM1S4236 EVPLM1S4242 EVPLM1S4248 EVPLM1S4254 EVPLM1S4260	424 504 591 678 769 836 928 1019	431 513 604 692 785 855 948 1040	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Metal Skin Light Panel - Single Sided - 54" High	EVPLM1S5418 EVPLM1S5424 EVPLM1S5430 EVPLM1S5436 EVPLM1S5442 EVPLM1S5448 EVPLM1S5454 EVPLM1S5460	497 600 703 804 914 997 1108 1218	507 612 717 823 934 1020 1136 1247	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Metal Skin Light Panel - Single Sided - 66" High	EVPLM1S6618 EVPLM1S6624 EVPLM1S6630 EVPLM1S6636 EVPLM1S6642 EVPLM1S6648 EVPLM1S6654 EVPLM1S6660	615 742 866 999 1137 1237 1377 1517	628 757 887 1023 1163 1267 1409 1553	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPM2S - METAL SKIN PANEL - DOUBLE SIDED**

- Metal Skin Panel incorporates double sided metal skin modules, into a solid steel frame.
- Metal faces on all modules provide durable, washable and magnetic surfaces on Single Sided of the panel.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Metal Skin Panel - Double Sided - 30" High	EVPM2S3018 EVPM2S3024 EVPM2S3030 EVPM2S3036 EVPM2S3042 EVPM2S3048 EVPM2S3054 EVPM2S3060	541 541 637 730 730 829 927 1109	30	18	2 7/8
	Metal Skin Panel - Double Sided - 42" High	EVPM2S4218 EVPM2S4224 EVPM2S4230 EVPM2S4236 EVPM2S4242 EVPM2S4248 EVPM2S4254 EVPM2S4260	524 637 751 874 995 1117 1228 1336	42	18	2 7/8
	Metal Skin Panel - Double Sided - 54" High	EVPM2S5418 EVPM2S5424 EVPM2S5430 EVPM2S5436 EVPM2S5442 EVPM2S5448 EVPM2S5454 EVPM2S5460	615 754 892 1038 1187 1334 1468 1600	54	18	2 7/8
	Metal Skin Panel - Double Sided - 66" High	EVPM2S6618 EVPM2S6624 EVPM2S6630 EVPM2S6636 EVPM2S6642 EVPM2S6648 EVPM2S6654 EVPM2S6660	776 954 1130 1312 1501 1684 1858 2032	66	18	2 7/8



**EVPLM2S - METAL SKIN LIGHT PANEL - DOUBLE SIDED**




- Metal Skin Light Panel incorporates double sided metal skin modules, into a solid steel frame.
- Metal faces on all modules provide durable, washable and magnetic surfaces on Single Sided of the panel.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Metal Skin Light Panel - Double Sided - 30" High	EVPLM2S3018	524	30	18
		EVPLM2S3024	524	30	24
		EVPLM2S3030	618	30	30
		EVPLM2S3036	709	30	36
		EVPLM2S3042	709	30	42
		EVPLM2S3048	804	30	48
		EVPLM2S3054	899	30	54
		EVPLM2S3060	1076	30	60
	Metal Skin Light Panel - Double Sided - 42" High	EVPLM2S4218	509	42	18
		EVPLM2S4224	618	42	24
		EVPLM2S4230	728	42	30
		EVPLM2S4236	849	42	36
		EVPLM2S4242	965	42	42
		EVPLM2S4248	1083	42	48
		EVPLM2S4254	1191	42	54
		EVPLM2S4260	1296	42	60
	Metal Skin Light Panel - Double Sided - 54" High	EVPLM2S5418	597	54	18
		EVPLM2S5424	731	54	24
		EVPLM2S5430	865	54	30
		EVPLM2S5436	1007	54	36
		EVPLM2S5442	1151	54	42
		EVPLM2S5448	1294	54	48
		EVPLM2S5454	1423	54	54
		EVPLM2S5460	1552	54	60
	Metal Skin Light Panel - Double Sided - 66" High	EVPLM2S6618	752	66	18
		EVPLM2S6624	926	66	24
		EVPLM2S6630	1097	66	30
		EVPLM2S6636	1273	66	36
		EVPLM2S6642	1455	66	42
		EVPLM2S6648	1634	66	48
		EVPLM2S6654	1801	66	54
		EVPLM2S6660	1990	66	60



**EVPFOL - OPEN BOTTOM PANEL**

- Open Bottom Panel incorporates bottom 24"H open module with individual fabric modules, within a steel frame.
- The 24"H open bottom module in the base section is to provide air circulation and access to electrical or data.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Bottom Panel - 30" High	EVPFOL3018 EVPFOL3024 EVPFOL3030 EVPFOL3036 EVPFOL3042 EVPFOL3048 EVPFOL3054 EVPFOL3060	186 211 239 263 288 312 338 362		30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Open Bottom Panel - 42" High	EVPFOL4218 EVPFOL4224 EVPFOL4230 EVPFOL4236 EVPFOL4242 EVPFOL4248 EVPFOL4254 EVPFOL4260	278 320 362 406 450 485 534 579	282 327 370 416 461 496 545 592	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Open Bottom Panel - 54" High	EVPFOL5418 EVPFOL5424 EVPFOL5430 EVPFOL5436 EVPFOL5442 EVPFOL5448 EVPFOL5454 EVPFOL5460	314 358 411 460 512 555 608 658	324 372 425 480 534 579 633 689	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Open Bottom Panel - 66" High	EVPFOL6618 EVPFOL6624 EVPFOL6630 EVPFOL6636 EVPFOL6642 EVPFOL6648 EVPFOL6654 EVPFOL6660	409 470 537 603 677 726 801 874	424 490 560 629 710 761 840 920	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPLFOL - OPEN BOTTOM LIGHT PANEL**


- Open Bottom Light Panel incorporates bottom 24"H open module with individual fabric modules, within a steel frame.
- The 24"H open bottom module in the base section is to provide air circulation and access to electrical or data.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Open Bottom Light Panel - 30" High	EVPLFOL3018 EVPLFOL3024 EVPLFOL3030 EVPLFOL3036 EVPLFOL3042 EVPLFOL3048 EVPLFOL3054 EVPLFOL3060	180 204 232 255 280 299 328 350	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8	
	Open Bottom Light Panel - 42" High	EVPLFOL4218 EVPLFOL4224 EVPLFOL4230 EVPLFOL4236 EVPLFOL4242 EVPLFOL4248 EVPLFOL4254 EVPLFOL4260	269 310 350 393 437 472 517 561	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8	
	Open Bottom Light Panel - 54" High	EVPLFOL5418 EVPLFOL5424 EVPLFOL5430 EVPLFOL5436 EVPLFOL5442 EVPLFOL5448 EVPLFOL5454 EVPLFOL5460	301 344 394 442 491 533 584 632	311 357 408 460 512 556 609 662	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Open Bottom Premium Panel - 66" High	EVPLFOL6618 EVPLFOL6624 EVPLFOL6630 EVPLFOL6636 EVPLFOL6642 EVPLFOL6648 EVPLFOL6654 EVPLFOL6660	392 451 515 579 650 696 769 840	407 471 538 605 682 731 806 883	60 60 60 60 60 60 60 60	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8




**EVPPOL - OPEN BOTTOM PREMIUM PANEL**

- Open Bottom Premium Panel incorporates bottom 24"H open module with individual fabric modules, within a steel frame.
- The 24"H open bottom module in the base section is to provide air circulation and access to electrical or data.
- Premium panels incorporate 12"H fabric modules above 30"H base section.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Bottom Premium Panel - 54" High	EVPPOL5418 EVPPOL5424 EVPPOL5430 EVPPOL5436 EVPPOL5442 EVPPOL5448 EVPPOL5454 EVPPOL5460	371 426 487 547 615 661 727 797	381 440 502 565 636 685 754 825	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Open Bottom Premium Panel - 66" High	EVPPOL6618 EVPPOL6624 EVPPOL6630 EVPPOL6636 EVPPOL6642 EVPPOL6648 EVPPOL6654 EVPPOL6660	466 538 611 690 779 834 925 1015	481 558 634 718 810 870 965 1059	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

**EVPLFPOL - OPEN BOTTOM PREMIUM LIGHT PANEL**

- Open Bottom Premium Light Panel incorporates bottom 24"H open module with individual fabric modules, within a steel frame.
- The 24"H open bottom module in the base section is to provide air circulation and access to electrical or data.
- Premium panels incorporate 12"H fabric modules above 30"H base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Bottom Premium Light Panel - 54" High	EVPLFPOL5418 EVPLFPOL5424 EVPLFPOL5430 EVPLFPOL5436 EVPLFPOL5442 EVPLFPOL5448 EVPLFPOL5454 EVPLFPOL5460	355 409 468 525 590 634 697 765	366 423 481 543 610 657 723 792	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Open Bottom Premium Light Panel - 66" High	EVPLFPOL6618 EVPLFPOL6624 EVPLFPOL6630 EVPLFPOL6636 EVPLFPOL6642 EVPLFPOL6648 EVPLFPOL6654 EVPLFPOL6660	447 516 586 662 748 800 888 973	461 536 610 689 778 836 926 1017	60 60 60 60 60 60 60 60	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8




**EVPO - OPEN MIDDLE PANEL - 12"H OPENING**

- Open Middle Panel incorporates a 12"H middle position open module with fabric modules, within a steel frame.
- Open Middle Panel Incorporates a 12"H opening above 30"H base module to provide pass-through convenience.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Panel - 12"H Opening - 54" High	EVPFO5418	376	392	54	18	2 7/8
		EVPFO5424	438	458	54	24	2 7/8
		EVPFO5430	505	528	54	30	2 7/8
		EVPFO5436	574	602	54	36	2 7/8
		EVPFO5442	647	678	54	42	2 7/8
		EVPFO5448	697	733	54	48	2 7/8
		EVPFO5454	773	812	54	54	2 7/8
		EVPFO5460	847	891	54	60	2 7/8
	Open Middle Panel - 12"H Opening - 66" High	EVPFO6618	415	436	66	18	2 7/8
		EVPFO6624	480	506	66	24	2 7/8
		EVPFO6630	553	583	66	30	2 7/8
		EVPFO6636	628	665	66	36	2 7/8
		EVPFO6642	708	749	66	42	2 7/8
		EVPFO6648	763	812	66	48	2 7/8
		EVPFO6654	848	900	66	54	2 7/8
		EVPFO6660	926	986	66	60	2 7/8

**EVPLFO - OPEN MIDDLE LIGHT PANEL - 12"H OPENING**


- Open Middle Light Panel incorporates a 12"H middle position open module with fabric modules, within a steel frame.
- Open Middle Light Panel Incorporates a 12"H opening above 30"H base module to provide pass-through convenience.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Light Panel - 12"H Opening - 54" High	EVPLFO5418	358	373	54	18	2 7/8
		EVPLFO5424	416	436	54	24	2 7/8
		EVPLFO5430	480	503	54	30	2 7/8
		EVPLFO5436	545	571	54	36	2 7/8
		EVPLFO5442	614	645	54	42	2 7/8
		EVPLFO5448	663	696	54	48	2 7/8
		EVPLFO5454	733	771	54	54	2 7/8
		EVPLFO5460	804	847	54	60	2 7/8
	Open Middle Light Panel - 12"H Opening - 66" High	EVPLFO6618	394	414	60	18	2 7/8
		EVPLFO6624	456	481	60	24	2 7/8
		EVPLFO6630	524	554	60	30	2 7/8
		EVPLFO6636	597	631	60	36	2 7/8
		EVPLFO6642	672	711	60	42	2 7/8
		EVPLFO6648	726	771	60	48	2 7/8
		EVPLFO6654	805	855	60	54	2 7/8
		EVPLFO6660	880	935	60	60	2 7/8



**EVPFPO - OPEN MIDDLE PREMIUM PANEL - 12"H OPENING**

- Open Middle Premium Panel incorporates a 12"H middle position open module with fabric modules, within a steel frame.
- Open Middle Premium Panel Incorporates a 12"H opening above 30"H base module to provide pass-through convenience.
- Premium panels incorporate 12"H modules above 30"H base section.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Premium Panel - 12"H Opening - 66" High	EVPFPO6618 EVPFPO6624 EVPFPO6630 EVPFPO6636 EVPFPO6642 EVPFPO6648 EVPFPO6654 EVPFPO6660	472 547 629 712 810 871 967 1064	492 574 661 748 852 920 1019 1124	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

**EVPLFPO - OPEN MIDDLE PREMIUM LIGHT PANEL - 12" OPENING**

- Open Middle Premium Light Panel incorporates a 12"H middle position open module with fabric modules, within a steel frame.
- Open Middle Premium Light Panel Incorporates a 12"H opening above 30"H base module to provide pass-through convenience.
- Premium panels incorporate 12"H modules above 30"H base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Premium Light Panel - 12"H Opening - 66" High	EVPLFPO6618 EVPLFPO6624 EVPLFPO6630 EVPLFPO6636 EVPLFPO6642 EVPLFPO6648 EVPLFPO6654 EVPLFPO6660	448 520 598 676 770 828 918 1011	468 545 627 710 810 873 968 1067	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8





**EVPOX - OPEN MIDDLE PANEL - 24"H OPENING**

- Open Middle Panel incorporates a 24"H middle position open module with fabric modules, within a steel frame.
- Open Middle Panel Incorporates a 24"H opening above 30"H base module to provide pass-through convenience.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Panel - 24"H Opening - 54" High	EVPOX5418	314	324	54	18	2 7/8
		EVPOX5424	358	372	54	24	2 7/8
		EVPOX5430	411	425	54	30	2 7/8
		EVPOX5436	460	480	54	36	2 7/8
		EVPOX5442	511	533	54	42	2 7/8
		EVPOX5448	553	577	54	48	2 7/8
		EVPOX5454	607	632	54	54	2 7/8
		EVPOX5460	658	689	54	60	2 7/8
	Open Middle Panel - 24"H Opening - 66" High	EVPOX6618	409	424	66	18	2 7/8
		EVPOX6624	470	490	66	24	2 7/8
		EVPOX6630	553	577	66	30	2 7/8
		EVPOX6636	603	629	66	36	2 7/8
		EVPOX6642	677	710	66	42	2 7/8
		EVPOX6648	726	761	66	48	2 7/8
		EVPOX6654	801	840	66	54	2 7/8
		EVPOX6660	874	920	66	60	2 7/8

**EVPLFOX - OPEN MIDDLE LIGHT PANEL - 24"H OPENING**

- Open Middle Panel incorporates a 24"H middle position open module with fabric modules, within a steel frame.
- Open Middle Panel Incorporates a 24"H opening above 30"H base module to provide pass-through convenience.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module (pages 82-90) for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Light Panel - 24"H Opening - 54" High	EVPLFOX5418	299	308	54	18	2 7/8
		EVPLFOX5424	340	353	54	24	2 7/8
		EVPLFOX5430	390	404	54	30	2 7/8
		EVPLFOX5436	438	456	54	36	2 7/8
		EVPLFOX5442	484	505	54	42	2 7/8
		EVPLFOX5448	524	547	54	48	2 7/8
		EVPLFOX5454	577	602	54	54	2 7/8
		EVPLFOX5460	626	654	54	60	2 7/8
	Open Middle Light Panel - 24"H Opening - 66" High	EVPLFOX6618	388	403	66	18	2 7/8
		EVPLFOX6624	446	466	66	24	2 7/8
		EVPLFOX6630	524	547	66	30	2 7/8
		EVPLFOX6636	572	598	66	36	2 7/8
		EVPLFOX6642	644	674	66	42	2 7/8
		EVPLFOX6648	689	723	66	48	2 7/8
		EVPLFOX6654	761	798	66	54	2 7/8
		EVPLFOX6660	831	873	66	60	2 7/8



**EVLEP - 1" LAMINATE END PANEL**

- 1" Laminate End Panel attaches to an end of run connector.
- Left Hand or Right Hand available.
- Finished in thermally Fused Laminate.
- Includes threaded metal inserts and support brackets to attach a worksurface on one side.
- 1" Laminate end panel have panel leveling glides.
- If wood grain is selected, grain runs vertically.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
1" Laminate End Panel - Right - 42" High	EVLEPR4224	252	42	24	1
	EVLEPR4230	315	42	30	1
	EVLEPR4236	378	42	36	1
	EVLEPR4242	441	42	42	1
	EVLEPR4248	505	42	48	1
1" Laminate End Panel - Left - 42" High	EVLEPL4224	252	42	24	1
	EVLEPL4230	315	42	30	1
	EVLEPL4236	378	42	36	1
	EVLEPL4242	441	42	42	1
	EVLEPL4248	505	42	48	1
1" Laminate End Panel - Right - 48" High	EVLEPR4824	285	48	24	1
	EVLEPR4830	361	48	30	1
	EVLEPR4836	432	48	36	1
	EVLEPR4842	503	48	42	1
	EVLEPR4848	576	48	48	1
1" Laminate End Panel - Left - 48" High	EVLEPL4824	285	48	24	1
	EVLEPL4830	361	48	30	1
	EVLEPL4836	432	48	36	1
	EVLEPL4842	503	48	42	1
	EVLEPL4848	576	48	48	1

**EVLMP - 1" LAMINATE MIDDLE PANEL**

- 1" Laminate Middle Panel attaches to a double inline connector.
- Finished in thermally Fused Laminate.
- Includes threaded metal inserts and support brackets to attach worksurfaces on both sides.
- 1" Laminate middle panel has panel leveling glides.
- If wood grain is selected, grain runs vertically.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
1" Laminate Middle Panel - 42" High	EVLMP4224	281	42	24	1
	EVLMP4230	343	42	30	1
	EVLMP4236	407	42	36	1
	EVLMP4242	472	42	42	1
	EVLMP4248	569	42	48	1
1" Laminate Middle Panel - 48" High	EVLMP4824	314	48	24	1
	EVLMP4830	389	48	30	1
	EVLMP4836	460	48	36	1
	EVLMP4842	533	48	42	1
	EVLMP4848	606	48	48	1



**EVLEPXXYYA - 1" LAMINATE END PANEL WITH ACCESSORY RAIL**

- 1" Laminate End Panel attaches to an end of run connector.
- Includes accessory rail.
- Accessories can be used on accessory rail. Please see accessory section for additional details.
- Finished in thermally Fused Laminate.
- Includes threaded metal inserts and support brackets to attach a worksurface on one side.
- 1" Laminate end panel have panel leveling glides.
- If wood grain is selected, grain runs vertically.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
1" Laminate End Panel with Accessory Rail - Right - 42" High	EVLEPR4224A	286	42	24	1
	EVLEPR4230A	348	42	30	1
	EVLEPR4236A	412	42	36	1
	EVLEPR4242A	477	42	42	1
	EVLEPR4248A	543	42	48	1
1" Laminate End Panel with Accessory Rail - Left - 42" High	EVLEPL4224A	286	42	24	1
	EVLEPL4230A	348	42	30	1
	EVLEPL4236A	412	42	36	1
	EVLEPL4242A	477	42	42	1
	EVLEPL4248A	543	42	48	1
1" Laminate End Panel with Accessory Rail - Right - 48" High	EVLEPR4824A	319	48	24	1
	EVLEPR4830A	387	48	30	1
	EVLEPR4836A	437	48	36	1
	EVLEPR4842A	500	48	42	1
	EVLEPR4848A	612	48	48	1
1" Laminate End Panel with Accessory Rail - Left - 48" High	EVLEPL4824A	319	48	24	1
	EVLEPL4830A	387	48	30	1
	EVLEPL4836A	437	48	36	1
	EVLEPL4842A	500	48	42	1
	EVLEPL4848A	612	48	48	1

**EVLMPXXYYA - 1" LAMINATE MIDDLE PANEL WITH ACCESSORY RAIL**


- 1" Laminate Middle Panel attaches to a double inline connector.
- Includes accessory rail.
- Accessories can be used on accessory rail. Please see accessory section for additional details.
- Finished in thermally Fused Laminate.
- Includes threaded metal inserts and support brackets to attach a worksurface on one side.
- 1" Laminate middle panel has panel leveling glides.
- If wood grain is selected, grain runs vertically.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
1" Laminate Middle Panel with Accessory Rail - 42" High	EVLMP4224A	321	42	24	1
	EVLMP4230A	385	42	30	1
	EVLMP4236A	452	42	36	1
	EVLMP4242A	514	42	42	1
	EVLMP4248A	581	42	48	1
1" Laminate Middle Panel with Accessory Rail - 48" High	EVLMP4824A	354	48	24	1
	EVLMP4830A	432	48	30	1
	EVLMP4836A	503	48	36	1
	EVLMP4842A	576	48	42	1
	EVLMP4848A	649	48	48	1




**EVPDIC - DOUBLE INLINE PANEL CONNECTOR**

- Used to connect 1" laminate middle panel to panels of equal height in a straight run.
- Aluminum top trim for double inline connector must be used.
- Provides slotted support for worksurfaces and hardware support.
- Includes two slotted posts with leveling glides and connection hardware.
- Use 17" flexible mesh jumper cable to pass-through panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Double Inline Panel Connector				
	EVPDIC42	111	42	2	
	EVPDIC48	117	48	2	

**EVPBIC - BELTLINE DOUBLE INLINE PANEL CONNECTOR**

- Used to connect 1" laminate middle panel to panels of equal height in a straight run.
- Use in-between beltline panels.
- Aluminum top trim for double inline connector must be used.
- Provides slotted support for worksurfaces and hardware support.
- Includes two slotted posts with leveling glides and connection hardware.
- Use 17" flexible mesh jumper cable to pass-through panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Beltline Double Inline Panel Connector				
	EVPBDIC42	111	42	2	
	EVPBDIC48	117	48	2	




**EVPDVT - DOUBLE INLINE CONNECTOR TRIM**

- Attaches to exposed side of double inline connector.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Double Inline Connector Trim	EVPDVT42 EVPDVT48	12 16	42 48	

**EVPTTA - DOUBLE INLINE PANEL CONNECTOR TOP TRIM - ALUMINUM**

- Aluminum top trim is longer by 1.125" to cover width of panel and double inline connector.
- Trim cannot span a post connector.
- Available in standard and premium paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Double Inline Connector Trim - Aluminum	EVPPTA25 EVPTTA31 EVPTTA37 EVPTTA43 EVPTTA49 EVPTTA55 EVPTTA61 EVPTTA67 EVPTTA73 EVPTTA79 EVPTTA85	14 16 12 22 30 34 38 42 47 52 56	25 31 37 43 49 55 61 67 73 79 83	

**EVPDS - DOOR PANEL - SOLID**


- All door surfaces are high pressure laminate
- HP Laminate finish available in all standard Evolve colors (see Textiles & Finishes pages xx-xx)
- Two panel widths: 36" or 42" High
- 84" Door Panel height = 66"H panel plus one 18"H Panel Extension Module
- 90" Door Panel height = 66" H panel plus one 24"H or two 12"H Panel Extension Modules
- Door and door trim can be specified left- or right-handed (see diagram below)
- Handedness of Door Panel can be changed in the field
- Select door frame color from standard trim colors (see Textiles & Finishes pages xx-xx).

- Door Sizes:
  - 36"W Door is 33.63"W without frame (This door is not ADA compliant)
  - 42"W Door is 39.63"W without frame
  - 84"H Door is 81.5"H without frame
  - 90"H Door is 87.5"H without frame
- If laminate is selected in a wood grain, the grain runs vertical.
- Customer is responsible to confirm and meet all city, county or any other municipality codes in relation to door clearances.

	DESCRIPTION	PRODUCT CODE	LIST PRICE HPL	DIMENSIONS/INCHES		
				H	W	D
	Door Panel - Solid - 84" High x 36" Wide	EVPDS8436L EVPDS8436R	1928 1928	84	36	2 7/8
	Door Panel - Solid - 84" High x 42" Wide	EVPDS8442L EVPDS8442R	2230 2230	84	42	2 7/8
	Door Panel - Solid - 90" High x 36" Wide	EVPDS9036L EVPDS9036R	1928 1928	90	36	2 7/8
	Door Panel - Solid - 90" High x 42" Wide	EVPDS9042L EVPDS9042R	2230 2230	90	42	2 7/8
	Knob Lock Set (Knob Lock Set is not ADA compliant) Lock set sold separately from doors. Master key not available.	EVPDSL01	78			
	Lever Lock Set Lock set sold separately from doors. Master key not available.	EVPDSL02	109			



Right Hand Hung Door



Left Hand Hung Door




**EVPDSL/R - SLIDING PRIVACY DOOR**

- Sliding Privacy Door attaches to Evolve Panels using standard connectors to add privacy. Brackets that attach to Connectors are included.
- This door must mount on panels of equal width. It is also intended to be used for openings of equal width.
- Left (L) or right-handedness (R) is determined by the direction of door movement (from compressed to expanded position), while facing the door on the panel mounted side.
- Painted frame may match any Evolve Standard Paint Finish. The door interior is standard with a louvered acrylic finish.
- Telescoping arms eliminate the need for thresholds, wheels or casters.
- 81"H door must connect to panels 84" or higher.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Sliding Privacy Door - 66" High	EVPDSL6636R EVPDSL6636L EVPDSL6642R EVPDSL6642L	1980 1980 2031 2031	66 66 66 66	36 36 42 42	
	Sliding Privacy Door - 81" High	EVPDSL8136R EVPDSL8136L EVPDSL8142R EVPDSL8142L	2090 2090 2245 2245	81 81 81 81	36 36 42 42	

**EVMPK02 - MINI PANEL KIT**

- Evolve's Mini Panel Kits are now available to our dealers and their sales staff. The Evolve mini panel is an excellent sales tool featuring a cut away of a module and samples of various hardware and electrical components and consists of the following:
- 1 EVPFP3024 30 x 24 Premium with cut-away
- 1 EVPBP232 Two-way corner post
- 1 EPPER30 End of run trim kit
- 1 EVDHT24 High Profile Top Cap
- 1 EVDCPH2 Two-way High Profile Top Cap
- 1 EVDPE4 Post Extension Lay in
- 1 EVE8PD24 Power distribution housing
- 1 EVE8CP16 Jumper Cable
- 1 EVE8RDA/B Duplex Receptacle
- 1 Pizza cutter spline tool
- 1 Replacement fabric
- 1 Panel Bag with Evolve Logo
- 1 Parts Bag with Evolve Logo

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Mini Panel Kit	EVMPK02	1421	30	24	2 7/8

**EVHHF01 - HIGH PROFILE FOOT**

- Used to provide additional support to a panel run without adding additional panels.
- Connects to the inline connector or end of run at the base of the panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	High Profile Foot	EVHHF01	232			







TIPS!!

When ordering Panel Extension Modules, Inline Panel Extension Connectors (EVPIEC) must be ordered separately. Please see EVPIEC for details.


Inline Panel Extension Connectors connect two panel extension modules of equal height in a straight run.

Extension connectors do **not** provide support for hang-on storage components above 66" H.




#### EXTENSION MODULES BY TYPE

##### Fabric Panel Extension Module




EVPFE06 EVPFE12 EVPFE18 EVPFE24

##### Fabric Panel Extension Module - Premium




EVPFPE24

##### Tempered Glass Panel Extension Module




EVPGTE06 EVPGTE12 EVPGTE18 EVPGTE24

##### Tempered Glass Panel Extension Module - Premium




EVPGPTE24

##### Write Board Extension Module - Single Sided




EVPW1SE18 EVPW1SE24

##### Write Board Extension Module - Double Sided




EVPW2SE18 EVPW2SE24

##### Laminate Extension Module - Single Sided




EVPH1SE06 EVPH1SE12 EVPH1SE18 EVPH1SE24

##### Laminate Extension Module - Double Sided




EVPH2SE06 EVPH2SE12 EVPH2SE18 EVPH2SE24

##### Air Flow Extension Module




EVPAE12 EVPAE18 EVPAE24

##### Open Panel Extension Module



EVPOE06 EVPOE12 EVPOE18 EVPOE24

##### Panel Mount Privacy Glass






EVPMP30G EVPMP36G




**EVPFE - FABRIC PANEL EXTENSION MODULE**

- Attaches on top of a panel.
- Modules can be stacked to add privacy or divide space.
- Panel Extension Modules are not load bearing if installed higher than 66" High.
- Each side of the fabric module may have a different fabric within the same grade at no charge.
- If different grades of fabric are used on one module, the entire module must be priced at highest grade.
- When ordering Panel Extension Modules, additional connectors are required.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric Panel Extension Module - 6" High	EVPFE0618	123	127	6	18	2 7/8
		EVPFE0624	125	131	6	24	2 7/8
		EVPFE0630	136	146	6	30	2 7/8
		EVPFE0636	152	163	6	36	2 7/8
		EVPFE0642	171	180	6	42	2 7/8
		EVPFE0648	185	197	6	48	2 7/8
		EVPFE0654	199	212	6	54	2 7/8
		EVPFE0660	214	230	6	60	2 7/8
	Fabric Panel Extension Module - 12" High	EVPFE1218	123	127	12	18	2 7/8
		EVPFE1224	125	131	12	24	2 7/8
		EVPFE1230	136	146	12	30	2 7/8
		EVPFE1236	152	163	12	36	2 7/8
		EVPFE1242	171	180	12	42	2 7/8
		EVPFE1248	185	197	12	48	2 7/8
		EVPFE1254	199	212	12	54	2 7/8
		EVPFE1260	214	230	12	60	2 7/8
	Fabric Panel Extension Module - 18" High	EVPFE1818	149	158	18	18	2 7/8
		EVPFE1824	155	168	18	24	2 7/8
		EVPFE1830	168	184	18	30	2 7/8
		EVPFE1836	194	211	18	36	2 7/8
		EVPFE1842	213	235	18	42	2 7/8
		EVPFE1848	233	256	18	48	2 7/8
		EVPFE1854	253	279	18	54	2 7/8
		EVPFE1860	275	303	18	60	2 7/8
	Fabric Panel Extension Module - 24" High	EVPFE2418	149	158	24	18	2 7/8
		EVPFE2424	155	168	24	24	2 7/8
		EVPFE2430	168	184	24	30	2 7/8
		EVPFE2436	194	211	24	36	2 7/8
		EVPFE2442	213	235	24	42	2 7/8
		EVPFE2448	233	256	24	48	2 7/8
		EVPFE2454	253	279	24	54	2 7/8
		EVPFE2460	275	303	24	60	2 7/8

**EVPFPE - FABRIC PANEL EXTENSION MODULE - PREMIUM**


- Attaches on top of a panel.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" High.
- Each side of each module may have a different fabric within the same grade at no charge.
- If different grades of fabric are used on the Panel Extension Module, the module must be priced at highest grade.
- When ordering Panel Extension Modules, additional connectors are required.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric Panel Extension Module - Premium - 24" High	EVPFPE2418	201	211	24	18	2 7/8
		EVPFPE2424	214	228	24	24	2 7/8
		EVPFPE2430	241	256	24	30	2 7/8
		EVPFPE2436	272	289	24	36	2 7/8
		EVPFPE2442	305	327	24	42	2 7/8
		EVPFPE2448	327	350	24	48	2 7/8
		EVPFPE2454	362	388	24	54	2 7/8
		EVPFPE2460	394	423	24	60	2 7/8




**EVPGTE - TEMPERED GLASS PANEL EXTENSION MODULE**

- Attaches on top of panel.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted Glass (FRST) upcharge varies. Contact EVOLVE Customer Support for details.
- When ordering Panel Extension Modules, additional connectors are required.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPGTE0618	237	6	18	2 7/8
	EVPGTE0624	256	6	24	2 7/8
	EVPGTE0630	308	6	30	2 7/8
	EVPGTE0636	323	6	36	2 7/8
	EVPGTE0642	394	6	42	2 7/8
	EVPGTE0648	441	6	48	2 7/8
	EVPGTE0654	482	6	54	2 7/8
	EVPGTE0660	519	6	60	2 7/8
	EVPGTE1218	237	12	18	2 7/8
	EVPGTE1224	256	12	24	2 7/8
	EVPGTE1230	308	12	30	2 7/8
	EVPGTE1236	323	12	36	2 7/8
	EVPGTE1242	394	12	42	2 7/8
	EVPGTE1248	441	12	48	2 7/8
	EVPGTE1254	482	12	54	2 7/8
	EVPGTE1260	519	12	60	2 7/8
	EVPGTE1818	357	18	18	2 7/8
	EVPGTE1824	369	18	24	2 7/8
	EVPGTE1830	393	18	30	2 7/8
	EVPGTE1836	430	18	36	2 7/8
	EVPGTE1842	488	18	42	2 7/8
	EVPGTE1848	547	18	48	2 7/8
	EVPGTE1854	593	18	54	2 7/8
	EVPGTE1860	636	18	60	2 7/8
	EVPGTE2418	357	24	18	2 7/8
	EVPGTE2424	369	24	24	2 7/8
	EVPGTE2430	393	24	30	2 7/8
	EVPGTE2436	430	24	36	2 7/8
	EVPGTE2442	488	24	42	2 7/8
	EVPGTE2448	547	24	48	2 7/8
	EVPGTE2454	593	24	54	2 7/8
	EVPGTE2460	636	24	60	2 7/8

**EVPGPTE - TEMPERED GLASS PREMIUM PANEL EXTENSION MODULE**

- Attaches to top of a panel.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- Standard in clear (CLR) or smoked glass (SMK) as an option.
- Frosted Glass (FRST) upcharge varies. Contact EVOLVE Customer Support for details.
- When ordering Panel Extension Modules, additional connectors are required.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPGPTE2418	352	24	18	2 7/8
	EVPGPTE2424	391	24	24	2 7/8
	EVPGPTE2430	446	24	30	2 7/8
	EVPGPTE2436	509	24	36	2 7/8
	EVPGPTE2442	564	24	42	2 7/8
	EVPGPTE2448	633	24	48	2 7/8
	EVPGPTE2454	690	24	54	2 7/8
	EVPGPTE2460	748	224	60	2 7/8



**EVPW1SE - WRITE BOARD EXTENSION MODULE - SINGLE SIDED**

- Attaches on top of a panel.
- Provides writing surface on a Single Side.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- High pressure only
- Use erasable Write Board markers only.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Write Board Extension Module - Single Sided 18"High	EVPW1SE1818	180	186	18	18	2 7/8
	EVPW1SE1824	207	213	18	24	2 7/8
	EVPW1SE1830	231	238	18	30	2 7/8
	EVPW1SE1836	271	280	18	36	2 7/8
	EVPW1SE1842	303	314	18	42	2 7/8
	EVPW1SE1848	333	346	18	48	2 7/8
	EVPW1SE1854	363	375	18	54	2 7/8
	EVPW1SE1860	391	405	18	60	2 7/8
Write Board Extension Module - Single Sided 24"High	EVPW1SE2418	180	186	24	18	2 7/8
	EVPW1SE2424	207	213	24	24	2 7/8
	EVPW1SE2430	231	238	24	30	2 7/8
	EVPW1SE2436	271	280	24	36	2 7/8
	EVPW1SE2442	303	314	24	42	2 7/8
	EVPW1SE2448	333	346	24	48	2 7/8
	EVPW1SE2454	363	375	24	54	2 7/8
	EVPW1SE2460	391	405	24	60	2 7/8

**EVPW2SE - WRITE BOARD EXTENSION MODULE - DOUBLE SIDED**

- Attaches on top of a panel.
- Provides writing surface on two sides.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- High pressure only
- Use erasable Write Board markers only.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	W	W	D	
Write Board Extension Module - Double Sided - 18"High	EVPW2SE1818	218	18	18	2 7/8	
	EVPW2SE1824	256	18	24	2 7/8	
	EVPW2SE1830	295	18	30	2 7/8	
	EVPW2SE1836	347	18	36	2 7/8	
	EVPW2SE1842	391	18	42	2 7/8	
	EVPW2SE1848	437	18	48	2 7/8	
	EVPW2SE1854	483	18	54	2 7/8	
	EVPW2SE1860	527	18	60	2 7/8	
Write Board Extension Module - Double Sided - 24"High	EVPW2SE2418	218	24	18	2 7/8	
	EVPW2SE2424	256	24	24	2 7/8	
	EVPW2SE2430	295	24	30	2 7/8	
	EVPW2SE2436	347	24	36	2 7/8	
	EVPW2SE2442	391	24	42	2 7/8	
	EVPW2SE2448	437	24	48	2 7/8	
	EVPW2SE2454	483	24	54	2 7/8	
	EVPW2SE2460	527	24	60	2 7/8	

**EVPH1SE - LAMINATE EXTENSION MODULE - SINGLE SIDED**



- Attaches on top of a panel.
- Laminate face on the module provides a durable, washable surface on Single Side of the panel.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- Available in high pressure only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Laminate Extension Module - Single Sided 6" High	EVPH1SE0618 EVPH1SE0624 EVPH1SE0630 EVPH1SE0636 EVPH1SE0642 EVPH1SE0648 EVPH1SE0654 EVPH1SE0660	168 195 219 249 281 307 347 364	172 197 221 252 283 315 353 368	6 6 6 6 6 6 6 6	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Extension Module - Single Sided 12" High	EVPH1SE1218 EVPH1SE1224 EVPH1SE1230 EVPH1SE1236 EVPH1SE1242 EVPH1SE1248 EVPH1SE1254 EVPH1SE1260	168 195 219 249 281 307 347 364	171 201 222 254 286 314 353 371	12 12 12 12 12 12 12 12	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Extension Module - Single Sided 18" High	EVPH1SE1818 EVPH1SE1824 EVPH1SE1830 EVPH1SE1836 EVPH1SE1842 EVPH1SE1848 EVPH1SE1854 EVPH1SE1860	224 265 305 349 393 432 469 515	230 272 314 358 404 444 482 530	18 18 18 18 18 18 18 18	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Extension Module - Single Sided 24" High	EVPH1SE2418 EVPH1SE2424 EVPH1SE2430 EVPH1SE2436 EVPH1SE2442 EVPH1SE2448 EVPH1SE2454 EVPH1SE2460	224 265 305 349 393 432 469 515	230 272 314 358 404 444 482 530	24 24 24 24 24 24 24 24	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



**EVPH2SE - LAMINATE EXTENSION MODULE - DOUBLE SIDED**




- Attaches on top of a panel.
- Laminate faces on both sides of the module provide durable, washable surfaces
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H
- When ordering Panel Extension Modules, additional connectors are required.
- Available in high pressure only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Laminate Extension Module - Double Sided 6" High	EVPH2SE0618	181	6	18	2 7/8
	EVPH2SE0624	213	6	24	2 7/8
	EVPH2SE0630	247	6	30	2 7/8
	EVPH2SE0636	283	6	36	2 7/8
	EVPH2SE0642	321	6	42	2 7/8
	EVPH2SE0648	358	6	48	2 7/8
	EVPH2SE0654	414	6	54	2 7/8
	EVPH2SE0660	424	6	60	2 7/8
 Laminate Extension Module - Double Sided 12" High	EVPH2SE1218	181	12	18	2 7/8
	EVPH2SE1224	213	12	24	2 7/8
	EVPH2SE1230	247	12	30	2 7/8
	EVPH2SE1236	283	12	36	2 7/8
	EVPH2SE1242	321	12	42	2 7/8
	EVPH2SE1248	358	12	48	2 7/8
	EVPH2SE1254	414	12	54	2 7/8
	EVPH2SE1260	424	12	60	2 7/8
 Laminate Extension Module - Double Sided 18" High	EVPH2SE1818	259	18	18	2 7/8
	EVPH2SE1824	314	18	24	2 7/8
	EVPH2SE1830	364	18	30	2 7/8
	EVPH2SE1836	422	18	36	2 7/8
	EVPH2SE1842	477	18	42	2 7/8
	EVPH2SE1848	540	18	48	2 7/8
	EVPH2SE1854	593	18	54	2 7/8
	EVPH2SE1860	639	18	60	2 7/8
 Laminate Extension Module - Double Sided 24" High	EVPH2SE2418	259	24	18	2 7/8
	EVPH2SE2424	314	24	24	2 7/8
	EVPH2SE2430	364	24	30	2 7/8
	EVPH2SE2436	422	24	36	2 7/8
	EVPH2SE2442	477	24	42	2 7/8
	EVPH2SE2448	540	24	48	2 7/8
	EVPH2SE2454	593	24	54	2 7/8
	EVPH2SE2460	639	24	60	2 7/8



**EVPAE - AIR FLOW EXTENSION MODULE**

- Metal air flow panel extension
- Attaches to top of panel
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.




DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Air Flow Extension Module - 12" High				
	EVPAE1224	218	12	24	2 7/8
	EVPAE1230	259	12	24	2 7/8
	EVPAE1236	294	12	24	2 7/8
	EVPAE1242	325	12	24	2 7/8
	EVPAE1248	369	12	24	2 7/8
	EVPAE1254	425	18	54	2 7/8
	EVPAE1260	485	12	24	2 7/8
	Air Flow Extension Module - 18" High				
	EVPAE1824	274	18	24	2 7/8
	EVPAE1830	320	18	30	2 7/8
	EVPAE1836	354	18	36	2 7/8
	EVPAE1842	389	18	42	2 7/8
	EVPAE1848	446	18	48	2 7/8
	EVPAE1854	512	18	54	2 7/8
	EVPAE1860	577	18	60	2 7/8
	Air Flow Extension Module - 24" High				
	EVPAE2424	274	24	24	2 7/8
	EVPAE2430	320	24	24	2 7/8
	EVPAE2436	354	24	24	2 7/8
	EVPAE2442	389	24	24	2 7/8
	EVPAE2448	446	24	24	2 7/8
	EVPAE2454	509	18	54	2 7/8
	EVPAE2460	577	24	24	2 7/8



**EVPOE - OPEN PANEL EXTENSION MODULE**

- Attaches to top portion of a panel.
- Modules can be stacked to add privacy or to divide space





- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPOE0618	192	6	18	2 7/8
	EVPOE0624	197	6	24	2 7/8
	EVPOE0630	241	6	30	2 7/8
	EVPOE0636	252	6	36	2 7/8
	EVPOE0642	306	6	42	2 7/8
	EVPOE0648	344	6	48	2 7/8
	EVPOE0654	375	6	54	2 7/8
	EVPOE0660	405	6	60	2 7/8
	EVPOE1218	194	12	18	2 7/8
	EVPOE1224	198	12	24	2 7/8
	EVPOE1230	241	12	30	2 7/8
	EVPOE1236	252	12	36	2 7/8
	EVPOE1242	306	12	42	2 7/8
	EVPOE1248	345	12	48	2 7/8
	EVPOE1254	375	12	54	2 7/8
	EVPOE1260	406	12	60	2 7/8
	EVPOE1818	285	18	18	2 7/8
	EVPOE1824	288	18	24	2 7/8
	EVPOE1830	306	18	30	2 7/8
	EVPOE1836	334	18	36	2 7/8
	EVPOE1842	377	18	42	2 7/8
	EVPOE1848	425	18	48	2 7/8
	EVPOE1854	461	18	54	2 7/8
	EVPOE1860	497	18	60	2 7/8
	EVPOE2418	288	24	18	2 7/8
	EVPOE2424	285	24	24	2 7/8
	EVPOE2430	306	24	30	2 7/8
	EVPOE2436	334	24	36	2 7/8
	EVPOE2442	377	24	42	2 7/8
	EVPOE2448	425	24	48	2 7/8
	EVPOE2454	461	24	54	2 7/8
	EVPOE2460	497	24	60	2 7/8



**EVPMPXXGYYS - PANEL MOUNT PRIVACY GLASS**

- Attaches on top of Evolve Panels to add privacy or divide space.
- Includes aluminum top trim with two punched holes, glass tile and two clamps.
- Standard in clear (CLR) or frosted (FRST) glass.
- Clamps available in satin chrome finish only.
- Width of glass can be smaller than width of the panel by 6".
- Note: Width dimensions given are width of glass only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Clear	Frosted	H	W	D
 30"W Shown	Panel Mount Privacy Glass - 24" Wide	EVPMP24G18S EVPMP24G24S	200 214	260 263	12	17 58	
	Panel Mount Privacy Glass - 30" Wide	EVPMP30G24S EVPMP30G30S	220 234	265 268	12	23 58	
 36"W Shown	Panel Mount Privacy Glass - 36" Wide	EVPMP36G30S EVPMP36G36S	236 249	271 273	12	29 58	
	Panel Mount Privacy Glass - 42" Wide	EVPMP42G36S EVPMP42G42S	252 260	275 301	12	35 58	
 48"W Shown	Panel Mount Privacy Glass - 48" Wide	EVPMP48G42S EVPMP48G48S	262 275	303 329	12	41 58	
	Panel Mount Privacy Glass - 54" Wide	EVPMP54G48S EVPMP54G54S	277 285	331 355	12	47 58	
 60"W Shown	Panel Mount Privacy Glass - 60" Wide	EVPMP60G54S EVPMP60G60S	286 295	358 384	12	53 58	



# panel connectors



## TIPS!!

Slotted posts are included with each Variable-Height Corner Post. The height of each slotted post must be specified when ordering a Variable-Height Corner Post. Slotted post height is determined by the height of the connecting panel run.


### Example

Step 1 Specify base code listed on pricing page.



### Segmented Panel

Step 2 Specify slotted post heights.




**Note:** To specify height, use the first number of the connecting panel run height dimension.


Call EVOLVE Customer Support for 48" application.

### Slotted Post Positions

As illustrated in the example below, start with position A and continue clockwise specifying the height of each slotted post.



### Sample Configuration - EVPVPA466-6654



## PANEL CONNECTORS BY TYPE

### Inline Connector ..... 93-95

- Inline Connector
- Inline Connector for Light Panels
- Inline Connector for Beltline Powered Panels
- Inline Connector for Beltline Powered Light Panels
- Inline Variable - Height Connector
- Inline Variable - Height Connector for Light Panels
- Inline Variable - Height Connector for Beltline Powered Panels
- Inline Variable - Height Connector for Beltline Powered Light Panels

### End-of-Run ..... 96

- End-of-Run Post Kit (Wall Mountable) - Aluminum Trim
- End-of-Run Post Kit for Light Panels (Wall Mountable) - Aluminum Trim

### Two-Way Post ..... 97-99

- Two-Way Post - Aluminum Trim
- Two-Way Post for Light Panels - Aluminum Trim
- Two-Way Post for Beltline Powered Panels - Aluminum Trim
- Two-Way Post for Beltline Powered Light Panels - Aluminum Trim
- Two-Way Variable - Height Post - Aluminum Trim
- Two-Way Variable - Height Post for Light Panels - Aluminum Trim
- Two-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim
- Two-Way Variable - Height Post for Beltline Powered Light Panels - Aluminum Trim

### Three-Way Post ..... 100-102

- Three-Way Post - Aluminum Trim
- Three-Way Post for Light Panels - Aluminum Trim
- Three-Way Post for Beltline Powered Panels - Aluminum Trim
- Three-Way Post for Beltline Powered Light Panels - Aluminum Trim
- Three-Way Variable - Height Post - Aluminum Trim
- Three-Way Variable - Height Post for Light Panels - Aluminum Trim
- Three-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim
- Three-Way Variable - Height Post for Beltline Powered Light Panels - Aluminum Trim

### Four-Way Post ..... 103-105

- Four-Way Post
- Four-Way Post for Light Panels
- Four-Way Post for Beltline Powered Panels
- Four-Way Post for Beltline Powered Light Panels
- Four-Way Variable - Height Post - Aluminum Trim
- Four-Way Variable - Height Post for Light Panels - Aluminum Trim
- Four-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim
- Four-Way Variable - Height Post for Beltline Powered Light Panels - Aluminum Trim

### One-Way Post ..... 106-107

- One-Way Post - Aluminum Trim
- One-Way Post for Light Panels - Aluminum Trim
- One-Way Post for Beltline Powered Panels - Aluminum Trim
- One-Way Post for Beltline Powered Light Panels - Aluminum Trim

### Inline Two-Way Post ..... 108-109

- Inline Two-Way Post - Aluminum Trim
- Inline Two-Way Post for Light Panels - Aluminum Trim
- Inline Two-Way Post for Beltline Powered Panels - Aluminum Trim
- Inline Two-Way Post for Beltline Powered Light Panels - Aluminum Trim

### 60 Degree ..... 110-112

- Two-Way 60 Degree Post - Aluminum Trim
- Two-Way 60 Degree Post for Beltline Powered Panels - Aluminum Trim
- Two-Way 60 Degree Variable - Height Post - Aluminum Trim
- Two-Way 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim
- Three-Way 60 Degree Post
- Three-Way 60 Degree Post for Beltline Powered Panels - Aluminum Trim
- Three-Way 60 Degree Variable - Height Post - Aluminum Trim
- Three-Way 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim

### 45 Degree ..... 113

- Two-Way 45 Degree Post
- Two-Way 45 Degree Variable - Height Post

### Upmount End of Run ..... 113-114

- Upmount End-of-Run Post Kit (Wall Mountable) - Aluminum
- Upmount End-of-Run Post Kit For Light Panels (Wall Mountable) - Aluminum
- Upmount End-of-Run Trim - Aluminum
- Upmount End-of-Run Trim for Light Panels - Aluminum

### Extension ..... 115-118

- Inline Extension Connector - Slotted
- End-of-Run Extension Connector - Slotted - Aluminum
- Two-Way Post Extension - Slotted - Aluminum
- Three-Way Post Extension - Slotted - Aluminum
- Four-Way Post Extension - Slotted
- One-Way Post Extension - Slotted - Aluminum
- Inline Two-Way Post Extension - Slotted - Aluminum
- Two-Way 60 Degree Post Extension - Slotted - Aluminum
- Three Way 60 Degree Post Extension - Slotted - Aluminum
- One-Way 60 Degree Post Extension - Slotted - Aluminum
- Two-Way 45 Degree Post Extension - Slotted - Aluminum
- One-Way 45 Degree Post Extension - Slotted - Aluminum


### Trims ..... 119-122

- Upmount Extension Trim - Aluminum
- End-of-Run Trim - Aluminum
- End-of-Run Trim for Light Panels - Aluminum
- Panel Trim Variable Height - Aluminum
- Panel Extension Trim - Aluminum
- Flat Trim - Aluminum
- Flat Trim for Light Panels - Aluminum
- Flat Extension Trim - Aluminum
- Panel Top Trim - Aluminum
- Panel Top Single Notched Trim - Aluminum
- Panel Top Double Notched Trim - Aluminum
- Slot Cover



**EVPIC - INLINE CONNECTOR**

- Connects two panels of equal height in a straight run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Connector				
	EVPIC30	48	30	2	
	EVPIC42	56	42	2	
	EVPIC48	59	48	2	
	EVPIC54	61	54	2	
	EVPIC66	67	60	2	

**EVPIC - INLINE CONNECTOR FOR LIGHT PANELS**

- Connects two Light panels of equal height in a straight run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, decorative sleeve, and connecting hardware.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Connector for Light Panels				
	EVPIC30	48	30	2	
	EVPIC42	56	42	2	
	EVPIC48	59	48	2	
	EVPIC54	61	54	2	
	EVPIC66	67	66	2	

**EVPBIC - INLINE CONNECTOR FOR BELTLINE POWERED PANELS**

- Connects two Beltline Powered panels of equal height in a straight run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Connector for Beltline Powered Panels				
	EVPBIC42	56	42	2	
	EVPBIC54	61	54	2	
	EVPBIC66	67	66	2	



**EVPLIC - INLINE CONNECTOR FOR BELTLINE POWERED LIGHT PANELS**

- Connects two Beltline Powered Light panels of equal height in a straight run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, decorative sleeve, and connecting hardware.

- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots as a special at no upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLIC42 EVPLIC54 EVPLIC66	56 61 67	42 54 66	2 2 2	

**EVPPVC - INLINE VARIABLE - HEIGHT CONNECTOR**

- Connects two panels of differing height in a straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel heights.
- Variable-height trim must be ordered separately (see EVPTVAXX)

- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPPVC42 EVPPVC48 EVPPVC54 EVPPVC66	61 62 63 68	42 48 54 66	2 2 2 2	

**EVPLVC - INLINE VARIABLE - HEIGHT CONNECTOR FOR LIGHT PANELS**

- Connects two Light panels of differing height in a straight run.
- Connector must reference taller panel.
- Can be used on any variation of panel heights.
- Variable-height trim must be ordered separately (see EVPLTVAXX)
- Provides slotted support for worksurfaces and hang-on storage components.

- Includes one slotted connector with leveling glide, decorative sleeve, and connecting hardware.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLVC42 EVPLVC48 EVPLVC54 EVPLVC66	61 62 63 68	42 48 54 66	2 2 2 2	



**EVPBVC - INLINE VARIABLE - HEIGHT CONNECTOR FOR BELTLINE POWERED PANELS**

- Connects two Beltline Powered panels of differing height in a straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel heights.
- Variable-height trim must be ordered separately (see EVPTVAXX)
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Variable - Height Connector for Beltline Powered Panels	EVPBVC54 EVPBVC66	63 68	54 66	2 2

**EVPBLVC - INLINE VARIABLE - HEIGHT CONNECTOR FOR BELTLINE POWERED LIGHT PANELS**


- Connects two Beltline Powered Light panels of differing height in a straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel heights.
- Variable-height trim must be ordered separately (see EVPLTVAXX)
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, decorative sleeve, and connecting hardware.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Variable - Height Connector for Beltline Powered Light Panels	EVPBLVC54 EVPBLVC66	63 68	54 66	2 2




## EVPERA - END-OF-RUN POST KIT (WALL MOUNTABLE) - ALUMINUM TRIM

- Connects at the end of a panel run and can be used to attach a panel to a fixed wall.
- Adds 1" to the width of the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, connecting hardware and trim kit.
- Can be attached to face of another panel to provide off-modular panel connection.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPERA30 EVPERA42 EVPERA48 EVPERA54 EVPERA66	59 67 71 81 90	30 42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8	

## EVPLERA - END-OF-RUN POST KIT FOR LIGHT PANELS (WALL MOUNTABLE) - ALUMINUM TRIM

- Connects at the end of a Light panel run and can be used to attach a panel to a fixed wall.
- Adds 1" to the width of the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, connecting hardware, decorative sleeve and trim kit.
- Can be attached to face of another panel to provide off-modular panel connection.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1 Gr2	DIMENSIONS/INCHES		
			H	W	D
	EVPLERA30 EVPLERA42 EVPLERA48 EVPLERA54 EVPLERA66	59 67 71 81 90	30 42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8	




# PANEL CONNECTORS

2 - WAY

## EVPCPA2 - TWO-WAY POST - ALUMINUM TRIM

- Connects two panels of equal height in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way Post - Aluminum Trim				
	EVPCPA230	111	30	2 7/8	
	EVPCPA242	139	42	2 7/8	
	EVPCPA248	149	48	2 7/8	
	EVPCPA254	172	54	2 7/8	
	EVPCPA266	204	66	2 7/8	

## EVPLCPA2 - TWO-WAY POST FOR LIGHT PANELS - ALUMINUM TRIM

- Connects two Light Panels of equal height in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.

- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way Post for Light Panels - Aluminum Trim				
	EVPLCPA230	111	30	2 7/8	
	EVPLCPA242	139	42	2 7/8	
	EVPLCPA248	149	48	2 7/8	
	EVPLCPA254	172	54	2 7/8	
	EVPLCPA266	204	66	2 7/8	

## EVPBCPA2 - TWO-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects two Beltline Powered panels of equal height in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.

- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way Post for Beltline Powered Panels - Aluminum Trim				
	EVPBCPA242	139	42	2 7/8	
	EVPBCPA254	172	54	2 7/8	
	EVPBCPA266	204	66	2 7/8	




### EVPBLCPA2 - TWO-WAY POST FOR BELTLINE POWERED LIGHT PANELS - ALUMINUM TRIM

- Connects two Beltline Powered Light panels of equal height in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Two-Way Post for Beltline Powered Light Panels - Aluminum Trim	EVPBLCPA242	139	42	2 7/8	
	EVPBLCPA254	172	54	2 7/8	
	EVPBLCPA266	204	66	2 7/8	


### EVPPVA2 - TWO-WAY VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects two panels of differing height in a 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots as a special at no upcharge. Contact Customer Support
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Two-Way Variable - Height Post - Aluminum Trim	EVPPVA242	161	42	2 7/8	
	EVPPVA248	178	48	2 7/8	
	EVPPVA254	196	54	2 7/8	
	EVPPVA266	234	66	2 7/8	

### EVPLVPA2 - TWO-WAY VARIABLE - HEIGHT POST FOR LIGHT PANELS - ALUMINUM TRIM


- Connects two Light panels of differing height in a 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Two-Way Variable - Height Post for Light Panels - Aluminum	EVPLVPA242	161	42	2 7/8	
	EVPLVPA248	178	48	2 7/8	
	EVPLVPA254	196	54	2 7/8	
	EVPLVPA266	234	66	2 7/8	




**EVPBVA2 - TWO-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects two Beltline Powered panels of differing height in a 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPBVA254 EVPBVA266	196 204	54 66	2 7/8 2 7/8

**EVPBLVPA2 - TWO-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWER LIGHT PANELS - ALUMINUM TRIM**

- Connects two Beltline Powered Light panels of differing height in a 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way Variable - Height Corner Post for Beltline Powered Light Panels - Aluminum Trim	EVPBLVPA254 EVPBLVPA266	172 204	54 66	2 7/8 2 7/8



### EVCPA3 - THREE-WAY POST - ALUMINUM TRIM

- Connects three panels of equal height in a "T" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.

- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVCPA330 EVCPA342 EVCPA348 EVCPA354 EVCPA366	138 185 204 224 265	30 42 48 54 66	2 7/8	2 7/8

### EVPLCPA3 - THREE-WAY POST FOR LIGHT PANELS - ALUMINUM TRIM

- Connects three Light panels of equal height in a "T" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.

- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLCPA330 EVPLCPA342 EVPLCPA348 EVPLCPA354 EVPLCPA366	138 185 204 224 265	30 42 48 54 66	2 7/8	2 7/8

### EVPBCPA3 - THREE-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects three Beltline Powered panels of equal height in a "T" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.

- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBCPA342 EVPBCPA354 EVPBCPA366	185 224 265	42 54 66	2 7/8	2 7/8




# PANEL CONNECTORS

3 - WAY


## EVPBLCPA3 - THREE-WAY POST FOR BELTLINE POWERED LIGHT PANELS - ALUMINUM TRIM

- Connects three Beltline Powered Light panels of equal height in a "T" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBLCPA342 EVPBLCPA354 EVPBLCPA366	185 224 265	42 54 66	2 7/8	2 7/8
Three-Way Post for Beltline Powered Light Panels - Aluminum Trim					


## EVPVPA3 - THREE-WAY VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects three panels of differing height in a "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPVPA342 EVPVPA348 EVPVPA354 EVPVPA366	201 224 246 293	42 48 54 66	2 7/8	2 7/8
Three-Way Variable - Height Post - Aluminum Trim					

## EVPLVPA3 - THREE-WAY VARIABLE - HEIGHT POST FOR LIGHT PANELS - ALUMINUM TRIM


- Connects three Light panels of differing height in a "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLVPA342 EVPLVPA348 EVPLVPA354 EVPLVPA366	201 224 246 265	42 48 54 66	2 7/8	2 7/8
Three-Way Variable - Height Post for Light Panels - Aluminum Trim					




**EVPBVPAs - THREE-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects three Beltline Powered panels of differing height in a "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPBVPAs354 EVPBVPAs366	224 265	54 66	2 7/8 2 7/8

**EVPBLVPA3 - THREE-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED LIGHT PANELS - ALUMINUM TRIM**

- Connects three Beltline Powered Light panels of differing height in a "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three-Way Variable - Height Post for Beltline Powered Light Panels - Aluminum Trim	EVPBLVPA354 EVPBLVPA366	224 265	54 66	2 7/8 2 7/8




# PANEL CONNECTORS

4 - WAY

## EVPCP4 - FOUR-WAY POST

- Connects four panels of equal height in a "+" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one post, four slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Four-Way Post				
	EVPCP430	170	30	2 7/8	
	EVPCP442	218	42	2 7/8	
	EVPCP448	241	48	2 7/8	
	EVPCP454	263	54	2 7/8	
	EVPCP466	308	66	2 7/8	

## EVPLCP4 - FOUR-WAY POST FOR LIGHT PANELS

- Connects four Light panels of equal height in a "+" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, decorative sleeve and connecting hardware.

- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Four-Way Post for Light Panels				
	EVPLCP430	170	30	2 7/8	
	EVPLCP442	218	42	2 7/8	
	EVPLCP448	241	48	2 7/8	
	EVPLCP454	263	54	2 7/8	
	EVPLCP466	308	66	2 7/8	

## EVPBCP4 - FOUR-WAY POST FOR BELTLINE POWERED PANELS

- Connects four Beltline Powered panels of equal height in a "+" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one post, four slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Four-Way Post for Beltline Powered Panels				
	EVPBCP442	218	42	2 7/8	
	EVPBCP454	263	54	2 7/8	
	EVPBCP466	308	66	2 7/8	




### EVPBLCP4 - FOUR-WAY POST FOR BELTLINE POWERED LIGHT PANELS

- Connects four Beltline Powered Light panels of equal height in a "+" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, decorative sleeve and connecting hardware.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBLCP442 EVPBLCP454 EVPBLCP466	218 263 308	42 54 66	2 7/8	2 7/8
Four-Way Post for Beltline Powered Light Panels					


### EVPVPA4 - FOUR-WAY VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects four panels of differing heights in a "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPVPA442 EVPVPA448 EVPVPA454 EVPVPA466	231 217 277 323	42 48 54 66	2 7/8	2 7/8
Four-Way Variable - Height Corner Post - Aluminum Trim					

### EVPLVPA4 - FOUR-WAY VARIABLE - HEIGHT POST FOR LIGHT PANELS - ALUMINUM TRIM


- Connects four Light panels of differing heights in a "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLVPA442 EVPLVPA448 EVPLVPA454 EVPLVPA466	231 241 263 308	42 48 54 66	2 7/8	2 7/8
Four-Way Variable - Height Post for Light Panels - Aluminum Trim					




**EVPBVA4 - FOUR-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects four Beltline Powered panels of differing heights in an “+” configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25” to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Four-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPBVA454 EVPBVA466	263 308	54 66	2 7/8 2 7/8

**EVPBLVPA4 - FOUR-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED LIGHT PANELS – ALUMINUM TRIM**

- Connects four Beltline Powered Light panels of differing heights in a “+” configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25” to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Four-Way Variable - Height Post for Beltline Power Light Panels - Aluminum Trim	EVPBLVPA454 EVPBLVPA466	263 308	54 66	2 7/8 2 7/8



**EVPCPA1 - ONE-WAY POST - ALUMINUM TRIM**

- Connects at the end of a panel run in place of an EVPERA – End-of-Run Post Kit.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.

- Includes one post and one slotted connector with a leveling glide, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPCPA130	78	30	2 7/8	
One-Way Post - Aluminum Trim	EVPCPA142	90	42	2 7/8	
	EVPCPA148	105	48	2 7/8	
	EVPCPA154	121	54	2 7/8	
	EVPCPA166	149	66	2 7/8	

**EVPLCPA1 - ONE-WAY POST FOR LIGHT PANELS - ALUMINUM TRIM**

- Connects at the end of a Light panel run in place of an EVPERA – End-of-Run Post Kit.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.

- Includes one post and one slotted connector with a leveling glide, connecting hardware and trim kit.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLCPA130	78	30	2 7/8	
One-Way Post for Light Panels - Aluminum	EVPLCPA142	90	42	2 7/8	
	EVPLCPA148	105	48	2 7/8	
	EVPLCPA154	121	54	2 7/8	
	EVPLCPA166	149	66	2 7/8	




**EVPBCPA1 - ONE-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects at the end of a Beltline Powered panel run in place of an EVPERA – End-of-Run Post Kit.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post and one slotted connector with a leveling glide, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One-Way Post for Beltline Powered Panels - Aluminum Trim				
	EVPBCPA142	90	42	2 7/8	
	EVPBCPA154	121	54	2 7/8	
	EVPBCPA166	149	66	2 7/8	

**EVPBLCPA1 - ONE-WAY POST FOR BELTLINE POWERED LIGHT PANELS - ALUMINUM TRIM**

- Connects at the end of a Beltline Powered Light panel run in place of an EVPERA – End-of-Run Post Kit.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post and one slotted connector with a leveling glide, connecting hardware and trim kit.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One-Way Post for Beltline Powered Light Panels - Aluminum Trim				
	EVPBLCPA142	90	42	2 7/8	
	EVPBLCPA154	121	54	2 7/8	
	EVPBLCPA166	149	66	2 7/8	




# PANEL CONNECTORS

## INLINE 2 - WAY


### EVPIPA2 - INLINE TWO-WAY POST - ALUMINUM TRIM

- Connects two panels of equal height in a straight line in place of EVPIC – In-Line Connector.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Two-Way Post - Aluminum Trim				
	EVPIPA230	109	30	2 7/8	
	EVPIPA242	136	42	2 7/8	
	EVPIPA248	150	48	2 7/8	
	EVPIPA254	163	54	2 7/8	
	EVPIPA266	195	66	2 7/8	

### EVPLIPA2 - INLINE TWO-WAY POST FOR LIGHT PANELS - ALUMINUM TRIM


- Connects two Light panels of equal height in a straight line in place of EVPIC – In-Line Connector.
- Post and connecting hardware adds 3.25" to the Light panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Two-Way Post for Light Panels - Aluminum				
	EVPLIPA230	109	30	2 7/8	
	EVPLIPA242	136	42	2 7/8	
	EVPLIPA248	150	48	2 7/8	
	EVPLIPA254	163	54	2 7/8	
	EVPLIPA266	195	66	2 7/8	




**EVPBIPA2 - INLINE TWO-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects two Beltline Powered panels of equal height in between a post in a straight line in place of EVPIC – In-Line Connector.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Two-Way Post for Beltline Powered Panels - Aluminum Trim				
	EVPBIPA242	136	42	2 7/8	
	EVPBIPA254	163	54	2 7/8	
	EVPBIPA266	195	66	2 7/8	

**EVPBLIPA2 - INLINE TWO-WAY POST FOR BELTLINE POWERED LIGHT PANELS - ALUMINUM TRIM**

- Connects two Beltline Powered Light panels of equal height in a straight line in place of EVPIC – In-Line Connector.
- Post and connecting hardware adds 3.25" to the Light panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve over leveling glide matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Two-Way Post for Beltline Powered Light Panels - Aluminum Trim				
	EVPBLIPA242	136	42	2 7/8	
	EVPBLIPA254	163	54	2 7/8	
	EVPBLIPA266	195	66	2 7/8	



## EVP6PA2 - TWO-WAY 60 DEGREE POST - ALUMINUM TRIM

- Connects two panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots as a special at no upcharge. Contact Customer Service.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 60° Post - Aluminum				
	EVP6PA230	111	30	3.65	
	EVP6PA242	138	42	3.65	
	EVP6PA248	149	48	3.65	
	EVP6PA254	172	54	3.65	
	EVP6PA266	204	66	3.65	

## EVPB6PA2 - TWO-WAY 60 DEGREE POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects two Beltline Powered panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 60 Degree Post for Beltline Powered Panels - Aluminum Trim				
	EVPB6PA242	159	42	3.65	
	EVPB6PA254	172	54	3.65	
	EVPB6PA266	204	66	3.65	

## EVP6VPA2 - TWO-WAY 60 DEGREE VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects two panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 60 Degree Variable - Height Post - Aluminum Trim				
	EVP6VPA242	138	42	3.65	
	EVP6VPA248	156	48	3.65	
	EVP6VPA254	172	54	3.65	
	EVP6VPA266	205	66	3.65	




**EVPB6VPA2 - TWO-WAY 60 DEGREE VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects two Beltline Powered panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Two-Way 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPB6VPA242 EVPB6VPA254 EVPB6VPA266	160 172 205	42 54 66	3.65 3.65 3.65	


**EVP6P3 - THREE-WAY 60 DEGREE POST**

- Connects three panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Three-Way 60 Degree Post	EVP6P330 EVP6P342 EVP6P348 EVP6P354 EVP6P366	137 184 204 224 265	30 42 48 54 66	3.65 3.65 3.65 3.65 3.65	

**EVPB6P3 - THREE-WAY 60 DEGREE POST FOR BELTLINE POWERED PANELS**


- Connects three Beltline Powered panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Three-Way 60 Degree Post for Beltline Powered Panels	EVPB6P342 EVPB6P354 EVPB6P366	184 224 265	42 54 66	3.65 3.65 3.65	




**EVP6VPA3 - THREE-WAY 60 DEGREE VARIABLE - HEIGHT POST - ALUMINUM TRIM**

- Connects three panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three-Way 60 Degree Variable - Height Post - Aluminum Trim	EVP6VPA342 EVP6VPA348 EVP6VPA354 EVP6VPA366	184 204 224 265	42 48 54 66	3.65 3.65 3.65 3.65

**EVPB6VPA3 - THREE-WAY 60 DEGREE VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects three Beltline Powered panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three-Way for 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPB6VPA342 EVPB6VPA354 EVPB6VPA366	201 224 265	42 54 66	3.65 3.65 3.65




# PANEL CONNECTORS

## 45 DEGREE / UPMOUNT END OF RUN

### EVP4P2 - TWO-WAY 45 DEGREE POST - ALUMINUM TRIM

- Connects two panels of equal height in a 135 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one 45 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 45 Degree Post Aluminum Trim	EVP4P230 EVP4P242 EVP4P248 EVP4P254 EVP4P266	111 138 149 172 204	30 42 48 54 66	3.65 3.65 3.65 3.65 3.65

### EVP4VPA2 - TWO-WAY 45 DEGREE VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects two panels of differing height in a 135 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.

- Includes one 45 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 45 Degree Variable - Height Post Aluminum Trim	EVP4VPA242 EVP4VPA248 EVP4VPA254 EVP4VPA266	184 204 224 265	42 48 54 66	3.65 3.65 3.65 3.65

### EVPURA - UPMOUNT END-OF-RUN POST KIT - ALUMINUM TRIM

- Aluminum trim must be specified when using premium color paints. Premium color paints are not available on PVC trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Upmount End-of-Run Post Kit - Aluminum Trim.	EVPURA66	101	66	2 7/8



## EVPLUERA - UPMOUNT END-OF-RUN POST KIT FOR LIGHT PANELS (WALL MOUNTABLE) - ALUMINUM

- Used at the end of Panel run to support Worksurfaces and Upmount Overhead Storage.
- Can attach to a Panel run to fixed wall.
- Adds 1" to the width of Light Panel run.
- Includes slotted Connector with leveling glide, connecting hardware, decorative sleeve and trim kit.
- 10% upcharge for Tungsten trim/paint.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Upmount End-of-Run Post Kit - for Light Panels - Wall Mountable - Aluminum	EVPLUERA66	101	66	2 7/8	

## EVPUETA - UPMOUNT END-OF-RUN TRIM - ALUMINUM

- Replaces existing 66" h End-of-Run Trim Only
- Comes with one Upmount Extension Trim EVPUET12 and one Upmount End-of-Run Trim.
- Must be used in conjunction with slotted connectors.
- Aluminum trim must be specified when using premium color paints. Premium color paints are not available on PVC trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Upmount End-of-Run Trim - Aluminum	EVPUETA66	70		2 7/8	

## EVPLUETA - UPMOUNT END-OF-RUN TRIM FOR LIGHT PANELS - ALUMINUM

- Includes one Upmount Extension Trim EVPUETA12 and one Upmount End-of-Run Trim.
- Must be used in conjunction with Slotted Connector.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Upmount End-of-Run Trim for Light Panels - Aluminum	EVPLUETA66	70	63	2 7/8	




# PANEL CONNECTORS

# EXTENSION


## EVPIECS - INLINE EXTENSION CONNECTOR - SLOTTED

- Connects two extension modules in a straight run.
- Includes one slotted inline extension connector and connecting hardware.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Extension Connector - Slotted				
	EVPIECS06	31	6	2 7/8	
	EVPIECS12	31	12	2 7/8	
	EVPIECS18	31	18	2 7/8	
	EVPIECS24	37	24	2 7/8	


## EVPEERSA - END-OF-RUN EXTENSION CONNECTOR - SLOTTED - ALUMINUM TRIM

- Connects at the end of a run of extension modules, and can be used to attach a panel to a fixed wall.
- Adds 1" to the width of panel run.
- Includes one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	End-of-Run Extension Connector - Slotted - Aluminum Trim				
	EVPEERSA06	33	6	2 7/8	
	EVPEERSA12	33	12	2 7/8	
	EVPEERSA18	41	18	2 7/8	
	EVPEERSA24	41	24	2 7/8	


## EVPCEPSA2 - TWO-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM

- Connects two extension modules in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way Post Extension - Slotted Aluminum Trim				
	EVPCEPSA206	61	6	2 7/8	
	EVPCEPSA212	61	12	2 7/8	
	EVPCEPSA218	95	18	2 7/8	
	EVPCEPSA224	95	24	2 7/8	

## EVPCEPSA3 - THREE-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM

- Connects three extension modules in a "T" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Includes one post, three slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three-Way Post Extension - Slotted Aluminum Trim				
	EVPCEPSA306	72	6	2 7/8	
	EVPCEPSA312	72	12	2 7/8	
	EVPCEPSA318	72	18	2 7/8	
	EVPCEPSA324	113	24	2 7/8	



**EVPCEPS4 - FOUR-WAY POST EXTENSION - SLOTTED**

- Connects four extension modules in a "+" configuration.
- Post and connecting hardware adds 3.25" to the panel run.


- Includes one post, four slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Four-Way Corner Post Extension - Slotted				
	EVPCEPS406	84	6	2 7/8	
	EVPCEPS412	84	12	2 7/8	
	EVPCEPS418	84	18	2 7/8	
	EVPCEPS424	125	24	2 7/8	

**EVPCEPSA1 - ONE-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM**

- Connects at the end of a run of extension modules in place of an EVPEERSA – End-of-Run Extension Connector.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.


- Includes one post, one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One-Way Post Extension - Slotted				
	EVPCEPSA106	59	6	2 7/8	
	EVPCEPSA112	59	12	2 7/8	
	EVPCEPSA118	59	18	2 7/8	
	EVPCEPSA124	74	24	2 7/8	

**EVPCEIPSA2 - INLINE TWO-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM**

- Connects two extension modules in a straight line in place of EVPICS – In-Line Extension Connector.
- Post and connecting hardware adds 3.25" to the panel run.


- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Two-Way Post Extension - Slotted				
	EVPCEIPSA206	64	6	2 7/8	
	EVPCEIPSA212	64	12	2 7/8	
	EVPCEIPSA218	64	18	2 7/8	
	EVPCEIPSA224	104	24	2 7/8	



**EVP6CEPSA2 - TWO-WAY 60 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM**

- Connects two extension modules in a 120 degree configuration.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 60 Degree Post Extension - Slotted - Aluminum Trim	EVP6CEPSA206 EVP6CEPSA212 EVP6CEPSA218 EVP6CEPSA224	61 61 61 94	6 12 18 24	3.65 3.65 3.65 3.65

**EVP6CEPS3 - THREE-WAY 60 DEGREE POST EXTENSION - SLOTTED**

- Connects three extension modules in a 120 degree configuration.
- Includes one post, three slotted inline extension connectors and connecting hardware.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three-Way 60 Degree Post Extension - Slotted	EVP6CEPS306 EVP6CEPS312 EVP6CEPS318 EVP6CEPS324	71 71 71 113	6 12 18 24	3.65 3.65 3.65 3.65

**EVP6CEPSA1 - ONE-WAY 60 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM**


- Connects at the end of a run of extension modules in a 120 degree configuration.
- Should not be used to attach a panel to a fixed wall.
- Includes one post, one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One-Way 60 Degree Post Extension - Slotted - Aluminum Trim	EVP6CEPSA106 EVP6CEPSA112 EVP6CEPSA118 EVP6CEPSA124	59 59 59 73	6 12 18 24	3.65 3.65 3.65 3.65




**EVP4CEPS2 - TWO-WAY 45 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM**

- Connects two extension modules in a 135 degree configuration.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 45 Degree Post Extension - Slotted - Aluminum Trim	EVP4CEPS206 EVP4CEPS212 EVP4CEPS218 EVP4CEPS224	61 61 61 94	6 12 18 24	3.65 3.65 3.65 3.65


**EVP4CEPSA1 - ONE-WAY 45 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM**

- Connects at the end of a run of extension modules in a 135 degree configuration.
- Should not be used to attach a panel to a fixed wall.
- Includes one post, one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One-Way 45 Degree Post Extension - Slotted - Aluminum Trim	EVP4CEPSA106 EVP4CEPSA112 EVP4CEPSA118 EVP4CEPSA124	59 59 59 73	6 12 18 24	3.65 3.65 3.65 3.65

**EVPUETA - UPMOUNT EXTENSION TRIM - ALUMINUM**

- Aluminum trim must be specified when using premium color paints. Premium color paints are not available on PVC trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Upmount Extension Trim - Aluminum	EVPUETA12	31	12	2 7/8



**EVPERTA - END-OF-RUN TRIM - ALUMINUM**

- Finishes the exposed Connector at the end of a run of the Light Panels.
- Slotted Connector not included.
- For reconfiguration and replacement use only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
End-of-Run Trim - Aluminum	EVPERTA30	34	30	2 7/8	
	EVPERTA42	47	42	2 7/8	
	EVPERTA48	50	48	2 7/8	
	EVPERTA54	53	54	2 7/8	
	EVPERTA66	60	66	2 7/8	
	EVPERTA78	66	78	2 7/8	
	EVPERTA90	68	90	2 7/8	

**EVPLERTA - END-OF-RUN TRIM FOR LIGHT PANELS - ALUMINUM**

- Finishes the exposed Connector at the end of a run of the Light Panels.
- Slotted Connector not included.
- For reconfiguration and replacement use only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
End-of-Run Trim for Light Panels - Aluminum	EVPLERTA30	35	26 1/4	2 7/8	
	EVPLERTA42	41	38 1/4	2 7/8	
	EVPLERTA48	47	44 1/4	2 7/8	
	EVPLERTA54	55	50 1/4	2 7/8	
	EVPLERTA66	60	62 1/4	2 7/8	
	EVPLERTA72	62	68 1/4	2 7/8	
	EVPLERTA78	64	74 1/4	2 7/8	
	EVPLERTA84	67	80 1/4	2 7/8	
	EVPLERTA90	70	86 1/4	2 7/8	

**EVPTVA - PANEL TRIM - VARIABLE HEIGHT -ALUMINUM**

- Attaches to the exposed end of the taller panel when 2 panels of different height meet in straight run.
- Slotted Connector not included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Panel Trim - Variable Height - Aluminum	EVPTVA06	12	6	2 7/8	
	EVPTVA12	18	12	2 7/8	
	EVPTVA18	23	18	2 7/8	
	EVPTVA24	30	24	2 7/8	
	EVPTVA30	35	30	2 7/8	
	EVPTVA36	41	36	2 7/8	



**EVPTEA - PANEL EXTENSION TRIM - ALUMINUM**

- Attaches to bottom of exposed end of panel to provide extension for End-of-Run post trim kit when using panel extensions.
- Does not include slotted connector nor connecting hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Panel Extension Trim - Aluminum				
	EVPTEA12	16	12	2 7/8	
	EVPTEA18	23	18	2 7/8	
	EVPTEA24	29	24	2 7/8	

**EVPVTFA - FLAT TRIM - ALUMINUM**

- To be used with 30"H posts as a replacement trim.
- For "U" trim configuration use three flat trim according to height specifications.
- For "L" trim configuration use two flat trim according to height configurations.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Flat Trim - Aluminum				
	EVPVTFA30	9	29 1/8	2 7/8	
	EVPVTFA36	10	34 1/8	2 7/8	
	EVPVTFA42	12	41 1/8	2 7/8	
	EVPVTFA48	16	47 1/8	2 7/8	
	EVPVTFA54	16	53 1/8	2 7/8	
	EVPVTFA66	18	65 1/8	2 7/8	
	EVPVTFA78	19	77 1/8	2 7/8	
	EVPVTFA84	21	83 1/8	2 7/8	
	EVPVTFA90	20	89 1/8	2 7/8	
	EVPVTFA96	22	95 1/8	2 7/8	

**EVPVTFA - FLAT EXTENSION TRIM - ALUMINUM**

- Finishes exposed faces of One-Way, Two-Way, Three-Way and Inline Panels.
- For reconfiguration and replacement use only.
- For "U" trim configuration use three flat trim according to height specification.
- For "L" trim configuration use two flat trim according to height specification.
- Aluminum Trim must be specified when using premium color paints.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Flat Extension Trim - Aluminum				
	EVPVTFA12	8	12 3/8	2 7/8	
	EVPVTFA18	10	18 3/8	2 7/8	
	EVPVTFA24	10	24 3/8	2 7/8	
	EVPVTFA30	12	30 3/8	2 7/8	
	EVPVTFA36	16	36 3/8	2 7/8	
	EVPVTFA42	17	42 3/8	2 7/8	
	EVPVTFA48	18	48 3/8	2 7/8	
	EVPVTFA54	19	54 3/8	2 7/8	
	EVPVTFA66	21	66 3/8	2 7/8	
	EVPVTFA78	22	78 3/8	2 7/8	
	EVPVTFA84	28	84 3/8	2 7/8	
	EVPVTFA90	29	90 3/8	2 7/8	
	EVPVTFA96	30	96 3/8	2 7/8	



**EVPLVTFA - FLAT TRIM FOR LIGHT PANELS - ALUMINUM**

- Finishes exposed faces of One-Way, Two-Way, Three-Way and Inline Panels.
- For reconfiguration and replacement use only.
- For "U" trim configuration use three flat trim according to height specification.

- For "L" trim configuration use two flat trim according to height specification.
- Aluminum Trim must be specified when using premium color paints.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Flat Trim for Light Panels - Aluminum				
	EVPLVTFA30	9	26 1/4	2 7/8	
	EVPLVTFA42	12	38 1/4	2 7/8	
	EVPLVTFA48	16	44 1/4	2 7/8	
	EVPLVTFA54	16	50 1/4	2 7/8	
	EVPLVTFA66	18	62 1/4	2 7/8	
	EVPLVTFA72	18	68 1/4	2 7/8	
	EVPLVTFA78	19	74 1/4	2 7/8	
	EVPLVTFA84	19	80 1/4	2 7/8	
	EVPLVTFA90	20	86 1/4	2 7/8	

**EVPTTA - PANEL TOP TRIM - ALUMINUM**

- This trim can span an Inline Connector, but not a Post Connector.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Panel Top Trim - Aluminum				
	EVPTTA18	8	18	2 7/8	
	EVPTTA24	12	24	2 7/8	
	EVPTTA30	17	30	2 7/8	
	EVPTTA36	19	36	2 7/8	
	EVPTTA42	23	42	2 7/8	
	EVPTTA48	29	48	2 7/8	
	EVPTTA54	33	54	2 7/8	
	EVPTTA60	37	60	2 7/8	
	EVPTTA66	41	66	2 7/8	
	EVPTTA72	46	72	2 7/8	
	EVPTTA78	50	78	2 7/8	
	EVPTTA84	55	84	2 7/8	
	EVPTTA90	59	90	2 7/8	
	EVPTTA96	64	96	2 7/8	


**EVPTNTA - PANEL TOP SINGLE NOTCHED TRIM - ALUMINUM**

- Used when connecting a lower Panel to a higher Panel
- This trim can span an Inline Connector, but not a Post Connector.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Panel Top Singled Notched Trim - Aluminum				
	EVPTNTA18	10	18	2 7/8	
	EVPTNTA24	14	24	2 7/8	
	EVPTNTA30	17	30	2 7/8	
	EVPTNTA36	19	36	2 7/8	
	EVPTNTA42	22	42	2 7/8	
	EVPTNTA48	30	48	2 7/8	
	EVPTNTA54	34	54	2 7/8	
	EVPTNTA60	39	60	2 7/8	
	EVPTNTA66	42	66	2 7/8	
	EVPTNTA72	46	72	2 7/8	
	EVPTNTA78	49	78	2 7/8	
	EVPTNTA84	53	84	2 7/8	
	EVPTNTA90	56	90	2 7/8	
	EVPTNTA96	59	96	2 7/8	

**EVPTDNTA - PANEL TOP DOUBLE NOTCHED TRIM - ALUMINUM**

- Used when connecting a lower Panel to a higher Panel
- This trim can span an Inline Connector, but not a Post Connector.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Panel Top Double Notched Trim - Aluminum				
	EVPTDNTA18	12	18	2 7/8	
	EVPTDNTA24	17	24	2 7/8	
	EVPTDNTA30	19	30	2 7/8	
	EVPTDNTA36	21	36	2 7/8	
	EVPTDNTA42	23	42	2 7/8	
	EVPTDNTA48	31	48	2 7/8	
	EVPTDNTA54	35	54	2 7/8	
	EVPTDNTA60	41	60	2 7/8	
	EVPTDNTA66	45	66	2 7/8	
	EVPTDNTA72	48	72	2 7/8	
	EVPTDNTA78	52	78	2 7/8	
	EVPTDNTA84	55	84	2 7/8	
	EVPTDNTA90	58	90	2 7/8	
	EVPTDNTA96	61	96	2 7/8	

**EVSC12 - SLOT COVER**

- Covers the slots of a slotted connector between modules as well as corner post situation.
- Available in all standard colors (Black, Charcoal Silver, Taupe, Tungsten, White and Nevada)
- Sold per foot. The desired quantity of the slot covers is the required length in feet.
- An easy way to calculate the required length is to sum the length of all inline connectors used in a project (including the posts) and multiply by 2.
- Should be field cut to required length.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Slot Cover	EVSC12	3		



# electrical

## STEP-BY-STEP SPECIFICATION – 8-WIRE ELECTRICAL SYSTEM

- Step 1 **Determine the location of the source power entering the Panel Run.**
1. At the base of the Panel.
    - (a) Use EVE8FR1 Reversible Floor Power Entry (default to EVE8FR1).
    - (b) Select the Panel to which the Floor Power Entry will be attached. This Panel requires an EVEPD Power Distribution Housing.
    - (c) Select the side of the Panel and the receptacle outlet to which the Floor Power Entry is to be attached.
  2. From the ceiling.
    - (a) Use EVE8EC1 Ceiling Power Entry.
    - (b) Select the post through which to feed the Ceiling Power Entry.
    - (c) One Panel adjacent to the selected post requires an EVEPD Power Distribution Housing.
    - (d) Attach Ceiling Power entry to the nearest end of the Power Distribution Housing.
- Step 2 **Determine which Panels are to be powered.**
1. Use EVE8PD Power Distribution Housing that corresponds with the width of the Panel.
- Step 3 **Connect power to the powered Panels.**
1. Use EVE8CP16 Jumper Cable between two adjacent powered Panels, separated by an Inline Connector.
  2. Use EVE8CP20 Jumper Cable between two adjacent powered Panels separated by a post.
  3. Use EVE8CP Pass-Through Cables to connect powered Panels that are separated by one or more non-powered Panels (maximum distance between the powered Panels is 16 feet).
    - (a) The length of the Pass-Through Cable is calculated by adding together the widths of the non-powered Panels (that separate the two powered Panels) and applying an additional 16" to the total. (EVEPD Power Distribution Housing is positioned 8" from the ends of the powered Panel.) (b) An additional 3" must be added to the Pass-Through Cable for each post that the cable passes through.
  4. From the price list, select the EVE8CP Pass-Through Cable that matches the calculated length. If the length is between listed sizes, use the next size up.
- Step 4 **Determine the location and circuitry of the receptacles.**
1. Each powered Panel has four (4) potential locations for EVE8RD Duplex Receptacles – 2 per side. (Exception: 24" wide Panel has only two potential locations – 1 per side, 18" wide Panel has no locations for receptacles.)
  2. At each receptacle location there is a choice of four circuit options. Select a circuit option for each location. Circuits one & two are utility circuits; circuits A & B are dedicated circuits.

**EVOLVE'S MODIFIED 8-WIRE ELECTRICAL SYSTEM**

Evolve has modified its 8-Wire Electrical System to stay abreast of changing industry standards.

Evolve's electrical system allows for the integration of the commonly required "2+2" configuration (2 utility circuits, 2 dedicated circuits) found in the source power of most of today's North American buildings.

**This system is rated for connection to:**

1. A grounded 120/240V, single phase, 20 A, 60Hz
2. A 120/208V, 3 phase, 20 A, 60Hz branch circuit

**EQUIPMENT AMPERAGE**

Calculator .....	0.25
Electric Eraser .....	0.50
Pencil Sharpener .....	1.00
Radio .....	0.05
Paper Shredder .....	4.40 - 13.00
Electric Typewriter .....	1.20

Personal Computer .....	2.00 - 4.00
Video Display Terminal .....	.08
Draft / Letter Quality Printer .....	1.20 - 3.00
Laser Printer .....	5.00 - 8.00
Processor / Disk Unit .....	1.00 - 10.00
Desk Top Plotter .....	1.50

Some equipment, such as large copiers, printers, plotters, heaters and coffee makers may occupy most of the circuit capacity. It is recommended that such devices be supplied with the power directly from the wall or building receptacle.

**Data/Comm**

Evolve's duplex receptacle openings will now conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38 +/- .035 x 2.71 +/- .04. There will no longer be the need to use adapter plates to reduce the size of Evolve's raceway opening, or to use Evolve dedicated data plates for data/comm terminations.



**Transition**

A transition cable is available to connect the previous electrical system prior to April 1, 2005 to the current system when adding Panels to an existing installation. Also, new raceway covers with the smaller openings can be provided and applied to existing Panels when retrofitted with new electrics.

Fan.....	1.00
Heater.....	8.50 - 12.50
Coffee Pot.....	.15.00
Task Light .....	1.00
Slide Projector.....	2.00 - 6.00



## WIRING SCHEMATIC



## DEFINING "2 + 2" WIRING CONFIGURATIONS

**2 + 2 Configuration (8 wire, 4 circuit)**

Two Utility Circuits [Evolve's #1 & #2 circuits] share one neutral wire and one ground wire.  
(2 hot [circuit] wires + 1 neutral wire\*\*\* + 1 green ground wire\* = 4 wires)

Two Dedicated Circuits [Evolve's "A" & "B" circuits] share one neutral wire and one ground wire.  
(2 hot [circuit] wires + 1 neutral wire \*\*\* + 1 green/yellow ground wire\*\* = 4 wires)

**NOTE:**

It is the ground wire that makes the difference between "Utility" and "Dedicated" circuits. Refer to Wiring Schematics found in the Price List.

\* A Green ground wire is a "system" ground. This means it could be grounded to any piece of metal, including the Panel.

\*\* A Green/Yellow ground wire is isolated, within the wiring conduit, all the way back to the box at the source (building ground).


\*\*\* All Neutral Wires are 10 gauge rather than 12 gauge meaning they are larger than normal, allowing greater protection against "noise" or interference on the circuit.



This page provides an exploded view of a sample configuration highlighting each **Electrical** component required when specifying this configuration.

#### Components

- A. EVE8PD42 Power Distribution Housing  
Note: 8 wire, 4 circuits (3rd/4th circuits dedicated) labeled A or B.
- B. EVE8CP16 Jumper Cable  
Note: EVE8CP16 connects two powered panels positioned side by side, separated by an Inline Connector  
EVE8CP20 connects two powered panels separated by a post.
- C. EVE8RD Duplex Receptacle
- D. EVE8CP Pass-Through Cable  
Note: Pass-Through Extension Cable (EVE8CPF154) available – extends power capability beyond 208".



This page provides an exploded view of a sample configuration highlighting each **Beltline Power Panel** component required when specifying this configuration.

**A. EVE8PD36**

Power Distribution Housing

Note: 8 wire, 4 circuits (3rd/4th circuits dedicated) labeled A or B.

**B. EVE8CP16**

Jumper Cable

Note: EVE8CP16 connects two powered panels positioned side by side, separated by an Inline Connector

**C. EVE8RD**

Duplex Receptacle

**D. EVE8CP**

Pass-Through Cable

Note: Pass-Through Extension Cable (EVE8CPF154) available – extends power capability beyond 208".

**E. EVE8CP20**


Jumper Cable

Note: EVE8CP20 connects two powered panels separated by a post.

**F. EVE8CPCK**

Base to Belt Pass Through Kit


Note: For use in Chimney Panels only.



# ELECTRICAL


## EVE8PD - POWER DISTRIBUTION HOUSING

- Power housing is specified per panel size (e.g. EVE8PD36 is for use in a 36" panel).
- 8 wire, 4 circuits (2+2 configuration).
- Provides two duplex receptacles per panel side on all panel widths except the 24" wide panel.
- 24" wide panel allows for only one (1) duplex receptacle per panel side.
- Each power distribution housing supports 15-20 amps.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Power Distribution Housing				
	EVE8PD24	109	6 1/4		
	EVE8PD30	147	11 1/2		
	EVE8PD36	155	17 1/2		
	EVE8PD42	158	23 1/2		
	EVE8PD48	170	29 1/2		
	EVE8PD54	171	39 1/4		
	EVE8PD60	172	41 1/2		


## EVE8CP - JUMPER CABLE

- The EVE8CP16 electrically connects two powered panels positioned side by side, separated by an Inline connector
- The EVE8CP20 electrically connects two powered panels separated by a post.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Jumper Cable				
	EVE8CP16	90	16		
	EVE8CP20	105	20		


## EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT

- Contains two (2) 17" flexible harnesses and one (1) "I" connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Chimney Panel Jumper Cable Kit	EVE8CPCP	229		

## EVE8CP17 - FLEXIBLE MESH JUMPER CABLE

- One (1) 17.5" flexible harness
- Used to connect two power distribution housings at the beltline level at 90 degrees.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Flexible Mesh Jumper Cable	EVE8CP17	83		



# ELECTRICAL


## EVE8CP - PASS-THROUGH CABLE

- Flexible metal conduit is used to distribute electrical power through non-powered panels.
- To calculate the length of a Pass-Through Cable, add the widths of the non-powered panels separating the powered panels (panels with distribution housing attached). To this, add 16" (distance from the edge of the panel to the distribution housing x 2).
- Add additional 3" when passing through a post. See the Tips at the beginning of the section for more details.
- Pass-Through Extension Cable connects to the end of a Pass-Through Cable to extend power capability beyond 208".

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Pass-Through Cable				
	EVE8CP28	111	28 1/2		
	EVE8CP40	117	40 1/2		
	EVE8CP46	121	46 1/2		
	EVE8CP52	125	52 1/2		
	EVE8CP58	132	58 1/2		
	EVE8CP64	138	64 1/2		
	EVE8CP70	142	70 1/2		
	EVE8CP76	144	76 1/2		
	EVE8CP82	150	82 1/2		
	EVE8CP88	155	88 1/2		
	EVE8CP94	159	94 1/2		
	EVE8CP100	164	100 1/2		
	EVE8CP106	172	106 1/2		
	EVE8CP118	180	118 1/2		
	EVE8CP130	198	130 1/2		
	EVE8CP142	207	142 1/2		
	EVE8CP154	217	154 1/2		
	EVE8CP172	233	172 1/2		
	EVE8CP190	245	190 1/2		
	EVE8CP208	253	208 1/2		
Pass-Through Extension Cable	EVE8CP154	217	154 1/2		

## EVE8CI-1 - "I" CONNECTOR

- Female - Female connector used to connect two Pass-Through Cables


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	"I" Connector	EVE8CI-1	62		

## EVE8RD - DUPLEX RECEPTACLE

- Duplex receptacles are rated for 15 Amps.
- EVE8RD1 = Circuit #1 (utility circuit)
- EVE8RD2 = Circuit #2 (utility circuit)
- EVE8RDA = Circuit A (dedicated)
- EVE8RDB = Circuit B (dedicated)

### NOTE:

- EVE8RD1 and EVE8RD2 (#1 and #2 share common ground)
- EVE8RDA and EVE8RDB (A and B share common ground)
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.
- Standard in black. Available in White or Nevada with upcharge, add \$3.00.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Duplex Receptacle				
	EVE8RD1	23	2	4 5/8	1 1/4
	EVE8RD2	23	2	4 5/8	1 1/4
	EVE8RDA	23	2	4 5/8	1 1/4
	EVE8RDB	23	2	4 5/8	1 1/4



# ELECTRICAL


## EVE8FR1 - REVERSIBLE FLOOR POWER ENTRY

- Takes the place of a duplex receptacle by snapping into the base power way or Beltline power way.
- Includes 72" long flexible vinyl conduit.
- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Reversible Floor Power Entry	EVE8FR1	246	72	
	Reversible Floor Power Entry	EVE8FR2	318	144	


## EVE8EC - CEILING POWER ENTRY

- Snaps into the end of a Power Distribution Housing.
- Flexible metal conduit extends into the ceiling through a corner post and post extension.
- Must be hard wired to source power by a licensed electrician.
- 4" junction box included.
- Post extension ordered separately
- Can feed directly into beltline power when Beltline Post Connectors are specified.
- Cannot feed through Inline or End-of-run Connectors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Ceiling Power Entry	EVE8EC1 EVE8EC2 EVE8EC3	190 333 376	132 144 180	

## EVEENY-2 - HARDWARE POWER ENTRY BOX - NEW YORK

- A licensed electrician must provide hard wire connection within the junction box.
- Not for use in panels less than 36"W.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Hardware Power Entry Box - New York	EVEENY2	315	3	28




# ELECTRICAL

## EVEJBC-1 - HARDWARE JUNCTION BOX - CHICAGO

- Can be retrofitted in any size of panel at the receptacle location.
- Gives access from one side only at each location.
- Customer to supply conduit, wiring, receptacle, and face plate.
- 2 per panel, except 24" panels only one is needed.


### NOTE

- A licensed electrician must provide hardware connection with the junction box.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Hardware Junction Box - Chicago	EVEJBC-1	70		

## EVDPE - POST EXTENSION DATA/COMM LAY-IN

- Attaches to the top of a post to bring power and/or data cables from the ceiling to the panel power way
- Three-sided power pole with snap-on fourth side.
- Post extension can be opened on one side for lay-in or power and/or data cables.
- Made of aluminum and can be field cut.
- Accommodates up to 25CAT 5 Cables with electric. Accommodates up to 45 CAT 5 Cables without electric.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Post Extension Data/Comm Lay-in	EVDPE64 EVDPE84	121 147	64 84	2 7/8 2 7/8

## EVDP6E - 60° POST EXTENSION DATA/COMM LAY-IN

- Attaches to the top of a 60° corner post to bring power and/or data cables from the ceiling to the panel power way.
- Two-sided power pole with snap-on third side.
- Post extension can be opened on one side for lay-in or power and/or data cables.
- Made of aluminum and can be field cut.
- Accommodates up to 6 CAT 5 Cables with electric. Accommodates up to 20 CAT 5 Cables without electric.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	60° Post Extension Data/Comm Lay-in	EVDP6E64 EVDP6E84	121 147	64 84	2 2



# ELECTRICAL


## EVDP4E - 45° POST EXTENSION DATA/COMM LAY-IN

- Attaches to the top of at 45° corner post to bring power and/or data cables from the ceiling to the panel power way.
- Two-sided power pole with snap-on third side.
- Post extension can be opened on one side for lay-in or power and/or data cables.
- Made of aluminum and can be field cut.
- Accommodates up to 6 CAT 5 Cables with electric. Accommodates up to 20 CAT 5 Cables without electric.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	45° Post Extension Data/Comm Lay-in	EVDP4E64 EVDP4E84	127 169	64 84	3.65 3.65


## EVET5L - UNDER STORAGE LOW WATTAGE TASK LIGHT FOR ENVIRONMENTALLY FRIENDLY BENEFITS

- Task light must be at least 6" shorter than storage component to which it is attached.
- T5 rapid start fluorescent lamps
- Uses low wattage for energy efficient illumination
- Meets Chicago and NY electrical codes
- Electronic ballast
- Miniature rocker switch, positive position rocker
- 7 ft. black cord on all under storage models except 48". 48" models come with a 9 ft. cord.
- Available in black only
- Cannot be attached to Evolve 1600 Series Overhead Storage bins, without screws (not supplied).

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Under Storage Low Wattage Task Light for Environmentally Friendly Benefits	EVET5L18 EVET5L24 EVET5L36 EVET5L48	136 143 153 171	1 1/4 1 1/4 1 1/4 1 1/4	19 1/5 24 36 48
					4 1/4 4 1/4 4 1/4 4 1/4

## EVETL - UNDER STORAGE TASK LIGHT

- Task light must be at least 6" shorter than storage component to which it is attached.
- SP41 Rapid Start T8 lamp.
- Normal power factor ballast.
- 7 ft. black cord on all under storage models except 48". 48" models come with a 9 ft. cord.
- Available in black only.
- Cannot be attached to Evolve 1600 Series Overhead Storage bins, without screws (not supplied).


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Under Storage Task Light	EVETL18 EVETL24 EVETL36 EVETL48	194 211 231 247		19 1/2 24 36 48



# ELECTRICAL

## EVTLPM - PANEL MOUNTED TASK LIGHT

- Designed to provide high-quality illumination for the work area without having to purchase a shelf or overhead.
- Features energy efficient T-5 lamp and electronic ballast.
- Can be mounted to any panel of same size or smaller and can be mounted off-module.
- Includes sliding panel mount brackets and 9' cord.
- Available in Black (BLK) only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Panel Mounted Task Light	EVTLPM36	617	1 1/4	36	6 1/4
	EVTLPM42	649	1 1/4	42	6 1/4
	EVTLPM48	682	1 1/4	48	6 1/4

## EVGDLB- LED TASK LIGHTS

- Single Shadow™ Single or Dual Arm LED Task Light. Eliminates multiple shadows common to LED lamps. Contributes to LEED Energy and Atmosphere credit.
- 8.6 watts power consumption
- Post-consumer content used in aluminum components and in packaging materials.
- 50,000 hour life span
- Color temperature: 3800K
- UL listed 120V, 60Hz transformer
- Desk clamp and 7' black cord included
- Available in Tungsten (TUN) only
- Includes a worksurface clamp mount - an anodized aluminum bracket that secures the LED Task Light to the edge of a worksurface (available in Tungsten (TUN) only).

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVGDLB1100	509	30	7	7
	EVGDLB1200	521	52	7	7

## EVGDLBB - ROUND FREESTANDING BASE FOR LED TASK LIGHTS

- Freestanding 8" base supports the LED Task Light (EVGDLB1100, EVGDLB1200).
- Available in Tungsten (TUN) only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVGDLBB1030	145			
Round Freestanding Base for LED Task Lights					



# ELECTRICAL

## EVGDLBRC - ACCESSORY RAIL CLAMP FOR LED TASK LIGHTS

- Recommended for Single Arm only (EVGDLB1100).
- Available in Tungsten (TUN) only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVGDLBRC	90			


## EVTPM01 - TASK LIGHT PANEL BRACKET FOR LED TASK LIGHTS

- Bracket secures LED Task Light (EVGDLB1100) to the vertical slots of Evolve panels.
- All hardware included.
- Available in Black (BLK) only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVTPM01	94	3.3	1.5	2.3


## EVLEDLS - LED UNDER SHELF TASK LIGHT

- Anodized aluminum LED Under Shelf Light Strip. Contributes to LEED Energy and Atmosphere credit.
- Linear array LED technology
- Slim design with concealed magnetic mount
- Non-handed toggle switch location
- 4, 7, 10 & 11 watts power consumption per light
- 50,000 hour average life span
- Color temperature: 3300K
- Post-consumer content used in packaging and aluminum components
- Add choice of power supply (see below)
- Daisy chain up to three lights (requires daisy chain power supply - see below)
- UL listed 120V, 60Hz transformer
- Can attach to either metal or wood (wood screws) storage unit

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVLEDLS16	318	1	16	1
	EVLEDLS26	337	1	26	1
	EVLEDLS32	357	1	32	1
	EVLEDLS36	389	1	36	1

## EVL-SPS - SINGLE LIGHT POWER SUPPLY

- For use with EVLEDLS - LED Under Shelf Task Lights.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVL-SPS	68			



# ELECTRICAL

## EVL-DCPS - DAISY CHAIN POWER SUPPLY

- For use with EVLEDLS - LED Under Shelf Task Lights.
- Daisy chain up to three lights.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Daisy Chain Power Supply  	EVL-DCPS	139			

## EVECC - CORD COVER

- Attaches to panels vertically between modules to provide enclosures for power or data cords.
- Available in 21" and 36" lengths, 6 per pack.
- Can be field cut to required length.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Inline Cord Cover For use at panel Inline connections	EVECC121 EVECC136	22 33	21	36	
Corner Cord Cover For use at panel Inline connections	EVECC221 EVECC236	22 33	21	36	

## EVEMAE - MINI-ADAPT POWER MODULE

- Attaches to scoop at the back of the worksurface.
- Includes two Simplex outlets.
- 6' black cord
- Available in black only.
- Note: Height (H) is measured above the worksurface.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Mini-Adapt Power Module	EVEMAE1	156	2	3 5/8	3

## EVEMAD - MINI-ADAPT POWER MODULE

- Attaches to scoop at the back of the worksurface.
- Includes two Voice/Data Port, Voice/Data Adapter Kit.
- Accepts Cat3, Cat 5, Cat 5e, Cat 6 jacks.
- Available in black only.
- Note: Height (H) is measured above the worksurface.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Mini-Adapt Power Module	EVEMAD1	126	2	3 5/8	3



# ELECTRICAL


## EVEA - DESKTOP DATA/POWER RECEPTACLE

- Accessory Data/Power House
- Attaches to scoop at the back of a worksurface.
- Includes 2 Simplexes, 2 Voice/Data Ports Voice/Data Adapter Kit, 6' Power Cord
- Available in black only.
- Voice/Data jacks & cable not included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVEA54	285	2.63	7 1/2	3


## EVEA - ADAPT POWER/DATA MODULE

- Attaches to scoop at the back of a worksurface.
- Includes two Simplexes, two Voice/Data Ports, Voice/Data Adapter Kit, 6' Power Cord.
- Available in black polycarbonate only.
- Height (H) is measured above the worksurface

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVEA44	265	2	3 5/8	3

## EVH8RC - RACEWAY COVERS

- Raceway Cover with 1.38" x 2.71" duplex receptacle openings.
- Includes 2 receptacle opening shields.
- Raceway Covers are sold individually.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Raceway Covers				
	EVH8RC18	14	6	18	
	EVH8RC24	23	6	24	
	EVH8RC30	31	6	30	
	EVH8RC36	35	6	36	
	EVH8RC42	39	6	42	
	EVH8RC48	43	6	48	
	EVH8RC54	50	6	54	
	EVH8RC60	55	6	60	



# worksurfaces

**THE INFORMATION LISTED BELOW PROVIDES YOU WITH BASIC FEATURES OF EVOLVE WORKSURFACES.**


- Evolve thermally fused worksurfaces are 1" thick, high pressure is 1 1/16" and 1 7/16" thick. These are finished with 3 mm PVC edging on all sides.
- Standard laminate offerings are available in thermally-fused (TF) and most high pressure laminates (HP). See laminate listings for details.
- Wood grain laminates on corner worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used.
- To avoid unsatisfactory results in laminate application when attaching two corner surfaces side by side, select "WG" surfaces for matching grain.
- Some wood grain laminate worksurfaces will have matching wood grain PVC trim unless specified otherwise.
- The depth of the worksurface scoops are 1 1/8" when measured from the panel the worksurface is attached to.




- All worksurfaces have threaded inserts for metal-to-metal connection for support hardware.
- All worksurfaces require support hardware. These are priced separately within this section.
- Communication and electrical wires are routed through a cable scoop located at the back of the worksurface. Depending on the specific surface, note that the number of cable scoops depends upon the width of the worksurface. All worksurface shapes have at least one scoop on the Panel edge.
- A 3/8" separation between the back of the worksurfaces and panels allows for cables to be moved to the panel seams and concealed by wire managers.
- Note: Wood veneer options for worksurfaces are available at an upcharge and with an extended lead time. Contact Evolve Customer Support for details.
- Tungsten (TUN) and Designer White (DWT) trim available at no charge.
- Note the following abbreviations:

**TF = Thermally-Fused Laminate; (1") HP = High-Pressure Laminate (1 1/16"); HPW = High-Pressure Laminate (1 7/16"); WG = Wood Grain**


**One Scoop EVWS 24"- 48"**




**Two Scoops EVWS 54" - 72"**



**One Scoop EVWVL 24" - 48"**




**Two Scoops EVWVL 54" - 72"**



This page provides a three dimensional view of a sample configuration highlighting each **Worksurface** component required when specifying this configuration.


#### Components

- A.** EVVWL2436 Curvilinear Worksurface – Left  
Note: When deepest end equals 24", opposite depth is 18"  
When deepest end equals 30", opposite depth is 24"
- B.** EVWCC3618 Corner Curved Worksurface
- C.** EVWVR2436 Curvilinear Worksurface – Right
- D.** EVWTEV1536 End Transaction Surface with Cut-out




# WORKSURFACES


# GRAIN DIRECTION




EVWS Worksurfaces




EVWVR Worksurfaces




EVWCC Worksurfaces




EVWCCxxxWG Worksurfaces




EVWCK Worksurfaces




EVWCKxxxxWG Worksurfaces




EVWCF Worksurfaces




EVWCFxxxxWG Worksurfaces




EVWCE Worksurfaces




EVWC4C Worksurfaces




EVWC4K Worksurfaces




EVWC6C Worksurfaces




EVWC6K Worksurfaces




EVWL Worksurfaces




EVWHL Worksurfaces




EVWBTL/R Worksurfaces




EVWD Worksurfaces




EVWSWL/R Worksurfaces




EVWP Worksurfaces




EVWPL/R Worksurfaces




EVWQR and EVWQRC  
Worksurfaces




EVWR Worksurfaces




EVWT, EVWTV, EVWTW, EVWTEV,  
EVWTD, EVWTDV, EVWTDD  
Worksurfaces




EVWTCLxxxxWG Worksurfaces



EVWTC Worksurfaces



EVW4T Worksurface



EVW6T Worksurfaces



# WORKSURFACES

## **EVWS - STRAIGHT WORKSURFACE**

- Support hardware must be ordered separately. See listing in this section of the price book.


DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
 Straight Worksurface - 18" Deep	EWWS1824 EWWS1830 EWWS1836 EWWS1842 EWWS1848 EWWS1854 EWWS1860 EWWS1866 EWWS1872 EWWS1878 EWWS1884 EWWS1890 EWWS1896	96 102 116 151 182 213 239 251 261 371 399 428 456	132 142 159 211 252 298 332 347 362 562 606 649 692	198 213 239 317 379 447 499 521 542 843 909 974 1038	18 18 18 18 18 18 18 18 18 18 18 18 18	24 30 36 42 48 54 60 66 72 78 84 90 96
Straight Worksurface - 24" Deep	EWWS2424 EWWS2430 EWWS2436 EWWS2442 EWWS2448 EWWS2454 EWWS2460 EWWS2466 EWWS2472 EWWS2478 EWWS2484 EWWS2490 EWWS2496	98 105 119 153 184 216 242 253 264 425 429 428 456	134 144 163 213 256 300 334 350 364 545 553 649 692	201 216 243 320 385 450 502 525 545 818 829 974 1038	24 24 24 24 24 24 24 24 24 24 24 24 24	24 30 30 42 48 54 60 66 72 78 84 90 96
Straight Worksurface - 30" Deep	EWWS3024 EWWS3030 EWWS3036 EWWS3042 EWWS3048 EWWS3054 EWWS3060 EWWS3066 EWWS3072 EWWS3078 EWWS3084 EWWS3090 EWWS3096	116 123 146 205 216 237 253 263 278 529 537 534 570	158 172 200 282 300 327 350 364 386 684 689 812 865	237 259 301 424 450 490 525 545 580 1025 1034 1218 1298	30 30 30 30 30 30 30 30 30 30 30 30 30	24 30 36 42 48 54 60 66 72 78 84 90 96



# WORKSURFACES

## EVWSP - STRAIGHT WORKSURFACE TO SPAN-A-POST

- Support hardware must be ordered separately. See listing in this section of the price book.



DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES		
			HP	HPW	D	W	
	Straight Worksurface to Span-a-Post - 18" Deep	EWWSP1827 EWWSP1833 EWWSP1839 EWWSP1845 EWWSP1851 EWWSP1857 EWWSP1863 EWWSP1869 EWWSP1869 EWWSP1875 EWWSP1881 EWWSP1887	114 102 150 182 214 239 251 261 366 278 373	173 142 228 260 298 332 347 362 470 422 478	260 213 342 390 447 498 521 543 705 633 478	18 18 18 18 18 18 18 18 18 18 18	27 33 39 45 51 57 63 69 81 75 87
Straight Worksurface to Span-a-Post - 24" Deep	EWWSP2427 EWWSP2433 EWWSP2439 EWWSP2445 EWWSP2451 EWWSP2457 EWWSP2463 EWWSP2469 EWWSP2475 EWWSP2481 EWWSP2487	143 171 200 228 257 285 314 342 425 429 436	216 260 303 346 389 433 476 519 562 606 649	324 390 455 519 584 650 714 779 843 909 436	24 24 24 24 24 24 24 24 24 24 24	27 33 39 42 48 57 63 69 75 81 84	
Straight Worksurface to Span-a-Post - 30" Deep	EWWSP3027 EWWSP3033 EWWSP3039 EWWSP3045 EWWSP3051 EWWSP3057 EWWSP3063 EWWSP3069 EWWSP3075 EWWSP3081 EWWSP3087	178 214 249 285 321 356 392 428 529 537 564	271 324 379 433 487 541 595 649 703 718 812	407 486 569 650 731 812 893 974 1055 1077 1218	30 30 30 30 30 30 30 30 30 30 30	27 33 39 45 48 57 63 69 75 81 87	



# WORKSURFACES



## EVWVL - CURVILINEAR WORKSURFACE - LEFT

- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24".
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
	Curvilinear Worksurface - 24" Deep	EVWVL2424	127	175	263	24 24
		EVWVL2430	132	181	273	24 30
		EVWVL2436	158	219	330	24 36
		EVWVL2442	184	256	385	24 42
		EVWVL2448	211	293	438	24 48
		EVWVL2454	237	327	490	24 54
		EVWVL2460	257	364	545	24 60
		EVWVL2466	284	399	599	24 66
		EVWVL2472	305	437	655	24 72
		EVWVL2478	425	545	818	24 78
		EVWVL2484	429	553	829	24 84
	Curvilinear Worksurface - 30" Deep	EVWVL3024	132	181	273	30 24
		EVWVL3030	139	190	284	30 30
		EVWVL3036	166	234	350	30 36
		EVWVL3042	227	314	471	30 42
		EVWVL3048	237	327	490	30 48
		EVWVL3054	263	364	545	30 54
		EVWVL3060	284	399	599	30 60
		EVWVL3066	305	437	655	30 66
		EVWVL3072	324	472	708	30 72
		EVWVL3078	529	684	1025	30 78
		EVWVL3084	537	689	1034	30 84

## EVWVR - CURVILINEAR WORKSURFACE - RIGHT


- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24".
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
	Curvilinear Worksurface - 24" Deep	EVWVR2424	127	175	263	24 24
		EVWVR2430	132	181	273	24 30
		EVWVR2436	158	219	330	24 36
		EVWVR2442	184	256	385	24 42
		EVWVR2448	211	293	438	24 48
		EVWVR2454	237	327	490	24 54
		EVWVR2460	257	364	545	24 60
		EVWVR2466	284	399	599	24 66
		EVWVR2472	305	437	655	24 72
		EVWVR2478	425	545	818	24 78
		EVWVR2484	429	553	829	24 84
	Curvilinear Worksurface - 30" Deep	EVWVR3024	132	181	273	30 24
		EVWVR3030	139	190	284	30 30
		EVWVR3036	166	234	350	30 36
		EVWVR3042	227	314	471	30 42
		EVWVR3048	237	327	490	30 48
		EVWVR3054	263	364	545	30 54
		EVWVR3060	284	399	599	30 60
		EVWVR3066	305	437	655	30 66
		EVWVR3072	324	472	708	30 72
		EVWVR3078	529	684	1025	30 78
		EVWVR3084	537	689	1034	30 84

# WORKSURFACES


## EVWCC - CORNER CURVED WORKSURFACE

- When specifying woodgrain laminate (WG) for corner worksurfaces 42" wide or less, choose from a diagonally run grain for an upcharge or standard application at no upcharge.
- Support hardware must be ordered separately. See listings in this section.

DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES		
			HP	HPW	D	W	
	Corner Curved Worksurface - 36"	EVWCC3618 EVWCC3624 EVWCC3618WG EVWCC3624WG	334 366 373 411	441 485 493 543	662 729 740 815	18 24 18 24	36 36 36 36
	Corner Curved Worksurface - 42"	EVWCC4224 EVWCC4230 EVWCC4224WG EVWCC4230WG	496 539 555 604	656 711 766 796	986 1066 1151 1194	24 30 24 30	42 42 42 42
	Corner Curved Worksurface - 48"	EVWCC4824 EVWCC4830	579 607	752 867	1128 1301	24 30	48 48

## EVWCC - CORNER ASYMMETRICAL WORKSURFACE

- When specifying woodgrain laminate (WG) for corner worksurfaces 42" wide or less, choose from a diagonally run grain for an upcharge or standard application at no upcharge.
- Support hardware must be ordered separately. See listings in this section.


DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES		
			HP	HPW	D1	D2	W
	Corner Worksurface - 36" x 36" x 18" x 24"	EVWCC36361824 EVWCC36362418 EVWCC36361824WG EVWCC36362418WG	371 371 415 415	457 457 512 512	687 687 768 768	18 24 18 24	36 36 36 36
	Corner Worksurface - 36" x 36" x 24" x 30"	EVWCC36362430 EVWCC36363024 EVWCC36362430WG EVWCC36363024WG	401 401 449 449	483 483 541 541	726 726 812 812	24 30 24 30	36 36 36 36
	Corner Worksurface - 42" x 42" x 18" x 24"	EVWCC42421824 EVWCC42422418 EVWCC42421824WG EVWCC42422418WG	507 507 568 568	679 679 761 761	1019 1019 1142 1142	18 24 18 24	42 42 42 42
	Corner Worksurface - 42" x 42" x 24" x 30"	EVWCC42422430 EVWCC42423024 EVWCC42422430WG EVWCC42423024WG	548 548 614 614	847 847 948 948	1271 1271 1421 1421	24 30 24 30	42 42 42 42
	Corner Worksurface - 48" x 48" x 24" x 30"	EVWCC48482430 EVWCC48483024	701 701	963 963	1444 1444	24 30	42 42



# WORKSURFACES


## EVWCK - CORNER KEYBOARD WORKSURFACE

- When specifying woodgrain laminate (WG) for corner worksurfaces 42" wide or less, choose from a diagonally run grain for an upcharge or standard application at no upcharge.
- Support hardware must be ordered separately. See listings in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
	Corner Keyboard Worksurface - 36"	EVWCK3618	340	448	672	18 36
		EVWCK3624	437	558	837	24 36
		EVWCK3618WG	381	502	753	18 36
		EVWCK3624WG	490	625	937	24 36
Corner Keyboard Worksurface - 42"	EVWCK4224	501	665	998	24 42	
	EVWCK4230	571	786	1180	30 42	
	EVWCK4224WG	561	744	1117	24 42	
	EVWCK4230WG	639	881	1320	30 42	
Corner Keyboard Worksurface - 48"	EVWCK4824	611	874	1313	24 48	
	EVWCK4830	680	959	1440	30 48	

## EVWCF - FIVE-SIDED WORKSURFACE


- When specifying woodgrain laminate (WG) for corner worksurfaces 42" wide or less, choose from a diagonally run grain for an upcharge or standard application at no upcharge.
- Support hardware must be ordered separately. See listings in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
	Five-Sided Keyboard Worksurface - 36"	EVWCF3012	231	299	308	12 30
	Five-Sided Keyboard Worksurface - 36"	EVWCF3612	308	396	408	12 30
		EVWCF3618	334	441	662	18 36
		EVWCF3624	366	485	729	24 36
		EVWCF3618WG	373	494	742	18 36
Five-Sided Keyboard Worksurface - 42"	EVWCF3624WG	411	543	815	24 36	
	EVWCF4224	496	656	986	24 42	
	EVWCF4230	539	711	1066	30 42	
	EVWCF4224WG	554	734	1102	24 42	
Five-Sided Keyboard Worksurface - 48"	EVWCF4230WG	604	795	1193	30 42	
	EVWCF4824	579	752	1128	24 48	
	EVWCF4830	607	867	1301	30 48	

# WORKSURFACES

## EVWCEL - EXTENDED CURVED CORNER - LEFT

- There are three cable scoops on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners.


DESCRIPTION	PRODUCT CODE	TF	LIST PRICE			DIMENSIONS/INCHES		
			HP	HPW	D1	D2	W	
	Extended Curved Corner - 36" x 24"	EVWCEL362448 EVWCEL362460 EVWCEL362466 EVWCEL362472 EVWCEL362478 EVWCEL362484	453 494 543 601 642 691	579 633 697 773 825 889	868 951 1046 1159 1238 1334	36 36 36 36 36 36	24 24 24 24 24 24	48 60 66 72 78 84
Extended Curved Corner - 42" x 24"	EVWCEL422460 EVWCEL422466 EVWCEL422472 EVWCEL422478 EVWCEL422484	520 571 632 675 728	666 735 812 867 935	999 1103 1216 1301 1404	42 42 42 42 42	24 24 24 24 24	60 66 72 78 84	
Extended Curved Corner - 42" x 30"	EVWCEL423060 EVWCEL423066 EVWCEL423072 EVWCEL423078 EVWCEL423084	585 642 701 752 801	754 825 901 966 1030	1131 1238 1352 1449 1544	42 42 42 42 42	30 30 30 30 30	60 66 72 78 84	
Extended Curved Corner - 48" x 24"	EVWCEL482460 EVWCEL482466 EVWCEL482472 EVWCEL482478 EVWCEL482484	616 666 715 786 818	762 849 927 990 1050	1144 1274 1391 1485 1574	48 48 48 48 48	24 24 24 24 24	60 66 72 78 84	
Extended Curved Corner - 48" x 30"	EVWCEL483060 EVWCEL483066 EVWCEL483072 EVWCEL483078 EVWCEL483084	651 709 770 827 873	838 915 991 1065 1125	1258 1372 1486 1599 1687	48 48 48 48 48	30 30 30 30 30	60 66 72 78 84	



# WORKSURFACES


## EVWCER - EXTENDED CURVED CORNER - RIGHT

- There are three cable scoops on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price list.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		TF	HP	HPW	D1	D2	W
	EVWCER362448 EVWCER362460 EVWCER362466 EVWCER362472 EVWCER362478 EVWCER362484	453 494 543 601 642 691	579 633 697 773 825 889	868 951 1046 1159 1238 1334	36 36 36 36 36 36	24 24 24 24 24 24	48 60 66 72 78 84
Extended Curved Corner - 42" x 24"	EVWCER422460 EVWCER422466 EVWCER422472 EVWCER422478 EVWCER422484	520 571 632 675 728	666 735 812 867 935	999 1103 1216 1301 1404	42 42 42 42 42	24 24 24 24 24	60 66 72 78 84
Extended Curved Corner - 42" x 30"	EVWCER423060 EVWCER423066 EVWCER423072 EVWCER423078 EVWCER423084	585 642 701 752 801	754 825 901 966 1030	1131 1238 1352 1449 1544	42 42 42 42 42	30 30 30 30 30	60 66 72 78 84
Extended Curved Corner - 48" x 24"	EVWCER482460 EVWCER482466 EVWCER482472 EVWCER482478 EVWCER482484	616 666 715 786 818	762 849 927 990 1050	1144 1274 1391 1485 1574	48 48 48 48 48	24 24 24 24 24	60 66 72 78 84
Extended Curved Corner - 48" x 30"	EVWCER483060 EVWCER483066 EVWCER483072 EVWCER483078 EVWCER483084	651 709 770 827 873	838 915 991 1065 1125	1258 1372 1486 1599 1687	48 48 48 48 48	30 30 30 30 30	60 66 72 78 84

## EVWC4C - CURVED CORNER SURFACE FOR 45° POST

- Support hardware must be ordered separately. See the listing in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
	EVWC4C1824 EVWC4C1830 EVWC4C1836 EVWC4C1842 EVWC4C1848	319 492 701 875 1021	411 633 903 1127 1314	617 951 1355 1690 1971	18 18 18 18 18	24 30 36 42 48
Corner Curved Surface for 45° Post - 24"	EVWC4C2424 EVWC4C2430 EVWC4C2436 EVWC4C2442 EVWC4C2448	383 574 802 875 1149	493 740 1033 1127 1478	740 1109 1550 1690 2219	24 24 24 24 24	24 30 36 42 48
Corner Curved Surface for 45° Post - 30"	EVWC4C3024 EVWC4C3030 EVWC4C3036 EVWC4C3042 EVWC4C3048	446 709 802 984 1276	576 845 1033 1268 1643	863 1268 1550 1901 2465	30 30 30 30 30	24 30 36 42 48

# WORKSURFACES

## EVWC4K - KEYBOARD CORNER SURFACE FOR 45° POST

- Support hardware must be ordered separately. See the listing in this section.

DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES	
			HP	HPW	D	W
Keyboard Curved Surface for 45° Post - 18"	EVWC4K1824	319	411	617	18	24
	EVWC4K1830	492	525	788	18	30
	EVWC4K1836	701	915	1372	18	36
	EVWC4K1842	875	1127	1690	18	42
	EVWC4K1848	1021	1314	1971	18	48
Keyboard Curved Surface for 45° Post - 24"	EVWC4K2424	383	493	740	24	24
	EVWC4K2430	574	740	1109	24	30
	EVWC4K2436	802	1033	1550	24	36
	EVWC4K2442	875	1127	1690	24	42
	EVWC4K2448	1149	1478	2219	24	48
Keyboard Curved Surface for 45° Post - 30"	EVWC4K3024	446	576	863	30	24
	EVWC4K3030	656	845	1268	30	30
	EVWC4K3036	802	1033	1550	30	36
	EVWC4K3042	984	1268	1901	30	42
	EVWC4K3048	1276	1643	2465	30	48

## EVWC6C - CURVED CORNER SURFACE FOR 60° POST

- Support hardware must be ordered separately. See the listing in this section.

DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES	
			HP	HPW	D	W
Curved Curved Surface for 60° Post - 18"	EVWC6C1824	255	340	510	18	24
	EVWC6C1830	400	453	680	18	30
	EVWC6C1836	601	680	1021	18	36
	EVWC6C1842	734	831	1248	18	42
	EVWC6C1848	1001	1134	1703	18	48
Curved Curved Surface for 60° Post - 24"	EVWC6C2424	300	341	512	24	24
	EVWC6C2430	533	605	907	24	30
	EVWC6C2436	601	680	1021	24	36
	EVWC6C2442	918	1039	1559	24	42
	EVWC6C2448	1001	1134	1703	24	48
Curved Curved Surface for 60° Post - 30"	EVWC6C3024	300	341	512	30	24
	EVWC6C3030	533	605	907	30	30
	EVWC6C3036	601	680	1021	30	36
	EVWC6C3042	918	1039	1559	30	42
	EVWC6C3048	1001	1134	1703	30	48

## EVWC6C - CURVED CORNER SURFACE FOR 60° POST

- Support hardware must be ordered separately. See the listing in this section.


DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES	
			HP	HPW	D	W
Keyboard Curved Surface for 60° Post - 18"	EVWC6K1824	250	283	425	18	24
	EVWC6K1830	400	453	680	18	30
	EVWC6K1836	601	680	1021	18	36
	EVWC6K1842	734	831	1248	18	42
	EVWC6K1848	1001	1134	1703	18	48
Keyboard Curved Surface for 60° Post - 24"	EVWC6K2430	533	605	907	24	30
	EVWC6K2436	601	680	1021	24	36
	EVWC6K2442	918	1039	1559	24	42
	EVWC6K2448	1001	1134	1703	24	48
	EVWC6K3030	533	605	907	30	30
Keyboard Curved Surface for 60° Post - 30"	EVWC6K3036	599	797	1196	30	36
	EVWC6K3042	819	1093	1639	30	42
	EVWC6K3048	992	1331	1995	30	48



# WORKSURFACES

## EVWL - "L" WORKSURFACE

- There are three cable scoops on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price list.
- Must be specified either left or right handed.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES	
		TF	HP	HPW	D
	"L" Worksurface	EVWL2472 EVWLR2472	513 513	705 705	1057 1057
					24    72 24    72

Right shown

## EVWBT - 30" TRANSITION WORKSURFACE


- Support hardware must be ordered separately. See the listing in this section of the price list.
- Opposing side of 30" deep (D1) Transition Worksurface has depth of 24" (D2).
- Scoops located on back edge only.
- Must be specified as right or left handed.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		TF	HP	HPW	D1	D2
	Transition Worksurface - Left - 30"	EVWBT3060 EVWBT3066 EVWBT3072	404 445 485	520 572 625	781 858 938	30    24    60 30    24    66 30    24    72
	Transition Worksurface - Right - 30"	EVWBT3060 EVWBT3066 EVWBT3072	404 445 485	520 572 625	781 858 938	30    24    60 30    24    66 30    24    72

Left shown

## EVWBT - 36" TRANSITION WORKSURFACE

- Support hardware must be ordered separately. See the listing in this section of the price list.
- Opposing side of 36" deep (D1) Transition Worksurface has depth of 30" (D2).
- Scoops located on back edge only.
- Must be specified as right or left handed.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		TF	HP	D1	D2	W
	Transition Worksurface - Left - 36"	EVWBT3660 EVWBT3666 EVWBT3672	485 533 582	625 687 750	938 1031 1125	36    30    60 36    30    66 36    30    72
	Transition Worksurface - Right - 36"	EVWBT3660 EVWBT3666 EVWBT3672	485 533 582	625 687 750	938 1031 1125	36    30    60 36    30    66 36    30    72

Left shown

## EVWH - HATCHET WORKSURFACE

- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included
- Must be specified either left or right handed.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		TF	HP	D1	D2	W
Hatchet Worksurface - Left	EVWHL3672	784	1010	1515	36	30    72
Hatchet Worksurface - Right	EVWHR3672	784	1010	1515	36	30    72


Right shown



# WORKSURFACES




## EVWD - "D" WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price list.
- Monoleg is included

DESCRIPTION	PRODUCT CODE	TF	LIST PRICE			DIMENSIONS/INCHES	
			HP	HPW	D	W	
 "D" Worksurface - 24"	EVWD2442	366	510	764	24	42	
	EVWD2448	378	521	782	24	48	
	EVWD2460	396	547	821	24	60	
	EVWD2472	425	589	885	24	72	
 "D" Worksurface - 30"	EVWD3048	403	563	846	30	48	
	EVWD3060	425	589	885	30	60	
	EVWD3072	470	652	979	30	72	


## EVWSW - STRAIGHT WEDGE WORKSURFACES

- There is one scoop on this worksurface.
- Must be specified either left or right handed.
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	LIST PRICE			DIMENSIONS/INCHES	
			HP	HPW	D1	D2	W
 Straight Wedge Worksurface - Left	EVWSW241848	258	331	496	24	18	48
	EVWSW241854	290	373	560	24	18	54
	EVWSW241860	321	415	623	24	18	60
	EVWSW241866	355	456	685	24	18	66
	EVWSW241872	386	499	749	24	18	72
 EVWSW302448	321	415	623	30	24	48	
	EVWSW302454	362	467	699	30	24	54
	EVWSW302460	403	518	778	30	24	60
	EVWSW302466	443	570	856	30	24	66
	EVWSW302472	484	622	933	30	24	72
 Straight Wedge Worksurface - Right	EVWSW182448	258	331	496	18	24	48
	EVWSW182454	290	373	560	18	24	54
	EVWSW182460	321	415	623	18	24	60
	EVWSW182466	355	456	685	18	24	66
	EVWSW182472	386	499	749	18	24	72
 EVWSW243048	321	415	623	24	30	48	
	EVWSW243054	362	467	699	24	30	54
	EVWSW243060	403	518	778	24	30	60
	EVWSW243066	443	570	856	24	30	66
	EVWSW243072	484	622	933	24	30	72

## EVWPTR - "P" TOP - RIGHT

- There is one scoop on this worksurface.
- Must be specified either left or right handed.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Monoleg is included.


DESCRIPTION	PRODUCT CODE	TF	LIST PRICE			DIMENSIONS/INCHES	
			HP	HPW	D1	D2	W
 "P" Top Worksurface - 24"	EVWPTR245430	561	723	1086	24	30	54
	EVWPTR246030	602	762	1144	24	30	60
	EVWPTR246630	630	802	1204	24	30	66
	EVWPTR247230	665	843	1264	24	30	72
 "P" Top Worksurface - 30"	EVWPTL306036	665	837	1256	30	36	60
	EVWPTL306636	718	885	1327	30	36	66
	EVWPTL307236	768	928	1392	30	36	72



# WORKSURFACES


## EVWPTL - "P" TOP - LEFT

- There is one scoop on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Must be specified either left or right handed.
- Monoleg is included.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES			
		TF	HP	HPW	D1	D2	W	
	"P" Top Worksurface - 24"	EVWPTL245430 EVWPTL246030 EVWPTL246630 EVWPTL247230	561 602 630 665	723 762 802 843	1086 1144 1204 1264	24 24 24 24	30 30 30 30	54 60 66 72
	"P" Top Worksurface - 30"	EVWPTL306036 EVWPTL306636 EVWPTL307236	665 718 768	837 885 928	1256 1327 1392	30 30 30	36 36 36	60 66 72

## EVWPL - PIANO TOP - LEFT


- There is one scoop on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Monoleg is included.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES			
		TF	HP	HPW	D1	D2	W	
	Piano Top - Left - 36" x 18"	EVWPL361848 EVWPL361854 EVWPL361860 EVWPL361866 EVWPL361872	509 557 601 647 690	671 711 753 793 833	1006 1066 1129 1190 1249	36 36 36 36 36	18 18 18 18 18	48 54 60 66 72
	Piano Top - Left - 36" x 24"	EVWPL362448 EVWPL362454 EVWPL362460 EVWPL362466 EVWPL362472	513 561 606 652 694	675 715 756 798 837	1012 1073 1134 1197 1256	36 36 36 36 36	24 24 24 24 24	48 54 60 66 72
	Piano Top - Left - 42" x 24"	EVWPL422454 EVWPL422460 EVWPL422466 EVWPL422472	690 732 810 860	771 816 865 908	1158 1224 1298 1363	42 42 42 42	24 24 24 24	54 60 66 72
	Piano Top - Left - 42" x 30"	EVWPL423060 EVWPL423066 EVWPL423072	749 828 877	834 882 929	1251 1323 1394	42 42 42	30 30 30	60 66 72
	Piano Top - Left - 48" x 24"	EVWPL482460 EVWPL482466 EVWPL482472	775 859 910	935 991 1048	1404 1486 1573	48 48 48	24 24 24	60 66 72
	Piano Top - Left - 48" x 30"	EVWPL483066 EVWPL483072	863 915	994 1053	1491 1579	48 48	30 30	66 72

# WORKSURFACES


## EVWPR - PIANO TOP - RIGHT

- There is one scoop on this worksurface.
- Monoleg is included.
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES			
			HP	HPW	D1	D2	W	
	Piano Top - Right - 36" x 18"	EWWPR361848	509	671	1006	36	18	48
		EWWPR361854	557	711	1066	36	18	54
		EWWPR361860	601	753	1129	36	18	60
		EWWPR361866	647	793	1190	36	18	66
		EWWPR361872	690	833	1249	36	18	72
	Piano Top - Right - 36" x 24"	EWWPR362448	513	675	1012	36	24	48
		EWWPR362454	561	715	1073	36	24	54
		EWWPR362460	606	756	1134	36	24	60
		EWWPR362466	652	798	1197	36	24	66
		EWWPR362472	694	837	1256	36	24	72
	Piano Top - Right - 42" x 24"	EWWPR422454	690	771	1158	42	24	54
		EWWPR422460	732	816	1224	42	24	60
		EWWPR422466	810	865	1298	42	24	66
		EWWPR422472	860	908	1363	42	24	72
	Piano Top - Right - 42" x 30"	EWWPR423060	749	834	1251	42	30	60
		EWWPR423066	828	882	1323	42	30	66
		EWWPR423072	877	929	1394	42	30	72
	Piano Top - Right - 48" x 24"	EWWPR482460	775	935	1404	48	24	60
		EWWPR482466	859	991	1486	48	24	66
		EWWPR482472	910	1048	1573	48	24	72
	Piano Top - Right - 48" x 30"	EWWPR483066	863	994	1491	48	30	66
		EWWPR483072	915	1053	1579	48	30	72


## EVWQR - QUARTER ROUND PANEL WORKSURFACE

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- Left hand surface shown.
- The user edge abutting the adjacent worksurface runs straight for 3" before starting to curve.
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES		
			HP	HPW	D	W	
	Quarter Round Panel Worksurface - Left	EWWQRL1818	109	144	216	18	18
		EWWQRL2424	153	204	307	24	24
		EWWQRL3030	202	263	394	30	30
	Quarter Round Panel Worksurface - Right	EWWQRR1818	109	144	216	18	18
		EWWQRR2424	153	204	307	24	24
		EWWQRR3030	202	263	394	30	30

## EVWQRC - QUARTER ROUND PANEL CORNER WORKSURFACE

- Wraps around a 90° corner post.
- The user edge abutting the adjacent worksurface runs straight for 3" before starting to curve.
- Support hardware must be ordered separately. See the listing in this section.


DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES		
			HP	HPW	D	W	
	Quarter Round Panel Corner Worksurface	EWWQRC1818	127	168	252	18	18
		EWWQRC2424	183	241	363	24	24
		EWWQRC3030	226	299	448	30	30



# WORKSURFACES


## EVWR - RADIUS WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price book.
- Monoleg is included.
- Notched end is not finished.
- 18" and 24" come with one monoleg.
- 30" comes with two monolegs.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		TF	HP	HPW	D	W	
	Radius Worksurface	EVWR18 EVWR24 EVWR30	315 365 657	437 507 911	655 761 1366	18 24 30	39 51 63

## EVWKLL - "L" KEYBOARD WORKSURFACE


- Creates wrap around keyboard worksurface.
- For use with flat screen monitor.
- Note: Keyboard mechanism and tray must be specified separately.
- Use 12" cantilever supports on shorter 13" depth
- Support hardware must be ordered separately. See the listing in the section.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		LP	HP	D	W	
	"L" Keyboard Worksurface - Left	EVWKLL3624 EVWKLL4224 EVWKLL4824	170 198 227	226 263 302	24 24 24	36 42 48
	"L" Keyboard Worksurface - Right	EVWKLRL3624 EVWKLRL4224 EVWKLRL4824	170 198 227	226 263 302	24 24 24	36 42 48

Right shown

## EVWIR - "T" ISLAND WORKSURFACE

- Creates efficient two person workstation when combined with "L" Keyboard Worksurface.
- Support hardware must be ordered separately. See the listing in the section.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		LP	HP	D	W	
	"T" Island Worksurface	EVWIR244236 EVWIR244836	396 453	527 602	36 36	42 48



# WORKSURFACES

## EVWSAC - ARC FRONT WORKSURFACE

- Use 12" cantilever supports on shorter 13" depth
- Support hardware must be order separately. See the listing in the section.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			LP	HP	D1	D2	W
Left shown	Arc Front Worksurface - Right	EWSAC122430 EWSAC122436 EWSAC122442 EWSAC122448 EWSAC122454 EWSAC122460	165 195 228 261 294 321	323 277 328 369 414 461	12	24	30
	Arc Front Worksurface - Left	EWSAC241230 EWSAC241236 EWSAC241242 EWSAC241248 EWSAC241254 EWSAC241260	165 195 228 261 294 321	232 277 328 369 414 461	12	24	30
					12	24	36
					12	24	42
					12	24	48
					12	24	54
					12	24	60

## EVWKE - EXTENDED CORNER WORKSURFACE

- Creates efficient two person workstation when combined with "L" Keyboard Worksurface.
- Support hardware must be order separately. See the listing in the section.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES	
			LP	HP	D	W
Left shown	Extended Corner Worksurface - Right	EVWKE663024 EVWKE723024 EVWKE783024	572 624 675	757 827 896	30	66
	Extended Corner Worksurface - Left	EVWKE306624 EVWKE307224 EVWKE307824	572 624 675	757 827 896	30	72
					30	78
					30	66
					30	72
					30	78

## EVWKKR - ANGLE FRONT EDGE WORKSURFACE

- To be used with EVWCF3012 and EVWCF3612 Corner Worksurface.
- Creates an efficient, compact keyboard corner worksurface.
- Use 12" cantilever supports on shorter 12" depth
- For use with flat screen monitor.
- Support hardware must be order separately. See the listing in the section.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			LP	HP	D1	D2	W
Left shown	Angle Front Edge Worksurface - Right	EVWKKR2436 EVWKKR2442 EVWKKR2448	170 198 227	226 263 302	12	24	36
	Angle Front Edge Worksurface - Left	EVWKKL2436 EVWKKL2442 EVWKKL2448	170 198 227	226 263 302	12	24	42
					12	24	48

Left shown



# WORKSURFACES

## EVWT - STRAIGHT TRANSACTION WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES	
			HP	HPW	D	W
	Straight Transaction Worksurface	EVWT1512	43	61	15	12
		EVWT1518	57	78	15	18
		EVWT1524	68	95	15	24
		EVWT1530	82	112	15	30
		EVWT1536	93	129	15	36
		EVWT1542	106	147	15	42
		EVWT1548	120	164	15	48
		EVWT1554	130	180	15	54
		EVWT1560	145	199	15	60
		EVWT1566	156	217	15	66
		EVWT1572	169	234	15	72
		EVWT1578	182	250	15	78
		EVWT1584	193	268	15	84

## EVWTV - STRAIGHT TRANSACTION WORKSURFACE WITH CUT-OUT

- Used when mounted to a panel that has a taller panel against it in a straight run at an inline.
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES	
			HP	HPW	W	D
	Straight Transaction Worksurface with Cut-Out	EVWTV1524	78	102	15	24
		EVWTV1530	88	121	15	30
		EVWTV1536	101	136	15	36
		EVWTV1542	114	155	15	42
		EVWTV1548	127	173	15	48
		EVWTV1554	139	188	15	54
		EVWTV1560	151	201	15	60
		EVWTV1566	166	236	15	66
		EVWTV1572	175	241	15	72

## EVWTCL - "L" CORNER TRANSACTION SURFACE

- When specifying this item along with a straight surface, deduct 12" from each return side.
- Support hardware must be ordered separately. See listing in this section of the price book.


DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES	
			HP	HPW	D	W
	"L" Corner Transaction Surface	EVWTCL90	128	170	15	21



# WORKSURFACES


## EVWTCT - "T" CORNER TRANSACTION SURFACE

- When specifying this item along with a straight surface, deduct 12" from each return side
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
	"T" Corner Transaction Surface	EVWTCT90	113	155	233	15    27


## EVWTE - END TRANSACTION SURFACE

- Extends 1" past end of run.
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
	End Transaction Surface	EVWTE1512	57	78	116	15    14
	EVWTE1518	68	95	143	15	20
	EVWTE1524	82	112	169	15	26
	EVWTE1530	93	129	194	15	32
	EVWTE1536	106	147	220	15	38
	EVWTE1542	120	164	245	15	44
	EVWTE1548	130	180	272	15	50
	EVWTE1554	145	199	299	15	56
	EVWTE1560	156	217	327	15	62
	EVWTE1566	169	234	350	15	68
	EVWTE1572	182	250	375	15	74

## EVWTEV - END TRANSACTION SURFACE WITH CUT-OUT

- Used when mounted to a panel that has a taller panel against it in a straight run at an inline.
- Notched end is not finished.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Extends 1" past end of run


DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
	End Transaction Surface with Cut-Out	EVWTEV1524	88	121	180	15    26
	EVWTEV1530	101	136	204	15	32
	EVWTEV1536	114	155	233	15	38
	EVWTEV1542	127	173	260	15	44
	EVWTEV1548	139	188	282	15	50
	EVWTEV1554	151	208	311	15	56
	EVWTEV1560	166	224	337	15	62
	EVWTEV1566	175	242	364	15	68
	EVWTEV1572	189	260	389	15	74



# WORKSURFACES

## EVWTD - "D" TRANSACTION SURFACE


- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES	
			HP	HPW	D	W
	"D" Transaction Surface					
	EVWTD1530	105	144	216	15	37
	EVWTD1536	113	156	234	15	43
	EVWTD1542	125	173	260	15	49
	EVWTD1548	139	190	284	15	55
	EVWTD1554	150	209	314	15	61
	EVWTD1560	166	228	341	15	67
	EVWTD1566	176	245	369	15	73
	EVWTD1572	192	267	402	15	79

## EVWTDV - END "D" TRANSACTION SURFACE WITH CUT-OUT


- Notched end is not finished.
- Used when mounted to a panel that has a taller panel against it in a straight run at an inline.

- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES	
			HP	HPW	D	W
	End "D" Transaction Surface with Cut-Out					
	EVWTDV1530	113	151	228	15	37
	EVWTDV1536	120	163	243	15	43
	EVWTDV1542	132	179	269	15	49
	EVWTDV1548	146	198	298	15	55
	EVWTDV1554	156	214	321	15	61
	EVWTDV1560	171	235	352	15	67


## EVWTDD - DOUBLE "D" TRANSACTION SURFACE

- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES	
			HP	HPW	D	W
	Double "D" Transaction Surface					
	EVWTDD1548	156	217	327	15	48
	EVWTDD1560	182	250	375	15	60
	EVWTDD1572	211	293	438	15	72

## EVW4T - CORNER TRANSACTION SURFACE FOR 45° POST

- Support hardware must be ordered separately. See listing in this section of the price book.


DESCRIPTION	PRODUCT CODE	TF	LIST PRICE		DIMENSIONS/INCHES	
			HP	HPW	W	D
	Corner Transaction Surface for 45° Post					
	EVW4T1524	438	563	846	15	24
	EVW4T1530	547	705	1057	15	30
	EVW4T1536	765	986	1478	15	36
	EVW4T1542	1021	1314	1971	15	42
	EVW4T1548	1094	1408	2113	15	48



# WORKSURFACES


## EVW6T - CORNER TRANSACTION SURFACE FOR 60° POST

- Support hardware must be ordered separately. See listing in this section of the price book.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Corner Transaction Surface for 60° Post	EVW6T1518 EVW6T1524 EVW6T1530 EVW6T1536 EVW6T1542 EVW6T1548	255 401 523 727 792 1036	338 535 697 970 1057 1383	506 801 1046 1455 1585 2075	15 15 15 15 15 15	18 24 30 36 42 48


## EVW9T - CORNER TRANSACTION SURFACE FOR 90° POST

- Support hardware must be ordered separately. See listing in this section of the price book.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			TF	HP	HPW	D	W
	Corner Transaction Surface for 90° Post - Left	EVW9TL1524 EVW9TL1530 EVW9TL1536 EVW9TL1542 EVW9TL1548	249 299 349 399 449	379 458 530 606 682	569 687 795 909 1023	15 15 15 15 15	24 30 36 42 48
	Corner Transaction Surface for 90° Post - Right	EVW9TR1524 EVW9TR1530 EVW9TR1536 EVW9TR1542 EVW9TR1548	249 299 349 399 449	379 458 530 606 682	569 687 795 909 1023	15 15 15 15 15	24 30 36 42 48


## EVWMP - WORKSURFACE MODESTY PANEL

- Modesty panel fastens to the worksurface and monoleg to provide additional privacy and support
- Made of cold rolled steel
- Metal finish is durable epoxy powder coated.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			D	W			
	Worksurface Modesty Panel	EVWMP1242 EVWMP1260 EVWMP1272	84 100 113			12	32
						12	44
						12	56

## EVHMEGR - METAL END GABLE - RIGHT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.


	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			H	D	W		
	Metal End Gable - Right	EVHMEG18R EVHMEG24R EVHMEG30R	184 195 206	28 28 28	17 23 29	4 4 4	



# WORKSURFACES


## EVHMEGL - METAL END GABLE - LEFT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Metal End Gable - Left				
	EVHMEG18L	184	28	17	4
	EVHMEG24L	195	28	23	4
	EVHMEG30L	206	28	29	4


## EVHMSL - METAL SUPPORT LEG

- Supports two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.
- Flat brackets recommended to ensure alignment of neighboring surface.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Metal Support Leg	163	28	11	4

## EVHC - CANTILEVER FOR KEYBOARD WORKSURFACES

- Attaches a worksurface to a panel connector.
- Used to support two convergent worksurfaces.
- 2 flat brackets are included.
- Priced individually
- Specify handedness of each cantilever
- Available in standard paint colors.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
	Cantilever for Keyboard Worksurfaces			
	EVHC12L/R	72	12	6
	EVHC18L/R	72	18	6
	EVHC24L/R	83	24	6



# WORKSURFACES


## EVHCL - CORNER LEG WITH LEVELER

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- 1.5" diameter
- Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
	Corner Leg Round	EVHCL1	87	28
	Corner Leg Square	EVHCL2	87	28

## EVHML - MONOLEG

- Provides support for a worksurface.
- Includes an adjustable foot and an attachment plate.
- 3" diameter.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
	Monoleg	EVHML1	151	28



## EVHMSL - MID SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
	Mid Support Leg - Round	EVHMSL1	62	28
	Mid Support Leg - Square	EVHMSL2	62	28

## EVWS - 5" SURFACE TO STORGAE SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
	5" Surface to Storgae Support Leg - Round	EVWSR01	36	4.5
	5" Surface to Storgae Support Leg - Square	EVWSSL01	36	4.5

Round


Sqaure



# WORKSURFACES


## EVHCB - CORNER BRACKETS

- Attaches the corner of any worksurface to a panel connector.
- Priced and shipped in pairs.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Corner Brackets	EVHCB2	20	2.5	3.5


## EVHTB - TRANSACTION BRACKETS

- Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Transaction Brackets	EVHTB2	20	2.5	3.5

## EVHFB - FLAT BRACKET

- Must be used in conjunction with cantilevers or transaction brackets to ensure alignment of neighboring surfaces.
- Priced individually
- Available in Black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Flat Bracket	EVHFB1	12	3	4

## EVHPB - PEDESTAL BRACKET

- Attaches to back edge of a pedestal and connects a pedestal to panel connector.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			H	
 Pedestal Bracket	EVHPB1	23	11	



# WORKSURFACES

## EVHWCB1 - WORKSURFACE TO STORAGE BRACKETS

- Bracket connects Worksurface to Storage Towers and eStor as additional support.
- Bracket EVHWCB1 cannot fully support a Worksurface. It is to be used in conjunction with a Cantilever.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Worksurface to Storage Brackets	EVHWCB1	6	1.25	2	2


## EVHV - SINGLE SLOTTED WALL ADAPTER

- To attach system components to a fixed wall. The vertical wall adapter is a "U" shaped channel with a vertical row of 1" slots on center.
- Mounting hardware not included. Mounting hardware selection to be based on wall material.
- Use of wall rack requires lower tooth of top hook on cantilever or shelf to be notched in the field.

- Available in standard paint colors.
- Shipped & priced per pair.


**NOTE:**

- Care should be taken to mount adapters only to wall studs using correct fasteners. Failure to do this may result in collapse of the unit and subsequent possible personal injury.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			H	D
 Single Slotted Wall Track	EVHV01	61	60	.5

## EVSPD2015 - PENCIL DRAWER

- Accommodates writing instruments and small items at the workspace.
- Attaches to underside of a worksurface with drawer slides.
- Available in Black ABS plastic only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Pencil Drawer	EVSPD2015	127	1.5	22.5	17.75



freestanding

<b>LAMINATES – THERMALLY FUSED .....</b>		<b>CODE</b>
Absolute Acajou.....		<b>W150LP</b>
Asian Night .....		<b>794938LP</b>
Avant Cherry*.....		<b>W357LP</b>
Avant Honey*.....		<b>W356LP</b>
Black.....		<b>1595-60LP</b>
Brushed Cobalt.....		<b>BRCLP</b>
Clear Maple*.....		<b>WM8340TL</b>
Constellation Java.....		<b>T823</b>
Custom Grey.....		<b>S548LP</b>
Dark Espresso.....		<b>W142LP</b>
Desert Zephyr.....		<b>4841-60LP</b>
Empire Mahogany+.....		<b>7122T-0K7LP</b>
Grey.....		<b>T551</b>
Grey Matrix .....		<b>MR61TL</b>
Loden Zephyr.....		<b>4844-60LP</b>
Manitoba Maple.....		<b>7911-60LP</b>
Misted Zephyr.....		<b>4843-60LP</b>
Pearl Bisque .....		<b>D485-07LP</b>
Pearl Dust.....		<b>D488-07LP</b>
Pearl Silver.....		<b>D487-07LP</b>
Shaker Cherry.....		<b>7935-0K7LP</b>
Storm Grey .....		<b>T565</b>
Studio White Matrix.....		<b>MR71TL</b>
String.....		<b>S477</b>
Taupe .....		<b>T427</b>
Tiger Fruitwood*.....		<b>T821</b>
Tiger Mahogany*.....		<b>T822</b>
Tiger Maple*.....		<b>T820</b>
Tiger Walnut*.....		<b>T819</b>
Titanium.....		<b>4810-60LP</b>
True White.....		<b>S645LP</b>
Willow Grey .....		<b>T431</b>
Winter Cherry.....		<b>WCRLP</b>
White Chocolate .....		<b>T492LP</b>

Additional paint and laminates may be available.  
Contact Evolve Customer Support for details.

\* Matching Wood Grain PVC edge  
available.

+ For matching purposes Empire Mahogany laminate  
can be coordinated with Global's Quartered Mahogany  
laminate and PVC trim.

<b>PVC EDGE TRIM .....</b>		<b>CODE</b>
Absolute Acajou.....		<b>AAE</b>
Asian Night .....		<b>ASE</b>
Avant Cherry.....		<b>ACE</b>
Avant Honey.....		<b>AHE</b>
Avant Maple.....		<b>AME</b>
Avant Natural.....		<b>ANE</b>
Black.....		<b>BLK</b>
Charcoal .....		<b>CHR</b>
Clear Maple.....		<b>CME</b>
Dark Espresso*.....		<b>DES</b>
Designer White.....		<b>DWT</b>
Nevada .....		<b>NEV</b>
Pearl Dust.....		<b>PDE</b>
Quartered Mahogany .....		<b>QTM</b>

Shaker Cherry.....		<b>SKE</b>
Silver .....		<b>SIL</b>
Taupe.....		<b>TPE</b>
Tiger Fruitwood*.....		<b>TFW</b>
Tiger Mahogany .....		<b>TMA</b>
Tiger Maple*.....		<b>TMP</b>
Tiger Walnut*.....		<b>TWL</b>
Tungsten.....		<b>TUN</b>
White Chocolate .....		<b>CBE</b>

<b>WOOD VENEER WORKSURFACES* .....</b>		<b>CODE</b>
Biscotti .....		<b>VBO</b>
Caramel Bamboo.....		<b>VBM</b>
Cocoa Walnut.....		<b>VCW</b>
Dark Cherry.....		<b>VDC</b>
Espresso Walnut .....		<b>VEW</b>
Hazelnut .....		<b>VHM</b>
Honey Maple .....		<b>VMS</b>
Java .....		<b>VJO</b>
Latte Walnut .....		<b>VLW</b>
Natural Cherry .....		<b>VNC</b>
Natural Maple .....		<b>VMP</b>
Red Cherry .....		<b>VRC</b>
Tuscan Walnut .....		<b>VTW</b>
Walnut .....		<b>VWL</b>
Warm Cherry .....		<b>VWC</b>

All wood veneer worksurfaces are 1.38" thick.

\*Note: Wood veneer options for worksurfaces are available at an up charge and with an extended lead time. Contact Evolve Customer Support for details.

<b>PAINT &amp; FRAME COLORS.....</b>		<b>CODE</b>
(for application to trim, steel components, PVC, vertical and horizontal members)		
Black .....		<b>BLK</b>
Black Coffee* .....		<b>U04</b>
Bone* .....		<b>F29</b>
Business Gray* .....		<b>BGR</b>
Cappuccino* .....		<b>T20</b>
Charcoal .....		<b>CHR</b>
Claret* .....		<b>F09</b>
Cloud* .....		<b>F23</b>
Dark Chocolate* .....		<b>T19</b>
Desert Putty* .....		<b>DPT</b>
Designer White .....		<b>DWT</b>
Grey* .....		<b>GRY</b>
Ice* .....		<b>F33</b>
Ivory* .....		<b>F30</b>
Light Gray* .....		<b>LGR</b>
Metro* .....		<b>F07</b>
Mocha* .....		<b>J52</b>
Moss* .....		<b>F05</b>
Navy* .....		<b>F19</b>
Nevada .....		<b>NEV</b>
Oyster* .....		<b>F35</b>
Silver .....		<b>SIL</b>
Steel .....		<b>STL</b>
Stone* .....		<b>F32</b>
Storm Grey* .....		<b>SGR</b>
Tahiti Sand* .....		<b>TSA</b>

Taupe .....		<b>TPE</b>
Tungsten* .....		<b>TUN</b>
Vanilla* .....		<b>J23</b>
Willow* .....		<b>F28</b>

Additional paint and laminates may be available.  
Contact Evolve Customer Support for details.

\*Tungsten paint is subject to 10% upcharge EXCEPT  
on Worksurfaces, PVC items, or when PVC trim  
components are ordered separately.

\*Premium paint selections are available on the  
following components:

Panels: top trim and frame - 22% upcharge  
Hardware: 22% upcharge  
End-of-run and Post Kits: 22% upcharge  
Accessories: 22% upcharge  
Storage: no upcharge

All special and premium paint orders of 50  
panels or less will incur a \$500 net up charge. Add on  
orders will not have that charge for 90 days after the  
original order has shipped and must have the original  
PO# quoted otherwise they will not qualify for the  
program.

Global matte paint finishes are available on most  
Evolve Storage pieces without an up charge regardless  
of quantities.

All Mica and Metallic paint finishes will incur a  
minimum up charge of 10%.

All non-standard paint finishes must be approved by  
Evolve prior to placing an order.

ADA Overheads are not available in Evolve premium  
color paints. ADA Overheads are available in Evolve  
standard paint colors only.

Custom color matching is available and the applicable  
up charge will be determined at the time of matching.

#### GENERAL WARRANTY INFORMATION

- Tackboard textiles, electrical devices and task  
lights - five (5) Years
- Other parts - Lifetime Warranty






**EVDFSC - FIVE SIDED CORNER CHASSIS**

- Five Sided Corner Chassis with 10" deep end panels for 18" & 24" deep tops and 14" end panels for 30" deep tops.
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.

**NOTE:**

- Add either "H" (half modesty) or "F" (full modesty) to the end of the product code (i.e. EVDFSC3618H).
- Worksurface must be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE				DIMENSIONS/INCHES	
		H	F	D	W	H	
	Five Sided Corner Chassis - 36"	EVDFSC3618 EVDFSC3624	596 596	773 773	18 24	36 36	29 29
	Five Sided Corner Chassis - 42	EVDFSC4224 EVDFSC4230	609 675	809 873	24 30	42 42	29 29
	Five Sided Corner Chassis - 48"	EVDFSC4824 EVDFSC4830	639 705	866 929	24 30	48 48	29 29




**EVDRL - RETURN - LEFT**

- Return Chassis with one full end panel and modesty panel
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.

**NOTE:**

- Add either "H" (half modesty) or "F" (full modesty) to the end of the product code (i.e. EVDRL2436H).
- Worksurface must be ordered separately. Choose from Rectangular or Curved Surfaces.
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		H	F	D	W	H	
	Return - Left - 18"	EVDRL1824 EVDRL1830 EVDRL1836 EVDRL1842 EVDRL1848 EVDRL1854 EVDRL1860 EVDRL1866 EVDRL1872	249 260 273 285 327 337 354 362 379	317 338 361 382 434 449 484 497 524	18 18 18 18 18 18 18 18 18	24 30 36 42 48 54 60 66 72	29 29 29 29 29 29 29 29 29
	Return - Left - 24"	EVDRL2424 EVDRL2430 EVDRL2436 EVDRL2442 EVDRL2448 EVDRL2454 EVDRL2460 EVDRL2466 EVDRL2472	256 266 281 293 333 343 362 369 386	325 343 368 390 440 456 492 505 533	24 24 24 24 24 24 24 24 24	24 30 36 42 48 54 60 66 72	29 29 29 29 29 29 29 29 29
	Return - Left - 30"	EVDRL3024 EVDRL3030 EVDRL3036 EVDRL3042 EVDRL3048 EVDRL3054 EVDRL3060 EVDRL3066 EVDRL3072	279 286 302 314 353 363 381 389 408	344 364 302 412 460 477 514 525 553	30 30 30 30 30 30 30 30 30	24 30 36 42 48 54 60 66 72	29 29 29 29 29 29 29 29 29






**EVDRR - RETURN - RIGHT**

- Return Chassis with one full end panel and modesty panel
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.

**NOTE:**





- Add either "H" (half modesty) or "F" (full modesty) to the end of the product code (i.e. EVDRL2436H).
- Worksurface must be ordered separately. Choose from Rectangular or Curved Surfaces.
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).

DESCRIPTION	PRODUCT CODE	LIST PRICE				DIMENSIONS/INCHES	
		H	F	D	W		
	Return - Right - 18"	EVDRR1824 EVDRR1830 EVDRR1836 EVDRR1842 EVDRR1848 EVDRR1854 EVDRR1860 EVDRR1866 EVDRR1872	249 260 273 285 327 337 354 362 379	317 338 361 382 434 449 484 497 524	18 18 18 18 18 18 18 18 18	24 30 36 42 48 54 60 66 72	29 29 29 29 29 29 29 29 29
	Return - Right - 24"	EVDRR2424 EVDRR2430 EVDRR2436 EVDRR2442 EVDRR2448 EVDRR2454 EVDRR2460 EVDRR2466 EVDRR2472	256 266 281 293 333 343 362 369 386	325 343 368 390 440 456 492 505 533	24 24 24 24 24 24 24 24 24	24 30 36 42 48 54 60 66 72	29 29 29 29 29 29 29 29 29
	Return - Right - 30"	EVDRR3024 EVDRR3030 EVDRR3036 EVDRR3042 EVDRR3048 EVDRR3054 EVDRR3060 EVDRR3066 EVDRR3072	279 286 302 314 353 363 381 389 408	344 364 389 412 460 477 514 525 553	30 30 30 30 30 30 30 30 30	24 30 36 42 48 54 60 66 72	29 29 29 29 29 29 29 29 29



**EVDB - BRIDGE CHASSIS - MODESTY**


- Bridge Chassis includes modesty panel
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDB24H)
- Worksurface must be ordered separately. Choose from Rectangular or Curved Surfaces.
- Includes all supporting hardware including interconnection plates.
- A "Z" bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		H	F	D	W	H	
	Bridge Chassis - Modesty	EVDB24	88	181	14/28	24	29
	EVDB30	96	192	14/28	30	29	
	EVDB36	106	203	14/28	36	29	
	EVDB42	124	233	14/28	42	29	
	EVDB48	168	288	14/28	48	29	
	EVDB54	187	322	14/28	54	29	
	EVDB60	200	350	14/28	60	29	
	EVDB66	221	382	14/28	66	29	
	EVDB72	234	412	14/28	72	29	



**EVDSRL - SUPPORTED RETURN - LEFT**




- Supported Return Chassis with full end panel, mid support panel modesty panel
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDSRL2436H)
- Worksurface must be ordered separately. Choose from Rectangular or Curved Surfaces.
- Includes 10" mid support panel where worksurface is 24" deep or for "D" top applications
- Includes 14" mid support panel where work surface is 30" deep
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.

DESCRIPTION	PRODUCT CODE	LIST PRICE				DIMENSIONS/INCHES	
		H	F	D	W	H	
	Supported Return - Left - 24"	EVDSRL2424 EVDSRL2430 EVDSRL2436 EVDSRL2442 EVDSRL2448 EVDSRL2454 EVDSRL2460 EVDSRL2466 EVDSRL2472	361 371 382 396 436 446 466 471 489	426 447 471 494 543 560 595 609 633	24 24 24 24 24 24 24 24 24	24 30 36 42 48 54 60 66 72	29 29 29 29 29 29 29 29 29
	Supported Return - Left - 30"	EVDSRL3024 EVDSRL3030 EVDSRL3036 EVDSRL3042 EVDSRL3048 EVDSRL3054 EVDSRL3060 EVDSRL3066 EVDSRL3072	413 423 436 449 489 499 518 524 541	481 500 522 545 596 612 648 595 688	24 24 24 24 24 24 24 24 24	24 30 36 42 48 54 60 66 72	29 29 29 29 29 29 29 29 29



**EVDSRR - SUPPORTED RETURN - RIGHT**





- Supported Return Chassis with full end panel, mid support panel modesty panel
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDSRL2436H)
- Worksurface must be ordered separately. Choose from Rectangular or Curved Surfaces.
- Note: Includes 10" mid support panel where worksurface is 24" deep or for "D" top applications
- Includes 14" mid support panel where work surface is 30" deep
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis

DESCRIPTION	PRODUCT CODE	LIST PRICE				DIMENSIONS/INCHES	
		H	F	D	W	H	
	Supported Return - Right - 24"	EVDSRR2424 EVDSRR2430 EVDSRR2436 EVDSRR2442 EVDSRR2448 EVDSRR2454 EVDSRR2460 EVDSRR2466 EVDSRR2472	361 371 382 396 436 446 466 471 489	426 447 471 494 543 560 595 609 633	24 24 24 24 24 24 24 24 24	24 30 36 42 48 54 60 66 72	29 29 29 29 29 29 29 29 29
	Supported Return - Right - 30"	EVDSRR3024 EVDSRR3030 EVDSRR3036 EVDSRR3042 EVDSRR3048 EVDSRR3054 EVDSRR3060 EVDSRR3066 EVDSRR3072	413 423 436 449 489 499 518 524 541	481 500 522 545 596 612 648 595 688	30 30 30 30 30 30 30 30 30	24 30 36 42 48 54 60 66 72	29 29 29 29 29 29 29 29 29
							



**EVDSB - SUPPORTED BRIDGE CHASSIS**


- Supported Bridge Chassis with two mid support panels and modesty panel
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDSB2436H)
- Worksurface must be ordered separately. Choose from Rectangular or Curved Surfaces.
- Note: Includes 10" mid support panel where worksurface is 24" deep or for "D" top applications
- Includes 14" mid support panel where work surface is 30" deep
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.

DESCRIPTION	PRODUCT CODE	LIST PRICE				DIMENSIONS/INCHES	
		H	F	D	W	H	
	Supported Bridge Chassis - 24"	EVDSB2424	281	350	10	24	29
		EVDSB2430	289	371	10	30	29
		EVDSB2436	304	394	10	36	29
		EVDSB2442	316	418	10	42	29
		EVDSB2448	355	469	10	48	29
		EVDSB2454	366	484	10	54	29
		EVDSB2460	384	520	10	60	29
		EVDSB2466	391	536	10	66	29
		EVDSB2472	409	561	10	72	29
	Supported Bridge Chassis - 30"	EVDSB3024	346	415	14	24	29
		EVDSB3030	355	436	14	30	29
		EVDSB3036	369	460	14	36	29
		EVDSB3042	381	483	14	42	29
		EVDSB3048	422	534	14	48	29
		EVDSB3054	430	552	14	54	29
		EVDSB3060	449	586	14	60	29
		EVDSB3066	456	600	14	66	29
		EVDSB3072	473	627	14	72	29
							
							



**EVDUD - RECTANGULAR DESK CHASSIS**


- Desk Chassis with full end panels and modesty panel
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDUD2436H)
- Worksurface must be ordered separately.
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.

DESCRIPTION	PRODUCT CODE	LIST PRICE				DIMENSIONS/INCHES	
		H	F	D	W	H	
	Rectangular Desk Chassis - 18"	EVDUD1836 EVDUD1842 EVDUD1848 EVDUD1854 EVDUD1860 EVDUD1866 EVDUD1872 EVDUD1878 EVDUD1884	450 466 504 515 533 540 556 568 577	534 556 607 624 656 668 696 720 736	18	36	29
	Rectangular Desk Chassis - 24"	EVDUD2436 EVDUD2442 EVDUD2448 EVDUD2454 EVDUD2460 EVDUD2466 EVDUD2472 EVDUD2478 EVDUD2484	462 474 516 524 543 552 568 579 587	552 574 624 640 674 688 714 737 755	24	36	29
	Rectangular Desk Chassis - 30"	EVDUD3036 EVDUD3042 EVDUD3048 EVDUD3054 EVDUD3060 EVDUD3066 EVDUD3072 EVDUD3078 EVDUD3084	504 517 556 567 584 590 609 620 627	589 612 663 680 715 729 755 779 794	30	36	29



**EVDECCL - EXTENDED CORNER CHASSIS - LEFT**


- Extended Corner Chassis with 10" or 14" deep end panel at (C) and full end panel at (D) and with half height modesty panels
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDECCL362448H)
- Worksurface must be ordered separately. Use 10" End Panels where work surface is 18" or 24" deep. Use 14" End Panels where work surface is 30" deep.
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			H	F	D	W	H
	Extended Corner Chassis - Left - 36"	EVDECCL362448 EVDECCL362460 EVDECCL362466 EVDECCL362472 EVDECCL362478 EVDECCL362484	735 756 769 790 802 816	953 988 1015 1046 1073 1101	24 24 24 24 24 24	48 60 66 72 78 84	29 29 29 29 29 29
	Extended Corner Chassis - Left - 42" x 24"	EVDECCL422460 EVDECCL422466 EVDECCL422472 EVDECCL422478 EVDECCL422484	773 784 802 818 831	1016 1042 1078 1105 1132	24 24 24 24 24	60 66 72 78 84	29 29 29 29 29
	Extended Corner Chassis - Left - 42" x 30"	EVDECCL423060 EVDECCL423066 EVDECCL423072 EVDECCL423078 EVDECCL423084	870 926 961 989 1019	1067 1097 1130 1158 1185	30 30 30 30 30	60 66 72 78 84	29 29 29 29 29
	Extended Corner Chassis - Left - 48" x 30"	EVDECCL483060 EVDECCL483066 EVDECCL483072 EVDECCL483078 EVDECCL483084	916 971 1002 1033 1064	1125 1154 1188 1213 1239	30 30 30 30 30	60 66 72 78 84	29 29 29 29 29





**EVDECCR - EXTENDED CORNER CHASSIS - RIGHT**

- Extended Corner Chassis with 10" or 14" deep end panel at (C) and full end panel at (D) and with half height modesty panels
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDECCR362448H)
- Worksurface must be ordered separately. Use 10" End Panels where work surface is 18" or 24" deep. Use 14" End Panels where work surface is 30" deep.
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		H	F	D	W	H	
 36-42-48 10-14	Extended Corner Chassis - Right - 36"	EVDECCR362448 EVDECCR362460 EVDECCR362466 EVDECCR362472 EVDECCR362478 EVDECCR362484	735 756 769 790 802 816	953 988 1015 1046 1073 1101	24 24 24 24 24 24	48 60 66 72 78 84	29 29 29 29 29 29
	Extended Corner Chassis - Right - 42" x 24"	EVDECCR422460 EVDECCR422466 EVDECCR422472 EVDECCR422478 EVDECCR422484	773 784 802 818 831	1016 1042 1078 1105 1132	24 24 24 24 24	60 66 72 78 84	29 29 29 29 29
	Extended Corner Chassis - Right - 42" x 30"	EVDECCR423060 EVDECCR423066 EVDECCR423072 EVDECCR423078 EVDECCR423084	870 926 961 989 1019	1067 1097 1130 1158 1185	30 30 30 30 30	60 66 72 78 84	29 29 29 29 29
	Extended Corner Chassis - Right - 48" x 30"	EVDECCR483060 EVDECCR483066 EVDECCR483072 EVDECCR483078 EVDECCR483084	916 971 1002 1033 1064	1125 1154 1188 1213 1239	30 30 30 30 30	60 66 72 78 84	29 29 29 29 29

**EVDCL - CONFERENCE TOP CHASSIS - LEFT**


- Conference Top Chassis is use to support Hatchet Tops, "D" Tops and similar worksurfaces that are also supported by mono legs. Incorporates 10" deep end panel at (C) and corner leg at (B) and modesty panel at (D)
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDCL3024H)
- Note: Worksurface must be ordered separately. Mono Leg is included with Hatchet Top Worksurface
- Includes all supporting hardware.
- 1 7/16" high pressure worksurfaces cannot mount on chassis.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		H	F	D	W	H	
 362 375	Conference Top Chassis - Left	EVDCL3024 EVDCL3624	362 375	452 471	24 24	30 36	29 29
 362 375	Conference Top Chassis - Right	EVDCR3024 EVDCR3624	362 375	452 471	24 24	30 36	29 29




**EVDSHF - HUTCH - SINGLE DOOR**

- Desk Hutch with metal end panels, shelves and doors
- Full height back panel is thermally fused laminate
- Includes lock
- Ships Knocked Down.
- Includes all supporting hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE H	DIMENSIONS/INCHES		
			D	W	H
	Hutch - Single Door				
	EVDSHF1336	839	13	36	36 3/4
	EVDSHF1342	918	13	42	36 3/4
	EVDSHF1348	973	13	48	36 3/4
	EVDSHF1354	1031	13	54	36 3/4
	EVDSHF1360	1084	13	60	36 3/4

**EVDSHF - HUTCH - DOUBLE DOOR**

- Desk Hutch with metal end panels, shelves and doors
- Full height back panel is thermally fused laminate
- Includes lock
- Ships Knocked Down.
- Includes all supporting hardware

DESCRIPTION	PRODUCT CODE	LIST PRICE H	DIMENSIONS/INCHES		
			D	W	H
	Hutch - Double Door				
	EVDSHF1372	1355	13	72	36 3/4
	EVDSHF1378	1404	13	78	36 3/4
	EVDSHF1384	1506	13	84	36 3/4




## FREESTANDING DESKING

## TACK BOARD - HUTCH


### EVDTB - FREESTANDING TACK BOARD - HUTCH

- Provides a tackable surface for notes and memos in work area.
- Includes two pairs of hutch mounted brackets.
- Fabric must be specified.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES	
		Gr1	Gr2	W	H
	Freestanding Tack Board - Hutch	EVDTB1836	225	36	17
	EVDTB1842	258	258	42	17
	EVDTB1848	289	289	48	17
	EVDTB1854	321	321	54	17
	EVDTB1860	351	351	60	17


### EVDTB - FREESTANDING DOUBLE TACK BOARD - HUTCH

- Includes 2 separate tack boards that are mounted side-by-side to make up total length.
- Provides a tackable surface for notes and memos in work area.
- Includes mounting hardware.. However a 2" bracket may be required depending on the adjacent connected unit.
- Fabric must be specified.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES	
		Gr1	Gr2	W	H
	Freestanding Double Tack Board - Hutch	EVDTB1872	448	72	17
	EVDTB1878	483	483	78	17
	EVDTB1884	517	517	84	17

### EVDTB18-H - HALF WIDTH - TACK BOARD - HUTCH

- Tack Board is to be mounted on the back wall of the FS Hutch (EVDSHF13).
- Tack board may be used in conjunction with EVALB2-H.
- Designed to cover only half width of the back wall.
- Use EVDTB18 Tack Boards to cover the whole back of the FS Hutch.
- Provides a tackable surface for notes and memos in working area.
- Includes two pairs of hutch mounting brackets.
- Fabric must be specified.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES	
		Gr1	Gr2	W	H
	Half Width - Tack Board - Hutch	EVDTB18-H18	180	17	18
	EVDTB18-H21	185	188	20	18
	EVDTB18-H24	188	194	23	18
	EVDTB18-H27	197	202	25	18
	EVDTB18-H30	204	211	29	18
	EVDTB18-H36	233	239	35	18
	EVDTB18-H39	247	259	38	18
	EVDTB18-H42	265	276	41	18




**EVALB2-H - HALF WIDTH - GANGING LOAD BAR - HUTCH**

- Ganging Load Bar is to be mounted on the back wall of the FS Hutch (EVDSHF13).
- To be used in conjunction with EVDTB18-H Tack Board.
- Load Bar enables accessory items to be hung off it.
- Priced per single load bar.
- 9 Ganging Load Bars will match EVDTB18-H full height.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			W	H
	Half Width - Ganging Load Bar - Hutch			
	EVALB2-H18	55	18	2 1/4
	EVALB2-H21	58	21	2 1/4
	EVALB2-H24	59	24	2 1/4
	EVALB2-H27	61	26	2 1/4
	EVALB2-H30	62	30	2 1/4
	EVALB2-H36	66	36	2 1/4
	EVALB2-H39	68	39	2 1/4
	EVALB2-H42	70	42	2 1/4

**EVALB2-4 - GANGING LOAD BAR - HUTCH**

- Load Bar is to be mounted on the back wall of the FS Hutch (EVDSHF13).
- Load Bar enables accessory items to be hung off it.
- Designed to cover the full width of the back wall of the FS Hutch (EVDSHF13).
- Do not use in conjunction with the Tack Boards.
- Priced per single load bar.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			W	H
	Ganging Load Bar - Hutch			
	EVALB2-436	88	36	2 1/4
	EVALB2-442	94	42	2 1/4
	EVALB2-448	100	48	2 1/4
	EVALB2-454	104	54	2 1/4
	EVALB2-460	107	60	2 1/4
	EVALB2-472	117	72	2 1/4
	EVALB2-478	123	78	2 1/4
	EVALB2-484	126	84	2 1/4

**EVDSHD01 - OVERHEAD DIVIDER - HUTCH**


- Attaches to overhead top shelf inside the FS Hutch.
- Provides rigid division for books and binders.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			W	H
	Overhead Divider - Hutch	47	3/16	10
	EVDSHD01			




**EVWFR - RECTANGULAR FREESTANDING WORKSURFACE WITH CORNER LEGS**

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			D	W	H	
	Rectangular Freestanding Worksurface with Round Corner Legs	EVWFR2448HP EVWFR2460HP EVWFR3048HP EVWFR3060HP	598 693 650 711	24 24 30 30	48 60 48 60	29 29 29 29
	Rectangular Freestanding Worksurface with Square Corner Legs	EVWFRR2448HP EVWFRR2460HP EVWFRR3048HP EVWFRR3060HP	598 693 650 711	24 24 30 30	48 60 48 60	29 29 29 29

**EVWFS - SQUARE FREESTANDING WORKSURFACE WITH CORNER LEGS**

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			D	W	H	
	Square Freestanding Worksurface with Round Corner Legs	EVWFS36HP EVWFS42HP EVWFS48HP	631 725 856	36 42 48	36 42 48	29 29 29
	Square Freestanding Worksurface with Square Corner Legs	EVWFSS36HP EVWFSS42HP EVWFSS48HP	631 725 856	36 42 48	36 42 48	29 29 29



# FREESTANDING DESKING

## CORNER LEGS


### EVWFC - ROUND FREESTANDING WORKSURFACE WITH CORNER LEGS

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			W	H
	EVWFC36HP	673	36	29
	EVWFC42HP	810	42	29
	EVWFC48HP	968	48	29
	EVWFCS36HP	673	36	29
	EVWFCS42HP	810	42	29
	EVWFCS48HP	968	48	29


### EVWFD - PANEL MOUNTED WORKSURFACE WITH CORNER LEGS

- "D" top table with 2 legs, panel mounted.
- Support hardware must be ordered separately. See the listings in this section.
- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			D	W	H
	EVWFD2448HP	488	24	48	29
	EVWFD2460HP	571	24	60	29
	EVWFD3048HP	584	30	48	29
	EVWFD3060HP	617	30	60	29
	EVWFDS2448HP	488	24	48	29
	EVWFDS2460HP	571	24	60	29
	EVWFDS3048HP	584	30	48	29
	EVWFDS3060HP	617	30	60	29

### EVHCL - CORNER LEG WITH LEVELER


- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- 1.5" diameter
- Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			W	H
 Round	EVHCL1	87		28
	EVHCL2	87		28
 Square				




**EVDMPCL - CORNER MODESTY PANEL - LEFT**

- Corner modesty panel connects to the corner leg on one side, and to inter connect panel/end panel on the other.
- Note: Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDMPCL36H)
- Includes all supporting hardware including interconnection plates. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	F	W	H	
	Corner Modesty Panel - Left	EVDMPCL36	106	203	36	14/28
		EVDMPCL42	124	233	42	14/28
		EVDMPCL48	168	288	48	14/28
		EVDMPCL54	187	322	54	14/28
		EVDMPCL60	200	350	60	14/28
		EVDMPCL66	221	382	66	14/28
		EVDMPCL72	234	412	72	14/28


Half Modesty




Full Modesty

**EVDMPCR - CORNER MODESTY PANEL - RIGHT**

- Corner modesty panel connects to the corner leg on one side, and to inter connect panel/end panel on the other.
- Note: Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDMPCR36H)
- Includes all supporting hardware including interconnection plates

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	F	W	H	
	Corner Modesty Panel - Right	EVDMPCR36	106	203	36	14/28
		EVDMPCR42	124	233	42	14/28
		EVDMPCR48	168	288	48	14/28
		EVDMPCR54	187	322	54	14/28
		EVDMPCR60	200	350	60	14/28
		EVDMPCR66	221	382	66	14/28
		EVDMPCR72	234	412	72	14/28

Half Modesty



Full Modesty



# FREESTANDING DESKING

# MODESTY PANEL /DESKING HARDWARE

## EVDEP - END PANEL

- Supports worksurface
- Includes two end panel brackets, and two levelling glides

- Must be ordered left or right
- End panel height is inclusive of panel glides extended to their fullest height.

DESCRIPTION	PRODUCT CODE	LIST PRICE H	DIMENSIONS/INCHES W H	
End Panel - Left	EVDEPL2924	198	24	28
	EVDEPL2930	218	30	28
	EVDEPL2624	177	24	28
	EVDEPL2630	207	30	28
End Panel - Right	EVDEPR2924	198	24	28
	EVDEPR2930	218	30	28
	EVDEPR2624	177	24	28
	EVDEPR2630	207	30	28

## EVDCP - CENTRAL SUPPORT PANEL

- Supports and connects 2 worksurfaces

- Attaches to modesty panel

- Includes two end panel brackets, two levelling glides and modesty inter connect bracket (EVDECCR)

- End panel height is inclusive of panel glides extended to their fullest height

DESCRIPTION	PRODUCT CODE	LIST PRICE H	DIMENSIONS/INCHES W H	
Central Support Panel	EVDCP2910	119	10	28
	EVDCP2914	151	14	28
	EVDCP2610	106	10	28
	EVDCP2614	142	14	28

## EVDHMSB - MID SUPPORT BRACKET

- Provides mid support for worksurfaces
- Recommended for any lengths over 42"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D W H		
Mid Support Bracket	EVDHMSB	35	7 1/2	7 1/2	1/2

## EVDHZ - "Z" BRACKET

- Attaches modesty panel to front edge of end panel
- To be used when a return is attached to a rectangular desk

- Available in black only

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D W H		
"Z" Bracket	EVDHZ	19	1	12 1/2	1/2



# FREESTANDING DESKING

# DESKING HARDWARE


## EVHFB1 - FLAT BRACKET

- Must be used in conjunction with Mid panels to ensure alignment of neighboring surfaces
- Three flat brackets must be used to support a return worksurface

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Flat Bracket	EVHFB1	12	5	3

## EVDHSP1 - SCREW PACK

- 3 screws #10 x 5/8" for Pedestal to Modesty Panel connection

DESCRIPTION		PRODUCT CODE		DIMENSIONS/INCHES	
			W	H	
 Screw Pack	EVDHSP1	8		5/8	

## EVDECCR - MODESTY INTER-CONNECT BRACKET

- Attaches two modesty panels to a mid support panel

DESCRIPTION		PRODUCT CODE		DIMENSIONS/INCHES	
			W	H	
 Modesty Inter-Connect Bracket	EVDECCR	19	12 1/2	4	


## EVDHPMPR - PANEL MOUNT BRACKET

- Attaches modesty panel to and Evolve Inline Connector

DESCRIPTION			DIMENSIONS/INCHES		
			D	W	H
 Panel Mount Bracket - Right	EVDHPMPR	24	3	13	3 1/2
Panel Mount Bracket - Left	EVDHPMPL	24	3	13	3 1/2

## EVDHLB - END PANEL "L" BRACKET

- Attaches a modesty panel to an end panel

DESCRIPTION			DIMENSIONS/INCHES		
			D	W	H
 End Panel "L" Bracket	EVDHLB	20	1 1/2	12	1 1/2



# storage

**LATERAL FILE FEATURES**

## LATERAL FILES

- Binder storage
- EDP storage (with optional EDP sides)
- Lifetime Warranty (see Terms & Conditions)

## DRAWERS/SHELVES

- Drawer interlocking system
- Three-stage, anti-bounceback suspension
- Pre-installed file bars
- Side-to-side file bars for letter, legal and A4
- Looped full pull
- Front-to-back file bars – optional
- Label holder
- Fixed front drawers – available
- Receding door, roll-out shelves – available
- Slotted, pull-out shelves with rolled edge
- Full-height dividers – optional

## LATERAL FILES 1200 SERIES

- Receding door series features 16 gauge, spring loaded hinges
- Mig welded top corners
- Thicker receding door with redesigned pivot motion to prevent door rub
- Half height drawers - optional
- Premium drawer slides with black zinc coating for smoother, quieter

## MOTION

- Salt spray resistance treatment
- Durable epoxy powder coating
- Superior locking system with anti-lift mechanism
- Large standard color palette
- ANSI / BIFMA approved
- CSGB approved

## CONSTRUCTION

- Top stiffener bar
- Corner gussets
- 18 – 20 gauge cold-rolled steel
- Four (4) ganging drill points are marked to ensure correct positioning
- Cam lock included
- Leveling glides
- Counterweights are recommended in all heights/widths – optional

**STANDARD PAINT COLORS**

Evolve Colors	Evolve Colors (10% upcharge)	
BLK	Black	TUN Tungsten
CHR	Charcoal	
SIL	Silver	
TPE	Taupe	
NEV	Nevada	
DWT	Designer White	
STL	Steel	

**ADDITIONAL STANDARD COLORS (FOR STORAGE ITEMS ONLY)**

GLOBAL COLORS	
DPT	Desert Putty
TSA	Tahiti Sand
LGR	Light Grey
BGR	Business Grey
GRY	Grey

## PREMIUM COLORS

F05	Moss	U04	Black Coffee
F07	Metro	T19	Dark Chocolate
F09	Claret	T20	Cappacino
F19	Navy	J52	Mocha
F23	Cloud	J23	Vanilla
F28	Willow		
F29	Bone		
F30	Ivory		
F32	Stone		
F33	Ice		
F35	Oyster		

\*Extended lead times for premium paints apply. Contact Evolve Customer Support for details.

Global matte paint finishes are available on most Evolve Storage pieces without an up charge regardless of quantities.

All Mica and Metallic paint finishes will incur a minimum up charge of 10%.

All non-standard paint finishes must be approved by Evolve prior to placing an order.

**GENERAL WARRANTY INFORMATION**


- Evolve warrants all components of metal storage and filing for the lifetime of the product to the original purchaser.



This page provides a three dimensional view of a sample configuration highlighting each storage component required when specifying this configuration.

## Components

- A.** EVS12BBF Box, Box, File Pedestal
- B.** EVSSL Low-Profile Shelf
- C.** EVSOF Overhead Flipper Door Storage Unit



## INTERIOR CLEAR OPENING HEIGHT DIMENSIONS

**"B"** Opening

Fixed Front Drawer	13"
Receding Door and Roll-Out Shelf	12 1/8"
Receding Door and Fixed Shelf	12"
Fixed Shelf and no Receding Door	12 3/4"

**"L"** Opening

Fixed Front Drawer	10 7/8"
Receding Door and Roll-Out Shelf	10"
Receding Door and Fixed Shelf	9 7/8"
Fixed Shelf and no Receding Door	10 5/8"

**"B" and "L" Opening**

Drawer – Depth	15 3/4"
Roll-Out Shelf – Depth	15 3/4"
Fixed Shelf – Depth	15 3/4"

## INTERIOR CLEAR OPENING WIDTH DIMENSIONS AND FILING CAPACITY

**30" Wide Cabinet**

Fixed Front Drawer	26 9/16"
Receding Door and Roll-Out Shelf	26 9/16"
Receding Door and Fixed Shelf	26 9/16"

**36" Wide Cabinet**

Fixed Front Drawer	32 9/16"
Receding Door and Roll-Out Shelf	32 9/16"
Receding Door and Fixed Shelf	32 3/16"


**42" Wide Cabinet**

Fixed Front Drawer	38 9/16"
Receding Door and Roll-Out Shelf	38 9/16"
Receding Door and Fixed Shelf	38 9/16"


## OPENING CAPACITIES 30" WIDE UNITS

**Letter**

"B" and "L" Openings  
Fixed Front Drawers and  
Roll-Out Shelves




Capacity — 26 9/16"  
Accessories required HFB30




Capacity — 26 1/2"  
Accessories required HFB30 and one pair of FBB  
Not recommended for "L" openings with Roll-Out Shelves

**Legal**

"B" and "L" Openings  
Fixed Front Drawers and  
Roll-Out Shelves




Capacity — 26 9/16"  
Accessories required HFB30



Capacity — 26 5/16"  
Accessories required HFB30 and one pair FBB  
Not recommended for "L" openings with Roll-Out Shelves

**EDP**

"B" Opening  
Fixed Front Drawer ONLY




Capacity — 26 9/16"  
Accessories required HFB30 and one pair EDPS




## OPENING CAPACITIES 36" WIDE UNITS

### Letter

"B" and "L" Openings  
Fixed Front Drawers and  
Roll-Out Shelves




Capacity — 32 9/16"  
Accessories required HFB36




Capacity — 31 1/2"  
Accessories required HFB36 and one pair of FBB  
Not recommended for "L" openings with Roll-Out Shelves

### Legal

"B" and "L" Openings  
Fixed Front Drawers and  
Roll-Out Shelves




Capacity — 32 9/16"  
Accessories required HFB36



Capacity — 31 1/2"  
Accessories required HFB36 and one pair of FBB  
Not recommended for "L" openings with Roll-Out Shelves

### EDP

"B" Opening  
Fixed Front Drawer ONLY




Capacity — 32 9/16"  
Accessories required HFB36 and one pair EDPS


## OPENING CAPACITIES 42" WIDE UNITS

### Letter

"B" and "L" Openings  
Fixed Front Drawers and  
Roll-Out Shelves




Capacity — 38 9/16"  
Accessories required HFB30




Capacity — 47 1/4"  
Accessories required HFB30 and one pair of FBB  
Not recommended for "L" openings with Roll-Out Shelves

### Legal

"B" and "L" Openings  
Fixed Front Drawers and  
Roll-Out Shelves




Capacity — 38 9/16"  
Accessories required HFB30



Capacity — 31 1/2"  
Accessories required HFB30 and one pair of FBB  
Not recommended for "L" openings with Roll-Out Shelves

### EDP


"B" Opening  
Fixed Front Drawer ONLY



Capacity — 38 9/16"  
Accessories required HFB42 and one pair EDPS


**EVSOF - OVERHEAD FLIPPER DOOR STORAGE UNIT**

- Door retracts up and over the cabinet.
- Ready for quick assembly on site.
- Quality steel construction.
- 60" unit is reinforced for proper weight distribution.
- Inside dimensions: 12" H x 11.75" D.
- Lock not included (specify EVSLK12).

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Overhead Flipper Door Storage Unit				
	EVSOF1224	327	14.5	12	24
	EVSOF1230	338	14.5	12	30
	EVSOF1236	375	14.5	12	36
	EVSOF1242	413	14.5	12	42
	EVSOF1248	449	14.5	12	48
	EVSOF1254	488	14.5	12	54
	EVSOF1260	524	14.5	12	60


**EVSOF - FULL PULL OVERHEAD FLIPPER DOOR STORAGE UNIT**

- Door retracts up and over the cabinet.
- Ready for quick assembly on site.
- Quality steel construction.
- 60" unit is reinforced for proper weight distribution.
- Inside dimensions: 13.25" H x 12.75" D
- Includes lock

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Full Pull Overhead Flipper Door Storage Unit				
	EVSOF1324	438	16	14.5	24
	EVSOF1330	445	16	14.5	30
	EVSOF1336	459	16	14.5	36
	EVSOF1342	483	16	14.5	42
	EVSOF1348	515	16	14.5	48
	EVSOF1354	544	16	14.5	54
	EVSOF1360	574	16	14.5	60

**EVSOF - 17" OVERHEAD FLIPPER DOOR STORAGE UNIT**


- Door retracts up and over the cabinet.
- Ready for quick assembly on site.
- Quality steel construction.
- Inside dimensions: 15" H x 13" D.
- Lock not included (specify EVSLK12).

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	17" Overhead Flipper Door Storage Unit				
	EVSOF1724	1046	17	14.5	24
	EVSOF1730	1083	17	14.5	30
	EVSOF1736	1136	17	14.5	36
	EVSOF1742	1195	17	14.5	42
	EVSOF1748	1270	17	14.5	48




**EVSOF - OVERHEAD FLIPPER DOOR STORAGE UNIT - FULLY ASSEMBLED**

- Quality steel construction.
- 60" unit is reinforced for proper weight distribution.
- Inside dimensions: 14" H x 14.75" D.
- Door retracts inside storage unit.
- Lock is included
- Task lights must be screwed into support channel underneath shelf, standard spring mounts will not work.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Overhead Flipper Door Storage Unit - Fully Assembled				
	EVSOF1624	582	17.5	16	24
	EVSOF1630	597	17.5	16	30
	EVSOF1636	627	17.5	16	36
	EVSOF1642	666	17.5	16	42
	EVSOF1648	710	17.5	16	48
	EVSOF1654	750	17.5	16	54
	EVSOF1660	782	17.5	16	60


**EVSOGD - OVERHEAD WITH SLIDING GLASS DOORS**

- Sliding overheads are specially designed EVSOF12 cabinets with sliding/glass doors.
- Glass overheads available in standard widths of 24" - 60".
- Inside depth - 12"; Inside height - 12".
- Available in Tempered Frosted Glass option only.
- Overhead unit does not come with a lock option.
- Body of unit made of quality steel construction.
- Tracks for sliding glass door available in Tungsten only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Overhead with Sliding Glass Doors				
	EVSOGD1224	712	14.5	12	24
	EVSOGD1230	720	14.5	12	30
	EVSOGD1236	747	14.5	12	36
	EVSOGD1242	790	14.5	12	42
	EVSOGD1248	844	14.5	12	48
	EVSOGD1254	872	14.5	12	54
	EVSOGD1260	903	14.5	12	60


**EVSOGDL - OVERHEAD WITH SLIDING GLASS DOORS WITH LOCK UNIT**

- Sliding overheads are specially designed EVSOF12 cabinets with sliding/glass doors.
- Glass Overheads available in standard widths of 24" - 60".
- Inside depth - 12"; Inside height - 12".
- Available in Tempered Frosted Glass option only
- Body of unit made of quality steel construction.
- Tracks for sliding glass door available in Tungsten only
- Push in lock. No keys alike.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Overhead with Sliding Glass Doors (Lockable)				
	EVSOGDL1224	744	14.5	12	24
	EVSOGDL1230	753	14.5	12	30
	EVSOGDL1236	779	14.5	12	36
	EVSOGDL1242	822	14.5	12	42
	EVSOGDL1248	877	14.5	12	48
	EVSOGDL1254	905	14.5	12	54
	EVSOGDL1260	935	14.5	12	60


**EVSOD - DOUBLE WALL OVERHEAD FLIPPER DOOR STORAGE UNIT**

- Easy and quick assembly on site.
- Quality steel construction.
- Inside height - 13"; Inside depth - 13"
- Includes lock.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Double Wall Overhead Flipper Door Storage Unit				
	EVSOD1330	552	15.4	14.7	30
	EVSOD1336	568	15.4	14.7	36
	EVSOD1342	585	15.4	14.7	42
	EVSOD1348	633	15.4	14.7	48
	EVSOD1354	651	15.4	14.7	54
	EVSOD1360	672	15.4	14.7	60


**EVSODS - DOUBLE WALL OVERHEAD WITH SHELF FLIPPER DOOR STORAGE UNIT**

- Easy and quick assembly on site.
- Quality steel construction.
- Inside height - 13".
- Inside depth - 13".
- Includes lock.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Double Wall Overhead with Shelf Flipper Door Storage Unit				
	EVSODS1330	627	22.4	14.7	30
	EVSODS1336	650	22.4	14.7	36
	EVSODS1342	676	22.4	14.7	42
	EVSODS1348	733	22.4	14.7	48
	EVSODS1354	758	22.4	14.7	54
	EVSODS1360	785	22.4	14.7	60

**EVSODGD - DOUBLE WALL OVERHEAD GLASS SLIDING DOOR UNIT**


- Sliding overheads are specially designed EVSOD cabinets with sliding/glass doors.
- Available in Tempered Frosted Glass option only.
- Glass Overheads available in standard widths of 30"- 60".
- Quality steel construction.
- Panel mount (mounting brackets are included).
- Inside height - 13".
- Inside depth - 13".
- Tracks for sliding glass door available in Tungsten only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Double Wall Overhead Glass Sliding Door Unit				
	EVSODGD1330	547	15.4	14.7	30
	EVSODGD1336	568	15.4	14.7	36
	EVSODGD1342	621	15.4	14.7	42
	EVSODGD1348	667	15.4	14.7	48
	EVSODGD1354	701	15.4	14.7	54
	EVSODGD1360	733	15.4	14.7	60




**EVSODGDL - DOUBLE WALL OVERHEAD GLASS SLIDING DOOR WITH LOCK UNIT**

- Sliding overheads are specially designed EVSOD cabinets with sliding/glass doors.
- Available in Tempered Frosted Glass option only.
- Glass Overheads available in standard widths of 30"- 60".
- Quality steel construction.
- Panel mount (mounting brackets are included).
- Inside height - 13".
- Inside depth - 13".
- Tracks for sliding glass door available in Tungsten only.
- Push in lock; No keys alike.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Double Wall Overhead Glass Sliding Door with Lock Unit				
	EVSODGDL1330	604	15.4	14.7	30
	EVSODGDL1336	624	15.4	14.7	36
	EVSODGDL1342	677	15.4	14.7	42
	EVSODGDL1348	723	15.4	14.7	48
	EVSODGDL1354	758	15.4	14.7	54
	EVSODGDL1360	787	15.4	14.7	60


**EVSODSGD - DOUBLE WALL OVERHEAD WITH SHELF GLASS SLIDING DOOR UNIT**

- Sliding overheads are specially designed EVSOD cabinets with sliding/glass doors.
- Available in Tempered Frosted Glass option only.
- Glass Overheads available in standard widths of 30"- 60".
- Quality steel construction.
- Inside height - 13".
- Inside depth - 13".
- Tracks for sliding Glass door available in Tungsten only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Double Wall Overhead with Shelf Glass Sliding Door Unit				
	EVSODSGD1330	614	22.4	14.7	30
	EVSODSGD1336	637	22.4	14.7	36
	EVSODSGD1342	696	22.4	14.7	42
	EVSODSGD1348	748	22.4	14.7	48
	EVSODSGD1354	786	22.4	14.7	54
	EVSODSGD1360	819	22.4	14.7	60

**EVSODSGDL - DOUBLE WALL OVERHEAD WITH SHELF GLASS SLIDING DOOR UNIT WITH LOCK UNIT**


- Sliding overheads are specially designed EVSOD cabinets with sliding/glass doors.
- Available in Tempered Frosted Glass option only.
- Glass Overheads available in standard widths of 30"- 60".
- Quality steel construction.
- Inside height - 13".
- Inside depth - 13".
- Tracks for sliding glass door available in Tungsten only.
- Push in lock; No keys alike.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Double Wall Overhead with Shelf Glass Sliding Door with Lock Unit				
	EVSODSGDL1330	671	22.4	14.7	30
	EVSODSGDL1336	693	22.4	14.7	36
	EVSODSGDL1342	753	22.4	14.7	42
	EVSODSGDL1348	803	22.4	14.7	48
	EVSODSGDL1354	843	22.4	14.7	54
	EVSODSGDL1360	874	22.4	14.7	60




**EVADA-PM - ADA COMPLIANT OVERHEAD STORAGE UNIT**

- Panel Mounted Overhead Storage with metal sides and opaque door that retracts on top of the unit.
- Meets CSA B651 Barrier Free Design & ADA (American Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 12" deep.
- Unit includes attachment hardware, lock and mounting brackets. Back not included.
- Not recommended for use with wall adapter.
- Unit can be converted into an upmount unit in the field by using EVADAxKIT.
- Shipped partially assembled.
- Available in standard Evolve paint colors only. Door made of opaque plastic.  
\*\*add 10% upcharge for Tungsten

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	ADA Compliant Overhead Storage Unit				
	EVADA30PM	678	16	14.2	30
	EVADA36PM	731	16	14.2	36
	EVADA42PM	782	16	14.2	42
	EVADA48PM	834	16	14.2	48
	EVADA54PM	887	16	14.2	54
	EVADA60PM	937	16	14.2	60


**EVADA-UM - ADA COMPLIANT UPMOUNT OVERHEAD STORAGE UNIT**

- Meets CSA B651 Barrier Free Design & ADA (American Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 12" deep.
- Unit includes attachment hardware, lock, mounting cantilevers and has a complete back.
- Shipped partially assembled.
- Available in standard Evolve paint colors only. Door made of opaque plastic.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	ADA Compliant Upmount Overhead Storage Unit				
	EVADA30UM	804	16	14.2	30
	EVADA36UM	843	16	14.2	36
	EVADA42UM	889	16	14.2	42
	EVADA48UM	936	16	14.2	48
	EVADA54UM	985	16	14.2	54
	EVADA60UM	1040	16	14.2	60

**EVSHJB - J BARS FOR DOUBLE WALL OVERHEAD**


- Converts existing panel mounted Double Wall Overhead EVSOD13, EVSODGD13 OR EVSODGDL13 into a wall mounted overhead.
- Available in Evolve standard paint finishes.
- Note: Care should be taken to fasten "J" bars only to wall studs with correct fasteners. Failure to do so may result in collapse of unit and subsequent possible personal injury.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	J Bars for Double Wall Overhead				
	EVSHJB30	18	1.4	30	1
	EVSHJB36	20	1.4	36	1
	EVSHJB42	22	1.4	42	1
	EVSHJB48	25	1.4	48	1
	EVSHJB54	28	1.4	54	1
	EVSHJB60	31	1.4	60	1




**EVSSL - LOW-PROFILE SHELF**

- 12" deep panel-mounted storage shelf with back lip.
- Includes attachment hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Low Profile Shelf				
	EVSSL1224	88	5	12	24
	EVSSL1230	95	5	12	30
	EVSSL1236	104	5	12	36
	EVSSL1242	107	5	12	42
	EVSSL1248	112	5	12	48
	EVSSL1254	117	5	12	54
	EVSSL1260	123	5	12	60


**EVSOH - HIGH-PROFILE SHELF**

- 12" deep panel-mounted storage shelf with back lip.
- Includes attachment hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	High Profile Shelf				
	EVSOH1224	174	14.5	12	24
	EVSOH1230	194	14.5	12	30
	EVSOH1236	203	14.5	12	36
	EVSOH1242	210	14.5	12	42
	EVSOH1248	215	14.5	12	48
	EVSOH1254	224	14.5	12	54
	EVSOH1260	226	14.5	12	60


**EVSSC - CORNER SHELF KIT**

- Used in conjunction with a Low or High Profile Shelf.
- Includes handed corner side panel, flat bracket and hardware.
- Corner shelf must be specified 12" smaller than panel width.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Corner Shelf Kit				
	EVSSC1224L	81	5	12	24
	EVSSC1230L	84	5	12	30
	EVSSC1236L	88	5	12	36
	EVSSC1224R	81	5	12	24
	EVSSC1230R	84	5	12	30
	EVSSC1236R	88	5	12	36

**EVSL - LAMINATED SHELF**

- Laminated panel mounted wood shelf
- Shelf thickness is 1".
- Available in LP only.
- Includes attachment hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Laminated Shelf				
	EVSL0818	143	1.125	18	8.5
	EVSL0824	156	1.125	24	8.5
	EVSL0830	168	1.125	30	8.5
	EVSL0836	180	1.125	36	8.5
	EVSL0842	193	1.125	42	8.5
	EVSL0848	205	1.125	48	8.5



**EVHV - SINGLE SLOTTED WALL ADAPTER**

- To attach system components to a fixed wall. The vertical wall adapter is a "U" shaped channel with a vertical row of 1" slots on center.
- Mounting hardware not included. Mounting hardware selection to be based on wall material.
- Use of wall rack requires lower tooth of top hook on cantilever or shelf to be notched in the field.

- Available in standard paint colors.
- Shipped & priced per pair.

**NOTE:**

- Care should be taken to mount adapters only to wall studs using correct fasteners. Failure to do this may result in collapse of the unit and subsequent possible personal injury.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	H
 Single Slotted Wall Track	EVHV01	61	60	.5

**EVADA-KIT - UPMOUNT CONVERSION KIT**

- Converts an existing panel overhead storage unit EVADA-PM to an upmounted unit (EVADA-UM).
- When used on a 54" high panel, the top of the overhead will match the height of

66" high panels.

- Kit includes a back panel for the overhead and cantilevers.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Upmount Coverision Kit	EVADA30KIT	163	16	30	2
	EVADA36KIT	172	16	36	2
	EVADA42KIT	182	16	42	2
	EVADA48KIT	191	16	48	2
	EVADA54KIT	199	16	54	2
	EVADA60KIT	209	16	60	2


**EVADAPMKIT - PANEL MOUNT CONVERSION KIT**

- Converts an existing up mount overhead storage unit EVADA-UM to a panel mounted overhead storage unit EVADA-PM.
- Kit includes panel mounted brackets.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Panel Mount Coverision Kit	EVADAPMKIT	36	16	2	.5

**EVSOB - OVERHEAD BACK WALL**


- Metal back wall attaches to EVSOF12 overhead to provide interior security.
- Can be field installed or retrofitted.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Overhead Back Wall	EVSOB24	44	14	.5	24
	EVSOB30	52	14	.5	30
	EVSOB36	60	14	.5	36
	EVSOB42	67	14	.5	42
	EVSOB48	74	14	.5	48
	EVSOB54	82	14	.5	54
	EVSOB60	88	14	.5	60




**EVSOFPB - FULL PULL OVERHEAD BACK WALL**

- Metal back wall attaches to EVSOF13 overhead to provide interior security.
- Can be field installed or retrofitted.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSOFPB24	44	14	.5	24
	EVSOFPB30	52	14	.5	30
	EVSOFPB36	60	14	.5	36
	EVSOFPB42	67	14	.5	42
	EVSOFPB48	74	14	.5	48
	EVSOFPB54	82	14	.5	54
	EVSOFPB60	88	14	.5	60


**EVSOIB - INTERNATIONAL OVERHEAD BACK WALL**

- Metal back wall attaches to EVSOF17 overhead to provide interior security.
- Can be field installed or retrofitted.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSOIB24	47	17	.5	24
	EVSOIB30	56	17	.5	30
	EVSOIB36	62	17	.5	36
	EVSOIB42	70	17	.5	42
	EVSOIB48	78	17	.5	48


**EVAOMFD - DRY ERASE MARKER BOARD**

- Adheres magnetically to the front of Flipper Door (EVSOF) Overhead.
- Use eraseable writeboard markers only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVAOMFD24	216	14.4	.5	22.8
	EVAOMFD30	249	14.4	.5	28.8
	EVAOMFD36	281	14.4	.5	34.8
	EVAOMFD42	319	14.4	.5	40.8
	EVAOMFD48	351	14.4	.5	46.8
	EVAOMFD54	379	14.4	.5	52.8
	EVAOMFD60	401	14.4	.5	58.8

**EVSOFD - OVERHEAD DIVIDER**


- Attaches to overhead top shelf inside the overhead.
- Provides rigid division for books and binders.
- Not for use with 1600 series overhead storage units.
- Can be used with a hutch.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSOFD01	47	21		30
Overhead Divider					




**EVS12BBF - TWELVE SERIES BOX/BOX/FILE PEDESTAL - WORKSURFACE SUPPORTING**

- Freestanding/Worksurface Supporting Pedestal.
- Includes one pencil tray and one divider.
- Lock is standard. Lock positioned on the front face, right side.
- Can be retrofit to a panel using a pedestal bracket, please specify EVHBP1. Pedestal bracket is specified separately, see Worksurfaces for listing.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series Box/Box/File Pedestal - Worksurface Supporting	EVS1218BBF EVS1223BBF EVS1224BBF EVS1229BBF EVS1230BBF	456 461 461 509 509	27.65 27.65 27.65 27.65 27.65	18 23 24 29 30	15 15 15 15 15


**EVS12FF - TWELVE SERIES FILE/FILE PEDESTAL - WORKSURFACE SUPPORTING**

- Freestanding/Worksurface Supporting Pedestal with long pull and double wall drawer front construction.
- Lock is standard. Lock positioned on the front face, right side.
- Can be retrofit to a panel using a pedestal bracket, please specify EVHBP1. Pedestal bracket is specified separately, see Worksurfaces for listing.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series File/File Pedestal - Worksurface Supporting	EVS1218FF EVS1223FF EVS1224FF EVS1229FF EVS1230FF	456 461 461 509 509	27.65 27.65 27.65 27.65 27.65	18 23 24 29 30	15 15 15 15 15


**EVS12BBFM - TWELVE SERIES MOBILE BOX/BOX/FILE PEDESTAL**

- Mobile Pedestal with flat front, double wall drawer construction.
- Includes one pencil tray and one divider.
- Includes 4 casters and 1 counterweight balance.
- Lock is standard. Lock positioned on the front face, right side.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series Box/Box/File Mobile Pedestal	EVS1218BBFM EVS1223BBFM EVS1229BBFM	570 580 586	27.875 27.875 27.875	18 23 29	15 15 15

**EVS12FFM - TWELVE SERIES MOBILE FILE/FILE PEDESTAL**


- Mobile Pedestal with flat front, double wall drawer construction.
- Includes 4 casters and 1 counterweight balance.
- Lock is standard. Lock positioned on the front face, right side.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series File/File Mobile Pedestal	EVS1218FFM EVS1223FFM EVS1229FFM	570 580 586	27.875 27.875 27.875	18 23 29	15 15 15




**EVS12BF - TWELVE SERIES BOX/FILE PEDESTAL**

- Freestanding Pedestal.
- Includes one pencil tray and one divider.
- Lock is standard. Lock positioned on the front face, right side.
- Not worksurface supporting.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Twelve Series Box/File Pedestal				
	EVS1218BF	456	21.75	18	15
	EVS1223BF	461	21.75	23	15
	EVS1229BF	509	21.75	29	15


**EVS12BFM - TWELVE SERIES MOBILE BOX/FILE PEDESTAL**

- Mobile Pedestal.
- Includes one pencil tray and one divider.
- Includes factory installed counterweight balance.
- Lock is standard. Lock positioned on the front face, right side.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Twelve Series Mobile Box/File Pedestal				
	EVS1218BFM	551	21.6	18	15
	EVS1223BFM	556	21.6	23	15
	EVS1229BFM	659	21.6	29	15



**EVS12BFLCM - MOBILE BOX/FILE PEDESTAL WITH 60MM CASTERS**

- Mobile pedestal that includes one pencil tray and one divider.
- Includes factory installed counterweight.
- Lock is standard.
- 60mm high castors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Mobile Box/File Pedestal with 60mm Castors				
	EVS1219BFLCM	551	24.125	19	15
	EVS1223BFLCM	556	24.125	23	15
	EVS1229BFLCM	659	24.125	29	15

**EVCUSHION15 - PEDESTAL SEAT CUSHIONS**

- Cushions will have single stitching at the seams.
- Velcro included for quick attachment to pedestal file.
- 1" Cushion will have a rectilinear design on all sides.
- 2" Cushion will have waterfall edges Front and Back.
- Cushions are for use on EVS12BFLCM Mobile Pedestals.

DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES												DIMENSIONS/INCH.			YARDS	
		3	4	5	6	7	8	9	10	11	12	13	14	H	D	W		
	Pedestal Seat Cushions - 1" Thick	EVCUSHION15X18X1	133	155	172	198	234	251	284	337	378	423	516	615	1	18	15	1
		EVCUSHION15X19X1	133	155	172	198	234	251	284	337	378	423	516	615	1	19	15	1
	Pedestal Seat Cushions - 2" Thick	EVCUSHION15X23X1	150	172	189	215	251	268	301	354	395	440	533	632	1	23	15	1
		EVCUSHION15X24X1	150	172	189	215	251	268	301	354	395	440	533	632	1	24	15	1
		EVCUSHION15X29X1	199	228	250	285	333	356	400	471	525	585	709	842	1	29	15	1
		EVCUSHION15X30X1	199	228	250	285	333	356	400	471	525	585	709	842	1	30	15	1
		EVCUSHION15X18X2	148	169	186	212	249	266	299	351	392	437	529	630	2	18	15	2
		EVCUSHION15X19X2	148	169	186	212	249	266	299	351	392	437	529	630	2	19	15	2
		EVCUSHION15X23X2	166	188	205	231	267	284	318	370	411	456	549	648	2	23	15	2
		EVCUSHION15X24X2	166	188	205	231	267	284	318	370	411	456	549	648	2	24	15	2
		EVCUSHION15X29X2	220	249	271	306	354	378	421	492	546	606	730	862	2	29	15	2
		EVCUSHION15X30X2	220	249	271	306	354	378	421	492	546	606	730	862	2	30	15	2




# STORAGE

## 1200 SERIES PEDESTAL/LATERAL FILE


### EVS1230DP - TWELVE SERIES LINEAR COMBINATION DOUBLE PEDESTAL

- Measures 30" wide.
- Right (R) or Left (L) is determined by the side of cabinet with file drawer.
- Include one pencil tray and one divider.
- Freestanding/Worksurface Supporting Pedestal.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Twelve Series Linear Combination Double Pedestal	EVS1230DPL EVS1230DPR	1205 1205	27.875 27.875	18 18 30 30


### EVHPB - PEDESTAL BRACKET

- Attaches to back edge of a pedestal and connects a pedestal to panel connector.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Pedestal Bracket	EVHPB1	23	11	


### EVS12X1H1F - ONE 1/2 HEIGHT FIXED FRONT & ONE 12" FIXED FRONT LATERAL FILE

- 1/2 Height Box Drawer.
- 1 Fixed Drawer Front.
- Includes Lock.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	One 1/2 Height Fixed Front & One 12" Fixed Front Lateral File	EVS1230X1H1F EVS1236X1H1F EVS1242X1H1F	1066 1077 1148	21.75 21.75 21.75	18 18 18 30 36 42

### EVS12X1S1F - ONE 1/2 HEIGHT OPEN SHELF & ONE 12" FIXED FRONT LATERAL FILE


- 1/2 Height Open Shelf.
- 1 Fixed Drawer Front.
- Includes Lock.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	One 1/2 Height Open Shelf & One 12" Fixed Front Lateral File	EVS1230X1S1F EVS1236X1S1F EVS1242X1S1F	1032 1053 1077	21.75 21.75 21.75	18 18 18 30 36 42




**EVS12X1SND - ONE 1/2 HEIGHT OPEN SHELF & ONE 12" OPEN SHELF LATERAL CABINET**

- 1/2 Height Open Shelf.
- Bottom Open Shelf.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	D	W	
	One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet	EVS1230X1SND EVS1236X1SND EVS1242X1SND	833 907 970	21.75 21.75 21.75	18 18 18	30 36 42



**EVS12X1S - ONE 1/2 HEIGHT SHELF & ONE 12" SHELF LATERAL CABINET WITH DOORS**

- One 1/2 height storage module with long pull handles.
- Storage cabinet with doors.
- Includes Lock.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	D	W	
	One and 1/2 Height Shelf & One 12" Shelf Lateral Cabinet with Doors	EVS1230X1S EVS1236X1S EVS1242X1S	874 975 1068	21.75 21.75 21.75	18 18 18	30 36 42


**EVCUSHION18 - LATERAL SEAT CUSHIONS**

- Cushions will have single stitching at the seams,
- Velcro included for quick attachment to lateral file.
- 1" Cushion will have a rectilinear design on all sides.
- 2" Cushion will have waterfall edges Front and Back.

DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES												DIMENSIONS/INCH.			YRDS	
		3	4	5	6	7	8	9	10	11	12	13	14	H	D	W		
	Lateral Seat Cushions - 1" Thick	EVCUSHION18X30X1 EVCUSHION18X36X1 EVCUSHION18X42X1	208 232 248	237 261 277	259 284 300	294 318 334	342 367 383	365 390 405	409 434 450	480 504 520	534 558 574	594 618 634	718 742 758	850 875 891	1 1 1	18 18 18	30 36 42	1 1 1
	Lateral Seat Cushions - 2" Thick	EVCUSHION18X30X2 EVCUSHION18X36X2 EVCUSHION18X42X2	230 256 274	258 285 303	281 308 326	315 342 360	364 391 409	387 414 431	431 458 476	501 528 546	556 582 560	616 643 660	740 767 784	872 899 917	2 2 2	18 18 18	30 36 42	2 2 2

**EVT - LATERAL FILE TOPS**



- Note the following abbreviations:  
T = Thermally-Fused Laminate and H = High Pressure Laminate.
- Available in standard Evolve finishes see pages 184 or 240.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	D	W	
	Lateral File Tops	EVT1830 EVT1836 EVT1842 EVT1860 EVT1872 EVT1884 EVT1890 EVT18108	106 123 145 201 237 332 348 433	152 173 228 347 391 447 487 600	1 1 1 1 1 1 1 1	18 18 18 18 18 18 18 18	30 36 42 60 72 84 90 108




**EVWS - 5" SURFACE TO STORGAE SUPPORT LEG**

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				H	
	5" Surface to Storgae Support Leg - Round	EVWSRL01	36	4.5	
	5" Surface to Storgae Support Leg - Sqaure	EVWSSL01	36	4.5	
Round	Sqaure				


**EVS12FKIT - 1212 DRAWER CONVERSION KIT**

- Converts an existing box/box/file pedestal into a file/file pedestal.
- Kit includes 1 - 12" high drawer front, 1 - 12" high drawer body, 2 sets of slides and lock bar.
- Specify type of conversion kit, color of front and color of handle. Existing pedestal depth to be retrofitted.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	1212 Drawer Conversion Kit	EVS1218FKIT EVS1223FKIT EVS1224FKIT EVS1229FKIT EVS1230FKIT	158 158 158 158 158	15	18	15
					23	15
					24	15
					29	15
					30	15

**EVS12BKIT - 6612 DRAWER CONVERSION KIT**


- Converts an existing file/file pedestal into a box/box/file pedestal.
- Kit includes 2 - 6" high drawer front, 2 - 6" high drawer body, set of slides and lock bar.
- Specify type of conversion kit, color of front and color of handle. Existing pedestal depth to be retrofitted.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	6612 Drawer Conversion Kit	EVS1218BKIT EVS1223BKIT EVS1224BKIT EVS1229BKIT EVS1230BKIT	158 158 158 158 158	15	18	15
					23	15
					24	15
					29	15
					30	15




**EVS12FFKIT - FIXED FRONT DOOR CONVERSION KIT**

- Fixed front drawer conversion with receding door roll out drawer.
- Must indicate position (1,2,3,4,5) of conversion from top to bottom.
- Drawer interiors are finished Black.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Fixed Front Door Conversion Kit	EVS1230FFKIT EVS1236FFKIT EVS1242FFKIT	175 175 175	13.5 13.5 13.5	17 17 17
					30 36 42


**EVS12RDKIT - RECEDING DOOR WITH FIXED SLOTTED SHELF**

- Receding door and fixed slotted shelf conversion from fixed front drawer.
- Fixed front drawer can be substituted for a roll out drawer in a receding opening at no extra charge at the time of order.
- Add list price to each opening being converted.
- Indicate position (1,2,3,4,5) of conversion from top to bottom.
- Drawer interiors are finished Black.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Receding Door with Fixed Slotted Shelf	EVS1230RDKIT EVS1236RDKIT EVS1242RDKIT	175 175 175	9.1 9.1 9.1	16.5 16.5 16.5
					30 36 42

**EVS12BHHKIT - HALF HEIGHT DOOR CONVERSION KIT**



- Receding door and fixed slotted shelf conversion from fixed front drawer.
- Fixed front drawer can be substituted for a roll out drawer in a receding opening at no extra charge at the time of order.
- Add list price to each opening being converted.
- Indicate position (1,2,3,4,5) of conversion from top to bottom.
- Drawer interiors are finished Black.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Half Height Door Conversion Kit	EVS1230BHHKIT EVS1236BHHKIT EVS1242BHHKIT	196 196 196	6.75 6.75 6.75	17 17 17
					30 36 42




**EVSCR/SGD-P - 21" HIGH PANEL MOUNTED DOUBLE WALL CABINET**

- Inside dimensions 13"high x 13"deep
- Quality steel construction
- Available in standard Evolve paint finishes
- Tracks for sliding Glass door available in Tungsten only
- Available in Tempered Frosted Glass option only
- Push in Lock, No Keys alike
- **R**-Round legs
- **S**-Square legs
- Panel supported( brackets included)
- Double wall cabinet top not included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSCRGD1330P	588	21	14.7	30
	EVSCRGD1336P	620	21	14.7	36
	EVSCRGD1342P	665	21	14.7	42
	EVSCRGD1348P	708	21	14.7	48
	EVSCRGD1354P	753	21	14.7	54
	EVSCRGD1360P	785	21	14.7	60
	EVSCSGD1330P	588	21	14.7	30
	EVSCSGD1336P	620	21	14.7	36
	EVSCSGD1342P	665	21	14.7	42
	EVSCSGD1348P	708	21	14.7	48
	EVSCSGD1354P	753	21	14.7	54
	EVSCSGD1360P	785	21	14.7	60

**EVSCR/SGD-F - 21" HIGH FREESTANDING DOUBLE WALL CABINET**



- Inside dimensions 13"high x 13"deep
- Quality steel construction
- Available in standard Evolve paint finishes
- Tracks for sliding Glass door available in Tungsten only
- Available in Tempered Frosted Glass option only
- Push in Lock, No Keys alike
- **R**-Round legs
- **S**-Square legs
- Free Standing with Back Wall
- Double wall cabinet top not included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSCRGD1330F	682	21	14.7	30
	EVCRGD1336F	718	21	14.7	36
	EVCRGD1342F	768	21	14.7	42
	EVCRGD1348F	816	21	14.7	48
	EVCRGD1354F	866	21	14.7	54
	EVCRGD1360F	902	21	14.7	60
	EVSCSGD1330F	682	21	14.7	30
	EVSCSGD1336F	718	21	14.7	36
	EVSCSGD1342F	768	21	14.7	42
	EVSCSGD1348F	816	21	14.7	48
	EVSCSGD1354F	866	21	14.7	54
	EVSCSGD1360F	902	21	14.7	60





**EVSDCR/SGD - 21" HIGH BACK TO BACK DOUBLE WALL CABINET**

- Inside dimensions 13"high x 13"deep
- Quality steel construction
- Available in standard Evolve paint finishes
- Tracks for sliding Glass door available in Tungsten only
- Available in Tempered Frosted Glass option only
- Push in Lock, No Keys alike
- **R**-Round legs
- **S**-Square legs
- Back to Back Free Standing (back wall included)
- Back to Back top not included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSDCRGD1330	1197	21	29.4	30
	EVSDCRGD1336	1265	21	29.4	36
	EVSDCRGD1342	1360	21	29.4	42
	EVSDCRGD1348	1423	21	29.4	48
	EVSDCRGD1354	1545	21	29.4	54
	EVSDCRGD1360	1613	21	29.4	60
	EVSDCSGD1330	1197	21	29.4	30
	EVSDCSGD1336	1265	21	29.4	36
	EVSDCSGD1342	1360	21	29.4	30
	EVSDCSGD1348	1423	21	29.4	30
	EVSDCSGD1354	1545	21	29.4	30
	EVSDCSGD1360	1613	21	29.4	30

**EVSCR/SGD-P - 28" HIGH PANEL MOUNTED DOUBLE WALL CABINET**

- Inside dimensions 13"high x 13"deep
- Quality steel construction
- Available in standard Evolve paint finishes
- Tracks for sliding Glass door available in Tungsten only
- Available in Tempered Frosted Glass option only
- Push in Lock, No Keys alike
- **R**-Round legs
- **S**-Square legs
- Panel supported (brackets included)
- Double wall cabinet top not included.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSCRGD2230P	777	28	14.7	30
	EVSCRGD2236P	814	28	14.7	36
	EVSCRGD2242P	864	28	14.7	42
	EVSCRGD2248P	911	28	14.7	48
	EVSCRGD2254P	964	28	14.7	54
	EVSCRGD2260P	1004	28	14.7	60
	EVSCSGD2230P	777	28	14.7	30
	EVSCSGD2236P	814	28	14.7	36
	EVSCSGD2242P	864	28	14.7	42
	EVSCSGD2248P	911	28	14.7	48
	EVSCSGD2254P	964	28	14.7	54
	EVSCSGD2260P	1004	28	14.7	60

# STORAGE

# DOUBLE WALL CABINET



## EVSCR/SGD-F - 28" HIGH FREESTANDING DOUBLE WALL CABINET

- Inside dimensions 13"high x 13"deep
- Quality steel construction
- Available in standard Evolve paint finishes
- Tracks for sliding Glass door available in Tungsten only
- Available in Tempered Frosted Glass option only
- Push in Lock, No Keys alike
- **R**-Round legs
- **S**-Square legs
- Free Standing with Back Wall
- Double wall cabinet top not included.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	28" High Freestanding Double Wall Cabinet - Round Legs	EVSCRGD2230F EVSCRGD2236F EVSCRGD2242F EVSCRGD2248F EVSCRGD2254F EVSCRGD2260F	870 911 971 1025 1084 1125	28	14.7 30 14.7 36 14.7 42 14.7 48 14.7 54 14.7 60
	28" High Freestanding Double Wall Cabinet - Sqaure Legs	EVSCSGD2230F EVSCSGD2236F EVSCSGD2242F EVSCSGD2248F EVSCSGD2254F EVSCSGD2260F	870 911 971 1025 1084 1125	28	14.7 30 14.7 36 14.7 42 14.7 48 14.7 54 14.7 60

## EVSDCR/SGD - 28" HIGH BACK TO BACK DOUBLE WALL CABINET

- Inside dimensions 13"high x 13"deep
- Quality steel construction
- Available in standard Evolve paint finishes
- Tracks for sliding Glass door available in Tungsten only
- Available in Tempered Frosted Glass option only
- Push in Lock, No Keys alike
- **R**-Round legs
- **S**-Square legs
- Back to Back Free Standing (back wall included)
- Back to Back top not included.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	28" High Back to Back Double Wall Cabinet - Round Legs	EVSDCRGD2230 EVSDCRGD2236 EVSDCRGD2242 EVSDCRGD2248 EVSDCRGD2254 EVSDCRGD2260	1574 1647 1761 1861 1976 2049	28	29.4 30 29.4 36 29.4 42 29.4 48 29.4 54 29.4 60
	28" High Back to Back Double Wall Cabinet - Square Legs	EVSDCSGD2230 EVSDCSGD2236 EVSDCSGD2242 EVSDCSGD2248 EVSDCSGD2254 EVSDCSGD2260	1574 1647 1761 1861 1976 2049	28	29.4 30 29.4 36 29.4 42 29.4 48 29.4 54 29.4 60

## DOUBLE WALL CABINET TOP

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Double Wall Cabinet Top	EVT1430 EVT1436 EVT1442 EVT1448 EVT1454 EVT1460	82 93 106 120 130 145	1	14.5 30 14.5 36 14.5 42 14.5 48 14.5 54 14.5 60




## BACK TO BACK DOUBLE WALL CABINET TOP

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	D	W	
	Back to Double Wall Cabinet Top Top	EVT2930 EVT2936 EVT2942 EVT2948 EVT2954 EVT2960	123 146 205 216 237 253	1 1 1 1 1 1	29.4 29.4 29.4 29.4 29.4 29.4	30 36 42 48 54 60


## EVS12TXX2B1F - TWELVE SERIES BOX/BOX/FILE STORAGE TOWER

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 7" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf.
- Tower comes with 3 locks - 1 for the drawers, 1 for the storage door and 1 for the coat locker.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Twelve Series Box/Box File Storage Tower - 50" High	EVS12T502B1FR EVS12T502B1FL	2030 2030	50 50	24 24
	Twelve Series Box/Box File Storage Tower - 54" High	EVS12T542B1FR EVS12T542B1FL	2030 2030	54 54	24 24
Left shown	Twelve Series Box/Box/File Storage Tower - 65 7/8" High	EVS12T662B1FR EVS12T662B1FL	2122 2122	65.875 65.875	24 24

## EVS12TXX2F - TWELVE SERIES FILE/FILE STORAGE TOWER


- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 7" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf.
- Tower comes with 3 locks - 1 for the drawers, 1 for the storage door and 1 for the coat locker.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Twelve Series File/File Storage Tower - 50" High	EVS12T502FR EVS12T502FL	2030 2030	50 50	24 24
	Twelve Series File/File Storage Tower - 54" High	EVS12T542FR EVS12T542FL	2030 2030	54 54	24 24
Left shown	Twelve Series File/File Storage Tower - 65 7/8" High	EVS12T662FR EVS12T662FL	2122 2122	65.875 65.875	24 24



**EVS12TSOXX2BF - TWELVE SERIES SIDE OPENING BOX/BOX/FILE STORAGE TOWER**


- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 7" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf.
- Tower comes with 2 locks - 1 for the file drawers and 1 for the coat locker.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series Side Opening Box/Box/File Storage Tower - 50" High	EVS12TS0502BFR EVS12TS0502BFL	2230 2230	50 50	24	24
	Twelve Series Side Opening Box/Box/File Storage Tower - 54" High	EVS12TS0542BFR EVS12TS0542BFL	2243 2243	54 54	24	24
	Twelve Series Side Opening Box/Box/File Storage Tower - 65 7/8" High	EVS12TS0662B1FR EVS12TS0662B1FL	2279 2279	65.875 65.875	24	24

Right shown

**EVS12TSOXX2F - TWELVE SERIES SIDE OPENING FILE/FILE STORAGE TOWER**

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 7" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf.
- Tower comes with 2 locks - 1 for the file drawers and 1 for the coat locker.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Twelve Series Side Opening File/File Storage Tower - 50" High	EVS12TS0502FR EVS12TS0502FL	2230 2230	50 50	24	24
	Twelve Series Side Opening File/File Storage Tower - 54" High	EVS12TS0542FR EVS12TS0542FL	2243 2243	54 54	24	24
	Twelve Series Side Opening File/File Storage Tower - 65 7/8" High	EVS12TS0662FR EVS12TS0662FL	2279 2279	65.875 65.875	24	24

Right shown



**EVS12F - 12" OPENING LATERAL FILE FIXED FRONT DRAWERS**

- 12" Opening Lateral File.
- Two High: All openings are Fixed Front Drawer.
- Three High: All openings are Fixed Front Drawer.
- Four High: Top drawer is receding with roll-out shelf. Remaining drawers are Fixed Front Drawers.
- Five High: Top 2 drawers are receding door and roll-out shelf. Remaining drawers are Fixed Front Drawers.
- Side-to-side bars and lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	12" Opening Lateral File - 2 High	EVS123022FWS EVS123622FWS EVS124222FWS	907 949 1001	27.75 27.75 27.75	18 18 18	30 36 42
	12" Opening Lateral File - 3 High	EVS123033F EVS123633F EVS124233F	1190 1250 1323	40.5 40.5 40.5	18 18 18	30 36 42
		EVS123041R3F EVS123641R3F EVS124241R3F	1510 1589 1684	54 54 54	18 18 18	30 36 42
	12" Opening Lateral File - 5 High	EVS123052R3F EVS123652R3F EVS124252R3F	1867 1946 2051	65.88 65.88 65.88	18 18 18	30 36 42

**EVS12R1F - 12" RECEDING DOOR AND ROLL-OUT SHELVES**


- 12" Opening Lateral File.
- Two High: Top opening is Receding Door and Roll-Out Shelf. Bottom drawer is Fixed Front Drawer.
- Three High: Top 2 openings are Receding Door and Roll-Out Shelf. Bottom drawer is Fixed Front Drawer.
- Four High: Top 3 openings are Receding Door and Roll-Out Shelf. Bottom drawer is Fixed Front Drawer.
- Five High: Top 4 openings are Receding Door and Roll-Out Shelf. Bottom drawer is Fixed Front Drawer.
- Side-to-side bars and lock included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	12" Receding Door and Roll-Out Shelves - 2 High	EVS123021R1F EVS123621R1F EVS124221R1F	896 935 988	27.75 27.75 27.75	18 18 18	30 36 42
	12" Receding Door and Roll-Out Shelves - 3 High	EVS123032R1F EVS123632R1F EVS124232R1F	1241 1303 1373	40.5 40.5 40.5	18 18 18	30 36 42
	12" Receding Door and Roll-Out Shelves - 4 High	EVS123043R1F EVS123643R1F EVS124243R1F	1570 1660 1760	54 54 54	18 18 18	30 36 42
	12" Receding Door and Roll-Out Shelves - 5 High	EVS123054R1F EVS123654R1F EVS124254R1F	1933 2034 2145	65.88 65.88 65.88	18 18 18	30 36 42



**EVS12S - 12" RECEDING DOOR AND FIXED SHELVES**

- 12" Opening Lateral File.
- Two High: All openings are Receding Doors and Fixed Shelves.
- Three High: All openings are Receding Doors and Fixed Shelves.
- Four High: All openings are Receding Doors and Fixed Shelves.
- Five High: All openings are Receding Doors and Fixed Shelves.
- 3 Plate Dividers and Lock are included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	12" Receding Door and Fixed Shelves - 2 High	EVS123022S EVS123622S EVS124222S	906 949 1001	27.75 27.75 27.75	18 18 18	30 36 42
	12" Receding Door and Fixed Shelves - 3 High	EVS123033S EVS123633S EVS124233S	1190 1250 1324	40.5 40.5 40.5	18 18 18	30 36 42
		EVS123044S EVS123644S EVS124244S	1510 1591 1684	54 54 54	18 18 18	30 36 42
	12" Receding Door and Fixed Shelves - 5 High	EVS123055S EVS123655S EVS124255S	1867 1945 2052	65.88 65.88 65.88	18 18 18	30 36 42



# STORAGE

# LATERAL FILES/STORAGE CABINET

## EVS121B3F - 12" OPENING LATERAL FILE WITH 1 "B" - BINDER OPENING, RECEDING DOOR AND 3 FIXED FRONT DRAWERS

- 12" Opening Lateral File.
- Four High: Top opening is "B" size with Receding Door and Fixed Shelf. Remaining 3 drawers are Fixed Front Drawers.
- Five High: Top opening is "B" size with Receding Door and Fixed Shelf. Remaining 4 drawers are Fixed Front Drawers.
- Lock is included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
12" Opening Lateral File with 1 "B" Opening, Receding Door and 3 Fixed Shelves - 4 High	EVS123041B3F	1922	54	18	30
	EVS123641B3F	1996	54	18	36
	EVS124241B3F	2072	54	18	42
12" Opening Lateral File with 1 "B" Opening, Receding Door and 4 Fixed Shelves - 5 High 4 High Shown	EVS123051B1R3F	2314	65.88	18	30
	EVS123651B1R3F	2438	65.88	18	36
	EVS124251B1R3F	2576	65.88	18	42

## EVT - LATERAL FILE TOPS

- Note the following abbreviations:
- T = Thermally-Fused Laminate
- H = High Pressure Laminate
- Available in standard Evolve finishes see pages 184 or 240.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	D	W
Lateral File Tops	EVT1830	106	152	1	18	30
	EVT1836	123	173	1	18	36
	EVT1842	145	228	1	18	42
	EVT1860	201	347	1	18	60
	EVT1872	237	391	1	18	72
	EVT1884	332	447	1	18	84
	EVT1890	348	487	1	18	90
	EVT18108	433	600	1	18	108

## EVS12M502S2F - 12" OPENING MULTI STORAGE UNIT

- 2 lateral file drawers and storage with hinged doors.
- Lock is included.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	D	W		
12" Opening Multi Storage Unit - 4 High (50" High)	EVS1230M502S2F	1907	50	18	30	
	EVS1236M502S2F	2040	50	18	36	
	EVS1242M502S2F	2198	50	18	42	
12" Opening Multi Storage Unit - 4 High (54" High)	EVS1230M542S2F	2001	54	18	30	
	EVS1236M542S2F	2140	54	18	36	
	EVS1242M542S2F	2221	54	18	42	
5 High (Lateral) Shown	12" Opening Multi Storage Unit - 5 High (2 Lateral)	EVS1230M662S2F	2226	65.88	18	30
	EVS1236M662S2F	2393	65.88	18	36	
	EVS1242M662S2F	2559	65.88	18	42	
12" Opening Multi Storage Unit - 5 High (3 Lateral)	EVS1230M662S3F	2213	65.88	18	30	
	EVS1236M662S3F	2393	65.88	18	36	
	EVS1242M662S3F	2581	65.88	18	42	



# STORAGE

# STORAGE CABINET

## EVS12SFSND - OPEN STORAGE CABINET

- Storage Cabinet with no doors.
- 2SIND - 27 3/4" high with 1 shelf.
- 3SIND - 40 1/2" high with 2 shelves.
- 4SIND - 54" high with 3 shelves.
- 5SIND - 65 7/8" high with 4 shelves.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
3 High Shown	Open Storage Cabinet - 2 High Worksurface Supporting	EVS1230SF2SND	709	27.75	18	30
		EVS1236SF2SND	822	27.75	18	36
		EVS1242SF2SND	859	27.75	18	42
	Open Storage Cabinet - 3 High	EVS1230SF3SND	793	40.5	18	30
		EVS1236SF3SND	859	40.5	18	36
		EVS1242SF3SND	963	40.5	18	42
	Open Storage Cabinet - 4 High	EVS1230SF4SND	950	54	18	30
		EVS1236SF4SND	1012	54	18	36
		EVS1242SF4SND	1074	54	18	42
	Open Storage Cabinet - 5 High	EVS1230SF5SND	1095	65.88	18	30
		EVS1236SF5SND	1160	65.88	18	36
		EVS1242SF5SND	1208	65.88	18	42

## EVS12S - 12" STORAGE CABINET WITH HINGED DOOR

- 2S - 27 3/4" high with 1 shelf.
- 3S - 40 1/2" high with 2 shelves.
- 4S - 54" high with 3 shelves.
- 5S - 65 7/8" high with 4 shelves.
- 5W - 65 7/8" high wardrobe cabinet with a coat rod and 4 half shelves in the 36" and 42" wide units. 30" wide units have a coat rod and 4 coat hooks.
- Lock is included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
5 High Shown	12" Storage Cabinet with Hinged Door - 2 High (WS Supporting)	EVS12302SWS	744	27.75	18	30
		EVS12362SWS	829	27.75	18	36
		EVS12422SWS	903	27.75	18	42
	12" Storage Cabinet with Hinged Door - 3 High	EVS12303S	920	40.5	18	30
		EVS12363S	1042	40.5	18	36
		EVS12423S	1153	40.5	18	42
	12" Storage Cabinet with Hinged Door - 4 High	EVS12304S	1110	54	18	30
		EVS12364S	1240	54	18	36
		EVS12424S	1373	54	18	42
	12" Storage Cabinet with Hinged Door - 5 High	EVS12305S	1252	65.88	18	30
		EVS12365S	1404	65.88	18	36
		EVS12425S	1556	65.88	18	42
	12" Storage Cabinet with Hinged Door - 5 High Wardrobe	EVS12305W	1258	65.88	18	30
		EVS12365W	1431	65.88	18	36
		EVS12425W	1573	65.88	18	42


**ALL EVOLVE LATERAL FILES FEATURE**

- Looped full pull.
- Side-to-side file bars and leveling glides included.
- Lock included.
- Worksurface supporting
- Freestanding


**EV92\_P-2F1H - TWO-HIGH LATERAL FILE**

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Two-High Lateral File Two fixed front drawers	EV9230P-2F1H EV9236P-2F1H EV9242P-2F1H	699 730 809	27.625 27.625 27.625	18 18 18	30 36 42


**EV92\_P-3F1H - THREE-HIGH LATERAL FILE**

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Three-High Lateral File Three fixed front drawers	EV9230P-3F1H EV9236P-3F1H EV9242P-3F1H	878 972 1056	40.5 40.5 40.5	18 18 18	30 36 42

**EV92\_P-4F1H - FOUR-HIGH LATERAL FILE**

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Four-High Lateral File Four fixed front drawers	EV9230P-4F1H EV9236P-4F1H EV9242P-4F1H	1156 1220 1366	54 54 54	18 18 18	30 36 42

**EV92\_P-5F1H - FIVE-HIGH LATERAL FILE**

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Five-High Lateral File Four fixed front drawers Top drawer opening with receding door and roll-out shelf.	EV9230P-5F1H EV9236P-5F1H EV9242P-5F1H	1463 1537 1702	65.25 65.25 65.25	18 18 18	30 36 42





**ALL EVOLVE ESTOR STORAGE FEATURES**

- Pencil Tray
- Base elect pass through
- 4 mounting brackets and instructions
- Note: Handedness is determined by file side.


**EVS3054MDPL/R - FOUR HIGH MULTI-STORAGE PASS THROUGH CABINET**

- Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom.
- One closed storage compartment with one adjustable shelf.
- Base pass through for electrical

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Four High Multi-Storage Pass Through Cabinet - Left	EVS3054MDPL	2793	54	18	30
 Four High Multi-Storage Pass Through Cabinet - Right	EVS3054MDPR	2793	54	18	30

**EVS3054MDPOL/R - FOUR HIGH MULTI-STORAGE PASS THROUGH CABINET**


- Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom.
- One closed storage compartment with 1 adjustable shelf and 1 open bookcase with 1 adjustable shelf at the top.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Four High Multi-Storage Pass Through Cabinet - Left	EVS3054MDPOL	2726	54	18	30
 Four High Multi-Storage Pass Through Cabinet - Right	EVS3054MDPOR	2726	54	18	30





**EVSXX54M12L - FOUR HIGH MULTI-STORAGE PASS THROUGH CABINET**

- Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom.
- One closed storage compartment with 1 adjustable shelf
- Base pass through for electrical.
- Cabinet comes with 2 locks, 1 for lateral and 1 for storage cabinet.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Four High Multi-Storage Pass Through Cabinet	EVS3054M12L EVS3654M12L	2793 3068	54 54	18 18 30 36

**EVSXX54M12LOL/R - FOUR HIGH MULTI-STORAGE PASS THROUGH CABINET**

- Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom.
- One closed storage compartment with 1 adjustable shelf and 1 open bookcase with one adjustable shelf.
- Cabinet comes with 2 locks, 1 for lateral and 1 for storage cabinet.
- Handedness is determined by side with open shelves.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Four High Multi-Storage Pass Through Cabinet - Left	EVS3054M12LOL EVS3654M12LOL	2726 3001	54 54	18 18 30 36
	Four High Multi-Storage Pass Through Cabinet - Right	EVS3054M12LOR EVS3654M12LOR	2726 3001	54 54	18 18 30 36





**EVS3654MDPL/R - FOUR HIGH MULTI-STORAGE PASS THROUGH CABINET**

- Four High Multi Storage Pass Through Cabinet with 1 combination lateral at the bottom.
- A closed storage cabinet with 1 adjustable shelf
- 6" wardrobe storage
- Cabinet comes with 3 locks, 1 for combination lateral and 1 for storage cabinet and 1 for wardrobe.
- Handedness is determined by wardrobe side.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Four High Multi-Storage Pass Through Cabinet - Left	EVS3654MDPL	3068	54	18	36
 Four High Multi-Storage Pass Through Cabinet - Right	EVS3654MDPR	3068	54	18	36

**EVS3654MDPOL/LR - FOUR HIGH MULTI-STORAGE PASS THROUGH CABINET**

- Four High Multi Storage Pass Through Cabinet with 1 combination lateral at the bottom.
- One closed storage cabinet with 1 adjustable shelf
- One open bookcase with 1 adjustable shelf
- 6" wardrobe storage
- Cabinet comes with 3 locks, 1 for combination lateral and 1 for storage cabinet and 1 for wardrobe.
- Handedness is determined by wardrobe side.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Four High Multi-Storage Pass Through Cabinet - Left	EVS3654MDPOL	3001	54	18	36
 Four High Multi-Storage Pass Through Cabinet - Left	EVS3654MDPOLR	3001	54	18	36



**EVS3654M12LL/R - FOUR HIGH MULTI-STORAGE PASS THROUGH CABINET**

- Four High Multi Storage Pass Through Cabinet with 2 laterals at the bottom
- One closed storage cabinet with 1 adjustable shelf at the top
- 6" wardrobe storage


- Cabinet comes with 3 locks, 1 for lateral and 1 for storage cabinet and 1 for wardrobe.
- Handedness is determined by wardrobe side.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Four High Multi-Storage Pass Through Cabinet - Left	EVS3654M12LL	3068	54	18	36
 Four High Multi-Storage Pass Through Cabinet - Right	EVS3654M12LR	3068	54	18	36

**EVS3654M12LORL/LR - FOUR HIGH MULTI-STORAGE PASS THROUGH CABINET**

- Four High Multi Storage Pass Through Cabinet with 2 laterals at the bottom
- One closed storage cabinet with 1 adjustable shelf and 1 open bookcase with 1 adjustable shelf
- 6" wardrobe storage


- Cabinet comes with 3 locks, 1 for lateral and 1 for storage cabinet and 1 for wardrobe.
- Handedness is determined by wardrobe side.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Four High Multi-Storage Pass Through Cabinet - Left	EVS3654M12LORL	3001	54	18	36
 Four High Multi-Storage Pass Through Cabinet - Right	EVS3654M12LORR	3001	54	18	36




**EVAOMBE - MAGNETIC WHITEBOARD FOR ESTOR CABINET**

- Provides a writing surface within a work area.
- Use erasable whiteboard markers only.
- Mounts on back of estor cabients, above worksurface.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Magnetic Whiteboard for eStor - 30"	EVAOMBE30	314	28	23	
	Magnetic Whiteboard for eStor - 36"	EVAOMBE36	381	34	23	


**92-BHHD - HALF HEIGHT DRAWERS**

- Half height drawers. For 30", 36" or 42" "B" opening, specify 92P-BHHD\_. For 30", 36" or 42" "L" opening, specify 92P-LHHD\_. One pair. Must be factory installed.\*

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Half Height Drawers "B" Openings	92P-BHHD30 92P-BHHD36 92P-BHHD42	267 286 306			30 36 42
	Half Height Drawers "L" Openings	92P-LHHD30 92P-LHHD36 92P-LHHD42	267 286 306			30 36 42


**ERRC - RECEDING DOOR CONVERSION**

- Receding door and roll-out shelf conversion in "B" or "L" openings from a fixed front drawer.\* (Add list price to each opening being converted at time of order.) Must be factory installed.
- Receding door and fixed slotted shelf conversion in "B" or "L" openings from a fixed front drawer.\* (Add list price to each opening being converted at time of order.) Must be factory installed.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Receding Door Conversion Roll-Out Shelf Conversion	ERRC30 ERRC36 ERRC42	58 58 58			30 36 42
	Receding Door Conversion Fixed Slotted Shelf Conversion	EFSC30 EFSC36 EFSC42	58 58 58			30 36 42

**EFFD - FIXED DRAWER CONVERSION**


- Fixed front drawer conversion in "B" or "L" openings from receding door and roll-out shelf. (No charge for conversion at time of order.) Must be factory installed.
- Note: Fixed shelf cannot be substituted for a roll-out shelf in any position for receding opening. (No charge for conversion at time of order.)
- Please specify all substitutions and options.
- Contact Evolve Customer Service for specific options.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Fixed Drawer Conversion	EFFD30 EFFD36 EFFD42				30 36 42




**92PPS - POSTING SHELF**

- Posting shelf. Available in five drawer high cabinets. Factory installed between second and third openings.
- Please specify all substitutions and options.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Posting Shelf	92PPS30 92PPS36 92PPS42	163 190 211		30 36 42


**EVSEDPS - EDP ADAPTER**

- Not recommended for use in receding front drawers.
- "B" opening only.
- Black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EDP Adapter	EVSEDPS	35	3	16.5


**EVSHFB - HANGING FILE BARS**

- Used in lateral files only.
- Available in black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Hanging File Bars	EVSHFB30 EVSHFB36 EVSHFB42	34 34 34		30 36 42

**EVSFBB - FRONT-TO-BACK BARS**


- Cross file bars.
- Used in lateral files only.
- Available in grey only.
- Shipped in pairs.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Hanging File Bars	EVSFBB	18		12.25




**EVSLAB - LEGAL-TO-LETTER ADAPTER**

- Used in lateral files only.
- Available in black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSLAB30	18			30
	EVSLAB36	18			36
	EVSLAB42	18			42


**EVS\_PD - DIVIDER PLATES**

- Used in full-height shelves and drawers.
- Three plates per package.
- Used in lateral files only.
- Available in Grey paint only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSHPD03	37	4		13
	EVSFPD03	37	7		13

**EVAPDIV - PEDESTAL DIVIDER PLATES**


- Priced and shipped individually.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVAPDIV	21	4		12



**EVSCWB - COUNTERWEIGHT BALANCE**

- Recommended for use in all laterals and freestanding pedestals.
- Black only.
- Must be factory installed.
- Counter weights now designed to accommodate height and width of storage pieces. Please note revised product codes.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Counterweight Balance - 2 High	EVSCWB302H EVSCWB362H EVSCWB422H	293 301 301			30 36 42
	Counterweight Balance - 3 High	EVSCWB303H EVSCWB363H EVSCWB423H	283 293 301			30 36 42
	Counterweight Balance - 4 High	EVSCWB304H EVSCWB364H EVSCWB424H	171 190 198			30 36 42
	Counterweight Balance - 5 High	EVSCWB305H EVSCWB365H EVSCWB425H	171 190 198			30 36 42
	Counterweight Balance - Ped Field Installed	EVSCWPED	82			
	Counterweight Balance - Ped Factory Installed	EVSCWPEDF	151			

**EVSAK - ADDITIONAL & MASTER KEY**

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	AK - Additional Key (specify at time of order)	EVSAK92	9			
	MK - Master Key	EVSMK92	23			
	EK - Extra Key for existing cabinets (specify at time of order)	EVSEK92	9			
	CK - Core Key	EVSCK92	23			
	LOCKKEY - Core and Key	EVLOCKKEY	31			

**EVSLK - LOCK FOR OVERHEAD FLIPPER DOOR STORAGE UNIT**

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Lock for Overhead Flipper Door Storage Unit	EVSLK12	39			



**STORAGE****KEY ALIKE FORM**

SO#	PO#	TAG#	DATE						
KEY#	SETS REQ'D								
401		431		461		491		521	
402		432		462		492		522	
403		433		463		493		523	
404		434		464		494		524	
405		435		465		495		525	
406		436		466		496		526	
407		437		467		497		527	
408		438		468		498		528	
409		439		469		499		529	
410		440		470		500		530	
411		441		471		501		531	
412		442		472		502		532	
413		443		473		503		533	
414		444		474		504		534	
415		445		475		505		535	
416		446		476		506		536	
417		447		477		507		537	
418		448		478		508		538	
419		449		479		509		539	
420		450		480		510		540	
421		451		481		511		541	
422		452		482		512		542	
423		453		483		513		543	
424		454		484		514		544	
425		455		485		515		545	
426		456		486		516		546	
427		457		487		517		547	
428		458		488		518		548	
429		459		489		519		549	
430		460		490		520		550	

401 - 430 =	431 - 460 =	461 - 490 =	491 - 520 =	521 - 550 =
-------------	-------------	-------------	-------------	-------------

Total:

NOTE : If Key Alike Instructions are not submitted to EVOLVE with the Customer's Purchase Order, all components will be keyed randomly.



## NOTES



# accessories

## ACCESSORIES

## TACK BOARD / WHITE MARKER BOARD

### EVATB - TACK BOARD

- Provide a tackable surface for notes and memos in a work area.
- Includes two pairs of panel-mounting brackets.
- Only fabric must be specified.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Tack Board - 21" High	EVATB2124	188	195	21	24	
	EVATB2130	204	212	21	30	
	EVATB2136	233	239	21	36	
	EVATB2142	265	275	21	42	
	EVATB2148	298	307	21	48	
	EVATB2154	327	340	21	54	
	EVATB2160	358	373	21	60	
Tack Board - 24" High	EVATB2430	204	213	24	30	
	EVATB2436	233	242	24	36	
	EVATB2442	265	276	24	42	
	EVATB2448	298	308	24	48	
	EVATB2454	327	341	24	54	
	EVATB2460	358	373	24	60	

### EVAWB - WHITE MARKER BOARD

- Provides a writing surface within a work area.
- Includes two pairs of panel-mounting brackets.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	W			D
White Marker Board - 21" High	EVAWB2130	218	21	30		
	EVAWB2136	246	21	36		
	EVAWB2142	277	21	42		
	EVAWB2148	322	21	48		
White Marker Board - 24" High	EVAWB2430	218	24	30		
	EVAWB2436	246	24	36		
	EVAWB2442	277	24	42		
	EVAWB2448	322	24	48		

### EVAMT - MARKER TRAY

- Provides a tray for storage of markers, erasers, etc.
- Attaches to the bottom of the White Marker Board.
- Available in chrome only.


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	W			D
Marker Tray	EVAMT12	12		12		



**EVALB2 - LOAD BAR - TOP**

- Enables accessory items to be hung from a panel.
- Includes end caps and mounting brackets.
- Can be panel mounted.


- Can connect to EVALB2-2 and/or EVALB2-3 Load Bars to create a multi-level load bar or "Slat Wall"
- Note: can be used on its own.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Load Bar - Top				
	EVALB224	83	2.25	24	1
	EVALB230	88	2.25	30	1
	EVALB236	94	2.25	36	1
	EVALB242	99	2.25	42	1
	EVALB248	102	2.25	48	1
	EVALB254	106	2.25	54	1
	EVALB260	109	2.25	60	1

**EVALB2-2 - LOAD BAR - MIDDLE**

- Enables accessory items to be hung from a panel.
- Includes end caps and is to be used in conjunction with the Load Bar - Top (EVALB2). Mounting brackets NOT included.
- Can be panel mounted.


- Connects between EVALB2 and EVALB2-3 Load Bars to create a multi-level load bar or "Slat Wall"
- Note: Needs to be used in conjunction with both EVALB2 (as noted above) and EVALB2-3. Multiples of EVALB2-2 can be joined, one below the other, to create a "Slat Wall"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Load Bar - Middle				
	EVALB2-224	59	2.25	24	1
	EVALB2-230	62	2.25	30	1
	EVALB2-236	66	2.25	36	1
	EVALB2-242	70	2.25	42	1
	EVALB2-248	74	2.25	48	1
	EVALB2-254	81	2.25	54	1
	EVALB2-260	84	2.25	60	1

**EVALB2-3 - LOAD BAR - BOTTOM**

- Enables accessory items to be hung from a panel.
- Includes end caps and mounting brackets.
- Can be panel mounted.


- Connects between EVALB2-2 and EVALB2-3 Load Bars to create a multi-level load bar or "Slat Wall"
- Note: Needs to be used in conjunction with an EVALB2 or a combination of EVALB2 and EVALB2-2

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Load Bar - Bottom				
	EVALB2-324	81	2.25	24	1
	EVALB2-330	84	2.25	30	1
	EVALB2-336	88	2.25	36	1
	EVALB2-342	94	2.25	42	1
	EVALB2-348	100	2.25	48	1
	EVALB2-354	104	2.25	54	1
	EVALB2-360	107	2.25	60	1




**EVALB - LOAD BAR**

- Enables accessory items to be hung from a panel.
- Includes end caps and mounting brackets.
- Can be panel or wall mounted.
- Must specify finish.
- Attachment slot dimensions = 0.115" W x 0.240" H.
- Slatwall mounted monitor arms will NOT hang on EVALB - load bar.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Load Bar	EVALB24 EVALB30 EVALB36 EVALB42 EVALB48 EVALB54 EVALB60	105 116 127 147 170 181 195	2.25 2.25 2.25 2.25 2.25 2.25 2.25	24 30 36 42 48 54 60	1 1 1 1 1 1 1


**EVABB01 - BINDER BIN**

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (pages 240-241) for a complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Binder Bin	EVABB01	53	9	4	10.25


**EVALT01 - LETTER TRAY**

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (pages 240-241) for a complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Letter Tray	EVALT01	42	2	13.5	9.25

**EVASS01 - SLANT SORTER**

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (pages 240-241) for a complete list of offerings and conditions.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Slant Sorter	EVASS01L EVASS01R	33 33	9.5 9.5	5 5	10.25 10.25




## ACCESSORIES

## RAIL ACCESSORIES

### EVAMB01 - MEDIA BIN

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.


- Available in standard and premium paint selections. See Textiles and Finishes (pages 240-241) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Media Bin	EVAMB01	42	3	5.75	5.25

### EVAUT01 - UTILITY TRAY

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.


- Available in standard and premium paint selections. See Textiles and Finishes (pages 240-241) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Utility Tray	EVAUT01	28	1	8.5	3.75

### EVAFS01 - FLIP SORTER

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Comes with nickel plated wire.


- Available in standard and premium paint selections. See Textiles and Finishes (pages 240-241) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Flip Sorter	EVAFS01	39	9.25	2.75	9.25

### EVAPP01 - MAIL BOX

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.


- Available in standard and premium paint selections. See Textiles and Finishes (pages 240-241) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Mail Box	EVAPP01	68	9	16	2.75




**EVATH01 - TELEPHONE HOLDER**

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (pages 240-241) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Telephone Holder	EVATH01	65	2	9
					10


**EVANP01 - NAME PLATE**

- Panel mounted name plate.
- Metal construction with plastic cover. Slide in name card not provided.
- Available in standard and premium paint selections. See Textiles and Finishes (pages 240-241) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Name Plate	EVANP01	47	2.75	6

**EVACH01 - COAT HOOK**


- Panel mounted coat hook.
- Available in standard and premium paint selections. See Textiles and Finishes (pages 240-241) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Coat Hook	EVACH01	42	3	.75




**EVWAKM01 - SOFT TOUCH KEYBOARD SUPPORT MECHANISM**

- Height range 6" (+1.0"/-5.0").
- Soft touch knob tilt adjustable range +15°/-15°.
- 360° base swivel.
- Soft touch knob for simultaneous height and tilt adjustment.
- Spring-assisted mechanism helps counter balance weight of keyboard and tray.
- Low profile design for maximum leg room.
- Includes 21.75" under worksurface glide track as standard. Optional 12" and 18" glide tracks are available at no upcharge. Contact Evolve Customer Support for details.
- Keyboard support mechanisms and trays available in Black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVWAKM01	213			


**EVWAKM02 - LIFT-N-LOCK KEYBOARD SUPPORT MECHANISM**

- Height range 8.38" (+2.25"/-6.13").
- Dial-tilt gauge shows precise tilt angle from +10°/-15° positions.
- 360° base swivel.
- Patent pending height indicator gauge allows for precise height setting when used by multiple users, or for returning to optimal height setting after storage.
- Patented Lift-N-Lock height adjustment without knobs or levelers automatically locks into position with release of tray for greater ADA/Barrier Free compliance.
- Exceeds BIFMA performance standards.
- Includes 21.75" under worksurface glide track as standard. Optional 12" and 18" glide tracks are available at no upcharge. Contact Evolve Customer Support for details.
- Keyboard support mechanisms and trays available in Black only.
- Positive Tilt Lockout available. Contact Evolve Customer Support for details.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVWAKM02	280			

**EVWAKM03 - LIFT-N-LOCK SIT-STAND KEYBOARD SUPPORT MECHANISM**


- Height range 14.13" (+8.25"/-5.88")
- Dial-tilt gauge shows precise tilt angle from +10°/-15°.
- 360° base swivel.
- Patent pending height indicator gauge allows for precise height setting when used by multiple users, or for returning to optimal height setting after storage.
- Curved neck allows user to be closer to the desk when in standing position.
- Exceeds BIFMA performance standards.
- Includes 21.75" under worksurface glide track as standard. Optional 12" and 18" glide tracks are available at no upcharge. Contact Evolve Customer Support for details.
- Keyboard support mechanisms and trays available in Black only.
- Positive tilt lockout available. Contact Evolve Customer Service for details.
- Maximizes ergonomic support for both seated and standing positions.
- Patented Lift-N-Lock height adjustment without knobs or levelers automatically locks into position with release of tray for greater ADA/Barrier Free compliance.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVWAKM03	451			




**EVWAKT01 - MDF TRAY WITH SLIDING MOUSE SUPPORT**

- Formed MDF tray with textured finish and a foam anti-skid mat.
- Sliding retractable mouse support slides below tray for left or right mouse positioning.
- Extends 9.91" beyond the end of the keyboard tray.
- Keyboard support mechanisms and trays available in Black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 MDF Tray with Sliding Mouse Support	EVWAKT01	215	21.3	10.5	


**EVWAKT02 - 27" HDPE TRAY WITH TWO MOUSING SURFACES**

- HDPE tray is 1/2" thick high density polyethylene with textured finish.
- Includes removable plug-in, gel free foam palm rest and anti-skid straps.
- Keyboard and mouse can be placed left or right.
- Includes mouse fence with cable manager.
- Keyboard support mechanisms and trays available in Black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 27" HDPE Tray with Two Mousing Surfaces	EVWAKT02	277	27.5	11.5	


**EVWAKT03 - PHENOLIC TRAY WITH HEIGHT ADJUSTABLE MOUSE SUPPORT**

- Solid low profile keyboard tray with graphite finish to help hide fingerprints and smudges.
- Includes removable plug-in, gel free foam palm rest and anti-skid straps.
- Height adjustable mouse support provides ergonomic adjustment of tilt, swivel and height adjustments.
- Keyboard and mouse can mount left or right.
- Mousing surface includes mouse fence with cable manager.
- Keyboard support mechanisms and trays available in Black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Phenolic Tray with Height Adjustable Mouse Support	EVWAKT03	299	23	11.5	

**EVWAKT04 - 1/2" HDPE TRAY WITH HEIGHT ADJUSTABLE MOUSE SUPPORT**

- 1/2" thick high density polyethylene with textured finish.
- HDPE includes removable plug-in, gel free foam palm rest and anti-skid straps.
- Height adjustable mouse support with ergonomic adjustment of tilt, swivel and height adjustment.
- Can mount left or right and includes mouse fence and cable manager.
- Keyboard support mechanisms and trays available in Black only.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 1/2 "HDPE Tray with Height Adjustable Mouse Support	EVWAKT04	334	23	11.5	




## ACCESSORIES

## KEYBOARD COMBINATION CHART


### KEYBOARD COMBINATION CHART - PACKAGED CODES




EVWAKT01




EVWAKT02



EVWAKT03



EVWAKT04




EVWAKM01

EVWAKK101  
\$416

EVWAKK102  
\$476

EVWAKK103  
\$497

EVWAKK104  
\$531




EVWAKM02

EVWAKK201  
\$480

EVWAKK202  
\$520

EVWAKK203  
\$563

EVWAKK204  
\$596



EVWAKM03

EVWAKK301  
\$647

EVWAKK302  
\$705


EVWAKK303  
\$728

EVWAKK304  
\$762




**EVWAK1 - ADJUSTABLE KEYBOARD CLAMP & PALM REST**

- Full length gel-foam wrist rest.
- 6.5" height adjustment.
- Meets or exceeds ANSI/BIFMA standards.
- Available in black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVWAK1	262	7	24	10

**EVWAK3A - SIT/STAND ADJUSTABLE KEYBOARD TRAY & MOUSE TRAY**

- Full length gel-foam wrist rest.
- 6.5" height adjustment.
- Meets or exceeds ANSI/BIFMA standards.
- Available in black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVWAK3A	553	7	26	10




**MONITOR ARM SPECIFICATIONS (APPLIES TO ALL EVOLVE MONITOR ARMS LISTED BELOW):**

- VESA mounting plate contains 75mm & 100mm mounting configuration.
- VESA plate head is fully adjustable with 180° of tilt, 180° of swivel and 360° of rotation for portrait to landscape viewing.
- Keyhole slots in VESA plate for quick mounting of display screen.
- Counterbalance spring mechanism does not contain gas cylinders (that are prone to leakage).
- Cable management provided on arm swivel joints.
- Arm components manufactured from 100% recyclable aluminum dye cast material, providing stability and durability.
- 13" arm height adjustment on 11" stainless steel pole.
- Pole support ring doubles as cable manager.
- 360° of arm swivel around pole.
- Desk clamp and grommet mounting options standard on pole applications.


**EVLCD03 - MONITOR ARM - SINGLE SCREEN/SINGLE EXTENSION**

- Display viewing - 180° of tilt, 180° of swivel and 360° of rotation.
- Quick-release VESA plate included.
- 9" pole adjustment.
- Available in White (WHT), Black (BLK) and Silver Metallic (SLM). Post is chromed.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Monitor Arm - Single Screen Single Extension	EVLCD03	362			


**EVLCD08 - MONITOR ARM - SINGLE SCREEN/DUAL EXTENSION**

- 9 1/2" reach from center of pole to front of VESA plate.
- Display viewing - 180° of tilt, 180° of swivel and 360° of rotation.
- Quick-release VESA plate included.
- 9" pole adjustment.
- Available in White (WHT), Black (BLK) and Silver Metallic (SLM). Post is chromed.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Monitor Arm - Single Screen Dual Extension	EVLCD08	431			

**EVLCD04 - MONITOR ARM - SINGLE SCREEN/DUAL EXTENSION/HEIGHT ADJUSTABLE**

- Frees up valuable worksurface space and supports a sit/stand working posture.
- Attaches to any standard worksurface with a flush edge, or through a grommet.
- Monitor arm adjusts from 3" to 12" above worksurface.
- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360° and tilts +/- 90° (180°).
- Double extension has 19" of back and forth movement to allow for different visual depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- Quick-release VESA plate included.
- Available in White (WHT), Black (BLK) and Silver Metallic (SLM). Post is chromed.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Monitor Arm - Single Screen Dual Extension/Height Adjustable	EVLCD04	518			



**EVLCD05 - MONITOR ARM - DUAL SCREEN/DUAL EXTENSION**

- Frees up valuable worksurface space.
- Used for side-by-side or back-to-back applications.
- Attaches to any standard worksurface with flush edge or through a grommet.
- Monitor arm adjusts from 3" to 12" above worksurface.
- Monitor connecting extension has 19" of back and forth movement to allow for different vocal depths of viewing comfort.


- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- Quick-release VESA plate included.
- Available in White (WHT), Black (BLK) and Silver Metallic (SLM). Post is chromed.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVLCD05	762			

**EVLCD06 - MONITOR ARM - DUAL SCREEN/DUAL EXTENSION/HEIGHT ADJUSTABLE**

- Frees up valuable worksurface space and supports a sit/stand working posture.
- Used for side-by-side or back-to-back applications.
- Attaches to any standard worksurface with flush edge or through a grommet.
- Monitor arm adjusts from 3" to 12" above worksurface.
- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360° and tilts +/- 90° (180°).


- Double extension has 19" of back and forth movement to allow for different vocal depths of viewing comfort.
- Built in cable clips on underside of extension arms and pole base allows organized cable management.
- Quick-release VESA plate included.
- Available in White (WHT), Black (BLK) and Silver Metallic (SLM).

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVLCD06	945			

**EVLCD01 - HEIGHT ADJUSTABLE FLAT SCREEN MONITOR ARM**

- Mounting brackets secures the arm mechanism to Evolve ganging load bar to slat wall.
- Smooth horizontal adjustment.
- Smooth vertical adjustment.
- Additional stepped vertical adjustment by alteration of the supporting rails height.


- Sliding brackets with set screws prevents dislodgement from supporting rails.
- Includes adjustable slat wall package, single height adjustable arm package, monitor mount package and allen key.
- Available in Black (BLK), Silver (SIL) and White (WHT).

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVLCD01	473	9	5	15




**EVLCD02 - NON-HEIGHT ADJUSTABLE FLAT SCREEN MONITOR ARM**

- Mounting brackets secures the arm mechanism to Evolve ganging load bar to slat wall.
- Smooth horizontal adjustment.
- Stepped vertical adjustment by alteration of the supporting rails height.
- Sliding brackets with set screws prevents dislodgement from supporting rails.
- Includes adjustable slat wall package, single height adjustable arm package, monitor mount package and allen key.
- Available in Black (BLK), Silver (SIL) and White (WHT).

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVLCD02	362	9	5	15


**EVLCD07 - SLAT WALL MONITOR ARM - DUAL EXTENSION/HEIGHT ADJUSTABLE**

- Spring counterbalanced height adjustable arm extension provides free floating vertical range of movement through 13" of travel.
- VESA mounting plates contain 75mm and 100mm mounting configuration.
- 180-degree of arm swivel around slat wall mounting bracket pivot point.
- VESA plate head is fully adjustable with 180-degree of tilt, 180-degree of swivel and 360-degree of rotation for portrait to landscape viewing.
- Keyhole slots in VESA plate for quick mounting of display screen.
- Slat wall bracket clamps to Slat Wall via adjustable brackets allowing for easy installation and removal (installation tools provided).
- Cable management provided on arm swivel points.
- Arm components manufactured from 100% recyclable aluminum dye cast material, providing stability and durability.
- Friction screw adjustment on arm segments for touch screen applications.
- Available in White (WHT), Black (BLK) and Silver Metallic (SLM). Post is chromed.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVLCD07	540			

**EVLCD09 - MONITOR ARM - PARABOLIC QUAD SCREEN, BEAM MOUNT**

- Available in White (WHT), Black (BLK) and Silver Metallic (SLM). Post is chromed.
- Frees up valuable worksurface space.
- Double extension has 19" of back and forth movement to allow for different vocal depths of viewing comfort.
- Adjust from 3" to 12" above worksurface.
- Counter-balance arm provides an additional 6" of height adjustment.
- Quick-release VESA plate included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVLCD09	1236			




# ACCESSORIES

## **EVCPU - CPU HOLDER**

- CPU holder with soft touch knob.
- Vertical underside storage space.
- Maintains CPU at set height.
- Inside width adjustment 3.5" — 9.25"


- Inside vertical adjustment 12.25" — 22.25"
- Load rating: 85lbs.
- Available in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	CPU Holder	EVCPU01	231	14	8.25	7.75

## **EVCPU02 - CPU HOLDER ON GLIDE TRACK**

- Accepts tower CPUs with a width range of 3.5" to 9.3" and a height range of 12.5" to 22.5".
- Soft touch knob for side clamp adjustment and bayonet lance for vertical height adjustment.

- 12" glide track mounted and 360-degree swivel for easy access to rear of CPU.
- Manufactured from steel and engineered resin, providing rugged durability and support.
- Available in Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	CPU Holder on Glide Track	EVCPU02	253			

## **EVWALS01 - LAPTOP SUPPORT WITH INTEGRATED 4 PORT USB HUB**

- 5 adjustment angles for ergonomic viewing.
- Adjustment arm allows for unrestricted air flow.
- 4 port USB hub powered by a computer, no external power required.
- Fully compliant with universal serial bus specifications 2.0.
- Over current protection for downstream port.

- Compatible with Windows 7, XP, 98, ME, 2000 and Vista. Also compatible with MAC OS 8x, 9x, and 10.
- CE/UL/FCC approved and RoHS compliant.
- Available in Black and Grey.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Laptop Support with Integrated 4 Port USB Hub	EVWALS01	132			

## **EVWADH01 - DESKTOP DOCUMENT HOLDER**

- Dimensions of 16 1/2" wide x 10" high x 8" deep.
- Heavy duty steel easel support.

- Magnetic line glide.
- Available in Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Desktop Document Holder	EVWADH01	132			



# ACCESSORIES


## EVWAFR01 - ADJUSTABLE FOOT REST

- Provides support for the 5th percentile female when chair adjustment is not adequate.
- Easily adjustable to angles of 6°, 12°, 16° and 25°.
- Footrest surface covered with anti-fatigue rubber mat.
- Available in Black/Grey combination only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Adjustable Foot Rest	EVWAFR01	132			

## EVWACP - CRT CORNER PLATE

- Converts two abutting worksurfaces in a 90° corner into a 45° angle keyboard worksurface.
- Keyboard mechanism not included.
- Must specify paint color.
- Made of metal.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 CRT Corner Plate	EVWACP1818	71	1.125	18	18

## EVATP - TOUCH-UP PAINT KIT

- Available in standard Evolve paint colors to facilitate easy touch-ups.
- 1/2 fl. ounce bottle (spray not available).
- Specify color.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Touch-Up Paint Kit	EVATP01	12			



## NOTES



# textiles and finishes

## Care and Cleaning

The following guide encompasses the Evolve System line.

The guide was compiled using information from our "raw" material suppliers and is relevant only to our standard offering finishes and textiles.

---

### FABRICS

To extend the life of your upholstered panels, regularly dust the panel to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

### PANEL FRAMES

The panel frames are manufactured out of sturdy aluminum with a powder coated enamel paint finish. To clean the frames of the panels, and all hardware associated with the Evolve line, simply utilize a clean, damp cloth. For stubborn stains on the panel frames, you may consider adding a mild detergent.

### GLAZED PANELS

Cleaning of the glazing in panels should only be done with a damp lint-free cloth. A mild detergent can be used if necessary. Do not use paper towels in combination with a window cleaner-this may cause scratches to the glazing.

### WORKSURFACES

The worksurfaces are manufactured using primarily Nevamar Brand laminates as the exposed surface. To properly clean these areas, it is best to use a clean, damp cloth and circular motion to prevent streaks. For stubborn stains, you are able to add a mild detergent to the water. Be certain not to use an ammonia-based solution. It will react with the PVC, or wood edge trim, causing permanent damage to the contacted areas.

### ACCESSORIES

The accessories sold with the Evolve product line can be simply cleaned with a clean, damp cloth. If they are really dirty, a mild, non-abrasive solution may be added. Wipe with a damp cloth after the solution, and finally, a dry cloth.

# TEXTILE & FINISHES

# LAMINATES AND VENEERS

## LAMINATES – THERMALLY FUSED

Absolute Acajou.....	<b>W150LP</b>
Asian Night .....	<b>794938LP</b>
Avant Cherry*.....	<b>W357LP</b>
Avant Honey*.....	<b>W356LP</b>
Black.....	<b>1595-60LP</b>
Brushed Cobalt.....	<b>BRCLP</b>
Clear Maple*.....	<b>WM8340TLP</b>
Constellation Java .....	<b>T823</b>
Custom Grey.....	<b>S548LP</b>
Dark Espresso.....	<b>W142LP</b>
Desert Zephyr.....	<b>4841-60LP</b>
Empire Mahogany+.....	<b>7122T-0K7LP</b>
Grey.....	<b>T551</b>
Grey Matrix.....	<b>MR61TLP</b>
Loden Zephyr.....	<b>4844-60LP</b>
Manitoba Maple.....	<b>7911-60LP</b>
Misted Zephyr.....	<b>4843-60LP</b>
Pearl Bisque.....	<b>D485-07LP</b>
Pearl Dust.....	<b>D488-07LP</b>
Pearl Silver.....	<b>D487-07LP</b>
Shaker Cherry.....	<b>7935-0K7LP</b>
Storm Grey.....	<b>T565</b>
Studio White Matrix.....	<b>MR71TLP</b>
String.....	<b>S477</b>
Taupe.....	<b>T427</b>
Tiger Fruitwood*.....	<b>T821</b>
Tiger Mahogany*.....	<b>T822</b>
Tiger Maple*.....	<b>T820</b>
Tiger Walnut*.....	<b>T819</b>
Titanium.....	<b>4810-60LP</b>
True White.....	<b>S645LP</b>
Willow Grey.....	<b>T431</b>
Winter Cherry.....	<b>WCRLP</b>
White Chocolate.....	<b>T492LP</b>

Additional paint and laminates may be available. Contact Evolve Customer Support for details.

\* Matching Wood Grain PVC edge available.

+ For matching purposes Empire Mahogany laminate can be coordinated with Global's Quartered Mahogany laminate and PVC trim.

## LAMINATES – HIGH PRESSURE

Absolute Acajou.....	<b>W150HP</b>
Asian Night .....	<b>794938HP</b>
Avant Cherry*.....	<b>W357HP</b>
Avant Honey*.....	<b>W356HP</b>
Black.....	<b>1595-60HP</b>
Brushed Cobalt.....	<b>BRCHP</b>
Clear Maple*.....	<b>WM8340THP</b>
Constellation Java .....	<b>H823</b>
Custom Grey.....	<b>S548HP</b>
Dark Espresso.....	<b>W142HP</b>
Desert Zephyr.....	<b>4841-60HP</b>
Designer White.....	<b>D354-60HP</b>
Empire Mahogany+.....	<b>7122T-07HP</b>
Grey.....	<b>H551</b>
Grey Matrix.....	<b>MR61T</b>
Loden Zephyr.....	<b>4844-60HP</b>
Manitoba Maple.....	<b>7911-60HP</b>
Misted Zephyr.....	<b>4843-60HP</b>
Pearl Bisque.....	<b>D485-07HP</b>
Pearl Dust.....	<b>D488-07HP</b>
Pearl Silver.....	<b>D487-07HP</b>
Shaker Cherry.....	<b>7935-07HP</b>
Storm Grey.....	<b>H565</b>
Studio White Matrix.....	<b>MR71THP</b>
String.....	<b>S652T</b>
Taupe.....	<b>H427</b>
Tiger Fruitwood*.....	<b>H821</b>
Tiger Mahogany*.....	<b>H822</b>
Tiger Maple*.....	<b>H820</b>
Tiger Walnut*.....	<b>H819</b>
Titanium.....	<b>4810-60HP</b>
Willow Grey.....	<b>H431</b>
Winter Cherry.....	<b>WCRHP</b>
White Chocolate.....	<b>T492HP</b>

Additional paint and laminates may be available. Contact Evolve Customer Support for details.

\* Matching Wood Grain edge available.

## PVC EDGE TRIM

Absolute Acajou.....	<b>AAE</b>
Asian Night .....	<b>ASE</b>
Avant Cherry.....	<b>ACE</b>
Avant Honey.....	<b>AHE</b>
Avant Maple.....	<b>AME</b>
Avant Natural.....	<b>ANE</b>
Black.....	<b>BLK</b>
Charcoal.....	<b>CHR</b>
Clear Maple.....	<b>CME</b>
Dark Espresso*.....	<b>DES</b>
Designer White.....	<b>DWE</b>
Nevada.....	<b>NEV</b>
Pearl Dust.....	<b>PDE</b>
Quartered Mahogany.....	<b>QTM</b>
Shaker Cherry.....	<b>SKE</b>
Silver.....	<b>SIL</b>
Taupe.....	<b>TPE</b>
Tiger Fruitwood*.....	<b>TFW</b>
Tiger Mahogany.....	<b>TMA</b>

Tiger Maple*.....	<b>TMP</b>
Tiger Walnut*.....	<b>TLW</b>
Tungsten.....	<b>TUN</b>
White Chocolate.....	<b>CBE</b>

\* 1 7/16" HPW PVC Trim for Worksurfaces is not available in Dark Espresso (DES), Tiger Fruitwood (TFW), Tiger Maple (TMP) and Tiger Walnut (TLW).

## WOOD VENEER WORKSURFACES\*

Biscotti .....	<b>VBO</b>
Caramel Bamboo.....	<b>VBM</b>
Cocoa Walnut.....	<b>VCW</b>
Dark Cherry.....	<b>VDC</b>
Espresso Walnut.....	<b>VEW</b>
Hazelnut .....	<b>VHM</b>
Honey Maple.....	<b>VMS</b>
Java.....	<b>VJO</b>
Latte Walnut .....	<b>VLW</b>
Natural Cherry.....	<b>VNC</b>
Natural Maple.....	<b>VMP</b>
Red Cherry.....	<b>VRC</b>
Tuscan Walnut .....	<b>VTW</b>
Walnut.....	<b>VWL</b>
Warm Cherry.....	<b>VWC</b>

All wood veneer worksurfaces are 1.38" thick.

\*Note: Wood veneer options for worksurfaces are available at an up charge and with an extended lead time. Contact Evolve Customer Support for details.

## STANDARD PAINT & FRAME COLORS

(for application to trim, steel components, PVC, vertical and horizontal members)

Black.....	<b>BLK</b>
Charcoal .....	<b>CHR</b>
Designer White .....	<b>DWT</b>
Nevada .....	<b>NEV</b>
Silver .....	<b>SIL</b>
Steel .....	<b>STL</b>
Taupe .....	<b>TPE</b>
Tungsten° .....	<b>TUN</b>

Additional paint and laminates may be available. Contact Evolve Customer Support for details.

°Tungsten paint is subject to 10% upcharge EXCEPT on Worksurfaces, PVC items, or when PVC trim components are ordered separately.

## PREMIUM PAINT & FRAME COLORS

Black Coffee* .....	<b>U04</b>
Bone* .....	<b>F29</b>
Business Gray* .....	<b>BGR</b>
Cappuccino* .....	<b>T20</b>
Claret* .....	<b>F09</b>
Cloud* .....	<b>F23</b>
Dark Chocolate* .....	<b>T19</b>
Desert Putty* .....	<b>DPT</b>
Gray* .....	<b>GRY</b>
Ice* .....	<b>F33</b>
Ivory* .....	<b>F30</b>
Light Gray* .....	<b>LGR</b>
Metro* .....	<b>F07</b>
Mocha* .....	<b>J52</b>
Moss* .....	<b>F05</b>
Navy* .....	<b>F19</b>
Oyster* .....	<b>F35</b>
Stone* .....	<b>F32</b>
Storm Grey* .....	<b>SGR</b>
Tahiti Sand* .....	<b>TSA</b>
Vanilla* .....	<b>J23</b>
Willow* .....	<b>F28</b>

\*Premium paint selections are available on the following components:

Panels: top trim and frame 22% upcharge

Hardware: 22% upcharge

End-of-run and Post Kits: 22% upcharge

Accessories: 22% upcharge

Storage: no upcharge

All special and premium paint match orders of 50 panels or less will incur a \$500 net up charge. Add on orders will not have that charge for 90 days after the original order has shipped and must have the original PO# quoted otherwise they will not qualify for the program.

Global matte paint finishes are available on most Evolve Storage pieces without an up charge regardless of quantities.

All Mica and Metallic paint finishes will incur a minimum up charge of 10%.

All non-standard paint finishes must be approved by Evolve prior to placing an order.

ADA Overheads are not available in Evolve premium color paints. ADA Overheads are available in Evolve standard paint colors only.

Frames for all Open Panel models unavailable in premium or special/custom paint colors. They are available in standard Evolve paint colors only.



**PANEL FABRICS – GRADE 1****Birdseye** - 100% Recycled PolyesterOutlook.....**BE21**Rock.....**BE22**Vista.....**BE23**Soar.....**BE24**Impression.....**BE25**Glide.....**BE26**Panorama.....**BE27**Storm.....**BE28**Flight.....**BE29**Altitude.....**BE30****Charisma** - 100% PolyesterPebble.....**CH91**Heather.....**CH92**Fields.....**CH93**Stone.....**CH95**Charcoal.....**CH97****Coordinate** - 100% PolyesterSand.....**CN31**Stone.....**CN32**Mint.....**CN33**Sky.....**CN34**Beige.....**CN35**Grey.....**CN36**Olive.....**CN37**Blue.....**CN38**Cactus.....**CN39**Cinder.....**CN40**Sage.....**CN41**Glance.....**CN43**Chess.....**CN45**Safari.....**CN46****Coronet** - 100% PolyesterCharcoal.....**C011**Stone.....**C012**Pebble.....**C013**Blue Stone.....**C017**Tourmaline.....**C020**Moss.....**C026**Aqua Brush.....**C027**Red.....**C030**Coffee Brown.....**C031**Apple Green.....**C033**Black.....**C034**Wolf.....**C035**Lime.....**C036**Sunshine.....**C037**Goose.....**C038**Fossil.....**C039**Pumpkin.....**C049****Crepe** - 100% PolyesterSilver.....**CR59**Fields.....**CR63**Cream.....**CR64**Heather.....**CR66**Blue Sky.....**CR67****Loopy** - 100% Recycled PolyesterOyster.....**LP60**Putty.....**LP61**Marble.....**LP62**Hazelnut.....**LP63**Latte.....**LP64**Bay.....**LP65**Wild Rice.....**LP66**Harbor.....**LP67****Melody** - 100% Recycled PolyesterSpray.....**ME40**Pond.....**ME41**Sand Bar.....**ME42**Silt.....**ME43**Pebble.....**ME44**Lake.....**ME45**Gravel.....**ME46**Boulder.....**ME47****Meander** - 100% PolyesterSandshell.....**MN71**Overcast.....**MN72**Agate Taupe.....**MN73****Streak** - 100% Recycled PolyesterCamp.....**SR80**Beach.....**SR81**Stream.....**SR82**Stripe.....**SR83**Ridge.....**SR84**Beam.....**SR85**Shade.....**SR86**Ray.....**SR87****Tek** - 100% Recycled PolyesterFinesse.....**TX60**Grain.....**TX61**Essence.....**TX62**Web.....**TX63**Warp.....**TX64**Nature.....**TX65**Wind.....**TX66**Mesh.....**TX67**Weave.....**TX68**Form.....**TX69****Tracery** - 100% PolyesterBrindle.....**TC41**Egret.....**TC42****Universe** - 100% PolyesterMilkyway.....**UV01**Creme Brulee.....**UV02**Whitecap.....**UV03**Wheat.....**UV04**Seneca.....**UV05**Mica.....**UV06**Cosmic.....**UV07**Depth.....**UV08****PANEL FABRICS – GRADE 2****Coastline** - 100% Recycled PolyesterSand.....**CL20**Meringue.....**CL21**Gull.....**CL22**Limeade.....**CL23**Coral.....**CL24**Sunset.....**CL25**Beach Glass.....**CL26**Bluff.....**CL27**Blue Grass.....**CL28**Vapor.....**CL29**Dove.....**CL30**

Seal .....

**Constellation** - 100% PolyesterStars.....**CO40**Gemini.....**CO41**Stellar.....**CO42**Chameleon.....**CO43**Phoenix.....**CO44**Orion.....**CO45****Crosstown** - 100% PolyesterRay.....**CT60**Chamois.....**CT61**Buff.....**CT62**Sterling.....**CT63**Stucco.....**CT64**Fieldstone.....**CT65**Waterfront.....**CT66**Cement.....**CT67****Frost** - 100% EcoPolyesterDew.....**FR30**Earth.....**FR31**Blight.....**FR32**

Chill .....

**Mesh** - 100% Recycled PolyesterCanyon.....**B33A**Napa Valley.....**B34A**Huntington.....**B36A**Huron.....**B37A**Heartland.....**B39A**Oat.....**B81A**Pepper.....**B82A**Limestone.....**B84A**Lagoon.....**B85A**Zinc.....**B86A****Peripheral** - 100% Eco PolyesterSmut.....**PE82**Smudge.....**PE83**Coal.....**PE84**

Ash .....

Cream.....**PE86**

Powder .....

**Scribble** - 100% Recycled PolyesterAgain.....**VV20**Contrary.....**VV21**About Face.....**VV22**Reverse.....**VV23**

Opposite .....

Backwards.....**VV25**Separate.....**VV26**Divergent.....**VV27**Foil.....**VV28**Inverse.....**VV29****Traffic** - 100% PolyesterMetal.....**TR60**Linen.....**TR61**Sable.....**TR62**Thunder.....**TR63**Horizon.....**TR64**Sierra Beige.....**TR65**Chalk Grey.....**TR66**Surf.....**TR67**Clay.....**TR68**

Grass .....

Water.....**TR70**

Topaz .....

Volcano.....**TR72**Storm.....**TR73**

# PANEL COM REQUEST FOR APPLICATION TEST

## SEND COMPLETED FORM AND FABRIC TO:

Evolve Furniture Group  
555 Petrolia Road  
Toronto, Ontario M3J2X8  
Attn: Anne-Hedges Sharkey

Requested By: \_\_\_\_\_

Phone #: \_\_\_\_\_

Fax #: \_\_\_\_\_

Dealer/Specifier \_\_\_\_\_

Dealer Contact: \_\_\_\_\_

Evolve CSR: \_\_\_\_\_

Phone #: \_\_\_\_\_

Fax #: \_\_\_\_\_

## FABRIC INFORMATION

Fabric Manufacturer: \_\_\_\_\_

Color Name: \_\_\_\_\_

Color #: \_\_\_\_\_

Pattern Name: \_\_\_\_\_

Pattern #: \_\_\_\_\_

Content: \_\_\_\_\_

Weight: \_\_\_\_\_

Width: \_\_\_\_\_

Repeat Horizontal: \_\_\_\_\_

Repeat Vertical: \_\_\_\_\_

Other Comments: \_\_\_\_\_

## REQUEST FOR APPLICATION TEST (THIS REQUIRES 2 YARDS OF FABRIC)

Evolve Panel

Evolve Tackboard

Ped Cushions

OH Doors

Total Number of yards for testing: \_\_\_\_\_

Please Note:

Evolve is not responsible for the duty and brokerage fees for C.O.M. Fabric to clear customs. These charges will be billed to the dealer on a separate invoice.



# PANEL FABRIC SPECIFICATION SHEET

**SEND COMPLETED FORM TO:**

EVOLVE Furniture Group  
555 Petrolia Road  
Toronto, Ontario M3J2X8  
Attn: Anne Hedges-Sharkey

SUPPLIER	REMARKS:			
PATTERN				
WIDTH				
CONTENT				
LIGHT FASTNESS	REMARKS:			
FLAMMABILITY				
TUNNER TEST				
CUT PRICE	REMARKS:			
1 - 3 ROLLS				
4 ROLLS				
DIRECTIONAL	REMARKS:	EASY	HARD	X-HARD
PANELS CORNERS				
RACEWAY COVER				
RACEWAY CORNERS				
STRETCH				
APPROVED <input type="checkbox"/>		NOT APPROVED <input type="checkbox"/>	CONDITIONAL APPROVAL <input type="checkbox"/>	
REMARKS: <hr/> <hr/>				
<small>* This fabric is approved for upholster-ability only. The approval does not account for the durability of the fabric at the time of, and after installation of the product.</small>				
APPROVAL SIGNATURE:		DATE:		



## PANEL FABRIC SAMPLE

**TOP**

**STAPLE  
MINIMUM 6" X 6"  
FABRIC SAMPLE HERE  
IN THE DIRECTION IT IS TO BE  
APPLIED TO THE PRODUCT**

**BOTTOM**



## APPENDIX

The Evolve Furniture Group has partnered with the software vendors listed below to provide you with an online source for viewing the 2014 Evolve Electronic Catalog. Please visit their websites for additional information and download details.

### **2020 Technologies**

www.2020technologies.com  
5503 Mile Road NW  
Grand Rapids, MI 49544  
Phone: 800-638-6002

### **Ice Edge Business Solutions**

www.ice-edge.com  
4001 S 700 East, Suite 450  
Salt Lake City, UT 84107  
Phone: 801-747-0373

### **KISP**

www.kisp.com  
Customer Support: 416-499-2457  
Cad Services Team: 416-499-2457 x3  
Customer Service e-mail: tellmemore@kisp.com  
CAD Services requests CadServices@kisptech.com

### **Project Matrix**

www.projectmatrix.com  
11655 Lebanon Rd.  
Cincinnati, OH 45241  
Tech Support Instant Messenger: projectmatrixtech@yahoo.com  
Phone: 513.554.1665  
Fax: 513.554.1255

### **Quintero-Smith Incorporated/Midnight Oil**

www.midnight-oil.com  
10469 Kinnard Avenue  
Los Angeles, CA 90024  
voice: 800-350-7434 (US Only)  
international: 310-478-5140  
fax: 310-478-4572  
e-mail: jimsr@q-si.com



# TERMS & CONDITIONS

## APPLICATION OF STANDARD TERMS

Sales of Evolve products are made only on Evolve standard terms and conditions of sale which are contained in the Price Book and in Evolve's order acknowledgments. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Evolve's authorized personnel at its head office in Marlton, New Jersey. An offer by Purchaser of said terms and conditions shall not be binding until accepted by Evolve in writing.

All illustrations, specifications and prices in this Price List are based on the latest product information available at the time of publication. Evolve reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

## PRICES AND PAYMENT

The prices shown in this Price List, as well as those quoted by Evolve, shall be in US dollars for orders shipped to destinations within the continental United States.

Prices listed herein are for standard product. Quotations for special product are available through Evolve Customer Support Department in Marlton, New Jersey.

If shipping date requested is more than 90 days from date of order Evolve shall use published list prices effective at the time of shipment.

Not included in the list price are special or export packing, unpacking and installation. Orders are invoiced at the time of shipment. The Customer agrees to pay a charge of 2% per month of invoices outstanding more than 30 days.

## FOR PAYMENTS ONLY, MAIL TO:

Evolve Furniture Group, a division of:  
Global Industries, Inc.  
17 West Stow Road  
P.O. Box 562  
Marlton, New Jersey 08053

Any products sold shall remain the property of Evolve until fully paid for in cash. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Evolve until such time as the goods have been paid for in full.

Freight charges will be prepaid by Evolve to destinations within the contiguous United States on orders of \$10,000 list and greater. For purchase orders less than \$10,000 list, the freight charge will be 5% of the total list price.

Please note exception below:

**All showroom and mock-up orders will be subject to actual freight charges.**

Evolve shall, in its sole discretion, determine the most appropriate method of shipment routing and carrier. Shipments of less than a full trailer load (ITL) shall ship via common carrier. **These LTL shipments are not subject to specific delivery days or times.** Full trailer loads will provide for dedicated delivery time and schedule. Purchaser may request special packaging or method of shipment at Purchaser's sole expense.

## TAXES

All sales, use, excise and other applicable taxes and the collection and reporting thereof (excluding only taxes on the net income of Evolve) are the Purchaser's responsibility and will be invoiced to the Purchaser. If Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish an appropriate exemption certificate to Evolve.

## ORDER INFORMATION

Evolve requires that **all orders be submitted in writing** to avoid errors and/or duplication. Orders will be acknowledged with Evolve's acknowledgement forms governing the transaction. The details appearing on the acknowledgement will describe the items to be shipped to Purchaser who must ascertain that they are correct. If not correct, Purchaser should notify Evolve immediately by telephone or fax followed by written confirmation. Acknowledgment shows approximate shipping date of items ordered. **Shipping dates are assigned to orders based on the item having the longest manufacturing lead time.** Orders with Customer's Own Material (C.O.M.), or missing or incorrect information (finish selections, fabric selections, etc.) will be scheduled for manufacturing upon receipt of COM or correct complete information. Purchaser must indicate if multiple shipping schedules are required including noting if the shipping date requested is longer than standard posted lead time. Each shipment will be invoiced at time of shipping and will be subject to payment terms described herein.

## C.O.M. CUSTOMER'S OWN MATERIAL

Should Purchaser request a fabric, not standard to the Evolve upholstery line, Purchaser shall submit a sample of not less than two yards for approval. Evolve will determine whether fabric is suitable to manufacturing process and applicable UL or code requirements. Should Evolve be required to test such fabric, it shall so advise Purchaser, and Purchaser shall be responsible for all costs associated therewith. This includes all duty and brokerage fees.

Fabric yardage requirement will be determined by Evolve. An additional charge may be made to cover the cost of cutting, matching or sewing unusual or directional patterns. Evolve shall have no responsibility for condition, quality, performance, physical properties or any other aspect of C.O.M. For panels, price as if grade 1 fabric is used.

Evolve reserves the right to reject any C.O.M. deemed unsuitable.

Evolve reserves the right to cancel an order at any time if C.O.M. is, in the sole judgement of Evolve, inadequate for any reason.

## CHANGES AND CANCELLATION

The order may not be changed or cancelled by Purchaser without the written consent of Evolve. This charge can be as much as 100% based upon proximity to scheduled shipment date. Special order items and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Fabric-covered items are considered to be in production once the fabric has been cut.

## DEPOSIT ON SPECIAL ORDERS

Orders for nonstandard products may, at Evolve's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

## SUSPENSION

In the event that the Purchaser defaults in the payment of any sum due Evolve, or in the event the Purchaser's financial condition becomes unsatisfactory to Evolve, Evolve shall have the right at its option, upon written notice to the Purchaser, to cancel shipment of any goods, unless within ten (10) days of Purchaser's receipt of such notice Purchaser provides assurance of payment to Evolve in such form, content and/or amounts as Evolve, in its sole discretion, deems adequate.

## COMBINED SHIPMENTS

Evolve will make every effort to combine shipments and orders on written request. However, acceptance of such request shall be with Evolve's sole discretion.

## CODE RESTRICTIONS

Evolve portable furniture may be subject to local fire, electrical and/or building codes applicable to portable furniture. It shall be Purchaser's sole responsibility for the proper application of Evolve items within the limitations of such local codes, which may be different from area to area.

## SERVICE

Service problems shall be handled by the authorized Evolve dealer. Where this cannot be accomplished on a local level, service problems should be referred to:  
Evolve Furniture Group  
Customer Support  
17 West Stow Road  
Marlton, New Jersey USA 08053  
856-552-4000 888-827-2500  
Attention: Evolve Operations Manager



# TERMS & CONDITIONS

## STORAGE

In the event Purchaser requests postponement of delivery beyond the acknowledged shipping date, Evolve may transfer the goods to storage on Purchaser's account and at Purchaser's risk and expense subject to a daily storage rate. Such transfer to storage shall be deemed shipment to Purchaser for all purposes, including invoicing and payment.

## DELAYS

Evolve's order acknowledgement will state a shipping date which is Evolve's best estimate at the time the order is acknowledged. However, Evolve shall not incur any obligation or liability to Purchaser for failure to ship by a specified date. In addition, Evolve shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Evolve, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Evolve may, without causing any breach or incurring liability, allocate goods which are in short supply, regardless of the reasons therefore, among purchasers, in any manner which Evolve, in its sole discretion, deems advisable.

## BACK CHARGES

Evolve will not accept charges for expense incurred by the Purchaser in expediting shipments or otherwise. Evolve will not accept charges for the repair of damage by others.

## CLAIMS

All goods are sold F.O.B. Toronto, Canada, unless otherwise agreed to in writing by Evolve. Evolve is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Any claims made against Evolve for apparent defects, errors or shortages must be made by the Purchaser in writing, within ten (10) working days after any delivery. Failure by the Purchaser to make any claim against Evolve within the above-described ten days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

## RETURNS

No returns of goods will be accepted without written consent and shipping instructions, including Evolve's Return Goods Authorization (R.G.A.) numbers, to Evolve. A minimum restocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Evolve in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items and fabric-covered items are in no event subject to return. All returns must be approved and authorized in writing by Evolve Customer Support, Marlton, New Jersey.

## LIFETIME WARRANTY

Evolve warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original purchaser. This warranty is made by Evolve only to original customers acquiring the product directly from Evolve's authorized dealers. The customer's sole remedy pursuant to this warranty is limited to repair or replacement of parts or product at Evolve's option. Consent from Evolve must be obtained before any warranty work is performed. This warranty shall not apply to any products which must be replaced because of normal wear and tear, negligence, abuse or "accident", shipping damage, or product use and installation other than in accordance with written instructions or warnings. It shall also not apply when product has been modified or altered, repaired or refurbished by someone other than Evolve or an authorized dealer or because of natural variations over which Evolve has no control. In the event of repair and/or replacement of any defective product, Evolve does not warrant matching color, grain, texture or dye lots. Evolve's warranty does not cover the cost of transportation or labor. Repair or replacement will be at Evolve's option. Evolve makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set forth in this Price List. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Evolve be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

This Lifetime Warranty is NOT applicable to customers who use Evolve products for rental purposes and is effective only for products, parts or components manufactured after January 1, 2011.

Evolve does not warrant color fastness on Customer's Own Material.

Because of natural variations over which Evolve has no control, this warranty does not extend to color, grain or texture of wood, and Evolve does not warrant matching of color, grain or texture.

Evolve makes no warranties, including implied warranties of merchantability and fitness for a particular purpose, other than the express warranties contained herein.

## LIMITATION OF REMEDY

Purchaser's sole and exclusive remedy (excluding the repair or replacement of goods for breach of the express warranty above) for any matter or claim arising under or relating to these terms and conditions, the goods covered hereby and any transaction involving or relating to such goods, whether in contract, tort (including negligence) or otherwise, shall be payment of the lesser of the cost to repair or replace said product or the purchase price for the goods to which the claim relates. In no event shall Evolve be liable for any special, indirect, consequential, or incidental damages, including without limitation, damages for loss of business profits, business interruptions, or loss of information.

## EVOLVE'S WARRANTY DOES NOT APPLY (FOR ANY PRODUCT CATEGORY) TO THE FOLLOWING:

- Failures due to wear and tear
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Evolve's written instructions and warnings
- Modifications, attachments or repair methods not approved by Evolve
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials and color matching of textiles
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes

Evolve's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.



# INDEX

EFFD30.....	217	EVALB248.....	225	15X18X1 .....	197	EVDECC1362448H....	173	EVDECCR423066H....	174	EVDMPCR60H .....	180
EFFD36.....	217	EVALB254.....	225	EVCUSHION		EVDECC1362460F....	173	EVDECCR423072F....	174	EVDMPCR66F.....	180
EFFD42.....	217	EVALB260.....	225	15X19X1 .....	197	EVDECC1362460H....	173	EVDECCR423072H....	174	EVDMPCR66H .....	180
EFSC30.....	217	EVALB30.....	226	EVCUSHION		EVDECC1362466F....	173	EVDECCR423078F....	174	EVDMPCR72F.....	180
EFSC36.....	217	EVALB36.....	226	15X23X1 .....	197	EVDECC1362466H....	173	EVDECCR423078H....	174	EVDMPCR72H .....	180
EFSC42.....	217	EVALB42.....	226	EVCUSHION		EVDECC1362472F....	173	EVDECCR423084F....	174	EVDPE64.....	131
ERRC30.....	217	EVALB48.....	226	15X24X1 .....	197	EVDECC1362472H....	173	EVDECCR423084H....	174	EVDPE84.....	131
ERRC36.....	217	EVALB54.....	226	EVCUSHION		EVDECC1362478F....	173	EVDECCR483060F....	174	EVDP4E64.....	132
ERRC42.....	217	EVALB60.....	226	15X29X1 .....	197	EVDECC1362478H....	173	EVDECCR483060H....	174	EVDP4E84.....	132
EVABB01.....	226	EVALT01.....	226	EVCUSHION		EVDECC1362484F....	173	EVDECCR483066F....	174	EVDP6E64.....	131
EVACH01.....	228	EVAMB01.....	227	15X30X1 .....	197	EVDECC1362484H....	173	EVDECCR483066H....	174	EVDP6E84.....	131
EVADAPMKT.....	194	EVAMT12.....	224	EVCUSHION		EVDECC1422460F....	173	EVDECCR483072F....	174	EVDR1824F .....	166
EVADA30KIT.....	194	EVANP01.....	228	15X18X2 .....	197	EVDECC1422460H....	173	EVDECCR483072H....	174	EVDR1824H .....	166
EVADA30PM.....	192	EVAOMBE30.....	217	EVCUSHION		EVDECC1422466F....	173	EVDECCR483078F....	174	EVDR1830F .....	166
EVADA30UM.....	192	EVAOMBE36.....	217	15X19X2 .....	197	EVDECC1422466H....	173	EVDECCR483078H....	174	EVDR1830H .....	166
EVADA36KIT.....	194	EVAOMFD24.....	195	EVCUSHION		EVDECC1422472F....	173	EVDECCR483084F....	174	EVDR1836F .....	166
EVADA36PM.....	192	EVAOMFD30.....	195	15X23X2 .....	197	EVDECC1422472H....	173	EVDECCR483084H....	174	EVDR1836H .....	166
EVADA36UM.....	192	EVAOMFD36.....	195	EVCUSHION		EVDECC1422478F....	173	EVDEPL2624.....	181	EVDR1842F .....	166
EVADA42KIT.....	194	EVAOMFD42.....	195	15X24X2 .....	197	EVDECC1422478H....	173	EVDEPL2630.....	181	EVDR1842H .....	166
EVADA42PM.....	192	EVAOMFD48.....	195	EVCUSHION		EVDECC1422484F....	173	EVDEPL2924.....	181	EVDR1848F .....	166
EVADA42UM.....	192	EVAOMFD54.....	195	15X29X2 .....	197	EVDECC1422484H....	173	EVDEPL2930.....	181	EVDR1848H .....	166
EVADA48KIT.....	194	EVAOMFD60.....	195	EVCUSHION		EVDECC1423060F....	173	EVDEPR2624.....	181	EVDR1854F .....	166
EVADA48PM.....	192	EVAPDIV.....	219	15X30X2 .....	197	EVDECC1423060H....	173	EVDEPR2630.....	181	EVDR1854H .....	166
EVADA48UM.....	192	EVAPP01.....	227	EVCUSHION		EVDECC1423066F....	173	EVDEPR2924.....	181	EVDR1860F .....	166
EVADA54KIT.....	194	EVASS01L.....	226	18X30X1 .....	199	EVDECC1423066H....	173	EVDEPR2930.....	181	EVDR1860H .....	166
EVADA54PM.....	192	EVASS01R.....	226	EVCUSHION		EVDECC1423072F....	173	EVDFSC3618F.....	165	EVDR1866F .....	166
EVADA54UM.....	192	EVATB2124.....	224	18X36X1 .....	199	EVDECC1423072H....	173	EVDFSC3618H.....	165	EVDR1866H .....	166
EVADA60KIT.....	194	EVATB2124.....	224	EVCUSHION		EVDECC1423078F....	173	EVDFSC3624F.....	165	EVDR1872F .....	166
EVADA60PM.....	192	EVATB2130.....	224	18X42X1 .....	199	EVDECC1423078H....	173	EVDFSC3624H.....	165	EVDR1872H .....	166
EVADA60UM.....	192	EVATB2130.....	224	EVCUSHION		EVDECC1423084F....	173	EVDFSC4224F.....	165	EVDR2424F .....	166
EVAFS01.....	227	EVATB2136.....	224	18X30X2 .....	199	EVDECC1423084H....	173	EVDFSC4224H.....	165	EVDR2424H .....	166
EVALB2-H18.....	177	EVATB2136.....	224	EVCUSHION		EVDECC1483060F....	173	EVDFSC4230F.....	165	EVDR2430F .....	166
EVALB2-H21.....	177	EVATB2142.....	224	18X36X2 .....	199	EVDECC1483060H....	173	EVDFSC4230H.....	165	EVDR2430H .....	166
EVALB2-H24.....	177	EVATB2142.....	224	EVCUSHION		EVDECC1483066F....	173	EVDFSC4824F.....	165	EVDR2436F .....	166
EVALB2-H27.....	177	EVATB2148.....	224	18X42X2 .....	199	EVDECC1483066H....	173	EVDFSC4824H.....	165	EVDR2436H .....	166
EVALB2-H30.....	177	EVATB2148.....	224	EVCUSHION		EVDECC1483072F....	173	EVDFSC4830F.....	165	EVDR2442F .....	166
EVALB2-H36.....	177	EVATB2154.....	224	EVD24H.....	168	EVDECC1483072H....	173	EVDFSC4830H.....	165	EVDR2442H .....	166
EVALB2-H39.....	177	EVATB2154.....	224	EVD30F.....	168	EVDECC1483078F....	173	EVDHLB .....	182	EVDR2448F .....	166
EVALB2-H42.....	177	EVATB2160.....	224	EVD30H.....	168	EVDECC1483078H....	173	EVDHMSB .....	181	EVDR2448H .....	166
EVALB2-224.....	225	EVATB2160.....	224	EVD36F.....	168	EVDECC1483084F....	173	EVDHPML .....	182	EVDR2454F .....	166
EVALB2-230.....	225	EVATB2430.....	224	EVD36H.....	168	EVDECC1483084H....	173	EVDHPMR .....	182	EVDR2454H .....	166
EVALB2-236.....	225	EVATB2430.....	224	EVD42F.....	168	EVDECCR362448F....	174	EVDHSP1 .....	182	EVDR2460F .....	166
EVALB2-242.....	225	EVATB2436.....	224	EVD42H.....	168	EVDECCR362448H....	174	EVDHZ .....	181	EVDR2460H .....	166
EVALB2-248.....	225	EVATB2436.....	224	EVD48F.....	168	EVDECCR362460F....	174	EVDMPCL36F.....	180	EVDR2466F .....	166
EVALB2-254.....	225	EVATB2442.....	224	EVD48H.....	168	EVDECCR362460H....	174	EVDMPCL36H.....	180	EVDR2466H .....	166
EVALB2-260.....	225	EVATB2442.....	224	EVD54F.....	168	EVDECCR362466F....	174	EVDMPCL42F.....	180	EVDR2472F .....	166
EVALB2-324.....	225	EVATB2448.....	224	EVD54H.....	168	EVDECCR362466H....	174	EVDMPCL42H.....	180	EVDR2472H .....	166
EVALB2-330.....	225	EVATB2448.....	224	EVD60F.....	168	EVDECCR362472F....	174	EVDMPCL48F.....	180	EVDR3024F .....	166
EVALB2-336.....	225	EVATB2454.....	224	EVD60H.....	168	EVDECCR362472H....	174	EVDMPCL48H.....	180	EVDR3024H .....	166
EVALB2-342.....	225	EVATB2454.....	224	EVD66F.....	168	EVDECCR362478F....	174	EVDMPCL54F.....	180	EVDR3030F .....	166
EVALB2-348.....	225	EVATB2460.....	224	EVD66H.....	168	EVDECCR362478H....	174	EVDMPCL54H.....	180	EVDR3030H .....	166
EVALB2-354.....	225	EVATB2460.....	224	EVD72F.....	168	EVDECCR362484F....	174	EVDMPCL60F.....	180	EVDR3036F .....	166
EVALB2-360.....	225	EVATH01.....	228	EVD72H.....	168	EVDECCR362484H....	174	EVDMPCL60H.....	180	EVDR3036H .....	166
EVALB2-436.....	177	EVATP01.....	237	EVDCL3024F.....	174	EVDECCR422460F....	174	EVDMPCL66F.....	180	EVDR3042F .....	166
EVALB2-442.....	177	EVAUT01.....	227	EVDCL3024H.....	174	EVDECCR422460H....	174	EVDMPCL66H.....	180	EVDR3042H .....	166
EVALB2-448.....	177	EVAWB2130.....	224	EVDCL3624F.....	174	EVDECCR422466F....	174	EVDMPCL72F.....	180	EVDR3048F .....	166
EVALB2-454.....	177	EVAWB2136.....	224	EVDCL3624H.....	174	EVDECCR422466H....	174	EVDMPCL72H.....	180	EVDR3048H .....	166
EVALB2-460.....	177	EVAWB2142.....	224	EVDCP2610.....	181	EVDECCR422472F....	174	EVDMPCR36F.....	180	EVDR3054F .....	166
EVALB2-472.....	177	EVAWB2148.....	224	EVDCP2614.....	181	EVDECCR422472H....	174	EVDMPCR36H.....	180	EVDR3054H .....	166
EVALB2-478.....	177	EVAWB2430.....	224	EVDCP2910.....	181	EVDECCR422478F....	174	EVDMPCR42F.....	180	EVDR3060F .....	166
EVALB2-484.....	177	EVAWB2436.....	224	EVDCP2914.....	181	EVDECCR422478H....	174	EVDMPCR42H.....	180	EVDR3060H .....	166
EVALB22.....	225	EVAWB2442.....	224	EVDCR3024F.....	174	EVDECCR422484F....	174	EVDMPCR48F.....	180	EVDR3066F .....	166
EVALB230.....	225	EVAWB2448.....	224	EVDCR3024H.....	174	EVDECCR422484H....	174	EVDMPCR48H.....	180	EVDR3066H .....	166
EVALB236.....	225	EVCPU01.....	236	EVDCR3624F.....	174	EVDECCR423060F....	174	EVDMPCR54F.....	180	EVDR3072F .....	166
EVALB24.....	226	EVCPU02.....	236	EVDCR3624H.....	174	EVDECCR423060H....	174	EVDMPCR54H.....	180	EVDR3072H .....	166
EVALB242.....	225	EVCUSHION		EVDECC1362448F....	173	EVDECCR423066F....	174	EVDMPCR60F.....	180	EVDRR1824F.....	167



# INDEX

EVDRR1824H.....167	EVDSB2460H.....171	EVDSRL3072F.....169	EVDTB1878.....176	EVEMAD1.....135	EVHHF01.....81
EVDRR1830F.....167	EVDSB2466F.....171	EVDSRL3072H.....169	EVDTB1878.....176	EVEMAE1.....135	EVHMEG18L.....159
EVDRR1830H.....167	EVDSB2466H.....171	EVDSRR2424F.....170	EVDTB1884.....176	EVELT18.....132	EVHMEG18R.....158
EVDRR1836F.....167	EVDSB2472F.....171	EVDSRR2424H.....170	EVDTB1884.....176	EVELT24.....132	EVHMEG24L.....159
EVDRR1836H.....167	EVDSB2472H.....171	EVDSRR2430F.....170	EVDUD1836F.....172	EVELT36.....132	EVHMEG24R.....158
EVDRR1842F.....167	EVDSB3024F.....171	EVDSRR2430H.....170	EVDUD1836H.....172	EVELT48.....132	EVHMEG30L.....159
EVDRR1842H.....167	EVDSB3024H.....171	EVDSRR2436F.....170	EVDUD1842F.....172	EVT5L18.....132	EVHMEG30R.....158
EVDRR1848F.....167	EVDSB3030F.....171	EVDSRR2436H.....170	EVDUD1842H.....172	EVT5L24.....132	EVHML1.....160
EVDRR1848H.....167	EVDSB3030H.....171	EVDSRR2442F.....170	EVDUD1848F.....172	EVT5L36.....132	EVHMSL1.....160
EVDRR1854F.....167	EVDSB3036F.....171	EVDSRR2442H.....170	EVDUD1848H.....172	EVT5L48.....132	EVHMSL12.....159
EVDRR1854H.....167	EVDSB3036H.....171	EVDSRR2448F.....170	EVDUD1854F.....172	EVE8C1-1.....129	EVHPB1.....161, 198
EVDRR1860F.....167	EVDSB3042F.....171	EVDSRR2448H.....170	EVDUD1854H.....172	EVE8CP24, 30, 40, 55,	EVHTB2.....161
EVDRR1860H.....167	EVDSB3042H.....171	EVDSRR2454F.....170	EVDUD1860F.....172	EVE8CP154.....129	EVHV01.....162, 194
EVDRR1866F.....167	EVDSB3048F.....171	EVDSRR2454H.....170	EVDUD1860H.....172	EVE8CP100.....129	EVHWC81.....162
EVDRR1866H.....167	EVDSB3048H.....171	EVDSRR2460F.....170	EVDUD1866F.....172	EVE8CP106.....129	EVH8RC18.....136
EVDRR1872F.....167	EVDSB3054F.....171	EVDSRR2460H.....170	EVDUD1866H.....172	EVE8CP118.....129	EVH8RC24.....136
EVDRR1872H.....167	EVDSB3054H.....171	EVDSRR2466F.....170	EVDUD1872F.....172	EVE8CP130.....129	EVH8RC30.....136
EVDRR2424F.....167	EVDSB3060F.....171	EVDSRR2466H.....170	EVDUD1872H.....172	EVE8CP142.....129	EVH8RC36.....136
EVDRR2424H.....167	EVDSB3060H.....171	EVDSRR2472F.....170	EVDUD1878F.....172	EVE8CP154.....129	EVH8RC42.....136
EVDRR2430F.....167	EVDSB3066F.....171	EVDSRR2472H.....170	EVDUD1878H.....172	EVE8CP16.....128	EVH8RC48.....136
EVDRR2430H.....167	EVDSB3066H.....171	EVDSRR3024F.....170	EVDUD1884F.....172	EVE8CP17.....128	EVH8RC54.....136
EVDRR2436F.....167	EVDSB3072F.....171	EVDSRR3024H.....170	EVDUD1884H.....172	EVE8CP172.....129	EVH8RC60.....136
EVDRR2436H.....167	EVDSB3072H.....171	EVDSRR3030F.....170	EVDUD2436F.....172	EVE8CP190.....129	EVL-DCPS.....135
EVDRR2442F.....167	EVDSHD01.....177	EVDSRR3030H.....170	EVDUD2436H.....172	EVE8CP20.....128	EVL-SPS.....134
EVDRR2442H.....167	EVDSHF1336.....175	EVDSRR3036F.....170	EVDUD2442F.....172	EVE8CP208.....129	EVLCD01.....234
EVDRR2448F.....167	EVDSHF1342.....175	EVDSRR3036H.....170	EVDUD2442H.....172	EVE8CP28.....129	EVLCD02.....235
EVDRR2448H.....167	EVDSHF1348.....175	EVDSRR3042F.....170	EVDUD2448F.....172	EVE8CP40.....129	EVLCD03.....233
EVDRR2454F.....167	EVDSHF1354.....175	EVDSRR3042H.....170	EVDUD2448H.....172	EVE8CP46.....129	EVLCD04.....233
EVDRR2454H.....167	EVDSHF1360.....175	EVDSRR3048F.....170	EVDUD2454F.....172	EVE8CP52.....129	EVLCD05.....234
EVDRR2460F.....167	EVDSHF1372.....175	EVDSRR3048H.....170	EVDUD2454H.....172	EVE8CP58.....129	EVLCD06.....234
EVDRR2460H.....167	EVDSHF1378.....175	EVDSRR3054F.....170	EVDUD2460F.....172	EVE8CP64.....129	EVLCD07.....235
EVDRR2466F.....167	EVDSHF1384.....175	EVDSRR3054H.....170	EVDUD2460H.....172	EVE8CP70.....129	EVLCD08.....233
EVDRR2466H.....167	EVDSRL2424F.....169	EVDSRR3060F.....170	EVDUD2466F.....172	EVE8CP76.....129	EVLCD09.....235
EVDRR2472F.....167	EVDSRL2424H.....169	EVDSRR3060H.....170	EVDUD2466H.....172	EVE8CP82.....129	EVLEDLS16.....134
EVDRR2472H.....167	EVDSRL2430F.....169	EVDSRR3066F.....170	EVDUD2472F.....172	EVE8CP88.....129	EVLEDLS26.....134
EVDRR3024F.....167	EVDSRL2430H.....169	EVDSRR3066H.....170	EVDUD2472H.....172	EVE8CP94.....129	EVLEDLS32.....134
EVDRR3024H.....167	EVDSRL2436F.....169	EVDSRR3072F.....170	EVDUD2478F.....172	EVE8EC1.....130	EVLEDLS36.....134
EVDRR3030F.....167	EVDSRL2436H.....169	EVDSRR3072H.....170	EVDUD2478H.....172	EVE8EC2.....130	EVLEPL4224.....76
EVDRR3030H.....167	EVDSRL2442F.....169	EVDTB18-H18.....176	EVDUD2484F.....172	EVE8EC3.....130	EVLEPL4224A.....77
EVDRR3036F.....167	EVDSRL2442H.....169	EVDTB18-H18.....176	EVDUD2484H.....172	EVE8FR1.....130	EVLEPL4230.....76
EVDRR3036H.....167	EVDSRL2448F.....169	EVDTB18-H21.....176	EVDUD3036F.....172	EVE8FR2.....130	EVLEPL4230A.....77
EVDRR3042F.....167	EVDSRL2448H.....169	EVDTB18-H21.....176	EVDUD3036H.....172	EVE8PD24.....128	EVLEPL4236.....76
EVDRR3042H.....167	EVDSRL2454F.....169	EVDTB18-H24.....176	EVDUD3042F.....172	EVE8PD30.....128	EVLEPL4236A.....77
EVDRR3048F.....167	EVDSRL2454H.....169	EVDTB18-H24.....176	EVDUD3042H.....172	EVE8PD36.....128	EVLEPL4242.....76
EVDRR3048H.....167	EVDSRL2460F.....169	EVDTB18-H27.....176	EVDUD3048F.....172	EVE8PD42.....128	EVLEPL4242A.....77
EVDRR3054F.....167	EVDSRL2460H.....169	EVDTB18-H27.....176	EVDUD3048H.....172	EVE8PD48.....128	EVLEPL4248.....76
EVDRR3054H.....167	EVDSRL2466F.....169	EVDTB18-H30.....176	EVDUD3054F.....172	EVE8PD54.....128	EVLEPL4248A.....77
EVDRR3060F.....167	EVDSRL2466H.....169	EVDTB18-H30.....176	EVDUD3054H.....172	EVE8PD60.....128	EVLEPL4824.....76
EVDRR3060H.....167	EVDSRL2472F.....169	EVDTB18-H36.....176	EVDUD3060F.....172	EVE8RDA.....129	EVLEPL4824A.....77
EVDRR3066F.....167	EVDSRL2472H.....169	EVDTB18-H36.....176	EVDUD3060H.....172	EVE8RDB.....129	EVLEPL4830.....76
EVDRR3066H.....167	EVDSRL3024F.....169	EVDTB18-H39.....176	EVDUD3066F.....172	EVE8RD1.....129	EVLEPL4830A.....77
EVDRR3072F.....167	EVDSRL3024H.....169	EVDTB18-H39.....176	EVDUD3066H.....172	EVE8RD2.....129	EVLEPL4836.....76
EVDRR3072H.....167	EVDSRL3030F.....169	EVDTB18-H42.....176	EVDUD3072F.....172	EVGDLB1030.....133	EVLEPL4836A.....77
EVDSB2424F.....171	EVDSRL3030H.....169	EVDTB18-H42.....176	EVDUD3072H.....172	EVGDLBRC.....134	EVLEPL4842.....76
EVDSB2424H.....171	EVDSRL3036F.....169	EVDTB1836.....176	EVDUD3078F.....172	EVGDLB1100....133-134	EVLEPL4842A.....77
EVDSB2430F.....171	EVDSRL3036H.....169	EVDTB1836.....176	EVDUD3078H.....172	EVGDLB1200.....133	EVLEPL4848.....76
EVDSB2430H.....171	EVDSRL3042F.....169	EVDTB1842.....176	EVDUD3084F.....172	EVHC2B.....161	EVLEPL4848A.....77
EVDSB2436F.....171	EVDSRL3042H.....169	EVDTB1842.....176	EVDUD3084H.....172	EVHCL1.....160, 179	EVLEPR4224.....76
EVDSB2436H.....171	EVDSRL3048F.....169	EVDTB1848.....176	EVEA44.....136	EVHCL2.....160, 179	EVLEPR4224A.....77
EVDSB2442F.....171	EVDSRL3048H.....169	EVDTB1848.....176	EVEA54.....136	EVHC12L.....159	EVLEPR4230.....76
EVDSB2442H.....171	EVDSRL3054F.....169	EVDTB1854.....176	EVECC121.....135	EVHC12R.....159	EVLEPR4230A.....77
EVDSB2448F.....171	EVDSRL3054H.....169	EVDTB1854.....176	EVECC136.....135	EVHC18L.....159	EVLEPR4236.....76
EVDSB2448H.....171	EVDSRL3060F.....169	EVDTB1860.....176	EVECC221.....135	EVHC18R.....159	EVLEPR4236A.....77
EVDSB2454F.....171	EVDSRL3060H.....169	EVDTB1860.....176	EVECC236.....135	EVHC24L.....159	EVLEPR4242.....76
EVDSB2454H.....171	EVDSRL3066F.....169	EVDTB1872.....176	EVEENY2.....130	EVHC24R.....159	EVLEPR4242A.....77
EVDSB2460F.....171	EVDSRL3066H.....169	EVDTB1872.....176	EVEJBC-1.....131	EVHFBI.....161, 182	EVLEPR4248.....76



# INDEX

EVLEPR4248A.....77	EVPBCFAM6642.....24	EVPBFAM5448.....22	EVPBFFAM6636.....25	EVPBIC54.....93	EVPBLFA5442.....29
EVLEPR4824.....76	EVPBCFA5436.....30	EVPBFAM5454.....22	EVPBFFAM6642.....25	EVPBIC66.....93	EVPBLFA5448.....29
EVLEPR4824A.....77	EVPBCFA5436.....30	EVPBFAM5454.....22	EVPBFFAM6642.....25	EVPBIPA242.....109	EVPBLFA5448.....29
EVLEPR4830.....76	EVPBCFA5442.....30	EVPBFAM5460.....22	EVPBFFAM6648.....25	EVPBIPA254.....109	EVPBLFA5454.....29
EVLEPR4830A.....77	EVPBCFA5442.....30	EVPBFAM5460.....22	EVPBFFAM6648.....25	EVPBIPA266.....109	EVPBLFA5454.....29
EVLEPR4836.....76	EVPBCFA6636.....30	EVPBFAM6624.....22	EVPBFFAM6654.....25	EVPBLCPA142.....107	EVPBLFA5460.....29
EVLEPR4836A.....77	EVPBCFA6636.....30	EVPBFAM6624.....22	EVPBFFAM6654.....25	EVPBLCPA154.....107	EVPBLFA5460.....29
EVLEPR4842.....76	EVPBCFA6642.....30	EVPBFAM6630.....22	EVPBFFAM6660.....25	EVPBLCPA166.....107	EVPBLFA6624.....29
EVLEPR4842A.....77	EVPBCFA6642.....30	EVPBFAM6630.....22	EVPBFFAM6660.....25	EVPBLCPA242.....98	EVPBLFA6624.....29
EVLEPR4848.....76	EVPBCFGT5436.....40	EVPBFAM6636.....22	EVPBFFA5424.....31	EVPBLCPA254.....98	EVPBLFA6630.....29
EVLEPR4848A.....77	EVPBCFGT5436.....40	EVPBFAM6636.....22	EVPBFFA5424.....31	EVPBLCPA266.....98	EVPBLFA6630.....29
EVLMP4224.....76	EVPBCFGT5442.....40	EVPBFAM6642.....22	EVPBFFA5430.....31	EVPBLCPA342.....101	EVPBLFA6636.....29
EVLMP4224A.....77	EVPBCFGT5442.....40	EVPBFAM6642.....22	EVPBFFA5430.....31	EVPBLCPA354.....101	EVPBLFA6636.....29
EVLMP4230.....76	EVPBCFGT6636.....40	EVPBFAM6648.....22	EVPBFFA5436.....31	EVPBLCPA366.....101	EVPBLFA6642.....29
EVLMP4230A.....77	EVPBCFGT6636.....40	EVPBFAM6648.....22	EVPBFFA5436.....31	EVPBLCP442.....104	EVPBLFA6642.....29
EVLMP4236.....76	EVPBCFGT6642.....40	EVPBFAM6654.....22	EVPBFFA5442.....31	EVPBLCP454.....104	EVPBLFA6648.....29
EVLMP4236A.....77	EVPBCFGT6642.....40	EVPBFAM6654.....22	EVPBFFA5442.....31	EVPBLCP466.....104	EVPBLFA6648.....29
EVLMP4242.....76	EVPBCPA142.....107	EVPBFAM6660.....22	EVPBFFA5448.....31	EVPBLFAM4224.....23	EVPBLFA6654.....29
EVLMP4242A.....77	EVPBCPA154.....107	EVPBFAM6660.....22	EVPBFFA5448.....31	EVPBLFAM4224.....23	EVPBLFA6654.....29
EVLMP4248.....76	EVPBCPA166.....107	EVPBFA5424.....29	EVPBFFA5454.....31	EVPBLFAM4230.....23	EVPBLFA6660.....29
EVLMP4248A.....77	EVPBCPA242.....97	EVPBFA5424.....29	EVPBFFA5454.....31	EVPBLFAM4230.....23	EVPBLFA6660.....29
EVLMP4824.....76	EVPBCPA254.....97	EVPBFA5430.....29	EVPBFFA5460.....31	EVPBLFAM4236.....23	EVPBLFFAM5424.....25
EVLMP4824A.....77	EVPBCPA266.....97	EVPBFA5430.....29	EVPBFFA5460.....31	EVPBLFAM4236.....23	EVPBLFFAM5424.....25
EVLMP4830.....76	EVPBCPA342.....100	EVPBFA5436.....29	EVPBFFA6624.....31	EVPBLFAM4242.....23	EVPBLFFAM5430.....25
EVLMP4830A.....77	EVPBCPA354.....100	EVPBFA5436.....29	EVPBFFA6624.....31	EVPBLFAM4242.....23	EVPBLFFAM5430.....25
EVLMP4836.....76	EVPBCPA366.....100	EVPBFA5442.....29	EVPBFFA6630.....31	EVPBLFAM4248.....23	EVPBLFFAM5436.....25
EVLMP4836A.....77	EVPBCP442.....103	EVPBFA5442.....29	EVPBFFA6630.....31	EVPBLFAM4248.....23	EVPBLFFAM5436.....25
EVLMP4842.....76	EVPBCP454.....103	EVPBFA5448.....29	EVPBFFA6636.....31	EVPBLFAM4254.....23	EVPBLFFAM5442.....25
EVLMP4842A.....77	EVPBCP466.....103	EVPBFA5448.....29	EVPBFFA6636.....31	EVPBLFAM4254.....23	EVPBLFFAM5442.....25
EVLMP4848.....76	EVPBCSFA4236.....55	EVPBFA5454.....29	EVPBFFA6642.....31	EVPBLFAM4260.....23	EVPBLFFAM5448.....25
EVLMP4848A.....77	EVPBCSFA4236.....55	EVPBFA5454.....29	EVPBFFA6642.....31	EVPBLFAM4260.....23	EVPBLFFAM5448.....25
EVLOCKKEY.....220	EVPBCSFA4242.....55	EVPBFA5460.....29	EVPBFFA6648.....31	EVPBLFAM5424.....23	EVPBLFFAM5454.....25
EVLPTL18 *****	EVPBCSFA4242.....55	EVPBFA5460.....29	EVPBFFA6648.....31	EVPBLFAM5424.....23	EVPBLFFAM5454.....25
EVMPK02.....81	EVPBCSFA5436.....55	EVPBFA6624.....29	EVPBFFA6654.....31	EVPBLFAM5430.....23	EVPBLFFAM5460.....25
EVPAE1224.....88	EVPBCSFA5436.....55	EVPBFA6624.....29	EVPBFFA6654.....31	EVPBLFAM5430.....23	EVPBLFFAM5460.....25
EVPAE1230.....88	EVPBCSFA5442.....55	EVPBFA6630.....29	EVPBFFA6660.....31	EVPBLFAM5436.....23	EVPBLFFAM6624.....25
EVPAE1236.....88	EVPBCSFA5442.....55	EVPBFA6630.....29	EVPBFFA6660.....31	EVPBLFAM5436.....23	EVPBLFFAM6624.....25
EVPAE1242.....88	EVPBCSFA6636.....55	EVPBFA6636.....29	EVPBFFGTA5424.....39	EVPBLFAM5442.....23	EVPBLFFAM6630.....25
EVPAE1248.....88	EVPBCSFA6636.....55	EVPBFA6636.....29	EVPBFGT5424.....39	EVPBLFAM5442.....23	EVPBLFFAM6630.....25
EVPAE1254.....88	EVPBCSFA6642.....55	EVPBFA6642.....29	EVPBFGT5430.....39	EVPBLFAM5448.....23	EVPBLFFAM6636.....25
EVPAE1260.....88	EVPBCSFA6642.....55	EVPBFA6642.....29	EVPBFGT5430.....39	EVPBLFAM5448.....23	EVPBLFFAM6636.....25
EVPAE1824.....88	EVPBDIC42.....78	EVPBFA6648.....29	EVPBFGT5436.....39	EVPBLFAM5454.....23	EVPBLFFAM6642.....25
EVPAE1830.....88	EVPBDIC48.....78	EVPBFA6648.....29	EVPBFGT5436.....39	EVPBLFAM5454.....23	EVPBLFFAM6642.....25
EVPAE1836.....88	EVPBFAM4224.....22	EVPBFA6654.....29	EVPBFGT5442.....39	EVPBLFAM5460.....23	EVPBLFFAM6648.....25
EVPAE1842.....88	EVPBFAM4224.....22	EVPBFA6654.....29	EVPBFGT5442.....39	EVPBLFAM5460.....23	EVPBLFFAM6648.....25
EVPAE1848.....88	EVPBFAM4230.....22	EVPBFA6660.....29	EVPBFGT5448.....39	EVPBLFAM6624.....23	EVPBLFFAM6654.....25
EVPAE1854.....88	EVPBFAM4230.....22	EVPBFA6660.....29	EVPBFGT5448.....39	EVPBLFAM6624.....23	EVPBLFFAM6654.....25
EVPAE1860.....88	EVPBFAM4236.....22	EVPBFFAM5424.....25	EVPBFGT5454.....39	EVPBLFAM6630.....23	EVPBLFFAM6660.....25
EVPAE2424.....88	EVPBFAM4236.....22	EVPBFFAM5424.....25	EVPBFGT5454.....39	EVPBLFAM6630.....23	EVPBLFFAM6660.....25
EVPAE2430.....88	EVPBFAM4242.....22	EVPBFFAM5430.....25	EVPBFGT5460.....39	EVPBLFAM6636.....23	EVPBLFFA5424.....31
EVPAE2436.....88	EVPBFAM4242.....22	EVPBFFAM5430.....25	EVPBFGT5460.....39	EVPBLFAM6636.....23	EVPBLFFA5424.....31
EVPAE2442.....88	EVPBFAM4248.....22	EVPBFFAM5436.....25	EVPBFGT6624.....39	EVPBLFAM6642.....23	EVPBLFFA5430.....31
EVPAE2448.....88	EVPBFAM4248.....22	EVPBFFAM5436.....25	EVPBFGT6624.....39	EVPBLFAM6642.....23	EVPBLFFA5430.....31
EVPAE2454.....88	EVPBFAM4254.....22	EVPBFFAM5442.....25	EVPBFGT6630.....39	EVPBLFAM6648.....23	EVPBLFFA5436.....31
EVPAE2460.....88	EVPBFAM4254.....22	EVPBFFAM5442.....25	EVPBFGT6630.....39	EVPBLFAM6648.....23	EVPBLFFA5436.....31
EVPBCFAM4236.....24	EVPBCFAM4260.....22	EVPBFFAM5448.....25	EVPBFGT6636.....39	EVPBLFAM6654.....23	EVPBLFFA5442.....31
EVPBCFAM4236.....24	EVPBCFAM4260.....22	EVPBFFAM5448.....25	EVPBFGT6636.....39	EVPBLFAM6654.....23	EVPBLFFA5442.....31
EVPBCFAM4242.....24	EVPBCFAM4242.....22	EVPBFFAM5454.....25	EVPBFGT6642.....39	EVPBLFAM6660.....23	EVPBLFFA5448.....31
EVPBCFAM4242.....24	EVPBCFAM5424.....22	EVPBFFAM5454.....25	EVPBFGT6642.....39	EVPBLFAM6660.....23	EVPBLFFA5448.....31
EVPBCFAM5436.....24	EVPBFAM5430.....22	EVPBFFAM5460.....25	EVPBFGT6648.....39	EVPBLFA5424.....29	EVPBLFFA5454.....31
EVPBCFAM5436.....24	EVPBFAM5430.....22	EVPBFFAM5460.....25	EVPBFGT6648.....39	EVPBLFA5424.....29	EVPBLFFA5454.....31
EVPBCFAM5442.....24	EVPBFAM5436.....22	EVPBFFAM6624.....25	EVPBFGT6654.....39	EVPBLFA5430.....29	EVPBLFFA5460.....31
EVPBCFAM5442.....24	EVPBFAM5436.....22	EVPBFFAM6624.....25	EVPBFGT6654.....39	EVPBLFA5430.....29	EVPBLFFA5460.....31
EVPBCFAM6636.....24	EVPBFAM5442.....22	EVPBFFAM6630.....25	EVPBFGT6660.....39	EVPBLFA5436.....29	EVPBLFFA6624.....31
EVPBCFAM6636.....24	EVPBFAM5442.....22	EVPBFFAM6630.....25	EVPBFGT6660.....39	EVPBLFA5436.....29	EVPBLFFA6624.....31
EVPBCFAM6642.....24	EVPBFAM5448.....22	EVPBFFAM6636.....25	EVPBFGT6660.....39	EVPBLFA5442.....29	EVPBLFFA6630.....31



# INDEX

EVPBLFFA6630	31	EVPBLSFA5442	.54	EVPBSFA6648	.53	EVPDIC48	.78	EVPFAF4224	.62	EVPFAM4842	.20
EVPBLFFA6636	31	EVPBLSFA5448	.54	EVPBSFA6654	.53	EVPDSL01	.80	EVPFAF4224	.62	EVPFAM4842	.20
EVPBLFFA6636	31	EVPBLSFA5448	.54	EVPBSFA6654	.53	EVPDSL02	.80	EVPFAF4230	.62	EVPFAM4848	.20
EVPBLFFA6642	31	EVPBLSFA5454	.54	EVPBSFA6660	.53	EVPDSL6636L	.81	EVPFAF4230	.62	EVPFAM4848	.20
EVPBLFFA6642	31	EVPBLSFA5454	.54	EVPBSFA6660	.53	EVPDSL6636R	.81	EVPFAF4236	.62	EVPFAM4854	.20
EVPBLFFA6648	31	EVPBLSFA5460	.54	EVPBV54	.95	EVPDSL6642L	.81	EVPFAF4236	.62	EVPFAM4854	.20
EVPBLFFA6648	31	EVPBLSFA5460	.54	EVPBV56	.95	EVPDSL6642R	.81	EVPFAF4242	.62	EVPFAM4860	.20
EVPBLFFA6654	31	EVPBLSFA6624	.54	EVPBVA254	.99	EVPDSL8136L	.81	EVPFAF4242	.62	EVPFAM4860	.20
EVPBLFFA6654	31	EVPBLSFA6624	.54	EVPBVA266	.99	EVPDSL8136R	.81	EVPFAF4248	.62	EVPFAM5418	.20
EVPBLFFA6660	31	EVPBLSFA6630	.54	EVPBVA354	.102	EVPDSL8142L	.81	EVPFAF4248	.62	EVPFAM5418	.20
EVPBLFFA6660	31	EVPBLSFA6630	.54	EVPBVA366	.102	EVPDSL8142R	.81	EVPFAF4254	.62	EVPFAM5424	.20
EVPBLFGT5424	.39	EVPBLSFA6636	.54	EVPBVA454	.105	EVPDS8436L	.80	EVPFAF4254	.62	EVPFAM5424	.20
EVPBLFGT5424	.39	EVPBLSFA6636	.54	EVPBVA466	.105	EVPDS8436R	.80	EVPFAF4260	.62	EVPFAM5430	.20
EVPBLFGT5430	.39	EVPBLSFA6642	.54	EVPB6PA242	.110	EVPDS8442L	.80	EVPFAF4260	.62	EVPFAM5430	.20
EVPBLFGT5430	.39	EVPBLSFA6642	.54	EVPB6PA254	.110	EVPDS8442R	.80	EVPFAF5424	.62	EVPFAM5436	.20
EVPBLFGT5436	.39	EVPBLSFA6648	.54	EVPB6PA266	.110	EVPDS9036L	.80	EVPFAF5424	.62	EVPFAM5436	.20
EVPBLFGT5436	.39	EVPBLSFA6648	.54	EVPB6P342	.111	EVPDS9036R	.80	EVPFAF5430	.62	EVPFAM5442	.20
EVPBLFGT5442	.39	EVPBLSFA6654	.54	EVPB6P354	.111	EVPDS9042L	.80	EVPFAF5430	.62	EVPFAM5442	.20
EVPBLFGT5442	.39	EVPBLSFA6654	.54	EVPB6P366	.111	EVPDS9042R	.80	EVPFAF5436	.62	EVPFAM5448	.20
EVPBLFGT5448	.39	EVPBLSFA6660	.54	EVPB6VPA242	.111	EVPDVT42	.79	EVPFAF5436	.62	EVPFAM5448	.20
EVPBLFGT5448	.39	EVPBLSFA6660	.54	EVPB6VPA254	.111	EVPDVT48	.79	EVPFAF5442	.62	EVPFAM5454	.20
EVPBLFGT5454	.39	EVPBLV54	.95	EVPB6VPA266	.111	EVPERSA06	.115	EVPFAF5442	.62	EVPFAM5454	.20
EVPBLFGT5454	.39	EVPBLV66	.95	EVPB6VPA342	.112	EVPERSA12	.115	EVPFAF5448	.62	EVPFAM5460	.20
EVPBLFGT5460	.39	EVPBLVPA254	.99	EVPB6VPA354	.112	EVPERSA18	.115	EVPFAF5448	.62	EVPFAM5460	.20
EVPBLFGT5460	.39	EVPBLVPA266	.99	EVPB6VPA366	.112	EVPERSA24	.115	EVPFAF5454	.62	EVPFAM6618	.20
EVPBLFGT6624	.39	EVPBLVPA354	.102	EVPCEPSA206	.116	EVPERA30	.96	EVPFAF5454	.62	EVPFAM6618	.20
EVPBLFGT6624	.39	EVPBLVPA366	.102	EVPCEPSA212	.116	EVPERA42	.96	EVPFAF5460	.62	EVPFAM6624	.20
EVPBLFGT6630	.39	EVPBLVPA454	.105	EVPCEPSA218	.116	EVPERA48	.96	EVPFAF5460	.62	EVPFAM6624	.20
EVPBLFGT6630	.39	EVPBLVPA466	.105	EVPCEPSA224	.116	EVPERA54	.96	EVPFAF6624	.62	EVPFAM6630	.20
EVPBLFGT6636	.39	EVPBSA4224	.53	EVPCEPSA106	.116	EVPERA66	.96	EVPFAF6624	.62	EVPFAM6630	.20
EVPBLFGT6636	.39	EVPBSA4224	.53	EVPCEPSA112	.116	EVPERTA30	.119	EVPFAF6630	.62	EVPFAM6636	.20
EVPBLFGT6642	.39	EVPBSA4230	.53	EVPCEPSA118	.116	EVPERTA42	.119	EVPFAF6630	.62	EVPFAM6636	.20
EVPBLFGT6642	.39	EVPBSA4230	.53	EVPCEPSA124	.116	EVPERTA48	.119	EVPFAF6636	.62	EVPFAM6642	.20
EVPBLFGT6648	.39	EVPBSA4236	.53	EVPCEPSA206	.115	EVPERTA54	.119	EVPFAF6636	.62	EVPFAM6642	.20
EVPBLFGT6648	.39	EVPBSA4236	.53	EVPCEPSA212	.115	EVPERTA66	.119	EVPFAF6642	.62	EVPFAM6648	.20
EVPBLFGT6654	.39	EVPBSA4242	.53	EVPCEPSA218	.115	EVPERTA78	.119	EVPFAF6642	.62	EVPFAM6648	.20
EVPBLFGT6654	.39	EVPBSA4242	.53	EVPCEPSA224	.115	EVPERTA84 *****		EVPFAF6648	.62	EVPFAM6654	.20
EVPBLFGT6660	.39	EVPBSA4248	.53	EVPCEPSA306	.115	EVPERTA90	.119	EVPFAF6648	.62	EVPFAM6654	.20
EVPBLFGT6660	.39	EVPBSA4248	.53	EVPCEPSA312	.115	EVPERT30 *****		EVPFAF6654	.62	EVPFAM6660	.20
EVPBLIC42	.94	EVPBSA4254	.53	EVPCEPSA318	.115	EVPERT42 *****		EVPFAF6654	.62	EVPFAM6660	.20
EVPBLIC54	.94	EVPBSA4254	.53	EVPCEPSA324	.115	EVPERT48 *****		EVPFAF6660	.62	EVPFA3018	.26
EVPBLIC66	.94	EVPBSA4260	.53	EVPCEPSA406	.116	EVPERT54 *****		EVPFAF6660	.62	EVPFA3018	.26
EVPBLIPA242	.109	EVPBSA4260	.53	EVPCEPSA412	.116	EVPERT66 *****		EVPFAF4218	.20	EVPFA3024	.26
EVPBLIPA254	.109	EVPBSA5424	.53	EVPCEPS418	.116	EVPERT78 *****		EVPFAF4218	.20	EVPFA3024	.26
EVPBLIPA266	.109	EVPBSA5424	.53	EVPCEPS424	.116	EVPERT84 *****		EVPFAF4224	.20	EVPFA3030	.26
EVPBLSFA4224	.54	EVPBSA5430	.53	EVPCPA130	.106	EVPERT90 *****		EVPFAF4224	.20	EVPFA3030	.26
EVPBLSFA4224	.54	EVPBSA5430	.53	EVPCPA142	.106	EVPERO30	.81	EVPFAF4230	.20	EVPFA3036	.26
EVPBLSFA4230	.54	EVPBSA5436	.53	EVPCPA148	.106	EVPER42 *****		EVPFAF4230	.20	EVPFA3036	.26
EVPBLSFA4230	.54	EVPBSA5436	.53	EVPCPA154	.106	EVPER48 *****		EVPFAF4236	.20	EVPFA3042	.26
EVPBLSFA4236	.54	EVPBSA5442	.53	EVPCPA166	.106	EVPER54 *****		EVPFAF4236	.20	EVPFA3042	.26
EVPBLSFA4236	.54	EVPBSA5442	.53	EVPCPA230	.97	EVPER66 *****		EVPFAF4242	.20	EVPFA3048	.26
EVPBLSFA4242	.54	EVPBSA5448	.53	EVPCPA242	.97	EVPER1R42 *****		EVPFAF4242	.20	EVPFA3048	.26
EVPBLSFA4242	.54	EVPBSA5448	.53	EVPCPA248	.97	EVPER1R54 *****		EVPFAF4248	.20	EVPFA3054	.26
EVPBLSFA4248	.54	EVPBSA5454	.53	EVPCPA254	.97	EVPER1R66 *****		EVPFAF4248	.20	EVPFA3054	.26
EVPBLSFA4248	.54	EVPBSA5454	.53	EVPCPA266	.97	EVPER1R66U *****		EVPFAF4254	.20	EVPFA3060	.26
EVPBLSFA4254	.54	EVPBSA5460	.53	EVPCPA330	.100	EVPER2R42 *****		EVPFAF4254	.20	EVPFA3060	.26
EVPBLSFA4254	.54	EVPBSA5460	.53	EVPCPA342	.100	EVPER2R54 *****		EVPFAF4260	.20	EVPFA4218	.26
EVPBLSFA4260	.54	EVPBSA6624	.53	EVPCPA348	.100	EVPER2R66 *****		EVPFAF4260	.20	EVPFA4218	.26
EVPBLSFA4260	.54	EVPBSA6624	.53	EVPCPA354	.100	EVPER2R66U *****		EVPFAF4268	.20	EVPFA4224	.26
EVPBLSFA424	.54	EVPBSA6630	.53	EVPCPA366	.100	EVPFAF3024	.62	EVPFAF4218	.20	EVPFA4224	.26
EVPBLSFA5424	.54	EVPBSA6630	.53	EVPCPA430	.103	EVPFAF3030	.62	EVPFAF4224	.20	EVPFA4230	.26
EVPBLSFA5430	.54	EVPBSA6636	.53	EVPCPA442	.103	EVPFAF3036	.62	EVPFAF4224	.20	EVPFA4230	.26
EVPBLSFA5430	.54	EVPBSA6636	.53	EVPCPA448	.103	EVPFAF3042	.62	EVPFAF430	.20	EVPFA4236	.18, 26
EVPBLSFA5436	.54	EVPBSA6642	.53	EVPCPA454	.103	EVPFAF3048	.62	EVPFAF430	.20	EVPFA4236	.18, 26
EVPBLSFA5436	.54	EVPBSA6642	.53	EVPCPA466	.103	EVPFAF3054	.62	EVPFAF436	.20	EVPFA4242	.26
EVPBLSFA5442	.54	EVPBSA6648	.53	EVPDIC42	.78	EVPFAF3060	.62	EVPFAF436	.20	EVPFA4242	.26



## INDEX



# INDEX

EVPFPGT5424	.41	EVPFPOL5442	.72	EVPFP5454	.28	EVPFSG5436	.46	EVPF1S6630M	.48	EVPF2S4254	.50
EVPFPGT5424	.41	EVPFPOL5442	.72	EVPFP5454	.28	EVPFSG5436	.46	EVPF1S6630M	.48	EVPF2S4254	.50
EVPFPGT5430	.41	EVPFPOL5448	.72	EVPFP5460	.28	EVPFSG5442	.46	EVPF1S6636	.48	EVPF2S4260	.50
EVPFPGT5430	.41	EVPFPOL5448	.72	EVPFP5460	.28	EVPFSG5442	.46	EVPF1S6636	.48	EVPF2S4260	.50
EVPFPGT5436	.41	EVPFPOL5454	.72	EVPFP6618	.28	EVPFSG5448	.46	EVPF1S6636M	.48	EVPF2S5418	.50
EVPFPGT5436	.41	EVPFPOL5454	.72	EVPFP6618	.28	EVPFSG5448	.46	EVPF1S6636M	.48	EVPF2S5418	.50
EVPFPGT5442	.41	EVPFPOL5460	.72	EVPFP6624	.28	EVPFSG5454	.46	EVPF1S6642	.48	EVPF2S5424	.50
EVPFPGT5442	.41	EVPFPOL5460	.72	EVPFP6624	.28	EVPFSG5454	.46	EVPF1S6642	.48	EVPF2S5424	.50
EVPFPGT5448	.41	EVPFPOL6618	.72	EVPFP6630	.28	EVPFSG5460	.46	EVPF1S6642M	.48	EVPF2S5430	.50
EVPFPGT5448	.41	EVPFPOL6618	.72	EVPFP6630	.28	EVPFSG5460	.46	EVPF1S6642M	.48	EVPF2S5430	.50
EVPFPGT5454	.41	EVPFPOL6624	.72	EVPFP6636	.28	EVPFSG6624	.46	EVPF1S6648	.48	EVPF2S5436	.50
EVPFPGT5454	.41	EVPFPOL6624	.72	EVPFP6636	.28	EVPFSG6624	.46	EVPF1S6648	.48	EVPF2S5436	.50
EVPFPGT5460	.41	EVPFPOL6630	.72	EVPFP6642	.28	EVPFSG6630	.46	EVPF1S6648M	.48	EVPF2S5442	.50
EVPFPGT5460	.41	EVPFPOL6630	.72	EVPFP6642	.28	EVPFSG6630	.46	EVPF1S6648M	.48	EVPF2S5442	.50
EVPFPGT6618	.41	EVPFPOL6636	.72	EVPFP6648	.28	EVPFSG6636	.46	EVPF1S6654	.48	EVPF2S5448	.50
EVPFPGT6618	.41	EVPFPOL6636	.72	EVPFP6648	.28	EVPFSG6636	.46	EVPF1S6654	.48	EVPF2S5448	.50
EVPFPGT6624	.41	EVPFPOL6642	.72	EVPFP6654	.28	EVPFSG6642	.46	EVPF1S6654M	.48	EVPF2S5454	.50
EVPFPGT6624	.41	EVPFPOL6642	.72	EVPFP6654	.28	EVPFSG6642	.46	EVPF1S6654M	.48	EVPF2S5454	.50
EVPFPGT6630	.41	EVPFPOL6648	.72	EVPFP6660	.28	EVPFSG6648	.46	EVPF1S6660	.48	EVPF2S5460	.50
EVPFPGT6630	.41	EVPFPOL6648	.72	EVPFP6660	.28	EVPFSG6648	.46	EVPF1S6660	.48	EVPF2S5460	.50
EVPFPGT6636	.41	EVPFPOL6654	.72	EVPFSGX4224	.47	EVPFSG6654	.46	EVPF1S6660M	.48	EVPF2S6618	.50
EVPFPGT6636	.41	EVPFPOL6654	.72	EVPFSGX4224	.47	EVPFSG6654	.46	EVPF1S6660M	.48	EVPF2S6618	.50
EVPFPGT6642	.41	EVPFPOL6660	.72	EVPFSGX4230	.47	EVPFSG6660	.46	EVPF1W5418	.56	EVPF2S6618M	.50
EVPFPGT6642	.41	EVPFPOL6660	.72	EVPFSGX4230	.47	EVPFSG6660	.46	EVPF1W5418	.56	EVPF2S6618M	.50
EVPFPGT6648	.41	EVPFP06618	.74	EVPFSGX4236	.47	EVPF1S4218	.48	EVPF1W5424	.56	EVPF2S6624	.50
EVPFPGT6648	.41	EVPFP06618	.74	EVPFSGX4236	.47	EVPF1S4218	.48	EVPF1W5424	.56	EVPF2S6624	.50
EVPFPGT6654	.41	EVPFP06624	.74	EVPFSGX4242	.47	EVPF1S4224	.48	EVPF1W5430	.56	EVPF2S6624M	.50
EVPFPGT6654	.41	EVPFP06624	.74	EVPFSGX4242	.47	EVPF1S4224	.48	EVPF1W5430	.56	EVPF2S6624M	.50
EVPFPGT6660	.41	EVPFP06630	.74	EVPFSGX4248	.47	EVPF1S4230	.48	EVPF1W5436	.56	EVPF2S6630	.50
EVPFPGT6660	.41	EVPFP06630	.74	EVPFSGX4248	.47	EVPF1S4230	.48	EVPF1W5436	.56	EVPF2S6630	.50
EVPFPMAF5424	.65	EVPFP06636	.74	EVPFSGX4254	.47	EVPF1S4236	.48	EVPF1W5442	.56	EVPF2S6630M	.50
EVPFPMAF5424	.65	EVPFP06636	.74	EVPFSGX4254	.47	EVPF1S4236	.48	EVPF1W5442	.56	EVPF2S6630M	.50
EVPFPMAF5430	.65	EVPFP06642	.74	EVPFSGX4260	.47	EVPF1S4242	.48	EVPF1W5448	.56	EVPF2S6636	.50
EVPFPMAF5430	.65	EVPFP06642	.74	EVPFSGX4260	.47	EVPF1S4242	.48	EVPF1W5448	.56	EVPF2S6636	.50
EVPFPMAF5436	.65	EVPFP06648	.74	EVPFSGX4244	.47	EVPF1S4248	.48	EVPF1W5454	.56	EVPF2S6636M	.50
EVPFPMAF5436	.65	EVPFP06648	.74	EVPFSGX4244	.47	EVPF1S4248	.48	EVPF1W5454	.56	EVPF2S6636M	.50
EVPFPMAF5436	.65	EVPFP06648	.74	EVPFSGX4244	.47	EVPF1S4248	.48	EVPF1W5454	.56	EVPF2S6636M	.50
EVPFPMAF5442	.65	EVPFP06654	.74	EVPFSGX5430	.47	EVPF1S4254	.48	EVPF1W5460	.56	EVPF2S6642	.50
EVPFPMAF5442	.65	EVPFP06654	.74	EVPFSGX5430	.47	EVPF1S4254	.48	EVPF1W5460	.56	EVPF2S6642	.50
EVPFPMAF5448	.65	EVPFP06660	.74	EVPFSGX5436	.47	EVPF1S4260	.48	EVPF1W6618	.56	EVPF2S6642M	.50
EVPFPMAF5448	.65	EVPFP06660	.74	EVPFSGX5436	.47	EVPF1S4260	.48	EVPF1W6618	.56	EVPF2S6642M	.50
EVPFPMAF5454	.65	EVPFSG6624	.46	EVPFSGX5442	.47	EVPF1S5418	.48	EVPF1W6624	.56	EVPF2S6648	.50
EVPFPMAF5454	.65	EVPFSG6624	.46	EVPFSGX5442	.47	EVPF1S5418	.48	EVPF1W6624	.56	EVPF2S6648	.50
EVPFPMAF5460	.65	EVPFSG6630	.46	EVPFSGX5448	.47	EVPF1S5424	.48	EVPF1W6630	.56	EVPF2S6648M	.50
EVPFPMAF5460	.65	EVPFSG6630	.46	EVPFSGX5448	.47	EVPF1S5424	.48	EVPF1W6630	.56	EVPF2S6648M	.50
EVPFPMAF6624	.65	EVPFSG6636	.46	EVPFSGX5454	.47	EVPF1S5430	.48	EVPF1W6636	.56	EVPF2S6654	.50
EVPFPMAF6624	.65	EVPFSG6636	.46	EVPFSGX5454	.47	EVPF1S5430	.48	EVPF1W6636	.56	EVPF2S6654	.50
EVPFPMAF6630	.65	EVPFSG6642	.46	EVPFSGX5460	.47	EVPF1S5436	.48	EVPF1W6642	.56	EVPF2S6654M	.50
EVPFPMAF6630	.65	EVPFSG6642	.46	EVPFSGX5460	.47	EVPF1S5436	.48	EVPF1W6642	.56	EVPF2S6654M	.50
EVPFPMAF6636	.65	EVPFSG6648	.46	EVPFSGX6624	.47	EVPF1S5442	.48	EVPF1W6648	.56	EVPF2S6660	.50
EVPFPMAF6636	.65	EVPFSG6648	.46	EVPFSGX6624	.47	EVPF1S5442	.48	EVPF1W6648	.56	EVPF2S6660	.50
EVPFPMAF6642	.65	EVPFSG6654	.46	EVPFSGX6630	.47	EVPF1S5448	.48	EVPF1W6654	.56	EVPF2S6660M	.50
EVPFPMAF6642	.65	EVPFSG6654	.46	EVPFSGX6630	.47	EVPF1S5448	.48	EVPF1W6654	.56	EVPF2S6660M	.50
EVPFPMAF6648	.65	EVPFSG6660	.46	EVPFSGX6636	.47	EVPF1S5454	.48	EVPF1W6660	.56	EVPF2W5418	.57
EVPFPMAF6648	.65	EVPFSG6660	.46	EVPFSGX6636	.47	EVPF1S5454	.48	EVPF1W6660	.56	EVPF2W5418	.57
EVPFPMAF6648	.65	EVPFSG6660	.46	EVPFSGX6636	.47	EVPF1S5454	.48	EVPF1W6660	.56	EVPF2W5418	.57
EVPFPMAF6654	.65	EVPFP5418	.28	EVPFSGX6642	.47	EVPF1S5460	.48	EVPF2S4218	.50	EVPF2W5424	.57
EVPFPMAF6654	.65	EVPFP5418	.28	EVPFSGX6642	.47	EVPF1S5460	.48	EVPF2S4218	.50	EVPF2W5424	.57
EVPFPMAF6660	.65	EVPFP5424	.28	EVPFSGX6648	.47	EVPF1S6618	.48	EVPF2S4224	.50	EVPF2W5430	.57
EVPFPMAF6660	.65	EVPFP5424	.28	EVPFSGX6648	.47	EVPF1S6618	.48	EVPF2S4224	.50	EVPF2W5430	.57
EVPFPMAF6666	.65	EVPFP5424	.28	EVPFSGX6648	.47	EVPF1S6618	.48	EVPF2S4224	.50	EVPF2W5430	.57
EVPFPOL5418	.72	EVPFP5430	.28	EVPFSGX6654	.47	EVPF1S6618M	.48	EVPF2S4230	.50	EVPF2W5436	.57
EVPFPOL5418	.72	EVPFP5430	.28	EVPFSGX6654	.47	EVPF1S6618M	.48	EVPF2S4230	.50	EVPF2W5436	.57
EVPFPOL5424	.72	EVPFP5436	.28	EVPFSGX6660	.47	EVPF1S6624	.48	EVPF2S4236	.50	EVPF2W5442	.57
EVPFPOL5424	.72	EVPFP5436	.28	EVPFSGX6660	.47	EVPF1S6624	.48	EVPF2S4236	.50	EVPF2W5442	.57
EVPFPOL5430	.72	EVPFP5442	.28	EVPFSG5424	.46	EVPF1S6624M	.48	EVPF2S4242	.50	EVPF2W5448	.57
EVPFPOL5430	.72	EVPFP5442	.28	EVPFSG5424	.46	EVPF1S6624M	.48	EVPF2S4242	.50	EVPF2W5448	.57
EVPFPOL5436	.72	EVPFP5448	.28	EVPFSG5430	.46	EVPF1S6630	.48	EVPF2S4248	.50	EVPF2W5454	.57
EVPFPOL5436	.72	EVPFP5448	.28	EVPFSG5430	.46	EVPF1S6630	.48	EVPF2S4248	.50	EVPF2W5454	.57



# INDEX

EVPF2W5460.....57	EVPGTE1818.....84	EVPH1SE1848.....86	EVPH1S5454.....58	EVPH2SE2460.....87	EVPLCP448.....103
EVPF2W5460.....57	EVPGTE1824.....84	EVPH1SE1848.....86	EVPH1S5454.....58	EVPH2SE2460.....87	EVPLCP454.....103
EVPF2W6618.....57	EVPGTE1830.....84	EVPH1SE1854.....86	EVPH1S5460.....58	EVPH2S3018.....60	EVPLCP466.....103
EVPF2W6618.....57	EVPGTE1836.....84	EVPH1SE1854.....86	EVPH1S5460.....58	EVPH2S3024.....60	EVPLERA30.....96
EVPF2W6624.....57	EVPGTE1842.....84	EVPH1SE1860.....86	EVPH1S6618.....58	EVPH2S3030.....60	EVPLERA42.....96
EVPF2W6624.....57	EVPGTE1848.....84	EVPH1SE1860.....86	EVPH1S6618.....58	EVPH2S3036.....60	EVPLERA48.....96
EVPF2W6630.....57	EVPGTE1854.....84	EVPH1SE2418.....86	EVPH1S6624.....58	EVPH2S3042.....60	EVPLERA54.....96
EVPF2W6630.....57	EVPGTE1860.....84	EVPH1SE2418.....86	EVPH1S6624.....58	EVPH2S3048.....60	EVPLERA66.....96
EVPF2W6636.....57	EVPGTE2418.....84	EVPH1SE2424.....86	EVPH1S6630.....58	EVPH2S3054.....60	EVPLERTA30.....119
EVPF2W6636.....57	EVPGTE2424.....84	EVPH1SE2424.....86	EVPH1S6630.....58	EVPH2S3060.....60	EVPLERTA42.....119
EVPF2W6642.....57	EVPGTE2430.....84	EVPH1SE2430.....86	EVPH1S6636.....58	EVPH2S4218.....60	EVPLERTA48.....119
EVPF2W6642.....57	EVPGTE2436.....84	EVPH1SE2430.....86	EVPH1S6636.....58	EVPH2S4224.....60	EVPLERTA54.....119
EVPF2W6648.....57	EVPGTE2442.....84	EVPH1SE2436.....86	EVPH1S6642.....58	EVPH2S4230.....60	EVPLERTA66.....119
EVPF2W6648.....57	EVPGTE2448.....84	EVPH1SE2436.....86	EVPH1S6642.....58	EVPH2S4236.....60	EVPLERTA72.....119
EVPF2W6654.....57	EVPGTE2454.....84	EVPH1SE2442.....86	EVPH1S6648.....58	EVPH2S4242.....60	EVPLERTA78.....119
EVPF2W6654.....57	EVPGTE2460.....84	EVPH1SE2442.....86	EVPH1S6648.....58	EVPH2S4248.....60	EVPLERTA84.....119
EVPF2W6660.....57	EVPGT5418.....43	EVPH1SE2448.....86	EVPH1S6654.....58	EVPH2S4254.....60	EVPLERTA90.....119
EVPF2W6660.....57	EVPGT5424.....43	EVPH1SE2448.....86	EVPH1S6654.....58	EVPH2S4260.....60	EVPLFAF3024.....63
EVPGPTE2418.....84	EVPGT5430.....43	EVPH1SE2454.....86	EVPH1S6660.....58	EVPH2S5418.....60	EVPLFAF3030.....63
EVPGPTE2424.....84	EVPGT5436.....43	EVPH1SE2454.....86	EVPH1S6660.....58	EVPH2S5424.....60	EVPLFAF3036.....63
EVPGPTE2430.....84	EVPGT5442.....43	EVPH1SE2460.....86	EVPH2SE0618.....87	EVPH2S5430.....60	EVPLFAF3042.....63
EVPGPTE2436.....84	EVPGT5448.....43	EVPH1SE2460.....86	EVPH2SE0624.....87	EVPH2S5436.....60	EVPLFAF3048.....63
EVPGPTE2442.....84	EVPGT5454.....43	EVPH1S3018.....58	EVPH2SE0630.....87	EVPH2S5442.....60	EVPLFAF3054.....63
EVPGPTE2448.....84	EVPGT5460.....43	EVPH1S3018.....58	EVPH2SE0636.....87	EVPH2S5448.....60	EVPLFAF3060.....63
EVPGPTE2454.....84	EVPH1SE0618.....86	EVPH1S3024.....58	EVPH2SE0642.....87	EVPH2S5454.....60	EVPLFAF4224.....63
EVPGPTE2460.....84	EVPH1SE0618.....86	EVPH1S3024.....58	EVPH2SE0648.....87	EVPH2S5460.....60	EVPLFAF4224.....63
EVPGPT4218.....44	EVPH1SE0624.....86	EVPH1S3030.....58	EVPH2SE0654.....87	EVPH2S6618.....60	EVPLFAF4230.....63
EVPGPT4224.....44	EVPH1SE0624.....86	EVPH1S3030.....58	EVPH2SE0660.....87	EVPH2S6624.....60	EVPLFAF4230.....63
EVPGPT4230.....44	EVPH1SE0630.....86	EVPH1S3036.....58	EVPH2SE1218.....87	EVPH2S6630.....60	EVPLFAF4236.....63
EVPGPT4236.....44	EVPH1SE0630.....86	EVPH1S3036.....58	EVPH2SE1218.....87	EVPH2S6636.....60	EVPLFAF4236.....63
EVPGPT4242.....44	EVPH1SE0636.....86	EVPH1S3042.....58	EVPH2SE1224.....87	EVPH2S6642.....60	EVPLFAF4242.....63
EVPGPT4248.....44	EVPH1SE0636.....86	EVPH1S3042.....58	EVPH2SE1224.....87	EVPH2S6648.....60	EVPLFAF4242.....63
EVPGPT4254.....44	EVPH1SE0642.....86	EVPH1S3048.....58	EVPH2SE1230.....87	EVPH2S6654.....60	EVPLFAF4248.....63
EVPGPT4260.....44	EVPH1SE0642.....86	EVPH1S3048.....58	EVPH2SE1230.....87	EVPH2S6660.....60	EVPLFAF4248.....63
EVPGPT5418.....44	EVPH1SE0648.....86	EVPH1S3054.....58	EVPH2SE1236.....87	EVPICT30.....93	EVPLFAF4254.....63
EVPGPT5424.....44	EVPH1SE0648.....86	EVPH1S3054.....58	EVPH2SE1236.....87	EVPICT42.....93	EVPLFAF4254.....63
EVPGPT5430.....44	EVPH1SE0654.....86	EVPH1S3060.....58	EVPH2SE1242.....87	EVPICT48.....93	EVPLFAF4260.....63
EVPGPT5436.....44	EVPH1SE0654.....86	EVPH1S3060.....58	EVPH2SE1242.....87	EVPICT54.....93	EVPLFAF4260.....63
EVPGPT5442.....44	EVPH1SE0660.....86	EVPH1S4218.....58	EVPH2SE1248.....87	EVPICT66.....18, 93	EVPLFAF5424.....63
EVPGPT5448.....44	EVPH1SE0660.....86	EVPH1S4218.....58	EVPH2SE1248.....87	EVPIECS06.....115	EVPLFAF5424.....63
EVPGPT5454.....44	EVPH1SE1218.....86	EVPH1S4224.....58	EVPH2SE1254.....87	EVPIECS12.....115	EVPLFAF5430.....63
EVPGPT5460.....44	EVPH1SE1218.....86	EVPH1S4224.....58	EVPH2SE1254.....87	EVPIECS18.....115	EVPLFAF5430.....63
EVPGPT6618.....44	EVPH1SE1224.....86	EVPH1S4230.....58	EVPH2SE1260.....87	EVPIECS24.....115	EVPLFAF5436.....63
EVPGPT6624.....44	EVPH1SE1224.....86	EVPH1S4230.....58	EVPH2SE1260.....87	EVPIEC12.....82	EVPLFAF5436.....63
EVPGPT6630.....44	EVPH1SE1230.....86	EVPH1S4236.....58	EVPH2SE1818.....87	EVPIPA230.....108	EVPLFAF5442.....63
EVPGPT6636.....44	EVPH1SE1230.....86	EVPH1S4236.....58	EVPH2SE1824.....87	EVPIPA242.....108	EVPLFAF5442.....63
EVPGPT6642.....44	EVPH1SE1236.....86	EVPH1S4242.....58	EVPH2SE1830.....87	EVPIPA248.....108	EVPLFAF5448.....63
EVPGPT6648.....44	EVPH1SE1236.....86	EVPH1S4242.....58	EVPH2SE1836.....87	EVPIPA254.....108	EVPLFAF5448.....63
EVPGPT6654.....44	EVPH1SE1242.....86	EVPH1S4248.....58	EVPH2SE1842.....87	EVPIPA266.....108	EVPLFAF5454.....63
EVPGPT6660.....44	EVPH1SE1242.....86	EVPH1S4248.....58	EVPH2SE1848.....87	EVPLCPA130.....106	EVPLFAF5454.....63
EVPGTE0618.....84	EVPH1SE1248.....86	EVPH1S4254.....58	EVPH2SE1854.....87	EVPLCPA142.....106	EVPLFAF5460.....63
EVPGTE0624.....84	EVPH1SE1248.....86	EVPH1S4254.....58	EVPH2SE1860.....87	EVPLCPA148.....106	EVPLFAF5460.....63
EVPGTE0630.....84	EVPH1SE1254.....86	EVPH1S4260.....58	EVPH2SE2418.....87	EVPLCPA154.....106	EVPLFAF6624.....63
EVPGTE0636.....84	EVPH1SE1254.....86	EVPH1S4260.....58	EVPH2SE2418.....87	EVPLCPA166.....106	EVPLFAF6624.....63
EVPGTE0642.....84	EVPH1SE1260.....86	EVPH1S5418.....58	EVPH2SE2424.....87	EVPLCPA230.....97	EVPLFAF6630.....63
EVPGTE0648.....84	EVPH1SE1260.....86	EVPH1S5418.....58	EVPH2SE2424.....87	EVPLCPA242.....97	EVPLFAF6630.....63
EVPGTE0654.....84	EVPH1SE1818.....86	EVPH1S5424.....58	EVPH2SE2430.....87	EVPLCPA248.....97	EVPLFAF6636.....63
EVPGTE0660.....84	EVPH1SE1818.....86	EVPH1S5424.....58	EVPH2SE2430.....87	EVPLCPA254.....97	EVPLFAF6636.....63
EVPGTE1218.....84	EVPH1SE1824.....86	EVPH1S5430.....58	EVPH2SE2436.....87	EVPLCPA266.....97	EVPLFAF6642.....63
EVPGTE1224.....84	EVPH1SE1824.....86	EVPH1S5430.....58	EVPH2SE2436.....87	EVPLCPA330.....100	EVPLFAF6642.....63
EVPGTE1230.....84	EVPH1SE1830.....86	EVPH1S5436.....58	EVPH2SE2442.....87	EVPLCPA342.....100	EVPLFAF6648.....63
EVPGTE1236.....84	EVPH1SE1830.....86	EVPH1S5436.....58	EVPH2SE2442.....87	EVPLCPA348.....100	EVPLFAF6648.....63
EVPGTE1242.....84	EVPH1SE1836.....86	EVPH1S5442.....58	EVPH2SE2448.....87	EVPLCPA354.....100	EVPLFAF6654.....63
EVPGTE1248.....84	EVPH1SE1836.....86	EVPH1S5442.....58	EVPH2SE2448.....87	EVPLCPA366.....100	EVPLFAF6654.....63
EVPGTE1254.....84	EVPH1SE1842.....86	EVPH1S5448.....58	EVPH2SE2454.....87	EVPLCPA430.....103	EVPLFAF6660.....63
EVPGTE1260.....84	EVPH1SE1842.....86	EVPH1S5448.....58	EVPH2SE2454.....87	EVPLCPA442.....103	EVPLFAF6660.....63



## INDEX

## INDEX



# INDEX

EVPLH1S5436.....59	EVPLIPA254.....108	EVPLM1S4218.....67	EVPLM2S5430.....69	EVPMTU4830.....32	EVPMP54G54S.....90
EVPLH1S5436.....59	EVPLIPA266.....108	EVPLM1S4218.....67	EVPLM2S5436.....69	EVPMTU4836.....32	EVPMP60G54S.....90
EVPLH1S5442.....59	EVPLMGTU4818.....33	EVPLM1S4224.....67	EVPLM2S5442.....69	EVPMTU4836.....32	EVPMP60G54S.....90
EVPLH1S5442.....59	EVPLMGTU4818.....33	EVPLM1S4224.....67	EVPLM2S5448.....69	EVPMTU4842.....32	EVPMP60G60S.....90
EVPLH1S5448.....59	EVPLMGTU4824.....33	EVPLM1S4230.....67	EVPLM2S5454.....69	EVPMTU4842.....32	EVPMP60G60S.....90
EVPLH1S5448.....59	EVPLMGTU4824.....33	EVPLM1S4230.....67	EVPLM2S5460.....69	EVPMTU4848.....32	EVPM1S3018.....66
EVPLH1S5454.....59	EVPLMGTU4830.....33	EVPLM1S4236.....67	EVPLM2S6618.....69	EVPMTU4848.....32	EVPM1S3018.....66
EVPLH1S5454.....59	EVPLMGTU4830.....33	EVPLM1S4236.....67	EVPLM2S6624.....69	EVPMTU4854.....32	EVPM1S3024.....66
EVPLH1S5460.....59	EVPLMGTU4836.....33	EVPLM1S4242.....67	EVPLM2S6630.....69	EVPMTU4854.....32	EVPM1S3024.....66
EVPLH1S5460.....59	EVPLMGTU4836.....33	EVPLM1S4242.....67	EVPLM2S6636.....69	EVPMTU4860.....32	EVPM1S3030.....66
EVPLH1S6618.....59	EVPLMGTU4842.....33	EVPLM1S4248.....67	EVPLM2S6642.....69	EVPMTU4860.....32	EVPM1S3030.....66
EVPLH1S6618.....59	EVPLMGTU4842.....33	EVPLM1S4248.....67	EVPLM2S6648.....69	EVPMTU5418.....32	EVPM1S3036.....66
EVPLH1S6624.....59	EVPLMGTU4848.....33	EVPLM1S4254.....67	EVPLM2S6654.....69	EVPMTU5418.....32	EVPM1S3036.....66
EVPLH1S6624.....59	EVPLMGTU4848.....33	EVPLM1S4254.....67	EVPLM2S6660.....69	EVPMTU5424.....32	EVPM1S3042.....66
EVPLH1S6630.....59	EVPLMGTU4854.....33	EVPLM1S4260.....67	EVPLUERA66.....114	EVPMTU5424.....32	EVPM1S3042.....66
EVPLH1S6630.....59	EVPLMGTU4854.....33	EVPLM1S4260.....67	EVPLUETA66.....114	EVPMTU5430.....32	EVPM1S3048.....66
EVPLH1S6636.....59	EVPLMGTU4860.....33	EVPLM1S5418.....67	EVPLVC42.....94	EVPMTU5430.....32	EVPM1S3048.....66
EVPLH1S6636.....59	EVPLMGTU4860.....33	EVPLM1S5418.....67	EVPLVC48.....94	EVPMTU5436.....32	EVPM1S3054.....66
EVPLH1S6642.....59	EVPLMGTU5418.....33	EVPLM1S5424.....67	EVPLVC54.....94	EVPMTU5436.....32	EVPM1S3054.....66
EVPLH1S6642.....59	EVPLMGTU5418.....33	EVPLM1S5424.....67	EVPLVC66.....94	EVPMTU5442.....32	EVPM1S3060.....66
EVPLH1S6648.....59	EVPLMGTU5424.....33	EVPLM1S5430.....67	EVPLVPA242.....98	EVPMTU5442.....32	EVPM1S3060.....66
EVPLH1S6648.....59	EVPLMGTU5424.....33	EVPLM1S5430.....67	EVPLVPA248.....98	EVPMTU5448.....32	EVPM1S4218.....66
EVPLH1S6654.....59	EVPLMGTU5430.....33	EVPLM1S5436.....67	EVPLVPA254.....98	EVPMTU5448.....32	EVPM1S4218.....66
EVPLH1S6654.....59	EVPLMGTU5430.....33	EVPLM1S5436.....67	EVPLVPA266.....98	EVPMTU5454.....32	EVPM1S4224.....66
EVPLH1S6660.....59	EVPLMGTU5436.....33	EVPLM1S5442.....67	EVPLVPA342.....101	EVPMTU5454.....32	EVPM1S4224.....66
EVPLH1S6660.....59	EVPLMGTU5436.....33	EVPLM1S5442.....67	EVPLVPA348.....101	EVPMTU5460.....32	EVPM1S4230.....66
EVPLH2S3018.....61	EVPLMGTU5442.....33	EVPLM1S5448.....67	EVPLVPA354.....101	EVPMTU5460.....32	EVPM1S4230.....66
EVPLH2S3024.....61	EVPLMGTU5442.....33	EVPLM1S5448.....67	EVPLVPA366.....101	EVPMTU6618.....32	EVPM1S4236.....66
EVPLH2S3030.....61	EVPLMGTU5448.....33	EVPLM1S5454.....67	EVPLVPA442.....104	EVPMTU6618.....32	EVPM1S4236.....66
EVPLH2S3036.....61	EVPLMGTU5448.....33	EVPLM1S5454.....67	EVPLVPA448.....104	EVPMTU6624.....32	EVPM1S4242.....66
EVPLH2S3042.....61	EVPLMGTU5454.....33	EVPLM1S5460.....67	EVPLVPA454.....104	EVPMTU6624.....32	EVPM1S4242.....66
EVPLH2S3048.....61	EVPLMGTU5454.....33	EVPLM1S5460.....67	EVPLVPA466.....104	EVPMTU6630.....32	EVPM1S4248.....66
EVPLH2S3054.....61	EVPLMGTU5460.....33	EVPLM1S6618.....67	EVPLVFTA30.....121	EVPMTU6630.....32	EVPM1S4248.....66
EVPLH2S3060.....61	EVPLMGTU5460.....33	EVPLM1S6618.....67	EVPLVFTA42.....121	EVPMTU6636.....32	EVPM1S4254.....66
EVPLH2S4218.....61	EVPLMGTU6618.....33	EVPLM1S6624.....67	EVPLVFTA48.....121	EVPMTU6636.....32	EVPM1S4254.....66
EVPLH2S4224.....61	EVPLMGTU6618.....33	EVPLM1S6624.....67	EVPLVFTA54.....121	EVPMTU6642.....32	EVPM1S4260.....66
EVPLH2S4230.....61	EVPLMGTU6624.....33	EVPLM1S6630.....67	EVPLVFTA66.....121	EVPMTU6642.....32	EVPM1S4260.....66
EVPLH2S4236.....61	EVPLMGTU6624.....33	EVPLM1S6630.....67	EVPLVFTA72.....121	EVPMTU6648.....32	EVPM1S5418.....66
EVPLH2S4242.....61	EVPLMGTU6630.....33	EVPLM1S6636.....67	EVPLVFTA78.....121	EVPMTU6648.....32	EVPM1S5418.....66
EVPLH2S4248.....61	EVPLMGTU6630.....33	EVPLM1S6636.....67	EVPLVFTA84.....121	EVPMTU6654.....32	EVPM1S5424.....66
EVPLH2S4254.....61	EVPLMGTU6636.....33	EVPLM1S6642.....67	EVPLVFTA90.....121	EVPMTU6654.....32	EVPM1S5424.....66
EVPLH2S4260.....61	EVPLMGTU6636.....33	EVPLM1S6642.....67	EVPLXGT4218.....43	EVPMTU6660.....32	EVPM1S5430.....66
EVPLH2S5418.....61	EVPLMGTU6642.....33	EVPLM1S6648.....67	EVPLXGT4224.....43	EVPMTU6660.....32	EVPM1S5430.....66
EVPLH2S5424.....61	EVPLMGTU6642.....33	EVPLM1S6648.....67	EVPLXGT4230.....43	EVPMP24G18S.....90	EVPM1S5436.....66
EVPLH2S5430.....61	EVPLMGTU6648.....33	EVPLM1S6654.....67	EVPLXGT4236.....43	EVPMP24G18S.....90	EVPM1S5436.....66
EVPLH2S5436.....61	EVPLMGTU6648.....33	EVPLM1S6654.....67	EVPLXGT4242.....43	EVPMP24G24S.....90	EVPM1S5442.....66
EVPLH2S5442.....61	EVPLMGTU6654.....33	EVPLM1S6660.....67	EVPLXGT4818.....43	EVPMP24G24S.....90	EVPM1S5442.....66
EVPLH2S5448.....61	EVPLMGTU6654.....33	EVPLM1S6660.....67	EVPLXGT4824.....43	EVPMP30G24S.....90	EVPM1S5448.....66
EVPLH2S5454.....61	EVPLMGTU6660.....33	EVPLM2S3018.....69	EVPLXGT4830.....43	EVPMP30G24S.....90	EVPM1S5448.....66
EVPLH2S5460.....61	EVPLMGTU6660.....33	EVPLM2S3024.....69	EVPLXGT4836.....43	EVPMP30G30S.....90	EVPM1S5454.....66
EVPLH2S6618.....61	EVPLM1S3018.....67	EVPLM2S3030.....69	EVPLXGT4842.....43	EVPMP30G30S.....90	EVPM1S5454.....66
EVPLH2S6624.....61	EVPLM1S3018.....67	EVPLM2S3036.....69	EVPLXGT5418.....43	EVPMP36G30S.....90	EVPM1S5460.....66
EVPLH2S6630.....61	EVPLM1S3024.....67	EVPLM2S3042.....69	EVPLXGT5424.....43	EVPMP36G30S.....90	EVPM1S5460.....66
EVPLH2S6636.....61	EVPLM1S3024.....67	EVPLM2S3048.....69	EVPLXGT5430.....43	EVPMP36G36S.....90	EVPM1S6618.....66
EVPLH2S6642.....61	EVPLM1S3030.....67	EVPLM2S3054.....69	EVPLXGT5436.....43	EVPMP36G36S.....90	EVPM1S6618.....66
EVPLH2S6648.....61	EVPLM1S3030.....67	EVPLM2S3060.....69	EVPLXGT5442.....43	EVPMP42G36S.....90	EVPM1S6624.....66
EVPLH2S6654.....61	EVPLM1S3036.....67	EVPLM2S4218.....69	EVPLXGT6618.....43	EVPMP42G36S.....90	EVPM1S6624.....66
EVPLH2S6660.....61	EVPLM1S3036.....67	EVPLM2S4224.....69	EVPLXGT6624.....43	EVPMP42G42S.....90	EVPM1S6630.....66
EVPLIC30.....93	EVPLM1S3042.....67	EVPLM2S4230.....69	EVPLXGT6630.....43	EVPMP42G42S.....90	EVPM1S6630.....66
EVPLIC42.....93	EVPLM1S3042.....67	EVPLM2S4236.....69	EVPLXGT6636.....43	EVPMP48G42S.....90	EVPM1S6636.....66
EVPLIC48.....93	EVPLM1S3048.....67	EVPLM2S4242.....69	EVPLXGT6642.....43	EVPMP48G42S.....90	EVPM1S6636.....66
EVPLIC54.....93	EVPLM1S3048.....67	EVPLM2S4248.....69	EVPMTU4818.....32	EVPMP48G48S.....90	EVPM1S6642.....66
EVPLIC66.....93	EVPLM1S3054.....67	EVPLM2S4254.....69	EVPMTU4818.....32	EVPMP48G48S.....90	EVPM1S6642.....66
EVPLIPA230.....108	EVPLM1S3054.....67	EVPLM2S4260.....69	EVPMTU4824.....32	EVPMP54G48S.....90	EVPM1S6648.....66
EVPLIPA242.....108	EVPLM1S3060.....67	EVPLM2S5418.....69	EVPMTU4824.....32	EVPMP54G48S.....90	EVPM1S6648.....66
EVPLIPA248.....108	EVPLM1S3060.....67	EVPLM2S5424.....69	EVPMTU4830.....32	EVPMP54G54S.....90	EVPM1S6654.....66



# INDEX

EVPM1S6654.....66	EVPOE2460.....89	EVPTNTA54.....122	EVPVFTA84.....120	EVPXGT4230.....42	EVSC92.....220
EVPM1S6660.....66	EVPS2FA4224.....52	EVPTNTA60.....122	EVPVFTA90.....120	EVPXGT4236.....42	EVSCRGD1330F.....202
EVPM1S6660.....66	EVPS2FA4224.....52	EVPTNTA66.....122	EVPVFTA96.....120	EVPXGT4242.....42	EVSCRGD1330P.....202
EVPM2S3018.....68	EVPS2FA4230.....52	EVPTNTA72.....122	EVPVTFEA12.....120	EVPXGT4818.....42	EVSCRGD1336F.....202
EVPM2S3024.....68	EVPS2FA4230.....52	EVPTNTA78.....122	EVPVTFEA18.....120	EVPXGT4824.....42	EVSCRGD1336P.....202
EVPM2S3030.....68	EVPS2FA4236.....52	EVPTNTA84.....122	EVPVTFEA24.....120	EVPXGT4830.....42	EVSCRGD1342F.....202
EVPM2S3036.....68	EVPS2FA4236.....52	EVPTNTA90.....122	EVPVTFEA30.....120	EVPXGT4836.....42	EVSCRGD1342P.....202
EVPM2S3042.....68	EVPS2FA4242.....52	EVPTNTA96.....122	EVPVTFEA36.....120	EVPXGT4842.....42	EVSCRGD1348F.....202
EVPM2S3048.....68	EVPS2FA4242.....52	EVPTTA18.....121	EVPVTFEA42.....120	EVPXGT5418.....42	EVSCRGD1348P.....202
EVPM2S3054.....68	EVPS2FA4248.....52	EVPTTA24.....121	EVPVTFEA48.....120	EVPXGT5424.....42	EVSCRGD1354F.....202
EVPM2S3060.....68	EVPS2FA4248.....52	EVPTTA25.....79	EVPVTFEA54.....120	EVPXGT5430.....42	EVSCRGD1354P.....202
EVPM2S4218.....68	EVPS2FA4254.....52	EVPTTA30.....121	EVPVTFEA66.....120	EVPXGT5436.....42	EVSCRGD1360F.....202
EVPM2S4224.....68	EVPS2FA4254.....52	EVPTTA31.....79	EVPVTFEA78.....120	EVPXGT5442.....42	EVSCRGD1360P.....202
EVPM2S4230.....68	EVPS2FA4260.....52	EVPTTA36.....121	EVPVTFEA84.....120	EVPXGT6618.....42	EVSCRGD2230F.....204
EVPM2S4236.....68	EVPS2FA4260.....52	EVPTTA37.....79	EVPVTFEA90.....120	EVPXGT6624.....42	EVSCRGD2230P.....203
EVPM2S4242.....68	EVPS2FA5424.....52	EVPTTA42.....121	EVPVTFEA96.....120	EVPXGT6630.....42	EVSCRGD2236F.....204
EVPM2S4248.....68	EVPS2FA5424.....52	EVPTTA43.....79	EVPW1SE1818.....85	EVPXGT6636.....42	EVSCRGD2236P.....203
EVPM2S4254.....68	EVPS2FA5430.....52	EVPTTA48.....121	EVPW1SE1818.....85	EVPXGT6642.....42	EVSCRGD2242F.....204
EVPM2S4260.....68	EVPS2FA5430.....52	EVPTTA49.....79	EVPW1SE1824.....85	EV4CEPSA106.....118	EVSCRGD2242P.....203
EVPM2S5418.....68	EVPS2FA5436.....52	EVPTTA54.....121	EVPW1SE1824.....85	EV4CEPSA112.....118	EVSCRGD2248F.....204
EVPM2S5424.....68	EVPS2FA5436.....52	EVPTTA55.....79	EVPW1SE1830.....85	EV4CEPSA118.....118	EVSCRGD2248P.....203
EVPM2S5430.....68	EVPS2FA5442.....52	EVPTTA60.....121	EVPW1SE1830.....85	EV4CEPSA124.....118	EVSCRGD2254F.....204
EVPM2S5436.....68	EVPS2FA5442.....52	EVPTTA61.....79	EVPW1SE1836.....85	EV4CEPS206.....118	EVSCRGD2254P.....203
EVPM2S5442.....68	EVPS2FA5448.....52	EVPTTA66.....121	EVPW1SE1836.....85	EV4CEPS212.....118	EVSCRGD2260F.....204
EVPM2S5448.....68	EVPS2FA5448.....52	EVPTTA67.....79	EVPW1SE1842.....85	EV4CEPS218.....118	EVSCRGD2260P.....203
EVPM2S5454.....68	EVPS2FA5454.....52	EVPTTA72.....121	EVPW1SE1842.....85	EV4CEPS224.....118	EVSCSGD1330F.....202
EVPM2S5460.....68	EVPS2FA5454.....52	EVPTTA73.....79	EVPW1SE1848.....85	EV4P230.....113	EVSCSGD1330P.....202
EVPM2S6618.....68	EVPS2FA5460.....52	EVPTTA78.....121	EVPW1SE1848.....85	EV4P242.....113	EVSCSGD1336F.....202
EVPM2S6624.....68	EVPS2FA5460.....52	EVPTTA79.....79	EVPW1SE1854.....85	EV4P248.....113	EVSCSGD1336P.....202
EVPM2S6630.....68	EVPS2FA6624.....52	EVPTTA84.....121	EVPW1SE1854.....85	EV4P254.....113	EVSCSGD1342F.....202
EVPM2S6636.....68	EVPS2FA6624.....52	EVPTTA85.....79	EVPW1SE1860.....85	EV4P266.....113	EVSCSGD1342P.....202
EVPM2S6642.....68	EVPS2FA6630.....52	EVPTTA90.....121	EVPW1SE1860.....85	EV4VPA242.....113	EVSCSGD1348F.....202
EVPM2S6648.....68	EVPS2FA6630.....52	EVPTTA96.....121	EVPW1SE2418.....85	EV4VPA248.....113	EVSCSGD1348P.....202
EVPM2S6654.....68	EVPS2FA6636.....52	EVPTVA06.....119	EVPW1SE2418.....85	EV4VPA254.....113	EVSCSGD1354F.....202
EVPM2S6660.....68	EVPS2FA6636.....52	EVPTVA12.....119	EVPW1SE2424.....85	EV4VPA266.....113	EVSCSGD1354P.....202
EVPOE0618.....89	EVPS2FA6642.....52	EVPTVA18.....119	EVPW1SE2424.....85	EV6CEPSA106.....117	EVSCSGD1360F.....202
EVPOE0624.....89	EVPS2FA6642.....52	EVPTVA24.....119	EVPW1SE2430.....85	EV6CEPSA112.....117	EVSCSGD1360P.....202
EVPOE0630.....89	EVPS2FA6648.....52	EVPTVA30.....119	EVPW1SE2430.....85	EV6CEPSA118.....117	EVSCSGD2230F.....204
EVPOE0636.....89	EVPS2FA6648.....52	EVPTVA36.....119	EVPW1SE2436.....85	EV6CEPSA124.....117	EVSCSGD2230P.....203
EVPOE0642.....89	EVPS2FA6654.....52	EVPUERA66.....113	EVPW1SE2436.....85	EV6CEPSA206.....117	EVSCSGD2236F.....204
EVPOE0648.....89	EVPS2FA6654.....52	EVPUETA12.....114, 118	EVPW1SE2442.....85	EV6CEPSA212.....117	EVSCSGD2236P.....203
EVPOE0654.....89	EVPS2FA6660.....52	EVPUETA66.....114	EVPW1SE2442.....85	EV6CEPSA218.....117	EVSCSGD2242F.....204
EVPOE0660.....89	EVPS2FA6660.....52	EVPUET12.....114	EVPW1SE2448.....85	EV6CEPSA224.....117	EVSCSGD2242P.....203
EVPOE1218.....89	EVPTDNTA18.....122	EVPVCA42.....94	EVPW1SE2448.....85	EV6CEPS306.....117	EVSCSGD2248F.....204
EVPOE1224.....89	EVPTDNTA24.....122	EVPVCA48.....94	EVPW1SE2454.....85	EV6CEPS312.....117	EVSCSGD2248P.....203
EVPOE1230.....89	EVPTDNTA30.....122	EVPVCM54.....94	EVPW1SE2454.....85	EV6CEPS318.....117	EVSCSGD2254F.....204
EVPOE1236.....89	EVPTDNTA36.....122	EVPVCG66.....94	EVPW1SE2460.....85	EV6CEPS324.....117	EVSCSGD2254P.....203
EVPOE1242.....89	EVPTDNTA42.....122	EVPVPA242.....98	EVPW1SE2460.....85	EV6PA230.....110	EVSCSGD2260F.....204
EVPOE1248.....89	EVPTDNTA48.....122	EVPVPA248.....98	EVPW2SE1818.....85	EV6PA242.....110	EVSCSGD2260P.....203
EVPOE1254.....89	EVPTDNTA54.....122	EVPVPA254.....98	EVPW2SE1824.....85	EV6PA248.....110	EVSCWB302H.....220
EVPOE1260.....89	EVPTDNTA60.....122	EVPVPA266.....98	EVPW2SE1830.....85	EV6PA254.....110	EVSCWB303H.....220
EVPOE1818.....89	EVPTDNTA66.....122	EVPVPA342.....101	EVPW2SE1836.....85	EV6PA266.....110	EVSCWB304H.....220
EVPOE1824.....89	EVPTDNTA72.....122	EVPVPA348.....101	EVPW2SE1842.....85	EV6P330.....111	EVSCWB305H.....220
EVPOE1830.....89	EVPTDNTA78.....122	EVPVPA354.....101	EVPW2SE1848.....85	EV6P342.....111	EVSCWB362H.....220
EVPOE1836.....89	EVPTDNTA84.....122	EVPVPA366.....101	EVPW2SE1854.....85	EV6P348.....111	EVSCWB363H.....220
EVPOE1842.....89	EVPTDNTA90.....122	EVPVPA442.....104	EVPW2SE1860.....85	EV6P354.....111	EVSCWB364H.....220
EVPOE1848.....89	EVPTDNTA96.....122	EVPVPA448.....104	EVPW2SE2418.....85	EV6P366.....111	EVSCWB365H.....220
EVPOE1854.....89	EVPTEA12.....120	EVPVPA454.....104	EVPW2SE2424.....85	EV6VPA242.....110	EVSCWB422H.....220
EVPOE1860.....89	EVPTEA18.....120	EVPVPA466.....92, 104	EVPW2SE2430.....85	EV6VPA248.....110	EVSCWB423H.....220
EVPOE2418.....89	EVPTEA24.....120	EVPVTFEA30.....120	EVPW2SE2436.....85	EV6VPA254.....110	EVSCWB424H.....220
EVPOE2424.....89	EVPTNTA18.....122	EVPVFTA36.....120	EVPW2SE2442.....85	EV6VPA266.....110	EVSCWB425H.....220
EVPOE2430.....89	EVPTNTA24.....122	EVPVFTA42.....120	EVPW2SE2448.....85	EV6VPA342.....112	EVSCWPED.....220
EVPOE2436.....89	EVPTNTA30.....122	EVPVFTA48.....120	EVPW2SE2454.....85	EV6VPA348.....112	EVSCWPEDF.....220
EVPOE2442.....89	EVPTNTA36.....122	EVPVFTA54.....120	EVPW2SE2460.....85	EV6VPA354.....112	EVSC12.....122
EVPOE2448.....89	EVPTNTA42.....122	EVPVFTA66.....120	EVPXGT4218.....42	EV6VPA366.....112	EVSDCRGD1330.....203
EVPOE2454.....89	EVPTNTA48.....122	EVPVFTA78.....120	EVPXGT4224.....42	EVSAK92.....220	EVSDCRGD1336.....203



# INDEX

EVSDCRGD1342.....203	EVSODSGDL1330.....191	EVSOGD1230.....189	EVS1223BBFM.....196	EVS1236M662S2F.....210	EVS3054MDPOR.....213
EVSDCRGD1348.....203	EVSODSGDL1336.....191	EVSOGD1236.....189	EVS1223BF.....197	EVS1236M662S3F.....210	EVS3054MDPR.....213
EVSDCRGD1354.....203	EVSODSGDL1342.....191	EVSOGD1242.....189	EVS1223BFLCM.....197	EVS1236RDKIT.....201	EVS3054M12L.....214
EVSDCRGD1360.....203	EVSODSGDL1348.....191	EVSOGD1248.....189	EVS1223BF.....197	EVS1236SF2 SND.....211	EVS3054M12LOL.....214
EVSDCRGD2230.....204	EVSODSGDL1354.....191	EVSOGD1254.....189	EVS1223BKIT.....200	EVS1236SF3 SND.....211	EVS3054M12LOR.....214
EVSDCRGD2236.....204	EVSODSGDL1360.....191	EVSOGD1260.....189	EVS1223FF.....196	EVS1236SF4 SND.....211	EVS3654MDPL.....215
EVSDCRGD2242.....204	EVSODSGDL1330.....191	EVSOH1224.....193	EVS1223FFM.....196	EVS1236SF5 SND.....211	EVS3654MDPOLR.....215
EVSDCRGD2248.....204	EVSODSGDL1336.....191	EVSOH1230.....193	EVS1223FKIT.....200	EVS1236X1H1F.....198	EVS3654MDPORL.....215
EVSDCRGD2254.....204	EVSODSGDL1342.....191	EVSOH1236.....193	EVS1224BBF.....196	EVS1236X1S.....199	EVS3654MDPR.....215
EVSDCRGD2260.....204	EVSODSGDL1348.....191	EVSOH1242.....193	EVS1224BKIT.....200	EVS1236X1SND.....199	EVS3654M12L.....214
EVSDCSGD1330.....203	EVSODSGD1354.....191	EVSOH1248.....193	EVS1224FF.....196	EVS1236X1S1F.....198	EVS3654M12LL.....216
EVSDCSGD1336.....203	EVSODSGD1360.....191	EVSOH1254.....193	EVS1224FKIT.....200	EVS12362SWS.....211	EVS3654M12LOL.....214
EVSDCSGD1342.....203	EVSODS1330.....190	EVSOH1260.....193	EVS1229BBF.....196	EVS12362R1F.....208	EVS3654M12LORL.....216
EVSDCSGD1348.....203	EVSODS1336.....190	EVSOI24.....195	EVS1229BBFM.....196	EVS12362FWS.....207	EVS3654M12LOR.....214
EVSDCSGD1354.....203	EVSODS1342.....190	EVSOI30.....195	EVS1229BF.....197	EVS12362S2S.....209	EVS3654M12LORL.....216
EVSDCSGD1360.....203	EVSODS1348.....190	EVSOI36.....195	EVS1229BFCLCM.....197	EVS12363S.....211	EVS3654M12LR.....216
EVSDCSGD2230.....204	EVSODS1354.....190	EVSOI42.....195	EVS1229BFCLMC ****	EVS12363R1F.....208	EVTLPML36.....133
EVSDCSGD2236.....204	EVSODS1360.....190	EVSOI48.....195	EVS1229BFM.....197	EVS123633F.....207	EVTLPML42.....133
EVSDCSGD2242.....204	EVSOD1330.....190	EVSPD2015.....162	EVS1229BKIT.....200	EVS123633S.....209	EVTLPML48.....133
EVSDCSGD2248.....204	EVSOD1336.....190	EVSSC1224L.....193	EVS1229FF.....196	EVS12364S.....211	EVTPM01.....134
EVSDCSGD2254.....204	EVSOD1342.....190	EVSSC1224R.....193	EVS1229FFM.....196	EVS123641B3F.....210	EVT1430.....204
EVSDCSGD2260.....204	EVSOD1348.....190	EVSSC1230L.....193	EVS1229FKIT.....200	EVS123641R3F.....207	EVT1430.....204
EVSEDPS.....218	EVSOD1354.....190	EVSSC1230R.....193	EVS1230BBF.....196	EVS123643R1F.....208	EVT1436.....204
EVSEK92.....220	EVSOD1360.....190	EVSSC1236L.....193	EVS1230BHHKIT.....201	EVS123644S.....209	EVT1436.....204
EVSFBB.....218	EVSOFD01.....195	EVSSC1236R.....193	EVS1230BKIT.....200	EVS12365S.....211	EVT1442.....204
EVSFDP03.....219	EVSOPFB24.....195	EVSSL1224.....193	EVS1230DPL.....198	EVS12365W.....211	EVT1442.....204
EVSHFB30.....218	EVSOPFB30.....195	EVSSL1230.....193	EVS1230DPR.....198	EVS123651B1R3F.....210	EVT1448.....204
EVSHFB36.....218	EVSOPFB36.....195	EVSSL1236.....193	EVS1230FF.....196	EVS123652R3F.....207	EVT1448.....204
EVSHFB42.....218	EVSOPFB42.....195	EVSSL1242.....193	EVS1230FFKIT.....201	EVS123654R1F.....208	EVT1454.....204
EVSHJB30.....192	EVSOPFB48.....195	EVSSL1248.....193	EVS1230FKIT.....200	EVS123655S.....209	EVT1454.....204
EVSHJB36.....192	EVSOPFB54.....195	EVSSL1254.....193	EVS1230M502S2F.....210	EVS1242BHHKIT.....201	EVT1460.....204
EVSHJB42.....192	EVSOPFB60.....195	EVSSL1260.....193	EVS1230M542S2F.....210	EVS1242FFKIT.....201	EVT1460.....204
EVSHJB48.....192	EVSOF1224.....188	EVS12TS0502BFL.....206	EVS1230M662S2F.....210	EVS1242M502S2F.....210	EVT18108.....199, 210
EVSHJB54.....192	EVSOF1230.....188	EVS12TS0502BFR.....206	EVS1230M662S3F.....210	EVS1242M542S2F.....210	EVT18108.....199, 210
EVSHJB60.....192	EVSOF1236.....188	EVS12TS0502FL.....206	EVS1230RDKIT.....201	EVS1242M662S2F.....210	EVT1830.....199, 210
EVSHPD03.....219	EVSOF1242.....188	EVS12TS0502FR.....206	EVS1230SF2 SND.....211	EVS1242M662S3F.....210	EVT1830.....199, 210
EVSLAB30.....219	EVSOF1248.....188	EVS12TS0542BFL.....206	EVS1230SF3 SND.....211	EVS1242RDKIT.....201	EVT1836.....199, 210
EVSLAB36.....219	EVSOF1254.....188	EVS12TS0542BFR.....206	EVS1230SF4 SND.....211	EVS1242SF2 SND.....211	EVT1838.....199, 210
EVSLAB42.....219	EVSOF1260.....188	EVS12TS0542FL.....206	EVS1230SF5 SND.....211	EVS1242SF3 SND.....211	EVT1842.....199, 210
EVSLK12.....188, 220	EVSOF1324.....188	EVS12TS0542FR.....206	EVS1230X1H1F.....198	EVS1242SF4 SND.....211	EVT1842.....199, 210
EVSLS0818.....193	EVSOF1330.....188	EVS12TS0662B1FL.....206	EVS1230X1S.....199	EVS1242SF5 SND.....211	EVT1860.....199, 210
EVSLS0824.....193	EVSOF1336.....188	EVS12TS0662B1FR.....206	EVS1230X1SND.....199	EVS1242X1H1F.....198	EVT1860.....199, 210
EVLS0830.....193	EVSOF1342.....188	EVS12TS0662FL.....206	EVS1230X1S1F.....198	EVS1242X1S.....199	EVT1872.....199, 210
EVLS0836.....193	EVSOF1348.....188	EVS12TS0662FR.....206	EVS12302SWS.....211	EVS1242X1SND.....199	EVT1872.....199, 210
EVLS0842.....193	EVSOF1354.....188	EVS12T502B1FL.....205	EVS123021R1F.....208	EVS1242X1S1F.....198	EVT1884.....199, 210
EVLS0848.....193	EVSOF1360.....188	EVS12T502B1FR.....205	EVS123022FWS.....207	EVS1242SWS.....211	EVT1884.....199, 210
EVSMK92.....220	EVSOF1624.....189	EVS12T502FL.....205	EVS123022S.....209	EVS124221R1F.....208	EVT1890.....199, 210
EVSOB24.....194	EVSOF1630.....189	EVS12T502FR.....205	EVS12303S.....211	EVS124222FWS.....207	EVT1890.....199, 210
EVSOB30.....194	EVSOF1636.....189	EVS12T542B1FL.....205	EVS123032R1F.....208	EVS124222S.....209	EVT2930.....205
EVSOB36.....194	EVSOF1642.....189	EVS12T542B1FR.....205	EVS123033F.....207	EVS12423S.....211	EVT2930.....205
EVSOB42.....194	EVSOF1648.....189	EVS12T542FL.....205	EVS123033S.....209	EVS124232R1F.....208	EVT2936.....205
EVSOB48.....194	EVSOF1654.....189	EVS12T542FR.....205	EVS12304S.....211	EVS124233F.....207	EVT2936.....205
EVSOB54.....194	EVSOF1660.....189	EVS12T662B1FL.....205	EVS123041B3F.....210	EVS124233S.....209	EVT2942.....205
EVSOB60.....194	EVSOF1724.....188	EVS12T662B1FR.....205	EVS123041R3F.....207	EVS12424S.....211	EVT2942.....205
EVSODGDL1330.....191	EVSOF1730.....188	EVS12T662FL.....205	EVS123043R1F.....208	EVS124241B3F.....210	EVT2948.....205
EVSODGDL1336.....191	EVSOF1736.....188	EVS12T662FR.....205	EVS123044S.....209	EVS124241R3F.....207	EVT2948.....205
EVSODGDL1342.....191	EVSOF1742.....188	EVS12V18BBF.....196	EVS12305S.....211	EVS124243R1F.....208	EVT2954.....205
EVSODGDL1348.....191	EVSOF1748.....188	EVS12V18BBFM.....196	EVS12305W.....211	EVS124244S.....209	EVT2954.....205
EVSODGDL1354.....191	EVSOGD1224.....189	EVS12V18BF.....197	EVS123051B1R3F.....210	EVS12425S.....211	EVT2960.....205
EVSODGDL1360.....191	EVSOGD1230.....189	EVS12V18BFM.....197	EVS123052R3F.....207	EVS12425W.....211	EVT2960.....205
EVSODGD1330.....190	EVSOGD1236.....189	EVS12V18BKIT.....200	EVS123054R1F.....208	EVS124251B1R3F.....210	EVWACP1818.....237
EVSODGD1336.....190	EVSOGD1242.....189	EVS12V18FF.....196	EVS123055S.....209	EVS124252R3F.....207	EVWADH01.....236
EVSODGD1342.....190	EVSOGD1248.....189	EVS12V18FFM.....196	EVS12306BFHKIT.....201	EVS124254R1F.....208	EVWAFR01.....237
EVSODGD1348.....190	EVSOGD1254.....189	EVS12V18FKIT.....200	EVS12306FFKIT.....201	EVS124255S.....209	EVWAKM01.....229, 231
EVSODGD1354.....190	EVSOGD1260.....189	EVS12V19BFCLCM.....197	EVS1236M502S2F.....210	EVS3054MDPL.....213	EVWAKM02.....229, 231
EVSODGD1360.....190	EVSOGD1224.....189	EVS12V23BBF.....196	EVS1236M542S2F.....210	EVS3054MDPOL.....213	EVWAKM03.....229, 231



## INDEX



## INDEX

## INDEX



## INDEX

## NOTES





At Evolve we believe it is our responsibility to protect the environment for future generations. The growing importance of reducing energy consumption and resource sustainability continues to challenge us in this ever-changing marketplace.



Evolve's epoxy powder coating process (A) involves no liquids and is solvent free. It does not contain any harmful VOC's or lead. Up to 99% of over sprayed powder is reclaimed, mixed with virgin powder and reused. All powder that doesn't get recirculated is recycled and used to paint non-exposed parts.

Evolve has developed a panel interior made from 100% recycled wood (B) and reclaimed polypropylene (C). Through innovative design and technology, Evolve utilizes waste that would normally have been sent to a landfill.

Evolve panels are insulated with a mineral wool insulation made from slag (an inert steel product) and basalt rock. This material's high density provides maximum sound absorption to reduce noise in the work environment. Mineral fiber insulation is fire resistant, water repellent and will not support the growth of fungi or mildew.

Evolve offers fabrics that are made from 100% recycled polyester (D), which means less waste going into landfills, reduced demand for petroleum products, and fewer environmental impacts from the processing of petroleum products into polyester.

Evolve is Level 2 and Greenguard® certified to rigorous indoor air quality standards for low-emitting interior products and manufactured in ISO 14001 registered facilities.

**BIFMA**  
INTERNATIONAL



**Evolve Furniture Group**

17 West Stow Rd. P.O. Box 562 Marlton, New Jersey USA 08053 T 856•552•4000 888•827•2500 F 856•552•4001 [evolvefurnituregroup.com](http://evolvefurnituregroup.com)

e