

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

WG48A, 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 48 In. Deck
Equipment for Base Machine

14.5 HP*	with Aluminum Spindles	used for comparison purposes
Vertical-Shaft Air Cooled	1.5-4.75 In. Height of Cut with	only. Actual operating
Engine (603cc, 36.8 cu. in)	13 Cutting Positions	horsepower and torque will be
Full Pressure Lubrication	Pistol Grip Direction Control	less. Refer to the engine
System with Replaceable Oil	Multi-Position Recoil Start	manufacturer's web site for
Filter	5.4 MPH Mowing Speed	additional information.
Operator Presence System	5.8 U.S. Gallon Fuel Capacity	
Peerless Gear Drive Transmission	13x6.5-6 4-Ply Pneumatic Rear	
5 Forward Gears 1 Reverse	Tires	
Gear with Reverse Assist	9x3.5-4 Front Caster Tires	
Neutral Start	Electric PTO Clutch	
Dual Element Air Cleaner	English/Spanish Operator's	
48 In. Fully Floating	Safety Video and Labels	
Commercial Side Discharge	ANSI Certified B71.4 for Safety	
Mower Deck	*The engine horsepower and	
7-Gauge Fabricated Steel Mower	torque information are provided	
Deck	by the engine manufacturer to be	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1354TC	WG48A, 14.5 HP* Commercial Gear Drive Walk-Behind Mower with 48 In. Deck	4,199.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Mower Deck and Mower Deck Attachments:

TCB11740	48 In. Mulch Kit	250.39
BTC10643	Grass Collector, 3 Cu Ft.	340.26

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WH36A, 14.5* Twin Loop Control HP Commercial Hydrostatic Drive Walk-Behind
Mower with Factory Installed Weight Kit and 36 In. Deck
Equipment for Base Machine**

14.5* HP Kawasaki FS
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Electric Start
6-Position Hydrostatic
Adjustment
10cc Hydro-Gear Pumps
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
36 In. Fully Floating
Commercial Side Discharge
Mower Deck
7-Gauge Fabricated Steel Mower

Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
Twin Loop Controls with
Speed Index Bar and
Reverse Index Bar
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x6.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels
*The engine horsepower and

torque information are provided
by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1394TC	WH36A, 14.5* Twin Loop Control HP Commercial Hydrostatic Drive Walk-Behind Mower with Factory Installed Weight Kit and 36 In. Deck	6,399.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous: TCB11744 Sully	573.51
	Mower Deck and Mower Deck Attachments: TCB11739 36 In. Mulch Kit	216.14
	BTC10643 Grass Collector, 3 Cu Ft.	340.26
	Weights: BTC10484 Weight Kit	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WHP36A, 14.5* HP Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind
Mower with Factory Installed Weight Kit and 36 In. Deck
Equipment for Base Machine**

14.5* HP Kawasaki FS
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
36 In. Fully Floating
Commercial Side Discharge
Mower Deck

7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
Pistol Grip Direction Control
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x6.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels
*The engine horsepower and

torque information are provided
by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1395TC	WHP36A, 14.5* HP Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with Factory Installed Weight Kit and 36 In. Deck	6,399.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCB11744	Sulky	573.51
Mower Deck and Mower Deck Attachments:		
TCB11739	36 In. Mulch Kit	216.14
BTC10643	Grass Collector, 3 Cu Ft.	340.26
Weights:		
BTC10484	Weight Kit	116.63

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS

**WH48A, 18.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind
Mower with 48 In. Deck**
Equipment for Base Machine

18.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable
Oil Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
48 In. Fully Floating
Commercial Side Discharge
Mower Deck
7-Gauge Fabricated Steel Mower

Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
4 Anti-Scalp Wheels
Twin Loop Controls with
Speed Index Bar and
Reverse Index Bar
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x7.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1294TC	WH48A, 18.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 48 In. Deck	7,299.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous: TCB11744 Sully	573.51
	Mower Deck and Mower Deck Attachments: TCB11740 48 In. Mulch Kit	250.39
	BTC10643 Grass Collector, 3 Cu Ft.	340.26
	Weights: BTC10484 Weight Kit	116.63

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS

**WHP48A, 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind
Mower with 48 In. Deck**
Equipment for Base Machine

18.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
48 In. Fully Floating
Commercial Side Discharge
Mower Deck

7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
4 Anti-Scalp Wheels
Pistol Grip Direction Control
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x7.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1295TC	WHP48A, 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 48 In. Deck	7,299.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCB11744	Sulky	573.51
Mower Deck and Mower Deck Attachments:		
TCB11740	48 In. Mulch Kit	250.39
BTC10643	Grass Collector, 3 Cu Ft.	340.26
Weights:		
BTC10484	Weight Kit	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WH52A, 18.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind
Mower with 52 In. Deck
Equipment for Base Machine**

18.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
52 In. Fully Floating
Commercial Side Discharge
Mower Deck
7-Gauge Fabricated Steel Mower

Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
4 Anti-Scalp Wheels
Twin Loop Controls with
Speed Index Bar and
Reverse Index Bar
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x7.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1284TC	WH52A, 18.5 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 52 In. Deck	7,699.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:	
TCB11744	Sulky	573.51
	Mower Deck and Mower Deck Attachments:	
TCB11741	52 In. Mulch Kit	272.86
BTC10643	Grass Collector, 3 Cu Ft.	340.26
	Weights:	
BTC10484	Weight Kit	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WHP52A, 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind
Mower with 52 In. Deck
Equipment for Base Machine**

18.5 HP*
Vertical-Shaft Air Cooled
Engine (603cc, 36.8 cu. in)
Full Pressure Lubrication
System with Replaceable
Oil Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
52 In. Fully Floating
Commercial Side Discharge
Mower Deck

7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
4 Anti-Scalp Wheels
Pistol Grip Direction Control
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x7.5-8 Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1285TC	WHP52A, 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 52 In. Deck	7,699.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCB11744	Sulky	573.51
Mower Deck and Mower Deck Attachments:		
TCB11741	52 In. Mulch Kit	272.86
BTC10643	Grass Collector, 3 Cu Ft.	340.26
Weights:		
BTC10484	Weight Kit	116.63

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL WALK-BEHIND MOWERS

WH61A, 23 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck Equipment for Base Machine

23 HP*
Vertical-Shaft Air Cooled
Engine (726cc 44.3 cu. in)
Full Pressure Lubrication
System with Replaceable Oil
Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
61 In. Fully Floating
Commercial Side Discharge
Mower Deck

7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
4 Anti-Scalp Wheels
Twin Loop Controls with
Speed Index Bar and
Reverse Index Bar
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x8.5Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0711TC	WH61A, 23 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck	8,829.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCB11744	Sulky	573.51
Mower Deck and Mower Deck Attachments:		
BTC10636	61 In. Mulch Kit	283.56
Weights:		
BTC10484	Weight Kit	116.63

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL WALK-BEHIND MOWERS**

**WHP61A, 23 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind
Mower with 61 In. Deck
Equipment for Base Machine**

23 HP*
Vertical-Shaft Air Cooled
Engine (726cc 44.3 cu. in)
Full Pressure Lubrication
System with Replaceable
Oil Filter
Electric Start
10cc Hydro-Gear Pumps
6-Position Hydrostatic
Adjustment
Parker-Ross Wheel Motors
Low Center of Gravity
Operator Presence System
Dual Hydrostatic Wheel Drive
Dual Element Air Cleaner
61 In. Fully Floating
Commercial Side Discharge
Mower Deck

7-Gauge Fabricated Steel Mower
Deck
Aluminum Spindle Housings
1.5-5.0 In. Height of Cut with
14 Cut Height Settings
4 Anti-Scalp Wheels
Pistol Grip Direction Control
Adjustable Height Operator
Station
7 MPH Mowing Speed
3 MPH Reverse Speed
5.8 U.S. Gallon Fuel Capacity
16x8.5Rear Tires
9x3.5-4 Front Caster Tires
Electric PTO Clutch
Tire Engaging Park Brake
English/Spanish Operator's
Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0721TC	WHP61A, 23 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck	8,829.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
TCB11744	Sulky	573.51
Mower Deck and Mower Deck Attachments:		
BTC10636	61 In. Mulch Kit	283.56
Weights:		
BTC10484	Weight Kit	116.63