

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652B 22HP\* Commercial QuikTrak with 52 In. 7-Gauge Fixed Deck**  
Equipment for Base Machine

22HP\*  
Vertical-Shaft Air Cooled  
Gas Engine 726cc (44.3 cu.  
in.)  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy Duty Canister Air Cleaner  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
12cc Hydro-Gear Transmission  
Pumps  
15 cu. in. Hydro-Gear Wheel  
Motors  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
52 In. Fixed, Side Discharge  
7 Ga. Fabricated Steel Deck

Cast Iron Spindle Housing  
1.25 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control with Reverse Bar  
9.5 MPH Forward / 5.5 MPH  
Reverse  
5.6 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
20 x 10-8 In.  
4PR Turf Drive Tires  
11 x 4-5 In. Front Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in  
accordance with SAE  
J1995, 726cc. The engine

horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual  
operating horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

2370TC	652B 22HP* Commercial QuikTrak with 52 In. 7-Gauge Fixed Deck	8,465.00
--------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b> AM108146 Spark Arrester Screen for Muffler	25.48
	<b>Mower Deck and Mower Deck Attachments:</b> BTC10560 Mulch Kit (52 In.)	309.23

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**636M 18.5HP\* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck**  
Equipment for Base Machine

18.5HP\*  
Vertical-Shaft Air Cooled  
Gas Engine 603cc (36.8 cu.  
in.)  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
10cc Hydro-Gear Transmission  
Pumps  
12 cu. In / Rev Hydro-Gear Wheel  
Motors  
Hydraulic Oil Cooler  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
36 In. Floating, Side Discharge  
7 Ga. Fabricated Steel Deck

Cast Iron Spindle Housing  
1.25 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control with Reverse Bar  
8.2 MPH Forward / 3.5 MPH  
Reverse  
5.5 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
18 x 8.5 - 10 In.  
4PR Turf Drive Tires  
11 x 4-5 In. Front Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in  
accordance with SAE  
J1995, 726cc. The engine

horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual  
operating horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

2360TC	636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck	7,999.00
--------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

AM108146	<b>Engine:</b> Spark Arrester Screen for Muffler	25.48
BTC10691	<b>Mower Deck and Mower Deck Attachments:</b> Mulch Kit (36 In.)	197.94

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**648M 22.0HP\* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck**  
Equipment for Base Machine

22.0HP*	Cast Iron Spindle Housing	torque information is provided
Vertical-Shaft Air Cooled	1.25 - 5 In. Cutting Heights	by the engine
Gas Engine 726 cm <sup>3</sup> (44.3cu.	in 0.25 In. Increments	manufacturer to be used for
in.)	Dual Lever Direction/Speed	comparison
Full Pressure Lubrication	Control with Reverse Bar	purposes only. Actual
System With Replaceable Oil	8.2 MPH Forward / 3.5 MPH	operating horsepower
Filter	Reverse	and torque will be less. Refer
Heavy Duty Canister Air Cleaner	5.5 U.S. Gallon Fuel Capacity	to the engine
Dry Replaceable Filter Element	with Fuel Shutoff Valve	manufacturer's web site for
with Secondary Safety Element	18 X 10.50 - 10	additional information.
12 Volt Charge System	4PR Turf Drive Tires	
10cc Hydro-Gear Transmission	11 x 4-5 In. Front Caster Tires	
Pumps	Electric PTO Clutch	
12 cu. In / Rev Hydro-Gear Wheel	Digital Hourmeter	
Motors	Thick, Insulated Leaning Pad	
Hydraulic Oil Cooler	* @ 3600 RPM engine manufacturer	
Dual Wheel Parking Brake	certified	
Operator Presence System	gross power tested in	
Platform	accordance with SAE	
48 In. Floating, Side Discharge	J1995, 726cc. The engine	
7 Ga. Fabricated Steel Deck	horsepower and	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

<i>F.O.B. Davenport, Iowa</i>			
2340TC		648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck	8,699.00

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Engine:</b>			
AM108146		Spark Arrester Screen for Muffler	25.48
<b>Mower Deck and Mower Deck Attachments:</b>			
BTC10693		Mulch Kit (48 In.)	240.76

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652M 22.0HP\* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck**  
Equipment for Base Machine

22.0HP\*  
Vertical-Shaft Air Cooled  
Gas Engine 726 cm<sup>3</sup> (44.3cu.  
in.)  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy Duty Canister Air Cleaner  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
10cc Hydro-Gear Transmission  
Pumps  
12 cu. In / Rev Hydro-Gear Wheel  
Motors  
Hydraulic Oil Cooler  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
52 In. Floating, Side Discharge  
7 Ga. Fabricated Steel Deck

Cast Iron Spindle Housing  
1.25 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control with Reverse Bar  
8.2 MPH Forward / 3.5 MPH  
Reverse  
5.5 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
18 X 10.50 - 10  
4PR Turf Drive Tires  
11 x 4-5 In. Front Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in  
accordance with SAE  
J1995, 726cc. The engine  
horsepower and

torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual  
operating horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

2330TC	652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck	8,999.00
--------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b> AM108146 Spark Arrestor Screen for Muffler	25.48
	<b>Mower Deck and Mower Deck Attachments:</b> BTC10560 Mulch Kit (52 In.)	309.23

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**648R 22HP\* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck**  
Equipment for Base Machine

22HP*	Pin Height of Cut Adjustment	horsepower and
Vertical-Shaft Air Cooled	No-tool Lever Assisted Height	torque information is provided
Gas Engine 726cc (44.3 cu.	Cut Adjustment	by the engine
in.)	1.5 - 5 In. Cutting Heights	manufacturer to be used for
Full Pressure Lubrication	in 0.25 In. Increments	comparison
System With Replaceable Oil	Dual Lever Direction/Speed	purposes only. Actual
Filter	Control with Reverse Bar	operating horsepower
Heavy Duty Canister Air Cleaner	9.5 MPH Forward/5.5 MPH Reverse	and torque will be less. Refer
Dry Replaceable Filter Element	5.6 U.S. Gallon Fuel Capacity	to the engine
with Secondary Safety Element	with Fuel Shutoff Valve	manufacturer's web site for
12 Volt Charge System	20 x 10-8 In.	additional information.
Dual Hydrostatic Wheel Drive	4PR Turf Drive Tires	
12cc Hydro-Gear Transmission	13x6.5-6 Semi Pnuematic Front	
15 cu. in. Hydro-Gear Wheel	Caster Tires	
Motors	Electric PTO Clutch	
Dual Wheel Parking Brake	Digital Hourmeter	
Operator Presence System	Thick, Insulated Leaning Pad	
Platform	* @ 3600 RPM engine manufacturer	
48 In. Floating, Side Discharge	certified	
7 Ga. Fabricated Steel Mower	gross power tested in	
Deck	accordance with SAE	
Cast Iron Spindle Housing	J1995, 726cc. The engine	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Davenport, Iowa</i>			
2320TC		648R 22HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck	9,065.00
<b>DESTINATION</b>			
001A		United States and Canada	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Engine:</b>			
AM108146		Spark Arrester Screen for Muffler	25.48
<b>Mower Deck and Mower Deck Attachments:</b>			
BTC10693		Mulch Kit (48 In.)	240.76

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652R 23.5HP\* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck**  
Equipment for Base Machine

23.5HP\*  
Vertical-Shaft Air Cooled  
Gas Engine 726cc (44.3 cu.  
in.)  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy Duty Canister Air Cleaner  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
Dual Hydrostatic Wheel Drive  
12cc Hydro-Gear Transmission  
15 cu. in. Hydro-Gear Wheel  
Motors  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
52 In. Floating, Side Discharge  
7 Ga. Fabricated Steel Mower  
Deck  
Cast Iron Spindle Housing

Pin Height of Cut Adjustment  
No-tool Lever Assisted Height  
Cut Adjustment  
1.5 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control with Reverse Bar  
9.5 MPH Forward/5.5 MPH Reverse  
5.6 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
20 x 10-8 In.  
4PR Turf Drive Tires  
13x6.5-6 Semi Pnuematic Front  
Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in  
accordance with SAE  
J1995, 726cc. The engine

horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual  
operating horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Davenport, Iowa</i>			
2310TC		652R 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck	9,465.00
<b>DESTINATION</b>			
001A		United States and Canada	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
	<b>Engine:</b>		
AM108146		Spark Arrester Screen for Muffler	25.48
	<b>Mower Deck and Mower Deck Attachments:</b>		
BTC10560		Mulch Kit (52 In.)	309.23

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652R MOD 23.5HP\* Commercial QuikTrak with 52 In. 7-Gauge Floating Mulch On Demand Deck**  
**Equipment for Base Machine**

23.5HP* Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 52 In. Floating, Mulch On Demand Deck with Electric Actuation 7 Ga. Fabricated Steel Mower Deck	Cast Iron Spindle Housing Cast Iron Spindle Housing Pin Height of Cut Adjustment No-tool Lever Assisted Height Cut Adjustment 1.5 - 5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward/5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 20 x 10-8 In. 4PR Turf Drive Tires 13x6.5-6 Semi Pnuematic Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE	J1995, 726cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
---	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

<i>F.O.B. Davenport, Iowa</i>			
2312TC	652R MOD 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Mulch On Demand Deck		10,335.00

**DESTINATION**

001A	United States and Canada		In Base Price
------	--------------------------	--	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Engine:</b>			
AM108146	Spark Arrester Screen for Muffler		25.48

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652R EFI 25.0HP\* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck**  
Equipment for Base Machine

25.0 HP\*  
Vertical-Shaft Air Cooled  
Electronically Fuel Injected  
Closed Loop System  
Engine (45.6 Cu. In.)  
747cc, 18.3 kW  
Full Pressure Lubrication  
System With Replaceable Oil  
Filter  
Heavy Duty Canister Air Cleaner  
Dry Replaceable Filter Element  
with Secondary Safety Element  
12 Volt Charge System  
Dual Hydrostatic Wheel Drive  
12cc Hydro-Gear Transmission  
15 cu. in. Hydro-Gear Wheel  
Motors  
Dual Wheel Parking Brake  
Operator Presence System  
Platform  
52 In. Floating, Side Discharge  
7 Ga. Fabricated Steel Mower

Deck  
Cast Iron Spindle Housing  
Pin Height of Cut Adjustment  
No-tool Lever Assisted Height  
Cut Adjustment  
1.5 - 5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control with Reverse Bar  
9.5 MPH Forward/5.5 MPH Reverse  
5.6 U.S. Gallon Fuel Capacity  
with Fuel Shutoff Valve  
20 x 10-8 In.  
4PR Turf Drive Tires  
13x6.5-6 Semi Pneumatic Front  
Caster Tires  
Electric PTO Clutch  
Digital Hourmeter  
Thick, Insulated Leaning Pad  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in

accordance with SAE  
J1995, 747cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual  
operating horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Davenport, Iowa</i>			
2311TC		652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck	9,965.00
<b>DESTINATION</b>			
001A		United States and Canada	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AM108146		Spark Arrester Screen for Muffler	25.48
		<b>Mower Deck and Mower Deck Attachments:</b>	
BTC10560		Mulch Kit (52 In.)	309.23

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652R EFI MOD 25.0HP\* Commercial QuikTrak with 52 In. 7-Gauge Floating Mulch On Demand Deck**  
**Equipment for Base Machine**

25.0 HP\*  
 Vertical-Shaft Air Cooled  
 Electronically Fuel Injected  
 Closed Loop System  
 Engine (45.6 Cu. In.)  
 747cc, 18.3 kW  
 Full Pressure Lubrication  
 System With Replaceable Oil  
 Filter  
 Heavy Duty Canister Air Cleaner  
 Dry Replaceable Filter Element  
 with Secondary Safety Element  
 12 Volt Charge System  
 Dual Hydrostatic Wheel Drive  
 12cc Hydro-Gear Transmission  
 15 cu. in. Hydro-Gear Wheel  
 Motors  
 Dual Wheel Parking Brake  
 Operator Presence System  
 Platform  
 52 In. Floating, Mulch On Demand  
 Deck  
 with Electric Actuation

7 Ga. Fabricated Steel Mower  
 Deck  
 Cast Iron Spindle Housing  
 Pin Height of Cut Adjustment  
 No-tool Lever Assisted Height  
 Cut Adjustment  
 1.5 - 5 In. Cutting Heights  
 in 0.25 In. Increments  
 Dual Lever Direction/Speed  
 Control with Reverse Bar  
 9.5 MPH Forward/5.5 MPH Reverse  
 5.6 U.S. Gallon Fuel Capacity  
 with Fuel Shutoff Valve  
 20 x 10-8 In.  
 4PR Turf Drive Tires  
 13x6.5-6 Semi Pnuematic Front  
 Caster Tires  
 Electric PTO Clutch  
 Digital Hourmeter  
 Thick, Insulated Leaning Pad  
 \* @ 3600 RPM engine manufacturer  
 certified  
 gross power tested in

accordance with SAE  
 J1995, 747cc. The engine  
 horsepower and  
 torque information is provided  
 by the engine  
 manufacturer to be used for  
 comparison  
 purposes only. Actual  
 operating horsepower  
 and torque will be less. Refer  
 to the engine  
 manufacturer's web site for  
 additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

<i>F.O.B. Davenport, Iowa</i>			
2313TC		652R EFI MOD 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Mulch On Demand Deck	10,835.00

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Engine:</b>			
AM108146		Spark Arrester Screen for Muffler	25.48

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**661R 23.5HP\* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck**  
Equipment for Base Machine

23.5HP*	Pin Height of Cut Adjustment	horsepower and
Vertical-Shaft Air Cooled	No-tool Lever Assisted Height	torque information is provided
Gas Engine 726cc (44.3 cu. in.)	Cut Adjustment	by the engine
Full Pressure Lubrication	1.5 - 5 In. Cutting Heights	manufacturer to be used for
System With Replaceable Oil Filter	in 0.25 In. Increments	comparison
Heavy Duty Canister Air Cleaner	Dual Lever Direction/Speed	purposes only. Actual
Dry Replaceable Filter Element	Control with Reverse Bar	operating horsepower
with Secondary Safety Element	9.5 MPH Forward/5.5 MPH Reverse	and torque will be less. Refer
12 Volt Charge System	5.6 U.S. Gallon Fuel Capacity	to the engine
Dual Hydrostatic Wheel Drive	with Fuel Shutoff Valve	manufacturer's web site for
12cc Hydro-Gear Transmission	20 x 10-8 In.	additional information.
15 cu. in. Hydro-Gear Wheel Motors	4PR Turf Drive Tires	
Dual Wheel Parking Brake	13x6.5-6 Semi Pneumatic Front	
Operator Presence System	Caster Tires	
Platform	Electric PTO Clutch	
61 In. Floating, Side Discharge	Digital Hourmeter	
7 Ga. Fabricated Steel Mower Deck	Thick, Insulated Leaning Pad	
Cast Iron Spindle Housing	* @ 3600 RPM engine manufacturer certified	
	gross power tested in accordance with SAE J1995, 726cc. The engine	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

2300TC	661R 23.5HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck	10,065.00
--------	--	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Engine:</b>		
AM108146	Spark Arrester Screen for Muffler	25.48
<b>Mower Deck and Mower Deck Attachments:</b>		
BTC10561	Mulch Kit (61 In.)	319.93

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**661R EFI 25.0HP\* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck**  
Equipment for Base Machine

25.0 HP*	Deck	accordance with SAE
Vertical-Shaft Air Cooled	Cast Iron Spindle Housing	J1995, 747cc. The engine
Electronically Fuel Injected	Pin Height of Cut Adjustment	horsepower and
Closed Loop System	No-tool Lever Assisted Height	torque information is provided
Engine (45.6 Cu. In.)	Cut Adjustment	by the engine
747cc, 18.3 kW	1.5 - 5 In. Cutting Heights	manufacturer to be used for
Full Pressure Lubrication	in 0.25 In. Increments	comparison
System With Replaceable Oil	Dual Lever Direction/Speed	purposes only. Actual
Filter	Control with Reverse Bar	operating horsepower
Heavy Duty Canister Air Cleaner	9.5 MPH Forward/5.5 MPH Reverse	and torque will be less. Refer
Dry Replaceable Filter Element	5.6 U.S. Gallon Fuel Capacity	to the engine
with Secondary Safety Element	with Fuel Shutoff Valve	manufacturer's web site for
12 Volt Charge System	20 x 10-8 In.	additional information.
Dual Hydrostatic Wheel Drive	4PR Turf Drive Tires	
12cc Hydro-Gear Transmission	13x6.5-6 Semi Pneumatic Front	
15 cu. in. Hydro-Gear Wheel	Caster Tires	
Motors	Electric PTO Clutch	
Dual Wheel Parking Brake	Digital Hourmeter	
Operator Presence System	Thick, Insulated Leaning Pad	
Platform	* @ 3600 RPM engine manufacturer	
61 In. Floating, Side Discharge	certified	
7 Ga. Fabricated Steel Mower	gross power tested in	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Davenport, Iowa</i>			
2301TC		661R EFI 25.0HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck	10,565.00
<b>DESTINATION</b>			
001A		United States and Canada	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Engine:</b>			
AM108146		Spark Arrester Screen for Muffler	25.48
<b>Mower Deck and Mower Deck Attachments:</b>			
BTC10561		Mulch Kit (61 In.)	319.93

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z920R Commercial ZTrak Equipment for Base Machine

23.5 HP*	Ergonomic Operator Contoured	Electric PTO Clutch
Vertical-Shaft Air Cooled	Soft Touch Grips and	Digital Hourmeter and Diagnostic
Engine (44.3 Cu. In.)	Integrated	Pkg.
726cc, 17.5 kW	Handle Controls	* @ 3600 RPM engine manufacturer
Full Pressure Lubrication System	Single-Turn Deck Transport Lock	certified
with Replaceable Oil Filter	System	gross power tested in
Heavy Duty Canister Air	Full Floating Suspension Deck	accordance with SAE
Cleaner; Dry Replaceable	1.0 - 5.5 In. Cutting Heights	J1995, 726cc. The engine
Filter Element with	in 0.25 In. Increments	horsepower and
Secondary Safety Element	Dual Lever Direction/Speed	torque information is provided
12 Volt with 20 AMP Regulated	Control	by the engine
Charge System	Wide Control Lever Bends for	manufacturer to be used for
Dual Hydrostatic Wheel Drive	Increased Operator Comfort	comparison
TuffTorq Heavy Duty Ground Drive	Quick-Service Removable Foot	purposes only. Actual
With Cross Porting	Platform	operating horsepower
Foot Actuated Parking Brake	12.0 MPH Travel Speed	and torque will be less. Refer
Steel Channel Frame	11.5 U.S. Gallon Fuel Capacity	to the engine
Operator Presence System	24x9.5-12 In. Square Shoulder	manufacturer's web site for
Folding Two Post ROPS (Roll-	4PR Turf Drive Tires (48")	additional information.
Over Protective Structure)	24x12-12 In. Square Shoulder	
and Seat Belt	4PR Turf Drive Tires (54")	
48 In. 7-Iron PRO Side Discharge	13x6.5-6 Semi-Pneumatic Front	
Mower Deck	Caster Tires	
7-Gauge Stamped Steel Mower Deck	Rear Bumper	
8 In. Aluminum Spindle Housing	Right Hand Control Console	
Rear Anti-Scalp Wheels	Cluster	
One-Touch Dial and Power	Cup Holder	
Height of Cut Adjustment	Fuel Gauge	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

	<i>F.O.B. Raleigh, North Carolina</i>	
2220TC	Z920R Commercial ZTrak <i>Not Available for Sale in California.</i>	11,439.00

#### DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	Other	Same Price

#### MOWER DECK

1500	48 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	In Base Price
1502	54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	270.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z920R Commercial ZTrak**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
	AM115838	Spark Arrester Screen	26.35
		<b>Miscellaneous:</b>	
	TCB11281	Front Light (2) Kit	243.96
	TCB11531	Hitch Kit	35.31
	TCB11248	Trash Receptacle Kit	99.51
		<b>Mower Deck and Mower Deck Attachments:</b>	
	TCB10952	Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
	TCB11469	Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
	BTC10285	Rubber Flap Striping Kit for 48" Deck	419.44
	BTC10286	Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		<b>Order Zone:</b>	
	LP40112	Beacon Light Kit	251.00
	LPA11548	Sun Canopy	169.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z915B Commercial ZTrak Equipment for Base Machine

25 HP\*  
Vertical-Shaft Air Cooled  
Engine (44.2 Cu. In.)  
725cc, 17.8 kW  
Full Pressure Lubrication System  
with Replaceable Oil Filter  
Heavy Duty Canister Air  
Cleaner; Dry Replaceable  
Filter Element with  
Secondary Safety Element  
12 Volt with 15 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
Hand Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS (Roll-  
Over Protective Structure)  
and Seat Belt  
48 In. 7-Iron II Side Discharge  
Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
One-Touch Dial and Foot Spring  
Assisted Height of Cut

Adjustment  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Wide Control Lever Bends for  
Increased Operator Comfort  
Quick-Service Removable Foot  
Platform  
10.0 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x9.5-12 In. Square Shoulder  
4PR Turf Drive Tires (48 In.)  
24x12-12 In. Square Shoulder  
4PR Turf Drive Tires (54 In. &  
60 In.)  
13x5-6 Pneumatic Front  
Caster Tires  
Right Hand Control Console  
Cluster  
Cup Holder  
Fuel Gauge  
Electric PTO Clutch

Digital Hourmeter  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in  
accordance with SAE  
J1940, 725cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual  
operating horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2132TC	Z915B Commercial ZTrak <i>Not Available for Sale in California.</i>	8,259.00
--------	--	----------

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

#### TIRES & WHEELS

1035	24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z915B Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TIRES &amp; WHEELS Continued...</b>			
<i>by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>			
<b>MOWER DECK</b>			
1500		48 In. 7-Iron II Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires &amp; Wheels option code 1035.</i>	In Base Price
1502		54 In. 7-Iron II Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires &amp; Wheels option code 1036.</i>	270.00
1504		60 In. 7-Iron II Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires &amp; Wheels option code 1036.</i>	540.00
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
AM115838		<b>Engine:</b> Spark Arrester Screen	26.35
TCU31258		<b>Miscellaneous:</b> Cast Iron Bumper	327.08
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	35.31
TCB11248		Trash Receptacle Kit	99.51
TCB10952		<b>Mower Deck and Mower Deck Attachments:</b> Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10445		Rear Anti-Scalp Wheel Kit (48" Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only.</i>	173.34
BTC10442		Rear Anti-Scalp Wheel Kit (54" Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only.</i>	173.34
BTC10591		Rear Anti-Scalp Wheel Kit (60" Deck) <i>For 60" 7-Iron II Deck fitted to Z900B-Series only.</i>	173.34

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z915B Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10285	Rubber Flap Striping Kit for 48" Deck	419.44
	BTC10286	Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		<b>Order Zone:</b>	
	LP40112	Beacon Light Kit	251.00
	LPA11548	Sun Canopy	169.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z920M Commercial ZTrak Equipment for Base Machine

23.5 HP*	Adjustment	Digital Hourmeter
Vertical-Shaft Air Cooled	Single-Turn Deck Transport Lock	* @ 3600 RPM engine manufacturer
Engine (44.3 Cu. In.)	System	certified
726cc,17.5 kW	Full Floating Suspension Deck	gross power tested in
Full Pressure Lubrication System	1.0 - 5.5 In. Cutting Heights	accordance with SAE
with Replaceable Oil Filter	in 0.25 In. Increments	J1995, 726cc. The engine
Heavy Duty Canister Air	Dual Lever Direction/Speed	horsepower and
Cleaner; Dry Replaceable	Control	torque information is provided
Filter Element with	Wide Control Lever Bends for	by the engine
Secondary Safety Element	Increased Operator Comfort	manufacturer to be used for
12 Volt with 20 AMP Regulated	Quick-Service Removable Foot	comparison
Charge System	Platform	purposes only. Actual
Dual Hydrostatic Wheel Drive	10 MPH Travel Speed	operating horsepower
TuffTorq Heavy Duty Ground Drive	11.5 U.S. Gallon Fuel Capacity	and torque will be less. Refer
Hand Actuated Parking Brake	24x9.5-12 In. Square Shoulder	to the engine
Steel Channel Frame	4PR Turf Drive Tires (48 In.)	manufacturer's web site for
Operator Presence System	24x12-12 In. Square Shoulder	additional information.
Folding Two Post ROPS (Roll- Over Protective Structure)	4PR Turf Drive Tires (54 In. & 60 In.)	
and Seat Belt	13x6.5-6 Semi-Pneumatic Front	
48 In. 7-Iron PRO Side Discharge	Caster Tires	
Mower Deck	Rear Bumper	
7-Gauge Stamped Steel Mower Deck	Right Hand Control Console	
8 In. Aluminum Spindle Housing	Cluster	
Rear Anti-Scalp Wheels	Cup Holder	
One-Touch Dial and Foot Spring	Fuel Gauge	
Assisted Height of Cut	Electric PTO Clutch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

<i>F.O.B. Raleigh, North Carolina</i>			
2142TC		Z920M Commercial ZTrak <i>Available for Sale in all 50 states. California must select option code 1500, 48" 7-Iron PRO Side Discharge Mowing Deck.</i>	9,579.00

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

#### TIRES & WHEELS

1035	24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z920M Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1038		<b>TIRES &amp; WHEELS Continued...</b> 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00

**MOWER DECK**

1500		48 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1035.</i>	In Base Price
1502		54 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	270.00
1504		60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	540.00
1501		48 In. 7-Iron PRO Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1035.</i>	870.00

**SEATS**

2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00

**ATTACHMENTS FOR FIELD CONVERSION**

AM115838	<b>Engine:</b> Spark Arrester Screen	26.35
TCB11281	<b>Miscellaneous:</b> Front Light (2) Kit	243.96
TCB11531	Hitch Kit	35.31
TCB11248	Trash Receptacle Kit	99.51
TCB10952	<b>Mower Deck and Mower Deck Attachments:</b> Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469	Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z920M Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
	BTC10285	Rubber Flap Striping Kit for 48" Deck	419.44
	BTC10286	Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		<b>Order Zone:</b>	
	LP40112	Beacon Light Kit	251.00
	LPA11548	Sun Canopy	169.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z920M Commercial ZTrak (California) Equipment for Base Machine

23.5 HP\*  
Vertical-Shaft Air Cooled  
Engine (44.3 Cu. In.)  
726cc, 17.5 kW  
Full Pressure Lubrication System  
with Replaceable Oil Filter  
Heavy Duty Canister Air  
Cleaner; Dry Replaceable  
Filter Element with  
Secondary Safety Element  
12 Volt with 20 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
Hand Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS (Roll-  
Over Protective Structure)  
and Seat Belt  
48 In. 7-Iron PRO Side Discharge  
Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and Foot Spring

Assisted Height of Cut  
Adjustment  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Wide Control Lever Bends for  
Increased Operator Comfort  
Quick-Service Removable Foot  
Platform  
10 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x12-12 In. Square Shoulder  
4PR Turf Drive Tires (54 In.)  
13x6.5-6 Semi-Pneumatic Front  
Caster Tires  
Rear Bumper  
Right Hand Control Console  
Cluster  
Cup Holder  
Fuel Gauge  
Electric PTO Clutch  
Digital Hourmeter

\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in  
accordance with SAE  
J1995, 726cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual  
operating horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2143TC	Z920M Commercial ZTrak (California) <i>Available for Sale in California only.</i>	9,579.00
--------	--	----------

#### DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

#### TIRES & WHEELS

1035	24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00

#### MOWER DECK

1500	48 In. 7-Iron PRO Side Discharge Mower Deck <i>This option is no longer available. Please use base code 2142TC to order a Z920M with 48 In. Side Discharge deck.</i>	In Base Price
------	---	---------------

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z920M Commercial ZTrak (California)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>MOWER DECK Continued...</b>			
1502		54 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	270.00
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AM115838		Spark Arrester Screen	26.35
		<b>Miscellaneous:</b>	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	35.31
TCB11248		Trash Receptacle Kit	99.51
		<b>Mower Deck and Mower Deck Attachments:</b>	
TCB10952		Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
BTC10285		Rubber Flap Striping Kit for 48" Deck	419.44
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		<b>Order Zone:</b>	
LP40112		Beacon Light Kit	251.00
LPA11548		Sun Canopy	169.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z925M EFI Commercial ZTrak Equipment for Base Machine

25 HP*	One-Touch Dial and Foot Spring	* @ 3600 RPM engine manufacturer
Vertical-Shaft Air Cooled	Assisted Height of Cut	certified
Electronically Fuel Injected	Adjustment	gross power tested in
Closed Loop System	Single-Turn Deck Transport Lock	accordance with SAE
Engine (45.6 Cu. In.)	System	J1995, 747cc. The engine
747cc, 18.3 kW	Full Floating Suspension Deck	horsepower and
Full Pressure Lubrication System	1.0 - 5.5 In. Cutting Heights	torque information is provided
with Replaceable Oil Filter	in 0.25 In. Increments	by the engine
Heavy Duty Canister Air	Dual Lever Direction/Speed	manufacturer to be used for
Cleaner; Dry Replaceable	Control	comparison
Filter Element with	Wide Control Lever Bends for	purposes only. Actual
Secondary Safety Element	Increased Operator Comfort	operating horsepower
12 Volt with 20 AMP Regulated	Quick-Service Removable Foot	and torque will be less. Refer
Charge System	Platform	to the engine
Dual Hydrostatic Wheel Drive	10 MPH Travel Speed	manufacturer's web site for
TuffTorq Heavy Duty Ground Drive	11.5 U.S. Gallon Fuel Capacity	additional information.
Hand Actuated Parking Brake	24x12-12 In. Square Shoulder	
Steel Channel Frame	4PR Turf Drive Tires	
Operator Presence System	13x6.5-6 Semi-Pneumatic Front	
Folding Two Post ROPS (Roll-	Caster Tires	
Over Protective Structure)	Rear Bumper	
and Seat Belt	Right Hand Control Console	
54 In. 7-Iron PRO Side Discharge	Cluster	
Mower Deck	Cup Holder	
7-Gauge Stamped Steel Mower Deck	Fuel Gauge	
8 In. Aluminum Spindle Housing	Electric PTO Clutch	
Rear Anti-Scalp Wheels	Digital Hourmeter	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

<i>F.O.B. Raleigh, North Carolina</i>			
2152TC		Z925M EFI Commercial ZTrak <i>Not Available for Sale in California.</i>	10,529.00

#### DESTINATION

001A	United States and Canada		In Base Price
001C	Australia and New Zealand <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>		Same Price
001D	Other Countries <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>		Same Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>		Same Price

#### TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks		In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>.</i>		749.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z925M EFI Commercial ZTrak**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TIRES &amp; WHEELS Continued...</b>			
<i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>			
<b>MOWER DECK</b>			
1502		54 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1504		60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	270.00
1503		54 In. 7-Iron PRO Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	870.00
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
AM115838		<b>Engine:</b> Spark Arrester Screen	26.35
TCB11281		<b>Miscellaneous:</b> Front Light (2) Kit	243.96
TCB11531		Hitch Kit	35.31
TCB11248		Trash Receptacle Kit	99.51
TCB11469		<b>Mower Deck and Mower Deck Attachments:</b> Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
LP40112		<b>Order Zone:</b> Beacon Light Kit	251.00
LPA11548		Sun Canopy	169.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z925M Flex Fuel Commercial ZTrak Equipment for Base Machine

25 HP*	Rear Anti-Scalp Wheels	Digital Hourmeter
Vertical-Shaft Air Cooled	One-Touch Dial and Foot Spring	* @ 3600 RPM engine manufacturer
Electronically Fuel Injected	Assisted Height of Cut	certified
Closed Loop System	Adjustment	gross power tested in
Flex Fuel (E0 to E85)	Single-Turn Deck Transport Lock	accordance with SAE
Engine (45.6 Cu. In.)	System	J1995, 747cc. The engine
747cc, 18.3 kW	Full Floating Suspension Deck	horsepower and
Full Pressure Lubrication System	1.0 - 5.5 In. Cutting Heights	torque information is provided
with Replaceable Oil Filter	in 0.25 In. Increments	by the engine
Heavy Duty Canister Air	Dual Lever Direction/Speed	manufacturer to be used for
Cleaner; Dry Replaceable	Control	comparison
Filter Element with	Wide Control Lever Bends for	purposes only. Actual
Secondary Safety Element	Increased Operator Comfort	operating horsepower
12 Volt with 20 AMP Regulated	Quick-Service Removable Foot	and torque will be less. Refer
Charge System	Platform	to the engine
Dual Hydrostatic Wheel Drive	10 MPH Travel Speed	manufacturer's web site for
TuffTorq Heavy Duty Ground Drive	11.5 U.S. Gallon Fuel Capacity	additional information.
Hand Actuated Parking Brake	24x12-12 In. Square Shoulder	
Steel Channel Frame	4PR Turf Drive Tires	
Operator Presence System	13x6.5-6 Semi-Pneumatic Front	
Folding Two Post ROPS (Roll-	Caster Tires	
Over Protective Structure)	Rear Bumper	
and Seat Belt	Right Hand Control Console	
54 In. 7-Iron PRO Side Discharge	Cluster	
Mower Deck	Cup Holder	
7-Gauge Stamped Steel Mower Deck	Fuel Gauge	
8 In. Aluminum Spindle Housing	Electric PTO Clutch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

<i>F.O.B. Raleigh, North Carolina</i>			
2153TC		Z925M Flex Fuel Commercial ZTrak <i>Not available for Sale in California.</i>	10,799.00

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0212	Brazil	Same Price

#### TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z925M Flex Fuel Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TIRES &amp; WHEELS Continued...</b>			
<i>by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>			
<b>MOWER DECK</b>			
1502		54 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1504		60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	270.00
1503		54 In. 7-Iron PRO Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	870.00
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
AM115838		<b>Engine:</b> Spark Arrester Screen	26.35
TCB11281		<b>Miscellaneous:</b> Front Light (2) Kit	243.96
TCB11531		Hitch Kit	35.31
TCB11248		Trash Receptacle Kit	99.51
TCB11469		<b>Mower Deck and Mower Deck Attachments:</b> Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
LP40112		<b>Order Zone:</b> Beacon Light Kit	251.00
LPA11548		Sun Canopy	169.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z925M Flex Fuel Commercial ZTrak**

Continued

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z930M Commercial ZTrak Equipment for Base Machine

25.5 HP*	Assisted Height of Cut Adjustment	Digital Hourmeter
Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc,19.0 kW	Single-Turn Deck Transport Lock System	* @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Full Pressure Lubrication System with Replaceable Oil Filter	Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments	
Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element	Dual Lever Direction/Speed Control	
12 Volt with 20 AMP Regulated Charge System	Wide Control Lever Bends for Increased Operator Comfort	
Dual Hydrostatic Wheel Drive	Quick-Service Removable Foot Platform	
TuffTorq Heavy Duty Ground Drive	10 MPH Travel Speed	
Hand Actuated Parking Brake	11.5 U.S. Gallon Fuel Capacity	
Steel Channel Frame	24x12-12 In. Square Shoulder	
Operator Presence System	4PR Turf Drive Tires (60" & 72")	
Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt	13x6.5-6 Semi-Pneumatic Front Caster Tires	
60 In. 7-Iron PRO Side Discharge Mower Deck	Rear Bumper	
7-Gauge Stamped Steel Mower Deck	Right Hand Control Console Cluster	
8 In. Aluminum Spindle Housing	Cup Holder	
Rear Anti-Scalp Wheels	Fuel Gauge	
One-Touch Dial and Foot Spring	Electric PTO Clutch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2163TC	Z930M Commercial ZTrak <i>Not Available for Sale in California.</i>	10,529.00
--------	--	-----------

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

#### TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z930M Commercial ZTrak**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TIRES &amp; WHEELS Continued...</b>			
<i>trademark, owned by Michelin North America, Inc.</i>			
<b>MOWER DECK</b>			
1502		54 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	-270.00
1504		60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1503		54 In. 7-Iron PRO Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	600.00
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	870.00
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AM115838		Spark Arrester Screen	26.35
		<b>Miscellaneous:</b>	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	35.31
TCB11248		Trash Receptacle Kit	99.51
		<b>Mower Deck and Mower Deck Attachments:</b>	
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z930M Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
	LP40112	<b>Order Zone:</b> Beacon Light Kit	251.00
	LPA11548	Sun Canopy	169.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z930M Commercial ZTrak (California) Equipment for Base Machine

25.5 HP*	Assisted Height of Cut Adjustment	Digital Hourmeter
Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc,19.0 kW	Single-Turn Deck Transport Lock System	* @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Full Pressure Lubrication System with Replaceable Oil Filter	Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments	
Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element	Dual Lever Direction/Speed Control	
12 Volt with 20 AMP Regulated Charge System	Wide Control Lever Bends for Increased Operator Comfort	
Dual Hydrostatic Wheel Drive	Quick-Service Removable Foot Platform	
TuffTorq Heavy Duty Ground Drive	10 MPH Travel Speed	
Hand Actuated Parking Brake	11.5 U.S. Gallon Fuel Capacity	
Steel Channel Frame	24x12-12 In. Square Shoulder	
Operator Presence System	4PR Turf Drive Tires (60" & 72")	
Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt	13x6.5-6 Semi-Pneumatic Front Caster Tires	
60 In. 7-Iron PRO Side Discharge Mower Deck	Rear Bumper	
7-Gauge Stamped Steel Mower Deck	Right Hand Control Console Cluster	
8 In. Aluminum Spindle Housing	Cup Holder	
Rear Anti-Scalp Wheels	Fuel Gauge	
One-Touch Dial and Foot Spring	Electric PTO Clutch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2165TC	Z930M Commercial ZTrak (California) <i>Available for Sale in California only.</i>	10,529.00
--------	--	-----------

#### DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

#### TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00

#### MOWER DECK

1504	60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
------	--	---------------

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z930M Commercial ZTrak (California)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
	AM115838	Spark Arrester Screen	26.35
		<b>Miscellaneous:</b>	
	TCB11281	Front Light (2) Kit	243.96
	TCB11531	Hitch Kit	35.31
	TCB11248	Trash Receptacle Kit	99.51
		<b>Mower Deck and Mower Deck Attachments:</b>	
	TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
	BTC10286	Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		<b>Order Zone:</b>	
	LP40112	Beacon Light Kit	251.00
	LPA11548	Sun Canopy	169.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z930M EFI Commercial ZTrak Equipment for Base Machine

26.5 HP*	One-Touch Dial and Foot Spring	* @ 3600 RPM engine manufacturer certified
Vertical-Shaft Air Cooled	Assisted Height of Cut Adjustment	gross power tested in accordance with SAE J1995, 747cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Electronically Fuel Injected Closed Loop System	Single-Turn Deck Transport Lock System	
Engine (45.6 Cu. In.) 747cc, 18.3 kW	Full Floating Suspension Deck	
Full Pressure Lubrication System with Replaceable Oil Filter	1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments	
Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element	Dual Lever Direction/Speed Control	
12 Volt with 20 AMP Regulated Charge System	Wide Control Lever Bends for Increased Operator Comfort	
Dual Hydrostatic Wheel Drive	Quick-Service Removable Foot Platform	
TuffTorq Heavy Duty Ground Drive	10 MPH Travel Speed	
Hand Actuated Parking Brake	11.5 U.S. Gallon Fuel Capacity	
Steel Channel Frame	24x12-12 In. Square Shoulder 4PR Turf Drive Tires	
Operator Presence System	13x6.5-6 Semi-Pneumatic Front Caster Tires	
Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt	Rear Bumper	
60 In. 7-Iron PRO Side Discharge Mower Deck	Right Hand Control Console Cluster	
7-Gauge Stamped Steel Mower Deck	Cup Holder	
8 In. Aluminum Spindle Housing	Fuel Gauge	
Rear Anti-Scalp Wheels	Electric PTO Clutch	
	Digital Hourmeter	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

<i>F.O.B. Raleigh, North Carolina</i>			
2164TC		Z930M EFI Commercial ZTrak <i>Not Available for Sale in California.</i>	11,059.00

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

#### TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>.</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z930M EFI Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TIRES &amp; WHEELS Continued...</b>			
<i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>			
<b>MOWER DECK</b>			
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	870.00
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
AM115838		<b>Engine:</b> Spark Arrester Screen	26.35
TCB11281		<b>Miscellaneous:</b> Front Light (2) Kit	243.96
TCB11531		Hitch Kit	35.31
TCB11248		Trash Receptacle Kit	99.51
TCB10953		<b>Mower Deck and Mower Deck Attachments:</b> Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
LP40112		<b>Order Zone:</b> Beacon Light Kit	251.00
LPA11548		Sun Canopy	169.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z950M Commercial ZTrak Equipment for Base Machine

27.0 HP*	Assisted Height of Cut Adjustment	Digital Hourmeter
Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc, 20.1 kW	Single-Turn Deck Transport Lock System	* @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Full Pressure Lubrication System with Replaceable Oil Filter	Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments	
Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element	Dual Lever Direction/Speed Control	
12 Volt with 20 AMP Regulated Charge System	Wide Control Lever Bends for Increased Operator Comfort	
Dual Hydrostatic Wheel Drive	Quick-Service Removable Foot Platform	
TuffTorq Heavy Duty Ground Drive	10 MPH Travel Speed	
Hand Actuated Parking Brake	11.5 U.S. Gallon Fuel Capacity	
Steel Channel Frame	24x12-12 In. Square Shoulder	
Operator Presence System	4PR Turf Drive Tires (60" & 72")	
Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt	13x6.5-6 Semi-Pneumatic Front Caster Tires	
60 In. 7-Iron PRO Side Discharge Mower Deck	Rear Bumper	
7-Gauge Stamped Steel Mower Deck	Right Hand Control Console Cluster	
8 In. Aluminum Spindle Housing	Cup Holder	
Rear Anti-Scalp Wheels	Fuel Gauge	
One-Touch Dial and Foot Spring	Electric PTO Clutch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

0691TC	Z950M Commercial ZTrak <i>Not available for Sale in California.</i>	10,949.00
--------	--	-----------

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

#### TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037	24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z950M Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TIRES &amp; WHEELS Continued...</b>			
<i>by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>			
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
<b>MOWER DECK</b>			
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	870.00
1506		72 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1037 or 1039.</i>	540.00
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AM115838		Spark Arrester Screen	26.35
		<b>Miscellaneous:</b>	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	35.31
TCB11248		Trash Receptacle Kit	99.51
		<b>Mower Deck and Mower Deck Attachments:</b>	
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z950M Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10286	Rubber Flap Striping Kit for 54" & 60" Decks	439.77
	BTC10287	Rubber Flap Striping Kit for 72" Deck	449.40
		<b>Order Zone:</b>	
	LP40112	Beacon Light Kit	251.00
	LPA11548	Sun Canopy	169.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z960M Commercial ZTrak Equipment for Base Machine

31.0 HP*	Assisted Height of Cut Adjustment	Digital Hourmeter
Vertical-Shaft Air Cooled Engine (61.0 Cu. In.) 999cc, 23.1 kW)	Single-Turn Deck Transport Lock System	* At 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Full Pressure Lubrication System with Replaceable Oil Filter	Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments	
Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element	Dual Lever Direction/Speed Control	
12 Volt with 20 AMP Regulated Charge System	Wide Control Lever Bends for Increased Operator Comfort	
Dual Hydrostatic Wheel Drive	Quick-Service Removable Foot Platform	
TuffTorq Heavy Duty Ground Drive	10 MPH Travel Speed	
Hand Actuated Parking Brake	11.5 U.S. Gallon Fuel Capacity	
Steel Channel Frame	24x12-12 In. Square Shoulder	
Operator Presence System	4PR Turf Drive Tires (60 In. and 72 In.)	
Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt	13x6.5-6 Semi-Pneumatic Front Caster Tires	
60 In. 7-Iron PRO Side Discharge Mower Deck	Rear Bumper	
7-Gauge Stamped Steel Mower Deck	Right Hand Control Console Cluster	
8 In. Aluminum Spindle Housing	Cup Holder	
Rear Anti-Scalp Wheels	Fuel Gauge	
One-Touch Dial and Foot Spring	Electric PTO Clutch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2230TC	Z960M Commercial ZTrak <i>Not available for Sale in California.</i>	11,649.00
--------	--	-----------

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

#### TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037	24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z960M Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TIRES &amp; WHEELS Continued...</b>			
<i>by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>			
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
<b>MOWER DECK</b>			
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	870.00
1506		72 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1037 or 1039.</i>	540.00
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AM115838		Spark Arrestor Screen	26.35
		<b>Miscellaneous:</b>	
TCB11281		Front Light (2) Kit	243.96
TCB11531		Hitch Kit	35.31
TCB11248		Trash Receptacle Kit	99.51
		<b>Mower Deck and Mower Deck Attachments:</b>	
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z960M Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10286	Rubber Flap Striping Kit for 54" & 60" Decks	439.77
	BTC10287	Rubber Flap Striping Kit for 72" Deck	449.40
		<b>Order Zone:</b>	
	LP40112	Beacon Light Kit	251.00
	LPA11548	Sun Canopy	169.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z920R Commercial ZTrak Equipment for Base Machine

23.5 HP\*  
Vertical-Shaft Air Cooled  
Engine (44.3 Cu. In.)  
726cc, 17.5 kW  
Full Pressure Lubrication System  
with Replaceable Oil Filter  
Heavy Duty Canister Air  
Cleaner; Dry Replaceable  
Filter Element with  
Secondary Safety Element  
12 Volt with 20 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
With Cross Porting  
Foot Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS (Roll-  
Over Protective Structure)  
and Seat Belt  
48 In. 7-Iron PRO Side Discharge  
Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and Power  
Height of Cut Adjustment

Ergonomic Operator Contoured  
Soft Touch Grips and  
Integrated  
Handle Controls  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Wide Control Lever Bends for  
Increased Operator Comfort  
Quick-Service Removable Foot  
Platform  
12.0 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x9.5-12 In. Square Shoulder  
4PR Turf Drive Tires (48")  
24x12-12 In. Square Shoulder  
4PR Turf Drive Tires (54")  
13x6.5-6 Semi-Pneumatic Front  
Caster Tires  
Rear Bumper  
Right Hand Control Console  
Cluster  
Cup Holder  
Fuel Gauge

Electric PTO Clutch  
Digital Hourmeter and Diagnostic  
Pkg.  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in  
accordance with SAE  
J1995, 726cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual  
operating horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2221TC	Z920R Commercial ZTrak <i>Not Available for Sale in California.</i>	11,499.00
--------	--	-----------

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

#### TIRES & WHEELS

1035	24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z920R Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1038		<b>TIRES &amp; WHEELS Continued...</b> 24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
<b>MOWER DECK</b>			
1500		48 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1035.</i>	In Base Price
1502		54 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	270.00
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
AM115838		<b>Engine:</b> Spark Arrester Screen	26.35
TCB11281		<b>Miscellaneous:</b> Front Light (2) Kit	243.96
TCB11531		Hitch Kit	35.31
TCB11248		Trash Receptacle Kit	99.51
TCB10952		<b>Mower Deck and Mower Deck Attachments:</b> Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
BTC10285		Rubber Flap Striping Kit for 48" Deck	419.44
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
LP40112		<b>Order Zone:</b> Beacon Light Kit	251.00
LPA11548		Sun Canopy	169.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z930R Commercial ZTrak Equipment for Base Machine

25.5 HP*	Ergonomic Operator Contoured	Pkg.
Vertical-Shaft Air Cooled	Soft Touch Grips and	* @ 3600 RPM engine manufacturer
Engine (52.0 Cu. In.)	Integrated	certified
852cc, 19.0 kW	Handle Controls	gross power tested in
Full Pressure Lubrication System	Single-Turn Deck Transport Lock	accordance with SAE
with Replaceable Oil Filter	System	J1995, 852cc. The engine
Heavy Duty Canister Air	Full Floating Suspension Deck	horsepower and
Cleaner; Dry Replaceable	1.0 - 5.5 In. Cutting Heights	torque information is provided
Filter Element with	in 0.25 In. Increments	by the engine
Secondary Safety Element	Dual Lever Direction/Speed	manufacturer to be used for
12 Volt with 20 AMP Regulated	Control	comparison
Charge System	Wide Control Lever Bends for	purposes only. Actual
Dual Hydrostatic Wheel Drive	Increased Operator Comfort	operating horsepower
TuffTorq Heavy Duty Ground Drive	Quick-Service Removable Foot	and torque will be less. Refer
With Cross Porting	Platform	to the engine
Foot Actuated Parking Brake	12 MPH Travel Speed	manufacturer's web site for
Steel Channel Frame	11.5 U.S. Gallon Fuel Capacity	additional information.
Operator Presence System	24x12-12 In. Square Shoulder	
Folding Two Post ROPS (Roll-	4PR Turf Drive Tires	
Over Protective Structure)	13x6.5-6 Semi-Pneumatic Front	
and Seat Belt	Caster Tires	
54 In. 7-Iron PRO Side Discharge	Rear Bumper	
Mower Deck	Right Hand Control Console	
7-Gauge Stamped Steel Mower Deck	Cluster	
8 In. Aluminum Spindle Housing	Cup Holder	
Rear Anti-Scalp Wheels	Fuel Gauge	
One-Touch Dial and Power	Electric PTO Clutch	
Height of Cut Adjustment	Digital Hourmeter and Diagnostic	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2181TC	Z930R Commercial ZTrak <i>Not Available for Sale in California.</i>	12,179.00
--------	--	-----------

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

#### TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks</i>	749.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z930R Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TIRES &amp; WHEELS Continued...</b>			
<i>by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>			
<b>MOWER DECK</b>			
1502		54 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1504		60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	270.00
1503		54 In. 7-Iron PRO Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires &amp; Wheels option code 1036 or 1038.</i>	870.00
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
AM115838		<b>Engine:</b> Spark Arrester Screen	26.35
TCB11281		<b>Miscellaneous:</b> Front Light (2) Kit	243.96
TCB11531		Hitch Kit	35.31
TCB11248		Trash Receptacle Kit	99.51
TCB11469		<b>Mower Deck and Mower Deck Attachments:</b> Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
LP40112		<b>Order Zone:</b> Beacon Light Kit	251.00
LPA11548		Sun Canopy	169.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z930R Commercial ZTrak**

Continued

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z950R Commercial ZTrak Equipment for Base Machine

27.0 HP\*  
Vertical-Shaft Air Cooled  
Engine (52.0 Cu. In.)  
852cc, 20.1 kW  
Full Pressure Lubrication System  
with Replaceable Oil Filter  
Heavy Duty Canister Air  
Cleaner; Dry Replaceable  
Filter Element with  
Secondary Safety Element  
12 Volt with 20 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
With Cross Porting  
Foot Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS (Roll-  
Over Protective Structure)  
and Seat Belt  
60 In. 7-Iron PRO Side Discharge  
Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
Rear Anti-Scalp Wheels  
One-Touch Dial and Power  
Height of Cut Adjustment

Ergonomic Operator Contoured  
Soft Touch Grips and  
Integrated  
Handle Controls  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Wide Control Lever Bends for  
Increased Operator Comfort  
Quick-Service Removable Foot  
Platform  
12 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x12-12 In. Square Shoulder  
4PR Turf Drive Tires  
13x6.5-6 Semi-Pneumatic Front  
Caster Tires  
Rear Bumper  
Right Hand Control Console  
Cluster  
Cup Holder  
Fuel Gauge  
Electric PTO Clutch  
Digital Hourmeter and Diagnostic

Pkg.  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in  
accordance with SAE  
J1995, 852cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual  
operating horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2191TC	Z950R Commercial ZTrak <i>Not Available for Sale in California.</i>	12,869.00
--------	--	-----------

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

#### TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037	24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z950R Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TIRES &amp; WHEELS Continued...</b>			
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
<b>MOWER DECK</b>			
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	870.00
1506		72 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1037 or 1039.</i>	540.00
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
	AM115838	<b>Engine:</b> Spark Arrester Screen	26.35
	TCB11281	<b>Miscellaneous:</b> Front Light (2) Kit	243.96
	TCB11531	Hitch Kit	35.31
	TCB11248	Trash Receptacle Kit	99.51
	TCB10953	<b>Mower Deck and Mower Deck Attachments:</b> Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
	TCB10951	Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z950R Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10286	Rubber Flap Striping Kit for 54" & 60" Decks	439.77
	BTC10287	Rubber Flap Striping Kit for 72" Deck	449.40
		<b>Order Zone:</b>	
	LP40112	Beacon Light Kit	251.00
	LPA11548	Sun Canopy	169.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z970R Commercial ZTrak Equipment for Base Machine

35.0 HP*	Ergonomic Operator Contoured	Digital Hourmeter and Diagnostic Pkg.
Vertical-Shaft Air Cooled	Soft Touch Grips and	* @ 3600 RPM engine manufacturer certified
Engine (61.0 Cu. In.)	Integrated	gross power tested in
999cc, 26.1 kW)	Handle Controls	accordance with SAE
Full Pressure Lubrication System	Single-Turn Deck Transport Lock System	J1995, 999cc. The engine
with Replaceable Oil Filter	Full Floating Suspension Deck	horsepower and
Heavy Duty Canister Air	1.0 - 5.5 In. Cutting Heights	torque information is provided
Cleaner; Dry Replaceable	in 0.25 In. Increments	by the engine
Filter Element with	Dual Lever Direction/Speed Control	manufacturer to be used for
Secondary Safety Element	Wide Control Lever Bends for	comparison
12 Volt with 20 AMP Regulated Charge System	Increased Operator Comfort	purposes only. Actual
Dual Hydrostatic Wheel Drive	Quick-Service Removable Foot Platform	operating horsepower
TuffTorq Heavy Duty Ground Drive	12 MPH Travel Speed	and torque will be less. Refer
With Cross Porting	11.5 U.S. Gallon Fuel Capacity	to the engine
Steel Channel Frame	24x12-12 In. Square Shoulder	manufacturer's web site for
Operator Presence System	4PR Turf Drive Tires	additional information.
Folding Two Post ROPS (Roll-Over Protective Structure)	13x6.5-6 Semi-Pneumatic Front	
and Seat Belt	Caster Tires	
72 In. 7-Iron PRO Side Discharge Mower Deck	Rear Bumper	
7-Gauge Stamped Steel Mower Deck	Right Hand Control Console	
8 In. Aluminum Spindle Housing	Cluster	
Rear Anti-Scalp Wheels	Cup Holder	
One-Touch Dial and Power	Fuel Gauge	
Height of Cut Adjustment	Electric PTO Clutch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

	<i>F.O.B. Raleigh, North Carolina</i>	
2211TC	Z970R Commercial ZTrak <i>Not Available for Sale in California.</i>	14,689.00

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
001D	Other Countries <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

#### TIRES & WHEELS

1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037	24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price
1038	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks	749.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z970R Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TIRES &amp; WHEELS Continued...</b>			
<i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>			
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	749.00
<b>MOWER DECK</b>			
1504		60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires and Wheels option code 1036 or 1038.</i>	-540.00
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires and Wheels option code 1036 or 1038.</i>	330.00
1506		72 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1037 or 1039.</i>	In Base Price
<b>SEATS</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
AM115838		<b>Engine:</b> Spark Arrester Screen	26.35
TCB11281		<b>Miscellaneous:</b> Front Light (2) Kit	243.96
TCB11531		Hitch Kit	35.31
TCB10953		<b>Mower Deck and Mower Deck Attachments:</b> Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z970R Commercial ZTrak**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10287	Rubber Flap Striping Kit for 72" Deck	449.40
		<b>Order Zone:</b>	
	LP40112	Beacon Light Kit	251.00
	LPA11548	Sun Canopy	169.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks**  
Equipment for Base Machine

24x12N12 Tire Size

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Raleigh, North Carolina</i>			
9980TC		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. Order code is for one Tweel - two required. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	474.50
<b>DESTINATION</b>			
001A		United States and Canada	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**24x12N12 Michelin X Tweel Turf for 72 In. Decks**  
Equipment for Base Machine

24x12N12 Tire Size

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Raleigh, North Carolina</i>			
9981TC		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>Be the first to know when MICHELIN X TWEEL TURF is available on John Deere ZTraks by signing up at <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. Order code is for one Tweel - two required. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	474.50
<b>DESTINATION</b>			
001A		United States and Canada	In Base Price

# JOHN DEERE TURF & UTILITY PRODUCTS

## ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Side Discharge 7-Iron PRO Deck

Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE J1995, PS	(Roll-Over Protective Structure) and Seat Belt	12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve
Rated at 3000 rpm	60 In. 7-Iron PRO Commercial	26x12-12 In. Square Shoulder
Diesel Engine 100.2 cu. in. (1.64 L)	Side Discharge Mower Deck	4PR Turf Drive Tires
Three Cylinder Liquid-Cooled	7-Gauge Stamped Steel Mower Deck	15x6-6 Flat Free Front Caster
Up to B20 Compliant	8 In. Aluminum Spindle Housing	Tires
Full Pressure Lubrication	One-Touch Dial and Electric	Right Hand Control Console
System With Replaceable Oil	Deck Lift Height of Cut	Cluster
Filter	Adjustment	Cup & Tool Holder
Heavy-Duty Canister Air Cleaner;	Full Floating Suspension Deck	Hydraulic PTO Clutch
Dual Element, Dry-Type with	1.5 - 5.0 In. Cutting Heights	Digital Multi-function Display
Safety Element and Air Service	in 0.25 In. Increments	Deluxe Comfort Seat with
Indicator	Dual Lever Direction/Speed	Armrests or Available
1.5 x 3.0 In. Steel Tubular	Control	Suspension Seat
Frame - 7 Gauge	Quick-Service Hinged Foot	
12 Volt with 75 AMP Regulated	Platform	
Charge System	Fully Enclosed Engine	
Dual Hydrostatic Wheel Drive	Compartment	
Tuff Torq Dual Unitized Pump	Ergonomic Operator Contoured	
Dual Wheel Parking Brake	Soft Touch Grips and	
Operator Presence System	Integrated	
Folding Two Post ROPS	Handle Controls	
	11.5 MPH Mowing Speed	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

0910TC	Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Side Discharge 7-Iron PRO Deck	23,335.00
--------	--	-----------

#### SEATS

2009	Standard Seat	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	375.00

#### DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

	<b>Miscellaneous:</b>	
TCA18513	Deluxe Comfort Seat with Armrest	650.84
BTC10713	Front Jack Kit <i>Includes jack and mounting kit.</i>	219.36
TCB11281	Front Light (2) Kit	243.96

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Side Discharge 7-Iron  
PRO Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10674	Rear Bumper Kit	251.46
		<b>Mower Deck and Mower Deck Attachments:</b>	
	TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
	TCB11230	Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later (Serial # 060000-).</i>	448.33

# JOHN DEERE TURF & UTILITY PRODUCTS

## ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Mulch On Demand 7-Iron PRO Deck

Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE J1995, PS	(Roll-Over Protective Structure) and Seat Belt	12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve
Rated at 3000 rpm	60 In. 7-Iron PRO Commercial	26x12-12 In. Square Shoulder
Diesel Engine 100.2 cu. in. (1.64 L)	Mulch On Demand Mower Deck	4PR Turf Drive Tires
Three Cylinder Liquid-Cooled	7-Gauge Stamped Steel Mower Deck	15x6-6 Flat Free Front Caster
Up to B20 Compliant	8 In. Aluminum Spindle Housing	Tires
Full Pressure Lubrication	One-Touch Dial and Electric	Right Hand Control Console
System With Replaceable Oil	Deck Lift Height of Cut	Cluster
Filter	Adjustment	Cup & Tool Holder
Heavy-Duty Canister Air Cleaner;	Full Floating Suspension Deck	Hydraulic PTO Clutch
Dual Element, Dry-Type with	1.5 - 5.0 In. Cutting Heights	Digital Multi-function Display
Safety Element and Air Service	in 0.25 In. Increments	Deluxe Comfort Seat with
Indicator	Dual Lever Direction/Speed	Armrests or Available
1.5 x 3.0 In. Steel Tubular	Control	Suspension Seat
Frame - 7 Gauge	Quick-Service Hinged Foot	
12 Volt with 75 AMP Regulated	Platform	
Charge System	Fully Enclosed Engine	
Dual Hydrostatic Wheel Drive	Compartment	
Tuff Torq Dual Unitized Pump	Ergonomic Operator Contoured	
Dual Wheel Parking Brake	Soft Touch Grips and	
Operator Presence System	Integrated	
Folding Two Post ROPS	Handle Controls	
	11.5 MPH Mowing Speed	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

0913TC	Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Mulch On Demand 7-Iron PRO Deck	24,205.00
--------	--	-----------

#### SEATS

2009	Standard Seat	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	375.00

#### DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

	<b>Miscellaneous:</b>	
TCA18513	Deluxe Comfort Seat with Armrest	650.84
BTC10713	Front Jack Kit <i>Includes jack and mounting kit.</i>	219.36
TCB11281	Front Light (2) Kit	243.96

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Mulch On Demand 7-Iron  
PRO Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10674	Rear Bumper Kit	251.46
	TCB11230	<b>Mower Deck and Mower Deck Attachments:</b> Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later (Serial # 060000-).</i>	448.33

# JOHN DEERE TURF & UTILITY PRODUCTS

## ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Rear Discharge 7- Iron PRO Deck

Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE J1995, PS	(Roll-Over Protective Structure) and Seat Belt	12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve
Rated at 3000 rpm	60 In. Commercial	26x12-12 In. Square Shoulder
Diesel Engine 100.2 cu. in. (1.64 L)	Rear Discharge Mower Deck	4PR Turf Drive Tires
Three Cylinder Liquid-Cooled	7-Gauge Steel Mower Deck	15x6-6 Flat Free Front Caster
Up to B20 Compliant	8 In. Aluminum Spindle Housing	Tires
Full Pressure Lubrication	One-Touch Dial and Electric	Right Hand Control Console
System With Replaceable Oil	Deck Lift Height of Cut	Cluster
Filter	Adjustment	Cup & Tool Holder
Heavy-Duty Canister Air Cleaner;	Full Floating Suspension Deck	Hydraulic PTO Clutch
Dual Element, Dry-Type with	1.5 - 5.0 In. Cutting Heights	Digital Multi-function Display
Safety Element and Air Service	in 0.25 In. Increments	Deluxe Comfort Seat with
Indicator	Dual Lever Direction/Speed	Armrests or Available
1.5 x 3.0 In. Steel Tubular	Control	Suspension Seat
Frame - 7 Gauge	Quick-Service Hinged Foot	
12 Volt with 75 AMP Regulated	Platform	
Charge System	Fully Enclosed Engine	
Dual Hydrostatic Wheel Drive	Compartment	
Tuff Torq Dual Unitized Pump	Ergonomic Operator Contoured	
Dual Wheel Parking Brake	Soft Touch Grips and	
Operator Presence System	Integrated	
Folding Two Post ROPS	Handle Controls	
	11.5 MPH Mowing Speed	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

0912TC	Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Rear Discharge 7- Iron PRO Deck	23,965.00
--------	---	-----------

#### SEATS

2009	Standard Seat	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	375.00

#### DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

	<b>Miscellaneous:</b>	
TCA18513	Deluxe Comfort Seat with Armrest	650.84
BTC10713	Front Jack Kit <i>Includes jack and mounting kit.</i>	219.36
TCB11281	Front Light (2) Kit	243.96

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Rear Discharge 7- Iron  
PRO Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10674	Rear Bumper Kit	251.46

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 72 In. Side Discharge 7-Iron  
PRO Deck**

Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE J1995, PS	(Roll-Over Protective Structure) and Seat Belt	12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve
Rated at 3000 rpm	72 In. 7-Iron PRO Commercial	26x12-12 In. Square Shoulder
Diesel Engine 100.2 cu. in. (1.64 L)	Side Discharge Mower Deck	4PR Turf Drive Tires
Three Cylinder Liquid-Cooled	7-Gauge Stamped Steel Mower Deck	15x6-6 Flat Free Front Caster
Up to B20 Compliant	8 In. Aluminum Spindle Housing	Tires
Full Pressure Lubrication	One-Touch Dial and Electric	Right Hand Control Console
System With Replaceable Oil	Deck Lift Height of Cut	Cluster
Filter	Adjustment	Cup & Tool Holder
Heavy-Duty Canister Air Cleaner;	Full Floating Suspension Deck	Hydraulic PTO Clutch
Dual Element, Dry-Type with	1.5 - 5.0 In. Cutting Heights	Digital Multi-function Display
Safety Element and Air Service	in 0.25 In. Increments	Deluxe Comfort Seat with
Indicator	Dual Lever Direction/Speed	Armrests or Available
1.5 x 3.0 In. Steel Tubular	Control	Suspension Seat
Frame - 7 Gauge	Quick-Service Hinged Foot	
12 Volt with 75 AMP Regulated	Platform	
Charge System	Fully Enclosed Engine	
Dual Hydrostatic Wheel Drive	Compartment	
Tuff Torq Dual Unitized Pump	Ergonomic Operator Contoured	
Dual Wheel Parking Brake	Soft Touch Grips and	
Operator Presence System	Integrated	
Folding Two Post ROPS	Handle Controls	
	11.5 MPH Mowing Speed	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

0911TC	Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 72 In. Side Discharge 7-Iron PRO Deck	23,805.00
--------	--	-----------

**SEATS**

2009	Standard Seat	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	375.00

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous:</b>	
TCA18513	Deluxe Comfort Seat with Armrest	650.84
BTC10713	Front Jack Kit <i>Includes jack and mounting kit.</i>	219.36
TCB11281	Front Light (2) Kit	243.96

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 72 In. Side Discharge 7-Iron  
PRO Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10674	Rear Bumper Kit	251.46
		<b>Mower Deck and Mower Deck Attachments:</b>	
	TCB10951	Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
	TCB11231	Roller Striping Kit for 72 In. Deck <i>For Model year '11 and Later (Serial # 060000-).</i>	448.33

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**60 In. 7-Iron PRO Commercial Mulch-On-Demand Mower Deck (For 997 Diesel ZTrak)**  
Equipment for Base Machine

60 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Aluminum Spindle Housing
1.5-5.0 In. Height of Cut	Hinged Side Discharge Chute
Mulch On Demand System	Greaseable Spindles
Deep Deck Design	7-Iron PRO 7-Gauge (.177 In.)
Quick Release Belt Shields	Steel
(2) Rear Adjustable	Splined Shaft Drive
Gauge Wheel	Baffling System
Front and Rear Anti-Scalp Wheels	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

0335TC	60 In. 7-Iron PRO Commercial Mulch-On-Demand Mower Deck (For 997 Diesel ZTrak)	3,630.00
--------	--	----------

**ATTACHMENTS FOR FIELD CONVERSION**

TCB11230	<b>Mower Deck and Mower Deck Attachments:</b> Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i>	448.33
----------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**60 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For Z997R and 997 Diesel ZTrak)**

Equipment for Base Machine

60 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Aluminum Spindle Housing
1.5-5.0 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheel	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

033BTC	60 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For Z997R and 997 Diesel ZTrak)	2,760.00
--------	---	----------

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Mower Deck and Mower Deck Attachments:</b>		
TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB11230	Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i>	448.33

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**60 In. 7-Iron PRO Commercial Rear Discharge Mower Deck (For Z997R and 997 Diesel Ztrak)**

Equipment for Base Machine

60 In. Cutting Width	Offset Spindles
(3) HD Spindles, Blades	8 In. Aluminum Spindle Housing
Fabricated Deck	Rear Discharge Chute
1.5-5 In. Height of Cut	Greaseable Spindles
Deep Deck Design	7-Iron PRO 7-Gauge (.177 In.)
Vehicle Enclosure Kit	Steel
Quick Release Belt Shields	Splined Shaft Drive
Front Anti-Scalp Wheels	Baffling System
Steel Bar Reinforcement	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

051ATC	60 In. 7-Iron PRO Commercial Rear Discharge Mower Deck (For Z997R and 997 Diesel Ztrak)	3,390.00
--------	---	----------

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**72 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For Z997R and 997 Diesel ZTrak)**

Equipment for Base Machine

72 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Aluminum Spindle Housing
1.5-5 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheels	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

034ATC	72 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For Z997R and 997 Diesel ZTrak)	3,180.00
--------	---	----------

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Mower Deck and Mower Deck Attachments:</b>		
TCB10951	Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
TCB11231	Roller Striping Kit for 72 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i>	448.33

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel 3-Bag Material Collection System (For 48 In./54 In./60 In. Z900 B/M/R Series  
and 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks)**  
Equipment for Base Machine

3-Bag Collection Hopper	14 In. Impeller Diameter
14 Bushel Capacity	Easy-To-Empty Bags
Steel Hopper Top	8 In. Diameter Chute
Mechanical Hopper Top Lock	Quick Detach Blower
Horizontal 7-Iron	Weight Bracket
Blower Configuration	
Steel Blower Housing	
5 Blade Commercial Impeller	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0788TC	14 Bushel 3-Bag Material Collection System (For 48 In./54 In./60 In. Z900 B/M/R Series and 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks) <i>When installing 3-Bag MCS on Z900B Models, Rear Anti-Scalp Wheel Kit is required. Not Compatible with Model Year 2012 and Prior ZTrak Mowers. Not Compatible with Michelin Tweel Turf tires. Refer to Sales Manual for Proper Ballast Requirements.</i>	2,999.00
--------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price

**ATTACHING PARTS**

1005	Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	In Base Price
1006	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	In Base Price
1007	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	In Base Price
1008	Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" &amp; 54" Mulch-on-Demand decks.</i>	124.00
1009	Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i>	124.00
1010	Less Attaching Parts	-1,079.00
1011	Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel 3-Bag Material Collection System (For 48 In./54 In./60 In. Z900 B/M/R Series  
and 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHING PARTS Continued...</b>			
<b>BLOWER</b>			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-749.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System:</b>	
	TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
	BTC10221	Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	1,239.06
	BTC10363	Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	1,239.06
	BTC10368	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	1,213.39
	BTC10370	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	1,239.06
	BTC10365	Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,381.37
	BTC10369	Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks.</i>	1,381.37
		<b>Mower Deck and Mower Deck Attachments:</b>	
	BTC10445	Rear Anti-Scalp Wheel Kit (48" Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only.</i>	173.34
	BTC10442	Rear Anti-Scalp Wheel Kit (54" Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only.</i>	173.34
	BTC10591	Rear Anti-Scalp Wheel Kit (60" Deck) <i>For 60" 7-Iron II Deck fitted to Z900B-Series only.</i>	173.34
		<b>Weights:</b>	
	R66949	Quik-Tatch Weight, 42 Lb.	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel 3-Bag Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)**  
**Equipment for Base Machine**

3-Bag Collection Hopper	14 In. Impeller Diameter
14 Bushel Capacity	Easy-To-Empty Bags
Steel Hopper Top	8 In. Diameter Chute
Mechanical Hopper Top Lock	Quick Detach Blower
Horizontal 7-Iron	Weight Bracket
Blower Configuration	
Steel Blower Housing	
5 Blade Commercial Impeller	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Davenport, Iowa</i>			
0784TC		14 Bushel 3-Bag Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks) <i>Not Compatible with Model Year 2007 and Prior Z-Trak Mowers.</i> <i>Not Compatible with Z-Trak Estate Mowers.</i> <i>Refer to Sales Manual for Proper Ballast Requirements.</i>	2,915.00
<b>ATTACHING PARTS</b>			
1005		Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above.</i> <i>For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	In Base Price
1006		Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	In Base Price
1007		Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks</i>	In Base Price
1008		Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" &amp; 54" Mulch-on-Demand decks</i>	124.00
1009		Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i>	124.00
1010		Less Attaching Parts	-1,079.00
1011		Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i>	In Base Price
<b>BLOWER</b>			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-749.00

**ATTACHMENTS FOR FIELD CONVERSION**

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel 3-Bag Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In.  
Mowers including Mulch-On-Demand Decks)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Material Collection System:</b>	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
TCB11705		Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	1,239.06
TCB11704		Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i>	1,239.06
TCB11686		Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	1,213.39
TCB11707		Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	1,239.06
TCB11703		Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,381.37
TCB11706		Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks</i>	1,381.37
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb.	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System (For 48 In./54 In./60 In./72 In.  
Z900 M/R Series Mowers including Mulch-On-Demand Decks)**  
Equipment for Base Machine

High Density Polypropylene  
Hopper  
14 Bushel Capacity  
Mechanical Dump From  
Operator Seat  
Horizontal 7-Iron  
Blower Configuration  
Steel Blower Housing

5 Blade Commercial Impeller  
14 In. Impeller Diameter  
8 In. Diameter Chute  
Quick Detach Blower  
Weight Bracket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0787TC	14 Bushel Dump From Seat Material Collection System (For 48 In./54 In./60 In./72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks) <i>Not Compatible with Model Year 2012 and Prior ZTrak Mowers.</i> <i>Not Compatible with Michelin Tweel Turf tires.</i> <i>Not Compatible with Z900B Mowers.</i> <i>Refer to Sales Manual for Proper Ballast Requirements.</i>	3,240.00
--------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price

**ATTACHING PARTS**

1005	Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks.</i> <i>DFS MCS for Z900 M &amp; R Series only.</i>	In Base Price
1006	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks.</i> <i>DFS MCS for Z900 M &amp; R Series only.</i>	In Base Price
1007	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	In Base Price
1008	Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" &amp; 54" Mulch-on-Demand decks.</i>	124.00
1009	Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i>	124.00
1010	Less Attaching Parts	-1,079.00
1011	Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks.</i> <i>DFS MCS for Z900 M &amp; R Series only.</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel Dump From Seat Material Collection System (For 48 In./54 In./60 In./72 In.  
Z900 M/R Series Mowers including Mulch-On-Demand Decks)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHING PARTS Continued...</b>			
<b>BLOWER</b>			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-749.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System:</b>	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
BTC10221		Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	1,239.06
BTC10363		Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	1,239.06
BTC10368		Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	1,213.39
BTC10370		Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	1,239.06
BTC10365		Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,381.37
BTC10369		Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks.</i>	1,381.37
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb.	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)**  
**Equipment for Base Machine**

High Density Polypropylene  
Hopper  
14 Bushel Capacity  
Mechanical Dump From  
Operator Seat  
Horizontal 7-Iron  
Blower Configuration  
Steel Blower Housing

5 Blade Commercial Impeller  
14 In. Impeller Diameter  
8 In. Diameter Chute  
Quick Detach Blower  
Weight Bracket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Davenport, Iowa</i>			
0785TC		14 Bushel Dump From Seat Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks) <i>Not Compatible with Model Year 2007 and Prior Z-Trak Mowers.</i> <i>Not Compatible with Z-Trak Estate Mowers.</i> <i>Refer to Sales Manual for Proper Ballast Requirements.</i>	3,160.00
<b>ATTACHING PARTS</b>			
1005		Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above.</i> <i>For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	In Base Price
1006		Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	In Base Price
1007		Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks</i>	In Base Price
1008		Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" &amp; 54" Mulch-on-Demand decks</i>	124.00
1009		Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i>	124.00
1010		Less Attaching Parts	-1,079.00
1011		Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i>	In Base Price
<b>BLOWER</b>			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-749.00

**ATTACHMENTS FOR FIELD CONVERSION**

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel Dump From Seat Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Material Collection System:</b>	
	TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
	TCB11705	Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	1,239.06
	TCB11704	Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i>	1,239.06
	TCB11686	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	1,213.39
	TCB11707	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	1,239.06
	TCB11703	Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,381.37
	TCB11706	Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks</i>	1,381.37
		<b>Weights:</b>	
	R66949	Quik-Tatch Weight, 42 Lb.	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel 3-Bag Material Collection System For 737, 757, 777, 797 Mowers only**  
Equipment for Base Machine

3-Bag Collection Hopper	Upper and Lower Weight Brackets
14 Bushel Capacity	5 Blade Commercial Impeller
Polyethylene Hopper Top	14 In. Impeller Diameter
with Gas Cylinder Lift Assist	Easy-To-Empty Bags
and Mechanical Hopper Top Lock	8 In. Diameter Chute
Horizontal 7-Iron Blower	Quick Detach Blower
Configuration	
Steel Blower Housing	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0771TC	14 Bushel 3-Bag Material Collection System For 737, 757, 777, 797 Mowers only <i>Compatible with both 7-Iron and 7-Iron II Decks. Due to Overall Power Consumption with 757 Mulch-On-Demand and MCS, this Combination is not Recommended. Refer to Sales Manual for Proper Ballast Requirements.</i>	2,740.00
--------	---	----------

**CHUTES**

1000	Chute for 54 In. and 60 In. 7-Iron and 7-Iron II Decks (737, 757) and 757 Mulch-On-Demand	In Base Price
1001	Chute for 60 In. 7-Iron and 7-Iron II Decks (777, 797 and 777 Mulch on Demand)	In Base Price
1002	Chute for 72 In. 7-Iron and 7-Iron II Decks (777, 797)	In Base Price
1010	Less Chute	-214.00

**ATTACHING PARTS**

3000	Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	In Base Price
3001	Attaching Parts for 60 In. and 72 In. 7-Iron and 7-Iron II Decks (737, 757, 777, 797)	In Base Price
3002	Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Decks (757, 777)	In Base Price
3010	Less Attaching Parts	-438.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Material Collection System:</b>	
TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
TCB11048	Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	503.97
TCB11050	Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Decks (757, 777)	503.97

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**14 Bushel 3-Bag Material Collection System For 737, 757, 777, 797 Mowers only**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TCB11047	Attaching Parts for 60 In. and 72 In. 7-Iron and 7-Iron II Decks (737, 757, 777, 797)	503.97
	TCB11079	Chute for 54 In. and 60 In. 7-Iron and 7-Iron II Decks (737, 757) and 757 Mulch-On-Demand	245.03
	TCB11052	Chute for 60 In. 7-Iron and 7-Iron II Decks (777, 797 and 777 Mulch on Demand)	245.03
	TCB11053	Chute for 72 In. 7-Iron and 7-Iron II Decks (777, 797)	245.03
	TCB11099	<b>Weights:</b> Lower Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	156.21
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	TCB11100	Upper Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	123.06

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System for 737, 757, 777 & 797**  
**Mowers only**  
Equipment for Base Machine

Polypropylene Hopper  
14 Bushel Capacity  
Mechanical Dump From Operator  
Seat  
Attaching Framework  
Horizontal 7-Iron Blower  
Configuration  
Steel Blower Housing

Upper and Lower Weight Brackets  
5 Blade Commercial Impeller  
14 In. Impeller Diameter  
8 In. Diameter Chute  
Quick Detach Blower  
Weight Bracket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

0772TC	14 Bushel Dump From Seat Material Collection System for 737, 757, 777 & 797 Mowers only <i>Compatible with both 7-Iron and 7-Iron II Decks. Due to Overall Power Consumption with 757 Mulch-On-Demand and MCS, this Combination is not Recommended. Refer to Sales Manual for Proper Ballast Requirements.</i>	3,040.00
--------	---	----------

**CHUTES**

1000	Chute for 54 In. and 60 In. 7-Iron and 7-Iron II Decks (737, 757) and 757 Mulch-On-Demand	In Base Price
1001	Chute for 60 In. 7-Iron and 7-Iron II Decks (777, 797 and 777 Mulch on Demand)	In Base Price
1002	Chute for 72 In. 7-Iron and 7-Iron II Decks (777, 797)	In Base Price
1010	Less Chute	-214.00

**ATTACHING PARTS**

3000	Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	In Base Price
3001	Attaching Parts for 60 In. and 72 In. 7-Iron and 7-Iron II Decks (737, 757, 777, 797)	In Base Price
3002	Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Decks (757, 777)	In Base Price
3010	Less Attaching Parts	-438.00

**ATTACHMENTS FOR FIELD CONVERSION**

TCB11690	<b>Material Collection System:</b> 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
TCB11048	Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	503.97
TCB11050	Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Decks (757, 777)	503.97

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**14 Bushel Dump From Seat Material Collection System for 737, 757, 777 & 797**  
**Mowers only**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TCB11047	Attaching Parts for 60 In. and 72 In. 7-Iron and 7-Iron II Decks (737, 757, 777, 797)	503.97
	TCB11079	Chute for 54 In. and 60 In. 7-Iron and 7-Iron II Decks (737, 757) and 757 Mulch-On-Demand	245.03
	TCB11052	Chute for 60 In. 7-Iron and 7-Iron II Decks (777, 797 and 777 Mulch on Demand)	245.03
	TCB11053	Chute for 72 In. 7-Iron and 7-Iron II Decks (777, 797)	245.03
		<b>Weights:</b>	
	TCB11099	Lower Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	156.21
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	TCB11100	Upper Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	123.06

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**13 Bushel Dump From Seat Material Collection System For 997 60/72 In. Side  
Discharge Diesel Z-TRAK Mowers**  
Equipment for Base Machine

High Density Polyethylene Hopper	Steel Blower Housing
Tubular Steel Frame With	Upper Weight Bracket
Polypropylene Fabric Door	14 In. Impeller Diameter
13 Bushel Capacity	6 In. Diameter Chute
Mechanical Dump From Operator	Quick Detach Blower
Seat	Weight Bracket
Attaching Framework	
7-Iron Blower	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Raleigh, North Carolina</i>			
0775TC		13 Bushel Dump From Seat Material Collection System For 997 60/72 In. Side Discharge Diesel Z-TRAK Mowers <i>For 997 with 60/72 In. side discharge decks and 60 In. Mulch-On-Demand decks only. Refer to Sales Manual for Proper Ballast Requirements.</i>	3,499.00
<b>DESTINATION</b>			
001A		United States and Canada	In Base Price
001B		Europe	Same Price
001C		Australia and New Zealand	Same Price
001D		Other	Same Price
<b>ATTACHING PARTS</b>			
3405		Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406		Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	14.00
3408		Attaching Parts for 60 In. 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	194.00
3490		Less Attaching Parts	-292.00
<b>BLOWER</b>			
3500		7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520		Less Blower	-736.00

**ATTACHMENTS FOR FIELD CONVERSION**

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**13 Bushel Dump From Seat Material Collection System For 997 60/72 In. Side  
Discharge Diesel Z-TRAK Mowers**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Material Collection System:</b>	
	TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
	BTC10264	Attaching Parts for Blower <i>For all 997 with 72" side discharge decks.</i>	350.96
	BTC10265	Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks.</i>	556.40
	BTC10266	Attaching Parts for Blower <i>For all 997 with 60" side discharge decks.</i>	335.99
		<b>Weights:</b>	
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	DMA210494	Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	272.92

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat Material Collection System For Z997R 60/72 In. Side Discharge Diesel Z-TRAK Mowers**  
Equipment for Base Machine

Low Density Polyethylene Hopper  
Tubular Steel Frame With Low  
Density Polyethylene Door  
14 Bushel Capacity  
Electrical Power Dump From  
Operator Seat  
Attaching Framework  
7-Iron Blower

Steel Blower Housing  
Tilt for Service Feature  
14 In. Impeller Diameter  
6 In. Diameter Chute  
Quick Detach Blower  
Weight Bracket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Raleigh, North Carolina</i>			
0776TC		14 Bushel Dump From Seat Material Collection System For Z997R 60/72 In. Side Discharge Diesel Z-TRAK Mowers <i>For MY15 and newer Z997R with 60/72 In. side discharge decks and 60 In. Mulch-On-Demand decks only. Refer to Sales Manual for Proper Ballast Requirements.</i>	4,289.00
<b>DESTINATION</b>			
001A		United States and Canada	In Base Price
001C		Australia and New Zealand	Same Price
<b>ATTACHING PARTS</b>			
3405		Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406		Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	13.00
3408		Attaching Parts for 60 In. 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	188.00
3490		Less Attaching Parts	-284.00
<b>BLOWER</b>			
3500		7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520		Less Blower	-715.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
TCB11690		<b>Material Collection System:</b> 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
BTC10264		Attaching Parts for Blower <i>For all 997 with 72" side discharge decks.</i>	350.96

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**14 Bushel Dump From Seat Material Collection System For Z997R 60/72 In. Side  
Discharge Diesel Z-TRAK Mowers**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10265	Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks.</i>	556.40
	BTC10266	Attaching Parts for Blower <i>For all 997 with 60" side discharge decks.</i>	335.99
		<b>Weights:</b>	
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	DMA210494	Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	272.92

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System:</b>	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
TCB11732		Attaching Parts for 48 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A &amp; Z900A with 48" side discharge decks.</i>	891.31
TCB11735		Attaching Parts for 48 In. and 54 In 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A &amp; Z900A with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,145.97
TCB11075		Attaching Parts for 48 In. and 54 In. 7-Iron and 7-Iron II Decks (717A, 727A)	488.99
TCB11736		Attaching Parts for 54 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A &amp; Z900A with 54" side discharge decks.</i>	891.31
TCB11074		Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	503.97
TCB11088		Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Deck (757)	503.97
TCB11734		Attaching Parts for 60 In. Z-Trak Estate <i>For Z520A.</i>	891.31
TCB11234		Chute	161.57
		<b>Miscellaneous:</b>	
TCA17208		Bumper Kit <i>Requires (2) 19M7817.</i>	117.78
TCB11673		Bumper Kit <i>Z700A Mowers.</i>	107.00
TCB10967		Deluxe Comfort Seat with Armrests <i>For 7171A and 727A Mini-Frame Z-Trak Mowers.</i>	520.01
TCB11281		Front Light (2) Kit	243.96
		<b>Mower Deck and Mower Deck Attachments:</b>	
TCB10801		Cloth Grass Catcher (3.5 Bushel)	439.77
TCB10952		Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
TCB11228		Rear Anti-Scalp Wheel Kit <i>For Z710 and Z720.</i>	173.34
TCB11266		Roller Striping Kit for 48 In. Deck <i>For Z710.</i>	448.33

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TCB11229	Roller Striping Kit for 54 In. Deck <i>For Z710.</i>	448.33
	TCB11230	Roller Striping Kit for 60 In. Deck <i>For Z720.</i>	448.33
	TCB10900	<b>Weights:</b> (1) Caster Wheel Weight <i>For 717A, 727A Mini-Frame Z-TRAK Mowers. Requires Additional Attaching Hardware: (1) N231578 (2) E54809, (2) 24M7180.</i>	136.96
	TCB11099	Lower Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	156.21