

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1550 TerrainCut Commercial Front Mower (Less Mower Deck)  
Equipment for Base Machine**

24.2 HP (17.8 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 77 cu. in. (1.27 L) Three Cylinder Liquid-Cooled Dual Element Air Cleaner Air Restriction Indicator 12V Electric Start 12V Auxiliary Power Outlet 75 AMP Automotive Alternator 16 U.S. Gallon Fuel Capacity Two Pedal Hydrostatic Foot Control Hydrostatic Transmission Hydrostatic Front Wheel Drive Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column	mounted) 23x10.50-12 In. 4PR Turf (std) Drive Tires 18x8.50-8 In. 4PR Turf Steering Tires (2WD) or 18x8.50-10 In. 4PR Turf Steering Tires (4WD) Transmission Oil Cooler Individual Turn Assist Brakes Internal Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Driven Implements Operator Presence System	Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Folding Two Post ROPS (Roll- Over Protective Structure) and Retractable Seat Belt Cast Iron Rear Bumper Operator Training Video
---	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

2400TC	1550 TerrainCut Commercial Front Mower (Less Mower Deck)	18,420.00
--------	--	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price

**DRIVE SYSTEM**

1190	Two Wheel Drive	In Base Price
1191	Four Wheel Drive (Full Time or On Demand) <i>Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.</i>	2,913.00

**DRIVE WHEELS WITH TIRES (TWO)**

1019	23x10.50-12 4PR Turf Drive Tires	In Base Price
1020	23x8.50-12 4PR Turf Drive Tires	-35.00
1149	Less Drive Wheels and Tires	-332.00

**SEATS**

2010	Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests	390.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**1550 TerrainCut Commercial Front Mower (Less Mower Deck)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2012		<b>SEATS Continued...</b> Air Ride Suspension Seat with Armrests	680.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AR87167		Engine Coolant Heater (110 Volt)	80.90
		<b>Hydraulics:</b>	
BTC10529		Double Spool Auxiliary Hydraulic Kit	809.99
BTC10531		Hydraulic Weight Transfer Kit	321.00
BTC10562		Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	327.41
BTC10530		Single Spool Auxiliary Hydraulic Kit	593.86
		<b>Lighting:</b>	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. *Not Compatible with Cab Models.</i>	313.51
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. *Not Compatible with Cab Models.</i>	208.66
		<b>Miscellaneous:</b>	
TCB10608		Electronic Cruise Control Kit	293.19
BTC10673		Reverse Alarm Kit (Back-up alarm)	128.40
BTC10685		Slow Moving Vehicle (SMV) Kit	85.60
		<b>Operator Environment:</b>	
TCB10325		(1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.</i>	224.70
BTC10334		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. *Only compatible with new 1550/1570/1580 TerrainCut Front Mowers</i>	1,700.23
TCB10620		Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers)</i>	492.20
		<b>Seats / Wheels / Tires:</b>	
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	81.08
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	68.14
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

---

**1550 TerrainCut Commercial Front Mower (Less Mower Deck)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	112.36
		<b>Wheels and Tires Front:</b>	
	TCB10013	Dual Wheel Conversion Kit For 23x8.50-12 In. Drive Tires	298.53
	BTC10784	Two Wheels with 23x10.50-12 In. 4PR Turf Drive Tires	394.83
	TCB10413	Two Wheels with 23x8.50-12 In. 4PR Turf Drive Tires	379.86

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1570 TerrainCut Commercial Front Mower (Less Mower Deck)  
Equipment for Base Machine**

37.4 HP (27.5 kW), gross SAE  
J1995, PS  
Rated at 3000 rpm  
Diesel Engine 100.2 cu.  
in. (1.64 L)  
Three Cylinder Liquid-Cooled  
Up to B20 Compliant  
Dual Element Air Cleaner  
Air Restriction Indicator  
12V Electric Start  
12V Auxilary Power Outlet  
75 AMP Automotive Alternator  
16 U.S. Gallon Fuel Capacity  
Two Pedal Hydrostatic Foot  
Control  
Hydrostatic Transmission  
Hydrostatic Front Wheel Drive  
Hydrostatic Power Steering  
Differential Front Wheel Lock

Front Lights (steering column  
mounted)  
23x10.50-12 In. 4PR Turf (std)  
Drive Tires  
18x8.50-8 In. 4PR Turf  
Steering Tires (2WD) or  
18x8.50-10 In. 6PR Turf  
Steering Tires (4WD)  
Transmission Oil Cooler  
Individual Turn Assist Brakes  
Wet Disk Brakes  
Master Stop Brake  
Dual Hydraulic Implement  
Lift Cylinders  
Less Mower Deck  
Hourmeter  
Fuel Gauge  
Tilt Steering Wheel  
PTO Drvien Implements

Operator Presence System  
Low Oil Pressure Warning Light  
Hydraulic Oil Temp. Light and  
Alarm PTO Shutdown  
Folding Two Post ROPS (Roll-  
Over Protective Structure)  
and Retractable Seat Belt  
Cast Iron Rear Bumper  
Operator Training Video

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

2430TC	1570 TerrainCut Commercial Front Mower (Less Mower Deck)	25,916.00
--------	--	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**DRIVE SYSTEM**

1190	Two Wheel Drive	In Base Price
1191	Four Wheel Drive (Full Time or On Demand) <i>Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.</i>	2,913.00

**DRIVE WHEELS WITH TIRES (TWO)**

1019	23x10.50-12 4PR Turf Drive Tires	In Base Price
1020	23x8.50-12 4PR Turf Drive Tires	-35.00
1149	Less Drive Wheels and Tires	-332.00

**SEATS**

2010	Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests	390.00
2012	Air Ride Suspension Seat with Armrests	680.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**1570 TerrainCut Commercial Front Mower (Less Mower Deck)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AR87167		Engine Coolant Heater (110 Volt)	80.90
		<b>Hydraulics:</b>	
BTC10529		Double Spool Auxiliary Hydraulic Kit	809.99
BTC10531		Hydraulic Weight Transfer Kit	321.00
BTC10562		Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	327.41
BTC10530		Single Spool Auxiliary Hydraulic Kit	593.86
		<b>Lighting:</b>	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. *Not Compatible with Cab Models.</i>	313.51
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. *Not Compatible with Cab Models.</i>	208.66
		<b>Miscellaneous:</b>	
TCB10608		Electronic Cruise Control Kit	293.19
BTC10673		Reverse Alarm Kit (Back-up alarm)	128.40
BTC10685		Slow Moving Vehicle (SMV) Kit	85.60
		<b>Operator Environment:</b>	
TCB10325		(1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.</i>	224.70
BTC10334		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. *Only compatible with new 1550/1570/1580 TerrainCut Front Mowers</i>	1,700.23
TCB10620		Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers)</i>	492.20
		<b>Seats / Wheels / Tires:</b>	
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	81.08
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	68.14
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
R66949		Quik-Tatch Weight, 42 Lb.	59.91

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

---

**1570 TerrainCut Commercial Front Mower (Less Mower Deck)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	112.36
		<b>Wheels and Tires Front:</b>	
TCB10013		Dual Wheel Conversion Kit For 23x8.50-12 In. Drive Tires	298.53
BTC10784		Two Wheels with 23x10.50-12 In. 4PR Turf Drive Tires	394.83
TCB10413		Two Wheels with 23x8.50-12 In. 4PR Turf Drive Tires	379.86

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)  
Equipment for Base Machine**

<p>37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Displacement 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Dual Element Air Cleaner Air Restriction Indicator 12V Electric Start 12V Auxilary Power Outlet 95 AMP Automotive Alternator 16 U.S. Gallon Fuel Capacity Two Pedal Hydrostatic Foot Control Hydrostatic Transmission Four Wheel Drive Full Time 4WD / On-Demand Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column mounted) 23x10.50-12 In. 4PR Turf Drive Tires 18x8.50-10 In. 6PR Turf</p>	<p>Steering Tires (4WD) Transmission Oil Cooler Individual Turn Assist Brakes Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Drvien Implements Operator Presence System Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Cast Iron Rear Bumper Operator Training Video  Factory Installed ComfortCab Air Conditioning and Heater Six Multi-Directional Air Vents Fabric Air Ride Suspension Seat</p>	<p>with Adjustable Armrests, Lumbar, and Seat Back Dual Forward Work Lights Two Speed Front Windshield Wiper Rearview Mirror (inside) Sun Visor Interior Light Two Front/Two Rear Roof Mounted Warning Lights and Turn Signals Double Spool Auxiliary Hydraulic Valve with Forward-mounted Couplers</p>
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

2443TC	1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)	38,549.00
--------	--	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>	
AR87167	Engine Coolant Heater (110 Volt)	80.90
	<b>Hydraulics:</b>	
BTC10531	Hydraulic Weight Transfer Kit	321.00
BTC10562	Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	327.41
	<b>Lighting:</b>	
LVB24852	Beacon Light Kit (Cab Only)	243.10
LVB24853	Rear Work Light Kit (2 Lights) (Cab Only)	150.70
	<b>Miscellaneous:</b>	
TCB10608	Electronic Cruise Control Kit	293.19

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**1575 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10673	Reverse Alarm Kit (Back-up alarm)	128.40
	BTC10685	Slow Moving Vehicle (SMV) Kit	85.60
		<b>Operator Environment:</b>	
	LVB24844	External Mirror Kit (Cab Only)	190.30
	BTC10677	Radio Mount Kit (Cab Only)	119.84
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband	477.40
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband	933.90
	SWJHD1620	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready	249.99
		<b>Seats / Wheels / Tires:</b>	
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	81.08
		<b>Weights:</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	112.36
		<b>Wheels and Tires Front:</b>	
	BTC10784	Two Wheels with 23x10.50-12 In. 4PR Turf Drive Tires	394.83

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1580 TerrainCut Commercial Front Mower (Less Mower Deck)  
Equipment for Base Machine**

37.4 HP (27.5 kW), gross SAE  
J1995, PS  
Rated at 3000 rpm  
Displacement 100.2 cu. in.  
(1.64 L)  
Three Cylinder Liquid-Cooled  
Up to B20 Compliant  
Dual Element Air Cleaner  
Air Restriction Indicator  
12V Electric Start  
12V Auxillary Power Outlet  
75 AMP Automotive Alternator  
16 U.S. Gallon Fuel Capacity  
Two Pedal Hydrostatic Foot  
Control  
Hydrostatic Transmission  
Two-Speed Transaxle  
Four Wheel Drive  
Full Time 4WD / On-Demand

Hydrostatic Power Steering  
Differential Front Wheel Lock  
Front Lights (steering column  
mounted)  
26x12.00-12 In. Square  
Shoulder 6PR Turf Drive Tires  
20x10.00-10 In. 6PR Round  
Shoulder Steering Tires  
Transmission Oil Cooler  
Individual Turn Assist Brakes  
Wet Disk Brakes  
Master Stop Brake  
Dual Hydraulic Implement  
Lift Cylinders  
Less Mower Deck  
Hourmeter  
Fuel Gauge  
Tilt Steering Wheel  
PTO Drvien Implements

Operator Presence System  
Low Oil Pressure Warning Light  
Hydraulic Oil Temp. Light and  
Alarm PTO Shutdown  
Folding Two Post ROPS (Roll-  
Over Protective Structure)  
and Retractable Seat Belt  
Cast Iron Rear Bumper  
Operator Training Video

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

2451TC	1580 TerrainCut Commercial Front Mower (Less Mower Deck)	31,231.00
--------	--	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**SEATS**

2010	Deluxe Comfort Seat with Armrests <i>Non-suspension base seat.</i>	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests	390.00
2012	Air Ride Suspension Seat with Armrests	680.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>	
AR87167	Engine Coolant Heater (110 Volt)	80.90
	<b>Hydraulics:</b>	
BTC10529	Double Spool Auxiliary Hydraulic Kit	809.99
BTC10531	Hydraulic Weight Transfer Kit	321.00
BTC10562	Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>	327.41
BTC10530	Single Spool Auxiliary Hydraulic Kit	593.86

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**1580 TerrainCut Commercial Front Mower (Less Mower Deck)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Lighting:</b>	
BTC10594		Beacon Light <i>For 2-Post ROPS and 4-Post ROPS. *Not Compatible with Cab Models.</i>	313.51
BTC10644		Front Worklight (2) Kit <i>Requires 4-Post ROPS. *Not Compatible with Cab Models.</i>	208.66
		<b>Miscellaneous:</b>	
TCB10608		Electronic Cruise Control Kit	293.19
BTC10673		Reverse Alarm Kit (Back-up alarm)	128.40
BTC10685		Slow Moving Vehicle (SMV) Kit	85.60
		<b>Operator Environment:</b>	
TCB10325		(1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.</i>	224.70
BTC10334		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy. *Only compatible with new 1550/1570/1580 TerrainCut Front Mowers</i>	1,700.23
TCB10620		Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers)</i>	492.20
		<b>Seats / Wheels / Tires:</b>	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
R66949		Quik-Tatch Weight, 42 Lb.	59.91
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	112.36
		<b>Wheels and Tires Front:</b>	
TCB10556		Two Wheels with 26x12-12 In., 6PR Turf Drive Tires	556.40

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)  
Equipment for Base Machine**

<p>37.4 HP (27.5 kW), gross SAE J1995, P Rated at 3000 rpm Displacement 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Dual Element Air Cleaner Air Restriction Indicator 12V Electric Start 12V Auxilary Power Outlet 95 AMP Automotive Alternator 16 U.S. Gallon Fuel Capacity Two Pedal Hydrostatic Foot Control Hydrostatic Transmission Two-Speed Transaxle Four Wheel Drive Full Time 4WD / On-Demand Hydrostatic Power Steering Differential Front Wheel Lock Front Lights (steering column mounted) 26x12.00-12 In. Square Shoulder 6PR Turf Drive Tires</p>	<p>20x10.00-10 In. 6PR Round Shoulder Steering Tires Transmission Oil Cooler Individual Turn Assist Brakes Wet Disk Brakes Master Stop Brake Dual Hydraulic Implement Lift Cylinders Less Mower Deck Hourmeter Fuel Gauge Tilt Steering Wheel PTO Drvien Implements Operator Presence System Low Oil Pressure Warning Light Hydraulic Oil Temp. Light and Alarm PTO Shutdown Cast Iron Rear Bumper Operator Training Video</p> <p>Factory Installed ComfortCab Air Conditioning and Heater Six Multi-Directional Air Vents Fabric Air Ride Suspension</p>	<p>Seat with Adjustable Armrests, Lumbar, and Seat Back Dual Forward Work Lights Two Speed Front Windshield Wiper Rearview Mirror (inside) Sun Visor Interior Light Two Front/Two Rear Roof Mounted Warning Lights Double Spool Auxiliary Hydraulic Valve with Forward-mounted Couplers</p>
---	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

2463TC	1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)	40,951.00
--------	--	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Engine:</b>		
AR87167	Engine Coolant Heater (110 Volt)		80.90
	<b>Hydraulics:</b>		
BTC10531	Hydraulic Weight Transfer Kit		321.00
BTC10562	Rear Auxillary Hydraulic Outlet Kit <i>Requires Double Spool Auxiliary Hydraulic Kit to complete installation.</i>		327.41
	<b>Lighting:</b>		
LVB24852	Beacon Light Kit (Cab Only)		243.10
LVB24853	Rear Work Light Kit (2 Lights) (Cab Only)		150.70
	<b>Miscellaneous:</b>		
TCB10608	Electronic Cruise Control Kit		293.19

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**1585 TerrainCut with ComfortCab Commercial Front Mower (Less Mower Deck)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10673	Reverse Alarm Kit (Back-up alarm)	128.40
	BTC10685	Slow Moving Vehicle (SMV) Kit	85.60
		<b>Operator Environment:</b>	
	LVB24844	External Mirror Kit (Cab Only)	190.30
	BTC10677	Radio Mount Kit (Cab Only)	119.84
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband	477.40
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband	933.90
	SWJHD1620	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready	249.99
		<b>Seats / Wheels / Tires:</b>	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	112.36
		<b>Wheels and Tires Front:</b>	
	TCB10556	Two Wheels with 26x12-12 In., 6PR Turf Drive Tires	556.40

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. 7-Iron PRO Commercial Side Discharge Deck (For 1550/1570/1575 TerrainCut  
Front Mowers and 1400 Series II and non Series II)  
Equipment for Base Machine**

60 In. Cutting Width (3) Spindles, Blade (3) 0.25 In. High Lift Blades 7-Gauge (.177 In.) One Piece Stamped Deck Shell 1-6 In. Height of Cut 5.5 In. Deep Deck Design (2) Flat Free Caster Wheels Quick Release Belt Shields	(4) Double Captured Adjustable Anti-scalp Wheel Locations (1) Left Rear Anti-scalp Wheel Hinged Side Discharge Chute Greaseable Spindles and Caster Wheels 1 In. Splined Shaft Drive Rotate for Service w/ Safety Latches
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

0338TC	60 In. 7-Iron PRO Commercial Side Discharge Deck (For 1550/1570/1575 TerrainCut Front Mowers and 1400 Series II and non Series II) <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	4,070.00
--------	---	----------

**Destination**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous:</b> Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	11.30
	<b>Mower Deck and Mower Deck Attachments:</b> Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i>	478.03
	Mulch Kit (60 In. 7-Iron PRO)	326.36
	<b>Weights:</b> Quik-Tatch Weight, 42 Lb.	59.91
	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	112.36

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**62 In. Fastback Commercial Rear Discharge Deck (For 1500 TerrainCut Front Mowers  
and 1400's Series II and Non-Series II Front Mowers)**  
Equipment for Base Machine

62 In. Cutting Width	Quick Release Belt Shields
(3) Spindles, Blades	(3) Double Captured
(3) 0.31 In. Medium Lift Blades	Anti-scalp Wheel Locations
7-Gauge (.177 In.) Fabricated Deck	Greaseable Spindles and Caster Wheels
1-6 In. Height of Cut	1 In. Splined Shaft Drive
Vehicle Enclosure Kit	Rotate for Service
(2) Flat Free Caster Wheels	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

0352TC	62 In. Fastback Commercial Rear Discharge Deck (For 1500 TerrainCut Front Mowers and 1400's Series II and Non-Series II Front Mowers) <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	4,230.00
--------	--	----------

**Destination**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous:</b>		
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	11.30
TCA13791	Vehicle Enclosure Kit <i>For 1400/1500 Series II and Non-Series II.</i>	369.62
<b>Mower Deck and Mower Deck Attachments:</b>		
BTC10545	62 In. Rear Discharge Mulching Kit <i>Will Retrofit MY13 62-In. Rear Discharge Decks and Prior. Rear Discharge Mulching Kit (TCB10533) will not Retrofit MY15 and newer 62-In. Rear Discharge Decks.</i>	235.40
TCB10523	62 In. Rear-Discharge Mower Deck Deflector Kit	256.80
TCA22953	Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i>	478.03
<b>Weights:</b>		
R66949	Quik-Tatch Weight, 42 Lb.	59.91
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	112.36

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For 1500 TerrainCut Front Mowers and 1400/1500's Series II and non Series II Front Mowers)  
Equipment for Base Machine**

72 In. Cutting Width	Anti-scalp Wheel Locations
(3) Spindles, Blades	(2) Rear Anti-scalp Adjustable
7-Gauge (.177 In.) One Piece Stamped Deck Shell	Wheels
1-6 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
(2) Flat Free Caster Wheels	7-Gauge (.177 In.) Steel
Quick Release Belt Shields	1 In. Splined Shaft Drive
(4) Double Captured Adjustable	Rotate for Service

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

0347TC	72 In. 7-Iron PRO Commercial Side Discharge Mower Deck (For 1500 TerrainCut Front Mowers and 1400/1500's Series II and non Series II Front Mowers) <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	4,787.00
--------	---	----------

**Destination**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous:</b>	
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	11.30
	<b>Mower Deck and Mower Deck Attachments:</b>	
TCA22953	Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i>	478.03
BTC10670	Mulch Kit 72" (7-Iron PRO)	331.70
	<b>Weights:</b>	
R66949	Quik-Tatch Weight, 42 Lb.	59.91
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	112.36

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. Fastback Commercial Rear Discharge Deck (For 1500 TerrainCut Front Mowers  
and 1400/1500's Series II and Non Series II Front Mowers)**  
Equipment for Base Machine

72 In. Cutting Width	(2) Rear Anti-Scalp Wheels
(3) Spindles, Blades	Front Anti-Scalp Rollers
Fabricated Deck	Offset Spindles
1-6 In. Height of Cut	Greaseable Spindles
Deep Deck Design	7-Gauge (.177 In.) Steel
Vehicle Enclosure Kit	1 In. Splined Shaft Drive
Rear Deck Deflector Kit	Rotate for Service
(2) Flat Free Caster Wheels	
Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

0553TC	72 In. Fastback Commercial Rear Discharge Deck (For 1500 TerrainCut Front Mowers and 1400/1500's Series II and Non Series II Front Mowers) <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	4,799.00
--------	---	----------

**Destination**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous:</b>		
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	11.30
TCA13791	Vehicle Enclosure Kit <i>For 1400/1500 Series II and Non-Series II.</i>	369.62
<b>Mower Deck and Mower Deck Attachments:</b>		
DMA210906	72 In. Deflector Kit	144.48
DMB210223	72 In. Rear Discharge Anti-Scalp Wheel (Front Pair) Kit <i>For use with all 72" Rear Discharge Decks for NA and Export.</i>	179.76
DMB210099	72 In. Rear Discharge Mulching Kit <i>For use with 72" Rear Discharge Decks for NA.</i>	428.00
TCA22953	Heavy Duty Spindle <i>For 60 In. Side Discharge, 72 In. Side Discharge, 62 In. Rear Discharge, 72 In. Rear Discharge Decks</i>	478.03
<b>Weights:</b>		
R66949	Quik-Tatch Weight, 42 Lb.	59.91

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**72 In. Fastback Commercial Rear Discharge Deck (For 1500 TerrainCut Front Mowers  
and 1400/1500's Series II and Non Series II Front Mowers)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	112.36

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck (For 1570/1575/1580/1585  
TerrainCut Front Mowers and 1445/1500's Series II and Non-Series II Front Mowers)  
Equipment for Base Machine**

72 In. Cutting Width	(4) Front Pneumatic Caster
(3) HD Spindles, Blades	Wheels
(3) One Piece Stamped Decks	20 Degrees of Wing Deck
1-4 In. Height of Cut with Rear	Articulation
Roller Kit (optional)	Hinged Side Discharge Chute
1-5 In. Height of Cut with	Greasable Spindles
Standard	7 Gauge (.177 In.) Steel
Rear Wheel Kit	Splined Shaft Drive
Deep Deck Design	45 Degrees Rotate for Service

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0050TC	72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck (For 1570/1575/1580/1585 TerrainCut Front Mowers and 1445/1500's Series II and Non-Series II Front Mowers) <i>Can not be Used with the MCS 600 Hydraulic High-Dump Material Collection System. Ballast Required, Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit, see Ballast Chart in Sales Manual.                  * Hydraulic Weight Transfer Kit is Required for use with 72-In V-Flex Mower Deck on 1400/1500 Series II Front Mowers.                  (2) Lift Cylinders are Required for use with 1445 Front Mowers with Serial Numbers prior to 030001.</i>	7,999.00
--------	---	----------

**Rear Rollers, Wheels**

1000	Rear Wheel Kit <i>Includes (3) Rear Solid Rubber Caster Wheels and (2) Anti-Scalp Wheels.</i>	In Base Price
1001	Rear Roller Kit <i>Includes (3) 26" Smooth Solid Rollers.</i>	1,132.00

**ATTACHMENTS - ORDER AS DESIRED**

9100	<b>European CE Kit:</b> European CE Version 72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck for 1445 Front Mowers Only <i>Not for 1445 Series II Mowers. This Code Must be Ordered for 72 In. 7-Iron V-Flex Mower Deck on 1445 Mowers Which Meet CE Mark Requirements. Kit Includes Pictorial Decals, Low Noise European Blades, Steel Shielding for Belt Drive System, Drive Shaft Guard, Lowered Front Lip and Operator's Manual in English, French, German, Spanish and Italian.</i>	342.00
------	---	--------

**ATTACHMENTS FOR FIELD CONVERSION**

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck (For 1570/1575/1580/1585  
TerrainCut Front Mowers and 1445/1500's Series II and Non-Series II Front Mowers)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>European CE Kit:</b>	
TCB10771		European CE Hydraulic Wing Lift Kit <i>Meets CE Requirements. Requires Single Spool Auxiliary Hydraulic Kit (TCB11747).</i>	802.50
		<b>Hydraulics:</b>	
TCB10566		Hydraulic Weight Transfer Kit <i>For Series II and Non-Series II Front Mowers.</i>	312.44
BTC10531		Hydraulic Weight Transfer Kit <i>For 1500 TerrainCut Front Mowers.</i>	321.00
TCB10653		Hydraulic Wing Lift Kit <i>*Requires Single Spool Auxiliary Hydraulic Kit (BTC10530) for 1500 TerrainCut Front Mowers **Requires Single Spool Auxiliary Hydraulic Kit (TCB11474) for 1400/1500 Series II Front Mowers</i>	759.70
TCB11474		Single Spool Auxiliary Hydraulic Kit <i>For Series II and Non-Series II Front Mowers.</i>	562.81
BTC10530		Single Spool Auxiliary Hydraulic Kit <i>For 1500 TerrainCut Front Mowers.</i>	593.86
		<b>Miscellaneous:</b>	
TCA13394		(1) Lift Cylinder	254.89
TCA24048		Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	11.30
		<b>Mower Deck and Mower Deck Attachments:</b>	
TCB10581		Mulch Kit (72 In. V-Flex)	648.41
TCB10614		Rear Roller Kit <i>Includes (3) 26" Smooth Solid Rollers.</i>	1,728.06
TCB10578		Rear Wheel Kit <i>Includes (3) Rear Solid Rubber Caster Wheels and (2) Anti-Scalp Wheels.</i>	516.81
		<b>Weights:</b>	
R66949		Quik-Tatch Weight, 42 Lb. <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	59.91
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	112.36

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. Heavy-Duty Hydraulic Angling Front Blade (For 1500 TerrainCut Front Mowers,  
1400/1500 Series II and Non-Series II Front Mowers)  
Equipment for Base Machine**

60 In. Clearing Width "Straight" 52 In. Clearing Width "Fully Angled" 0 Degrees Straight, 15-30 Degrees Left or Right Blade Angle Hydraulic Angling Replaceable Cutting Edge	Heavy-Duty, 7-Gauge Steel Reinforced Angle Bar on Back of Blade Spring Breakaway - Lockout Pin (2) 8-Position, Adjustable Skid Shoes Less Lift Arms
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0390TC		60 In. Heavy-Duty Hydraulic Angling Front Blade (For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Blade Angle Rotation on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000.</i> <i>*Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for Blade Angle Rotation on 1400/1500 Series II and Non-Series II Front Mowers.</i> <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	1,732.00
--------	--	--	----------

**LIFT ARMS**

1000		Lift Arms and Hardware <i>For the 1550/1570/1575 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mower.</i>	218.00
1001		Lift Arms and Hardware <i>For the 1580/1585 TerrainCut Front Mowers, 1500 Series II and Non-Series II Front Mower.</i>	218.00
1010		Less Lift Arms	In Base Price

**ATTACHMENTS - ORDER AS DESIRED**

9100		<b>European CE Kit:</b> European CE Conversion Kit for 60 In. H.D. Hydraulic Angling Front Blade <i>This Code Must be Ordered to Receive a 60 In. Front Blade Which Meets CE Requirements. Kit Includes Fuel Hose Conduit, Pictorial Decals, Operator's Manual in English, French, German, Spanish and Italian.</i>	14.00
------	--	---	-------

**ATTACHMENTS FOR FIELD CONVERSION**

TCB11474		<b>Hydraulics:</b> Single Spool Auxiliary Hydraulic Kit <i>Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers.</i>	562.81
----------	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**60 In. Heavy-Duty Hydraulic Angling Front Blade (For 1500 TerrainCut Front Mowers,  
1400/1500 Series II and Non-Series II Front Mowers)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BTC10530		Single Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>	593.86
BTC10608		<b>Miscellaneous:</b> Front Blade Lift Arms and Hardware Kit (For 1580/1585 TerrainCut Front Mowers, 1500 Series II and Non Series II Front Mowers)	249.31
TCB10449		Front Blade Lift Arms and Hardware Kit (For 1550/1570/1575 TerrainCut Front Mowers, 1400 Series II and Non Series II Front Mowers)	249.31
AM119321		Heavy Duty Skid Shoe (1)	57.37
M142885		Heavy Duty Skid Shoe (1)	48.37
		<b>Seats / Wheels / Tires:</b>	
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	81.08
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	68.14
TY15958		Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
R66949		Quik-Tatch Weight, 42 Lb.	59.91
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	112.36

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)(Not Compatible with 1500 TerrainCut Models)**

Equipment for Base Machine

Modular Design  
Side Panels with Doors  
Rear Panel with Window  
Two Work Lights with Wiring  
Harness

Accoustic Canopy Liner

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0228TC		Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)(Not Compatible with 1500 TerrainCut Models) <i>Requires Code 9006 (BTC10293) 4-Post ROPS Conversion Kit with Canopy and Code 9000 (TCB10620) Front Windshield.</i>	3,055.00
--------	--	--	----------

**ATTACHMENTS - ORDER AS DESIRED**

9000		<b>Miscellaneous:</b> Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i>	460.00
9001		Single Speed Front Windshield Wiper	347.00
9002		(1) Exterior Mirror Kit	205.00
9004		Cab Integrated Heater/Defroster Kit <i>For MY14 and prior 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models:                      1420; M139144, M802329, AM117237, M81353 and 14H785                      1435; M139144                      1445/1545; TCU19226                      1565; M138867</i>	917.00
9005		Cab Integrated Heater/Defroster and Air Conditioner <i>For MY14 and prior 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation.                      Must Order (1) of the Following Additional Parts for Specific Models:                      1445/1545; TCU19226                      1565; M138867</i>	2,350.00
9006		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i>	1,589.00

**ATTACHMENTS FOR FIELD CONVERSION**

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)(Not Compatible with 1500 TerrainCut Models)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Miscellaneous:</b>	
BTC10293		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i> <i>*Required for new Hard Cab BTC10295.</i> <i>*Required for new Soft Cab BTC10336.</i> <i>(Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023).</i> <i>**Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.</i>	1,700.23
TCB10538		Breakaway Beacon Light <i>Hard or Soft Cab with 4-Post ROPS Required.</i>	342.40
TCB10821		Cab Integrated Heater/Defroster Kit <i>For MY14 and prior 1400/1500 Series II Mowers Only. Must Order (1) of the Following Additional Parts for Specific Models:</i> <i>1420; M139144, M802329, AM117237, M81353 and 14H785</i> <i>1435; M139144</i> <i>1445/1545; TCU19226</i> <i>1565; M138867</i>	981.19
TCB10822		Cab Integrated Heater/Defroster and Air Conditioner <i>For MY14 and prior 1445/1500 Series II Mowers Only. Compressor Bracket Kit TCB10823 or TCB10824 is Required for AC Installation.</i> <i>Must Order (1) of the Following Additional Parts for Specific Models:</i> <i>1445/1545; TCU19226</i> <i>1565; M138867</i>	2,514.50
BTC10377		Compressor Bracket Kit <i>Required for 1445/1545 AC Installation.</i>	190.46
BTC10378		Compressor Bracket Kit	212.93
TCB10326		Floor Mounted Heater/Defroster Kit <i>For Series II and Non Series II 1400/1500 Mowers.</i> <i>Must Order (1) of the Following Additional Parts for Specific Models:</i> <i>1420; M139144, M802329, AM117237, M81353 and 14H785</i> <i>1435; M139144</i> <i>1445/1545; M138867</i> <i>1565; M138288</i>	802.50
TCB11095		Front Worklight (2) Kit <i>Requires 4-Post ROPS Conversion Kit with Canopy.</i>	181.90
TCB10662		Rear Worklight (2) Kit <i>Hard or Soft Cab with 4-Post ROPS Required.</i>	243.96
TCB10981		Single Speed Front Windshield Wiper	371.29
TCB10325		<b>Operator Environment:</b> (1) Exterior Mirror Kit	224.70
TCB10620		Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i>	492.20

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

---

**Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front  
Mowers)(Not Compatible with 1500 TerrainCut Models)**

Continued

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)(Not  
Compatible with 1500 TerrainCut Models)  
Equipment for Base Machine**

Modular Design  
Side Panels with Doors  
Rear Panel with Window  
Two Work Lights with Wiring  
Harness

Accoustic Canopy Liner

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0227TC		Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)(Not Compatible with 1500 TerrainCut Models) <i>Requires Code 9004 (BTC10293) 4-Post ROPS Conversion Kit with Canopy and Code 9000 (TCB10620) Front Windshield.</i>	2,180.00
--------	--	--	----------

**ATTACHMENTS - ORDER AS DESIRED**

9000		<b>Miscellaneous:</b> Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i>	460.00
9001		Single Speed Front Windshield Wiper	347.00
9002		(1) Exterior Mirror Kit	205.00
9003		Floor Mounted Heater/Defroster Kit <i>For MY14 and prior 1400/1500 Series II and Non Series II Mowers Only. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models:                      1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702                      1435; M139144, M805564, M805702                      1445/1545; TCU19226, M805565, M805834, M805835                      1565; M138867, M805565, M805834, M805835</i>	750.00
9004		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i>	1,589.00

**ATTACHMENTS FOR FIELD CONVERSION**

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**Soft Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)(Not Compatible with 1500 TerrainCut Models)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Miscellaneous:</b>	
BTC10293		4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i> <i>*Required for new Hard Cab BTC10295.</i> <i>*Required for new Soft Cab BTC10336.</i> <i>(Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023).</i> <i>**Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.</i>	1,700.23
TCB10538		Breakaway Beacon Light <i>Hard or Soft Cab with 4-Post ROPS Required.</i>	342.40
BTC10377		Compressor Bracket Kit <i>Required for 1445/1545 AC Installation.</i>	190.46
BTC10378		Compressor Bracket Kit	212.93
TCB10326		Floor Mounted Heater/Defroster Kit <i>For MY14 and prior 1400/1500 Series II and Non Series II Mowers Only. Can not be upgraded to AC Compatible. Must Order (1) of the Following Additional Parts for Specific Models:</i> <i>1420; M139144, M802329, AM117237, M81353, 14H785, M805564, M805702 1435; M139144, M805564, M805702 1445/1545; TCU19226, M805565, M805834, M805835 1565; M138867, M805565, M805834, M805835</i>	802.50
TCB11095		Front Worklight (2) Kit <i>Requires 4-Post ROPS Conversion Kit with Canopy.</i>	181.90
TCB10662		Rear Worklight (2) Kit <i>Hard or Soft Cab with 4-Post ROPS Required.</i>	243.96
TCB10981		Single Speed Front Windshield Wiper	371.29
		<b>Operator Environment:</b>	
TCB10325		(1) Exterior Mirror Kit	224.70
TCB10620		Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i>	492.20

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**Material Collection System (For F725, F735 Front Mowers)**  
Equipment for Base Machine

9 Bushel Capacity  
Polyethylene Hopper  
Less Power Flow Blower

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1341M		Material Collection System (For F725, F735 Front Mowers)	2,091.00
-------	--	--	----------

**POWER FLOW BLOWER**

1001		Power Flow Blower for 48 In and 54 In. Mower	461.00
1002		Less Power Flow Blower	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

BM19090		<b>Material Collection System Power Flow Blowers:</b> Blower Assembly for 48 In. and 54 In. Mower	541.41
---------	--	--	--------

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**MCS 600 Hydraulic High-Dump Material Collection System (For 1400 4WD/1500 Series II and Non-Series II Front Mowers)(Not Compatible with 1500 TerrainCut Models)  
Equipment for Base Machine**

17 Bushel Capacity  
Hydraulic Dump System  
High Performance Blower  
Lift Height - 6.23 Ft.  
Clam Shell Design  
Fiberglass Structure

Easy To Dump System  
Low Noise System  
6 Blade Commercial Blower

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0801TC		MCS 600 Hydraulic High-Dump Material Collection System (For 1400 4WD/1500 Series II and Non-Series II Front Mowers)(Not Compatible with 1500 TerrainCut Models) <i>Not Compatible with 1500 TerrainCut Models (1550/1570/1575/1580/1585). See Sales Manual for Complete Compatibility Requirements on MY14 and Prior Series II and Non-Series II Front Mowers. Mowers Require TCB10567 Rear Auxillary Hydraulic Kit and TCB11475 Double Spool Auxiliary Hydraulic Kit. *Drive Coupler AM102741 is required for all MCS 600 Material Collection Systems.</i>  <i>All 1400 4WD Mowers can not be Operated with MCS and Cab. MCS can not be Used with the 72 In. 7-Iron V-Flex Commercial Side Discharge Mower Deck.</i>	6,570.00
--------	--	---	----------

**CHUTE**

1000		72 In. Chute with MCS Adapter	In Base Price
1001		60 In. Chute with MCS Adapter	Same Price
1010		Less Chute and Less MCS Adapter	-316.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Hydraulics:</b>		
TCB11475		Double Spool Auxiliary Hydraulic Kit	765.06
TCB10567		Rear Auxiliary Hydraulic Outlet Kit	324.21
	<b>Material Collection System:</b>		
TCB11588		60 In. Chute with MCS Adapter	369.16
TCB11589		72 In. Chute with MCS Adapter	369.16
AM102741		Drive Coupler <i>Needs to be ordered with all MCS 600 Material Collection systems for installation on 1400 and 1500 series Front Mowers.</i>	115.87
TCA14116		MCS Support Stands	663.57

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and  
Non-Series II Front Mowers)  
Equipment for Base Machine**

57 In. Clearing Width "Straight" 50 In. Clearing Width "Fully Angled" 0 Degrees Straight, 15-30 Degrees Left or Right Brush Angle 26 In. Diameter Polypropylene Brush	Heavy Duty Center Drive Gearbox Storage Stand Less Lift Arms and Drive Shaft Chain and Sprocket Final Drive (2) Caster Wheels Steel Hood
---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0500TC		60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Hydraulic Angling on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000.</i> <i>*Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Hydraulic Angling.</i> <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	3,247.00
--------	--	---	----------

**LIFT ARMS AND DRIVE SHAFT**

1000		Lift Arms, Angle Cylinder, Drive Shaft and Hardware	1,633.00
1010		Less Lift Arms, Angle Cylinder, Drive Shaft and Hardware	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Hydraulics:</b>		
TCB11474	Single Spool Auxiliary Hydraulic Kit <i>(For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).</i>		562.81
BTC10530	Single Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>		593.86
BM20706	<b>Miscellaneous:</b> 19.25x12.5x6.5 Heavy Duty Wheel Kit		361.66
TCB10391	60 Rotary Broom Lift Arms, Angle Cylinder, Drive Shaft and Hardware Kit		1,854.31
TCB10392	Debris Deflector		417.30
AM128682	Wafers, Polypropylene Bristle (Pack of 16)		260.33
AM128683	Wafers, Steel Bristle (Pack of 16)		446.28

**Weights:**

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

---

**60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and  
Non-Series II Front Mowers)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
R66949		Quik-Tatch Weight, 42 Lb.	59.91
TCB10303		Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	112.36

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**47 In. Heavy-Duty Two-Stage Snow Blower (For 1550/1570 TerrainCut Front Mowers,  
1400 Series II and Non-Series II Front Mowers)  
Equipment for Base Machine**

Two-Stage Design	Reversible, Replaceable
Hydraulic Lift	Scraper Blade
47 In. Clearing Width	Hydraulic Discharge Chute
15.5 In. Diameter Impeller	Rotation 90 Degrees Right and
16 In. Diameter Auger	Left (180 Degrees Total)
(4) Spare Shear Bolts	HD Auger Bevel Gearbox Drive
Mounted to Shell	Less Lift Arms and Drive Shaft
Adjustable Spout Cap Deflector	
Large, Adjustable Skid Shoes	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0370TC	47 In. Heavy-Duty Two-Stage Snow Blower (For 1550/1570 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on 1550/1570 TerrainCut Front Mowers.</i> <i>*Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute.</i> <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	4,180.00
--------	---	----------

**LIFT ARMS AND DRIVE SHAFT**

1000	Lift Arms, Drive Shaft and Hardware	444.00
1010	Less Lift Arms, Drive Shaft and Hardware <i>To Attach Snow Blower to F900/F1145 Front Mowers, See Sales Manual for instruction.</i>	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Hydraulics:</b>		
TCB11474		Single Spool Auxiliary Hydraulic Kit <i>(For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).</i>	562.81
BTC10530		Single Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>	593.86
	<b>Miscellaneous:</b>		
M88984		Drift Blade <i>Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts.</i>	29.52
TCB10448		Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit	509.31
	<b>Seats / Wheels / Tires:</b>		
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	81.08

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**47 In. Heavy-Duty Two-Stage Snow Blower (For 1550/1570 TerrainCut Front Mowers,  
1400 Series II and Non-Series II Front Mowers)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
	TY15841	Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	68.14
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	112.36

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT**

**60 In. Heavy-Duty Two-Stage Snow Blower (For 1500 TerrainCut Front Mowers,  
1400/1500 Series II and Non-Series II Front Mowers)  
Equipment for Base Machine**

Two-Stage Design	Scraper Blade
Hydraulic Lift	Hydraulic Discharge Chute
59 In. Clearing Width	Rotation 90 Degrees Right and
60 In. Overall Width	Left (180 Degrees Total)
16 In. Diameter Auger	HD Auger Gearbox Drive
Adjustable Spout Cap Deflector	Less Lift Arms and Drive Shaft
Large, Adjustable Skid Shoes	
Reversible, Replaceable	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0380TC	60 In. Heavy-Duty Two-Stage Snow Blower (For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers) <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000.</i> <i>*Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute.</i> <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i>	4,655.00
--------	---	----------

**LIFT ARMS AND DRIVE SHAFT**

1000	Lift Arms, Drive Shaft and Hardware	444.00
1010	Less Lift Arms	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Hydraulics:</b>		
TCB11474		Single Spool Auxiliary Hydraulic Kit <i>(For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers).</i>	562.81
BTC10530		Single Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>	593.86
	<b>Miscellaneous:</b>		
M88984		Drift Blade <i>Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts.</i>	29.52
TCB10448		Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit	509.31
	<b>Seats / Wheels / Tires:</b>		
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	81.08
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	68.14

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

---

**60 In. Heavy-Duty Two-Stage Snow Blower (For 1500 TerrainCut Front Mowers,  
1400/1500 Series II and Non-Series II Front Mowers)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	29.96
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	112.36

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL FRONT MOWERS AND EQUIPMENT

**Current Attachments for Non-Current Commercial Front Mowers and Equipment**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Hydraulics:</b>			
TCB11475		Double Spool Auxiliary Hydraulic Kit	765.06
TCB10566		Hydraulic Weight Transfer Kit	312.44
TCB10567		Rear Auxiliary Hydraulic Outlet Kit	324.21
TCB11474		Single Spool Auxiliary Hydraulic Kit	562.81
<b>Miscellaneous:</b>			
BM18123		2000 RPM Front PTO (F900's)	1,241.20
BM17714		Auxiliary Hydraulic Kit For F900 Series and F1145	181.90
TCA12058		Slow Moving Vehicle (SMV) Kit	44.75
TCA13791		Vehicle Enclosure Kit	369.62
<b>Mower Deck and Mower Deck Attachments:</b>			
BM17870		48 In. Front Edge Kit	88.81
BM19918		48 In. Mulch Kit	236.47
BM17436		72 In. Commercial Side Discharge Mower Deck (For F1145)	4,909.16