

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 1023E Sub-Compact Utility Tractor (15 PTO hp) Equipment for Base Machine

#### ENGINE:

Yanmar 3 Cylinder Liquid  
Cooled Diesel Engine  
Tier IV EPA Emissions  
Certified  
Engine HP 22.4 (16.5 kW), PS  
PTO HP 14.5 (11.4 kW)  
Rated Speed 3200 RPM  
Indirect Fuel Injection  
Auto Bleed Fuel System  
Glow Plug Cold Starting Aid  
Anti-Freeze  
Dry Type Air Cleaner With  
Safety Element  
Fully Enclosed Engine and  
Muffler With Horizontal  
Exhaust  
5.6 Gallon Fuel Tank  
Capacity (21.2 L)  
Hand Throttle  
Key Engine Shut Off

#### TRANSMISSION:

Hydrostatic Transmission:  
Infinitely Variable - 2 Speed  
Transaxle  
Twin Touch Pedals  
and Direction Control  
Differential Lock

#### FRONT/REAR AXLE:

Flanged Rear Axle  
Spur Gear Final Drive  
4WD

#### STEERING AND BRAKES:

Hydrostatic Power Steering  
Wheel Brakes  
Park Brake  
Wet Disk Brakes

#### HYDRAULICS:

Open Center Hydraulic System

Hydraulic Pump - Total Flow  
6.3 GPM (24 L/min) with  
Filter  
Working Pressure (2000 PSI)  
Dual Mid SCV Standard

#### PTO:

Hydrostatic Model:  
Mid PTO Standard Equipment  
Independent Mid and Rear PTO  
540-RPM Rear PTO  
Hydraulic PTO Clutch  
PTO Brake  
Separate or Simultaneous  
Operation of Mid and  
Rear PTO  
Flip Up PTO Shield

#### ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:

Rockshaft  
Limited Category 1, 3-Pt.  
Hitch  
Rate of Drop/Stop Valve  
Hitch Plate

#### INSTRUMENTATION:

Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Light  
Alternator Indicator Light  
Flashing Warning Light  
Indicator

#### ELECTRICAL:

12-Volt Electrical System  
Wet Battery With 500  
Cold Cranking Amps  
40 Amp Alternator  
Key Ignition Starter With  
Neutral Start Switch

#### LIGHTS:

Two Front Halogen Head Lights  
Two Flashing Warning Lights

#### OPERATOR PROTECTIVE

STRUCTURE:  
Folding ROPS (Roll-Over  
Protective Structure)  
\*\* Meets SAE J2194 and OSHA  
1928 ROPS Certification  
Standards  
Seat Belt  
Operator Presence System

#### MISCELLANEOUS:

SMV Emblem  
Front Weight Bracket  
Tilt-Up Hood  
Cupholder - Left Console  
Mower Deck Height Adjustment

#### BASE MACHINE (4WD):

Engage on the go 4WD  
26x12-12 (4PR, R4 Industrial, 1  
Position) Rear Wheels & Tires  
18x8.50-10 (4PR, R4 Industrial,  
1 Position) Front Wheels & Tires

#### Tier IV EPA Emissions

Certified Engine HP 22.4  
(16.5 kW), PS PTO HP 15.3  
(11.4 kW) Rated Speed 3200  
RPM

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0256LV	1023E Sub-Compact Utility Tractor (15 PTO hp)	11,748.00
--------	---	-----------

#### OPERATORS MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

#### REAR WHEELS WITH TIRES (TWO)

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**1023E Sub-Compact Utility Tractor (15 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>REAR WHEELS WITH TIRES (TWO) Continued...</b>			
<i>All tires offered are of bias ply construction.</i>			
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-48.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-32.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Ballast Box:</b>	
	BW15073	Ballast Box	284.90
	BW15074	Ballast Box Extension	135.30
		<b>Engine:</b>	
	MIA881629	Engine Block Heater Adapter	36.08
	BLV10640	Engine Coolant Heater Kit (110 Volt) <i>Requires MIA881629 Engine Block Heater Adapter (1023E Model Only).</i>	64.64
	AM108146	Spark Arrester Screen for Muffler	25.48
		<b>Hitch:</b>	
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hood Guards:</b>	
	BW15901	Deluxe Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on H120 Loaders.</i>	231.00
	BW15900	Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on D120 Loaders.</i>	209.00
		<b>Hydraulics:</b>	
	LVB25956	Power Beyond Kit (1023E, 1025R, 1026R) <i>Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with LVB25837 (Rear Hydraulic Kit) and BLV10351 (Third SCV Kit).</i>	174.90
	LVB25837	Rear Hydraulic Kit <i>Routes Dual Mid SCVs to Rear of Tractor. Not compatible with LVB25956 (Power Beyond Kit) or BLV10351 (Third SCV Kit). Also not compatible with TLB models.</i>	306.90
	BLV10351	Third Selective Control Valve Kit <i>BLV10351 is the preferred kit for open station 1 family tractors because the handle will not interfere with the seat. Not compatible with LVB25956 (Power Beyond Kit) or LVB25837 (Rear Hydraulic Kit). Also not compatible with TLB models.</i>	642.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**1023E Sub-Compact Utility Tractor (15 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Lighting:</b>	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors. Requires Lighting Kit Harness LVB26026. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400) and Light Kit Harness LVB26026. Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
LVB26026		Rear Work Light Harness Kit <i>Required to use with Rear Work Light LVB25547.</i>	22.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		<b>Miscellaneous:</b>	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
LP25000		ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	457.81
LVB26110		Loader Mount Toolbox Kit	66.00
		<b>Operator Environment:</b>	
TY25324		Weather Protection Umbrella	113.73
		<b>Operator Manual and Decal Kit:</b>	
BLV10710		French North American Owner's Manual and Decal Kit	119.90
BLV10709		Spanish North American Owner's Manual and Decal Kit	119.90
		<b>Seats / Wheels / Tires:</b>	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**1023E Sub-Compact Utility Tractor (15 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	59.91
		<b>Wheels and Tires Front:</b>	
	LVB25850	18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	330.00
	LVB25848	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	370.70
		<b>Wheels and Tires Rear:</b>	
	LVB25849	26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	452.10
	LVB25847	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	512.60

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 1025R Sub-Compact Utility Tractor (18 PTO hp) Equipment for Base Machine

#### ENGINE:

Yanmar 3 Cylinder Liquid  
Cooled Diesel Engine  
Tier IV EPA Emissions  
Certified  
Engine HP 24.2 (17.8 kW), PS  
PTO HP 18.0 (13.4 kW)  
Rated Speed 3200 RPM  
Indirect Fuel Injection  
Auto Bleed Fuel System  
Glow Plug Cold Starting Aid  
Anti-Freeze  
Dry Type Air Cleaner With  
Safety Element  
Fully Enclosed Engine and  
Muffler With Horizontal  
Exhaust  
5.6 Gallon Fuel Tank  
Capacity (21.2 L)  
Hand Throttle  
Key Engine Shut Off

#### TRANSMISSION:

Hydrostatic Transmission:  
Infinitely Variable - 2 Speed  
Transaxle  
2-Pedal Foot Operated Speed  
and Direction Control  
Differential Lock  
Cruise Control

#### FRONT/REAR AXLE:

Flanged Rear Axle  
Spur Gear Final Drive  
4WD

#### STEERING AND BRAKES:

Hydrostatic Power Steering  
Tilt Steering  
Wheel Brakes  
Park Brake  
Wet Disk Brakes

#### HYDRAULICS:

Open Center Hydraulic System  
Hydraulic Pump - Total Flow  
6.3 GPM (24 L/min) with  
Filter

Working Pressure (2000 PSI)  
Dual Mid SCV Standard

#### PTO:

Hydrostatic Model:  
Mid PTO Standard Equipment  
Independent Mid and Rear PTO  
540-RPM Rear PTO  
Hydraulic PTO Clutch  
PTO Brake  
Separate or Simultaneous  
Operation of Mid and  
Rear PTO  
Flip Up PTO Shield

ROCKSHAFT, 3-PT. HITCH,  
AND HITCH PLATE:

Rockshaft  
Limited Category 1, 3-Pt.  
Position Control Hitch  
Rate of Drop/Stop Valve  
Hitch Plate

#### INSTRUMENTATION:

Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Light  
Alternator Indicator Light  
Flashing Warning Light  
Indicator

#### ELECTRICAL:

12-Volt Electrical System  
Wet Battery With 500  
Cold Cranking Amps  
40 Amp Alternator  
Key Ignition Starter With  
Neutral Start Switch

#### LIGHTS:

Two Front Halogen Head Lights  
Two Flashing Warning Lights  
Two Fender Lights

#### OPERATOR PROTECTIVE

STRUCTURE:  
Folding ROPS (Roll-Over

Protective Structure)  
\*\* Meets SAE J2194 and OSHA  
1928 ROPS Certification  
Standards  
Deluxe Cushion Seat With  
Seat Belt  
Operator Presence System

#### MISCELLANEOUS:

SMV Emblem  
Front Weight Bracket  
Tilt-Up Hood  
Cupholder - Left Console  
Mower Deck Height Adjustment  
Tool Box  
12V Outlet  
Floor Mat

#### BASE MACHINE (4WD):

Engage on the go 4WD  
26x12-12 (4PR, R4 Industrial, 1  
Position) Rear Wheels & Tires  
18x8.50-10 (4PR, R4 Industrial,  
1 Position) Front Wheels & Tires

#### Tier IV EPA Emissions

Certified Engine HP 25.2  
(18.5 kW), PS PTO HP 18.0  
(13.4 kW) Rated Speed 3200  
RPM

#### MID-MOWER LIFT SYSTEM:

Mid-Mower Mechanical Lift Ready  
Includes Mid-Mower Lift  
Rockshaft  
Includes Mechanical Lift Arm  
Linkage

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0287LV	1025R Sub-Compact Utility Tractor (18 PTO hp)	13,815.00
--------	---	-----------

#### OPERATORS MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**1025R Sub-Compact Utility Tractor (18 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0437		<b>OPERATORS MANUAL Continued...</b> Spanish North American Operator's Manual and Decal Kit	Same Price
<b>REAR WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-48.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-32.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AM134805		Engine Block Heater Adapter	70.66
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
LVA15392		Spark Arrester Screen for Muffler	36.21
		<b>Hitch:</b>	
LVU12858		iMatch Quick Hitch Bushings	22.54
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hood Guards:</b>	
BW15901		Deluxe Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on H120 Loaders.</i>	231.00
BW15900		Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on D120 Loaders.</i>	209.00
		<b>Hydraulics:</b>	
LVB25956		Power Beyond Kit (1023E, 1025R, 1026R) <i>Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with LVB25837 (Rear Hydraulic Kit) and BLV10351 (Third SCV Kit).</i>	174.90
LVB25837		Rear Hydraulic Kit <i>Routes Dual Mid SCVs to Rear of Tractor. Not compatible with LVB25956 (Power Beyond Kit) or BLV10351 (Third SCV Kit). Also not compatible with TLB models.</i>	306.90
BLV10351		Third Selective Control Valve Kit <i>BLV10351 is the preferred kit for open station 1 family tractors because the handle will not interfere with the seat. Not compatible with LVB25956 (Power Beyond Kit) or LVB25837 (Rear Hydraulic Kit). Also not compatible with TLB models.</i>	642.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**1025R Sub-Compact Utility Tractor (18 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Lighting:</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		<b>Miscellaneous:</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	457.81
	LVB26110	Loader Mount Toolbox Kit	66.00
		<b>Operator Environment:</b>	
	TY25324	Weather Protection Umbrella	113.73
		<b>Operator Manual and Decal Kit:</b>	
	BLV10710	French North American Owner's Manual and Decal Kit	119.90
	BLV10709	Spanish North American Owner's Manual and Decal Kit	119.90
		<b>Seats / Wheels / Tires:</b>	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**1025R Sub-Compact Utility Tractor (18 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	59.91
		<b>Wheels and Tires Front:</b>	
	LVB25850	18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	330.00
	LVB25848	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	370.70
		<b>Wheels and Tires Rear:</b>	
	LVB25849	26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	452.10
	LVB25847	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	512.60



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMPACT UTILITY TRACTORS**

**1025R TLB Sub-Compact Utility Tractor (18 PTO hp)**  
**Equipment for Base Machine**

**ENGINE:**

Yanmar 3 Cylinder Liquid  
Cooled Diesel Engine  
Tier IV EPA Emissions  
Certified  
Engine HP 24.2 (17.8 kW), PS  
PTO HP 18.0 (13.4 kW)  
Rated Speed 3200 RPM  
Indirect Fuel Injection  
Auto Bleed Fuel System  
Glow Plug Cold Starting Aid  
Anti-Freeze  
Dry Type Air Cleaner With  
Safety Element  
Fully Enclosed Engine and  
Muffler With Horizontal  
Exhaust  
5.6 Gallon Fuel Tank  
Capacity (21.2 L)  
Hand Throttle  
Key Engine Shut Off

**TRANSMISSION:**

Hydrostatic Transmission:  
Infinitely Variable - 2 Speed  
Transaxle  
2-Pedal Foot Operated Speed  
and Direction Control  
Differential Lock  
Cruise Control

**FRONT/REAR AXLE:**

Flanged Rear Axle  
Spur Gear Final Drive  
4WD

**STEERING AND BRAKES:**

Hydrostatic Power Steering  
Tilt Steering  
Wheel Brakes  
Park Brake  
Wet Disk Brakes

**HYDRAULICS:**

Open Center Hydraulic System  
Hydraulic Pump - Total Flow  
6.3 GPM (24 L/min) with  
Filter  
Working Pressure (2000 PSI)  
Dual Mid SCV Standard

**PTO:**

Hydrostatic Model:  
Mid PTO Standard Equipment  
Independent Mid and Rear PTO

**540-RPM Rear PTO**

Hydraulic PTO Clutch  
PTO Brake  
Separate or Simultaneous  
Operation of Mid and  
Rear PTO  
Flip Up PTO Shield

**ROCKSHAFT, 3-PT. HITCH,  
AND HITCH PLATE:**

Rockshaft  
Limited Category 1, 3-Pt.  
Position Control Hitch  
Rate of Drop/Stop Valve  
Hitch Plate

**INSTRUMENTATION:**

Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Light  
Alternator Indicator Light  
Flashing Warning Light  
Indicator

**ELECTRICAL:**

12-Volt Electrical System  
Wet Battery With 500  
Cold Cranking Amps  
40 Amp Alternator  
Key Ignition Starter With  
Neutral Start Switch

**LIGHTS:**

Two Front Halogen Head Lights  
Two Flashing Warning Lights  
Two Fender Lights

**OPERATOR PROTECTIVE**

**STRUCTURE:**  
Folding ROPS (Roll-Over  
Protective Structure)  
\*\* Meets SAE J2194 and OSHA  
1928 ROPS Certification  
Standards  
Deluxe Cushion Seat With  
Seat Belt  
Operator Presence System

**MISCELLANEOUS:**

SMV Emblem  
Front Weight Bracket  
Tilt-Up Hood  
Cupholder - Left Console  
Mower Deck Height Adjustment

Tool Box  
12V Outlet  
Floor Mat

**BASE MACHINE (4WD):**

Engage on the go 4WD  
26x12-12 (4PR, R4 Industrial, 1  
Position) Rear Wheels & Tires  
18x8.50-10 (4PR, R4 Industrial,  
1 Position) Front Wheels & Tires

Tier IV EPA Emissions  
Certified Engine HP 25.2  
(18.5 kW), PS PTO HP 18.0  
(13.4 kW) Rated Speed 3200  
RPM

**LOADER:**

49 In. (1250 mm) Quick Change  
Materials Bucket  
Quick Change Attachment Carrier  
Quik-Park Loader Mounting System  
Mounting Frame  
Deluxe Hood Guard  
Mechanical Bucket Level  
Indicator  
Oil Line Cover

**BACKHOE:**

6 ft. 2 In. (1.89 m) Digging  
Depth  
One Double Acting Swing  
Cylinder  
150 Degree Swing  
Narrow Control Console  
Two Lever Control  
Six Spool Control Valve  
Hydraulics  
12 In. Bucket  
Swivel Seat Bracket  
Transport Locking Pins  
Hydraulic Stabilizers  
Subframe Mounting and  
Power Beyond Hydraulics

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

0286LV

1025R TLB Sub-Compact Utility Tractor (18 PTO hp)  
*Base Machine Suggested List Price Does Include:*  
*- H120 NSL Loader (Less Ballast Box, with Quick Change Attachment Carrier and 49 In.*

22,790.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**1025R TLB Sub-Compact Utility Tractor (18 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>BASE MACHINE Continued...</b> <i>Quick Change Materials Bucket</i> <i>- 260 Backhoe (with 12 In. Backhoe Bucket)</i> <i>- Installation Charge of \$535 USD.</i> <i>- Three-point hitch WILL be included and arrive with the tractor in a box attached to the backhoe.</i>	
<b>OPERATORS MANUAL</b>			
0409		English North American Operator's Manual and Decal Kit	In Base Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
<b>REAR WHEELS WITH TIRES (TWO)</b>			
		<i>All tires offered are of bias ply construction.</i>	
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-48.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
		<i>All tires offered are of bias ply construction.</i>	
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-32.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Buckets:</b>	
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.)	436.70
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.)	486.20
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change	738.10
BW15896		49 in. (1250mm) Materials Bucket - Pin ON	684.20
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.)	370.70
		<b>Engine:</b>	
AM134805		Engine Block Heater Adapter	70.66
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
LVA15392		Spark Arrester Screen for Muffler	36.21

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**1025R TLB Sub-Compact Utility Tractor (18 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Hitch:</b>	
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507). Must remove Backhoe prior to use (If Equipped).</i>	363.00
		<b>Lighting:</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		<b>Miscellaneous:</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer. Must remove Backhoe prior to use (If Equipped).</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer. Canopy is not compatible when Backhoe is installed. Must remove backhoe prior to use.</i>	457.81
	BW15476	Bucket Level Indicator	62.70
	LVB26110	Loader Mount Toolbox Kit	66.00
	LVB24982	Stabilizer Cylinder Protection Kit	124.30
		<b>Operator Environment:</b>	
	TY25324	Weather Protection Umbrella	113.73
		<b>Operator Manual and Decal Kit:</b>	
	BLV10710	French North American Owner's Manual and Decal Kit	119.90
	BLV10709	Spanish North American Owner's Manual and Decal Kit	119.90
		<b>Seats / Wheels / Tires:</b>	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**1025R TLB Sub-Compact Utility Tractor (18 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Weights:</b>	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	59.91
		<b>Wheels and Tires Front:</b>	
LVB25850		18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	330.00
LVB25848		18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	370.70
		<b>Wheels and Tires Rear:</b>	
LVB25849		26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	452.10
LVB25847		26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	512.60

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 2025R Compact Utility Tractor (18 PTO hp)

#### Equipment for Base Machine

#### ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine  
Tier IV EPA Emissions Certified  
Engine HP 24.2 (17.8 kW)\*\*  
PTO HP 18.0 (13.4 kW)  
Rated Speed 3000 RPM  
\*\*Manufacturer's Estimate of Power (ISO) per 97/68/EC  
68 Cu. In. Displacement (1.115 L)  
Indirect Fuel Injection  
Auto Bleed Fuel System  
Glow Plug Cold Starting Aid  
Anti-Freeze  
Dry Type Air Cleaner With Safety Element  
Fully Enclosed Engine and Muffler With Horizontal Exhaust  
6.1 Gallon Fuel Tank Capacity (23.0 L)  
Hand Throttle  
Key Engine Shut Off

#### TRANSMISSION:

Hydrostatic Transmission:  
Infinitely Variable - 2 Speed Transaxle  
2-Pedal Foot Operated Speed and Direction Control  
Differential Lock

#### FRONT/REAR AXLE:

Flanged Rear Axle  
Spur Gear Final Drive  
4WD

#### STEERING AND BRAKES:

Hydrostatic Power Steering  
Individual Wheel Brakes  
Park Brake  
Wet Disk Brakes

#### HYDRAULICS:

Open Center Hydraulic System  
Dual Gear Pump - Maximum Total  
Flow 5.6 GPM (21.2 LPM)  
Steering Pump 2.2 GPM (8.5 LPM)  
Implement Pump 3.4 GPM (12.7 LPM)  
Dual Mid-SCV Standard

#### PTO:

Mid PTO Standard Equipment  
Independent Mid and Rear PTO  
Mid PTO Brake  
Rear PTO Brake  
Separate or Simultaneous Operation of Mid and Rear PTO  
540-RPM Rear PTO  
Hydraulic PTO Clutch

#### ROCKSHAFT, 3-PT. HITCH, AND DRAWBAR:

Rockshaft  
Category 1, 3-Pt. Hitch With Position Control  
Rate of Drop/Stop Valve  
Adjustable Drawbar

#### INSTRUMENTATION:

Electric Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Light  
Alternator Indicator Light  
PTO Engagement Light  
Park Brake Light  
Flashing Warning Light Indicator

#### ELECTRICAL:

12-Volt Electrical System  
Wet Battery With 500

#### Cold Cranking Amps

55 Amp Alternator  
Key Ignition Starter With Neutral Start Switch

#### LIGHTS:

Two Front Halogen Head Lights  
Two Flashing Warning Lights  
\*\*Turn Signal Indication per Current ASAE Lighting Standard

#### OPERATOR PROTECTIVE

#### STRUCTURE:

Folding ROPS (Roll-Over Protective Structure)  
\*\*Meets ASAE/SAE/OSHA Standard  
Deluxe Cushion Seat With Seat Belt  
Isolated Foot Rest  
Operator Presence System

#### MISCELLANEOUS:

SMV Emblem  
Front Weight Bracket  
One-piece Hood

#### BASE MACHINE (4WD):

Engage on the go 4WD  
Anti-Wrapping Guard for 4WD Drive Shaft  
Two - Steel Wheels With 31x13.50-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires 23x8.50-12 (4PR, R3 Turf, 1 Position) Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Grovetown, Georgia*

1510LV	2025R Compact Utility Tractor (18 PTO hp)	16,398.00
--------	---	-----------

### OPERATORS MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0450	Australian Operator's Manual and Decal Kit	Same Price

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 2025R Compact Utility Tractor (18 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0413		<b>OPERATORS MANUAL Continued...</b> French Canadian Operator's Manual and Decal Kit	Same Price
<b>REAR WHEELS WITH TIRES (TWO)</b>			
<i>All Tires are of Bias Ply Construction</i>			
5205		31x13.50-15 (4PR, R3 Turf, 2 Position)	In Base Price
5206		12-16.50 (6PR, R4 Industrial, 2 Position)	120.00
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All Tires are of Bias Ply Construction</i>			
6205		23x8.50-12 (4PR, R3 Turf, 1 Position)	In Base Price
6206		23x8.50-12 (6PR, R4 Industrial, 1 Position)	45.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AM134805		Engine Block Heater Adapter	70.66
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
		<b>Fenders:</b>	
LVB25652		Rear FenderExtension Kit	173.80
		<b>Front Hitch:</b>	
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720)	820.69
		<b>Front PTO:</b>	
		<i>Requires BLV10439 (Front Three-Point Hitch).</i>	
LVB24900		2000 RPM Front PTO (2025R, 2320)	292.11
		<b>Hitch:</b>	
LVU12858		iMatch Quick Hitch Bushings	22.54
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hood Guards:</b>	
BW15217		Hood Guard (2025R, 2210, 2305, 2320)	245.30
		<b>Hydraulics:</b>	
LVB25822		Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	421.59
BLV10381		Power Beyond Kit <i>Not Compatible with Third SCV kit (BLV10382). Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on 2320, 2520, 2720, 2025R and 2032R Tractors.</i>	480.70

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**2025R Compact Utility Tractor (18 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25606	Rear Hydraulic Outlet Kit <i>Routes Dual Mid SCVs to Rear of Tractor.</i>	324.50
	BLV10382	Third Selective Control Valve Kit Without Detent <i>Not Compatible with Power Beyond Kit BLV10381. For Use on 2320, 2520, 2720, 2025R and 2032R Tractors.</i>	882.20
	LVB25547	<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	457.81
	LP95223	Medium Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	27.99
	TY25324	<b>Operator Environment:</b> Weather Protection Umbrella	113.73
	BLV10318	<b>Operator Manual and Decal Kit:</b> Spanish North American Operator's Manual and Decal Kit	97.90
	BLV10641	<b>Transmission:</b> Transmission Oil Heater <i>Serial #(H205509 -)</i>	86.83
	BM17987	<b>Weights:</b> Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (4)A15147 Spring Clips.</i>	59.91

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**2025R Compact Utility Tractor (18 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM17965	Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
		<b>Wheels and Tires Front:</b>	
	LVB24806	23x8.50-12 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	433.40
	LVB24804	23x8.50-12 (6PR, R4 Industrial, 1 Position) Front Wheels & Tires	490.60
		<b>Wheels and Tires Rear:</b>	
	LVB24803	12-16.50 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	998.80
	LVB24805	31x13.50-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	849.20



# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 2032R Compact Utility Tractor (24 PTO hp)

Equipment for Base Machine

#### ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine\*  
Interim Tier IV EPA Emissions Certified  
Engine HP 31.7 (23.3 kW)\*\*  
PTO HP 23.5 (17.5 kW)  
Rated Speed 2500 RPM  
\*\*Manufacturer's Estimate of Power (ISO) per 97/68/EC  
100.2 Cu. In. Displacement (1.642 L)  
Direct Fuel Injection  
Auto Bleed Fuel System  
Fully Enclosed Engine and Muffler with Horizontal Exhaust  
7.1 Gallon Fuel Tank Capacity (27 L)  
Hand Throttle  
Air-Heater Cold Starting Aid  
Anti-Freeze  
Dry Type Air Cleaner with Safety Element  
Key Engine Shut Off

#### TRANSMISSION:

Hydrostatic Transmission  
Infinitely Variable - 2 Speed Transaxle  
2-Pedal Foot Operated Speed and Direction Control  
Cruise Control  
Transmission Oil Cooler  
Differential Lock

#### FRONT/REAR AXLE:

Flanged Rear Axle  
Spur Gear Final Drive  
4WD

#### STEERING AND BRAKES:

Hydrostatic Power Steering  
Individual Wheel Brakes  
Park Brake  
Wet Disk Brakes

#### HYDRAULICS:

Open Center Hydraulic System  
Dual Gear Pumps  
Hydraulic Pump - Total Flow 10.5 GPM (39.6 LPM)  
Steering Pump 5.5 GPM (20.8 LPM)  
Implement Pump 5 GPM (18.8 LPM) with Filter  
Dual Mid-SCV Standard

#### PTO:

Mid PTO Standard Equipment  
Independent Mid and Rear PTO  
540-RPM Rear PTO  
Hydraulic PTO Clutch  
Mid PTO Brake  
Rear PTO Brake  
Separate or Simultaneous Operation of Mid and Rear PTO  
Flip Up Rear PTO Shield

#### ROCKSHAFT, 3-PT. HITCH, AND DRAWBAR:

Rockshaft  
Category 1, 3-Pt. Hitch with Position Control  
Rate of Drop/Stop Valve  
Adjustable Drawbar

#### INSTRUMENTATION:

Electric Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Light  
Alternator Indicator Light  
PTO Engagement Light  
Park Brake Light  
Flashing Warning Light Indicator

#### ELECTRICAL:

12-Volt Outlet  
12-Volt Electrical System  
Wet Battery with 500

#### Cold Cranking Amps

55 Amp Alternator  
Key Ignition Starter with Neutral Start Switch

#### LIGHTS:

Two Front Halogen Head Lights  
Two Flashing Warning Lights  
\*\*Turn Signal Indication per Current ASAE Lighting Standard

#### OPERATOR PROTECTIVE

##### STRUCTURE:

Folding ROPS (Roll-Over-Protective Structure)  
\*\*Meets ASAE/SAE/OSHA Standards  
Deluxe Cushion Seat with Seat Belt  
Isolated Foot Rest  
Operator Presence System

#### MISCELLANEOUS:

SMV Emblem  
Front Weight Bracket  
Tilt-Up Hood

#### BASE MACHINE (4WD):

Engage on the go 4WD  
Anti-Wrapping Guard for 4WD Drive Shaft  
14-17.50 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires  
23x8.50-12 (6PR, R4 Industrial, 1 Position) Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Grovetown, Georgia*

1530LV	2032R Compact Utility Tractor (24 PTO hp)	20,886.00
--------	---	-----------

### OPERATORS MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0450	Australian Operator's Manual and Decal Kit	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**2032R Compact Utility Tractor (24 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0413		<b>OPERATORS MANUAL Continued...</b> French Canadian Operator's Manual and Decal Kit	Same Price
<b>REAR WHEELS WITH TIRES (TWO)</b>			
<i>All Tires are of Bias Ply Construction</i>			
5207		36x14-15 (4PR, R3 Turf, 2 Position)	-243.00
5208		14-17.50 (6PR, R4 Industrial, 2 Position)	In Base Price
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All Tires are of Bias Ply Construction</i>			
6206		23x8.50-12 (6PR, R4 Industrial, 1 Position)	In Base Price
6207		24x8.50-14 (4PR, R3 Turf, 1 Position)	48.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
		<b>Fenders:</b>	
LVB25652		Rear FenderExtension Kit	173.80
		<b>Front Hitch:</b>	
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720)	820.69
		<b>Front PTO:</b>	
		<i>Requires BLV10439 (Front Three-Point Hitch).</i>	
BLV10475		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
		<b>Hitch:</b>	
LVU12858		iMatch Quick Hitch Bushings	22.54
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hood Guards:</b>	
BW15634		Hood Guard (2032R, 2520, 2720)	259.60
		<b>Hydraulics:</b>	
LVB25823		Loader/Mower Mechanical Diverter Valve Kit (2032R, 2520, 2720) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	556.60
BLV10381		Power Beyond Kit <i>Not Compatible with Third SCV kit (BLV10382). Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on 2320, 2520, 2720, 2025R and 2032R Tractors.</i>	480.70
LVB25606		Rear Hydraulic Outlet Kit <i>Routes Dual Mid SCVs to Rear of Tractor.</i>	324.50

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**2032R Compact Utility Tractor (24 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10382	Third Selective Control Valve Kit Without Detent <i>Not Compatible with Power Beyond Kit BLV10381. For Use on 2320, 2520, 2720, 2025R and 2032R Tractors.</i>	882.20
	LVB25547	<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	457.81
	LP95223	Medium Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	27.99
	TY25324	<b>Operator Environment:</b> Weather Protection Umbrella	113.73
	LVB25994	<b>Operator Manual and Decal Kit:</b> Spanish North American Operator's Manual and Decal Kit	97.90
	BLV10318	Spanish North American Operator's Manual and Decal Kit	97.90
	BLV10641	<b>Transmission:</b> Transmission Oil Heater	86.83
	BM17987	<b>Weights:</b> Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	H148916	Front Weight Retainer Shaft	31.01
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) H148916 Rod and (2) AR60372 Spring Clips.</i>	59.91

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**2032R Compact Utility Tractor (24 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM17965	Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
	AR60372	Spring Locking Pin	3.34
		<b>Wheels and Tires Front:</b>	
	LVB24804	23x8.50-12 (6PR, R4 Industrial, 1 Position) Front Wheels & Tires	490.60
	LVB25556	24x8.50-14 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	550.00
		<b>Wheels and Tires Rear:</b>	
	LVB25557	14-17.50 (6PR, R4 Industrial, 2 Position)	1,342.00
	LVB25555	36x14-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,037.30

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 3032E Compact Utility Tractor (25 PTO hp)

Equipment for Base Machine

ENGINE:	5.3 GPM (20.1 LPM) Implement Pump	Folding ROPS on all downward exhaust configurations
Yanmar Liquid Cooled Diesel Engine	4.0 GPM (15.1 LPM) Steering Pump	Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification Standards
Tier IV EPA Emissions Certified	PTO:	Retractable Seat Belt
Engine HP 31.1 (22.3 kW)*	Independent 540 RPM Rear PTO	Operator Presence with Safety Interlock System
PTO HP 25.0 (18.6 kW) HST	Electronically Engaged Wet Clutch	
Rated Speed 2500 RPM		
**Engine HP (kW), gross SAE		
J1995: 31.1 (22.3) @ 2500 rpm, PS	ELECTRICAL:	BASE MACHINE (4WD):
Displacement, in3 (L): 100.20 (1.642)	12-Volt System	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires
	40 Amp Alternator	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires
TRANSMISSION:	Key Ignition Starter with Pre-Heat While Cranking	
4-Wheel Drive	Maintenance Free Battery with 500 Cold Cranking Amps	
HST Transmission		
2 Ranges	OPERATOR PROTECTIVE STRUCTURE:	
Differential Lock (Control Integrated with Brake Pedal)	Adjustable Vinyl Seat without suspension	
	Fixed ROPS (Roll-Over Protective Structure) on all vertical exhaust configurations	
HYDRAULICS:		
9.3 GPM (35.2 LPM) Total Flow		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

1474LV	3032E Compact Utility Tractor (25 PTO hp)	18,953.00
--------	---	-----------

#### OPERATORS MANUAL

0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price

#### EXHAUST

3010	Downward Exhaust <i>SN 1LV3032ELEH710001 and forward will come equipped with folding ROPS.</i>	In Base Price
3020	Vertical Exhaust <i>SN 1LV3032ELEH710001 and before will come equipped with fixed ROPS.</i>	-132.00

#### REAR WHEELS WITH TIRES (TWO)

*All tires offered are of bias ply construction.*

5210	15-19.5 (6PR, R4 Industrial, 1 Position)	148.00
5213	41x14-20 (4PR, R3 Turf, 1 Position)	20.00
5211	11.20-24 (6PR, R1 Bar, 1 Position)	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3032E Compact Utility Tractor (25 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>REAR WHEELS WITH TIRES (TWO) Continued...</b>			
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
6210		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6213		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
9001		Rear Drawbar <i>Includes support bracket and retention pin.</i>	151.00
9500		D160 Loader Factory Installation <i>Code 9500 will generate a separate order for the loader with the following codes: 1460P, 1000, 2000, 4095, 5000, 8122. Loader pricing is not reflected in the code 9500 list price, see loader price pages. Loader will be invoiced separately.</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	200.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Ballast Box:</b>	
BW15073		Ballast Box	284.90
BW15074		Ballast Box Extension	135.30
		<b>Engine:</b>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA13457		Spark Arrester Screen	49.57
		<b>Hitch:</b>	
LVB25811		Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	133.10
LVU12858		iMatch Quick Hitch Bushings	22.54
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hood Guards:</b>	
LVB25998		Hood Guard <i>Hood Guard is Standard with 305 Loader.</i>	259.60
		<b>Hydraulics:</b>	
BLV10461		Rear Hydraulic Kit	887.70

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3032E Compact Utility Tractor (25 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Lighting:</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		<b>Miscellaneous:</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	BLV10486	Cruise Control Kit <i>For tractor serial numbers above 610000.</i>	249.70
	RE19428	Safety Chain Support Kit	158.04
	TY4453	Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires. For use with BLV10393 and LVB25495 Rear Tires. Not for use with Cab Tractors.</i>	308.55
	TY15651	Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. For use with BLV10394 Front Tires.</i>	98.26
	TY15653	Tire Chains <i>For use with 7-14 (R1) Front Tires. For use with LVB25672 Front Tires. Not for use with Cab Tractors.</i>	65.62
	TY4457	Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires. For Use With LVB25496 Rear Tires.</i>	323.33
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. For Use With LVB25673 and LVB25671 Front Tires. Not for use with LVB25685, Front Fender Kit.</i>	97.03
		<b>Operator Environment:</b>	
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	TY25324	Weather Protection Umbrella	113.73
		<b>Operator Manual and Decal Kit:</b>	
	BLV10611	Spanish North American Operators Manual and Decal Kit	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3032E Compact Utility Tractor (25 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Weights:</b>	
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19951	Attaching Hardware for Rear Wheel Weight	8.80
	BM19938	Attaching Hardware for Starter Rear Wheel Weight, 60 Lb. for 16 In. and 19.5 In. Wheel	11.00
	LVB24952	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>  <i>Black in Color.</i>	188.10
	BLV10443	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>  <i>Green in Color.</i>	185.90
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) BLV10443.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 Lb. <i>Requires (1) BLV10443.</i>	108.90
	BM17969	Rear Wheel Starter Weight, 45 Lb. <i>For use with 11.2-24 R1 Agricultural Rear Tires.</i>	140.80
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Max 2 Weights per Wheel.</i>	140.80
	BM17965	Rear Wheel Weight, 60 Lb. <i>For use with 41x14.00-20 R3 Turf Rear Tires and 15.00-19.5 R4 Industrial Rear Tires. Maximum three (3) Weights per Wheel.</i>	140.80
		<b>Wheels and Tires Front:</b>	
	BLV10394	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
	LVB25671	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
	LVB25672	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		<b>Wheels and Tires Rear:</b>	
	BLV10658	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,546.60
	BLV10659	15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,731.40
	LVB24877	41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,570.80



# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 3038E Compact Utility Tractor (30 PTO hp)

Equipment for Base Machine

ENGINE:	5.3 GPM (20.1 LPM) Implement Pump	Folding ROPS on all downward exhaust configurations
Yanmar Liquid Cooled Diesel Engine	4.0 GPM (15.1 LPM) Steering Pump	Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification Standards
Tier IV EPA Emissions Certified	PTO:	Retractable Seat Belt
Engine HP 37.3 (27.4 kW)*	Independent 540 RPM Rear PTO	Operator Presence with Safety Interlock System
PTO HP 30.0 (22.4 kW) HST	Electronically Engaged Wet Clutch	
Rated Speed 2500 RPM	ELECTRICAL:	
**Engine HP (kW), gross SAE	12-Volt System	BASE MACHINE (4WD):
J1995: 37.3 (27.4) @ 2500 rpm, PS	40 Amp Alternator	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires
Displacement, in3 (L): 95.68 (1.568)	Key Ignition Starter with Accessory and Pre-Heat Position	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires
TRANSMISSION:	Maintenance Free Battery with 500 Cold Cranking Amps	
4-Wheel Drive	OPERATOR PROTECTIVE STRUCTURE:	
HST Transmission	Adjustable Vinyl Seat without suspension	
2 Ranges	Fixed ROPS (Roll-Over Protective Structure) on all vertical exhaust configurations	
Differential Lock (Control Integrated with Brake Pedal)		
HYDRAULICS:		
9.3 GPM (35.2 LPM) Total Flow		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

1484LV	3038E Compact Utility Tractor (30 PTO hp)	20,669.00
--------	---	-----------

#### OPERATORS MANUAL

0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price

#### EXHAUST

3010	Downward Exhaust <i>SN 1LV3038EKEH710001 and forward will come equipped with folding ROPS.</i>	In Base Price
3020	Vertical Exhaust <i>SN 1LV3038EKEH710001 and before will come equipped with fixed ROPS.</i>	-132.00

#### REAR WHEELS WITH TIRES (TWO)

*All tires offered are of bias ply construction.*

5210	15-19.5 (6PR, R4 Industrial, 1 Position)	148.00
5213	41x14-20 (4PR, R3 Turf, 1 Position)	20.00
5211	11.20-24 (6PR, R1 Bar, 1 Position)	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3038E Compact Utility Tractor (30 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>REAR WHEELS WITH TIRES (TWO) Continued...</b>			
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
6210		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6213		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
9001		Rear Drawbar <i>Includes support bracket and retention pin.</i>	151.00
9500		D160 Loader Factory Installation <i>Code 9500 will generate a separate order for the loader with the following codes: 1460P, 1000, 2000, 4095, 5000, 8122. Loader pricing is not reflected in the code 9500 list price, see loader price pages. Loader will be invoiced separately.</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	200.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Ballast Box:</b>	
BW15073		Ballast Box	284.90
BW15074		Ballast Box Extension	135.30
		<b>Engine:</b>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA13457		Spark Arrester Screen	49.57
		<b>Hitch:</b>	
LVB25811		Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	133.10
LVU12858		iMatch Quick Hitch Bushings	22.54
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hood Guards:</b>	
LVB25998		Hood Guard <i>Hood Guard is Standard with 305 Loader.</i>	259.60
		<b>Hydraulics:</b>	
BLV10461		Rear Hydraulic Kit	887.70

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3038E Compact Utility Tractor (30 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Lighting:</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10400	Warning Light Brush Guard Kit (Two Guards)	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		<b>Miscellaneous:</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	BLV10486	Cruise Control Kit <i>For tractor serial numbers above 610000.</i>	249.70
	RE19428	Safety Chain Support Kit	158.04
	TY4453	Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires. For use with BLV10393 and LVB25495 Rear Tires. Not for use with Cab Tractors.</i>	308.55
	TY15651	Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. For use with BLV10394 Front Tires.</i>	98.26
	TY15653	Tire Chains <i>For use with 7-14 (R1) Front Tires. For use with LVB25672 Front Tires. Not for use with Cab Tractors.</i>	65.62
	TY4457	Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires. For Use With LVB25496 Rear Tires.</i>	323.33
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. For Use With LVB25673 and LVB25671 Front Tires. Not for use with LVB25685, Front Fender Kit.</i>	97.03
		<b>Operator Environment:</b>	
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	TY25324	Weather Protection Umbrella	113.73
		<b>Operator Manual and Decal Kit:</b>	
	BLV10611	Spanish North American Operators Manual and Decal Kit	See Parts

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3038E Compact Utility Tractor (30 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Weights:</b>	
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19951	Attaching Hardware for Rear Wheel Weight	8.80
	BM19938	Attaching Hardware for Starter Rear Wheel Weight, 60 Lb. for 16 In. and 19.5 In. Wheel	11.00
	LVB24952	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>  <i>Black in Color.</i>	188.10
	BLV10443	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>  <i>Green in Color.</i>	185.90
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) BLV10443.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 Lb. <i>Requires (1) BLV10443.</i>	108.90
	BM17969	Rear Wheel Starter Weight, 45 Lb. <i>For use with 11.2-24 R1 Agricultural Rear Tires.</i>	140.80
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Max 2 Weights per Wheel.</i>	140.80
	BM17965	Rear Wheel Weight, 60 Lb. <i>For use with 41x14.00-20 R3 Turf Rear Tires and 15.00-19.5 R4 Industrial Rear Tires. Maximum three (3) Weights per Wheel.</i>	140.80
		<b>Wheels and Tires Front:</b>	
	BLV10394	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
	LVB25671	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
	LVB25672	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		<b>Wheels and Tires Rear:</b>	
	BLV10658	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,546.60
	BLV10659	15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,731.40
	LVB24877	41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,570.80

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 3033R Compact Utility Tractor (24 PTO hp)

Equipment for Base Machine

<b>ENGINE:</b> Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 32.2 (23.7 kW) PTO HP 24.8 (18.5 kW) PRT PTO HP 24.3 (18.1 kW) HST Engine HP (kW), Gross SAE J1995: 32.2 (23.7) @ 2600 rpm, PS Displacement, L: 1.642	Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 770 Cold Cranking Amps	Operator Manual Holder Rearview Mirror (Inside) Monitor Mounting Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Quiet Cabin Sun Visor Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights Operator Presence with Safety Interlock System Reverse Implement Option (RIO)
<b>TRANSMISSION:</b> 4-Wheel Drive PRT Transmission/HST Transmission Differential Lock	<b>OPERATOR PROTECTIVE STRUCTURE:</b> Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) meets SAE J2194 and OSHA 1928 ROPS Certification Standards Isolated Foot Rest	BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires
<b>HYDRAULICS:</b> Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and SCV and Regenerative Lockout	ComfortGard Cab (Optional): 12-Volt Auxiliary Power Outlet Air Conditioning and Heater Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt Armrests Dual Forward Work Lights Exclusive Raised Header Bar Two-Speed Front Windshield Wiper/Washer Fully Isolated Cab High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (with antenna, speakers, wiring, media player storage slot) Molded Rubber Floormat	
<b>PTO:</b> Independent 540 RPM Rear PTO Electronically Engaged with Mechanical Mid-Both-Rear Selector		
<b>ELECTRICAL:</b> 12-Volt Electrical System 75 Amp Alternator		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Grovetown, Georgia</i>			
1360LV		3033R Compact Utility Tractor (24 PTO hp)	23,237.00
<b>OPERATOR'S MANUAL</b>			
0409		English North American Operator's Manual and Decal Kit	In Base Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
<b>TRANSMISSION</b>			
1381		12F/12R PowrReverser	In Base Price
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	1,313.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 3033R Compact Utility Tractor (24 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>OPERATOR STATION</b>			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) option codes 3330 (Dual Mid &amp; Single EH Rear SCV) and 3420 (Mid PTO) OR option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i>  <i>If ordering transmission option 1381 (PowrReverser) option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires option codes 1520 (eHydro), 3400 (Less Mid PTO) and 3320 (Dual Mid SCV).</i>	8,207.00
<b>SELECTIVE CONTROL VALVES</b>			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat Tractors, option code 2050.</i>	975.00
<b>Mid PTO</b>			
3400		Less Mid PTO <i>Requires option code 3320 (Dual Mid SCV).</i>	In Base Price
3420		Mid PTO <i>Requires option code 3330 (Dual Mid &amp; Single EH Rear SCV).</i>  <i>Available only as Dealer-installed option on 3033R Model Cab Tractors and 3039R Model Cab with Standard Seat Tractors.</i>  <i>Mid PTO is not offered on PRT configurations.</i>	713.00
<b>REAR WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-92.00
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-220.00
5211		11.20-24 (6PR, R1 Bar, 5 Position) <i>60D AutoConnect deck, base code 7013LV, is not compatible with R1 tires.</i>	In Base Price
5233		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	523.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-70.00
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6223		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>FRONT WHEELS WITH TIRES (TWO) Continued...</b>			
6233		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position)	127.00
6230		27x8.5-15 6PR Front R4 Ind. 2 Pos.	127.00
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
8244		<b>Operator Environment:</b> Factory Installed Stereo (Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite and iPod Ready.) <i>Requires Operator's Station option 2050, 2055 or 2060 (Cab configurations). Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	471.00
841W		iMatch Hitch	284.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Engine:</b> <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
BLV10606		Vertical Exhaust Kit (Non Turbo)	489.50
<b>Fenders:</b>			
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
LVB25684		Rear Fender Extension Kit (Open Station Only)	272.80
<b>Front Hitch:</b>			
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,306.80
<b>Front PTO:</b>			
<i>Requires BLV10439 (Front Three-Point Hitch).</i>			
BLV10475		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
BLV10452		Front PTO Bracket (3033R-3046R)	92.40
<b>Hitch:</b>			
LVB25308		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	352.00
LVU12858		iMatch Quick Hitch Bushings	22.54
LVU15507		iMatch Quick Hitch Bushings	11.01
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
<b>Hood Guards:</b>			
BWA1190		Deluxe Hood Guard	586.30

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BW16585	Deluxe Hood Guard Attachment	317.79
	BW15219	Hood Guard	259.60
	BLV10761	<b>Hydraulics:</b> 4th & 5th Selective Control Valve Kit (3R OOS Only) <i>3R OOS Tractors only.</i>  <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	852.50
	BLV10471	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
	BLV10501	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i> <i>Compatible with MY2015 Cab tractors with serial number 140252 and above.</i>	935.00
	BLV10362	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
	BLV10500	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i> <i>Compatible with MY2015 OOS tractors with serial number 110889 and above.</i>	935.00
	BLV10649	Electric Diverter Kit (Cab Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,537.80
	BLV10365	Electric Diverter Kit (OOS Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,478.40
	BLV10502	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i> <i>Compatible with MY2015 Cab tractors with serial number 140252 and above.</i> <i>Compatible with MY2015 OOS tractors with serial number 110889 and above.</i>	412.50
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) for ordering details.</i>	412.50
	BLV10462	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i>	449.90
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit.</i>	1,347.50
	LVB25547	<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	93.50
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	150.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
		<b>Miscellaneous:</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	BLV10167	7-Pin Trailer Connector (Cab Only)	128.70
	BLV10174	7-Pin Trailer Connector (OOS Only)	102.30
	BLV10648	Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	130.90
	LVB24851	Horn Kit (Cab Only)	48.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99
	TY4453	Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	308.55
	TY15651	Tire Chains <i>For use with 25x8.50-14 In. 6PR (R4) Front Tires.</i>	98.26
	TY4457	Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	323.33
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i>	97.03
	LVB24930	Tool Box Kit <i>Cab Only.</i>	61.60
		<b>Operator Environment:</b>	
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB24983	Air Seat Suspension Kit (Cab Only)	723.80
	LVB25688	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	657.80
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	60.50
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	190.30
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	255.40
	LVB24856	Rear Wiper Kit (Cab Only)	280.50
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	59.40
	TY25324	Weather Protection Umbrella	113.73
	LVB24846	<b>PTO:</b> Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	158.40
	LVB25537	Mid PTO Kit <i>Not compatible with PRT configurations.</i>	722.70
	LVB26139	<b>Transmission:</b> PRT Oil Cooler Kit	300.30
	BLV10641	Transmission Oil Heater <i>HST Models Only.</i>	86.83
	BM19940	<b>Weights:</b> Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight. Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front:</b>	
	LVB25670	25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
	BLV10394	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
	LVB25673	27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10
	LVB25671	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
	LVB25672	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		<b>Wheels and Tires Rear:</b>	
	LVB25495	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
	BLV10393	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,731.40
	LVB25496	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
	LVB25498	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
	LVB25494	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 3039R Compact Utility Tractor (31 PTO hp)

Equipment for Base Machine

<b>ENGINE:</b> Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 38.7 (28.5 kW) PTO HP 31.1 (23.2 kW) HST PTO HP 31.6 (23.6 kW) PRT Engine HP (kW), Gross SAE J1995: 38.7 (28.5) @ 2600 rpm, PS Displacement, L: 1.496  <b>TRANSMISSION:</b> 4-Wheel Drive PRT Transmission/HST Transmission Differential Lock  <b>HYDRAULICS:</b> Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and SCV and Regenerative Lockout  <b>PTO:</b> Independent 540 RPM Rear PTO Electronically Engaged with Mechanical Mid-Both-Rear Selector  <b>ELECTRICAL:</b> 12-Volt Electrical System 75 Amp Alternator	Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 770 Cold Cranking Amps  <b>OPERATOR PROTECTIVE STRUCTURE:</b> Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) meets SAE J2194 and OSHA 1928 ROPS Certification Standards Isolated Foot Rest  ComfortGard Cab (Optional): 12-Volt Auxiliary Power Outlet Air Conditioning and Heater Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt Armrests Dual Forward Work Lights Exclusive Raised Header Bar Two-Speed Front Windshield Wiper/Washer Fully Isolated Cab High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (with antenna, speakers, wiring, media player storage slot) Molded Rubber Floormat	Operator Manual Holder Rearview Mirror (Inside) Monitor Mounting Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Quiet Cabin Sun Visor Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights Operator Presence with Safety Interlock System Reverse Implement Option (RIO)  <b>BASE MACHINE (4WD):</b> 11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Grovetown, Georgia</i>			
1380LV		3039R Compact Utility Tractor (31 PTO hp)	25,667.00
<b>OPERATOR'S MANUAL</b>			
0409		English North American Operator's Manual and Decal Kit	In Base Price
0413		French Canadian Operator's Manual and Decal Kit	Same Price
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
<b>TRANSMISSION</b>			
1381		12F/12R PowrReverser	In Base Price
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	1,313.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>OPERATOR STATION</b>			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) option codes 3330 (Dual Mid &amp; Single EH Rear SCV) and 3420 (Mid PTO) OR option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i>  <i>If ordering transmission option 1381 (PowrReverser) option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires option codes 1520 (eHydro), 3400 (Less Mid PTO) and 3320 (Dual Mid SCV).</i>	8,207.00
2055		Deluxe Cab with Standard Seat <i>Includes Rear Wiper and Rear Work Light.</i>  <i>"Deluxe" Implies Mid PTO, Mid DSCV and Single Electrohydraulic Rear SCV.</i>  <i>Requires Option codes 1520 (eHydro), 3420 (Mid PTO) and 3330 (Mid DSCV and Single Electrohydraulic Rear SCV).</i>	8,585.00
<b>SELECTIVE CONTROL VALVES</b>			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat Tractors, option code 2050.</i>	975.00
<b>Mid PTO</b>			
3400		Less Mid PTO <i>Requires option code 3320 (Dual Mid SCV).</i>	In Base Price
3420		Mid PTO <i>Requires option code 3330 (Dual Mid &amp; Single EH Rear SCV).</i>  <i>Available only as Dealer-installed option on 3033R Model Cab Tractors and 3039R Model Cab with Standard Seat Tractors.</i>  <i>Mid PTO is not offered on PRT configurations.</i>	713.00
<b>REAR WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-92.00
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-220.00
5211		11.20-24 (6PR, R1 Bar, 5 Position) <i>60D AutoConnect deck, base code 7013LV, is not compatible with R1 tires.</i>	In Base Price
5233		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	523.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-70.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00
6223		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
6233		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position)	127.00
6230		27x8.5-15 6PR Front R4 Ind. 2 Pos.	127.00
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
8244		<b>Operator Environment:</b> Factory Installed Stereo (Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite and iPod Ready.) <i>Requires Operator's Station option 2050, 2055 or 2060 (Cab configurations). Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	471.00
841W		iMatch Hitch	284.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Engine:</b> <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
BLV10605		Turbo Vertical Exhaust Kit	489.50
<b>Fenders:</b>			
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
LVB25684		Rear Fender Extension Kit (Open Station Only)	272.80
<b>Front Hitch:</b>			
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,306.80
<b>Front PTO:</b> <i>Requires BLV10439 (Front Three-Point Hitch).</i>			
BLV10475		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
BLV10452		Front PTO Bracket (3033R-3046R)	92.40
<b>Hitch:</b>			
LVB25308		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	352.00
LVU12858		iMatch Quick Hitch Bushings	22.54

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVU15507	iMatch Quick Hitch Bushings	11.01
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hood Guards:</b>	
	BWA1190	Deluxe Hood Guard	586.30
	BW16585	Deluxe Hood Guard Attachment	317.79
	BW15219	Hood Guard	259.60
		<b>Hydraulics:</b>	
	BLV10761	4th & 5th Selective Control Valve Kit (3R OOS Only) <i>3R OOS Tractors only.</i>  <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	852.50
	BLV10471	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
	BLV10501	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i> <i>Compatible with MY2015 Cab tractors with serial number 140507 and above.</i>	935.00
	BLV10362	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
	BLV10500	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i> <i>Compatible with MY2015 OOS tractors with serial number 110720 and above.</i>	935.00
	BLV10649	Electric Diverter Kit (Cab Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,537.80
	BLV10365	Electric Diverter Kit (OOS Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,478.40
	BLV10502	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i> <i>Compatible with MY2015 Cab tractors with serial number 140507 and above.</i> <i>Compatible with MY2015 OOS tractors with serial number 110720 and above.</i>	412.50
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) for ordering details.</i>	412.50
	BLV10462	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i>	449.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit.</i>	1,347.50
		<b>Lighting:</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	93.50
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	150.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
		<b>Miscellaneous:</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	BLV10167	7-Pin Trailer Connector (Cab Only)	128.70
	BLV10174	7-Pin Trailer Connector (OOS Only)	102.30
	BLV10648	Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	130.90
	LVB24851	Horn Kit (Cab Only)	48.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99
	TY4453	Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	308.55
	TY15651	Tire Chains <i>For use with 25x8.50-14 In. 6PR (R4) Front Tires.</i>	98.26
	TY4457	Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	323.33



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i>	97.03
	LVB24930	Tool Box Kit <i>Cab Only.</i>	61.60
		<b>Operator Environment:</b>	
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	723.80
	LVB25688	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	657.80
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	60.50
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	190.30
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	255.40
	LVB24856	Rear Wiper Kit (Cab Only)	280.50
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	59.40
	TY25324	Weather Protection Umbrella	113.73
		<b>PTO:</b>	
	LVB24846	Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	158.40
	LVB25537	Mid PTO Kit <i>Not compatible with PRT configurations.</i>	722.70
		<b>Transmission:</b>	
	LVB26139	PRT Oil Cooler Kit	300.30
	BLV10641	Transmission Oil Heater <i>HST Models Only.</i>	86.83
		<b>Weights:</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight. Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front:</b>	
	LVB25670	25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
	BLV10394	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
	LVB25673	27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10
	LVB25671	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
	LVB25672	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		<b>Wheels and Tires Rear:</b>	
	LVB25495	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
	BLV10393	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,731.40
	LVB25496	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
	LVB25498	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
	LVB25494	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 3046R Compact Utility Tractor (34 PTO hp)

Equipment for Base Machine

#### ENGINE:

Yanmar Liquid Cooled  
Diesel Engine  
Tier IV EPA Emissions  
Certified  
Engine HP 45.3 (33.3 kW)  
PTO HP 34.1 (25.4 kW) HST  
Engine HP (kW), Gross SAE J1995:  
45.3 (33.3) @ 2600 rpm, PS  
Displacement, L: 1.496

#### TRANSMISSION:

4-Wheel Drive  
HST Transmission  
Differential Lock

#### HYDRAULICS:

Dual Mid Selective Control  
Valve with Joystick Control  
Lever, Float, Regenerative  
Function, and SCV and  
Regenerative Lockout

#### PTO:

Independent 540 RPM Rear PTO  
Electronically Engaged with  
Mechanical Mid-Both-Rear  
Selector

#### ELECTRICAL:

12-Volt Electrical System  
75 Amp Alternator  
Key Ignition Starter with

Accessory and Pre-Heat  
Position  
Maintenance Free Battery with  
770 Cold Cranking Amps

#### OPERATOR PROTECTIVE STRUCTURE:

Deluxe Adjustable Vinyl Seat  
with Retractable Seat Belt  
Folding ROPS (Roll-Over  
Protective Structure)  
meets SAE J2194 and OSHA  
1928 ROPS Certification  
Standards  
Isolated Foot Rest

ComfortGard Cab (Optional):  
12-Volt Auxiliary Power Outlet  
Air Conditioning and Heater  
Cell Phone Holder  
Deluxe Fabric Covered Seat with  
Retractable Seat Belt  
Armrests  
Dual Forward Work Lights  
Exclusive Raised Header Bar  
Two-Speed Front Windshield  
Wiper/Washer  
Fully Isolated Cab  
High Impact Polymer Fenders with  
Integrated Tail Lights  
Radio Preparation (with antenna,  
speakers, wiring, media player  
storage slot)  
Molded Rubber Floormat

Operator Manual Holder  
Rearview Mirror (Inside)  
Monitor Mounting Bosses (2 sets)  
Right Hand and Left Hand Console  
Storage  
Right Hand Control Center  
Sealed Quiet Cabin  
Sun Visor  
Swing-Out Rear Window with  
removable rear plug for  
monitor or controller  
wiring harnesses  
Tilt Steering  
Two Front/Two Rear Roof Mounted  
Warning Lights  
Operator Presence with  
Safety Interlock System  
Reverse Implement Option (RIO)

BASE MACHINE (4WD):  
11.20-24 (6PR, R1 Bar, 5  
Position) Rear Wheels & Tires  
7-14 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0290LV	3046R Compact Utility Tractor (34 PTO hp)	29,814.00
--------	---	-----------

#### OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

#### TRANSMISSION

1520	eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
------	--	---------------

#### OPERATOR STATION

2000	Open Station with Standard Seat	In Base Price
------	---------------------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>OPERATOR STATION Continued...</b>			
<i>If ordering transmission option 1520 (eHydro) option codes 3320 (Dual Mid SCV) and 3400 (Less Mid PTO) required.</i>			
2005		Open Station with Air Ride Seat <i>Requires option codes 1520 (eHydro), 3330 (Dual Mid &amp; Single EH Rear SCV), and 3420 (Mid PTO).</i>	490.00
2050		Cab with Standard Seat <i>Requires option codes 1520 (eHydro), 3400 (Less Mid PTO) and 3320 (Dual Mid SCV).</i>	8,207.00
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and Rear Work Light.</i>  <i>"Deluxe" Implies Mid PTO, Mid DSCV and Single Electrohydraulic Rear SCV.</i>  <i>Requires Option Codes 1520 (eHydro), 3420 (Mid PTO) and 3330 (Mid DSCV and Single Electrohydraulic Rear SCV).</i>	9,075.00
<b>SELECTIVE CONTROL VALVES</b>			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat Tractors, option code 2050.</i>	975.00
<b>Mid PTO</b>			
3400		Less Mid PTO <i>Requires option code 3320 (Dual Mid SCV).</i>	In Base Price
3420		Mid PTO <i>Requires option code 3330 (Dual Mid &amp; Single EH Rear SCV).</i>	713.00
<b>REAR WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-92.00
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-220.00
5211		11.20-24 (6PR, R1 Bar, 5 Position) <i>60D AutoConnect deck, base code 7013LV, is not compatible with R1 tires.</i>	In Base Price
5233		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	523.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-70.00
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	55.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>FRONT WHEELS WITH TIRES (TWO) Continued...</b>			
6223		27x8.50-15 (6PR, R3 Turf, 2 Position)	65.00
6211		7-14 (6PR, R1 Bar, 2 Position)	In Base Price
6233		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position)	127.00
6230		27x8.5-15 6PR Front R4 Ind. 2 Pos.	127.00
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
<b>Operator Environment:</b>			
8244		Factory Installed Stereo (Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite and iPod Ready.) <i>Requires Operator's Station option 2050, 2055 or 2060 (Cab configurations). Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	471.00
841W		iMatch Hitch	284.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Engine:</b>			
<i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
BLV10605		Turbo Vertical Exhaust Kit	489.50
<b>Fenders:</b>			
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
LVB25684		Rear Fender Extension Kit (Open Station Only)	272.80
<b>Front Hitch:</b>			
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,306.80
<b>Front PTO:</b>			
<i>Requires BLV10439 (Front Three-Point Hitch).</i>			
BLV10475		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	303.89
BLV10452		Front PTO Bracket (3033R-3046R)	92.40
<b>Hitch:</b>			
LVB25308		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	352.00
LVU12858		iMatch Quick Hitch Bushings	22.54
LVU15507		iMatch Quick Hitch Bushings	11.01

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
	BWA1190	<b>Hood Guards:</b> Deluxe Hood Guard	586.30
	BW16585	Deluxe Hood Guard Attachment	317.79
	BW15219	Hood Guard	259.60
	BLV10761	<b>Hydraulics:</b> 4th & 5th Selective Control Valve Kit (3R OOS Only) <i>3R OOS Tractors only.</i>  <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	852.50
	BLV10471	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
	BLV10501	EH Third SCV (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i> <i>Compatible with MY2015 Cab tractors with serial number 140703 and above.</i>	935.00
	BLV10362	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
	BLV10500	EH Third SCV (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i> <i>Compatible with MY2015 OOS tractors with serial number 110508 and above.</i>	935.00
	BLV10649	Electric Diverter Kit (Cab Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,537.80
	BLV10365	Electric Diverter Kit (OOS Only) <i>Contains diverter valve, electric diverter switch, hydraulic lines and two SCV couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,478.40
	BLV10502	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i> <i>Compatible with MY2015 Cab tractors with serial number 140703 and above.</i> <i>Compatible with MY2015 OOS tractors with serial number 110508 and above.</i>	412.50
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe. See Sales Manual (SCV Reference Table) for ordering details.</i>	412.50
	BLV10462	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering information.</i>	449.90
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit.</i>	1,347.50

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Lighting:</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	93.50
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	150.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
		<b>Miscellaneous:</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	BLV10167	7-Pin Trailer Connector (Cab Only)	128.70
	BLV10174	7-Pin Trailer Connector (OOS Only)	102.30
	BLV10648	Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	130.90
	LVB24851	Horn Kit (Cab Only)	48.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99
	TY4453	Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	308.55
	TY15651	Tire Chains <i>For use with 25x8.50-14 In. 6PR (R4) Front Tires.</i>	98.26
	TY4457	Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	323.33
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i>	97.03

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB24930	Tool Box Kit <i>Cab Only.</i>	61.60
	RE343680	<b>Operator Environment:</b> Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	723.80
	LVB25688	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	657.80
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	60.50
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	190.30
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband. SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	255.40
	LVB24856	Rear Wiper Kit (Cab Only)	280.50
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	59.40
	TY25324	Weather Protection Umbrella	113.73
	LVB24846	<b>PTO:</b> Mid PTO Control Kit (Cab Only)	158.40
	LVB25537	Mid PTO Kit <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1) 19M7788 Through Parts. Cab Tractor also Requires LVB24846, Mid PTO Controls.</i>	722.70
	LVB26139	<b>Transmission:</b> PRT Oil Cooler Kit	300.30
	BLV10641	Transmission Oil Heater	86.83
	BM19940	<b>Weights:</b> Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight. Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front:</b>	
	LVB25670	25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
	BLV10394	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
	LVB25673	27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10
	LVB25671	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
	LVB25672	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		<b>Wheels and Tires Rear:</b>	
	LVB25495	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
	BLV10393	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,731.40
	LVB25496	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
	LVB25498	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
	LVB25494	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4105 Compact Utility Tractor (33 PTO hp)

Equipment for Base Machine

ENGINE:	Lever, Float, Regenerative	Protective Structure)
Yanmar Liquid Cooled	Function, and SCV Lockout	Meets ASAE S478 and OSHA 1928
TurboDiesel Engine	PTO:	ROPS Certification Standards
Interim Tier IV EPA Emissions	Independent 540 RPM Rear PTO	Operator Presence with Safety
Certified	Electronically Actuated	Interlock System
Engine HP 40.2 (29.8 kW)**	ELECTRICAL:	BASE MACHINE (4WD):
PTO HP 32.5 (24.2 kW) HST	12-Volt Electrical System	R1 or R4 Tires
Rated Speed 2600 RPM	40 Amp Alternator	
**Manufactures Estimate of	Key Ignition Starter with	
Power (ISO) per 97/68 EC	Accessory and Pre-Heat	
TRANSMISSION:	Position	
4-Wheel Drive	Maintenance Free Battery with	
HST Transmission	500 Cold Cranking Amps	
Differential Lock	OPERATOR PROTECTIVE STRUCTURE:	
HYDRAULICS:	Adjustable High Back Vinyl Seat	
Dual Mid Selective Control	with Spring Suspension	
Valve with Joystick Control	Fixed ROPS (Roll-Over	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Grovetown, Georgia</i>			
1493LV		4105 Compact Utility Tractor (33 PTO hp)	23,634.00
<b>OPERATOR STATION</b>			
1505		Open Station with Standard Seat	In Base Price
<b>TRANSMISSION</b>			
2025		HST Transmission	In Base Price
<b>MID PTO</b>			
2500		Less Mid PTO	In Base Price
<b>WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
4555		8-16 (8PR, Front R1 Bar, 1 Position) 14.90-24 (6PR, Rear R1 Bar, 1 Position)	In Base Price
4560		10-16.5 (8PR, Front R4 Industrial, 1 Position) 17.50L-24 (6PR, Rear R4 Industrial, 1 Position)	273.00
<b>SELECTIVE CONTROL VALVES</b>			
7010		Dual Mid Selective Control Valve	In Base Price
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
9800		Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4105 Compact Utility Tractor (33 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
	AT118553	Air Cleaner Service Indicator (Donaldson)	59.64
	BLV10640	Engine Coolant Heater Kit (110 Volt)	64.64
	LVA13457	Spark Arrester Screen	49.57
	LVB25884	Vertical Exhaust Kit	397.10
		<b>Hitch:</b>	
	LVB25308	Telescoping Draft Links	352.00
	LVU15507	iMatch Quick Hitch Bushings	11.01
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hood Guards:</b>	
	BW15783	Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and below For Tractors 1LV4105HKAH410001 and above use BW16040.</i>	251.90
	BW16040	Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and above. For Tractors 1LV4105HKAH410001 and below, use BW15783.</i>	259.60
		<b>Hydraulics:</b>	
	LVB26030	Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 and 4105 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,212.20
	LVB25505	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	412.50
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
		<b>Lighting:</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	49.50
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4105 Compact Utility Tractor (33 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Miscellaneous:</b>	
	LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	LVB25015	55 Amp Alternator	313.50
	LVB26021	Cruise Control Kit	313.50
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires</i>	628.68
		<b>Operator Environment:</b>	
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
		<b>Operator Manual and Decal Kit:</b>	
	LVB25990	Spanish North American Operators Manual and Decal Kit <i>For 4105 Tractor</i>	68.20
	LVB26188	Spanish North American Operators Manual and Decal Kit	77.00
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Weights:</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires CH15318, Pin.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) BLV10443.</i>	108.90
	T19293	Weight, Rear Wheel 110 Lb.	171.60
		<b>Wheels and Tires Front:</b>	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
		<b>Wheels and Tires Rear:</b>	
	LVB26029	17.50L-24 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	2,203.30

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4044M Compact Utility Tractor (33 PTO hp)

Equipment for Base Machine

ENGINE:  
Yanmar  
4 Cylinder Naturally Aspirated  
Diesel Engine  
Tier IV EPA Emissions  
Certified  
Engine HP 43.1 (31.7 kW)\*\*  
PTO HP 32.5 (23.0 kW)  
\*\*Engine HP (kW), Gross SAE  
J1995: 43.1 (31.7) @ 2600 rpm,  
PS  
Displacement, L: 2.2

TRANSMISSION:  
PowrReverser  
Synchronized - 4 Speeds  
Forward, 4 Speeds Reverse  
Dual Multi-Disk Wet Clutches  
Differential Lock  
4-Wheel Drive

INSTRUMENTATION:  
Performance Tracking System

Diagnostic Control Panel  
Hour Meter  
PTO Hour Meter  
Filter Cleaning Tracking

ELECTRICAL:  
12-Volt Electrical System  
75 Amp Alternator  
Key Ignition Starter with  
Accessory and Pre-Heat  
Position  
Wet Battery with 770  
Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:  
Adjustable Vinyl Seat with  
Retractable Seat Belt  
Folding ROPS (Roll-Over  
Protective Structure)  
Meets SAE J2194 and OSHA  
1928 ROPS Certification  
Standards for North America  
and Europe

Flat Foot Deck  
Operator Presence with  
Safety Interlock

HYDRAULICS:  
Not included in base machine

BASE MACHINE (4WD):  
13.60-28 (4PR, R1 Bar, 5  
Position) Rear Wheels & Tires  
8-16 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0314LV	4044M Compact Utility Tractor (33 PTO hp)	26,717.00
--------	---	-----------

#### OPERATORS MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
0437	Spanish North American Operators Manual and Decal Kit	Same Price

#### TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro	1,100.00

#### OPERATOR STATION

2000	Open Station with Standard Seat	In Base Price
------	---------------------------------	---------------

#### REAR WHEELS WITH TIRES (TWO)

*All tires offered are of bias ply construction.*

5221	13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240	16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4044M Compact Utility Tractor (33 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>REAR WHEELS WITH TIRES (TWO) Continued...</b>			
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
<b>LOADER</b>			
1700		D170 Loader Factory Installation <i>Code 1700 will generate a separate order for the loader with the following codes: 1401P, 1400, 0409, 4405, 6995, 8000. Loader pricing is not reflected in the code 1700 list price, see loader price pages. Loader will be invoiced separately.</i>	300.00
<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>			
1795		Less Loader	Same Price
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
841W		iMatch	284.00
8951		Wheelspacers	418.00
9001		Drawbar <i>Includes support bracket and retention pin.</i>	299.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Engine:</b> <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
BLV10608		Vertical Exhaust Kit (Non Turbo)	393.80
<b>Hitch:</b>			
BLV10375		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	389.40
BLV10326		Tractor Drawbar Assembly	376.63
LVU12858		iMatch Quick Hitch Bushings	22.54
LVU15507		iMatch Quick Hitch Bushings	11.01

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044M Compact Utility Tractor (33 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
	BW16155	<b>Hood Guards:</b> Deluxe Hood Guard Attachment	166.10
	BW16335	Hood Guard <i>Compatible with 4M less loader only.</i>	280.50
		<b>Hydraulics:</b> <i>Please reference the SCV Options table for ordering information.</i>	
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	887.70
	BLV10049	Electrohydraulic Third SCV Kit (OOS Only) <i>Includes the handle with switch, the supply lines, and the EH valve. 4M less loader configurations require kit BLV10015. See Sales Manual (SCV Reference Table) for ordering details.</i>	707.30
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details. Power Beyond cannot be installed without D170 loader.</i>	314.60
	BLV10048	Third SCV Rear Tubing Kit (OOS Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
	BLV10015	Two Function Single Lever Control - for D170 and 4M tractor compatibility <i>Required for installation of dual rear, power beyond, and third SCV hydraulics on a 4M. Includes hydraulic hoses, SLC and ICV. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,217.70
	LVB25547	<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044M Compact Utility Tractor (33 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10400	Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards</i>	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	BLV10174	7-Pin Trailer Connector (OOS Only)	102.30
	BLV10358	Back-up Alarm Kit	130.90
	BLV10388	Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	66.00
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit <i>For use on 4M tractors less loader.</i>	165.00
	BLV10029	Wheel Spacer Set, 140MM	525.80
	LVB25334	<b>Operator Environment:</b> Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	BLV10401	Premium Seat Kit (OOS Only)	825.00



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044M Compact Utility Tractor (33 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TY25324	Weather Protection Umbrella	113.73
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Weights:</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>  <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front:</b>	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB25108	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	LVB25007	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BM19083	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear:</b>	
	BLV10687	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10034	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10036	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

---

**4044M Compact Utility Tractor (33 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10035	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4052M Compact Utility Tractor (40 PTO hp)

Equipment for Base Machine

ENGINE:  
Yanmar  
4 Cylinder  
Turbocharged Diesel Engine  
Tier IV EPA Emissions  
Certified  
Engine HP 51.5 (37.9 kW)\*\*  
PTO HP 39.9 (29.7 kW)  
\*\*Engine HP (kW), Gross SAE  
J1995: 51.5 (37.9) @ 2600 rpm,  
PS  
Displacement, L: 2.1

TRANSMISSION:  
PowrReverser  
Synchronized - 4 Speeds  
Forward, 4 Speeds Reverse  
Dual Multi-Disk Wet Clutches  
Differential Lock  
4-Wheel Drive

INSTRUMENTATION:  
Performance Tracking System

Diagnostic Control Panel  
Hour Meter  
PTO Hour Meter  
Filter Cleaning Tracking

ELECTRICAL:  
12-Volt Electrical System  
75 Amp Alternator  
Key Ignition Starter with  
Accessory and Pre-Heat  
Position  
Wet Battery with 770  
Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:  
Adjustable Vinyl Seat with  
Retractable Seat Belt  
Folding ROPS (Roll-Over  
Protective Structure)  
Meets SAE J2194 and OSHA  
1928 ROPS Certification  
Standards for North America  
and Europe

Flat Foot Deck  
Operator Presence with  
Safety Interlock

HYDRAULICS:  
Not included in base machine

BASE MACHINE (4WD):  
13.60-28 (4PR, R1 Bar, 5  
Position) Rear Wheels & Tires  
8-16 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0354LV	4052M Compact Utility Tractor (40 PTO hp)	29,527.00
--------	---	-----------

#### OPERATORS MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
0437	Spanish North American Operators Manual and Decal Kit	Same Price

#### TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro	1,100.00

#### OPERATOR STATION

2000	Open Station with Standard Seat	In Base Price
------	---------------------------------	---------------

#### REAR WHEELS WITH TIRES (TWO)

*All tires offered are of bias ply construction.*

5221	13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240	16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4052M Compact Utility Tractor (40 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>REAR WHEELS WITH TIRES (TWO) Continued...</b>			
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
<b>LOADER</b>			
1700		D170 Loader Factory Installation <i>Code 1700 will generate a separate order for the loader with the following codes: 1401P, 1400, 0409, 4405, 6995, 8000. Loader pricing is not reflected in the code 1700 list price, see loader price pages. Loader will be invoiced separately.</i>	300.00
<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>			
1795		Less Loader	Same Price
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
841W		iMatch	284.00
8951		Wheelspacers	418.00
9001		Drawbar <i>Includes support bracket and retention pin.</i>	299.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Engine:</b> <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
BLV10609		Vertical Exhaust Kit	393.80
<b>Hitch:</b>			
BLV10375		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	389.40
BLV10326		Tractor Drawbar Assembly	376.63
LVU12858		iMatch Quick Hitch Bushings	22.54
LVU15507		iMatch Quick Hitch Bushings	11.01

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052M Compact Utility Tractor (40 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
	BW16155	<b>Hood Guards:</b> Deluxe Hood Guard Attachment	166.10
	BW16335	Hood Guard <i>Compatible with 4M less loader only.</i>	280.50
		<b>Hydraulics:</b> <i>Please reference the SCV Options table for ordering information.</i>	
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	887.70
	BLV10049	Electrohydraulic Third SCV Kit (OOS Only) <i>Includes the handle with switch, the supply lines, and the EH valve. 4M less loader configurations require kit BLV10015. See Sales Manual (SCV Reference Table) for ordering details.</i>	707.30
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details. Power Beyond cannot be installed without D170 loader.</i>	314.60
	BLV10048	Third SCV Rear Tubing Kit (OOS Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
	BLV10015	Two Function Single Lever Control - for D170 and 4M tractor compatibility <i>Required for installation of dual rear, power beyond, and third SCV hydraulics on a 4M. Includes hydraulic hoses, SLC and ICV. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,217.70
	LVB25547	<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052M Compact Utility Tractor (40 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10400	Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards</i>	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	BLV10174	7-Pin Trailer Connector (OOS Only)	102.30
	BLV10358	Back-up Alarm Kit	130.90
	BLV10388	Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	66.00
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit <i>For use on 4M tractors less loader.</i>	165.00
	BLV10029	Wheel Spacer Set, 140MM	525.80
	LVB25334	<b>Operator Environment:</b> Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	BLV10401	Premium Seat Kit (OOS Only)	825.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052M Compact Utility Tractor (40 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TY25324	Weather Protection Umbrella	113.73
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Weights:</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>  <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front:</b>	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB25108	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	LVB25007	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BM19083	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear:</b>	
	BLV10687	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10034	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10036	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

---

**4052M Compact Utility Tractor (40 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10035	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40



# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4066M Compact Utility Tractor (52 PTO hp) Equipment for Base Machine

ENGINE:  
Yanmar  
4 Cylinder Intercooled  
Turbocharged Diesel Engine  
Tier IV EPA Emissions  
Certified  
Engine HP 65.9 (48.5 kW)\*\*  
PTO HP 52 (38.8 kW)  
\*\*Engine HP (kW), Gross SAE  
J1995: 65.9 (48.5) @ 2600 rpm,  
PS  
Displacement, L: 2.1  
TRANSMISSION:  
PowrReverser  
Synchronized - 4 Speeds  
Forward, 4 Speeds Reverse  
Dual Multi-Disk Wet Clutches  
Differential Lock  
4-Wheel Drive  
INSTRUMENTATION:  
Performance Tracking System

Diagnostic Control Panel  
Hour Meter  
PTO Hour Meter  
Filter Cleaning Tracking  
ELECTRICAL:  
12-Volt Electrical System  
75 Amp Alternator  
Key Ignition Starter with  
Accessory and Pre-Heat  
Position  
Wet Battery with 770  
Cold Cranking Amps  
OPERATOR PROTECTIVE STRUCTURE:  
Adjustable Vinyl Seat with  
Retractable Seat Belt  
Folding ROPS (Roll-Over  
Protective Structure)  
Meets SAE J2194 and OSHA  
1928 ROPS Certification  
Standards for North America  
and Europe

Flat Foot Deck  
Operator Presence with  
Safety Interlock  
HYDRAULICS:  
Not included in base machine  
BASE MACHINE (4WD):  
13.60-28 (4PR, R1 Bar, 5  
Position) Rear Wheels & Tires  
8-16 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0374LV	4066M Compact Utility Tractor (52 PTO hp)	34,980.00
--------	---	-----------

#### OPERATORS MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
0437	Spanish North American Operators Manual and Decal Kit	Same Price

#### TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro	1,100.00

#### OPERATOR STATION

2000	Open Station with Standard Seat	In Base Price
------	---------------------------------	---------------

#### REAR WHEELS WITH TIRES (TWO)

*All tires offered are of bias ply construction.*

5221	13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240	16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243	44x18-20 (4PR, R3 Turf, 1 Position)	-457.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4066M Compact Utility Tractor (52 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5253		<b>REAR WHEELS WITH TIRES (TWO) Continued...</b> 22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
<b>LOADER</b>			
1700		D170 Loader Factory Installation <i>Code 1700 will generate a separate order for the loader with the following codes: 1401P, 1400, 0409, 4405, 6995, 8000. Loader pricing is not reflected in the code 1700 list price, see loader price pages. Loader will be invoiced separately.</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	300.00
1795		Less Loader	Same Price
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
841W		iMatch	284.00
8951		Wheelspacers	418.00
9001		Drawbar <i>Includes support bracket and retention pin.</i>	299.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Engine:</b> <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
BLV10609		Vertical Exhaust Kit	393.80
<b>Hitch:</b>			
BLV10375		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	389.40
BLV10326		Tractor Drawbar Assembly	376.63
LVU12858		iMatch Quick Hitch Bushings	22.54
LVU15507		iMatch Quick Hitch Bushings	11.01

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066M Compact Utility Tractor (52 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
	BW16155	<b>Hood Guards:</b> Deluxe Hood Guard Attachment	166.10
	BW16335	Hood Guard <i>Compatible with 4M less loader only.</i>	280.50
		<b>Hydraulics:</b> <i>Please reference the SCV Options table for ordering information.</i>	
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	887.70
	BLV10049	Electrohydraulic Third SCV Kit (OOS Only) <i>Includes the handle with switch, the supply lines, and the EH valve. 4M less loader configurations require kit BLV10015. See Sales Manual (SCV Reference Table) for ordering details.</i>	707.30
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details. Power Beyond cannot be installed without D170 loader.</i>	314.60
	BLV10048	Third SCV Rear Tubing Kit (OOS Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
	BLV10015	Two Function Single Lever Control - for D170 and 4M tractor compatibility <i>Required for installation of dual rear, power beyond, and third SCV hydraulics on a 4M. Includes hydraulic hoses, SLC and ICV. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,217.70
	LVB25547	<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066M Compact Utility Tractor (52 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10400	Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards</i>	84.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	BLV10174	7-Pin Trailer Connector (OOS Only)	102.30
	BLV10358	Back-up Alarm Kit	130.90
	BLV10388	Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	66.00
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit <i>For use on 4M tractors less loader.</i>	165.00
	BLV10029	Wheel Spacer Set, 140MM	525.80
	LVB25334	<b>Operator Environment:</b> Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	BLV10401	Premium Seat Kit (OOS Only)	825.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066M Compact Utility Tractor (52 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TY25324	Weather Protection Umbrella	113.73
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Weights:</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>  <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front:</b>	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB25108	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	LVB25007	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BM19083	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear:</b>	
	BLV10687	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10034	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10036	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

---

**4066M Compact Utility Tractor (52 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10035	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4044R Compact Utility Tractor (33 PTO hp)

Equipment for Base Machine

ENGINE:  
Yanmar  
4 Cylinder Naturally Aspirated  
Diesel Engine  
Tier IV EPA Emissions  
Certified  
Engine HP 43.1 (31.7)\*\*  
PTO HP 32.5 (23.0 kW) HST  
\*\*Engine HP (kW), Gross SAE  
J1995: 43.1 (31.7) @ 2600 rpm,  
PS  
Displacement, L: 2.2

TRANSMISSION:  
HST Transmission  
3 Range  
Differential Lock  
4-Wheel Drive  
LoadMatch  
MotionMatch  
SpeedMatch  
eThrottle

HYDRAULICS:  
Dual Mid Selective Control  
Valve with Joystick Control  
Lever, Float, Regenerative  
Function

INSTRUMENTATION:  
Performance Tracking System  
Diagnostic Control Panel  
Hour Meter  
Speedometer

ELECTRICAL:

12-Volt Electrical System  
75 Amp Alternator  
Key Ignition Starter with  
Accessory and Pre-Heat  
Position  
Wet Battery with 770  
Cold Cranking Amps  
OPERATOR PROTECTIVE STRUCTURE:  
Deluxe Adjustable Vinyl  
Seat with Arm Rests, Swivel  
and Retractable Seat Belt  
Folding ROPS (Roll-Over  
Protective Structure)  
Meets SAE J2194 and OSHA  
1928 ROPS Certification  
Standards for North America  
and Europe  
Isolated Foot Rest  
Center Console Tool Storage  
Operator Presence with  
Safety Interlock  
CAB:  
12 Volt Auxiliary Power Outlet  
Air Conditioning and Heater  
Cell Phone Holder  
Deluxe Fabric Covered Seat with  
Retractable Seat Belt and  
Armrests  
Dual Forward Work Lights  
Two Speed Front Windshield  
Wiper/Washer  
Fully Isolated Deluxe Cab  
High Impact Polymer Fenders with  
Integrated Tail Lights  
Radio Preparation (w/antenna,  
speakers,

wiring, media player storage  
slot  
Molded Rubber Floormat  
Operator Manual Holder  
Rearview Mirror (inside)  
Monitor Bosses (2 sets)  
Right Hand and Left Hand Console  
Storage  
Right Hand Control Center  
Sealed Quiet Cabin  
Sun visor  
Swing-Out Rear  
Window w/removable  
plug for monitor or controller  
harnesses  
Tilt Steering  
Two Front/Two Rear Roof Mounted  
Warning Lights  
HITCH:  
HitchAssist  
Aux. 3 Point Hitch Control  
BASE MACHINE (4WD):  
13.60-28 (4PR, R1 Bar, 5  
Position) Rear Wheels & Tires  
8-16 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Grovetown, Georgia</i>			
0320LV		4044R Compact Utility Tractor (33 PTO hp)	30,767.00
<b>OPERATORS MANUAL</b>			
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Canadian Operators Manual and Decal Kit	Same Price
0437		Spanish North American Operators Manual and Decal Kit	Same Price
<b>TRANSMISSION</b>			
1381		12F/12R PowrReverser <i>Includes response control feature.</i>	-1,250.00
<i>Requires option code 2005 (Open Station with Deluxe Seat).</i>			
1520		eHydro	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TRANSMISSION Continued...</b> <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>			
<b>OPERATOR STATION</b>			
2005		Open Station with Deluxe Seat <i>Deluxe Seat includes armrest and swivel base.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires Transmission option code 1520 (eHydro).</i>	8,207.00
<b>REAR WHEELS WITH TIRES (TWO)</b> <i>All tires offered are of bias ply construction.</i>			
5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
<b>FRONT WHEELS WITH TIRES (TWO)</b> <i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
8244		Factory Installed Stereo (Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite and iPod Ready.) <i>Available only with option code 2050 (Cab with Standard Seat) and 2060 (Deluxe Cab with Air Ride Seat).</i>  <i>Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	471.00
8951		Wheelspacers	418.00
841W		iMatch	284.00

**ATTACHMENTS FOR FIELD CONVERSION**



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<b>Engine:</b>			
<i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
	BLV10640	Engine Coolant Heater Kit (110 Volt)	64.64
	BLV10608	Vertical Exhaust Kit (Non Turbo)	393.80
<b>Fenders:</b>			
	LVB24860	Rear Fender Extension Kit (Cab Only)	272.80
<b>Front Hitch:</b>			
	BLV10089	Aux. Hydraulic Coupler Kit 1 <i>Includes Mid Connect Hydraulic Couplers.</i>	220.00
	BLV10090	Aux. Hydraulic Coupler Kit 2 <i>Includes Rear Connect Hydraulic Couplers.</i>	220.00
<i>Requires installation of 4th &amp; 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10089.</i>			
	BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10086.</i>	707.30
	BLV10086	Front Three-Point Hitch <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,708.30
	BLV10091	Heavy Duty Push Bar <i>Requires Front Three-Point Hitch BLV10086.</i>	425.37
<b>Hitch:</b>			
	BLV10037	3 Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch.</i>	1,089.00
<i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456.</i>			
<i>Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i>			
<i>Not compatible with Top and Tilt Kit (BLV10499) or Electric 3 Spool Diverter Kit (BLV10041).</i>			
	BLV10375	Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	389.40
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVU15507	iMatch Quick Hitch Bushings	11.01
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
<b>Hood Guards:</b>			
	BW16155	Deluxe Hood Guard Attachment	166.10
	BW16335	Hood Guard <i>Compatible with 4M less loader only.</i>	280.50

**Hydraulics:**

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<i>Please reference the SCV Options table for ordering information.</i>			
	BLV10045	4th & 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	966.90
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	887.70
	BLV10041	Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes two additional SCV's. Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,522.40
	BLV10043	Electrohydraulic Third SCV Kit (Cab and OOS) <i>Includes Mid Mounted Couplers, Hydraulic Lines and SCV Lever. Rear tubing kit available separately. See Sales Manual (SCV Reference Table) for ordering details.</i>	707.30
	BLV10457	Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	314.60
	BLV10146	Third SCV Rear Tubing Kit (Cab Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
	BLV10454	Third SCV Rear Tubing Kit (OOS Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
	BLV10499	Top and Tilt Field Kit (Cab Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
	LVB25547	<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	93.50
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights.</i>  <i>Cab is Pre-Wired.</i>	150.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	BLV10167	7-Pin Trailer Connector (Cab Only)	128.70
	BLV10174	7-Pin Trailer Connector (OOS Only)	102.30
	BLV10358	Back-up Alarm Kit <i>For 4R PRT Transmission Tractors. Standard on 4R eHydro Transmission Tractors</i>	130.90
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit	165.00
	BLV10029	Wheel Spacer Set, 140MM	525.80

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Operator Environment:</b>	
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	723.80
	BLV10379	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	723.80
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	60.50
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	190.30
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband. SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	255.40
	LVB24856	Rear Wiper Kit (Cab Only)	280.50
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	59.40
	TY25324	Weather Protection Umbrella	113.73
		<b>PTO:</b>	
	BLV10386	2 Speed PTO Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	755.70
	BLV10385	2 Speed PTO Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	755.70
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Weights:</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4044R Compact Utility Tractor (33 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>  <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front:</b>	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB25108	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	LVB25007	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BM19083	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear:</b>	
	BLV10687	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10034	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10036	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
	BLV10035	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4052R Compact Utility Tractor (40 PTO hp)

Equipment for Base Machine

ENGINE:	Key Ignition Starter with	slot
Yanmar	Accessory and Pre-Heat	Molded Rubber Floormat
4 Cylinder	Position	Operator Manual Holder
Turbocharged Diesel Engine	Wet Battery with 770	Rearview Mirror (inside)
Tier IV EPA Emissions	Cold Cranking Amps	Monitor Bosses (2 sets)
Certified	OPERATOR PROTECTIVE STRUCTURE:	Right Hand and Left Hand Console
Engine HP 51.5 (37.9 kW)**	Deluxe Adjustable Vinyl	Storage
PTO HP 39.9 (29.7 kW) HST	Seat with Arm Rests, Swivel	Right Hand Control Center
**Engine HP (kW), Gross SAE	and Retractable Seat Belt	Sealed Quiet Cabin
J1995: 51.5 (37.9) @ 2600 rpm,	Folding ROPS (Roll-Over	Sun visor
PS	Protective Structure)	Swing-Out Rear
Displacement, L: 2.2	Meets SAE J2194 and OSHA	Window w/removable
TRANSMISSION:	1928 ROPS Certification	plug for monitor or controller
HST Transmission	Standards for North America	harnesses
3 Range	and Europe	Tilt Steering
Differential Lock	Isolated Foot Rest	Two Front/Two Rear Roof Mounted
4-Wheel Drive	Center Console Tool Storage	Warning Lights
LoadMatch	Operator Presence with	HITCH:
MotionMatch	Safety Interlock	HitchAssist
SpeedMatch	CAB:	Aux. 3 Point Hitch Control
eThrottle	12 Volt Auxiliary Power Outlet	BASE MACHINE (4WD):
HYDRAULICS:	Air Conditioning and Heater	13.60-28 (4PR, R1 Bar, 5
Dual Mid Selective Control	Armrests	Position) Rear Wheels & Tires
Valve with Joystick Control	Cell Phone Holder	8-16 (6PR, R1 Bar, 2 Position)
Lever, Float, Regenerative	Deluxe Fabric Covered Seat with	Front Wheels & Tires
Function, and	Retractable Seat Belt	
Regenerative Lockout	Dual Forward Work Lights	
INSTRUMENTATION:	Two Speed Front Windshield	
Performance Tracking System	Wiper/Washer	
Diagnostic Control Panel	Fully Isolated Deluxe Cab	
Hour Meter	High Impact Polymer Fenders with	
Speedometer	Integrated Tail Lights	
ELECTRICAL:	Radio Preparation (w/antenna,	
12-Volt Electrical System	speakers,	
75 Amp Alternator	wiring, media player storage	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0360LV	4052R Compact Utility Tractor (40 PTO hp)	33,577.00
--------	---	-----------

#### OPERATORS MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
0437	Spanish North American Operators Manual and Decal Kit	Same Price

#### TRANSMISSION

1381	12F/12R PowrReverser <i>Includes response control feature.</i>	-1,250.00
------	---	-----------

*Requires option code 2005 (Open Station with Deluxe Seat).*

1520	eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and</i>	In Base Price
------	--	---------------

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052R Compact Utility Tractor (40 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TRANSMISSION Continued...</b>			
<i>eThrottle).</i>			
<b>OPERATOR STATION</b>			
2005		Open Station with Deluxe Seat <i>Deluxe Seat includes armrest and swivel base.</i>	In Base Price
2050		Cab with Standard Seat <i>Requires Transmission option code 1520 (eHydro).</i>	8,207.00
<b>REAR WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
8244		Factory Installed Stereo (Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite and iPod Ready.) <i>Available only with option code 2050 (Cab with Standard Seat) and 2060 (Deluxe Cab with Air Ride Seat).</i>  <i>Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	471.00
8951		Wheelspacers	418.00
841W		iMatch	284.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Engine:</b> <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052R Compact Utility Tractor (40 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10609	Vertical Exhaust Kit	393.80
		<b>Fenders:</b>	
	LVB24860	Rear Fender Extension Kit (Cab Only)	272.80
		<b>Front Hitch:</b>	
	BLV10089	Aux. Hydraulic Coupler Kit 1 <i>Includes Mid Connect Hydraulic Couplers.</i>	220.00
	BLV10090	Aux. Hydraulic Coupler Kit 2 <i>Includes Rear Connect Hydraulic Couplers.</i>	220.00
		<i>Requires installation of 4th &amp; 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10089.</i>	
	BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10086.</i>	707.30
	BLV10086	Front Three-Point Hitch <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,708.30
	BLV10091	Heavy Duty Push Bar <i>Requires Front Three-Point Hitch BLV10086.</i>	425.37
		<b>Hitch:</b>	
	BLV10037	3 Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch.</i>	1,089.00
		<i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456.</i>	
		<i>Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i>	
		<i>Not compatible with Top and Tilt Kit (BLV10499) or Electric 3 Spool Diverter Kit (BLV10041).</i>	
	BLV10375	Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	389.40
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVU15507	iMatch Quick Hitch Bushings	11.01
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hood Guards:</b>	
	BW16155	Deluxe Hood Guard Attachment	166.10
	BW16335	Hood Guard <i>Compatible with 4M less loader only.</i>	280.50
		<b>Hydraulics:</b>	
		<i>Please reference the SCV Options table for ordering information.</i>	
	BLV10045	4th & 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	966.90



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMPACT UTILITY TRACTORS**

**4052R Compact Utility Tractor (40 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	887.70
	BLV10041	Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes two additional SCV's. Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,522.40
	BLV10043	Electrohydraulic Third SCV Kit (Cab and OOS) <i>Includes Mid Mounted Couplers, Hydraulic Lines and SCV Lever. Rear tubing kit available separately. See Sales Manual (SCV Reference Table) for ordering details.</i>	707.30
	BLV10457	Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	314.60
	BLV10146	Third SCV Rear Tubing Kit (Cab Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
	BLV10454	Third SCV Rear Tubing Kit (OOS Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
	BLV10499	Top and Tilt Field Kit (Cab Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
		<b>Lighting:</b>	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052R Compact Utility Tractor (40 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	93.50
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights.</i>  <i>Cab is Pre-Wired.</i>	150.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i> <i>Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	BLV10167	7-Pin Trailer Connector (Cab Only)	128.70
	BLV10174	7-Pin Trailer Connector (OOS Only)	102.30
	BLV10358	Back-up Alarm Kit <i>For 4R PRT Transmission Tractors. Standard on 4R eHydro Transmission Tractors</i>	130.90
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit	165.00
	BLV10029	Wheel Spacer Set, 140MM	525.80
	RE343680	<b>Operator Environment:</b> Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	723.80
	BLV10379	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	723.80

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052R Compact Utility Tractor (40 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	60.50
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	190.30
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband. SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	255.40
	LVB24856	Rear Wiper Kit (Cab Only)	280.50
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	59.40
	TY25324	Weather Protection Umbrella	113.73
		<b>PTO:</b>	
	BLV10386	2 Speed PTO Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	755.70
	BLV10385	2 Speed PTO Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	755.70
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Weights:</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>  <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4052R Compact Utility Tractor (40 PTO hp)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front:</b>	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB25108	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	LVB25007	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BM19083	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear:</b>	
	BLV10687	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10034	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10036	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
	BLV10035	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMPACT UTILITY TRACTORS

### 4066R Compact Utility Tractor (52 PTO hp)

Equipment for Base Machine

ENGINE:  
 Yanmar  
 4 Cylinder Intercooled  
 Turbocharged Diesel Engine  
 Tier IV EPA Emissions  
 Certified  
 Engine HP 65.9 (48.5 kW)\*\*  
 PTO HP 52 (38.8 kW) HST  
 \*\*Engine HP (kW), Gross SAE  
 J1995: 65.9 (48.5) @ 2600 rpm,  
 PS  
 Displacement, L: 2.2  
 TRANSMISSION:  
 HST Transmission  
 3 Range  
 Differential Lock  
 4-Wheel Drive  
 LoadMatch  
 MotionMatch  
 SpeedMatch  
 eThrottle  
 HYDRAULICS:  
 Dual Mid Selective Control  
 Valve with Joystick Control  
 Lever, Float, Regenerative  
 Function, and  
 Regenerative Lockout  
 INSTRUMENTATION:  
 Performance Tracking System  
 Diagnostic Control Panel  
 Hour Meter  
 Speedometer  
 ELECTRICAL:  
 12-Volt Electrical System

75 Amp Alternator  
 Key Ignition Starter with  
 Accessory and Pre-Heat  
 Position  
 Wet Battery with 770  
 Cold Cranking Amps  
 OPERATOR PROTECTIVE STRUCTURE:  
 Deluxe Adjustable Vinyl  
 Seat with Arm Rests, Swivel  
 and Retractable Seat Belt  
 Folding ROPS (Roll-Over  
 Protective Structure)  
 Meets SAE J2194 and OSHA  
 1928 ROPS Certification  
 Standards for North America  
 and Europe  
 Isolated Foot Rest  
 Center Console Tool Storage  
 Operator Presence with  
 Safety Interlock  
 CAB:  
 12 Volt Auxiliary Power Outlet  
 Air Conditioning and Heater  
 Armrests  
 Cell Phone Holder  
 Deluxe Fabric Covered Seat with  
 Retractable Seat Belt  
 Dual Forward Work Lights  
 Two Speed Front Windshield  
 Wiper/Washer  
 Fully Isolated Deluxe Cab  
 High Impact Polymer Fenders with  
 Integrated Tail Lights  
 Radio Preparation (w/antenna,  
 speakers,

wiring, media player storage  
 slot  
 Molded Rubber Floormat  
 Operator Manual Holder  
 Rearview Mirror (inside)  
 Monitor Bosses (2 sets)  
 Right Hand and Left Hand Console  
 Storage  
 Right Hand Control Center  
 Sealed Quiet Cabin  
 Sun visor  
 Swing-Out Rear  
 Window w/removable  
 plug for monitor or controller  
 harnesses  
 Tilt Steering  
 Two Front/Two Rear Roof Mounted  
 Warning Lights  
 HITCH:  
 HitchAssist  
 Aux. 3 Point Hitch Control  
 BASE MACHINE (4WD):  
 13.60-28 (4PR, R1 Bar, 5  
 Position) Rear Wheels & Tires  
 8-16 (6PR, R1 Bar, 2 Position)  
 Front Wheels & Tires

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Grovetown, Georgia*

0380LV	4066R Compact Utility Tractor (52 PTO hp)	39,030.00
--------	---	-----------

#### OPERATORS MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
0413	French Canadian Operators Manual and Decal Kit	Same Price
0437	Spanish North American Operators Manual and Decal Kit	Same Price

#### TRANSMISSION

1381	12F/12R PowrReverser <i>Includes response control feature.</i>  <i>Requires option code 2005 (Open Station with Deluxe Seat).</i>	-1,250.00
1520	eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066R Compact Utility Tractor (52 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>TRANSMISSION Continued...</b>			
<i>eThrottle).</i>			
<b>OPERATOR STATION</b>			
2005		Open Station with Deluxe Seat <i>Deluxe Seat includes armrest and swivel base.</i>	In Base Price
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and 2 Rear Work Lights.</i>  <i>Requires Transmission option code 1520 (eHydro).</i>	9,075.00
<b>REAR WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
5221		13.60-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.90-24 (6PR, R4 Industrial, 2 Position)	-40.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-457.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	535.00
<b>FRONT WHEELS WITH TIRES (TWO)</b>			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	135.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	Same Price
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	78.00
<b>ATTACHMENTS - ORDER AS DESIRED</b>			
8244		Factory Installed Stereo (Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite and iPod Ready.) <i>Available only with option code 2050 (Cab with Standard Seat) and 2060 (Deluxe Cab with Air Ride Seat).</i>  <i>Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	471.00
8951		Wheelspacers	418.00
841W		iMatch	284.00

**ATTACHMENTS FOR FIELD CONVERSION**

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066R Compact Utility Tractor (52 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<b>Engine:</b>			
<i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>			
	BLV10640	Engine Coolant Heater Kit (110 Volt)	64.64
	BLV10609	Vertical Exhaust Kit	393.80
<b>Fenders:</b>			
	LVB24860	Rear Fender Extension Kit (Cab Only)	272.80
<b>Front Hitch:</b>			
	BLV10089	Aux. Hydraulic Coupler Kit 1 <i>Includes Mid Connect Hydraulic Couplers.</i>	220.00
	BLV10090	Aux. Hydraulic Coupler Kit 2 <i>Includes Rear Connect Hydraulic Couplers.</i>	220.00
<i>Requires installation of 4th &amp; 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10089.</i>			
	BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10086.</i>	707.30
	BLV10086	Front Three-Point Hitch <i>Lift Arms and Torsion Tube ordered separately, BLV10088.</i>	1,708.30
	BLV10091	Heavy Duty Push Bar <i>Requires Front Three-Point Hitch BLV10086.</i>	425.37
<b>Hitch:</b>			
	BLV10037	3 Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch.</i>	1,089.00
<i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456.</i>			
<i>Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i>			
<i>Not compatible with Top and Tilt Kit (BLV10499) or Electric 3 Spool Diverter Kit (BLV10041).</i>			
	BLV10375	Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	389.40
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVU15507	iMatch Quick Hitch Bushings	11.01
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
<b>Hood Guards:</b>			
	BW16155	Deluxe Hood Guard Attachment	166.10
	BW16335	Hood Guard <i>Compatible with 4M less loader only.</i>	280.50

**Hydraulics:**

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066R Compact Utility Tractor (52 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<i>Please reference the SCV Options table for ordering information.</i>			
	BLV10045	4th & 5th Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	966.90
	BLV10050	4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	887.70
	BLV10041	Electric 3 Spool Diverter Kit (Cab and OOS) <i>Includes two additional SCV's. Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,522.40
	BLV10043	Electrohydraulic Third SCV Kit (Cab and OOS) <i>Includes Mid Mounted Couplers, Hydraulic Lines and SCV Lever. Rear tubing kit available separately. See Sales Manual (SCV Reference Table) for ordering details.</i>	707.30
	BLV10457	Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10456	Load Center Assembly (OOS Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10498	Load Center Assembly (PRT Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (SCV Reference Table) for ordering details.</i>	386.10
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (SCV Reference Table) for ordering details.</i>	314.60
	BLV10146	Third SCV Rear Tubing Kit (Cab Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
	BLV10454	Third SCV Rear Tubing Kit (OOS Only) <i>For routing hydraulic lines to rear of tractor. Includes two steel tubes, mounting bracket, and couplers. See Sales Manual (SCV Reference Table) for ordering details.</i>	264.00
	BLV10499	Top and Tilt Field Kit (Cab Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
	BLV10040	Top and Tilt Field Kit (OOS Only) <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,273.80
	LVB25547	<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Includes 1 Light.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10



JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066R Compact Utility Tractor (52 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	93.50
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights.</i>  <i>Cab is Pre-Wired.</i>	150.70
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	BLV10167	7-Pin Trailer Connector (Cab Only)	128.70
	BLV10174	7-Pin Trailer Connector (OOS Only)	102.30
	BLV10358	Back-up Alarm Kit <i>For 4R PRT Transmission Tractors. Standard on 4R eHydro Transmission Tractors</i>	130.90
	BLV10359	Horn Kit	59.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit	165.00
	BLV10029	Wheel Spacer Set, 140MM	525.80

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066R Compact Utility Tractor (52 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Operator Environment:</b>	
	RE343680	Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	723.80
	BLV10379	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	723.80
	LVB25334	Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	60.50
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	190.30
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband. SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	255.40
	LVB24856	Rear Wiper Kit (Cab Only)	280.50
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	59.40
	TY25324	Weather Protection Umbrella	113.73
		<b>PTO:</b>	
	BLV10386	2 Speed PTO Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	755.70
	BLV10385	2 Speed PTO Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	755.70
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Weights:</b>	
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 Lb.	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMPACT UTILITY TRACTORS

**4066R Compact Utility Tractor (52 PTO hp)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>  <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	45.10
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	238.70
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front:</b>	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB25108	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	LVB25007	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BM19083	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear:</b>	
	BLV10687	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10034	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BLV10036	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,136.10
	BLV10035	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 1026R, 1026R TLB Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Ballast Box:</b>	
BW15073		Ballast Box <i>Must remove Backhoe prior to use (If Equipped).</i>	284.90
BW15074		Ballast Box Extension	135.30
		<b>Buckets:</b>	
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.) <i>Requires Backhoe.</i>	436.70
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.) <i>Requires Backhoe.</i>	486.20
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change <i>Requires Loader.</i>	738.10
BW15896		49 in. (1250mm) Materials Bucket - Pin ON <i>Requires Loader.</i>	684.20
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change <i>Requires Loader.</i>	800.80
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change <i>Requires Loader.</i>	848.10
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.) <i>Requires Backhoe.</i>	370.70
		<b>Engine:</b>	
AM134805		Engine Block Heater Adapter	70.66
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
		<b>Hitch:</b>	
LVU12858		iMatch Quick Hitch Bushings	22.54
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507). Must remove Backhoe prior to use (If Equipped).</i>	363.00
		<b>Hood Guards:</b>	
BW15901		Deluxe Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on H120 Loaders.</i>	231.00
BW15900		Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on D120 Loaders.</i>	209.00
		<b>Hydraulics:</b>	
LVB25956		Power Beyond Kit (1023E, 1025R, 1026R) <i>Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with LVB25837 (Rear Hydraulic Kit) and BLV10351 (Third SCV Kit).</i>	174.90

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 1026R, 1026R TLB Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25837	Rear Hydraulic Kit <i>Routes Dual Mid SCVs to Rear of Tractor. Not compatible with LVB25956 (Power Beyond Kit) or BLV10531 (Third SCV Kit). Also not compatible with TLB models.</i>	306.90
	BLV10351	Third Selective Control Valve Kit <i>BLV10351 is the preferred kit for open station 1 family tractors because the handle will not interfere with the seat. Not compatible with LVB25956 (Power Beyond Kit) or LVB25837 (Rear Hydraulic Kit). Also not compatible with TLB models.</i>	642.00
	LVB25547	<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	63.80
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Light Brush Guard Kit LBV25016. Cannot be used with Rear Work Lighting Kit (LVB25547) at the same time.</i>	97.90
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	49.50
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer. Must remove Backhoe prior to use (If Equipped).</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer. Canopy is not compatible when Backhoe is installed. Must remove backhoe prior to use.</i>	457.81
	BW15476	Bucket Level Indicator <i>Requires Loader.</i>	62.70
	LVB26110	Loader Mount Toolbox Kit	66.00
	BM19556	Rubber Street Pad Kit <i>Requires Backhoe.</i>	138.60
	LVB24982	Stabilizer Cylinder Protection Kit <i>Requires Backhoe.</i>	124.30
	TY25324	<b>Operator Environment:</b> Weather Protection Umbrella	113.73
	LVB26209	<b>Operator Manual and Decal Kit:</b> Spanish North American Owner's Manual and Decal Kit	119.90
	TY15958	<b>Seats / Wheels / Tires:</b> Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 1026R, 1026R TLB Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	59.91
		<b>Wheels and Tires Front:</b>	
	LVB25850	18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	330.00
	LVB25848	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	370.70
		<b>Wheels and Tires Rear:</b>	
	LVB25849	26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	452.10
	LVB25847	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	512.60

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 2320, 2520, 2720 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
AM134805		<b>Engine:</b> Engine Block Heater Adapter <i>For use on 2320 Model Only.</i>	70.66
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
LVB25652		<b>Fenders:</b> Rear FenderExtension Kit	173.80
LVU12858		<b>Hitch:</b> iMatch Quick Hitch Bushings	22.54
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
BW15217		<b>Hood Guards:</b> Hood Guard (2025R, 2210, 2305, 2320)	245.30
BW15634		Hood Guard (2032R, 2520, 2720)	259.60
LVB25823		<b>Hydraulics:</b> Loader/Mower Mechanical Diverter Valve Kit (2032R, 2520, 2720) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	556.60
LVB25822		Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	421.59
BLV10381		Power Beyond Kit <i>Not Compatible with Third SCV kit (BLV10382). Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on 2320, 2520, 2720, 2025R and 2032R Tractors.</i>	480.70
LVB25606		Rear Hydraulic Outlet Kit <i>Routes Dual Mid SCVs to Rear of Tractor.</i>	324.50
BLV10382		Third Selective Control Valve Kit Without Detent <i>Not Compatible with Power Beyond Kit BLV10381. For Use on 2320, 2520, 2720, 2025R and 2032R Tractors.</i>	882.20
LVB25547		<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Light Brush Guard Kit, LVB25016. Not Compatible with Rear Work Lighting Kit (LVB25547).</i>	97.90

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 2320, 2520, 2720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10497	LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	49.50
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	LP25000	ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	457.81
	LVB19942	High Capacity Alternator Kit (35 amp) <i>For 2305, 2320, and 2520 Models (Serial - 406007).</i>	536.80
	LP95223	Medium Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	27.99
	RE19428	Safety Chain Support Kit	158.04
	TY25324	<b>Operator Environment:</b> Weather Protection Umbrella	113.73
	LVB25994	<b>Operator Manual and Decal Kit:</b> Spanish North American Operator's Manual and Decal Kit <i>For Use with 2720 Model Only.</i>	97.90
	LVB25993	Spanish North American Operator's Manual and Decal Kit <i>For Use with 2520 Model Only.</i>	97.90
	LVB25992	Spanish North American Operator's Manual and Decal Kit <i>For Use with 2320 Model Only.</i>	97.90
	BLV10641	<b>Transmission:</b> Transmission Oil Heater	86.83
	BM17987	<b>Weights:</b> Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	H148916	Front Weight Retainer Shaft <i>For Use on 2520 and 2720 Models Only.</i>	31.01
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (4)A15147 Spring Clips (2320 Model Only). Requires (1) H148916 Rod and (2) AR60372 Spring Clips (2520 and 2720 Models Only).</i>	59.91
	BM17965	Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
	AR60372	Spring Locking Pin <i>For Use on 2520 and 2720 Models Only.</i>	3.34



# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 2320, 2520, 2720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Wheels and Tires Front:</b>	
LVB24806		23x8.50-12 (4PR, R3 Turf, 1 Position) Front Wheels & Tires <i>For Use on 2320 Model Only.</i>	433.40
LVB24804		23x8.50-12 (6PR, R4 Industrial, 1 Position) Front Wheels & Tires	490.60
LVB25556		24x8.50-14 (4PR, R3 Turf, 1 Position) Front Wheels & Tires <i>For Use on 2520 and 2720 Models Only.</i>	550.00
		<b>Wheels and Tires Rear:</b>	
LVB24803		12-16.50 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires <i>For Use on 2320 Model Only.</i>	998.80
LVB25557		14-17.50 (6PR, R4 Industrial, 2 Position) <i>For Use on 2520 and 2720 Models Only.</i>	1,342.00
LVB24805		31x13.50-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires <i>For Use on 2320 Model Only.</i>	849.20
LVB25555		36x14-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires <i>For Use on 2520 and 2720 Models Only.</i>	1,037.30

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3005, 4005 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AT118553		Air Cleaner Service Indicator (Donaldson)	59.64
AM134805		Engine Block Heater Adapter	70.66
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVB25829		Vertical Exhaust Kit (3005 Model Only)	355.30
		<b>Hitch:</b>	
LVU12858		iMatch Quick Hitch Bushings	22.54
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hydraulics:</b>	
LVB25658		Dual Selective Control Valve Kit (3005 Model Only) <i>Standard on 4WD tractors only.</i>	1,125.30
BM18005		Power Beyond Kit (3005, 790, 770)	324.50
BM18046		Rear Hydraulic Quik Coupler Kit (2 Hose Kit) <i>Requires Dual SCV. Not compatible with 4005 model.</i>	233.20
		<b>Lighting:</b>	
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
		<b>Miscellaneous:</b>	
BM17981		12 Volt Work Light Kit <i>Requires AM108244, Harness.</i>	69.56
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
LVB25659		Mid-PTO 2100 RPM (3005 Model Only)	677.60
		<b>Operator Environment:</b>	
AM107212		10 In. Extension for Roll-Gard Cross Tube <i>Required for Use with 7 Backhoe on 3005, 790 and 770 Tractors.</i>	150.30
RE19445		Canopy - Premium <i>For Use on 4005 Model Only.</i>	1,181.40
		<b>Operator Manual and Decal Kit:</b>	
LVB25999		Spanish North American Operator's Manual and Decal Kit <i>For Use with 4005 Model Only.</i>	77.00
LVB26000		Spanish North American Operator's Manual and Decal Kit <i>For Use with 3005 Model Only.</i>	77.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3005, 4005 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Weights:</b>	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb. <i>For Use on 4005 Model Only.</i>	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 Lb. <i>For 20 In. Wheel only.</i>	11.00
LVB25572		Attaching Hardware for Additional Rear Wheel Weight, 60 Lb. <i>For 16 In. and 19.5 In. Wheel (Additional Weight). For Use on 3005 Model Only.</i>	34.10
LVB25571		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb. <i>For Use on 3005 Model Only.</i>	13.20
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 Lb. for 16 In. and 19.5 In. Wheel <i>For Use on 3005 Model Only.</i>	11.00
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb. <i>For Use on 4005 Model Only.</i>	37.40
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 Lb. <i>For Use on 4005 Model Only.</i>	53.90
CH15318		Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	19.68
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	42.21
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Front Weight Bracket and Hardware to Allow up to Four 42 Lb. Additional Quik-Tatch Weights.</i> <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80
R66949		Quik-Tatch Weight, 42 Lb. <i>Requires CH15318, Pin (3005 Model Only).</i> <i>Requires CH14083 Pin (4005 Model Only).</i>	59.91
BM17969		Rear Wheel Starter Weight, 45 Lb. <i>For use with 11.2-24 R1 Agricultural Rear Tires on 24 In. Wheel (3005 Model Only).</i>	140.80
BM17968		Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 In. Wheel (3005 Model Only).</i> <i>Starter and Additional Weight for 20 In. Wheel (4005 Model Only).</i> <i>Additional Weight for 24 In. Wheel.</i>	140.80
BM17965		Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 16 In. and 19.5 In. Wheel (3005 Model Only).</i>	140.80
T19293		Weight, Rear Wheel 110 Lb. <i>For Use on 4005 Model Only.</i>	171.60
		<b>Wheels and Tires Front:</b>	
BM16869		25x8.50-14 (4PR, R3 Turf, 1 Position) Front Wheels & Tires <i>For Use on 3005 Model Only.</i>	500.50
LVB25420		25x8.50-14 (6PR, R4 Industrial) Front Wheels & Tires <i>For Use on 3005 Model Only.</i>	625.90

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3005, 4005 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25043	27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires <i>For Use on 4005 Model Only.</i>	707.30
	LVB00011	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires <i>For Use on 3005 Model Only.</i>	556.60
	LVB25042	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires <i>For Use on 4005 Model Only.</i>	704.00
		<b>Wheels and Tires Rear:</b>	
	LVB00009	11.20-24 (4PR, R1 Bar, 2 Position) Rear Wheels & Tires <i>For Use on 3005 Model Only.</i>	1,755.60
	BM16841	13.60-16 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires <i>For Use on 3005 Model Only.</i>	1,257.30
	LVB25048	14.90-24 (4PR, R1 Bar, 8 Position) Rear Wheels & Tires <i>For Use on 4005 Model Only.</i>	1,595.00
	LVB25982	17.50L-24 (8PR, R4 Industrial, 8 Position) Rear Wheels & Tires <i>For Use on 4005 Model Only.</i>	2,313.30
	LVB25000	44x18-20 (4PR, R3 Turf) Rear Wheels & Tires <i>For Use on 4005 Model Only.</i>	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 2305, 2305 TLB Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Buckets:</b>	
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.)	436.70
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.)	486.20
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change	738.10
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.)	370.70
		<b>Engine:</b>	
AM134805		Engine Block Heater Adapter	70.66
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	64.64
AM108146		Spark Arrester Screen for Muffler	25.48
		<b>Hitch:</b>	
LVU12858		iMatch Quick Hitch Bushings	22.54
		<b>Hydraulics:</b>	
LVB25822		Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	421.59
LVB24981		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose. Kit is included with the Backhoe Subframe as Standard Equipment. For Stand-Alone Use Only.</i>	234.30
		<b>Lighting:</b>	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB25016		Warning Light Brush Guard Kit (Two Guards)	49.50
		<b>Miscellaneous:</b>	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer. Must remove Backhoe prior to use (If Equipped).</i>	139.00
LP25000		ABS Plastic Canopy <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer. Canopy is not compatible when Backhoe is installed. Must remove backhoe prior to use.</i>	457.81
BW15476		Bucket Level Indicator	62.70

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 2305, 2305 TLB Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB24813	Cruise Control Kit	180.40
	LVB19942	High Capacity Alternator Kit (35 amp) <i>For 2305, 2320, and 2520 Models (Serial - 406007).</i>	536.80
	LVB24982	Stabilizer Cylinder Protection Kit	124.30
	LVB25991	<b>Operator Manual and Decal Kit:</b> Spanish North American Operator's Manual and Decal Kit <i>For 2305 Tractor. Not compatible with 260 backhoe.</i>	94.60
		<b>Seats / Wheels / Tires:</b>	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	H148916	Front Weight Retainer Shaft	31.01
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	59.91
	AR60372	Spring Locking Pin	3.34
		<b>Wheels and Tires Front:</b>	
	BM20954	18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3320, 3520, 3720 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA13457		Spark Arrester Screen	49.57
LVB25884		Vertical Exhaust Kit	397.10
		<b>Fenders:</b>	
LVB25686		Front Fender Kit	531.30
LVB24860		Rear Fender Extension Kit (Cab Only)	272.80
LVB25684		Rear Fender Extension Kit (Open Station Only)	272.80
		<b>Hitch:</b>	
LVB25308		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	352.00
BLV10012		Tractor Drawbar Assembly	228.14
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hood Guards:</b>	
BWA1190		Deluxe Hood Guard	586.30
BW16585		Deluxe Hood Guard Attachment	317.79
BW15219		Hood Guard	259.60
		<b>Hydraulics:</b>	
LVB26035		4th & 5th Selective Control Valve Kit (OOS Only) <i>For 3x20 Tractors only. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Please refer to Selective control valve (SCV) reference table for any additional parts.</i>  <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever.</i>	852.50
LVB24854		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's Additional SCV's (Either Third and Fourth or Fourth and Fifth). Not compatible with MY2011 tractors. See sales manual for details.</i>	1,606.00
LVB26076		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's Additional SCV's (Either Third and Fourth or Fourth and Fifth) Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break</i>	1,568.60
LVB25507		Electric Diverter Kit (OOS Only) <i>Includes Diverter Valve, Two Sets of Rear Mounted couplers, Hydraulic Lines and Selector Switch. Not compatible with MY2011 tractors. See sales manual for details.</i>	1,478.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB26075	Electric Diverter Kit (OOS Only) <i>Includes Diverter Valve, Two Sets of Rear Mounted couplers, Hydraulic Lines and Selector Switch. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,567.50
	LVB26031	Electrohydraulic Third SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,145.10
	LVB26030	Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,212.20
	LVB25781	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720 Cab Tractors. Only compatible with MY2011 tractors and older. See sales manual for details.</i>	412.50
	LVB26069	Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for use with Backhoe on 3120-3720 Cab Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for details.</i>	412.50
	LVB25505	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	412.50
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
	LVB25506	Third Selective Control Valve Kit (OOS Only) <i>For 3120-3720 Tractors, Dual SCV is Standard. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	283.80
	LVB24845	Third Selective control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	339.90
	LVB25311	Top and Tilt Field Kit <i>Requires Electric Diverter Kit. For 3320 and 3520 MY2011 and prior</i>	1,226.50
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit. Prior to MY2011 order LVB25311.</i>	1,347.50
	LVB25547	<b>Lighting:</b> Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
	LVB24852	Beacon Light Kit (Cab Only)	243.10
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90



# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	150.70
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	49.50
	BLV10399	Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	LVB25015	55 Amp Alternator	313.50
	LVB25971	7-Pin Trailer Connector (Cab) <i>For 3320 Tractors Serial # (H500599 -)</i> <i>For 3520 Tractors Serial # (H512472 -)</i> <i>For 3720 Tractors Serial # (H522565 -)</i>	111.10
	LVB25960	7-Pin Trailer Connector (Open Station)	271.70
	LVB25866	Automotive Style Cruise, Load Match, Speed Match, and Upgraded Motion Match Switch	115.50
	BLV10648	Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	130.90
	LVB24851	Horn Kit (Cab Only)	48.40
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99
	TY4453	Tire Chains <i>For use with BLV10393 and LVB25495 Rear Tires. Not for use with Cab Tractors.</i>	308.55
	TY15651	Tire Chains <i>For use with BLV10394 Front Tires.</i>	98.26
	TY4457	Tire Chains <i>For Use With LVB25496 Rear Tires.</i>	323.33
	TY15649	Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires.</i>	97.03
	LVB24930	Tool Box Kit <i>Cab Only.</i>	61.60
	RE343680	<b>Operator Environment:</b> Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only)	723.80

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25688	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	657.80
	LVB26065	Cab Speaker and Radio Mount Kit <i>Cab Only. Compatible only with MY2010 or previous models. See sales manual for details.</i>	92.40
	LVB25334	Canopy - Standard	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	60.50
	LVB24876	Cigarette Lighter/Ashtray Kit (Cab Only) <i>For 3320, 3520, 3720, 4320, 4520 and 4720 Tractors.</i>	48.40
	RE289852	Deere Delco Stereo Radio with Weatherband, Single Compact Disc Player, Clock, and Four Speakers <i>For 3520 and 3720 Tractors.</i>	See Parts
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only)	190.30
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 9520 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio. For 4320, 4520 and 4720 Tractors.</i>	255.40
	LVB24856	Rear Wiper Kit (Cab Only)	280.50
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	59.40
	TY25324	Weather Protection Umbrella	113.73
	LVB25997	<b>Operator Manual and Decal Kit:</b> Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors. For 3320 and 3520 Tractors</i>	86.90
	LVB25989	Spanish North American Operator's Manual and Decal Kit <i>Open Station Tractors. For 3320 and 3520 Tractors</i>	70.40
	LVB26181	Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i>	90.20
	LVB26180	Spanish North American Operator's Manual and Decal Kit <i>Open Station Tractors.</i>	72.60
	LVB24846	<b>PTO:</b> Mid PTO Control Kit (Cab Only)	158.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25537	Mid PTO Kit <i>Note: 3X20 Tractors equipped with RIO(Reverse Implement Option) and PRT transmission are not compatible with mid-mount mowers(for grooming). Tractors with serial numbers ending with 910000(OOS) and above will have RIO. Tractors with serial numbers ending with 940000(cab) and above will have RIO.</i>	722.70
	BKK10018	<b>Powertrain:</b> Wheel Slip Control	5,366.90
	LVA11189	<b>Transmission:</b> Load Match Switch	19.14
	LVB26139	PRT Oil Cooler Kit	300.30
	BLV10641	Transmission Oil Heater	86.83
	AL113087	<b>Vandal Protection:</b> Vandal Protection, Lockable Fuel Tank Cap <i>Cab Only.</i>	37.86
	BM19940	<b>Weights:</b> Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 In. Wheel. Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight.</i>	171.60
	LVB25670	<b>Wheels and Tires Front:</b> 25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	716.10
	BLV10394	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	625.90
	LVB25673	27x8.5-15 (6PR R4 Industrial 2 Pos.) Front Wheels & Tires	716.10

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 3320, 3520, 3720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25671	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	638.00
	LVB25672	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	556.60
		<b>Wheels and Tires Rear:</b>	
	LVB25495	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,848.00
	BLV10393	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,731.40
	LVB25496	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,570.80
	LVB25498	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,504.70
	LVB25494	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,760.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4105 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
AT118553		Air Cleaner Service Indicator (Donaldson)	59.64
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA13457		Spark Arrester Screen	49.57
LVB25884		Vertical Exhaust Kit	397.10
		<b>Hitch:</b>	
LVB25308		Telescoping Draft Links	352.00
LVU15507		iMatch Quick Hitch Bushings	11.01
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hood Guards:</b>	
BW15783		Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and below For Tractors 1LV4105HKAH410001 and above use BW16040.</i>	251.90
BW16040		Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and above. For Tractors 1LV4105HKAH410001 and below, use BW15783.</i>	259.60
		<b>Hydraulics:</b>	
LVB26030		Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 and 4105 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,212.20
LVB25505		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	412.50
LVB26064		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
LVB25084		Third Selective Control Valve Kit <i>Requires dual SCV. Includes rear mounted couplers. Hydraulic lines and SCV lever, valve not included. If tractor is equipped with loader, LVB25084 is recommended to raise and lower mid-mount mowers.</i>	323.40
LVB25089		Third Selective Control Valve Kit <i>Requires Dual SCV. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever, Valve Not Included.</i>	316.80
		<b>Lighting:</b>	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4105 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25546	Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
	LVB25016	Warning Light Brush Guard Kit (Two Guards)	49.50
	LP25001	<b>Miscellaneous:</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
	LVB25015	55 Amp Alternator	313.50
	LVB26021	Cruise Control Kit	313.50
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires</i>	628.68
	LVB25334	<b>Operator Environment:</b> Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	LVB25990	<b>Operator Manual and Decal Kit:</b> Spanish North American Operators Manual and Decal Kit <i>For 4105 Tractor</i>	68.20
	LVB26188	Spanish North American Operators Manual and Decal Kit	77.00
	BLV10641	<b>Transmission:</b> Transmission Oil Heater	86.83
	BM19940	<b>Weights:</b> Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
	BLV10442	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires CH15318, Pin.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) BLV10443.</i>	108.90
	T19293	Weight, Rear Wheel 110 Lb.	171.60
	BM19108	<b>Wheels and Tires Front:</b> 10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB26029	<b>Wheels and Tires Rear:</b> 17.50L-24 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	2,203.30

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4120, 4320, 4520, 4720 Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Engine:</b>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA13458		Spark Arrester Screen	47.71
LVB25765		Vertical Exhaust Kit <i>For 4120 Tractors PRT Serial #(615001 -), HST Serial #(610001 -). For 4320 Tractors PRT Serial #(630001 -), HST Serial #(620001 -). For 4520 Tractors PRT Serial #(655001 -), HST Serial #(650001 -). For 4720 Tractors Serial #(670001 -).</i>	393.80
RE51650		Water Separator Clear Bowl	69.01
		<b>Fenders:</b>	
LVB25685		Front Fender Kit	531.30
LVB24860		Rear Fender Extension Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	272.80
LVB25683		Rear Fender Extension Kit (Open Station Only)	272.80
		<b>Hitch:</b>	
LVB25309		Telescoping Draft Links	389.40
BLV10011		Tractor Drawbar Assembly	229.36
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	363.00
		<b>Hood Guards:</b>	
BW15221		Hood Guard (4120-4720)	259.60
		<b>Hydraulics:</b>	
LVB26072		4th & 5th Electrohydraulic SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Also see SCV Options Table under Notes for the appropriate parts needed for installation.</i>	1,405.80
LVB26037		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Please refer to Selective control valve (SCV) reference table for any additional parts. For 4120, 4320 and 4720 Tractors.</i>	877.80
LVB24855		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's (Either Third and Fourth or Fourth and Fifth) Not compatible with MY2011 and later tractors. See sales manual for details.</i>	1,522.40
LVB25511		Electric Diverter Kit (OOS Only) <i>Includes Two Additional SCV's (Either Third and Fourth or Fourth and Fifth) Not compatible with MY2011 tractors. See sales manual for details.</i>	1,478.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB26077	Electric Diverter Kit (OOS Only) <i>Includes two additional SCV's.</i>	1,522.40
	LVB26033	Electrohydraulic Third SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. For 4320, 4520 and 4720 Tractors.</i>	1,145.10
	LVB26032	Electrohydraulic Third SCV Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,145.10
	LVB26078	Electronic Diverter Kit (Cab Only) <i>Includes two additional SCV's. For 4320, 4520 and 4720 Tractors.</i>	1,522.40
	LVB25780	Power Beyond Kit (Cab Only) <i>Not compatible with MY2011 tractors. See sales manual for details. For 4320, 4520 and 4720 Tractors.</i>	343.20
	LVB26071	Power Beyond Kit (Cab Only) <i>Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. For 4320, 4520 and 4720 Tractors.</i>	421.30
	LVB25512	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	412.50
	LVB26066	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	412.50
	LVB24848	Third Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or newer tractors. See sales manual for details. For 4320, 4520 and 4720 Tractors.</i>	287.10
	LVB25513	Third Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or older tractors. See sales manual for details.</i>	283.80
	LVB25312	Top and Tilt Field Kit <i>Requires Electric Diverter Kit. For 4120, 4320 and 4520 MY2011 and prior.</i>	1,159.40
	LVB26161	Top and Tilt Field Kit <i>Requires Electric Diverter Kit. Prior to MY2011 order LVB25312.</i>	1,273.80
		<b>Kits and Accessories:</b>	
	RE527545	Engine Block Heater	157.91



# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Lighting:</b>	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	63.80
LVB24852		Beacon Light Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	243.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	97.90
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	302.50
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired. For 4320, 4520 and 4720 Tractors.</i>	150.70
LVB25236		Warning Light Brush Guard Kit (Two Guards) <i>Open Station Only.</i>	63.80
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
		<b>Miscellaneous:</b>	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	139.00
LVB25971		7-Pin Trailer Connector (Cab) <i>Serial # (H670871 -) For 4320, 4520 and 4720 Tractors.</i>	111.10
LVB25960		7-Pin Trailer Connector (Open Station)	271.70
LVB25867		Automotive Style Cruise Load Match, Speed Match and Upgraded Motion Match Switch <i>For 4520 Tractors Serial # (655001 -) For 4720 Tractors Serial # (670001 -)</i>	115.50
LVB25866		Automotive Style Cruise, Load Match, Speed Match, and Upgraded Motion Match Switch <i>For 4520 Tractors Serial # (-655000) For 4720 Tractors Serial # (-670000)</i>	115.50
BLV10648		Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	130.90
LVB24851		Horn Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	48.40
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "Order Zone GenII". Customers must contact your local JD Dealer.</i>	29.99

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TY15201	Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	206.63
	TY15988	Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	370.14
	TY16202	Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires</i>	628.68
	TY4462	Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	396.19
	LVB24865	Tool Box Kit	165.00
	RE343680	<b>Operator Environment:</b> Accessory Mounting Bracket, Short Right Side Front or Rear <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	54.99
	LVB24983	Air Seat Suspension Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	723.80
	LVB25688	Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	657.80
	LVB26065	Cab Speaker and Radio Mount Kit <i>Cab Only. Compatible only with MY2010 or previous models. See sales manual for details.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	92.40
	LVB25334	Canopy - Standard	521.40
	LVB25332	Canopy Mounting Bracket and Hardware Kit	82.50
	BRE10015	Cell Phone Mount Kit <i>The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone. Cab models only.</i>	60.50
	LVB24876	Cigarette Lighter/Ashtray Kit (Cab Only) <i>For 3320, 3520, 3720, 4320, 4520 and 4720 Tractors.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	48.40
	RE289852	Deere Delco Stereo Radio with Weatherband, Single Compact Disc Player, Clock, and Four Speakers <i>For 4720 Tractors.</i>	See Parts
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
	LVB24844	External Mirror Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	190.30
	SWJHD1630	Jensen Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 9520 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	255.40
	LVB24856	Rear Wiper Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	280.50

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25501	Seat Armrest Kit <i>Open Station Only, Standard on Cab Tractors.</i>	145.20
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	59.40
	TY25324	Weather Protection Umbrella	113.73
	LVB25996	<b>Operator Manual and Decal Kit:</b> Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i> <i>For 4120, 4320 and 4520 Tractors</i>	78.10
	LVB26186	Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i>	80.30
	LVB25988	Spanish North American Operators Manual and Decal Kit <i>Open Station Tractors.</i> <i>For 4120, 4320 and 4520 Tractors.</i>	62.70
	LVB26185	Spanish North American Operators Manual and Decal Kit <i>Open Station Tractors.</i>	64.90
	LVB24847	<b>PTO:</b> Mid PTO Controls (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	171.60
	LVB25959	Mid PTO Kit <i>4X20 Tractors with SN ending in 916000 (OOS) and 946000 (Cab) and after are NOT compatible with mid-mount mowers.</i> <i>Cab Tractors Require LVB24847 Mid PTO Controls.</i>	762.30
	BKK10018	<b>Powertrain:</b> Wheel Slip Control <i>For 4720 Tractors.</i>	5,366.90
	LVB25865	<b>Transmission:</b> PRT Oil Cooler Kit <i>For 4120, 4320 and 4520 Tractors.</i>	286.00
	BLV10641	Transmission Oil Heater	86.83
	AL113087	<b>Vandal Protection:</b> Vandal Protection, Lockable Fuel Tank Cap <i>Cab Only.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	37.86
	BM19940	<b>Weights:</b> Attaching Hardware for Additional Rear Wheel Weight, 110 lb.	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 Lb.	11.00
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb.	37.40
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 Lb.	53.90
	LVB25705	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10441	Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
	R66949	Quik-Tatch Weight, 42 Lb. <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	59.91
	BM19780	Quik-Tatch Weight, 70 lb. <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	108.90
	BM17968	Rear Wheel Weight, 48.5 Lb. <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
	T19293	Weight, Rear Wheel 110 Lb. <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		<b>Wheels and Tires Front:</b>	
	BM19108	10-16.5 (6PR, R4 Industrial) Front Wheels & Tires	874.50
	LVB25108	27x10.5-15 (4PR R3 Turf 2 Pos.) Front Wheels and Tires	707.30
	LVB25007	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	800.80
	BM19083	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	704.00
		<b>Wheels and Tires Rear:</b>	
	BLV10687	13.60-28 (4PR, R1 Bar, 5 Position)	2,464.00
	BLV10328	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,413.40
	BM19208	22.50LLx16.1 (6PR, R3 Turf Special) Rear Wheels & Tires	3,136.10
	LVB25000	44x18-20 (4PR, R3 Turf) Rear Wheels & Tires	1,885.40

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 110 TLB Compact Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Buckets:</b>	
LVB25348		18 In. Pin-on Heavy Duty Backhoe Bucket 4 Digging Teeth	899.80
LVB25749		18 In. Quick Coupler Heavy-Duty Backhoe Bucket 4 Digging Teeth	1,014.20
LVB25754		20 In. Pin-On Heavy-Duty Backhoe Bucket 4 Digging Teeth	994.40
LVB25750		20 In. Quick Coupler Heavy Duty Backhoe Bucket 4 Digging Teeth	1,059.30
LVB25349		24 In. Pin-on Heavy Duty Backhoe Bucket 4 Digging Teeth	893.16
LVB25751		24 In. Quick Coupler Heavy Duty Backhoe Bucket 4 Digging Teeth	1,180.30
LVB25350		30 In. Pin-on Heavy Duty Backhoe Bucket No Digging Teeth	1,205.60
LVB25752		30 In. Quick Coupler Heavy-Duty Backhoe Bucket 5 Digging Teeth	1,272.70
LVB25351		36 In. Pin-on Heavy Duty Backhoe Bucket No Digging Teeth	1,340.90
LVB25753		36 In. Quick Coupler Heavy-duty Backhoe Bucket No Digging Teeth	1,405.80
LVB25342		72 In. Quik-Tatch Heavy Duty Front Loader Bucket w/Replaceable Cutting Edge	1,408.00
LVB25341		72 In. Quik-Tatch Standard Front Loader Bucket	1,170.40
LVB25345		84 In. Light Material Bucket <i>For Light Material Handling.</i>	1,441.00
		<b>Engine:</b>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	64.64
LVA15311		Spark Arrester Assembly	116.94
		<b>Hitch:</b>	
LVB24858		Regular 3-Pt Hitch	929.50
		<b>Miscellaneous:</b>	
LVB25735		3 In. Retractable Seat Belt	151.80
U16748		66 in. Bolt-On Cutting Edge	127.19
T32742		72 in. Bolt-On Cutting Edge	145.36

# JOHN DEERE TURF & UTILITY PRODUCTS

## Attachments for 110 TLB Compact Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVA12133	Solid Rubber Stabilizer Pad (4 Required)	46.62
		<b>Transmission:</b>	
	BLV10641	Transmission Oil Heater	86.83
		<b>Vandal Protection:</b>	
	AL113087	Vandal Protection, Lockable Fuel Tank Cap	37.86