

# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### PR15 - XUV560 Base (MY16)

#### Equipment for Base Machine

**ENGINE:**  
 570cc, 16 HP (12 kW)\*  
 4-cycle, 2 cylinder, gas,  
 dynamically tuned carburetor  
 Air cooled  
 Full pressure lubrication  
 Replaceable single dry-type  
 element air cleaner with remote  
 intake  
 Inductive coil ignition  
 Spark-arresting muffler

**ELECTRICAL:**  
 Electric start  
 16 amp regulated stator type  
 alternator  
 340 CCA battery  
 Two 37.5 watt halogen headlights  
 (1) 12V power outlet  
 Available brake light kit

**TRANSAXLE/TRANSMISSION:**  
 Continuously Variable  
 Transmission (CVT) with full  
 clutch enclosure  
 H, L, N, R transaxle with  
 lockable rear differential  
 Operator selectable 4WD  
 Limited slip front differential  
 28 mph (45 kph) maximum forward  
 speed  
 Large diameter half shafts with  
 TPE boots

**BRAKES:**  
 Front and rear hydraulic disk  
 brakes with large 196mm  
 stainless steel rotors  
 Foot-operated park brake

**STEERING/SUSPENSION:**  
 Rack and Pinion Steering  
 12.3 ft. (3.75m) Turning Circle  
 Independent front dual A-arm

suspension with anti-roll bar; 8  
 in. (203mm) of travel  
 Independent rear H-arm  
 suspension with camber link; 8  
 in. (203mm) of travel

**FRAME:**  
 Robotically welded high-strength  
 steel frame  
 Integrated 2 in. (50mm) rear  
 receiver  
 Optional 2 in. (50mm) front  
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
 (OPS):**  
 OSR (Occupant Side Retention)  
 Nets standard  
 1.75 in. (44.4 mm) steel tubular  
 overhead structure  
 Passenger handhold  
 SAE J2194 & OSHA ROPS Certified

**OPERATOR STATION:**  
 2 occupant capacity bench seat  
 3-point seat belts  
 Hip restraint bars for driver  
 and passenger  
 Sealed glove box  
 Sealed storage compartment under  
 hood  
 Two cup holders in dash  
 Fuel sight gauge  
 Instrument cluster with hour  
 meter and seat belt reminder

**DIMENSIONS:**  
 113 in. (2.9m) long x 56.5 in.  
 (1.4m) wide x 73.5 in. (1.9m)  
 high  
 Front tread centers: 48 in.  
 (1.2m)  
 Rear tread centers: 46 in.  
 (1.16m)

Wheelbase: 72.8 in. (1.8m)  
 Ground Clearance: 10.5 in.  
 (267mm)  
**WEIGHT/CAPACITIES:**  
 Weight (including fuel/fluids):  
 1270 lbs. (576 kg.)  
 Payload Capacity: 800 lbs. (363  
 kg.)  
 Towing Capacity: 1,100 lbs.  
 (499 kg.)  
 4.9 Gallon (18.5L) fuel tank

**CARGO BOX:**  
 Material: High-density  
 composite  
 Dimensions: 32.3 in. (82cm)  
 Long x 47.6 in. (121cm) Wide x  
 11.7 in. (29.7cm) Deep  
 Volume: 8.9 cu. ft (0.25 cu.m)  
 Capacity: 400 Lbs (181 kg)  
 Dump: 2-sided manual release  
 with optional power lift  
 Tailgate: Hinged, one-handed  
 operation, tool-less removal

**MISCELLANEOUS:**  
 Safety and Operational DVD  
 Operator's Manual

\*Engine HP is Provided by the  
 Engine Manufacturer to be Used  
 for Comparison Purposes Only,  
 Actual Operating HP will be  
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Janesville, Wisconsin</i>			
5380M		PR15 - XUV560 Base (MY16) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	8,139.00
<b>DESTINATION</b>			
001A		US / CANADA	In Base Price
<b>COLOR</b>			
2500		Green and Yellow	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV560 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>WHEELS WITH TIRES</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 in. Yellow steel wheels	In Base Price
1002		25 in. Ancla M-T Extreme Terrain Tires (4PR) on 12 in. Yellow steel wheels	Same Price
<b>SEATS</b>			
2006		Bench Seat - Yellow	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4000		OPS with OSR nets	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM25411		<b>Ag Management Solutions:</b> AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
BM25259		<b>Cabs/Roofs/Windshields:</b> Abrasion Resistant Half Windshield	264.29
BM25261		Abrasion Resistant Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06
BM24817		Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,125.01
BM25014		Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	520.01
BM23397		Poly Roof - Black	357.39
BM23396		Rear Metal Screen <i>Includes headrests.</i>	297.46

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV560 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP37050	Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	219.99
	LP37046	Soft Roof - Black <i>Available through Order Zone.</i>	32.99
	BM25103	Windshield Washer Kit	302.81
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM25960	Cargo Box Power Lift	813.20
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV560 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM22290	Drawbar - 2 in. (51mm)	41.73
	BM24171	<b>Custom &amp; High Performance:</b> Engine Oil Temperature Sensor Kit	56.71
	BM23438	High Capacity Alternator <i>55 Amps.</i>	725.46
	BM22703	Seat-Belt Comfort Strap (2)	81.31
	BM24376	Speedometer Kit	113.41
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
	LP49226	<b>Hunting / Camo:</b> Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	479.00
	LP37037	Vehicle Cover - Camo <i>Available through Order Zone.</i>	119.95
	LP37041	Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
	BM23369	<b>Lights / Signals:</b> Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM24100	Brake and Tail Light Kit	56.71
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for brushguard mounting.</i>	199.01

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV560 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
		<b>Operator Environment:</b>	
	BRE10015	Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
		<b>Protection:</b>	
	BM23309	CV Guards <i>Aluminum.</i>	151.94
	BM23368	Floor Mat	81.31
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards <i>Requires Front Brushguard</i>	188.31
	BM24095	Full Underbody Skid Plate	165.86
	BM23362	Rear Bumper	200.09
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
	LP37040	Vehicle Cover - Transportable (Black)	144.99
		<b>Sprayers / Pressure Washers:</b>	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV560 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		<b>Spreaders:</b>	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
		<b>Winch:</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81

# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### PR15 - XUV560 Utility & Protection Package (MY16)

#### Equipment for Base Machine

**ENGINE:**  
 570cc, 16 HP (12 kW)\*  
 4-cycle, 2 cylinder, gas,  
 dynamically tuned carburetor  
 Air cooled  
 Full pressure lubrication  
 Replaceable single dry-type  
 element air cleaner with remote  
 intake  
 Inductive coil ignition  
 Spark-arresting muffler

**ELECTRICAL:**  
 Electric start  
 16 amp regulated stator type  
 alternator  
 340 CCA battery  
 Two 37.5 watt halogen headlights  
 (1) 12V power outlet  
 Available brake light kit

**TRANSAXLE/TRANSMISSION:**  
 Continuously Variable  
 Transmission (CVT) with full  
 clutch enclosure  
 H, L, N, R transaxle with  
 lockable rear differential  
 Operator selectable 4WD  
 Limited slip front differential  
 28 mph (45 kph) maximum forward  
 speed  
 Large diameter half shafts with  
 TPE boots

**BRAKES:**  
 Front and rear hydraulic disk  
 brakes with large 196mm  
 stainless steel rotors  
 Foot-operated park brake

**STEERING/SUSPENSION:**  
 Rack and Pinion Steering  
 12.3 ft. (3.75m) Turning Circle  
 Independent front dual A-arm

suspension with anti-roll bar; 8  
 in. (203mm) of travel  
 Independent rear H-arm  
 suspension with camber link; 8  
 in. (203mm) of travel

**FRAME:**  
 Robotically welded high-strength  
 steel frame  
 Integrated 2 in. (50mm) rear  
 receiver  
 Optional 2 in. (50mm) front  
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
 (OPS):**  
 OSR (Occupant Side Retention)  
 Nets standard  
 1.75 in. (44.4 mm) steel tubular  
 overhead structure  
 Passenger handhold  
 SAE J2194 & OSHA ROPS Certified

**OPERATOR STATION:**  
 2 occupant capacity bench seat  
 3-point seat belts  
 Hip restraint bars for driver  
 and passenger  
 Sealed glove box  
 Sealed storage compartment under  
 hood  
 Two cup holders in dash  
 Fuel sight gauge  
 Instrument cluster with hour  
 meter and seat belt reminder

**DIMENSIONS:**  
 113 in. (2.9m) long x 56.5 in.  
 (1.4m) wide x 73.5 in. (1.9m)  
 high  
 Front tread centers: 48 in.  
 (1.2m)  
 Rear tread centers: 46 in.  
 (1.16m)

Wheelbase: 72.8 in. (1.8m)  
 Ground Clearance: 10.5 in.  
 (267mm)  
**WEIGHT/CAPACITIES:**  
 Weight (including fuel/fluids):  
 1270 lbs. (576 kg.)  
 Payload Capacity: 800 lbs. (363  
 kg.)  
 Towing Capacity: 1,100 lbs.  
 (499 kg.)  
 4.9 Gallon (18.5L) fuel tank

**CARGO BOX:**  
 Material: High-density  
 composite  
 Dimensions: 32.3 in. (82cm)  
 Long x 47.6 in. (121cm) Wide x  
 11.7 in. (29.7cm) Deep  
 Volume: 8.9 cu. ft (0.25 cu.m)  
 Capacity: 400 Lbs (181 kg)  
 Dump: 2-sided manual release  
 with optional power lift  
 Tailgate: Hinged, one-handed  
 operation, tool-less removal

**MISCELLANEOUS:**  
 Safety and Operational DVD  
 Operator's Manual

\*Engine HP is Provided by the  
 Engine Manufacturer to be Used  
 for Comparison Purposes Only,  
 Actual Operating HP will be  
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Janesville, Wisconsin</i>			
5381M		PR15 - XUV560 Utility & Protection Package (MY16) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	8,139.00
<b>DESTINATION</b>			
001A		US / CANADA	In Base Price
<b>COLOR</b>			
2500		Green and Yellow	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV560 Utility & Protection Package (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>WHEELS WITH TIRES</b>			
1008		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 14 in. Yellow alloy wheels	862.00
<b>SEATS</b>			
2006		Bench Seat - Yellow	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4000		OPS with OSR nets	In Base Price
<b>UTILITY AND PROTECTION PACKAGES</b>			
4105		Utility and Protection Package Package Consists of: Front Brushguard, OPS Black Poly Roof, Cargo Box Rails	815.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM25411		<b>Ag Management Solutions:</b> AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
BM25259		<b>Cabs/Roofs/Windshields:</b> Abrasion Resistant Half Windshield	264.29
BM25261		Abrasion Resistant Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06
BM24817		Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,125.01
BM25014		Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	520.01
BM23397		Poly Roof - Black	357.39



JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV560 Utility & Protection Package (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23396	Rear Metal Screen <i>Includes headrests.</i>	297.46
	LP37050	Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	219.99
	LP37046	Soft Roof - Black <i>Available through Order Zone.</i>	32.99
	BM25103	Windshield Washer Kit	302.81
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM25960	Cargo Box Power Lift	813.20
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV560 Utility & Protection Package (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
	BM24171	<b>Custom &amp; High Performance:</b> Engine Oil Temperature Sensor Kit	56.71
	BM23438	High Capacity Alternator <i>55 Amps.</i>	725.46
	BM22703	Seat-Belt Comfort Strap (2)	81.31
	BM24376	Speedometer Kit	113.41
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
	LP49226	<b>Hunting / Camo:</b> Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	479.00
	LP37037	Vehicle Cover - Camo <i>Available through Order Zone.</i>	119.95
	LP37041	Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
	BM23369	<b>Lights / Signals:</b> Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM24100	Brake and Tail Light Kit	56.71
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for brushguard mounting.</i>	199.01

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV560 Utility & Protection Package (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
	BRE10015	<b>Operator Environment:</b> Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
	BM23309	<b>Protection:</b> CV Guards <i>Aluminum.</i>	151.94
	BM23368	Floor Mat	81.31
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards <i>Requires Front Brushguard</i>	188.31
	BM24095	Full Underbody Skid Plate	165.86
	BM23362	Rear Bumper	200.09
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
	LP37040	Vehicle Cover - Transportable (Black)	144.99
	LP39965	<b>Sprayers / Pressure Washers:</b> 25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV560 Utility & Protection Package (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		<b>Spreaders:</b>	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
		<b>Winch:</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81

# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### PR15 - XUV560 S4 Base (MY16) Equipment for Base Machine

**ENGINE:**  
570cc, 16 HP (12 kW)\*  
4-cycle, 2 cylinder, gas,  
dynamically tuned carburetor  
Air cooled  
Full pressure lubrication  
Replaceable single dry-type  
element air cleaner with remote  
intake  
Inductive coil ignition  
Spark-arresting muffler

**ELECTRICAL:**  
Electric start  
16 Amp regulated stator type  
alternator  
340 CCA battery  
Two 37.5 watt halogen headlights  
(1) 12V power outlet  
Available brake light kit

**TRANSAXLE/TRANSMISSION:**  
Continuously Variable  
Transmission (CVT) with full  
clutch enclosure  
H, L, N, R transaxle with  
lockable rear differential  
Operator selectable 4WD  
Limited slip front differential  
28 mph (45 kph) maximum forward  
speed  
Large diameter half shafts with  
TPE boots

**BRAKES:**  
Front and rear hydraulic disk  
brakes with large 196mm  
stainless steel rotors  
Foot-operated park brake

**STEERING/SUSPENSION:**  
Rack and Pinion Steering  
19.7 ft. (6.0m) Turning Circle  
Independent front dual A-arm  
suspension with anti-roll bar; 8  
in. (203mm) of travel  
Independent rear H-arm

suspension with camber link; 8  
in. (203mm) of travel

**FRAME:**  
Robotically welded high-strength  
steel frame  
Integrated 2 in. (50mm) rear  
receiver  
Optional 2 in. (50mm) front  
receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
(OPS):**  
OSR (Occupant Side Retention)  
Nets standard  
1.75 in. (44.4 mm) steel tubular  
overhead structure  
Passenger handhold  
SAE J2194 & OSHA ROPS Certified

**OPERATOR STATION:**  
4 occupant capacity bench seats  
3-point seat belts  
Hip restraint bars for driver  
and passengers  
Sealed glove box  
Sealed storage compartment under  
hood  
Optional sealed storage  
compartment under seat  
Two cup holders in dash  
Fuel sight gauge  
Instrument cluster with hour  
meter and seat belt reminder

**DIMENSIONS:**  
144 in. (3.7m) long x 56.5 in.  
(1.4m) wide x 73.5 in. (1.9m)  
high  
Front tread centers: 48 in.  
(1.2m)  
Rear tread centers: 46 in.  
(1.16m)  
Wheelbase: 108 in. (2.7m)  
Ground Clearance: 9.3 in.  
(236mm)  
**WEIGHT/CAPACITIES:**

**Weight (including fuel/fluids):**  
1497 lbs. (679 kg.)  
**Payload Capacity:** 1200 lbs.  
(544 kg.)  
**Towing Capacity:** 1,100 lbs.  
(499 kg.)  
4.9 Gallon (18.5L) fuel tank

**CARGO BOX:**  
**Material:** High-density  
composite  
**Dimensions:** 32.3 In. (82cm)  
Long x 47.6 In. (121cm) Wide x  
11.7 In. (29.7cm) Deep  
**Volume:** 8.9 cu. ft (0.25 cu.m)  
**Capacity:** 400 Lbs (181 kg)  
**Dump:** 2-sided manual release  
with optional power lift  
**Tailgate:** Hinged, one-handed  
operation, toolless removal

**CONVERTIBLE CARGO RACK:**  
23.5 in. (59.7 cm.) Long x 38.8  
in. (98.6 cm) Wide x 8.1 in.  
(20.6 cm) Deep  
4.3 cu. ft (0.12 cu.m) Capacity  
200 Lbs (90.7 kg) Rack Capacity  
**MISCELLANEOUS:**  
Safety and Operational DVD  
Operator's Manual

\*Engine HP is Provided by the  
Engine Manufacturer to be Used  
for Comparison Purposes Only,  
Actual Operating HP will be  
Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> Select One Code From Each Required Category </div>			
<b>BASE MACHINE</b>			
<i>F.O.B. Janesville, Wisconsin</i>			
5390M		PR15 - XUV560 S4 Base (MY16) <i>Base Machine Suggested List Price Does Not Include 650 USD Destination Charge.</i>	9,739.00
<b>DESTINATION</b>			
001A		US / CANADA	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV560 S4 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>COLOR</b>			
2500		Green and Yellow	In Base Price
<b>WHEELS WITH TIRES</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 in. Yellow steel wheels	In Base Price
<b>SEATS</b>			
2022		Bench Seat Front/Rear - Yellow	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4000		OPS with OSR nets	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Ag Management Solutions:</b>	
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
		<b>Cabs/Roofs/Windshields:</b>	
BM25259		Abrasion Resistant Half Windshield	264.29
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06
BM24818		Poly Cab Doors - S4 <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,905.50
BM25015		Poly Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	564.96
BM23398		Poly Roof - Black (S4)	543.56
LP37052		Soft Cab (S4) - Black <i>Requires front windshield. Available through Order Zone.</i>	339.99
LP37048		Soft Roof (S4) - Black <i>Available through Order Zone.</i>	43.99
BM25103		Windshield Washer Kit	302.81

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV560 S4 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Cargo Box Options / Storage:</b>	
BM23849		5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
BM23371		Box Mat	121.99
BM25960		Cargo Box Power Lift	813.20
BM23526		Cargo Box Rails	116.63
BM23384		Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
BM23360		Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
BM24200		Glove Box Lock	12.84
LP37044		OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
LP46485		Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
LP25929		Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
LP25928		Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
BM23385		Tire Rack <i>Requires cargo box rails.</i>	221.49
BM23874		Underseat Storage	111.29
		<b>Carts / Hitches:</b>	
LPPCT10LXATV		10AT Cart <i>Available through Order Zone.</i>	579.00
LPPCT17ATJD		17AT Cart <i>Available through Order Zone.</i>	799.00
BM23363		2" Front Receiver Hitch and Recovery Loops	116.63
LPUT21JD		21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
PM05101		Ball Mount - 1.875 in. (48mm)	11.03
PM05201		Ball Mount - 2 in. (51mm)	11.80
BM22290		Drawbar - 2 in. (51mm)	41.73
		<b>Custom &amp; High Performance:</b>	
BM24171		Engine Oil Temperature Sensor Kit	56.71

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV560 S4 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23438	High Capacity Alternator <i>55 Amps.</i>	725.46
	BM22703	Seat-Belt Comfort Strap (2)	81.31
	BM24376	Speedometer Kit	113.41
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
	LP37039	<b>Hunting / Camo:</b> Vehicle Cover (S4) - Camo <i>Available through Order Zone.</i>	129.95
	LP37043	Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone.</i>	189.95
	BM23369	<b>Lights / Signals:</b> Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM24100	Brake and Tail Light Kit	56.71
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for brushguard mounting.</i>	199.01
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33
	BM24273	Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69



JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV560 S4 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
	BRE10015	<b>Operator Environment:</b> Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
	BM23309	<b>Protection:</b> CV Guards <i>Aluminum.</i>	151.94
	BM23884	Floor Mat - S4 <i>Front and rear mats.</i>	165.86
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards <i>Requires Front Brushguard</i>	188.31
	BM23362	Rear Bumper	200.09
	LP37038	Vehicle Cover (S4) - Black <i>Available through Order Zone.</i>	92.99
	LP37042	Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone.</i>	163.99
	LP39965	<b>Sprayers / Pressure Washers:</b> 25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV560 S4 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<b>Spreaders:</b>			
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
<b>Winch:</b>			
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81

# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### XUV560 (MY16 Build to Order)

#### Equipment for Base Machine

**ENGINE:**  
 570cc, 16 HP (12 kW)\*  
 4-cycle, 2 cylinder, gas,  
 dynamically tuned carburetor  
 Air cooled  
 Full pressure lubrication  
 Replaceable single dry-type  
 element air cleaner with remote  
 intake  
 Inductive coil ignition  
 Spark-arresting muffler

**ELECTRICAL:**  
 Electric start  
 16 amp regulated stator type  
 alternator  
 340 CCA battery  
 Two 37.5 watt halogen headlights  
 (1) 12V power outlet  
 Available brake light kit

**TRANSAXLE/TRANSMISSION:**  
 Continuously Variable  
 Transmission (CVT) with full  
 clutch enclosure  
 H, L, N, R transaxle with  
 lockable rear differential  
 Operator selectable 4WD  
 Limited slip front differential  
 28 mph (45 kph) maximum forward  
 speed  
 Large diameter half shafts with  
 TPE boots

**BRAKES:**  
 Front and rear hydraulic disk  
 brakes with large 196mm  
 stainless steel rotors  
 Foot-operated park brake

**STEERING/SUSPENSION:**  
 Rack and Pinion Steering  
 12.3 ft. (3.75m) Turning Circle  
 Independent front dual A-arm

suspension with anti-roll bar; 8  
 in. (203mm) of travel  
 Independent rear H-arm  
 suspension with camber link; 8  
 in. (203mm) of travel

**FRAME:**  
 Robotically welded high-strength  
 steel frame  
 Integrated 2 in. (50mm) rear  
 receiver  
 Optional 2 in. (50mm) front  
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
 (OPS):**  
 OSR (Occupant Side Retention)  
 Nets standard  
 1.75 in. (44.4 mm) steel tubular  
 overhead structure  
 Passenger handhold  
 SAE J2194 & OSHA ROPS Certified

**OPERATOR STATION:**  
 2 occupant capacity bench seat  
 3-point seat belts  
 Hip restraint bars for driver  
 and passenger  
 Sealed glove box  
 Sealed storage compartment under  
 hood  
 Two cup holders in dash  
 Fuel sight gauge  
 Instrument cluster with hour  
 meter and seat belt reminder

**DIMENSIONS:**  
 113 in. (2.9m) long x 56.5 in.  
 (1.4m) wide x 73.5 in. (1.9m)  
 high  
 Front tread centers: 48 in.  
 (1.2m)  
 Rear tread centers: 46 in.  
 (1.16m)

Wheelbase: 72.8 in. (1.8m)  
 Ground Clearance: 10.5 in.  
 (267mm)  
**WEIGHT/CAPACITIES:**  
 Weight (including fuel/fluids):  
 1270 lbs. (576 kg.)  
 Payload Capacity: 800 lbs. (363  
 kg.)  
 Towing Capacity: 1,100 lbs.  
 (499 kg.)  
 4.9 Gallon (18.5L) fuel tank

**CARGO BOX:**  
 Material: High-density  
 composite  
 Dimensions: 32.3 in. (82cm)  
 Long x 47.6 in. (121cm) Wide x  
 11.7 in. (29.7cm) Deep  
 Volume: 8.9 cu. ft (0.25 cu.m)  
 Capacity: 400 Lbs (181 kg)  
 Dump: 2-sided manual release  
 with optional power lift  
 Tailgate: Hinged, one-handed  
 operation, tool-less removal

**MISCELLANEOUS:**  
 Safety and Operational DVD  
 Operator's Manual

\*Engine HP is Provided by the  
 Engine Manufacturer to be Used  
 for Comparison Purposes Only,  
 Actual Operating HP will be  
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Janesville, Wisconsin*

5383M	XUV560 (MY16 Build to Order) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	8,139.00
-------	---	----------

#### DESTINATION

001C	Australia/New Zealand	Same Price
0195	Mexico	Same Price
001D	Other Countries	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV560 (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>DESTINATION Continued...</b>			
<b>COLOR</b>			
2500		Green and Yellow	In Base Price
<b>WHEELS WITH TIRES</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 in. Yellow steel wheels	In Base Price
1002		25 in. Ancla M-T Extreme Terrain Tires (4PR) on 12 in. Yellow steel wheels	Same Price
1008		26 in. Maxxis Bighorn 2.0 Tires (6 PR) on 14 in. Yellow alloy wheels	862.00
<b>SEATS</b>			
2006		Bench Seat - Yellow	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4000		OPS with OSR nets	In Base Price
<b>UTILITY AND PROTECTION PACKAGES</b>			
4105		Utility and Protection Package Package Consists of: Front Brushguard, OPS Black Poly Roof, Cargo Box Rails	815.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM25411		<b>Ag Management Solutions:</b> AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
BM25259		<b>Cabs/Roofs/Windshields:</b> Abrasion Resistant Half Windshield	264.29
BM25261		Abrasion Resistant Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV560 (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24817	Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,125.01
	BM25014	Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	520.01
	BM23397	Poly Roof - Black	357.39
	BM23396	Rear Metal Screen <i>Includes headrests.</i>	297.46
	LP37050	Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	219.99
	LP37046	Soft Roof - Black <i>Available through Order Zone.</i>	32.99
	BM25103	Windshield Washer Kit	302.81
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM25960	Cargo Box Power Lift	813.20
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV560 (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
		<b>Custom &amp; High Performance:</b>	
	BM24171	Engine Oil Temperature Sensor Kit	56.71
	BM23438	High Capacity Alternator <i>55 Amps.</i>	725.46
	BM22703	Seat-Belt Comfort Strap (2)	81.31
	BM24376	Speedometer Kit	113.41
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
		<b>Hunting / Camo:</b>	
	LP49226	Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	479.00
	LP37037	Vehicle Cover - Camo <i>Available through Order Zone.</i>	119.95
	LP37041	Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
		<b>Lights / Signals:</b>	
	BM23369	Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM24100	Brake and Tail Light Kit	56.71

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV560 (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for brushguard mounting.</i>	199.01
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
		<b>Operator Environment:</b>	
	BRE10015	Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
		<b>Protection:</b>	
	BM23309	CV Guards <i>Aluminum.</i>	151.94
	BM23368	Floor Mat	81.31
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards <i>Requires Front Brushguard</i>	188.31
	BM24095	Full Underbody Skid Plate	165.86
	BM23362	Rear Bumper	200.09
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
	LP37040	Vehicle Cover - Transportable (Black)	144.99
		<b>Sprayers / Pressure Washers:</b>	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV560 (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers.</i> <i>Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers.</i> <i>Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers.</i> <i>Available through Order Zone.</i>	64.95
		<b>Spreaders:</b>	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
		<b>Winch:</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81



# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### XUV560 S4 (MY16 Build to Order)

#### Equipment for Base Machine

<b>ENGINE:</b> 570cc, 16 HP (12 kW)* 4-cycle, 2 cylinder, gas, dynamically tuned carburetor Air cooled Full pressure lubrication Replaceable single dry-type element air cleaner with remote intake Inductive coil ignition Spark-arresting muffler	suspension with camber link; 8 in. (203mm) of travel  <b>FRAME:</b> Robotically welded high-strength steel frame Integrated 2 in. (50mm) rear receiver Optional 2 in. (50mm) front receiver with recovery loops  <b>OCCUPANT PROTECTIVE STRUCTURE</b> (OPS): OSR (Occupant Side Retention) Nets standard 1.75 In. (44.4 mm) steel tubular overhead structure Passenger handhold SAE J2194 & OSHA ROPS Certified  <b>OPERATOR STATION:</b> 4 occupant capacity bench seats 3-point seat belts Hip restraint bars for driver and passengers Sealed glove box Sealed storage compartment under hood Optional sealed storage compartment under seat Two cup holders in dash Fuel sight gauge Instrument cluster with hour meter and seat belt reminder  <b>DIMENSIONS:</b> 144 in. (3.7m) long x 56.5 in. (1.4m) wide x 73.5 in. (1.9m) high Front tread centers: 48 in. (1.2m) Rear tread centers: 46 in. (1.16m) Wheelbase: 108 in. (2.7m) Ground Clearance: 9.3 in. (236mm) <b>WEIGHT/CAPACITIES:</b>	Weight (including fuel/fluids): 1497 lbs. (679 kg.) Payload Capacity: 1200 lbs. (544 kg.) Towing Capacity: 1,100 lbs. (499 kg.) 4.9 Gallon (18.5L) fuel tank  <b>CARGO BOX:</b> Material: High-density composite Dimensions: 32.3 In. (82cm) Long x 47.6 In. (121cm) Wide x 11.7 In. (29.7cm) Deep Volume: 8.9 cu. ft (0.25 cu.m) Capacity: 400 Lbs (181 kg) Dump: 2-sided manual release with optional power lift Tailgate: Hinged, one-handed operation, toolless removal  <b>CONVERTIBLE CARGO RACK:</b> 23.5 in. (59.7 cm.) Long x 38.8 in. (98.6 cm) Wide x 8.1 in. (20.6 cm) Deep 4.3 cu. ft (0.12 cu.m) Capacity 200 Lbs (90.7 kg) Rack Capacity <b>MISCELLANEOUS:</b> Safety and Operational DVD Operator's Manual  *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Janesville, Wisconsin*

5391M	XUV560 S4 (MY16 Build to Order) <i>Base Machine Suggested List Price Does Not Include 650 USD Destination Charge.</i>	9,739.00
-------	--	----------

#### DESTINATION

001C	Australia/New Zealand	Same Price
0195	Mexico	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV560 S4 (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>DESTINATION Continued...</b>			
001D		Other Countries	Same Price
<b>COLOR</b>			
2500		Green and Yellow	In Base Price
<b>WHEELS WITH TIRES</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 in. Yellow steel wheels	In Base Price
<b>SEATS</b>			
2022		Bench Seat Front/Rear - Yellow	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4000		OPS with OSR nets	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM25411		<b>Ag Management Solutions:</b> AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
BM25259		<b>Cabs/Roofs/Windshields:</b> Abrasion Resistant Half Windshield	264.29
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06
BM24818		Poly Cab Doors - S4 <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,905.50
BM25015		Poly Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	564.96
BM23398		Poly Roof - Black (S4)	543.56
LP37052		Soft Cab (S4) - Black <i>Requires front windshield. Available through Order Zone.</i>	339.99

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV560 S4 (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP37048	Soft Roof (S4) - Black <i>Available through Order Zone.</i>	43.99
	BM25103	Windshield Washer Kit	302.81
	BM23849	<b>Cargo Box Options / Storage:</b> 5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM25960	Cargo Box Power Lift	813.20
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49
	BM23874	Underseat Storage	111.29
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV560 S4 (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM22290	Drawbar - 2 in. (51mm)	41.73
		<b>Custom &amp; High Performance:</b>	
	BM24171	Engine Oil Temperature Sensor Kit	56.71
	BM23438	High Capacity Alternator 55 Amps.	725.46
	BM22703	Seat-Belt Comfort Strap (2)	81.31
	BM24376	Speedometer Kit	113.41
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
		<b>Hunting / Camo:</b>	
	LP37039	Vehicle Cover (S4) - Camo <i>Available through Order Zone.</i>	129.95
	LP37043	Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone.</i>	189.95
		<b>Lights / Signals:</b>	
	BM23369	Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM24100	Brake and Tail Light Kit	56.71
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for brushguard mounting.</i>	199.01
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV560 S4 (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24273	Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
		<b>Operator Environment:</b>	
	BRE10015	Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
		<b>Protection:</b>	
	BM23309	CV Guards <i>Aluminum.</i>	151.94
	BM23884	Floor Mat - S4 <i>Front and rear mats.</i>	165.86
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards <i>Requires Front Brushguard</i>	188.31
	BM23362	Rear Bumper	200.09
	LP37038	Vehicle Cover (S4) - Black <i>Available through Order Zone.</i>	92.99
	LP37042	Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone.</i>	163.99
		<b>Sprayers / Pressure Washers:</b>	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**XUV560 S4 (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		<b>Spreaders:</b>	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
		<b>Winch:</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81

# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### PR15 - XUV590i Base (MY16) Equipment for Base Machine

**ENGINE:**  
586cc, 32 HP (23.9kW)\*  
4-cycle, Inline twin, gas,  
Electronic Fuel Injection (EFI)  
Liquid Cooled  
Wet sump lubrication  
Replaceable single  
dry-type element air cleaner  
with remote intake  
Digital IDI, ECU controlled  
ignition  
Spark-arresting muffler with  
catalyst

**ELECTRICAL:**  
Electric start  
65 amp belt driven alternator  
340 CCA battery  
Two 37.5 watt halogen headlights  
(1) 12V power outlet  
Pre-wired for winch on power  
steering models  
Standard OPS mounted brake /  
taillight

**TRANSAXLE/TRANSMISSION:**  
Continuously  
Variable Transmission (CVT) with  
full clutch enclosure  
H, L, N, R transaxle with  
lockable rear differential  
Operator selectable 4WD  
Limited slip front differential  
45 mph (72 kph) maximum forward  
speed  
Large diameter half shafts with  
TPE boots

**BRAKES:**  
Front and rear hydraulic  
disk brakes with large 196mm  
stainless steel rotors  
Foot-operated park brake

**STEERING/SUSPENSION:**  
Rack and Pinion Steering  
Optional power steering  
12.3 ft. (3.75m) Turning Circle

Independent front dual A-arm  
suspension with anti-roll bar; 8  
in. (203mm) of travel  
Independent rear H-arm  
suspension with camber link; 8  
in. (203mm) of travel

**FRAME:**  
Robotically welded high-strength  
steel frame  
Integrated 2 in. (50mm) rear  
receiver  
Optional 2 in. (50mm) front  
receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
(OPS):**  
OSR (Occupant Side Retention)  
Nets standard  
1.75 In. (44.4 mm) steel  
tubular overhead structure  
Passenger handhold  
SAE J2194 and OSHA ROPS  
Certified

**OPERATOR STATION:**  
2 occupant capacity bench seat  
3-point seat belts  
Hip restraint bars for driver  
and passenger  
Sealed glove box  
Sealed storage compartment under  
hood  
Two cup holders in dash  
Digital instrument cluster  
displays system diagnostic  
light, engine oil pressure  
light, park brake light, seat  
belt indicator light, fuel  
level, 4WD indicator, vehicle  
speed/rpm, coolant temperature,  
odometer, battery indicator,  
hour meter, and clock

**DIMENSIONS:**  
113 in. (2.9m) long x 56.5  
in. (1.4m) wide x 73.5 in.  
(1.9m) high

Front tread centers: 48 in.  
(1.2m)  
Rear tread centers: 46 in.  
(1.16m)  
Wheelbase: 72.8 in. (1.8m)  
Ground Clearance: 10.5  
in. (267mm)

**WEIGHT/CAPACITIES:**  
Weight (including fuel/fluids):  
1421 lbs. (645 kg.)  
Payload Capacity: 800 lbs. (363  
kg.)  
Towing Capacity: 1,100 lbs.  
(499 kg.)  
7.4 Gallon (28L) fuel tank

**CARGO BOX:**  
Material: High-density  
composite  
Dimensions: 32.3 In. (82cm)  
Long x 47.6 In. (121cm) Wide  
x 11.7 In. (29.7cm) Deep  
Volume: 8.9 cu. ft. (0.25 cu.m)  
Capacity: 400 lbs. (181 kg)  
Dump: 2-sided manual release  
with optional power lift  
Tailgate: Hinged, one-handed  
operation, tool-less removal

**MISCELLANEOUS:**  
Safety and Operational DVD  
Operator's Manual

\*Engine HP is Provided by the  
Engine Manufacturer to be Used  
for Comparison Purposes Only,  
Actual Operating HP will be  
Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Janesville, Wisconsin*

5170M	PR15 - XUV590i Base (MY16) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	9,799.00
-------	---	----------

#### DESTINATION

001A	US / CANADA	In Base Price
------	-------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>COLOR</b>			
2500		Green and Yellow	In Base Price
2501		Olive and Black	100.00
<b>WHEELS WITH TIRES</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 In. Yellow steel wheels	Same Price
1002		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Yellow steel wheels	In Base Price
1003		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Black steel wheels	In Base Price
<b>SEATS</b>			
2006		Bench Seat - Yellow	In Base Price
2007		Bench Seat - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4002		OPS with brake / taillight and OSR nets	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM25411		<b>Ag Management Solutions:</b> AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
BM25259		<b>Cabs/Roofs/Windshields:</b> Abrasion Resistant Half Windshield	264.29
BM25261		Abrasion Resistant Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06
BM24817		Poly Cab Doors <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,125.01



JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM25014	Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	520.01
	BM23397	Poly Roof - Black	357.39
	BM23853	Poly Roof - Camo	765.06
	BM23396	Rear Metal Screen <i>Includes headrests.</i>	297.46
	BM25103	Windshield Washer Kit	302.81
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM24812	Cargo Box Power Lift	801.43
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP37045	OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
	BM22703	<b>Custom &amp; High Performance:</b> Seat-Belt Comfort Strap (2)	81.31
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
	LP49226	<b>Hunting / Camo:</b> Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	479.00
	LP37037	Vehicle Cover - Camo <i>Available through Order Zone.</i>	119.95
	LP37041	Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
	BM23369	<b>Lights / Signals:</b> Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	199.01

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
		<b>Operator Environment:</b>	
	BRE10015	Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
		<b>Protection:</b>	
	BM23309	CV Guards <i>Aluminum.</i>	151.94
	BM25743	Floor Mat	80.26
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards <i>Requires Front Brushguard. Not compatible with nerf bars.</i>	188.31
	BM23361	Nerf Bars <i>Not compatible with front fender guards.</i>	262.16
	BM23362	Rear Bumper	200.09
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
	LP37040	Vehicle Cover - Transportable (Black)	144.99
		<b>Sprayers / Pressure Washers:</b>	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV590i Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		<b>Spreaders:</b>	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
		<b>Winch:</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81

# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### PR15 - XUV590i Power Steering (MY16) Equipment for Base Machine

**ENGINE:**  
586cc, 32 HP (23.9kW)\*  
4-cycle, Inline twin, gas,  
Electronic Fuel Injection (EFI)  
Liquid Cooled  
Wet sump lubrication  
Replaceable single  
dry-type element air cleaner  
with remote intake  
Digital IDI, ECU controlled  
ignition  
Spark-arresting muffler with  
catalyst

**ELECTRICAL:**  
Electric start  
65 amp belt driven alternator  
340 CCA battery  
Two 37.5 watt halogen headlights  
(1) 12V power outlet  
Pre-wired for winch on power  
steering models  
Standard OPS mounted brake /  
taillight

**TRANSAXLE/TRANSMISSION:**  
Continuously  
Variable Transmission (CVT) with  
full clutch enclosure  
H, L, N, R transaxle with  
lockable rear differential  
Operator selectable 4WD  
Limited slip front differential  
45 mph (72 kph) maximum forward  
speed  
Large diameter half shafts with  
TPE boots

**BRAKES:**  
Front and rear hydraulic  
disk brakes with large 196mm  
stainless steel rotors  
Foot-operated park brake

**STEERING/SUSPENSION:**  
Rack and Pinion Steering  
Optional power steering  
12.3 ft. (3.75m) Turning Circle

Independent front dual A-arm  
suspension with anti-roll bar; 8  
in. (203mm) of travel  
Independent rear H-arm  
suspension with camber link; 8  
in. (203mm) of travel

**FRAME:**  
Robotically welded high-strength  
steel frame  
Integrated 2 in. (50mm) rear  
receiver  
Optional 2 in. (50mm) front  
receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
(OPS):**  
OSR (Occupant Side Retention)  
Nets standard  
1.75 In. (44.4 mm) steel  
tubular overhead structure  
Passenger handhold  
SAE J2194 and OSHA ROPS  
Certified

**OPERATOR STATION:**  
2 occupant capacity bench seat  
3-point seat belts  
Hip restraint bars for driver  
and passenger  
Sealed glove box  
Sealed storage compartment under  
hood  
Two cup holders in dash  
Digital instrument cluster  
displays system diagnostic  
light, engine oil pressure  
light, park brake light, seat  
belt indicator light, fuel  
level, 4WD indicator, vehicle  
speed/rpm, coolant temperature,  
odometer, battery indicator,  
hour meter, and clock

**DIMENSIONS:**  
113 in. (2.9m) long x 56.5  
in. (1.4m) wide x 73.5 in.  
(1.9m) high

Front tread centers: 48 in.  
(1.2m)  
Rear tread centers: 46 in.  
(1.16m)  
Wheelbase: 72.8 in. (1.8m)  
Ground Clearance: 10.5  
in. (267mm)

**WEIGHT/CAPACITIES:**  
Weight (including fuel/fluids):  
1421 lbs. (645 kg.)  
Payload Capacity: 800 lbs. (363  
kg.)  
Towing Capacity: 1,100 lbs.  
(499 kg.)  
7.4 Gallon (28L) fuel tank

**CARGO BOX:**  
Material: High-density  
composite  
Dimensions: 32.3 In. (82cm)  
Long x 47.6 In. (121cm) Wide  
x 11.7 In. (29.7cm) Deep  
Volume: 8.9 cu. ft. (0.25 cu.m)  
Capacity: 400 lbs. (181 kg)  
Dump: 2-sided manual release  
with optional power lift  
Tailgate: Hinged, one-handed  
operation, tool-less removal

**MISCELLANEOUS:**  
Safety and Operational DVD  
Operator's Manual

\*Engine HP is Provided by the  
Engine Manufacturer to be Used  
for Comparison Purposes Only,  
Actual Operating HP will be  
Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Janesville, Wisconsin*

5171M	PR15 - XUV590i Power Steering (MY16) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	10,899.00
-------	---	-----------

#### DESTINATION

001A	US / CANADA	In Base Price
------	-------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Power Steering (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>COLOR</b>			
2500		Green and Yellow	In Base Price
2501		Olive and Black	100.00
2502		Realtree Hardwoods HD Camo	650.00
<b>WHEELS WITH TIRES</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 in. Yellow steel wheels	Same Price
1003		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Black steel wheels	In Base Price
1008		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Yellow alloy wheels	862.00
1010		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Silver alloy wheels	862.00
<b>SEATS</b>			
2006		Bench Seat - Yellow	In Base Price
2007		Bench Seat - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4002		OPS with brake / taillight and OSR nets	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM25411		<b>Ag Management Solutions:</b> AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
BM25259		<b>Cabs/Roofs/Windshields:</b> Abrasion Resistant Half Windshield	264.29
BM25261		Abrasion Resistant Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Power Steering (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24817	Poly Cab Doors <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,125.01
	BM25014	Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	520.01
	BM23397	Poly Roof - Black	357.39
	BM23853	Poly Roof - Camo	765.06
	BM23396	Rear Metal Screen <i>Includes headrests.</i>	297.46
	BM25103	Windshield Washer Kit	302.81
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM24812	Cargo Box Power Lift	801.43
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP37045	OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Power Steering (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
		<b>Custom &amp; High Performance:</b>	
	BM22703	Seat-Belt Comfort Strap (2)	81.31
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
		<b>Hunting / Camo:</b>	
	LP49226	Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	479.00
	LP37037	Vehicle Cover - Camo <i>Available through Order Zone.</i>	119.95
	LP37041	Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
		<b>Lights / Signals:</b>	
	BM23369	Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44



JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Power Steering (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	199.01
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
		<b>Operator Environment:</b>	
	BRE10015	Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
		<b>Protection:</b>	
	BM23309	CV Guards <i>Aluminum.</i>	151.94
	BM25743	Floor Mat	80.26
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards <i>Requires Front Brushguard. Not compatible with nerf bars.</i>	188.31
	BM23361	Nerf Bars <i>Not compatible with front fender guards.</i>	262.16
	BM23362	Rear Bumper	200.09
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
	LP37040	Vehicle Cover - Transportable (Black)	144.99
		<b>Sprayers / Pressure Washers:</b>	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV590i Power Steering (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		<b>Spreaders:</b>	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
		<b>Winch:</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81

# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### PR15 - XUV590i Power Steering with Utility & Protection and Winch Package (MY16) Equipment for Base Machine

**ENGINE:**  
586cc, 32 HP (23.9kW)\*  
4-cycle, Inline twin, gas,  
Electronic Fuel Injection (EFI)  
Liquid Cooled  
Wet sump lubrication  
Replaceable single  
dry-type element air cleaner  
with remote intake  
Digital IDI, ECU controlled  
ignition  
Spark-arresting muffler with  
catalyst

**ELECTRICAL:**  
Electric start  
65 amp belt driven alternator  
340 CCA battery  
Two 37.5 watt halogen headlights  
(1) 12V power outlet  
Pre-wired for winch on power  
steering models  
Standard OPS mounted brake /  
taillight

**TRANSAXLE/TRANSMISSION:**  
Continuously  
Variable Transmission (CVT) with  
full clutch enclosure  
H, L, N, R transaxle with  
lockable rear differential  
Operator selectable 4WD  
Limited slip front differential  
45 mph (72 kph) maximum forward  
speed  
Large diameter half shafts with  
TPE boots

**BRAKES:**  
Front and rear hydraulic  
disk brakes with large 196mm  
stainless steel rotors  
Foot-operated park brake

**STEERING/SUSPENSION:**  
Rack and Pinion Steering  
Optional power steering  
12.3 ft. (3.75m) Turning Circle

Independent front dual A-arm  
suspension with anti-roll bar; 8  
in. (203mm) of travel  
Independent rear H-arm  
suspension with camber link; 8  
in. (203mm) of travel

**FRAME:**  
Robotically welded high-strength  
steel frame  
Integrated 2 in. (50mm) rear  
receiver  
Optional 2 in. (50mm) front  
receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
(OPS):**  
OSR (Occupant Side Retention)  
Nets standard  
1.75 In. (44.4 mm) steel  
tubular overhead structure  
Passenger handhold  
SAE J2194 and OSHA ROPS  
Certified

**OPERATOR STATION:**  
2 occupant capacity bench seat  
3-point seat belts  
Hip restraint bars for driver  
and passenger  
Sealed glove box  
Sealed storage compartment under  
hood  
Two cup holders in dash  
Digital instrument cluster  
displays system diagnostic  
light, engine oil pressure  
light, park brake light, seat  
belt indicator light, fuel  
level, 4WD indicator, vehicle  
speed/rpm, coolant temperature,  
odometer, battery indicator,  
hour meter, and clock

**DIMENSIONS:**  
113 in. (2.9m) long x 56.5  
in. (1.4m) wide x 73.5 in.  
(1.9m) high

Front tread centers: 48 in.  
(1.2m)  
Rear tread centers: 46 in.  
(1.16m)  
Wheelbase: 72.8 in. (1.8m)  
Ground Clearance: 10.5  
in. (267mm)

**WEIGHT/CAPACITIES:**  
Weight (including fuel/fluids):  
1421 lbs. (645 kg.)  
Payload Capacity: 800 lbs. (363  
kg.)  
Towing Capacity: 1,100 lbs.  
(499 kg.)  
7.4 Gallon (28L) fuel tank

**CARGO BOX:**  
Material: High-density  
composite  
Dimensions: 32.3 In. (82cm)  
Long x 47.6 In. (121cm) Wide  
x 11.7 In. (29.7cm) Deep  
Volume: 8.9 cu. ft. (0.25 cu.m)  
Capacity: 400 lbs. (181 kg)  
Dump: 2-sided manual release  
with optional power lift  
Tailgate: Hinged, one-handed  
operation, tool-less removal

**MISCELLANEOUS:**  
Safety and Operational DVD  
Operator's Manual

\*Engine HP is Provided by the  
Engine Manufacturer to be Used  
for Comparison Purposes Only,  
Actual Operating HP will be  
Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
<b>BASE MACHINE</b>			
<i>F.O.B. Janesville, Wisconsin</i>			
5172M		PR15 - XUV590i Power Steering with Utility & Protection and Winch Package (MY16) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	11,159.00
<b>DESTINATION</b>			
001A		US / CANADA	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Power Steering with Utility & Protection and Winch Package (MY16)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>DESTINATION Continued...</b>			
<b>COLOR</b>			
2500		Green and Yellow	In Base Price
2502		Realtree Hardwoods HD Camo	650.00
<b>WHEELS WITH TIRES</b>			
1008		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Yellow alloy wheels	862.00
1010		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Silver alloy wheels	862.00
<b>SEATS</b>			
2006		Bench Seat - Yellow	In Base Price
2007		Bench Seat - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4002		OPS with brake / taillight and OSR nets	In Base Price
<b>UTILITY AND PROTECTION PACKAGES</b>			
4105		Utility and Protection Package Package Consists of: Front Brushguard, OPS Black Poly Roof, Cargo Box Rail	815.00
4106		Utility and Protection Package Package Consists of: Front Brushguard, OPS Camo Poly Roof, Cargo Box Rail	1,223.00
<b>WINCH</b>			
6313		Winch Package <i>Package consists of WARN ProVantage 3500 lb. winch and 2 In. Front Receiver Hitch and Recovery Loops.</i>	714.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM25411		<b>Ag Management Solutions:</b> AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
BM25259		<b>Cabs/Roofs/Windshields:</b> Abrasion Resistant Half Windshield	264.29
BM25261		Abrasion Resistant Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Power Steering with Utility & Protection and Winch Package (MY16)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23373	Full Abrasion Resistant Flip-out Windshield	551.06
	BM23358	Full Poly Windshield	375.57
	BM23376	Glass Windshield w/ Wiper	739.37
	BM24737	OPS Side Mirrors	188.31
	BM24796	Poly Cab Door Side Mirrors	169.06
	BM24817	Poly Cab Doors <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,125.01
	BM25014	Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	520.01
	BM23397	Poly Roof - Black	357.39
	BM23853	Poly Roof - Camo	765.06
	BM23396	Rear Metal Screen <i>Includes headrests.</i>	297.46
	BM25103	Windshield Washer Kit	302.81
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM24812	Cargo Box Power Lift	801.43
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP37045	OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Power Steering with Utility & Protection and Winch Package (MY16)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
		<b>Custom &amp; High Performance:</b>	
	BM22703	Seat-Belt Comfort Strap (2)	81.31
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
		<b>Hunting / Camo:</b>	
	LP49226	Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	479.00
	LP37037	Vehicle Cover - Camo <i>Available through Order Zone.</i>	119.95
	LP37041	Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
		<b>Lights / Signals:</b>	
	BM23369	Backup Alarm	104.86

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Power Steering with Utility & Protection and Winch Package (MY16)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	199.01
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
		<b>Operator Environment:</b>	
	BRE10015	Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
		<b>Protection:</b>	
	BM23309	CV Guards <i>Aluminum.</i>	151.94
	BM25743	Floor Mat	80.26
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards <i>Requires Front Brushguard. Not compatible with nerf bars.</i>	188.31
	BM23361	Nerf Bars <i>Not compatible with front fender guards.</i>	262.16
	BM23362	Rear Bumper	200.09
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
	LP37040	Vehicle Cover - Transportable (Black)	144.99

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i Power Steering with Utility & Protection and Winch Package (MY16)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Sprayers / Pressure Washers:</b>	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers.</i> <i>Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers.</i> <i>Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers.</i> <i>Available through Order Zone.</i>	64.95
		<b>Spreaders:</b>	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
		<b>Winch:</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81



# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### PR15 - XUV590i S4 Base (MY16)

#### Equipment for Base Machine

**ENGINE:**  
 586cc, 32 HP (23.9kW)\*  
 4-cycle, Inline twin, gas,  
 Electronic Fuel Injection (EFI)  
 Liquid Cooled  
 Wet sump lubrication  
 Replaceable single  
 dry-type element air cleaner  
 with remote intake  
 Digital IDI, ECU controlled  
 ignition  
 Spark-arresting muffler with  
 catalyst

**ELECTRICAL:**  
 Electric start  
 65 amp belt driven alternator  
 340 CCA battery  
 Two 37.5 watt halogen headlights  
 (1) 12V power outlet  
 Pre-wired for winch on power  
 steering models  
 Standard OPS mounted brake /  
 taillight

**TRANSAXLE/TRANSMISSION:**  
 Continuously  
 Variable Transmission (CVT) with  
 full clutch enclosure  
 H, L, N, R transaxle with  
 lockable rear differential  
 Operator selectable 4WD  
 Limited slip front differential  
 45 mph (72 kph) maximum forward  
 speed  
 Large diameter half shafts with  
 TPE boots

**BRAKES:**  
 Front and rear hydraulic  
 disk brakes with large 196mm  
 stainless steel rotors  
 Foot-operated park brake

**STEERING/SUSPENSION:**  
 Rack and Pinion Steering  
 Optional power steering  
 19.7 ft. (6.0m) Turning Circle  
 Independent front dual A-arm  
 suspension with anti-roll bar; 8  
 in. (203mm) of travel

Independent rear H-arm  
 suspension with camber link; 8  
 in. (203mm) of travel

**FRAME:**  
 Robotically welded high-strength  
 steel frame  
 Integrated 2 in. (50mm) rear  
 receiver  
 Optional 2 in. (50mm) front  
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
 (OPS):**  
 OSR (Occupant Side Retention)  
 Nets standard  
 1.75 In. (44.4 mm) steel  
 tubular overhead structure  
 Passenger handhold  
 SAE J2194 and OSHA ROPS  
 Certified

**OPERATOR STATION:**  
 4 occupant capacity bench seats  
 3-point seat belts  
 Hip restraint bars for driver  
 and passengers  
 Sealed glove box  
 Sealed storage compartment under  
 hood  
 Optional sealed storage  
 compartment under seat  
 Two cup holders in dash  
 Digital instrument cluster  
 displays system diagnostic  
 light, engine oil pressure  
 light, park brake light, seat  
 belt indicator light, fuel  
 level, 4WD indicator, vehicle  
 speed/rpm, coolant temperature,  
 odometer, battery indicator,  
 hour meter, and clock

**DIMENSIONS:**  
 144 in. (3.7m) long x 56.5  
 in. (1.4m) wide x 73.5 in.  
 (1.9m) high  
 Front tread centers: 48 in.  
 (1.2m)  
 Rear tread centers: 46 in.  
 (1.16m)

Wheelbase: 108 in. (2.7m)  
 Ground Clearance: 9.3  
 in. (236mm)

**WEIGHT/CAPACITIES:**  
 Weight (including fuel/fluids):  
 1646 lbs. (746 kg.)  
 Payload Capacity: 1200 lbs.  
 (544 kg.)  
 Towing Capacity: 1,100 lbs.  
 (499 kg.)  
 7.4 Gallon (28L) fuel tank

**CARGO BOX:**  
 Material: High-density  
 composite  
 Dimensions: 32.3 In. (82cm)  
 Long x 47.6 In. (121cm) Wide  
 x 11.7 In. (29.7cm) Deep  
 Volume: 8.9 cu. ft. (0.25 cu.m)  
 Capacity: 400 lbs. (181 kg)  
 Dump: 2-sided manual release  
 with optional power lift  
 Tailgate: Hinged, one-handed  
 operation, tool-less removal

**CONVERTIBLE CARGO RACK:**  
 23.5 in. (59.7 cm.) Long x 38.8  
 in. (98.6 cm) Wide x 8.1 in.  
 (20.6 cm) Deep  
 4.3 cu. ft. (0.12 cu.m) Capacity  
 200 lbs. (90.7 kg) Rack Capacity

**MISCELLANEOUS:**  
 Safety and Operational DVD  
 Operator's Manual

\*Engine HP is Provided by the  
 Engine Manufacturer to be Used  
 for Comparison Purposes Only,  
 Actual Operating HP will be  
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Janesville, Wisconsin*

5180M

PR15 - XUV590i S4 Base (MY16)

*Base Machine Suggested List Price Does Not Include 650 USD Destination Charge.*

11,399.00

#### DESTINATION

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
001A		<b>DESTINATION Continued...</b> US / CANADA	In Base Price
<b>COLOR</b>			
2500		Green and Yellow	In Base Price
2501		Olive and Black	100.00
<b>WHEELS WITH TIRES</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 In. Yellow steel wheels	Same Price
1002		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Yellow steel wheels	In Base Price
1003		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Black steel wheels	In Base Price
<b>SEATS</b>			
2022		Bench Seat Front/Rear - Yellow	In Base Price
2023		Bench Seat Front/Rear - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4002		OPS with brake / taillight and OSR nets	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM25411		<b>Ag Management Solutions:</b> AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
BM25259		<b>Cabs/Roofs/Windshields:</b> Abrasion Resistant Half Windshield	264.29
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06
BM24818		Poly Cab Doors - S4 <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,905.50

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM25015	Poly Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	564.96
	BM23398	Poly Roof - Black (S4)	543.56
	BM25103	Windshield Washer Kit	302.81
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM24812	Cargo Box Power Lift	801.43
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP37045	OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49
	BM23874	Underseat Storage	111.29
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
		<b>Custom &amp; High Performance:</b>	
	BM22703	Seat-Belt Comfort Strap (2)	81.31
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
		<b>Hunting / Camo:</b>	
	LP37039	Vehicle Cover (S4) - Camo <i>Available through Order Zone.</i>	129.95
	LP37043	Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone.</i>	189.95
		<b>Lights / Signals:</b>	
	BM23369	Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	199.01
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33
	BM24273	Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	127.33

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
	BRE10015	<b>Operator Environment:</b> Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
	BM23309	<b>Protection:</b> CV Guards <i>Aluminum.</i>	151.94
	BM25744	Floor Mat - S4 <i>Front and rear mats.</i>	163.71
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards	188.31
	BM23362	Rear Bumper	200.09
	LP37038	Vehicle Cover (S4) - Black <i>Available through Order Zone.</i>	92.99
	LP37042	Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone.</i>	163.99
	LP39965	<b>Sprayers / Pressure Washers:</b> 25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV590i S4 Base (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<b>Spreaders:</b>			
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
<b>Winch:</b>			
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81

# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### PR15 - XUV590i S4 Power Steering (MY16)

#### Equipment for Base Machine

**ENGINE:**  
 586cc, 32 HP (23.9kW)\*  
 4-cycle, Inline twin, gas,  
 Electronic Fuel Injection (EFI)  
 Liquid Cooled  
 Wet sump lubrication  
 Replaceable single  
 dry-type element air cleaner  
 with remote intake  
 Digital IDI, ECU controlled  
 ignition  
 Spark-arresting muffler with  
 catalyst

**ELECTRICAL:**  
 Electric start  
 65 amp belt driven alternator  
 340 CCA battery  
 Two 37.5 watt halogen headlights  
 (1) 12V power outlet  
 Pre-wired for winch on power  
 steering models  
 Standard OPS mounted brake /  
 taillight

**TRANSAXLE/TRANSMISSION:**  
 Continuously  
 Variable Transmission (CVT) with  
 full clutch enclosure  
 H, L, N, R transaxle with  
 lockable rear differential  
 Operator selectable 4WD  
 Limited slip front differential  
 45 mph (72 kph) maximum forward  
 speed  
 Large diameter half shafts with  
 TPE boots

**BRAKES:**  
 Front and rear hydraulic  
 disk brakes with large 196mm  
 stainless steel rotors  
 Foot-operated park brake

**STEERING/SUSPENSION:**  
 Rack and Pinion Steering  
 Optional power steering  
 19.7 ft. (6.0m) Turning Circle  
 Independent front dual A-arm  
 suspension with anti-roll bar; 8  
 in. (203mm) of travel

Independent rear H-arm  
 suspension with camber link; 8  
 in. (203mm) of travel

**FRAME:**  
 Robotically welded high-strength  
 steel frame  
 Integrated 2 in. (50mm) rear  
 receiver  
 Optional 2 in. (50mm) front  
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
 (OPS):**  
 OSR (Occupant Side Retention)  
 Nets standard  
 1.75 In. (44.4 mm) steel  
 tubular overhead structure  
 Passenger handhold  
 SAE J2194 and OSHA ROPS  
 Certified

**OPERATOR STATION:**  
 4 occupant capacity bench seats  
 3-point seat belts  
 Hip restraint bars for driver  
 and passengers  
 Sealed glove box  
 Sealed storage compartment under  
 hood  
 Optional sealed storage  
 compartment under seat  
 Two cup holders in dash  
 Digital instrument cluster  
 displays system diagnostic  
 light, engine oil pressure  
 light, park brake light, seat  
 belt indicator light, fuel  
 level, 4WD indicator, vehicle  
 speed/rpm, coolant temperature,  
 odometer, battery indicator,  
 hour meter, and clock

**DIMENSIONS:**  
 144 in. (3.7m) long x 56.5  
 in. (1.4m) wide x 73.5 in.  
 (1.9m) high  
 Front tread centers: 48 in.  
 (1.2m)  
 Rear tread centers: 46 in.  
 (1.16m)

Wheelbase: 108 in. (2.7m)  
 Ground Clearance: 9.3  
 in. (236mm)

**WEIGHT/CAPACITIES:**  
 Weight (including fuel/fluids):  
 1646 lbs. (746 kg.)  
 Payload Capacity: 1200 lbs.  
 (544 kg.)  
 Towing Capacity: 1,100 lbs.  
 (499 kg.)  
 7.4 Gallon (28L) fuel tank

**CARGO BOX:**  
 Material: High-density  
 composite  
 Dimensions: 32.3 In. (82cm)  
 Long x 47.6 In. (121cm) Wide  
 x 11.7 In. (29.7cm) Deep  
 Volume: 8.9 cu. ft. (0.25 cu.m)  
 Capacity: 400 lbs. (181 kg)  
 Dump: 2-sided manual release  
 with optional power lift  
 Tailgate: Hinged, one-handed  
 operation, tool-less removal

**CONVERTIBLE CARGO RACK:**  
 23.5 in. (59.7 cm.) Long x 38.8  
 in. (98.6 cm) Wide x 8.1 in.  
 (20.6 cm) Deep  
 4.3 cu. ft. (0.12 cu.m) Capacity  
 200 lbs. (90.7 kg) Rack Capacity

**MISCELLANEOUS:**  
 Safety and Operational DVD  
 Operator's Manual

\*Engine HP is Provided by the  
 Engine Manufacturer to be Used  
 for Comparison Purposes Only,  
 Actual Operating HP will be  
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Janesville, Wisconsin*

5181M	PR15 - XUV590i S4 Power Steering (MY16) <i>Base Machine Suggested List Price Does Not Include 650 USD Destination Charge.</i>	12,499.00
-------	--	-----------

#### DESTINATION

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
001A		<b>DESTINATION Continued...</b> US / CANADA	In Base Price
<b>COLOR</b>			
2500		Green and Yellow	In Base Price
2501		Olive and Black	100.00
2502		Realtree Hardwoods HD Camo	650.00
<b>WHEELS WITH TIRES</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 in. Yellow steel wheels	Same Price
1003		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Black steel wheels	In Base Price
1008		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Yellow alloy wheels	862.00
1010		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Silver alloy wheels	862.00
<b>SEATS</b>			
2022		Bench Seat Front/Rear - Yellow	In Base Price
2023		Bench Seat Front/Rear - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4002		OPS with brake / taillight and OSR nets	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM25411		<b>Ag Management Solutions:</b> AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
BM25259		<b>Cabs/Roofs/Windshields:</b> Abrasion Resistant Half Windshield	264.29
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06



JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24818	Poly Cab Doors - S4 <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,905.50
	BM25015	Poly Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	564.96
	BM23398	Poly Roof - Black (S4)	543.56
	BM25103	Windshield Washer Kit	302.81
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM24812	Cargo Box Power Lift	801.43
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP37045	OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49
	BM23874	Underseat Storage	111.29
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
	BM22703	<b>Custom &amp; High Performance:</b> Seat-Belt Comfort Strap (2)	81.31
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
	LP37039	<b>Hunting / Camo:</b> Vehicle Cover (S4) - Camo <i>Available through Order Zone.</i>	129.95
	LP37043	Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone.</i>	189.95
	BM23369	<b>Lights / Signals:</b> Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	199.01
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24273	Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
		<b>Operator Environment:</b>	
	BRE10015	Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
		<b>Protection:</b>	
	BM23309	CV Guards <i>Aluminum.</i>	151.94
	BM25744	Floor Mat - S4 <i>Front and rear mats.</i>	163.71
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards	188.31
	BM23362	Rear Bumper	200.09
	LP37038	Vehicle Cover (S4) - Black <i>Available through Order Zone.</i>	92.99
	LP37042	Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone.</i>	163.99
		<b>Sprayers / Pressure Washers:</b>	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**PR15 - XUV590i S4 Power Steering (MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		<b>Spreaders:</b>	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
		<b>Winch:</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT**

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package  
(MY16)**

**Equipment for Base Machine**

**ENGINE:**  
586cc, 32 HP (23.9kW)\*  
4-cycle, Inline twin, gas,  
Electronic Fuel Injection (EFI)  
Liquid Cooled  
Wet sump lubrication  
Replaceable single  
dry-type element air cleaner  
with remote intake  
Digital IDI, ECU controlled  
ignition  
Spark-arresting muffler with  
catalyst

**ELECTRICAL:**  
Electric start  
65 amp belt driven alternator  
340 CCA battery  
Two 37.5 watt halogen headlights  
(1) 12V power outlet  
Pre-wired for winch on power  
steering models  
Standard OPS mounted brake /  
taillight

**TRANSAXLE/TRANSMISSION:**  
Continuously  
Variable Transmission (CVT) with  
full clutch enclosure  
H, L, N, R transaxle with  
lockable rear differential  
Operator selectable 4WD  
Limited slip front differential  
45 mph (72 kph) maximum forward  
speed  
Large diameter half shafts with  
TPE boots

**BRAKES:**  
Front and rear hydraulic  
disk brakes with large 196mm  
stainless steel rotors  
Foot-operated park brake

**STEERING/SUSPENSION:**  
Rack and Pinion Steering  
Optional power steering  
19.7 ft. (6.0m) Turning Circle  
Independent front dual A-arm  
suspension with anti-roll bar; 8  
in. (203mm) of travel

Independent rear H-arm  
suspension with camber link; 8  
in. (203mm) of travel

**FRAME:**  
Robotically welded high-strength  
steel frame  
Integrated 2 in. (50mm) rear  
receiver  
Optional 2 in. (50mm) front  
receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
(OPS):**  
OSR (Occupant Side Retention)  
Nets standard  
1.75 In. (44.4 mm) steel  
tubular overhead structure  
Passenger handhold  
SAE J2194 and OSHA ROPS  
Certified

**OPERATOR STATION:**  
4 occupant capacity bench seats  
3-point seat belts  
Hip restraint bars for driver  
and passengers  
Sealed glove box  
Sealed storage compartment under  
hood  
Optional sealed storage  
compartment under seat  
Two cup holders in dash  
Digital instrument cluster  
displays system diagnostic  
light, engine oil pressure  
light, park brake light, seat  
belt indicator light, fuel  
level, 4WD indicator, vehicle  
speed/rpm, coolant temperature,  
odometer, battery indicator,  
hour meter, and clock

**DIMENSIONS:**  
144 in. (3.7m) long x 56.5  
in. (1.4m) wide x 73.5 in.  
(1.9m) high  
Front tread centers: 48 in.  
(1.2m)  
Rear tread centers: 46 in.  
(1.16m)

Wheelbase: 108 in. (2.7m)  
Ground Clearance: 9.3  
in. (236mm)

**WEIGHT/CAPACITIES:**  
Weight (including fuel/fluids):  
1646 lbs. (746 kg.)  
Payload Capacity: 1200 lbs.  
(544 kg.)  
Towing Capacity: 1,100 lbs.  
(499 kg.)  
7.4 Gallon (28L) fuel tank

**CARGO BOX:**  
Material: High-density  
composite  
Dimensions: 32.3 In. (82cm)  
Long x 47.6 In. (121cm) Wide  
x 11.7 In. (29.7cm) Deep  
Volume: 8.9 cu. ft. (0.25 cu.m)  
Capacity: 400 lbs. (181 kg)  
Dump: 2-sided manual release  
with optional power lift  
Tailgate: Hinged, one-handed  
operation, tool-less removal

**CONVERTIBLE CARGO RACK:**  
23.5 in. (59.7 cm.) Long x 38.8  
in. (98.6 cm) Wide x 8.1 in.  
(20.6 cm) Deep  
4.3 cu. ft. (0.12 cu.m) Capacity  
200 lbs. (90.7 kg) Rack Capacity

**MISCELLANEOUS:**  
Safety and Operational DVD  
Operator's Manual

\*Engine HP is Provided by the  
Engine Manufacturer to be Used  
for Comparison Purposes Only,  
Actual Operating HP will be  
Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

5182M	PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package (MY16) <i>Base Machine Suggested List Price Does Not Include 650 USD Destination Charge.</i>	12,759.00
-------	---	-----------

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package  
(MY16)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>DESTINATION</b>			
001A		US / CANADA	In Base Price
<b>COLOR</b>			
2500		Green and Yellow	In Base Price
2502		Realtree Hardwoods HD Camo	650.00
<b>WHEELS WITH TIRES</b>			
1008		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Yellow alloy wheels	862.00
1010		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Silver alloy wheels	862.00
<b>SEATS</b>			
2022		Bench Seat Front/Rear - Yellow	In Base Price
2023		Bench Seat Front/Rear - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4002		OPS with brake / taillight and OSR nets	In Base Price
<b>UTILITY AND PROTECTION PACKAGES</b>			
4107		Utility and Protection Package Package Consists of: Front Brushguard, OPS S4 Black Poly Roof, Cargo Box Rail, Underseat storage	1,113.00
<b>WINCH</b>			
6313		Winch Package <i>Package consists of WARN ProVantage 3500 lb. winch and 2 In. Front Receiver Hitch and Recovery Loops.</i>	714.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM25411		<b>Ag Management Solutions:</b> AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
BM25259		<b>Cabs/Roofs/Windshields:</b> Abrasion Resistant Half Windshield	264.29
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package  
(MY16)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23376	Glass Windshield w/ Wiper	739.37
	BM24737	OPS Side Mirrors	188.31
	BM24796	Poly Cab Door Side Mirrors	169.06
	BM24818	Poly Cab Doors - S4 <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,905.50
	BM25015	Poly Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	564.96
	BM23398	Poly Roof - Black (S4)	543.56
	BM25103	Windshield Washer Kit	302.81
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM24812	Cargo Box Power Lift	801.43
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP37045	OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package  
(MY16)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23874	Underseat Storage	111.29
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
		<b>Custom &amp; High Performance:</b>	
	BM22703	Seat-Belt Comfort Strap (2)	81.31
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
		<b>Hunting / Camo:</b>	
	LP37039	Vehicle Cover (S4) - Camo <i>Available through Order Zone.</i>	129.95
	LP37043	Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone.</i>	189.95
		<b>Lights / Signals:</b>	
	BM23369	Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24



JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package  
(MY16)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM23370	Horn Kit	98.44
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	199.01
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33
	BM24273	Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
	BRE10015	<b>Operator Environment:</b> Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
	BM23309	<b>Protection:</b> CV Guards <i>Aluminum.</i>	151.94
	BM25744	Floor Mat - S4 <i>Front and rear mats.</i>	163.71
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards	188.31
	BM23362	Rear Bumper	200.09
	LP37038	Vehicle Cover (S4) - Black <i>Available through Order Zone.</i>	92.99
	LP37042	Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone.</i>	163.99
	LP39965	<b>Sprayers / Pressure Washers:</b> 25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**PR15 - XUV590i S4 Power Steering with Utility & Protection and Winch Package  
(MY16)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		<b>Spreaders:</b>	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
		<b>Winch:</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81

# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### XUV590i Base (MY16 Build to Order) Equipment for Base Machine

**ENGINE:**  
586cc, 32 HP (23.9kW)\*  
4-cycle, Inline twin, gas,  
Electronic Fuel Injection (EFI)  
Liquid Cooled  
Wet sump lubrication  
Replaceable single  
dry-type element air cleaner  
with remote intake  
Digital IDI, ECU controlled  
ignition  
Spark-arresting muffler with  
catalyst

**ELECTRICAL:**  
Electric start  
65 amp belt driven alternator  
340 CCA battery  
Two 37.5 watt halogen headlights  
(1) 12V power outlet  
Pre-wired for winch on power  
steering models  
Standard OPS mounted brake /  
taillight

**TRANSAXLE/TRANSMISSION:**  
Continuously  
Variable Transmission (CVT) with  
full clutch enclosure  
H, L, N, R transaxle with  
lockable rear differential  
Operator selectable 4WD  
Limited slip front differential  
45 mph (72 kph) maximum forward  
speed  
Large diameter half shafts with  
TPE boots

**BRAKES:**  
Front and rear hydraulic  
disk brakes with large 196mm  
stainless steel rotors  
Foot-operated park brake

**STEERING/SUSPENSION:**  
Rack and Pinion Steering  
Optional power steering  
12.3 ft. (3.75m) Turning Circle

Independent front dual A-arm  
suspension with anti-roll bar; 8  
in. (203mm) of travel  
Independent rear H-arm  
suspension with camber link; 8  
in. (203mm) of travel

**FRAME:**  
Robotically welded high-strength  
steel frame  
Integrated 2 in. (50mm) rear  
receiver  
Optional 2 in. (50mm) front  
receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
(OPS):**  
OSR (Occupant Side Retention)  
Nets standard  
1.75 In. (44.4 mm) steel  
tubular overhead structure  
Passenger handhold  
SAE J2194 and OSHA ROPS  
Certified

**OPERATOR STATION:**  
2 occupant capacity bench seat  
3-point seat belts  
Hip restraint bars for driver  
and passenger  
Sealed glove box  
Sealed storage compartment under  
hood  
Two cup holders in dash  
Digital instrument cluster  
displays system diagnostic  
light, engine oil pressure  
light, park brake light, seat  
belt indicator light, fuel  
level, 4WD indicator, vehicle  
speed/rpm, coolant temperature,  
odometer, battery indicator,  
hour meter, and clock

**DIMENSIONS:**  
113 in. (2.9m) long x 56.5  
in. (1.4m) wide x 73.5 in.  
(1.9m) high

Front tread centers: 48 in.  
(1.2m)  
Rear tread centers: 46 in.  
(1.16m)  
Wheelbase: 72.8 in. (1.8m)  
Ground Clearance: 10.5  
in. (267mm)

**WEIGHT/CAPACITIES:**  
Weight (including fuel/fluids):  
1421 lbs. (645 kg.)  
Payload Capacity: 800 lbs. (363  
kg.)  
Towing Capacity: 1,100 lbs.  
(499 kg.)  
7.4 Gallon (28L) fuel tank

**CARGO BOX:**  
Material: High-density  
composite  
Dimensions: 32.3 In. (82cm)  
Long x 47.6 In. (121cm) Wide  
x 11.7 In. (29.7cm) Deep  
Volume: 8.9 cu. ft. (0.25 cu.m)  
Capacity: 400 lbs. (181 kg)  
Dump: 2-sided manual release  
with optional power lift  
Tailgate: Hinged, one-handed  
operation, tool-less removal

**MISCELLANEOUS:**  
Safety and Operational DVD  
Operator's Manual

\*Engine HP is Provided by the  
Engine Manufacturer to be Used  
for Comparison Purposes Only,  
Actual Operating HP will be  
Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Janesville, Wisconsin*

5174M	XUV590i Base (MY16 Build to Order) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	9,799.00
-------	---	----------

#### DESTINATION

001C	Australia/New Zealand	Same Price
------	-----------------------	------------

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV590i Base (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>DESTINATION Continued...</b>			
001D		Other Countries	Same Price
<b>COLOR</b>			
2500		Green and Yellow	In Base Price
2501		Olive and Black	100.00
<b>WHEELS WITH TIRES</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 In. Yellow steel wheels	Same Price
1002		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Yellow steel wheels	In Base Price
1003		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Black steel wheels	In Base Price
<b>SEATS</b>			
2006		Bench Seat - Yellow	In Base Price
2007		Bench Seat - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4002		OPS with brake / taillight and OSR nets	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Ag Management Solutions:</b>			
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
<b>Cabs/Roofs/Windshields:</b>			
BM25259		Abrasion Resistant Half Windshield	264.29
BM25261		Abrasion Resistant Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV590i Base (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24817	Poly Cab Doors <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,125.01
	BM25014	Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	520.01
	BM23397	Poly Roof - Black	357.39
	BM23853	Poly Roof - Camo	765.06
	BM23396	Rear Metal Screen <i>Includes headrests.</i>	297.46
	BM25103	Windshield Washer Kit	302.81
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM24812	Cargo Box Power Lift	801.43
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP37045	OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV590i Base (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
		<b>Custom &amp; High Performance:</b>	
	BM22703	Seat-Belt Comfort Strap (2)	81.31
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
		<b>Hunting / Camo:</b>	
	LP49226	Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	479.00
	LP37037	Vehicle Cover - Camo <i>Available through Order Zone.</i>	119.95
	LP37041	Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
		<b>Lights / Signals:</b>	
	BM23369	Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV590i Base (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	199.01
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
		<b>Operator Environment:</b>	
	BRE10015	Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
		<b>Protection:</b>	
	BM23309	CV Guards <i>Aluminum.</i>	151.94
	BM25743	Floor Mat	80.26
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards <i>Requires Front Brushguard. Not compatible with nerf bars.</i>	188.31
	BM23361	Nerf Bars <i>Not compatible with front fender guards.</i>	262.16
	BM23362	Rear Bumper	200.09
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
	LP37040	Vehicle Cover - Transportable (Black)	144.99
		<b>Sprayers / Pressure Washers:</b>	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**XUV590i Base (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		<b>Spreaders:</b>	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
		<b>Winch:</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81



# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### XUV590i Power Steering (MY16 Build to Order)

#### Equipment for Base Machine

**ENGINE:**  
 586cc, 32 HP (23.9kW)\*  
 4-cycle, Inline twin, gas,  
 Electronic Fuel Injection (EFI)  
 Liquid Cooled  
 Wet sump lubrication  
 Replaceable single  
 dry-type element air cleaner  
 with remote intake  
 Digital IDI, ECU controlled  
 ignition  
 Spark-arresting muffler with  
 catalyst

**ELECTRICAL:**  
 Electric start  
 65 amp belt driven alternator  
 340 CCA battery  
 Two 37.5 watt halogen headlights  
 (1) 12V power outlet  
 Pre-wired for winch on power  
 steering models  
 Standard OPS mounted brake /  
 taillight

**TRANSAXLE/TRANSMISSION:**  
 Continuously  
 Variable Transmission (CVT) with  
 full clutch enclosure  
 H, L, N, R transaxle with  
 lockable rear differential  
 Operator selectable 4WD  
 Limited slip front differential  
 45 mph (72 kph) maximum forward  
 speed  
 Large diameter half shafts with  
 TPE boots

**BRAKES:**  
 Front and rear hydraulic  
 disk brakes with large 196mm  
 stainless steel rotors  
 Foot-operated park brake

**STEERING/SUSPENSION:**  
 Rack and Pinion Steering  
 Optional power steering  
 12.3 ft. (3.75m) Turning Circle

Independent front dual A-arm  
 suspension with anti-roll bar; 8  
 in. (203mm) of travel  
 Independent rear H-arm  
 suspension with camber link; 8  
 in. (203mm) of travel

**FRAME:**  
 Robotically welded high-strength  
 steel frame  
 Integrated 2 in. (50mm) rear  
 receiver  
 Optional 2 in. (50mm) front  
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
 (OPS):**  
 OSR (Occupant Side Retention)  
 Nets standard  
 1.75 In. (44.4 mm) steel  
 tubular overhead structure  
 Passenger handhold  
 SAE J2194 and OSHA ROPS  
 Certified

**OPERATOR STATION:**  
 2 occupant capacity bench seat  
 3-point seat belts  
 Hip restraint bars for driver  
 and passenger  
 Sealed glove box  
 Sealed storage compartment under  
 hood  
 Two cup holders in dash  
 Digital instrument cluster  
 displays system diagnostic  
 light, engine oil pressure  
 light, park brake light, seat  
 belt indicator light, fuel  
 level, 4WD indicator, vehicle  
 speed/rpm, coolant temperature,  
 odometer, battery indicator,  
 hour meter, and clock

**DIMENSIONS:**  
 113 in. (2.9m) long x 56.5  
 in. (1.4m) wide x 73.5 in.  
 (1.9m) high

Front tread centers: 48 in.  
 (1.2m)  
 Rear tread centers: 46 in.  
 (1.16m)  
 Wheelbase: 72.8 in. (1.8m)  
 Ground Clearance: 10.5  
 in. (267mm)

**WEIGHT/CAPACITIES:**  
 Weight (including fuel/fluids):  
 1421 lbs. (645 kg.)  
 Payload Capacity: 800 lbs. (363  
 kg.)  
 Towing Capacity: 1,100 lbs.  
 (499 kg.)  
 7.4 Gallon (28L) fuel tank

**CARGO BOX:**  
 Material: High-density  
 composite  
 Dimensions: 32.3 In. (82cm)  
 Long x 47.6 In. (121cm) Wide  
 x 11.7 In. (29.7cm) Deep  
 Volume: 8.9 cu. ft. (0.25 cu.m)  
 Capacity: 400 lbs. (181 kg)  
 Dump: 2-sided manual release  
 with optional power lift  
 Tailgate: Hinged, one-handed  
 operation, tool-less removal

**MISCELLANEOUS:**  
 Safety and Operational DVD  
 Operator's Manual

\*Engine HP is Provided by the  
 Engine Manufacturer to be Used  
 for Comparison Purposes Only,  
 Actual Operating HP will be  
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Janesville, Wisconsin*

5175M	XUV590i Power Steering (MY16 Build to Order) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	10,899.00
-------	---	-----------

#### DESTINATION

001C	Australia/New Zealand	Same Price
------	-----------------------	------------

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV590i Power Steering (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>DESTINATION Continued...</b>			
0195		Mexico	Same Price
001D		Other Countries	Same Price
<b>COLOR</b>			
2500		Green and Yellow	In Base Price
2502		Realtree Hardwoods HD Camo	650.00
<b>WHEELS WITH TIRES</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 in. Yellow steel wheels	Same Price
1008		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Yellow alloy wheels	862.00
1010		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Silver alloy wheels	862.00
<b>SEATS</b>			
2006		Bench Seat - Yellow	In Base Price
2007		Bench Seat - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4002		OPS with brake / taillight and OSR nets	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Ag Management Solutions:</b>			
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
<b>Cabs/Roofs/Windshields:</b>			
BM25259		Abrasion Resistant Half Windshield	264.29
BM25261		Abrasion Resistant Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV590i Power Steering (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24817	Poly Cab Doors <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,125.01
	BM25014	Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	520.01
	BM23397	Poly Roof - Black	357.39
	BM23853	Poly Roof - Camo	765.06
	BM23396	Rear Metal Screen <i>Includes headrests.</i>	297.46
	BM25103	Windshield Washer Kit	302.81
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM24812	Cargo Box Power Lift	801.43
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP37045	OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV590i Power Steering (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
		<b>Custom &amp; High Performance:</b>	
	BM22703	Seat-Belt Comfort Strap (2)	81.31
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
		<b>Hunting / Camo:</b>	
	LP49226	Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	479.00
	LP37037	Vehicle Cover - Camo <i>Available through Order Zone.</i>	119.95
	LP37041	Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
		<b>Lights / Signals:</b>	
	BM23369	Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV590i Power Steering (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	199.01
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
		<b>Operator Environment:</b>	
	BRE10015	Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
		<b>Protection:</b>	
	BM23309	CV Guards <i>Aluminum.</i>	151.94
	BM25743	Floor Mat	80.26
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards <i>Requires Front Brushguard. Not compatible with nerf bars.</i>	188.31
	BM23361	Nerf Bars <i>Not compatible with front fender guards.</i>	262.16
	BM23362	Rear Bumper	200.09
	LP37036	Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
	LP37040	Vehicle Cover - Transportable (Black)	144.99
		<b>Sprayers / Pressure Washers:</b>	
	LP39965	25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**XUV590i Power Steering (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		<b>Spreaders:</b>	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
		<b>Winch:</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81

# JOHN DEERE TURF & UTILITY PRODUCTS

## MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

### XUV590i S4 Power Steering (MY16 Build to Order) Equipment for Base Machine

**ENGINE:**  
586cc, 32 HP (23.9kW)\*  
4-cycle, Inline twin, gas,  
Electronic Fuel Injection (EFI)  
Liquid Cooled  
Wet sump lubrication  
Replaceable single  
dry-type element air cleaner  
with remote intake  
Digital IDI, ECU controlled  
ignition  
Spark-arresting muffler with  
catalyst

**ELECTRICAL:**  
Electric start  
65 amp belt driven alternator  
340 CCA battery  
Two 37.5 watt halogen headlights  
(1) 12V power outlet  
Pre-wired for winch on power  
steering models  
Standard OPS mounted brake /  
taillight

**TRANSAXLE/TRANSMISSION:**  
Continuously  
Variable Transmission (CVT) with  
full clutch enclosure  
H, L, N, R transaxle with  
lockable rear differential  
Operator selectable 4WD  
Limited slip front differential  
45 mph (72 kph) maximum forward  
speed  
Large diameter half shafts with  
TPE boots

**BRAKES:**  
Front and rear hydraulic  
disk brakes with large 196mm  
stainless steel rotors  
Foot-operated park brake

**STEERING/SUSPENSION:**  
Rack and Pinion Steering  
Optional power steering  
19.7 ft. (6.0m) Turning Circle  
Independent front dual A-arm  
suspension with anti-roll bar; 8  
in. (203mm) of travel

Independent rear H-arm  
suspension with camber link; 8  
in. (203mm) of travel

**FRAME:**  
Robotically welded high-strength  
steel frame  
Integrated 2 in. (50mm) rear  
receiver  
Optional 2 in. (50mm) front  
receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE  
(OPS):**  
OSR (Occupant Side Retention)  
Nets standard  
1.75 In. (44.4 mm) steel  
tubular overhead structure  
Passenger handhold  
SAE J2194 and OSHA ROPS  
Certified

**OPERATOR STATION:**  
4 occupant capacity bench seats  
3-point seat belts  
Hip restraint bars for driver  
and passengers  
Sealed glove box  
Sealed storage compartment under  
hood  
Optional sealed storage  
compartment under seat  
Two cup holders in dash  
Digital instrument cluster  
displays system diagnostic  
light, engine oil pressure  
light, park brake light, seat  
belt indicator light, fuel  
level, 4WD indicator, vehicle  
speed/rpm, coolant temperature,  
odometer, battery indicator,  
hour meter, and clock

**DIMENSIONS:**  
144 in. (3.7m) long x 56.5  
in. (1.4m) wide x 73.5 in.  
(1.9m) high  
Front tread centers: 48 in.  
(1.2m)  
Rear tread centers: 46 in.  
(1.16m)

Wheelbase: 108 in. (2.7m)  
Ground Clearance: 9.3  
in. (236mm)

**WEIGHT/CAPACITIES:**  
Weight (including fuel/fluids):  
1646 lbs. (746 kg.)  
Payload Capacity: 1200 lbs.  
(544 kg.)  
Towing Capacity: 1,100 lbs.  
(499 kg.)  
7.4 Gallon (28L) fuel tank

**CARGO BOX:**  
Material: High-density  
composite  
Dimensions: 32.3 In. (82cm)  
Long x 47.6 In. (121cm) Wide  
x 11.7 In. (29.7cm) Deep  
Volume: 8.9 cu. ft. (0.25 cu.m)  
Capacity: 400 lbs. (181 kg)  
Dump: 2-sided manual release  
with optional power lift  
Tailgate: Hinged, one-handed  
operation, tool-less removal

**CONVERTIBLE CARGO RACK:**  
23.5 in. (59.7 cm.) Long x 38.8  
in. (98.6 cm) Wide x 8.1 in.  
(20.6 cm) Deep  
4.3 cu. ft. (0.12 cu.m) Capacity  
200 lbs. (90.7 kg) Rack Capacity

**MISCELLANEOUS:**  
Safety and Operational DVD  
Operator's Manual

\*Engine HP is Provided by the  
Engine Manufacturer to be Used  
for Comparison Purposes Only,  
Actual Operating HP will be  
Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Janesville, Wisconsin*

5184M	XUV590i S4 Power Steering (MY16 Build to Order) <i>Base Machine Suggested List Price Does Not Include 650 USD Destination Charge.</i>	12,499.00
-------	--	-----------

#### DESTINATION

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV590i S4 Power Steering (MY16 Build to Order)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>DESTINATION Continued...</b>			
001C		Australia/New Zealand	Same Price
0195		Mexico	Same Price
001D		Other Countries	Same Price
<b>COLOR</b>			
2500		Green and Yellow	In Base Price
2501		Olive and Black	100.00
2502		Realtree Hardwoods HD Camo	650.00
<b>WHEELS WITH TIRES</b>			
1000		25 in. Terra Hawk All Terrain Tires (4 Ply) on 12 In. Yellow steel wheels	Same Price
1003		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Black steel wheels	In Base Price
1008		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Yellow alloy wheels	862.00
1010		26 in. Maxxis Bighorn 2.0 Tires (6 Ply) on 14 in. Silver alloy wheels	862.00
<b>SEATS</b>			
2022		Bench Seat Front/Rear - Yellow	In Base Price
2023		Bench Seat Front/Rear - Black	In Base Price
<b>CARGO BOX LIFT</b>			
3100		Manual Lift	In Base Price
<b>OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)</b>			
4002		OPS with brake / taillight and OSR nets	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM25411		<b>Ag Management Solutions:</b> AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
BM25259		<b>Cabs/Roofs/Windshields:</b> Abrasion Resistant Half Windshield	264.29
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23358		Full Poly Windshield	375.57
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31



JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV590i S4 Power Steering (MY16 Build to Order)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24796	Poly Cab Door Side Mirrors	169.06
	BM24818	Poly Cab Doors - S4 <i>Requires poly cab door closeout panels. Includes left and right poly doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,905.50
	BM25015	Poly Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	564.96
	BM23398	Poly Roof - Black (S4)	543.56
	BM25103	Windshield Washer Kit	302.81
		<b>Cargo Box Options / Storage:</b>	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM24812	Cargo Box Power Lift	801.43
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP37045	OPS Overhead Organizer - Camo <i>Available through Order Zone.</i>	59.95
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49
	BM23874	Underseat Storage	111.29
		<b>Carts / Hitches:</b>	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV590i S4 Power Steering (MY16 Build to Order)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
	BM22703	<b>Custom &amp; High Performance:</b> Seat-Belt Comfort Strap (2)	81.31
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
	LP37039	<b>Hunting / Camo:</b> Vehicle Cover (S4) - Camo <i>Available through Order Zone.</i>	129.95
	LP37043	Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone.</i>	189.95
	BM23369	<b>Lights / Signals:</b> Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44
	BM24090	Long Range Light Kit <i>Requires OPS Switch Bank for OPS or Poly Roof mounting; or Front Brushguard for bumper mounting.</i>	199.01

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

**XUV590i S4 Power Steering (MY16 Build to Order)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24016	Mid-Range Light Kit <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs or on the OPS alone. Can be mounted on the front or rear of the OPS or poly roof. Can not be used for rear mounting on XUV550 S4.</i>	127.33
	BM24273	Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	127.33
	BM24089	OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
	BM23367	Turn Signal Kit <i>Includes flashers, turn signals (front &amp; rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
	BRE10015	<b>Operator Environment:</b> Cell Phone Mount Kit	60.50
	BM25148	OPS Rear View Mirror	86.67
	BM23309	<b>Protection:</b> CV Guards <i>Aluminum.</i>	151.94
	BM25744	Floor Mat - S4 <i>Front and rear mats.</i>	163.71
	BM23365	Front Brushguard	341.33
	BM23394	Front Fender Guards	188.31
	BM23362	Rear Bumper	200.09
	LP37038	Vehicle Cover (S4) - Black <i>Available through Order Zone.</i>	92.99
	LP37042	Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone.</i>	163.99
	LP39965	<b>Sprayers / Pressure Washers:</b> 25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
	LP39964	45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
	LP39098	45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
	LP20485	45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
	LP22885	HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	684.95

JOHN DEERE TURF & UTILITY PRODUCTS  
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

---

**XUV590i S4 Power Steering (MY16 Build to Order)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		<b>Spreaders:</b>	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	499.00
		<b>Winch:</b>	
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81

JOHN DEERE TURF & UTILITY PRODUCTS  
UTILITY VEHICLES AND EQUIPMENT

**Standard-Duty 66 In. Front Blade**  
**(XUV 550, XUV550 S4, XUV 560, XUV 560 S4, XUV 590i, XUV 590i S4, RSX 850i, RSX860i)**  
Equipment for Base Machine

66 In Wide Straight Blade  
Five-Position Manual Angling  
Two Adjusting Skid Shoes  
Trip Protection  
Replaceable Cutting Edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

8018M	Standard-Duty 66 In. Front Blade (XUV 550, XUV550 S4, XUV 560, XUV 560 S4, XUV 590i, XUV 590i S4, RSX 850i, RSX860i) <i>Includes Front Blade, Lift Arms, and Lift Components. A winch is needed for blade lift operations and 2 in. front receiver hitch with recovery loops needed for mounting. RSX 850i/860i also requires Blade Mount Adapter Kit.</i>	1,129.00
-------	--	----------

**DESTINATION**

001A	US/Canada	In Base Price
001C	Australia/New Zealand	Same Price
001B	Europe	Same Price
0195	Mexico	Same Price
001D	All Other Countries	Same Price

**LIFT FRAME KITS**

3153	Blade Mount Adapter Kit <i>Required on RSX 850i/860i, not required on XUV 550 and XUV 550 S4.</i>	190.00
3160	Less Blade Mount Adapter Kit	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

BM23029	<b>Blades:</b> Plow Markers	40.66
BM23363	<b>Carts / Hitches:</b> 2" Front Receiver Hitch and Recovery Loops	116.63
BM24723	<b>Winch:</b> WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit.</i>	597.06
BM24019	Warn Winch (3,000 lbs) - S4 <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	880.61

JOHN DEERE TURF & UTILITY PRODUCTS  
UTILITY VEHICLES AND EQUIPMENT

---

**Standard-Duty 66 In. Front Blade**  
**(XUV 550, XUV550 S4, XUV 560, XUV 560 S4, XUV 590i, XUV 590i S4, RSX 850i,**  
**RSX860i)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM25079	Winch Mounting Kit (for non winch ready vehicles) <i>Requires WARN ProVantage 3500 lb Winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	185.11