

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

180SL PrecisionCut Walk Greens Mower

Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm,
Engine Manufacturer Net Power,
Tested in accordance with SAE
J1349. The engine horsepower
and torque information are
provided by the engine
manufacturer to be used for
comparison purposes only.
Actual operating horsepower
and torque will be less.
Refer to the engine
manufacturer's web site for
additional information.

Gas Engine

Dual Aluminum Drive Rear
Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.182 (4.62mm) Frequency
of Clip
18 In. (45.7 cm) 11 Blade
Reel
5 In. Reel Diameter
2.0 mm Ultra Low BedKnife
Speed Link Hieght of
Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable
Handle Bar
Machined Grooved Solid Front
Roller With Solid End Caps
Meets Carb Standards

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|-------|--------------------------------------|----------|
| 5512M | 180SL PrecisionCut Walk Greens Mower | 9,340.00 |
|-------|--------------------------------------|----------|

DESTINATION

| | | |
|------|-----------------------|---------------|
| 001A | US/Canada | In Base Price |
| 001B | Europe | Same Price |
| 001C | Australia/New Zealand | Same Price |
| 0195 | Mexico | Same Price |
| 001D | All Other Countries | Same Price |

REEL FRONT ROLLERS

| | | |
|------|---|---------------|
| 1308 | (1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps | In Base Price |
| 1309 | (1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller | -12.00 |
| 1321 | (1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers | -47.00 |
| 1390 | Less Front Rollers | -212.00 |

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:

| | | |
|------|----------------------------|--------|
| 9766 | Light Kit | 375.00 |
| 9779 | Transport Wheels and Stand | 480.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

180SL PrecisionCut Walk Greens Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| ATTACHMENTS - ORDER AS DESIRED Continued... | | | |
| 9780 | | Rotary Brush/Greens Tender Conditioner Drive (Rotary Brush or Greens Tender Conditioner Not Included) | 1,214.00 |
| 9781 | | Rotary Brush | 239.00 |
| 9783 | | Push Brush | 508.00 |
| 9782 | | Greens Tender Conditioner | 475.00 |
| 9801 | | Front Rotary DT Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i> | 239.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Bedknives | | | |
| | MT7350 | Bedknife, 2.0 mm Ultra Low-Cut | 39.12 |
| | MT4846 | Bedknife, 2.5 mm Tournament | 39.59 |
| Miscellaneous: | | | |
| | TCA23624 | 14 Blade Reel | 326.80 |
| | AMT2865 | Frequency Speed Up Kit <i>Increases Clip Frequency to .160</i> | 117.13 |
| | BM24731 | Front Rotary DT Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i> | 255.73 |
| | BM20568 | Greens Tender Conditioner | 508.26 |
| | BM20579 | Light Kit | 401.26 |
| | BM23449 | Push Brush | 543.56 |
| | AMT2859 | Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i> | 269.33 |
| | BM20569 | Rotary Brush | 255.73 |
| | BM20578 | Transport Wheels and Stand | 513.60 |
| Rollers: | | | |
| | BM24204 | (1) 18 In. 2 In. (5 cm) Diameter Hollow Smooth Roller | 176.56 |
| | BM20562 | (1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller With Solid End Caps | 226.84 |
| | BM20561 | (1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller | 214.00 |
| | BM24203 | (1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller | 176.56 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

180 E-Cut Hybrid Walk Greens Mower

Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm,
Engine Manufacturer Net Power,
Tested in accordance with SAE
J1349. The engine horsepower
and torque information are
provided by the engine
manufacturer to be used for
comparison purposes only.
Actual operating horsepower
and torque will be less.
Refer to the engine
manufacturer's web site for
additional information.
Gas Engine

Dual Aluminum Drive Rear

Traction Drum
2.7 Qts. (2.5L) Fuel Tank
QA5 18 In. (45.7 cm) 11
Blade Reel
5 In. Reel Diameter
2.0 mm Standard BedKnife
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher
Foam Wrapped Adjustable Handle
Bar
Machined Grooved Solid Front
Roller with Solid End Caps
Hollow Smooth rear rollers
Electric Drive Motor for Cutting

Unit
On Board Backlapping
On Board Electrical Diagnostic
Light
Adjustable Frequency of Clip

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|-------|------------------------------------|-----------|
| 5541M | 180 E-Cut Hybrid Walk Greens Mower | 12,125.00 |
|-------|------------------------------------|-----------|

DESTINATION

| | | |
|------|-----------------------|---------------|
| 001A | US/Canada | In Base Price |
| 001B | Europe | Same Price |
| 001C | Australia/New Zealand | Same Price |
| 0195 | Mexico | Same Price |
| 001D | All Other Countries | Same Price |

REEL FRONT ROLLERS

| | | |
|------|---|---------------|
| 1308 | (1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps | In Base Price |
| 1309 | (1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller | -12.00 |
| 1321 | (1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers | -47.00 |
| 1390 | Less Front Rollers | -212.00 |

REEL REAR ROLLERS

| | | |
|------|---|---------------|
| 1622 | (1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers | In Base Price |
| 1690 | Less Rear Rollers | -165.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

180 E-Cut Hybrid Walk Greens Mower
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|---|-------------------------------|
| REEL CUTTING UNITS | | | |
| 1200 | | (1) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard Cutting Units with 4.8 mm bedknife, Direct Mount Grass Catcher, less Front and Rear Rollers, Motors and Counter Weights | -251.00 |
| 1202 | | (1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with 2.0mm bedknife, Direct Mount Grass Catcher, less Front and Rear Rollers, Motors and Counter Weight | In Base Price |
| 1213 | | (1) Quick Adjust 5 (QA5) Fourteen Blade 18 In. Cutting Units with 2.0mm hardened tool steel bedknife, Direct Mount Grass Catcher, less Front and Rear Rollers, Motors and Counter Weight | 113.00 |
| 1215 | | (1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with 2.0mm bedknife, Large Paddle Clip Grass Catcher, side plate inserts, less Front and Rear Rollers, Motors and Counter Weight | -4.00 |
| 1216 | | (1) Quick Adjust 5 (QA5) Fourteen Blade 18 In. Cutting Units with 2.0mm hardened tool steel bedknife, Large Paddle Clip Grass Catcher, side plate inserts, less Front and Rear Rollers, Motors and Counter Weight | 109.00 |
| 1290 | | Less Cutting Unit | -2,662.00 |
| REEL CUTTING UNIT COUNTER WEIGHTS | | | |
| 1400 | | (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing GTC Kit.</i> | In Base Price |
| 1407 | | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if installing GTC/Rotary Turf Brush on cutting unit.</i> | Same Price |
| 1490 | | Less Counter Weight Kit | -61.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| Miscellaneous: | | | |
| 9743 | | (1) GTC/FTC Gear Drive <i>Rotary Brush or Greens Tender Conditioner Not Included.</i> | 1,245.00 |
| 9766 | | Light Kit | 375.00 |
| 9779 | | Transport Wheels and Stand | 480.00 |
| 9781 | | (1) QA5 18 In. Rotary Turf Brush <i>Can not be used with GTC. Also need order Gear Drive code 9020</i> | 203.00 |
| 9783 | | Push Brush | 508.00 |
| 9782 | | Greens Tender Conditioner | 475.00 |
| 9812 | | (1) Grass Catcher with large paddle clip | 186.00 |
| 9813 | | (1) QA5 Grass Catcher Side Plate Insert | 47.00 |
| 9803 | | (1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units <i>Front and Rear Rollers, Motors and Counter Weight not included.</i> | 2,425.00 |
| 9801 | | (1) QA5 18 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i> | 203.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

180 E-Cut Hybrid Walk Greens Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| 9818 | | ATTACHMENTS - ORDER AS DESIRED Continued... (1) Quick Adjust 5 (QA5) Fourteen Blade 18 In. Cutting Units <i>Front and Rear Rollers, Motors and Counter Weight not included.</i> | 2,538.00 |
| | | ATTACHMENTS FOR FIELD CONVERSION | |
| | | Bedknives | |
| | MT7350 | Bedknife, 2.0 mm Ultra Low-Cut | 39.12 |
| | MT4846 | Bedknife, 2.5 mm Tournament | 39.59 |
| | | Cutting Units: | |
| | BM24128 | (1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with Yokes, less Front and Rear Rollers, Motors and Counter Weight | 1,167.37 |
| | BM25126 | (1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with Yokes, less Front and Rear Rollers, Motors and Counter Weight | 2,594.76 |
| | BM25337 | (1) Quick Adjust 5 (QA5) Fourteen Blade 18 In. Cutting Units <i>Front and Rear Rollers, Motors and Counter Weight not included.</i> | 2,715.66 |
| | BM25125 | (1) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard Cutting Units with 4.8mm bedknife, Less Front and Rear Rollers, Motors and Counter Weights | 2,326.19 |
| | | Miscellaneous: | |
| | BM24374 | (1) 18 In. Front Rotary Turf Brush <i>Requires GTC/FTC Gear Drive.</i> | 217.21 |
| | BTC10716 | (1) 18 In. Rear Grass Catcher with large paddle clip <i>1 Needed for 180 E-Cut Hybrid Walk Greens Mowers. 2 Needed for 8000 E-Cut Hybrid Fairway Mower. Not compatible with with rear bail system BTC10405.</i> | 199.01 |
| | BM22469 | (1) GTC/FTC Gear Drive <i>Requires FTC or GTC.</i> | 1,332.16 |
| | BM24732 | (1) QA5 18 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i> | 217.21 |
| | BM23910 | (1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i> | 9.63 |
| | TCA23622 | 14 Blade Reel | 380.81 |
| | BTC10629 | Direct Mount Grass Catcher (18") | 182.97 |
| | BM24900 | Direct Mount QA5 Grass Catcher Brackets | 70.61 |
| | BM24358 | Greens Tender Conditioner | 283.56 |
| | BM22615 | Light Kit | 401.26 |
| | BM23449 | Push Brush | 543.56 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

180 E-Cut Hybrid Walk Greens Mower
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM24199 | QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 1 Needed for front center location for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i> | 50.29 |
| | BM22616 | Transport Wheels and Stand | 513.60 |
| | | Reel Cutting Unit Counter Weights | |
| | BM22762 | (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | | Rollers: | |
| | BM24204 | (1) 18 In. 2 In. (5 cm) Diameter Hollow Smooth Roller | 176.56 |
| | BM20562 | (1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller With Solid End Caps | 226.84 |
| | BM20561 | (1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller | 214.00 |
| | BM24203 | (1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller | 176.56 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

220SL PrecisionCut Walk Greens Mower

Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm,
Engine Manufacturer Net Power,
Tested in accordance with SAE
J1349. The engine horsepower
and torque information are
provided by the engine
manufacturer to be used for
comparison purposes only.
Actual operating horsepower
and torque will be less.
Refer to the engine
manufacturer's web site for
additional information.
Gas Engine

Dual Aluminum Drive Rear
Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.182 (4.62mm) Frequency
of Clip
22 In. (55.9 cm) 11 Blade
Reel
5 In. Reel Diameter
2.5mm Tournament BedKnife
Speed Link Hieght of
Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable
Handle Bar
Machined Grooved Solid Front
Roller With Solid End Caps
Meets Carb Standards

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|-------|--------------------------------------|----------|
| 5522M | 220SL PrecisionCut Walk Greens Mower | 9,048.00 |
|-------|--------------------------------------|----------|

DESTINATION

| | | |
|------|-----------------------|---------------|
| 001A | US/Canada | In Base Price |
| 001B | Europe | Same Price |
| 001C | Australia/New Zealand | Same Price |
| 0195 | Mexico | Same Price |
| 001D | All Other Countries | Same Price |

REEL FRONT ROLLERS

| | | |
|------|---|---------------|
| 1300 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps | In Base Price |
| 1301 | (1) 22 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller | -12.00 |
| 1302 | (1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers | -66.00 |
| 1390 | Less Front Rollers | -231.00 |

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:

| | | |
|------|----------------------------|--------|
| 9766 | Light Kit | 375.00 |
| 9779 | Transport Wheels and Stand | 480.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

220SL PrecisionCut Walk Greens Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS - ORDER AS DESIRED Continued... | |
| 9780 | | Rotary Brush/Greens Tender Conditioner Drive (Rotary Brush or Greens Tender Conditioner Not Included) | 1,214.00 |
| 9781 | | Rotary Brush | 239.00 |
| 9783 | | Push Brush | 508.00 |
| 9782 | | Greens Tender Conditioner | 475.00 |
| 9801 | | Front Rotary DT Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i> | 239.00 |
| | | ATTACHMENTS FOR FIELD CONVERSION | |
| | | Bedknives | |
| | ET17532 | Bedknife, 4.8mm Fairway | 31.84 |
| | MT7351 | Bedknife, 2.0mm Ultra Low Cut | 33.96 |
| | ET17534 | Bedknife, 2.5mm Tournament | 33.79 |
| | ET17533 | Bedknife, 3.2 mm | 33.31 |
| | ET11066 | Bedknife, 3.2 mm with Hardened Insert | 138.23 |
| | | Miscellaneous: | |
| | TCA23623 | 14 Blade Reel | 318.45 |
| | AMT2865 | Frequency Speed Up Kit <i>Increases Clip Frequency to .160</i> | 117.13 |
| | BM24729 | Front Rotary DT Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i> | 255.73 |
| | BM20566 | Greens Tender Conditioner | 532.86 |
| | TCU23674 | John Deere Golf Operator Videos and All Products Safety Video DVD Set | 50.00 |
| | BM20579 | Light Kit | 401.26 |
| | BM23449 | Push Brush | 543.56 |
| | AMT2859 | Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i> | 269.33 |
| | BM20567 | Rotary Brush | 255.73 |
| | BM23443 | Rotary Brush/Greens Tender Conditioner Drive (Rotary Brush or Greens Tender Conditioner Not Included). | 1,298.99 |
| | TCU29767 | Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with kit.</i> | 142.55 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

220SL PrecisionCut Walk Greens Mower
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|--|-------------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM20578 | Transport Wheels and Stand | 513.60 |
| | | Rollers: | |
| | BM24202 | (1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller | 176.56 |
| | BM18712 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps | 247.17 |
| | BM18711 | (1) 22 In. 2 In. (5 cm) Diameter Machined Smooth Solid Front Roller | 234.33 |
| | BM18480 | (1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i> | 176.56 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

220 E-Cut Hybrid Walk Greens Mower

Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm,
Engine Manufacturer Net Power,
Tested in accordance with SAE
J1349. The engine horsepower
and torque information are
provided by the engine
manufacturer to be used for
comparison purposes only.
Actual operating horsepower
and torque will be less.
Refer to the engine
manufacturer's web site for
additional information.
Gas Engine

Dual Aluminum Drive Rear

Traction Drum
2.7 Qts. (2.5L) Fuel Tank
QA5 22 In. (55.9 cm) 11
Blade Reel
5 In. Reel Diameter
3.2 mm Standard BedKnife
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher
Foam Wrapped Adjustable Handle
Bar
Machined Grooved Solid Front
Roller with Solid End Caps
Hollow Smooth rear rollers
Electric Drive Motor for Cutting

Unit
On Board Backlapping
On Board Electrical Diagnostic
Light
Adjustable Frequency of Clip

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|-------|------------------------------------|-----------|
| 5504M | 220 E-Cut Hybrid Walk Greens Mower | 12,072.00 |
|-------|------------------------------------|-----------|

DESTINATION

| | | |
|------|-----------------------|---------------|
| 001A | US/Canada | In Base Price |
| 001B | Europe | 176.00 |
| 001C | Australia/New Zealand | Same Price |
| 0195 | Mexico | Same Price |
| 001D | All Other Countries | Same Price |

REEL FRONT ROLLERS

| | | |
|------|---|---------------|
| 1300 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps | In Base Price |
| 1301 | (1) 22 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller | -12.00 |
| 1390 | Less Front Rollers | -231.00 |

REEL REAR ROLLERS

| | | |
|------|--|---------------|
| 1602 | (1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers | In Base Price |
| 1690 | Less Rear Rollers | -165.00 |

REEL CUTTING UNITS

| | | |
|------|--|--------|
| 1201 | (1) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) Cutting Units with Adjustable 4.8mm Bedknife, 5 In. (12.7 cm) | -85.00 |
|------|--|--------|

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

220 E-Cut Hybrid Walk Greens Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| REEL CUTTING UNITS Continued... | | | |
| | | Diameter Reels and Direct Mount Grass Catcher, Less Front and Rear Rollers, Motor and counter weight. | |
| 1203 | | (1) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels and Direct Mount Grass Catcher, Less Front and Rear Rollers, Motor and counter weight. | In Base Price |
| 1214 | | (1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm hardened tool steel Bedknife, 5 In. (12.7 cm) Diameter Reel and Direct Mount Grass Catcher, Less Front and Rear Rollers, Motor and counter weight. | 224.00 |
| 1215 | | (1) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels and Large Paddle Clip Grass Catcher, side plate inserts, Less Front and Rear Rollers, Motor and counter weight. | -19.00 |
| 1216 | | (1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm hardened tool steel Bedknife, 5 In. (12.7 cm) Diameter Reel and Large Paddle Clip Grass Catcher, side plate inserts, Less Front and Rear Rollers, Motor and counter weight. | 205.00 |
| 1290 | | Less Cutting Unit | -2,551.00 |
| REEL CUTTING UNIT COUNTER WEIGHTS | | | |
| 1400 | | (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing GTC Kit.</i> | In Base Price |
| 1407 | | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if installing GTC/Rotary Turf Brush on cutting unit.</i> | Same Price |
| 1490 | | Less Counter Weight Kit | -61.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| Miscellaneous: | | | |
| 9743 | | (1) GTC/FTC Gear Drive <i>Rotary Brush or Greens Tender Conditioner Not Included.</i> | 1,245.00 |
| 9766 | | Light Kit | 375.00 |
| 9779 | | Transport Wheels and Stand | 480.00 |
| 9781 | | (1) QA5 22 In. Rotary Turf Brush <i>Can not be used with GTC. Also need order Gear Drive code 9020</i> | 203.00 |
| 9783 | | Push Brush | 508.00 |
| 9782 | | Greens Tender Conditioner | 475.00 |
| 9812 | | (1) Grass Catcher with large paddle clip <i>If substituting this catcher for direct mount catcher in code 1201 or 1203, use code 1290 less cutting unit; then requires 9812, 9813 and 9803 codes.</i> | 171.00 |
| 9813 | | (1) QA5 Grass Catcher Side Plate Insert | 47.00 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

220 E-Cut Hybrid Walk Greens Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS - ORDER AS DESIRED Continued... | |
| 9803 | | (1) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i> | 2,314.00 |
| 9801 | | (1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i> | 203.00 |
| 9818 | | (1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i> | 2,538.00 |
| | | ATTACHMENTS FOR FIELD CONVERSION | |
| | | Bedknives | |
| | ET17532 | Bedknife, 4.8mm Fairway | 31.84 |
| | MT7351 | Bedknife, 2.0mm Ultra Low Cut | 33.96 |
| | ET17534 | Bedknife, 2.5mm Tournament | 33.79 |
| | ET17533 | Bedknife, 3.2 mm | 33.31 |
| | ET11066 | Bedknife, 3.2 mm with Hardened Insert | 138.23 |
| | | Cutting Units: | |
| | BM25128 | (1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor | 2,475.99 |
| | BM25338 | (1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i> | 2,715.66 |
| | | Miscellaneous: | |
| | BM22761 | (1) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC. Requires GTC/FTC Gear Drive.</i> | 217.21 |
| | BM22471 | (1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i> | 299.60 |
| | BM22469 | (1) GTC/FTC Gear Drive <i>Requires FTC or GTC.</i> | 1,332.16 |
| | BM24730 | (1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i> | 217.21 |
| | BM23910 | (1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i> | 9.63 |
| | TCA23621 | 14 Blade Reel | 386.63 |
| | BM24900 | Direct Mount QA5 Grass Catcher Brackets | 70.61 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

220 E-Cut Hybrid Walk Greens Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10718 | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers 7700/8700. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i> | 182.97 |
| | BM22615 | Light Kit | 401.26 |
| | BM23449 | Push Brush | 543.56 |
| | BM24199 | QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 1 Needed for front center location for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i> | 50.29 |
| | TCU29767 | Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with kit.</i> | 142.55 |
| | BM22616 | Transport Wheels and Stand | 513.60 |
| | BM22762 | Reel Cutting Unit Counter Weights (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | BM24202 | Rollers: (1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller | 176.56 |
| | BM18712 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps | 247.17 |
| | BM18711 | (1) 22 In. 2 In. (5 cm) Diameter Machined Smooth Solid Front Roller | 234.33 |
| | BM18480 | (1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i> | 176.56 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

260SL PrecisionCut Walk Greens Mower

Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm,
Engine Manufacturer Net Power,
Tested in accordance with SAE
J1349. The engine horsepower
and torque information are
provided by the engine
manufacturer to be used for
comparison purposes only.
Actual operating horsepower
and torque will be less.
Refer to the engine
manufacturer's web site for
additional information.
Gas Engine

Dual Aluminum Drive Rear
Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.286 (7.26mm) Frequency
of Clip (7-Blade)
26 In. (66.0 cm) 7 Blade
Reel
5 In. Reel Diameter
3.2 mm Standard BedKnife
Speed Link Hieght of
Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable
Handle Bar
Machined Grooved Solid Front
Roller with Solid End Caps
Meets Carb Standards

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|-------|--------------------------------------|-----------|
| 5532M | 260SL PrecisionCut Walk Greens Mower | 10,300.00 |
|-------|--------------------------------------|-----------|

DESTINATION

| | | |
|------|-----------------------|---------------|
| 001A | US/Canada | In Base Price |
| 001B | Europe | Same Price |
| 001C | Australia/New Zealand | Same Price |
| 0195 | Mexico | Same Price |
| 001D | All Other Countries | Same Price |

REEL FRONT ROLLERS

| | | |
|------|---|---------------|
| 1313 | (1) 26 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps | In Base Price |
| 1314 | (1) 26 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller | -9.00 |
| 1390 | Less Front Rollers | -252.00 |

REEL CUTTING UNITS

| | | |
|------|----------------------------------|---------------|
| 1211 | (1) 26 In. 7-Blade Cutting Unit | In Base Price |
| 1210 | (1) 26 In. 11-Blade Cutting Unit | Same Price |

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|-----------------------------|--------|
| 9766 | Miscellaneous: Light Kit | 375.00 |
|------|-----------------------------|--------|

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

260SL PrecisionCut Walk Greens Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS - ORDER AS DESIRED Continued... | |
| 9779 | | Transport Wheels and Stand | 480.00 |
| 9780 | | Rotary Brush/Greens Tender Conditioner Drive (Rotary Brush or Greens Tender Conditioner Not Included) | 1,214.00 |
| 9781 | | Rotary Brush | 239.00 |
| 9782 | | Greens Tender Conditioner | 475.00 |
| | | ATTACHMENTS FOR FIELD CONVERSION | |
| | | Bedknives | |
| | MT6947 | Bedknife, 3.2 mm | 42.04 |
| | MT6946 | Bedknife, Long-Life Fairway | 42.04 |
| | | Miscellaneous: | |
| | AMT2865 | Frequency Speed Up Kit <i>Increases Clip Frequency to .160</i> | 117.13 |
| | BM20570 | Greens Tender Conditioner | 557.47 |
| | TCU23674 | John Deere Golf Operator Videos and All Products Safety Video DVD Set | 50.00 |
| | BM20579 | Light Kit | 401.26 |
| | AMT2859 | Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i> | 269.33 |
| | BM20571 | Rotary Brush | 267.50 |
| | BM20578 | Transport Wheels and Stand | 513.60 |
| | | Rollers: | |
| | BM20564 | (1) 26 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller with Solid End Caps | 269.64 |
| | BM20563 | (1) 26 In. 2 In. (5 cm) Diameter Machined Smooth Solid Front Roller | 260.01 |
| | BM17670 | (1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller | 405.53 |
| | BM17671 | (1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller | 350.96 |
| | BM19818 | (1) 26 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps | 477.21 |

JOHN DEERE TURF & UTILITY PRODUCTS GREENSMOWER TRAILER

22B Walk Greens Mower Trailer Equipment for Base Machine

Carries 2 Walk Greens Mowers
Compatible with A, B, C and SL
Models 180 and 220 E-Cut Hybrid
Walk Greens Mower
Multiple angle location ramp
with stainless steel latch
system
Spray-On Bedliner on floor
of trailer bed and ramp
Welded storage holders for
retaining bar when not in
use
Box Capacity: 12.7 Cu. Ft.
(0.36 cu. m)

Maximum Load: 1000 Lbs.
(454 kg)
Maximum Payload: 700 Lbs.
(318 kg)
Pneumatic Turf Tires 2 Ply
22.5x10.00-8
Ball Bearing, Double Sealed
Wheel Bearings
1-7/8 In. Dia. (4.8 cm)
Hitch Coupler
Inside Box 60"L X 40"W
Outside Box 62"L x46"W
Box Side Panels 8.5" Tall
Front Wall 13" Tall

Outside to Outside Tire is 66"
Ramp Down Position 27" L X 46"
W down
Trailer Tongue 43" L

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

| | | |
|--------|--|----------|
| 0521TC | 22B Walk Greens Mower Trailer <i>Must be Ordered in Quantities of Two. Requires Utility Vehicles to be Equipment With 1-7/8 In. (4.8cm) Ball Hitch.</i> | 2,431.00 |
|--------|--|----------|

Miscellaneous Items

| | | |
|------|---|-----------|
| 9100 | European CE Kit: European CE Conversion Kit for 22B Greensmower Trailer <i>Must Be Ordered to Receive a 22B Walk-Behind Greensmower Trailer Which Meets CE Mark Requirements. Kit Includes Pictorial Decals and Operator's Manual in English, French, German, Spanish and Italian.</i> | No Charge |
|------|---|-----------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|----------|---|--------|
| TCU23674 | Miscellaneous: John Deere Golf Operator Videos and All Products Safety Video DVD Set | 50.00 |
| TCU29767 | Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with kit.</i> | 142.55 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas

Equipment for Base Machine

21.0 hp (15.7 kW) at 3600 rpm, Engine Manufacturer Gross Power, Tested in accordance with SAE J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Foot Actuated Adjustable Tilt Steering Wheel
2-Post SAE J21294 Roll Over Protection Structure with Seat Belts
Command Arm Operator Controls
Four Function LED Warning Monitor with Hour Meter
One Touch Hand Lift Lever

Hand Operated Mow/Transport Lever
Direct Mounted Pumps
Power Steering
Hydrostatic Drive
Single Reel Pump
Hydraulic Reel Motors
Offset Reel Design
Quick-Tatch Cutting Units with Adjustable Shields
Quick Adjust QA5 Cutting Units with Speed Link Height of Cut System
Dual Point Adjustable Bed Knife with Notch Adjustments
Double Upstops for Front Cutting Units
Machined Grooved Solid Front Rollers with Solid End Caps and 22 In. 2 In. (5 cm) Diameter
Wide Tube/Hollow Smooth Rear Rollers
Sit on Seat Diagnostics

White Box Controller
Micro-Lap Backlapping Valve and Reel Speed Control
Disk Brakes
Hydraulic Oil Cooler
18X10.50-10 2 Ply Smooth Floation Tires
Single Fuel Tank, 7.9 Gallon (30L) Fuel Capacity
BCI Group 40 Maintenance Free Battery
John Deere Golf Operator Videos and All Products Safety Video
DVD Set

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|--|-----------|
| 1207TC | 2500B PrecisionCut Riding Greens Mower - Gas | 34,421.00 |
|--------|--|-----------|

DESTINATION CODE

| | | |
|------|-----------------|---------------|
| 001A | US/Canada | In Base Price |
| 001C | Aust/NZ | Same Price |
| 001D | Other Countries | Same Price |
| 0212 | Brazil | Same Price |

OPERATOR MANUALS - LANGUAGES

| | | |
|------|---------------------------------------|-----------|
| 0443 | All Other countries (English/Spanish) | No Charge |
|------|---------------------------------------|-----------|

REEL CUTTING UNITS

| | | |
|------|---|---------------|
| 1212 | (3) Vertical Cutting Units With Front AND Rear Rollers <i>Requires 2010 Code, Less Front Rollers.</i> | -72.00 |
| 1201 | (3) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) Heavy Section Cutting Units With Adjustable 4.8mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers | -255.00 |
| 1203 | (3) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers | In Base Price |
| 1214 | (3) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) | 672.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|---|-------------------------------|
| REEL CUTTING UNITS Continued... | | | |
| Cutting Units with Adjustable 2.0mm hardened tool steel Bedknife, 5 In. (12.7 cm) Diameter Reel, Less Front and Rear Rollers | | | |
| 1290 | | Less Cutting Units | -6,942.00 |
| REEL FRONT ROLLERS | | | |
| 1302 | | (3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Front Rollers | -198.00 |
| 1300 | | (3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Rollers With Solid End Caps | In Base Price |
| 1307 | | (3) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 519.00 |
| 1304 | | (3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Rollers | Same Price |
| 1318 | | (3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 354.00 |
| 1320 | | (3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 354.00 |
| 1390 | | Less Front Rollers | -693.00 |
| REEL REAR ROLLERS | | | |
| 1602 | | (3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers | In Base Price |
| 1618 | | (3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 552.00 |
| 1620 | | (3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 552.00 |
| 1690 | | Less Rear Rollers | -495.00 |
| WHEELS WITH TIRES (THREE) | | | |
| 1021 | | (3) Smooth Floatation Tires and Wheels (18x10.50-10) 2 ply | In Base Price |
| 1022 | | (3) Smooth Tires and Wheels (20x10.00-10) 2 ply | 11.00 |
| 1023 | | (3) Turf Guard Traction Tires and Wheels (20x10.00-10) 4 ply | 42.00 |
| 1024 | | (3) Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 11.00 |
| 1040 | | (3) Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 11.00 |
| 1149 | | Less Wheels with Tires | -454.00 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|-----------------------|--|-------------------------------|
| REEL CUTTING UNIT COUNTER WEIGHTS | | | |
| 1400 | | (3) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i> | In Base Price |
| 1403 | | (3) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i> | 231.00 |
| 1408 | | (3) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | Same Price |
| 1490 | | Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit Installed.</i> | -183.00 |
| SEATS | | | |
| 2010 | | Deluxe Suspension Seat with Armrest | 793.00 |
| 2009 | | Standard Seat | 437.00 |
| 2090 | | Less Seat | In Base Price |
| REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS | | | |
| 3200 | | (3) 22 Inch Cutting Unit Attaching Yokes and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>Needed to attach 2009 cutting units to 2009 traction machine.</i> | In Base Price |
| 3201 | | (3) 22 Inch Cutting Unit Rear Attaching Point Yoke for FAIRWAYS and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications (not recommended for greens).</i> | 790.00 |
| 3202 | | (3) 22 Inch Cutting Unit Attaching Yokes and direct mounted (Bullhorn) Molded One-Piece Grass Catchers, Rear grass catcher and bail system <i>These yokes are required with the direct mounted (bullhorn) style grass catchers.</i> | -115.00 |
| 3210 | | Less Cutting Yokes and Grass Catchers | -1,439.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| Cutting Units: | | | |
| 9121 | | (3) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor | 6,870.00 |
| Miscellaneous: | | | |
| 9738 | | (3) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9743.</i> | 1,452.00 |
| 9743 | | (3) GTC/FTC Gear Drive <i>Requires Order Code (9738 or 9742).</i> | 3,735.00 |
| 9791 | | (3) 22 In. Rear Roller Power Brushes <i>Requires order code 9750.</i> | 420.00 |
| 9750 | | (3) Rear Roller Power Brush Drive <i>Requires order code 9791.</i> | 1,149.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS - ORDER AS DESIRED Continued... | |
| 9751 | | (3) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9738 or 9742. Also need order code 9743.</i> | 609.00 |
| 9742 | | (3) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires order code 9743.</i> | 840.00 |
| 9756 | | (3) Smooth Roller Scrapers | 45.00 |
| 9763 | | (3) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the Grass Catcher closer to the reel.</i> | 27.00 |
| 9770 | | Leak Detector Kit <i>For Serial No. TC250BG010001-.</i> | 1,381.00 |
| 9801 | | (3) 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i> | 609.00 |
| 9803 | | (3) 11 blade QA5 Cutting Units less front and rear rollers | 6,942.00 |
| 9804 | | (3) 7 blade QA5 Cutting units less front and rear rollers | 6,687.00 |
| 9805 | | Cutting Unit Top Shield Extension (Set of 3) | 84.00 |
| 9818 | | (3) Quick Adjust 5 (QA5) Fourteen Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight | 7,614.00 |
| | | ATTACHMENTS FOR FIELD CONVERSION | |
| | | Bedknives | |
| | ET17532 | Bedknife, 4.8mm Fairway | 31.84 |
| | MT7351 | Bedknife, 2.0mm Ultra Low Cut | 33.96 |
| | ET17534 | Bedknife, 2.5mm Tournament | 33.79 |
| | ET17533 | Bedknife, 3.2 mm | 33.31 |
| | ET11066 | Bedknife, 3.2 mm with Hardened Insert | 138.23 |
| | ET17767 | Bedknife, Hi-cut Fairway 7.6 mm | 34.71 |
| | | Cutting Units: | |
| | BM25129 | (1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor | 2,450.30 |
| | BM25128 | (1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor | 2,475.99 |
| | BM25127 | (1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor | 2,385.03 |
| | BM25338 | (1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i> | 2,715.66 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION Continued... | | | |
| | | Miscellaneous: | |
| BM22671 | | (1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i> | 517.89 |
| BM22761 | | (1) 22 In. Front Rotary Turf Brush | 217.21 |
| BM22471 | | (1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i> | 299.60 |
| BM22668 | | (1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i> | 149.80 |
| BM22995 | | (1) 22 In. Smooth Roller Scraper | 16.06 |
| BM22469 | | (1) GTC/FTC Gear Drive | 1,332.16 |
| BM24730 | | (1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i> | 217.21 |
| BM23910 | | (1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i> | 9.63 |
| BM22527 | | (1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i> | 409.81 |
| BTC10122 | | (3) 22 Inch Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine.</i> | 1,453.06 |
| TCA19547 | | 2"x 22" Machine Grooved Roller Scraper | 27.82 |
| BM23002 | | 3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i> | 155.16 |
| AMT2477 | | Arm Rest Kit (Includes One Arm Rest and Hardware) | 115.09 |
| BM23080 | | Cutting Unit Top Shield Extension (Set of 3) | 89.89 |
| TCB11356 | | Cutting Unit Yokes Kit (22") for MY1998-2008 | 867.77 |
| TCB11341 | | Cutting Unit Yokes Kit for MY 2009 # Current or QA5 Cutting Units | 607.76 |
| BTC10686 | | Dew Whip with end support bracket <i>Fits 2014 - Current Model Year Gas and All Model Year Diesel.</i> | 140.17 |
| TCB11721 | | Grass Catcher Mounting Kit <i>Set of 3 Mounting Hardware for weight transfer system grass catcher.</i> | 145.51 |
| BTC10718 | | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500's Weight Transfer System.</i> | 182.97 |
| AMT2978 | | Height of Cut Gauge Bar | 75.20 |
| TCB11165 | | Leak Detector Kit | 1,477.67 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM19746 | Light Kit, Front | 260.01 |
| | BM19852 | Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i> | 56.71 |
| | BM24199 | QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System. 1 Needed for front center location for 7500A Fairway Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i> | 50.29 |
| | BTC10407 | Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i> | 162.64 |
| | BTC10408 | Rear Grass Catcher with Handles <i>1 needed for 2500's, 2 needed for complete machine 7500A.</i> | 150.87 |
| | TCB11167 | Third Wheel Assist Kit | 2,605.46 |
| | BM19750 | Tires and Wheels (18x10.50-10), (3) Smooth Floatation | 485.79 |
| | BTC10841 | Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 497.56 |
| | BM19748 | Tires and Wheels (20x10.00-10), (3) Smooth | 497.56 |
| | BTC10071 | Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 497.56 |
| | BM19749 | Tires and Wheels (20x10.00-10), (3) Turf Guard Traction | 530.71 |
| | BTC10606 | Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i> | 151.94 |
| | BM22762 | Reel Cutting Unit Counter Weights (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22705 | (1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i> | 147.66 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | BM18712 | Rollers: (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps | 247.17 |
| | BM18481 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller | 247.17 |
| | BE23416 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i> | 247.17 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM18480 | (1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i> | 176.56 |
| | BTC10267 | (1) 22 In. 2 In. (5cm) MT Grooved Roller | 373.43 |
| | BM25317 | (1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed.</i> <i>3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 356.31 |
| | BM19817 | (1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed.</i> <i>3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 432.29 |
| | BM23566 | (1) 2X22" MT SPIRAL Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 373.43 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel

Equipment for Base Machine

19.6 hp (14.6 kW) per SAE J1995
Engine hp is provided by the
engine manufacturer to be used
for comparison purposes only.
Actual operating hp will be
less. Refer to the engine
manufacturer's web site for
additional information.

Meets EPA Tier 4
Foot Actuated Adjustable Tilt
Steering Wheel
2-Post SAE J21294 Roll Over
Protection Structure with Seat
Belts
Command Arm Operator Controls
Four Function LED Warning
Monitor with Hour Meter
One Touch Hand Lift Lever
Hand Operated Mow/Transport
Lever
Direct Mounted Pumps

Power Steering
Hydrostatic Drive
Single Reel Pump
Hydraulic Reel Motors
Offset Reel Design
Quick-Tatch Cutting Units with
Adjustable Shields
Quick Adjust QA5 Cutting Units
with Speed Link Height of Cut
System
Dual Point Adjustable Bed Knife
with Notch Adjustments
Double Upstops for Front Cutting
Units
Machined Grooved Solid Front
Rollers with Solid End Caps
22 In. 2 In. (5 cm) Diameter
Wide Tube/Hollow Smooth Rear
Rollers
Sit on Seat Diagnostics
White Box Controller
Micro-Lap Backlapping Valve and

Reel Speed Control
Disk Brakes
Hydraulic Oil Cooler
18X10.50-10 2 Ply Smooth
Floatation Tires
Single Fuel Tank, 7.9 Gallon
(30L) Fuel Capacity
BCI Group 40 Maintenance Free
Battery
John Deere Golf Operator Videos
and All Products Safety Video
DVD Set

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|--------------------------|---|-------------------------------------|
| Select One Code From Each Required Category | | | |
| BASE MACHINE | | | |
| <i>F.O.B. Raleigh, North Carolina</i> | | | |
| 1186TC | | 2500B PrecisionCut Riding Greens Mower - Diesel | 40,695.00 |
| DESTINATION CODE | | | |
| 001A | | US/Canada | In Base Price |
| 001B | | Europe | 70.00 |
| 001C | | Aust/NZ | Same Price |
| 001D | | Other Countries | Same Price |
| 0195 | | Mexico | Same Price |
| 0212 | | Brazil | Same Price |
| OPERATOR MANUALS - LANGUAGES | | | |
| 0443 | | All Other countries (English/Spanish) | No Charge |
| REEL CUTTING UNITS | | | |
| 1212 | | (3) Vertical Cutting Units With Front AND Rear Rollers | -72.00 |
| 1201 | | (3) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) Heavy Section Cutting Units With Adjustable 4.8mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers | -255.00 |
| 1203 | | (3) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable | In Base Price |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|---|-------------------------------|
| REEL CUTTING UNITS Continued... | | | |
| | | 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers | |
| 1214 | | (3) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm hardened tool steel Bedknife, 5 In. (12.7 cm) Diameter Reel, Less Front and Rear Rollers | 672.00 |
| 1290 | | Less Cutting Units | -6,942.00 |
| REEL FRONT ROLLERS | | | |
| 1302 | | (3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Front Rollers | -198.00 |
| 1300 | | (3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Rollers With Solid End Caps | In Base Price |
| 1307 | | (3) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 519.00 |
| 1304 | | (3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Rollers | Same Price |
| 1318 | | (3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 354.00 |
| 1320 | | (3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 354.00 |
| 1390 | | Less Front Rollers | -693.00 |
| REEL REAR ROLLERS | | | |
| 1602 | | (3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers | In Base Price |
| 1618 | | (3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 552.00 |
| 1620 | | (3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 552.00 |
| 1690 | | Less Rear Rollers | -495.00 |
| WHEELS WITH TIRES (THREE) | | | |
| 1021 | | (3) Smooth Floatation Tires and Wheels (18x10.50-10) 2 ply | In Base Price |
| 1022 | | (3) Smooth Tires and Wheels (20x10.00-10) 2 ply | 11.00 |
| 1023 | | (3) Turf Guard Traction Tires and Wheels (20x10.00-10) 4 ply | 42.00 |
| 1024 | | (3) Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 11.00 |
| 1040 | | (3) Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause</i> | 11.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|-----------------------|--|-------------------------------|
| WHEELS WITH TIRES (THREE) Continued... | | | |
| <i>marking on soft greens.</i> | | | |
| 1149 | | Less Wheels with Tires | -454.00 |
| REEL CUTTING UNIT COUNTER WEIGHTS | | | |
| 1400 | | (3) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i> | In Base Price |
| 1403 | | (3) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i> | 231.00 |
| 1408 | | (3) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | Same Price |
| 1490 | | Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit Installed.</i> | -183.00 |
| SEATS | | | |
| 2010 | | Deluxe Suspension Seat with Armrest | 793.00 |
| 2009 | | Standard Seat | 437.00 |
| 2090 | | Less Seat | In Base Price |
| REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS | | | |
| 3200 | | (3) 22 Inch Cutting Unit Attaching Yokes and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>Needed to attach 2009 cutting units to 2009 traction machine.</i> | In Base Price |
| 3201 | | (3) 22 Inch Cutting Unit Rear Attaching Point Yoke for FAIRWAYS and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications (not recommended for greens).</i> | 790.00 |
| 3202 | | (3) 22 Inch Cutting Unit Attaching Yokes and direct mounted (Bullhorn) Molded One-Piece Grass Catchers, Rear grass catcher and bail system <i>These yokes are required with the direct mounted (bullhorn) style grass catchers.</i> | -115.00 |
| 3210 | | Less Cutting Yokes and Grass Catchers | -1,439.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| Cutting Units: | | | |
| 9121 | | (3) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor | 6,870.00 |
| Miscellaneous: | | | |
| 9738 | | (3) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9743.</i> | 1,452.00 |
| 9743 | | (3) GTC/FTC Gear Drive <i>Requires order code 9738.</i> | 3,735.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS - ORDER AS DESIRED Continued... | |
| 9791 | | (3) 22 In. Rear Roller Power Brushes <i>Requires order code 9750.</i> | 420.00 |
| 9750 | | (3) Rear Roller Power Brush Drive <i>Requires order code 9791.</i> | 1,149.00 |
| 9751 | | (3) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9738 or 9742. Also need order code 9743.</i> | 609.00 |
| 9742 | | (3) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires order code 9743.</i> | 840.00 |
| 9756 | | (3) Smooth Roller Scrapers | 45.00 |
| 9763 | | (3) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the Grass Catcher closer to the reel.</i> | 27.00 |
| 9769 | | Greens Mower Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i> | 79.00 |
| 9770 | | Leak Detector Kit <i>For Serial No. TC250BG010001-.</i> | 1,381.00 |
| 9801 | | (3) 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i> | 609.00 |
| 9803 | | (3) 11 blade QA5 Cutting Units less front and rear rollers | 6,942.00 |
| 9804 | | (3) 7 blade QA5 Cutting units less front and rear rollers | 6,687.00 |
| 9805 | | Cutting Unit Top Shield Extension (Set of 3) | 84.00 |
| 9818 | | (3) Quick Adjust 5 (QA5) Fourteen Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight | 7,614.00 |
| | | ATTACHMENTS FOR FIELD CONVERSION | |
| | | Bedknives | |
| ET17532 | | Bedknife, 4.8mm Fairway | 31.84 |
| MT7351 | | Bedknife, 2.0mm Ultra Low Cut | 33.96 |
| ET17534 | | Bedknife, 2.5mm Tournament | 33.79 |
| ET17533 | | Bedknife, 3.2 mm | 33.31 |
| ET11066 | | Bedknife, 3.2 mm with Hardened Insert | 138.23 |
| ET17767 | | Bedknife, Hi-cut Fairway 7.6 mm | 34.71 |
| | | Cutting Units: | |
| BM25129 | | (1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor | 2,450.30 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM25128 | (1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor | 2,475.99 |
| | BM25127 | (1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor | 2,385.03 |
| | BM25338 | (1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i> | 2,715.66 |
| | TCA19916 | Engine: B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i> | 185.96 |
| | BM22671 | Miscellaneous: (1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i> | 517.89 |
| | BM22761 | (1) 22 In. Front Rotary Turf Brush | 217.21 |
| | BM22471 | (1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i> | 299.60 |
| | BM22668 | (1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i> | 149.80 |
| | BM22995 | (1) 22 In. Smooth Roller Scraper | 16.06 |
| | BM22469 | (1) GTC/FTC Gear Drive | 1,332.16 |
| | BM24730 | (1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i> | 217.21 |
| | BM23910 | (1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i> | 9.63 |
| | BM22527 | (1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i> | 409.81 |
| | BTC10122 | (3) 22 Inch Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine.</i> | 1,453.06 |
| | TCA19547 | 2"x 22" Machine Grooved Roller Scraper | 27.82 |
| | BM23002 | 3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i> | 155.16 |
| | AMT2477 | Arm Rest Kit (Includes One Arm Rest and Hardware) | 115.09 |
| | BM23080 | Cutting Unit Top Shield Extension (Set of 3) | 89.89 |
| | TCB11356 | Cutting Unit Yokes Kit (22") for MY1998-2008 | 867.77 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | TCB11341 | Cutting Unit Yokes Kit for MY 2009 # Current or QA5 Cutting Units | 607.76 |
| | BM19744 | Dew Whip Holder Bracket <i>Fits Diesel RGM ONLY.</i> | 66.34 |
| | BTC10686 | Dew Whip with end support bracket <i>Fits 2014 - Current Model Year Gas and All Model Year Diesel.</i> | 140.17 |
| | BTC10655 | Direct Mount Cutting Unit Yoke Kit for MY 2009 # Current or QA5 Cutting Units <i>1 Required for front cutting units to install Direct Mount Grass Catchers.</i> | 595.99 |
| | BTC10726 | Direct Mount Front Grass Catcher <i>2 needed for complete machine for 2500#s. 1 needed for 220 E-Cut Hybrid Walk Greens Mower.</i> | 182.97 |
| | BM24900 | Direct Mount QA5 Grass Catcher Brackets <i>2 Needed for complete machine 2500's.</i> | 70.61 |
| | TCB11721 | Grass Catcher Mounting Kit <i>Set of 3 Mounting Hardware for weight transfer system grass catcher.</i> | 145.51 |
| | BTC10718 | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s Weight Transfer System.</i> | 182.97 |
| | BM19739 | Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i> | 84.53 |
| | AMT2978 | Height of Cut Gauge Bar | 75.20 |
| | TCB11165 | Leak Detector Kit | 1,477.67 |
| | BM19746 | Light Kit, Front | 260.01 |
| | BM19852 | Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i> | 56.71 |
| | BM24199 | QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System. 1 Needed for front center location for 7500A Fairway Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i> | 50.29 |
| | BTC10407 | Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i> | 162.64 |
| | BTC10408 | Rear Grass Catcher with Handles <i>1 needed for 2500's, 2 needed for complete machine 7500A.</i> | 150.87 |
| | TCB11167 | Third Wheel Assist Kit | 2,605.46 |
| | BM19750 | Tires and Wheels (18x10.50-10), (3) Smooth Floatation | 485.79 |
| | BTC10841 | Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 497.56 |
| | BM19748 | Tires and Wheels (20x10.00-10), (3) Smooth | 497.56 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10071 | Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 497.56 |
| | BM19749 | Tires and Wheels (20x10.00-10), (3) Turf Guard Traction | 530.71 |
| | BTC10606 | Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i> | 151.94 |
| | | Reel Cutting Unit Counter Weights | |
| | BM22762 | (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22705 | (1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i> | 147.66 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | | Rollers: | |
| | BM18712 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps | 247.17 |
| | BM18481 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller | 247.17 |
| | BE23416 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i> | 247.17 |
| | BM18480 | (1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i> | 176.56 |
| | BTC10267 | (1) 22 In. 2 In. (5cm) MT Grooved Roller | 373.43 |
| | BM25317 | (1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 356.31 |
| | BM19817 | (1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 432.29 |
| | BM23566 | (1) 2X22" MT SPIRAL Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 373.43 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Gas

Equipment for Base Machine

21.0 hp (15.7 kW) at 3600 rpm, Engine Manufacturer Gross Power, Tested in accordance with SAE J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturers web site for additional information.

Foot Actuated Adjustable Tilt Steering Wheel
2-Post SAE J21294 Roll Over Protection Structure with Seat Belts
Command Arm Operator Controls
Four Function LED Warning Monitor with Hour Meter
One Touch Hand Lift Lever
Hand Operated Mow/Transport

Lever
Direct Mounted Pumps
Power Steering
Hydrostatic Drive
Single Reel Pump
Electric Reel Motors
Offset Reel Design
Quik-Tatch Cutting Units with Adjustable Shields
Quick Adjust QA5 Cutting Units with Speed Link Height of Cut System
Dual Point Adjustable Bed Knife with Notch Adjustments
Double Upstops for Front Cutting Units
Machined Grooved Solid Front Rollers with Solid End Caps
22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rear Rollers
Sit on Seat Diagnostics
White Box Controller

Micro-Lap Backlapping Valve and Reel Speed Control
Disk Brakes
Hydraulic Oil Cooler
18X10.50-10 2 Ply Smooth Flootation Tires
Single Fuel Tank, 7.9 Gallon (30L) Fuel Capacity
BCI Group 40 Maintenance Free Battery
John Deere Golf Operator Videos and All Products Safety Video DVD Set

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|--|-----------|
| 1217TC | 2500E E-Cut Hybrid Riding Greens Mower - Gas | 36,338.00 |
|--------|--|-----------|

DESTINATION CODE

| | | |
|------|-----------------|---------------|
| 001A | US/Canada | In Base Price |
| 001C | Aust/NZ | Same Price |
| 001D | Other Countries | Same Price |
| 0212 | Brazil | Same Price |

OPERATOR MANUALS - LANGUAGES

| | | |
|------|---------------------------------------|-----------|
| 0443 | All Other countries (English/Spanish) | No Charge |
|------|---------------------------------------|-----------|

REEL CUTTING UNITS

| | | |
|------|---|---------------|
| 1212 | (3) Vertical Cutting Units With Front AND Rear Rollers | -72.00 |
| 1201 | (3) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) Heavy Section Cutting Units With Adjustable 4.8mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers | -255.00 |
| 1203 | (3) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers | In Base Price |
| 1214 | (3) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm hardened tool steel Bedknife, 5 In. (12.7 cm) | 672.00 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Gas

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|---|-------------------------------|
| REEL CUTTING UNITS Continued... | | | |
| | | Diameter Reel, Less Front and Rear Rollers | |
| 1290 | | Less Cutting Units | -6,942.00 |
| REEL FRONT ROLLERS | | | |
| 1302 | | (3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Front Rollers | -198.00 |
| 1300 | | (3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Rollers With Solid End Caps | In Base Price |
| 1307 | | (3) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 519.00 |
| 1304 | | (3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Rollers | Same Price |
| 1318 | | (3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 354.00 |
| 1320 | | (3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 354.00 |
| 1390 | | Less Front Rollers | -693.00 |
| REEL REAR ROLLERS | | | |
| 1602 | | (3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers | In Base Price |
| 1618 | | (3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 552.00 |
| 1620 | | (3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 552.00 |
| 1690 | | Less Rear Rollers | -495.00 |
| WHEELS WITH TIRES (THREE) | | | |
| 1021 | | (3) Smooth Floatation Tires and Wheels (18x10.50-10) 2 ply | In Base Price |
| 1022 | | (3) Smooth Tires and Wheels (20x10.00-10) 2 ply | 11.00 |
| 1023 | | (3) Turf Guard Traction Tires and Wheels (20x10.00-10) 4 ply | 42.00 |
| 1024 | | (3) Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 11.00 |
| 1040 | | (3) Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 11.00 |
| 1149 | | Less Wheels with Tires | -454.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Gas

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|-----------------------|--|-------------------------------|
| REEL CUTTING UNIT COUNTER WEIGHTS | | | |
| 1400 | | (3) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i> | In Base Price |
| 1403 | | (3) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i> | 231.00 |
| 1408 | | (3) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit | Same Price |
| 1490 | | Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit Installed.</i> | -183.00 |
| SEATS | | | |
| 2010 | | Deluxe Suspension Seat with Armrest | 793.00 |
| 2009 | | Standard Seat | 437.00 |
| 2090 | | Less Seat | In Base Price |
| REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS | | | |
| 3200 | | (3) 22 Inch Cutting Unit Attaching Yokes and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>Needed to attach 2009 cutting units to 2009 traction machine.</i> | In Base Price |
| 3201 | | (3) 22 Inch Cutting Unit Rear Attaching Point Yoke for FAIRWAYS and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications (not recommended for greens).</i> | 790.00 |
| 3202 | | (3) 22 Inch Cutting Unit Attaching Yokes and direct mounted (Bullhorn) Molded One-Piece Grass Catchers, Rear grass catcher and bail system <i>These yokes are required with the direct mounted (bullhorn) style grass catchers.</i> | -115.00 |
| 3210 | | Less Cutting Yokes and Grass Catchers | -1,439.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| Cutting Units: | | | |
| 9121 | | (3) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor | 6,870.00 |
| Miscellaneous: | | | |
| 9738 | | (3) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9743.</i> | 1,452.00 |
| 9743 | | (3) GTC/FTC Gear Drive <i>Requires Order Code 9738.</i> | 3,735.00 |
| 9791 | | (3) 22 In. Rear Roller Power Brushes <i>Requires order code 9750.</i> | 420.00 |
| 9750 | | (3) Rear Roller Power Brush Drive <i>Requires order code 9791.</i> | 1,149.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS - ORDER AS DESIRED Continued... | |
| 9751 | | (3) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9738 or 9742. Also need order code 9743.</i> | 609.00 |
| 9742 | | (3) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires order code 9743.</i> | 840.00 |
| 9756 | | (3) Smooth Roller Scrapers | 45.00 |
| 9763 | | (3) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the Grass Catcher closer to the reel.</i> | 27.00 |
| 9770 | | Leak Detector Kit <i>For Serial No. TC250BG010001-.</i> | 1,381.00 |
| 9801 | | (3) 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i> | 609.00 |
| 9803 | | (3) 11 blade QA5 Cutting Units less front and rear rollers | 6,942.00 |
| 9804 | | (3) 7 blade QA5 Cutting units less front and rear rollers | 6,687.00 |
| 9805 | | Cutting Unit Top Shield Extension (Set of 3) | 84.00 |
| 9818 | | (3) Quick Adjust 5 (QA5) Fourteen Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight | 7,614.00 |
| | | ATTACHMENTS FOR FIELD CONVERSION | |
| | | Bedknives | |
| | ET17532 | Bedknife, 4.8mm Fairway | 31.84 |
| | MT7351 | Bedknife, 2.0mm Ultra Low Cut | 33.96 |
| | ET17534 | Bedknife, 2.5mm Tournament | 33.79 |
| | ET17533 | Bedknife, 3.2 mm | 33.31 |
| | ET11066 | Bedknife, 3.2 mm with Hardened Insert | 138.23 |
| | ET17767 | Bedknife, Hi-cut Fairway 7.6 mm | 34.71 |
| | | Cutting Units: | |
| | BM25129 | (1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor | 2,450.30 |
| | BM25128 | (1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor | 2,475.99 |
| | BM25127 | (1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor | 2,385.03 |
| | BM25338 | (1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i> | 2,715.66 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION Continued... | | | |
| | | Miscellaneous: | |
| BM22671 | | (1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i> | 517.89 |
| BM22761 | | (1) 22 In. Front Rotary Turf Brush | 217.21 |
| BM22471 | | (1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i> | 299.60 |
| BM22668 | | (1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i> | 149.80 |
| BM22995 | | (1) 22 In. Smooth Roller Scraper | 16.06 |
| BM22469 | | (1) GTC/FTC Gear Drive | 1,332.16 |
| BM24730 | | (1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i> | 217.21 |
| BM23910 | | (1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i> | 9.63 |
| BM22527 | | (1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i> | 409.81 |
| BTC10122 | | (3) 22 Inch Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine.</i> | 1,453.06 |
| TCA19547 | | 2"x 22" Machine Grooved Roller Scraper | 27.82 |
| BM23002 | | 3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i> | 155.16 |
| AMT2477 | | Arm Rest Kit (Includes One Arm Rest and Hardware) | 115.09 |
| BM23080 | | Cutting Unit Top Shield Extension (Set of 3) | 89.89 |
| TCB11356 | | Cutting Unit Yokes Kit (22") for MY1998-2008 | 867.77 |
| TCB11341 | | Cutting Unit Yokes Kit for MY 2009 # Current or QA5 Cutting Units | 607.76 |
| BTC10686 | | Dew Whip with end support bracket <i>Fits 2014 - Current Model Year Gas and All Model Year Diesel.</i> | 140.17 |
| TCB11721 | | Grass Catcher Mounting Kit <i>Set of 3 Mounting Hardware for weight transfer system grass catcher.</i> | 145.51 |
| BTC10718 | | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s Weight Transfer System.</i> | 182.97 |
| AMT2978 | | Height of Cut Gauge Bar | 75.20 |
| TCB11165 | | Leak Detector Kit | 1,477.67 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Gas

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM19746 | Light Kit, Front | 260.01 |
| | BM19852 | Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i> | 56.71 |
| | BM24199 | QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System. 1 Needed for front center location for 7500A Fairway Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i> | 50.29 |
| | BTC10407 | Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i> | 162.64 |
| | BTC10408 | Rear Grass Catcher with Handles <i>1 needed for 2500's, 2 needed for complete machine 7500A.</i> | 150.87 |
| | TCB11167 | Third Wheel Assist Kit | 2,605.46 |
| | BM19750 | Tires and Wheels (18x10.50-10), (3) Smooth Floatation | 485.79 |
| | BTC10841 | Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 497.56 |
| | BM19748 | Tires and Wheels (20x10.00-10), (3) Smooth | 497.56 |
| | BTC10071 | Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 497.56 |
| | BM19749 | Tires and Wheels (20x10.00-10), (3) Turf Guard Traction | 530.71 |
| | BTC10606 | Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i> | 151.94 |
| | BM22762 | Reel Cutting Unit Counter Weights (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22705 | (1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i> | 147.66 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | BM18712 | Rollers: (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps | 247.17 |
| | BM18481 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller | 247.17 |
| | BE23416 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i> | 247.17 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Gas
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM18480 | (1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i> | 176.56 |
| | BTC10267 | (1) 22 In. 2 In. (5cm) MT Grooved Roller | 373.43 |
| | BM25317 | (1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed.</i> <i>3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 356.31 |
| | BM19817 | (1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed.</i> <i>3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 432.29 |
| | BM23566 | (1) 2X22" MT SPIRAL Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 373.43 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel

Equipment for Base Machine

19.6 hp (14.6 kW) per SAE J1995
Engine hp is provided by the
engine manufacturer to be used
for comparison purposes only.
Actual operating hp will be
less. Refer to the engine
manufacturer's web site for
additional information.

Meets EPA Tier4
Foot Actuated Adjustable Tilt
Steering Wheel
2-Post SAE J21294 Roll Over
Protection Structure with Seat
Belts
Command Arm Operator Controls
Four Function LED Warning
Monitor with Hour Meter
One Touch Hand Lift Lever
Hand Operated Mow/Transport
Lever
Direct Mounted Pumps

Power Steering
Hydrostatic Drive
Single Reel Pump
Electric Reel Motors
Offset Reel Design
Quick-Tatch Cutting Units with
Adjustable Shields
Quick Adjust QA5 Cutting Units
with Speed Link Height of Cut
System
Dual Point Adjustable Bed Knife
with Notch Adjustments
Double Upstops for Front Cutting
Units
Machined Grooved Solid Front
Rollers with Solid End Caps
22 In. 2 In. (5 cm) Diameter
Wide Tube/Hollow Smooth
Rear Rollers
Sit on Seat Diagnostics
White Box Controller
Micro-Lap Backlapping Valve and

Reel Speed Control
Disk Brakes
Hydraulic Oil Cooler
18X10.50-10 2 Ply Smooth
Floatation Tires
Single Fuel Tank, 7.9 Gallon
(30L) Fuel Capacity
BCI Group 40 Maintenance Free
Battery
John Deere Golf Operator Videos
and All Products Safety Video
DVD Set

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|--------------------------|---|-------------------------------------|
| Select One Code From Each Required Category | | | |
| BASE MACHINE | | | |
| <i>F.O.B. Raleigh, North Carolina</i> | | | |
| 1196TC | | 2500E E-Cut Hybrid Riding Greens Mower - Diesel | 42,599.00 |
| DESTINATION CODE | | | |
| 001A | | US/Canada | In Base Price |
| 001B | | Europe | 70.00 |
| 001C | | Aust/NZ | Same Price |
| 001D | | Other Countries | Same Price |
| 0195 | | Mexico | Same Price |
| 0212 | | Brazil | Same Price |
| OPERATOR MANUALS - LANGUAGES | | | |
| 0443 | | All Other countries (English/Spanish) | No Charge |
| REEL CUTTING UNITS | | | |
| 1212 | | (3) Vertical Cutting Units With Front AND Rear Rollers | -72.00 |
| 1201 | | (3) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) Heavy Section Cutting Units With Adjustable 4.8mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers | -255.00 |
| 1203 | | (3) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Units With Adjustable | In Base Price |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|---|-------------------------------|
| REEL CUTTING UNITS Continued... | | | |
| | | 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers | |
| 1214 | | (3) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm hardened tool steel Bedknife, 5 In. (12.7 cm) Diameter Reel, Less Front and Rear Rollers | 672.00 |
| 1290 | | Less Cutting Units | -6,942.00 |
| REEL FRONT ROLLERS | | | |
| 1302 | | (3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Front Rollers | -198.00 |
| 1300 | | (3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Rollers With Solid End Caps | In Base Price |
| 1307 | | (3) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 519.00 |
| 1304 | | (3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Rollers | Same Price |
| 1318 | | (3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 354.00 |
| 1320 | | (3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 354.00 |
| 1390 | | Less Front Rollers | -693.00 |
| REEL REAR ROLLERS | | | |
| 1602 | | (3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers | In Base Price |
| 1618 | | (3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 552.00 |
| 1620 | | (3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 552.00 |
| 1690 | | Less Rear Rollers | -495.00 |
| WHEELS WITH TIRES (THREE) | | | |
| 1021 | | (3) Smooth Floatation Tires and Wheels (18x10.50-10) 2 ply | In Base Price |
| 1022 | | (3) Smooth Tires and Wheels (20x10.00-10) 2 ply | 11.00 |
| 1023 | | (3) Turf Guard Traction Tires and Wheels (20x10.00-10) 4 ply | 42.00 |
| 1024 | | (3) Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 11.00 |
| 1040 | | (3) Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause</i> | 11.00 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|-----------------------|--|-------------------------------|
| WHEELS WITH TIRES (THREE) Continued... | | | |
| <i>marking on soft greens.</i> | | | |
| 1149 | | Less Wheels with Tires | -454.00 |
| REEL CUTTING UNIT COUNTER WEIGHTS | | | |
| 1400 | | (3) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i> | In Base Price |
| 1403 | | (3) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i> | 231.00 |
| 1408 | | (3) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit | Same Price |
| 1490 | | Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit Installed.</i> | -183.00 |
| SEATS | | | |
| 2010 | | Deluxe Suspension Seat with Armrest | 793.00 |
| 2009 | | Standard Seat | 437.00 |
| 2090 | | Less Seat | In Base Price |
| REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS | | | |
| 3200 | | (3) 22 Inch Cutting Unit Attaching Yokes and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>Needed to attach 2009 cutting units to 2009 traction machine.</i> | In Base Price |
| 3201 | | (3) 22 Inch Cutting Unit Rear Attaching Point Yoke for FAIRWAYS and Molded One-Piece Grass Catchers with large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications (not recommended for greens).</i> | 790.00 |
| 3202 | | (3) 22 Inch Cutting Unit Attaching Yokes and direct mounted (Bullhorn) Molded One-Piece Grass Catchers, Rear grass catcher and bail system <i>These yokes are required with the direct mounted (bullhorn) style grass catchers.</i> | -115.00 |
| 3210 | | Less Cutting Yokes and Grass Catchers | -1,439.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| Cutting Units: | | | |
| 9121 | | (3) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor | 6,870.00 |
| Miscellaneous: | | | |
| 9738 | | (3) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9743.</i> | 1,452.00 |
| 9743 | | (3) GTC/FTC Gear Drive <i>Requires order code 9738.</i> | 3,735.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| ATTACHMENTS - ORDER AS DESIRED Continued... | | | |
| 9791 | | (3) 22 In. Rear Roller Power Brushes <i>Requires order code 9750.</i> | 420.00 |
| 9750 | | (3) Rear Roller Power Brush Drive <i>Requires order code 9791.</i> | 1,149.00 |
| 9751 | | (3) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9738 or 9742. Also need order code 9743.</i> | 609.00 |
| 9742 | | (3) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires order code 9743.</i> | 840.00 |
| 9756 | | (3) Smooth Roller Scrapers | 45.00 |
| 9763 | | (3) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the Grass Catcher closer to the reel.</i> | 27.00 |
| 9769 | | Greens Mower Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i> | 79.00 |
| 9770 | | Leak Detector Kit <i>For Serial No. TC250BG010001-.</i> | 1,381.00 |
| 9801 | | (3) 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i> | 609.00 |
| 9803 | | (3) 11 blade QA5 Cutting Units less front and rear rollers | 6,942.00 |
| 9804 | | (3) 7 blade QA5 Cutting units less front and rear rollers | 6,687.00 |
| 9805 | | Cutting Unit Top Shield Extension (Set of 3) | 84.00 |
| 9818 | | (3) Quick Adjust 5 (QA5) Fourteen Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight | 7,614.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Bedknives | | | |
| ET17532 | | Bedknife, 4.8mm Fairway | 31.84 |
| MT7351 | | Bedknife, 2.0mm Ultra Low Cut | 33.96 |
| ET17534 | | Bedknife, 2.5mm Tournament | 33.79 |
| ET17533 | | Bedknife, 3.2 mm | 33.31 |
| ET11066 | | Bedknife, 3.2 mm with Hardened Insert | 138.23 |
| ET17767 | | Bedknife, Hi-cut Fairway 7.6 mm | 34.71 |
| Cutting Units: | | | |
| BM25129 | | (1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor | 2,450.30 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM25128 | (1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor | 2,475.99 |
| | BM25127 | (1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor | 2,385.03 |
| | BM25338 | (1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i> | 2,715.66 |
| | TCA19916 | Engine: B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i> | 185.96 |
| | BM22671 | Miscellaneous: (1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i> | 517.89 |
| | BM22761 | (1) 22 In. Front Rotary Turf Brush | 217.21 |
| | BM22471 | (1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i> | 299.60 |
| | BM22668 | (1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i> | 149.80 |
| | BM22995 | (1) 22 In. Smooth Roller Scraper | 16.06 |
| | BM22469 | (1) GTC/FTC Gear Drive | 1,332.16 |
| | BM24730 | (1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i> | 217.21 |
| | BM23910 | (1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i> | 9.63 |
| | BM22527 | (1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i> | 409.81 |
| | BTC10122 | (3) 22 Inch Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine.</i> | 1,453.06 |
| | TCA19547 | 2"x 22" Machine Grooved Roller Scraper | 27.82 |
| | BM23002 | 3"x22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i> | 155.16 |
| | AMT2477 | Arm Rest Kit (Includes One Arm Rest and Hardware) | 115.09 |
| | BM23080 | Cutting Unit Top Shield Extension (Set of 3) | 89.89 |
| | TCB11356 | Cutting Unit Yokes Kit (22") for MY1998-2008 | 867.77 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | TCB11341 | Cutting Unit Yokes Kit for MY 2009 # Current or QA5 Cutting Units | 607.76 |
| | BM19744 | Dew Whip Holder Bracket <i>Fits Diesel RGM ONLY.</i> | 66.34 |
| | BTC10686 | Dew Whip with end support bracket <i>Fits 2014 - Current Model Year Gas and All Model Year Diesel.</i> | 140.17 |
| | BTC10655 | Direct Mount Cutting Unit Yoke Kit for MY 2009 # Current or QA5 Cutting Units <i>1 Required for front cutting units to install Direct Mount Grass Catchers.</i> | 595.99 |
| | BTC10726 | Direct Mount Front Grass Catcher <i>2 needed for complete machine for 2500#s. 1 needed for 220 E-Cut Hybrid Walk Greens Mower.</i> | 182.97 |
| | BM24900 | Direct Mount QA5 Grass Catcher Brackets <i>2 Needed for complete machine 2500's.</i> | 70.61 |
| | TCB11721 | Grass Catcher Mounting Kit <i>Set of 3 Mounting Hardware for weight transfer system grass catcher.</i> | 145.51 |
| | BTC10718 | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s Weight Transfer System.</i> | 182.97 |
| | BM19739 | Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i> | 84.53 |
| | AMT2978 | Height of Cut Gauge Bar | 75.20 |
| | TCB11165 | Leak Detector Kit | 1,477.67 |
| | BM19746 | Light Kit, Front | 260.01 |
| | BM19852 | Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i> | 56.71 |
| | BM24199 | QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System. 1 Needed for front center location for 7500A Fairway Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i> | 50.29 |
| | BTC10407 | Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i> | 162.64 |
| | BTC10408 | Rear Grass Catcher with Handles <i>1 needed for 2500's, 2 needed for complete machine 7500A.</i> | 150.87 |
| | TCB11167 | Third Wheel Assist Kit | 2,605.46 |
| | BM19750 | Tires and Wheels (18x10.50-10), (3) Smooth Floatation | 485.79 |
| | BTC10841 | Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 497.56 |
| | BM19748 | Tires and Wheels (20x10.00-10), (3) Smooth | 497.56 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Riding Greens Mower - Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10071 | Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i> | 497.56 |
| | BM19749 | Tires and Wheels (20x10.00-10), (3) Turf Guard Traction | 530.71 |
| | BTC10606 | Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i> | 151.94 |
| | | Reel Cutting Unit Counter Weights | |
| | BM22762 | (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22705 | (1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i> | 147.66 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | | Rollers: | |
| | BM18712 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps | 247.17 |
| | BM18481 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller | 247.17 |
| | BE23416 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i> | 247.17 |
| | BM18480 | (1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i> | 176.56 |
| | BTC10267 | (1) 22 In. 2 In. (5cm) MT Grooved Roller | 373.43 |
| | BM25317 | (1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 356.31 |
| | BM19817 | (1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 432.29 |
| | BM23566 | (1) 2X22" MT SPIRAL Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 373.43 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Equipment for Base Machine

19.6 HP* (14.6 kW) Gross Per SAE
J1995 @ 3000 RPM (19.1, 14.2 kW)
Liquid Cooled Three Cylinder IDI
Diesel Engine
2 Post SAE J21294 Roll Over
Protection Structure with Seat
Belts
2 Pedal Foot Controlled
Hydrostatic Drive
Hydraulic Reel Motors
Single Reel Pump
Micro-Lap Backlapping Valve
Oil Cooler

3WD GRIP AWD Traction System
Power Steering
20x10-10.00 Front Turf Tires
20x10-8.00 Rear Turf Tires
Hour Meter
On Board Diagnostic White Box
Controller
Four Function LED Warning
Monitor
7.4 Gallon (28 L) Fuel Capacity
BCI Group 40 Maintenance Free
Battery
John Deere Golf Operator Videos

and All Products Safety Video
DVD Set

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|---|-----------|
| 1224TC | 2653B PrecisionCut Trim and Surrounds Mower | 25,766.00 |
|--------|---|-----------|

DESTINATION

| | | |
|------|-----------------|---------------|
| 001A | US/Canada | In Base Price |
| 001B | Europe | 11.00 |
| 001C | Australia/NZ | Same Price |
| 001D | Other Countries | Same Price |
| 0195 | Mexico | Same Price |
| 0212 | Brazil | Same Price |

OPERATORS MANUAL

| | | |
|------|---------------------|-----------|
| 0443 | All Other Countries | No Charge |
|------|---------------------|-----------|

REEL CUTTING UNITS

26 Inch E.S.P. Cutting Units:

Includes Front Lift Arms and Yokes.

| | | |
|------|---|----------|
| 1204 | (3) QA7 Five Blade 26 In. Cutting Units | 7,674.00 |
| 1206 | (3) QA7 Eight Blade 26 In. Cutting Units with 6.3 mm bedknife | 8,130.00 |

30 Inch E.S.P. Cutting Units:

Includes Front Lift Arms and Yokes.

| | | |
|------|--|----------|
| 1205 | (3) QA7 Five Blade 30 In. Cutting Units | 8,929.00 |
| 1207 | (3) QA7 Eight Blade 30 In. Cutting Units | 9,505.00 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| 1290 | | REEL CUTTING UNITS Continued... Less Cutting Units, Front Lift Arms and Yokes | In Base Price |
| REEL FRONT ROLLERS | | | |
| 1315 | | 26 Inch Front Rollers: (3) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers | 984.00 |
| 1316 | | (3) 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers | 1,137.00 |
| 1317 | | (3) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps | 1,338.00 |
| 1318 | | 30 Inch Front Rollers: (3) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers | 1,398.00 |
| 1319 | | (3) 3 In. (7.6 cm) Diameter Heavy Duty Machined Grooved Disc Front Rollers | 1,551.00 |
| 1329 | | (3) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps | 1,752.00 |
| 1390 | | Less Front Rollers | In Base Price |
| SEATS | | | |
| 2010 | | Deluxe Suspension Seat with Armrest | 793.00 |
| 2009 | | Standard Seat | 437.00 |
| 2090 | | Less Seat | In Base Price |
| REEL CUTTING UNIT COUNTER WEIGHTS | | | |
| 1402 | | (3) Cutting Unit ONLY Counter Weight Kit <i>Needed for ALL 30" Cutting units and if NOT installing Rear Roller Power Brush or GTC Kits on 26" Cutting Unit.</i> | In Base Price |
| 1404 | | (3) Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i> | 231.00 |
| 1409 | | (3) FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 26" cutting unit.</i> | Same Price |
| 1490 | | Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC Kit installed on 26" Cutting Unit.</i> | -183.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| 9736 | | Miscellaneous: Grass Catchers with Mounting Hardware for 26 Inch Cutting Unit (Set of 3) <i>Not Compatible if Rear Roller Power Brush Installed.</i> | 1,243.00 |
| 9741 | | (3) QA7 26 In. Fairway Tender Conditioners Shaft and Blades <i>Requires order code 9016.</i> | 1,551.00 |
| 9744 | | (3) QA7 FTC Gear Drive <i>Requires order code 9015.</i> | 3,735.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS - ORDER AS DESIRED Continued... | |
| 9747 | | (3) QA7 26 In. Rear Roller Power Brush <i>Requires order code 9018. NOT Compatible with Grass Catchers.</i> | 525.00 |
| 9749 | | (3) QA7 26 In. Rear Roller Power Brush Drive <i>Requires order code 9017. NOT Compatible with Grass Catchers.</i> | 1,149.00 |
| 9759 | | (3) 30 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers | 435.00 |
| 9757 | | 26 In. Smooth Roller Scrapers (Set of 3) <i>Requires (3) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i> | 140.00 |
| 9760 | | (3) 26 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i> | 405.00 |
| 9762 | | 30 In. Smooth Roller Scrapers (Set of 3) <i>Requires (3) TCA19587 from parts.</i> | 190.00 |
| 9807 | | (3) 8 Blade QA7 less front rollers | 7,143.00 |
| 9808 | | (3) 30 In. 8 Blade QA7 less front rollers | 8,205.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|---------|--|-----------|
| | CE Kit: Battery Label Kit <i>This kit must be ordered to meet battery labeling requirement in Brazil.</i> | No Charge |
| | Cutting Units: | |
| BM24124 | (1) QA7 Eight Blade 26 In. Cutting Unit with 6.3mm bedknife | 2,547.67 |
| BM24126 | (1) QA7 Eight Blade 30 In. Cutting Unit | 2,926.46 |
| BM24123 | (1) QA7 Five Blade 26 In. Cutting Unit with 6.3mm bedknife | 2,385.03 |
| BM24125 | (1) QA7 Five Blade 30 In. Cutting Unit | 2,721.01 |
| | Miscellaneous: | |
| BM22759 | (1) 26 In Grass Catcher (3 needed for complete machine) <i>Requires BM18185 Orifice Kit.</i> | 341.33 |
| BM23005 | (1) 26 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i> | 143.39 |
| BM23004 | (1) 30 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper | 155.16 |
| BM22763 | (1) Conversion Mounting Kit old Machine to New QA7 Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i> | 74.90 |
| BM22672 | (1) QA7 26 In. Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i> | 553.19 |
| BM22669 | (1) QA7 26 In. Rear Roller Power Brush <i>Also need order code 9018 (BM22674). NOT Compatible with Grass Catchers.</i> | 187.26 |
| BM22674 | (1) QA7 26 In. Rear Roller Power Brush Drive | 409.81 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM22673 | (1) QA7 FTC Gear Drive | 1,332.16 |
| | BM22764 | 1) Conversion Mounting Kit 2009 Machine to Old Cutting ESP Cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i> | 72.76 |
| | BM17683 | 26 In. Smooth Roller Scrapers (Set of 3) | 149.80 |
| | BM18440 | 30 In. Smooth Roller Scrapers (Set of 3) | 203.30 |
| | AM117680 | Arm Rest Kit | 235.54 |
| | ET17752 | Bedknife Hi-Cut, 26-in 15.8 mm | 40.19 |
| | BM18185 | Grass Catcher Orifice <i>1) Kit Required for installation of Grass Catchers on 2653B, Not required for 7200.</i> | 38.51 |
| | TCU13823 | Height of Cut Gauge Bar | 86.35 |
| | TCB11353 | Lift Arms, Front (26 In. Right Hand and Left Hand) | 430.14 |
| | TCB11355 | Lift Arms, Front (30 In. Right Hand and Left Hand) | 598.13 |
| | TCB11065 | Light Bracket Kit, Front <i>Required to Mount BM19746 Front Light Kit.</i> | 94.16 |
| | BM19746 | Light Kit, Front | 260.01 |
| | BM22760 | Mounting Hardware for 26 In Grass Catcher (set of 3) | 267.50 |
| | TCB11107 | Seat, Deluxe Suspension with Armrests | 848.51 |
| | TCB11106 | Seat, Standard | 467.59 |
| | TCB11374 | Yokes, Front (26 In. Right Hand and Left Hand) | 625.96 |
| | TCB11373 | Yokes, Front (30 In. Right Hand and Left Hand) | 792.87 |
| | | Reel Cutting Unit Counter Weights | |
| | BM22762 | (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | BM22721 | (1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i> | 147.66 |
| | | Rollers: | |
| | BM17670 | (1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller | 405.53 |
| | BM17671 | (1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller | 350.96 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM19818 | (1) 26 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps | 477.21 |
| | BM18438 | (1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller | 553.19 |
| | BM18439 | (1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller | 498.61 |
| | BM19819 | (1) 30 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps | 624.89 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Equipment for Base Machine

| | | |
|--|---|--|
| Three Cylinder 21.2 HP (15.8 kw) Diesel Engine eHydro Electronic Controlled Hydrostatic Drive (3) Independent Wheel Motors GRIP All Wheel Drive Width On Demand 68-in (173 cm) ; 72-In (183 cm) Reach Trimming System with Maximum 14 In. (38cm) or 20 In. (50.8 cm) Shift outside front tire with 26-In (66 cm) or 30-In (76 cm) Power Steering with Straight Track Steering Cylinder Internal Wet Disc Brakes | (2) 24x12-12 Turf Trac Front Drive Tires (1) 24x12-12 Multi Trac Rear Drive Tire Deluxe Suspension Seat with Retractable Seatbelt TechControl Display with built in Machine Settings Controls and Electrical Diagnostics One-Touch Lift/Lower Joystick Control Foot Activated Tilt Steering Column (3) Hydraulic Motors (3) QA7 26 In. Cutting Units | 2-Post Roll Over Protection Structure Command Arm Operator Controls 12 U.S. Gallon Fuel Capacity John Deere Golf Operator Videos and All Products Safety Video DVD Set |
|--|---|--|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|---|-----------|
| 1760TC | 7200A PrecisionCut Trim and Surrounds Mower | 39,309.00 |
|--------|---|-----------|

DESTINATION

| | | |
|------|-----------------|---------------|
| 001A | US/Canada | In Base Price |
| 001B | Europe | 109.00 |
| 001C | Australia/NZ | Same Price |
| 001D | Other Countries | Same Price |
| 0195 | Mexico | Same Price |
| 0212 | Brazil | Same Price |

OPERATORS MANUAL

| | | |
|------|---------------------|-----------|
| 0443 | All Other Countries | No Charge |
|------|---------------------|-----------|

REEL CUTTING UNITS

26 Inch E.S.P. Cutting Units:
Includes Front Lift Arms and Yokes.

| | | |
|------|---|---------------|
| 1204 | (3) QA7 Five Blade 26 In. Cutting Units | -456.00 |
| 1206 | (3) QA7 Eight Blade 26 In. Cutting Units with 6.3 mm bedknife | In Base Price |

30 Inch E.S.P. Cutting Units:
Includes Front Lift Arms and Yokes.

| | | |
|------|---|--------|
| 1205 | (3) QA7 Five Blade 30 In. Cutting Units | 815.00 |
|------|---|--------|

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| REEL CUTTING UNITS Continued... | | | |
| 1207 | | (3) QA7 Eight Blade 30 In. Cutting Units | 1,391.00 |
| 1290 | | Less Cutting Units, Front Lift Arms and Yokes | -8,227.00 |
| REEL FRONT ROLLERS | | | |
| 26 Inch Front Rollers: | | | |
| 1315 | | (3) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers | -153.00 |
| 1316 | | (3) 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers | In Base Price |
| 1317 | | (3) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps | 201.00 |
| 30 Inch Front Rollers: | | | |
| 1318 | | (3) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers | 261.00 |
| 1319 | | (3) 3 In. (7.6 cm) Diameter Heavy Duty Machined Grooved Disc Front Rollers | 414.00 |
| 1320 | | (3) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps | 615.00 |
| 1390 | | Less Front Rollers | -1,137.00 |
| REEL CUTTING UNIT COUNTER WEIGHTS | | | |
| 1402 | | (3) Cutting Unit ONLY Counter Weight Kit <i>Needed for ALL 30" Cutting units and if NOT installing Rear Roller Power Brush or GTC Kits on 26" Cutting Unit.</i> | In Base Price |
| 1404 | | (3) Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i> | 231.00 |
| 1409 | | (3) FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 26" cutting unit.</i> | Same Price |
| 1490 | | Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC Kit installed on 26" Cutting Unit.</i> | -183.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| Miscellaneous: | | | |
| 9736 | | Grass Catchers with Mounting Hardware for 26 Inch Cutting Unit (Set of 3) <i>Not Compatible if Rear Roller Power Brush Installed.</i> | 1,207.00 |
| 9741 | | (3) QA7 26 In. Fairway Tender Conditioners Shaft and Blades <i>Requires order code 9016.</i> | 1,551.00 |
| 9744 | | (3) QA7 FTC Gear Drive <i>Requires order code 9015.</i> | 3,735.00 |
| 9747 | | (3) QA7 26 In. Rear Roller Power Brush <i>Requires order code 9018. NOT Compatible with Grass Catchers.</i> | 525.00 |
| 9749 | | (3) QA7 26 In. Rear Roller Power Brush Drive <i>Requires order code 9017. NOT Compatible with Grass Catchers.</i> | 1,149.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS - ORDER AS DESIRED Continued... | |
| 9759 | | (3) 30 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers | 435.00 |
| 9757 | | 26 In. Smooth Roller Scrapers (Set of 3) <i>Requires (3) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i> | 140.00 |
| 9760 | | (3) 26 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i> | 405.00 |
| 9762 | | 30 In. Smooth Roller Scrapers (Set of 3) <i>Requires (3) TCA19587 from parts.</i> | 190.00 |
| 9767 | | Joystick Kit | 1,013.00 |
| 9766 | | Light Kit | 285.00 |
| 9764 | | Canopy | 558.00 |
| | | ATTACHMENTS FOR FIELD CONVERSION | |
| | | Cutting Units: | |
| | BM24124 | (1) QA7 Eight Blade 26 In. Cutting Unit with 6.3mm bedknife | 2,547.67 |
| | BM24126 | (1) QA7 Eight Blade 30 In. Cutting Unit | 2,926.46 |
| | BM24123 | (1) QA7 Five Blade 26 In. Cutting Unit with 6.3mm bedknife | 2,385.03 |
| | BM24125 | (1) QA7 Five Blade 30 In. Cutting Unit | 2,721.01 |
| | | Miscellaneous: | |
| | BM22759 | (1) 26 In Grass Catcher (3 needed for complete machine) <i>Requires BM18185 Orifice Kit.</i> | 341.33 |
| | BM23005 | (1) 26 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i> | 143.39 |
| | BM23004 | (1) 30 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper | 155.16 |
| | BM22672 | (1) QA7 26 In. Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i> | 553.19 |
| | BM22669 | (1) QA7 26 In. Rear Roller Power Brush <i>Also need order code 9018 (BM22674). NOT Compatible with Grass Catchers.</i> | 187.26 |
| | BM22674 | (1) QA7 26 In. Rear Roller Power Brush Drive | 409.81 |
| | BM22673 | (1) QA7 FTC Gear Drive | 1,332.16 |
| | BM17683 | 26 In. Smooth Roller Scrapers (Set of 3) | 149.80 |
| | BM18440 | 30 In. Smooth Roller Scrapers (Set of 3) | 203.30 |
| | ET17752 | Bedknife Hi-Cut, 26-in 15.8 mm | 40.19 |
| | BTC10338 | Canopy | 597.06 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | TCU13823 | Height of Cut Gauge Bar | 86.35 |
| | BTC10393 | Joystick Kit | 1,083.91 |
| | TCB11476 | Lift Arms, Front (26 In. Right Hand and Left Hand) | 533.93 |
| | TCB11477 | Lift Arms, Front (30 In. Right Hand and Left Hand) | 719.04 |
| | BTC10347 | Light Kit | 304.96 |
| | BM22760 | Mounting Hardware for 26 In Grass Catcher (set of 3) | 267.50 |
| | TCB11374 | Yokes, Front (26 In. Right Hand and Left Hand) | 625.96 |
| | TCB11373 | Yokes, Front (30 In. Right Hand and Left Hand) | 792.87 |
| | | Reel Cutting Unit Counter Weights | |
| | BM22762 | (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | BM22721 | (1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i> | 147.66 |
| | | Rollers: | |
| | BM17670 | (1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller | 405.53 |
| | BM17671 | (1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller | 350.96 |
| | BM19818 | (1) 26 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps | 477.21 |
| | BM18438 | (1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller | 553.19 |
| | BM18439 | (1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller | 498.61 |
| | BM19819 | (1) 30 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps | 624.89 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

7500A PrecisionCut Fairway Mower

Equipment for Base Machine

Gross Engine HP 41.6 (31 kW)
 Three Cylinder Turbo
 Tier 4 Diesel Engine
 B20 Compatible
 eHydro Electronic controlled
 Servo Hydrostatic Drive with
 AutoPedal
 Two Wheel Drive
 Power Steering with Double
 acting steering cylinder
 Internal Wet Disc Brakes
 100 In. (2.54 m) Cutting Width
 26.5x14-12 Turf Drive Tires
 20x10-8 Turf Steer Tires
 Full Suspension Seat
 with Armrest and Retractable
 Seat Belt
 TechControl Display with built
 in Machine Settings Controls and
 Electrical Diagnostics

One-Touch Lift/Lower cutting
 unit Joystick control
 Rear Cutting Unit Attaching
 Point
 Foot Activated Tilt
 Steering Column
 On-Board Backlapping
 with Adjustable Reel Speed
 control
 Five Hydraulic Reel Motors with
 Quick Removal Feature
 Quick-Tatch Cutting Units
 Hydraulic Down Pressure with
 mechanical On/Off adjustability
 (5) QA5 7 Blade 22 In.(55.9 cm)
 Cutting Units with SpeedLink
 Height of Cut Adjustment System
 5 In. (12.7 cm) Diameter Reels
 with Heavy Section Reel Blades
 Adjustable Bedknife with Notch

System
 2 In. Diameter
 Machined Grooved Solid Front
 rollers
 2 In. Diameter Hollow Smooth
 Rear rollers
 2-Post Roll Over
 Protection Structure
 3 Front Work Lights
 Command Arm with Operator
 Controls

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|----------------------------------|-----------|
| 1511TC | 7500A PrecisionCut Fairway Mower | 64,011.00 |
|--------|----------------------------------|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

OPERATOR MANUALS

| | | |
|------|------------------------------|---------------|
| 0443 | English United States/Canada | In Base Price |
|------|------------------------------|---------------|

REEL CUTTING UNITS

| | | |
|------|--|---------------|
| 1201 | (5) Quick Adjust 5 (QA5) Seven Blade 22 In. Heavy Section Standard Cutting Units With Adjustable 4.8 mm Bedknife, Less Front And Rear Rollers | In Base Price |
| 1203 | (5) Quick Adjust 5 (QA5) Eleven Blade 22 In. Heavy Section Standard Cutting Units With Adjustable 2.0 mm Bedknife, Less Front And Rear Rollers | 425.00 |
| 1290 | Less Cutting Units | -11,145.00 |

REEL FRONT ROLLERS

| | | |
|------|---|---------------|
| 1305 | (5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 510.00 |
| 1304 | (5) 22 In. 2 In. (5cm) Diameter Machined Grooved Solid Front Rollers | In Base Price |
| 1303 | (5) 22 In. 2 In. (5cm) Diameter Spiral Grooved Front Rollers | 300.00 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

7500A PrecisionCut Fairway Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| REEL FRONT ROLLERS Continued... | | | |
| 1307 | | (5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 865.00 |
| 1318 | | (5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 590.00 |
| 1320 | | (5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 590.00 |
| 1302 | | (5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller | -330.00 |
| 1390 | | Less Front Rollers | -1,155.00 |
| REEL REAR ROLLERS | | | |
| 1602 | | (5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller | In Base Price |
| 1618 | | (5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 920.00 |
| 1620 | | (5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 920.00 |
| 1690 | | Less Rear Rollers | -825.00 |
| REEL CUTTING UNIT COUNTER WEIGHTS | | | |
| 1400 | | (5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i> | In Base Price |
| 1402 | | (5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i> | 385.00 |
| 1404 | | (5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | Same Price |
| 1408 | | Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i> | -305.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| 9122 | | (5) Vertical Cutting Units with Front and Rear Rollers Less Motors | 11,450.00 |
| 9733 | | (5) Front Grass Catchers with large paddle clip Mounting Hardware for QA5 Cutting Units, Rear Bail and Catchers w/handles, Wing Latch Kit and grass catcher side plate inserts kit for front center. <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i> | 1,618.00 |
| 9737 | | (5) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i> | 2,420.00 |
| 9743 | | (5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i> | 6,225.00 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

7500A PrecisionCut Fairway Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|---|-------------------------------|
| ATTACHMENTS - ORDER AS DESIRED Continued... | | | |
| 9791 | | (5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i> | 700.00 |
| 9748 | | (5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i> | 1,915.00 |
| 9751 | | (5) 22 In. Front Rotary Turf Brush <i>Cannot be installed if using FTC/GTC Shaft and Blades Kit.</i> | 1,015.00 |
| 9752 | | Hydraulic Down Pressure Kit <i>Increase down pressure weight added to cutting units.</i> | 918.00 |
| 9753 | | 4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i> | 4,592.00 |
| 9756 | | (5) 22 In. Smooth Roller Scrapers | 75.00 |
| 9763 | | (5) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i> | 45.00 |
| 9764 | | Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i> | 558.00 |
| 9792 | | Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i> | 766.00 |
| Miscellaneous: | | | |
| 9803 | | (5) 11 blade QA5 cutting units less front and rear rollers | 11,570.00 |
| 9804 | | (5) 7 blade QA5 cutting units less front and rear rollers | 11,145.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Bedknives | | | |
| ET17532 | | Bedknife, 4.8mm Fairway | 31.84 |
| MT7351 | | Bedknife, 2.0mm Ultra Low Cut | 33.96 |
| ET17534 | | Bedknife, 2.5mm Tournament | 33.79 |
| ET17533 | | Bedknife, 3.2 mm | 33.31 |
| ET11066 | | Bedknife, 3.2 mm with Hardened Insert | 138.23 |
| ET17767 | | Bedknife, Hi-cut Fairway 7.6 mm | 34.71 |
| Cutting Units: | | | |
| BM25129 | | (1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor | 2,450.30 |
| BM25128 | | (1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor | 2,475.99 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM25127 | (1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor | 2,385.03 |
| | TCA19917 | Engine: B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i> | 130.15 |
| | BM22671 | Miscellaneous: (1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i> | 517.89 |
| | BM22761 | (1) 22 In. Front Rotary Turf Brush | 217.21 |
| | BM22668 | (1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i> | 149.80 |
| | BM22995 | (1) 22 In. Smooth Roller Scraper | 16.06 |
| | BM22469 | (1) GTC/FTC Gear Drive | 1,332.16 |
| | BM23910 | (1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i> | 9.63 |
| | BM22527 | (1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i> | 409.81 |
| | TCA19547 | 2"x 22" Machine Grooved Roller Scraper | 27.82 |
| | BM23002 | 3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i> | 155.16 |
| | BTC10391 | 4WD Conversion Kit | 4,913.44 |
| | BTC10392 | Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i> | 819.61 |
| | BTC10338 | Canopy | 597.06 |
| | BTC10217 | Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i> | 191.53 |
| | BTC10719 | Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i> | 191.53 |
| | BTC10605 | Grass Catcher Mounting Kit (set of 3) 1 needed per machine <i>Needed for front 3 cutting unit; rear units use rear grass catcher bail kit and catcher.</i> | 115.56 |
| | BTC10216 | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i> | 182.97 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

7500A PrecisionCut Fairway Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10718 | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i> | 182.97 |
| | TCU13823 | Height of Cut Gauge Bar | 86.35 |
| | BTC10346 | Hydraulic Down Pressure Kit | 982.26 |
| | TCU23674 | John Deere Golf Operator Videos and All Products Safety Video DVD Set | 50.00 |
| | BM24199 | QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 3 Needed for rear and front center locations for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 5 Needed for 8000 E-Cut Hybrid Fairway Mower.</i> | 50.29 |
| | BM24372 | QA5 Slope Leveling Kit <i>1 per cutting unit.</i> | 67.41 |
| | BTC10501 | Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catcher BTC10408.</i> | 194.74 |
| | BTC10408 | Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i> | 150.87 |
| | BTC10194 | Wing Latch Kit <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i> | 299.60 |
| | | Reel Cutting Unit Counter Weights | |
| | BM22762 | (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22705 | (1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i> | 147.66 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | | Rollers: | |
| | BM24202 | (1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller | 176.56 |
| | BM18481 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller | 247.17 |
| | BE23416 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i> | 247.17 |
| | BM19821 | (1) 22 In. 2 In. (5 cm) Diameter Spiral Grooved Front Roller | 311.37 |
| | BTC10267 | (1) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 373.43 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM17668 | (1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 356.31 |
| | BM19817 | (1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 432.29 |
| | BM23566 | (1) 2X22" MT SPIRAL Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 373.43 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

7500A E-Cut Hybrid Fairway Mower Diesel

Equipment for Base Machine

| | | |
|--------------------------------|----------------------------------|---------------------------------|
| Gross Engine HP 41.6 (31 kW) | in Machine Settings Controls and | Height of Cut Adjustment System |
| Three Cylinder Turbo | Electrical Diagnostics | 5 In. (12.7 cm) Diameter Reels |
| Tier 4 Diesel Engine | One-Touch Lift/Lower cutting | with Heavy Section Reel Blades |
| B20 Compatible | unit Joystick control | Adjustable Bedknife with Notch |
| eHydro Electronic controlled | Rear Cutting Unit Attaching | System |
| Servo Hydrostatic Drive with | Point | 2 In. Diameter |
| AutoPedal | Foot Activated Tilt | Machined Grooved Solid Front |
| Two Wheel Drive | Steering Column | rollers |
| Power Steering with Double | On-Board Electric Backlapping | |
| acting steering cylinder | with Adjustable Reel Speed | |
| Internal Wet Disc Brakes | Control | |
| 100 In. (2.54 m) Cutting Width | Five Electric Reel Motors | |
| 26.5x14-12 Turf Drive Tires | Quick-Tatch Cutting Units | |
| 20x10-8 Turf Steer Tires | Adjustable Hydraulic | |
| Full Suspension Seat | Hydraulic Down Pressure with | |
| with Armrest and Retractable | mechanical On/Off adjustability | |
| Seat Belt | (5) QA5 7 Blade 22 In.(55.9 cm) | |
| TechControl Display with built | Cutting Units with SpeedLink | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|---|-----------|
| 1781TC | 7500A E-Cut Hybrid Fairway Mower Diesel | 67,265.00 |
|--------|---|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

OPERATOR MANUALS

| | | |
|------|------------------------------|---------------|
| 0443 | English United States/Canada | In Base Price |
|------|------------------------------|---------------|

REEL CUTTING UNITS

| | | |
|------|--|---------------|
| 1201 | (5) Quick Adjust 5 (QA5) Seven Blade 22 In. Heavy Section Standard Cutting Units With Adjustable 4.8 mm Bedknife, Less Front And Rear Rollers | In Base Price |
| 1203 | (5) Quick Adjust 5 (QA5) Eleven Blade 22 In. Heavy Section Standard Cutting Units With Adjustable 2.0 mm Bedknife, Less Front And Rear Rollers | 425.00 |
| 1290 | Less Cutting Units | -11,145.00 |

REEL FRONT ROLLERS

| | | |
|------|---|---------------|
| 1305 | (5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 510.00 |
| 1304 | (5) 22 In. 2 In. (5cm) Diameter Machined Grooved Solid Front Rollers | In Base Price |
| 1303 | (5) 22 In. 2 In. (5cm) Diameter Spiral Grooved Front Rollers | 300.00 |
| 1307 | (5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps | 865.00 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

7500A E-Cut Hybrid Fairway Mower Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|-----------------------|--|-------------------------------|
| REEL FRONT ROLLERS Continued... | | | |
| <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | | | |
| 1318 | | (5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 590.00 |
| 1320 | | (5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 590.00 |
| 1302 | | (5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller | -330.00 |
| 1390 | | Less Front Rollers | -1,155.00 |
| REEL REAR ROLLERS | | | |
| 1602 | | (5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller | In Base Price |
| 1618 | | (5) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 920.00 |
| 1620 | | (5) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 920.00 |
| 1690 | | Less Rear Rollers | -825.00 |
| REEL CUTTING UNIT COUNTER WEIGHTS | | | |
| 1400 | | (5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i> | In Base Price |
| 1402 | | (5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i> | 385.00 |
| 1404 | | (5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | Same Price |
| 1408 | | Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i> | -305.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| 9733 | | (5) Front Grass Catchers with large paddle clip Mounting Hardware for QA5 Cutting Units, Rear Bail and Catchers w/handles, Wing Latch Kit and grass catcher side plate inserts kit for front center. <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i> | 1,618.00 |
| 9737 | | (5) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i> | 2,420.00 |
| 9743 | | (5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i> | 6,225.00 |
| 9791 | | (5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i> | 700.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|---|-------------------------------|
| ATTACHMENTS - ORDER AS DESIRED Continued... | | | |
| 9748 | | (5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i> | 1,915.00 |
| 9751 | | (5) 22 In. Front Rotary Turf Brush <i>Cannot be installed if using FTC/GTC Shaft and Blades Kit.</i> | 1,015.00 |
| 9752 | | Hydraulic Down Pressure Kit <i>Increase down pressure weight added to cutting units.</i> | 918.00 |
| 9753 | | 4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit. E-Cut Hybrid ONLY Serial numbers below 010126 order and install Harnesses TCA25300 and TCA25301 from parts per DTAC Solution 99986.</i> | 4,592.00 |
| 9756 | | (5) 22 In. Smooth Roller Scrapers | 75.00 |
| 9763 | | (5) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i> | 45.00 |
| 9764 | | Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i> | 558.00 |
| 9792 | | Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i> | 766.00 |
| Miscellaneous: | | | |
| 9803 | | (5) 11 blade QA5 cutting units less front and rear rollers | 11,570.00 |
| 9804 | | (5) 7 blade QA5 cutting units less front and rear rollers | 11,145.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Bedknives | | | |
| ET17532 | | Bedknife, 4.8mm Fairway | 31.84 |
| MT7351 | | Bedknife, 2.0mm Ultra Low Cut | 33.96 |
| ET17534 | | Bedknife, 2.5mm Tournament | 33.79 |
| ET17533 | | Bedknife, 3.2 mm | 33.31 |
| ET11066 | | Bedknife, 3.2 mm with Hardened Insert | 138.23 |
| ET17767 | | Bedknife, Hi-cut Fairway 7.6 mm | 34.71 |
| Engine: | | | |
| TCA19917 | | B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i> | 130.15 |
| Miscellaneous: | | | |
| BM22671 | | (1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i> | 517.89 |
| BM22761 | | (1) 22 In. Front Rotary Turf Brush | 217.21 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM22668 | (1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i> | 149.80 |
| | BM22995 | (1) 22 In. Smooth Roller Scraper | 16.06 |
| | BM22469 | (1) GTC/FTC Gear Drive | 1,332.16 |
| | BM23910 | (1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i> | 9.63 |
| | BM22527 | (1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i> | 409.81 |
| | TCA19547 | 2"x 22" Machine Grooved Roller Scraper | 27.82 |
| | BM23002 | 3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i> | 155.16 |
| | BTC10391 | 4WD Conversion Kit <i>Install harnesses TCA25300 and TCA25301 from parts per DTAC Solution 99986 for E-Cut Hybrid ONLY Serial numbers below ITC750AUTEE010120 or ITC750AVTEE0101260.</i> | 4,913.44 |
| | BTC10392 | Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i> | 819.61 |
| | BTC10338 | Canopy | 597.06 |
| | BTC10217 | Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i> | 191.53 |
| | BTC10719 | Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i> | 191.53 |
| | BTC10605 | Grass Catcher Mounting Kit (set of 3) 1 needed per machine <i>Needed for front 3 cutting unit; rear units use rear grass catcher bail kit and catcher.</i> | 115.56 |
| | BTC10216 | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i> | 182.97 |
| | BTC10718 | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i> | 182.97 |
| | TCU13823 | Height of Cut Gauge Bar | 86.35 |
| | BTC10346 | Hydraulic Down Pressure Kit | 982.26 |
| | TCU23674 | John Deere Golf Operator Videos and All Products Safety Video DVD Set | 50.00 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM24199 | QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 3 Needed for rear and front center locations for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 5 Needed for 8000 E-Cut Hybrid Fairway Mower.</i> | 50.29 |
| | BM24372 | QA5 Slope Leveling Kit <i>1 per cutting unit.</i> | 67.41 |
| | BTC10501 | Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catcher BTC10408.</i> | 194.74 |
| | BTC10408 | Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i> | 150.87 |
| | BTC10194 | Wing Latch Kit <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i> | 299.60 |
| | | Reel Cutting Unit Counter Weights | |
| | BM22762 | (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22705 | (1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i> | 147.66 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | | Rollers: | |
| | BM24202 | (1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller | 176.56 |
| | BM18481 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller | 247.17 |
| | BE23416 | (1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i> | 247.17 |
| | BM19821 | (1) 22 In. 2 In. (5 cm) Diameter Spiral Grooved Front Roller | 311.37 |
| | BTC10267 | (1) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 373.43 |
| | BM17668 | (1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 356.31 |
| | BM19817 | (1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 432.29 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower Diesel
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|---|-------------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM23566 | (1) 2X22" MT SPIRAL Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 373.43 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

7700A PrecisionCut Fairway Mower

Equipment for Base Machine

Gross Engine HP 41.6 (31 kW)
 Three Cylinder Turbo
 Tier 4 Diesel Engine
 B20 Compatible
 eHydro Electronic controlled
 Servo Hydrostatic Drive with
 AutoPedal
 Two Wheel Drive
 Power Steering with Double
 acting steering cylinder
 Internal Wet Disc Brakes
 100 In. (2.54 m) Cutting Width
 26.5x14-12 Turf Drive Tires
 20x10-8 Turf Steer Tires
 Full Suspension Seat
 with Armrest and Retractable
 Seat Belt
 TechControl Display with built
 in Machine Settings Controls and
 Electrical Diagnostics

One-Touch Lift/Lower cutting
 unit Joystick control
 Rear Cutting Unit Attaching
 Point
 Foot Activated Tilt
 Steering Column
 On-Board Backlapping
 with Adjustable Reel Speed
 control
 Five Hydraulic Reel Motors with
 Quick Removal Feature
 Quick-Tatch Cutting Units
 Hydraulic Down Pressure with
 mechanical On/Off adjustability
 (5) QA7 8 Blade 22 In. (55.9 cm)
 Cutting Units with SpeedLink
 Height of Cut Adjustment System
 7 In. (17.8 cm) Diameter Reels
 with Reel to Bedknife with Notch
 Adjustment

22 In. 3 In. (7.6 cm) Diameter
 Heavy Duty Grooved Disc Roller
 22 In. 3 In. (7.6 cm) Diameter
 Smooth Rear Roller
 2-Post Roll Over
 Protection Structure
 3 Front Work Lights
 Command Arm with Operator
 Controls

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|----------------------------------|-----------|
| 1421TC | 7700A PrecisionCut Fairway Mower | 67,590.00 |
|--------|----------------------------------|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

OPERATOR MANUALS

| | | |
|------|------------------------------|---------------|
| 0443 | English United States/Canada | In Base Price |
|------|------------------------------|---------------|

REEL CUTTING UNITS

| | | |
|------|--|---------------|
| 1208 | (5) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm Bedknife Less Front Rollers, Motors and counter weight | In Base Price |
| 1209 | (5) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units with 6.3 mm Bedknife, Less Front Rollers, Motors and counter weights | 270.00 |
| 1290 | Less Cutting Units | -13,540.00 |

REEL FRONT ROLLERS

| | | |
|------|--|---------------|
| 1305 | (5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers | In Base Price |
| 1307 | (5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps | 355.00 |
| 1390 | Less Front Rollers | -1,665.00 |

REEL CUTTING UNIT COUNTER WEIGHTS

| | | |
|------|--|---------------|
| 1401 | (5) QA7 Cutting Unit ONLY Counter Weight Kit | In Base Price |
|------|--|---------------|

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|---|-------------------------------|
| REEL CUTTING UNIT COUNTER WEIGHTS Continued... | | | |
| <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i> | | | |
| 1403 | | (5) QA7 Reel Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i> | 385.00 |
| 1406 | | (5) QA7 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | Same Price |
| 1408 | | Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i> | -305.00 |
| <hr/> | | | |
| DRIVE SYSTEM | | | |
| 1190 | | 2WD Traction Unit | In Base Price |
| 1191 | | Factory Installed 4WD Traction Unit | 4,592.00 |
| <hr/> | | | |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| 9123 | | (5) QA7 Vertical Cutting Units with Front and Rear Rollers Less Motors | 9,385.00 |
| 9734 | | (5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch | 1,300.00 |
| 9739 | | (5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i> | 2,635.00 |
| 9744 | | (5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i> | 6,225.00 |
| 9746 | | (5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i> | 700.00 |
| 9749 | | (5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i> | 1,915.00 |
| 9753 | | 4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i> | 4,592.00 |
| 9756 | | (5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i> | 210.00 |
| 9764 | | Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i> | 558.00 |
| 9754 | | (5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers | 725.00 |
| 9792 | | Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i> | 766.00 |
| Miscellaneous: | | | |
| 9806 | | (5) 10 Blade QA7 cutting units less front roller | 13,810.00 |
| 9807 | | (5) 8 Blade QA7 cutting units less front roller | 13,540.00 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

7700A PrecisionCut Fairway Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|-----------------------|--|-------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Cutting Units: | |
| BM22461 | | (1) QA7 Vertical Cutting Units with Front Rollers Less Motors | 2,008.39 |
| BM22463 | | (1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units Less Front Rollers and Motors | 2,897.56 |
| BM24121 | | (1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm bedknife Less Front Rollers, Motors and counter weight | 2,897.56 |
| BM22464 | | (1) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units Less Front Rollers and Motors | 2,955.34 |
| BM24122 | | (1) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units with 6.3 mm bedknife, Less Front Rollers, Motors and counter weights | 2,955.34 |
| | | Engine: | |
| TCA19917 | | B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i> | 130.15 |
| | | Miscellaneous: | |
| BM22763 | | (1) Conversion Mounting Kit old Machine to New QA7 Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i> | 74.90 |
| BM22693 | | (1) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i> | 563.89 |
| BM22712 | | (1) QA7 22" Rear Roller Power Brush <i>Also need order code 9018 (BM22674).</i> | 149.80 |
| BM22674 | | (1) QA7 26 In. Rear Roller Power Brush Drive | 409.81 |
| BM22673 | | (1) QA7 FTC Gear Drive <i>Also need order code 9015 (BM22693).</i> | 1,332.16 |
| BM17684 | | (5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i> | 224.70 |
| BM22764 | | 1) Conversion Mounting Kit 2009 Machine to Old Cutting ESP Cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i> | 72.76 |
| BM23002 | | 3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i> | 155.16 |
| BTC10391 | | 4WD Conversion Kit | 4,913.44 |
| BTC10392 | | Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i> | 819.61 |
| AMT663 | | Bar Gauge Kit | 55.50 |
| MT1928 | | Bedknife, Low-Cut Fairway | 39.65 |
| BTC10338 | | Canopy | 597.06 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10217 | Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i> | 191.53 |
| | BTC10719 | Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i> | 191.53 |
| | TCB11414 | Front Wing Latch Kit (Set of 2) 1 per machine <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i> | 233.26 |
| | BM22756 | Grass Catcher Mounting Kit (set of 5) 1 needed per machine | 217.21 |
| | BTC10216 | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s.</i> <i>2 needed for rear locations for Fairway Mowers.</i> <i>1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i> | 182.97 |
| | BTC10718 | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s.</i> <i>2 needed for rear locations for Fairway Mowers.</i> <i>1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i> | 182.97 |
| | TCU13823 | Height of Cut Gauge Bar | 86.35 |
| | TCU23674 | John Deere Golf Operator Videos and All Products Safety Video DVD Set | 50.00 |
| | | Reel Cutting Unit Counter Weights | |
| | BM22762 | (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | BM22721 | (1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i> | 147.66 |
| | | Rollers: | |
| | BM17668 | (1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller | 356.31 |
| | BM19817 | (1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps | 432.29 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

8000A E-Cut Hybrid Fairway Mower Diesel

Equipment for Base Machine

Gross Engine HP 41.6 (31 kW)
 Three Cylinder Turbo
 Tier 4 Diesel Engine
 B20 Compatible
 eHydro Electronic controlled
 Servo Hydrostatic Drive with
 AutoPedal
 Three Wheel Drive
 Power Steering with Double
 acting steering cylinder
 Internal Wet Disc Brakes
 80 In. (2.03 m) Cutting Width
 24x13 -12 Smooth Drive Tires
 24x13 -12 Smooth Steer Tires
 Full Suspension Seat
 with Armrest and Retractable
 Seat Belt
 TechControl Display with built
 in Machine Settings Controls and

Electrical Diagnostics
 One-Touch Lift/Lower cutting
 unit Joystick control
 Rear Cutting Unit Attaching
 Point
 Foot Activated Tilt
 Steering Column
 On-Board Backlapping
 with Adjustable Reel Speed
 control
 Five Electric Reel Motors WITH
 Quick Removal Feature
 Quick-Tatch Cutting Units
 Hydraulic Down Pressure with
 mechanical On/Off adjustability
 (5) QA5 11 Blade 18 In. (45.7
 cm) Cutting Units with SpeedLink
 Height of Cut Adjustment System
 2 In. Diameter

Machined Grooved Solid Front
 Rollers
 2 In. Diameter Hollow Smooth
 Rear Rollers
 2-Post Roll Over
 Protection Structure
 3 Front Work Lights
 Command Arm with Operator
 Controls

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|---|-----------|
| 1771TC | 8000A E-Cut Hybrid Fairway Mower Diesel | 62,498.00 |
|--------|---|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

OPERATOR MANUALS

| | | |
|------|------------------------------|---------------|
| 0443 | English United States/Canada | In Base Price |
|------|------------------------------|---------------|

REEL CUTTING UNITS

| | | |
|------|---|---------------|
| 1200 | (5) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard Cutting Units with 4.8 mm Bedknife, Yokes, less Front and Rear Rollers, Motors and Counter Weights | -1,255.00 |
| 1202 | (5) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with 2.0 mm Bedknife, Yokes, less Front and Rear Rollers, Motors and Counter Weight | In Base Price |
| 1290 | Less Cutting Units | -12,125.00 |

REEL FRONT ROLLERS

| | | |
|------|---|---------------|
| 1312 | (5) 18 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 825.00 |
| 1309 | (5) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Front Roller | Same Price |
| 1310 | (5) 18 In. 2 In. (5cm) Diameter Grooved Front Rollers | In Base Price |
| 1311 | (5) 18 In. 2 In. (5cm) Spiral Grooved Front Rollers with Spiral end Caps | 825.00 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

8000A E-Cut Hybrid Fairway Mower Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| REEL FRONT ROLLERS Continued... | | | |
| 1319 | | (5) 18 In. 2 In. (5 cm) MT Spiral Roller | 455.00 |
| 1321 | | (5) 18 In. 2 In. (5 cm) MT Grooved Roller | 825.00 |
| 1322 | | (5) 18 In. 2 In. (5 cm) Diameter Hollow Smooth Roller | -175.00 |
| 1390 | | Less Front Rollers | -1,000.00 |
| REEL REAR ROLLERS | | | |
| 1622 | | (5) 18 In 2 In (5cm) Diameter Hollow Smooth Roller | In Base Price |
| 1619 | | (5) 18 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 630.00 |
| 1621 | | (5) 18 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 1,000.00 |
| 1690 | | Less Rear Rollers | -825.00 |
| REEL CUTTING UNIT COUNTER WEIGHTS | | | |
| 1400 | | (5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i> | In Base Price |
| 1402 | | (5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i> | 385.00 |
| 1404 | | (5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | Same Price |
| 1408 | | Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i> | -305.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| 9735 | | (5) Grass Catchers with large paddle clip, shield extensions with Mounting Hardware for 18" QA5 Cutting Units, Rear Bail and Catchers w/handles, and grass catcher side plate inserts. <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i> | 1,591.00 |
| 9740 | | (5) QA5 18" Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires QA5 GTC/FTC Gear Drive. Not compatible with 3 In roller option.</i> | 2,420.00 |
| 9743 | | (5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i> | 6,225.00 |
| 9745 | | (5) QA5 18 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i> | 700.00 |
| 9748 | | (5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i> | 1,915.00 |
| 9755 | | (5) 18 In. Smooth Roller Scrapers | 75.00 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

8000A E-Cut Hybrid Fairway Mower Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS - ORDER AS DESIRED Continued... | |
| 9763 | | (5) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i> | 45.00 |
| 9764 | | Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i> | 558.00 |
| 9758 | | (5) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers <i>Not compatible with Fairway Tender Conditioner option 9740.</i> | 640.00 |
| | | Miscellaneous: | |
| 9803 | | (5) 11 blade QA5 cutting units less front and rear rollers | 12,125.00 |
| 9804 | | (5) 7 blade QA5 cutting units less front and rear rollers | 10,870.00 |
| | | ATTACHMENTS FOR FIELD CONVERSION | |
| | | Bedknives | |
| | MT7350 | Bedknife, 2.0 mm Ultra Low-Cut | 39.12 |
| | MT4846 | Bedknife, 2.5 mm Tournament | 39.59 |
| | ET17751 | Bedknife, Hi-cut Fairway 12 mm | 39.53 |
| | TCU31422 | Bedknife, Hi-cut Fairway 7.6 mm | 59.59 |
| | TCU252299 | Bedknife, Lo-cut Fairway 4.8 mm | See Parts |
| | MT3883 | Bedknife, Ultra Lo-cut Fairway 6.3 mm | 3.33 |
| | | Cutting Units: | |
| | BM24128 | (1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with Yokes, less Front and Rear Rollers, Motors and Counter Weight | 1,167.37 |
| | BM25125 | (1) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard Cutting Units with 4.8mm bedknife, Less Front and Rear Rollers, Motors and Counter Weights | 2,326.19 |
| | | Miscellaneous: | |
| | TCA19585 | (1) 18 In 2 In Grooved Roller Scraper <i>Need to order 5 for completed machine.</i> | 9.14 |
| | BM23014 | (1) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioner option 9015 (BM22670).</i> | 136.96 |
| | BTC10717 | (1) 18 In. Front Grass Catcher with large paddle clip | 199.01 |
| | BTC10405 | (1) 18 In. Rear Grass Catcher Bail System <i>Requires 2 for complete machine & rear grass catcher.</i> | 256.80 |
| | BTC10406 | (1) 18 In. Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system.</i> | 162.64 |
| | BTC10214 | (1) 18 In. Rear Grass Catcher with large paddle clip | 199.01 |
| | BM23015 | (1) 18 In. Smooth Rear Roller Scraper | 16.06 |
| | BM22469 | (1) GTC/FTC Gear Drive | 1,332.16 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower Diesel

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM22670 | (1) QA5 18 In. Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires GTC/FTC Gear Drive (BM22469). Not compatible with 3 In roller option 2001 (BM23016).</i> | 517.89 |
| | BM22667 | (1) QA5 18 In. Rear Roller Power Brushes <i>Requires Rear Roller Power Brush Drive (BM22527).</i> | 149.80 |
| | BM23910 | (1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i> | 9.63 |
| | BM22527 | (1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i> | 409.81 |
| | BTC10338 | Canopy | 597.06 |
| | BTC10605 | Grass Catcher Mounting Kit (set of 3) 1 needed per machine <i>Needed for front 3 cutting unit; rear units use rear grass catcher bail kit and catcher.</i> | 115.56 |
| | TCU13823 | Height of Cut Gauge Bar | 86.35 |
| | BM24199 | QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 3 Needed for rear and front center locations for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 5 Needed for 8000 E-Cut Hybrid Fairway Mower.</i> | 50.29 |
| | BM24372 | QA5 Slope Leveling Kit <i>1 per cutting unit.</i> | 67.41 |
| | TCU25388 | UltraTrac Fairway Mower Tire | 347.11 |
| | | Reel Cutting Unit Counter Weights | |
| | BM22762 | (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22705 | (1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i> | 147.66 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | | Rollers: | |
| | BM24204 | (1) 18 In. 2 In. (5 cm) Diameter Hollow Smooth Roller | 176.56 |
| | BM20561 | (1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller | 214.00 |
| | BM22868 | (1) 18 In. 2 In. (5cm) Diameter Grooved Front Rollers | 214.00 |
| | BM22879 | (1) 18 In. 2 In. (5cm) Spiral Grooved Front Roller with Spiral end Cap | 390.56 |
| | TCA19509 | (1) 18 In. 3 In (7.6 cm) Diameter Smooth Front or Rear Roller (Hollow) <i>Not compatible with Fairway Tender Conditioners (FTC).</i> | 243.55 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower Diesel
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BM23016 | (1) 18 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i> | 390.56 |
| | BTC10281 | (1) 18 in. 2 in. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 390.56 |
| | BM23567 | (1) 2X18" MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i> | 311.37 |

JOHN DEERE TURF & UTILITY PRODUCTS

REEL MOWERS

8700A PrecisionCut Fairway Mower

Equipment for Base Machine

Gross Engine HP 55.6 (41.6 kW)
 Four Cylinder
 Tier 4 Turbo Diesel Engine
 B20 Compatible
 eHydro Electronic controlled
 Servo Hydrostatic Drive with
 AutoPedal
 Two Wheel Drive
 Power Steering with Double
 acting steering cylinder
 Internal Wet Disc Brakes
 100 In. (2.54 m) Cutting Width
 26.5x14-12 Turf Drive Tires
 20x10-8 Turf Steer Tires
 Full Suspension Seat
 with Armrest and Retractable
 Seat Belt
 TechControl Display with built
 in Machine Settings Controls and
 Electrical Diagnostics

One-Touch Lift/Lower cutting
 unit Joystick control
 Rear Cutting Unit Attaching
 Point
 Foot Activated Tilt
 Steering Column
 On-Board Backlapping
 with Adjustable Reel Speed
 control
 Five Hydraulic Reel Motors with
 Quick Removal Feature
 Quick-Tatch Cutting Units
 Hydraulic Down Pressure with
 mechanical On/Off adjustability
 (5) QA7 22 In. (55.9 cm) Eight
 Blade Cutting Units 7 In. (17.8
 cm) Diameter
 Reel to Bedknife with Notch
 Adjustments and SpeedLink Hieght
 of Cut System

22 In. 3 In. (7.6 cm) Diameter
 Heavy Duty Grooved Disc Roller
 22 In. 3 In. (7.6 cm) Diameter
 Smooth Rear Roller
 2-Post Roll Over
 Protection Structure
 3 Front Work Lights
 Command Arm with Operator
 Controls

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

| | | |
|--------|----------------------------------|-----------|
| 1521TC | 8700A PrecisionCut Fairway Mower | 72,716.00 |
|--------|----------------------------------|-----------|

DESTINATION

| | | |
|------|----------------------|---------------|
| 001A | United States/Canada | In Base Price |
|------|----------------------|---------------|

OPERATOR MANUALS

| | | |
|------|------------------------------|---------------|
| 0443 | English United States/Canada | In Base Price |
|------|------------------------------|---------------|

REEL CUTTING UNITS

| | | |
|------|--|---------------|
| 1208 | (5) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm Bedknife Less Front Rollers, Motors and counter weight | In Base Price |
| 1209 | (5) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units with 6.3 mm Bedknife, Less Front Rollers, Motors and counter weights | 270.00 |
| 1290 | Less Cutting Units | -13,540.00 |

REEL FRONT ROLLERS

| | | |
|------|--|---------------|
| 1305 | (5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers | In Base Price |
| 1307 | (5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps | 355.00 |
| 1390 | Less Front Rollers | -1,665.00 |

REEL CUTTING UNIT COUNTER WEIGHTS

| | | |
|------|--|---------------|
| 1401 | (5) QA7 Cutting Unit ONLY Counter Weight Kit | In Base Price |
|------|--|---------------|

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| REEL CUTTING UNIT COUNTER WEIGHTS Continued... | | | |
| <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i> | | | |
| 1403 | | (5) QA7 Reel Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i> | 385.00 |
| 1406 | | (5) QA7 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | Same Price |
| 1408 | | Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i> | -305.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| 9123 | | (5) QA7 Vertical Cutting Units with Front and Rear Rollers Less Motors | 9,385.00 |
| 9734 | | (5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch | 1,300.00 |
| 9739 | | (5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i> | 2,635.00 |
| 9744 | | (5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i> | 6,225.00 |
| 9746 | | (5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i> | 700.00 |
| 9749 | | (5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i> | 1,915.00 |
| 9753 | | 4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i> | 4,592.00 |
| 9756 | | (5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i> | 210.00 |
| 9764 | | Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i> | 558.00 |
| 9754 | | (5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers | 725.00 |
| Miscellaneous: | | | |
| 9806 | | (5) 10 Blade QA7 cutting units less front roller | 13,810.00 |
| 9807 | | (5) 8 Blade QA7 cutting units less front roller | 13,540.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Bedknives | | | |
| ET17751 | | Bedknife, Hi-cut Fairway 12 mm | 39.53 |
| MT3883 | | Bedknife, Ultra Lo-cut Fairway 6.3 mm | 3.33 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION Continued... | | | |
| | | Cutting Units: | |
| BM22461 | | (1) QA7 Vertical Cutting Units with Front Rollers Less Motors | 2,008.39 |
| BM22463 | | (1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units Less Front Rollers and Motors | 2,897.56 |
| BM24121 | | (1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm bedknife Less Front Rollers, Motors and counter weight | 2,897.56 |
| BM22464 | | (1) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units Less Front Rollers and Motors | 2,955.34 |
| BM24122 | | (1) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units with 6.3 mm bedknife, Less Front Rollers, Motors and counter weights | 2,955.34 |
| | | Engine: | |
| TCA19917 | | B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i> | 130.15 |
| | | Miscellaneous: | |
| BM22763 | | (1) Conversion Mounting Kit old Machine to New QA7 Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i> | 74.90 |
| BM22693 | | (1) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i> | 563.89 |
| BM22712 | | (1) QA7 22" Rear Roller Power Brush <i>Also need order code 9018 (BM22674).</i> | 149.80 |
| BM22674 | | (1) QA7 26 In. Rear Roller Power Brush Drive | 409.81 |
| BM22673 | | (1) QA7 FTC Gear Drive <i>Also need order code 9015 (BM22693).</i> | 1,332.16 |
| BM17684 | | (5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i> | 224.70 |
| BM22764 | | 1) Conversion Mounting Kit 2009 Machine to Old Cutting ESP Cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i> | 72.76 |
| BM23002 | | 3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i> | 155.16 |
| BTC10391 | | 4WD Conversion Kit | 4,913.44 |
| BTC10392 | | Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i> | 819.61 |
| AMT663 | | Bar Gauge Kit | 55.50 |
| MT1928 | | Bedknife, Low-Cut Fairway | 39.65 |
| BTC10338 | | Canopy | 597.06 |

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION Continued... | |
| | BTC10217 | Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i> | 191.53 |
| | BTC10719 | Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i> | 191.53 |
| | TCB11414 | Front Wing Latch Kit (Set of 2) 1 per machine <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i> | 233.26 |
| | BM22756 | Grass Catcher Mounting Kit (set of 5) 1 needed per machine | 217.21 |
| | BTC10216 | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s.</i> <i>2 needed for rear locations for Fairway Mowers.</i> <i>1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i> | 182.97 |
| | BTC10718 | Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s.</i> <i>2 needed for rear locations for Fairway Mowers.</i> <i>1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i> | 182.97 |
| | TCU13823 | Height of Cut Gauge Bar | 86.35 |
| | TCU23674 | John Deere Golf Operator Videos and All Products Safety Video DVD Set | 50.00 |
| | | Reel Cutting Unit Counter Weights | |
| | BM22762 | (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i> | 65.27 |
| | BM22704 | (1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i> | 65.27 |
| | BM22721 | (1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i> | 147.66 |
| | | Rollers: | |
| | BM17668 | (1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller | 356.31 |
| | BM19817 | (1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps | 432.29 |