#### Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck

**Equipment for Base Machine** 

POWER SYSTEM Exclusive Air Intake System V-Twin Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter \*24 HP 48 IN. EDGE XTRA CUTTING SYSTEM Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two, 2.9 In Wide Front Anti-Scalp Rollers 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 27 In. Uncut Circle Radius TIRES 16x6.5-8 Front Turf Tires 24x12-12 Rear Turf Tires STEERING 2 Wheel Low Effort Steering System

22 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings .75 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque K72 Transaxle Internal Wet Disk Brakes Tow valve Traction Assist 7.2 mph (11.6 km/h) Forward, 4 (6.4 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. steering wheel 15 In. Open Back Seat with Access Grasp, 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup holder Two Fender Handles 12 Volt Outlet ELECTRICAL SYSTEM 500 CCA Battery 15 Amp Regulated Charging System Four-Position Key Switch with Headlight Switch Hour Meter Oil Pressure Indicator Mower/PTO Light

Seat/PTO Interlock Switches Reverse Implement Option Electronic Dash Mounted Fuel Gauge MISCELLANEOUS 4.4 US Gallon Fuel Tank Capacity Welded C-Channel Frame Rear Hitch Accepts 4 Ouik-Tatch Weights Electric Mower/Implement PTO Drive Clutch Foot Pedal Deck and Implement Lift System Adjustable Lift Assist Spring Heavy Duty CargO Mount System \*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information

			SUGGESTED
	ATTACHMENT	•	LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

### Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck

F.O.B. Janesville, WI

480CM Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck

Not Available for Sale in California.

5,899.00

	DESTINATION	
001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

Blades:

SKU23048 48 in Front Blade (X500 M-T)

Rear Weights and Tire Chains are Recommended for Additional Traction.

790.00

	ATTACHMENT		SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
	BM23448	ATTACHMENTS FOR FIELD CONVERSION Continued Manual Angling Kit (48 in Blade X500 M-T)	257.87
	M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade Requires 7 03M7188 bolts and 7 14M7273 nuts.	66.21
	PM05101	Carts / Hitches: Ball Mount - 1.875 in. (48mm)	11.03
	AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	TY13056	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	220.41
	TY13036	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
	BM21680	Material Collection System Hoppers:  14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	934.11
	BM21679	7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	BM22696	Material Collection System Power Flow Blowers:  48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)  For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-), MY2008- X500 (Serial 030001-), and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.	541.41
	BM22144	48X HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) For 48A, 48HC, 54A, 54HC.	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	69.56

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM24426	ATTACHMENTS FOR FIELD CONVERSION Continued  Arm Rest Kit  For use with BM25346 21-in. Professional Seat.	193.67
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	BM23056	Bumper (X300s, X500, X530, X534)	66.34
	M88984	Drift Blade For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	AM119321	Heavy Duty Skid Shoe (1) For Front Blade. Two required.	57.37
	LG249	Home Maintenance Kit Fits 2010 and earlier models only (Serial -060000).	49.54
	LG265	Home Maintenance Kit For use with MY2011- (Serial 060001-).	45.01
	AM136046	Seat Net Kit	34.38
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) For Snow Blower.	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) For Snow Blower.	61.40
	M157831	Skid shoe, Plastic (1) For 44-, 47-, and 54-in. Snow Blowers. Two required.	20.65
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	SKU24195	Mower Deck and Mower Deck Attachments: 48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	M127673	Blade (48C/48X, Mulching)	18.68
	M145476	Blade (48C/48X, Side Discharge)	12.59
	BM19894	Leaf Bagging Kit (48C/48X Mower)  Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	102.71
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20007	Mulch Kit (48C/48X)	160.50
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP22861	ATTACHMENTS FOR FIELD CONVERSION Continued 25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit (Model Year 2006-2015) For Snow Blower and Front Blade.	399.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36741	X500 Series Weather Enclosure	426.99
	LP92624	Protection: Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
	TY24328	Seats / Wheels / Tires: Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
	SKU23045	<b>Snow Blowers:</b> 44 In. Snow Blower (X300's, X500, X520) Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.	1,570.00
	AM136645	Lift Assist Spring	26.62
	AM136692	Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	91.34

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AM145350	ATTACHMENTS FOR FIELD CONVERSION Continued Winter Grill Cover Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).	98.68
	BM25362	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015 (X500,X530,X534,X590).	42.80
	BM24927	Spanish Label & Owner's Manual Kit For Model Year 2014 (X500,X530,X534,X540)	42.80
	SKU23030	<b>Tillers:</b> 30 in Mechanical Tiller (X500, X520, X530, X540, X590) See Sales Manual for Ballast Requirements.	1,779.00
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM23621	Weight Bracket, Front (X300/X500 M-T) Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	381.99
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

#### Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck

**Equipment for Base Machine** 

POWER SYSTEM Exclusive Air Intake System V-Twin Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter \*24 HP 54 IN. EDGE XTRA CUTTING SYSTEM Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two, 2.9 In Wide Front Anti-Scalp Rollers 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 24 In. Uncut Circle Radius TIRES 16x6.5-8 Front Turf Tires 24x12-12 Rear Turf Tires STEERING 2 Wheel Low Effort Steering System

22 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings .75 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque K72 Transaxle Internal Wet Disk Brakes Tow valve Traction Assist 7.2 mph (11.6 km/h) Forward, 4 (6.4 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. steering wheel 15 In. Open Back Seat with Access Grasp, 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup holder Two Fender Handles 12 Volt Outlet ELECTRICAL SYSTEM 500 CCA Battery 15 Amp Regulated Charging System Four-Position Key Switch with Headlight Switch Hour Meter Oil Pressure Indicator Mower/PTO Light

Seat/PTO Interlock Switches Reverse Implement Option Electronic Dash Mounted Fuel Gauge MISCELLANEOUS 4.4 US Gallon Fuel Tank Capacity Welded C-Channel Frame Rear Hitch Accepts 4 Ouik-Tatch Weights Electric Mower/Implement PTO Drive Clutch Foot Pedal Deck and Implement Lift System Adjustable Lift Assist Spring Heavy Duty CargO Mount System \*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Select One Code From Each Required Category

### Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck

F.O.B. Janesville, WI

480DM Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck

Not Available for Sale in California.

6,199.00

	DESTINATION	
001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

Blades:

SKU23048 48 in Front Blade (X500 M-T)

Rear Weights and Tire Chains are Recommended for Additional Traction.

790.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM23448	ATTACHMENTS FOR FIELD CONVERSION Continued Manual Angling Kit (48 in Blade X500 M-T)	257.87
	M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade Requires 7 03M7188 bolts and 7 14M7273 nuts.	66.21
	PM05101	Carts / Hitches: Ball Mount - 1.875 in. (48mm)	11.03
	AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	TY13056	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	220.41
	TY13036	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
	BM21680	Material Collection System Hoppers:  14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	934.11
	BM21679	7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	BM22696	Material Collection System Power Flow Blowers:  48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)  For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-), MY2008- X500 (Serial 030001-), and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.	541.41
	BM22144	48X HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) For 48A, 48HC, 54A, 54HC.	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	BM17981	Miscellaneous: 12 Volt Work Light Kit	69.56
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	193.67
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	BM23056	Bumper (X300s, X500, X530, X534)	66.34
	M88984	Drift Blade For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	AM119321	Heavy Duty Skid Shoe (1) For Front Blade. Two required.	57.37
	LG249	Home Maintenance Kit Fits 2010 and earlier models only (Serial -060000).	49.54
	LG265	Home Maintenance Kit For use with MY2011- (Serial 060001-).	45.01
	AM136046	Seat Net Kit	34.38
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) For Snow Blower.	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) For Snow Blower.	61.40
	M157831	Skid shoe, Plastic (1) For 44-, 47-, and 54-in. Snow Blowers. Two required.	20.65
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	SKU24196	Mower Deck and Mower Deck Attachments: 54 in Edge Xtra Deck (54X)	1,300.00
	M152726	Blade (54C/54X, High Lift)	19.59
	M145516	Blade (54C/54X, Mulching)	21.75
	M143520	Blade (54C/54X, Side Discharge)	16.27
	BM20985	Leaf Bagging Kit (54C/54X Mower)  Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	128.40

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AM130907	ATTACHMENTS FOR FIELD CONVERSION Continued Mower Deck Leveling Gauge	6.95
	BM20827	Mulch Kit (54C/54D/54X)	217.21
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP22861	25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit (Model Year 2006-2015) For Snow Blower and Front Blade.	399.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36741	X500 Series Weather Enclosure	426.99
	LP92624	Protection: Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
	TY24328	Seats / Wheels / Tires: Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
	SKU23045	Snow Blowers: 44 In. Snow Blower (X300's, X500, X520) Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.	1,570.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AM136645	ATTACHMENTS FOR FIELD CONVERSION Continued Lift Assist Spring	26.62
	AM136692	Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	91.34
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	98.68
	BM25362	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015 (X500,X530,X534,X590).	42.80
	BM24927	Spanish Label & Owner's Manual Kit For Model Year 2014 (X500,X530,X534,X540)	42.80
	SKU23030	<b>Tillers:</b> 30 in Mechanical Tiller (X500, X520, X530, X540, X590) See Sales Manual for Ballast Requirements.	1,779.00
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM23621	Weight Bracket, Front (X300/X500 M-T) Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	381.99
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

#### Select Series X534 Multi-Terrain Tractor Less Deck

**Equipment for Base Machine** 

JOHN DEERE iTORQUE POWER SYSTEM Exclusive Air Intake System V-Twin Engine Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter \*24 HP LESS MOWER STANDARD OPTIONAL 48 IN. or 54 IN. EDGE XTRA CUTTING SYSTEM Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two, 2.9 In Wide Front Anti-Scalp Rollers 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments
1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 14 In. Uncut Circle Radius with 48 In. Mower 13 In. Uncut Circle Radius with 54 In. Mower TIRES 16x6.5-8 Front Turf Tires

24x9.5-12 Rear Turf Tires STEERING 4 Wheel Low Effort Steering System Hydraulic Power Steering 27 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings 1 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque K72 Transaxle Internal Wet Disk Brakes Tow valve Traction Assist 7.2 mph (11.6 km/h) Forward, 4 mph (6.4 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. steering wheel 5-Position Tilt Steering Wheel 21 In. High Back Seat with 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup holder Two Fender Handles 12 Volt Outlet ELECTRICAL SYSTEM 500 CCA Battery 15 Amp Regulated Charging System

Headlight Switch Hour Meter Oil Pressure Indicator Mower/PTO Light Seat/PTO Interlock Switches Reverse Implement Option Electronic Dash Mounted Fuel Gauge MISCELLANEOUS 4.5 US Gallon Fuel Tank Capacity Welded C-Channel Frame Optional Rear Weight Bracket Accepts 4 Quick Tatch Weights Electric Mower/Implement PTO Drive Clutch Hydraulic Power Deck and Implement Lift System
Heavy Duty Cargo Mount System
\*Engine HP is Provided by the
Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Four-Position Key Switch with

Select One Code From Each Required Category

#### Select Series X534 Multi-Terrain Tractor Less Deck

F.O.B. Janesville, WI

4827M Select Series X534 Multi-Terrain Tractor Less Deck
Not Available for Sale in California.

6,499.00

DESTINATION

001A United States and Canada In Base Price

001C Australia and New Zealand Same Price

0195 Mexico Same Price

001D Other Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	SKU23048	ATTACHMENTS FOR FIELD CONVERSION Continued Blades: 48 in Front Blade (X500 M-T) Rear Weights and Tire Chains are Recommended for Additional Traction.	790.00
	BM23448	Manual Angling Kit (48 in Blade X500 M-T)	257.87
	M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade Requires 7 03M7188 bolts and 7 14M7273 nuts.	66.21
	PM05101	Carts / Hitches: Ball Mount - 1.875 in. (48mm)	11.03
	AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	TY13056	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	220.41
	TY13036	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
	BM21680	Material Collection System Hoppers:  14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	934.11
	BM21679	7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	BM22696	Material Collection System Power Flow Blowers:  48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)  For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-), MY2008- X500 (Serial 030001-), and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) For 48A, 48HC, 54A, 54HC.	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	69.56

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM23761	ATTACHMENTS FOR FIELD CONVERSION Continued  Arm Rest Kit  For use with X590 and model year 2011- (serail 060,001-) X534 and X540.	80.26
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	193.67
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	BM23056	Bumper (X300s, X500, X530, X534)	66.34
	M88984	Drift Blade For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	AM119321	Heavy Duty Skid Shoe (1) For Front Blade. Two required.	57.37
	LG249	Home Maintenance Kit Fits 2010 and earlier models only (Serial -060000).	49.54
	LG265	Home Maintenance Kit For use with MY2011- (Serial 060001-).	45.01
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) For Snow Blower.	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) For Snow Blower.	61.40
	M157831	Skid shoe, Plastic (1) For 44-, 47-, and 54-in. Snow Blowers. Two required.	20.65
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	SKU24195	Mower Deck and Mower Deck Attachments: 48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	SKU24196	54 in Edge Xtra Deck (54X)	1,300.00
	M127673	Blade (48C/48X, Mulching)	18.68
	M145476	Blade (48C/48X, Side Discharge)	12.59
	M152726	Blade (54C/54X, High Lift)	19.59
	M145516	Blade (54C/54X, Mulching)	21.75
	M143520	Blade (54C/54X, Side Discharge)	16.27

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM19894	ATTACHMENTS FOR FIELD CONVERSION Continued Leaf Bagging Kit (48C/48X Mower) Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	102.71
	BM20985	Leaf Bagging Kit (54C/54X Mower)  Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	128.40
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20007	Mulch Kit (48C/48X)	160.50
	BM20827	Mulch Kit (54C/54D/54X)	217.21
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP22861	25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP22835	Integral Hitch, Power	399.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36741	X500 Series Weather Enclosure	426.99
	TY26227	Seats / Wheels / Tires: Tire Chains (Pair) for 23x9.5-12 or 24x9.5-12 tires on X534	90.48

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	SKU23047	<b>Snow Blowers:</b> 47 In. Snow Blower (X530, X534, X540, X590) Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.	1,770.00
	AM136692	Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	91.34
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	98.68
		Spanish North American Kit:	
	BM25362	Spanish North American Ric. Spanish Label & Owner's Manual Kit For Model Year 2015 (X500,X530,X534,X590).	42.80
	BM24927	Spanish Label & Owner's Manual Kit For Model Year 2014 (X500,X530,X534,X540)	42.80
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM23621	Weight Bracket, Front (X300/X500 M-T) Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).	60.99
	BM24011	Weight Bracket, Rear (X304, X324, X534) Allows installation of R66949 Quik-Tatch Weights	89.89
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

#### Select Series X590 Multi-Terrain Tractor with 54X Edge Xtra Deck

**Equipment for Base Machine** 

POWER SYSTEM Exclusive Air Intake System V-Twin EFI Engine Constant Speed Governor Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter \*25.5 HP 54 IN. EDGE XTRA CUTTING SYSTEM Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two, 2.9 In Wide Front Anti-Scalp Rollers 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 24 In. Uncut Circle Radius TIRES 16x6.5-8 Front Turf Tires 24x12-12 Rear HDAP Tires STEERING 2 Wheel Low Effort Steering System

Hydraulic Power Steering 22 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings 1 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque K72 Transaxle Internal Wet Disk Brakes Tow valve Traction Assist 7.2 mph (11.6 km/h) Forward, 4mph (6.4 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. steering wheel 5-Position Tilt Steering Wheel 21 In. High Back Seat with 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup holder Two Fender Handles 12 Volt Outlet ELECTRICAL SYSTEM 500 CCA Battery 15 Amp Regulated Charging System Four-Position Key Switch with Headlight Switch Hour Meter

Seat/PTO Interlock Switches Reverse Implement Option Electronic Dash Mounted Fuel Gauge MISCELLANEOUS 4.4 US Gallon Fuel Tank Capacity Welded C-Channel Frame Rear Hitch Accepts 4 Quik-Tatch Weights Front Bumper Accepts 4 Quik-Tatch Weights Electric Mower/Implement PTO Drive Clutch Hydraulic Power Deck and Implement Lift System Heavy Duty CargO Mount System \*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Oil Pressure Indicator Mower/PTO Light

Select One Code From Each Required Category

### Select Series X590 Multi-Terrain Tractor with 54X Edge Xtra Deck

F.O.B. Janesville, WI

4860M Select Series X590 Multi-Terrain Tractor with 54X Edge Xtra Deck

Not Available for Sale in California.

7,799.00

#### DESTINATION

001A United States and Canada In Base Price

#### ATTACHMENTS FOR FIELD CONVERSION

Blades:

SKU23048 48 in Front Blade (X500 M-T) 790.00

Rear Weights and Tire Chains are Recommended for Additional Traction.

BM23448 Manual Angling Kit (48 in Blade X500 M-T) 257.87

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	M42868	ATTACHMENTS FOR FIELD CONVERSION Continued Rubber Blade Squeegee Kit 48 In. and 54 In. Blade Requires 7 03M7188 bolts and 7 14M7273 nuts.	66.21
	PM05101	Carts / Hitches: Ball Mount - 1.875 in. (48mm)	11.03
	AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	TY13056	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	220.41
	TY13036	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
	BM21680	Material Collection System Hoppers:  14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	934.11
	BM21679	7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	BM22696	Material Collection System Power Flow Blowers: 48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) For 48A, 48HC, 54A, 54HC.	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	69.56
	BM19406	Adjustable Skid Shoes For 42 In. Hydraulic Tiller.	228.99
	BM23761	Arm Rest Kit For use with X590 and model year 2011- (serail 060,001-) X534 and X540.	80.26
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	193.67
	TY25866	Battery Charger and Maintainer	37.68

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM23057	ATTACHMENTS FOR FIELD CONVERSION Continued Brush Guard (X300, X500 M-T)	128.40
	M88984	Drift Blade For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	AM119321	Heavy Duty Skid Shoe (1) For Front Blade. Two required.	57.37
	LG265	Home Maintenance Kit	45.01
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) For Snow Blower.	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) For Snow Blower.	61.40
	M157831	Skid shoe, Plastic (1) For 44-, 47-, and 54-in. Snow Blowers. Two required.	20.65
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	SKU24196	Mower Deck and Mower Deck Attachments: 54 in Edge Xtra Deck (54X)	1,300.00
	M152726	Blade (54C/54X, High Lift)	19.59
	M145516	Blade (54C/54X, Mulching)	21.75
	M143520	Blade (54C/54X, Side Discharge)	16.27
	BM20985	Leaf Bagging Kit (54C/54X Mower)  Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	128.40
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20827	Mulch Kit (54C/54D/54X)	217.21
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP22861	25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LPJD301	ATTACHMENTS FOR FIELD CONVERSION Continued Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP22835	Integral Hitch, Power	399.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36741	X500 Series Weather Enclosure	426.99
	TY24328	Seats / Wheels / Tires: Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
	SKU23047	Snow Blowers: 47 In. Snow Blower (X530, X534, X540, X590) Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent intake icing. Also order M158756 Spring and M174506 belt when used on model X590.	1,770.00
	AM145350	Winter Grill Cover	98.68
	BM25362	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015 (X500,X530,X534,X590).	42.80
	SKU23030	<b>Tillers:</b> 30 in Mechanical Tiller (X500, X520, X530, X540, X590) See Sales Manual for Ballast Requirements.	1,779.00
	SKU23042	42 In. Hydraulic Tiller (X530, X540, X590) See Sales Manual for Ballast Requirements.	2,599.00
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17964	ATTACHMENTS FOR FIELD CONVERSION Continued Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	381.99
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

#### Select Series X590 Multi-Terrain Tractor Less Deck

**Equipment for Base Machine** 

POWER SYSTEM Exclusive Air Intake System V-Twin EFI Engine Constant Speed Governor Overhead Valves Hemispheric Cylinder Head V-Valve Technology Cast Iron Cylinder Liners Full Pressure Lubrication with Replaceable Oil Filter \*25.5 HP LESS MOWER STANDARD OPTIONAL 48 IN. or 54 IN. EDGE XTRA CUTTING SYSTEM Three .79 In. Greaseable Spindles Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels No Tools Anti-Scalp Wheel Cut Height Adjustment Two, 2.9 In Wide Front Anti-Scalp Rollers 4 Point Mounting Adjustable Down Stop .25 In. Cut Height Increments 1 to 4 In. Cutting Heights On Board Leveling Gauge Exact Adjust Leveling Ports 24 In. Uncut Circle Radius with 54X Mower 27 In. Uncut Circle Radius with 48X Mower TIRES 16x6.5-8 Front Turf Tires

24x12-12 Rear Turf Tires STEERING 2 Wheel Low Effort Steering System Hydraulic Power Steering 22 In. Turning Radius Cast Iron Front Axle with Replaceable Metal Bushings 1 In. Front Spindles AUTOMATIC (HYDROSTATIC) TRANSMISSION Twin Touch Foot control Tuff-Torque K72 Transaxle Internal Wet Disk Brakes Tow valve Traction Assist 7.2 mph (11.6 km/h) Forward, 4mph (6.4 km/h) Reverse Travel Speed Cruise Control OPERATOR STATION 14 In. steering wheel 5-Position Tilt Steering Wheel 21 In. High Back Seat with 7 In. Fore-Aft Adjustment and Adjustable Suspension Cup holder Two Fender Handles 12 Volt Outlet ELECTRICAL SYSTEM 500 CCA Battery 15 Amp Regulated Charging System Hour Meter Oil Pressure Indicator Mower/PTO Light Seat/PTO Interlock Switches Reverse Implement Option Electronic Dash Mounted Fuel Gauge MISCELLANEOUS 4.4 US Gallon Fuel Tank Capacity Welded C-Channel Frame Rear Hitch Accepts 4 Quik-Tatch Weights Front Bumper Accepts 4 Quik-Tatch Weights Electric Mower/Implement PTO Drive Clutch Hydraulic Power Deck and Implement Lift System Heavy Duty CargO Mount System \*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

			SUGGESTED
	ATTACHMENT	Ī	LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

Four-Position Key Switch with

Headlight Switch

Select One Code From Each Required Category

#### Select Series X590 Multi-Terrain Tractor Less Deck

F.O.B. Janesville, WI

4861M Select Series X590 Multi-Terrain Tractor Less Deck 6,599.00

Not Available for Sale in California.

#### **DESTINATION**

001A United States and Canada In Base Price

#### ATTACHMENTS FOR FIELD CONVERSION

Blades:

SKU23048 48 in Front Blade (X500 M-T) 790.00

Rear Weights and Tire Chains are Recommended for Additional Traction.

BM23448 Manual Angling Kit (48 in Blade X500 M-T) 257.87

M42868 Rubber Blade Squeegee Kit 48 In. and 54 In. Blade 66.21

Requires 7 03M7188 bolts and 7 14M7273 nuts.

#### **Select Series X590 Multi-Terrain Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	PM05101	Carts / Hitches: Ball Mount - 1.875 in. (48mm)	11.03
	AM135845	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
	TY13056	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	220.41
	TY13036	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
	BM21680	Material Collection System Hoppers:  14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	934.11
	BM21679	7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	BM22696	Material Collection System Power Flow Blowers: 48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) For 48A, 48HC, 54A, 54HC.	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	69.56
	BM19406	Adjustable Skid Shoes For 42 In. Hydraulic Tiller.	228.99
	BM23761	Arm Rest Kit For use with X590 and model year 2011- (serail 060,001-) X534 and X540.	80.26
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	193.67
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	M88984	ATTACHMENTS FOR FIELD CONVERSION Continued  Drift Blade For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	AM119321	Heavy Duty Skid Shoe (1) For Front Blade. Two required.	57.37
	LG265	Home Maintenance Kit	45.01
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) For Snow Blower.	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) For Snow Blower.	61.40
	M157831	Skid shoe, Plastic (1) For 44-, 47-, and 54-in. Snow Blowers. Two required.	20.65
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	SKU24195	Mower Deck and Mower Deck Attachments: 48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	SKU24196	54 in Edge Xtra Deck (54X)	1,300.00
	M127673	Blade (48C/48X, Mulching)	18.68
	M145476	Blade (48C/48X, Side Discharge)	12.59
	M152726	Blade (54C/54X, High Lift)	19.59
	M145516	Blade (54C/54X, Mulching)	21.75
	M143520	Blade (54C/54X, Side Discharge)	16.27
	BM19894	Leaf Bagging Kit (48C/48X Mower)  Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	102.71
	BM20985	Leaf Bagging Kit (54C/54X Mower)  Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	128.40
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20007	Mulch Kit (48C/48X)	160.50
	BM20827	Mulch Kit (54C/54D/54X)	217.21
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP22861	ATTACHMENTS FOR FIELD CONVERSION Continued 25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP22835	Integral Hitch, Power	399.00
	LP22834	MC542 Material Collection System Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.	1,599.00
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36741	X500 Series Weather Enclosure	426.99
	TY24328	Seats / Wheels / Tires: Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
	SKU23047	Snow Blowers: 47 In. Snow Blower (X530, X534, X540, X590) Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent intake icing. Also order M158756 Spring and M174506 belt when used on model X590.	1,770.00
	AM145350	Winter Grill Cover	98.68
	BM25362	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015 (X500,X530,X534,X590).	42.80
	SKU23030	Tillers: 30 in Mechanical Tiller (X500, X520, X530, X540, X590) See Sales Manual for Ballast Requirements.	1,779.00

#### **Select Series X590 Multi-Terrain Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	SKU23042	ATTACHMENTS FOR FIELD CONVERSION Continued 42 In. Hydraulic Tiller (X530, X540, X590) See Sales Manual for Ballast Requirements.	2,599.00
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	381.99
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

#### Select Series X570 Tractor Less Mower Deck, California Model

**Equipment for Base Machine** 

ENGINE 24 hp\* (17.9 kW) 44.3-cu in. (726-cc) displacement Model FS730V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM
12-V (500-CCA) battery 15-amp regulated flywheel alternator 12-V outlet TRANSAXLE K72 hydrostatic transmission Twin Touch# pedals Cruise control Differential lock 0-7.2 mph (0-11.6 km/h) forwardspeed 0-5.2 mph (0-8.4 km/h) reversespeed

CHASSIS

Standard rear weight bracket and optional front weight bracket each hold up to four 42-lb (19-kg) Quik-Tatch# weights Cast-iron front axle Replaceable metal spindle bushings 16x6.5-8 front turf tires 24x12-12 rear turf tires Storage under seat and covered toolbox Fender handles STEERING Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16-in. (40.6-cm) turning radius 48A - 23 in. (58 cm), 54A - 20 in. (51 cm) uncut circle radius SEAT 15-in. (38.1-cm) open back with grasp LIFT SYSTEM Foot pedal implement lift OPTIONAL MOWER DECKS Side discharge 48 in. (122 cm), 54 in. (137 cm) 10-gauge, 0.135-in. (3.4-mm)

stamped steel deck shell Mower wash port Four mower wheels and front center rollers MOWER ATTACHABILITY Mower wheels rotate 90 degrees for easy mower removal \*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

ATTACHMENT	SUGGESTED
CODE IDENTIFIED DECORIDATION	LIST PRICE
CODE IDENTIFIER DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

	BASE MACHINE	
	F.O.B. Janesville, Wisconsin	
5343M	Select Series X570 Tractor Less Mower Deck, California Model	5,099.00
	ATTACHMENTS FOR FIELD CONVERSION	
PM0510 <sup>2</sup>	Carts / Hitches: Ball Mount - 1.875 in. (48mm)	11.03
AM13584	Engine: Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
LP48004	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	221.00
LP48003	8 In. Front Thatcher (Extension)  Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
LP48005	Thatcher Mounting Frame (X300, X500 M-T)	207.00
BM21680	Material Collection System Hoppers:  14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	934.11

# Select Series X570 Tractor Less Mower Deck, California Model Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM21679	ATTACHMENTS FOR FIELD CONVERSION Continued 7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	BG20748	Material Collection System Power Flow Blowers: High-Performance Blower Assembly for 48A Mowers(X300/X500 M-T)	541.41
	BG20749	High-Performance Blower Assembly for 54A Mowers(X300/X500 M-T)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.)	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	69.56
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	193.67
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	BM23056	Bumper (X300s, X500, X530, X534)	66.34
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG265	Home Maintenance Kit	45.01
	AM136046	Seat Net Kit	34.38
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	BM26155	Snow Blower and Front Blade Compatibility Kit Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.	328.49
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM24994	54A MulchControl Kit	219.36
	M127673	Blade (48C/48X, Mulching)	18.68
	M145476	Blade (48C/48X, Side Discharge)	12.59

### Select Series X570 Tractor Less Mower Deck, California Model Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	M145516	ATTACHMENTS FOR FIELD CONVERSION Continued Blade (54C/54X, Mulching)	21.75
	M143520	Blade (54C/54X, Side Discharge)	16.27
	AM130907	Mower Deck Leveling Gauge	6.95
	LP35439	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
	LP22861	25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP63767	40-In. Tractor Shovel Availability expected February 2016.	In Catalog
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP64865	Electric Lift Kit (Model Year 2016-) For Snow Blower and Front Blade. Availability expected February 2016.	In Catalog
	LP63761	Grass Groomer (48A/54A) Availability expected January 2016.	119.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55439	X500 Series Weather Enclosure Availability expected January 2016.	In Catalog
	LP92624	Protection: Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
	TY24328	Seats / Wheels / Tires: Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
	AM145350	Snow Blowers: Winter Grill Cover Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.	98.68
	BM25404	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2016 (X570, X580, X584, and X590).	69.56

### Select Series X570 Tractor Less Mower Deck, California Model Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM25370	Weight Bracket, Front (X300/X500 M-T) Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), and X570.	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	381.99
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

#### Select Series X580 Tractor with 54 Accel Deep (54A) Mower Deck

**Equipment for Base Machine** 

ENGINE 24 hp\* (17.9 kW) 44.3-cu in. (726-cc) displacement Model FS730V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge ELECTRICAL SYSTEM 12-V (500-CCA) battery 15-amp regulated flywheel alternator 12-V outlet TRANSAXLE K72 hydrostatic transmission Twin Touch# pedals Cruise control Differential lock 0-7.2 mph (0-11.6 km/h) forwardspeed

CHASSIS Standard front and rear weight bracket each hold up to four 42-lb (19-kg) Quik-Tatch# weights Cast-iron front axle Replaceable metal spindle bushings 16x6.5-8 front turf tires 24x12-12 rear HDAP tires Storage under seat and covered toolbox Fender handles STEERING Power, two-wheel steer 14-in. (35.6-cm) steering wheel 22-in. (55.9-cm) turning radius 54A - 24 in. (61 cm) uncut circle radius SEAT 15-in. (38.1-cm) open back with grasp

LIFT SYSTEM

MOWER DECK

Hydraulic implement lift

Side discharge 54 in. (137 cm)

10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell Mower wash port Four mower wheels and front center rollers MOWER ATTACHABILITY Mower wheels rotate 90 degrees for easy mower removal \*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

0-5.2 mph (0-8.4 km/h) reverse

speed

001D

SUGGESTED LIST PRICE USD (\$)

Same Price

#### Select One Code From Each Required Category

#### BASE MACHINE

	1.O.B. Janesvitte, Wisconsin	
5350M	Select Series X580 Tractor with 54 Accel Deep (54A) Mower Deck Not Available for Sale in California.	7,299.00

# DESTINATION 001A United States and Canada In Base Price 001C Australia and New Zealand Same Price 0195 Mexico Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:

PM05101 Ball Mount - 1.875 in. (48mm) 11.03

Engine:

Other

AM135845 Spark Arrester Muffler Screen (X300s, X500 M-Ts) 48.95

FRONT MOUNTED THATCHERS:

Requires Mounting Frame.

LP48004 38 In. Front Thatcher (Center) 221.00

### Select Series X580 Tractor with 54 Accel Deep (54A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48003	ATTACHMENTS FOR FIELD CONVERSION Continued 8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP48005	Thatcher Mounting Frame (X300, X500 M-T)	207.00
	BM21680	Material Collection System Hoppers:  14 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	934.11
	BM21679	7 Bushel Hopper Assembly Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.	441.91
	AM135486	Loose knit bag for 7 bu. Hopper	41.70
	BG20749	Material Collection System Power Flow Blowers: High-Performance Blower Assembly for 54A Mowers(X300/X500 M-T)	541.41
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.)	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM17981	Miscellaneous: 12 Volt Work Light Kit	69.56
	BM24426	Arm Rest Kit For use with BM25346 21-in. Professional Seat.	193.67
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	128.40
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	LG265	Home Maintenance Kit	45.01
	AM136046	Seat Net Kit	34.38
	BM25346	Seat, 21-in. Professional 21-in. professional two-piece seat, four-bar suspension, and slide (base equipment on X700 Signature Series) is available as a field installed upgrade on model year 2006- X500 Multi-Terrain Tractors.	548.91
	BM26155	Snow Blower and Front Blade Compatibility Kit Updates a model year 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), or 48 Front Blade (6002M/SKU23048) for use on a model year 2016 X300/X500 M-T tractor.	328.49
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	BM24994	Mower Deck and Mower Deck Attachments: 54A MulchControl Kit	219.36
	M145516	Blade (54C/54X, Mulching)	21.75

### Select Series X580 Tractor with 54 Accel Deep (54A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	M143520	ATTACHMENTS FOR FIELD CONVERSION Continued Blade (54C/54X, Side Discharge)	16.27
	AM130907	Mower Deck Leveling Gauge	6.95
	LP35439	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	In Catalog
	LP22861	25-gal. Mounted Sprayer Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.	449.95
	LP63767	40-In. Tractor Shovel Availability expected February 2016.	In Catalog
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP63761	Grass Groomer (48A/54A) Availability expected January 2016.	119.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP22835	Integral Hitch, Power	399.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP55439	X500 Series Weather Enclosure Availability expected January 2016.	In Catalog
	LP92624	Protection: Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
	TY24328	Seats / Wheels / Tires: Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
	AM145350	<b>Snow Blowers:</b> Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	98.68
	BM25404	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2016 (X570, X580, X584, and X590).	69.56
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76

### Select Series X580 Tractor with 54 Accel Deep (54A) Mower Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17976	ATTACHMENTS FOR FIELD CONVERSION Continued 50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	381.99
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

#### Signature Series X710 Tractor Less Deck

**Equipment for Base Machine** 

ENGINE
22 hp\* (16.4 kW)
45.5-cu in. (745-cc)
displacement
Model FD671D

Liquid cooled, V-twin cylinder with cast-iron liners

FUEL SYSTEM Gasoline

Instrument display with hourmeter and fuel gauge

ELECTRICAL SYSTEM 12-V (300-CCA) battery 20-amp regulated flywheel alternator

12-V outlet

TRANSAXLE
K90 hydrostatic transmission
Twin Touch# pedals
Cruise control
Differential lock
0-8.5 mph (0-13.7 km/h) forward
speed

0-6 mph (0-9.7 km/h) reverse speed

CHASSIS Standard front weight bracket holds up to four 42-lb (19-kg)

Quik-Tatch# weights Cast-iron front axle Replaceable metal spindle bushings

18x8.50-8 front turf tires, 4PR 26x12-12 rear turf tires, 4PR Covered toolbox

STEERING

Fender handles

Power, two-wheel steer
14-in. (35.6-cm) six-position

tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 32-in. (81-cm), 60 HC - 28-in. (71-cm) uncut circle

radius

SEAT

21-in. (53.3-cm) two piece

professional high back

LIFT SYSTEM

Two-function, hydraulic implement lift

\*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

#### Signature Series X710 Tractor Less Deck

F.O.B. Janesville, Wisconsin

5801M Signature Series X710 Tractor Less Deck 8,759.00

Not Available for Sale in California.

#### **DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:

BM23989 Drawbar, 1.25 ln. (38mm) 38.51

Engine:

AM108146 Spark Arrester Screen for Muffler 25.48

FRONT MOUNTED THATCHERS:

LP48004 38 In. Front Thatcher (Center) 221.00

Requires Mounting Frame.

#### **Signature Series X710 Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48003	ATTACHMENTS FOR FIELD CONVERSION Continued 8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM24429	Fenders: Front Fender Kit (X710, X730, X750) Not compatible with 60HC mower deck.	157.29
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25304	Front PTO: 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	377.71
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	363.00
	BM25609	<b>Hydraulics:</b> Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	120.12
	BM20896	Hydraulic Retro Kit	28.89
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	630.23

#### **Signature Series X710 Tractor Less Deck**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM24333	ATTACHMENTS FOR FIELD CONVERSION Continued 54HC Power Flow for X700 Signature Series	630.23
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.)	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	BM24426	Arm Rest Kit	193.67
	BM21332	Attaching Parts for Deluxe High-Back Seat	149.80
	BM24425	Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.	399.11
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM21490	Deluxe High-Back Seat Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87
	BM20753	Front Light Kit	211.86
	LG245	Home Maintenance Kit	83.60
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46

### **Signature Series X710 Tractor Less Deck**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AM130907	ATTACHMENTS FOR FIELD CONVERSION Continued Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP63761	Grass Groomer (48A/54A) Availability expected January 2016.	119.95
	LP46468	Grass Groomer (54 HC/60 HC)  Availability expected January 2016.	119.95
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96

### **Signature Series X710 Tractor Less Deck**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM18089	ATTACHMENTS FOR FIELD CONVERSION Continued Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18369	Wheels and Tires Rear: 26X12.00-12 In. 4PR Bar Tires (Rear) Use with Two Wheel Steer Only.	640.93
	BM22425	26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

#### Signature Series X730 Tractor Less Deck

**Equipment for Base Machine** 

ENGINE 25.5 hp\* (19 kW) 45.5-cu in. (745-cc) displacement Model FD750D EFI

Liquid cooled, V-twin cylinder with cast-iron liners

FILEL SYSTEM

Gasoline

Instrument display with hourmeter and fuel gauge

ELECTRICAL SYSTEM 12-V (300-CCA) battery 20-amp regulated flywheel alternator 12-V outlet with switch

TRANSAXLE

K90 hydrostatic transmission Twin Touch# pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forward

speed

0-6 mph (0-9.7 km/h) reverse

speed

CHASSIS

Standard front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch# weights

Cast-iron front axle Replaceable metal spindle

bushings

18x8.50-8 front turf tires, 4PR 26x12-12 rear turf tires, 4PR Covered toolbox

Fender handles

STEERING

Power, two-wheel steer 14-in. (35.6-cm) six-position

tilt steering wheel

25-in. (63.5-cm) turning radius 54 HC - 32-in. (81-cm), 60 HC -28-in. (71-cm) uncut circle

radius

SEAT

21-in. (53.3-cm) two piece

professional high back

LIFT SYSTEM

Two-function, hydraulic implement lift and four hydraulic outlets

\*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

#### Signature Series X730 Tractors Less Deck

F.O.B. Janesville, Wisconsin

5811M Signature Series X730 Tractor Less Deck

Not Available for Sale in California.

9,439.00

#### DESTINATION

	DESTINATION	
001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:

BM23989 Drawbar, 1.25 In. (38mm) 38.51

AM108146 Spark Arrester Screen for Muffler 25.48

FRONT MOUNTED THATCHERS:

LP48004 38 In. Front Thatcher (Center) 221.00

Requires Mounting Frame.

### **Signature Series X730 Tractor Less Deck**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48003	ATTACHMENTS FOR FIELD CONVERSION Continued 8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM24429	Fenders: Front Fender Kit (X710, X730, X750) Not compatible with 60HC mower deck.	157.29
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25304	Front PTO: 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	377.71
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	363.00
	BM25609	<b>Hydraulics:</b> Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	120.12
	BM20896	Hydraulic Retro Kit	28.89
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	630.23

### **Signature Series X730 Tractor Less Deck**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM24333	ATTACHMENTS FOR FIELD CONVERSION Continued 54HC Power Flow for X700 Signature Series	630.23
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.)	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	BM24426	Arm Rest Kit	193.67
	BM21332	Attaching Parts for Deluxe High-Back Seat	149.80
	BM24425	Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.	399.11
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM21490	Deluxe High-Back Seat Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87
	BM20753	Front Light Kit	211.86
	LG244	Home Maintenance Kit	88.96
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46

### **Signature Series X730 Tractor Less Deck**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AM130907	ATTACHMENTS FOR FIELD CONVERSION Continued Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP63761	Grass Groomer (48A/54A) Availability expected January 2016.	119.95
	LP46468	Grass Groomer (54 HC/60 HC)  Availability expected January 2016.	119.95
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96

### **Signature Series X730 Tractor Less Deck**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM18089	ATTACHMENTS FOR FIELD CONVERSION Continued Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18369	Wheels and Tires Rear: 26X12.00-12 In. 4PR Bar Tires (Rear) Use with Two Wheel Steer Only.	640.93
	BM22425	26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

#### Signature Series X734 4-Wheel Steer Tractor Less Deck

**Equipment for Base Machine** 

ENGINE
25.5 hp\* (19 kW)
45.5-cu in. (745-cc)
displacement
Model FD750D EFI
Liquid cooled V-twin

Liquid cooled, V-twin cylinder with cast-iron liners

FUEL SYSTEM Gasoline

Instrument display with hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (300-CCA) battery
20-amp regulated flywheel
alternator
12-V outlet with switch

TRANSAXLE

TRANSALLE K90 hydrostatic transmission Twin Touch# pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forward speed 0-6 mph (0-9.7 km/h) reverse speed

CHASSIS

Standard front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch# weights Cast-iron front axle

Replaceable metal spindle bushings

18x7.00-8 front turf tires, 4PR 26x10.50-12 rear turf tires, 2PR Covered toolbox Fender handles

STEERING

Power, four-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel

25-in. (63.5-cm) turning radius 54 HC - 10-in. (25-cm), 60 HC -6-in. (15-cm) uncut circle

radius

SEAT

21-in. (53.3-cm) two piece

professional high back

LIFT SYSTEM

Two-function, hydraulic implement lift and four hydraulic outlets

\*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

#### Signature Series X734 Tractors Less Deck

F.O.B. Janesville, Wisconsin

5821M Signature Series X734 4-Wheel Steer Tractor Less Deck 10,449.00

Not Available for Sale in California.

#### **DESTINATION**

	DESTINATION	
001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:

BM23989 Drawbar, 1.25 In. (38mm) 38.51

Engine:

AM108146 Spark Arrester Screen for Muffler 25.48

FRONT MOUNTED THATCHERS:

LP48004 38 In. Front Thatcher (Center) 221.00

Requires Mounting Frame.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48003	ATTACHMENTS FOR FIELD CONVERSION Continued 8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25304	Front PTO: 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	377.71
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	363.00
	BM25609	<b>Hydraulics:</b> Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	BM20896	Hydraulic Retro Kit	28.89
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	630.23
	BM24333	54HC Power Flow for X700 Signature Series	630.23
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24

## Signature Series X734 4-Wheel Steer Tractor Less Deck Continued

**SUGGESTED ATTACHMENT** LIST PRICE USD (\$) CODE DESCRIPTION **IDENTIFIER** ATTACHMENTS FOR FIELD CONVERSION Continued... BM21681 Power Flow Chute (7 bu.) 115.56 BM20855 Power Flow Chute (MC519/C or X Series Blowers) 87.74 Miscellaneous: BM23588 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) 980.11 For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00. BM21914 540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) 990.81 For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module. BM24426 Arm Rest Kit 193.67 BM21332 Attaching Parts for Deluxe High-Back Seat 149.80 BM24425 Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, 399.11 X729, X475, X485, X575, X585) Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs. TY25866 Battery Charger and Maintainer 37.68 BM20714 Click-N-Go Bracket (X400/X500 HDGT's, X700's) 116.63 BM21490 Deluxe High-Back Seat 564.96 Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor. BM20880 Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749) 257.87 BM24375 Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758) 257.87 BM20753 Front Light Kit 211.86 LG244 Home Maintenance Kit 88.96 Mower Deck and Mower Deck Attachments: BM24993 48A MulchControl Kit 169.06 BM23977 54HC Mulch Kit 232.19 BM26300 54HC MulchControl Kit 235.40 BM23978 60HC Mulch Kit 242.89 60HC MulchControl Kit BM25258 251.46

6.95

399.00

AM130907

LP3301

Mower Deck Leveling Gauge

125 lb. Select Series Mounted Electric Broadcast Spreader

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP54000	ATTACHMENTS FOR FIELD CONVERSION Continued 54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LP63761	Grass Groomer (48A/54A) Availability expected January 2016.	119.95
	LP46468	Grass Groomer (54 HC/60 HC) Availability expected January 2016.	119.95
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY25326	Seats / Wheels / Tires: Tire Chains for 26x10.50-12 Turf Drive Tires For all Wheel Steer Tractors.	89.40
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	BM18094	Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

### Signature Series X734 4-Wheel Steer Tractor Less Deck

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20955	ATTACHMENTS FOR FIELD CONVERSION Continued Wheels and Tires Rear: 26x10.50-12 In. 2 PR Turf Tires (Rear) (4-Wheel Steer Only)	486.86

#### Signature Series X738 Full Time 4-Wheel Drive Tractor Less Deck

**Equipment for Base Machine** 

ENGINE 25.5 hp\* (19 kW) 45.5-cu in. (745-cc) displacement Model FD750D EFI

Liquid cooled, V-twin cylinder with cast-iron liners

FILEL SYSTEM Gasoline

Instrument display with hourmeter and fuel gauge

ELECTRICAL SYSTEM 12-V (300-CCA) battery 20-amp regulated flywheel alternator 12-V outlet with switch

TRANSAXLE Full-time four-wheel drive K90 hydrostatic transmission

Twin Touch# pedals Cruise control

Differential lock 0-8.5 mph (0-13.7 km/h) forward

speed 0-6 mph (0-9.7 km/h) reverse speed

CHASSIS

Standard front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch# weights

Cast-iron front axle

18x8.50-10 front HDAP tires, 4PR 26x12-12 rear HDAP tires, 2PR Covered toolbox Fender handles

STEERING

Power, two-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel

25-in. (63.5-cm) turning radius 54 HC - 32-in. (81-cm), 60 HC -28-in. (71-cm) uncut circle

radius

SEAT

21-in. (53.3-cm) two piece

professional high back

LIFT SYSTEM

Two-function, hydraulic implement lift and four hydraulic outlets

\*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

#### Signature Series X738 Tractor with HDAP Tires Less Deck

F.O.B. Janesville, Wisconsin

5831M Signature Series X738 Full Time 4-Wheel Drive Tractor Less Deck 11.059.00 Not Available for Sale in California.

#### **DESTINATION**

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:

BM23989 Drawbar, 1.25 In. (38mm) 38.51

AM108146 Spark Arrester Screen for Muffler 25.48

FRONT MOUNTED THATCHERS:

38 In. Front Thatcher (Center) LP48004 221.00 Requires Mounting Frame.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48003	ATTACHMENTS FOR FIELD CONVERSION Continued 8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM24430	Fenders: Front Fender Kit (X738, X739, X758)	157.29
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25305	Front PTO: 4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	377.71
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	363.00
	BM25609	<b>Hydraulics:</b> Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	120.12
	BM20896	Hydraulic Retro Kit	28.89
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	630.23
	BM24333	54HC Power Flow for X700 Signature Series	630.23

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BG20727	ATTACHMENTS FOR FIELD CONVERSION Continued 60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.)	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	BM24426	Arm Rest Kit	193.67
	BM21332	Attaching Parts for Deluxe High-Back Seat	149.80
	BM24425	Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.	399.11
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM21490	Deluxe High-Back Seat Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87
	BM20753	Front Light Kit	211.86
	LG244	Home Maintenance Kit	88.96
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP63761	Grass Groomer (48A/54A) Availability expected January 2016.	119.95
	LP46468	Grass Groomer (54 HC/60 HC)  Availability expected January 2016.	119.95
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1) Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1) Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	187.26
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM18101	ATTACHMENTS FOR FIELD CONVERSION Continued  Mounting Hardware (1) for Attaching 72 Lb. Starter  Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM21497	Wheel-Weight Adapter Ring (1) Two Required.	32.10
	BM20954	Wheels and Tires Front: 18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00
	BM20952	18x8.50-10 In. 4PR HDAP Tires	334.91
	BM18369	Wheels and Tires Rear: 26X12.00-12 In. 4PR Bar Tires (Rear) Use with Two Wheel Steer Only.	640.93
	BM22425	26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

### Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck

**Equipment for Base Machine** 

ENGINE 25.5 hp\* (19 kW) 45.5-cu in. (745-cc) displacement Model FD750D EFI

Liquid cooled, V-twin cylinder with cast-iron liners

FILEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge

ELECTRICAL SYSTEM 12-V (300-CCA) battery 20-amp regulated flywheel alternator 12-V outlet with switch

TRANSAXLE

hydrostatic transmission Twin Touch# pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forward

Full-time four-wheel drive K90

speed 0-6 mph (0-9.7 km/h) reverse speed

CHASSIS Standard front weight bracket

holds up to four 42-lb (19-kg) Quik-Tatch# weights Cast-iron front axle

18x8.50-10 front HDAP tires, 4PR 26x12-12 rear HDAP tires, 2PRCovered toolbox Fender handles

STEERING

Power, four-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 10-in. (25-cm), 60 HC - 6-in. (15-cm) uncut circle radius

SEAT

21-in. (53.3-cm) two piece

professional high back

LIFT SYSTEM Two-function, hydraulic implement lift and four hydraulic outlets

\*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

#### Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor **Less Deck**

F.O.B. Janesville, Wisconsin 5841M Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck 11,719.00 Not Available for Sale in California.

	DESTINATION	
001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price
0195	Mexico	Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:

BM23989 Drawbar, 1.25 In. (38mm) 38.51

AM108146 Spark Arrester Screen for Muffler 25.48

## Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48004	ATTACHMENTS FOR FIELD CONVERSION Continued FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	221.00
	LP48003	8 In. Front Thatcher (Extension)  Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM24430	Fenders: Front Fender Kit (X738, X739, X758)	157.29
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25305	Front PTO: 4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	377.71
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	363.00
	BM25609	Hydraulics: Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	120.12
	BM20896	Hydraulic Retro Kit	28.89
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00

**Material Collection System Power Flow Blowers:** 

## Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BG20859	ATTACHMENTS FOR FIELD CONVERSION Continued 48A High-Performance Power Flow for X700 Signature Series	630.23
	BM24333	54HC Power Flow for X700 Signature Series	630.23
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.)	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	BM24426	Arm Rest Kit	193.67
	BM21332	Attaching Parts for Deluxe High-Back Seat	149.80
	BM24425	Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.	399.11
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM21490	Deluxe High-Back Seat Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87
	BM20753	Front Light Kit	211.86
	LG244	Home Maintenance Kit	88.96
	BM22725	Wheel Spacer Kit For all Wheel Steer Tractors when Installing TY15956 Chains.	163.71
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19

## Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM26300	ATTACHMENTS FOR FIELD CONVERSION Continued 54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LP63761	Grass Groomer (48A/54A) Availability expected January 2016.	119.95
	LP46468	Grass Groomer (54 HC/60 HC)  Availability expected January 2016.	119.95
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires X739 requires BM22725 wheelspacer kit when installing chains.	97.67
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	<b>Weights:</b> 50 Lb. Cast Iron Wheel Weight (1) Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	133.76
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40

## Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM18094	ATTACHMENTS FOR FIELD CONVERSION Continued Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM21497	Wheel-Weight Adapter Ring (1) Two Required.	32.10
	BM20954	Wheels and Tires Front: 18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00
	BM20952	18x8.50-10 In. 4PR HDAP Tires	334.91
	BM22554	Wheels and Tires Rear: 26X12.0-12 In. 2PR HDAP Tires (Rear X729, X739, X749)	622.74

### Signature Series X750 Tractor Less Deck

**Equipment for Base Machine** 

ENGINE
24 hp\* (17.9 kW)
60.6-cu in. (993-cc)
displacement
Model 3TNM74F
Liquid cooled, 3-cylinder with
cast-iron liners

FUEL SYSTEM
Diesel
Instrument display with
hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (500-CCA) battery
40-amp regulated engine-mounted alternator
12-V outlet with switch

TRANSAXLE
K90 hydrostatic transmission
Twin Touch# pedals
Cruise control

AR87167

Differential lock 0-8.5 mph (0-13.7 km/h) forward speed 0-6 mph (0-9.7 km/h) reverse speed

CHASSIS
Standard front weight bracket
holds up to four 42-lb (19-kg)
Quik-Tatch# weights
Cast-iron front axle
Replaceable metal spindle
bushings
18x8.50-8 front turf tires, 4PR
26x12-12 rear turf tires, 4PR

STEERING
Power, two-wheel steer
14-in. (35.6-cm) six-position
tilt steering wheel
25-in. (63.5-cm) turning radius

54 HC - 32-in. (81-cm), 60 HC - 28-in. (71-cm) uncut circle radius

80.90

SEAT 21-in. (53.3-cm) two piece professional high back

LIFT SYSTEM
Two-function, hydraulic
implement lift and four
hydraulic outlets

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

#### Signature Series X750 Tractor Less Deck

F.O.B. Janesville, Wisconsin

Covered toolbox Fender handles

5851M	Signature Series X750 Tractor Less Deck	10,659.00
	DESTINATION	
001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price
0195	Mexico	Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

BM23989	Carts / Hitches: Drawbar, 1.25 In. (38mm)	38.51
	Engine:	

AM134805 Engine Block Heater Adapter 70.66

MIA881629 Engine Block Heater Adapter 36.08

Engine Coolant Heater (110 Volt)

X740 (serial -060000), X744 (serial -060000), and X748 (serial -060000) require

AM134805 Engine Block Heater Adapter.

X740 (serial 060001-), X744 (serial 060001-), X748 (serial 060001-), X750, X754, and

Y758 require MIA881629 Engine Block Heater Adapter. (2) 10M7868 Boltz and (1)

X740 (serial 000001-), X744 (serial 000001-), X748 (serial 000001-), X750, X754, and X758 require MIA881629 Engine Block Heater Adapter, (2) 19M7868 Bolts and (1) M87940 Spacer.

# Signature Series X750 Tractor Less Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AM108146	ATTACHMENTS FOR FIELD CONVERSION Continued Spark Arrester Screen for Muffler	25.48
	LP48004	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	221.00
	LP48003	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM24429	Fenders: Front Fender Kit (X710, X730, X750) Not compatible with 60HC mower deck.	157.29
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25304	Front PTO: 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	377.71
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	363.00
	BM25609	<b>Hydraulics:</b> Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	120.12
	BM20896	Hydraulic Retro Kit	28.89
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34

### **Signature Series X750 Tractor Less Deck**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP49228	ATTACHMENTS FOR FIELD CONVERSION Continued  MC519 Material Collection System  Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	630.23
	BM24333	54HC Power Flow for X700 Signature Series	630.23
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.)	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	LVB25015	55 Amp Alternator Replaces standard 40 amp alternator on X750, X754, and X758 Tractors. Model year 2013-2015 tractors (serial 010001-040000) also require BM25347 55 Amp Alternator Harness Kit.	313.50
	BM25347	55 Amp Alternator Harness Kit	48.16
	BM20990	Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) Replaces standard 20 Amp Alternator on X495, X595, and model year 2006 (serial 010001-020000) X740, X744, and X748 Tractors. Standard equipment model year 2007-(serial 020001-). Recommended with Heated Cab.	499.69
	BM24426	Arm Rest Kit	193.67
	BM21332	Attaching Parts for Deluxe High-Back Seat	149.80
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM21490	Deluxe High-Back Seat Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87

# Signature Series X750 Tractor Less Deck Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20753	ATTACHMENTS FOR FIELD CONVERSION Continued Front Light Kit	211.86
	LG260	Home Maintenance Kit	75.51
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP63761	Grass Groomer (48A/54A) Availability expected January 2016.	119.95
	LP46468	Grass Groomer (54 HC/60 HC)  Availability expected January 2016.	119.95
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41

### **Signature Series X750 Tractor Less Deck**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17973	ATTACHMENTS FOR FIELD CONVERSION Continued 72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18369	Wheels and Tires Rear: 26X12.00-12 In. 4PR Bar Tires (Rear) Use with Two Wheel Steer Only.	640.93
	BM22425	26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

#### Signature Series X754 4-Wheel Steer Tractor Less Deck

**Equipment for Base Machine** 

ENGINE
24 hp\* (17.9 kW)
60.6-cu in. (993-cc)
displacement
Model 3TNM74F
Liquid cooled, 3-cylinder with
cast-iron liners

FUEL SYSTEM Diesel Instrument display with hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (500-CCA) battery
40-amp regulated engine-mounted
alternator
12-V outlet with switch

TRANSAXLE K90 hydrostatic transmission Twin Touch# pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forward speed 0-6 mph (0-9.7 km/h) reverse speed

CHASSIS
Standard front weight bracket
holds up to four 42-lb (19-kg)
Quik-Tatch# weights
Cast-iron front axle
Replaceable metal spindle
bushings
18x7.00-8 front turf tires, 4PR

26x10.50-12 rear turf tires, 2PR

Covered toolbox Fender handles

STEERING Power, four-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 10-in. (25-cm), 60 HC - 6-in. (15-cm) uncut circle radius

SEAT

21-in. (53.3-cm) two piece professional high back

LIFT SYSTEM Two-function, hydraulic implement lift and four hydraulic outlets

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

#### Signature Series X754 4-Wheel Steer Tractor Less Deck F.O.B. Janesville, Wisconsin Signature Series X754 4-Wheel Steer Tractor Less Deck 5861M 11,669.00 **DESTINATION** 001A United States and Canada In Base Price 001C Australia and New Zealand Same Price 001D Other Same Price ATTACHMENTS FOR FIELD CONVERSION Carts / Hitches: BM23989 Drawbar, 1.25 In. (38mm) 38.51 AM134805 Engine Block Heater Adapter 70.66 MIA881629 Engine Block Heater Adapter 36.08 AR87167 Engine Coolant Heater (110 Volt) 80.90 X740 (serial -060000), X744 (serial -060000), and X748 (serial -060000) require AM134805 Engine Block Heater Adapter. X740 (serial 060001-), X744 (serial 060001-), X748 (serial 060001-), X750, X754, and X758 require MIA881629 Engine Block Heater Adapter, (2) 19M7868 Bolts and (1) M87940 Spacer. AM108146 Spark Arrester Screen for Muffler 25.48

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP48004	ATTACHMENTS FOR FIELD CONVERSION Continued FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	221.00
	LP48003	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25304	Front PTO: 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	377.71
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	363.00
	BM25609	<b>Hydraulics:</b> Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	120.12
	BM20896	Hydraulic Retro Kit	28.89
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34
	LP49228	MC519 Material Collection System Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	630.23

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM24333	ATTACHMENTS FOR FIELD CONVERSION Continued 54HC Power Flow for X700 Signature Series	630.23
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.)	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	LVB25015	55 Amp Alternator Replaces standard 40 amp alternator on X750, X754, and X758 Tractors. Model year 2013-2015 tractors (serial 010001-040000) also require BM25347 55 Amp Alternator Harness Kit.	313.50
	BM25347	55 Amp Alternator Harness Kit	48.16
	BM20990	Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) Replaces standard 20 Amp Alternator on X495, X595, and model year 2006 (serial 010001-020000) X740, X744, and X748 Tractors. Standard equipment model year 2007-(serial 020001-). Recommended with Heated Cab.	499.69
	BM24426	Arm Rest Kit	193.67
	BM21332	Attaching Parts for Deluxe High-Back Seat	149.80
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM21490	Deluxe High-Back Seat Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87
	BM20753	Front Light Kit	211.86
	LG260	Home Maintenance Kit	75.51
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM23977	ATTACHMENTS FOR FIELD CONVERSION Continued 54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP63761	Grass Groomer (48A/54A) Availability expected January 2016.	119.95
	LP46468	Grass Groomer (54 HC/60 HC) Availability expected January 2016.	119.95
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY25326	Seats / Wheels / Tires: Tire Chains for 26x10.50-12 Turf Drive Tires For all Wheel Steer Tractors.	89.40
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17977	ATTACHMENTS FOR FIELD CONVERSION Continued  Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	BM18094	Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM20955	Wheels and Tires Rear: 26x10.50-12 In. 2 PR Turf Tires (Rear) (4-Wheel Steer Only)	486.86

#### Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck

**Equipment for Base Machine** 

ENGINE 24 hp\* (17.9 kW) 60.6-cu in. (993-cc) displacement Model 3TNM74F Liquid cooled, 3-cylinder with

cast-iron liners

Diesel Instrument display with hourmeter and fuel gauge

FILEL SYSTEM

ELECTRICAL SYSTEM 12-V (500-CCA) battery 40-amp regulated engine-mounted alternator 12-V outlet with switch

TRANSAXLE Full-time four-wheel drive K90

hydrostatic transmission

AM134805

Twin Touch# pedals

Cruise control Differential lock

0-8.5 mph (0-13.7 km/h) forwardspeed

0-6 mph (0-9.7 km/h) reverse speed

CHASSIS

Standard front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch# weights

Cast-iron front axle

18x8.50-10 front HDAP tires, 4PR 26x12-12 rear HDAP tires, 2PR Covered toolbox

Fender handles

STEERING

Power, two-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 32-in. (81-cm), 60 HC - 28-in. (71-cm) uncut circle radius

70.66

80.90

SEAT 21-in. (53.3-cm) two piece professional high back

LIFT SYSTEM

Two-function, hydraulic implement lift and four hydraulic outlets

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

#### Select One Code From Each Required Category

#### Signature Series X758 Full Time 4-Wheel Drive Tractor Less **Deck**

5871M	Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck	12,279.00
	DESTINATION	
001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches: BM23989 Drawbar, 1.25 In. (38mm) 38.51

MIA881629 Engine Block Heater Adapter

Engine Block Heater Adapter

F.O.B. Janesville, Wisconsin

36.08

AR87167 Engine Coolant Heater (110 Volt) X740 (serial -060000), X744 (serial -060000), and X748 (serial -060000) require

AM134805 Engine Block Heater Adapter.

X740 (serial 060001-), X744 (serial 060001-), X748 (serial 060001-), X750, X754, and X758 require MIA881629 Engine Block Heater Adapter, (2) 19M7868 Bolts and (1)

M87940 Spacer.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AM108146	ATTACHMENTS FOR FIELD CONVERSION Continued Spark Arrester Screen for Muffler	25.48
	LP48004	FRONT MOUNTED THATCHERS: 38 In. Front Thatcher (Center) Requires Mounting Frame.	221.00
	LP48003	8 In. Front Thatcher (Extension) Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width.	50.00
	LP47977	Thatcher Mounting Frame (X700)	215.00
	BM24430	Fenders: Front Fender Kit (X738, X739, X758)	157.29
	BM26236	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM25305	Front PTO: 4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	377.71
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.	83.46
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.54
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	363.00
	BM25609	<b>Hydraulics:</b> Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit Required on X700, X710, X465, X475 and 425 Tractors.	56.71
	AM134625	Hydraulic Cylinder Lockout Valve	120.12
	BM20896	Hydraulic Retro Kit	28.89
	BM20671	Material Collection System Hoppers: 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	952.30
	BM20780	7 Bushel Hopper Assembly Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.	494.34

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LP49228	ATTACHMENTS FOR FIELD CONVERSION Continued  MC519 Material Collection System  Requires Power Flow Blower Assembly and Power Flow Chute. X400/X500 HDGT and X700 Tractors require LP52039 Adapter kit. See Sales Manual for Requirements for Additional Applications. See Sales Manual for Ballast Requirements.	979.00
	BG20859	Material Collection System Power Flow Blowers: 48A High-Performance Power Flow for X700 Signature Series	630.23
	BM24333	54HC Power Flow for X700 Signature Series	630.23
	BG20727	60HC Power Flow for X700 Signature Series	674.10
	BM21682	Material Collection System Power Flow/Rear Bagger Chutes: Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.)	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive ( X700's Starting June 2010 production and beyond-) For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.	990.81
	LVB25015	55 Amp Alternator Replaces standard 40 amp alternator on X750, X754, and X758 Tractors. Model year 2013-2015 tractors (serial 010001-040000) also require BM25347 55 Amp Alternator Harness Kit.	313.50
	BM25347	55 Amp Alternator Harness Kit	48.16
	BM20990	Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) Replaces standard 20 Amp Alternator on X495, X595, and model year 2006 (serial 010001-020000) X740, X744, and X748 Tractors. Standard equipment model year 2007-(serial 020001-). Recommended with Heated Cab.	499.69
	BM24426	Arm Rest Kit	193.67
	BM21332	Attaching Parts for Deluxe High-Back Seat	149.80
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	BM21490	Deluxe High-Back Seat Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	257.87
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	257.87

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM20753	ATTACHMENTS FOR FIELD CONVERSION Continued Front Light Kit	211.86
	LG260	Home Maintenance Kit	75.51
	BM24993	Mower Deck and Mower Deck Attachments: 48A MulchControl Kit	169.06
	BM23977	54HC Mulch Kit	232.19
	BM26300	54HC MulchControl Kit	235.40
	BM23978	60HC Mulch Kit	242.89
	BM25258	60HC MulchControl Kit	251.46
	AM130907	Mower Deck Leveling Gauge	6.95
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP63761	Grass Groomer (48A/54A) Availability expected January 2016.	119.95
	LP46468	Grass Groomer (54 HC/60 HC)  Availability expected January 2016.	119.95
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) Requires separate material collection system.	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) Requires separate material collection system.	499.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
	TY15958	Seats / Wheels / Tires: Tire Chains (Pair) for 26x12-12 Tires	97.67
	BM25303	Spanish North American Kit: Spanish Label & Owner's Manual Kit For Model Year 2015.	141.24
	BM25307	Spanish Label & Owner's Manual Kit For Model Year 2016.	80.26
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1) Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	133.76

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BM17976	ATTACHMENTS FOR FIELD CONVERSION Continued 50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1) Special Edition Tractors (Model Year -2012) and 4-Wheel Drive Signature Series Tractors (X738, X739, and X758) Require a Wheel-Weight Adapter Ring for Each Wheel.	187.26
	BM24363	9-Weight Front Weight Bracket For X400/X500 HDGT's, X700's	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) Requires BM20714 Click-N-Go Bracket.	159.43
	BM21497	Wheel-Weight Adapter Ring (1) Two Required.	32.10
	BM20954	Wheels and Tires Front: 18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00
	BM20952	18x8.50-10 In. 4PR HDAP Tires	334.91
	BM18369	Wheels and Tires Rear: 26X12.00-12 In. 4PR Bar Tires (Rear) Use with Two Wheel Steer Only.	640.93
	BM22425	26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

#### **Current Attachments for Non-Current G110 Garden Tractors**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Miscellaneous:	
	BG20020	46 In. (117 cm) Blade (100 Series and S200 Series) Requires Rear Ballast and Tire Chains.	339.19
	BG20260	Sun Canopy Fits all 100 Series Tractors.	99.00
	BG20304	Mower Deck and Mower Deck Attachments: 54 In. Mulch Kit Fits G110, 190C.	226.84
	R66949	Weights: Quik-Tatch Weight, 42 Lb. Two Required.	59.91
	BG20029	Quik-Tatch Weight, 42 Lb. (Boxed) Two Required.	64.20

### **Current Attachments for Non-Current GT Garden Tractors (GT235 and GT245)**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	BM17981	Miscellaneous: 12 Volt Work Light Kit	69.56
	BM21289	Halogen Headlight Kit	58.86
	SKU21354	Mower Deck and Mower Deck Attachments: 48 In. Convertible Mower (48C)	1,080.00
	SKU21394	54 In. Convertible Mower (54C)	1,320.00
	BM19894	Leaf Bagging Kit (48C/48X Mower)  Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	102.71
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM19511	Front Weight Bracket/Bumper For GT225, GT235E, GT245 and GX255 Tractors. French Canada Dealers must order M139913, Warning Decal.	138.03
	BM17985	Mounting Hardware (1) for Attaching One Wheel Weight	12.84
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear) Not for Use on 2003 and Prior Model Year Tractors	339.19

#### **Current Attachments for Non-Current GX255 Garden Tractors**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous:	
	BM17981	12 Volt Work Light Kit	69.56
	BM21289	Halogen Headlight Kit	58.86
		Mower Deck and Mower Deck Attachments:	
	SKU21354	48 In. Convertible Mower (48C)	1,080.00
	SKU21394	54 In. Convertible Mower (54C)	1,320.00
	BM19894	Leaf Bagging Kit (48C/48X Mower)  Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.	102.71
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM19511	Front Weight Bracket/Bumper For GT225, GT235, GT235E, GT245 and GX255 Tractors. French Canada Dealers must order M139913, Warning Decal.	138.03
	BM17985	Mounting Hardware (1) for Attaching One Wheel Weight	12.84
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) For Use on Steered Wheel.	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear) Not for Use on 2003 and Prior Model Year Tractors	339.19

## Current Attachments for Non-Current GX Garden Tractors (GX335, GX345 and GX355)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	BM17981	Miscellaneous: 12 Volt Work Light Kit	69.56
	BM21289	Halogen Headlight Kit	58.86
		Mower Deck and Mower Deck Attachments:  The appropriate front draft arm assembly will be included with tractors shipped "Less Mower", but NOT with the following mowers. Order as PARTS if needed.	
		(GX355): The 48C and 54C In. Mower shipped with GX355's have heavier duty parts. If swapping a mower from a gas tractor or using a cartoned mower on a GX355, order the following from Parts: M143019 Primary Belt and AM130728 Belt Tension Assembly.	
	SKU21354	48 In. Convertible Mower (48C)	1,080.00
	SKU21394	54 In. Convertible Mower (54C)	1,320.00
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17985	Mounting Hardware (1) for Attaching One Wheel Weight	12.84
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 ln., 24 ln. or 26 ln. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb. Two Required.	59.91
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	365.94
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear) Not for Use on 2003 and Prior Model Year Tractors	339.19