Planting & Seeding

BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator Equipment for Base Machine

Number of Openers: 13 Available Row Spacings: 7.5 In. Working Width: 8 Ft. 1 In. Transport Width: 10 Ft. Opener Type: 13 In. Double Disk / Staggered Pattern Seedboot Types: Cast Aluminum or Cast Iron Opener Downpressure: 124 lbs. Maximum Metering: Fluted Feed Transport Ground Clearance: 5.5 In. Weight with Plain Box (7.5 In. Spacing): 1,330 lb. Weight with Combo Box (7.5 In. Spacing): 1,475 lb. Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement Box Capacity (Plain Box): 2.8 Bushel/Ft. - 22.4 Bushel Box Capacity (Combo Box): 3.4 Bushel/Ft. 40 Percent Grain: 10.8 Bushel 60 Percent Grain: 14.6 Bushel 100 Percent Grain: 22.1 Bushel Box Capacity (Grass Seed): 1.5 Bushel Acremeter: Standard Assembly/Set-Up Time: 3 Man-Hours for Base Machine, 1 Additional Hour for Grass Seed Attachment Warranty: 1 Year Parts and Labor

	ATTACHMENT		
CODE	IDENTIFIER	DESCRIPTION	

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

	BASE MACHINE	
3001XF	BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator	13,313.00
	ΒΟΧ ΤΥΡΕ	
1000	Plain Grain	In Base Price
1010	Combination Grain/Fertilizer	4,026.00
	OPENER TYPE	
2035	Double Disk Aluminum Boot	In Base Price
2045	Double Disk Cast Iron Boot	1,023.00
	TIRES	
3100	7.50 x 20 Farm Implement	In Base Price
3105	7.50 x 20 Double Rib	-100.00
	SPECIAL EQUIPMENT - FACTORY INSTALLED	
8003	Grass Seed Box	1,402.00
8010	Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.	680.00

ATTACHMENTS - ORDER AS DESIRED

Planting & Seeding

BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9005		ATTACHMENTS - ORDER AS DESIREDContinued Cover Chains	68.00
9009		1 x 12 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	545.00
9010		2 x 13 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	586.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	903.00
9040		Double Disk Outside Scrapers Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.	268.00
9050		Outside Scraper Conversion Parts, 26 Pair Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.	132.00
9060		Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	3,426.00
9200		French Operators Manual and Decals (BD11 Drills)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	5YTBN160419	Miscellaneous: Cover Chains, Quantity 10	38.99
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 Must also order desired press wheels and footboard extension brackets.	62.03
	5YTBN211069	Double Disk Opener Assembly with Long Aluminum Boot	231.10
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	313.71
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	223.17
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	305.78
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair Must also order conversion parts if used in combination with depth gauging press wheels.	126.21

Planting & Seeding

BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5YTBN210945	ATTACHMENTS FOR FIELD CONVERSIONContinued Footboard Extension Brackets Order 1 for each machine to be equipped with depth gauging press wheels.	39.41
	5YT7015199	French Operators Manual and Decals (BD11 Drills)	223.69
	5YTBN906606	Grass Seed Attachment for 13 Openers For 13 opener, 7.5 In. spacing configuration.	1,483.92
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair Required on drill with depth gauging press wheels AND outside scrapers.	143.89
	5YTBN210047	Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	273.40

Planting & Seeding

BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator Continued

Planting & Seeding

BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator Equipment for Base Machine

Number of Openers: 21 Row Spacing: 6 In. Working Width: 10 Ft. 6 In. Transport Width: 12 Ft. 6 In. Opener Type: 13 In. Double Disk / Staggered Pattern Seedboot Types: Cast Aluminum or Cast Iron Opener Downpressure: 124 lbs. Maximum Metering: Fluted Feed Transport Ground Clearance: 5.5 In. Weight with Plain Box (7.5 In. Spacing): 1,600 lb. Weight with Combo Box (7.5 In. Spacing): 1,800 lb. Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement

Box Capacity (Plain Box): 2.8 Bushel/Ft. - 28 Bushel Box Capacity (Combo Box): 3.4 Bushel/Ft. 40 Percent Grain: 13.5 Bushel 60 Percent Grain: 18.2 Bushel 100 Percent Grain: 27.6 Bushel Box Capacity (Grass Seed): 1.5 Bushel Acremeter: Standard Assembly/Set-Up Time: 3 Man-Hours for Base Machine, 1 Additional Hour for Grass Seed Attachment Warranty: 1 Year Parts and Labor

ATTACHMENT CODE IDENTIFIER DESCRIPTION SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

	BASE MACHINE	
3002XF	BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator	15,226.00
	BOX TYPE	
1000	Plain Grain	In Base Price
1010	Combination Grain/Fertilizer	4,524.00
	OPENER TYPE	
2035	Double Disk Aluminum Boot	In Base Price
2045	Double Disk Cast Iron Boot	1,653.00
	TIRES	
3100	7.50 x 20 Farm Implement	In Base Price
3105	7.50 x 20 Double Rib	-100.00
	SPECIAL EQUIPMENT - FACTORY INSTALLED	
8003	Grass Seed Box	2,483.00
8010	Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.	1,078.00
	ATTACHMENTS - ORDER AS DESIRED	
9005	Cover Chains	103.00

Planting & Seeding

BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9009		1 x 12 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	880.00
9010		2 x 13 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	946.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	1,459.00
9040		Double Disk Outside Scrapers Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.	403.00
9050		Outside Scraper Conversion Parts, 26 Pair Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.	132.00
9060		Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	5,746.00
9200		French Operators Manual and Decals (BD11 Drills)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	5YTBN160419	Miscellaneous: Cover Chains, Quantity 10	38.99
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 Must also order desired press wheels and footboard extension brackets.	62.03
	5YTBN211069	Double Disk Opener Assembly with Long Aluminum Boot	231.10
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	313.71
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	223.17
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	305.78
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair Must also order conversion parts if used in combination with depth gauging press wheels.	126.21
	5YTBN210945	Footboard Extension Brackets Order 1 for each machine to be equipped with depth gauging press wheels.	39.41

Planting & Seeding

BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5YT7015199	ATTACHMENTS FOR FIELD CONVERSIONContinued French Operators Manual and Decals (BD11 Drills)	223.69
	5YTBN907037	Grass Seed Attachment for 21 Openers For 21 opener, 6 In. spacing configuration.	2,487.24
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair Required on drill with depth gauging press wheels AND outside scrapers.	143.89
	5YTBN210047	Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	273.40

Planting & Seeding

BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator Continued

Planting & Seeding

BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator Equipment for Base Machine

Number of Openers: 17 Available Row Spacings: 7.5 In. Working Width: 10 Ft. 7 In. Transport Width: 12 Ft. 6 In. Opener Type: 13 In. Double Disk / Staggered Pattern Seedboot Types: Cast Aluminum or Cast Iron Opener Downpressure: 124 lbs. Maximum Metering: Fluted Feed Transport Ground Clearance: 5.5 In. Weight with Plain Box (7.5 In. Spacing): 1,600 lb. Weight with Combo Box (7.5 In. Spacing): 1,800 lb. Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement Box Capacity (Plain Box): 2.8 Bushel/Ft. - 28 Bushel Box Capacity (Combo Box): 3.4 Bushel/Ft. 40 Percent Grain: 13.5 Bushel 60 Percent Grain: 18.2 Bushel 100 Percent Grain: 27.6 Bushel Box Capacity (Grass Seed): 1.5 Bushel Acremeter: Standard Assembly/Set-Up Time: 3 Man-Hours for Base Machine, 1 Additional Hour for Grass Seed Attachment Warranty: 1 Year Parts and Labor

ATTACHMENT CODE IDENTIFIER DESCRIPTION SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

	BASE MACHINE	
3004XF	BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator	14,447.00
	BOX TYPE	
1000	Plain Grain	In Base Price
1010	Combination Grain/Fertilizer	4,517.00
	OPENER TYPE	
2035	Double Disk Aluminum Boot	In Base Price
2045	Double Disk Cast Iron Boot	1,339.00
	TIRES	
3100	7.50 x 20 Farm Implement	In Base Price
3105	7.50 x 20 Double Rib	-100.00
	SPECIAL EQUIPMENT - FACTORY INSTALLED	
8003	Grass Seed Box	2,391.00
8010	Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.	879.00
	ATTACHMENTS - ORDER AS DESIRED	
9005	Cover Chains	68.00

Planting & Seeding

BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9009		1 x 12 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	713.00
9010		2 x 13 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	766.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	1,181.00
9040		Double Disk Outside Scrapers Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.	268.00
9050		Outside Scraper Conversion Parts, 26 Pair Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.	132.00
9060		Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	4,652.00
9200		French Operators Manual and Decals (BD11 Drills)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	5YTBN160419	Miscellaneous: Cover Chains, Quantity 10	38.99
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 Must also order desired press wheels and footboard extension brackets.	62.03
	5YTBN211069	Double Disk Opener Assembly with Long Aluminum Boot	231.10
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	313.71
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	223.17
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	305.78
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair Must also order conversion parts if used in combination with depth gauging press wheels.	126.21
	5YTBN210945	Footboard Extension Brackets Order 1 for each machine to be equipped with depth gauging press wheels.	39.41

Planting & Seeding

BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5YT7015199	ATTACHMENTS FOR FIELD CONVERSIONContinued French Operators Manual and Decals (BD11 Drills)	223.69
	5YTBN906607	Grass Seed Attachment for 17 Openers For 17 opener, 7.5 In. spacing configuration.	2,409.48
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair Required on drill with depth gauging press wheels AND outside scrapers.	143.89
	5YTBN210047	Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	273.40

Planting & Seeding

BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator Continued

Planting & Seeding

BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator Equipment for Base Machine

Number of Openers: 26 Available Row Spacings: 6 In. Working Width: 13 Ft. Transport Width: 15 Ft. 1 In. Opener Type: 13 In. Double Disk / Staggered Pattern Seedboot Types: Cast Aluminum or Cast Iron Opener Downpressure: 124 lbs. Maximum Metering: Fluted Feed Transport Ground Clearance: 5.5 In. Weight with Plain Box (7.5 In. Spacing): 2,225 lb. Weight with Combo Box (7.5 In. Spacing): 2,435 lb. Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement

Box Capacity (Plain Box): 2.8 Bushel/Ft. - 36.4 Bushel Box Capacity (Combo Box): 3.4 Bushel/Ft. 40 Percent Grain: 17.5 Bushel 60 Percent Grain: 23.6 Bushel 100 Percent Grain: 35.9 Bushel Box Capacity (Grass Seed): 1.7 Bushel Acremeter: Standard Assembly/Set-Up Time: 3 Man-Hours for Base Machine, 1 Additional Hour for Grass Seed Attachment Warranty: 1 Year Parts and Labor

ATTACHMENT CODE IDENTIFIER DESCRIPTION SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

	BASE MACHINE	
3003XF	BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator	17,758.00
	ΒΟΧ ΤΥΡΕ	
1000	Plain Grain	In Base Price
1010	Combination Grain/Fertilizer	4,877.00
	OPENER TYPE	
2035	Double Disk Aluminum Boot	In Base Price
2045	Double Disk Cast Iron Boot	2,047.00
	TIRES	
3100	7.50 x 20 Farm Implement	In Base Price
3105	7.50 x 20 Double Rib	-100.00
	SPECIAL EQUIPMENT - FACTORY INSTALLED	
8003	Grass Seed Box	2,603.00
8010	Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.	1,327.00
	ATTACHMENTS - ORDER AS DESIRED	
9005	Cover Chains	103.00

Planting & Seeding

BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9009		1 x 12 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	1,090.00
9010		2 x 13 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	1,172.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	1,807.00
9040		Double Disk Outside Scrapers Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.	403.00
9050		Outside Scraper Conversion Parts, 26 Pair Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.	132.00
9060		Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	7,115.00
9200		French Operators Manual and Decals (BD11 Drills)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	5YTBN160419	Miscellaneous: Cover Chains, Quantity 10	38.99
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 Must also order desired press wheels and footboard extension brackets.	62.03
	5YTBN211069	Double Disk Opener Assembly with Long Aluminum Boot	231.10
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	313.71
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	223.17
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	305.78
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair Must also order conversion parts if used in combination with depth gauging press wheels.	126.21
	5YTBN210945	Footboard Extension Brackets Order 1 for each machine to be equipped with depth gauging press wheels.	39.41

Planting & Seeding

BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5YT7015199	ATTACHMENTS FOR FIELD CONVERSIONContinued French Operators Manual and Decals (BD11 Drills)	223.69
	5YTBN906612	Grass Seed Attachment for 26 Openers For 26 opener, 6 In. spacing configuration.	2,778.84
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair Required on drill with depth gauging press wheels AND outside scrapers.	143.89
	5YTBN210047	Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	273.40

Planting & Seeding

BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator Continued

Planting & Seeding

BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator Equipment for Base Machine

Number of Openers: 21 Available Row Spacings: 7.5 In. Working Width: 13 Ft. 1 In. Transport Width: 15 Ft. 1 In. Opener Type: 13 In. Double Disk / Staggered Pattern Seedboot Types: Cast Aluminum or Cast Iron Opener Downpressure: 124 lbs. Maximum Metering: Fluted Feed Transport Ground Clearance: 5.5 In. Weight with Plain Box (7.5 In. Spacing): 2,225 lb. Weight with Combo Box (7.5 In. Spacing): 2,435 lb. Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement Box Capacity (Plain Box): 2.8 Bushel/Ft. - 36.4 Bushel Box Capacity (Combo Box): 3.4 Bushel/Ft. 40 Percent Grain: 17.5 Bushel 60 Percent Grain: 23.6 Bushel 100 Percent Grain: 35.9 Bushel Box Capacity (Grass Seed): 1.7 Bushel Acremeter: Standard Assembly/Set-Up Time: 3 Man-Hours for Base Machine, 1 Additional Hour for Grass Seed Attachment Warranty: 1 Year Parts and Labor

ATTACHMENT CODE IDENTIFIER DESCRIPTION SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

	BASE MACHINE	
3005XF	BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator	16,207.00
	BOX TYPE	
1000	Plain Grain	In Base Price
1010	Combination Grain/Fertilizer	4,868.00
	OPENER TYPE	
2035	Double Disk Aluminum Boot	In Base Price
2045	Double Disk Cast Iron Boot	1,653.00
	TIRES	
3100	7.50 x 20 Farm Implement	In Base Price
3105	7.50 x 20 Double Rib	-100.00
	SPECIAL EQUIPMENT - FACTORY INSTALLED	
8003	Grass Seed Box	2,501.00
8010	Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.	1,078.00
	ATTACHMENTS - ORDER AS DESIRED	
9005	Cover Chains	103.00

Planting & Seeding

BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9009		1 x 12 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	880.00
9010		2 x 13 Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	946.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.	1,459.00
9040		Double Disk Outside Scrapers Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.	403.00
9050		Outside Scraper Conversion Parts, 26 Pair Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.	132.00
9060		Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	5,746.00
9200		French Operators Manual and Decals (BD11 Drills)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	5YTBN160419	Miscellaneous: Cover Chains, Quantity 10	38.99
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 Must also order desired press wheels and footboard extension brackets.	62.03
	5YTBN211069	Double Disk Opener Assembly with Long Aluminum Boot	231.10
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	313.71
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	223.17
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	305.78
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair Must also order conversion parts if used in combination with depth gauging press wheels.	126.21
	5YTBN210945	Footboard Extension Brackets Order 1 for each machine to be equipped with depth gauging press wheels.	39.41

Planting & Seeding

BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5YT7015199	ATTACHMENTS FOR FIELD CONVERSIONContinued French Operators Manual and Decals (BD11 Drills)	223.69
	5YTBN906611	Grass Seed Attachment for 21 Openers For 21 opener, 7.5 In. spacing configuration.	2,665.44
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair Required on drill with depth gauging press wheels AND outside scrapers.	143.89
	5YTBN210047	Tru-Vee Opener Attachment, One Row For use with aluminum boot furrow openers only. Does not include opener.	273.40

Planting & Seeding

BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator Continued

Planting & Seeding

FP2204 - 42 in. Wide 3-Point Category I Hitch Food Plot Seeder

Equipment for Base Machine

Machine Weight: 660 lbs. Tractor Horsepower Range: 30-50 HP Working Width: 42 In. Unit Length: 62 In. Unit Height: 43 In. Number of Blades: 6 Blade Diameter: 16 In. Blade Thickness: 3 mm Blade Spacing: 8.25 In. Blade Type: Notched Bearing Hanger: .375 In. Formed Plate with Reinforcement, 2 Each .625 U-bolts per Hanger Bearing Type: 1 In. Square Sealed Bearing Gang Axle: 1 In. Square Gang Adjustment: Pinned Adjustment Cultipacker Drag Width: 45 In. (Standard) CultiPacker Roller Width: 48 In. (Optional) Seeding Width: 45 In. Seed Box Capacity: 45 lbs.

3 Point Hitch Type: Category I iMatch Compatible: Yes Number of S-Tines: 3 1.75 In. Reversible Chisel Point: 3 (Standard) 9 In. Sweep: 3 (Optional - Order Through Parts) Right Turning Point: 1 (Optional - Order Through Parts) Left Turning Point: 1 (Optional - Order Through Parts) Second Toolbar with 2 S-Tines & Chisel Points: (Optional) Rear Cultipacker Roller: (Optional) Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

		BASE MACHINE	
3091XF		FP2204 - 42 in. Wide 3-Point Category I Hitch Food Plot Seeder Rear roller not included. One S-tine toolbar standard. Rear roller and second toolbar available through attachments.	4,421.00
		ATTACHMENTS - ORDER AS DESIRED	
9010		Native Grass Seed Attachment	559.00
9020		Rear Roller Attachment	507.00
9030		S-Tine Toolbar Attachment	344.00
9200		French Kit - Includes Operators Manual and Safety Decals (FP22 Series)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	5PMATV4	Miscellaneous: Drawbar and Electric Lift	1,083.24
	5PM50062697	French Kit - Includes Operator's Manual and Safety Decals (FP22 Series)	See Parts
	5PM50062288	Native Grass Seed Attachment	603.72
	5PM50062496	Rear Roller Attachment	547.56
	5PM50062505	S-Tine Toolbar Attachment	371.52

Planting & Seeding

FP2204 - 42 in. Wide 3-Point Category I Hitch Food Plot Seeder Continued

Planting & Seeding

FP2204L - 42 in. Wide 3-Point Limited Category I Hitch Food Plot Seeder

Equipment for Base Machine

Machine Weight: 550 lbs. Tractor Horsepower Range: 20-50 HP Working Width: 42 In. Unit Length: 62 In. Unit Height: 43 In. Number of Blades: 6 Blade Diameter: 14 In. Blade Thickness: 3 mm Blade Spacing: 8.25 In. Blade Type: Notched Bearing Hanger: "T" Hanger Bkt w/reinforcement (4 per unit) 2 U-bolts per hanger Bearing Type: 1 In. Square Sealed Bearing Gang Axle: 1 In. Square Gang Adjustment: Fixed Angle Cultipacker Drag Width: 45 In. (Standard) CultiPacker Roller Width: 48 In. (Optional) Seeding Width: 45 In. Seed Box Capacity: 45 lbs.

3 Point Hitch Type: Category I iMatch Compatible: Yes Number of S-Tines: 4 Tines (only as an optional attachment) (optional attachment) Hunter 400 Chisel plow att. Standard w 4 tines 9 In. Sweep: 3 (Optional - Order Through Parts) Right Turning Point: 1 (Optional - Order Through Parts) Left Turning Point: 1 (Optional - Order Through Parts) Rear Cultipacker Roller: (Optional) Approximate Set-up Time: .5 Man Hour

ATTACHMENT CODE **IDENTIFIER** DESCRIPTION SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

3095XF

9020

FP2204L - 42 in. Wide 3-Point Limited Category I Hitch Food Plot Seeder Rear roller not included. S-tine toolbar not available on this model. Rear roller available through attachments.

ATTACHMENTS - ORDER AS DESIRED

Rear Roller Attachment

Miscellaneous:

ATTACHMENTS FOR FIELD CONVERSION

5PMJDLCA

Rear Roller Attachment

462.24

428.00

3,197.00

Planting & Seeding

FP2204L - 42 in. Wide 3-Point Limited Category I Hitch Food Plot Seeder Continued

Planting & Seeding

FP2204P - 42 in. Wide Pull Type Food Plot Seeder

Equipment for Base Machine

Machine Weight: 730 lbs. Single Point Hitch Horsepower Range: 20 (500 CC)-40 HP Working Width: 42 In. Unit Length: 62 In. Unit Height: 43 In. Number of Blades: 6 Blade Diameter: 16 In. Blade Thickness: 3 mm Blade Spacing: 8.25 In. Blade Type: Notched Bearing Hanger: .375 In. Formed Plate with Reinforcement, 2 Each .625 U-bolts per Hanger Bearing Type: 1 In. Square Sealed Bearing Gang Axle: 1 In. Square Gang Adjustment: Pinned Adjustment Cultipacker Drag Width: 45 In. (Standard) CultiPacker Roller Width: 48 In. (Optional) Seeding Width: 45 In. Seed Box Capacity: 45 lbs. Number of S-Tines: 3 1.75 In. Reversible Chisel Point: 3 (Standard) 9 In. Sweep: 3 (Optional - Order Through Parts) Right Turning Point: 1 (Optional - Order Through Parts) Left Turning Point: 1 (Optional - Order Through Parts) Second Toolbar with 2 S-Tines & Chisel Points: (Optional) Rear Cultipacker Roller: (Optional) Approximate Set-up Time: 1 Man Hour

ATTACHMENT CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

3092XF		FP2204P - 42 in. Wide Pull Type Food Plot Seeder Includes drawbar, transport wheels, and electric jack. Rear roller not included. One S-tine toolbar standard. Rear roller available through attachments.	6,150.00	
		ATTACHMENTS - ORDER AS DESIRED		
9010		Native Grass Seed Attachment	559.00	
9020		Rear Roller Attachment	507.00	
9200		French Kit - Includes Operators Manual and Safety Decals (FP22 Series)	No Charge	
		ATTACHMENTS FOR FIELD CONVERSION		
	5PM50062697	Miscellaneous: French Kit - Includes Operator's Manual and Safety Decals (FP22 Series)	See Parts	
	5PM50062288	Native Grass Seed Attachment	603.72	
	5PM50062496	Rear Roller Attachment	547.56	

Planting & Seeding

FP2204P - 42 in. Wide Pull Type Food Plot Seeder Continued

Planting & Seeding

FP2206 - 60 in. Wide 3-Point Category I/II Hitch Food Plot Seeder Equipment for Base Machine

Machine Weight: 960 lbs. Tractor Horsepower Range: 45-70 HP Working Width: 60 In. Unit Length: 77 In. Unit Height: 41 In. Number of Blades: 8 Blade Diameter: 18 In. Blade Thickness: 3.5 mm Blade Spacing: 7.50 In. Blade Type: Notched Bearing Hanger: .375 In. Formed Plate with Reinforcement, 2 Each .625 U-bolts per Hanger Bearing Type: 1 In. Square Sealed Bearing Gang Axle: 1 In. Square Gang Adjustment: Pinned Adjustment Cultipacker Drag Width: 80 In. (Standard) CultiPacker Roller Width: 72 In. (Optional) Seeding Width: 71 In. Seed Box Capacity: 63 lbs.

3 Point Hitch Type: Category I/II iMatch Compatible: Yes Number of S-Tines: 4 1.75 In. Reversible Chisel Point: 4 (Standard) 9 In. Sweep: 4 (Optional - Order Through Parts) Right Turning Point: 2 (Optional - Order Through Parts) Left Turning Point: 2 (Optional - Order Through Parts) Second Toolbar with 3 S-Tines & Chisel Points: (Optional) Rear Cultipacker Roller: (Optional) Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

		BASE MACHINE	
3093XF		FP2206 - 60 in. Wide 3-Point Category I/II Hitch Food Plot Seeder Rear roller not included. One S-tine toolbar standard. Rear roller and second toolbar available through attachments.	5,777.00
		ATTACHMENTS - ORDER AS DESIRED	
9000		Grating Kit	186.00
9010		Native Grass Seed Attachment	671.00
9020		Rear Roller Attachment	743.00
9030		S-Tine Toolbar Attachment	475.00
9200		French Kit - Includes Operators Manual and Safety Decals (FP22 Series)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	5PM50062697	Miscellaneous: French Kit - Includes Operator's Manual and Safety Decals (FP22 Series)	See Parts
	5PM50062123	Grating Kit	208.32
	5PM50062289	Native Grass Seed Attachment	724.68
	5PM50062497	Rear Roller Attachment	802.44
	5PM50062506	S-Tine Toolbar Attachment	513.00

Planting & Seeding

FP2206 - 60 in. Wide 3-Point Category I/II Hitch Food Plot Seeder Continued

Planting & Seeding

FP2208 - 82 in. Wide 3-Point Category I/II Hitch Food Plot Seeder Equipment for Base Machine

Machine Weight: 1120 lbs. Tractor Horsepower Range: 60-100 HP Working Width: 82 In. Unit Length: 77 In. Unit Height: 41 In. Number of Blades: 12 Blade Diameter: 18 In. Blade Thickness: 3.5 mm Blade Spacing: 7.50 In. Blade Type: Notched Bearing Hanger: .375 In. Formed Plate with Reinforcement, 2 Each .625 U-bolts per Hanger Bearing Type: 1 In. Square Sealed Bearing Gang Axle: 1 In. Square Gang Adjustment: Pinned Adjustment Cultipacker Drag Width: 106 In. (Standard) CultiPacker Roller Width: 96 In. Seed Box Capacity: 93 lbs. 3 Point Hitch Type: Category I/II iMatch Compatible: Yes Number of S-Tines: 5 1.75 In. Reversible Chisel Point: 5 (Standard) 9 In. Sweep: 5 (Optional - Order Through Parts) Right Turning Point: 2 (Optional - Order Through Parts) Left Turning Point: 2 (Optional - Order Through Parts) Second Toolbar with 4 S-Tines & Chisel Points: (Optional) Rear Cultipacker Roller: (Optional) Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

		BASE MACHINE	
3094XF		FP2208 - 82 in. Wide 3-Point Category I/II Hitch Food Plot Seeder Rear roller not included. One S-tine toolbar standard. Rear roller and second toolbar available through attachments.	6,786.00
		ATTACHMENTS - ORDER AS DESIRED	
9000		Grating Kit	186.00
9010		Native Grass Seed Attachment	812.00
9020		Rear Roller Attachment	856.00
9030		S-Tine Toolbar Attachment	507.00
9200		French Kit - Includes Operators Manual and Safety Decals (FP22 Series)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	5PM50062697	Miscellaneous: French Kit - Includes Operator's Manual and Safety Decals (FP22 Series)	See Parts
	5PM50062123	Grating Kit	208.32
	5PM50062290	Native Grass Seed Attachment	876.96
	5PM50062498	Rear Roller Attachment	924.48
	5PM50062507	S-Tine Toolbar Attachment	547.56

Planting & Seeding

FP2208 - 82 in. Wide 3-Point Category I/II Hitch Food Plot Seeder Continued

Planting & Seeding

CS1360 Conservation Seeder, 5 Ft. Wide Single Large Seed Box

Equipment for Base Machine

Machine Weight: 1480 lbs. (Empty) Tractor Horsepower: 30 HP Minimum 3 Point Hitch Type Category I and II Working Width: 60 In. Overall Width: 73 In. Unit Length: 67 In. Unit Height: 48 In. Large Seed Box / Stainless Steel Box / Native Grass Seed Box Capacity: 4.36 Cubic Ft. (3.50 Bushel) Legume Seed Box Capacity: 1.87 Cubic Ft. (1.50 Bushel) Front Spike Roller: 15.75 In. OD with 72 Spikes Rear Spike Roller:

15.75 In. OD with 114 Spikes Rear Cultipacker Roller: Fiber Reinforced Nylon Rings or Cast Iron Rings Roller Spikes: AR-500 Steel Spike Roller Drive Ratio: 15:22 Seed Box Drive Ratio: 15:28 Standard iMatch Compatible: Yes Approximate Set-up Time: 1 Man Hour

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

3081XF	CS1360 Conservation Seeder, 5 Ft. Wide Single Large Seed Box	10,383.00	
	SMALL SEED BOX		
1000	Small Seed Box For planting legumes and other small seeds.	In Base Price	
1095	Less Small Seed Box	-1,144.00	
	SECONDARY BOX		
2000	Stainless Steel Fertilizer Box	2,829.00	
2010	Native Grass Box Includes paddle agitator and picker wheels.	2,093.00	
2020	Second Large Seed Box	1,475.00	
2095	Less Secondary Box	In Base Price	
	REAR CULTIPACKER TYPE		
3000	Cast Iron Wheels	590.00	
3010	Poly Wheels	In Base Price	
	ATTACHMENTS - ORDER AS DESIRED		
9000	Rear Cultipacker Scraper For Cast Iron Wheels	174.00	
9010	Rear Cultipacker Scraper for Nylon Wheels	174.00	

ATTACHMENTS FOR FIELD CONVERSION

Planting & Seeding

CS1360 Conservation Seeder, 5 Ft. Wide Single Large Seed Box Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	5SBGSC012	Miscellaneous: Additional Large Seed Box with Extended Chain Guard	2,040.52
	5SBGSC014	Native Grass Seed Box with Extended Chain Guard	2,580.79
	5SBGSC006	Rear Cultipacker Scraper for Cast Iron Wheels	187.92
	5SBGSC003	Rear Cultipacker Scraper for Nylon Wheels	187.92
	5SBGSC008	Small Seed Box	1,430.90
	5SBGSC010	Stainless Steel Fertilizer Box with Extended Chain Guard	3,257.29

Planting & Seeding

CS1384 Conservation Seeder, 7 Ft. Wide Single Large Seed Box

Equipment for Base Machine

Machine Weight: 2090 lbs. (Empty) Tractor Horsepower: 50 HP Min 3 Point Hitch Type Category I and II Working Width: 84 In. Overall Width: 98 In. Unit Length: 76 In. Unit Height: 54 In. Large Seed Box / Stainless Steel Box / Native Grass Seed Box Capacity: 10.27 Cubic Ft. (8.25 Bushel) Legume Seed Box Capacity: 2.64 Cubic Ft. (2.12 Bushel) Front Spike Roller: 19.75 In. OD with 132 Spikes Rear Spike Roller:

19.75 In. OD with 150 Spikes Rear Cultipacker Roller: Fiber Reinforced Nylon Rings or Cast Iron Rings Roller Spikes: AR-500 Steel Spike Roller Drive Ratio: 15:20 Seed Box Drive Ratio: 17:28 Standard Cat II Quick Hitch Compatible: Yes Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	

BASE MACHINE

3082XF	CS1384 Conservation Seeder, 7 Ft. Wide Single Large Seed Box	14,674.00
	SMALL SEED BOX	
1000	Small Seed Box For planting legumes and other small seeds.	In Base Price
1095	Less Small Seed Box	-1,328.00
	SECONDARY BOX	
2000	Stainless Steel Fertilizer Box	3,115.00
2010	Native Grass Box Includes paddle agitator and picker wheels.	2,747.00
2020	Second Large Seed Box	1,757.00
2095	Less Secondary Box	In Base Price
	REAR CULTIPACKER TYPE	
3000	Cast Iron Wheels	780.00
3010	Poly Wheels	In Base Price
	ATTACHMENTS - ORDER AS DESIRED	
9000	Rear Cultipacker Scraper For Cast Iron Wheels	245.00
9010	Rear Cultipacker Scraper for Nylon Wheels	245.00

ATTACHMENTS FOR FIELD CONVERSION

Planting & Seeding

CS1384 Conservation Seeder, 7 Ft. Wide Single Large Seed Box Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
		Miscellaneous:	
	5SBGSC013	Additional Large Seed Box with Extended Chain Guard	2,697.16
	5SBGSC015	Native Grass Seed Box with Extended Chain Guard	3,527.86
	5SBGSC007	Rear Cultipacker Scraper for Cast Iron Wheels	264.60
	5SBGSC005	Rear Cultipacker Scraper for Nylon Wheels	264.60
	5SBGSC009	Small Seed Box	1,762.87
	5SBGSC011	Stainless Steel Fertilizer Box with Extended Chain Guard	4,199.28

Planting & Seeding

TR2058 - 58 In. PTO Driven Overseeder

Equipment for Base Machine

Working Width: 58 In. Shipping Weight: 1188 lbs. Rotor RPM: 231 RPM PTO RPM: 540 RPM PTO HP: 25 to 50 HP Operational Weight: 998 lbs. Number Of Flanges: 18 Number Of Blades: 52 Hopper Capacity: 5.3 Cubic Ft. Category I 3-Point Hitch Category I 3-Point Hitch Assembly/Set-Up Time: 30 Minutes (Approximate) Overall Width: 66 In.

CODE

Tilling Rotor Complete with C-Blades: Optional (7 In. depth) Rear Roller Scraper: Optional Gauge Wheels: Optional Front Roller: Optional Note: Gauge Wheels and Front Roller Can Not be Used Together

ATTACHMENT IDENTIFIER	DESCRIPTION		SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

3041XF	TR2058 - 58 In. PTO Driven Overseeder	9,253.00
	ATTACHMENTS ORDER AS DESIRED	
9000	Front Roller <i>Can not be used in conjunction with Gauge Wheels.</i>	636.00
9010	Gauge Wheels Can not be used in conjunction with Front Roller.	378.00
9020	Rear Roller Scraper	236.00
9030	Tilling Roller Includes C-Blades.	533.00

ATTACHMENTS FOR FIELD CONVERSION

5BP0099516	Miscellaneous: Front Roller	686.88
5BP0099875	Gauge Wheels	408.24
5BP0099539	Rear Roller Scraper	254.88
5BP0099517	Tilling Rotor Includes C-Blades	575.64

Planting & Seeding

TR2058 - 58 In. PTO Driven Overseeder Continued