

FRONTIER PRODUCTS

Hay & Forage

DM5050 Disc Mower Equipment for Base Machine

Hitch Type: 3-Point
Hitch Category: Category I or II (iMatch and Quick-Coupler Compatible)
Cutting Width: 6 Ft. 6 In.
Operating Weight: 874 Lbs.
Operation Cutting Angle:
+/- 25 Degrees
Number of Cutting Discs: 5
Number of Knives: 10
PTO Drive: 540 RPM
PTO HP Requirement: 40 HP Minimum
Belt Drive: 4 V-Belts with Tensioner
Average Swath Width: 4 Ft. 6 In.

Cutterbar Lift Mechanism: Hydraulic
Outer Swath Wheel: Optional
Safety Breakaway: Yes
Required Hydraulic Outlets:
1 Single Acting Valve
Set-Up Time: 1 Hour
Warranty: 1 Year

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------|----------|
| 0561XF | DM5050 Disc Mower | 8,520.00 |
|--------|-------------------|----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--------------------------------------|--------|
| 9070 | Swath Wheel Attachment (DM50 Series) | 133.00 |
|------|--------------------------------------|--------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-------------|---|--------|
| 5TIDM411274 | Miscellaneous: Swath Wheel Attachment (DM50 Series) | 148.96 |
|-------------|---|--------|

FRONTIER PRODUCTS

Hay & Forage

DM5050 Disc Mower

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

DM5060 Disc Mower Equipment for Base Machine

Hitch Type: 3-Point
Hitch Category: Category I or II (iMatch and Quick-Coupler Compatible)
Cutting Width: 7 Ft. 9 In.
Operating Weight: 975 Lbs.
Operation Cutting Angle:
+/- 25 Degrees
Number of Cutting Discs: 6
Number of Knives: 12
PTO Drive: 540 RPM
PTO HP Requirement: 45 HP Minimum
Belt Drive: 4 V-Belts with Tensioner
Average Swath Width: 5 Ft. 9 In.

Cutterbar Lift Mechanism: Hydraulic
Outer Swath Wheel: Optional
Safety Breakaway: Yes
Required Hydraulic Outlets:
1 Single Acting Valve
Set-Up Time: 1 Hour
Warranty: 1 Year

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------|----------|
| 0571XF | DM5060 Disc Mower | 8,959.00 |
|--------|-------------------|----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--------------------------------------|--------|
| 9070 | Swath Wheel Attachment (DM50 Series) | 133.00 |
|------|--------------------------------------|--------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-------------|---|--------|
| 5TIDM411274 | Miscellaneous: Swath Wheel Attachment (DM50 Series) | 148.96 |
|-------------|---|--------|

FRONTIER PRODUCTS

Hay & Forage

DM5060 Disc Mower

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

DM5070 Disc Mower Equipment for Base Machine

Hitch Type: 3-Point
Hitch Category: Category I or II (iMatch and Quick-Coupler Compatible)
Cutting Width: 9 Ft.
Operating Weight: 1143 Lbs.
Operation Cutting Angle:
+/- 25 Degrees
Number of Cutting Discs: 7
Number of Knives: 14
PTO Drive: 540 RPM
PTO HP Requirement: 55 HP Minimum
Belt Drive: 4 V-Belts with Tensioner
Average Swath Width: 7 Ft.

Cutterbar Lift Mechanism: Hydraulic
Outer Swath Wheel: Optional
Safety Breakaway: Yes
Required Hydraulic Outlets:
1 Single Acting Valve
Set-Up Time: 1 Hour
Warranty: 1 Year

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|-------------------|----------|
| 0581XF | DM5070 Disc Mower | 9,465.00 |
|--------|-------------------|----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--------------------------------------|--------|
| 9070 | Swath Wheel Attachment (DM50 Series) | 133.00 |
|------|--------------------------------------|--------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-------------|---|--------|
| 5TIDM411274 | Miscellaneous: Swath Wheel Attachment (DM50 Series) | 148.96 |
|-------------|---|--------|

FRONTIER PRODUCTS

Hay & Forage

DM5070 Disc Mower

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

DC1000 Disc Mower Caddy Equipment for Base Machine

Variable Integrated Ballasting System
Utilizes Standard John Deere Weights
and Internal Ballast
Hydraulic Lift 3-Point Hitch
Includes Cylinders, Hoses, and Tips
Adjustable Clevis Tongue
Equal Angle Category IV 540 PTO Included

11L x 15SL Ribbed Implement Tires

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|----------|
| 0541XF | DC1000 Disc Mower Caddy <i>Assembly Required: 2 hours</i> | 5,055.00 |
|--------|--|----------|

FRONTIER PRODUCTS

Hay & Forage

DC1000 Disc Mower Caddy
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

TD1316 Heavy Duty 4 Basket Hay Tedder Equipment for Base Machine

Hitch Type: Drawbar
Number of Rotors: 4
Number of Baskets: 4
Number of Tine Arms per Rotor: 6
Width in Working Position: 17 Ft. 8 In.
Tedding Width: 16 Ft. 5 In.
Tires: 15 x 6.00-6
Transport Width: 9 Ft. 2 In.
PTO with Torque Limiter: Standard
PTO HP Requirement: 20 HP
Required Hydraulic Outlets:
1 Double Acting Valve

Reduction Gearbox for
Night Windrows: Optional
Anti-Wrap Deflectors: Optional
Shipping Weight: 1005 lbs.
Set-Up Time: 6 Man Hours/Unit
Warranty: 1 Year

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---------------------------------------|----------|
| 0071XF | TD1316 Heavy Duty 4 Basket Hay Tedder | 9,229.00 |
|--------|---------------------------------------|----------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-------------|---|-------|
| 5KNK8806521 | Miscellaneous: French Operators Manual and Frontier Decals (TD1316) | 55.48 |
|-------------|---|-------|

FRONTIER PRODUCTS

Hay & Forage

TD1316 Heavy Duty 4 Basket Hay Tedder
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

TD3418 Four Rotor 18 Ft. 2 In. Working Width Tedder Equipment for Base Machine

10/2 Turbo Tines are Designed for
Clean and Efficient Tedding
Radial Pin Clutch 540 RPM PTO Shaft
Fully Enclosed Oil Bath Gearboxes
Finger Joints at Wing Pivot Points
Standard Hydraulic Lift and Tilt
SMV, and Safety Tow Chain are
Standard Equipment

1 Year Parts and Labor Warranty

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---|-----------|
| 0331XF | TD3418 Four Rotor 18 Ft. 2 In. Working Width Tedder | 11,137.00 |
|--------|---|-----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|----------------------------------|-----------|
| 9200 | French Operators Manual (TD3418) | No Charge |
|------|----------------------------------|-----------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------|---|--------|
| 5PQ903198 | Miscellaneous: French Operators Manual (TD3418) | 106.19 |
|-----------|---|--------|

FRONTIER PRODUCTS

Hay & Forage

TD3418 Four Rotor 18 Ft. 2 In. Working Width Tedder
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

TD3427 Six Rotor 26 Ft. 4 In. Working Width Tedder Equipment for Base Machine

10/2 Turbo Tines are Designed for
Clean and Efficient Tedding
Radial Pin Clutch 540 RPM PTO Shaft
Fully Enclosed Oil Bath Gearboxes
Finger Joints at Wing Pivot Points
Standard Hydraulic Lift and Tilt
Transport Lights, SMV, and
Safety Tow Chain are Standard Equipment

1 Year Parts and Labor Warranty

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|-----------|
| 0341XF | TD3427 Six Rotor 26 Ft. 4 In. Working Width Tedder | 22,882.00 |
|--------|--|-----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|----------------------------------|-----------|
| 9200 | French Operators Manual (TD3427) | No Charge |
|------|----------------------------------|-----------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------|---|--------|
| 5PQ903199 | Miscellaneous: French Operators Manual (TD3427) | 120.48 |
|-----------|---|--------|

FRONTIER PRODUCTS

Hay & Forage

TD3427 Six Rotor 26 Ft. 4 In. Working Width Tedder
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

WR1212 High Capacity Wheel Rake Equipment for Base Machine

Number of Wheels: 12
Teeth per Wheel: 40
Tooth Diameter: 7 mm
Wheel Diameter: 55 In.
Transport Width: 8 Ft. 1 In.
Transport Length: 24 Ft. 6 In.
Raking Width:
Up to 24 Ft. Hydraulic Settings
Windrow Width Adjustment:
38 In. to 58 In.
Raking Wheel Hubs: Tapered Bearings
Wing Flex: 3 Ft. Up or Down
Number of Transport Wheels: 4

Hitch Jack: Standard
Center Kicker Wheels: Optional
Tandem Rear Wheels: Optional
Transport Wheels: 6.70 x 15 In.
Gauge Wheels: 15 In.
Assembly/Set-Up Time: 7 Man Hours
Weight: 3500 lbs.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---|-----------|
| 0101XF | WR1212 High Capacity Wheel Rake <i>Raking widths up to 24 Ft. Order hydraulic couplers as attachments.</i> | 16,138.00 |
|--------|---|-----------|

CENTER KICKER WHEEL

| | | |
|------|---|---------------|
| 3100 | Center Kicker Wheel <i>Two center kicker wheels with hydraulic lift for WR12 Series.</i> | 1,712.00 |
| 3110 | No Center Kicker Wheel <i>(WR12 Series Wheel Rake).</i> | In Base Price |

REAR TANDEM

| | | |
|------|-----------------------------------|---------------|
| 4400 | WR12 Series Rear Tandem Wheels | 1,128.00 |
| 4410 | WR12 Series No Rear Tandem Wheels | In Base Price |

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|----------|
| 9100 | WR12 Series Wind Panels with Hardware <i>Quantity of 12.</i> | 288.00 |
| 9310 | WR12 Series Center Kicker Wheels (3) <i>Three center kicker wheels with hydraulic lift.</i> | 2,960.00 |
| 9910 | WR12 Series Set of Hydraulic Couplers | 32.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------------------|--------------------------|----------|
| Miscellaneous: | | |
| 5HPBFO212HC | Center Kicker Wheels (2) | 1,963.92 |
| 5HPBFO23W12 | Center Kicker Wheels (3) | 3,134.33 |

FRONTIER PRODUCTS

Hay & Forage

WR1212 High Capacity Wheel Rake Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|---|-------------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| | 5HPBFOWP55 | One Wind Panel with Hardware | 27.60 |
| | 5HPBFO6 | Rear Tandem Wheels | 1,294.59 |
| | 5HPBFO13 | Set of Hydraulic Couplers | 38.40 |

FRONTIER PRODUCTS

Hay & Forage

WR1214 High Capacity Wheel Rake with Rear Tandem Wheels Equipment for Base Machine

Number of Wheels: 14
Teeth per Wheel: 40
Tooth Diameter: 7 mm
Wheel Diameter: 55 In.
Transport Width: 8 Ft. 1 In.
Transport Length: 27 Ft. 3 In.
Raking Width:
Up to 28 Ft. Hydraulic Settings
Windrow Width Adjustment:
38 In. to 58 In.
Raking Wheel Hubs: Roller Bearings
Wing Flex: 3 Ft. Up or Down
Number of Transport Wheels: 6
Hitch Jack: Standard

Center Kicker Wheels: Optional
Tandem Rear Wheels: Standard
Wheel Expansion: Optional
Transport Wheels: 6.70 x 15 In.
Gauge Wheels: 15 In.
Assembly/Set-Up Time: 8 Man Hours
Weight: 3800 lbs.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | | |
|--------|--|---|-----------|
| 0102XF | | WR1214 High Capacity Wheel Rake with Rear Tandem Wheels <i>Raking widths up to 28 Ft. Order hydraulic couplers as attachments.</i> | 20,752.00 |
|--------|--|---|-----------|

CENTER KICKER WHEEL

| | | | |
|------|--|---|---------------|
| 3100 | | Center Kicker Wheel <i>Two center kicker wheels with hydraulic lift for WR12 Series.</i> | 1,712.00 |
| 3110 | | No Center Kicker Wheel <i>(WR12 Series Wheel Rake).</i> | In Base Price |

RAKE BEAM SUPPORTS

| | | | |
|------|--|---|---------------|
| 6200 | | WR12 Series Rake Beam Support Wheels <i>Includes 15 In. tires.</i> | 1,365.00 |
| 6210 | | WR12 Series No Rake Beam Supports | In Base Price |

ATTACHMENTS - ORDER AS DESIRED

| | | | |
|------|--|--|----------|
| 9100 | | WR12 Series Wind Panels with Hardware <i>Quantity of 14.</i> | 336.00 |
| 9310 | | WR12 Series Center Kicker Wheels (3) <i>Three center kicker wheels with hydraulic lift.</i> | 2,960.00 |
| 9910 | | WR12 Series Set of Hydraulic Couplers | 32.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | | |
|-------------|--------------------------|--|----------|
| | Miscellaneous: | | |
| 5HPBFO214HC | Center Kicker Wheels (2) | | 1,963.92 |
| 5HPBFO23W14 | Center Kicker Wheels (3) | | 3,134.33 |

FRONTIER PRODUCTS

Hay & Forage

WR1214 High Capacity Wheel Rake with Rear Tandem Wheels Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| | 5HPBFOWP55 | One Wind Panel with Hardware | 27.60 |
| | 5HPBFO415 | Rake Beam Support Wheels (WR1214 and WR1216) <i>Includes 15 In. tires.</i> | 1,549.50 |
| | 5HPBFO13 | Set of Hydraulic Couplers | 38.40 |

FRONTIER PRODUCTS

Hay & Forage

WR1216 High Capacity Wheel Rake with Rear Tandem Wheels Equipment for Base Machine

Number of Wheels: 16
Teeth per Wheel: 40
Tooth Diameter: 7 mm
Wheel Diameter: 55 In.
Transport Width: 8 Ft. 1 In.
Transport Length: 30 Ft. 3 In.
Raking Width:
Up to 32 Ft. Hydraulic Settings
Windrow Width Adjustment:
38 In. to 58 In.
Raking Wheel Hubs: Roller Bearings
Wing Flex: 3 Ft. Up or Down
Number of Transport Wheels: 6

Hitch Jack: Standard
Center Kicker Wheels: Optional
Tandem Rear Wheels: Standard
Transport Wheels: 6.70 x 15 In.
Gauge Wheels: 15 In.
Assembly/Set-Up Time: 9 Man Hours
Weight: 4200 lbs.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | | |
|--------|--|---|-----------|
| 0103XF | | WR1216 High Capacity Wheel Rake with Rear Tandem Wheels <i>Raking widths up to 32 Ft. Order hydraulic couplers as attachments.</i> | 22,065.00 |
|--------|--|---|-----------|

CENTER KICKER WHEEL

| | | | |
|------|--|---|---------------|
| 3100 | | Center Kicker Wheel <i>Two center kicker wheels with hydraulic lift for WR12 Series.</i> | 1,712.00 |
| 3110 | | No Center Kicker Wheel <i>(WR12 Series Wheel Rake).</i> | In Base Price |

RAKE BEAM SUPPORTS

| | | | |
|------|--|---|---------------|
| 6200 | | WR12 Series Rake Beam Support Wheels <i>Includes 15 In. tires.</i> | 1,365.00 |
| 6210 | | WR12 Series No Rake Beam Supports | In Base Price |

ATTACHMENTS - ORDER AS DESIRED

| | | | |
|------|--|--|----------|
| 9100 | | WR12 Series Wind Panels with Hardware <i>Quantity of 16.</i> | 384.00 |
| 9310 | | WR12 Series Center Kicker Wheels (3) <i>Three center kicker wheels with hydraulic lift.</i> | 2,960.00 |
| 9910 | | WR12 Series Set of Hydraulic Couplers | 32.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | | |
|-------------|--------------------------|--|----------|
| | Miscellaneous: | | |
| 5HPBFO214HC | Center Kicker Wheels (2) | | 1,963.92 |
| 5HPBFO23W14 | Center Kicker Wheels (3) | | 3,134.33 |

FRONTIER PRODUCTS

Hay & Forage

WR1216 High Capacity Wheel Rake with Rear Tandem Wheels

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|---|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| | 5HPBFOWP55 | One Wind Panel with Hardware | 27.60 |
| | 5HPBFO415 | Rake Beam Support Wheels (WR1214 and WR1216) <i>Includes 15 In. tires.</i> | 1,549.50 |
| | 5HPBFO13 | Set of Hydraulic Couplers | 38.40 |

FRONTIER PRODUCTS

Hay & Forage

WR0008 Carted Wheel Rake with 8 Wheels Equipment for Base Machine

| | |
|---|--|
| Rake Wheel Diameter: | Raking Wheel Hubs: Tapered Bearings |
| 55 In. (1397 mm) | Wing Flex: 3.9 in. (10 cm) Down; 19.7 in. (50 cm) Up |
| Teeth Per Wheel: 40 | Number of Transport Wheels: 2 |
| Tooth Diameter: | Number of Raking Wheels: 8 |
| 7 mm (0.2756 In.) | Transport Wheels: 205/70-15 |
| Transport Width: | Hitch Jack: Standard |
| 8 Ft. 2 In. (2.5 m) | Center Kicker Wheel: Optional |
| Transport Length: | |
| 15 Ft. 6 In. (4.7 m) | |
| Windrow Width Adjustment: | |
| 24 to 51 In. (610 to 1,295 mm) at 40 degree working angle | |
| Raking Width: 17 Ft. 8 In. Maximum (5.4 m) at 40 degree working angle | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|----------|
| 0350XF | WR0008 Carted Wheel Rake with 8 Wheels | 5,060.00 |
|--------|--|----------|

CENTER KICKER WHEEL

| | | |
|------|------------------------------------|---------------|
| 3100 | WR00 Series Center Kicker Wheel | 618.00 |
| 3110 | WR00 Series No Center Kicker Wheel | In Base Price |

ATTACHMENTS - ORDERED AS DESIRED

| | | |
|------|--|--------|
| 9010 | Wind Panels with Hardware <i>Includes hardware and a quantity of 8 wind panels.</i> | 314.00 |
| 9200 | WR00 Series French Operators Manual and Decal Kit | 29.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------------------|---|--------|
| Miscellaneous: | | |
| 5EPRRC001 | Center Kicker Wheel (WR00 Series) | 667.44 |
| 5EPWR00FRKIT | French Operators Manual and Decal Kit (WR00 Series) | 32.48 |
| 5EP18032659 | Wind Panel with Hardware (WR00 Series) | 43.68 |

FRONTIER PRODUCTS

Hay & Forage

WR0008 Carted Wheel Rake with 8 Wheels

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

WR0010 Carted Wheel Rake with 10 Wheels Equipment for Base Machine

| | |
|---|--|
| Rake Wheel Diameter: | Raking Wheel Hubs: Tapered Bearings |
| 55 In. (1397 mm) | Wing Flex: 3.9 in. (10 cm) Down; 19.7 in. (50 cm) Up |
| Teeth Per Wheel: 40 | Number of Transport Wheels: 2 |
| Tooth Diameter: | Number of Raking Wheels: 10 |
| 7 mm (0.2756 In.) | Transport Wheels: 205/70-15 |
| Transport Width: | Hitch Jack: Standard |
| 8 Ft. 2 In. (2.5 m) | Center Kicker Wheel: Optional |
| Transport Length: | |
| 17 Ft. 6 In. (5.3 m) | |
| Windrow Width Adjustment: | |
| 24 to 51 In. (610 to 1,295 mm) at 40 degree working angle | |
| Raking Width: 21 Ft. Maximum (6.4 m) at 40 degree working angle | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---|----------|
| 0351XF | WR0010 Carted Wheel Rake with 10 Wheels | 5,654.00 |
|--------|---|----------|

CENTER KICKER WHEEL

| | | |
|------|------------------------------------|---------------|
| 3100 | WR00 Series Center Kicker Wheel | 618.00 |
| 3110 | WR00 Series No Center Kicker Wheel | In Base Price |

ATTACHMENTS - ORDERED AS DESIRED

| | | |
|------|---|--------|
| 9010 | Wind Panels with Hardware <i>Includes hardware and a quantity of 10 wind panels.</i> | 392.00 |
| 9200 | WR00 Series French Operators Manual and Decal Kit | 29.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------------------|---|--------|
| Miscellaneous: | | |
| 5EPRRC001 | Center Kicker Wheel (WR00 Series) | 667.44 |
| 5EPWR00FRKIT | French Operators Manual and Decal Kit (WR00 Series) | 32.48 |
| 5EP18032659 | Wind Panel with Hardware (WR00 Series) | 43.68 |

FRONTIER PRODUCTS

Hay & Forage

WR0010 Carted Wheel Rake with 10 Wheels

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

WR0012 Carted Wheel Rake with 12 Wheels Equipment for Base Machine

| | |
|---|--|
| Rake Wheel Diameter: | Raking Wheel Hubs: Tapered Bearings |
| 55 In. (1397 mm) | Wing Flex: 3.9 in. (10 cm) Down; 19.7 in. (50 cm) Up |
| Teeth Per Wheel: 40 | Number of Transport Wheels: 2 |
| Tooth Diameter: | Number of Raking Wheels: 12 |
| 7 mm (0.2756 In.) | Transport Wheels: 205/70-15 |
| Transport Width: | Hitch Jack: Standard |
| 8 Ft. 2 In. (2.5 m) | Center Kicker Wheel: Optional |
| Transport Length: | |
| 18 Ft. 9 In. (5.7 m) | |
| Windrow Width Adjustment: | |
| 24 to 51 In. (610 to 1,295 mm) at 40 degree working angle | |
| Raking Width: 24 Ft. 4 In. Maximum (7.4 m) at 40 degree working angle | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---|----------|
| 0352XF | WR0012 Carted Wheel Rake with 12 Wheels | 6,350.00 |
|--------|---|----------|

CENTER KICKER WHEEL

| | | |
|------|------------------------------------|---------------|
| 3100 | WR00 Series Center Kicker Wheel | 618.00 |
| 3110 | WR00 Series No Center Kicker Wheel | In Base Price |

ATTACHMENTS - ORDERED AS DESIRED

| | | |
|------|---|--------|
| 9010 | Wind Panels with Hardware <i>Includes hardware and a quantity of 12 wind panels.</i> | 471.00 |
| 9200 | WR00 Series French Operators Manual and Decal Kit | 29.00 |

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------------------|---|--------|
| Miscellaneous: | | |
| 5EPRRC001 | Center Kicker Wheel (WR00 Series) | 667.44 |
| 5EPWR00FRKIT | French Operators Manual and Decal Kit (WR00 Series) | 32.48 |
| 5EP18032659 | Wind Panel with Hardware (WR00 Series) | 43.68 |

FRONTIER PRODUCTS

Hay & Forage

WR0012 Carted Wheel Rake with 12 Wheels

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

WR3008 Carted Wheel Rake Equipment for Base Machine

Raking Widths of 15 to 19 Ft.
Windrow Widths of 3 to 5 Ft.
Single Acting Cylinder with
Hose and Hydraulic Coupler Included
Center Kicker Wheel NOT Available
Hitch Jack Doubles as
Windrow Width Adjuster
Three Position Raking Width Adjustment
with Turnbuckles for Fine Tuning
Adjustable Spring for
Varying Rake Wheel Down Pressure

Dual Tapered Bearings in Rake Wheel Hubs
New ST175/80D13 Tires
Adjustable Hitch Clevis for
Various Drawbar Heights
Optional Second Hose Kit with Coupler

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---|----------|
| 0161XF | WR3008 Carted Wheel Rake <i>Raking widths of 15 to 19 Ft. Single hose and hydraulic coupler included. Center kicker wheel NOT available.</i> | 6,458.00 |
|--------|---|----------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|---------|--|-------|
| 5HPCRO2 | Miscellaneous: Second Hose Kit <i>Includes coupler.</i> | 68.32 |
|---------|--|-------|

FRONTIER PRODUCTS

Hay & Forage

WR3008 Carted Wheel Rake

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

WR3010 Carted Wheel Rake Equipment for Base Machine

Raking Widths of 18 to 22 Ft.
Windrow Widths of 4 to 6 Ft.
Single Acting Cylinder with
Hose and Hydraulic Coupler Included
Optional Center Kicker Wheel
Hitch Jack Doubles as
Windrow Width Adjuster
Three Position Raking Width Adjustment
with Turnbuckles for Fine Tuning
Adjustable Spring for
Varying Rake Wheel Down Pressure

Dual Tapered Bearings in Rake Wheel Hubs
New ST175/80D13 Tires
Adjustable Hitch Clevis for
Various Drawbar Heights
Optional Second Hose Kit with Coupler

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | | |
|--------|--------------------------|--|----------|
| 0162XF | WR3010 Carted Wheel Rake | <i>Raking widths of 18 to 22 Ft. Single hose and hydraulic coupler included.</i> | 6,931.00 |
|--------|--------------------------|--|----------|

CENTER KICKER WHEEL

| | | | |
|------|------------------------|--|---------------|
| 3100 | Center Kicker Wheel | | 553.00 |
| 3110 | No Center Kicker Wheel | | In Base Price |

ATTACHMENTS - ORDER AS DESIRED

| | | | |
|------|------------------------------|--------------------------|-------|
| 9130 | Second Hose Kit with Coupler | <i>Includes coupler.</i> | 61.00 |
|------|------------------------------|--------------------------|-------|

ATTACHMENTS FOR FIELD CONVERSION

| | | | |
|---------|--|--------------------------|--------|
| 5HPCRO1 | Miscellaneous: Center Kicker Wheel | | 617.23 |
| 5HPCRO2 | Second Hose Kit | <i>Includes coupler.</i> | 68.32 |

FRONTIER PRODUCTS

Hay & Forage

WR3010 Carted Wheel Rake

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

WR3012 Carted Wheel Rake Equipment for Base Machine

Raking Widths of 20 to 24 Ft.
Windrow Widths of 4 to 6 Ft.
Single Acting Cylinder with
Hose and Hydraulic Coupler Included
Optional Center Kicker Wheel
Hitch Jack Doubles as
Windrow Width Adjuster
Three Position Raking Width Adjustment
with Turnbuckles for Fine Tuning
Adjustable Spring for
Varying Rake Wheel Down Pressure

Dual Tapered Bearings in Rake Wheel Hubs
New ST175/80D13 Tires
Adjustable Hitch Clevis for
Various Drawbar Heights
Optional Second Hose Kit with Coupler

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|----------|
| 0163XF | WR3012 Carted Wheel Rake <i>Raking widths of 20 to 24 Ft. Single hose and hydraulic coupler included.</i> | 7,522.00 |
|--------|--|----------|

CENTER KICKER WHEEL

| | | |
|------|------------------------|---------------|
| 3100 | Center Kicker Wheel | 553.00 |
| 3110 | No Center Kicker Wheel | In Base Price |

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|-------|
| 9130 | Second Hose Kit with Coupler <i>Includes coupler.</i> | 61.00 |
|------|--|-------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|---------|--|--------|
| 5HPCRO1 | Miscellaneous: Center Kicker Wheel | 617.23 |
| 5HPCRO2 | Second Hose Kit <i>Includes coupler.</i> | 68.32 |

FRONTIER PRODUCTS

Hay & Forage

WR3012 Carted Wheel Rake

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

WR3108 High Capacity Carted Wheel Rake Equipment for Base Machine

| | |
|---|-------------------------------|
| Rake Wheel Diameter: 60 In. (1524 mm) | Number of Raking Wheels: 8 |
| Teeth Per Wheel: 40 | Transport Wheels: 205/75-15 |
| Tooth Diameter: 0.28 In. (7 mm) | Hitch Jack: Standard |
| Transport Width: 9.83 Ft. (3 m) | Center Kicker Wheel: Optional |
| Transport Length: 21.75 Ft. (6.6 m) | |
| Windrow Width Adjustment: 16 to 90 In. (406 to 2286 mm) | |
| Working Width: 16.75 Ft. (5.1 m) Maximum | |
| Raking Wheel Hubs: Ball Bearing | |
| Number of Transport Wheels: 2 | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|----------|
| 0360XF | WR3108 High Capacity Carted Wheel Rake | 7,807.00 |
|--------|--|----------|

CENTER KICKER WHEEL

| | | |
|------|---|---------------|
| 3100 | Center Kicker Wheel (49 in. for WR31 Series Wheel Rake). | 621.00 |
| 3110 | No Center Kicker Wheel (WR31 Series Wheel Rake). | In Base Price |

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|--------|
| 9101 | Wind Panel Kit for 60 Inch Wheel (WR31 Series) <i>Includes hardware and qty of 8 wind panels.</i> | 218.00 |
|------|--|--------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------------------|--|-----------|
| Miscellaneous: | | |
| 5HPAROCKW | Center Kicker Wheel (WR31 Series) | See Parts |
| 5HPBFOWP60 | Wind Panel (WR31 Series) <i>Includes mounting hardware and one wind panel only.</i> | 34.97 |

FRONTIER PRODUCTS

Hay & Forage

WR3108 High Capacity Carted Wheel Rake
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

WR3110 High Capacity Carted Wheel Rake Equipment for Base Machine

| | |
|---|-------------------------------|
| Rake Wheel Diameter: 60 In. (1524 mm) | Number of Raking Wheels: 10 |
| Teeth Per Wheel: 40 | Transport Wheels: 205/75-15 |
| Tooth Diameter: 0.28 In. (7 mm) | Hitch Jack: Standard |
| Transport Width: 10.3 Ft. (3.2 m) | Center Kicker Wheel: Optional |
| Transport Length: 23.3 Ft. (7.1 m) | |
| Windrow Width Adjustment: 16 to 90 In. (406 to 2286 mm) | |
| Working Width: 20 Ft. (6.1 m) Maximum | |
| Raking Wheel Hubs: Ball Bearing | |
| Number of Transport Wheels: 2 | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|----------|
| 0361XF | WR3110 High Capacity Carted Wheel Rake | 8,391.00 |
|--------|--|----------|

CENTER KICKER WHEEL

| | | |
|------|---|---------------|
| 3100 | Center Kicker Wheel (49 in. for WR31 Series Wheel Rake). | 621.00 |
| 3110 | No Center Kicker Wheel (WR31 Series Wheel Rake). | In Base Price |

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|---|--------|
| 9101 | Wind Panel Kit for 60 Inch Wheel (WR31 Series) <i>Includes hardware and qty of 10 wind panels.</i> | 273.00 |
|------|---|--------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------------------|--|-----------|
| Miscellaneous: | | |
| 5HPAROCKW | Center Kicker Wheel (WR31 Series) | See Parts |
| 5HPBFOWP60 | Wind Panel (WR31 Series) <i>Includes mounting hardware and one wind panel only.</i> | 34.97 |

FRONTIER PRODUCTS

Hay & Forage

WR3110 High Capacity Carted Wheel Rake
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

WR3112 High Capacity Carted Wheel Rake Equipment for Base Machine

| | |
|---|-------------------------------|
| Rake Wheel Diameter: 60 In. (1524 mm) | Number of Raking Wheels: 12 |
| Teeth Per Wheel: 40 | Transport Wheels: 205/75-15 |
| Tooth Diameter: 0.28 In. (7 mm) | Hitch Jack: Standard |
| Transport Width: 11 Ft. (3.4 m) | Center Kicker Wheel: Optional |
| Transport Length: 25.75 Ft. (7.6 m) | |
| Windrow Width Adjustment: 16 to 90 In. (406 to 2286 mm) | |
| Working Width: 24 Ft. (7.3 m) Maximum | |
| Raking Wheel Hubs: Ball Bearing | |
| Number of Transport Wheels: 2 | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|----------|
| 0362XF | WR3112 High Capacity Carted Wheel Rake | 8,974.00 |
|--------|--|----------|

CENTER KICKER WHEEL

| | | |
|------|---|---------------|
| 3100 | Center Kicker Wheel (49 in. for WR31 Series Wheel Rake). | 621.00 |
| 3110 | No Center Kicker Wheel (WR31 Series Wheel Rake). | In Base Price |

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|---|--------|
| 9101 | Wind Panel Kit for 60 Inch Wheel (WR31 Series) <i>Includes hardware and qty of 12 wind panels.</i> | 328.00 |
|------|---|--------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------------------|--|-----------|
| Miscellaneous: | | |
| 5HPAROCKW | Center Kicker Wheel (WR31 Series) | See Parts |
| 5HPBFOWP60 | Wind Panel (WR31 Series) <i>Includes mounting hardware and one wind panel only.</i> | 34.97 |

FRONTIER PRODUCTS

Hay & Forage

WR3112 High Capacity Carted Wheel Rake
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

WR5417 High Capacity Wheel Rake Equipment for Base Machine

| | |
|---|------------------------------|
| Number of Wheels: 17 | Tandem Rear Wheels: Standard |
| Teeth per Wheel: 36 | Transport Wheels: 9.5L x 15 |
| Tooth Diameter: 7 mm | Gauge Wheels: None |
| Wheel Diameter: 60 in. | Assembly/Set-Up Time: |
| Transport Width: 12 ft. 4 in. | 6 Hours (2 Personnel) |
| Transport Length: 28 ft. 4 in. | Weight: 5900 lbs. |
| Raking Width: 29 ft. | |
| Windrow Width Adjustment: | |
| Maximum Finished Windrow Width 72.3 in. | |
| Raking Wheel Hubs: Tapered Bearings | |
| Wing Flex: None | |
| Number of Transport Wheels: 4 | |
| Hitch Jack: Standard | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|---|-------------------------------|
| Select One Code From Each Required Category | | | |
| BASE MACHINE | | | |
| 0311XF | | WR5417 High Capacity Wheel Rake <i>Includes Transport Lights. Raking widths up to 29 Ft.</i> | 33,426.00 |
| HITCH | | | |
| 2160 | | Clevis Hitch (Standard) | In Base Price |
| 2110 | | Ball Hitch (2 5/16 in) cast coupler in lieu of Clevis Hitch | 92.00 |
| SPECIAL EQUIPMENT - FACTORY INSTALLED | | | |
| 8010 | | WR5417 Bi-Directional Springs | 2,490.00 |
| ATTACHMENTS - ORDERED AS DESIRED | | | |
| 9200 | | French Operators Manual and Decal Kit (WR5417) | No Charge |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | Miscellaneous: | | |
| 5PQ903186 | | French Operators Manual and Decal Kit (WR5417) | 66.08 |
| 5PQ507342 | | WR5417 Bi-Directional Springs | 1,836.00 |

FRONTIER PRODUCTS

Hay & Forage

WR5417 High Capacity Wheel Rake
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

RR2109 - 9 Ft. Raking Width Rotary Rake Equipment for Base Machine

Tandem Axles With Four Bolt Wheels
Exclusive Level-Lift Hydraulics
Totally Enclosed Oil Bath Gearbox
Heat Treated, Double-Tooth
Spring Steel Tines
Safety Tow Chain is Standard Equipment
1 Year Parts and Labor Warranty

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---|----------|
| 0131XF | RR2109 - 9 Ft. Raking Width Rotary Rake | 8,515.00 |
|--------|---|----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|-----------|
| 9200 | French Operators Manual and Decal Kit RR2109 Rotary Rake | No Charge |
|------|--|-----------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------|---|-------|
| 5PQ903180 | Miscellaneous: French Operators Manual & Decal Kit (RR2109) Rotary Rake <i>Destination of Quebec only. Includes French safety decals and manual.</i> | 60.48 |
|-----------|---|-------|

FRONTIER PRODUCTS

Hay & Forage

RR2109 - 9 Ft. Raking Width Rotary Rake
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

RR2211 - 11 Ft. Raking Width Rotary Rake Equipment for Base Machine

Tandem Axles With Four Bolt Wheels
Exclusive Level-Lift Hydraulics
Totally Enclosed Oil Bath Gearbox
Heat Treated, Double-Tooth
Spring Steel Tines
Safety Tow Chain is Standard Equipment
1 Year Parts and Labor Warranty

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | | |
|--------|--|--|-----------|
| 0141XF | | RR2211 - 11 Ft. Raking Width Rotary Rake | 11,458.00 |
|--------|--|--|-----------|

ATTACHMENTS - ORDER AS DESIRED

| | | | |
|------|--|--|-----------|
| 9200 | | French Operators Manual and Decal Kit RR2211 Rotary Rake | No Charge |
|------|--|--|-----------|

ATTACHMENTS FOR FIELD CONVERSION

| | | | |
|-----------|--|---|-------|
| 5PQ903181 | | Miscellaneous: French Operators Manual & Decal Kit (RR2211) Rotary Rake <i>Destination of Quebec only. Includes French safety decals and manual.</i> | 53.76 |
|-----------|--|---|-------|

FRONTIER PRODUCTS

Hay & Forage

RR2211 - 11 Ft. Raking Width Rotary Rake
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

RR2313 - 13 Ft. Raking Width Rotary Rake Equipment for Base Machine

13 ft. Clean sweep raking width
15 ft. Working width
8 ft. 2 in. Transport width
6 ft. 6 in. Transport height
Tandem walking beam axles with 18.5 in. wheels
Removable rotor arms for easy storage and narrow transport
Stub shafts removable w/o disassembling gearbox
Oversized swivel gearbox
Standard hydraulic rear curtain

4 Heat treated, double-tooth spring steel tines per arm
13 Tine arms per rotor
Safety tow chain standard

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|-----------|
| 0301XF | RR2313 - 13 Ft. Raking Width Rotary Rake | 18,395.00 |
|--------|--|-----------|

EXTRA FLOTATION TIRES

| | | |
|------|---|---------------|
| 1095 | Less Extra Flotation Tires | In Base Price |
| 1010 | Extra Flotation Tires (RR2313) <i>Note: Includes 2 additional flotation tires and 2 spindles for mounting to front of each walking beam.</i> | 356.00 |

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|-----------|
| 9200 | French Operators Manual and Decal Kit RR2313 Rotary Rake | No Charge |
|------|--|-----------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------|--|--------|
| 5PQ580035 | Miscellaneous: Extra Flotation Tires (RR2313) <i>Note: Includes 2 additional flotation tires and 2 spindles for mounting to front of each walking beam.</i> | 356.40 |
| 5PQ903187 | French Operators Manual & Decal Kit (RR2313) Rotary Rake <i>Destination of Quebec only. Includes French safety decals and manual.</i> | 58.24 |

FRONTIER PRODUCTS

Hay & Forage

RR2313 - 13 Ft. Raking Width Rotary Rake
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

RR2324 - 24 Ft. Raking Width Tandem Rotary Rake Equipment for Base Machine

Trailed Style with Heavy Duty Frame
Capable of raking two individual windrows or one combined windrow
24 ft. Clean sweep raking width
27 ft. Working width
8 ft. 2 in. Transport width
6 ft. 6 in. Transport height
Tandem walking beam axles with 18.5 in. wheels
Front pitch gauge wheels on rear rotor with 18.5 in. wheels
Manifold eliminates 60% of hydraulic connections
Removable rotor arms for easy storage and narrow transport

Stub shafts removable w/o disassembling gearbox
Oversized swivel gearbox
Standard hydraulic rear curtain
4 Heat treated, double-tooth spring steel tines per arm
13 Tine arms per rotor
Lights & safety tow chain standard

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|-----------|
| 0302XF | RR2324 - 24 Ft. Raking Width Tandem Rotary Rake <i>Includes Transport Lights.</i> | 37,611.00 |
|--------|--|-----------|

EXTRA FLOTATION TIRES

| | | |
|------|---|---------------|
| 1095 | Less Extra Flotation Tires | In Base Price |
| 1010 | Extra Flotation Tires (RR2324) <i>Note: Includes 4 additional flotation tires (2 per rotor) and 4 spindles for mounting to front of each walking beam.</i> | 712.00 |

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|-----------|
| 9200 | French Operators Manual and Decal Kit RR2324 Rotary Rake | No Charge |
|------|--|-----------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------|--|--------|
| 5PQ580030 | Miscellaneous: Extra Flotation Tires (RR2324) <i>Note: Includes 4 additional flotation tires (2 per rotor) and 4 spindles for mounting to front of each walking beam.</i> | 718.20 |
| 5PQ903188 | French Operators Manual & Decal Kit RR2324 Rotary Rake <i>Destination of Quebec only. Includes French safety decals and manual.</i> | 66.08 |

FRONTIER PRODUCTS

Hay & Forage

RR2324 - 24 Ft. Raking Width Tandem Rotary Rake
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

HM1109 Standard Hay Merger Equipment for Base Machine

Pickup Width: 9 Ft.
Base Unit Width: 14 Ft. 4 In.
Base Unit Height: 4 Ft. 6 In.
Base Unit Length: 19 Ft. 3 In.
Unit Width with
Optional Accelerator Roller:
15 Ft. 9 In.
Optional 2 Ft. Conveyor Extension
(Fixed): 16 Ft. 4 In.
Optional 2 Ft. Extension Unfolded: N/A
Optional 4 Ft. Extension Unfolded: N/A
Optional 6 Ft. Extension Unfolded: N/A
Optional Extension Folded: N/A
Base Unit Length
Pole Swung In: N/A
Pole Swung Out: N/A
Base Unit Weight
Standard Unit: 2970 lbs.
Self Contained Unit: 3380 lbs.
Tire Size (Frame): (2) 6.70 x 15
Tire Size (Pickup): (2) 5.70 x 8
Replaceable Three Prong Plastic Teeth: Yes
Cross Conveyor Width: 42 In.
Tractor Size and Hydraulic Capacity Required
Standard Unit:
MINIMUM - 70 HP with 16 GPM/2000 PSI
Self Contained Unit:
MINIMUM - 70 HP with 5 GPM/2000 PSI
Hydraulic Remotes Needed

Standard Unit: 2
Self Contained Unit: 1
Approximate Set-Up Times
Standard Unit: 1.5
Self Contained Unit: 2
Extension Length for Harvester with
Narrow (3.0 Meter) Pick-up Head:
Cut Width of 9 Ft. - 10 Ft.:
No extension required
Cut Width of 12 Ft.:
No extension required
Cut Width of 14 Ft.:
2 Ft. or Accelerator Roller
Cut Width of 16 Ft.: N/A
Cut Width of 18 Ft.: N/A
Extension Length for Harvester with
Wide (4.5 Meter) Pick-up Head:
Cut Width of 14 Ft.: N/A
Cut Width of 16 Ft.: N/A
Cut Width of 18 Ft.: N/A

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|-----------|
| 0021XF | HM1109 Standard Hay Merger <i>9 Ft. Head. Includes rolling crop deflector, but does NOT include wind apron, which is no longer necessary.</i> | 24,557.00 |
|--------|--|-----------|

PTO HYDRAULIC DRIVE

| | | |
|------|--|---------------|
| 1000 | PTO Hydraulic Drive <i>Self contained pump and reservoir.</i> | 3,601.00 |
| 1095 | Less PTO Hydraulic Drive | In Base Price |

CONVEYOR EXTENSION

| | | |
|------|---|---------------|
| 2002 | Conveyor Extension <i>2 Ft. fixed (non-folding).</i> | 1,040.00 |
| 2095 | Less Conveyor Extension | In Base Price |

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|---|-----------|
| 9020 | Accelerator Roller <i>For merging up to 14 Ft. cuts of hay or creating windrows up to 9 Ft. apart.</i> | 1,254.00 |
| 9200 | French Operators Manual & Decals HM11 Series Hay Mergers | No Charge |

FRONTIER PRODUCTS

Hay & Forage

HM1109 Standard Hay Merger Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|--------------------------|---|-------------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Miscellaneous: | |
| | 5HPMMO1 | Accelerator Roller <i>For merging up to 14 Ft. cuts of hay or creating windrows up to 9 Ft. apart.</i> | 1,327.32 |
| | 5HPMMO4 | Conveyor Extension | 1,165.59 |
| | 5HP1108FKM11 | French Operators Manual & Decals HM11 Series Hay Mergers | 31.04 |
| | 5HPMMO5 | PTO Hydraulic Drive (HM1109) | 3,672.67 |

FRONTIER PRODUCTS

Hay & Forage

HM1209 Hydra-Swing Merger Equipment for Base Machine

Pickup Width: 9 Ft.
Base Unit Width: 14 Ft. 4 In.
Base Unit Height: 5 Ft. 3 In.
Base Unit Length: N/A
Unit Width with
Optional Accelerator Roller: N/A
Optional 2 Ft. Conveyor Extension
(Fixed): N/A
Optional 2 Ft. Extension Unfolded:
16 Ft. 4 In.
Optional 4 Ft. Extension Unfolded:
18 Ft. 4 In.
Optional 6 Ft. Extension Unfolded:
20 Ft. 4 In.
Optional Extension Folded:
14 Ft. 10 In.
Base Unit Length
Pole Swung In: 22 Ft.
Pole Swung Out: 21 Ft.
Base Unit Weight
Standard Unit: 3095 lbs.
Self Contained Unit: 3515 lbs.
Tire Size (Frame):
(1) 6.70 x 15 and (2) 9.5L x 15
Tire Size (Pickup):
(2) 5.70 x 8
Replaceable Three Prong Plastic Teeth: Yes
Cross Conveyor Width: 42 In.
Tractor Size and Hydraulic Capacity Required
Standard Unit:
MINIMUM - 70 HP with 16 GPM/2000 PSI

Tractor Size and Hydraulic Capacity Required

Self Contained Unit:
MINIMUM - 70 HP with 5 GPM/2000 PSI
Hydraulic Remotes Needed
Standard Unit: 2
Self Contained Unit: 1
Approximate Set-Up Times
Standard Unit: 2.5
Self Contained Unit: 3

Extension Length for Harvester with Narrow (3.0 Meter) Pick-up Head:

Cut Width of 9 Ft. - 10 Ft.: N/A
Cut Width of 12 Ft.:
No extension required
Cut Width of 14 Ft.: 2 Ft.
Cut Width of 16 Ft.: 4 Ft.
Cut Width of 18 Ft.: 6 Ft.

Extension Length for Harvester with Wide (4.5 Meter) Pick-up Head:

Cut Width of 14 Ft.:
No Extension Required
Cut Width of 16 Ft.: 2 Ft.
Cut Width of 18 Ft.: 4 Ft.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|-----------|
| 0031XF | HM1209 Hydra-Swing Merger 9 Ft. Head. Includes rolling crop deflector, but does NOT include wind apron, which is no longer necessary. | 31,312.00 |
|--------|--|-----------|

PTO HYDRAULIC DRIVE

| | | |
|------|---|---------------|
| 1000 | PTO Hydraulic Drive Self contained pump and reservoir. | 4,144.00 |
| 1095 | Less PTO Hydraulic Drive | In Base Price |

CONVEYOR EXTENSION

| | | |
|------|----------------------------------|---------------|
| 2002 | 2 Ft. Folding Conveyor Extension | 3,903.00 |
| 2004 | 4 Ft. Folding Conveyor Extension | 4,312.00 |
| 2006 | 6 Ft. Folding Conveyor Extension | 4,786.00 |
| 2095 | Less Conveyor Extension | In Base Price |

ATTACHMENTS - ORDER AS DESIRED

FRONTIER PRODUCTS

Hay & Forage

HM1209 Hydra-Swing Merger Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|-----------------------|---|-------------------------------|
| ATTACHMENTS - ORDER AS DESIRED ...Continued... | | | |
| 9200 | | French Operators Manual & Decals HM12 Series Hay Mergers | No Charge |
| 9000 | | Cross Conveyor Shut-Off | 1,095.00 |
| 9010 | | Windrow Inverter (HM12 Series Hay Mergers) <i>Left hand discharge.</i> | 274.00 |
| 9005 | | Extension Shut-Off Kit (HM12 Series Hay Mergers) | 494.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Miscellaneous: | | | |
| 5HPHSMO2 | | 2 Ft. Folding Conveyor Extension | 4,405.97 |
| 5HPHSMO4 | | 4 Ft. Folding Conveyor Extension | 4,869.39 |
| 5HPHSMO6 | | 6 Ft. Folding Conveyor Extension | 5,404.97 |
| 5HPHSMOCSOK | | Cross Conveyor Shut-Off | 1,159.92 |
| 5HPHSMOESOK | | Extension Shut-off Kit (HM12 Series Hay Merger) | 523.80 |
| 5HP1108FKM12 | | French Operators Manual & Decals HM12 Series Hay Mergers | 41.84 |
| 5HPHSMO3 | | PTO Hydraulic Drive (HM12 Series Hay Merger) | 4,679.90 |
| 5HPHSMO1 | | Windrow Inverter HM12 Series Hay Mergers | 290.52 |

FRONTIER PRODUCTS

Hay & Forage

HM1212 Hydra-Swing Merger Equipment for Base Machine

Pickup Width: 12 Ft.
Base Unit Width: 15 Ft. 4 In.
Base Unit Height: 5 Ft. 3 In.
Base Unit Length: N/A
Unit Width with
Optional Accelerator Roller: N/A
Optional 2 Ft. Conveyor Extension
(Fixed): N/A
Optional 2 Ft. Extension Unfolded:
17 Ft. 4 In.
Optional 4 Ft. Extension Unfolded:
19 Ft. 4 In.
Optional 6 Ft. Extension Unfolded:
21 Ft. 4 In.
Optional Extension Folded:
15 Ft. 10 In.
Base Unit Length
Pole Swung In: 22 Ft.
Pole Swung Out: 21 Ft.
Base Unit Weight
Standard Unit: 4173 lbs.
Self Contained Unit: 4593 lbs.
Tire Size (Frame):
(1) 6.70 x 15 and (2) 9.5L x 15
Tire Size (Pickup):
(2) 5.70 x 8
Replaceable Three Prong Plastic Teeth: Yes
Cross Conveyor Width: 42 In.
Tractor Size and Hydraulic Capacity Required
Standard Unit:
MINIMUM - 70 HP with 16 GPM/2000 PSI

Tractor Size and Hydraulic Capacity Required

Self Contained Unit:
MINIMUM - 70 HP with 5 GPM/2000 PSI
Hydraulic Remotes Needed
Standard Unit: 2
Self Contained Unit: 1
Approximate Set-Up Times
Standard Unit: 2.5
Self Contained Unit: 3

Extension Length for Harvester with Narrow (3.0 Meter) Pick-up Head:

Cut Width of 9 Ft. - 10 Ft.: N/A
Cut Width of 12 Ft.:
No extension required
Cut Width of 14 Ft.: 2 Ft.
Cut Width of 16 Ft.: 4 Ft.
Cut Width of 18 Ft.: 6 Ft.

Extension Length for Harvester with Wide (4.5 Meter) Pick-up Head:

Cut Width of 14 Ft.:
No Extension Required
Cut Width of 16 Ft.: 2 Ft.
Cut Width of 18 Ft.: 4 Ft.

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---|-----------|
| 0032XF | HM1212 Hydra-Swing Merger 12 Ft. head. Includes rolling crop deflector, but does NOT include wind apron, which is no longer necessary. | 35,896.00 |
|--------|---|-----------|

PTO HYDRAULIC DRIVE

| | | |
|------|---|---------------|
| 1000 | PTO Hydraulic Drive Self contained pump and reservoir. | 4,144.00 |
| 1095 | Less PTO Hydraulic Drive | In Base Price |

CONVEYOR EXTENSION

| | | |
|------|----------------------------------|---------------|
| 2002 | 2 Ft. Folding Conveyor Extension | 3,903.00 |
| 2004 | 4 Ft. Folding Conveyor Extension | 4,312.00 |
| 2006 | 6 Ft. Folding Conveyor Extension | 4,786.00 |
| 2095 | Less Conveyor Extension | In Base Price |

ATTACHMENTS - ORDER AS DESIRED

FRONTIER PRODUCTS

Hay & Forage

HM1212 Hydra-Swing Merger

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|-----------------------|---|-------------------------------|
| ATTACHMENTS - ORDER AS DESIRED ...Continued... | | | |
| 9200 | | French Operators Manual & Decals HM12 Series Hay Mergers | No Charge |
| 9000 | | Cross Conveyor Shut-Off | 1,095.00 |
| 9010 | | Windrow Inverter (HM12 Series Hay Mergers) <i>Left hand discharge.</i> | 274.00 |
| 9005 | | Extension Shut-Off Kit (HM12 Series Hay Mergers) | 494.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Miscellaneous: | |
| | 5HPHSMO2 | 2 Ft. Folding Conveyor Extension | 4,405.97 |
| | 5HPHSMO4 | 4 Ft. Folding Conveyor Extension | 4,869.39 |
| | 5HPHSMO6 | 6 Ft. Folding Conveyor Extension | 5,404.97 |
| | 5HPHSMOCSOK | Cross Conveyor Shut-Off | 1,159.92 |
| | 5HPHSMOESOK | Extension Shut-off Kit (HM12 Series Hay Merger) | 523.80 |
| | 5HP1108FKM12 | French Operators Manual & Decals HM12 Series Hay Mergers | 41.84 |
| | 5HPHSMO3 | PTO Hydraulic Drive (HM12 Series Hay Merger) | 4,679.90 |
| | 5HPHSMO1 | Windrow Inverter HM12 Series Hay Mergers | 290.52 |

FRONTIER PRODUCTS

Hay & Forage

BU1060 Bale Unroller Equipment for Base Machine

3-Point Hitch Compatibility:
Category I and II (iMatch and
Quick Coupler - II and IIIN)
Framing: Tubular
Optional Hydraulics:
2 In. x 8 In. Hydraulic Cylinder
Dimensions:
24 In. H x 50 In. W x 53 In. L
Equipment Weight: 310 lb.

Bale Handling Capacity:
One Large Round Bale (2000 lb. limit)

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|----------------------|----------|
| 0011XF | BU1060 Bale Unroller | 1,129.00 |
|--------|----------------------|----------|

HYDRAULIC ACTUATION

| | | |
|------|---|---------------|
| 1010 | Hydraulic Kit to Actuate BU1060 Bale Unroller <i>Includes cylinder, hoses, and tips.</i> | 360.00 |
| 1095 | Less Hydraulic Actuation <i>2 In. x 8 In. hydraulic cylinder required with approximately 60 In. of 1/4 In. hose recommended.</i> | In Base Price |

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-----------|---|--------|
| 5WS832135 | Miscellaneous: Hydraulic Kit to Actuate Bale Unroller - Includes Cylinder, Hoses, and Tips (BU1060) | 388.80 |
|-----------|---|--------|

FRONTIER PRODUCTS

Hay & Forage

BU1060 Bale Unroller

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

BC1108 Bale Carrier - U.S. Equipment for Base Machine

Handles bale sizes from 4' x 4' to 5' x 5'
(diameter x width)
4' bale width - 8 bale capacity
5' bale width - 6 bale capacity
Complete self-loading and unloading operation
2 remote outlets required to operate
Comes complete with electric diverter valve for
third function to operate unloading tilt cylinder
All wiring and hose couplers included
Heavy duty loading arm
Transport safety lights, SMV, reflectors

Double cylinders on tilt bed
(4) 12.5 x 15 12 ply tires
10' 5" wide
20' long plus extensions for end bale

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|-----------|
| 0252XF | BC1108 Bale Carrier - U.S. <i>Includes rear extensions.</i> | 25,856.00 |
|--------|--|-----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|-----------|
| 9200 | French Operators Manual & Decals BC1108 Bale Carrier | No Charge |
|------|--|-----------|

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:

| | | |
|--------------|--|-------|
| 5TBBC118FROM | French Operators Manual & Decals BC1108 Bale Carrier | 44.80 |
|--------------|--|-------|

FRONTIER PRODUCTS

Hay & Forage

BC1108 Bale Carrier - U.S.

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

BC1110 Bale Carrier - U.S. Equipment for Base Machine

Handles bale sizes up to 6' x 6' (diameter x width) (4) 32/15.5x16.5 14ply Galaxy Tires
6' bale width - 10 bale capacity 11' 11" wide
Complete self-loading and unloading operation 28' long plus extensions for end bale
2 remote outlets required to operate
Comes complete with electric diverter valve for
third function to operate unloading tilt cylinder
All wiring and hose couplers included
Heavy duty loading arm
Transport safety lights, SMV, reflectors
Double cylinders on tilt bed

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|-----------|
| 0253XF | BC1110 Bale Carrier - U.S. <i>Includes rear extensions.</i> | 30,625.00 |
|--------|--|-----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|-----------|
| 9200 | French Operators Manual & Decals BC1110 Bale Carrier | No Charge |
|------|--|-----------|

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:

| | | |
|--------------|--|-------|
| 5TBBC110FROM | French Operators Manual & Decals BC1110 Bale Carrier | 44.80 |
|--------------|--|-------|

FRONTIER PRODUCTS

Hay & Forage

BC1110 Bale Carrier - U.S.

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

BC1108 Bale Carrier - Canada

Equipment for Base Machine

Handles bale sizes from 4' x 4' to 5' x 5'
(diameter x width)
4' bale width - 8 bale capacity
5' bale width - 6 bale capacity
Complete self-loading and unloading operation
2 remote outlets required to operate
Comes complete with electric diverter valve for
third function to operate unloading tilt cylinder
All wiring and hose couplers included
Heavy duty loading arm
Transport safety lights, SMV, reflectors

Double cylinders on tilt bed
(4) 12.5 x 15 12 ply tires
10' 5" wide
20' long plus extensions for end bale

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|-----------|
| 025BXF | BC1108 Bale Carrier - Canada <i>Includes rear extensions.</i> | 27,704.00 |
|--------|--|-----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|-----------|
| 9200 | French Operators Manual & Decals BC1108 Bale Carrier | No Charge |
|------|--|-----------|

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:

| | | |
|--------------|--|-------|
| 5TBBC118FROM | French Operators Manual & Decals BC1108 Bale Carrier | 44.80 |
|--------------|--|-------|

FRONTIER PRODUCTS

Hay & Forage

BC1108 Bale Carrier - Canada

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

BC1110 Bale Carrier - Canada

Equipment for Base Machine

Handles bale sizes up to 6' x 6' (diameter x width) (4) 32/15.5x16.5 14ply Galaxy Tires
6' bale width - 10 bale capacity 11' 11" wide
Complete self-loading and unloading operation 28' long plus extensions for end bale
2 remote outlets required to operate
Comes complete with electric diverter valve for
third function to operate unloading tilt cylinder
All wiring and hose couplers included
Heavy duty loading arm
Transport safety lights, SMV, reflectors
Double cylinders on tilt bed

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|-----------|
| 025CXF | BC1110 Bale Carrier - Canada <i>Includes rear extensions.</i> | 32,885.00 |
|--------|--|-----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|-----------|
| 9200 | French Operators Manual & Decals BC1110 Bale Carrier | No Charge |
|------|--|-----------|

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:

| | | |
|--------------|--|-------|
| 5TBBC110FROM | French Operators Manual & Decals BC1110 Bale Carrier | 44.80 |
|--------------|--|-------|

FRONTIER PRODUCTS

Hay & Forage

BC1110 Bale Carrier - Canada

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

LW1166 Inline Bale Wrapper - U.S. Equipment for Base Machine

Fully automatic cycling
Electric start 13 HP Honda gas engine (18 amp charging system)
Spark arrester on engine
Low oil alert on engine
Transport safety lights, SMV, reflectors
Temperature gauge on hydraulic tank
Lock pin on hoop to reload plastic
Hydraulic steering
Electric hydraulic switch in control panel
Main control panel wired for field installed options
Hydraulic over center cam axle to pack bales tightly

Adjustable stroke length on charge table
2 - 30" pretensioners
Cross tube unloading (to push off last bale)
Adjustable length tongue
Automatically idles down when cycle completed
Safety shut off switch on guards
Guide rollers for side hill operation
Lug tires on rear axle

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | | |
|--------|--|---|-----------|
| 0261XF | | LW1166 Inline Bale Wrapper - U.S. <i>Includes plastic sensor shutdown and guide rollers.</i> | 36,852.00 |
|--------|--|---|-----------|

HYDRAULIC POWER DRIVE

| | | | |
|------|--|---|---------------|
| 1010 | | Single Wheel Hydraulic Power Drive LW1166 | 815.00 |
| 1020 | | Dual Wheel Hydraulic Power Drive LW1166 | 1,635.00 |
| 1095 | | No Hydraulic Power Drive | In Base Price |

ENGINE

| | | | |
|------|--|--|---------------|
| 2000 | | 13 HP Honda Engine | In Base Price |
| 2010 | | 20 HP Honda Engine <i>Includes High Flow Pump for faster cycle times.</i> | 3,000.00 |

REMOTE CONTROL

| | | | |
|------|--|---------------------------------|---------------|
| 3010 | | Remote Steering and Shutdown | 1,200.00 |
| 3095 | | No Remote Steering and Shutdown | In Base Price |

SPECIAL EQUIPMENT - FACTORY INSTALLED

| | | | |
|------|--|---|--------|
| 8010 | | Night Working Lights <i>Includes three lights.</i> | 236.00 |
| 8030 | | Twin Wrap Kit <i>For double plastic.</i> | 579.00 |

ATTACHMENTS - ORDER AS DESIRED

FRONTIER PRODUCTS

Hay & Forage

LW1166 Inline Bale Wrapper - U.S.

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|-----------------------|--|-------------------------------|
| 9000 | | ATTACHMENTS - ORDER AS DESIRED ...Continued... Shielding <i>Order only for machines sold in Quebec.</i> | No Charge |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Miscellaneous: | |
| 5TBHPDD5000F | | LW11 Dual Wheel Hydraulic Power Drive | 1,954.98 |
| 5TBHPD5000F | | LW11 Single Wheel Hydraulic Power Drive | 980.39 |
| 5TBNWLKF | | LW11/LW12 Night Working Lights | 284.26 |
| 5TBRSSKX2HDF | | LW11/LW12 Remote Steering and Shutdown | 1,432.88 |
| 5TBTWKF | | LW11/LW12 Twin Wrap Kit | 701.94 |
| 5TBSSKF | | Shielding <i>(Order only for machines sold into Quebec.)</i> | 0.00 |

FRONTIER PRODUCTS

Hay & Forage

LW1266 Inline Bale Wrapper - U.S. Equipment for Base Machine

Fully automatic cycling
Electric start 13 HP Honda gas engine (18 amp charging system)
Spark arrester on engine
Low oil alert on engine
Transport safety lights, SMV, reflectors
Temperature gauge on hydraulic tank
Lock pin on hoop to reload plastic
Roller bed rises for round to square bales
Hydraulic steering
Electric hydraulic switch in control panel
Main control panel wired for field installed options
Hydraulic over center cam axle to pack bales tightly
Adjustable stroke length on charge table

2 - 30" pretensioners
Cross tube unloading (to push off last bale)
Hydraulic lift ramp
Adjustable length tongue
Automatically idles down when cycle completed
Safety shut off switch on guards
Square bale riser bars
Lug tires on rear axle (when ordering hydraulic power drive)

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | | |
|--------|--|---|-----------|
| 0271XF | | LW1266 Inline Bale Wrapper - U.S. <i>Includes plastic sensor shutdown.</i> | 40,188.00 |
|--------|--|---|-----------|

HYDRAULIC POWER DRIVE

| | | | |
|------|--|---|---------------|
| 1010 | | Single Wheel Hydraulic Power Drive LW1266 | 1,379.00 |
| 1020 | | Dual Wheel Hydraulic Power Drive LW1266 | 2,610.00 |
| 1095 | | No Hydraulic Power Drive | In Base Price |

ENGINE

| | | | |
|------|--|--|---------------|
| 2000 | | 13 HP Honda Engine | In Base Price |
| 2010 | | 20 HP Honda Engine <i>Includes High Flow Pump for faster cycle times.</i> | 3,000.00 |

REMOTE CONTROL

| | | | |
|------|--|---------------------------------|---------------|
| 3010 | | Remote Steering and Shutdown | 1,200.00 |
| 3095 | | No Remote Steering and Shutdown | In Base Price |

SPECIAL EQUIPMENT - FACTORY INSTALLED

| | | | |
|------|--|---|--------|
| 8010 | | Night Working Lights <i>Includes three lights.</i> | 236.00 |
| 8020 | | Guide Rollers <i>For side hill operation.</i> | 477.00 |
| 8030 | | Twin Wrap Kit <i>For double plastic.</i> | 579.00 |

FRONTIER PRODUCTS

Hay & Forage

LW1266 Inline Bale Wrapper - U.S.

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|---|-------------------------------|
| SPECIAL EQUIPMENT - FACTORY INSTALLED ...Continued... | | | |
| 8040 | | Quick Start Power Jack <i>Includes fuel pump.</i> | 989.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| 9000 | | Shielding <i>Order only for machines sold in Quebec.</i> | No Charge |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Miscellaneous: | | | |
| 5TBNWLKF | | LW11/LW12 Night Working Lights | 284.26 |
| 5TBRSSKX2HDF | | LW11/LW12 Remote Steering and Shutdown | 1,432.88 |
| 5TBTWKF | | LW11/LW12 Twin Wrap Kit | 701.94 |
| 5TBHPDD5500F | | LW12 Dual Wheel Hydraulic Power Drive | 3,115.22 |
| 5TBQSPJF | | LW12 Quick Start Power Jack | 1,166.03 |
| 5TBGRF | | LW12 Side Hill Guide Rollers | 568.51 |
| 5TBHPD5500F | | LW12 Single Wheel Hydraulic Power Drive | 1,647.53 |
| 5TBSSKF | | Shielding <i>(Order only for machines sold into Quebec.)</i> | 0.00 |

FRONTIER PRODUCTS

Hay & Forage

LW1166 Inline Bale Wrapper - Canada Equipment for Base Machine

Fully automatic cycling
Electric start 13 HP Honda gas engine (18 amp charging system) Spark arrester on engine
Low oil alert on engine
Transport safety lights, SMV, reflectors
Temperature gauge on hydraulic tank
Lock pin on hoop to reload plastic
Hydraulic steering
Electric hydraulic switch in control panel
Main control panel wired for field installed options
Hydraulic over center cam axle to pack bales tightly
Adjustable stroke length on charge table

2 - 30" pretensioners
Cross tube unloading (to push off last bale)
Adjustable length tongue
Automatically idles down when cycle completed
Safety shut off switch on guards
Guide rollers for side hill operation
Lug tires on rear axle

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | | |
|--------|--|---|-----------|
| 026AXF | | LW1166 Inline Bale Wrapper - Canada <i>Includes plastic sensor shutdown and guide rollers.</i> | 39,358.00 |
|--------|--|---|-----------|

HYDRAULIC POWER DRIVE

| | | | |
|------|--|---|---------------|
| 1010 | | Single Wheel Hydraulic Power Drive LW1166 | 872.00 |
| 1020 | | Dual Wheel Hydraulic Power Drive LW1166 | 1,738.00 |
| 1095 | | No Hydraulic Power Drive | In Base Price |

ENGINE

| | | | |
|------|--|--|---------------|
| 2000 | | 13 HP Honda Engine | In Base Price |
| 2010 | | 20 HP Honda Engine <i>Includes High Flow Pump for faster cycle times.</i> | 3,160.00 |

REMOTE CONTROL

| | | | |
|------|--|---------------------------------|---------------|
| 3010 | | Remote Steering and Shutdown | 1,274.00 |
| 3095 | | No Remote Steering and Shutdown | In Base Price |

SPECIAL EQUIPMENT - FACTORY INSTALLED

| | | | |
|------|--|---|--------|
| 8010 | | Night Working Lights <i>Includes three lights.</i> | 252.00 |
| 8030 | | Twin Wrap Kit <i>For double plastic.</i> | 624.00 |

ATTACHMENTS - ORDER AS DESIRED

FRONTIER PRODUCTS

Hay & Forage

LW1166 Inline Bale Wrapper - Canada

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|-----------------------|--|-------------------------------|
| 9000 | | ATTACHMENTS - ORDER AS DESIRED ...Continued... Shielding <i>Order only for machines sold in Quebec.</i> | No Charge |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Miscellaneous: | |
| 5TBHPDD5000F | | LW11 Dual Wheel Hydraulic Power Drive | 1,954.98 |
| 5TBHPD5000F | | LW11 Single Wheel Hydraulic Power Drive | 980.39 |
| 5TBNWLKF | | LW11/LW12 Night Working Lights | 284.26 |
| 5TBRSSKX2HDF | | LW11/LW12 Remote Steering and Shutdown | 1,432.88 |
| 5TBTWKF | | LW11/LW12 Twin Wrap Kit | 701.94 |
| 5TBSSKF | | Shielding <i>(Order only for machines sold into Quebec.)</i> | 0.00 |

FRONTIER PRODUCTS

Hay & Forage

LW1266 Inline Bale Wrapper - Canada Equipment for Base Machine

Fully automatic cycling
Electric start 13 HP Honda gas engine (18 amp charging system)
Spark arrester on engine
Low oil alert on engine
Transport safety lights, SMV, reflectors
Temperature gauge on hydraulic tank
Lock pin on hoop to reload plastic
Roller bed rises for round to square bales
Hydraulic steering
Electric hydraulic switch in control panel
Main control panel wired for field installed options
Hydraulic over center cam axle to pack bales tightly
Adjustable stroke length on charge table

2 - 30" pretensioners
Cross tube unloading (to push off last bale)
Hydraulic lift ramp
Adjustable length tongue
Automatically idles down when cycle completed
Safety shut off switch on guards
Square bale riser bars
Lug tires on rear axle (when ordering hydraulic power drive)

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | | |
|--------|--|---|-----------|
| 027AXF | | LW1266 Inline Bale Wrapper - Canada <i>Includes plastic sensor shutdown.</i> | 42,870.00 |
|--------|--|---|-----------|

HYDRAULIC POWER DRIVE

| | | | |
|------|--|---|---------------|
| 1010 | | Single Wheel Hydraulic Power Drive LW1266 | 1,465.00 |
| 1020 | | Dual Wheel Hydraulic Power Drive LW1266 | 2,770.00 |
| 1095 | | No Hydraulic Power Drive | In Base Price |

ENGINE

| | | | |
|------|--|--|---------------|
| 2000 | | 13 HP Honda Engine | In Base Price |
| 2010 | | 20 HP Honda Engine <i>Includes High Flow Pump for faster cycle times.</i> | 3,160.00 |

REMOTE CONTROL

| | | | |
|------|--|---------------------------------|---------------|
| 3010 | | Remote Steering and Shutdown | 1,274.00 |
| 3095 | | No Remote Steering and Shutdown | In Base Price |

SPECIAL EQUIPMENT - FACTORY INSTALLED

| | | | |
|------|--|---|--------|
| 8010 | | Night Working Lights <i>Includes three lights.</i> | 252.00 |
| 8020 | | Guide Rollers <i>For side hill operation.</i> | 505.00 |
| 8030 | | Twin Wrap Kit <i>For double plastic.</i> | 624.00 |

FRONTIER PRODUCTS

Hay & Forage

LW1266 Inline Bale Wrapper - Canada

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|---|-------------------------------|
| SPECIAL EQUIPMENT - FACTORY INSTALLED ...Continued... | | | |
| 8040 | | Quick Start Power Jack <i>Includes fuel pump.</i> | 1,037.00 |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| 9000 | | Shielding <i>Order only for machines sold in Quebec.</i> | No Charge |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| Miscellaneous: | | | |
| 5TBNWLKF | | LW11/LW12 Night Working Lights | 284.26 |
| 5TBRSSKX2HDF | | LW11/LW12 Remote Steering and Shutdown | 1,432.88 |
| 5TBTWKF | | LW11/LW12 Twin Wrap Kit | 701.94 |
| 5TBHPDD5500F | | LW12 Dual Wheel Hydraulic Power Drive | 3,115.22 |
| 5TBQSPJF | | LW12 Quick Start Power Jack | 1,166.03 |
| 5TBGRF | | LW12 Side Hill Guide Rollers | 568.51 |
| 5TBHPD5500F | | LW12 Single Wheel Hydraulic Power Drive | 1,647.53 |
| 5TBSSKF | | Shielding <i>(Order only for machines sold into Quebec.)</i> | 0.00 |

FRONTIER PRODUCTS

Hay & Forage

LW1166 Inline Bale Wrapper - Quebec Only Equipment for Base Machine

Fully automatic cycling
Electric start 13 HP Honda gas engine (18 amp charging system)
Spark arrester on engine
Low oil alert on engine
Transport safety lights, SMV, reflectors
Temperature gauge on hydraulic tank
Lock pin on hoop to reload plastic
Hydraulic steering
Electric hydraulic switch in control panel
Main control panel wired for field installed options
Hydraulic over center cam axle to pack bales tightly

Adjustable stroke length on charge table
2 - 30" pretensioners
Cross tube unloading (to push off last bale)
Adjustable length tongue
Automatically idles down when cycle completed
Safety shut off switch on guards
Guide rollers for side hill operation
Lug tires on rear axle

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---|-----------|
| 026BXF | LW1166 Inline Bale Wrapper - Quebec Only <i>Includes plastic sensor shutdown, guide rollers and enhanced shielding, and French Operator's Manual/Decals.</i> | 39,358.00 |
|--------|---|-----------|

HYDRAULIC POWER DRIVE

| | | |
|------|---|---------------|
| 1010 | Single Wheel Hydraulic Power Drive LW1166 | 872.00 |
| 1020 | Dual Wheel Hydraulic Power Drive LW1166 | 1,738.00 |
| 1095 | No Hydraulic Power Drive | In Base Price |

ENGINE

| | | |
|------|--|---------------|
| 2000 | 13 HP Honda Engine | In Base Price |
| 2010 | 20 HP Honda Engine <i>Includes High Flow Pump for faster cycle times.</i> | 3,160.00 |

REMOTE CONTROL

| | | |
|------|---------------------------------|---------------|
| 3010 | Remote Steering and Shutdown | 1,274.00 |
| 3095 | No Remote Steering and Shutdown | In Base Price |

SPECIAL EQUIPMENT - FACTORY INSTALLED

| | | |
|------|---|--------|
| 8010 | Night Working Lights <i>Includes three lights.</i> | 252.00 |
| 8030 | Twin Wrap Kit <i>For double plastic.</i> | 624.00 |

ATTACHMENTS FOR FIELD CONVERSION

FRONTIER PRODUCTS

Hay & Forage

LW1166 Inline Bale Wrapper - Quebec Only

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|--------------------------|------------------------------------|-------------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION ...Continued... | | | |
| | | Miscellaneous: | |
| 5TBHPDD5000F | LW11 | Dual Wheel Hydraulic Power Drive | 1,954.98 |
| 5TBHPD5000F | LW11 | Single Wheel Hydraulic Power Drive | 980.39 |
| 5TBNWLKF | LW11/LW12 | Night Working Lights | 284.26 |
| 5TBRSSKX2HDF | LW11/LW12 | Remote Steering and Shutdown | 1,432.88 |
| 5BTWKF | LW11/LW12 | Twin Wrap Kit | 701.94 |

FRONTIER PRODUCTS

Hay & Forage

LW1266 Inline Bale Wrapper - Quebec Only Equipment for Base Machine

Fully automatic cycling
Electric start 13 HP Honda gas engine (18 amp charging system)
Spark arrester on engine
Low oil alert on engine
Transport safety lights, SMV, reflectors
Temperature gauge on hydraulic tank
Lock pin on hoop to reload plastic
Roller bed rises for round to square bales
Hydraulic steering
Electric hydraulic switch in control panel
Main control panel wired for field installed options
Hydraulic over center cam axle to pack bales tightly
Adjustable stroke length on charge table

2 - 30" pretensioners
Cross tube unloading (to push off last bale)
Hydraulic lift ramp
Adjustable length tongue
Automatically idles down when cycle completed
Safety shut off switch on guards
Square bale riser bars
Lug tires on rear axle (when ordering hydraulic power drive)

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | | |
|--------|--|--|-----------|
| 027BXF | | LW1266 Inline Bale Wrapper - Quebec Only <i>Includes plastic sensor shutdown and enhanced shielding, and French Operator's Manual/Decals.</i> | 42,870.00 |
|--------|--|--|-----------|

HYDRAULIC POWER DRIVE

| | | | |
|------|--|---|---------------|
| 1010 | | Single Wheel Hydraulic Power Drive LW1266 | 1,465.00 |
| 1020 | | Dual Wheel Hydraulic Power Drive LW1266 | 2,770.00 |
| 1095 | | No Hydraulic Power Drive | In Base Price |

ENGINE

| | | | |
|------|--|--|---------------|
| 2000 | | 13 HP Honda Engine | In Base Price |
| 2010 | | 20 HP Honda Engine <i>Includes High Flow Pump for faster cycle times.</i> | 3,160.00 |

REMOTE CONTROL

| | | | |
|------|--|---------------------------------|---------------|
| 3010 | | Remote Steering and Shutdown | 1,274.00 |
| 3095 | | No Remote Steering and Shutdown | In Base Price |

SPECIAL EQUIPMENT - FACTORY INSTALLED

| | | | |
|------|--|---|--------|
| 8010 | | Night Working Lights <i>Includes three lights.</i> | 252.00 |
| 8030 | | Twin Wrap Kit <i>For double plastic.</i> | 624.00 |
| 8020 | | Guide Rollers | 505.00 |

FRONTIER PRODUCTS

Hay & Forage

LW1266 Inline Bale Wrapper - Quebec Only

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|--------------------------|--|-------------------------------------|
| SPECIAL EQUIPMENT - FACTORY INSTALLED ...Continued... | | | |
| <i>For side hill operation.</i> | | | |
| 8040 | | Quick Start Power Jack <i>Includes fuel pump.</i> | 1,037.00 |
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Miscellaneous: | |
| 5TBNWLKF | | LW11/LW12 Night Working Lights | 284.26 |
| 5TBRSSKX2HDF | | LW11/LW12 Remote Steering and Shutdown | 1,432.88 |
| 5TBTWKF | | LW11/LW12 Twin Wrap Kit | 701.94 |
| 5TBHPDD5500F | | LW12 Dual Wheel Hydraulic Power Drive | 3,115.22 |
| 5TBQSPJF | | LW12 Quick Start Power Jack | 1,166.03 |
| 5TBGRF | | LW12 Side Hill Guide Rollers | 568.51 |
| 5TBHPD5500F | | LW12 Single Wheel Hydraulic Power Drive | 1,647.53 |

FRONTIER PRODUCTS

Hay & Forage

SB3106 - 6 Ft. Sickle Bar Mower Equipment for Base Machine

| | |
|---|--|
| Working Width: 5 ft. 9 in. (1.75 m) | for Belt Tension |
| Tractor PTO Speed: 540 RPM | Driveline Protection: Slip Clutch |
| Tractor PTO HP (Minimum): 25 HP | Safety Trip Linkage |
| Tractor PTO HP (Maximum): 50 HP | Hydraulic Lifting Cylinder for Cutting Bar |
| Hitch: | Double Action Cutting Bar |
| Category I, Category II, and iMatch Compatible | |
| Parking Stand Included | |
| Height Adjustment: Skid Shoes | |
| Drive: | |
| Belt with Manual Adjustment | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|----------|
| 0281XF | SB3106 - 6 Ft. Sickle Bar Mower <i>Order in multiples of two.</i> | 4,998.00 |
|--------|--|----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|-----------|
| 9200 | French Operators Manual and Parts Catalog (SB31 Series Sickle Bar Mower) | No Charge |
|------|--|-----------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-------------|---|-----------|
| 5GH89900522 | Miscellaneous: French Operators Manual and Parts Catalog (SB31 Series Sickle Bar Mower) | See Parts |
|-------------|---|-----------|

FRONTIER PRODUCTS

Hay & Forage

SB3106 - 6 Ft. Sickle Bar Mower

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

SB3107 - 6 Ft. 9 In. Sickle Bar Mower Equipment for Base Machine

| | |
|---|--|
| Working Width: 6 ft. 9 in. (2.05 m) | for Belt Tension |
| Tractor PTO Speed: 540 RPM | Driveline Protection: Slip Clutch |
| Tractor PTO HP (Minimum): 25 HP | Safety Trip Linkage |
| Tractor PTO HP (Maximum): 50 HP | Hydraulic Lifting Cylinder for Cutting Bar |
| Hitch: | Double Action Cutting Bar |
| Category I, Category II, and iMatch Compatible | |
| Parking Stand Included | |
| Height Adjustment: Skid Shoes | |
| Drive: | |
| Belt with Manual Adjustment | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|----------|
| 0282XF | SB3107 - 6 Ft. 9 In. Sickle Bar Mower <i>Order in multiples of two.</i> | 5,219.00 |
|--------|--|----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|-----------|
| 9200 | French Operators Manual and Parts Catalog (SB31 Series Sickle Bar Mower) | No Charge |
|------|--|-----------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-------------|---|-----------|
| 5GH89900522 | Miscellaneous: French Operators Manual and Parts Catalog (SB31 Series Sickle Bar Mower) | See Parts |
|-------------|---|-----------|

FRONTIER PRODUCTS

Hay & Forage

SB3107 - 6 Ft. 9 In. Sickle Bar Mower

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

SB3108 - 7 Ft. 8 In. Sickle Bar Mower Equipment for Base Machine

| | |
|---|--|
| Working Width: 7 Ft. 8 In. (2.35 m) | for Belt Tension |
| Tractor PTO Speed: 540 RPM | Driveline Protection: Slip Clutch |
| Tractor PTO HP (Minimum): 25 HP | Safety Trip Linkage |
| Tractor PTO HP (Maximum): 50 HP | Hydraulic Lifting Cylinder for Cutting Bar |
| Hitch: Category I, Category II, and iMatch Compatible | Double Action Cutting Bar |
| Parking Stand Included | |
| Height Adjustment: Skid Shoes | |
| Drive: Belt with Manual Adjustment | |

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|----------|
| 0283XF | SB3108 - 7 Ft. 8 In. Sickle Bar Mower <i>Order in multiples of two.</i> | 5,315.00 |
|--------|--|----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|--|-----------|
| 9200 | French Operators Manual and Parts Catalog (SB31 Series Sickle Bar Mower) | No Charge |
|------|--|-----------|

ATTACHMENTS FOR FIELD CONVERSION

| | | |
|-------------|---|-----------|
| 5GH89900522 | Miscellaneous: French Operators Manual and Parts Catalog (SB31 Series Sickle Bar Mower) | See Parts |
|-------------|---|-----------|

FRONTIER PRODUCTS

Hay & Forage

SB3108 - 7 Ft. 8 In. Sickle Bar Mower

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

HS2001 - 3-Point Single Tine Hay Spear Equipment for Base Machine

Primary Spears:

One - 47 in. x 1.65 in. (119.4 cm. x 4.2 cm.)
(Approximate 41 in. (104.1 cm. Usable Length)

Primary Spear Location: Top

Stabilizing Spears:

Two - 10 in. x 1.25 in. (25.4 cm. x 3.2 cm.)

Stabilizing Spear Location: Bottom

Replaceable Spears: Yes, Bolt-In Tine

Framing: Tubular

Bale Handling Capacity:

One Large Round Bale

Implement Capacity:

2200 lbs. at 24 in. (997.9 kg. at 61 cm.)

Hitch:

Category I and II

(iMatch and Quick Coupler)

Dimensions:

24.75 in. (H) x 37.5 in. (W) x 49.5 in. (L) (62.9 cm. x 95.3 cm. x 125.7 cm.)

Assembly: 15 Minutes

Operational Weight: 72 lbs. (32.7 kg.)

Warranty: 1 Year

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|--------|
| 2280XF | HS2001 - 3-Point Single Tine Hay Spear | 390.00 |
|--------|--|--------|

FRONTIER PRODUCTS

Hay & Forage

HS2001 - 3-Point Single Tine Hay Spear
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

HS2002 - 3-Point Dual Tine Hay Spear Equipment for Base Machine

Primary Spears:

Two - 47 in. x 1.65 in. (119.4 cm. x 4.2 cm)
(Approximate 42.5 in. (108 cm. Usable Length)

Primary Spear Location: Bottom

Replaceable Spears: Yes, Bolt-In Tine

Framing: Tubular

Bale Handling Capacity:

One Large Round Bale

Implement Capacity:

3000 lbs. at 24 in. (1,360.8 kg. at 61 cm.)

Hitch:

Category II and III

(Quick Coupler - II, III, and 3N)

Dimensions:

26.5 in. (H) x 47.5 in. (W) x 51.5 in. (L) (67.3
cm. x 120.7 cm. x 130.8 cm.)

Assembly: 15 Minutes

Operational Weight: 138 lbs. (62.6 kg.)

Warranty: 1 Year

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--------------------------------------|--------|
| 2281XF | HS2002 - 3-Point Dual Tine Hay Spear | 533.00 |
|--------|--------------------------------------|--------|

FRONTIER PRODUCTS

Hay & Forage

HS2002 - 3-Point Dual Tine Hay Spear
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

HS2003 - 3-Point Triple Tine Hay Spear Equipment for Base Machine

Primary Spears:

Three - 47 in. x 1.65 in. (119.4 cm. x 4.2 cm.)
(Approximate 42.5 in. (108 cm. Usable Length)

Primary Spear Location: Bottom

Replaceable Spears: Yes, Bolt-In Tine

Framing: Tubular

Bale Handling Capacity:

One Large Square Bale

Implement Capacity:

3000 lbs. at 24 in. (1,360.8 kg. at 61 cm.)

Hitch:

Category II and III

(Quick Coupler - II, III, and 3N)

Dimensions:

26.5 in. (H) x 60 in. (W) x 51.5 in. (L) (67.3
cm. x 152.4 cm. x 130.8 cm.)

Assembly: 30 Minutes

Operational Weight: 178 lbs. (80.7 kg.)

Warranty: 1 Year

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|--|--------|
| 2282XF | HS2003 - 3-Point Triple Tine Hay Spear | 780.00 |
|--------|--|--------|

FRONTIER PRODUCTS

Hay & Forage

HS2003 - 3-Point Triple Tine Hay Spear
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Hay & Forage

HS2004 - 3-Point Quadruple Tine Hay Spear Equipment for Base Machine

Primary Spears:

Four - 47 in. x 1.65 in. (119.4 cm. x 4.2 cm)
(Approximate 42.5 in. (108 cm. Usable Length)

Primary Spear Location: Bottom

Replaceable Spears: Yes, Bolt-In Tine

Framing: Tubular

Bale Handling Capacity:

Two Large Round Bales (up to 5 ft. x 6 ft. (1.5 m
x 1.8 m)

Implement Capacity:

4000 lbs. at 24 in. (1,814.4 kg. at 61 cm.)

Hitch:

Category II and III

(Quick Coupler - II, III, and 3N)

Dimensions:

26.5 in. (H) x 96 in. (W) x 51.5 in. (L) (67.3
cm. x 243.8 cm. x 130.8 cm.)

Assembly: 30 Minutes

Operational Weight: 255 lbs. (115.7 kg.)

Warranty: 1 Year

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|--------------------------|-------------|-------------------------------------|
|------|--------------------------|-------------|-------------------------------------|

Select One Code From Each Required Category

BASE MACHINE

| | | |
|--------|---|----------|
| 2283XF | HS2004 - 3-Point Quadruple Tine Hay Spear | 1,061.00 |
|--------|---|----------|

FRONTIER PRODUCTS

Hay & Forage

HS2004 - 3-Point Quadruple Tine Hay Spear
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK
