Transports

HT1224 - 24 Ft. Highway Head Transport with Single Rear Braked Axle Equipment for Base Machine

HT1224 - 24 Ft. Highway Head Transport with Single Rear Braked Axle Steel, All-Welded Joints, Fixed Upper and Lower Bars Tricycle Front Axle Single Rear Torsion-Flex Braked Axle 11,200 lb. (5080 kg) GVWR All-Wheel Fenders Telescoping Tongue 2-5/16 In. Ball Coupler 7-Pole RV Plug Highway Transport Lighting and Markings Safety Chains ST225/75R15 LRE 10 Ply Import Radial Tires Manufacturer's Certificate of Origin (2) Deere Platform/Cornhead Header Mounting Brackets (2) Ratchet Strap Tie-Downs

	ATTACHMENT DENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
4001XF		HT1224 - 24 Ft. Highway Head Transport with Single Rear Braked Axle Ready to license transport. Can be pulled at marked roadway speeds. Electric brakes with breakaway.	7,853.00
		нітсн	
1000			Same Price
1000		HITCH Long Telescoping Ball Hitch (71 In.)	Same Price In Base Price
		HITCH Long Telescoping Ball Hitch (71 In.) In lieu of standard short telescoping hitch.	

	FRONT STEER AXLE	
2000	Front Steer Axle - Idler	In Base Price
2010	Front Steer Axle - Suspension In lieu of stander idler axle. Rubber Torsion Suspension Axle.	185.00
2020	Front Steer Axle - Braked (HT12 Series) In lieu of standard idler axle. Electric brake axle with breakaway.	407.00
2030	Suspension & Braked Front Steer Axle (HT12 Series) In lieu of standard idler axle. Rubber Torsion Suspension Electric brake axle with breakaway.	592.00

SPECIAL EQUIPMENT - FACTORY INSTALLED

8101

Mounted Spare Tire

SUGGESTED

Transports

HT1224 - 24 Ft. Highway Head Transport with Single Rear Braked Axle Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8455		John Deere Draper Brackets (2) One set of 2.	206.00
8456		Windrower Bracket Set (2) Standard Duty Transport Only.	305.00
		ATTACHMENTS - ORDERED AS DESIRED	
9525		Top Rail Extension Kit	720.00
9526		FHT Stalk Brackets for Slider Base with pins <i>1 set of 2 Brackets</i> .	397.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MM5H000101	Miscellaneous: 2-5/16 In. Ball Couple Hitch	169.34
	5MM9H000057	24 Ft. Top Rail Extension Kit	831.60
	5MM5H000102	3 In. Pintle Hitch without Tongue	138.51
	5MM5H000148	Adjustable Rachet Straps (1)	157.92
	5MM5H000106	Braked Front Tricycle Axle	1,046.01
	5MM5H000172	Braked Suspension Front Tricycle Axle	1,594.08
	5MM9H000032	French Operator's Manual and Decal Kit (Standard Duty HT12 Series)	43.92
	5MM5H000160	John Deere Draper Brackets (2)	237.60
	5MM5H000103	Long Telescoping Tongue without Hitch (71 In.)	382.32
	5MM5H000097	Mounted Spare Highway Service Tire S/N XFHT12X000000 - XFHT12X900074.	281.09
	5MM5H000150	Mounted Spare Highway Service Tire S/N XFHT11X900060 and above. S/N XFHT12X900075 and above.	281.09
	5MM5H000145	Short Telescoping Tongue without Hitch (46 In.)	360.45
	5MM5H000292	Stalk Bracket	459.00
	5MM5H000163	Suspension Front Tricycle Axle	1,118.88
	5MM2H000214	Windrower Bracket Set (2) Standard Duty Transport Only.	329.28

Transports

HT1228 - 28 Ft. Highway Head Transport with Single Rear Braked Axle Equipment for Base Machine

HT1228 - 28 Ft. Highway Head Transport with Single Rear Braked Axle Steel, All-Welded Joints, Fixed Upper and Lower Bars Tricycle Front Axle Single Rear Torsion-Flex Braked Axle 11,200 lb. (5080 kg) GVWR All-Wheel Fenders Telescoping Tongue 2-5/16 In. Ball Coupler 7-Pole RV Plug Highway Transport Lighting and Markings Safety Chains ST225/75R15 LRE 10 Ply Import Radial Tires Manufacturer's Certificate of Origin (2) Deere Platform/Cornhead Header Mounting Brackets (2) Ratchet Strap Tie-Downs

	ACHMENT TIFIER DESCRIPTION	LIST PRICE USD (\$)
	Select One Code From Each Required Category	
	BASE MACHINE	
4002XF	HT1228 - 28 Ft. Highway Head Transport with Single Rear Braked Axle Ready to license transport. Can be pulled at marked roadway speeds. Electric brakes with breakaway.	8,442.00
	нітсн	
1000	HITCH Long Telescoping Ball Hitch (71 In.) In lieu of standard short telescoping hitch.	Same Price
1000 1010	Long Telescoping Ball Hitch (71 In.)	Same Price In Base Price
	Long Telescoping Ball Hitch (71 In.) In lieu of standard short telescoping hitch.	

	FRONT STEER AXLE	
2000	Front Steer Axle - Idler	In Base Price
2010	Front Steer Axle - Suspension In lieu of stander idler axle. Rubber Torsion Suspension Axle.	185.00
2020	Front Steer Axle - Braked (HT12 Series) In lieu of standard idler axle. Electric brake axle with breakaway.	407.00
2030	Suspension & Braked Front Steer Axle (HT12 Series) In lieu of standard idler axle. Rubber Torsion Suspension Electric brake axle with breakaway.	592.00

SPECIAL EQUIPMENT - FACTORY INSTALLED

8101

Mounted Spare Tire

SUGGESTED

Transports

HT1228 - 28 Ft. Highway Head Transport with Single Rear Braked Axle Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8455		John Deere Draper Brackets (2) One set of 2.	206.00
8456		Windrower Bracket Set (2) Standard Duty Transport Only.	305.00
		ATTACHMENTS - ORDERED AS DESIRED	
9525		Top Rail Extension Kit	720.00
9526		FHT Stalk Brackets for Slider Base with pins <i>1 set of 2 Brackets</i> .	397.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MM5H000101	Miscellaneous: 2-5/16 In. Ball Couple Hitch	169.34
	5MM9H000058	28 Ft. Top Rail Extension Kit	831.60
	5MM5H000102	3 In. Pintle Hitch without Tongue	138.51
	5MM5H000148	Adjustable Rachet Straps (1)	157.92
	5MM5H000106	Braked Front Tricycle Axle	1,046.01
	5MM5H000172	Braked Suspension Front Tricycle Axle	1,594.08
	5MM9H000032	French Operator's Manual and Decal Kit (Standard Duty HT12 Series)	43.92
	5MM5H000160	John Deere Draper Brackets (2)	237.60
	5MM5H000103	Long Telescoping Tongue without Hitch (71 In.)	382.32
	5MM5H000097	Mounted Spare Highway Service Tire S/N XFHT12X000000 - XFHT12X900074.	281.09
	5MM5H000150	Mounted Spare Highway Service Tire S/N XFHT11X900060 and above. S/N XFHT12X900075 and above.	281.09
	5MM5H000145	Short Telescoping Tongue without Hitch (46 In.)	360.45
	5MM5H000292	Stalk Bracket	459.00
	5MM5H000163	Suspension Front Tricycle Axle	1,118.88
	5MM2H000214	Windrower Bracket Set (2) Standard Duty Transport Only.	329.28

Transports

HT1232 - 32 Ft. Highway Head Transport with Single Rear Braked Axle Equipment for Base Machine

HT1232 - 32 Ft. Highway Head Transport with Single Rear Braked Axle Steel, All-Welded Joints, Fixed Upper and Lower Bars Tricycle Front Axle Standard Duty: Single Rear Torsion-Flex Braked Axle (Tandem Rear Torsion-Flex Braked Axles Optional) Heavy Duty: (Tandem Rear Torsion-Flex Braked Axles Optional) (11,200 lb. (5080 kg) GVWR 16,800 lb. (7620 kg) with Tandem (Std Duty) 20,000 lb. (9071 kg) GVWR (Heavy Duty) All-Wheel Fenders Telescoping Tongue 2-5/16 In. Ball Coupler 7-Pole RV Plug Highway Transport Lighting and Markings Safety Chains ST225/75R15 LRE 10 Ply Import Radial Tires

ATTACHMENT

IDENTIFIER

CODE

4003XF

ST235/80R16 LRE 10 ply Import Radial Tires (Heavy Duty Manufacturer's Certificate of Origin Standard Duty (2) Deere Platform/Cornhead Header Mounting Brackets Heavy Duty: (2) Deere Platform/Cornhead Header Mounting

Brackets Optional Draper Brackets (draper brackets are

used with 616C and 618C Corn Heads to better distribute weight)

8,946.00

(2) Ratchet Strap Tie-Downs

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

DESCRIPTION

HT1232 - 32 Ft. Highway Head Transport with Single Rear Braked Axle Tandem braked axles optional. Ready to license transport. Can be pulled at marked roadway speeds. Electric brakes with breakaway. To not exceed axle weight limitations, tandem rear axles are required for Transports used with 12-row and larger corn heads.

GROSS WEIGHT CAPACITY

0998	Gross Vehicle Weight Capacity up to 16,800 Lbs., Standard Duty Ideal for transporting all John Deere Heads except for 616C and 618C corn heads.	In Base Price
0999	Gross Vehicle Weight Capacity up to 20,000 Lbs., Heavy Duty <i>Ideal for transporting the 616C or 618C corn heads.</i>	3,573.00

HITCH

	HICH	
1000	Long Telescoping Ball Hitch (71 In.) In lieu of standard short telescoping hitch.	Same Price
1010	Short Telescoping Ball Hitch (46 In.)	In Base Price
1020	Long Telescoping Pintle Hitch (71 In.) In lieu of standard short telescoping hitch.	51.00
1030	Short Telescoping Pintle Hitch (46 In.) In lieu of standard short telescoping hitch.	51.00

Transports

HT1232 - 32 Ft. Highway Head Transport with Single Rear Braked Axle Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT STEER AXLE	
2000		Front Steer Axle - Idler	In Base Price
2010		Front Steer Axle - Suspension In lieu of stander idler axle. Rubber Torsion Suspension Axle.	185.00
2020		Front Steer Axle - Braked (HT12 Series) In lieu of standard idler axle. Electric brake axle with breakaway.	407.00
2030		Suspension & Braked Front Steer Axle (HT12 Series) In lieu of standard idler axle. Rubber Torsion Suspension Electric brake axle with breakaway.	592.00
2040		Heavy Duty Front Steer Axle-Idler	In Base Price
2050		Heavy Duty Front Suspension Axle-Idler	220.00
2060		Heavy Duty HT1232-42 Braked Steer Axle	423.00
2070		Heavy Duty HT1232-42 Suspension and Braked Front Axle	643.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8101		Mounted Spare Tire	234.00
8102		Heavy Duty Mounted Spare Tire	247.00
8301		Addition of Second Rear Torsion-Flex Braked Axle, Tandems Electric brakes with breakaway. Tandem rear axle required if transporting 12-row and larger corn heads (to carry additional weight).	1,842.00
8455		John Deere Draper Brackets (2) One set of 2.	206.00
8456		Windrower Bracket Set (2) Standard Duty Transport Only.	305.00
0505		ATTACHMENTS - ORDERED AS DESIRED	1 070 00
9525		Top Rail Extension Kit	1,076.00
9526		FHT Stalk Brackets for Slider Base with pins 1 set of 2 Brackets.	397.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MM5H000101	Miscellaneous: 2-5/16 In. Ball Couple Hitch	169.34
	5MM5H000102	3 In. Pintle Hitch without Tongue	138.51

1,242.00

5MM9H000060 32 Ft. Top Rail Extension Kit

Transports

HT1232 - 32 Ft. Highway Head Transport with Single Rear Braked Axle Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5MM5H000108	ATTACHMENTS FOR FIELD CONVERSIONContinued Additional Rear Axle (HT1232)	2,843.79
	5MM5H000148	Adjustable Rachet Straps (1)	157.92
	5MM5H000106	Braked Front Tricycle Axle	1,046.01
	5MM5H000172	Braked Suspension Front Tricycle Axle	1,594.08
	5MM9H000065	French Operator's Manual and Decal Kit (Heavy Duty HT12 Series)	43.92
	5MM9H000032	French Operator's Manual and Decal Kit (Standard Duty HT12 Series)	43.92
	5MM5H000210	Heavy Duty Braked Front Steer Axle	1,065.65
	5MM5H000205	Heavy Duty Front Suspension Axle-Idler	1,453.68
	5MM5H000211	Heavy Duty Suspension Braked Front Axle	1,564.61
	5MM5H000212	Heavy Duty Transport Mounted Spare Highway Service Tire	299.76
	5MM5H000160	John Deere Draper Brackets (2) Standard Duty Only; Heavy Duty trailer includes Draper Brackets, 1 left and 1 right Slider Attachment.	237.60
	5MM5H000103	Long Telescoping Tongue without Hitch (71 In.)	382.32
	5MM5H000097	Mounted Spare Highway Service Tire <i>S/N XFHT12X000000 - XFHT12X900074</i> .	281.09
	5MM5H000150	Mounted Spare Highway Service Tire S/N XFHT11X900060 and above. S/N XFHT12X900075 and above.	281.09
	5MM5H000145	Short Telescoping Tongue without Hitch (46 In.)	360.45
	5MM5H000292	Stalk Bracket	459.00
	5MM5H000163	Suspension Front Tricycle Axle	1,118.88
	5MM2H000214	Windrower Bracket Set (2) Standard Duty Transport Only.	329.28

Transports

HT1232 - 32 Ft. Highway Head Transport with Single Rear Braked Axle Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

Transports

HT1238 - 38 Ft. Highway Head Transport with Tandem Rear Braked Axles Equipment for Base Machine

HT1238 - 38 Ft. Highway Head Transport with Tandem Rear Braked Axle Steel, All-Welded Joints, Fixed Upper and Lower Bars Tricycle Front Axle Tandem Rear Torsion-Flex Braked Axles 16,800 lb. (7620 kg) GVWR (Std Duty) 20,000 lb. (9071kg) GVWR (Heavy Duty) All-Wheel Fenders Telescoping Tongue 2-5/16 In. Ball Coupler 7-Pole RV Plug Highway Transport Lighting and Markings Safety Chains ST225/75R15 LRE 10 Ply Import Radial Tires (Std Dutv) ST235/80R16 LRE 10 ply Import Radial Tires (Heavy Duty) Manufacturer's Certificate of Origin

Standard Duty: (2) Deere Platform/Cornhead Header Mounting Brackets (2) Ratchet Strap Tie-Downs Heavy Duty: (2) Deere Platform/Cornhead Header Mounting Brackets Optional Draper Brackets (draper brackets are used with 616C and 618C Corn Heads to better distribute weight) (2) Ratchet Strap Tie-Downs

USD (\$)

185.00

SUGGESTED ATTACHMENT LIST PRICE CODE IDENTIFIER DESCRIPTION

Select One Code From Each Required Category

BASE MACHINE

4004XF	HT1238 - 38 Ft. Highway Head Transport with Tandem Rear Braked Axles Ready to license transport. Can be pulled at marked roadway speeds. Electric brakes with breakaway.	11,528.00
	GROSS WEIGHT CAPACITY	
0998	Gross Vehicle Weight Capacity up to 16,800 Lbs., Standard Duty Ideal for transporting all John Deere Heads except for 616C and 618C corn heads.	In Base Price
0999	Gross Vehicle Weight Capacity up to 20,000 Lbs., Heavy Duty Ideal for transporting the 616C or 618C corn heads.	1,858.00
	нітсн	
1000	Long Telescoping Ball Hitch (71 In.) In lieu of standard short telescoping hitch.	Same Price
1010	Short Telescoping Ball Hitch (46 In.)	In Base Price
1020	Long Telescoping Pintle Hitch (71 In.) In lieu of standard short telescoping hitch.	51.00
1030	Short Telescoping Pintle Hitch (46 In.) In lieu of standard short telescoping hitch.	51.00
	FRONT STEER AXLE	
2000	Front Steer Axle - Idler	In Base Price

2000 Front Steer Axle - Idler Front Steer Axle - Suspension 2010

Transports

HT1238 - 38 Ft. Highway Head Transport with Tandem Rear Braked Axles Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION FRONT STEER AXLEContinued In lieu of stander idler axle.	SUGGESTED LIST PRICE USD (\$)
2020		Rubber Torsion Suspension Axle. Front Steer Axle - Braked (HT12 Series) In lieu of standard idler axle. Electric brake axle with breakaway.	407.00
2030		Suspension & Braked Front Steer Axle (HT12 Series) In lieu of standard idler axle. Rubber Torsion Suspension Electric brake axle with breakaway.	592.00
2040		Heavy Duty Front Steer Axle-Idler	In Base Price
2050		Heavy Duty Front Suspension Axle-Idler	220.00
2060		Heavy Duty HT1232-42 Braked Steer Axle	423.00
2070		Heavy Duty HT1232-42 Suspension and Braked Front Axle	643.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8101		Mounted Spare Tire	234.00
8102		Heavy Duty Mounted Spare Tire	247.00
8455		John Deere Draper Brackets (2) One set of 2.	206.00
8456		Windrower Bracket Set (2) Standard Duty Transport Only.	305.00
9525		ATTACHMENTS - ORDERED AS DESIRED Top Rail Extension Kit	1,076.00
9526		FHT Stalk Brackets for Slider Base with pins 1 set of 2 Brackets.	397.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MM5H000101	Miscellaneous: 2-5/16 In. Ball Couple Hitch	169.34
	5MM5H000102	3 In. Pintle Hitch without Tongue	138.51
	5MM9H000061	38 Ft. Top Rail Extension Kit	1,242.00
	5MM5H000148	Adjustable Rachet Straps (1)	157.92
	5MM5H000106	Braked Front Tricycle Axle	1,046.01
	5MM5H000172	Braked Suspension Front Tricycle Axle	1,594.08
	5MM9H000065	French Operator's Manual and Decal Kit (Heavy Duty HT12 Series)	43.92

Transports

HT1238 - 38 Ft. Highway Head Transport with Tandem Rear Braked Axles Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5MM9H000032	ATTACHMENTS FOR FIELD CONVERSIONContinued French Operator's Manual and Decal Kit (Standard Duty HT12 Series)	43.92
	5MM5H000210	Heavy Duty Braked Front Steer Axle	1,065.65
	5MM5H000205	Heavy Duty Front Suspension Axle-Idler	1,453.68
	5MM5H000211	Heavy Duty Suspension Braked Front Axle	1,564.61
	5MM5H000212	Heavy Duty Transport Mounted Spare Highway Service Tire	299.76
	5MM5H000160	John Deere Draper Brackets (2)	237.60
	5MM5H000103	Long Telescoping Tongue without Hitch (71 In.)	382.32
	5MM5H000097	Mounted Spare Highway Service Tire <i>S/N XFHT12X000000 - XFHT12X900074.</i>	281.09
	5MM5H000150	Mounted Spare Highway Service Tire S/N XFHT11X900060 and above. S/N XFHT12X900075 and above.	281.09
	5MM5H000145	Short Telescoping Tongue without Hitch (46 In.)	360.45
	5MM5H000292	Stalk Bracket	459.00
	5MM5H000163	Suspension Front Tricycle Axle	1,118.88
	5MM2H000214	Windrower Bracket Set (2) Standard Duty Transport Only.	329.28

Transports

HT1238 - 38 Ft. Highway Head Transport with Tandem Rear Braked Axles Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

Transports

HT1242 - 42 Ft. Highway Head Transport with Tandem Rear Braked Axles Equipment for Base Machine

HT1242 - 42 Ft. Highway Head Transport with Tandem Rear Braked Axle Steel, All-Welded Joints, Fixed Upper and Lower Bars Tricycle Front Axle Tandem Rear Torsion-Flex Braked Axles 16,800 lb. (7620 kg) GVWR (Std Duty) 20,000 lb. (9071kg) GVWR (Heavy Duty) All-Wheel Fenders Telescoping Tongue 2-5/16 In. Ball Coupler 7-Pole RV Plug Highway Transport Lighting and Markings Safety Chains ST225/75R15 LRE 10 Ply Import Radial Tires (Std Duty) ST235/80R16 LRE 10 ply Import Radial Tires (Heavy Duty) Manufacturer's Certificate of Origin
Standard Duty:
 (4) Deere Platform/Cornhead Header Mounting
Brackets
Heavy Duty:
 (4) Deere Platform/Cornhead Header Mounting
Brackets
 Optional Draper Brackets (draper brackets are
 used with
 616C and 618C Corn Head to better distribute
 weight)
 (2) Ratchet Strap Tie-Downs

51.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	5	SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

4005XF	HT1242 - 42 Ft. Highway Head Transport with Tandem Rear Braked Axles Ready to license transport. Can be pulled at marked roadway speeds. Electric brakes with breakaway.	13,979.00
	GROSS WEIGHT CAPACITY	
0998	Gross Vehicle Weight Capacity up to 16,800 Lbs., Standard Duty Ideal for transporting all John Deere Heads except for 616C and 618C corn heads.	In Base Price
0999	Gross Vehicle Weight Capacity up to 20,000 Lbs., Heavy Duty <i>Ideal for transporting the 616C or 618C corn heads</i> .	1,596.00
	НІТСН	
1000	Long Telescoping Ball Hitch (71 In.) In lieu of standard short telescoping hitch.	Same Price
1010	Short Telescoping Ball Hitch (46 In.)	In Base Price
1020	Long Telescoping Pintle Hitch (71 In.) In lieu of standard short telescoping hitch.	51.00

1030

Short Telescoping Pintle Hitch (46 In.)

In lieu of standard short telescoping hitch.

	FRONT STEER AXLE	
2000	Front Steer Axle - Idler	In Base Price
2010	Front Steer Axle - Suspension In lieu of stander idler axle.	185.00

Transports

HT1242 - 42 Ft. Highway Head Transport with Tandem Rear Braked Axles Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT STEER AXLEContinued <i>Rubber Torsion Suspension Axle.</i>	
2020		Front Steer Axle - Braked (HT12 Series) In lieu of standard idler axle. Electric brake axle with breakaway.	407.00
2030		Suspension & Braked Front Steer Axle (HT12 Series) In lieu of standard idler axle. Rubber Torsion Suspension Electric brake axle with breakaway.	592.00
2040		Heavy Duty Front Steer Axle-Idler	In Base Price
2050		Heavy Duty Front Suspension Axle-Idler	220.00
2060		Heavy Duty HT1232-42 Braked Steer Axle	423.00
2070		Heavy Duty HT1232-42 Suspension and Braked Front Axle	643.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8101		Mounted Spare Tire	234.00
8102		Heavy Duty Mounted Spare Tire	247.00
8455		John Deere Draper Brackets (4) <i>Two sets of 2.</i>	412.00
8456		Windrower Bracket Set (2) Standard Duty Transport Only.	305.00
		ATTACHMENTS - ORDERED AS DESIRED	
9525		Top Rail Extension Kit	1,431.00
9526		FHT Stalk Brackets for Slider Base with pins 2 set of 4 Brackets.	795.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MM5H000101	Miscellaneous: 2-5/16 In. Ball Couple Hitch	169.34
	5MM5H000102	3 In. Pintle Hitch without Tongue	138.51
	5MM9H000062	42 Ft. Top Rail Extension Kit	1,652.40
	5MM5H000148	Adjustable Rachet Straps (1)	157.92
	5MM5H000106	Braked Front Tricycle Axle	1,046.01
	5MM5H000172	Braked Suspension Front Tricycle Axle	1,594.08
	5MM9H000065	French Operator's Manual and Decal Kit (Heavy Duty HT12 Series)	43.92

Transports

HT1242 - 42 Ft. Highway Head Transport with Tandem Rear Braked Axles Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5MM9H000032	ATTACHMENTS FOR FIELD CONVERSIONContinued French Operator's Manual and Decal Kit (Standard Duty HT12 Series)	43.92
	5MM5H000210	Heavy Duty Braked Front Steer Axle	1,065.65
	5MM5H000205	Heavy Duty Front Suspension Axle-Idler	1,453.68
	5MM5H000211	Heavy Duty Suspension Braked Front Axle	1,564.61
	5MM5H000212	Heavy Duty Transport Mounted Spare Highway Service Tire	299.76
	5MM5H000160	John Deere Draper Brackets (2) Standard Duty Only; Heavy Duty trailer includes Draper Brackets, 1 left and 1 right Slider Attachment.	237.60
	5MM5H000103	Long Telescoping Tongue without Hitch (71 In.)	382.32
	5MM5H000097	Mounted Spare Highway Service Tire <i>S/N XFHT12X000000 - XFHT12X900074</i> .	281.09
	5MM5H000150	Mounted Spare Highway Service Tire S/N XFHT11X900060 and above. S/N XFHT12X900075 and above.	281.09
	5MM5H000145	Short Telescoping Tongue without Hitch (46 In.)	360.45
	5MM5H000292	Stalk Bracket	459.00
	5MM5H000163	Suspension Front Tricycle Axle	1,118.88
	5MM2H000214	Windrower Bracket Set (2) Standard Duty Transport Only.	329.28

Transports

HT1242 - 42 Ft. Highway Head Transport with Tandem Rear Braked Axles Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

Transports

HT1248 - 48 Ft. Highway Head Transport with Tandem Rear Braked Axles Equipment for Base Machine

HT1248 - 48 Ft. Highway Head Transport with Tandem Rear Braked Axle Steel, All-Welded Joints, Fixed Upper and Lower Bars Tricycle Front Axle (Idler) with Fenders Tandem Rear Torsion Flex Axle with Brakes on Both Axles with Fenders 20,000 lb. (9071 kg) GVWR Telescoping Tongue 2-5/16 In. Ball Coupler 7-Pole RV Plug Highway Transport Lighting and Markings Safety Chains Tie Down Package (2 adjustable tie downs) ST235/80R16 LRE 10 ply Import Radial Tires Manufacturer's Certificate of Origin (4) John Deere Cornhead/Rigid Platform/Flex Platform Combination Slider Brackets (with bases). Optional John Deere Draper Platforms with bases

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
4006XF		HT1248 - 48 Ft. Highway Head Transport with Tandem Rear Braked Axles Ready to license transport. Can be pulled at marked roadway speeds. Electric brakes with breakaway.	17,566.00
		НІТСН	
1000		Long Telescoping Ball Hitch (71 ln.) In lieu of standard short telescoping hitch.	Same Price
1010		Short Telescoping Ball Hitch (46 In.)	In Base Price
1020		Long Telescoping Pintle Hitch (71 In.) In lieu of standard short telescoping hitch.	51.00
1030		Short Telescoping Pintle Hitch (46 In.) In lieu of standard short telescoping hitch.	51.00
		FRONT STEER AXLE	
2040		Heavy Duty Front Steer Axle-Idler	In Base Price
2050		Heavy Duty Front Suspension Axle-Idler	220.00
2080		Heavy Duty HT1248 Braked Steer Axle	410.00
2090		Heavy Duty HT1248 Front Suspension and Braked Steer Axle	625.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8455		John Deere Draper Brackets (4) <i>Two sets of 2.</i>	412.00
8102		Heavy Duty Mounted Spare Tire	247.00
		ATTACHMENTS - ORDERED AS DESIRED	

Transports

HT1248 - 48 Ft. Highway Head Transport with Tandem Rear Braked Axles Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9525		ATTACHMENTS - ORDERED AS DESIREDContinued Top Rail Extension Kit	1,431.00
9526		FHT Stalk Brackets for Slider Base with pins 2 set of 4 Brackets.	795.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MM5H000101	Miscellaneous: 2-5/16 In. Ball Couple Hitch	169.34
	5MM5H000102	3 In. Pintle Hitch without Tongue	138.51
	5MM9H000063	48 Ft. Top Rail Extension Kit	1,652.40
	5MM5H000148	Adjustable Rachet Straps (1)	157.92
	5MM9H000065	French Operator's Manual and Decal Kit (Heavy Duty HT12 Series)	43.92
	5MM5H000289	Heavy Duty Front Braked Steer Axle (HT1248)	See Parts
	5MM5H000290	Heavy Duty Suspension and Braked Steer Axle (HT1248)	See Parts
	5MM5H000212	Heavy Duty Transport Mounted Spare Highway Service Tire	299.76
	5MM5H000160	John Deere Draper Brackets (2) Standard Duty Only; Heavy Duty trailer includes Draper Brackets, 1 left and 1 right Slider Attachment.	237.60
	5MM5H000103	Long Telescoping Tongue without Hitch (71 In.)	382.32
	5MM5H000145	Short Telescoping Tongue without Hitch (46 In.)	360.45
	5MM5H000292	Stalk Bracket	459.00

Transports

HT1124 - 24 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow Only

Equipment for Base Machine

HT1124 - 24 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow Only Steel, All-Welded Joints, Fixed Upper and Lower Bars Tricycle Front Axle Single Rear Torsion-Flex Axle 11,200 lb. (5080 kg) GVWR Telescoping Tongue Clevis Hitch with 1 In. Hitch Pin 7-Pole Tractor Plug Farm Implement (Ag) Lighting and Markings Safety Chains ST225/75R15 LRE 10 Ply Import Radial Tires (2) Deere Platform/Cornhead Header Mounting Brackets (2) Ratchet Strap Tie-Downs

-			
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
400AXF		HT1124 - 24 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow Only To be pulled by tractor only. Maximum speed 20 mph (32 km/h). No brakes, no fenders.	6,929.00
		нітсн	
1000		Long Telescoping Clevis Hitch (71 In.) In lieu of standard short telescoping hitch.	Same Price
1010		Short Telescoping Clevis Hitch (46 In.)	In Base Price
1020		Long Telescoping Pintle Hitch (71 In.) In lieu of standard short telescoping hitch.	51.00
1030		Short Telescoping Pintle Hitch (46 In.) In lieu of standard short telescoping hitch.	51.00
		FRONT STEER AXLE	
2000		Front Steer Axle - Idler	In Base Price
2010		Front Steer Axle - Suspension In lieu of stander idler axle. Rubber Torsion Suspension Axle.	185.00
9101		SPECIAL EQUIPMENT - FACTORY INSTALLED	004.00
8101		Mounted Spare Tire	234.00
8400		Front Fender	226.00
8450		Rear Fenders, 1 Set of 2, Single Rear Axle	194.00
8455		John Deere Draper Brackets (2) One set of 2.	206.00

Transports

HT1124 - 24 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow Only

\sim	- C	1
Co	ntinued	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8456		Windrower Bracket Set (2) Standard Duty Transport Only.	305.00
9525		ATTACHMENTS - ORDERED AS DESIRED Top Rail Extension Kit	720.00
9526		FHT Stalk Brackets for Slider Base with pins 1 set of 2 Brackets.	397.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MM9H000057	Miscellaneous: 24 Ft. Top Rail Extension Kit	831.60
	5MM5H000102	3 In. Pintle Hitch without Tongue	138.51
	5MM5H000148	Adjustable Rachet Straps (1)	157.92
	5MM9H000031	French Operator's Manual and Decal Kit (Standard Duty HT11 Series)	37.37
	5MM5H000049	Front Fender	264.60
	5MM5H000160	John Deere Draper Brackets (2)	237.60
	5MM5H000103	Long Telescoping Tongue without Hitch (71 In.)	382.32
	5MM5H000098	Mounted Spare Highway Service Tire S/N XFHT11X000000 - XFHT1X900059.	281.09
	5MM5H000150	Mounted Spare Highway Service Tire S/N XFHT11X900060 and above. S/N XFHT12X900075 and above.	281.09
	5MM5H000149	REAR FENDERS (2) S/N XFHT11X900060 and above.	213.14
	5MM5H000099	Rear Fenders, 1 set of 2, Single Rear S/N XFHT11X000000 - XFHT1X900059.	213.14
	5MM5H000145	Short Telescoping Tongue without Hitch (46 In.)	360.45
	5MM5H000292	Stalk Bracket	459.00
	5MM5H000163	Suspension Front Tricycle Axle	1,118.88
	5MM5H000100	Welded Clevis Hitch with Pin No Tongue	120.66
	5MM2H000214	Windrower Bracket Set (2) Standard Duty Transport Only.	329.28

Transports

HT1128 - 28 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow Only

Equipment for Base Machine

HT1128 - 28 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow Only Steel, All-Welded Joints, Fixed Upper and Lower Bars Tricycle Front Axle Single Rear Torsion-Flex Axle 11,200 lb. (5080 kg) GVWR Telescoping Tongue Clevis Hitch with 1 In. Hitch Pin 7-Pole Tractor Plug Farm Implement (Ag) Lighting and Markings Safety Chains ST225/75R15 LRE 10 Ply Import Radial Tires (2) Deere Platform/Cornhead Header Mounting Brackets (2) Ratchet Strap Tie-Downs

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION Select One Code From Each Required Category BASE MACHINE	SUGGESTED LIST PRICE USD (\$)
400BXF		HT1128 - 28 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow Only To be pulled by tractor only. Maximum speed 20 mph (32 km/h). No brakes, no fenders.	7,444.00
		нітсн	
1000		Long Telescoping Clevis Hitch (71 In.) In lieu of standard short telescoping hitch.	Same Price
1010		Short Telescoping Clevis Hitch (46 In.)	In Base Price
1020		Long Telescoping Pintle Hitch (71 In.) In lieu of standard short telescoping hitch.	51.00
1030		Short Telescoping Pintle Hitch (46 In.) In lieu of standard short telescoping hitch.	51.00
		FRONT STEER AXLE	
2000		Front Steer Axle - Idler	In Base Price
2010		Front Steer Axle - Suspension In lieu of stander idler axle. Rubber Torsion Suspension Axle.	185.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8101		Mounted Spare Tire	234.00
8400		Front Fender	226.00
8450		Rear Fenders, 1 Set of 2, Single Rear Axle	194.00
8455		John Deere Draper Brackets (2) One set of 2.	206.00

Transports

HT1128 - 28 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow . Only C

\sim	- C	1
Co	ntinued	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8456		Windrower Bracket Set (2) Standard Duty Transport Only.	305.00
		ATTACHMENTS - ORDERED AS DESIRED	
9525		Top Rail Extension Kit	720.00
9526		FHT Stalk Brackets for Slider Base with pins <i>1 set of 2 Brackets</i> .	397.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MM9H000058	Miscellaneous: 28 Ft. Top Rail Extension Kit	831.60
	5MM5H000102	3 In. Pintle Hitch without Tongue	138.51
	5MM5H000148	Adjustable Rachet Straps (1)	157.92
	5MM9H000031	French Operator's Manual and Decal Kit (Standard Duty HT11 Series)	37.37
	5MM5H000049	Front Fender	264.60
	5MM5H000160	John Deere Draper Brackets (2)	237.60
	5MM5H000103	Long Telescoping Tongue without Hitch (71 In.)	382.32
	5MM5H000098	Mounted Spare Highway Service Tire S/N XFHT11X000000 - XFHT1X900059.	281.09
	5MM5H000150	Mounted Spare Highway Service Tire S/N XFHT11X900060 and above. S/N XFHT12X900075 and above.	281.09
	5MM5H000149	REAR FENDERS (2) S/N XFHT11X900060 and above.	213.14
	5MM5H000099	Rear Fenders, 1 set of 2, Single Rear S/N XFHT11X000000 - XFHT1X900059.	213.14
	5MM5H000145	Short Telescoping Tongue without Hitch (46 In.)	360.45
	5MM5H000292	Stalk Bracket	459.00
	5MM5H000163	Suspension Front Tricycle Axle	1,118.88
	5MM5H000100	Welded Clevis Hitch with Pin No Tongue	120.66
	5MM2H000214	Windrower Bracket Set (2) Standard Duty Transport Only.	329.28

Transports

HT1132 - 32 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow Only

Equipment for Base Machine

HT1132 - 32 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow Only Steel, All-Welded Joints, Fixed Upper and Lower Bars Tricycle Front Axle Standard Duty: (Tandem Rear Torsion-Flex Axle (Tandem Rear Torsion-Flex Braked Axles Optional) Standard Duty: 11,200 lb. (5080 kg) GVWR 16,800 lb. (7620 kg) GVWR Telescoping Tongue Clevis Hitch with 1 In. Hitch Pin 7-Pole Tractor Plug

Farm Implement (Ag) Lighting and Markings Safety Chains ST225/75R15 LRE 10 Ply Import Radial Tires Standard Duty: (2) Deere Platform/Cornhead Header Mounting Brackets (2) Ratchet Strap Tie-Downs

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
400CXF		HT1132 - 32 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow Only Tandem axles optional. To be pulled by tractor only. Maximum speed 20 mph (32 km/h). No brakes, no fenders. To not exceed axle weight limitations, tandem rear axles are required for transports used with 12-row cornheads.	7,979.00
		НІТСН	
1000		Long Telescoping Clevis Hitch (71 In.) In lieu of standard short telescoping hitch.	Same Price
1010		Short Telescoping Clevis Hitch (46 In.)	In Base Price
1020		Long Telescoping Pintle Hitch (71 In.) In lieu of standard short telescoping hitch.	51.00
1030		Short Telescoping Pintle Hitch (46 In.) In lieu of standard short telescoping hitch.	51.00
		FRONT STEER AXLE	
2000		Front Steer Axle - Idler	In Base Price
2010		Front Steer Axle - Suspension In lieu of stander idler axle. Rubber Torsion Suspension Axle.	185.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8101		Mounted Spare Tire	234.00
8300		Addition of Second Rear Torsion-Flex Axle, Tandems	1,204.00
		09 November 2015 US & Canada 1	

Transports

HT1132 - 32 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow **Only** Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued <i>Tandem rear axle required if transporting 12-row and larger corn heads (to carry additional weight).</i>	
8400		Front Fender	226.00
8450		Rear Fenders, 1 Set of 2, Single Rear Axle	194.00
8451		Rear Fenders (4)	388.00
8455		John Deere Draper Brackets (2) One set of 2.	206.00
8456		Windrower Bracket Set (2) Standard Duty Transport Only.	305.00
		ATTACHMENTS - ORDERED AS DESIRED	
9525		Top Rail Extension Kit	1,076.00
9526		FHT Stalk Brackets for Slider Base with pins <i>1 set of 2 Brackets</i> .	397.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MM5H000102	Miscellaneous: 3 In. Pintle Hitch without Tongue	138.51
	5MM9H000060	32 Ft. Top Rail Extension Kit	1,242.00
	5MM5H000105	Additional Rear Axle	2,329.58
	5MM5H000148	Adjustable Rachet Straps (1)	157.92
	5MM9H000031	French Operator's Manual and Decal Kit (Standard Duty HT11 Series)	37.37
	5MM5H000049	Front Fender	264.60
	5MM5H000160	John Deere Draper Brackets (2)	237.60
	5MM5H000103	Long Telescoping Tongue without Hitch (71 In.)	382.32
	5MM5H000098	Mounted Spare Highway Service Tire <i>S/N XFHT11X000000 - XFHT1X900059</i> .	281.09
	5MM5H000150	Mounted Spare Highway Service Tire S/N XFHT11X900060 and above. S/N XFHT12X900075 and above.	281.09
	5MM5H000149	REAR FENDERS (2) S/N XFHT11X900060 and above.	213.14

Transports

HT1132 - 32 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow **Only** Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5MM5H000099	ATTACHMENTS FOR FIELD CONVERSIONContinued Rear Fenders, 1 set of 2, Single Rear S/N XFHT11X000000 - XFHT1X900059.	213.14
	5MM5H000145	Short Telescoping Tongue without Hitch (46 In.)	360.45
	5MM5H000292	Stalk Bracket	459.00
	5MM5H000163	Suspension Front Tricycle Axle	1,118.88
	5MM5H000100	Welded Clevis Hitch with Pin No Tongue	120.66
	5MM2H000214	Windrower Bracket Set (2) Standard Duty Transport Only.	329.28

Transports

HT1132 - 32 Ft. Low-Speed Farm Head Transport with Single Rear Axle - Tractor Tow Only Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

Transports

HT1138 - 38 Ft. Low-Speed Farm Head Transport with Tandem Rear Axles - Tractor Tow Only

Equipment for Base Machine

HT1138 - 38 Ft. Low-Speed Farm Head Transport with Tandem Rear Axle - Tractor Tow Only Steel, All-Welded Joints, Fixed Upper and Lower Bars Tricycle Front Axle Tandem Rear Torsion-Flex Axles Standard Duty: 16,800 lb. (7620 kg) GVWR Telescoping Tongue Clevis Hitch with 1 In. Hitch Pin 7-Pole Tractor Plug Farm Implement (Ag) Lighting and Markings

Safety Chains ST225/75R15 LRE 10 Ply Import Radial Tires Standard Duty: (2) Deere Platform/Cornhead Header Mounting Brackets (2) Ratchet Strap Tie-Downs

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
400DXF		HT1138 - 38 Ft. Low-Speed Farm Head Transport with Tandem Rear Axles - Tractor Tow Only <i>To be pulled by tractor only.</i> <i>Maximum speed 20 mph (32 km/h).</i> <i>No brakes, no fenders.</i>	10,004.00
		нітсн	
1000		Long Telescoping Clevis Hitch (71 In.) In lieu of standard short telescoping hitch.	Same Price
1010		Short Telescoping Clevis Hitch (46 In.)	In Base Price
1020		Long Telescoping Pintle Hitch (71 In.) In lieu of standard short telescoping hitch.	51.00
1030		Short Telescoping Pintle Hitch (46 In.) In lieu of standard short telescoping hitch.	51.00
		FRONT STEER AXLE	
2000		Front Steer Axle - Idler	In Base Price
2010		Front Steer Axle - Suspension In lieu of stander idler axle. Rubber Torsion Suspension Axle.	185.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8101		Mounted Spare Tire	234.00
8400		Front Fender	226.00
8451		Rear Fenders (4)	388.00

Transports

HT1138 - 38 Ft. Low-Speed Farm Head Transport with Tandem Rear Axles - Tractor Tow **Only** Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8455		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued John Deere Draper Brackets (2) <i>One set of 2.</i>	206.00
8456		Windrower Bracket Set (2) Standard Duty Transport Only.	305.00
		ATTACHMENTS - ORDERED AS DESIRED	
9525		Top Rail Extension Kit	1,076.00
9526		FHT Stalk Brackets for Slider Base with pins <i>1 set of 2 Brackets</i> .	397.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MM5H000102	Miscellaneous: 3 In. Pintle Hitch without Tongue	138.51
	5MM9H000061	38 Ft. Top Rail Extension Kit	1,242.00
	5MM5H000148	Adjustable Rachet Straps (1)	157.92
	5MM9H000031	French Operator's Manual and Decal Kit (Standard Duty HT11 Series)	37.37
	5MM5H000049	Front Fender	264.60
	5MM5H000160	John Deere Draper Brackets (2)	237.60
	5MM5H000103	Long Telescoping Tongue without Hitch (71 In.)	382.32
	5MM5H000098	Mounted Spare Highway Service Tire S/N XFHT11X000000 - XFHT1X900059.	281.09
	5MM5H000150	Mounted Spare Highway Service Tire S/N XFHT11X900060 and above. S/N XFHT12X900075 and above.	281.09
	5MM5H000149	REAR FENDERS (2) S/N XFHT11X900060 and above.	213.14
	5MM5H000099	Rear Fenders, 1 set of 2, Single Rear S/N XFHT11X000000 - XFHT1X900059.	213.14
	5MM5H000145	Short Telescoping Tongue without Hitch (46 In.)	360.45
	5MM5H000292	Stalk Bracket	459.00
	5MM5H000163	Suspension Front Tricycle Axle	1,118.88
	5MM5H000100	Welded Clevis Hitch with Pin No Tongue	120.66

Transports

HT1138 - 38 Ft. Low-Speed Farm Head Transport with Tandem Rear Axles - Tractor Tow **Only** Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5MM2H000214	ATTACHMENTS FOR FIELD CONVERSIONContinued Windrower Bracket Set (2) Standard Duty Transport Only.	329.28

Transports

HT1138 - 38 Ft. Low-Speed Farm Head Transport with Tandem Rear Axles - Tractor Tow Only Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

Transports

HT1142 - 42 Ft. Low-Speed Farm Head Transport with Tandem Rear Axles - Tractor Tow Only

Equipment for Base Machine

HT1142 - 42 Ft. Low-Speed Farm Head Transport with Tandem Rear Axle - Tractor Tow Only Steel, All-Welded Joints, Fixed Upper and Lower Bars Tricycle Front Axle Tandem Rear Torsion-Flex Axles Standard Duty: 16,800 lb. (7620 kg) GVWR Heavy Duty: 20,000 lb. (9071 kg) GVWR Telescoping Tongue Clevis Hitch with 1 In. Hitch Pin 7-Pole Tractor Plug Farm Implement (Ag) Lighting and Markings Safety Chains ST225/75R15 LRE 10 Ply Import Radial Tires (Std Duty) ST235/80R16 LRE 10 ply Import Radial Tires (Heavy Duty)
Standard Duty:
 (4) Deere Platform/Cornhead Header Mounting
 Brackets
Heavy Duty:
 (4) Deere Platform/Cornhead Header Mounting
 Brackets
Optional draper brackets
 (draper brackets are used with 616C and 618C Corn
 Head to better distribute weight)
 (2) Ratchet Strap Tie-Downs

ST235/80R16 LRE 10 ply Import Radial Tire

ATTACHMENT

IDENTIFIER

CODE

400EXF

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

DESCRIPTION

HT1142 - 42 Ft. Low-Speed Farm Head Transport with Tandem Rear Axles - Tractor Tow 12,492.00 Only To be pulled by tractor only. Maximum speed 20 mph (32 km/h). No brakes, no fenders.

GROSS WEIGHT CAPACITY

0998	Gross Vehicle Weight Capacity up to 16,800 Lbs., Standard Duty Ideal for transporting all John Deere Heads except for 616C and 618C corn heads.	In Base Price
0999	Gross Vehicle Weight Capacity up to 20,000 Lbs., Heavy Duty <i>Ideal for transporting the 616C or 618C corn heads.</i>	1,966.00

HITCH

1000	Long Telescoping Clevis Hitch (71 In.) In lieu of standard short telescoping hitch.	Same Price
1010	Short Telescoping Clevis Hitch (46 In.)	In Base Price
1020	Long Telescoping Pintle Hitch (71 ln.) In lieu of standard short telescoping hitch.	51.00
1030	Short Telescoping Pintle Hitch (46 In.) In lieu of standard short telescoping hitch.	51.00

FRONT STEER AXLE

2000

Front Steer Axle - Idler

In Base Price

Transports

HT1142 - 42 Ft. Low-Speed Farm Head Transport with Tandem Rear Axles - Tractor Tow Only

Co	ntin	ued
-		aca

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT STEER AXLEContinued	
2010		Front Steer Axle - Suspension In lieu of stander idler axle. Rubber Torsion Suspension Axle.	185.00
2040		Heavy Duty Front Steer Axle-Idler	In Base Price
2050		Heavy Duty Front Suspension Axle-Idler	220.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8101		Mounted Spare Tire	234.00
8102		Heavy Duty Mounted Spare Tire	247.00
8400		Front Fender	226.00
8401		Heavy Duty Front Fender	226.00
8451		Rear Fenders (4)	388.00
8452		Heavy Duty Rear Axle Fenders (4)	388.00
8455		John Deere Draper Brackets (4) Two sets of 2.	412.00
8456		Windrower Bracket Set (2) Standard Duty Transport Only.	305.00
0505		ATTACHMENTS - ORDERED AS DESIRED	4 424 00
9525		Top Rail Extension Kit	1,431.00
9526		FHT Stalk Brackets for Slider Base with pins 2 set of 4 Brackets.	795.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MM5H000102	Miscellaneous: 3 In. Pintle Hitch without Tongue	138.51
	5MM9H000062	42 Ft. Top Rail Extension Kit	1,652.40
	5MM5H000148	Adjustable Rachet Straps (1)	157.92
	5MM9H000066	French Operator's Manual and Decal Kit (Heavy Duty HT11 Series)	37.37
	5MM9H000031	French Operator's Manual and Decal Kit (Standard Duty HT11 Series)	37.37
	5MM5H000049	Front Fender	264.60
	5MM5H000209	Heavy Duty Front Fender	264.60

Transports

HT1142 - 42 Ft. Low-Speed Farm Head Transport with Tandem Rear Axles - Tractor Tow **Only** Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	5MM5H000205	ATTACHMENTS FOR FIELD CONVERSIONContinued Heavy Duty Front Suspension Axle-Idler	1,453.68
	5MM5H000212	Heavy Duty Transport Mounted Spare Highway Service Tire	299.76
	5MM5H000200	Heavy Rear Fenders, Per Axle	427.40
	5MM5H000160	John Deere Draper Brackets (2) Standard Duty Only; Heavy Duty trailer includes Draper Brackets, 1 left and 1 right Slider Attachment.	237.60
	5MM5H000103	Long Telescoping Tongue without Hitch (71 In.)	382.32
	5MM5H000098	Mounted Spare Highway Service Tire <i>S/N XFHT11X000000 - XFHT1X900059</i> .	281.09
	5MM5H000150	Mounted Spare Highway Service Tire S/N XFHT11X900060 and above. S/N XFHT12X900075 and above.	281.09
	5MM5H000149	REAR FENDERS (2) S/N XFHT11X900060 and above.	213.14
	5MM5H000099	Rear Fenders, 1 set of 2, Single Rear S/N XFHT11X000000 - XFHT1X900059.	213.14
	5MM5H000145	Short Telescoping Tongue without Hitch (46 In.)	360.45
	5MM5H000292	Stalk Bracket	459.00
	5MM5H000163	Suspension Front Tricycle Axle	1,118.88
	5MM5H000100	Welded Clevis Hitch with Pin No Tongue	120.66
	5MM2H000214	Windrower Bracket Set (2) Standard Duty Transport Only.	329.28

Transports

HT1142 - 42 Ft. Low-Speed Farm Head Transport with Tandem Rear Axles - Tractor Tow Only Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK