

FRONTIER PRODUCTS

AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier Equipment for Base Machine

Cutting Width: 60 In.
Loader Series:
300 and 400 only (Not 500 Series)
Dimensions:
W61.9 In. x H26.9 In. x D28.0 In.
Capacity:
3.69 Cubic Foot
Grapple Opening: 28.45 In.

Operational Weight: 360 lbs.
Shipping Weight: 385 lbs.

Hydraulic kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses.

Hydraulic functions on loader attachment require Third Function Hydraulic Lines and Hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

BASE MACHINE

2211XF	AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,641.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000	Tooth Bar for 60 In. 4-In-1 Bucket (AY11H)	491.00
9200	French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP10642	Tooth Bar for 60 In. 4-In-1 Bucket (AY11H)	530.28

AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 72 In.

Loader Series:

300, 400, and 500

Dimensions:

W73.9 In. x H26.9 In. x D28.0 In.

Capacity:

4.5 Cubic Foot

Grapple Opening: 28.45 In.

Operational Weight: 425 lbs.

Shipping Weight: 450 lbs.

Hydraulic kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses.

Hydraulic functions on loader attachment require Third Function Hydraulic Lines and Hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2212XF		AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,844.00
--------	--	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000		Tooth Bar for 72 In. 4-In-1 Bucket (AY11E)	587.00
9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous:	
5MP43054		French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP10643		Tooth Bar for 72 In. 4-In-1 Bucket (AY11E)	633.96

AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 72 In.

Loader Series:
600 and 700

Dimensions:

W72 In. x H20 In. x D29.38 In.

Capacity:

17.07 Cubic Foot

Grapple Opening: 34.78 In.

Operational Weight: 900 lbs.

Shipping Weight: 925 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2221XF	AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,485.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000	Tooth Bar for 72 In. 4-In-1 Bucket (AY12)	646.00
9200	French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP33823	Tooth Bar for 72 In. 4-In-1 Bucket (AY12)	697.68

AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 78 In.
 Loader Series:
 600 and 700
 Dimensions:
 W78 In. x H20 In. x D29.38 In.
 Capacity:
 18.5 Cubic Foot
 Grapple Opening: 34.78 In.

Operational Weight: 935 lbs.
 Shipping Weight: 960 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2223XF		AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,739.00
--------	--	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000		Tooth Bar for 78 In. 4-In-1 Bucket (AY12)	664.00
9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous:	
5MP43054		French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP16288		Tooth Bar for 78 In. 4-In-1 Bucket (AY12)	717.12

AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY12D - 84 In. 4-In-1 Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series:
 600 and 700
 Dimensions:
 W84 In. x H20 In. x D29.38 In.
 Capacity:
 19.93 Cubic Foot
 Grapple Opening: 34.78 In.

Operational Weight: 975 lbs.
 Shipping Weight: 1000 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2225XF	AY12D - 84 In. 4-In-1 Bucket for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,962.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000	Tooth Bar for 84 In. 4-In-1 Bucket (AY12)	684.00
9200	French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP16193	Tooth Bar for 84 In. 4-In-1 Bucket (AY12)	738.72

AY12D - 84 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 72 In.
Loader Series:
Global Carrier
Dimensions:
W72 In. x H20 In. x D29.38 In.
Capacity:
17.07 Cubic Foot
Grapple Opening: 34.78 In.

Operational Weight: 900 lbs.
Shipping Weight: 925 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2222XF	AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,454.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000	Tooth Bar for 72 In. 4-In-1 Bucket (AY12)	646.00
9200	French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP33823	Tooth Bar for 72 In. 4-In-1 Bucket (AY12)	697.68

AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 78 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W78 In. x H20 In. x D29.38 In.
 Capacity:
 18.5 Cubic Foot
 Grapple Opening: 34.78 In.

Operational Weight: 935 lbs.
 Shipping Weight: 960 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2224XF		AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,706.00
--------	--	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000		Tooth Bar for 78 In. 4-In-1 Bucket (AY12)	664.00
9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous:	
5MP43054		French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP16288		Tooth Bar for 78 In. 4-In-1 Bucket (AY12)	717.12

AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 84 In.
Loader Series:
Global Carrier
Dimensions:
W84 In. x H20 In. x D29.38 In.
Capacity:
19.93 Cubic Foot
Grapple Opening: 34.78 In.

Operational Weight: 975 lbs.
Shipping Weight: 1000 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2226XF	AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,990.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000	Tooth Bar for 84 In. 4-In-1 Bucket (AY12)	684.00
9200	French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP16193	Tooth Bar for 84 In. 4-In-1 Bucket (AY12)	738.72

AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB16A Small Square Bale Handler for Current 800 Series Carrier Equipment for Base Machine

Hydraulics:
Single Auxiliary Hydraulic Service
Shipping Weight With Pallet:
1190 lbs.
Operational Weight: 1090 lbs.
Dimensions: 31H x 80W x 90L
32 Engaging Teeth

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
2051XF		AB16A Small Square Bale Handler for Current 800 Series Carrier <i>Picks up 8 flat or 10 indexed small square bales.</i> <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,964.00
ATTACHMENTS - ORDER AS DESIRED			
9200		French Operators Manual and Decal Kit for Models: (AB16 Series)	No Charge
ATTACHMENTS FOR FIELD CONVERSION			
5MP43052		Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56

AB16A Small Square Bale Handler for Current 800 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB16D Small Square Bale Handler for Current 600/700 Series Carrier Equipment for Base Machine

Hydraulics:
Single Auxiliary Hydraulic Service
Shipping Weight With Pallet:
1190 lbs.
Operational Weight: 1090 lbs.
Dimensions: 31H x 80W x 90L
32 Engaging Teeth

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
2052XF		AB16D Small Square Bale Handler for Current 600/700 Series Carrier <i>Picks up 8 flat or 10 indexed small square bales.</i> <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,945.00
ATTACHMENTS - ORDER AS DESIRED			
9200		French Operators Manual and Decal Kit for Models: (AB16 Series)	No Charge
ATTACHMENTS FOR FIELD CONVERSION			
5MP43052		Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56

AB16D Small Square Bale Handler for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB16G Small Square Bale Handler for Current Loaders with Global Carrier Equipment for Base Machine

Hydraulics:
Single Auxiliary Hydraulic Service
Shipping Weight With Pallet:
1190 lbs.
Operational Weight: 1090 lbs.
Dimensions: 31H x 80W x 90L
32 Engaging Teeth

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2053XF	AB16G Small Square Bale Handler for Current Loaders with Global Carrier <i>Picks up 8 flat or 10 indexed small square bales.</i> <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,887.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit for Models: (AB16 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
----------	--	--------

AB16G Small Square Bale Handler for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB17K Large Square Bale Squeeze for Global Category 2 Carrier Equipment for Base Machine

Two 96 In. Arms
110 In. Opening Width
Capacity: Two Large Square Bales
Hydraulics:
Single Auxiliary
Shipping Weight: 1875 lbs.
Operational Weight: 1665 lbs.

Dimensions: 68H x 91W x 99L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2311XF	AB17K Large Square Bale Squeeze for Global Category 2 Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	8,850.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit for Models: (AB17K)	No Charge
------	---	-----------

AB17K Large Square Bale Squeeze for Global Category 2 Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AH11A Round Bale Hugger for Current 800 Series Carrier Equipment for Base Machine

Capacity:
1 Round Bale
Hydraulic Service:
Single Auxiliary
Shipping Weight with Pallet:
825 lbs.
Operational Weight:
725 lbs.

Dimensions:
50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2131XF	AH11A Round Bale Hugger for Current 800 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,267.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AH11 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
----------	--	--------

AH11A Round Bale Hugger for Current 800 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AH11D Round Bale Hugger for Current 600/700 Series Carrier Equipment for Base Machine

Capacity:
1 Round Bale
Hydraulic Service:
Single Auxiliary
Shipping Weight with Pallet:
825 lbs.
Operational Weight:
725 lbs.

Dimensions:
50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2132XF	AH11D Round Bale Hugger for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,196.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AH11 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
----------	--	--------

AH11D Round Bale Hugger for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AH11G Round Bale Hugger for Current Loaders with Global Carrier Equipment for Base Machine

Capacity:
1 Round Bale
Hydraulic Service:
Single Auxiliary
Shipping Weight with Pallet:
825 lbs.
Operational Weight:
725 lbs.

Dimensions:
50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2133XF	AH11G Round Bale Hugger for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,709.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AH11 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
----------	--	--------

AH11G Round Bale Hugger for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier Equipment for Base Machine

Cutting Width: 60 In.
 Loader Series:
 300 and 400 Only (Not 500 Series)
 Dimensions:
 W60 In. x H22 In. x D32 In.
 Capacity:
 0.3 Cubic Foot Struck
 0.4 Cubic Foot Heaped
 Grapple Opening: 32.75 In.

Operational Weight: 540 lbs.
 Shipping Weight: 570 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2061XF	AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier	3,503.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AD11 and AD12 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 72 In.
Loader Series:
300, 400, and 500
Dimensions:
W72 In. x H22 In. x D32 In.
Capacity:
0.4 Cubic Foot Struck
0.5 Cubic Foot Heaped
Grapple Opening: 34.5 In.

Operational Weight: 615 lbs.
Shipping Weight: 684 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2062XF	AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier <i>Hydraulic Kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses. Order Hydraulic Kit through parts.</i> <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,759.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AD11 and AD12 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 76 In.
 Loader Series:
 600 and 700
 Dimensions:
 W77 In. x H29 In. x D41 In.
 Capacity:
 0.6 Cubic Foot Struck
 0.7 Cubic Foot Heaped
 Grapple Opening: 39.4 In.

Operational Weight: 1100 lbs.
 Shipping Weight: 1150 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2071XF	AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier	4,950.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000	76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	445.00
9010	Tooth Bar for 76 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	811.00
9020	Tooth Bar for 76 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	596.00
9200	French Operators Manual and Decal Kit (AD11 and AD12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
5FP10123	76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	480.60
5MP43054	French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP10548	Tooth Bar for 76 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	875.88
5FP10547	Tooth Bar for 76 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	643.68

AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 82" In.

Loader Series:

600 and 700

Dimensions:

W83 In. x H29 In. x D41 In.

Capacity:

0.7 Cubic Foot Struck

0.8 Cubic Foot Heaped

Grapple Opening: 39.4 In.

Operational Weight: 1150 lbs.

Shipping Weight: 1200 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2073XF	AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier	5,247.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000	82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	459.00
9010	Tooth Bar for 82 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	1,028.00
9020	Tooth Bar for 82 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	771.00
9200	French Operators Manual and Decal Kit (AD11 and AD12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
5FP10089	82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	495.72
5MP43054	French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP10570	Tooth Bar for 82 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	1,110.24
5FP10569	Tooth Bar for 82 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	832.68

AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 88 In.
 Loader Series:
 600 and 700
 Dimensions:
 W89 In. x H29 In. x D41 In.
 Capacity:
 0.85 Cubic Foot Struck
 1.0 Cubic Foot Heaped
 Grapple Opening: 39.4 In.

Operational Weight: 1200 lbs.
 Shipping Weight: 1250 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2075XF	AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier	5,418.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000	88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	485.00
9010	Tooth Bar for 88 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	1,028.00
9020	Tooth Bar for 88 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	809.00
9200	French Operators Manual and Decal Kit (AD11 and AD12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
5FP10124	88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	523.80
5MP43054	French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP10616	Tooth Bar for 88 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	1,110.24
5FP10615	Tooth Bar for 88 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	873.72

AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12D - 96 In. Debris Grapple Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 96 In.
 Loader Series:
 600 and 700
 Dimensions:
 W96 In. x H29 In. x D41 In.
 Capacity:
 1.0 Cubic Foot Struck
 1.2 Cubic Foot Heaped
 Grapple Opening: 39.4 In.

Operational Weight: 1250 lbs.
 Shipping Weight: 1300 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2077XF	AD12D - 96 In. Debris Grapple Bucket for Current 600/700 Series Carrier	5,516.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000	96 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	490.00
9010	Tooth Bar for 96 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	1,069.00
9020	Tooth Bar for 96 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	822.00
9200	French Operators Manual and Decal Kit (AD11 and AD12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
5FP10125	96 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	529.20
5MP43054	French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP10645	Tooth Bar for 96 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	1,154.52
5FP10644	Tooth Bar for 96 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	887.76

AD12D - 96 In. Debris Grapple Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 76 In.
Loader Series:
Global Carrier
Dimensions:
W77 In. x H29 In. x D39 In.
Capacity:
0.6 Cubic Foot Struck
0.7 Cubic Foot Heaped
Grapple Opening: 39.4 In.

Operational Weight: 1080 lbs.
Shipping Weight: 1130 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2072XF		AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,901.00
--------	--	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000		76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	445.00
9010		Tooth Bar for 76 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	811.00
9020		Tooth Bar for 76 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	596.00
9200		French Operators Manual and Decal Kit (AD11 and AD12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous:	
5FP10123		76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	480.60
5MP43054		French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP10548		Tooth Bar for 76 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	875.88
5FP10547		Tooth Bar for 76 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	643.68

AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 82 In.
Loader Series:
Global Carrier
Dimensions:
W83 In. x H29 In. x D39 In.
Capacity:
0.7 Cubic Foot Struck
0.8 Cubic Foot Heaped
Grapple Opening: 39.4 In.

Operational Weight: 1130 lbs.
Shipping Weight: 1180 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2074XF		AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,094.00
--------	--	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000		82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	459.00
9010		Tooth Bar for 82 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	1,028.00
9020		Tooth Bar for 82 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	771.00
9200		French Operators Manual and Decal Kit (AD11 and AD12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:			
5FP10089		82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	495.72
5MP43054		French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP10570		Tooth Bar for 82 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	1,110.24
5FP10569		Tooth Bar for 82 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	832.68

AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 88 In.
Loader Series:
Global Carrier
Dimensions:
W89 In. x H29 In. x D39 In.
Capacity:
0.85 Cubic Foot Struck
1.0 Cubic Foot Heaped
Grapple Opening: 39.4 In.

Operational Weight: 1180 lbs.
Shipping Weight: 1230 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2076XF	AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,316.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000	88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	485.00
9010	Tooth Bar for 88 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	1,028.00
9020	Tooth Bar for 88 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	809.00
9200	French Operators Manual and Decal Kit (AD11 and AD12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
5FP10124	88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	523.80
5MP43054	French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP10616	Tooth Bar for 88 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	1,110.24
5FP10615	Tooth Bar for 88 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	873.72

AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 96 In.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H29 In. x D39 In.
Capacity:
1.0 Cubic Foot Struck
1.2 Cubic Foot Heaped
Grapple Opening: 39.4 In.

Operational Weight: 1230 lbs.
Shipping Weight: 1280 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2078XF		AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,320.00
--------	--	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000		96 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	490.00
9010		Tooth Bar for 96 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	1,069.00
9020		Tooth Bar for 96 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	822.00
9200		French Operators Manual and Decal Kit (AD11 and AD12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:			
5FP10125		96 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	529.20
5MP43054		French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5FP10645		Tooth Bar for 96 In. Debris Bucket with Bolt on Cutting Edge (AD12 Series Only)	1,154.52
5FP10644		Tooth Bar for 96 In. Debris Bucket without Bolt on Cutting Edge (AD12 Series Only)	887.76

AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 60 In.

Loader Series:

300, 400, and 500

Dimensions:

W60 In. x H28 In. x D29 In.

Optional Bolt-on Backdrag Weight:

138 lbs.

Operational Weight: 240 lbs.

Shipping Weight: 290 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2081XF	AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,468.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000	60 In. Back Drag Attachment (AE11E)	573.00
9200	French Operators Manual and Decal Kit (AE11 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:	
5FP10736	60 In. Back Drag Attachment (AE11E)	618.84
5MP43052	French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56

AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 72 In.
Loader Series:
300, 400, and 500
Dimensions:
W72 In. x H28 In. x D29 In.
Optional Bolt-on Backdrag Weight:
161 lbs.
Operational Weight: 265 lbs.

Shipping Weight: 315 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2082XF		AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,699.00
--------	--	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000		72 In. Back Drag Attachment (AE11E)	596.00
9200		French Operators Manual and Decal Kit (AE11 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:		
5FP10737		72 In. Back Drag Attachment (AE11E)	643.68
5MP43052		French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56

AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 84 In.

Loader Series:

300, 400, and 500

Dimensions:

W84 In. x H28 In. x D29 In.

Optional Bolt-on Backdrag Weight:

194 lbs.

Operational Weight: 285 lbs.

Shipping Weight: 335 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2083XF	AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,770.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000	84 In. Back Drag Attachment (AE11E)	751.00
9200	French Operators Manual and Decal Kit (AE11 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:	
5FP10738	84 In. Back Drag Attachment (AE11E)	811.08
5MP43052	French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56

AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 96 In.

Loader Series:

300, 400, and 500

Dimensions:

W96 In. x H28 In. x D29 In.

Optional Bolt-on Backdrag Weight:

226 lbs.

Operational Weight: 305 lbs.

Shipping Weight: 355 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2084XF		AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,864.00
--------	--	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000		96 In. Back Drag Attachment (AE11E)	794.00
9200		French Operators Manual and Decal Kit (AE11 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:		
5FP10739		96 In. Back Drag Attachment (AE11E)	857.52
5MP43052		French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56

AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 6 Ft.
Loader Series:
300, 400, and 500
Dimensions:
W72 In. x H23 In. x D34 In.
Operational Weight: 400 lbs.
Shipping Weight: 430 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2091XF	AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,405.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000	Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E	551.00
9020	Rubber Edge Kit for 6 Ft. AF11E	464.00
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
5FP10726	Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E	595.08
5FPLAF6486	Rubber Edge Kit for 6 Ft. AF11E	659.15

**AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500
Series Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 7 Ft.
Loader Series:
300, 400, and 500
Dimensions:
W84 In. x H23 In. x D34 In.
Operational Weight: 450 lbs.
Shipping Weight: 480 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2093XF	AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,441.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000	Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E	551.00
9020	Rubber Edge Kit for 7 Ft. AF11E	498.00
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
5FP10726	Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E	595.08
5FPLAF6487	Rubber Edge Kit for 7 Ft. AF11E	743.41

**AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500
Series Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 7 Ft.
Loader Series:
600 Series Loaders
on 6000 Series Tractors
Dimensions:
W84 In. x H32 In. x D48 In.
Operational Weight: 730 lbs.

Shipping Weight: 780 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2092XF	AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>ONLY 6000 series tractors.</i> <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,557.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9010	Rubber Top Flap Kit for 7 Ft. AF11D and AF11G	221.00
9020	Rubber Edge Kit for 7 Ft. AF11D and AF11G	584.00
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
5FPLAF1551	Rubber Edge Kit for 7 Ft. AF11D and AF11G	870.70
5FPLAF6492	Rubber Top Flap Kit for 7 Ft. AF11D and AF11G	438.05

**AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 8 Ft.
Loader Series:
600 Series Loaders
on 6000 Series Tractors
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1195 lbs.

Shipping Weight: 1245 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2095XF	AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>ONLY 6000 series tractors.</i> <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,705.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9010	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	238.00
9020	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	647.00
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	974.16
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	464.12

**AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 7 Ft.
Loader Series:
Global Carrier on 6000 Series Tractors
Dimensions:
W84 In. x H32 In. x D48 In.
Operational Weight: 710 lbs.
Shipping Weight: 760 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2094XF		AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>ONLY 6000 series tractors and smaller. Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,276.00
--------	--	--	----------

ATTACHMENTS - ORDER AS DESIRED

9010		Rubber Top Flap Kit for 7 Ft. AF11D and AF11G	221.00
9020		Rubber Edge Kit for 7 Ft. AF11D and AF11G	584.00
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous:	French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
5FPLAF1551		Rubber Edge Kit for 7 Ft. AF11D and AF11G	870.70
5FPLAF6492		Rubber Top Flap Kit for 7 Ft. AF11D and AF11G	438.05

**AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with
Global Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 8 Ft.
Loader Series:
Global Carrier on 6000 Series Tractors
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1175 lbs.
Shipping Weight: 1225 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2096XF	AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>ONLY 6000 series tractors and smaller. Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,687.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9010	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	238.00
9020	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	647.00
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	974.16
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	464.12

**AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with
Global Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 8 Ft.
Loader Series:
600 and 700
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1195 lbs.
Shipping Weight: 1245 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2101XF	AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,257.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9010	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	238.00
9020	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	647.00
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	974.16
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	464.12

**AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 9 Ft.
Loader Series:
600 and 700
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1195 lbs.
Shipping Weight: 1245 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2103XF	AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,931.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9010	Rubber Top Flap Kit for 9 Ft. AF12D and AF12G	256.00
9020	Rubber Edge Kit for 9 Ft. AF12D and AF12G	707.00
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
5FPLAF1553	Rubber Edge Kit for 9 Ft. AF12D and AF12G	1,045.72
5FPLAF6494	Rubber Top Flap Kit for 9 Ft. AF12D and AF12G	489.78

**AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 10 Ft.
Loader Series:
600 and 700
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1195 lbs.
Shipping Weight: 1245 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2105XF	AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,979.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9010	Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	273.00
9020	Rubber Edge Kit for 10 Ft. AF12D and AF12G	768.00
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
5FPLAF1554	Rubber Edge Kit for 10 Ft. AF12D and AF12G	1,205.86
5FPLAF6495	Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	518.92

**AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 8 Ft.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1175 lbs.
Shipping Weight: 1225 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2102XF	AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier	5,575.00
<i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>		

ATTACHMENTS - ORDER AS DESIRED

9010	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	238.00
9020	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	647.00
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	974.16
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	464.12

**AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with
Global Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 9 Ft.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1175 lbs.
Shipping Weight: 1225 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2104XF	AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,239.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9010	Rubber Top Flap Kit for 9 Ft. AF12D and AF12G	256.00
9020	Rubber Edge Kit for 9 Ft. AF12D and AF12G	707.00
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
5FPLAF1553	Rubber Edge Kit for 9 Ft. AF12D and AF12G	1,045.72
5FPLAF6494	Rubber Top Flap Kit for 9 Ft. AF12D and AF12G	489.78

**AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with
Global Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 10 Ft.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1175 lbs.
Shipping Weight: 1225 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2106XF	AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,423.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9010	Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	273.00
9020	Rubber Edge Kit for 10 Ft. AF12D and AF12G	768.00
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
5FPLAF1554	Rubber Edge Kit for 10 Ft. AF12D and AF12G	1,205.86
5FPLAF6495	Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	518.92

**AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders
with Global Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier Equipment for Base Machine

Cutting Width: 60 In.
Loader Series:
300 and 400 Only (Not 500 Series)
Dimensions:
W60 In. x H26.5 In. x D34 In.
Grapple Opening: 37 In.
Operational Weight: 457 lbs.

Shipping Weight: 507 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2141XF	AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,738.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AM11 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 72 In.
Loader Series:
300, 400, and 500
Dimensions:
W72 In. x H26.5 In. x D34 In.
Grapple Opening: 37 In.
Operational Weight: 471 lbs.

Shipping Weight: 521 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2142XF	AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,805.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AM11 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 84 In.

Loader Series:

600 and 700

Dimensions:

W84 In. x H27.5 In. x D26 In.

Grapple Opening: 37 In.

Operational Weight: 587 lbs.

Shipping Weight: 637 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2143XF	AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,233.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AM11 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM11D - 96 In. Manure Fork with Grapple for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 96 In.

Loader Series:

600 and 700

Dimensions:

W96 In. x H27.5 In. x D26 In.

Grapple Opening: 37 In.

Operational Weight: 651 lbs.

Shipping Weight: 701 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2145XF	AM11D - 96 In. Manure Fork with Grapple for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,785.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AM11 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AM11D - 96 In. Manure Fork with Grapple for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 84 In.

Loader Series:

Global Carrier

Dimensions:

W84 In. x H24 In. x D35 In.

Grapple Opening: 37 In.

Operational Weight: 537 lbs.

Shipping Weight: 587 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2144XF	AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,435.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AM11 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 96 In.

Loader Series:

Global Carrier

Dimensions:

W96 In. x H24 In. x D35 In.

Grapple Opening: 37 In.

Operational Weight: 601 lbs.

Shipping Weight: 651 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2146XF	AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,984.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AM11 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP12A Fixed Pallet Fork for Current 800 Series Carrier Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):

Two - 1.57 In. x 5.12 In.
(600, 700, Global, and
800 Series Loaders)

Load Rating: 5500 lbs.
(600, 700, Global, and
800 Series Loaders)

Dimensions (42 In. Forks or 48 In. Forks):
37H x 60W x 54L or 60L

Operational Weight

(42 In. Forks or 48 In. Forks):
445 or 465 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2151XF	AP12A Fixed Pallet Fork for Current 800 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,894.00
--------	--	----------

PALLET TINE LENGTH

1000	42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	In Base Price
1010	48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	55.00

ATTACHMENTS - ORDER AS DESIRED

9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AP12A Fixed Pallet Fork for Current 800 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):

Two - 1.38 In. x 4.72 In.
(200, 300, 400, and
500 Series Loaders)

Load Rating: 3750 lbs.

(200, 300, 400, and
500 Series Loaders)

Dimensions (42 In. Forks or 48 In. Forks):

34H x 50W x 51L or 57L

Operational Weight

(42 In. Forks or 48 In. Forks):
380 or 395 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2153XF	AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,098.00
--------	--	----------

PALLET TINE LENGTH

1000	42 In. Pallet Tine <i>Rated for 3750 lbs.</i>	In Base Price
1010	48 In. Pallet Tine <i>Rated for 3750 lbs.</i>	40.00

ATTACHMENTS - ORDER AS DESIRED

9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP12D Fixed Pallet Fork for Current 600/700 Series Carrier Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):

Two - 1.57 In. x 5.12 In.
(600, 700, Global, and
800 Series Loaders)

Load Rating: 5500 lbs.
(600, 700, Global, and
800 Series Loaders)

Dimensions (42 In. Forks or 48 In. Forks):
34H x 50W x 54L or 60L

Operational Weight

(42 In. Forks or 48 In. Forks):
445 or 465 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2152XF	AP12D Fixed Pallet Fork for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,357.00
--------	--	----------

PALLET TINE LENGTH

1000	42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	In Base Price
1010	48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	55.00

ATTACHMENTS - ORDER AS DESIRED

9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AP12D Fixed Pallet Fork for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP12G Fixed Pallet Fork for Current Loaders with Global Carrier Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):

Two - 1.57 In. x 5.12 In.
(600, 700, Global, and
800 Series Loaders)

Load Rating: 5500 lbs.
(600, 700, Global, and
800 Series Loaders)

Dimensions (42 In. Forks or 48 In. Forks):
37H x 60W x 54L or 60L

Operational Weight

(42 In. Forks or 48 In. Forks):
456 or 476 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2154XF	AP12G Fixed Pallet Fork for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,307.00
--------	---	----------

PALLET TINE LENGTH

1000	42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	In Base Price
1010	48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	55.00

ATTACHMENTS - ORDER AS DESIRED

9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AP12G Fixed Pallet Fork for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) Equipment for Base Machine

Pallet Forks (48 In. in Length):
Two - 2.00 In. x 5.00 In.
(Global Category 2,
Loader Carrier)
Load Rating: 10,000 lbs.
(Global Category 2 Carrier, H480 Loader)
Dimensions (48 In. Forks):
43H x 59W x 60L
Operational Weight

(48 In. Forks):
812 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2155XF	AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) <i>Note: 48 In Pallet Forks Included as Standard Equipment. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,286.00
--------	--	----------

**AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480
Loader only)**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): 360 or 375 lbs.
 Two - 1.38 In. x 4.72 In.
 Load Rating: 3750 lbs.
 Dimensions (42 In. Forks or 48 In. Forks):
 31H x 50W x 51L or 57L
 Operational Weight
 (42 In. Forks or 48 In. Forks):

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2162XF	AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,146.00
--------	---	----------

PALLET TINE LENGTH

1000	42 In. Pallet Tine <i>Rated for 3750 lbs.</i>	In Base Price
1010	48 In. Pallet Tine <i>Rated for 3750 lbs.</i>	72.00

ATTACHMENTS - ORDER AS DESIRED

9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP13D Floating Pallet Fork for Current 600/700 Series Carrier Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): 425 or 445 lbs.
 Two - 1.57 In. x 5.12 In.
 Load Rating: 5500 lbs.
 Dimensions (42 In. Forks or 48 In. Forks):
 34H x 50W x 54L or 60L
 Operational Weight
 (42 In. Forks or 48 In. Forks):

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2161XF	AP13D Floating Pallet Fork for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,305.00
--------	---	----------

PALLET TINE LENGTH

1000	42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	In Base Price
1010	48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	90.00

ATTACHMENTS - ORDER AS DESIRED

9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AP13D Floating Pallet Fork for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP13G Floating Pallet Fork for Current Loaders with Global Carrier Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): 440 or 460 lbs.
 Two - 1.57 In. x 5.12 In.
 Load Rating: 5500 lbs.
 Dimensions (42 In. Forks or 48 In. Forks):
 32H x 49W x 52L or 58L
 Operational Weight
 (42 In. Forks or 48 In. Forks):

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2163XF	AP13G Floating Pallet Fork for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,247.00
--------	--	----------

PALLET TINE LENGTH

1000	42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	In Base Price
1010	48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	90.00

ATTACHMENTS - ORDER AS DESIRED

9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AP13G Floating Pallet Fork for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) Equipment for Base Machine

Pallet Forks (48 In. in Length):
Two - 2.0 In. x 5.0 In.
Load Rating: 10,000 lbs.
Dimensions:
42H x 62W x 61L
Operational Weight
773 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
2331XF		AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,250.00
ATTACHMENTS - ORDER AS DESIRED			
9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge

**AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480
Loader only)**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier Equipment for Base Machine

Cutting Width: 55 In.
Loader Series:
300 and 400 Only (Not 500 Series)
Dimensions:
W54.8 In. x H22 In. x D23 In.
Capacity:
0.32 Cubic Foot
Tine Diameter: 1-1/8 In.
Tine Length: 22 In.

Operational Weight: 282 lbs.
Shipping Weight: 352 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2171XF	AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier <i>Tine spacing is 2 In. on 55 In. model.</i> <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,615.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 60 In.

Loader Series:
300, 400, and 500

Dimensions:
W68.4 In. (W65.9 In.) x H21.7 In. x D45 In.

Capacity:
0.82 Cubic Foot

Optional Hydraulic Grapple - Opening:
60 In.

Optional Hydraulic Grapple - Weight:
375 lbs.

Tine Diameter: 1-1/8 In.

Tine Length: 39 In.

Operational Weight:
585 lbs. (458 lbs.)

Shipping Weight:
670 lbs. (550 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2172XF	AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,238.00
--------	---	----------

TINE SPACING

1000	2 In. Tine Spacing	In Base Price
1010	3 In. Tine Spacing	-179.00

ATTACHMENTS - ORDER AS DESIRED

9050	Grapple Attachment for Rock Bucket <i>Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders.</i>	2,484.00
9200	French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.</i>	2,751.27
5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	131.48

FRONTIER PRODUCTS

AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5MP106524	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fittings compatible with 300 and 400 series loaders.</i>	114.69

FRONTIER PRODUCTS

AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 75 In.

Loader Series:
300, 400, and 500

Dimensions:
W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.

Capacity:
0.89 Cubic Foot

Optional Hydraulic Grapple - Opening:
60 In.

Optional Hydraulic Grapple - Weight:
375 lbs.

Tine Diameter: 1-1/8 In.

Tine Length: 39 In.

Operational Weight:
632 lbs. (528 lbs.)

Shipping Weight:
707 lbs. (603 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2174XF	AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,442.00
--------	---	----------

TINE SPACING

1000	2 In. Tine Spacing	In Base Price
1010	3 In. Tine Spacing	-244.00

ATTACHMENTS - ORDER AS DESIRED

9050	Grapple Attachment for Rock Bucket <i>Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders.</i>	2,484.00
9200	French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.</i>	2,751.27
5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	131.48

FRONTIER PRODUCTS

AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5MP106524	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fittings compatible with 300 and 400 series loaders.</i>	114.69

FRONTIER PRODUCTS

AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 75 In.

Loader Series:
600 and 700

Dimensions:
W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.

Capacity:
0.89 Cubic Foot

Optional Hydraulic Grapple - Opening:
60 In.

Optional Hydraulic Grapple - Weight:
375 lbs.

Tine Diameter: 1-1/8 In.

Tine Length: 39 In.

Operational Weight:
632 lbs. (528 lbs.)

Shipping Weight:
707 lbs. (603 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2173XF	AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,598.00
--------	---	----------

TINE SPACING

1000	2 In. Tine Spacing	In Base Price
1010	3 In. Tine Spacing	-235.00

ATTACHMENTS - ORDER AS DESIRED

9060	Grapple Attachment for Rock Bucket <i>Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers.</i>	2,498.00
9200	French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	2,751.27
5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	131.48

AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 75 In. Loader Series: Global Carrier Dimensions: W74.7 In. (W74.4 In.) x H21.7 In. x D45 In. Capacity: 0.89 Cubic Foot Optional Hydraulic Grapple - Opening: 60 In. Optional Hydraulic Grapple - Weight: 375 lbs. Tine Diameter: 1-1/8 In.	Tine Length: 39 In. Operational Weight: 739 lbs. (619 lbs.) Shipping Weight: 814 lbs. (694 lbs.)
--	--

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

BASE MACHINE

2175XF	AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,769.00
--------	--	----------

TINE SPACING

1000	2 In. Tine Spacing	In Base Price
1010	3 In. Tine Spacing	-146.00

ATTACHMENTS - ORDER AS DESIRED

9060	Grapple Attachment for Rock Bucket <i>Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers.</i>	2,498.00
9200	French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:	
5MP43054	French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	2,751.27
5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	131.48

AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR12A - 84 In. Rock Bucket for Current 800 Series Carrier Equipment for Base Machine

Cutting Width: 84 In.
Loader Series: 800
Dimensions:
W85 In. x H35 In. x D61 In.
Capacity:
1.02 Cubic Foot
Tine Diameter: 1-5/8 In.
Tine Length: 46 In.

Operational Weight: 1536 lbs.
Shipping Weight: 1666 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2181XF	AR12A - 84 In. Rock Bucket for Current 800 Series Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets.</i> <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,706.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AR12A - 84 In. Rock Bucket for Current 800 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR12A - 93 In. Rock Bucket for Current 800 Series Carrier Equipment for Base Machine

Cutting Width: 93 In.
Loader Series: 800
Dimensions:
W94 In. x H35 In. x D61 In.
Capacity:
1.17 Cubic Foot
Tine Diameter: 1-5/8 In.
Tine Length: 46 In.

Operational Weight: 1680 lbs.
Shipping Weight: 1810 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2184XF	AR12A - 93 In. Rock Bucket for Current 800 Series Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets.</i> <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,477.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AR12A - 93 In. Rock Bucket for Current 800 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 84 In.
Loader Series:
600 and 700
Dimensions:
W82.7 In. x H35 In. x D61 In.
Capacity:
1.02 Cubic Foot
Tine Diameter: 1-5/8 In.
Tine Length: 46 In.

Operational Weight: 1561 lbs.
Shipping Weight: 1691 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2182XF	AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets.</i> <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,830.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR12D - 93 In. Rock Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 93 In.
Loader Series:
600 and 700
Dimensions:
W94 In. x H35 In. x D61 In.
Capacity:
1.17 Cubic Foot
Tine Diameter: 1-5/8 In.
Tine Length: 46 In.

Operational Weight: 1718 lbs.
Shipping Weight: 1848 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2185XF	AR12D - 93 In. Rock Bucket for Current 600/700 Series Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets.</i> <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,936.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AR12D - 93 In. Rock Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 84 In.
Loader Series:
Global Carrier
Dimensions:
W82.7 In. x H35 In. x D61 In.
Capacity:
1.02 Cubic Foot
Tine Diameter: 1-5/8 In.
Tine Length: 46 In.

Operational Weight: 1481 lbs.
Shipping Weight: 1611 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2183XF	AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets.</i> <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,452.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 93 In.
Loader Series:
Global Carrier
Dimensions:
W94 In. x H35 In. x D61 In.
Capacity:
1.17 Cubic Foot
Tine Diameter: 1-5/8 In.
Tine Length: 46 In.

Operational Weight: 1623 lbs.
Shipping Weight: 1753 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2186XF	AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets.</i> <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,340.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous: French Operator's Manual and Decal Kit (AD11, AD12, AM11, AR10, AR12, AY11 and AY12)	76.68
----------	--	-------

AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier Equipment for Base Machine

Cutting Width: 60 In.
Loader Series:
300CX and 400 Only (Not 500 Series)
Dimensions:
W60 In. x H23 In. x D38.8 In.
Grapple Opening: 27 In.
Operational Weight: 381 lbs.

Shipping Weight: 421 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2271XF	AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,284.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000	AV20 Series Parking Stand Kit - Bolt On	171.00
------	---	--------

ATTACHMENTS FOR FIELD CONVERSION

5WS811395	Miscellaneous: AV20 Series Parking Stand Kit - Bolt On	184.68
-----------	--	--------

AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier Equipment for Base Machine

Cutting Width: 62 In.
Loader Series:
400CX and 500 Only
Dimensions:
W62 In. x H25 In. x D54 In.
Grapple Opening: 50 In.
Operational Weight: 818 lbs.

Shipping Weight: 858 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2272XF	AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,729.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000	AV20 Series Parking Stand Kit - Bolt On	171.00
------	---	--------

ATTACHMENTS FOR FIELD CONVERSION

5WS811395	Miscellaneous: AV20 Series Parking Stand Kit - Bolt On	184.68
-----------	--	--------

AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 77 In.
Loader Series:
600 and 700
Dimensions:
W77 In. x H25 In. x D15 In.
Grapple Opening: 50 In.
Operational Weight: 1,000 lbs.

Shipping Weight: 1,040 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2273XF	AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,416.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000	AV20 Series Parking Stand Kit - Bolt On	171.00
------	---	--------

ATTACHMENTS FOR FIELD CONVERSION

5WS811395	Miscellaneous: AV20 Series Parking Stand Kit - Bolt On	184.68
-----------	--	--------

AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 77 In.
Loader Series:
Global Carriers
Dimensions:
W77 In. x H25 In. x D15 In.
Grapple Opening: 50 In.
Operational Weight: 972 lbs.

Shipping Weight: 1012 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2274XF	AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,324.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000	AV20 Series Parking Stand Kit - Bolt On	171.00
------	---	--------

ATTACHMENTS FOR FIELD CONVERSION

5WS811395	Miscellaneous: AV20 Series Parking Stand Kit - Bolt On	184.68
-----------	--	--------

AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AG10A Silage Defacer for Current 800 Series Carrier Equipment for Base Machine

Shipping Weight: 870 lbs.
Non-Sizing Cutting Tooth
Motor Shaft: 1.5 In.
Motor Chain Type: 80-ASA
Equipment Weight: 735 lbs.
Cutting Width: 96 In.
Bearing: Greaseable Spherical Type
Tooth Material:

50,000 Yield Strength Material

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2111XF	AG10A Silage Defacer for Current 800 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,770.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AG10 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
----------	--	--------

AG10A Silage Defacer for Current 800 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AG10D Silage Defacer for Current 600/700 Series Carrier Equipment for Base Machine

Shipping Weight: 870 lbs.
Non-Sizing Cutting Tooth
Motor Shaft: 1.5 In.
Motor Chain Type: 80-ASA
Equipment Weight: 735 lbs.
Cutting Width: 96 In.
Bearing: Greaseable Spherical Type
Tooth Material:

50,000 Yield Strength Material

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2112XF	AG10D Silage Defacer for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,045.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AG10 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
----------	--	--------

AG10D Silage Defacer for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AG10G Silage Defacer for Current Loaders with Global Carrier Equipment for Base Machine

Shipping Weight: 870 lbs.
Non-Sizing Cutting Tooth
Motor Shaft: 1.5 In.
Motor Chain Type: 80-ASA
Equipment Weight: 735 lbs.
Cutting Width: 96 In.
Bearing: Greaseable Spherical Type
Tooth Material:

50,000 Yield Strength Material

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2113XF	AG10G Silage Defacer for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,184.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AG10 Series)	No Charge
------	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous: French Operator's Manual and Decal Kit for Models: AB15, AB16, AE11, AF11, AF12, AG10, AH11, AS10, AS11	163.56
----------	--	--------

AG10G Silage Defacer for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AG11S Silage Defacer for Skid Steers

Equipment for Base Machine

Non-Sizing Cutting Tooth
Bearing: Greaseable Spherical Type
Motor Shaft: 1.5 In.
Cutting Width: 96 In.
Drive System: 80 ASA Chain

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2121XF	AG11S Silage Defacer for Skid Steers <i>Unit has reduced reach to address skid steers with limited lift capacity.</i>	6,902.00
--------	--	----------

AG11S Silage Defacer for Skid Steers

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AG12S Silage Defacer for Skid Steers

Equipment for Base Machine

Non-Sizing Cutting Tooth
Bearing: Greaseable Spherical Type
Motor Shaft: 1.5 In.
Cutting Width: 96 In.
Drive System: 80 ASA Chain

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2122XF	AG12S Silage Defacer for Skid Steers	7,361.00
--------	--------------------------------------	----------

AG12S Silage Defacer for Skid Steers

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

AT1096G Grapple - Hay & Forage
Equipment for Base Machine

Shipping Weight With Pallet: 740 lbs.
Mounting Hardware: Included
Width: 96 Ins.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2251XF	AT1096G Grapple - Hay & Forage	5,666.00
--------	--------------------------------	----------

FRONTIER PRODUCTS
Telehandler Attachments

AT1096G Grapple - Hay & Forage
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

AT2016G Bucket - Hay & Forage
Equipment for Base Machine

Capacity: 1.6 Cubic Yard
Cutting Edge: Standard Bolt On
Shipping Weight With Pallet: 1350 lbs.
Quick Attach: Yes
Operational Weight: 1201 lbs.
Width: 96 Ins.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2252XF	AT2016G Bucket - Hay & Forage	3,681.00
--------	-------------------------------	----------

FRONTIER PRODUCTS
Telehandler Attachments

AT2016G Bucket - Hay & Forage
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

AT2016U Bucket & Grapple - Hay & Forage
Equipment for Base Machine

Shipping Weight with Pallet:
2090 lbs.
Grapple Opening-Bucket Edge to
Point of Tines: 62.86 Ins.
Grapple Length: 94.63 Ins.
Outside to Outside
Grapple Height Open-Bucket
Bottom/Grapple Top: 89.98 Ins.
Grapple Height Closed-Bucket
Bottom/Grapple Top: 57.28 Ins.

Bucket Width - Cutting Edge to
Rear Most Point: 48.15 Ins.
Bucket Length: 96 Ins. Outside
Bucket Height: 29.61 Ins.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2253XF	AT2016U Bucket & Grapple - Hay & Forage	9,275.00
--------	---	----------

FRONTIER PRODUCTS
Telehandler Attachments

AT2016U Bucket & Grapple - Hay & Forage
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4062 Grapple Debris Bucket
Equipment for Base Machine

Capacity: 2.25 Cubic Yard
Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 2336 lbs.
Quick Attach: Yes
Operational Weight: 2236 lbs.
Heap Capacity: 2-1/2 Cubic Yard
Dimensions: 53 In. H x 65 In. W x 96 In. L

Bolt on Cutting Edge: Optional

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225BXF	MJ4062 Grapple Debris Bucket	11,504.00
--------	------------------------------	-----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4062 Grapple Debris Bucket
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

BG1096 Grapple - Brush - Skeleton Bucket
Equipment for Base Machine

Capacity: 1.19 Cubic Yard
Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 1880 lbs.
Quick Attach: Yes
Operational Weight: 1780 lbs.
Dimensions: 35 In. H x 43.5 In. W x 99 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2255XF	BG1096 Grapple - Brush - Skeleton Bucket	13,989.00
--------	--	-----------

FRONTIER PRODUCTS
Telehandler Attachments

BG1096 Grapple - Brush - Skeleton Bucket
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4060A Large Square Bale Fork
Equipment for Base Machine

Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 990 lbs.
Quick Attach: Yes
Operational Weight: 890 lbs.
Dimensions: 95 In. Tall (Will Extend
Above 4 x 4 Bales) and 75 In. Wide

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2259XF	MJ4060A Large Square Bale Fork <i>Handles up to two 4 Ft. x 4 Ft. x 8 Ft. bales or three 3 Ft. x 3 Ft. x 8 Ft. bales.</i>	9,995.00
--------	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4060A Large Square Bale Fork
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4074 Bale Fork
Equipment for Base Machine

8 Small Square Bales Flat or
10 On Their Side
Hydraulic Service: Single Auxiliary
Quick Attach: Yes
Operational Weight: 1090 lbs.
Shipping Weight with Pallet: 1190 lbs.
Dimensions: 31 In. H x 80 In. W x 90 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225DXF	MJ4074 Bale Fork <i>For flat 8 or Index 10 small square.</i>	8,642.00
--------	---	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4074 Bale Fork
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4076 - 72 In. Manure Fork & Grab
Equipment for Base Machine

Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 1677 lbs.
Quick Attach: Yes
Operational Weight: 1577 lbs.
Heap Capacity: 62 Cubic Feet
Dimensions: 57 In. H x 62 In. W x 72 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225EXF	MJ4076 - 72 In. Manure Fork & Grab <i>Handles loose material and bales.</i>	9,206.00
--------	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4076 - 72 In. Manure Fork & Grab
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4077 - 96 In. Manure Fork & Grab
Equipment for Base Machine

Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 1892 lbs.
Quick Attach: Yes
Operational Weight: 1792 lbs.
Heap Capacity: 83 Cubic Feet
Dimensions: 57 In. H x 62 In. W x 96 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225FXF	MJ4077 - 96 In. Manure Fork & Grab <i>Handles loose material and bales.</i>	9,572.00
--------	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4077 - 96 In. Manure Fork & Grab
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

BF1102S Bale Spear - Single or Dual Large Square
Equipment for Base Machine

Shipping Weight: 873 lbs.
Dimensions: 60 In. H x 72 In. W x 60 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2254XF	BF1102S Bale Spear - Single or Dual Large Square	3,017.00
--------	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

BF1102S Bale Spear - Single or Dual Large Square
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4037 Single Round Bale Spear
Equipment for Base Machine

Capacity: 1 Round Bale
Shipping Weight with Pallet: 334 lbs.
Quick Attach: Yes
Operational Weight: 259 lbs.
Dimensions: 17 In. H x 30 In. W x 49 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2256XF	MJ4037 Single Round Bale Spear	1,932.00
--------	--------------------------------	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4037 Single Round Bale Spear
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4081 Bale Spear
Equipment for Base Machine

Capacity: Two Round Bales or
One Large Square Bale
Shipping Weight with Pallet: 465 lbs.
Quick Attach: Yes
Operational Weight: 390 lbs.
Dimensions: 17 In. H x 25 In. W x 70 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225HXF	MJ4081 Bale Spear <i>Dual round or single square.</i>	1,899.00
--------	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4081 Bale Spear
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4090 Bale Squeeze
Equipment for Base Machine

Hydraulic Services: Single Auxiliary
Shipping Weight with Pallet: 1850 lbs.
Quick Attach: Yes
Operational Weight: 1600 lbs.
Dimensions: 40 In. H x 92 In. W x 104 In. L
Carrying Capacity: 4000 lbs.
Maximum Width: 110 In.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225KXF	MJ4090 Bale Squeeze <i>Maximum width 110 In.</i>	10,839.00
--------	---	-----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4090 Bale Squeeze
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4091 Bale Squeeze
Equipment for Base Machine

Hydraulic Services: Single Auxiliary
Shipping Weight with Pallet: 1650 lbs.
Quick Attach: Yes
Operational Weight: 1400 lbs.
Dimensions: 40 In. H x 60 In. W x 106 In. L
Carrying Capacity: 2000 lbs.
Maximum Width: 48 In.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225LXF	MJ4091 Bale Squeeze <i>Maximum width 48 In.</i>	6,640.00
--------	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4091 Bale Squeeze
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4099 Round Bale Hugger
Equipment for Base Machine

Capacity: 1 Round Bale
Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 825 lbs.
Quick Attach: Yes
Operational Weight: 725 lbs.
Dimensions: 50 In. H x 57 In. W x 60 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225NXF	MJ4099 Round Bale Hugger <i>Maximum to 5 1/2 Ft. diameter.</i>	4,865.00
--------	---	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4099 Round Bale Hugger
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4059A Bucket - Light Material Handling (3.25 Cubic Yard) with Cutting Edge
Equipment for Base Machine

Capacity: 3.25 Cubic Yard
Weight with Pallet: 1529 lbs.
Quick Attach: Yes
Operational Weight: 1429 lbs.
Heap Capacity: 3-1/4 Cubic Yard
Dimensions: 56 In. H x 62 In. W x 96 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2258XF	MJ4059A Bucket - Light Material Handling (3.25 Cubic Yard) with Cutting Edge	5,451.00
--------	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4059A Bucket - Light Material Handling (3.25 Cubic Yard) with Cutting Edge
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4061A Bucket - Light Material Handling (2.50 Cubic Yard) with Cutting Edge
Equipment for Base Machine

Capacity: 2.50 Cubic Yard
Shipping Weight with Pallet: 1386 lbs.
Quick Attach: Yes
Operational Weight: 1286 lbs.
Heap Capacity: 2-1/2 Cubic Yard
Dimensions: 51 In. H x 55 In. W x 96 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225AXF	MJ4061A Bucket - Light Material Handling (2.50 Cubic Yard) with Cutting Edge	5,655.00
--------	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4061A Bucket - Light Material Handling (2.50 Cubic Yard) with Cutting Edge
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4063A Bucket - Light Material Handling (2.25 Cubic Yard) with Cutting Edge
Equipment for Base Machine

Capacity: 2.25 Cubic Yard
Shipping Weight with Pallet: 1378 lbs.
Quick Attach: Yes
Operational Weight: 1278 lbs.
Heap Capacity: 2-1/2 Cubic Yard
Dimensions: 48 In. H x 52 In. W x 96 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225CXF	MJ4063A Bucket - Light Material Handling (2.25 Cubic Yard) with Cutting Edge	4,696.00
--------	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4063A Bucket - Light Material Handling (2.25 Cubic Yard) with Cutting Edge
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4079A Bucket - General Purpose (1.75 Cubic Yard) with Cutting Edge
Equipment for Base Machine

Capacity: 1.75 Cubic Yard
Shipping Weight with Pallet: 1256 lbs.
Quick Attach: Yes
Operational Weight: 1156 lbs.
Heap Capacity: 1-3/4 Cubic Yard
Dimensions: 45 In. H x 45 In. W x 96 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225GXF	MJ4079A Bucket - General Purpose (1.75 Cubic Yard) with Cutting Edge	4,630.00
--------	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4079A Bucket - General Purpose (1.75 Cubic Yard) with Cutting Edge
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4118 Bucket - Silage & Light Materials (2.50 Cubic Yard) with Cutting Edge
Equipment for Base Machine

Capacity: 2.50 Cubic Yards
Shipping Weight: 1672 lbs.
Shipping Weight with Pallet: 1672 lbs.
Quick Attach: Yes
Operational Weight: 1572 lbs.
Heap Capacity: 2-1/2 Cubic Yards
Dimensions: 49 In. H x 55 In. W x 96 In. L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225OXF	MJ4118 Bucket - Silage & Light Materials (2.50 Cubic Yard) with Cutting Edge	6,853.00
--------	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4118 Bucket - Silage & Light Materials (2.50 Cubic Yard) with Cutting Edge
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4058 - 48 In. Quick Attach Carriage
Equipment for Base Machine

Shipping Weight with Pallet: 477 lbs.

60 In. Pallet Forks: Optional

Quick Attach: Yes

Operational Weight: 402 lbs.

Heap Capacity: 6000 lbs.

Forks: Not Included

Dimensions: 18 In. H x 48 In. W x 49 In. L

42 In. Pallet Forks: Optional

48 In. Pallet Forks: Optional

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2257XF	MJ4058 - 48 In. Quick Attach Carriage <i>Forks not included.</i>	2,321.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000	42 In. Pallet Forks (Pair)	801.00
9010	48 In. Pallet Forks (Pair)	1,311.00
9020	60 In. Pallet forks (Pair)	1,509.00

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:	
5MP11906	42 In. Pallet Forks (Pair)	865.08
5MP11907	48 In. Pallet Forks (Pair)	1,415.88
5MP12262	60 In. Pallet Forks (Pair)	1,629.72

FRONTIER PRODUCTS
Telehandler Attachments

MJ4058 - 48 In. Quick Attach Carriage
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4084 - 48 In. Quick Attach Side Tilt Carriage
Equipment for Base Machine

Single Auxiliary Hydraulic Service
Shipping Weight with Pallet: 870 lbs.
Quick Attach: Yes
Heap Capacity: 6000 lbs.
Forks: Not Included
Dimensions: 28 In. H x 48 In. W x 49 In. L
42 In. Pallet Forks: Optional
48 In. Pallet Forks: Optional

60 In. Pallet Forks: Optional

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225IXF	MJ4084 - 48 In. Quick Attach Side Tilt Carriage <i>Forks not included.</i>	4,659.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000	42 In. Pallet Forks (Pair)	801.00
9010	48 In. Pallet Forks (Pair)	1,311.00
9020	60 In. Pallet forks (Pair)	1,509.00

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:	
5MP11906	42 In. Pallet Forks (Pair)	865.08
5MP11907	48 In. Pallet Forks (Pair)	1,415.88
5MP12262	60 In. Pallet Forks (Pair)	1,629.72

FRONTIER PRODUCTS
Telehandler Attachments

MJ4084 - 48 In. Quick Attach Side Tilt Carriage
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4085 - 48 In. Quick Attach Side Shift Carriage
Equipment for Base Machine

Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 884 lbs.
Quick Attach: Yes
Operational Weight: 809 lbs.
Heap Capacity: 6000 lbs.
Forks: Not Included
Dimensions: 17 In. H x 48 In. W x 49 In. L
42 In. Pallet Forks: Optional

48 In. Pallet Forks: Optional
60 In. Pallet Forks: Optional

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225JXF	MJ4085 - 48 In. Quick Attach Side Shift Carriage <i>Forks not included.</i>	5,295.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9000	42 In. Pallet Forks (Pair)	801.00
9010	48 In. Pallet Forks (Pair)	1,311.00
9020	60 In. Pallet forks (Pair)	1,509.00

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:	
5MP11906	42 In. Pallet Forks (Pair)	865.08
5MP11907	48 In. Pallet Forks (Pair)	1,415.88
5MP12262	60 In. Pallet Forks (Pair)	1,629.72

FRONTIER PRODUCTS
Telehandler Attachments

MJ4085 - 48 In. Quick Attach Side Shift Carriage
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

QC1072 - 72 In. Quick Attach Carriage
Equipment for Base Machine

Shipping Weight: 469 lbs.
Forks: Not Included
Dimensions: 18 In. H x 48 In. W x 74 In. L
42 In. Pallet Forks: Optional
48 In. Pallet Forks: Optional
60 In. Pallet Forks: Optional

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225QXF	QC1072 - 72 In. Quick Attach Carriage <i>Forks not included.</i>	3,609.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9000	42 In. Pallet Forks (Pair)	801.00
9010	48 In. Pallet Forks (Pair)	1,311.00
9020	60 In. Pallet forks (Pair)	1,509.00

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:	
5MP11906	42 In. Pallet Forks (Pair)	865.08
5MP11907	48 In. Pallet Forks (Pair)	1,415.88
5MP12262	60 In. Pallet Forks (Pair)	1,629.72

FRONTIER PRODUCTS
Telehandler Attachments

QC1072 - 72 In. Quick Attach Carriage
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

**SD1096A Silage Defacer without Auxiliary Hydraulic Motor Kit for 3800/3220/3420
Telehandlers**
Equipment for Base Machine

Cutting Tooth: Non-sizing
Bearings: Greaseable Spherical Type
Motor Shaft: 1.5 In.
Cutting Width: 96 Ins.
Drive System: 80 ASA Chain

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

225PXF	SD1096A Silage Defacer without Auxiliary Hydraulic Motor Kit for 3800/3220/3420 Telehandlers	8,458.00
--------	---	----------

FRONTIER PRODUCTS
Telehandler Attachments

**SD1096A Silage Defacer without Auxiliary Hydraulic Motor Kit for 3800/3220/3420
Telehandlers**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In.
Approximate 44 In. Usable Length
Stabilizing Spears:
One - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (2000 lbs.)
Dimensions: 21H x 50W x 52L
(300, 400, and 500 Series Loaders)

Operational Weight: 125 lbs.
(300, 400, and 500 Series Loaders)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2002XF	AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	590.00
--------	---	--------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB11D Single Tine Bale Spear for Current 600/700 Series Carrier Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In.
Approximate 44 In. Usable Length
Stabilizing Spears:
One - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (2000 lbs.)
Dimensions: 24H x 50W x 56L
(600 and 700 Series Loaders)

Operational Weight: 170 lbs.
(600 and 700 Series Loaders)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2001XF	AB11D Single Tine Bale Spear for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	813.00
--------	---	--------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB11D Single Tine Bale Spear for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB11G Single Tine Bale Spear for Current Loaders with Global Carrier Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In.
Approximate 44 In. Usable Length
Stabilizing Spears:
One - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (2000 lbs.)
Dimensions: 20H x 46W x 54L
(Global Series Loaders)

Operational Weight: 138 lbs.
(Global Series Loaders)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2003XF	AB11G Single Tine Bale Spear for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	774.00
--------	--	--------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB11G Single Tine Bale Spear for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (300CX, 400, and 500 Series Loaders)
(Approximate 44 In. Usable Length)
Capacity:
One Large Round Bale (2500 lbs.)
or One Large Square Bale (2500 lbs.)
Dimensions: 21H x 50W x 52L
(300CX, 400, and 500 Series Loaders)
Operational Weight: 155 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2013XF	AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	788.00
--------	--	--------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB12D Three Tine Bale Spear for Current 600/700 Series Carrier Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (600 and 700 Series Loaders)
(Approximate 44 In. Usable Length)
Capacity:
One Large Round Bale (2500 lbs.)
or One Large Square Bale (2500 lbs.)
Dimensions: 24H x 50W x 56L
(600 and 700 Series Loaders)
Operational Weight: 210 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2012XF	AB12D Three Tine Bale Spear for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	972.00
--------	--	--------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB12D Three Tine Bale Spear for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB12G Three Tine Bale Spear for Current Loaders with Global Carrier Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (Global Series Loaders)
(Approximate 44 In. Usable Length)
Capacity:
One Large Round Bale (2500 lbs.)
or One Large Square Bale (2500 lbs.)
Dimensions: 20H x 46W x 54L
(Global Series Loaders)
Operational weight: 173 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2014XF	AB12G Three Tine Bale Spear for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	900.00
--------	---	--------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB12G Three Tine Bale Spear for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB12A Three Tine Bale Spear for Current 800 Series Carrier Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (800 Series Loaders)
(Approximate 44 In. Usable Length)
Capacity:
One Large Round Bale (2500 lbs.)
or One Large Square Bale (2500 lbs.)
Dimensions: 25H x 55W x 58L
(800 Series Loaders)
Operational weight: 255 lbs.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2011XF	AB12A Three Tine Bale Spear for Current 800 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,161.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB12A Three Tine Bale Spear for Current 800 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.
(Approximate 46 In. Usable Length)
Stabilizing Spears:
Two - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (2500 lbs.)
Dimensions: 20H x 49W x 56L
(300, 400, and 500 Series Loaders)

Operational Weight: 165 lbs.
(300, 400, and 500 Series Loaders)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2022XF	AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	773.00
--------	--	--------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.
(Approximate 46 In. Usable Length)

Stabilizing Spears:

Two - 20 In. x 1.25 In.

Capacity:

One Large Round Bale (2500 lbs.)

Dimensions: 24H x 50W x 59L

(600 and 700 Series Loaders)

Operational Weight: 215 lbs.
(600 and 700 Series Loaders)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2021XF	AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	917.00
--------	--	--------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.
(Approximate 46 In. Usable Length)
Stabilizing Spears:
Two - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (2500 lbs.)
Dimensions: 23H x 46W x 56L
(Global Series Loaders)

Operational Weight: 185 lbs.
(Global Series Loaders)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2023XF	AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	921.00
--------	---	--------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only) Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.
(Approximate 46 In. Usable Length)

Stabilizing Spears:
Two - 20 In. x 1.25 In.

Capacity:
One Large Round Bale (3000 lbs.)

Dimensions: 29H x 59W x 63L
(Global Category 2 Carrier, H480 Loader)

Operational Weight: 331 lbs.
(Global Category 2 Carrier, H480 Loader)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2164XF	AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only) <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,093.00
--------	---	----------

**AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2
Carrier (H480 Loader only)**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB14A - Bale Spear Equipment for Base Machine

Primary Spears:

Two - 49 In. x 2 In.

Stabilizing Spears:

Two - 28 In. x 1.25 In.

Shipping Weight: 465 lbs.

Operational Weight: 390 lbs.

Dimensions: 17H x 25W x 70L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2031XF	AB14A - Bale Spear <i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale with 800 series loaders. Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,689.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB14A - Bale Spear

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB14D - Bale Spear Equipment for Base Machine

Primary Spears:

Two - 49 In. x 2 In.

Stabilizing Spears:

Two - 28 In. x 1.25 In.

Shipping Weight: 465 lbs.

Operational Weight: 390 lbs.

Dimensions: 17H x 25W x 70L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2032XF	AB14D - Bale Spear <i>Handles (2) 6 Ft. or less round bales with 700 series loaders OR (1) 4 x 8 square bale with 600 and 700 series loaders. Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,441.00
--------	--	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB14D - Bale Spear

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB14G - Bale Spear Equipment for Base Machine

Primary Spears:
Two - 49 In. x 2 In.
Stabilizing Spears:
Two - 28 In. x 1.25 In.
Shipping Weight: 465 lbs.
Operational Weight: 390 lbs.
Dimensions: 17H x 25W x 70L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2033XF	AB14G - Bale Spear <i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale on loaders with Global Carrier. Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,394.00
--------	---	----------

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	--	-------

AB14G - Bale Spear

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier Equipment for Base Machine

Two Primary Spear Options:

Two - 53 In. x 2.2 In.

Two - 41 In. x 2.2 In.

Stabilizing Spears:

Two - 20 In. x 1.25 In.

Capacity: Two Large Round Bales / One Large Square
Bale

Shipping Weight: 436 lbs.

Operational Weight: 511 lbs.

Dimensions: 29H x 81W x 61L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2291XF	AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier <i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale on loaders with Global Category 2 Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,804.00
--------	--	----------

BALE SPEAR LENGTH

2410	41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	285.00
2411	53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	300.00

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB15A - Bale Spear Equipment for Base Machine

Two Primary Bottom Spear Options:

Four - 53 In. x 2.2 In.

Four - 41 In. x 2.2 In.

Top Stabilizing Spears:

Two - 28 In. x 1.25 In.

Capacity: Two Large Square Bales

Operational Weight: 808 lbs.

Shipping Weight: 873 lbs.

Dimensions: 60H x 72W x 60L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2041XF	AB15A - Bale Spear <i>Handles two large 4 x 8 square bales for use with 800 series loaders. Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,430.00
--------	--	----------

BALE SPEAR LENGTH

2410	41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	590.00
2411	53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	619.00

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

AB15A - Bale Spear

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier Equipment for Base Machine

Two Primary Bottom Spear Options:

Four - 53 In. x 2.2 In.

Four - 41 In. x 2.2 In.

Top Stabilizing Spears:

Two - 28 In. x 1.25 In.

Capacity: Two Large Square Bales

Operational Weight: 800 lbs.

Shipping Weight: 875 lbs.

Dimensions: 69H x 72W x 60L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2301XF	AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier <i>Handles two large 4 x 8 square bales on loaders with Global Category 2 Carrier. Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,743.00
--------	---	----------

BALE SPEAR LENGTH

2410	41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	590.00
2411	53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	619.00

ATTACHMENTS - ORDER AS DESIRED

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous: French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	54.99
----------	---	-------

**AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global
Category 2 Carrier**
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier Equipment for Base Machine

Two Primary Bottom Spear Options:

Four - 53 In. x 2.2 In.

Four - 41 In. x 2.2 In.

Top Stabilizing Spears:

Two - 20 In. x 1.25 In.

Capacity: Three Large Square Bales

Operational Weight: 931 lbs.

Shipping Weight: 1,062 lbs.

Dimensions: 116H x 72W x 61L

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
2321XF		AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier <i>Handles three large 4 x 4 x 8 square bales on loaders with Global Category 2 Carrier. Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,200.00
BALE SPEAR LENGTH			
2410		41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	590.00
2411		53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	619.00
ATTACHMENTS - ORDER AS DESIRED			
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge

AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK
