
January 3, 2011 Updated August 12, 2014 800-424-2432






Contents
Refer to KI Terms & Conditions document or visit ki.com.

700 Series® Desk Product Offering		2	
700 Series® Desk Typicals		6	
Genesis® Specifications		8	
700 Series® Desk	Desk	10	
	P-Shape and D-Shape Desk	12	
	Returns	14	
	P-Shape and D-Shape Returns	16	
	Corner	18	
	Bridges	20	
	Credenzas	22	
	Desk with PowerUp®	24	
	Returns with PowerUp®	26	
	Corner with PowerUp®	28	
	Bridges with PowerUp®	30	
	Countertop	32	
	Overhead Storage	34	
	Tackboards/Screens	38	
	Accessories	40	
700 Series® Pedestals	Mobile and Freestanding	44	
	Hanging	50	
	Worksurface Supporting	52	
	Accessories	54	
700 Series® Curve Pedestals	Mobile and Freestanding	56	
	Hanging	60	
	Worksurface Supporting	62	
700 Series® Credenza	Credenza Files	64	
Index		66	

700 Series® Desk Product Offering



Desks

Full or Partial Modesty Panel D W H 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29 24 x 72 x 29 30 x 48 x 29 30 x 54 x 29 30 x 60 x 29

30 x 66 x 29 30 x 72 x 29

36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



Returns

Full or Partial Modesty Panel D W H 24 x 24 x 29 24 x 30 x 29 24 x 36 x 29 24 x 42 x 29 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29 24 x 72 x 29 30 x 36 x 29 30 x 42 x 29



D-Shape

D W H 24 x 36 x 29 24 x 42 x 29 24 x 48 x 29 24 x 54 x 29

24 x 60 x 29 24 x 66 x 29 24 x 72 x 29

30 x 48 x 29 30 x 54 x 29 30 x 60 x 29

30 x 66 x 29 30 x 72 x 29

36 x 48 x 29 36 x 54x 29



Worksurfaces P-Shape

D W H 30 x 60 x 29 30 x 66 x 29 30 x 72 x 29

36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



D-Shape

D W H 30 x 60 x 29 30 x 66 x 29 30 x 72 x 29

36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



P-Shape

30 x 48 x 29

30 x 54 x 29

30 x 60 x 29

D W H 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29 24 x 72 x 29

30 x 60 x 29 30 x 66 x 29 30 x 72 x 29

36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



Full or Partial Modesty Panel D W H 24 x 36 x 29 24 x 42 x 29

30 x 42 x 29 30 x 48 x 29



Bridges


Full or Partial Modesty Panel D W H

20 x 36 x 29 20 x 42 x 29 20 x 48 x 29

24 x 36 x 29 24 x 42 x 29

24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29

24 x 72 x 29




Credenzas

24 x 62 x 29

Full or Partial Modesty Panel D W H 20 x 62 x 29 24 x 60 x 29

Credenzas

(Top Only) 20 x 60 24 x 60



Returns with PowerUp

Full or Partial Modesty Panel D W 24 x 27 24 x 30

24 x 72



Desks with PowerUp

Full or Partial Modesty Panel D W H 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29 24 x 72 x 29

30 x 60 x 29 30 x 66 x 29 30 x 72 x 29

36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



Corners with PowerUp

Full or Partial Modesty Panel D W H 24 x 36 x 29

24 x 42 x 29 30 x 42 x 29 30 x 48 x 29

Bridges with PowerUp

Full or Partial Modesty Panel D W H

20 x 36 x 29 20 x 42 x 29

20 x 48 x 29

24 x 36 x 29 24 x 42 x 29 24 x 48 x 29 24 x 54 x 29

24 x 60 x 29 24 x 66 x 29 24 x 72 x 29

700 Series® Desk Product Offering

Accessories

Center Drawer

Mouse Surface

Optional Wrist Rest

Grommet Options

Sliding Keyboard Drawer

Task Lights

Surface

Plate Dividers PowerUp Options

CPU Sling


Center Drawer with Lock

Fully Adjustable Keyboard Tray

Fully Adjustable Keyboard Tray w/

Sliding Keyboard Drawer w/ Mouse







(Open Storage) W D H 36 x 14 x 36 42 x 14 x 36 48 x 14 x 36 54 x 14 x 36 60 x 14 x 36


66 x 14 x 36

72 x 14 x 36



Tackboard/Screens

Rectangular W H 30 x 19 36 x 19 42 x 19 48 x 19 54 x 19 60 x 19 66 x 19 72 x 19



Corner W H



Hanging

15" wide x 24" deep Box/File Box/Box/Box Pencil/Box/File File/File Box/Box/File

15" wide x 20" deep File/File

15" wide x 24" deep File/File Box/Box/File

15" wide x 30" deep



15" wide x 20" deep Box/File Box/Box/Box Pencil/Box/File File/File Box/Box/File

15" wide x 30" deep Box/File Box/Box/Box Pencil/Box/File File/File Box/Box/File

Worksurface Supporting Box/Box/File

Pencil/Box/File

File/File Box/Box/File



Counter Top w/Tackboard D W H

12 x 60 x 15 12 x 66 x 15 12 x 72 x 15




Overheads 30 x 14 x 36



Overheads (Closed Storage) W D H

30 x 14 x 36 36 x 14 x 36 42 x 14 x 36

48 x 14 x 36 54 x 14 x 36 60 x 14 x 36




W D H 66 x 14 x 36 72 x 14 x 36


700 Series® Desk Product Offering

Pedestal Options Depth

When no grommets are specified:




When worksurface or end panel grommets are specified:




Dimensions are nominal. Contact customer service for exact dimensions.

Pedestal Height Options

29" High Worksurfaces








When ordering a desk shell or return with a partial modesty, Box/File hanging pedestals are recommended. Otherwise pedestals will hang below the partial modesty.






Pedestal Drawer Configurations


Hanging Pedestals



Worksurface Supporting Pedestals 29" H




62" Credenza Shell



Credenza Shell allows one to four worksurface supporting pedestals, one or two credenza laterals or a combination of both.

60" Credenza Top



Credenza top allows two or more worksurface supporting pedestals, two credenza laterals or a combination of both.

700 Series Desk Typicals

 30" x 66" Desk with Partial Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 	Model Number 7D/D3066-SE-P/Color S7P/1520WBBF Total Price	Price \$1137 \$750 \$1655
 30" x 66" Desk with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 24" x 48" Right Return with Full Modesty Panel, Self Edge 	Model Number 7D/D3066-SE-F/Color S7P/1520WBBF 7D/R2448-SE-F/Color Total Price	Price \$1137 \$750 \$874 \$2422
 30" x 66" Desk with Partial Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 24" x 42" Bridge with Partial Modesty Panel, Self Edge 30" x 60" D-Shape Worksurface, Self Edge 	Model Number 7D/D3066-SE-P/Color S7P/1520WBBF 7D/B2442-SE-F/Color 7D/DD3060-SE/Color Total Price	Price \$1137 \$750 \$757 \$1093 \$3278
30" x 66" Desk with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 66" x 19" Tackboard/Screen on Desk, Group 1 Fabric 24" x 42" Right Return with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal File/File 42" x 19" Tackboard/Screen on Return, Group 1 Fabric	Model Number 7D/D3066-SE-F/Color S7P/1520WBBF 7D/TB6619/Uph/Color 7D/R2442-SE-F/Color S7P/1524WBBF 7D/TB4219/Uph/Color Total Price	Price \$1137 \$750 \$538 \$824 \$866 \$389 \$3951
 30" x 66" Desk with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 66" Open Overhead Storage on Desk 66" x 19" Tackboard/Screen on Desk, Group 1 Fabric 24" x 48" Right Return with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal File/File 48" x 19" Tackboard/Screen on Return, Group 1 Fabric 	Model Number 7D/D3066-SE-F/Color S7P/1520WBBF 7D/OSS66/Color 7D/TB6619/Uph/Color 7D/R2448-SE-F/Color S7P/1524WFF 7D/TB4819/Uph/Color Total Price	Price \$1137 \$750 \$644 \$538 \$874 \$792 \$409 \$4513


700 Series Desk Typicals






- 30" x 72" Desk with Partial Modesty Panel, Self Edge
- 700 Series Worksurface Supporting Pedestal Box/Box/File
 700 Series Worksurface Supporting Pedestal File/File
- 72" Closed Overhead Storage, Group 1 Fabric
- 72" Tackboard/Screen on Desk, Group 1 Fabric

Model Number	Price
7D/D3072-SE-P/Color	\$1187
S7P/1520WBBF	\$750
S7P/1524WFF	\$792
7D/OSD72/F/Color/Uph	\$1491
7D/TB7219/Uph/Color	\$583
Total Price	\$4213




- 30" x 72" Desk with Full Modesty Panel, Self Edge
- 700 Series Worksurface Supporting Pedestal Box/Box/File
- 72" Closed Overhead Storage on Desk, Steel
- 72" x 19" Tackboard/Screen on Desk, Group 1 Fabric
- 24" x 60" Right Return with Full Modesty Panel, Self Edge

Model Number	Price
7D/D3072-SE-F	\$1187
S7P/1520WBBF	\$750
7D/OSD72/S/Color	\$1260
7D/TB7219/Uph/Color	\$583
7D/R2460-SE-F	\$955
Total Price	\$4153



- 24" x 60" Left Return with Full Modesty Panel, Self Edge
- · 60" Closed Overhead Storage on Left Return, Steel • 60" x 19" Tackboard/Screen on Left Return, Group 1 Fabric
- 24" x 42" Corner Surface with Full Modesty Panel, Self Edge
- 700 Series Worksurface Supporting Pedestal Box/Box/File
- 24" x 60" Right Return with Full Modesty Panel, Self Edge

wodel Number	Price
7D/R2460-SE-F/Color	\$955
7D/OSD60/S/Color	\$1021
7D/TB6019/Uph/Color	\$510
7D/CU2442-SE-F/Color	\$1169
S7P/1524WBBF	\$866
7D/R2460-SE-F/Color	\$955
Total Price	\$4804



- 24" x 60" Left Return with Full Modesty Panel, Self Edge
- 60" Closed Overhead Storage on Left Return, Group 1 Fabric
- 60" x 19" Tackboard/Screen on Left Return, Group 1 Fabric
- 30" x 60" P-Shaped Return (right), Self Edge
- 24" x 42" Corner Surface with Full Modesty Panel, Self Edge
 42" x 36" Corner Tackboard/Screen, Group 1 Fabric
- 24" x 60" Right Return with Full Modesty Panel, Self Edge
- 700 Series Worksurface Supporting Pedestal Box/Box/File
- 60" x 19" Tackboard/Screen on Right Return, Group 1 Fabric • 60" Open Overhead Storage on Right Return

Model Number	Price
7D/R2460-SE-F/Color	\$955
7D/OSD60/F/Uph/Color	\$1192
7D/TB6019/Uph/Color	\$510
7D/PR3060-SE-R/Color	\$1077
7D/CU2442-SE-F/Color	\$1169
7D/CTB4236/Uph/Color	\$1267
7D/R2460-SE-F/Color	\$955
S7P/1524WBBF	\$866
7D/TB6019/Uph/Color	\$510
7D/OSS60/Color	\$622
Total Price	\$8003

700 Series® Desk Specifications

700 Series® Desk Specifications

The 700 Series® Desk line is a free standing, modular system of desks, returns, bridges, credenzas, corner units and overhead storage components. Designed for flexibility, it can be set up to suit differing customer requirements. It is shipped knock-down and accepts 700 Series® or U-Series® Pedestals.

Worksurfaces

Worksurfaces shall be 1-1/4" thick laminate top with a particle board core. Edge treatments shall be self-edge, wood edge or 74P PVC. All tops shall be pre-drilled for mounting of end panels, modesty panels, wire management channels, return or bridge connectors and hanging or worksurface supporting pedestals. Worksurfaces shall be available with left and right grommet options, or center PowerUp® module.

Desk Shells

Desk shells shall consist of a worksurface top, two end panels, full or partial modesty panel and wire management channel. Desks are available in depths of 24", 30" and 36", and widths of 48", 54", 60", 66" and 72" and shall be 29" high. The 36" deep desk worksurface shall have a 6" overhang. The desk shall accept a variety of hanging or worksurface supporting pedestals.

End Panels

Desk, return, corner, and credenza end panels shall be floor height and feature doublewall construction. The outer panel shall be 20-gauge with double flanges formed on both vertical edges and single flanges formed on the top and bottom. The inner panel shall be 20-gauge with flanges formed on all edges. Two keyhole pads of 16-gauge shall be welded into the top of the end panel to interface with shoulder screws for mounting to the top. The outer and inner panels shall be spot welded together, as well as fastened together at the bottom with the nut inserts that accept the leveling glides. Two 20-gauge channels shall be welded into the 36" deep end panels to provide additional reinforcement. All end panels shall feature prepunched holes through two metal thickness for connecting modesty panels.

Desks, credenzas, P-shape worksurfaces, D-shape worksurfaces and corners shall be 29" high. Returns and bridges shall be available in 29" high. Both interface with the desk or corner unit with 16-guage connectors that are screwed to the tops.

Modesty Panels

Desk, return, corner, bridge and credenza modesty panels shall span the full width of the unit connecting to the end panels. The modesty panels shall be spaced down from the top by 1-5/8" to allow for the routing of cables. They shall be available in full floor length, for privacy, or partial, which is spaced up off the floor by 8-3/8" for outlet access and increased air circulation. The modesty panels on a 36" deep desk shall be recessed by 6" for visitor knee space. All modesty panels shall be 20-gauge with double flanges formed along the top and bottom. Desk and

credenza panels shall have single flanges formed on both vertical edges. Return panels shall have offset flanges formed on one end and a single flange on the other. Bridge panels shall have offset flanges formed on both ends. The vertical flanges of all modesty panels have prepunched holes for connecting to the end panels.

Wire Management

Desks, returns, corners, bridges and credenzas shall be equipped with a wire management channel. This 20-gauge channel shall have the bottom edge hemmed for safety and strength. The wire management channel shall fasten to the underside of the top and run between end panels.

Returns

Returns shall be the same construction as the desk and credenza worksurfaces. Returns consist of a top, end panel, full or partial modesty panel and wire management channel. They are available in depths of 24" and 30". A 24" deep return is available in widths of 24", 30", 36", 42", 48", 54", 60", 66" and 72" and shall be 29" high. A 30" deep return is available in widths of 36", 42", 48", 54" and 60" and shall be 29" high. One level connector will be included with each return.

Bridges

Bridge worksurfaces shall be the same construction as the desk and credenza worksurfaces. Bridges consist of a top, full or partial modesty panel and wire management channel. They are available in depths of 20" and 24" and widths of 36", 42", 48", 54", 60", 66"and 72" and shall be 29" high. Two level connectors shall be included with 29" high units.

P-Shape Worksurfaces

P-Shape worksurfaces shall be the same construction as the desk and credenza worksurfaces. The worksurfaces shall be available in 30" or 36" depths and 60", 66" and 72" lengths and shall be 29" high. The P-Shape worksurface shall be available for mounting right or left. The worksurface is standard with a supporting T-base and 14-gauge tubular leg. Product is designed to be mounted to adjacent surfaces.

D-Shape Worksurfaces

D-Shape worksurfaces shall be the same construction as the desk and credenza worksurfaces. The worksurfaces shall be available in 30" or 36" depths and 60", 66" and 72" lengths and shall be 29" high. The worksurface is standard with a supporting T-base and 14-gauge tubular leg. Product is designed to be mounted to adjacent surfaces.

D-Shape Returns

D-Shape returns shall be the same construction as the desk and credenza worksurfaces. The returns shall be available in 24", 30" or 36" depths and 36", 42", 48", 54", 60", 66" and 72" lengths and shall be 29" high. The return is standard with a supporting 14-guage tubular leg and includes a level connector.

P-Shape Returns

P-Shape returns shall be the same construction as the desk and credenza worksurfaces. The worksurfaces shall be available in 30" or 36" depths and 60", 66" and 72" lengths and shall be 29" high. The P-Shape returns shall be available for mounting right or left. The return is standard with a supporting 14-gauge tubular leg and includes a level connector.

Corner Units

Corner units shall accept 29" high returns and bridges. The corner units shall be 24" deep and 36" or 42" wide and 30" deep and 42" or 48" wide. The modesty panels shall be 20-gauge and consist of two end panels with one leveling glide each and two side panels with two leveling glides each. The end panel and side panels shall have double flanges formed along the bottom and both vertical edges. A single flange with prepunched holes shall have double flanges formed on the top and bottom and single flanges on the vertical edges. It shall be spaced down from the top by 1-5/8" to allow for the routing of cables.

Credenza Top

Credenza top shall be constructed of 1-1/4" thick particle board available in self edge, wood edge or PVC edge. The top shall be available 20" or 24" deep and 60" wide and shall be predrilled to accept up to four worksurface supporting pedestals.

Credenza Shell

The credenza shell consists of a 1-1/4" particleboard top available with self edge, wood edge or PVC edge. The top shall be available in a 20" depth and 62" width and 24" depth and 60" and 62" widths. It is available with either a full or partial modesty panel and end panels of 20-gauge steel. The credenza shall accept up to four hanging or worksurface supporting pedestals.

Overhead Storage

Units shall be standard with an open back allowing for interaction in a group situation. Overhead storage shall be available in an open or closed style. The closed style overhead storage shall have one door on 30", 36", 42", 48", 54" and 60" and two doors on 66" and 72". The door shall have a lock as standard. The closed overhead doors are available in steel or fabric covered steel.

Tackboard/Screen

The tackboard/screen shall close the back of an overhead storage unit and offer a tackable surface. The screen shall be constructed of 1-1/8" thick fabric wrapped particleboard. The screen shall be available in rectangular widths of 30", 36", 42", 48", 54" 60", 66" and 72" and 19" height. The tackboard/screen shall attach to the worksurface with 12-gauge steel metal brackets screwed into the worksurface. There shall be a 1-5/8" space between the worksurface and the tackboard/screen for cord access. Corner screen available in 36", 42", and 48" widths and 19" or 36" height.

Countertop

The countertop shall be constructed of 1-1/4" particleboard and shall be available with self edge, wood edge or PVC edge. The countertop shall be 15" high, 12" deep and available in 60", 66' and 72" widths. The countertop unit shall consist of three steel vertical panels and a fabric covered privacy screen/tackboard attached to the back of the unit. The end steel support panels shall be of 20-gauge formed steel. The middle support panel shall be of 18-gauge formed steel.

Task Lights

Task lights shall be offered in three levels of efficiency and cost. The standard light shall have a magnetic high-power factor ballast with rapid start, cool white T-8 fluorescent lamp. The energy efficiency model shall have an electronic ballast with rapid start, cool-white T-8 fluorescent lamp. The third model shall have 2-step (hi/low) high-power factor ballast with rapid start, cool-white T-8 fluorescent lamp which shall help reduce glare on computer screens and help reduce eye strain. Task lights shall attach to the underside of the shelf on overhead cabinets. Lights shall be UL Listed and available in black only. They shall be available as 20" wide for use with 30" and 36" wide overhead cabinets, 32" wide for 42" and 48" wide units and 48" wide for 60", 66" and 72" units.

Center Drawer

The center drawer shall mount below a 24" or 30" deep worksurface which has an 18" wide clearance. The drawer pan shall be constructed of 22-gauge steel with a hem along the front edge for safety and strength. A deep rib shall form a pencil tray and provide additional strength and a double flange across the back shall prevent spillage of contents. The drawer sides shall be 20-gauge with a hem along the top edge for safety. The drawer shall run on a pair of full extension, ball-bearing suspensions and shall be available with or without a lock, keyed randomly as standard. Field drilling for installation shall be necessary. The center drawer shall be painted to match the color of desk.

Key Options

There are various key options available depending on the component model. The key alike option (KA) allows multiple components of a workstation to be keyed alike. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The No lock core (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied.

700 Series® Desk Specifications



The posted standard lead time will apply to the Special Cost Request.

Desk

			MODEL N	JMBER						
	MODEL	D x W x H	Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color
	Desk	24 x 48 x 29"	7D/D2448							
	 Consists of top, two end modesty panels, wire management channel and 	24 x 54 x 29"	7D/D2454							
	required hardware	24 x 60 x 29"	7D/D2460							
	Wire management access between top	24 x 66 x 29"	7D/D2466							
\searrow	and modesty panel	24 x 72 x 29"	7D/D2472							
'DWSU	 Full modesty panels extend to the floor, partial modesty panels are raised off 	30 x 48 x 29"	7D/D3048							
	floor 8-3/8"	30 x 54 x 29"	7D/D3054							
	 Modesty panels on 36" deep desks are 	30 x 60 x 29"	7D/D3060							
	set in 6"Pedestals to be specified separately	30 x 66 x 29"	7D/D3066							
	Available 29" high only	30 x 72 x 29"	7D/D3072							
		36 x 60 x 29"	7D/D3660							
		36 x 66 x 29"	7D/D3666							
		36 x 72 x 29"	7D/D3672							
			A	B	•	•	(3	(3	(0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

- Self edge
- 74P edge
- 3/8" Wood band edge

©Select modesty panel style.

F	- Full
P	- Partial

Select grommet ontion

ologi graffilligi aption.					
NG	- No grommets				
G	- Grommets - left and right;				
add \$65					

Select desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.
Color selection will also apply to the accessory color and grommet color.
All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS).
For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



Approx.	Ť		3/8" Wood	
Packaged	Self Edge	74P Edge	Band Edge	
Weight	(SE)	(74P)	(34S)	
91.0#	\$ 823	\$ 841	\$ 1196	
97.0#	953	974	1389	
104.0#	953	974	1389	
111.0#	1033	1053	1439	
118.0#	1066	1090	1503	
112.0#	1011	1116	1391	
112.0#	1058	1135	1431	
127.0#	1097	1165	1447	
137.0#	1137	1251	1572	
144.0#	1187	1260	1575	
148.0#	1267	1287	1621	
156.0#	1297	1369	1735	
165.0#	1355	1374	1744	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shape and D-Shape Desk

	MODEL NUI	WBER								
	MODEL	D x W x H	Basic Model	Edge Style	Dir.	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	Approx. Packaged Weight
_	P-Shape Desk	30 x 60 x 29"	7D/PD3060							106.0#
	 Consists of top, end panel, support panel, support column and required 	30 x 66 x 29"	7D/PD3066							115.0#
	 hardware Must be specified as either Right or Left Right hand shown Available 29" high only 	30 x 72 x 29"	7D/PD3072							121.0#
		36 x 60 x 29"	7D/PD3660							121.0#
U		36 x 66 x 29"	7D/PD3666							128.0#
7DWSU		36 x 72 x 29"	7D/PD3672							138.0#
	D-Shape Desk	30 x 60 x 29"	7D/DD3060							102.0#
	Consists of top, end panel, support consists of top, end panel, support	30 x 66 x 29"	7D/DD3066							110.0#
	panel, support column and required hardware	30 x 72 x 29"	7D/DD3072							116.0#
	Available 29" high only	36 x 60 x 29"	7D/DD3660							118.0#
U M		36 x 66 x 29"	7D/DD3666							125.0#
7DWSU		36 x 72 x 29"	7D/DD3672							131.0#
			A	B	0	O	3	(3	Ф	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

SE	- Self edge
74P	- 74P edge
348	- 3/8" Wood band edge

select (airection.	
L	- Left	
R	- Riaht	

- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

Wood Color Variations



700 Series® Desk P-Shape and D-Shape Desk

Self Edge (SE)	74P Edge (74P)	3/8" Wood Band Edge (34S)
\$ 1186	\$ 1205	\$ 1474
1231	1254	1611
1267	1285	1636
1271	1477	1653
1298	1573	1876
1353	1577	1876
\$ 1093	\$ 1145	\$ 1370
1129	1206	1468
1175	1207	1468
1236	1246	1525
1260	1288	1605
1296	1342	1658

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Return

MODEL NUMBER Wood Trim/ Modesty Basic Edge Desk Laminate Edge Edge MODEL DxWxH Model Style Panel Grommets Color Color Color Color Returns 24 x 24 x 29" 7D/R2424 Consists of top, end panel, modesty 24 x 30 x 29" 7D/R2430 П $\Box\Box$ $\Box\Box$ panel, wire management channel and 7D/R2436 24 x 36 x 29" required hardware Field changeable Right or Left 24 x 42 x 29" 7D/R2442 Includes level connector 7D/R2448 24 x 48 x 29" Partial modesty panels are raised off 7DWSU 24 x 54 x 29" 7D/R2454 floor 8-3/8" 24 x 60 x 29" 7D/R2460 Wire management access between top and modesty panel 24 x 66 x 29" 7D/R2466 · Available in 29" height only 7D/R2472 24 x 72 x 29" 7D/R3036 30 x 36 x 29" 30 x 42 x 29" 7D/R3042 30 x 48 x 29" 7D/R3048 7D/R3054 30 x 54 x 29" 7D/R3060 30 x 60 x 29" A **3** 0 0 **(3 (3**) 0 0

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

- Self edge
- 74P edge
- 3/8" Wood band edge

©Select modesty panel style.

P - Partial
F - Full

OSelect grommet option.

G - Grommets - left and right;
add \$65

NG - No grommets

- Select desk color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select laminate color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

G Select wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Color selection will also apply to the accessory color and grommet color.

All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS).

For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



Approx.	Calf Edga	74D Edma	3/8" Wood		
Packaged Weight	Self Edge (SE)	74P Edge (74P)	Band Edge (34S)		
60.0#	\$ 661	\$ 678	\$ 962		
66.0#	690	706	1011		
67.0#	807	852	1035		
73.0#	824	897	1142		
79.0#	874	909	1153		
94.0#	887	923	1296		
99.0#	955	1027	1321		
114.0#	1033	1053	1439		
120.0#	1066	1090	1503		
73.0#	878	913	1155		
81.0#	925	946	1376		
92.0#	942	979	1384		
112.0#	950	985	1390		
115.0#	1033	1121	1397		

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

P-Shape and D-Shape Returns

			MODEL NU	MBER							
								Wood	Trim/	Approx.	
			Basic	Edge		Desk	Laminate	Edge	Edge	Packaged	
	MODEL	DxWxH	Model	Style	Dir.	Color	Color	Color	Color	Weight	
^	P-Shape Return	24 x 54 x 29"	7D/PR2454							82.0#	
	 Consists of top, support column and required hardware 	24 x 60 x 29"	7D/PR2460							66.0#	
	Includes level connector	24 x 66 x 29"	7D/PR2466							74.0#	
	Must be specified as either Right or Left	24 x 72 x 29"	7D/PR2472							82.0#	
U	Right hand shown	30 x 60 x 29"	7D/PR3060							85.0#	
7DWSU	 Available in 29" high only 	30 x 66 x 29"	7D/PR3066							94.0#	
		30 x 72 x 29"	7D/PR3072							100.0#	
		36 x 60 x 29"	7D/PR3660							100.0#	
		36 x 66 x 29"	7D/PR3666							107.0#	
		36 x 72 x 29"	7D/PR3672							114.0#	
	D-Shape Return Consists of top, support column and required hardware Includes level connector Available in 29" high only	24 x 36 x 29"	7D/DR2436							38.0#	
		24 x 42 x 29"	7D/DR2442							44.0#	
		24 x 48 x 29"	7D/DR2448							50.0#	
		24 x 54 x 29"	7D/DR2454							56.0#	
U		24 x 60 x 29"	7D/DR2460							62.0#	
7DWSU		24 x 66 x 29"	7D/DR2466							68.0#	
		24 x 72 x 29"	7D/DR2472							72.0#	
		30 x 48 x 29"	7D/DR3048							70.0#	
		30 x 54 x 29"	7D/DR3054							76.0#	
		30 x 60 x 29"	7D/DR3060							81.0#	
		30 x 66 x 29"	7D/DR3066							89.0#	
		30 x 72 x 29"	7D/DR3072							95.0#	
		36 x 48 x 29"	7D/DR3648							78.0#	
		36 x 54 x 29"	7D/DR3654							86.0#	
		36 x 60 x 29"	7D/DR3660							94.0#	
		36 x 66 x 29"	7D/DR3666							101.0#	
		36 x 72 x 29"	7D/DR3672							107.0#	
					•	1					
			A	$oldsymbol{\Theta}$	Θ	0	(3	•	G		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

 SE
 - Self edge

 74P
 - 74P edge

 34S
 - 3/8" Wood band edge

Select direction.

L - Left R - Right

Select desk color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select laminate color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. GSelect trim/edge color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

INFORMATION

Wood Color Variations



700 Series® Desk P-Shape and D-Shape Returns

Call Edwa 74D Ed	3/8" Wood	
Self Edge 74P Ed (SE) (74P)	ge Band Edge (34S)	
\$ 740 \$ 79		
	97 1404	
	60 1503	
855 8	55 1525	
1077 109	99 1376	
1099 11:	25 1476	
1134 11:	56 1508	
1115 12	31 1404	
1138 14	16 1717	
1192 14		
	08 \$ 1023	
	27 1076	
	52 1134	
	57 1169	
	1192	
	70 1313	
	98 1341	
	1243	
	98 1293	
987 10		
999 10		
	78 1338	
1045 10		
952 9		
952 9. 873 8	35 1419	
952 90 873 8 1056 100	35 1419 38 1369	
952 9. 873 8	35 1419 38 1369 29 1446	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

MODEL NUMBER Wood Trim/ Modesty Desk Laminate Edge Basic Edge Edge MODEL DxWxH Model Style Panel Grommets Color Color Color Color Corner 24 x 36 x 29" 7D/CU2436 П G · Consists of top, two end panels, two 7D/CU2442 24 x 42 x 29" G modesty panels and required hardware 30 x 42 x 29" 7D/CU3042 G · Full modesty panels extend to floor, 30 x 48 x 29" 7D/CU3048 G partial modesty panels are raised off floor 8-3/8" 7DWSU Wire management access between top and modesty panel Includes end panel grommets for wire pass-through Includes a center grommet Available in 29" high only 0 0 Θ 0 **3** • **(** 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

SE	- Self edge
74P	- 74P edge
348	- 3/8" Wood band edge

Select modesty panel style.

- Partial - Full

DSelect grommet option.

- Grommets - center Center grommet and end panel grommets included

Select desk color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Color selection will also apply to the accessory color and grommet color. All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



•			
Approx.	Ť		3/8" Wood
Packaged	Self Edge	74P Edge	Band Edge
Weight	(SE)	(74P)	(34S)
86.0#	\$ 1069	\$ 1175	\$ 1398
103.0#	1169	1227	1564
193.0#	1186	1241	1574
227.0#	1220	1279	1617

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Bridae:

			MODEL N	JMBER							
	MODEL	D x W x H	Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	
	Bridges Consists of top, modesty panel, wire management channel and required hardware Includes two level connectors Full modesty panels extend to the floor, partial modesty panels are raised off floor 8-3/8"	20 x 36 x 29"	7D/B2036								
		20 x 42 x 29"	7D/B2042								
		20 x 48 x 29"	7D/B2048								
		24 x 36 x 29"	7D/B2436								
7DWSU		24 x 42 x 29"	7D/B2442								
		24 x 48 x 29"	7D/B2448								
	Wire management access between top	24 x 54 x 29"	7D/B2454								
	and modesty panel • Available in 29" height only	24 x 60 x 29"	7D/B2460								
		24 x 66 x 29"	7D/B2466								
		24 x 72 x 29"	7D/B2472								
			A	3	0	0	(3	(3	((

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

SE	- Self edge
74P	- 74P edge
348	- 3/8" Wood band edge

©Select modesty panel style.

P - Partial
F - Full

DSelect grommet option.

NG - No grommets
G - Grommets - left and right;
add \$65

Select desk color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select trim/edge color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Color selection will also apply to the accessory color and grommet color.
All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS).
For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



Approx.			3/8" Wood
Packaged	Self Edge	74P Edge	Band Edge
Weight	(SE)	(74P)	(34\$)
51.0#	\$ 741	\$ 785	\$ 970
57.0#	757	831	1077
63.0#	807	857	1085
56.0#	741	785	970
63.0#	757	831	1077
70.0#	807	857	1085
80.0#	782	806	1218
86.0#	889	910	1309
92.0#	994	1013	1399
98.0#	1029	1050	1463

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NU	MBER						
	MODEL	D x W x H	Basic Model	Edge Style	Modesty Panel	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	Approx. Packaged Weight
	Credenza Shell	20 x 62 x 29"	7D/CS2062							106.0#
	 Consists of top, two end panels, mod- esty panel and required hardware 	24 x 48 x 29"	7D/CS2448							96.0#
	 Full modesty panels extend to floor, 	24 x 60 x 29"	7D/CS2460							113.0#
	partial modesty panels are raised off	24 x 62 x 29"	7D/CS2462							118.0#
	floor 8-3/8" • Pedestals to be specified separately • 62" allows for bank of four pedestals,	24 x 66 x 29"	7D/CS2466							122.0#
\supset		24 x 72 x 29"	7D/CS2472							129.0#
7DWSU	two 30" credenza laterals or a combina-									
	tion of both									
	Credenza Top	20 x 60"	7D/CT2060							55.0#
	 Consists of top only, predrilled to accept up to four worksurface supporting 	24 x 60"	7D/CT2460							63.0#
	pedestals, two 30" credenza laterals or a									
*	combination of both									
7TOPU										
			A	B	©	0	(3	•	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- Self edge
- 74P edge
- 3/8" Wood band edge

Select modesty panel style.

- Full - Partial

- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

Wood Color Variations



•			
Self Edge (SE)	74P Edge (74P)	3/8" Wood Band Edge (34S)	
\$ 896	\$ 1097	\$ 1408	
958	984	1208	
1003	1070	1341	
1001	1105	1426	
1044	1125	1481	
1093	1158	1491	
\$ 551	\$ 641	\$ 952	
641	648	968	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Desk with PowerUp®

MODEL NUMBER Wood Trim/ Modesty Desk Laminate Basic Edge Edge Edge DxWxH MODEL Model Style Panel Grommets Color Color Color Color Desk 24 x 48 x 29" 7DD/D2448 П $\Box\Box$ Consists of top, two end modesty 24 x 54 x 29" 7DD/D2454 $\Box\Box$ panels, wire management channel and $\Box\Box$ 24 x 60 x 29" 7DD/D2460 required hardware One PowerUp® grommet with 108" cord 24 x 66 x 29" 7DD/D2466 is included in center of worksurface 24 x 72 x 29" 7DD/D2472 Wire management access between top 30 x 48 x 29" 7DD/D3048 and modesty panel 7DWDU 30 x 54 x 29" 7DD/D3054 Full modesty panels extend to floor, partial modesty panels are raised off 30 x 60 x 29" 7DD/D3060 floor 8-3/8" 7DD/D3066 30 x 66 x 29" Modesty panels on 36" deep desks are 7DD/D3072 30 x 72 x 29" set in 6" 36 x 60 x 29" 7DD/D3660 Pedestals to be specified separately Available in 29" high only 36 x 66 x 29" 7DD/D3666 7DD/D3672 36 x 72 x 29" 0 Θ 0 **(3**) **(3**) **((** A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

- Self edge	
- 74P edge	
- 3/8" Wood band edge	
	- Self edge

Select modesty panel style.

P - Partial
F - Full

Select grommet option.

D - PowerUp module only

GDM - Center PowerUp with left and right grommets; add \$34

- Select desk color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select laminate color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Color selection will also apply to the accessory color and grommet color. All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



700 Series® Desk Desk with PowerUp®

Approx. Packaged Weight	Self Edge (SE)	74P Edge (74P)	3/8" Wood Band Edge (34S)
91.0#	\$ 1009	\$ 1029	\$ 1382
97.0#	1138	1159	1573
104.0#	1138	1159	1573
111.0#	1218	1240	1625
118.0#	1252	1277	1687
112.0#	1199	1302	1575
119.0#	1244	1321	1615
127.0#	1283	1352	1634
137.0#	1324	1435	1756
144.0#	1374	1444	1761
148.0#	1450	1473	1807
156.0#	1481	1554	1922
165.0#	1544	1558	1928

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Returns with PowerUp®

MODEL NUMBER Wood Trim/ Modesty Desk Laminate Basic Edge Edge Edge MODEL DxWxH Model Style Panel Grommets Color Color Color Color Returns 24 x 24 x 29" 7DD/R2424 Consists of top, end panel, modesty 24 x 30 x 29" 7DD/R2430 $\Box\Box$ panel, wire management channel and 24 x 36 x 29" 7DD/R2436 required hardware Field changeable right or left 24 x 42 x 29" 7DD/R2442 Includes level connector for 29" high 24 x 48 x 29" 7DD/R2448 Full modesty panels extend to floor, 7DWDU 24 x 54 x 29" 7DD/R2454 partial modesty panels are raised off 24 x 60 x 29" 7DD/R2460 floor 8-3/8" Wire management access between top 24 x 66 x 29" 7DD/R2466 and modesty panel 7DD/R2472 24 x 72 x 29" Available in 29" height only 7DD/R3036 30 x 36 x 29" 30 x 42 x 29" 7DD/R3042 30 x 48 x 29" 7DD/R3048 7DD/R3054 30 x 54 x 29" 7DD/R3060 30 x 60 x 29"

A

0

Θ

0

(3

G

0

0

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

3 - 3 - 3
- Self edge
- 74P edge
- 3/8" Wood band edge

CSelect modesty panel style.

P - Partial
F - Full

• Select grommet option.

D - PowerUp module only

GDM - Center PowerUp with left and right grommets; add \$34

- Select desk color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select laminate color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Color selection will also apply to the accessory color and grommet color.

All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



700 Series® Desk Returns with PowerUp®

Approx.			3/8" Wood
Packaged	Self Edge	74P Edge	Band Edge
Weight	(SE)	(74P)	(34S)
60.0#	\$ 849	\$ 862	\$ 1149
66.0#	877	893	1199
70.0#	993	1036	1220
77.0#	1010	1083	1329
80.0#	1059	1109	1337
94.0#	1074	1093	1509
99.0#	1142	1210	1480
114.0#	1218	1240	1625
120.0#	1252	1277	1687
73.0#	1064	1098	1340
81.0#	1126	1163	1562
92.0#	1134	1169	1569
120.0#	1110	1130	1574
115.0#	1218	1304	1582

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Corner with PowerUp®

MODEL NUMBER Wood Trim/ Laminate Basic Edge Modesty Desk Edge Edge MODEL DxWxH Model Style Panel Grommets Color Color Color Color Corner 24 x 36 x 29" 7DD/CU2436 Consists of top, two end panels, two 7DD/CU2442 24 x 42 x 29" modesty panels and required hardware 30 x 42 x 29" 7DD/CU3042 • One PowerUp® grommet with 108" cord 30 x 48 x 29" 7DD/CU3048 is included in center of worksurface If a center grommet is specified, it 7DWDU will be installed behind the PowerUp® module · Full modesty panels extend to the floor, partial modesty panels are raised off floor 8-3/8" Wire management access between top and modesty panel Includes end panel grommets for wire pass-through · Available 29" high only **((3**) 0 0 **(3 (3**) **(** 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

SE	- Self edge
74P	- 74P edge
348	- 3/8" Wood band edge

CSelect modesty panel style.

F - Full
P - Partial

• Select grommet option.

D - PowerUp module only

GDM - Grommet behind center

PowerUp module; add \$34

- Select desk color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select laminate color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

G Select wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Color selection will also apply to the accessory color and grommet color. All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



700 Series® Desk Corner with PowerUp®

Approx. Packaged Weight	Self Edge (SE)	74P Edge (74P)	3/8" Wood Band Edge (34S)
86.0#	\$ 1253	\$ 1360	\$ 1585
103.0#	1354	1415	1749
193.0#	1371	1427	1760
227.0#	1403	1465	1803

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

700 Series® Desk Bridges with PowerUp®

			MODEL NU	MBER							
ı	MODEL	D x W x H	Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	
	Bridges	20 x 36 x 29"	7DD/B2036								
	 Consists of top, modesty panel, wire management channel and required 	20 x 42 x 29"	7DD/B2042								
	hardware	20 x 48 x 29"	7DD/B2048								
	One PowerUp® grommet with 108" cord	24 x 36 x 29"	7DD/B2436								
7DWDU	is included in center of worksurface	24 x 42 x 29"	7DD/B2442								
•	 Includes two level connectors for 29" high 	24 x 48 x 29"	7DD/B2448								
•	 Full modesty panels extend to the floor, 	24 x 54 x 29"	7DD/B2454								
	partial modesty panels are raised off	24 x 60 x 29"	7DD/B2460								
	floor 8-3/8"	24 x 66 x 29"	7DD/B2466								
•	 Wire management access between top and modesty panel 	24 x 72 x 29"	7DD/B2472								
•	Available in 29" height only										
			A	B	0	Ð	(3	•	Θ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

SE	- Self edge
74P	- 74P edge
348	- 3/8" Wood band edge

Select modesty panel style.

- Full - Partial

• Select grommet option.

- PowerUp module only - Center PowerUp with left and right grommets; add \$34

Select desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Color selection will also apply to the accessory color and grommet color.

All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



700 Series® Desk Bridges with PowerUp®

Approx. Packaged Weight Self Edge (SE) 74P Edge (74P) Band Edge (34S) 51.0# \$ 925 \$ 971 \$ 1156 57.0# 943 1015 1261 63.0# 993 1041 1270 56.0# 925 971 1156 63.0# 943 1015 1261 70.0# 993 1041 1270
Weight (SE) (74P) (34S) 51.0# \$ 925 \$ 971 \$ 1156 57.0# 943 1015 1261 63.0# 993 1041 1270 56.0# 925 971 1156 63.0# 943 1015 1261
51.0# \$ 925 \$ 971 \$ 1156 57.0# 943 1015 1261 63.0# 993 1041 1270 56.0# 925 971 1156 63.0# 943 1015 1261
63.0# 993 1041 1270 56.0# 925 971 1156 63.0# 943 1015 1261
56.0# 925 971 1156 63.0# 943 1015 1261
63.0# 943 1015 1261
70.0# 993 1041 1270
80.0# 970 992 1401
86.0# 1076 1096 1493
92.0# 1180 1202 1586
98.0# 1212 1238 1647

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Countertop

MODEL NUMBER										
	MODEL	WxDxH	Basic Model	Fabric Color	Enamel Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	Approx. Packaged Weight	
	Attaches to worksurface to create a	60 x 12 x 15"	7D/CTU60/74P						67.0#	
		66 x 12 x 15"	7D/CTU66/74P						73.0#	
		72 x 12 x 15"	7D/CTU72/74P						76.0#	
	 Fabric covered tackboard is included and 									
	fabric wrapped on both sides • For use on 60", 66" and 72" worksurfaces									
7DCTU	For use on oo, oo and 72 worksurfaces									
	Countertop with Tackboard (SE) Edge (SE) Self Edge style Attaches to worksurface to create a countertop	60 x 12 x 15"	7D/CTU60/SE						67.0#	
		66 x 12 x 15"	7D/CTU66/SE						73.0#	
		72 x 12 x 15"	7D/CTU72/SE						76.0#	
	Fabric covered tackboard is included and									
	fabric wrapped on both sides • For use on 60", 66" and 72" worksurfaces									
7DCTU										
			== (0=:100 (0.10						07.0%	
	Countertop with Tackboard (34S) Edge (34S) Wood Edge Laminate edge style Attaches to worksurface to create a countertop	60 x 12 x 15"	7D/CTU60/34S						67.0#	
		66 x 12 x 15"	7D/CTU66/34S						73.0#	
		72 x 12 x 15"	7D/CTU72/34S						76.0#	
	 Fabric covered tackboard is included and fabric wrapped on both sides 									
7D0TU	For use on 60", 66" and 72" worksurfaces									
7DCTU										
			A	$oldsymbol{eta}$	$\mathbf{\Theta}$	O	(3	(3)		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Colort fobrio

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

- Select enamel color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select laminate color.

 Refer to color addendum at ki.com or Kl
 Fabrics & Finishes binder.
- Select wood edge color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select trim/edge color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

INFORMATION

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain colors. Due to natural variations of fine woods, it is impossible to exactly match colors and grains with consistency.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 1171	\$ 1186	\$ 1228	\$ 1205	\$ 1252
1228	1240	1290	1265	1314
1302	1313	1370	1340	1393
\$ 1126	\$ 1137	\$ 1181	\$ 1159	\$ 1206
1187	1204	1246	1221	1269
1259	1269	1322	1294	1344
\$ 1349	\$ 1361	\$ 1418	\$ 1390	\$ 1443
1408	1420	1479	1449	1509
1480	1496	1557	1525	1585

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

700 Series® Desk Overhead Storage

			MODEL NUMBER					
	MODEL	WxDxH	Basic Model	Enamel Color	Assembly	Key Option	Approx. Packaged Weight	
7D0SU	Open Overhead - Steel For use on rectangular worksurfaces Clearance between overhead and worksurface is 19° to underside of shelf Formed steel wire management in end panels for cord access Overhead will accommodate task lights Tackboard/Screen, if any, must be ordered separately Ships unassembled	30 x 14 x 36"	7D/0SS30				51.0#	
		36 x 14 x 36"	7D/0SS36				55.0#	
		42 x 14 x 36"	7D/0SS42				59.0#	
		48 x 14 x 36"	7D/0SS48				64.0#	
		54 x 14 x 36"	7D/0SS54				64.0#	
		60 x 14 x 36"	7D/0SS60				75.0#	
		66 x 14 x 36"	7D/0SS66				78.0#	
		72 x 14 x 36"	7D/0SS72				80.0#	
7DOSU	Closed Overhead (one door) - Steel For use on rectangular worksurface Clearance between overhead and worksurfaces is 19" to underside of self Formed steel wire management in end panels for cord access Doors recede inside overhead on rack and pinion system Overhead will accommodate task lights Tackboard/Screen, if any, must be	30 x 14 x 36"	7D/0SD30/S				66.0#	
		36 x 14 x 36"	7D/0SD36/S				74.0#	
		42 x 14 x 36"	7D/0SD42/S				81.0#	
		48 x 14 x 36"	7D/0SD48/S				89.0#	
		54 x 14 x 36"	7D/0SD54/S				89.0#	
		60 x 14 x 36"	7D/0SD60/S				105.0#	
	ordered separately							
7DOSU	Closed Overhead (two doors) - Steel For use on rectangular worksurfaces Clearance between overhead and work-	66 x 14 x 36"	7D/0SD66/S				117.0#	
		72 x 14 x 36"	7D/0SD72/S				123.0#	
	surfaces is 19" to underside of shelf							
	Formed steel wire management in end panels for cord access Two doors recede inside overhead on rack and pinion system Overhead will accomodate task lights Tackboard/Screen, if any, must be							
	ordered separately							
			A	B	•	0		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect enamel color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select assembly option.

UAS - Unassembled - Assembled; add \$137

OSelect key option.

- Key alike - Key standard NLC - No lock core



700 Series® Desk Overhead Storage

Dali	ivered
Pric	vereu jinn
\$	514
Ψ	535
	559
	580
	653
	622
	644
	665
\$	860
,	880
	902
	925
	990
	1021
\$	1240
Ψ	1260

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

700 Series® Desk Overhead Storage

		MODEL NUN	/IBER					
	MODEL	WxDxH	Basic Model	Fabric Color	Enamel Color	Assembly	Key Option	Approx. Packaged Weight
	Closed Overhead (one door) - Fabric	30 x 14 x 36"	7D/0SD30/F					66.0#
	 For use on rectangular worksurface Clearance between overhead and work- 	36 x 14 x 36"	7D/0SD36/F					74.0#
	surfaces is 19" to underside of self	42 x 14 x 36"	7D/0SD42/F					81.0#
	Formed steel wire management in end panels for cord access Doors recede inside overhead on rack and pinion system	48 x 14 x 36"	7D/0SD48/F					89.0#
		54 x 14 x 36"	7D/OSD54/F					89.0#
		60 x 14 x 36"	7D/OSD60/F					105.0#
7DOSU	 Overhead will accommodate task lights 							
	 Tackboard/Screen, if any, must be ordered separately 							
	Closed Overhead (two doors) - Fabric	66 x 14 x 36"	7D/0SD66/F					117.0#
	 For use on rectangular worksurfaces Clearance between overhead and work- 	72 x 14 x 36"	7D/0SD72/F					123.0#
	surfaces is 19" to underside of shelf							
	Formed steel wire management in end							
7	 panels for cord access Two doors recede inside overhead on 							
\searrow	rack and pinion system							
7DOSU	Overhead will accommodate task lights							
	Tackboard/Screen, if any, must be							
	ordered separately							
			A	B	•	0	3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select enamel color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect assembly option.

UAS - Unassembled
WAS - Assembled; add \$137

Select key option.

KA - Key alike KS - Key standard - No lock core



700 Series® Desk Overhead Storage

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 1047	\$ 1078	\$ 1098	\$ 1153	\$ 1204	
1069	1101	1123	1176	1228	
1097	1129	1153	1207	1262	
1117	1151	1173	1228	1284	
1187	1192	1216	1298	1306	
1192	1211	1235	1312	1350	
\$ 1447	\$ 1490	\$ 1520	\$ 1593	\$ 1664	
1491	1536	1568	1642	1717	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NUM	IBER		
	MODEL	WxH	Basic Model	Fabric Color	Enamel Color	Approx. Packaged Weight
	Tackboards/Screens	30 x 19"	7D/TB3019			12.0#
	 Fits under overstorage unit Metal brackets secure tackboard to back of desk top Brackets are painted color of the desk Allows wire pass-through Dimensions are nominal 	36 x 19"	7D/TB3619			14.0#
		42 x 19"	7D/TB4219			17.0#
		48 x 19"	7D/TB4819			19.0#
8		54 x 19"	7D/TB5419			19.0#
		60 x 19"	7D/TB6019			24.0#
7DTBU		66 x 19"	7D/TB6619			27.0#
		72 x 19"	7D/TB7219			29.0#
~	Corner-Tackboards/Screens	36 x 19"	7D/CTB3619			30.0#
	 Fits 36", 42" or 48" corner Available in 19" or 36" high 	36 x 36"	7D/CTB3636			59.0#
	Brackets are painted the color of the	42 x 19"	7D/CTB4219			35.0#
	desk	42 x 36"	7D/CTB4236			69.0#
	Allows wire pass-through	48 x 19"	7D/CTB4819			40.0#
7DTBU	Dimensions are nominal	48 x 36"	7D/CTB4836			78.0#
			A	B	•	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select enamel color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



700 Series® Desk Tackboards/Screens

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 344	\$ 353	\$ 363	\$ 378	\$ 396
367	376	386	402	423
389	398	408	426	446
409	422	432	451	472
495	503	526	557	572
510	518	532	569	581
538	556	567	592	620
583	601	614	642	671
\$ 768	\$ 795	\$ 807	\$ 847	\$ 886
1222	1260	1285	1344	1404
812	837	852	894	935
1267	1304	1330	1392	1457
921	948	967	1012	1058
1403	1447	1476	1550	1617

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories

			MODEL NI	IMPED		
			MODEL N	JIMREK		
	MODEL	WxDxH	Basic Model	Enamel Color	Approx. Packaged Weight	
	Center Drawer	17 x 18-1/4 x 1-5/8"	7D/18CD		13.0#	
	Mounts beneath any worksurface at least 24" deep CDL model includes lock	17 x 18-1/4 x 1-5/8"	7D/18CDL		13.0#	
7DACU	Hardware included					
	Plate Dividers		7D/OSPD		6.0#	
	Sold in package of three					
, \						
· Les						
7DACU						
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select enamel color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.



Delivered Pricing \$ 180

226

\$ 55

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Task Light Electronic ballast Task light attaches to underside of overhead Task light attaches to underside of overhead	24"	TLT5.24	3.9#		
		36"	TLT5.36	5.3#		
		48"	TLT5.48	6.7#		
	 Available in 24", 36" and 48" widths 					
<i>∆</i> 1	UL listed Includes 81 aard					
	Includes 8' cordAvailable in black only					
HRDPT	Available in black only					
			Λ			



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION TASK LIGHT CABINET WIDTH Cabinet Light Width Width 24" 18" 24" 24" 36" 36" 30" 36"

42" 48" 54" 48" 60" 48" 48" 48" 66" 72"



Delivered Pricing 82 90 97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

				MODEL NUMBER					
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	
	Pedestal - BFTP	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBFTP					
	 Top surface of pedestal has black, four compartment pencil tray and black 								
	recessed pull								
	 6" box drawer with partition 12" file drawer with partition 								
	Anti-tip caster travels with file drawer								
	Counterbalance weight not required								
S7PDU	 Only use 21-5/8" D peds with 30" D desks 								
071 00	doore								
	Pedestal - BF	Mobile	15 x 17-5/8 x 21-3/4"	S7P/1520MBF					
	One 6" box drawer, one 12" file drawer	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBF					
	with hanging folder partition5th wheel in lieu of counterbalance	Mobile	15 x 27-5/8 x 21-3/4"	S7P/1530MBF					
	weight								
	Only use 21-5/8" D peds with 30" D desks								
S7PDU S7PDU									
	Pedestal - BBB Three 6" box drawers	Mobile	15 x 17-5/8 x 21-3/4"	S7P/1520MBBB					
	5th wheel in lieu of counterbalance	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBBB					
	weightOnly use 21-5/8" D peds with 30" D	Mobile	15 x 27-5/8 x 21-3/4"	S7P/1530MBBB					
	desks								
S7PDU									
	Pedestal - PBF	Freestanding	15 x 17-5/8 x 22-3/8"	S7P/1520FPBF					
	 One 3" pencil drawer; one 6" box drawer; one 12" file drawer with hanging folder 	Mobile	15 x 17-5/8 x 24-11/16"	S7P/1520MPBF					
	partition	Freestanding	15 x 21-5/8 x 22-3/8"	S7P/1524FPBF					
	Mobile units include 5th wheel in lieu of	Mobile	15 x 21-5/8 x 24-11/16"	S7P/1524MPBF					
	counterbalance weightCounterbalance weight recommended	Freestanding	15 x 27-5/8 x 22-3/8"	S7P/1530FPBF					
.===:	when freestanding unit is not under	Mobile	15 x 27-5/8 x 24-11/16"	S7P/1530MPBF					
S7PDU	worksurface • Only use 21-5/8" D peds with 30" D								
	desks								
	A freestanding pedestal will have a mini-								
	mal gap between the top of the pedestal and the underside of the worksurface or								
	desk it may be placed under								
					B	•	0	•	
				w	U	9	U	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

Select unit and drawer color.

Refer to color addendum at ki.com or Kl
Fabrics & Finishes binder.

Select key option.

KA - Key alike
KS - Key standard

- No lock core

NLC

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth										
Series	20"	24"	30"	36"							
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A							
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A							
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"							
700 Series w/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	275/8"							
True	N/A	17 ⁵ /8"	215/8"	N/A							

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZor desk with modesty panel, the pedestal will sticl out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.



700 Series® Pedestals Mobile and Freestanding

Approx.			Coun balan Weig	ice
Packaged	Deli	ed	add t	o list
Packaged Weight	Pric		price	
79.0#	\$	7		N/A
79.0#	\$			N/A
90.0#		7		N/A
93.0#		7		N/A
83.0#	\$	7		N/A
92.0#		1		N/A
95.0#		1		N/A
53.0#	\$	3	\$	178
89.0#		6		N/A
55.0#		7		153
90.0#		1		N/A
75.0#		0		89
95.0#		6		N/A

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position.

Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

				MODEL NUMBI	ER			
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option
	Pedestal - FF	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FFF				
	Two 12" file drawers with hanging folder	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MFF				
	partitions • Counterbalance weight: included in	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FFF				
	mobile unit; recommended when free-	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MFF				
	standing unit is not under worksurface	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FFF				
J	 Only use 21-5/8" D peds with 30" D desks 	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MFF				
	A freestanding pedestal will have a mini-							
S7PDU	mal gap between the top of the pedestal							
	and the underside of the worksurface or desk it may be placed under							
	desk it may be placed under							
	Pedestal - BBF • Two 6" box drawers; one 12" file drawer	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FBBF				
	with hanging folder partition	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MBBF				
	Counterbalance weight: included in	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FBBF				
	mobile unit; recommended when free-	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MBBF				
	standing unit is not under worksurface Only use 21-5/8" D peds with 30" D	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FBBF				
	desks	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MBBF				
	 A freestanding pedestal will have a mini- 							
S7PDU	mal gap between the top of the pedestal and the underside of the worksurface or							
	desk it may be placed under							
	222							
				A	ß	•	O	(3
				A	₿	0	O	(3

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER NLC - No lock core A Select basic model. BSelect pull option. ALBT - Aluminum Bow Tie ALMT - Aluminum Metric ARCN - Arc Nickel CLSC - Classic (inset pull) NKBT - Nickel Bow Tie RETN - Retro Nickel Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select counterbalance weight. CBW - With Counterbalance NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

- Key alike

- Key standard

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth										
Series	20"	24"	30"	36"							
NorkZone or NorkZone with evel 1 PowerUp	N/A	21 ⁵ /8"	275/8"	N/A							
NorkZone with evels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A							
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"							
700 Series v/o gromments	17 ⁵ /8"	215/8"	275/8"	275/8"							
Γrue	N/A	17 ⁵ /8"	21 ⁵ /8"	N/A							

hoose a pedestal whose depth is no longer nan the dimension shown.

lote: If the next largest size freestanding or nobile pedestal are specified under a WorkZor esk with modesty panel, the pedestal will sticl ut 1" from the front edge of the worksurface. Io not specify larger sized hanging pedestal nder WorkZone desks.



Mobile and Freestanding

Approx. Packaged Weight	ivered cing	ba W ac	ounte alance eight Id to rice	9
55.0#	\$ 716		\$	178
93.0#	793			N/A
55.0#	752			153
90.0#	824			N/A
75.0#	801			89
95.0#	869			N/A

57.0#	\$ 752	\$ 17	78
93.0#	865		l/A
60.0#	793		53
95.0#	911	N.	l/A
80.0#	896	8	89
100.0#	947	N.	l/A

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position. Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

				MODEL NUMBER	3			
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option
	Pedestal - BBBB	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FBBBB				
	Four 6" box drawersCounterbalance weight: included in	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MBBBB				
	mobile unit; recommended when free-	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FBBBB				
	standing unit is not under worksurface	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MBBBB				
	Only use 21-5/8" D peds with 30" D	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FBBBB				
	desks • A freestanding pedestal will have a mini-	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MBBBB				
	mal gap between the top of the pedestal							
S7PDU	and the underside of the worksurface or							
	desk it may be placed under							
	Pedestal - PBBB • One 3" pencil drawer; three 6" box draw-	Freestanding	15 x 17-5/8 x 22-3/8"	S7P/1520FPBBB				
	ers	Mobile	15 x 17-5/8 x 24-11/16"	S7P/1520MPBBB				
	Counterbalance weight: included in	Freestanding	15 x 21-5/8 x 22-3/8"	S7P/1524FPBBB				
	mobile unit; recommended when free-	Mobile	15 x 21-5/8 x 24-11/16"	S7P/1524MPBBB				
	standing unit is not under worksurface • Only use 21-5/8" D peds with 30" D	Freestanding	15 x 27-5/8 x 22-3/8"	S7P/1530FPBBB				
	desks	Mobile	15 x 27-5/8 x 24-11/16"	S7P/1530MPBBB				
S7PDU	A freestanding pedestal will have a mini-							
	mal gap between the top of the pedestal and the underside of the worksurface or							
	desk it may be placed under							
				A	$oldsymbol{\Theta}$	$\mathbf{\Theta}$	0	(3

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

 ALBT
 - Aluminum Bow Tie

 ALMT
 - Aluminum Metric

 ARCN
 - Arc Nickel

 CLSC
 - Classic (inset pull)

 NKBT
 - Nickel Bow Tie

 RETN
 - Retro Nickel

- Select unit and drawer color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- Select key option.

KA	- Key alike
KS	- Key standard

- No lock core

NLC

Pedestal Sizing Chart (maximum sizes recommended)

Workstation Depth									
20"	24"	30"	36"						
N/A	21 ⁵ /8"	27 ⁵ /8"	N/A						
N/A	N/A	17 ⁵ /8"	N/A						
N/A	17 ⁵ /8"	215/8"	215/8"						
17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	27 ⁵ /8"						
N/A	17 ⁵ /8"	215/8"	N/A						
	N/A N/A N/A 17 ⁵ /8"	N/A 21 ⁵ / ₆ " N/A N/A 17 ⁵ / ₆ " 17 ⁵ / ₆ " 21 ⁵ / ₆ "	N/A 21 ⁵ / ₈ " 27 ⁵ / ₈ " N/A N/A 17 ⁵ / ₈ " 21 ⁵ / ₈ " 17 ⁵ / ₈ " 21 ⁵ / ₈ " 27 ⁵ / ₈ "						

hoose a pedestal whose depth is no longer an the dimension shown.

ote: If the next largest size freestanding or obile pedestal are specified under a WorkZonesk with modesty panel, the pedestal will stick at 1" from the front edge of the worksurface. o not specify larger sized hanging pedestal nder WorkZone desks.



700 Series® Pedestals Mobile and Freestanding

Approx. Packaged Weight	Deli Pric	vered ing	b W a	ounte alance /eight dd to rice	9
59.0#	\$	812		\$	178
95.0#		990			N/A
66.0#		857			153
105.0#		960			N/A
78.0#		936			89
96.0#		990			N/A

62.0#	\$ 869	\$ 178
91.0#	1044	N/A
62.0#	918	153
102.0#	1020	N/A
73.0#	936	89
91.0#	990	N/A

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position.

Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				1				
				MODEL NUMB	ER			
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight
	Pedestal - BF	Hanging	15 x 17-5/8 x 19-3/16"	S7P/1520HBF				62.0#
	One 6" box drawerOne 12" file drawer with hanging folder	Hanging	15 x 21-5/8 x 19-3/16"	S7P/1524HBF				80.0#
	partition							
S7PDU								
	Pedestal - BBB • Three 6" box drawers	Hanging	15 x 17-5/8 x 19-3/16"	S7P/1520HBBB				45.0#
		Hanging	15 x 21-5/8 x 19-3/16"	S7P/1524HBBB				50.0#
S7PDU								
57700	Pedestal - PBF	Hanging	15 x 17-5/8 x 22-1/8"	S7P/1520HPBF				62.0#
	One 3" pencil drawer	Hanging	15 x 21-5/8 x 22-1/8"	S7P/1524HPBF				80.0#
	One 6" box drawer	Hanging	13 X Z 1 3/0 X Z Z 1/0	07171324111 BI				00.0#
	 One 12" file drawer with hanging folder partition 							
	ραιτιτοιι							
S7PDU								
				A	3	•	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option. ALBT - Aluminum Bow Tie ALMT - Aluminum Metric **ARCN** - Arc Nickel CLSC - Classic (inset pull) NKBT - Nickel Bow Tie RETN - Retro Nickel

Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect key option.

KA - Key alike KS - Key standard - No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Workstation Depth

Desking Series 20" 24" 30" 36" NorkZone or NorkZone with evel 1 PowerUp 215/8" 275/8" N/A N/A NorkZone with evels 2-5 ⊃owerUp N/A N/A 17⁵/8" N/A 700 Series with gromments N/A 17⁵/8" 215/8" 215/8" 700 Series v/o gromments 17⁵/8" 215/8" 275/8" 275/8" N/A 17 5/8" 215/8" N/A Γrue

hoose a pedestal whose depth is no longer nan the dimension shown.

lote: If the next largest size freestanding or nobile pedestal are specified under a WorkZon esk with modesty panel, the pedestal will stick ut 1" from the front edge of the worksurface. o not specify larger sized hanging pedestal nder WorkZone desks.

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



Deli	ivered	
Pric	livered cing	
	659	
Ψ		
	684	
\$	670	
	677	
	0	
\$	774	
Ψ	811	
	011	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Worksurface Supporting

				MODEL NUMBER	{		I	
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight
	Pedestal - FF	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WFF				59.0#
	Two 12" file drawers with hanging folder		15 x 21-5/8 x 27-7/8"	S7P/1524WFF				82.0#
	partitions • Includes four leveling glides	Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WFF				95.0#
	includes four leveling glides							
\(\frac{1}{2}\)								
S7PDU								
	Pedestal - BBF Two 6" box drawers One 12" file drawer with hanging folder	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WBBF				61.0#
		Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WBBF				80.0#
	partition	Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WBBF				93.0#
	Includes four leveling glides							
S7PDU								
	Pedestal - BBBB	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WBBBB				70.0#
	Four 6" box drawersIncludes four leveling glides	Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WBBBB				70.0#
	Includes four leveling glides	Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WBBBB				81.0#
0=00.11								
S7PDU								
				A	$oldsymbol{\mathbb{B}}$	$oldsymbol{\Theta}$	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect pull option. - Aluminum Bow Tie - Aluminum Metric ALBT ALMT ARCN - Arc Nickel CLSC - Classic (inset pull) - Nickel Bow Tie RETN - Retro Nickel
- Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select key option.

KS	- Key standard
NLC	- No lock core
KA	- Key alike

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth									
Series	20"	24"	30"	36"						
VorkZone or VorkZone with evel 1 PowerUp	N/A	21 ⁵ / ₈ "	27 ⁵ /8"	N/A						
VorkZone with evels 2-5 'owerUp	N/A	N/A	17 ⁵ /8"	N/A						
'00 Series with romments	N/A	17 ⁵ /8"	215/8"	21 ⁵ /8"						
'00 Series v/o gromments	17 ⁵ /8"	215/8"	27 ⁵ /8"	27 ⁵ /8"						
rue	N/A	17 ⁵ /8"	215/8"	N/A						

hoose a pedestal whose depth is no longer an the dimension shown.

ote: If the next largest size freestanding or obile pedestal are specified under a WorkZon esk with modesty panel, the pedestal will stick ut 1" from the front edge of the worksurface. o not specify larger sized hanging pedestal nder WorkZone desks.

OPTIONS

Pedestal and Storage Option

Please contact KI Customer Service for other pedestal and storage option. Reference "How to Specify Pedestals" section to determine appropriate height and depth requirements.



700 Series® Pedestals Worksurface Supporting

Delive	elivered	
Pricin		
	677	
	792	
	823	
	866	
,	913	
	857	
	876	
(961	

INFORMATION

Mobile pedestal include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

Lock

All units include a lock. Keying is random unless otherwise specified.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories

			MODEL NUMBER		
	MODEL	WxDxH	Basic Model	Approx. Packaged Weight	
. 1	Glide Kit • Adds 1/4" to 1" to pedestal height		S7P/GK	1.0#	
	 4 per kit 				
PDACU	For replacement onlyFor worksurface supporting pedestals				
1 5/100	- 101 worksurface supporting pedestals				
	Pencil Tray	12-1/8 x 4 x 1"	S7P/PENTRAY	1.0#	
	For 3" pencil and 6" box drawersBlack finish only				
	Priced each				
PDACU					
	6" Partition	12-1/8 x 4-5/8"	S7P/D6	1.0#	
	For 6" box drawersBlack enamel finish only				
	Priced each				
PDACU					
	Hanging Folder Partition	12-1/8 x 9-5/8"	S7P/D12	1.0#	
	For 12" file drawersBlack enamel finish only				
	Priced each				
PDACU					
			A		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Delive	ered
Delive Pricin	
\$	10
•	
\$	9
\$	6
φ	
\$	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

			MODEL NUMBE	ER				
	Features	WxDxH	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option
$\overline{}$	Mobile	15 x 17-5/8 x 21-3/4"	S7CP1520MBF					
	Mobile	15 x 21-5/8 x 21-3/4"	S7CP1524MBF					
	Mobile	15 x 27-5/8 x 21-3/4"	S7CP1530MBF					
S7CP								
Pedestal - BF								
 One 6" box drawer One 12" file drawer with hanging 								
folder partition								
Mobile units include 5th wheel in lieu								
of counterbalance weight	Mobile	15 x 17-5/8 x 24-11/16"	S7CP1520MPBF					
	Freestanding	15 x 21-5/8 x 22-3/8"	S7CP1524FPBF					
	Mobile	15 x 21-5/8 x 24-11/16"	S7CP1524MPBF					
	Freestanding	15 x 27-5/8 x 22-3/8"	S7CP1530FPBF					
	Mobile	15 x 27-5/8 x 24-11/16"	S7CP1530MPBF	Ī				
7CP								
edestal - PBF								
One 3" pencil drawer								
One 6" box drawer								
One 12" file drawer with hanging								
folder partition Mobile units include 5th wheel in lieu								
of counterbalance weight								
Counterbalance weight recommended								
when freestanding unit is not under worksurface								
• A freestanding pedestal will have a								
minimal gap between the top of the								
pedestal and the underside of the worksurface or desk it may be placed								
under								
			A	$oldsymbol{eta}$	Θ	•	(3	(3

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select drawer pull color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance See pricing column for counterbalance weight upcharge.
- Select key option. - Key alike

- Key standard NLC

- No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth									
Series	20"	24"	30"	36"						
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A						
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A						
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"						
700 Series w/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	275/8"						
True	N/A	17 ⁵ /8"	215/8"	N/A						

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZone desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.



Mobile and Freestanding

Delivered Pricing	Dimpled Front add to list price	Counter- balance Weight add to list price
\$ 834	\$ 16	N/A
956	17	N/A
956	17	N/A

\$ 1050	\$ 18	N/A
925	17	153
999	18	N/A
987	18	89
1059	18	N/A

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

			MODEL NUMBE	R					
	Features	WxDxH	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	Mobile	15 x 17-5/8 x 27-5/8"	S7CP1520MFF						93.0#
	Freestanding	15 x 21-5/8 x 25-5/16"	S7CP1524FFF						55.0#
	Mobile	15 x 21-5/8 x 27-5/8"	S7CP1524MFF						90.0#
	Freestanding	15 x 27-5/8 x 25-5/16"	S7CP1530FFF						75.0#
	Mobile	15 x 27-5/8 x 27-5/8"	S7CP1530MFF						95.0#
S7CP									
Pedestal - FF									
Two 12" file drawers with hanging									
folder partitions									
 Counterbalance weight: included in mobile unit; recommended when 									
freestanding unit is not under work-									
surface									
 A freestanding pedestal will have a minimal gap between the top of the 									
pedestal and the underside of the									
worksurface or desk it may be placed									
under									
	Mobile	15 x 17-5/8 x 27-5/8"	S7CP1520MBBF						93.0#
	Freestanding	15 x 21-5/8 x 25-5/16"	S7CP1524FBBF						60.0#
	Mobile	15 x 21-5/8 x 27-5/8"	S7CP1524MBBF						95.0#
	Freestanding	15 x 27-5/8 x 25-5/16"	S7CP1530FBBF						80.0#
	Mobile	15 x 27-5/8 x 27-5/8"	S7CP1530MBBF						100.0#
S7CP									
Pedestal - BBF									
Two 6" box drawers; one 12" file									
drawer with hanging partition Mobile units include 5th wheel in lieu									
of counterbalance weight									
Counterbalance weight recommended									
when freestanding unit is not under worksurface									
A freestanding pedestal will have a									
minimal gap between the top of the									
pedestal and the underside of the worksurface or desk it may be placed									
under									
			A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	0	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect flat or dimpled front.

D - Dimpled F - Flat

See upcharge column for D option.

- Select unit and drawer color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- OSelect drawer pull color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- Select key option.

 KA Key alike

KS - Key standard

NLC - No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Desking Series WorkZone or WorkZone with level 1 PowerUp WorkZone with levels 2-5 PowerUp 700 Series with gromments	Workstation Depth									
Series	20"	24"	30"	36"						
WorkZone with	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A						
levels 2-5	N/A	N/A	17 ⁵ /8"	N/A						
	N/A	17 ⁵ /8"	215/8"	215/8"						
700 Series w/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	27 ⁵ /8"						
True	N/A	17 ⁵ /8"	215/8"	N/A						

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZon desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.



Mobile and Freestanding

Delivered Pricing	Dimpled Front add to list price	Counter- balance Weight add to list price
\$ 888	\$ 16	N/A
841	16	153
922	17	N/A
895	17	89
974	17	N/A

\$ 968	\$ 17	N/A
888	16	153
1019	18	N/A
1004	18	89
1060	18	N/A

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #70.

N/C

Hanging

					-n			
				MODEL NUMBE	:K			
							D. II	
	MODEL	Features	WxDxH	Basic Model	Dimpled	Unit Color	Pull Color	Key Option
	Pedestal - BBB	Hanging	15 x 17-5/8 x 19-3/16"	S7CP1520HBBB				
	Three 6" box drawers	Hanging	15 x 21-5/8 x 19-3/16"	S7CP1524HBBB				
S7CP								
_	Pedestal - BF One 6" box drawer	Hanging	15 x 17-5/8 x 19-3/16"	S7CP1520HBF				
	One 12" file drawer with hanging folder	Hanging	15 x 21-5/8 x 19-3/16"	S7CP1524HBF				
	partition							
0700								
S7CP	Pedestal - PBF	Hanging	15 x 17-5/8 x 22-1/8"	S7CP1520HPBF				
	One 3" pencil drawer	Hanging	15 x 17-5/8 x 22-1/8"	S7CP1520HPBF				
	One 6" box drawer	панушу	13 X Z 1-3/6 X ZZ-1/6	3707132411707				
	 One 12" file drawer with hanging folder partition 							
	ραι ιτι υ π							
S7CP								
				A	ß	Θ	Ð	3

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select flat or dimpled front.

 D Dimpled

 F Flat

 See upcharge column for D option.
- © Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select drawer pull color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select key option.

KA	- Key alike
KS	- Key standard
NLC	- No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Workstation Donth

Desking	workstation Depth								
Series	20"	24"	30"	36"					
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A					
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A					
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"					
700 Series w/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	27 ⁵ /8"					
True	N/A	17 ⁵ /8"	215/8"	N/A					

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZon desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



Approx. Packaged Weight	Pric		Dimple Front add to l price	list
45.0#	\$	748	\$	14
50.0#		758		14
62.0#	\$	742	\$	14
80.0#		766		14
62.0#	\$	868	\$	16
80.0#		907		17

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Worksurface Supporting

			MODEL NUMBER							
				Basic		Unit	Pull	Vov		
	MODEL	Features	WxDxH	Model	Dimpled	Color	Color	Key Option		
	Pedestal - FF	Supporting	15 x 17-5/8 x 27-7/8"	S7CP1520WFF						
	 Two 12" file drawers with hanging folder 	Supporting	15 x 21-5/8 x 27-7/8"	S7CP1524WFF						
	partitions • Includes four leveling glides	11 0								
	• includes rour leveling glides									
S7CP										
	Pedestal - BBF	Supporting	15 x 17-5/8 x 27-7/8"	S7CP1520WBBF						
	Two 6" box drawers One 18" file drawer with honoring folder	Supporting	15 x 21-5/8 x 27-7/8"	S7CP1524WBBF						
	 One 12" file drawer with hanging folder partition 									
	Includes four leveling glides									
S7CP										
				A	B	Θ	0	(3		
				•	•	•	•	9		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select flat or dimpled front.

 D Dimpled

 F Flat

 See upcharge column for D option.
- Select unit and drawer color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- OSelect drawer pull color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select key option.

 KA Key alik

KA	- Key alike
KS	 Key standard
NLC	- No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Workstation Donth

Desking	workstation Depth									
Series	20"	24"	30"	36"						
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A						
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A						
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"						
700 Series w/o gromments	17 ⁵ /8"	215/8"	27 ⁵ /8"	275/8"						
True	N/A	17 ⁵ /8"	215/8"	N/A						

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZon desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.

INFORMATION

deight

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



700 Series® Curve Pedestals Worksurface Supporting

Approx. Packaged Weight	Deli Pric	vered :ing	Dimpled Front add to li price	
59.0#	\$	758	\$	14
82.0#		887		16
61.0#	\$	840	\$	16
80.0#		970		17

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

700 Series® Credenza

Credenza Files

					_			
	MODEL NUMBER							
	MODEL	W x D	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	27-7/8" Credenza File - FF	30 x 18-7/8 x 27-7/8"	S7L/30240FF					120.0#
	Height to match worksurface supporting	36 x 18-7/8 x 27-7/8"	S7L/36240FF					130.0#
	pedestal, drawer fronts compatible with pedestals	42 x 18-7/8 x 27-7/8"	S7L/42240FF					145.0#
	Two 12" file drawers with FBA bars for							
	side-to-side filing							
S7LTU	 Counterbalance weight is recommended for freestanding units 							
	for freestanding units							
	27-7/8" Credenza File - BBF Height to match worksurface supporting pedestal, drawer fronts compatible with pedestals Two 6" box drawers, one 12" file drawer with FBA bars for side-to-side filing Counterbalance weight is recommended for freestanding units	30 x 18-7/8 x 27-7/8"	S7L/30240BBF					135.0#
		36 x 18-7/8 x 27-7/8"	S7L/36240BBF					145.0#
		42 x 18-7/8 x 27-7/8"	S7L/42240BBF					160.0#
S7LTU								
	io. Iloudianamy amic							
	Counterbalance		S7L/CBW60					60.0#
	 For 2-high lateral file units or credenza file, 30", 36" or 42" 							
	Recommended when unit is not under							
	workstation							
	 Factory installed, if specified 							
LTACU								
			A	B	•	o	(3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

ALBT ALMT - Aluminum Bow Tie - Aluminum Metric ARCN - Arc Nickel CLSC - Classic (inset pull) - Nickel Bow Tie - Retro Nickel RETN

- Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance See pricing column for counterbalance weight upcharge.
- Select key option.

- Key alike - Key standard NLC - No lock core



700 Series® Credenza Credenza Files

*		
Delivered Pricing	Counter balance Weight add to li price	ist
\$ 1139	\$	215
1220		215
1301		215
1001		
\$ 1337	\$	215
1419		215
1505		215
\$ 215		N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Index

Model No.	Description	Page
7D/18CD	Accessories: Center Drawer	40
7D/B2036	Bridges: Bridges	20
7D/CS2062	Credenzas: Credenza Shell	22
7D/CT2060	Credenzas: Credenza Top	22
7D/CTB3619	Tackboards/Screens: Corner-Tackboards/Screens	38
7D/CTU60/34S	Countertop: Countertop with Tackboard (34S) Edge	32
7D/CTU60/74P	Countertop: Countertop with Tackboard (74P) Edge	32
7D/CTU60/SE	Countertop: Countertop with Tackboard (SE) Edge	32
7D/CU2436	Corner: Corner	18
7D/D2448	Desk: Desk	10
7D/DD3060	P-Shape and D-Shape Desk: D-Shape Desk	12
7D/DR2436	P-Shape and D-Shape Returns: D-Shape Return	16
7D/OSD30/F	Overhead Storage: Closed Overhead (one door) - Fabric	36
7D/0SD30/S	Overhead Storage: Closed Overhead (one door) - Steel	34
7D/0SD66/F	Overhead Storage: Closed Overhead (two doors) - Fabric	36
7D/OSD66/S	Overhead Storage: Closed Overhead (two doors) - Steel	34
7D/OSPD	Accessories: Plate Dividers	40
7D/0SS30	Overhead Storage: Open Overhead - Steel	34
7D/PD3060	P-Shape and D-Shape Desk: P-Shape and D-Shape Desk	12
7D/PR2454	P-Shape and D-Shape Returns: P-Shape and D-Shape Desk Returns: Desk	16 14
7D/R2424 7D/TB3019	Tackboards/Screens: Tackboards/Screens	38
7D/B3019 7DD/B2036	Bridges with PowerUp®: Bridges	30
7DD/GU2436	Corner with PowerUp®: Corner	28
7DD/002430 7DD/D2448	Desk with PowerUp®: Desk	24
7DD/R2424	Returns with PowerUp®: Desk	26
S7CP1520HBBB	Hanging: Pedestal - BBB	60
S7CP1520HBF	Hanging: Pedestal - BF	60
S7CP1520HPBF	Hanging: Pedestal - PBF	60
S7CP1520MBBF	Mobile and Freestanding: Pedestal - BBF	58
S7CP1520MBF	Mobile and Freestanding: Pedestal - BF	56
S7CP1520MFF	Mobile and Freestanding: Pedestal - FF	58
S7CP1520MPBF	Mobile and Freestanding: Pedestal - PBF	56
S7CP1520WBBF	Worksurface Supporting: Pedestal - BBF	62
S7CP1520WFF	Worksurface Supporting: Pedestal - FF	62
S7L/30240BBF	Credenza Files: 27-7/8" Credenza File - BBF	64
S7L/30240FF	Credenza Files: 27-7/8" Credenza File - FF	64
S7L/CBW60	Credenza Files: Counterbalance	64
S7P/1520FBBBB	Mobile and Freestanding: Pedestal - BBBB	48
S7P/1520FBBF	Mobile and Freestanding: Pedestal - BBF	46
S7P/1520FFF	Mobile and Freestanding: Pedestal - FF	46
S7P/1520FPBBB	Mobile and Freestanding: Pedestal - PBBB	48
S7P/1520FPBF	Mobile and Freestanding: Pedestal - PBF	44
S7P/1520HBBB	Hanging: Pedestal - BBB	50
S7P/1520HBF	Hanging: Pedestal - BF	50
S7P/1520HPBF	Hanging: Pedestal - PBF	50
S7P/1520MBBB	Mobile and Freestanding: Pedestal - BBB	44
S7P/1520MBF	Mobile and Freestanding: Pedestal - BF	44
S7P/1520WBBBB S7P/1520WBBF	Worksurface Supporting: Pedestal - BBBB	52
S7P/1520WBBF S7P/1520WFF	Worksurface Supporting: Pedestal - BBF	52 52
S7P/1520WFF S7P/1524MBFTP	Worksurface Supporting: Pedestal - FF Mobile and Freestanding: Pedestal - BFTP	52 44
S7P/D12	Accessories: Hanging Folder Partition	54
S7P/D12 S7P/D6	Accessories: 6" Partition	54 54
S7P/GK	Accessories: Glide Kit	54
S7P/PENTRAY	Accessories: Pencil Tray	54
TLT5.24	Accessories: Task Light	42





KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11489R1/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.