
March 14, 2012 Updated September 11, 2013 800-424-2432



WorkUp® Tables

General Information

WORKUP® MODEL CRANK TABLE

Genera

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface shall adjust between 27.11" and 44.83" from the floor by means of a horizontal crank that can be located at either end of the table. Adjusts at a rate of 6-1/3 turns per inch. A %" diameter steel connecting rod shall span from column to column to enable simultaneous adjustment of both columns.

Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member and an inner member. The outer member shall be 2-3/4" square 14-gauge steel tubing with a ¼" steel plate welded on the bottom end. The inner member shall be 2-1/2" square 14 gauge steel tubing with a ¼" steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface Support

The worksurface support shall be formed 11-gauge steel support members with ¼" steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded, stained and sealed.

WORKUP® MODEL FIXED TABLE

General

The table shall consist of two T bases (centered column on a horizontal foot) supporting a worksurface. The top of the worksurface shall be 29" from the floor. See back page for top sizes.

Base

The base shall consist of a top plate, column and foot all finished with baked on 30 sheen powder coat paint. The top plate shall be ¼" thick steel. The column shall be 2-3/4" square 14-gauge steel tubing with ¼" steel plates welded on each end. The foot shall consist of two formed and welded 11-gauge steel components. The top plate and foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed.

WORKUP® MODEL ANSI HFES TABLE

General

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface shall adjust between 22.35" and 48.33" from the floor by means of electric controls that can be located at either end of the table.

Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member, an intermediate member and an inner member. The outer member shall be 2-3/4" square 14-gauge steel tubing with a 1/4" steel plate welded on the bottom end. The intermediate member shall be 2-1/2" square 14-gauge steel tubing. The inner member shall be 2-1/4" square 14-gauge steel tubing with a 1/4" steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface Support

The worksurface support shall be formed 11-gauge steel support members with ¼" steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws.

All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed.

WORKUP® MODEL RATCHET TABLE

General

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top TECHNICAL SPECIFICATIONS (CONTINUED) of the worksurface shall adjust to thirteen positions between 27.11" and 36.56" from the floor by manually lifting the worksurface.

Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member and an inner member. The outer member shall be 2-3/4" square 14-gauge steel tubing with a ½" steel plate welded on the bottom end. The inner member shall be 2-1/2" square 14-gauge steel tubing with a ½" steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface Support

The worksurface support shall be formed 11-gauge steel support members with ¼" steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed.



WorkUp® Tables
General Information

WorkUp® Tables

			MODEL NUI	4050					
			MODEL NUI	VIBER					
	MODEL	AxBxC	Basic Model	Edge Style	Base	Edge Color	Surface Finish	Base Finish	Approx. Packaged Weight
	Rectangular Tables - 22"D	21-1/2 x 34-1/2"	WU2236FX						69.0#
	• 29" height	21-1/2 x 40-1/2"	WU2242FX						66.0#
A	Adjustable glides	21-1/2 x 46-1/2"	WU2248FX						70.0#
B		21-1/2 x 52-1/2"	WU2254FX						75.0#
WUFX		21-1/2 x 58-1/2"	WU2260FX						79.0#
		21-1/2 x 64-1/2"	WU2266FX						91.0#
		21-1/2 x 70-1/2"	WU2272FX						95.0#
	Rectangular Tables - 24"D	23-1/2 x 34-1/2"	WU2436FX						64.0#
WUFX	29" heightAdjustable glides	23-1/2 x 40-1/2"	WU2442FX						69.0#
	Aujustable glides	23-1/2 x 46-1/2"	WU2448FX						73.0#
		23-1/2 x 52-1/2"	WU2454FX						78.0#
		23-1/2 x 58-1/2"	WU2460FX						83.0#
		23-1/2 x 64-1/2"	WU2466FX						95.0#
		23-1/2 x 70-1/2"	WU2472FX						100.0#
	Rectangular Tables - 30"D	29-1/2 x 34-1/2"	WU3036FX						75.0#
WUFX	29" heightAdjustable glides	29-1/2 x 40-1/2"	WU3042FX						81.0#
	- Aujustable glides	29-1/2 x 46-1/2"	WU3048FX						87.0#
		29-1/2 x 52-1/2"	WU3054FX						93.0#
		29-1/2 x 58-1/2"	WU3060FX						99.0#
		29-1/2 x 64-1/2"	WU3066FX						112.0#
		29-1/2 x 70-1/2"	WU3072FX			_			118.0#
	Rectangular Tables - 36"D	35-1/2 x 34-1/2"	WU3636FX						82.0#
WUFX	29" heightAdjustable glides	35-1/2 x 40-1/2"	WU3642FX						89.0#
	rajaotabio gilabo	35-1/2 x 46-1/2"	WU3648FX						96.0#
		35-1/2 x 52-1/2"	WU3654FX						103.0#
		35-1/2 x 58-1/2"	WU3660FX						110.0#
		35-1/2 x 64-1/2"	WU3666FX						125.0#
		35-1/2 x 70-1/2"	WU3672FX	_					132.0#
	Rectangular 120° Corner Tables • 29° height • 120° angle • Adjustable glides	23-1/2 x 34-1/2 x 37-5/8" 29-1/2 x 46-1/2 x 48-7/8"	WUC2436FX WUC3048FX		_				80.0# 123.0#
WUFX									
			•	3	0	0	3	•	1

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

- 1-1/4" Vinyl bullnose - 74P edge - Postformed edge 54B 74P KN - Knife edge

Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$46

Select edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



WorkUp® Tables Fixed Height

Ť							
1_1/	'4" Vinyl						
	nose	74P	Edge	Post	formed Edge	Knif	fe Edge
(54E		(74F	P)	(PL)		(KN	I)
\$	562	\$				\$	687
	588		678		706		728
	594		686		713		734
	624		726		756		792
	626		728		758		795
	663		782		814		880
	667		785		816		884
\$	562	\$				\$	689
	588		678		706		728
	595		685		713		735
	624		727		756		792
	626		730		758		795
	663		783		814		880
	667		785		817		884
\$	589	\$				\$	757
	624		720		749		782
	661		758		785		789
	731		840		873		921
	732		842		877		925
	773		898		934		1019
	776		903		938		1024
\$	643	\$				\$	814
	685		789		821		887
	691		795		827		893
	763		881		917		1074
	766		885		920		1005
	815		910		946		1313
	822		917		953		1320
\$	760	\$	876			\$	996
	877		993		N/A		1186

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

WorkUp® Tables Ratchet Adjustable Height

	MODEL NUMBER													
			Basic	Edge		Edge	Surface	Base	Column					
	MODEL	AxBxC	Model	Style	Base	Color	Finish	Finish	Finish					
^	Rectangular Tables - 22"D	21-1/2 x 46-1/2"	WU2248RT											
	27-36" adjustable heightsAdjustable glides	21-1/2 x 52-1/2"	WU2254RT											
	Adjustable glides	21-1/2 x 58-1/2"	WU2260RT											
В		21-1/2 x 64-1/2"	WU2266RT											
WURT		21-1/2 x 70-1/2"	WU2272RT											
	Rectangular Tables - 24"D	23-1/2 x 46-1/2"	WU2448RT											
WURT	27-36" adjustable heightsAdjustable glides	23-1/2 x 52-1/2"	WU2454RT											
	Aujustable glides	23-1/2 x 58-1/2"	WU2460RT											
		23-1/2 x 64-1/2"	WU2466RT											
		23-1/2 x 70-1/2"	WU2472RT											
WURT	Rectangular Tables - 30"D	29-1/2 x 46-1/2"	WU3048RT											
	27-36" adjustable heightsAdjustable glides	29-1/2 x 52-1/2"	WU3054RT											
	Aujustable glides	29-1/2 x 58-1/2"	WU3060RT											
		29-1/2 x 64-1/2"	WU3066RT											
		29-1/2 x 70-1/2"	WU3072RT											
	Rectangular Tables - 36"D	35-1/2 x 46-1/2"	WU3648RT											
WURT	27-36" adjustable heightsAdjustable glides	35-1/2 x 52-1/2"	WU3654RT											
	Aujustable glides	35-1/2 x 58-1/2"	WU3660RT											
		35-1/2 x 64-1/2"	WU3666RT											
		35-1/2 x 70-1/2"	WU3672RT											
	Rectangular 120° Corner Tables	23-1/2 x 34-1/2 x 37-5/8"	WUC2436RT											
	27-36" adjustable heights120° angle	29-1/2 x 46-1/2 x 48-7/8"	WUC3048RT											
	Adjustable glides													
	· •													
WURT														
			A	ß	•	0	(3	(3)	G					
			•	0		0	•	•	•					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

54B	- 1-1/4" Vinyl bullnose	
74P	- 74P edge	
PL	- Postformed edge	
KN	- Knife edge	

Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers,
1 foot w/glides); add \$46

- OSelect edge color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select surface finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- Select base finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect inner column finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



WorkUp® Tables Ratchet Adjustable Height

				(
Approx.		-1/4" Vinyl						
Packaged Weight		Bullnose 54B)		IP Edge 4P)	Pc (P	stforme	Knit (KN	fe Edge
79.0#	\$			1062		1105	,	1113
	φ		φ		φ			
84.0#		1005		1108		1153		1174
90.0#		1016		1118		1163		1183
95.0#		1061		1180		1228		1278
100.0#		1069		1189		1236		1286
82.0#	\$		\$	1062	\$	1106		1113
88.0#		1007		1109		1154		1174
94.0#		1016		1118		1164		1184
99.0#		1061		1181		1228		1278
105.0#		1106		1224		1273		1322
97.0#	\$	1070	\$	1167	\$	1214	\$	1229
104.0#		1145		1254		1304		1335
111.0#		1153		1264		1314		1345
118.0#		1200		1327		1379		1448
125.0#		1210		1336		1390		1457
107.0#	\$	1100	\$	1204	\$	1253	\$	1302
115.0#		1176		1295		1346		1488
123.0#		1187		1305		1358		1426
131.0#		1236		1330		1384		1735
140.0#		1246		1342		1395		1745
88.0#	¢	1138	\$			N/A		1374
128.0#	φ	1298	Ψ	1414		N/A		1607
128.0#		1290		1414		N/A		1007

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

WorkUp® Tables Crank Adjustable Height (Sit - Stand)

	MODEL NUMBER												
	MODEL	AxBxC	Basic Model	Edge Style	Base	Edge Color	Surface Finish	Base Finish	Column Finish				
^	Rectangular Tables - 22"D	21-1/2 x 46-1/2"	WU2248CR										
	27-44" adjustable heightsAdjustable glides	21-1/2 x 52-1/2"	WU2254CR										
	 Adjustable glides Adjusts at a rate of 6-1/3 turns per inch 	21-1/2 x 58-1/2"	WU2260CR										
В	,	21-1/2 x 64-1/2"	WU2266CR										
WUCR		21-1/2 x 70-1/2"	WU2272CR										
	Rectangular Tables - 24"D	23-1/2 x 46-1/2"	WU2448CR										
WUCR	27-44" adjustable heightsAdjustable glides	23-1/2 x 52-1/2"	WU2454CR										
	 Adjustable glides Adjusts at a rate of 6-1/3 turns per inch 	23-1/2 x 58-1/2"	WU2460CR										
	,	23-1/2 x 64-1/2"	WU2466CR										
		23-1/2 x 70-1/2"	WU2472CR										
	Rectangular Tables - 30"D	29-1/2 x 46-1/2"	WU3048CR										
WUCR	27-44" adjustable heightsAdjustable glides	29-1/2 x 52-1/2"	WU3054CR										
	 Adjustable glides Adjusts at a rate of 6-1/3 turns per inch 	29-1/2 x 58-1/2"	WU3060CR										
		29-1/2 x 64-1/2"	WU3066CR										
		29-1/2 x 70-1/2"	WU3072CR										
	Rectangular Tables - 36"D	35-1/2 x 46-1/2"	WU3648CR										
WUCR	27-44" adjustable heightsAdjustable glides	35-1/2 x 52-1/2"	WU3654CR										
	 Adjusts at a rate of 6-1/3 turns per inch 	35-1/2 x 58-1/2"	WU3660CR		_								
		35-1/2 x 64-1/2"	WU3666CR										
		35-1/2 x 70-1/2"	WU3672CR										
	Rectangular 120° Corner Tables	23-1/2 x 34-1/2 x 37-5/8"	WUC2436CR										
	 27-44" adjustable heights 120° angle 	29-1/2 x 46-1/2 x 48-7/8"	WUC3048CR										
	Adjustable glides												
*	Adjusts at a rate of 6-1/3 turns per inch												
WUCR													
			A	B	0	0	(3	(3	G				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

54B 74P - 1-1/4" Vinyl bullnose - 74P edge - Postformed edge - Knife edge

Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$46

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select base finish.

Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

GSelect inner column finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



WorkUp® Tables Crank Adjustable Height (Sit - Stand)

Approx.	1/4" Vinyl				_		
Packaged	Ilnose						fe Edge
Weight	4B)	(74	·	(PL)		(KN	
84.0#	\$ 1186						1326
90.0#	1219		1321		1375		1387
95.0#	1229		1332		1385		1398
101.0#	1275		1393		1449		1491
106.0#	1284		1402		1458		1500
87.0#	\$ 1186	\$	1276	\$	1322	\$	1326
93.0#	1220		1322		1375		1389
99.0#	1229		1333		1385		1398
105.0#	1310		1430		1487		1492
111.0#	1319		1438		1496		1536
103.0#	\$ 1285	\$	1381	\$	1436	\$	1443
110.0#	1358		1467		1525		1548
117.0#	1366		1477		1537		1558
124.0#	1415		1540		1602		1661
131.0#	1424		1550		1612		1671
112.0#	\$ 1313	\$	1418	\$	1474	\$	1515
121.0#	1390		1508		1569		1701
129.0#	1400		1518		1580		1639
137.0#	1450		1545		1606		1948
146.0#	1460		1555		1617		1960
93.0#	\$ 1351	\$	1467		N/A	\$	1588
134.0#	1512		1628		N/A		1821

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

WorkUp® Tables ANSI HFES Electric Adjustable Height

		MODEL NUM	/IBER								
	AxBxC	Basic Model	Edge Style	Base	Edge Color	Electrical Control	Surface Finish	Base Finish	Column Finish	Approx. Packaged Weight	
	21-1/2 x 46-1/2"	WU2248HF								95.0#	
A	21-1/2 x 52-1/2"	WU2254HF								101.0#	
	21-1/2 x 58-1/2"	WU2260HF								106.0#	
B	21-1/2 x 64-1/2"	WU2266HF								112.0#	
WUHF	21-1/2 x 70-1/2"	WU2272HF								117.0#	
Rectangular Tables - 22"D											
22-48" adjustable heightsAdjustable glides											
	23-1/2 x 46-1/2"	WU2448HF								99.0#	
WUHF	23-1/2 x 52-1/2"	WU2454HF								104.0#	
Rectangular Tables - 24"D	23-1/2 x 58-1/2"	WU2460HF								110.0#	
22-48" adjustable heights	23-1/2 x 64-1/2"	WU2466HF								116.0#	
 Adjustable glides 	23-1/2 x 70-1/2"	WU2472HF								122.0#	
	29-1/2 x 46-1/2"	WU3048HF								114.0#	
WUHF	29-1/2 x 52-1/2"	WU3054HF								121.0#	
Rectangular Tables - 30"D	29-1/2 x 58-1/2"	WU3060HF								128.0#	
 22-48" adjustable heights 	29-1/2 x 64-1/2"	WU3066HF								135.0#	
Adjustable glides	29-1/2 x 70-1/2"	WU3072HF								142.0#	
	35-1/2 x 46-1/2"	WU3648HF								123.0#	
WUHF	35-1/2 x 52-1/2"	WU3654HF								132.0#	
Rectangular Tables - 36"D	35-1/2 x 58-1/2"	WU3660HF								140.0#	
 22-48" adjustable heights 	35-1/2 x 64-1/2"	WU3666HF								148.0#	
Adjustable glides	35-1/2 x 70-1/2"	WU3672HF								156.0#	
B	23-1/2 x 34-1/2 x 37-5/8"	WUC2436HF								105.0#	
	29-1/2 x 46-1/2 x 48-7/8"	WUC3048HF								145.0#	
WUHF											
Rectangular 120° Corner Tables											
22-48" adjustable heights120° angleAdjustable glides											
		A	3	0	0	(3	(3	Э	0		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

54B	- 1-1/4" Vinyl bullnose
74P	- 74P edge
PL	- Postformed edge
KN	- Knife edge

Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$46

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

• Select electric control.

S - Standard switch

- Deluxe switch; add \$111

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

G Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select inner column finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



WorkUp® Tables ANSI HFES Electric Adjustable Height

,	I-1/4" Vinyl						
	Bullnose	74P	Edge P	ostf	ormed Edge K	(nif	fe Edge
	54B)	(74F		PL)	·	KN	•
\$	3 2327			24			2513
	2360		2462		529		2560
	2370		2473		538		2571
	2416		2534		632		2635
	2424	:	2543	26	640	- 1	2644
\$	3 2327			24			2513
	2360		2464		529		2560
	2370		2473		539		2571
	2416		2535		632		2636
	2425		2543		641		2644
\$	3 2425			2			2622
	2499		2607		689		2711
	2507		2617		700		2722
	2555		2680		787		2802
	2564		2690		798		2811
\$	2454			26			2660
	2531		2649		754		2842
	2541		2660		765		2780
	2590		2685		792		3089
	2600		2696		802		3100
\$	2492		2607				2728
	2653	1	2768		N/A		2962

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

WorkUp® Tables Counter Balance Adjustable Height

			MODEL NUM	/IBER						
	MODEL	AxBxC	Basic Model	Edge Style	Base	Edge Color	Surface Finish	Base Finish	Column Finish	
^	Rectangular Tables - 22"D	21-1/2 x 46-1/2"	WU2248CB							
	Designed to support 15 to 45 lbs of	21-1/2 x 52-1/2"	WU2254CB							
	equipment (special weight ranges avail- able on request)	21-1/2 x 58-1/2"	WU2260CB							
B	 28-47" adjustable heights 	21-1/2 x 64-1/2"	WU2266CB							
WUCB	Base color is for foot only	21-1/2 x 70-1/2"	WU2272CB							
	Column color is for complete column and under structure									
	Rectangular Tables - 24"D	23-1/2 x 46-1/2"	WU2448CB							
WUCB	 Designed to support 15 to 45 lbs of equipment (special weight ranges avail- 	23-1/2 x 52-1/2"	WU2454CB							
	able on request)	23-1/2 x 58-1/2"	WU2460CB							
	 28-47" adjustable heights 	23-1/2 x 64-1/2"	WU2466CB							
	Base color is for foot only	23-1/2 x 70-1/2"	WU2472CB							
	Column color is for complete column and under structure									
	Rectangular Tables - 30"D	29-1/2 x 46-1/2"	WU3048CB							
WUCB	Designed to support 15 to 45 lbs of	29-1/2 x 52-1/2"	WU3054CB							
	equipment (special weight ranges avail- able on request)	29-1/2 x 58-1/2"	WU3060CB							
	• 28-47" adjustable heights	29-1/2 x 64-1/2"	WU3066CB							
	Base color is for foot only	29-1/2 x 70-1/2"	WU3072CB							
	Column color is for complete column and under structure									
	Rectangular Tables - 36"D	35-1/2 x 46-1/2"	WU3648CB							
WUCB	Designed to support 15 to 45 lbs of	35-1/2 x 52-1/2"	WU3654CB							
	equipment (special weight ranges avail- able on request)	35-1/2 x 58-1/2"	WU3660CB							
	28-47" adjustable heights	35-1/2 x 64-1/2"	WU3666CB							
	 Base color is for foot only 	35-1/2 x 70-1/2"	WU3672CB							
	 Column color is for complete column and under structure 									
	Rectangular 120° Corner Tables	23-1/2 x 34-1/2 x 37-5/8"	WUC2436CB							
	 Designed to support 15 to 45 lbs of 	29-1/2 x 46-1/2 x 48-7/8"	WUC3048CB							
	equipment (special weight ranges avail-	20 1/2 × 10 1/2 × 10 1/0								
	able on request)28-47" adjustable heights									
WUCB	• 120° angle									
	Base color is for foot only									
	 Column color is for complete column and under structure 									
	מווע עוועטו זוועטנעוט									
			· ·	B	•	0	•	•	О	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

54B	- 1-1/4" Vinyl bullnose	Ī
74P	- 74P edge	
PL	- Postformed edge	
KN	- Knife edge	Ī

Select base option.

G - Glides (4 glides)

R - Rolling base (1 foot w/rollers,
1 foot w/glides); add \$46

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect inner column finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



103.0#

139.0#

\$ 2307

2474

\$ 2423

2590

WorkUp® Tables Counter Balance Adjustable Height

Approx		1-1/4" Vinyl					•		
Packag	ed	Bullnose	74F	Edge		ostforme			ife Edge
Weight		(54B)	(74	_	(P			(KN	
93.0)#	\$ 2149	\$	2239	\$	2245	\$	\$	2289
98.0)#	2192		2295		2313			2361
102.0)#	2206		2309		2328			2373
107.0	#	2247		2367		2375			2464
112.0)#	2258		2378		2388			2475
96.0)#	\$ 2149	\$	2239	\$	2244	\$	\$	2289
101.0		2192		2295		2312			2361
106.0)#	2206		2309		2327			2373
111.0		2247		2367		2373			2464
116.0		2258		2378		2387			2475
7.000		2200		20.0		200.			20
109.0	#	\$ 2191	¢	2288	\$	2262	•		2350
115.0		2240		2348	Ψ	2298	4		2430
122.0				2362		2313			2443
		2250							
128.0		2287		2412		2362			2533
134.0	l#	2297		2424		2375			2544
119.0		\$ 2233		2337	\$	2344	\$		2435
126.0		2283		2402		2380			2595
134.0		2297		2416		2394			2537
141.0)#	2361		2456		2493			2860
149.0)#	2372		2467		2505			2872
								_	

N/A

N/A

\$ 2543

2783

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

ΚI 1330 Bellevue Street P.O. Box 8100 1-800-424-2432 www.ki.com

Green Bay, Wisconsin 54308-8100

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2012 KI All Rights Reserved. Litho in USA. Code KI-11585/KI/PDF/312