
January 3, 2011 Updated July 1, 2014 800-424-2432





Contents
Refer to KI Terms & Conditions document or visit ki.com.

True® Desking Specifications		2	
True® Desking Typicals		4	
True® Desking System	Rectangular Desk	6	
	Bow Front Desk	10	
	Corner Desk	12	
	Square Shoe Desk	20	
	D-Shaped Desk	28	
	P-Shaped Desk	36	
	Piano Desk	44	
	Transitional Desk	52	
	Add-On Worksurfaces	56	
	Transaction Worksurfaces	58	
True® Desking System Components	Privacy Screens - Exposed Frame	62	
	Privacy Screens - Upholstered	66	
	Worksurface Dividers	74	
	Tool Rails	76	
	Paper Management	78	
	Balance® Overhead Storage	82	
	Balance® Task Lights	88	
	Universal Overhead Storage	90	
	Universal Overhead Shelves and Divider	98	
	Universal Overhead and Shelves Task Lights	100	
True® Desking System Accessories	Center Drawer	102	
	Grommets	104	
	Corner Power Infeed Leg	106	
	Modesty Panel Inserts	108	
	Worksurface Accessories	110	
True® Desking System Data/Comm.	Accessories	112	
True® Desking System Electrical	Electrical	114	
Index		124	

True® Desking Specifications

Basic Worksurfaces

Worksurfaces shall define the shape of the workstation and provide support for over-head storage, hanging pedestals, electrical componentry, and privacy screens.

Rectangular Worksurfaces

Laminated worksurfaces shall be constructed from 1-1/8" medium density fiberboard with a .030 high-pressure laminate surface or veneer and a .030 phenolic backing sheet with a choice of three edge styles: 74P, 74P with knife edge along front, or 3/8" wood. PVC edge shall be available in multiple colors. The knife edge shall only be applied to the front edge of the worksurface and extend 2" beyond the desk frame. The wood edge shall be constructed from natural red oak and be available in a clear finish (standard) or in a maple wood band with additional stains. Worksurfaces shall be available in 24", 30", 36", 42", 48", 54", 60", 66", and 72" widths, 24" and 30" depths, and 29" height.

Rectangular worksurfaces up to 60" wide shall include two triangular worksurface grommets and covers, located in the back corners of each worksurface. 66" and 72" wide worksurfaces shall have an optional third triangular worksurface grommet and cover located near the back center of the desk. Grommets shall be molded from polycarbonate and available in colors or translucent. Worksurfaces that are 60", 66", and 72" wide shall have an integrated steel reinforcement to allow adequate support for load bearing. All worksurfaces shall have pre-drilled holes for attachment to the desk frame.

Two leg supports shall support the worksurface and be formed of 16-gauge steel, overall dimensions shall be $6.00 \times 6.00 \times 27.25$, with 16-gauge internal reinforcements resistance welded for additional strength. The leg assemblies shall be attached to the underside of the worksurface from above by use of threaded inserts. A steel leg cover on inside of desk shall be standard and removable without tools. A glide shall be attached to the bottom of the leg for up to 1" of adjustability. Two 3.25" x 2.25" grommets and covers molded from polycarbonate shall be standard on the top of each leg side.

The modesty panel beam shall be formed of 18-gauge steel, overall dimensions are 3.00 x 9.00 x length determined by size of worksurface. The modesty panel beam shall be attached to leg supports and the underside of the worksurface, will provide support for the worksurface and allow electrical and data cable to be run along the width of the desk. Plastic worksurface spacers shall provide a 1/4" stand off distance between the worksurface and modesty panel beam and snap into place for easier assembly.

An optional lower modesty panel shall be formed of 18-gauge steel, overall dimensions are 1.00 x 18.00 x length determined by size of worksurface. The lower modesty panel shall be attached to the leg supports and provide full enclosure of the desk back from

floor to the modesty panel beam.

Two end panels shall support the worksurface and be formed of 18-gauge steel with an 18gauge steel reinforcement resistance welded for strength. The end panel shall have a honevcomb core for additional strength and noise reduction. Overall dimensions shall be 1.25 x 27.00 x depth determined by worksurface size or configuration. Standard depths shall be 9" for transitional depth, 18" for 24" worksurfaces and 24" for 30 worksurfaces. End panel assembly shall be attached to the underside of the worksurface and leg assembly. Plastic worksurface spacers shall provide a 1/4" stand off distance between the worksurface and end panel and snap into place for easier assembly. A glide shall be attached to the bottom of the end panel for up to 1" of adjustability.

All steel desk components shall be powder-coated or otherwise finished.

Rectangular Reduction Worksurface

Rectangular reduction worksurfaces shall have the same basic construction as the rectangular worksurfaces. Worksurfaces shall have two curving arcs along the front edge that transition from a depth of 30" on one end and 24" on the opposite end.

Bow Front Worksurface

Bow front worksurfaces shall have the same basic construction as the rectangular worksurfaces. These worksurfaces shall have a depth of 30° or 36" with a radius edge that extends 6" from the desk support structure on the visitor side. Worksurfaces shall only be available in 60°, 66', and 72" widths, without the center grommet and cover.

Corner Worksurface

Corner worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional leg support, modesty panel beam, and optional lower modesty panel. Depths of 24" and 30" and widths of 42" and 48" shall be standard. Worksurfaces shall have three grommets and covers, one per corner, located in the back corners of each worksurface as standard.

P-Shaped and Piano Shaped Worksurfaces

P-shaped and piano shaped worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional round support leg and modesty panel. The round support leg shall be attached towards the rounded front end of the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for up to 1" of adjustability. The modesty panel shall be constructed from 18-gauge steel and extend 9" from the underside of the worksurface. Worksurfaces shall be available in 60", 66" and 72" depths and 48" widths.

D-Shaped Worksurfaces

D-shaped worksurfaces shall have the same basic construction as the rectangular worksurfaces with an additional round support leg and modesty panel. The round support leg shall be attached towards the rounded end of

the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for up to 1" of adjustability. Worksurfaces shall be available in 24", 30" or 36" widths and 48", 54", 60", 66" and 72" depths.

Round Add-On Worksurface

Round add-on worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. They shall be available in 36" diameter with a 24" flat and 42" diameter with a 30" flat. A round support leg shall support the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for 1" of adjustability. Two steel splice plates and hardware shall be included to attach the round add on worksurface to a rectangular worksurface.

Half Round and Quarter Round Add-On Worksurfaces

Half round and quarter round add-on worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. They shall be available in 48" diameter and 60" diameter. A round support leg shall support the worksurface and be constructed from 4" diameter, 14-gauge steel, and be fitted with a glide for 1" of adjustability. Four steel splice plates and hardware shall be included to attach the half round add on worksurface to two back to back rectangular worksurfaces. Four steel splice plates and hardware shall be included to attach the quarter round add on worksurface to two rectangular worksurfaces that are perpendicular to each other.

Transaction Worksurface

Transaction worksurfaces shall be available with the same edge treatments as the rectangular worksurfaces. Worksurfaces shall attach via two support stanchions to rectangular worksurfaces and three support stanchions to corner worksurfaces. The worksurfaces shall be available in 16" depth with a 4" overhang in overall sizes that match the base rectangular and corner workstations. Worksurfaces shall be available in 31" wheelchair accessible height or 42" stand-up height.

Backpack Wire Trough Component Kit

Backpack wire trough components shall allow for lay-in wiring along the back of workstation. The kit shall consist of a pair of trough mounting brackets attached to the leg supports and constructed from 16-gauge steel, three 1.25" x .92" wire troughs constructed from 18-gauge steel that span the width of a desk, and a cover constructed from 18-gauge steel capable of being opened without the use of any tools. Applicable end trim, corner, and splice components shall also be available for the cover.

Electrical

Power shall be supplied through a UL listed 10-wire system available in two different configurations that are not interchangeable: 6 hot wires, 2 neutral wires, and 2 ground wires or 4 hot wires, 4 neutral wires, and 2 ground wires. The system shall have a rated capacity of 120 VAC@ 20 amps.

A rigid one-piece wireway shall be attached to the inside of the modesty panel beam by two 16-gauge steel brackets and hardware and be covered by an 18-gauge steel cover. The wireway design shall allow for easy connection of the wireway of one desk to another through the use of a jumper. All desks 30" and wider shall be ready to accept electrical components.

The receptacles for the system shall be snap fit into the wireways and be rated for 15 amps.

The electrical system shall allow for a method of passing power from one powered desk through the modesty panel beam of a non-powered desk and connected to the wireway of a third desk. This power pass through shall attach with snap fit connections.

The electrical system shall allow power to infeed from the top of the desk through the triangular grommet in the worksurface. The top infeed kit shall include 12' of flexible metal conduit with a snap fit attachment to the wireway on one end and open whip on the other, a 7' or 10' extruded aluminum power pole and cover, and ceiling trim. The interior of the power pole shall be divided into two cavities for power and communication cable management.

The electrical system shall allow for power to infeed from the base of the desk through the lower leg grommet or leg cover. The base infeed kit shall include 6' of plastic covered flexible conduit that transitions into flexible metal conduit with a snap fit attachment to the wireway on one end and open whip on the other. A relocatable power tap (RPT) shall provide above worksurface power to the support stanchions from an installed 10-wire electrical system or use of the building outlets. Two RPT's, each containing two 15 amp outlets, shall be mountable per stanchion. Cord lengths shall be available in 36" or 96".

A steel bracket shall be available to attach to the underside of the modesty panel beam near the worksurface. It shall have a 1.38" x 2.70" opening to accept several different manufacturers data faceplates and the RPT.

Pedestal Storage

Pedestal storage for True® shall be provided by KI's 700 Series, 700 Series Curve, and E-Series® Pedestals. 3 pedestals shall be available in 2 depths, 17-5/8" that may be used with any depth worksurface, 21-5/8" for maximum storage under a 30" worksurface. Multiple drawer combinations shall be available.

The 12" file drawer sizes shall have full extension slide arm suspensions for full access to storage space. The 3" pencil drawers and 6" box drawers shall have 3/4" extension, steel ball-bearing suspension.

Locks shall be included in each pedestal. Specific keying combinations shall be available. See Key Options.

True® Desking Specifications



Mobile Pedestals

Mobile pedestals shall have a finished top and 4 twin wheel hooded casters. Front casters shall be locking and back casters shall be non-locking. A counterbalance weight shall be included with each unit.

Freestanding Pedestals

Freestanding pedestals shall have a finished top and 4 adjustable glides. They shall be placed under a worksurface or anywhere else in the office. A counterbalance is optional.

Center Drawer

The center drawer shall mount below a 24" or 30" deep worksurface which has an 18" wide clearance. The drawer pan shall be constructed of 22-gauge steel with a hem along the front edge for safety and strength. A deep rib shall form a pencil tray and provide additional strength and a double flange across the back shall prevent spillage of contents. The drawer sides shall be 20-gauge with a hem along the top edge for safety. The drawer shall run on a pair of full extension, ball-bearing suspensions and shall be available with or without a lock, keyed randomly as standard. Field drilling for installation shall be necessary.

Privacy Screens

Privacy screens shall be available to provide sit down or stand up privacy within the True® workstation. Screens shall be 3/4" or 1" thick, 18-1/4", 21" or 38" high and available in 24", 30", 36", 42", 48", 54", 60", 66" and 72" widths to fit all worksurfaces. The 66" and 72" widths shall consist of a pair of screens (1) 30" plus (1) 36" screen for 66" applications and (2) 36" screens for 72" applications. The screens shall include mounting brackets for attachment to either the overhead supports, the underside of the worksurface, the top of the worksurface, or with a combination of attachment to an overhead support and a worksurface top.

Two privacy screen construction methods shall be available: two 1/2" industrial insulation boards, covered with fabric and glued together or an exposed, powder-coated aluminum frame. The exposed frame construction shall allow for different core materials to be inserted.

Overhead Support Stanchions

The overhead support stanchions shall be formed of 16-gauge steel, with overall dimensions of 6.00° x 6.00° x 19.50°. A reinforcement plate constructed of 16-gauge steel shall be welded in place to provide additional strength and have 4 cutouts to accommodate either commercially available data plates or two RPT's. Support stanchions shall be designed to hinge open to allow access to the inside of the overhead support stanchions. A flexible rubber trim piece shall allow power or data cables to be run from the worksurface into the overhead support stanchions with the covers closed.

Overhead Storage

Overhead storage shall consist of the Balance® overhead and Universal overhead

and shelves. Overhead storage shall attach to worksurface with two overhead support stanchions. 24", 30", 36", 42", 48", 54", 60", 66" and 72" sizes shall be available. 66" and 72" overheads shall incorporate a single shelf with two doors

Shelf dividers shall be power-coated steel with installation and removal accomplished without the use of tools or fasteners.

Universal overheads and shelves shall be 17" high and shall have 19-1/2" clearance between the worksurface and the bottom of shelf. Overhead doors shall be available with painted steel, fabric, laminate, or veneer, with a PVC extrusion handle. Locks shall be randomly assigned or keyed per customer requests.

The end panels shall be constructed of 14-gauge steel and have self-locking mounting tabs formed into the back edge. The shelf, back, and top shall be constructed from 18-gauge steel. The front edge of the shelf shall be a PVC extrusion that also provides space for a concealed flush mount task light.

Balance® overheads shall be 17" high and have 19-1/2" clearance between the worksurface and the bottom of shelf. The upper door shall be available in colored or translucent extruded rigid PVC with spatter-coat finish, fabric, or laminate applied. The overall door thickness shall be 3/8". The lower door shall be an aluminum extrusion and be ergonomic in design. A center lock mechanism shall be utilized between the upper and lower doors for security.

The overhead doors shall be effortlessly operated from either a seated or standing position through use of the upper or lower door. The upper door and lower door shall be synchronized in motion through the use of two 10-gauge linkages. The doors shall be assisted with two extension springs and require less than 5 pounds of force to operate. The upper door shall open over the outside of the case.

Task Lights

Task lights shall be offered in one standard level of efficiency and cost. The standard light shall have a magnetic high power ballast with rapid start, cool white T-8 fluorescent lamp. Task lights shall attach to the underside of the shelf on overhead cabinets.

Paper Management System

The paper management system shall address the storage and movement of files, binders, and documents. Components shall be available with integrated hooks for attachment to the work har

The paper management system shall include the following components: Tool Rail, Paper Tray, Diagonal Storage Unit, Vertical Storage Unit, Hanging File Folder Holder, Telephone Caddy, CD Holder, Accessory Tray, and a Pencil Cup.

Kev Options

There are various key options available depending on the component model. The key alike option (KA) allows multiple components of a workstation to be keyed alike. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The No lock core (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

ANSI/BIFMA

True® desking shall meet or exceed the required ANSI/BIFMA X5.5-2008 desk systems test.

Quality

All True® desking components shall originate from ISO 9000, ISO 9001 or ISO 9002 registered facilities.


UL Listed

True® desks shall be listed to applicable UL standards and requirements by Underwriters Laboratories Inc. Two of the standards used to evaluate True® desks are UL 1286 Office Furnishing and UL 723 Standard Test for Surface Burning Characteristics of Building Materials.

Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.


True® Desking Typicals



30" x 60" Rectangular Desk with Partial Modesty Panel, 74P Edge, Standard End Panels

700 Series Freestanding Pedestal - Box/Box/File

Model No. TR3060/P-74P-S-NCG Price \$1,310 S7P/1524FBBF \$696 \$2,006 **Total Price**




30" x 60" Rectangular Desk with Full Modesty Panel,

74P Edge, Standard End Panels
24" x 28" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel

700 Series Freestanding Pedestal - Box/Box/File

Model No. **Price** TR3060/F-74P-S-NCG TR2448/F-74P-L \$1,591 \$1,378 S7P/1524FBBF \$696 **Total Price** \$3,665




30" x 60" x 48" x 30" Square Shoe Desk with Full/Full Modesty Panel, 74P Edge,

Right Transitional End Panel 30" x 48" x 66" Piano Shaped Desk with Full Modesty Panel and Guest Modesty Panel, 74P Edge, Both Transitional End Panels

700 Series Freestanding Pedestal - Box/Box/File

Model No. **Price** TS30604830/F/FS-74P-R-NCG \$2,397 TI304866/F/G-74P-B \$2,192 S7P/1524FBBF \$696 **Total Price** \$5,285



30" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels 24" x 42" Rectangular Desk with Full Modesty Panel, 3mm PVC Edge, Left Transitional End Panel 30"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered 42"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered, Mounted Behind the


Worksurface, Upholstered

66"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered

700 Series Freestanding Pedestal - Box/Box/File

700 Series Freestanding Pedestal - Box/Box/File

Model No.	Price
TR3060/F-74P-S-NCG	\$1,591
TR2442/F-74P-L	\$1,320
TBW2030	\$222
TBW2042	\$324
TBW2066	\$498
S7P/1524FBBF	\$696
S7P/1520FBBF	\$660
Total Price	\$5.311



30" x 60" Rectangular Desk with Partial Modesty Panel, 374P Edge, Standard End Panels with Center Grommet to Mount Overhead Shelf

24" x 48" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel

30"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered

48"W x 20"H Privacy Screen, Mounted Behind the Worksurface, Upholstered

60"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered

60"W Universal Overhead Regular Shelf Mounted on Stanchions

700 Series Freestanding Pedestal - Box/Box/File

700 Series Freestanding Pedestal - File/File

Model No.	Price
TR3060/P-74P-S-NCG	\$1,310
TR2448/F-74P-L	\$1,378
TBW2030	\$222
TBW2048	\$370
TBS60/U	\$437
URSR60/TR	\$625
S7P/1524FBBF	\$696
S7P/1520FFF	\$628
Total Price	\$5,666


True[®] Desking Typicals






- 30" x 72" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels with Center Grommet to Mount Overhead Cabinet
- 72"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered
- 72"W Balance Solid Color Overhead Cabinet Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File
- 700 Series Freestanding Pedestal File/File

Price
\$1,743
\$536
\$2,208
\$696
\$660
\$5,843




- 30" x 72" Rectangular Desk with Full Modesty Panel, 74P Edge, Standard End Panels with Center Grommet to Mount Overhead Cabinet
- 24" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Left Transitional End Panel
- 72"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered 72"W Balance Solid Color Overhead Cabinet
- Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File

Model No.	Price
TR3072/F-74P-S-YCG	\$1,743
TR2460/F-74P-L	\$1,499
TBS72/U	\$536
BLCS72D/TR	\$2,208
S7P/1524FBBF	\$696
Total Price	\$6,682



- 24" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Right Transitional End Panel 24" x 48" x 72" x 24" Square Shoe Desk with Full Modesty/Full Modesty Panels, 74P Edge, Left Transitional End Panel 50" W x 10" H
- 60"W x 19"H Privacy Screen, Mounted Between Stanchions, Upholstered 60"W Balance Solid Color Overhead Cabinet
- Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File

Model No.	Price
TR2460/F-74P-R	\$1,499
TS24487224/F/FS-74P-L-NCG	\$2,318
TBS60/U	\$437
BLCS60/TR	\$1,371
S7P/1520FBBF	\$660
Total Price	\$6,285



- 24" x 60" Rectangular Desk with Full Modesty Panel, 74P Edge, Right Transitional End Panel 24" x 48" x 72" x 24" Square Shoe Desk with Full Modesty/Full Modesty Panels, 74P Edge, Left Transitional End Panel
- 60"W x 19"H Privacy Screen, Mounted Between
- Stanchions, Upholstered
 48"W x 20"H Privacy Screen, Mounted Behind
 the Worksurface, Upholstered
 72"W x 20"H Privacy Screen, Mounted Behind
 the Worksurface, Upholstered
 60"W Balance Solid Color Overhead Cabinet
- Mounted on Stanchions
- 72"W Universal Overhead Regular Shelf Mounted on Stanchions
- 700 Series Freestanding Pedestal Box/Box/File

Model No.	Price
TR2460/F-74P-R	\$1,499
TS24487224/F/FS-74P-L-NCG	\$2,318
TBS60/U	\$437
TBW2048	\$370
TBW2072	\$548
BLCS60/TR	\$1,371
URSR72/TR	\$952
S7P/1520FBBF	\$660
Total Price	\$8,155

Rectangular Desk

			MODEL N	MODEL NUMBER								
	MODEL	D x W	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
	Rectangular Desk with Full Modesty	24 x 24"	TR2424/F			NCG						
	Panel	24 x 30"	TR2430/F			NCG						
	 Consists of top, two legs, modesty panel, filler panel (full modesty panel), 	24 x 36"	TR2436/F			NCG						
	two end panels (optional transitional	24 x 42"	TR2442/F			NCG						
	size), ganging plates, and all required	24 x 48"	TR2448/F			NCG						
(B) Both transitional	assembly hardware	24 x 54"	TR2454/F			NCG						
	 Each leg has two cable access grommet locations 	24 x 60"	TR2460/F			NCG						
	Top has two cable access grommets	24 x 66"	TR2466/F									
	above the legs (66" and 72" wide have	24 x 72"	TR2472/F									
	optional third middle grommet used for	30 x 24"	TR3024/F			NCG						
(L) Left transitional	mounting stanchions and not intended for routing cables)	30 x 30"	TR3030/F			NCG						
	Top grommets allow for attachment	30 x 36"	TR3036/F			NCG						
	of overhead storage units or privacy	30 x 42"	TR3042/F			NCG						
	screensModesty panel allows for optional	30 x 48"	TR3048/F			NCG						
	10-wire electrical system (see Electrical	30 x 54"	TR3054/F			NCG						
	section)	30 x 60"	TR3060/F			NCG						
(R) Right transitional	Pricing is for two transitional end	30 x 66"	TR3066/F									
_	panels, see "HOW TO BUILD A MODEL NUMBER" below for more options	30 x 72"	TR3072/F									
	NOTE: Rectangular worksurfaces speci-											
	fied with a knife (KN) edge cannot be											
	ganged at 90 degree angles.											
(S) Two full end panels												
TRUE												
			A	B	Θ	O	(3	()	Ф	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 KN is not recommended in L-Shaped configurations.

74P - 74P edge

KN - Knife edge

34S - 3/8" Wood band edge

VN - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select end panel.

B - Two transitional end panels
L - Left transitional end panel;

add \$58

R - Right transitional end panel;

add \$58

S - Two full end panels; add \$116

OSelect desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select leg and surface grommet color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
 Surface finish offerings are based on edge style selections.
- Select edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections.

- Select frame grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Rectangular Desk

Approx.	74D Edge	Vnifo Edgo	3/8" Wood	Wood Edge Vencer	
Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)	
57.0#	\$ 1314	\$ 1427	\$ 1631	\$ 1748	
84.0#	1334	1449	1658	1777	
93.0#	1371	1488	1701	1819	
100.0#	1447	1571	1791	1917	
108.0#	1513	1636	1863	1993	
115.0#	1573	1702	1933	2067	
128.0#	1651	1784	2022	2159	
136.0#	1727	1865	2112	2257	
144.0#	1826	1971	2231	2379	
89.0#	1349	1466	1678	1798	
97.0#	1370	1488	1702	1821	
107.0#	1415	1537	1758	1881	
116.0#	1479	1606	1833	1962	
125.0#	1558	1686	1920	2052	
133.0#	1618	1750	1992	2128	
142.0#	1697	1834	2084	2224	
152.0#	1758	1899	2155	2298	
160.0#	1871	2018	2287	2441	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Rectangular Desk

MODEL NUMBER												
	MODEL	D x W	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
	Rectangular Desk with Partial Modesty	24 x 24"	TR2424/P			NCG						
_	Panel	24 x 30"	TR2430/P			NCG						
	 Consists of top, two legs, modesty panel, two end panels (optional tran- 	24 x 36"	TR2436/P			NCG						
	sitional size), ganging plates, and all	24 x 42"	TR2442/P			NCG						
	required assembly hardware	24 x 48"	TR2448/P			NCG						
(B) Both transitional	 Each leg has two upper cable access 	24 x 54"	TR2454/P			NCG						
(=, = + =	grommet locations Top has two cable access grommets	24 x 60"	TR2460/P			NCG						
	above the legs (66" and 72" wide have	24 x 66"	TR2466/P									
	optional third middle grommet used for	24 x 72"	TR2472/P									
	mounting stanchions and not intended	30 x 24"	TR3024/P			NCG						
(L) Left transitional	for routing cables) Top grommets allow for attachment of	30 x 30"	TR3030/P			NCG						
(-)	overhead storage units	30 x 36"	TR3036/P			NCG						
	 Modesty panel allows for optional 	30 x 42"	TR3042/P			NCG						
	10-wire electrical system (see Electrical section)	30 x 48"	TR3048/P			NCG						
	Pricing is for two transitional end	30 x 54"	TR3054/P			NCG						
	panels, see "HOW TO BUILD A MODEL	30 x 60"	TR3060/P			NCG						
(R) Right transitional	NUMBER" below for more options	30 x 66"	TR3066/P									
	 NOTE: Rectangular worksurfaces speci- fied with a knife (KN) edge cannot be 	30 x 72"	TR3072/P									
	ganged at 90 degree angles.											
(S) Two full end panels												
()												
TRUE												
			A	B	•	0	(3	•	œ	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

KN is not recommended in L-Shaped configurations.

74P - 74P edge

KN - Knife edge

34S - 3/8" Wood band edge

VN - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select end panel.

B - Two transitional end panels
L - Left transitional end panel;

add \$58

R - Right transitional end panel;

add \$58

S - Two full end panels; add \$116

OSelect desk center grommet option.

NCG - No center grommet
NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

 Surface finish offerings are based on edge style selections.
- Select edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections.

- Select frame grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Rectangular Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
52.0#	\$ 1138	\$ 1248	\$ 1455	\$ 1572	
78.0#	1156	1273	1481	1601	
85.0#	1180	1296	1511	1630	
91.0#	1235	1353	1578	1704	
97.0#	1254	1381	1606	1734	
103.0#	1293	1423	1654	1786	
114.0#	1330	1465	1704	1840	
120.0#	1385	1522	1770	1914	
127.0#	1444	1587	1850	2000	
84.0#	1175	1289	1503	1621	
91.0#	1189	1310	1523	1645	
99.0#	1223	1345	1568	1691	
107.0#	1264	1392	1620	1750	
114.0#	1300	1432	1664	1797	
121.0#	1338	1469	1711	1849	
128.0#	1377	1515	1764	1904	
136.0#	1415	1555	1811	1957	
143.0#	1489	1636	1905	2059	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Bow Front Desk

			MODEL	NUMBER								
	MODEL	D x W	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
	Bow Front Desk with Full Modesty Panel	30 x 60"	TE3060		S	NCG						
	•	30 x 66"	TE3066		S	NCG						
۲ <u> </u>	 Consists of top, two legs, modesty panel, filler panel (full modesty panel), 	30 x 72"	TE3072		S	NCG						
	and standard depth end panels	36 x 60"	TE3660		S	NCG						
TRUE	Each leg has two cable access grommet	36 x 66"	TE3666		S	NCG						
	locations	36 x 72"	TE3672		S	NCG						
	 Top has two cable access grommets above the legs 											
	Modesty panel allows for optional											
	10-wire electrical system (see Electrical											
	section) • "Guest" side of desk has a 6" deep bowed											
	overhang worksurface edge											
	Pedestals ordered with Bow Front Desks											
	are required to be undersized from the desk's depth by 12"											
	dook o dopin by 12											
			A	$oldsymbol{eta}$	$oldsymbol{\Theta}$	O	(3	(3)	O	(1)	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk. KN is not recommended in L-Shaped configurations.

 74P
 - 74P edge

 KN
 - Knife edge

 34S
 - 3/8* Wood band edge

 VN
 - Wood edge veneer

Select end panel.

S - Two full end panels only Price included in desk price.

- Select desk center grommet option.

 NCG No center grommet
- Select surface grommet color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

GSelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

- Select frame grommet color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Bow Front Desk

Approx				3/8" Wood	
Packa Weigh			Knife Edge (KN)		Wood Edge Veneer (VN)
134.0	0# \$	1881	\$ 2070	\$ 2410	\$ 2601
143.0	0#	1944	2138	2485	2684
151.0	0# 2	2058	2262	2632	2842
153.0	0# 2	2158	2376	2763	2982
163.0	0# 2	2232	2456	2858	3088
172.0	0# 2	2336	2570	2989	3228

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Corner Desk

D x W-LEFT x W-RIGHT 24 x 42 x 42 x 24*	Basic Model TC24424224/FF	Edge Style	End		Surface				
24 x 42 x 42 x 24"	TC24424224/FF		Panel	Center Grom.	Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
				NCG					
TRUE 24 x 48 x 48 x 24"	TC24484824/FF			NCG					
Corner Desk with Full Modesty Panel/ 30 x 48 x 48 x 30"	TC30484830/FF			NCG					
Full Modesty Panel									
See images below									
Consists of top, three legs, two									
modesty panels, two filler panels									
(full modesty panel), two end panels									
(optional transitional size), ganging plates, and all required assembly									
hardware									
Each leg has two cable access grom-									
met locations Top has three cable access grommets									
above the legs									
Top grommets allow for attachment									
of overhead storage units Modesty panel allows for optional 10-									
wire electrical system (see Electrical									
section)									
Pricing is for two transitional end Pricin									
panels, see "HOW TO BUILD A MODEL NUMBER" below for more									
options	A	B	•	0	(3	(3)	G	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

Knife edge (KN) adds 2" to the depth of the desk on the user's side

	the user's side.	
74P	- 74P edge	
KN	- Knife edge	
348	- 3/8" Wood band edge	
VN	- Wood edge veneer	

©Select transition end panels.

B - Two transitional end panels
L - Left transitional end panel;
add \$58

R - Right transitional end panel; add \$58

- Two full end panels; add \$116

- Select desk center grommet option.

 NCG No center grommet
- Select surface grommet color.
 Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Gelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select desk color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx.		3/8" Wood		
Packaged 74P Edge	Knife Edge	Band Edge	Wood Edge Veneer	
Weight (74P)	(KN)	(34S)	(VN)	
142.0# \$ 1854	\$ 1996	\$ 2255	\$ 2397	
156.0# 2076	2232	2514	2673	
171.0# 2114	2277	2565	2727	

FINISH INFORMATION

Additional Laminate Offering


Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code


KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.

Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Corner Desk

		MODEL NUMBE	R							
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	24 x 42 x 42 x 24"	TC24424224/FP			NCG					
TRUE	24 x 48 x 48 x 24"	TC24484824/FP			NCG					
Corner Desk with Full Modesty Panel/	30 x 48 x 48 x 30"	TC30484830/FP			NCG					
Partial Modesty Panel										
- Cas images halou										
See images belowConsists of top, three legs, two										
modesty panels, one filler panel (full										
modesty panel), two end panels										
(optional transitional size), ganging plates, and all required assembly										
hardware										
• Each leg has two cable access grom-										
met locations Top has three cable access grommets										
above the legs	'									
Top grommets allow for attachment										
of overhead storage units • Modesty panel allows for optional 10-										
wire electrical system (see Electrical										
section)										
 Pricing is for two transitional end panels, see "HOW TO BUILD A 										
MODEL NUMBER" below for more										
options										
		A	₿	$oldsymbol{\Theta}$	0	(3	(3)	G	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

Knife edge (KN) adds 2" to the depth of the desk on the user's side

	the user's side.	
74P	- 74P edge	Ī
KN	- Knife edge	
348	- 3/8" Wood band edge	
VN	 Wood edge veneer 	

©Select transition end panels.

B - Two transitional end panels
L - Left transitional end panel;
add \$58

R - Right transitional end panel; add \$58

- Two full end panels; add \$116

- Select desk center grommet option.

 NCG No center grommet
- Select surface grommet color.

 Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Gelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood

Select frame grommet color.

Refer to color addendum at ki.com or KI

edge colors.

Fabrics & Finishes binder.

Select desk color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx Packag		4P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer
Weigh		74P)	(KN)	(34S)	(VN)
133.0	# \$	1640	\$ 1783	\$ 2041	\$ 2187
146.0	#	1818	1974	2257	2419
161.0	#	1858	2018	2305	2472


FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Corner Desk

		MODEL NUMBE	R							
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	24 x 42 x 42 x 24"	TC24424224/PF			NCG					
TRUE	24 x 48 x 48 x 24"	TC24484824/PF			NCG					
Corner Desk with Partial Modesty	30 x 48 x 48 x 30"	TC30484830/PF			NCG					
Panel/Full Modesty Panel										
See images belowConsists of top, three legs, two										
modesty panels, one filler panel (full										
modesty panel), two end panels										
(optional transitional size), ganging plates, and all required assembly										
hardware										
• Each leg has two cable access grom-										
met locationsTop has three cable access grommets										
above the legs										
Top grommets allow for attachment										
of overhead storage units • Modesty panel allows for optional 10-										
wire electrical system (see Electrical										
section)										
 Pricing is for two transitional end panels, see "HOW TO BUILD A 										
MODEL NUMBER" below for more										
options										
							_			
		A	₿	$oldsymbol{\Theta}$	O	(3	(3)	G	0	0
		_								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side

162K OII	the user 5 side.	
74P	- 74P edge	
KN	- Knife edge	
348	- 3/8" Wood band edge	
VN	- Wood edge veneer	Π

Select transition end panels.

B - Two transitional end panels
L - Left transitional end panel;
add \$58

R - Right transitional end panel; add \$58

- Two full end panels; add \$116

- Select desk center grommet option.

 NCG No center grommet
- Select surface grommet color.

 Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Gelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select desk color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx.		_	3/8" Wood	
Packaged	74P Edge	Knife Edge	Band Edge	Wood Edge Veneer
Weight	(74P)	(KN)	(34S)	(VN)
 133.0#	\$ 1640	\$ 1783	\$ 2041	\$ 2187
146.0#	1818	1974	2257	2419
161.0#	1858	2018	2305	2472

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

True[®] Desking System

Corner Desk

		MODEL NUMBE	R								
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	
	24 x 42 x 42 x 24"	TC24424224/PP			NCG						
TRUE	24 x 48 x 48 x 24"	TC24484824/PP			NCG						
Corner Desk with Partial Modesty	30 x 48 x 48 x 30"	TC30484830/PP			NCG						
Panel/Partial Modesty Panel											
See images below Consists of ten, three lens two made											
 Consists of top, three legs, two modesty panels, two end panels (optional 											
transitional size), ganging plates, and											
all required assembly hardware											
 Each leg has two cable access grommet locations 											
 Top has three cable access grommets 											
above the legs											
 Top grommets allow for attachment of overhead storage units 											
 Modesty panel allows for optional 10- 											
wire electrical system (see Electrical											
section)											
 Pricing is for two transitional end panels, see "HOW TO BUILD A 											
MODEL NUMBER" below for more											
options											
		A	ß	0	O	(3	(3)	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 Knife edge (KN) adds 2" to the depth of the

	tile usel s slue.
74P	- 74P edge
KN	- Knife edge
34S	- 3/8" Wood band edge
VN	- Wood edge veneer

©Select transition end panels.

B - Two transitional end panels
L - Left transitional end panel;
add \$58

R - Right transitional end panel; add \$58

- Two full end panels; add \$116

- Select desk center grommet option.

 NCG No center grommet
- Select surface grommet color.
 Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge laminate (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Gelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge laminate (34S), select wood edge colors.

Select frame grommet color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select desk color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)
124.0#	\$ 1427	\$ 1571	\$ 1826	\$ 1972
135.0#	1563	1717	2001	2159
150.0#	1602	1762	2047	2210

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

True[®] Desking System

Square Shoe Desk

		MODEL NUMBER								
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	24 x 48 x 60 x 24"	TS24486024/F/FS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/F/FS								
Square Shoe Desk with Full Modesty	24 x 48 x 72 x 24"	TS24487224/F/FS								
Panel/Full Modesty Panel	24 x 60 x 48 x 24"	TS24604824/F/FS			NCG					
See images below	24 x 66 x 48 x 24"	TS24664824/F/FS								
Consists of top, three legs, two	24 x 72 x 48 x 24"	TS24724824/F/FS								
modesty panels, two filler panels	30 x 48 x 60 x 30"	TS30486030/F/FS			NCG					
	30 x 48 x 66 x 30"	TS30486630/F/FS								
	30 x 48 x 72 x 30"	TS30487230/F/FS								
	30 x 60 x 48 x 30"	TS30604830/F/FS			NCG					
	30 x 66 x 48 x 30"	TS30664830/F/FS								
met locations Top has three cable access grommets	30 x 72 x 48 x 30"	TS30724830/F/FS								
above the legs (66" and 72" wide have										
an optional fourth middle grommet										
used for mounting stanchions and not intended for routing cables)										
Top grommets allow for attachment										
of overhead storage units										
 Modesty panel allows for optional 10- 										
wire electrical system (see Electrical section)										
Pricing is for two transitional end										
panels, see "HOW TO BUILD A										
MODEL NUMBER" below for more										
options										
		A	ß	0	0	3	3	G	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

Knife edge (KN) adds 2" to the depth of the desk on the user's side

	the user 5 slue.	
74P	- 74P edge	
KN	- Knife edge	
348	- 3/8" Wood band edge	
VN	 Wood edge veneer 	

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- B Two transitional end panels
 L Left transitional end panel;
- add \$58

 R Right transitional end panel;
- add \$58

 S Two full end panels; add \$116

①Select desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
 Surface finish offerings are based on edge style selections.
- Select edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections.

- Select frame grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Square Shoe Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
177.0#	\$ 2404	\$ 2589	\$ 2828	\$ 2917	
186.0#	2492	2681	2929	3023	
193.0#	2584	2782	3035	3132	
177.0#	2404	2589	2828	2917	
186.0#	2492	2681	2929	3023	
193.0#	2584	2782	3035	3132	
195.0#	2616	2820	3088	3187	
205.0#	2719	2926	3208	3308	
211.0#	2845	3067	3355	3464	
195.0#	2616	2820	3088	3187	
205.0#	2719	2926	3208	3308	
211.0#	2845	3067	3355	3464	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Square Shoe Desk

		MODEL NUMBER								
	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	24 x 48 x 60 x 24"	TS24486024/F/PS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/F/PS								
Square Shoe Desk with Full Modesty Panel/Partial Modesty Panel	24 x 48 x 72 x 24"	TS24487224/F/PS								
	24 x 60 x 48 x 24"	TS24604824/F/PS			NCG					
Occionance below	24 x 66 x 48 x 24"	TS24664824/F/PS								
 See images below Full modesty panel attached on short (48") side Consists of top, three legs, two modesty panels, one filler panel (full modesty panel), two end panels (optional transitional size), ganging plates, and all required assembly 	24 x 72 x 48 x 24"	TS24724824/F/PS								
	30 x 48 x 60 x 30"	TS30486030/F/PS			NCG					
	30 x 48 x 66 x 30"	TS30486630/F/PS								
	30 x 48 x 72 x 30"	TS30487230/F/PS								
	30 x 60 x 48 x 30"	TS30604830/F/PS			NCG					
	30 x 66 x 48 x 30"	TS30664830/F/PS								
hardware	30 x 72 x 48 x 30"	TS30724830/F/PS								
 Each leg has two cable access grommet locations 										
 Top has three cable access grommets 										
above the legs (66" and 72" wide have an optional fourth middle grommet used for mounting stanchions and										
not intended for routing cables)										
Top grommets allow for attachment										
of overhead storage units • Modesty panel allows for optional 10-										
wire electrical system (see Electrical										
section)										
Pricing is for two transitional end										
panels, see "HOW TO BUILD A MODEL NUMBER" below for more										
options										
•										
		A	B	0	D	(3	•	G	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

Knife edge (KN) adds 2" to the depth of the desk on the user's side

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- B Two transitional end panels
 L Left transitional end panel;
- add \$58

 R Right transitional end panel;
- add \$58

 S Two full end panels; add \$116

OSelect desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
 Surface finish offerings are based on edge style selections.
- Select edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections.

- Select frame grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



٠,	9	-	,		•	• •
	วัดเ	ıare	Shr	ne I)e	sk

Approx.		_	3/8" Wood	Ť	
Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)	
163.0#	\$ 2086	\$ 2269	\$ 2508	\$ 2597	
170.0#	2150	2340	2589	2679	
176.0#	2204	2397	2654	2749	
163.0#	2086	2269	2508	2597	
170.0#	2150	2340	2589	2679	
176.0#	2204	2397	2654	2749	
181.0#	2295	2501	2767	2865	
189.0#	2376	2586	2864	2967	
194.0#	2462	2687	2973	3083	
181.0#	2295	2501	2767	2865	
189.0#	2376	2586	2864	2967	
194.0#	2462	2687	2973	3083	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Square Shoe Desk

	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color
	24 x 48 x 60 x 24"	TS24486024/P/FS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/P/FS								
Square Shoe Desk with Partial Modesty Panel/Full Modesty Panel	24 x 48 x 72 x 24"	TS24487224/P/FS								
	24 x 60 x 48 x 24"	TS24604824/P/FS			NCG					
	24 x 66 x 48 x 24"	TS24664824/P/FS								
 See images below Full modesty panel attached on long (60°, 66°, or 72°) side Consists of top, three legs, two modesty panels, one filler panel (full modesty panel), two end panels (optional transitional size), ganging plates, and all required assembly hardware 	24 x 72 x 48 x 24"	TS24724824/P/FS								
	30 x 48 x 60 x 30"	TS30486030/P/FS			NCG					
	30 x 48 x 66 x 30"	TS30486630/P/FS								
	30 x 48 x 72 x 30"	TS30487230/P/FS								
	30 x 60 x 48 x 30"	TS30604830/P/FS			NCG					
	30 x 66 x 48 x 30"	TS30664830/P/FS								
	30 x 72 x 48 x 30"	TS30724830/P/FS								
Each leg has two cable access grom-										
met locations Top has three cable access grommets										
above the legs (66" and 72" wide have										
an optional fourth middle grommet										
used for mounting stanchions and										
not intended for routing cables) • Top grommets allow for attachment										
of overhead storage units										
· Modesty panel allows for optional 10-										
wire electrical system (see Electrical										
section) • Pricing is for two transitional end										
panels, see "HOW TO BUILD A										
MODEL NUMBER" below for more										
options										
		A	B	•	•	(3	3	G	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

B - Two transitional end panels
L - Left transitional end panel;
add \$58

R - Right transitional end panel; add \$58

Two full end panels; add \$116

• Select desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

 Surface finish offerings are based on edge style selections.
- GSelect edge color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

 Edge color offerings are based on edge
 style selections.

- Select frame grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



J	-)	_		
nn2	iare	Shr	96	Desk

Approx.	740.51	W W E1	3/8" Wood		
Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)	
166.0#	\$ 2147	\$ 2331	\$ 2571	\$ 2662	_
175.0#	2234	2425	2672	2766	
182.0#	2329	2524	2779	2872	
166.0#	2147	2331	2571	2662	
175.0#	2234	2425	2672	2766	
182.0#	2329	2524	2779	2872	
184.0#	2359	2564	2829	2926	
194.0#	2459	2671	2951	3051	
200.0#	2589	2809	3099	3206	
184.0#	2359	2564	2829	2926	
194.0#	2459	2671	2951	3051	
200.0#	2589	2809	3099	3206	


FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Square Shoe Desk

		MODEL NUMBER								
						Surface			Frame	
	D x W-LEFT x W-RIGHT	Basic	Edge	End	Center	Grom.	Surface	Edge	Grom.	Desk
	x D	Model	Style	Panel	Grom.	Color	Finish	Color	Color	Color
TDUE	24 x 48 x 60 x 24"	TS24486024/P/PS			NCG					
TRUE	24 x 48 x 66 x 24"	TS24486624/P/PS								
Square Shoe Desk with Partial Mod-	24 x 48 x 72 x 24"	TS24487224/P/PS								
esty Panel/Partial Modesty Panel	24 x 60 x 48 x 24"	TS24604824/P/PS			NCG					
	24 x 66 x 48 x 24"	TS24664824/P/PS								
	24 x 72 x 48 x 24"	TS24724824/P/PS								
See images belowConsists of top, three legs, two mod-	30 x 48 x 60 x 30"	TS30486030/P/PS			NCG					
Consists of top, three legs, two modesty panels, two end panels (optional transitional size), ganging plates, and all required assembly hardware Each leg has two cable access grommet locations	30 x 48 x 66 x 30"	TS30486630/P/PS								
	30 x 48 x 72 x 30"	TS30487230/P/PS								
	30 x 60 x 48 x 30"	TS30604830/P/PS			NCG					
	30 x 66 x 48 x 30"	TS30664830/P/PS								
 Top has three cable access grommets 	30 x 72 x 48 x 30"	TS30724830/P/PS								
above the legs (66" and 72" wide have										
an optional fourth middle grommet										
used for mounting stanchions and not intended for routing cables)										
Top grommets allow for attachment										
of overhead storage units										
Modesty panel allows for optional 10-										
wire electrical system (see Electrical section)										
Pricing is for two transitional end										
panels, see "HOW TO BUILD A										
MODEL NUMBER" below for more										
options										
				_				_	_	_
		A	$oldsymbol{\mathbf{B}}$	$\mathbf{\Theta}$	O	(3	•	G	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- 3 Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

162K OII	tile user s side.
74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- B Two transitional end panels
 L Left transitional end panel;
- add \$58

 R Right transitional end panel;
- R Right transitional end panel; add \$58 S - Two full end panels; add \$116

OSelect desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

 Surface finish offerings are based on edge style selections.
- Select edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selections.

- Select frame grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged	74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
152.0#	\$ 1827	\$ 2012	\$ 2252	\$ 2340	
159.0#	1896	2084	2331	2424	
165.0#	1948	2142	2395	2490	
152.0#	1827	2012	2252	2340	
159.0#	1896	2084	2331	2424	
165.0#	1948	2142	2395	2490	
170.0#	2039	2242	2509	2609	
178.0#	2115	2330	2608	2710	
183.0#	2206	2428	2719	2826	
170.0#	2039	2242	2509	2609	
178.0#	2115	2330	2608	2710	
183.0#	2206	2428	2719	2826	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

True[®] Desking System

D-Shaped Desk

	MODEL NUM	/IBER								
	MODEL	DxW	Basic Model	Edge Style	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight
	D-Shaped Desk with Full Modesty Panel/	24 x 48"	TD2448/F/G							92.0#
	Partial Guest Modesty Panel	24 x 54"	TD2454/F/G							98.0#
	Consists of top, two legs, modesty panel filler panel (full modesty panel on	24 x 60"	TD2460/F/G							104.0#
	panel, filler panel (full modesty panel on 24", 30" or 36" side), two transitional size	24 x 66"	TD2466/F/G							110.0#
	end panels, ganging plates, one round	24 x 72"	TD2472/F/G							116.0#
TRUE	leg, one 9" tall steel guest modesty panel	30 x 48"	TD3048/F/G							103.0#
	along the long side, and all required assembly hardware	30 x 54"	TD3054/F/G							110.0#
	Each leg has two cable access grommet	30 x 60"	TD3060/F/G				Edge Color Grom. Color Desk Color Packaged Weight 92.0# 98.0# 104.0# 104.0# 105.0# 103.0#			
	locations	30 x 66"	TD3066/F/G							125.0#
	 Top has two cable access grommets above the corner legs 	30 x 72"	TD3072/F/G							132.0#
	Top grommets allow for attachment of	36 x 48"	TD3648/F/G							115.0#
	overhead storage units	36 x 54"	TD3654/F/G							123.0#
	Modesty panel allows for optional	36 x 60"	TD3660/F/G							132.0#
	10-wire electrical system (see Electrical section)	36 x 66"	TD3666/F/G							140.0#
	30011011)	36 x 72"	TD3672/F/G							149.0#
			A	B	•	0	(3	(3)	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

 74P
 - 74P edge

 34S
 - 3/8" Wood band edge

 VN
 - Wood edge veneer

- Select surface grommet color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Oselect surface finish.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.
- Select edge color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

- Select frame grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- **G** Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



True® Desking System D-Shaped Desk

	3/8" Wood		
74P Edge	Band Edge	Wood Edge Veneer	
(74P)	(34S)	(VN)	
\$ 1777	\$ 2084	\$ 2226	
1816	2138	2281	
1855	2189	2336	
1897	2239	2392	
1932	2294	2450	
1923	2101	2248	
1962	2156	2302	
2003	2207	2359	
2042	2259	2413	
2083	2314	2472	
2070	2123	2267	
2109	2174	2324	
2149	2230	2380	
2190	2280	2435	
2230	2331	2489	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

D-Shaped Desk

	MODEL NUI	/IBER									
	MODEL	D x W	Basic Model	Edge Style	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight	
	D-Shaped Desk with Full Modesty Panel/	24 x 48"	TD2448/F/A							87.0#	
	No Partial Guest Modesty Panel	24 x 54"	TD2454/F/A							92.0#	
	 Consists of top, two legs, modesty panel, filler panel (full modesty panel on 	24 x 60"	TD2460/F/A							97.0#	
	the 24", 30" or 36" side), two transitional	24 x 66"	TD2466/F/A							102.0#	
	size end panels, ganging plates, one	24 x 72"	TD2472/F/A							107.0#	
TRUE	round leg, and all required assembly	30 x 48"	TD3048/F/A							98.0#	
	hardwareEach leg has two cable access grommet	30 x 54"	TD3054/F/A							104.0#	
	locations	30 x 60"	TD3060/F/A							Packaged Weight 87.0# 92.0# 97.0# 102.0# 107.0# 98.0#	
	 Top has two cable access grommets 	30 x 66"	TD3066/F/A							117.0#	
	above the corner legs	30 x 72"	TD3072/F/A							123.0#	
	 Top grommets allow for attachment of overhead storage units 	36 x 48"	TD3648/F/A							110.0#	
	Modesty panel allows for optional	36 x 54"	TD3654/F/A							117.0#	
	10-wire electrical system (see Electrical	36 x 60"	TD3660/F/A							125.0#	
	section)	36 x 66"	TD3666/F/A							132.0#	
		36 x 72"	TD3672/F/A							140.0#	
			A	B	•	0	(3	(3)	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge 34S - 3/8" Wood band edge VN - Wood edge veneer

- Select surface grommet color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Oselect surface finish.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.
- Select edge color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

- Select frame grommet color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select desk color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



True® Desking System D-Shaped Desk

	3/8" Wood	·		
74P Edge	Band Edge	Wood Edge Veneer		
(74P)	(34S)	(VN)		
\$ 1645	\$ 1952	\$ 2094		
1674	1994	2140		
1703	2036	2183		
1732	2076	2229		
1760	2118	2277		
1791	1971	2112		
1819	2013	2159		
1850	2057	2205		
1878	2096	2250		
1907	2140	2295		
1939	1992	2138		
1967	2033	2182		
1996	2076	2229		
2025	2114	2270		
2057	2157	2316		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

True[®] Desking System

D-Shaped Desk

			MODEL NUN	/IBER						
	MODEL	D x W	Basic Model	Edge Style	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight
	D-Shaped Desk with Partial Modesty	24 x 48"	TD2448/P/G							87.0#
	Panel/Partial Guest Modesty Panel	24 x 54"	TD2454/P/G							93.0#
	 Consists of top, two legs, modesty panel, two transitional size end panels, 	24 x 60"	TD2460/P/G							99.0#
Ш Ш	ganging plates, one round leg, one 9" tall	24 x 66"	TD2466/P/G							105.0#
U	steel guest modesty panel along the long	24 x 72"	TD2472/P/G							111.0#
TRUE	side, and all required assembly hardware	30 x 48"	TD3048/P/G							97.0#
	Each leg has two cable access grommet locations	30 x 54"	TD3054/P/G							104.0#
	Top has two cable access grommets	30 x 60"	TD3060/P/G							111.0#
	above the corner legs	30 x 66"	TD3066/P/G							119.0#
	Top grommets allow for attachment of averband storage units	30 x 72"	TD3072/P/G							126.0#
	overhead storage unitsModesty panel allows for optional	36 x 48"	TD3648/P/G							107.0#
	10-wire electrical system (see Electrical	36 x 54"	TD3654/P/G							115.0#
	section)	36 x 60"	TD3660/P/G							124.0#
		36 x 66"	TD3666/P/G							132.0#
		36 x 72"	TD3672/P/G							141.0#
			A	B	•	0	(3	(3)	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

 74P
 - 74P edge

 34S
 - 3/8" Wood band edge

 VN
 - Wood edge veneer

- Select surface grommet color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Oselect surface finish.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.
- Select edge color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors...

- Select frame grommet color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select desk color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



True® Desking System D-Shaped Desk

	3/8" Wood			
74P Edge	Band Edge	Wood Edge Veneer		
(74P)	(34S)	(VN)		
\$ 1601	\$ 1905	\$ 2046		
1639	1959	2103		
1678	2011	2158		
1717	2065	2212		
1757	2115	2274		
1745	1924	2069		
1785	1977	2126		
1825	2031	2182		
1865	2084	2234		
1904	2138	2293		
1896	1946	2091		
1932	2000	2145		
1972	2051	2204		
2012	2101	2257		
2051	2155	2314		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

True[®] Desking System

D-Shaped Desk

MODEL NUMBER Surface Frame Approx. Surface Edge Basic Edge Grom. Grom. Packaged D x W Model Style Color Finish Color Color Color Weight 24 x 48" TD2448/P/A ПП 82.0# D-Shaped Desk w/Partial Modesty Panel/ $\Box\Box$ No Partial Guest Modesty Panel TD2454/P/A 87.0# 24 x 54" · Consists of top, two legs, modesty ПП $\Box\Box$ $\Box\Box$ ПП 24 x 60" TD2460/P/A 92.0# panel, two transitional size end panels. 24 x 66" TD2466/P/A 97.0# ganging plates, one round leg, and all required assembly hardware 24 x 72" TD2472/P/A 102.0# Each leg has two cable access grommet **TRUE** 30 x 48" TD3048/P/A 92.0# locations 30 x 54" TD3054/P/A 98.0# Top has two cable access grommets 30 x 60" TD3060/P/A 104.0# above the corner legs Top grommets allow for attachment of 30 x 66" TD3066/P/A 111.0# overhead storage units 30 x 72" TD3072/P/A 117.0# Modesty panel allows for optional 36 x 48" TD3648/P/A 102.0# 10-wire electrical system (see Electrical 36 x 54" TD3654/P/A 109.0# section) 36 x 60" TD3660/P/A $\Box\Box$ 117 0# 36 x 66" TD3666/P/A 124.0# 36 x 72" TD3672/P/A 132.0# A 0 0 0 **(3** 0 **G**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge 34S - 3/8" Wood band edge VN - Wood edge veneer

- Select surface grommet color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Surface finish offerings are based on edge style selections. With 74P edge (74P) and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.
- Select edge color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

Edge color offerings are based on edge style selections. With 74P edge (74P), select from 74P colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

- Select frame grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- **G** Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



True® Desking System D-Shaped Desk

74P Edge	3/8" Wood Band Edge	Wood Edge Veneer
(74P)	(34S)	(VN)
\$ 1467	\$ 1772	\$ 1916
1495	1816	1961
1524	1856	2006
1554	1900	2049
1580	1945	2099
1617	1793	1936
1643	1837	1981
1672	1878	2028
1702	1919	2071
1729	1961	2117
1762	1814	1959
1790	1855	2004
1818	1900	2049
1849	1939	2094
1878	1979	2140

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shaped Desk

			MODEL NUMB	BER							
			Basic	Edge	End	Surface Grom.	Surface	Edge	Frame Grom.	Desk	
MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color	
P-Shaped Desk with Full Modesty Pan	el/ Right	24 x 48 x 60"	TP244860/F/G								
Partial Guest Modesty Panel	Right	24 x 48 x 66"	TP244866/F/G								
Consists of top, two legs, modesty panel, filler panel (full modesty panel)	Right	24 x 48 x 72"	TP244872/F/G								
the 48" side), two transitional size en		30 x 48 x 66"	TP304866/F/G								
(B) Both transitional panels, ganging plates, one round leg	g, Right	30 x 48 x 72"	TP304872/F/G								
(Right) one 9" tall steel guest modesty panel	Left	24 x 48 x 60"	TP604824/F/G								
along the long side, and all required assembly hardware	Left	24 x 48 x 66"	TP664824/F/G								
Each leg has two cable access gromi	net Left	24 x 48 x 72"	TP724824/F/G								
locations	Left	30 x 48 x 66"	TP664830/F/G								
(B) Both transitional Top has two cable access grommets	Left	30 x 48 x 72"	TP724830/F/G								
(Left) above the corner legs • Top grommets allow for attachment	nf										
overhead storage units	J1										
 Modesty panel allows for optional 											
10-wire electrical system (see Electri	cal										
section) • P-end is 18" radius											
(Left)											
. W .											
Ď											
(Right)											
P-Shaped Desk top view											
TRUE											
INUL											
			A	B	Θ	\mathbf{O}	ⅎ	•	Θ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side

	tile usel s slue.	
74P	- 74P edge	
KN	- Knife edge	
348	- 3/8" Wood band edge	
VN	- Wood edge veneer	

- Select transition end panels.

 B Both
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System P-Shaped Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8' Wood Band Edge (34S)	Wood Edge Veneer (VN)	
155.0#	\$ 2457	\$ 2663	\$ 3030	\$ 3242	
162.0#	2510	2721	3096	3311	
168.0#	2581	2795	3185	3405	
172.0#	2617	2837	3232	3458	
179.0#	2679	2907	3311	3541	
155.0#	2457	2663	3030	3242	
162.0#	2510	2721	3096	3311	
168.0#	2581	2795	3185	3405	
172.0#	2617	2837	3232	3458	
179.0#	2679	2907	3311	3541	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shaped Desk

				MODEL NUME)FD						
				MODEL NOME	DEN						
							Surface			Frame	
				Basic	Edge	End	Grom.	Surface	Edge	Grom.	Desk
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color
	· onapou zook mini i un mouooty i uno.	Right	24 x 48 x 60"	TP244860/F/A							
	No Partial Guest Modesty Panel	Right	24 x 48 x 66"	TP244866/F/A							
	 Consists of top, two legs, modesty panel, filler panel (full modesty panel on 	Right	24 x 48 x 72"	TP244872/F/A							
	the 48" side), two transitional size end	Right	30 x 48 x 66"	TP304866/F/A							
(B) Both transitional (Right)	panels, ganging plates, one round leg,	Right	30 x 48 x 72"	TP304872/F/A							
(mgm)	and all required assembly hardware	Left	24 x 48 x 60"	TP604824/F/A							
	 Each leg has two cable access grommet locations 	Left	24 x 48 x 66"	TP664824/F/A							
1	Top has two cable access grommets	Left	24 x 48 x 72"	TP724824/F/A							
	above the corner legs	Left	30 x 48 x 66"	TP664830/F/A							
(B) Both transitional	 Top grommets allow for attachment of 	Left	30 x 48 x 72"	TP724830/F/A							
(Left)	overhead storage unitsModesty panel allows for optional										
W	10-wire electrical system (see Electrical										
	section)										
	 P-end is 18" radius 										
(Left)											
(2011)											
1											
) \[
(Right)											
P-Shaped Desk top view											
TRUE											
				A	B	•	O	(3	(3)	(0
				•			•	0	•		•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 Knife edge (KN) adds 2" to the depth of the

	tile usel s slue.
74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select transition end panels.

 B Both
- Select surface grommet color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

 Surface finish offerings are based on edge
 style selections. With 74P edge (74P),
 knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System P-Shaped Desk

Approx. Packaged	74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer	
Weight	(74P)	(KN)	(34S)	(VN)	
149.0#	\$ 2303	\$ 2508	\$ 2880	\$ 3088	
155.0#	2346	2556	2933	3148	
160.0#	2405	2622	3011	3228	
165.0#	2453	2672	3068	3293	
171.0#	2507	2731	3137	3366	
149.0#	2303	2508	2880	3088	
155.0#	2346	2556	2933	3148	
160.0#	2405	2622	3011	3228	
165.0#	2453	2672	3068	3293	
171.0#	2507	2731	3137	3366	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shaped Desk

				MODEL NUMB	ER							
							0			F		
				Basic	Edge	End	Surface Grom.	Surface	Edge	Frame Grom.	Desk	
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color	
	· onapou zook mini i armai mouotiy	Right	24 x 48 x 60"	TP244860/P/G								
		Right	24 x 48 x 66"	TP244866/P/G								
	Consists of top, two legs, modesty	Right	24 x 48 x 72"	TP244872/P/G								
	panel, two transitional size end panels, ganging plates, one round leg, one 9" tall	Right	30 x 48 x 66"	TP304866/P/G								
(B) Both transitional	steel guest modesty panel along the long	-	30 x 48 x 72"	TP304872/P/G								
(Right)	side, and all required assembly hardware	Left	24 x 48 x 60"	TP604824/P/G								
	Each leg has two cable access grommet	Left	24 x 48 x 66"	TP664824/P/G								
	locationsTop has two cable access grommets	Left	24 x 48 x 72"	TP724824/P/G								
	above the corner legs	Left	30 x 48 x 66"	TP664830/P/G								
(B) Both transitional	Top grommets allow for attachment of	Left	30 x 48 x 72"	TP724830/P/G								
(Left) overhead storage units • Modesty panel allows for optional						_						
W	10-wire electrical system (see Electrical											
[b	section)											
	P-end is 18" radius											
(Left)												
\\\\												
빞												
) \[
(Right)												
P-Shaped Desk top view												
TDUE												
TRUE												
				A	B	Θ	O	(3	•	(0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side

	tile user s side.
74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select transition end panels.

 B Both
- Select surface grommet color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System P-Shaped Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8' Wood Band Edge (34S)	Wood Edge Veneer (VN)
144.0#	\$ 2200	\$ 2402	\$ 2772	\$ 2981
151.0#	2255	2461	2840	3054
157.0#	2324	2538	2924	3146
161.0#	2361	2579	2973	3199
168.0#	2424	2649	3054	3283
144.0#	2200	2402	2772	2981
151.0#	2255	2461	2840	3054
157.0#	2324	2538	2924	3146
161.0#	2361	2579	2973	3199
168.0#	2424	2649	3054	3283

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shaped Desk

									_			
				MODEL NUMB	ER							
							Surface			Frame		
				Basic	Edge	End	Grom.	Surface	Edge	Grom.	Desk	
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color	
	P-Shaped Desk w/Partial Modesty Panel/ No Partial Guest Modesty Panel	Right	24 x 48 x 60"	TP244860/P/A								
		Right	24 x 48 x 66"	TP244866/P/A								
	Consists of top, two legs, modesty	Right	24 x 48 x 72"	TP244872/P/A								
	panel, two transitional size end panels, ganging plates, one round leg, and all	Right	30 x 48 x 66"	TP304866/P/A								
(B) Both transitional	required assembly hardware	Right	30 x 48 x 72"	TP304872/P/A								
(Right)	 Each leg has two cable access grommet 	Left	24 x 48 x 60"	TP604824/P/A								
	locations	Left	24 x 48 x 66"	TP664824/P/A		П						
	 Top has two cable access grommets above the corner legs Top grommets allow for attachment of 	Left	24 x 48 x 72"	TP724824/P/A								
		Left	30 x 48 x 66"	TP664830/P/A								
(B) Both transitional				TP724830/P/A								
(Left)	Modesty panel allows for optional	Left	30 x 48 x 72"			_						
r— W —₁	10-wire electrical system (see Electrical section)											
i i b	P-end is 18" radius											
Ľ) / Ľ												
[()												
(Left)												
(LGII)												
_ W — H												
) \[\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \												
(Right)												
P-Shaped Desk top view												
TDUE												
TRUE												J
				A	B	Θ	•	(3	3	O	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side

	tile usel s slue.
74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select transition end panels.

 B Both
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

 Surface finish offerings are based on edge
 style selections. With 74P edge (74P),
 knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System P-Shaped Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8' Wood Band Edge (34S)	Wood Edge Veneer (VN)
138.0#	\$ 2045	\$ 2252	\$ 2621	\$ 2829
144.0#	2091	2298	2674	2890
149.0#	2149	2364	2754	2971
154.0#	2198	2416	2811	3035
160.0#	2250	2476	2881	3109
138.0#	2045	2252	2621	2829
144.0#	2091	2298	2674	2890
149.0#	2149	2364	2754	2971
154.0#	2198	2416	2811	3035
160.0#	2250	2476	2881	3109

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Piano Desk

		_				_					
				MODEL NUMI	BER						
							Surface			Frame	
				Basic	Edge	End	Grom.	Surface	Edge	Grom.	Desk
MODEL		Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color
	sk with Full Modesty Panel/	Right	24 x 48 x 60"	TI244860/F/G							
	Partial Guest Modesty Panel	Right	24 x 48 x 66"	TI244866/F/G							
	ts of top, two legs, modesty filler panel on	Right	24 x 48 x 72"	TI244872/F/G							
tho 40	side), two transitional size end	Right	30 x 48 x 66"	TI304866/F/G							
(Right) panels	ganging plates, one round leg,	Right	30 x 48 x 72"	TI304872/F/G							
one 9"		Left	24 x 48 x 60"	TI604824/F/G							
	he long side, and all required bly hardware	Left	24 x 48 x 66"	TI664824/F/G							
	g has two cable access grommet	Left	24 x 48 x 72"	TI724824/F/G							
locatio	ns	Left	30 x 48 x 66"	TI664830/F/G							
	s two cable access grommets	Left	30 x 48 x 72"	TI724830/F/G							
	above the corner legsTop grommets allow for attachment of										
	ad storage units										
	ty panel allows for optional										
L 10-wir	e electrical system (see Electrical										
	end is 30" wide (15"radius)										
(Left)	, , , , , , , , , , , , , , , , , , , ,										
W											
D											
<u> </u>											
(Right)											
Piano Desk top view											
TRUE											
				A	B	_	O	•	3	О	0
					4:4	•	461	4-9	47		4:5

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	- 74P edge
KN	- Knife edge
34S	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select transition end panels.

 B Both
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

 Surface finish offerings are based on edge
 style selections. With 74P edge (74P),
 knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

14

True® Desking System Piano Desk

Арргох.			3/8" Wood	
Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)
165.0#	\$ 2303	\$ 2492	\$ 2833	\$ 3028
173.0#	2395	2595	2951	3154
180.0#	2461	2666	3032	3242
183.0#	2499	2705	3078	3290
190.0#	2556	2770	3152	3369
165.0#	2303	2492	2833	3028
173.0#	2395	2595	2951	3154
180.0#	2461	2666	3032	3242
183.0#	2499	2705	3078	3290
190.0#	2556	2770	3152	3369

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

True[®] Desking System

Piano Desk

				MODEL NUMI	BER							
							Surface			Frame		
				Basic	Edge	End	Grom.	Surface	Edge	Grom.	Desk	
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color	
	Piano Desk with Full Modesty Panel/No	Right	24 x 48 x 60"	TI244860/F/A								
	Partial Guest Modesty Panel	Right	24 x 48 x 66"	TI244866/F/A								
	Consists of top, two legs, modesty	Right	24 x 48 x 72"	TI244872/F/A								
(D) Both transitional	panel, filler panel (full modesty panel on the 48" side), two transitional size end	Right	30 x 48 x 66"	TI304866/F/A								
(B) Both transitional (Right)	panels, ganging plates, one round leg,	Right	30 x 48 x 72"	TI304872/F/A								
(9)	and all required assembly hardware	Left	24 x 48 x 60"	TI604824/F/A								
	Each leg has two cable access grommet	Left	24 x 48 x 66"	TI664824/F/A								
	locations Top has two cable access grommets	Left	24 x 48 x 72"	TI724824/F/A								
(D) Dath townsitional	above the legs	Left	30 x 48 x 66"	TI664830/F/A								
(B) Both transitional	(Left) Top grofffflets allow for attachment of	Left	30 x 48 x 72"	TI724830/F/A								
(==)	overhead storage units W — Modesty panel allows for optional											
<u> </u>	10-wire electrical system (see Electrical											
ļ ļ ļ ļ	section)											
	Piano end is 30" wide (15"radius)											
	Traine ond is so wide (10 radius)											
(Left)												
_ W- _												
Ď												
<u> </u>												
(Right)												
, ,												
Piano Desk top view												
TDUE												
TRUE												
				A	3	Θ	O	(3	3	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	- 74P edge
KN	- Knife edge
34S	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select transition end panels.

 B Both
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

 Surface finish offerings are based on edge
 style selections. With 74P edge (74P),
 knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

14

True® Desking System Piano Desk

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	3/8' Wood Band Edge (34S)	Wood Edge Veneer (VN)
158.0#	\$ 2150	\$ 2340	\$ 2679	\$ 2873
165.0#	2232	2430	2786	2989
172.0#	2289	2490	2858	3064
175.0#	2335	2540	2914	3127
182.0#	2385	2596	2977	3197
158.0#	2150	2340	2679	2873
165.0#	2232	2430	2786	2989
172.0#	2289	2490	2858	3064
175.0#	2335	2540	2914	3127
182.0#	2385	2596	2977	3197

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Piano Desk

				MODEL NUMI	BER							
							Surface			Frame		
				Basic	Edge	End	Grom.	Surface	Edge	Grom.	Desk	
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color	
	Piano Desk with Partial Modesty Panel/	Right	24 x 48 x 60"	TI244860/P/G								
	Partial Guest Modesty Panel	Right	24 x 48 x 66"	TI244866/P/G								
	 Consists of top, two legs, modesty panel, two transitional size end panels, 	Right	24 x 48 x 72"	TI244872/P/G								
(D) Dath townsitional	ganging plates, one round leg, one 9" tall	Right	30 x 48 x 66"	TI304866/P/G								
(B) Both transitional (Right)	steel guest modesty panel along the long side, and all required assembly hardware	Right	30 x 48 x 72"	TI304872/P/G								
(g.i.)		Left	24 x 48 x 60"	TI604824/P/G								
	Each leg has two cable access grommet locations	Left	24 x 48 x 66"	TI664824/P/G								
	Top has two cable access grommets	Left	24 x 48 x 72"	TI724824/P/G								
	above the corner legs	Left	30 x 48 x 66"	TI664830/P/G								
(B) Both transitional	1 0 11 0 11 11 11 11 11 11 11 11 11 11 1		30 x 48 x 72"	TI724830/P/G								
(Lott)	overhead storage unitsModesty panel allows for optional											
<u> </u>	10-wire electrical system (see Electrical											
. D	section)											
	• Piano end is 30" wide (15"radius)											
(Left)												
_ W _												
Ď I												
<u> </u>												
(Right)												
Piano Desk top view												
רומווט שפאל נטף אופא												
TRUE												
				_	•	•	•	•	•	•	Φ.	
				Δ	B	Θ	0	•	•	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side.

74P	- 74P edge
KN	- Knife edge
34S	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select transition end panels.

 B Both
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

 Surface finish offerings are based on edge
 style selections. With 74P edge (74P),
 knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

14

True® Desking System Piano Desk

Арргох.			3/8" Wood	
Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Band Edge (34S)	Wood Edge Veneer (VN)
154.0#	\$ 2045	\$ 2234	\$ 2576	\$ 2770
162.0#	2140	2337	2694	2897
169.0#	2205	2408	2775	2981
172.0#	2239	2446	2820	3032
179.0#	2298	2513	2894	3112
154.0#	2045	2234	2576	2770
162.0#	2140	2337	2694	2897
169.0#	2205	2408	2775	2981
172.0#	2239	2446	2820	3032
179.0#	2298	2513	2894	3112

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

True[®] Desking System

Piano Desk

				MODEL NUMI	BER							
							Surface			Frame		
				Basic	Edge	End	Grom.	Surface	Edge	Grom.	Desk	
	MODEL	Dir.	DxWxL	Model	Style	Panel	Color	Finish	Color	Color	Color	
	Piano Desk with Partial Modesty Panel/	Right	24 x 48 x 60"	TI244860/P/A								
	No Partial Guest Modesty Panel			TI244866/P/A								
	 Consists of top, two legs, modesty panel, two transitional size end panels, 	Right	24 x 48 x 72"	TI244872/P/A								
(B) Both transitional	panel, two transitional size end panels, ganging plates, one round leg, and all	Right	30 x 48 x 66"	TI304866/P/A								
(Right)	required assembly hardware	Right	30 x 48 x 72"	TI304872/P/A								
	Each leg has two cable access grommet	Left	24 x 48 x 60"	TI604824/P/A								
	locations Top has two cable access grommets	Left	24 x 48 x 66"	TI664824/P/A								
	above the corner legs	Left	24 x 48 x 72"	TI724824/P/A								
(B) Both transitional	Top grommets allow for attachment of	Left	30 x 48 x 66"	TI664830/P/A								
(Left)	overhead storage units	Left	30 x 48 x 72"	TI724830/P/A								
\W/	Modesty panel allows for optional 10-wire electrical system (see Electrical											
	section)											
	 Piano end is 30" wide (15"radius) 											
(Left)												
<u> </u>												
φ												
(Right)												
Piano Desk top view												
TRUE												
				A	B	•	0	(3	(3)	Э	•	
				•			•	0	•		•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 Knife edge (KN) adds 2" to the depth of the desk on the user's side

	tile user s side.
74P	- 74P edge
KN	- Knife edge
34S	- 3/8" Wood band edge
VN	- Wood edge veneer

- Select transition end panels.

 B Both
- Select surface grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

 Surface finish offerings are based on edge
 style selections. With 74P edge (74P),
 knife edge (KN), and wood band edge

(34S), select from laminates. With wood edge veneer (VN), select from veneers.

- Select edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.
- Select frame grommet color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

N

True® Desking System Piano Desk

Approx. Packaged	74P Edge	Knife Edge	3/8" Wood Band Edge	Wood Edge Veneer
Weight	(74P)	(KN)	(34S)	(VN)
147.0#	\$ 1896	\$ 2084	\$ 2424	\$ 2617
154.0#	1974	2173	2531	2731
161.0#	2031	2233	2600	2808
164.0#	2076	2283	2657	2867
171.0#	2126	2338	2721	2938
147.0#	1896	2084	2424	2617
154.0#	1974	2173	2531	2731
161.0#	2031	2233	2600	2808
164.0#	2076	2283	2657	2867
171.0#	2126	2338	2721	2938

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

True[®] Desking System

Transitional Desk

		MODEL NUM	BER								
	D x W x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight
	24 x 42 x 30"	TTR244230/F			NCG						108.0#
TRUE	24 x 48 x 30"	TTR244830/F			NCG						116.0#
Transitional Desk with Full Modesty	24 x 54 x 30"	TTR245430/F			NCG						124.0#
Panel	24 x 60 x 30"	TTR246030/F			NCG						137.0#
	24 x 66 x 30"	TTR246630/F									146.0#
See images below	24 x 72 x 30"	TTR247230/F									154.0#
Desk reduces size from 30" on one	30 x 42 x 24"	TTR304224/F			NCG						108.0#
end to 24" on opposite endConsists of top, two legs, mod-	30 x 48 x 24"	TTR304824/F			NCG						116.0#
esty panel, filler panel (full modesty	30 x 54 x 24"	TTR305424/F			NCG						124.0#
panel), two end panels (optional	30 x 60 x 24"	TTR306024/F			NCG						137.0#
transitional size), ganging plates, and all required assembly hardware.	30 x 66 x 24"	TTR306624/F									146.0#
Each leg has two cable access grom-	30 x 72 x 24"	TTR307224/F									154.0#
met locations											
Top has two cable access grommets above the large (CC" and 70" wide have											
above the legs (66" and 72" wide have an optional third middle grommet											
used for mounting stanchions and											
not intended for routing cables)											
 Top grommets allow for attachment of overhead storage units 											
Modesty panel allows for optional 10-											
wire electrical system (see Electrical											
section)											
		A	B	Θ	0	3	(3	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 KN is not recomme

KN is not recommended in L-Shaped configurations.

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- B Two transitional end panels
 L Left transitional end panel;
- add \$58

 R Right transitional end panel;

add \$58

S - Two full end panels; add \$116

OSelect desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

YCG - Yes center grommet "YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

 Surface finish offerings are based on edge style selections.
- G Select edge color.

 Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

 Edge color offerings are based on edge style selections.

- Select frame grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Transitional Desk

3/8" Wood
74P Edge Knife Edge Band Edge Wood Edge Veneer (74P) (KN) (34S) (VN)
\$ 1518
1599 1733 1973 2110
1658 1797 2044 2187
1741 1881 2140 2283
1803 1949 2209 2362
1917 2070 2346 2506
1518 1648 1883 2017
1599 1733 1973 2110
1658 1797 2044 2187
1741 1881 2140 2283
1803 1949 2209 2362
1917 2070 2346 2506

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitiona



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Transitional Desk

		MODEL NUM	BER								
	D x W x D	Basic Model	Edge Style	End Panel	Center Grom.	Surface Grom. Color	Surface Finish	Edge Color	Frame Grom. Color	Desk Color	Approx. Packaged Weight
	24 x 42 x 30"	TTR244230/P			NCG						99.0#
TRUE	24 x 48 x 30"	TTR244830/P			NCG						105.0#
Transitional Desk with Partial Modesty	24 x 54 x 30"	TTR245430/P			NCG						112.0#
Panel	24 x 60 x 30"	TTR246030/P			NCG						123.0#
	24 x 66 x 30"	TTR246630/P									130.0#
See images below	24 x 72 x 30"	TTR247230/P									137.0#
Desk reduces size from 30" on one and to 24" on approxite and	30 x 42 x 24"	TTR304224/P			NCG						99.0#
end to 24" on opposite endConsists of top, two legs, modesty	30 x 48 x 24"	TTR304824/P			NCG						105.0#
panel, two end panels (optional tran-	30 x 54 x 24"	TTR305424/P			NCG						112.0#
sitional size), ganging plates, and all	30 x 60 x 24"	TTR306024/P			NCG						123.0#
required assembly hardware. • Each leg has two cable access grom-	30 x 66 x 24"	TTR306624/P									130.0#
met locations	30 x 72 x 24"	TTR307224/P									137.0#
 Top has two cable access grommets above the legs (66" and 72" wide have an optional third middle grommet used for mounting stanchions and 											
not intended for routing cables) Top grommets allow for attachment of overhead storage units											
Modesty panel allows for optional 10-											
wire electrical system (see Electrical section)											
		A	$oldsymbol{\Theta}$	G	•	(3)	(3)	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

 KN is not recommended in L-Shaped

 KN
 - Knife edge

 34S
 - 3/8" Wood band edge

 VN
 - Wood edge veneer

With 74P, KN and 34S edges, select from laminates for surface finish (Lxx). For edge color, 74P and KN, select from Exx colors and for 34S, select Mxx colors. For VN, select from Mxx for surface finish and do not select an edge color.

Select transition end panels.

- B Two transitional end panels
 L Left transitional end panel;
- add \$58

 R Right transitional end panel;

add \$58

S - Two full end panels; add \$116

• Select desk center grommet option.

NCG - No center grommet
YCG - Yes center grommet

"YCG" option only available on 66" and 72" wide desks. "YCG" is needed to mount overheads, transaction surfaces or stanchion mounted privacy screens.

- Select surface grommet color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
 Surface finish offerings are based on edge style selections.
- Select edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections.

- Select frame grommet color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Transitional Desk

74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)
\$ 1304	\$ 1436	\$ 1671	\$ 1806
1341	1476	1716	1854
1381	1517	1766	1907
1420	1564	1818	1964
1460	1606	1868	2018
1536	1687	1965	2125
1304	1436	1671	1806
1341	1476	1716	1854
1381	1517	1766	1907
1420	1564	1818	1964
1460	1606	1868	2018
1536	1687	1965	2125

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code


KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



(B) Both transitional



(L) Left transitional



(R) Right transitional



(S) Two full end panels

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Add-On Worksurfaces

			MODEL N	IUMBER				
								Approx.
			Basic	Edge	Surface	Edge	Desk	Packaged
	MODEL	DIA x W	Model	Style	Finish	Color	Color	Weight
	Round Add-On Worksurface	36 x 24"	TAR24					45.0#
	 Consists of top, 36" or 42" diameter, leg, ganging plates for attaching to 	42 x 30"	TAR30					56.0#
	existing desks, and all required assembly							
	hardware							
Ш	 Knife edge (KN) on curve with 74P on 							
TRUE	flat edge							
	Half Round Add-On Worksurface	48 x 24"	THR4824					46.0#
	Consists of top, 24" or 30" radius, leg,	60 x 30"	THR6030					64.0#
	ganging plates for attaching to existing desks, and all required assembly hard-							
	ware							
	Knife edge (KN) on curve with 74P on							
TRUE	flat edge							
	Quarter Round Add-On Worksurface	24"	TQR24					29.0#
	Consists of top, 24" or 30" radius, leg, appairs plates for attaching to existing	30"	TQR30					38.0#
	ganging plates for attaching to existing desks, and all required assembly hard-							
	ware							
	Knife edge (KN) on curve with 74P on							
RUE	flat edges	,			1			
			A	ß	()	n	3	
			•	Ð	9	9	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

Knife edge (KN) adds 2" to the depth of the worksurface

UINJUII	uoo.
74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/ knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select desk color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System Add-On Worksurfaces

				3/8'	Wood		
74P	Edge	Knif	e Edge	Ban	d Edge	Wo	ood Edge Veneer
(74	P)	(KN)	(34	S)	(VI	N)
	1074		N/A				1487
	1261		N/A		1617		1743
	.20.						
\$	571	\$	628	\$	733	\$	793
	671		738		860		927
_		_	100	_		_	
\$	371	\$	409	\$		\$	515
	437		481		560		605

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Transaction Worksurfaces

MODEL W Basic Edge Trim Surface Edge Desk Packaged Weight	
MODEL W Basic Edge Trim Surface Edge Desk Color Color Weight	
MODEL W Basic Edge Trim Surface Edge Desk Color Color Weight	
MODEL W Basic Edge Trim Surface Edge Desk Color Color Weight	
Standard Height Transaction Counter 24" TSS24	
Straight 30" TSS30	
Consists of top, two stanchions, steel privacy panel, and all required assembly hardware Top of transaction surface is approximately 42" from floor Space below transaction surface is 11-	
privacy panel, and all required assembly hardware Top of transaction surface is approximately 42" from floor Space below transaction surface is 11- Fig. 178540 188580 188	
hardware	
Top of transaction surface is approxi- TRUE mately 42" from floor Space below transaction surface is 11- Space below transaction surface	
Space below transaction surface is 11- On TSSB DD DD DD DD DD DD	
1/2" • Worksurface is 16" deep and overhangs 66" TSS66 □□□ □□□ □□□ □□□ □□□ 54.0#	
4" on guest side 72" TSS72	
Can mount transaction surface task	
lights underneath the surface ("TLT5"	
models) • Knife edge (KN) will have the knife edge	
only on the user side, the approach side	
will just have the standard 74P edge just	
like the approach side of the primary desk surface	
uesk surface	
Low Height Transaction Counter Straight 24" TLS24 DDD DDD DDD DDD DDD 18.0#	
Consists of top, two stanchions, steel 30" TLS30 CCC CCC CCC CCCC CCCC CCCC CCCC CCCC	
privacy panel, and all required assembly	
hardware Top of transaction surface is approxi- hardware Top of transaction surface is approxi- hardware Top of transaction surface is approxi- 42" TLS42	
TRUE mately 34" from floor 48" TLS48	
Change helpow transportion curfoce in	
3-3/4	
Worksurface is 10 deep and evertialitys	
Cannot mount task lights underneath the 72" TLS72	
Knife edge (KN) will have the knife edge	
only on the user side, the approach side	
will just have the standard 74P edge just like the approach side of the primary	
desk surface	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P	- 74P edge
KN	- Knife edge
348	- 3/8" Wood band edge
VN	- Wood edge veneer

Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System Transaction Worksurfaces

74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)
\$ 491	\$ 540	\$ 629	\$ 681
506	557	650	700
520	571	665	717
527	580	674	727
554	606	706	763
559	614	714	770
567	624	723	781
581	637	747	805
606	667	774	836

\$ 589	\$ 663	\$ 805	\$ 710	
602	684	847	667	
619	713	896	711	
637	742	1024	750	
650	738	1027	788	
681	781	1070	832	
687	805	1073	873	
715	844	1176	928	
735	863	1178	966	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Transaction Worksurfaces

	MODEL N	IIIMDED							
			MODEL	IUIVIDEN					
	MODEL	W-LEFT x W-RIGHT	Basic	Edge	Trim	Surface	Edge	Desk	Approx. Packaged
			Model	Style	Color	Finish	Color	Color	Weight
	Standard Height Transaction Counter Corner Consists of top, three stanchions, steel privacy panels, and all required assembly hardware Top of transaction surface is approxi-	42 x 42" 48 x 48"	THC4242 THC4848						66.0# 74.0#
		48 x 60" 48 x 66"	THC4860 THC4866						83.0# 87.0#
		48 x 72"	THC4872						91.0#
TRUE	mately 42" from floor	60 x 48"	THC6048						83.0#
	Space below transaction surface is 11- 1/2"	66 x 48"	THC6648						87.0#
	Worksurface is 16" deep and overhangs	72 x 48"	THC7248						91.0#
	4" on guest side • Can mount transaction surface task								
	lights underneath the surface ("TLT5"								
	models)								
	 Knife edge (KN) will have the knife edge only on the user side, the approach side 								
	will just have the standard 74P edge just								
	like the approach side of the primary								
	desk surface								
	Low Height Transaction Country Court	40 401	TI 04040						54.0%
	Low Height Transaction Counter Corner • Consists of top, three stanchions, steel	42 x 42"	TLC4242						51.0#
	privacy panels, and all required assem-	48 x 48"	TLC4848						59.0#
	bly hardwareTop of transaction surface is approxi-	48 x 60" 48 x 66"	TLC4860 TLC4866						66.0# 70.0#
TRUE	mately 34" from floor	48 x 72"	TLC4800						73.0#
INUE	Space below transaction surface is	60 x 48"	TLC4672						73.0# 66.0#
	3-3/4"	66 x 48"	TLC6648						70.0#
	 Worksurface is 16" deep and overhangs 4" on guest side 	72 x 48"	TLC7248						73.0#
	Cannot mount task lights underneath the	12 1 40	1207240						13.0#
	low transaction surface								
	 Knife edge (KN) will have the knife edge only on the user side, the approach side 								
	will just have the standard 74P edge just								
	like the approach side of the primary								
	desk surface								
			A	•	0	O	3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

 74P
 - 74P edge

 KN
 - Knife edge

 34S
 - 3/8" Wood band edge

 VN
 - Wood edge veneer

Select trim color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections. With 74P edge (74P), knife edge (KN), and wood band edge (34S), select from laminates. With wood edge veneer (VN), select from veneers.

Select edge color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Edge color offerings are based on edge style selections. With 74P edge (74P) and knife edge (KN), select from 74P/knife colors. With wood edge veneer (VN), no edge color selection required. With wood band edge (34S), select wood edge colors.

Select desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



True® Desking System Transaction Worksurfaces

74P Edge (74P)	Knife Edge (KN)	3/8" Wood Band Edge (34S)	Wood Edge Veneer (VN)	
\$ 863	\$ 950	\$ 1107	\$ 1192	
910	1000	1163	1259	
944	1040	1207	1303	
971	1069	1245	1344	
1019	1121	1303	1408	
944	1040	1207	1303	
971	1069	1245	1344	
1019	1121	1303	1408	

\$	902	\$ 944	\$ 13	02	\$	1553	
	931	972	13	95		1760	
	986	1026	15	13		2019	
	1026	1066	16	18		2151	
	1044	1085	16	18		2271	
	986	1026	15	13		2019	
	1026	1066	16	18		2151	
	1044	1085	16	18		2271	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

	MODEL NU	JMBEI	3						
	MODEL	Features	W	Basic Model	Dir.	Paint Color	Insert Finish	Approx. Packaged Weight	
2000	Single Desk Privacy Screen, stanchion/	Desk Width 24"	18"	TWSE24/E				7.0#	
K	end mount	Desk Width 30"	24"	TWSE30/E				8.0#	
	 Exposed frame (core is translucent, frame painted) 	Desk Width 36"	30"	TWSE36/E				9.0#	
	Available in 18" height only	Desk Width 42"	36"	TWSE42/E				11.0#	
F 1 = = = = = = = = = = = = = = = = = =	Attached to the desk with one stanchion	Desk Width 48"	42"	TWSE48/E				12.0#	
TRSC	support and one single grommet	Desk Width 54"	48"	TWSE54/E				13.0#	
	mounted bracket Includes screen and all required mount-	Desk Width 60"	54"	TWSE60/E				14.0#	
	ing hardware except stanchion	Desk Width 66"	60"	TWSE66/E				16.0#	
		Desk Width 72"	66"	TWSE72/E				17.0#	
	Single Desk Privacy Screen, end mount/	Desk Width 24"	24"	TWEE24/E				8.0#	
	end mount	Desk Width 30"	30"	TWEE30/E				9.0#	
	 Exposed frame (core is translucent, frame painted) 	Desk Width 36"	36"	TWEE36/E				10.0#	
	Available in 18" height only	Desk Width 42"	42"	TWEE42/E				11.0#	
TRSC	 Attached to the desk with two single 	Desk Width 48"	48"	TWEE48/E				13.0#	
	grommet mounted brackets	Desk Width 54"	54"	TWEE54/E				14.0#	
	 Includes screen and all required mount- ing hardware 	Desk Width 60"	60"	TWEE60/E				15.0#	
	ing naraware	Desk Width 66"	66"	TWEE66/E				17.0#	
		Desk Width 72"	72"	TWEE72/E				18.0#	
•	Single Desk Privacy Screen, between	Desk Width 24"	12"	TBS24/E				5.0#	
	stanchions	Desk Width 30"	18"	TBS30/E				6.0#	
	 Exposed frame (core is translucent, frame painted) 	Desk Width 36"	24"	TBS36/E				7.0#	
	Available in 18" height only	Desk Width 42"	30"	TBS42/E				9.0#	
	 Attached between two stanchion sup- 	Desk Width 48"	36"	TBS48/E				10.0#	
	ports	Desk Width 54"	42"	TBS54/E				11.0#	
-4=\$==-	 Includes screen and all required mount- ing hardware except stanchion 	Desk Width 60"	48"	TBS60/E				13.0#	
TRSC	CANNOT be used simultaneously with	Desk Width 66"	54"	TBS66/E				14.0#	
	Tool Rail (TATR)	Desk Width 72"	60"	TBS72/E				15.0#	
				A	ß	A	0		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select direction

-	- Left
3	- Riaht

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select insert finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



[Deliv	vered
F	Pricin	ng
\$	\$ 2	230
		255
	;	317
	;	376
	- 4	431
		488
		527
		583
		640
\$		238
		267
		325
		385
		438
		496
		534
		588
		650
\$		225
		249
		307
		368
		420
		481
		520
		577
	(632

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL	NUMBER	}			
	MODEL	Features	W	Basic Model	Paint Color	Insert Finish	Approx. Packaged Weight		
2275	Shared Privacy Screen, stanchion/end	Desk Width 24"	18"	TSE24/E			6.0#		
	mount	Desk Width 30"	24"	TSE30/E			7.0#		
	 Exposed frame (core is translucent, frame painted) 	Desk Width 36"	30"	TSE36/E			8.0#		
	Available in 18" height only	Desk Width 42"	36"	TSE42/E			10.0#		
1 = = = = = = B	 Attached to the desk with one stanchion support and one double grommet 	Desk Width 48"	42"	TSE48/E			11.0#		
TRSC		Desk Width 54"	48"	TSE54/E			13.0#		
	mounted bracket Includes screen and all required mount-	Desk Width 60"	54"	TSE60/E			14.0#		
	ing hardware except stanchion	Desk Width 66"	60"	TSE66/E			15.0#		
		Desk Width 72"	66"	TSE72/E			17.0#		
	Shared Privacy Screen, end mount/end	Desk Width 24"	24"	TEE24/E			7.0#		
	mount	Desk Width 30"	30"	TEE30/E			9.0#		
	Exposed frame (core is translucent,	Desk Width 36"	36"	TEE36/E			10.0#		
- 6 9 8 9 5 8 8 L	frame painted) • Available in 18" height only	Desk Width 42"	42"	TEE42/E			11.0#		
TRSC	Mounts to the desk with two double	Desk Width 48"	48"	TEE48/E			13.0#		
	grommet mounted brackets	Desk Width 54"	54"	TEE54/E			14.0#		
	 Includes screen and all required mount- ing hardware 	Desk Width 60"	60"	TEE60/E			15.0#		
	ing natuwate	Desk Width 66"	66"	TEE66/E			17.0#		
		Desk Width 72"	72"	TEE72/E			18.0#		
				A	B	0			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select insert finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered	
Pricing	
\$ 230	
255	
317	
376	
431	
488	
527	
583	
640	
\$ 238	
267	
325	
385	
438	
496	
534	
588	
650	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

						₹			
	MODEL	Features	W	Basic Model	Dir.	Paint Color	Fabric Color	Approx. Packaged Weight	
2-2-5	Single Desk Privacy Screen, stanchion/	Desk Width 24"	18"	TWSE24/U				7.0#	
TRSC	end mount	Desk Width 30"	24"	TWSE30/U				8.0#	
	 Upholstered (upholstered frame) fully tackable 	Desk Width 36"	30"	TWSE36/U				9.0#	
	Available in 18" height only	Desk Width 42"	36"	TWSE42/U				11.0#	
	Attached to the desk with one stanchion support and one single grommet mounted bracket	Desk Width 48"	42"	TWSE48/U				12.0#	
		Desk Width 54"	48"	TWSE54/U				13.0#	
	 72" consists of two screens ganged 	Desk Width 60"	54"	TWSE60/U				15.0#	
	together	Desk Width 66"	60"	TWSE66/U				16.0#	
	Includes screen and all required mount- i	Desk Width 72"	66"	TWSE72/U				18.0#	
	ing hardware except stanchion								
_	Single Desk Privacy Screen, end mount/	Desk Width 24"	24"	TWEE24/U				7.0#	
	end mount	Desk Width 30"	30"	TWEE30/U				9.0#	
	 Upholstered (upholstered frame) fully tackable 	Desk Width 36"	36"	TWEE36/U				10.0#	
125 # 2 = 2 = 5 # L. L.	Available in 18" height only	Desk Width 42"	42"	TWEE42/U				11.0#	
TRSC	 Attached to the desk with two single 	Desk Width 48"	48"	TWEE48/U				13.0#	
	grommet mounted brackets • 66" and 72" size consists of two screens	Desk Width 54"	54"	TWEE54/U				14.0#	
	anged together	Desk Width 60"	60"	TWEE60/U				16.0#	
	 Includes screen and all required mount- 	Desk Width 66"	66"	TWEE66/U				18.0#	
	ing hardware	Desk Width 72"	72"	TWEE72/U				19.0#	
				A	B	•	•		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select direction

L	- Left
R	- Riaht

Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect fabric color.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



P Fi	Delivered Pricing abric Grade & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$	223	\$ 230	\$ 239	\$ 252	\$ 266
	247	255	270	285	298
	303	316	329	349	364
	364	376	392	417	433
	415	431	446	472	492
	469	488	507	535	560
	507	527	548	581	605
	561	583	606	642	669
	618	640	667	705	734
\$	229	\$ 237	\$ 247	\$ 259	\$ 274
	253	266	276	292	303
	311	324	337	358	371
	369	385	398	424	440
	422	438	457	483	504
	478	496	516	548	567
	516	535	560	589	618
	568	589	618	652	678
	625	650	676	715	746

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL N	UMBER				
	MODEL	Features	w	Basic Model	Paint Color	Fabric Color	Approx. Packaged Weight		
	Single Desk Privacy Screen, mounted behind worksurface	Desk Width 24"	20"	TBW2024			9.0#	_	
		Desk Width 30"	20"	TBW2030			11.0#		
	 Upholstered (upholstered frame) fully tackable 	Desk Width 36"	20"	TBW2036			12.0#		
B = = = = = = = = = = = = = = = = = = =	Available in two heights: 20" matches	Desk Width 42"	20"	TBW2042			14.0#		
**************************************	the height of the stanchion mounted	Desk Width 48"	20"	TBW2048			15.0#		
TRSC	screen; 38" matches the height of an	Desk Width 54"	20"	TBW2054			18.0#		
	overhead storage unitMounts behind the back edge of the	Desk Width 60"	20"	TBW2060			20.0#		
	worksurface on brackets that attach to	Desk Width 66"	20"	TBW2066			22.0#		
	the underside of the worksurface	Desk Width 72"	20"	TBW2072			24.0#		
	 Adds 1" to overall depth of work station 66" and 72" size consists of two screens 	Desk Width 24"	38"	TBW3824			17.0#		
	ganged together	Desk Width 30"	38"	TBW3830			20.0#		
	 Includes screen and all required mount- 	Desk Width 36"	38"	TBW3836			23.0#		
	ing hardware	Desk Width 42"	38"	TBW3842			25.0#		
		Desk Width 48"	38"	TBW3848			28.0#		
		Desk Width 54"	38"	TBW3854			34.0#		
		Desk Width 60"	38"	TBW3860			36.0#		
		Desk Width 66"	38"	TBW3866			42.0#		
		Desk Width 72"	38"	TBW3872			45.0#		
	Single Desk Privacy Screen, between	Desk Width 24"	12"	TBS24/U			5.0#		
[55]	stanchions	Desk Width 30"	18"	TBS30/U			6.0#		
	 Upholstered (upholstered frame) fully tackable 	Desk Width 36"	24"	TBS36/U			8.0#		
	Available in 18" height only	Desk Width 42"	30"	TBS42/U			9.0#		
	 Attached between two stanchion sup- 	Desk Width 48"	36"	TBS48/U			11.0#		
	ports • Includes screen and all required mount-	Desk Width 54"	42"	TBS54/U			12.0#		
TRSC	ing hardware except stanchion	Desk Width 60"	48"	TBS60/U			13.0#		
	 CANNOT be used simultaneously with 	Desk Width 66"	54"	TBS66/U					
	Tool Rail (TATR)	Desk Width 72"	60"	TBS72/U			16.0#		
				A	B	•			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 229	\$ 237	\$ 247	\$ 259	\$ 274	
253	266	276	292	303	
311	324	337	358	371	
369	385	398	424	440	
422	438	457	483	504	
478	496	516	548	567	
516	535	560	589	618	
568	589	618	652	678	
625	650	676	715	746	
401	422	437	463	482	
447	466	485	514	532	
551	572	594	630	657	
651	677	703	747	775	
742	770	803	850	882	
839	872	906	960	999	
906	943	982	1041	1082	
999	1040	1082	1145	1189	
1097	1143	1187	1259	1309	
\$ 212	\$ 225	\$ 231	\$ 245	\$ 253	
239	249	257	275	286	
298	307	323	340	353	
353	368	384	404	423	
400	420	434	462	479	
463	481	498	529	554	
498	520	539	572	594	
555	577	599	633	659	
611	632	658	699	723	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

		MODEL NUMBER					
	MODEL	H x W-LEFT x W- RIGHT	Basic Model	Paint Color	Fabric Color	Approx. Packaged Weight	
TRSC	Single Desk Corner Privacy Screen, mounted behind worksurface Upholstered (upholstered frame) fully tackable Available in two heights: 20" matches the height of the stanchion mounted screen; 38" matches the height of an overhead storage unit Mounts behind the back edge of the worksurface on brackets that attach to the underside of the worksurface Adds 1" to overall depth of workstation 66" and 72" size consists of two screens ganged together Includes screen and all required mount- ing hardware	20 x 42 x 42"	BWSC204242			28.0#	
		20 x 48 x 48"	BWSC204848			30.0#	
		20 x 48 x 60"	BWSC204860			35.0#	
		20 x 48 x 66"	BWSC204866			37.0#	
		20 x 48 x 72"	BWSC204872			39.0#	
		20 x 60 x 48"	BWSC206048			35.0#	
		20 x 66 x 48"	BWSC206648			37.0#	
		20 x 72 x 48"	BWSC207248			39.0#	
		38 x 42 x 42"	BWSC384242			50.0#	
		38 x 48 x 48"	BWSC384848			56.0#	
		38 x 48 x 60"	BWSC384860			64.0#	
		38 x 48 x 66"	BWSC384866			70.0#	
		38 x 48 x 72"	BWSC384872			73.0#	
		38 x 60 x 48"	BWSC386048			64.0#	
		38 x 66 x 48"	BWSC386648			70.0#	
		38 x 72 x 48"	BWSC387248			73.0#	
			A	B	•		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



True® Desking System Components Privacy Screens - Upholstered

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 740	\$ 768	\$ 800	\$ 849	\$ 880	
844	876	912	967	1005	
936	972	1013	1074	1117	
991	1027	1070	1137	1181	
1047	1086	1130	1199	1246	
936	972	1013	1074	1117	
991	1027	1070	1137	1181	
1047	1086	1130	1199	1246	
1300	1350	1403	1490	1552	
1481	1541	1603	1701	1766	
1646	1712	1781	1888	1962	
1741	1810	1880	1995	2073	
1839	1913	1989	2108	2193	
1646	1712	1781	1888	1962	
1741	1810	1880	1995	2073	
1839	1913	1989	2108	2193	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

True® Desking System Components Privacy Screens - Upholstered

				MODEL N	IIIMRER			
				WIODEL	OWIDEN			
	MODEL	Features	W	Basic Model	Paint Color	Fabric Color	Approx. Packaged Weight	
	Shared Privacy Screen, stanchion/end	Desk Width 24"	18"	TSE24/U			6.0#	
	mount	Desk Width 30"	24"	TSE30/U			7.0#	
	 Upholstered (upholstered frame) fully tackable 	Desk Width 36"	30"	TSE36/U			9.0#	
	Available in 18" height only	Desk Width 42"	36"	TSE42/U			10.0#	
1 =====	Attached to the desk with one stanchion	Desk Width 48"	42"	TSE48/U			11.0#	
TRSC	support and one double grommet	Desk Width 54"	48"	TSE54/U			13.0#	
	mounted bracket 72" size consists of two screens ganged together	Desk Width 60"	54"	TSE60/U			14.0#	
		Desk Width 66"	60"	TSE66/U			16.0#	
	Includes screen and all required mount-	Desk Width 72"	66"	TSE72/U			18.0#	
	ing hardware except stanchion							
	Shared Privacy Screen, end mount/end	Desk Width 24"	24"	TEE24/U			7.0#	
	mountUpholstered (upholstered frame) fully	Desk Width 30"	30"	TEE30/U			8.0#	
18 = = = = = = = = = = = = = = = = = = =	tackable	Desk Width 36"	36"	TEE36/U			10.0#	
TRSC	 Available in 18" height only 	Desk Width 42"	42"	TEE42/U			11.0#	
	Mounts to the desk with two double	Desk Width 48"	48"	TEE48/U			13.0#	
	grommet mounted brackets • 66" and 72" size consists of two screens	Desk Width 54"	54"	TEE54/U			14.0#	
	ganged together	Desk Width 60"	60"	TEE60/U			15.0#	
	Includes screen and all required mount-	Desk Width 66"	66"	TEE66/U			17.0#	
	ing hardware	Desk Width 72"	72"	TEE72/U			19.0#	
				A	$oldsymbol{\Theta}$	•		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- **B**Select frame paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



True® Desking System Components Privacy Screens - Upholstered

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 223	\$ 230	\$ 239	\$ 252	\$ 266
247	255	270	285	298
303	317	329	349	364
364	376	392	417	433
415	431	446	472	492
469	488	507	535	560
507	527	548	581	605
561	583	606	642	669
618	640	667	705	734
\$ 229	\$ 237	\$ 247	\$ 259	\$ 274
253	266	276	292	303
311	324	337	358	371
369	385	398	424	440
422	438	457	483	504
478	496	516	548	567
516	535	560	589	618
568	589	618	652	678
625	650	676	715	746

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

True® Desking System Components Worksurface Dividers

			MODEL NUM	/IBER				
	MODEL	W	Basic Model	Paint Color	Approx. Packaged Weight			
		24"	TDV24		3.0#			
	Divides two similar depth worksurfaces Mounted to the underside of the worksurface Can be used with overheads, shelves and	30"	TDV30		3.0#			
	stanchions							
TRSC								
			A	B				

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- BSelect paint color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Components Worksurface Dividers

Delivered Pricing

228

258

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

True® Desking System Components

Tool Rails



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Components Tool Rails

Delivered Pricing	i
\$ 130	
133	
140	
147	
156	
178	
197	
207	
219	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL	NUMBER		
	MODEL	H x W x D	Basic Model	Accessory Color	Approx. Packaged Weight	
	Paper Tray	2 x 9-1/2 x 14"	PPLL		1.0#	
	Plastic construction Stores letter or legal size documents Suspends from tool rail					
	 Suitable for free-standing worksurface or 					
	overhead location					
HRDPT						
	Diagonal Storage	2-1/2 x 7 x 12-1/2"	PPDS		4.0#	
	Plastic constructionSuspends only from tool rail					
	Suitable for free-standing worksurface or					
	overhead location					
	Three slanted partitions per unitDividers in black only					
	Dividors in black only					
HRDPT						
	Vertical Storage Injection molded plastic construction	9 x 5 x 10-1/2"	PPVS		1.0#	
	Suspends only from tool rail					
	 Suitable for free-standing worksurface or 					
	overhead locationStores binders, phone books or periodi-					
	cals					
HRDPT						
			A	ß		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- **B**Select accessory color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing				
41				
§ 41				
, 41				
39				

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL	NUMBER		
	MODEL	H x W x D	Basic Model	Accessory Color	Approx. Packaged Weight	
	Telephone Caddy	2 x 8 1/2 x 9 1/2"	PPTC		0.8#	
	Plastic constructionHolds telephone up to 8-1/2" wide and					
	9-1/2" deep					
	 Suspends from tool rail 					
HRDPT						
	Accessory Tray	2 x 9 1/2 x 10"	PPAT		6.0#	
	Injection molded plasticStores stamps, tape dispenser, post-it					
	pads and paper clips					
	 Suspends from tool rail 					
HRDPT						
	Pencil Cup	4 x 4 x 3 1/2"	PPPC		0.3#	
	Injection molded plastic constructionSuspends from tool rail					
HRDPT						
			A	B		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- **B**Select accessory color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Deliv Prici	vered ng			
\$	50			
\$	34			
\$	34			


SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upper door solid color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option.

KS	- Key standard
NLC	- No lock core
KA	- Key alike

BLCS, BLCL, BLSF

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	27-3/4"	33-3/4"	39-3/4"	45-3/4"	51-3/4"	57-3/4"	63-3/4"	69-3/4"
Dimen- sion Between Sets at Work- stations	18"	24"	30"	36"	42"	48"	54"	60"



ed
6
4
5
2
1
3
7
7
1 1 3

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upper door laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ESelect laminate door edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option.

ook option.	
 Key standard 	
- No lock core	
- Key alike	
	- Key standard - No lock core

BLCS, BLCL, BLSF

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	27-3/4"	33-3/4"	39-3/4"	45-3/4"	51-3/4"	57-3/4"	63-3/4"	69-3/4"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	54"	60"



Delivered Pricing	
\$ 1572	
1629	
1689	
1768	
1914	
1944	
2971	
3094	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

				MODEL NUMBER						
	MODEL	W	Basic Model	Cabinet Paint Color	Fabric Color	Stanchion Door Color	Lock Option	Approx. Packaged Weight		
		30"	BLCF30/TR					46.0#		
	 Stanchions and mounting brackets included 	36"	BLCF36/TR					52.0#		
	The KI Balance® Overhead allows users	42"	BLCF42/TR					58.0#		
	the option to interchange from a True®	48"	BLCF48/TR					64.0#		
		54"	BLCF54/TR					70.0#		
	systemFabric covered upper door	60"	BLCF60/TR					78.0#		
	Painted cabinet and lower door	66"	BLCF66D/TR					91.0#		
7		72"	BLCF72D/TR					104.0#		
ВОН	Cabinet is fully assembled									
			Ø	B	•	0	(3			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upper door fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option.

KS	 Key standard
NLC	- No lock core
KA	- Kev alike

BLCS, BLCL, BLSF

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	3"	3"	3"	3"	3"	3"	3"	3"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	27-3/4"	33-3/4"	39-3/4"	45-3/4"	51-3/4"	57-3/4"	63-3/4"	69-3/4"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	54"	60"



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 1423	\$ 1433	\$ 1451	\$ 1474	\$ 1495	
1451	1460	1484	1506	1526	
1483	1492	1516	1537	1561	
1550	1563	1583	1610	1632	
1658	1669	1696	1719	1748	
1677	1687	1713	1742	1767	
2644	2665	2708	2752	2792	
2706	2728	2769	2815	2855	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #77.5

True® Desking System Components Balance® Task Lights

			MODEL NUMBER			
	MODEL	w	Basic Model	Approx. Packaged Weight		
	Balance® Task Lights • Electronic ballast	24"	BTLT5.24	3.9#		
	Electronic ballast	36"	BTLT5.36	5.3#		
		48"	BTLT5.48	6.7#		
HRDPT						



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION TASK LIGHT CABINET WIDTH Cabinet Light Width Width

24" 18" 30" 36" 24" 24" 36" 42" 48" 36" 54" 48" 60" 48" 66" 72" (2)24" (2)24"



True® Desking System Components Balance® Task Lights

Delivered
Pricing

109

121

127

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

	MODEL NUMBER								
	MODEL	W	Basic Model	Cabinet Paint Color	Handle Color	Stanchion Door Color	Lock Option	Approx. Packaged Weight	
^	Steel Overhead Cabinet	24"	PRDS24/TR					34.0#	
	 Includes support stanchions The KI Universal Overhead allows users 	30"	PRDS30/TR					39.0#	
	the option to interchange from a True®	36"	PRDS36/TR					44.0#	
		42"	PRDS42/TR					49.0#	
	system	48"	PRDS48/TR					54.0#	
IJ	 Steel end panels, bottom, top shelf, and door with powder-coated finish 	54"	PRDS54/TR					60.0#	
VUOS	Steel door	60"	PRDS60/TR					64.0#	
		66"	PRDS66/TR					61.0#	
	option	72"	PRDS72/TR					65.0#	
	 Door stores recessed with handle exposed 								
	Shelf depth is 13-1/4"								
	Must order 66" and 72" worksurfaces								
	with optional center grommet								
	66" overhead consists of 30" and 36" achieves authorized at juncture of achieves.								
	cabinets supported at juncture of cabi- nets by support stanchion								
	72" overhead consist of two 36" cabinets								
	supported at juncture of cabinets by								
	support stanchion								
	Accepts shelf divider								
			A	$oldsymbol{\Theta}$	0	O	(3		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select door handle trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option.

KS	- Key standard
NLC	- No lock core
KA	- Key alike

PRDS, PRDF, PRDL, PRDV

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"



Delivered Pricing	
\$ 878	
890	
911	
939	
1005	
1028	
1110	
1577	
1678	

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

True® Desking System Components

Universal Overhead Storage



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- 3Select cabinet paint color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select door handle trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Oselect stanchion door color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select fabric.
 Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select lock option.

	iook option.	
KS	 Key standard 	
NLC	- No lock core	
KA	- Key alike	

PRDS, PRDF, PRDL, PRDV

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 927	\$ 933	\$ 946	\$ 955	\$ 967	
955	962	975	987	999	
986	991	1003	1016	1028	
1005	1012	1027	1040	1052	
1033	1041	1053	1065	1082	
1155	1163	1180	1196	1212	
1207	1214	1230	1248	1265	
1732	1745	1768	1794	1817	
1781	1796	1818	1846	1870	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

MODEL NUMBER										
	MODEL	W	Basic Model	Cabinet Paint Color	Handle Color	Stanchion Door Color	Laminate Color	Lock Option	Approx. Packaged Weight	
	Laminate Overhead Cabinet	24"	PRDL24/TR						32.0#	
	 Includes support stanchions The KI Universal Overhead allows users 	30"	PRDL30/TR						36.0#	
	the option to interchange from a True®	36"	PRDL36/TR						40.0#	
	Desk mount solution to a KI office panel	42"	PRDL42/TR						44.0#	
	system	48"	PRDL48/TR						48.0#	
IJ	 Steel end panels, bottom, top shelf, and door with powder-coated finish 	54"	PRDL54/TR						53.0#	
VUOL	High-pressure laminate on particleboard	60"	PRDL60/TR						57.0#	
	door	66"	PRDL66/TR						61.0#	
	Double-bit lock is included with key alike	72"	PRDL72/TR						65.0#	
	optionDoor stores recessed with handle									
	exposed									
	Shelf depth is 13-1/4"									
	 Must order 66" and 72" worksurfaces with optional center grommet 									
	66" overhead consists of 30" and 36"									
	cabinets supported at juncture of cabi-									
	nets by support stanchion									
	 72" overhead consist of two 36" cabinets supported at juncture of cabinets by 									
	support stanchion									
	Accepts shelf divider									
			A	3	Θ	D	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select door handle trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select lock option.

KS	- Key standard
NLC	- No lock core
KA	- Key alike

PRDS, PRDF, PRDL, PRDV

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"



De Pr	elivered ricing	
\$	946	
	947	
	990	
	1028	
	1065	
	1172	
	1227	
	1727	
	1808	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

True® Desking System Components

Universal Overhead Storage



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- 3Select cabinet paint color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select door handle trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select veneer surface color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

Select lock option.

KS	- Key standard
NLC	- No lock core
KA	- Key alike

PRDS, PRDF, PRDL, PRDV

Over- head Width	30"	36"	42"	48"	54"	60"	66"	72"
Door Over- hang in Open Position	4"	4"	4"	4"	4"	4"	4"	4"
No. of Doors	1	1	1	1	1	1	2	2
Inside Width of Over- head	29-1/2"	35-1/2"	41-1/2"	47-1/2"	53-1/2"	59-1/2"	29-1/2" & 35-1/2"	2 x 35-1/2"
Dimension Between Sets at Workstations	18"	24"	30"	36"	42"	48"	19-3/4" & 25-3/4"	2 x 25-3/4"



Delivered Pricing		
\$ 1465		
1488		
1544		
1603		
1664		
1921		
2027		
2825		
2938		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

True® Desking System Components Universal Overhead Shelves and Divider

				MBER			
	MODEL	WxH	Basic Model	Shelf Paint Color	Stanchion Door Color	Approx. Packaged Weight	
	Low Shelf	24"	ULSR24/TR			14.0#	
	Includes support stanchionsAccepts shelf dividers	30"	ULSR30/TR			16.0#	
	Includes full back	36"	ULSR36/TR			17.0#	
	66" shelf consists of one 36" and one	42"	ULSR42/TR			19.0#	
	30"; 72" shelf consists of two 36" shelves	48"	ULSR48/TR			20.0#	
Ų	supported by middle uprightShelves are shipped unassembled	54"	ULSR54/TR			22.0#	
VULS	- Oncives are simpled unassembled	60"	ULSR60/TR			24.0#	
		66"	ULSR66/TR			29.0#	
		72"	ULSR72/TR			30.0#	
	Regular Shelf	24"	URSR24/TR			19.0#	
	Includes support stanchionsAccepts shelf dividers	30"	URSR30/TR			20.0#	
	Includes full back	36"	URSR36/TR			22.0#	
	 66" shelf consists of one 36" and one 	42"	URSR42/TR			23.0#	
	30"; 72" shelf consists of two 36" shelves	48"	URSR48/TR			25.0#	
IJ	supported by middle uprightShelves are shipped unassembled	54"	URSR54/TR			27.0#	
	ononvoo aro omppou unaccombicu	60"	URSR60/TR			28.0#	
VURS		66"	URSR66/TR			29.0#	
		72"	URSR72/TR			30.0#	
	Shelf Divider	7-1/4 x 11-1/2"	NSD			1.0#	
	 Steel shelf dividers with powder-coated finish 						
\searrow	Fits shelves and overheads						
HRDPT							
			A	B	G		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- **B**Select shelf paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Components Universal Overhead Shelves and Divider

Delivered	
Pricing	
\$ 601	
602	
617	
625	
634	
657	
692	
1010	
1032	
\$ 626	
627	
640	
652	
663	
694	
713	
1058	
1085	
\$ 27	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

True® Desking System Components Universal Overhead and Shelves Task Lights

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Universal Overhead and Shelves Task Lights • Electronic ballast	24"	TLT5.24	3.9#		
		36"	TLT5.36	5.3#		
		48"	TLT5.48	6.7#		
đ						
HRDPT						
			•			



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

TASK LIGHT CABINET WIDTH Cabinet Light Width Width 18"

24" 24" 24" 36" 30" 36" 42" 36" 48" 54" 48" 60" 48" 66" 72" (2)24" (2)24"



True® Desking System Components Universal Overhead and Shelves Task Lights

Deliv Prici	/erec
\$	82

90 97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #100.

			MODEL NUMBER		MODEL NUMBER				
	MODEL	WxDxH	Basic Model	Paint Color	Approx. Packaged Weight				
	Center Drawer	17 x 18-1/4 x 1-5/8"	7D/18CD		13.0#				
	Steel painted tray	17 x 18-1/4 x 1-5/8"	7D/18CDL		13.0#				
7DACU									
			A	B					

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- BSelect paint color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing

180

226

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

		MODEL N	IUMBER	
	MODEL	Basic Model	Surface Grom. Color	Approx. Packaged Weight
	Standard Leg Grommet Frame	TSLG		0.2#
	Standard on desks Use for replacement			
HRDPT				
	Upper Leg Grommet Cover Standard on desks Use for replacement	TULGC		0.2#
HRDPT				
	Lower Leg Grommet Cover • Standard on Corner Power Infeed Leg	TLLGC		0.2#
	Standard on Corner Power Infeed Leg			
HRDPT				
	Worksurface Grommet	TWSG		0.2#
	Standard on desksUse for replacement			
	000 101 10111001110111			
HRDPT				
	Worksurface Grommet Cover Standard on desks Use for replacement	TWSGC		0.2#
HRDPT				
		A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- **B**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delive	red
Pricing	g
\$	3
\$	3
_	
\$	3
\$	3
Y	
\$	3

SPECIAL SERVICES


Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Corner Power Infeed Leg



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- **B**Select trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Accessories Corner Power Infeed Leg

Delivered Pricing

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

True® Desking System Accessories Modesty Panel Inserts

			MODEL NUI	MBER			
	MODEL	W	Basic Model	Paint Color	Approx. Packaged Weight		
<i>₽</i> n	Full Modesty Panel Insert	24"	TAFMP24		5.0#		
	Used to change a desk from partial modesty panel into one with a full modesty panel Can be added or removed without dis-	30"	TAFMP30		6.0#		
		36"	TAFMP36		8.0#		
			42"	TAFMP42		9.0#	
	ruption to other desks or electrical parts	48"	TAFMP48		11.0#		
		54"	TAFMP54		12.0#		
		60"	TAFMP60		14.0#		
TRAC		66"	TAFMP66		16.0#		
		72"	TAFMP72		17.0#		
			A	ß			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Accessories Modesty Panel Inserts

Delive Pricinç	ered ng
\$ 1	178
1	178
1	190
2	212
2	255
2	278
3	321
3	341
3	382

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

True® Desking System Accessories Worksurface Accessories

			MODEL	. NUMB	ER		
					Stanchion	Approv	
			Basic	Paint	Door	Packaged	
	MODEL	W	Model	Color	Color	Weight	
^	Freestanding Stanchion Large • 19-1/2" tall (4 openings)	19"	TST19			8.0#	
	Stanchion door and top cap included						
	 Used to provide worksurface power and 						
	data location						
	 Included when ordering overheads with / TR suffix 						
	TH Sullix						
TRAC							
	Freestanding Stanchion Short 11-1/2" tall (2 openings)	11"	TST11			5.0#	
	Stanchion door and top cap included						
	 Used to provide worksurface power and 						
	data location						
TRAC							
			A	B	•		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- **B**Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select stanchion door color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Accessories Worksurface Accessories

Delivered Pricing

\$ 432

\$ 302

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

True® Desking System Data/Comm.

Accessories

			MODEL NU	MBER				
	MODEL	W	Basic Model	Trim Color	Paint Color	Approx. Packaged Weight		
	Communication Pole	10"	TCOMP10			9.0#		
	 Used to route communication cables through top grommet in worksurface to 	7"	TCOMP7			6.0#		
	ceiling							
	Includes pole, cover, and ceiling trimPole has two separated channels							
TRAC								
THAC	Cable Sunnort		TCOMCS			0.1#		
	Cable Support TCOMCS=single TCOMPK=8 pack		TCOMCSPK			1.0#		
\$10								
HRDPT								
	Face Plate Bracket		TCOMFP			0.2#		
TRAC								
			A	₿	•			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- **B**Select trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



True® Desking System Data/Comm. Accessories

Delivered	
Pricing	
\$ 174	
122	
\$ 6	
48	
 \$ 25	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NUM	BER			
	MODEL	Features	Basic Model	Paint Color	Approx. Packaged Weight		
	Rigid Wireway 4-4-2	Desk width 30"	TRWW4R30		4.0#		
GA	Includes rigid wireway electrical harness,	Desk width 36"	TRWW4R36		5.0#		
	steel wireway cover, and all required attachment hardware	Desk width 42"	TRWW4R42		5.0#		
	Available in two 10-wire styles. Note:	Desk width 48"	TRWW4R48		8.0#		
	10-wire styles must match on all electri-	Desk width 54"	TRWW4R54		8.0#		
lar &	cal partsAllows two duplex receptacles (ordered	Desk width 60"	TRWW4R60		11.0#		
TRAC	separately) to be mounted below the desk worksurface Size must match the desk length. Note: the 72D (dual) provides four possible receptacle locations	Desk width 66"	TRWW4R66		11.0#		
		Desk width 72"	TRWW4R72		12.0#		
		Desk width 72"	TRWW4R72D		12.0#		
	Rigid Wireway 6-2-2 Includes rigid wireway electrical harness,	Desk width 30"	TRWW6R30		4.0#		
	steel wireway cover, and all required	Desk width 36"	TRWW6R36		5.0#		
	attachment hardware	Desk width 42"	TRWW6R42		6.0#		
	 Available in two 10-wire styles. Note: 10-wire styles must match on all electri- 	Desk width 48"	TRWW6R48		8.0#		
	cal parts	Desk width 54"	TRWW6R54		9.0#		
TDAO	Allows two duplex receptacles (ordered	Desk width 60"	TRWW6R60		10.0#		
TRAC	separately) to be mounted below the desk worksurface	Desk width 66"	TRWW6R66		11.0#		
	Size must match the desk length. Note:	Desk width 72" Desk width 72"	TRWW6R72 TRWW6R72D		12.0# 13.0#		
	the 72D (dual) provides four possible	Desk Width /2	INWWON/2D		13.0#		
	receptacle locations						
			A	\mathbf{G}			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Dalivarad	
Delivered Pricing	
\$ 130	
144	
162	
182	
250	
321	
390	
451	
451	
\$ 130	
144	
162	
182	
250	
321	
390	
451	
451	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUMBER	
					Approx.
				Basic	Packaged
	MODEL	Features	W	Model	Weight
	Rigid Wireway Standard Desk Jumper		28"	TRDJ4ST	2.0#
	4-4-2Includes jumper harness to make the				
	electrical connection between adjacent				
	desks				
HRDPT	Available in two 10-wire styles. Note:				
	10-wire styles must match on all electri- cal parts				
	our parts				
	Rigid Wireway Standard Desk Jumper 6-2-2		28"	TRDJ6ST	2.0#
	Includes jumper harness to make the				
	electrical connection between adjacent				
LIDDDT	desks				
HRDPT	 Available in two 10-wire styles. Note: 10-wire styles must match on all electri- 				
	cal parts				
		Desk width 24"		TRE4PP24	3.0#
	Rigid Wireway Power Pass Through 4-4-2	Desk width 30"		TRE4PP30	3.0#
	 Includes the power pass through 	Desk width 36"		TRE4PP36	3.0#
	harness that allows power to continue through one side of a desk between two	Desk width 42"		TRE4PP42	3.0#
HRDPT	rigid wireway equipped desks	Desk width 48"		TRE4PP48	3.0#
	Available in two 10-wire styles. Note:	Desk width 54"		TRE4PP54	3.0#
	10-wire styles must match on all electri- cal parts	Desk width 60"		TRE4PP60	3.0#
	 Order length according to the desk width 	Desk width 66"		TRE4PP66	3.0#
	it is passing through	Desk width 72"		TRE4PP72	4.0#
	Rigid Wireway Power Pass Through 6-2-2	Desk width 24"		TRE6PP24	3.0#
	,	Desk width 30"		TRE6PP30	3.0#
	 Includes the power pass through harness that allows power to continue 	Desk width 36"		TRE6PP36	3.0#
	through one side of a desk between two	Desk width 42"		TRE6PP42	3.0#
HRDPT	rigid wireway equipped desks	Desk width 48"		TRE6PP48	4.0#
	 Available in two 10-wire styles. Note: 10-wire styles must match on all electri- 	Desk width 54"		TRE6PP54	4.0#
	cal parts	Desk width 60"		TRE6PP60	4.0#
	Order length according to the desk width	Desk width 66"		TRE6PP66	4.0#
	it is passing through	Desk width 72"		TRE6PP72	4.0#
				A	



Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.





Deliv	uered
Prici	vered ing
\$	117
\$	117
Φ	400
ф	120 123
	127
	130 135
	135
	135 140
	135 140 146
	135 140 146 154
	135 140 146 154 160
\$	135 140 146 154 160 120
\$	135 140 146 154 160 120 123 127
\$	135 140 146 154 160 120 123 127 130
\$	135 140 146 154 160 120 123 127 130 135
\$	135 140 146 154 160 120 123 127 130 135 140
\$	135 140 146 154 160 120 123 127 130 135 140 146
\$	135 140 146 154 160 120 123 127 130 135 140

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			-					
			MODEL NUI	/IBER				
					Approx.			
			Basic	Paint	Packaged			
	MODEL	W	Model	Color	Weight			
	Rigid Wireway End Panel Trough/Desk	24"	TEPT424		4.0#			
	Jumper 4-4-2	30"	TEPT430		5.0#			
	Includes jumper harness to make the							
	electrical connection between adjacent desks							
TRAC	See specifications for length that must							
	be specified							
	Available in two 10-wire styles. Note: 10 wire styles must match an all electric							
	10-wire styles must match on all electri- cal parts							
	ou. purio							
	Rigid Wireway End Panel Trough/ Desk	24"	TEPT624		4.0#			
O "	Jumper 6-2-2	30"	TEPT630		5.0#			
	Includes jumper harness to make the							
	electrical connection between adjacent desks							
TRAC	See specifications for length that must							
	be specified							
	 Available in two 10-wire styles. Note: 10-wire styles must match on all electri- 							
	cal parts							
	•							
			A	ß				
			A	₿				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select paint color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing

194

211

194

211

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NU	JMBER		
					Approx.	
			Basic	Accessory	Packaged	
	MODEL	Features L	Model	Color	Weight	
*	Rigid Wireway Receptacles 4-4-2 Includes the modular duplex 15 amp re-		TRER4RC1		0.2#	
	ceptacle that snaps onto a rigid wireway		TRER4RC2		0.2#	
	Available in two 10-wire styles. Note:		TRER4RC3I		0.2#	
	10-wire styles must match on all electri- cal parts		TRER4RC4I		0.2#	
HRDPT	cai parts					
TINDET	Rigid Wireway Receptacles 6-2-2		TRER6RC1		0.2#	
	• Includes the modular duplex 15 amp re-		TRER6RC2		0.2#	
	ceptacle that snaps onto a rigid wireway		TRER6RC3		0.2#	
	 Available in two 10-wire styles. Note: 10-wire styles must match on all electri- 		TRER6RC4I		0.2#	
	cal parts		TRER6RC5I		0.2#	
HRDPT	ou. purto		TRER6RC6I		0.2#	
חחטרו	Rigid Wireway Base Feed 4-4-2	72"			7.0#	
	• Includes base feed harness with 6' of	12	TEDI4DI 0		Ι. υπ	
	colored liquidtite conduit covering; used					
The state of the s	to feed power from a hard wired J-box or floor monument to the rigid wireway					
	on a desk					
	Available in two 10-wire styles. Note:					
HRDPT	10-wire styles must match on all electri-					
TINDET	cal partsBuilding connection hardware must be					
	supplied by customer					
	Rigid Wireway Base Feed 6-2-2	72"	TEBI6BF6		7.0#	
	 Includes base feed harness with 6' of 					
	colored liquidtite conduit covering; used to feed power from a hard wired J-box					
	or floor monument to the rigid wireway					
	on a desk					
	Available in two 10-wire styles. Note:					
HRDPT	10-wire styles must match on all electri- cal parts					
	Building connection hardware must be					
	supplied by customer					
			A	•		
				U		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- **B**Select accessory color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Dolis	ored.	
Prici	vered ina	
\$	39	
	39	
	39	
	39	
\$	39	
	39	
	39	
	39	
	39	
	39	
\$	249	
Φ	040	
\$	249	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

		MODEL NUMBER				
	MODEL	н	Basic Model	Paint Color	Approx. Packaged Weight	
	Rigid Wireway Top Feed 6-2-2	144"	TE6TF144		14.0#	
	Includes electrical harness (144" or	216"	TE6TF216		19.0#	
	216"), aluminum 2-channel power pole (7' or 10' respectively) and ceiling trim					
1 - Just hour next incommentation	Used to feed power from a hard wired					
TRAC	J-box above a false ceiling to the rigid					
	wireway or a desk					
	 Attaches to the desk at a corner grommet location 					
	Available in two 10-wire styles. Note:					
	10-wire styles must match on all electri- cal parts					
	Building connection hardware must be					
	supplied by customer					
	Rigid Wireway Top Feed 4-4-2	144"	TE4TF144		13.0#	
	 Includes electrical harness (144" or 216"), aluminum 2-channel power pole 	216"	TE4TF216		19.0#	
	(7' or 10' respectively) and ceiling trim					
	Used to feed power from a hard wired beyone a folce aciling to the rigid					
TRAC	J-box above a false ceiling to the rigid wireway or a desk					
	Attaches to the desk at a corner grom-					
	met location					
	 Available in two 10-wire styles. Note: 10-wire styles must match on all electri- 					
	cal parts					
	Building connection hardware must be					
	supplied by customer					
	Stanchion Power Tap	36"	TRESR36		0.5#	
	 Provides a duplex 15 amp receptacle 	96"	TRESR96		1.0#	
	that is located behind a desk stanchion	50				
//	door • Circuit number will be determined by the					
Д	receptacle it is plugged into					
Y	Two cord lengths available: 36" and 96"					
HRDPT						
			A	$oldsymbol{\Theta}$		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

BSelect paint color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



113 135

True® Desking System Electrical

Deliv Pricir	ered	ed Control of the Con	
Pricir	ng		
\$			
	244	4	
\$	184	4	_
	244	4	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Index

Model No.	Description	Page	Model No.	Description	Page
7D/18CD	Center Drawer: Center Drawer	102		Modesty Panel	44
BLCF30/TR	Balance® Overhead Storage: Fabric Upper Door	86	TI244860/P/A	Piano Desk: Piano Desk with Partial Modesty Panel/No Partial	
BLCL30/TR	Balance® Overhead Storage: Laminate Upper Door	84		Guest Modesty Panel	50
BLCS30/TR	Balance® Overhead Storage: Solid Color Upper Door	82	TI244860/P/G	Piano Desk: Piano Desk with Partial Modesty Panel/Partial	
BTLT5.24	Balance® Task Lights: Balance® Task Lights	88		Guest Modesty Panel	48
BWSC204242	Privacy Screens - Upholstered: Single Desk Corner Privacy		TLC4242	Transaction Worksurfaces: Low Height Transaction Counter	
	Screen, mounted behind worksurface	70		Corner	60
NSD	Universal Overhead Shelves and Divider: Shelf Divider	98	TLLGC	Grommets: Lower Leg Grommet Cover	104
PPAT	Paper Management: Accessory Tray	80	TLS24	Transaction Worksurfaces: Low Height Transaction Counter	
PPDS	Paper Management: Diagonal Storage	78		Straight	58
PPLL	Paper Management: Paper Tray	78	TLT5.24	Universal Overhead and Shelves Task Lights: Universal Over-	
PPPC	Paper Management: Pencil Cup	80		head and Shelves Task Lights	100
PPTC	Paper Management: Telephone Caddy	80	TP244860/F/A	P-Shaped Desk: P-Shaped Desk with Full Modesty Panel/No	
PPVS	Paper Management: Vertical Storage	78		Partial Guest Modesty Panel	38
PRDF24/TR	Universal Overhead Storage: Fabric Overhead Cabinet	92	TP244860/F/G	P-Shaped Desk: P-Shaped Desk with Full Modesty Panel/	
PRDL24/TR	Universal Overhead Storage: Laminate Overhead Cabinet	94		Partial Guest Modesty Panel	36
PRDS24/TR	Universal Overhead Storage: Steel Overhead Cabinet	90	TP244860/P/A	P-Shaped Desk: P-Shaped Desk w/Partial Modesty Panel/No	
PRDV24/TR	Universal Overhead Storage: Veneer Overhead Cabinet	96		Partial Guest Modesty Panel	42
TAFMP24	Modesty Panel Inserts: Full Modesty Panel Insert	108	TP244860/P/G	P-Shaped Desk: P-Shaped Desk with Partial Modesty Panel/	
TAR24	Add-On Worksurfaces: Round Add-On Worksurface	56		Partial Guest Modesty Panel	40
TATR24/SS	Tool Rails: Tool Rail, stanchion/stanchion mounted	76	TQR24	Add-On Worksurfaces: Quarter Round Add-On Worksurface	56
TBS24/E	Privacy Screens - Exposed Frame: Single Desk Privacy Screen,		TR2424/F	Rectangular Desk: Rectangular Desk with Full Modesty Panel	6
	between stanchions	62	TR2424/P	Rectangular Desk: Rectangular Desk with Partial Modesty	
TBS24/U	Privacy Screens - Upholstered: Single Desk Privacy Screen,			Panel	8
	between stanchions	68	TRDJ4ST	Electrical: Rigid Wireway Standard Desk Jumper 4-4-2	116
TBW2024	Privacy Screens - Upholstered: Single Desk Privacy Screen,		TRDJ6ST	Electrical: Rigid Wireway Standard Desk Jumper 6-2-2	116
	mounted behind worksurface	68	TRE4PP24	Electrical: Rigid Wireway Power Pass Through 4-4-2	116
TC24424224/FF	Corner Desk: Corner Desk with Full Modesty Panel/Full Mod-		TRE6PP24	Electrical: Rigid Wireway Power Pass Through 6-2-2	116
	esty Panel	12	TRER4RC1	Electrical: Rigid Wireway Receptacles 4-4-2	120
TC24424224/FP	Corner Desk: Corner Desk with Full Modesty Panel/Partial		TRER6RC1	Electrical: Rigid Wireway Receptacles 6-2-2	120
	Modesty Panel	14	TRESR36	Electrical: Stanchion Power Tap	122
TC24424224/PF	Corner Desk: Corner Desk with Partial Modesty Panel/Full		TRWW4R30	Electrical: Rigid Wireway 4-4-2	114
	Modesty Panel	16	TRWW6R30	Electrical: Rigid Wireway 6-2-2	114
TC24424224/PP	Corner Desk: Corner Desk with Partial Modesty Panel/Partial		TS24486024/F/FS	Square Shoe Desk: Square Shoe Desk with Full Modesty	
	Modesty Panel	18		Panel/Full Modesty Panel	20
TCLBG	Corner Power Infeed Leg: Corner Power Infeed Leg	106	TS24486024/F/PS	Square Shoe Desk: Square Shoe Desk with Full Modesty	
TCOMCS	Accessories: Cable Support	112		Panel/Partial Modesty Panel	22
TCOMFP	Accessories: Face Plate Bracket	112	TS24486024/P/FS	Square Shoe Desk: Square Shoe Desk with Partial Modesty	
TCOMP10	Accessories: Communication Pole	112		Panel/Full Modesty Panel	24
TD2448/F/A	D-Shaped Desk: D-Shaped Desk with Full Modesty Panel/No		TS24486024/P/PS	Square Shoe Desk: Square Shoe Desk with Partial Modesty	
	Partial Guest Modesty Panel	30		Panel/Partial Modesty Panel	26
TD2448/F/G	D-Shaped Desk: D-Shaped Desk with Full Modesty Panel/		TSE24/E	Privacy Screens - Exposed Frame: Shared Privacy Screen,	
	Partial Guest Modesty Panel	28		stanchion/end mount	64
TD2448/P/A	D-Shaped Desk: D-Shaped Desk w/Partial Modesty Panel/No		TSE24/U	Privacy Screens - Upholstered: Shared Privacy Screen, stan-	
	Partial Guest Modesty Panel	34		chion/end mount	72
TD2448/P/G	D-Shaped Desk: D-Shaped Desk with Partial Modesty Panel/		TSLG	Grommets: Standard Leg Grommet Frame	104
	Partial Guest Modesty Panel	32	TSS24	Transaction Worksurfaces: Standard Height Transaction	
TDV24	Worksurface Dividers: Worksurface Dividers	74		Counter Straight	58
TE3060	Bow Front Desk: Bow Front Desk with Full Modesty Panel	10	TST11	Worksurface Accessories: Freestanding Stanchion Short	110
TE4TF144	Electrical: Rigid Wireway Top Feed 4-4-2	122	TST19	Worksurface Accessories: Freestanding Stanchion Large	110
TE6TF144	Electrical: Rigid Wireway Top Feed 6-2-2	122	TTR244230/F	Transitional Desk: Transitional Desk with Full Modesty Panel	52
TEBI4BF6	Electrical: Rigid Wireway Base Feed 4-4-2	120	TTR244230/P	Transitional Desk: Transitional Desk with Partial Modesty Panel	54
TEBI6BF6	Electrical: Rigid Wireway Base Feed 6-2-2	120	TULGC	Grommets: Upper Leg Grommet Cover	104
TEE24/E	Privacy Screens - Exposed Frame: Shared Privacy Screen, end		TWEE24/E	Privacy Screens - Exposed Frame: Single Desk Privacy Screen,	
	mount/end mount	64		end mount/end mount	62
TEE24/U	Privacy Screens - Upholstered: Shared Privacy Screen, end		TWEE24/U	Privacy Screens - Upholstered: Single Desk Privacy Screen,	
	mount/end mount	72		end mount/end mount	66
TEPT424	Electrical: Rigid Wireway End Panel Trough/Desk Jumper		TWSE24/E	Privacy Screens - Exposed Frame: Single Desk Privacy Screen,	
	4-4-2	118		stanchion/ end mount	62
TEPT624	Electrical: Rigid Wireway End Panel Trough/ Desk Jumper		TWSE24/U	Privacy Screens - Upholstered: Single Desk Privacy Screen,	
	6-2-2	118		stanchion/end mount	66
THC4242	Transaction Worksurfaces: Standard Height Transaction		TWSG	Grommets: Worksurface Grommet	104
	Counter Corner	60	TWSGC	Grommets: Worksurface Grommet Cover	104
THR4824	Add-On Worksurfaces: Half Round Add-On Worksurface	56	ULSR24/TR	Universal Overhead Shelves and Divider: Low Shelf	98
TI244860/F/A	Piano Desk: Piano Desk with Full Modesty Panel/No Partial		URSR24/TR	Universal Overhead Shelves and Divider: Regular Shelf	98
	Piano Desk: Piano Desk with Full Modesty Panel/No Partial Guest Modesty Panel	46	URSR24/TR	Universal Overhead Shelves and Divider: Regular Shelf	98





KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11348R3/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.