August 20, 2014 Updated March 25, 2015 800-424-2432



General Information



TOGGLE TABLE



Laminate; 1-1/4" round vinyl bullnose edge; 1-1/2" radius corner (54B)



Laminate; 1-1/4" rigid PVC edge; square corner (74P)



Laminate; 1/2" rigid PVC knife edge; square corner (KN)



Postformed Edge (PL)

SPECIFICATIONS

TOGGLE "FIXED" MODEL (FX) GENERAL

The table shall consist of two T bases (centered column on a horizontal foot) supporting a worksurface. The top of the worksurface shall be 29" from the floor. See back page for top sizes.

Base

The base shall consist of a top plate, column and foot all finished with baked on 30 sheen powder coat paint. The top plate shall be 6-gauge thick steel. The column shall be 2-3/8" X 4-3/8" rectangular 14-gauge steel tubing with a ½" steel plate welded on the bottom and top end. The top plate shall be attached to the column with (4) 6mm bolts. The foot shall consist of an extruded aluminum component with a nylon toe cap inserted into each end. The foot shall be attached to the column with (4) 6mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to each mounting plate using (7) #10 X 1" tapping screws.

TOGGLE "ELECTRIC" MODEL (EL) General

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface shall adjust between 26.00" and 52.00" from the floor by means of electric controls that can be located at either end of the table. Cord length on Toggle electrical is 8 feet.

Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member, an intermediate member and an inner member. The outer member shall 2-3/8" X 4-3/8" rectangular 14-gauge steel tubing with a 1/4" steel plate welded on the top end. The intermediate member shall be 2" X 4" rectangular 14-gauge steel tubing. The inner member shall be 1-1/2" X 3-1/2" rectangular 14-gauge steel tubing with a 1/4" steel plate welded on the bottom end. A 6-gauge formed steel motor housing is welded to the each outer leg member for strength. The foot shall consist of an extruded aluminum component with a nylon toe cap inserted into each end. The foot shall be attached to the column with (4) 6mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface Support

The worksurface support shall be 1" X 1" 14-gauge steel tubing attached to each leg column with 6mm bolts. An 11-gauge u-shaped cross member connects each leg assembly for stability.


Worksurface


Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (10) #10 X 1" tapping screws.




DIMENSIONS

Toggle "Fixed" Model (FX)





Toggle "Electric" Model (EL)





		MODEL NUM	BER						
MODE	EL A	хВ	Basic Model		Edge Color	Surface Finish	Base Finish	Approx. Packaged Weight	
		3-1/2 x 46-1/2"	TOGL2448FX					85.0#	
A • 29" I	High 23	3-1/2 x 58-1/2"	TOGL2460FX					95.0#	
	23	3-1/2 x 70-1/2"	TOGL2472FX					105.0#	
В									
TGFX									
		9-1/2 x 46-1/2"	TOGL3048FX					97.0#	
A • 29" I	High 29	9-1/2 x 58-1/2"	TOGL3060FX					109.0#	
	29	9-1/2 x 70-1/2"	TOGL3072FX					121.0#	
В									
TGFX									
		5-1/2 x 46-1/2"	TOGL3648FX					104.0#	
A • 29" I	High 35	5-1/2 x 58-1/2"	TOGL3660FX					121.0#	
	35	5-1/2 x 70-1/2"	TOGL3672FX					136.0#	
В									
TGFX									
			A	B	0	0	(3		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

54B	- 1-1/4" Vinyl bullnose
74P	- 74P edge
PL	- Postformed edge
KN	- Knife edge

Select edge color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select base finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



4.4							
	'4" Vinyl nose 3)	74F (74	PEdge P)	Pos (PL	tformed Edge)	Knif (KN	fe Edge)
\$	506	\$	583	\$	605	\$	625
	532		620		644		675
	564		666		692		748
\$	562	\$	644	\$	668	\$	670
	622		716		746		785
	660		767		798		870
\$	587	\$	675	\$	702	\$	759
	651		752		782		855
	699		779		811		1122

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

			MODEL NUME	BER				
MODEL	AxI		Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish	Approx. Packaged Weight
Rectangular Elect		I/2 x 46-1/2"	TOGL2448EL					131.0#
• 26-52" Electrica • Simple up/dowr		I/2 x 58-1/2"	TOGL2460EL					141.0#
Simple up/dowl	23-1,	I/2 x 70-1/2"	TOGL2472EL					151.0#
В								
TGEL								
Rectangular Elect		I/2 x 46-1/2"	TOGL3048EL					143.0#
• 26-52" Electrica • Simple up/dowr		I/2 x 58-1/2"	TOGL3060EL					155.0#
Simple up/down	29-1	I/2 x 70-1/2"	TOGL3072EL					168.0#
В								
TGEL								
Rectangular Elect		I/2 x 46-1/2"	TOGL3648EL					151.0#
• 26-52" Electrica • Simple up/dowr		I/2 x 58-1/2"	TOGL3660EL					168.0#
- Simple up/down	35-1	I/2 x 70-1/2"	TOGL3672EL					182.0#
В								
TGEL								
	ric 120° Corner Tables 29-1,	I/2 x 46-1/2 x 48-7/8"	TOGLC3048EL					170.0#
• 120° angle • 26-52" Electrica	Ilv adjustable							
• Simple up/dowr								
TGEL								
			A	B	•	0	(3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

54B	- 1-1/4" Vinyl bullnose
74P	- 74P edge
PL	- Postformed edge
KN	- Knife edge

- Select edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 - Edge color offerings are based on edge style selections.
- Select surface finish.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Toggle® Tables Electric Base

	4" Vinyl nose	74P Edge	Postformed Edge	Кn	ife Edge
(54E		(74P)	(PL)	(KI	
\$ -	1728	\$ 1796	\$ 1833	\$	1867
	1760	1838	1887		1911
	1801	1890	1964		1965
\$	1801	\$ 1874	\$ 1921	\$	1949
	1863	1946	2008		2025
	1906	2001	2082		2092
\$		\$ 1902	\$ 1976	\$	1978
	1889	1978	2057		2068
	1933	2005	2085		2307
\$ -	1972	\$ 2059	N/A	\$	2205

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Toggle® Tables Electric Bases Only

			MODEL NUMBER				
	MODEL	A	Basic Model	Base Finish	Approx. Packaged Weight		
	Rectangular Electric-Base Only - 24"D • For use with 24" deep surfaces, 48-72"	24"	TGBO.EL24		85.0#		
	For use with 24 deep surfaces, 46-72 wide Adjusts from 26-52" with 1-1/4" top Top (not included) should be undersized .2575" to allow safe clearance in any work area						
*							
~							
HRDPT							
		30"	TGBO.EL30		90.0#		
	 For use with 30 and 36" deep surfaces, 48-72" wide 						
	Adjusts from 26-52" with 1-1/4" top						
	Top (not included) should be undersized						
>	.2575" to allow safe clearance in any						
HRDPT	work area						
			A	B			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select base finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Toggle® Tables
Electric Bases Only

Delivered Pricing

\$ 1471

\$ 1526

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBE	R			
	MODEL	Basic Model	Caster Color	Approx. Packaged Weight		
HRDPT	Remote Control with Presets Includes digital display and 3 preset button Must be ordered separately	TG.REMOTE.LCD		1.0#		
HRDPT	Caster Kit Includes mounting plates and thread cutting screws to mount on the underside of the feet 2-locking and 2 non-locking Must be ordered separately	TGCA	BL	1.0#		
		A	B			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Belect caster color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.



Delivered Pricing

\$ 96

\$ 29

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2013 KI All Rights Reserved. Litho in USA. Code KI-11597/KI/PDF/313