

January 3, 2011

Updated April 29, 2015

800-424-2432



Contents

Refer to KI Terms & Conditions document or visit ki.com.

Ordering C.O.M., C.O.L., and C.O.V.	Bonduel, Green Bay, Ontario, and Tupelo	2
	High Point	4
	Shipping Location	6
Altus™	General Information	8
	Task Chair	10
	Altus Slip Covers	12
Apply™	General Information	14
	Task Chair	16
	Task Stool	18
Avail®	General Information	20
	Task Chair	22
	Task Chair	24
Cinturon™	General Information	26
	Task Chairs	28
	Task Chairs	30
Engage®	General Information	32
	Task Chairs and Stools	34
	Task Chairs and Stools	36
	Task Chairs and Stools	38
	Task Chairs and Stools	40
Grazie®	General Information	42
	Task Chairs and Stools	44
	Task Chairs and Stools	46
Impress®	General Information	48
	Task Chairs and Stools	50
Impress® Ultra	General Information	52
	Task Chairs and Stools	54
Kismet®	General Information	56
	Task, Stool, Guest Chairs	58
	Task, Stool, Guest Chairs	60
	Task, Stool, Guest Chairs	62
	Task, Stool, Guest Chairs	64
Mesa™	General Information	66
	Task Chairs	68
Pilot®	General Information	70
	Task Chairs	72
Sift™	General Information	74
	Task and Guest Chairs	76
	Task and Guest Chairs	78
	Task and Guest Chairs	80
Strive®	General Information	82
	Task Chairs and Stools	84
	Task Chairs and Stools	86
	Task Chairs and Stools	88
	Task Chairs and Stools	90
Torsion®	General Information	92
	Task Chairs	94
	Task Chairs and Stools	96
Torsion Air™	General Information	98
	Task Chairs and Stools	100
	Task Chairs and Stools	102
Index		104

Ordering C.O.M., C.O.L., and C.O.V.

Bonduel, Green Bay, Ontario, and Tupelo


How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive, Gate 3
Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1" square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing

For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1687 Westminster Drive, Gate 3
Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo
Attn: C.O.M. Storage
2112 South Green Street
Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot
Attn: C.O.M. Storage
1110 S. Mildred Ave.
Ontario, CA 91761

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.




Diagram B

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., C.O.L. and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Please see information below and check the appropriate box.

☐ Submitted for testing.

☐ Test approved. Submitted for production.

Purchase Order Number

KI Acknowledgement Number

In all instances, send this form to the C.O.M. Specialist.

☐ A Selvage Top and Bottom



☐ B Selvage Side and Side



Purchasing Agent (Dealer or buying organization)

Attention

Address

City

State

Zip

Project Name

Type of seating and number of units of each type



Ordering C.O.M., C.O.L., and C.O.V.

Bonduel, Green Bay, Ontario, and Tupelo

Ordering C.O.M., C.O.L., and C.O.V.

HIGH POINT

Customer's Own Material ■

Specifications Form

March 2015

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS
MUST BE PREPAID TO: KI
217 Feld Avenue
High Point, NC 27263

COM and COL must be identified as follows:

1. Name and address
2. Your purchase order number
3. Our style number to which fabric is to be applied
4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. FABRIC WITH NAP: IF USING MOHAIR, VELVET OR ANY FABRIC WITH A "NAP", INCREASE YARDAGE REQUIRE BY 11%. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX (The yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or KOM upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	8"-13" REPEAT	14"-21" REPEAT	22"-27" REPEAT	28"-33" REPEAT	34"-40" REPEAT	41"-48" REPEAT
54"	0	20%	25%	30%	40%	50%	60%	70%
51"-53"	15%	25%	30%	35%	45%	60%	70%	80%
48"-50"	20%	30%	35%	40%	50%	65%	75%	85%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE $14 + 5 = 19$.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.





Customer's Own Material ■

Specifications Form

March 2015


ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO# _____
- The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.

ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)



YOUR COMPANY NAME _____

PHONE _____ FAX _____

Material Supplier _____

Material Name _____ Number _____

Material Color _____ Width _____

Vertical Repeat _____ Horizontal Repeat _____

Fiber Content _____

Direction Stripe/Pattern to be applied _____

COM TO BE USED ON THE FOLLOWING:

QTY PRODUCT NAME/NUMBER

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____



Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

C.O.M. SHIPPING LOCATION



Architectural Walls		Universal Overheads..... MN	Jessa Lounge Seating..... HN
Genius Walls..... MN		Wireworks..... MN	Jubi Guest Chair..... GB
Casegoods		Unite..... MN	Kismet Task/Guest Chairs & Stools..... OM
Dante Benches..... AG		Residence Hall Furniture	
Darwin Tackboards..... MN		RoomScape Furniture..... MN	Kurv Benches..... HN
Aristotle Tackboards..... MN		Screens	
Classroom Furniture		True/Volition..... KP	LaResta Day Beds..... HN
360° Classroom Furniture..... BW		Genesis..... KP	Maestro Stack Chairs..... GB
Intellect Wave Chairs..... GB		Seating	
Dorsal 1090 Chairs..... GB		100 Series Folding Chairs..... BW	Matrix Stack Chairs..... GB
Dorsal Student Desks..... GB		300 Series Folding Chairs..... BW	Medical & Laboratory Stools..... OM
Learn2..... GB		600 Series Stools..... BW	Mesa Lounge & Task Seating..... HN
Desking		700 Series Folding Chairs..... BW	MyWay Seating..... HN
700 Series Desking..... KP		1000 Series..... GB	Neena Benches..... HN
Balance Overheads..... MN		Aerdyn Guest Seating..... HN	Opt4..... GB
Genesis Desking..... MN		Affina Collection..... HN	Perry Stack Chairs..... GB
True Desking..... KP		Arissa Lounge..... HN	Perth Multiple & Healthcare Seating..... HN
Universal Overheads..... MN		Altus Task Chairs..... TM	Perth II Healthcare Seating..... HN
WorkZone Desking..... MN		Apply Stack Chairs..... GB	Pilot Task Chairs..... OM
Files & Storage		Auditorium Folding Chairs..... BW	Piretti Stack Chairs..... GB
700 Series Pedestal Cushion..... GB		Avail Task Chairs..... OM	Promenade Seating System..... BW
U-Series Pedestal Cushion..... GB		Bantam Guest Seating..... HN	Rapture Stack Chairs & Stools..... GB
Fixed Seating		Briar Multiple & Healthcare Seating..... HN	Relax Lounge Seating..... HN
Concerto Auditorium Seating..... BW		Boss Design Chairs..... HN	Rose Healthcare..... BW
Single Pedestal Seating..... GB		Cinturon Lounge & Professional Seating..... HN	Sela Lounge Seating..... HN
Jury Base Seating..... GB		Cody Lounge Seating..... HN	Sift Task Chairs..... TM
Lancaster Auditorium Seating..... BW		Connection Zone Privacy Booths..... HN	Silhouette Stack Chairs & Stools..... BW
Sequence Seating..... GB		Dorsal Stack & Tandem Seating..... GB	Soltice Metal Collection..... HN
University Seating..... GB		Engage Task Chairs & Stools..... GB	Soltice Multiple, Healthcare & Guest..... HN
Panel Systems		Flex Multiple & Healthcare Seating..... HN	Soltice II Healthcare Seating..... HN
All Terrain..... KP		Front Row Seats (Silk Screening)..... BW	Strive Multiple, Stack & Task..... GB
Balance Overheads..... MN		GateOne Public Seating..... BW	Tea Cup Lounge Seating..... HN
System 3000..... MN		Grazie Seating..... GB	Three Multiple, Healthcare & Lounge..... HN
		Hub Modular Lounge Seating..... HN	Three II Healthcare Seating..... HN
		Impress Task Chairs..... OM	Torsion-on-the-Go! Nesting Chairs..... GB
		Impress Ultra Task Chairs..... OM	Torsion Air Stack and Task Seating..... GB
			Torsion Stack and Task Seating..... GB
			Versa Stack Chairs & Stools..... GB
			Site Furnishings
			Logix..... BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

<u>AG</u> Contact KI at 1-800-424-2432	<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>HN</u> KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220
<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>KI Crossroads</u> Attn: Brianne Linn 280 North Road Clinton County Industrial Park McElhattan, PA 17748	<u>OM</u> KI-Impress Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	<u>TM</u> KI Tupelo 2112 South Green St. Tupelo, MS 38804	



Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location





Conference Loop Armchair (ALTCLA)



Fabric Task Armless Chair (ALTUNA)



Fabric Task Headrest
Adjustable Armchair (ALTUAA)

Features			
Back flex		•	•
Swivel and tilt	•		
Glides option	•		
General Dimensions			
Seat width	18-1/2"	18"	18"
Seat depth	17-1/4"	15-1/2" - 18"	15-1/2" - 18"
Seat height	16-1/4" - 19-1/2"	16-1/4" - 20-3/4"	16-1/4" - 20-3/4"
Arm height	8-3/4"		6-1/4" - 9-1/4"
Inside distance between arms	19-3/4"		19"
Overall Dimensions			
Width	24"	26"	26"
Depth	24"	26"	26"
Height	35-1/4" - 38-1/2"	39-1/2" - 44"	39-1/2" - 44"
Base diameter	24"	26"	26"

SPECIFICATIONS

Mechanism (Fabric and Mesh Task Chair)

Reinforced plastic base on cast aluminum housing with three control levers. One lever activates the pneumatic cylinder for a range in seat height. The second lever controls the back tilt angle, which has four settings. The third lever adjusts the tilt force and is located at the side of the chair for ease of use.

Mechanism (Conference Chair)

Swivel tilt mechanism is a stamped steel dual housing which includes swivel and tilt tension. Steel handle with molded urethane paddle controls seat height adjustments along with single lock-out or free-float action. Standard seat height range adjusts from 16-1/4" to 19-1/2". An auto height/auto return pneumatic cylinder option is available which returns the chair to its original front-facing and highest position.

Backrest (Conference and Mesh Task Chair)

A black reinforced plastic frame with mesh insert.

Backrest (Fabric Task Chair)

Flannel plastic back liner with polyurethane foam and a replaceable fabric slip cover attached to a black reinforced plastic frame. A plastic strip sewn to the edge of the fabric slip cover slides into a channel in the back liner.

Seat (Fabric and Mesh Task Chair)

Plastic seat liner and polyurethane foam covered with a replaceable fabric slip cover. The fabric slip cover is attached to the seat with Velcro. On Mesh Task Chair, when the backrest is black mesh, the seat cushion will have a matching black mesh side panel. When the backrest is a colored mesh, the seat will be fully upholstered with no black mesh side panel.

Seat (Conference Chair)

Seat foam, upholstery, and underseat plastic liner are one unit which is field-replaceable.

Seat Slide (Fabric and Mesh Task Chair)

Seat depth is adjustable to one of five settings.

Adjustable Lumbar (Mesh Task Chair)

Optional clear adjustable lumbar has two control levers. One adjusts the lumbar height and the other adjusts the lumbar depth. Levers telescope and retract for ease of use.

Adjustable Arm (Fabric Task Chair)

Black molded arm cap is mounted to a reinforced black plastic arm post. The arm cap is made of TPU (thermal polyurethane), a non-irritating, recyclable material which is soft to the touch. It has 2" of depth adjustment and 3" of height adjustment. The arm caps pivot to provide a 4" range between the arm caps from 17 - 21".

Adjustable Arm (Mesh Task Chair)

Black molded polyurethane arm cap is mounted to a reinforced black plastic arm post. It has 2" of depth adjustment and 2" of height adjustment. The arm caps pivot to provide a 5-3/4" range between the arm caps from 16-3/4 - 22-1/2".

Fixed T-Arm and Loop Arm

Black reinforced plastic arm.

Base

Two five-blade base options are available: a reinforced black nylon base or a polished aluminum base.

Casters

Double wheel black carpet or hard surface casters are molded of reinforced plastic. A reinforced plastic glide option is available on the Conference Chair.

Headrest

Upholstered in black faux leather. The headrest pad rotates forward or backward (Mesh


Mesh Task Armless Chair (ALTMNA)

**Mesh Task Headrest
Adjustable Armchair (ALTMAA)**

**Mesh Task
Fixed T-Armchair (ALTMFA)**

Features			
Back flex	•	•	•
Swivel only			
Glides			
General Dimensions			
Seat width	18"	18"	18"
Seat depth	17-1/4 - 19-3/4"	17-1/4 - 19-3/4"	17-1/4 - 19-3/4"
Seat height	17 - 21-3/4"	17 - 21-3/4"	17 - 21-3/4"
Arm height		7-1/4 - 9-1/4"	7-1/4"
Inside distance between arms		20"	20"
Overall Dimensions			
Width	26"	27"	27"
Depth	26"	26"	26"
Height	38-3/4 - 43-1/2"	38-3/4 - 43-1/2"	38-3/4 - 43-1/2"
Base diameter	26"	26"	26"

Task Chair) or adjusts vertically and forward or backward (Fabric Task Chair). The Fabric Task Chair headrest automatically maintains a supportive position as the user tilts back. Headrests are field-installed.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test sample must be sent to:

KI
 Attn: C.O.M. Specialist
 2112 South Green Street
 Tupelo, MS 38801

C.O.M. Availability

C.O.M. is only offered on the Mesh Task Chair.

Fabric Disclaimer

Fabric will be applied as swatched by the

fabric manufacturer. Fabric that is required will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

24/7

Altus Fabric Task and Mesh Task chairs can be used in 24/7 applications.




INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Altus™

Task Chair

		MODEL NUMBER									
MODEL	Features	Basic Model	Base Finish	Cylinder type	Base	Head-rest	Lumbar	Fire Code	Upholstery Color	Mesh Color	
	Altus® Conference Chair <ul style="list-style-type: none">• Seat height adjustment• Swivel and tilt• Black mesh	Loop Arm	ALTCLA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
ALTC											
	Altus® Fabric Task Chair <ul style="list-style-type: none">• Flex back• Automatic lumbar support	No Arm	ALTUNA	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Adjustable Arm	ALTUAA	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
ALTU											
	Altus® Mesh Task Chair <ul style="list-style-type: none">• Flex back• Mesh pocket for lumbar support• Black mesh backrest will have matching black side panel contrast on seat. Other colored mesh backrests will have fully upholstered seats.	No Arm	ALTMNA	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Adjustable Arm	ALTMMA	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Fixed T-Arm	ALTMFA	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
ALTM											
		A	B	C	D	E	F	G	H	I	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base finish.

P - Plastic base

A - Aluminum base; add \$181

C Select cylinder type.

STD - Standard cylinder

AR - Auto return cylinder; add \$116

D Select base option.

G - Glides (conference only); add \$32

C - Carpet casters

S - Hard floor casters; add \$49

Glides are only used on the Conference Chair.

E Select headrest.

NHR - No headrest

HR - Headrest; add \$109

F Select lumbar support.

NLS - No lumbar support

LS - Lumbar support; add \$97

Lumbar support is not available with FR.

G Select fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

H Select upholstery color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

I Select mesh color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Conference

Added Lead Time=1 week

Added List Price=\$78

Model=Mesh Task

Added Lead Time=1 week

Added List Price=\$78

Note: FR is not offered on Leather and is not offered when the optional lumbar support is specified for the Mesh Task chair.



Approx. Packaged Weight	Delivered Pricing Fabric Grade A1	Delivered Pricing Grade A1 Leather	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
42.0#	\$ 598	\$ 725									
64.0#	\$ 949	\$ 1258									
64.0#	960	1270									
54.0#	\$ 1015	\$ 1143	\$ 1074	\$ 1087	\$ 1092	\$ 1092	\$ 1105	\$ 1154	\$ 1173	\$ 1198	\$ 1220
54.0#	1029	1154	1087	1098	1103	1103	1117	1166	1185	1211	1232
54.0#	1020	1149	1079	1092	1098	1098	1111	1160	1179	1204	1225

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Mesh Task Chair)

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs, it is 1/2 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Altus™

Altus Slip Covers

MODEL		MODEL NUMBER			Approx. Packaged Weight Delivered Pricing Fabric Grade A1 Delivered Pricing Grade A1 Leather		
		Basic Model	Upholstery Color	Fire Code			
ALTSC	Conference Chair - Entire Seat • With foam and upholstery	ALTC.SC.S	□□□□	□□□	0.9#	\$ 49	\$ 175
ALTSC	Fabric Task Chair - Back Slip Cover • With foam	ALTU.SC.B	□□□□		0.9#	\$ 49	\$ 175
ALTSC	Fabric Task Chair - Seat Slip Cover • With foam	ALTU.SC.S	□□□□		1.0#	\$ 49	\$ 175
ALTSC	Mesh Task Chair - Seat Slip Cover • With foam	ALTM.SC.S	□□□□	□□□	0.9#	\$ 49	\$ 175

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery color.
Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
- C** Select fire code.
- | | |
|------------|-----------------------------|
| NFR | - Compliance to TB 117-2013 |
| FR | - Compliance to TB 133 |

INFORMATION

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Conference
Added Lead Time=1 week
Added List Price=\$78

Model=Mesh Task
Added Lead Time=1 week
Added List Price=\$78

Note: FR is not offered on Leather and is not offered when the optional lumbar support is specified for the Mesh Task chair.

UPHOLSTERY INFORMATION

C.O.M. Upholstery (Mesh Task Chair)
C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs, it is 1/2 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 60	\$ 72	\$ 85	\$ 85	\$ 96	\$ 145	\$ 157	\$ 170	\$ 181

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.



Task Chair
(APDNAP)



Task Stool
(APSNAP)

Features		
Molded plywood, optional upholstered seat pad	•	•
300 lb tested	•	•
General Dimensions		
Seat width	17-1/2"	17-1/2"
Seat depth	17-3/8"	17-3/8"
Seat height (upholstered add 1/2")	17-1/2" - 22-1/2"	20-1/2" - 28"
Overall Dimensions		
Width	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"
Height	32-1/2" - 37-1/2"	35-1/2" - 43"

SPECIFICATIONS

Shell

One-piece contoured wood shell is constructed of formed plywood, .460"-.480" thick, 7-ply maple and poplar construction. The mold-formed seat and back provide for comfort and strength. Top/bottom and front/back surfaces are vertical grade postforming, product type 335, high-pressure laminate thickness of .028", standard finish is #38 or #60 with a sanded edge with tung oil finish. The wood shell is supported by four plywood circular disks and ¼ -20 T-nuts bonded with construction grade adhesive and fastened to a variety of base structures with four ¼ -20x1/2" thread-locking screws. The chair perimeter is designed such that it provides a feature to support backpacks or courier bags. Shells are available in wood grain laminates or solid laminates.

Upholstered Seat

As an option, shells may be equipped with

an upholstered seat pad. Urethane foam is attached to a formed plywood upholstery liner, then upholstered using a drawstring process. The foam is a nominal ½" thickness. The pad assembly is attached to the shell using 10-24 screws, engaging T-nuts in the liner.

Underseat Structure

The shell is attached to an 11-gauge steel seat spider and cast aluminum height-adjust control. A single paddle under the seat operates the height adjusting pneumatic cylinder.

Base

Two five-blade base options are available: a reinforced black nylon base or a polished aluminum base.

Stools are equipped with an 18" diameter, adjustable-height footring made of die-cast aluminum with a chrome plated tubular steel ring and black "spokes."

Casters

Casters are double-wheel, high-impact thermoplastic, available with hard or soft wheel surface. Casters, base, and cylinder are available in black.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered only and cushioned/upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must


be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl cannot be used on this product.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

**INFORMATION****Warranty**

Refer to KI Terms & Conditions document or visit ki.com

Apply™
Task Chair



APDP
APDU

		MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Base Finish	Shell Color	Fire Code	Upholstery Color	Casters	
MODEL	Features							
	Armless Chair <ul style="list-style-type: none">• Height-adjusted pneumatic cylinder• Wood laminate shell• Woodgrain and solid laminate options• Tested to 300 pounds and BIFMA standards	Laminate Shell	APDNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	20.0#
		Upholstered Seat Pad	APDNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	20.0#
		A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base finish.
- BL** - Black
- PA** - Polished aluminum; add \$87
- C** Select laminate shell color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select fire code.
- NFR** - Compliance to TB 117-2013
- FR** - Compliance to TB 133
- E** Select upholstery grade/color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- F** Select caster option.
- C** - Carpet casters
- S** - Hard floor casters; add \$48



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 536										
N/A	667	671	692	667	692	689	705	756	776	804

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Seat

Added List Price=\$44

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Apply™

Task Stool



APSP
APSU

MODEL	Features	MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Base Finish	Shell Color	Fire Code	Upholstery Color	Casters	
Armless Stool <ul style="list-style-type: none"> Height-adjusted pneumatic cylinder 18" footring Wood laminate shell Woodgrain and solid laminate options Tested to 300 pounds and BIFMA standards 	Laminate Shell	APSNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/>	22.0#
	Upholstered Seat Pad	APSNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	22.0#
		A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base finish.

BL - Black

PA - Polished aluminum; add \$87

C Select laminate shell color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

E Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

F Select caster option.

C - Carpet casters

S - Hard floor casters; add \$48

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=Upholstered Seat
Added List Price=\$44

Specifications and prices are subject to change without prior notice.

Avail®

General Information



No-Arm Task Chair (KIUV72/NA)



Adjustable T-Arm Task Chair (KIUV72/JR39)

Features			
Free-floating back	•	•	•
Back lock	•	•	•
Height and width adjustable arms		•	•
General Dimensions			
Seat width	19"	19"	19"
Seat depth	16-1/2"	16-1/2"	16-1/2"
Seat height	16-1/2" - 21"	16-1/2" - 21"	16-1/2" - 21"
Backrest height	21-1/4"	21-1/4"	21-1/4"
Lumbar	7-3/4"	7-3/4"	7-3/4"
Overall Dimensions			
Height	37-3/4" - 42-1/4"	37-3/4" - 42-1/4"	37-3/4" - 42-1/4"
Width	25"	25"	25"
Depth	25"	25"	25"
Back range	25 degrees (from 102 - 127 degrees)	25 degrees (from 102 - 127 degrees)	25 degrees (from 102 - 127 degrees)

SPECIFICATIONS

Mechanism

Stamped steel dual housing forms a sturdy cradle for the seat. There is only one control lever which actuates the pneumatic cylinder with infinite selection within the range and locks the chair in an upright position. The synchrotilt mechanism adjusts the back and seat in a 2:1 free-floating mode.

Backrest

Nylon with fiberglass reinforced frame.

Back Height

Fixed height.

Seat

Constructed of a 1/2" thick, saddle-shaped plywood with 2-1/2" thick molded, high-resilient foam and upholstered with fabric, vinyl, or leather. Back mesh material is PE elastomeric with polyester. The entire seat assembly is mounted to the mechanism by 4 screws.

Adjustable 360° Pivot Arm (JR30)

Black molded urethane armcap pivots 360 degrees and locks in place. 3" of height adjustment and 3" of total width adjustment.

Adjustable T-Arm (JR39)

Black molded urethane armcap. 3" of height adjustment and 3" of total width adjustment. Arm ships KD (same box as the chair) and must be installed on the chair (no tools required).

Fixed Loop Arm (KR48)

Black plastic arm.

Adjustable Loop Arm (KR72)

Black molded urethane armcap. 2-1/2" of height adjustment.

Adjustable Task Arm (KR200)

Black molded urethane armcap. 2-1/2" of height adjustment and 3" of total width adjustment.

Base

25" diameter, five-blade reinforced nylon base. Black only.

Casters

The double 55mm diameter black wheels are molded of high-impact thermoplastic and are housed in a high-impact frame. Carpet or hard floor casters are available.

INFORMATION

Shipment

Ships partially assembled.

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test sample must be sent to:

Avail
Attn: C.O.M. Department
1110 S. Mildred Ave.
Ontario, CA 91761

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required


**Fixed Loop Arm
Task Chair (KIUV72/KR48)**
**Adjustable Loop Arm
Task Chair (KIUV72/KR72)**
**Adjustable Task Arm
Task Chair (KIUV72/KR200)**

Features			
Free-floating back	•	•	•
Back lock	•	•	•
Height and width adjustable arms			•
General Dimensions			
Seat width	19"	19"	19"
Seat depth	16-1/2"	16-1/2"	16-1/2"
Seat height	16-1/2" - 21"	16-1/2" - 21"	16-1/2" - 21"
Backrest height	21-1/4"	21-1/4"	21-1/4"
Lumbar	7-3/4"	7-3/4"	7-3/4"
Overall Dimensions			
Height	37-3/4" - 42-1/4"	37-3/4" - 42-1/4"	37-3/4" - 42-1/4"
Width	25"	25"	25"
Depth	25"	25"	25"
Back range	25 degrees (from 102 - 127 degrees)	25 degrees (from 102 - 127 degrees)	25 degrees (from 102 - 127 degrees)

to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.




INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Avail®

Task Chair

MODEL	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing Fabric Grade Soft Knit™	Delivered Pricing Fabric Grade 1 & C.O.M.
	Basic Model	Back Panel	Upholstery Color	Base			
 <p>No-Arm Chair</p> <ul style="list-style-type: none"> • Free-floating back • Back lock • Back is black mesh • Upholstered seat 	KIUV72/NA	BL	□□□□	□	43.0#	\$ 482	\$ 432
AVAIL							
 <p>360° Pivot Arm</p> <ul style="list-style-type: none"> • Free-floating back • Back lock • Back is black mesh • Upholstered seat • Height and width adjustable arms 	KIUV72/JR30	BL	□□□□	□	51.0#	\$ 710	\$ 658
AVAIL							
 <p>Adjustable T-Arm</p> <ul style="list-style-type: none"> • Free-floating back • Back lock • Back is black mesh • Upholstered seat • Height and width adjustable arms 	KIUV72/JR39	BL	□□□□	□	51.0#	\$ 641	\$ 591
AVAIL							
	A	B	C	D			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select back panel.
BL - Black
- C** Select upholstery color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select base option.
C - Carpet casters
S - Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than five chairs is 1 yard of 54" wide nondirectional fabric. For five or more chairs, it is 3/4 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 481	\$ 487	\$ 487	\$ 459	\$ 519	\$ 543	\$ 567	\$ 595	\$ 651
\$ 709	\$ 715	\$ 715	\$ 686	\$ 746	\$ 771	\$ 796	\$ 824	\$ 880
\$ 640	\$ 646	\$ 646	\$ 618	\$ 678	\$ 702	\$ 728	\$ 754	\$ 810

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Ontario, California 91761** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Avail®
Task Chair

MODEL		MODEL NUMBER				Approx. Packaged Weight Delivered Pricing Fabric Grade Soft Knit™	
		Basic Model	Back Panel	Upholstery Color	Base		
AVAIL	Fixed Loop Arm <ul style="list-style-type: none">• Free-floating back• Back lock• Back is black mesh• Upholstered seat	KIUV72/KR48	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	51.0#	\$ 629
AVAIL	Adjustable Loop Arm <ul style="list-style-type: none">• Free-floating back• Back lock• Back is black mesh• Upholstered seat• Height adjustable arms	KIUV72/KR72	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	51.0#	\$ 641
 AVAIL	Adjustable Task Arm <ul style="list-style-type: none">• Free-floating back• Back lock• Back is black mesh• Upholstered seat• Height and width adjustable arms	KIUV72/KR200	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	51.0#	\$ 604
		A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select back panel.
BL - Black
- C** Select upholstery color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select base option.
C - Carpet casters
S - Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for less than five chairs is 1 yard of 54" wide nondirectional fabric. For five or more chairs, it is 3/4 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 581	\$ 628	\$ 635	\$ 635	\$ 609	\$ 669	\$ 690	\$ 717	\$ 743	\$ 800
\$ 591	\$ 640	\$ 646	\$ 646	\$ 618	\$ 678	\$ 702	\$ 728	\$ 754	\$ 810
\$ 555	\$ 603	\$ 610	\$ 610	\$ 583	\$ 643	\$ 666	\$ 690	\$ 717	\$ 774

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Ontario, California 91761** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Cinturon™

General Information



Cinturon™ (Transitional)

Dimensions	
Overall width	26"
Overall depth	25"
Overall height	38-3/4" - 46"



2 Base - Polished aluminum with black hooded casters.



4 Base - Matte black understructure, bullnose edge wood caps with black hooded casters.



8 Base - Matte black understructure, grooved edge wood caps with black hooded casters.



9 Base - Matte black with black hooded casters.

SPECIFICATIONS

Complimentary Furniture

The following lounge collections offer complimentary furniture that creates continuity and a cohesive look throughout a facility. These complimentary pieces can be found in other sections of the KI price list.

CINTURON - Cinturon™ Lounge Seating

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to

one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$70 List per item, up to 12 or a maximum charge of \$840 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strike-off should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders





INFORMATION

Warranty

Refer to KI Terms & Conditions document or
visit ki.com

Cinturon™

Task Chairs

				MODEL NUMBER					
				Basic Model	Non-Contrast or Fabric Contrast 1	Wood Base Finish	Fire Code		
MODEL		Features	COM					Approx. Packaged Weight	Grade C.O.M.
 CINT	Mid Back - Upholstered Arm	2 Base	2.75 yd	1025/2	□□□□		□□□	75.0#	\$ 1649
		4 Base	2.75 yd	1025/4	□□□□	□□□	□□□	75.0#	1649
		8 Base	2.75 yd	1025/8	□□□□	□□□	□□□	75.0#	1649
		9 Base	2.75 yd	1025/9	□□□□		□□□	75.0#	1488
 CINT	High Back - Upholstered Arm	2 Base	3.25 yd	1026/2	□□□□		□□□	80.0#	\$ 1809
		4 Base	3.25 yd	1026/4	□□□□	□□□	□□□	80.0#	1809
		8 Base	3.25 yd	1026/8	□□□□	□□□	□□□	80.0#	1809
		9 Base	3.25 yd	1026/9	□□□□		□□□	80.0#	1649
				A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1. Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
- C** Select wood base finish color. Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
- D** Select fire code.
 - NFR** - Compliance to TB 117-2013
 - FR** - Compliance to TB 133See pricing column for TB133 upcharge.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model	
1025/4	\$63
1025/8	\$63
1026/4	\$63
1026/8	\$63



Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
\$ 1687	\$ 1730	\$ 1779	\$ 1809	\$ 1877	\$ 1939	\$ 2020	\$ 2180	\$ 2342	\$ 2503	\$ 2829	\$ 325
1687	1730	1779	1809	1877	1939	2020	2180	2342	2503	2829	325
1687	1730	1779	1809	1877	1939	2020	2180	2342	2503	2829	325
1543	1583	1633	1660	1730	1791	1874	2034	2197	2358	2678	325

\$ 1863	\$ 1905	\$ 1967	\$ 2007	\$ 2079	\$ 2157	\$ 2253	\$ 2446	\$ 2637	\$ 2827	\$ 3209	\$ 352
1863	1905	1967	2007	2079	2157	2253	2446	2637	2827	3209	352
1863	1905	1967	2007	2079	2157	2253	2446	2637	2827	3209	352
1718	1767	1825	1864	1940	2015	2111	2303	2492	2685	3069	352

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance.

Construction

Frames of compound curved laminate wood veneer. Cushioning of multiple densities of polyurethane foam and Dacron fiber. Gas lift with tilt lock, knee-tilt control is standard. Attached cushions.

OPTIONS

Base Options

- 2 Base Polished aluminum with black hooded casters.
- 4 Base Matte black understructure, bullnose edge wood caps with black hooded casters.
- 8 Base Matte black understructure, grooved edge wood caps with black hooded casters.
- 9 Base Matte black with black hooded casters.

Specify base style number when ordering.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

CINT

1126/2 - Arms	\$38
1126/4 - Arms	\$38
1126/4 - Base	\$63
1126/4 - Arms and Base	\$63
1126/8 - Arms	\$38
1126/8 - Base	\$63
1126/8 - Arms and Base	\$63
1126/9 - Arms	\$38



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
\$ 1583	\$ 1625	\$ 1658	\$ 1705	\$ 1734	\$ 1794	\$ 1853	\$ 1926	\$ 2070	\$ 2221	\$ 2364	\$ 2660	\$ 325
1583	1625	1658	1705	1734	1794	1853	1926	2070	2221	2364	2660	325
1583	1625	1658	1705	1734	1794	1853	1926	2070	2221	2364	2660	325
1430	1488	1521	1566	1599	1656	1717	1787	1938	2087	2230	2527	325

\$ 1703	\$ 1746	\$ 1789	\$ 1837	\$ 1868	\$ 1936	\$ 1996	\$ 2075	\$ 2236	\$ 2397	\$ 2555	\$ 2874	\$ 352
1703	1746	1789	1837	1868	1936	1996	2075	2236	2397	2555	2874	352
1703	1746	1789	1837	1868	1936	1996	2075	2236	2397	2555	2874	352
1564	1626	1667	1716	1744	1813	1886	1955	2117	2278	2439	2764	352

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance.

Construction

Frames of compound curved laminate wood veneer. Cushioning of multiple densities of polyurethane foam and Dacron fiber. Gas lift with tilt lock, knee-tilt control is standard. Attached cushions.

OPTIONS

Base Options

- 2 Base Polished aluminum with black hooded casters.
- 4 Base Matte black understructure, bullnose edge wood caps with black hooded casters.
- 8 Base Matte black understructure, grooved edge wood caps with black hooded casters.
- 9 Base Matte black with black hooded casters.

Specify base style number when ordering.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.



Upholstered Back Adjustable Arm Chair
(ENGU/BL/AA)



Poly Back Armless Chair
(ENGP/BL/NA)

Features		
Back flex	•	•
Seat depth adjustment	•	•
Forward seat tilt	•	•
Variable position back lock	•	•
Back height adjustment	•	•
Arms	•	
General Dimensions		
Seat width	18-3/4"	18-3/4"
Seat depth	16" - 19"	16" - 19"
Seat height	16" - 20-3/4"	16 - 20-3/4"
Back width (at lumbar)	18"	18"
Back height (above seat)	16-3/8" - 20-3/8"	16-3/8" - 20-3/8"
Overall Dimensions		
Width	28"	26"
Depth	22-1/2" - 25-1/2"	22-1/2" - 25-1/2"
Height	36-3/8" - 41-1/8"	36-3/8" - 41-1/8"
Top of arm from seat with adjustable arms	6" - 10"	
Armcap width (inside dimension) with adjustable arms	18-1/2"	

SPECIFICATIONS

Seat

Seat is constructed of a molded polypropylene seatboard with foam molded directly onto it. The foam-covered board is upholstered with fabric. An integral "seat slide button" is attached to the underside of the board, which allows the seat depth to be adjusted from 16" to 19" for the chairs and 16" to 17-3/4" for the stool. A textured polypropylene seat shroud attaches to the bottom of the seat and permits access to the seat slide button. The entire assembly is mounted through slots in the mechanism that allow the seat to slide in and out.

Backrest

The backrest has the same basic construction as the seat except the textured polypropylene shroud is also available in an upholstered version. The back also includes an adjustment lever that allows the back to be raised or lowered 4" vertically along the J-bar.

Synchronized Knee Tilt Mechanism

A stamped and welded steel housing contains a set of torsion bars that supply the force to the mechanism. Controls include a back angle lock, tilt tension control and pneumatic seat height lever for both the chairs and the stool, but also a forward tilt lockout for the chairs. The seat is in a 2° reclined position. When the forward tilt lock is disengaged, the seat tilts to a 2° forward position. The back angle can be locked at three positions. The tension can be increased or decreased by turning the tension dial to set the desired amount of preset on the torsion springs. The seat height can be pneumatically adjusted from 16" - 20-3/4" on the chairs and 22" to 32-1/4" on the stools with infinite selection within the range. The plastic mechanism shroud and control handles match the color of the chair.

Adjustable Armrests with Pivoting Armcaps (AA)

A curved and angled-forward arm support that is molded from reinforced nylon sup-

ports a height adjustable nylon sleeve that allows for 4" of vertical adjustment from 6" to 10" above the seat. The armrest height is adjusted by pressing a button mounted in the sleeve. The sleeve supports a self-skinning urethane armrest that pivots 360° from a point near the back of the armrest. The armrest has 4 detents that allow the armrest to snap into position, one straightforward, one each at 20° inward and 20° outward, and one at 180° reversed back position. The armrests are spaced 18-1/2" apart. All parts are color-matched to the other plastic parts of the chair. The nylon supports are bolted to the bottom of the mechanism with four 5/16" bolts and are field-installable.

Adjustable Armrests with Width Adjustable Armcaps (BA)

A tubular steel frame supports self-skinning urethane armrests, height-adjustable armrests (2-1/2" travel) and width adjustable armrests (1" of horizontal travel per arm). The support is welded to the seat underside and powdercoated to match other hard

surface elements.

Adjustable Armrests with Fixed Armcaps (HA)

A curved and angled-forward arm support that is molded from reinforced nylon, supports a height-adjustable reinforced nylon sleeve that allows for 4" of vertical adjustment from 6" to 10" above the seat. The armrest height is adjusted by pressing a button mounted in the sleeve. The sleeve supports a self-skinning urethane armrest. The armrests are spaced 18-1/2" apart. All parts are color-matched to the other plastic parts of the chair. The nylon supports are bolted to the bottom of the mechanism with four 5/16" bolts and are filed-installable.

Base

The 24" diameter (on chairs) and the 26" diameter (on stools), five-blade base is molded from reinforced nylon. A telescoping cylinder shroud conceals the pneumatic cylinder. All finishes match the chair color.



**Poly Back Stool with Adjustable Arms
(ENGSP/BL/AA)**

Features

Back Flex	•
Seat depth adjustment	•
Variable position back lock	•
Back height adjustment	•
Arms	•

General Dimensions

Seat width	18-3/4"
Seat depth	16" - 19"
Seat Height	22" - 32-1/4"
Back width (at lumbar)	18"
Back height (above seat)	16-3/8" - 20-3/8"

Overall Dimensions

Width	28"
Depth	26"
Height	47-7/8" - 52-5/8"
Top of arm from seat with adjustable arms (AA/HA)	6" - 10"
Top of arm from seat with adjustable arm (BA)	6-1/2" - 9"
Armcap width (inside dimension) with adjustable arm (BA)	20-1/2"
Armcap width (inside dimension) with pivoting arm (AA)	18-1/2"
Armcap width (inside dimension) with adjustable arm (HA)	18-1/2"

Carpet Casters

60mm diameter double wheels are molded of high-impact thermoplastic. High-impact plastic frame. Finish matches chair color.

Hard Floor Casters

60mm diameter double wheels are molded of soft plastic. High-impact plastic frame. Black finish only.

Universal Casters

Average performance for use on both soft and hard surfaces.

Footring (on Stools)

Chrome footring is standard.

Engage® 24/7

J-Bar is constructed of GR50 steel.

INFORMATION

C.O.M. Testing and Production

Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
 Attn: C.O.M. Specialist
 1687 Westminster Drive - Gate 3
 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.



INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Engage®

Task Chairs and Stools

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Base	Frame Color	Fire Code	Uph. Color	
 ENGP ENGU ENGMP ENGMU	Armless Chair • Back flex • Seat depth adjustment • Forward seat tilt • Variable position back lock • Back height adjustment	Poly Back	ENGP/NA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	53.0#
		Uph Back	ENGU/NA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	53.0#
		Poly Back, Memory Foam Seat	ENGMP/NA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	53.0#
		Uph Back, Memory Foam Seat	ENGMU/NA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	53.0#
 ENGP ENGU ENGMP ENGMU	Armchair with Height Adjustable Arm, Pivoting Armcap • Back flex • Seat depth adjustment • Forward seat tilt • Variable position back lock • Back height adjustment	Poly Back	ENGP/AA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#
		Uph Back	ENGU/AA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#
		Poly Back, Memory Foam Seat	ENGMP/AA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#
		Uph Back, Memory Foam Seat	ENGMU/AA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base option.

- | | |
|----------|----------------------|
| C | - Carpet casters |
| S | - Hard floor casters |
| U | - Universal casters |

C Select frame color.

- | | |
|-------------|------------------------------------|
| BL | - Black |
| CHBL | - Polished aluminum base; add \$80 |

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select fire code.

- | | |
|------------|-----------------------------|
| NFR | - Compliance to TB 117-2013 |
| FR | - Compliance to TB 133 |

E Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with poly back is 1 yard of 54" wide non-directional fabric; upholstered back, 1-1/2 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 898	\$ 911	\$ 921	\$ 898	\$ 921	\$ 956	\$ 1005	\$ 1032	\$ 1065	\$ 1103	\$ 1564
989	1015	1039			1138	1198	1251	1310	1310	1760
958	973	982	958	982	1016	1065	1092	1126	1163	1626
1053	1077	1101			1202	1262	1315	1372	1372	1824

\$ 1187	\$ 1203	\$ 1210	\$ 1187	\$ 1210	\$ 1244	\$ 1293	\$ 1322	\$ 1355	\$ 1393	\$ 1856
1280	1307	1330			1385	1445	1489	1540	1600	2051
1247	1265	1270	1247	1270	1304	1353	1384	1416	1453	1918
1341	1367	1389			1443	1503	1548	1602	1662	2111

OPTIONS

Engage 24/7

To order the Engage® 24/7 chair, please add "/247" to the end of the model number. Added list price is \$69. No additional leadtime.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Back

Added Lead Time=1 week

Added List Price=\$128

Model=Fully Upholstery Back

Added Lead Time=1 week

Added List Price=\$162

California TB133 Fire Safety Code

Engage® with memory foam is not FR approved.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Engage®

Task Chairs and Stools

			MODEL NUMBER					Approx. Packaged Weight
MODEL	Features		Basic Model	Base	Frame Color	Fire Code	Uph. Color	
	Armchair with Height Adjustable Arms, Fixed Armcap <ul style="list-style-type: none"> • Back flex • Seat depth adjustment • Forward seat tilt • Variable position back lock • Back height adjustment 	Poly Back	ENGP/HA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#
		Uph Back	ENGU/HA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#
		Poly Back, Memory Foam Seat	ENGMP/HA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#
		Uph Back, Memory Foam Seat	ENGMU/HA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#
ENGP								
ENGU								
ENGMP								
ENGMU								
	Armchair with Height Adjustable Arm, Width Adj Armcap <ul style="list-style-type: none"> • Back flex • Seat depth adjustment • Forward seat tilt • Variable position back lock • Back height adjustment 	Poly Back	ENGP/BA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	62.0#
		Uph Back	ENGU/BA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	62.0#
		Poly Back, Memory Foam Seat	ENGMP/BA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	62.0#
		Uph Back, Memory Foam Seat	ENGMU/BA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	62.0#
ENGP								
ENGU								
ENGMP								
ENGMU								
	Armchair with Height Adjustable Arm, Width Adj. Armcap, Chrome Arm Supports <ul style="list-style-type: none"> • Back flex • Seat depth adjustment • Forward seat tilt • Variable position back lock • Back height adjustment • Chrome arm supports 	Poly Back	ENGP/CHBA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	62.0#
		Uph Back	ENGU/CHBA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	62.0#
		Poly Back, Memory Foam Seat	ENGMP/CHBA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	62.0#
		Uph Back, Memory Foam Seat	ENGMU/CHBA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	62.0#
ENGP								
ENGU								
ENGMP								
ENGMU								

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base option.

- C** - Carpet casters
S - Hard floor casters
U - Universal casters

C Select frame color.

- BL** - Black
CHBL - Polished aluminum base; add \$80

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select fire code.

- NFR** - Compliance to TB 117-2013
FR - Compliance to TB 133

E Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with poly back is 1 yard of 54" wide non-directional fabric; upholstered back, 1-1/2 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



\$ 1187	\$ 1203	\$ 1210	\$ 1187	\$ 1210	\$ 1244	\$ 1293	\$ 1322	\$ 1355	\$ 1393	\$ 1856
1280	1307	1330			1385	1445	1489	1540	1600	2051
1247	1265	1270	1247	1270	1304	1353	1384	1416	1453	1918
1341	1367	1389			1443	1503	1548	1602	1662	2111

\$ 1187	\$ 1203	\$ 1210	\$ 1187	\$ 1210	\$ 1244	\$ 1293	\$ 1322	\$ 1355	\$ 1393	\$ 1856
1280	1307	1330			1385	1445	1489	1540	1600	2051
1247	1265	1270	1247	1270	1304	1353	1384	1416	1453	1918
1341	1367	1389			1443	1503	1548	1602	1662	2111

Specifications and prices are subject to change without prior notice.

Engage®

Task Chairs and Stools

			MODEL NUMBER					Approx. Packaged Weight	
			Basic Model	Base	Frame Color	Fire Code	Uph. Color		
 ENGSP ENGSU EGSMP EGSMU	Armless Stool <ul style="list-style-type: none">• Back flex• Seat depth adjustment• Variable position back lock• Back height adjustment	Poly Back	ENGSP/NA	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	59.0#	
		Uph Back	ENGSU/NA	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	59.0#	
		Poly Back, Memory Foam Seat	ENGSMU/NA	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	59.0#
		Uph Back, Memory Foam Seat	ENGSMU/NA	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	59.0#
 ENGSP ENGSU EGSMP EGSMU	Arm Stool with Height Adjustable Arm, Pivoting Armcap <ul style="list-style-type: none">• Back flex• Seat depth adjustment• Variable position back lock• Back height adjustment	Poly Back	ENGSP/AA	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#	
		Uph Back	ENGSU/AA	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#	
		Poly Back, Memory Foam Seat	ENGSMU/AA	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#
		Uph Back, Memory Foam Seat	ENGSMU/AA	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#
			A	B	C	D	E		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base option.

- | | |
|----------|----------------------|
| C | - Carpet casters |
| S | - Hard floor casters |
| U | - Universal casters |

C Select frame color.

BL - Black

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select fire code.

- | | |
|------------|-----------------------------|
| NFR | - Compliance to TB 117-2013 |
| FR | - Compliance to TB 133 |

E Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with poly back is 1 yard of 54" wide non-directional fabric; upholstered back, 1-1/2 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 1061	\$ 1071	\$ 1085	\$ 1061	\$ 1085	\$ 1116	\$ 1165	\$ 1194	\$ 1225	\$ 1265	\$ 1725
1152	1175	1199			1298	1358	1412	1470	1470	1923
1123	1133	1146	1123	1146	1176	1225	1255	1286	1325	1787
1213	1237	1262			1359	1419	1475	1534	1534	1986

\$ 1347	\$ 1364	\$ 1369	\$ 1347	\$ 1369	\$ 1403	\$ 1452	\$ 1485	\$ 1516	\$ 1553	\$ 2013
1444	1465	1491			1545	1604	1648	1703	1763	2215
1408	1426	1430	1408	1430	1464	1513	1543	1577	1613	2076
1502	1530	1552			1608	1668	1711	1765	1824	2277

OPTIONS

Engage 24/7

To order the Engage® 24/7 chair, please add "/247" to the end of the model number. Added list price is \$69. No additional leadtime.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Back

Added Lead Time=1 week

Added List Price=\$128

Model=Fully Upholstery Back

Added Lead Time=1 week

Added List Price=\$162

California TB133 Fire Safety Code

Engage® with memory foam is not FR approved.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Engage®

Task Chairs and Stools

			MODEL NUMBER					Approx. Packaged Weight
MODEL	Features	Basic Model	Base	Frame Color	Fire Code	Uph. Color		
 ENGSP ENGSU EGSMP EGSMU	Arm Stool with Height Adjustable Arm, Fixed Armcaps <ul style="list-style-type: none">• Back flex• Seat depth adjustment• Variable position back lock• Back height adjustment	Poly Back	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#	
		Uph Back	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#	
		Poly Back, Memory Foam Seat	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#	
		Uph Back, Memory Foam Seat	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#	
 ENGSP ENGSU EGSMP EGSMU	Arm Stool with Height Adjustable Arm, Width Adjustable Armcaps <ul style="list-style-type: none">• Back flex• Seat depth adjustment• Variable position back lock• Back height adjustment	Poly Back	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	70.0#	
		Uph Back	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	70.0#	
		Poly Back, Memory Foam Seat	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	70.0#	
		Uph Back, Memory Foam Seat	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	70.0#	
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base option.

- | | |
|----------|----------------------|
| C | - Carpet casters |
| S | - Hard floor casters |
| U | - Universal casters |

C Select frame color.

- | | |
|-----------|---------|
| BL | - Black |
|-----------|---------|
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select fire code.

- | | |
|------------|-----------------------------|
| NFR | - Compliance to TB 117-2013 |
| FR | - Compliance to TB 133 |

E Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with poly back is 1 yard of 54" wide non-directional fabric; upholstered back, 1-1/2 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 1333	\$ 1345	\$ 1353	\$ 1333	\$ 1353	\$ 1391	\$ 1440	\$ 1465	\$ 1499	\$ 1537	\$ 1998
1426	1449	1472			1529	1589	1632	1685	1743	2194
1394	1406	1413	1394	1413	1450	1499	1530	1560	1598	2058
1488	1509	1535			1589	1649	1693	1746	1807	2257
\$ 1347	\$ 1364	\$ 1369	\$ 1347	\$ 1369	\$ 1403	\$ 1452	\$ 1485	\$ 1516	\$ 1553	\$ 2013
1444	1465	1491			1545	1604	1648	1703	1763	2215
1408	1426	1430	1408	1430	1464	1513	1543	1577	1613	2076
1502	1530	1552			1608	1668	1711	1765	1824	2277

OPTIONS

Engage 24/7

To order the Engage® 24/7 chair, please add "/247" to the end of the model number.
 Added list price is \$69. No additional leadtime.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Back

Added Lead Time=1 week

Added List Price=\$128

Model=Fully Upholstery Back

Added Lead Time=1 week

Added List Price=\$162

California TB133 Fire Safety Code

Engage® with memory foam is not FR approved.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory.
 Freight class #125.

Specifications and prices are subject to change without prior notice.



Armless Task Chair (GPDNAP)



Task Cantilever Armchair
(GPDCAU)

Armless Task Stool

Task Cantilever Arm Stool

Features				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
Ergonomic articulation (Perfect Pivot)	•	•	•	•
General Dimensions				
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"
Seat height (upholstered - add 1") (stools with polished aluminum base - subtract 1-5/8")	17-1/2" - 22-1/2"	17-1/2" - 22-1/2"	22-1/4" - 32-3/4"	22-1/4" - 32-3/4"
Overall Dimensions				
Width	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Height	32-1/2" - 37-1/2"	32-1/2" - 37-1/2"	35-1/4" - 42-3/4"	35-1/4" - 42-3/4"
Arms to floor		26" - 31"		28-3/4" - 36-1/4"

SPECIFICATIONS

Underseat Structure

Support structure is die-drawn, 12-gauge steel plate. Fixed backrest mechanism structures are made from 1/2" diameter steel wire and attached by welding. Structure is finished with backed-on, electrostatically-applied, 30-degree gloss epoxy powder coating.

Arms

Optional cantilever arms are available. When equipped with arms, the supporting structure is 7/8" o.d. x 13-gauge tubular steel welded directly to the seat structure plate. The steel support tube is inserted into a socket molded into the armrest and secured with a screw. Armrests are molded from glass-reinforced nylon. Steel support tube and armcap color matches poly color. Diamond translucent poly has light tone arms; Pewter translucent has flannel arms; Bronze translucent has chocolate arms.

Backrest, Seat and Shroud
Injection molded polypropylene.

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1" diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

Base

Injection-molded, glass-reinforced, nylon 5-blade base. A single paddle under the seat operates the height-adjusting pneumatic cylinder. Chair base and cylinder available in black, grey or polished aluminum (upcharge for polished aluminum). Stool base is available in black or grey. An optional polished die-cast aluminum base is available on both chairs and stools.

Base color selection for black includes; black base, black cylinder and black carpet casters.

Base color selection for warm grey includes; warm grey base, warm grey cylinder and warm grey carpet casters.

Base color selection for polished aluminum includes; polished aluminum base, black cylinder and black carpet casters.

Casters

Casters are double-wheel, high-impact thermoplastic available with hard (warm grey or black) or soft (black only) wheel surface.


INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302



Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

GPDP
GPDU
GPDUB



GPDP
GPDU
GPDUR

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

- A** Select basic model.
- B** Select basic color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
*Add \$87 for polished aluminum base.
- C** Select poly seat and back color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
- D** Select caster option.
- | | |
|----------|----------------------|
| C | - Carpet casters |
| S | - Hard floor casters |
- E** Select fire code.
- | | |
|------------|-----------------------------|
| NFR | - Compliance to TB 117-2013 |
| FR | - Compliance to TB 133 |

See Upholstery Information for TB133 upcharge.

- F** Select upholstery grade/color.

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$11

Model=Upholstered Seat
Added List Price=\$66

Model=Upholstered Seat and Back
Added List Price=\$95



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 480										
N/A	591	601	619	591	619	623	662	677	695	723
N/A	618	627	646	618	646	650	688	703	722	749
\$ 588										
N/A	699	709	727	699	727	730	768	785	802	829
N/A	726	735	754	726	754	759	797	812	831	858

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

GPSP
GPSU
GPSUB

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

F Select upholstery grade/color.

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model=Polypropylene
 Added List Price=\$11
 Model=Upholstered Seat
 Added List Price=\$66
 Model=Upholstered Seat and Back
 Added List Price=\$95



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 554										
N/A	665	675	695	665	695	698	736	751	770	796
N/A	692	701	723	692	723	724	762	777	796	823
\$ 630										
N/A	740	750	773	740	773	773	811	826	845	872
N/A	768	777	801	768	801	800	838	853	872	899

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Impress®

General Information



Task Chair (KI62/JR39)



Sled Base Chair (KI60S)



Stool (KI63)

Features			
Free-floating back	•		•
Seat slide	•		•
Back height adjustable	•		•
3 position back lock	•		•
2-1/2" thick foam cushioned seat	•	•	•
General Dimensions			
Seat width	20-1/2"	20-1/2"	20-1/2"
Seat depth	18"	18"	18"
Seat height	17-3/4" - 22-1/4"	18"	22-1/4" - 30"
Back width	20"	20"	20"
Back height (above seat)	19-1/2" - 22-1/2"	21"	19-1/2" - 22-1/2"
Overall Dimensions			
Width	26"	24"	26"
Height	37" - 45"	38-1/2"	43-1/2" - 56-1/2"



Adjustable 360° Pivot Arm (JR30)



Adjustable T-Arm (JR39)



Fixed Loop Arm (KR48)



Adjustable Loop Arm (KR72)

SPECIFICATIONS

Mechanism (KI62 and KI63)

A stamped steel dual housing forms a sturdy cradle for the seat. There are two control levers. One lever actuates the pneumatic cylinder, which adjusts the seat height with infinite selection within the range (KI62). One lever locks the chair in several positions or actuates the free-floating mode. The synchronized 2:1 free floating mode has adjustments of 8° on seat and 16° on back.

Backrest (KI62 and KI63)

The injection molded plastic board has embedded inserts for mounting. The board is covered with contoured molded high-resilient foam and upholstered with fabric. A textured black shroud covers the rear side. An easy-to-operate mechanism is installed on the back board for adjusting the back height (3").

Seat Slide (KI62 and KI63)

Double spring-loaded: side-mounted, easy-

to-use control. Adjustment range of 3.1" (18" - 21.1")

Seat (KI62 and KI63)

Constructed of a 1/2" thick, saddle shape plywood with 2-1/2" molded high-resilient foam and upholstered with fabric. The entire seat assembly is mounted to the mechanism by four screws.

Seat Height (KI62)

In addition to the standard height cylinder whose dimensions are shown above, there are two optional cylinders:
Low Height: 16-3/4" - 19-1/2"
Tall Height: 20-1/2" - 26-3/4"
To select these optional cylinders, please see the "Options" section on the following page.

Pedestal Base (KI62 and KI63)

The 26" diameter, five-blade base is made of reinforced nylon. Black only.

Carpet Casters (KI62 and KI63)

The double 55mm diameter black wheels are

molded of high-impact thermoplastic and are housed in a high impact frame. Hard floor casters are available.

Fixed Loop Arm (KR48)

Arm is black plastic.

Adjustable Loop Arm Option (KR72)

Black molded urethane armcap. Height adjustment of 2-1/2".

Adjustable T-Arm Option (JR39)

Height adjustment of 4-1/4" and width adjustment of 1-1/2" per side. Arm ships KD (same box as the chair) and must be installed on the chair (no tools required).

Adjustable 360° Pivot Arm (JR30)

Molded urethane armcap pivots 360° and locks in place. Armcap is black. 4" of height adjustment and 3" of total width adjustment.

Backrest (KI60S)

The injection molded plastic board has embedded inserts for mounting. The board

is covered with contour molded foam and upholstered with fabric. A textured black shroud covers the rear side.

Seat (KI60S)

Constructed of a 1/2" thick, saddle shape plywood with 2-1/2" contour molded high-resilient foam, and covered with upholstered fabric.

Sled Base (KI60S)

The sled base is formed from 1-1/8" diameter, 13-gauge thickness steel tubing. Black only.

Memory Foam

Double layer of foam. Molded memory foam is layered over molded, high-resiliency foam. Seat only.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholster-



ing this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Impress
Attn: C.O.M. Department
1110 S. Mildred Ave
Ontario, CA 91761

Fabric Disclaimer




Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION**Warranty**

Refer to KI Terms & Conditions document or visit ki.com

Impress®

Task Chairs and Stools

	MODEL	Features	MODEL NUMBER							
			Basic Model	Memory Foam	Seat Slide	Back Panel	Fire Code	Uph. Color	Base	
	Impress® Task Chair - Free Float • 2-1/2" thick foam cushioned seat • Synchronized free-floating back • Back height adjustment • Multiple-position back lock • Pedestal base available in black only • FR models (no arm and FR39 arm) require the plastic back panel to be upholstered	No Arm	KI62/NA	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		360° Pivot Arm	KI62/JR30	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable T-Arm	KI62/JR39	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable T-Arm, Fire Retardant	KI62/FR39	<input type="checkbox"/>	SLD	DUB2	FR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Fixed Loop Arm	KI62/KR48	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable Loop Arm	KI62/KR72	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
IMPR										
	Impress® Guest Chair - Sled Base • 2-1/2" thick foam cushioned seat • Cantilevered sled base • Sled base available in black only • FR models (no arm and FR39 arm) require the plastic back panel to be upholstered	No Arm	KI60S/NA	<input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Fixed Loop Arm	KI60S/KR48	<input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
IMPR										
	Impress® Stool • 2-1/2" thick foam cushioned seat • Synchronized free-floating back • Back height adjustment • Multiple-position back lock • Pedestal base available in black only • FR models (no arm and FR39 arm) require the plastic back panel to be upholstered	No Arm	KI63/NA	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		360° Pivot Arm	KI63/JR30	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable T-Arm	KI63/JR39	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable T-Arm, Fire Retardant	KI63/FR39	<input type="checkbox"/>	SLD	DUB2	FR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Fixed Loop Arm	KI63/KR48	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable Loop Arm	KI63/KR72	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
IMPR										

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select memory foam.
NF - No memory foam
MF - Memory foam (for seat only); add \$108
 Memory foam for seat only.
- C** Select seat option.
SLD - Sliding seat
- D** Select back panel.
POLY - Poly back (standard)
DUB2 - Upholstered back panel; add \$78
- E** Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
- F** Select upholstery grade/color.
 Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

- G** Select base option.
C - Carpet casters
S - Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with poly back is 1 yard (1-1/2 yds with memory foam) of 54" wide nondirectional fabric; upholstered or FR back, 1-1/2' yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Approx. Packaged Weight	Delivered Pricing Fabric Grade Soft Knit™	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing C.O.L.	Delivered Pricing Leather
42.0#	\$ 786	\$ 650	\$ 673	\$ 693	\$ 693	\$ 720	\$ 780	\$ 826	\$ 864	\$ 904	\$ 901	\$ 970
42.0#	1006	870	893	913	913	943	1003	1047	1086	1124	1122	1191
51.0#	941	804	825	847	847	877	937	982	1017	1056	1054	1126
51.0#	1272	1138	1156	1179	1179	1209	1269	1315	1351	1388	1385	1457
51.0#	937	800	823	844	844	873	933	977	1014	1054	1051	1122
51.0#	941	804	825	847	847	877	937	982	1017	1056	1054	1126
37.0#	\$ 484	\$ 349	\$ 370	\$ 390	\$ 390	\$ 420	\$ 480	\$ 525	\$ 561	\$ 600	\$ 597	\$ 669
46.0#	632	499	520	541	541	569	629	675	714	748	746	820
47.0#	\$ 898	\$ 763	\$ 784	\$ 804	\$ 804	\$ 833	\$ 893	\$ 940	\$ 976	\$ 1013	\$ 1009	\$ 1082
55.0#	1118	983	1004	1026	1026	1055	1115	1159	1196	1235	1232	1304
56.0#	1051	915	938	957	957	986	1046	1093	1129	1168	1165	1236
56.0#	1383	1247	1270	1289	1289	1320	1380	1426	1461	1501	1499	1567
56.0#	1047	911	935	955	955	982	1042	1089	1127	1163	1160	1232
56.0#	1051	915	938	957	957	986	1046	1093	1129	1168	1165	1236

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=No Arm

Added List Price=\$132

FR is also available on models with the Adjustable T-arm (JR39 arm). See Models KI62/FR39 and KI63/FR39 for pricing.

When FR version is ordered, the plastic back panel is upholstered (add upcharge). For C.O.M. yardage, see "C.O.M. Upholstery" note.

OPTIONS

Optional Seat Height

The Task chair has 2 additional seat height options.

To select Low Height (16-3/4" - 19-1/2"), add CYL4 to the end of the model number.

To select Tall Height (20-1/2" - 26-3/4"), add IPCYL6SHD to the end of the model number.

Note: No additional leadtime or upcharge required.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Ontario, California 91761** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Impress® Ultra

General Information



Highback 360° Pivot Arm Task Chair (KI78/JR30)



Midback Adj Loop Arm Task Chair (KI74/KR72)



Guest Chair (KI71S)



Stool (KI75)

Features				
Free-floating back	•	•		•
Seat slide	•	•		•
Back height adjustable		•		•
3 position back lock	•	•		•
2-1/2" thick foam cushioned seat	•	•	•	•
General Dimensions				
Seat width	20-1/2"	20-1/2"	20-1/2"	20-1/2"
Seat depth	18" - 19-1/2"	18" - 20-1/2"	19"	18" - 20-1/2"
Seat height	17-3/4" - 23"	17-3/4" - 23"	18"	23-1/4" - 31"
Back width	20"	20"	20"	20"
Back height (above seat)	19"	17-1/2" - 20-1/2"	22" - 24"	17-1/2" - 20-1/2"
Overall Dimensions				
Width	26"	26"	24"	26"
Height	35" - 43"	36-1/2" - 41-1/2"	42"	43" - 57"



Adjustable 360° Pivot Arm (JR30)



Adjustable T-Arm (JR39)



Fixed Loop Arm (KR48)



Adjustable Loop Arm (KR72)

SPECIFICATIONS

Mechanism (KI74, KI75 and KI78)

Stamped steel dual housing forms a sturdy cradle for the seat. There are two control levers. One lever actuates the pneumatic cylinder. One lever locks the chair at several positions or actuates the free-floating mode. The synchronized 2:1 free-floating mode has adjustments of 8° on seat and 16° on back.

Backrest (KI74, KI75, KI78 and KI71S)

Nylon with fiberglass reinforced frame. Back mesh material is polyethylene elastomeric with polyester.

Back Height (KI74 and KI75)

An easy-to-operate mechanism is installed on the back board for adjusting back height 3".

Seat Slide (KI74, KI75 and KI78)

Double spring-loaded: side-mounted, easy-to-use control. Adjustment range of 3.1" (18" - 21.1").

Seat (KI74, KI75 KI78 and KI71S)

Constructed of a 1/2" thick, saddle-shaped plywood with 2-1/2" thick, molded, high-resilient foam and upholstered. The entire seat assembly is mounted to the mechanism by 4 screws.

Seat Height (KI74 and KI78)

In addition to the standard height cylinder whose dimensions are shown above, there are two optional cylinders:
Low Height: 16-3/4" - 19-1/2"
Tall Height: 20-1/2" - 26-3/4"
To select these optional cylinders, please see the "Options" section on the following page.

Base (KI74, KI75, and KI78)

26" diameter, five-blade reinforced nylon base. Black only.

Sled Base (KI71S)

Sled shape, 1-1/8" diameter steel tube of 13-gauge steel. Black only.

Carpet Casters (KI74, KI75 and KI78)

The double 55mm diameter black wheels are molded of high-impact thermoplastic and are housed in a high-impact frame. Hard floor casters are available.

Adjustable T-Arm (JR39)

Black molded urethane armcap. 4-1/4" of height adjustment and 3" of total width adjustment. Arm ships KD (same box as the chair) and must be installed on the chair (no tools required).

Adjustable Loop Arm (KR72)

Black molded urethane armcap. Height adjustment of 2-1/2".

Adjustable 360° Pivot Arm (JR30)

Molded urethane armcap pivots 360° and locks in place. Armcap is black. 4" of height adjustment and 3" of total width adjustment.

Fixed Loop Arm (KR48)

Arm is black plastic.

Memory Foam

Double layer of foam. Molded memory foam is layered over molded, high-resiliency foam. Seat only.

Headrest (High Back)

Headrest is black leather with adjustable height and angle.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.



Test sample must be sent to:

Impress®Ultra
Attn: C.O.M. Department
1110 S. Mildred Ave
Ontario, CA 91761

Fabric Disclaimer





Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION**Warranty**

Refer to KI Terms & Conditions document or visit ki.com

Impress® Ultra

Task Chairs and Stools

MODEL	Features	MODEL NUMBER							
		Basic Model	Memory Foam	Seat Slide	Headrest	Back Panel	Uph. Color	Base	
	Impress® Ultra Task Chair - Mid Back	No Arm	□□	SLD		BL	□□	□	
	• Back is black mesh	360° Pivot Arm	□□	SLD		BL	□□	□	
	• Seat slide	Adjustable T-Arm	□□	SLD		BL	□□	□	
	• Back height adjustment	Fixed Loop Arm	□□	SLD		BL	□□	□	
		Adjustable Loop Arm	□□	SLD		BL	□□	□	
IMPR									
	Impress® Ultra Task Chair - High Back	No Arm	□□	SLD	□□	BL	□□	□	
	• Back is black mesh	360° Pivot Arm	□□	SLD	□□	BL	□□	□	
	• Seat slide	Adjustable T-Arm	□□	SLD	□□	BL	□□	□	
	• Without back height adjustment	Fixed Loop Arm	□□	SLD	□□	BL	□□	□	
	• Headrest is black leather and adjustable	Adjustable Loop Arm	□□	SLD	□□	BL	□□	□	
IMPR									
	Impress® Ultra Task Chair - Guest	No Arm	□□			BL	□□		
	• Back is black mesh	Fixed Loop Arm	□□			BL	□□		
IMPR									
	Impress® Ultra Stool	No Arm	□□	SLD		BL	□□	□	
	• Back is black mesh	360° Pivot Arm	□□	SLD		BL	□□	□	
	• Seat slide	Adjustable T-Arm	□□	SLD		BL	□□	□	
	• Back height adjustment	Fixed Loop Arm	□□	SLD		BL	□□	□	
	• Chrome plated 20" footring	Adjustable Loop Arm	□□	SLD		BL	□□	□	
IMPR									

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
B Select memory foam.
 NF - No memory foam
 MF - Memory foam (for seat only); add \$109
 Memory foam for seat only.
C Select seat option.
 SLD - Sliding seat
D Select headrest.
 NH - No headrest (standard)
 HR - Headrest; add \$161
E Select back panel.
 BL - Black
F Select upholstery grade/color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
G Select base option.

C - Carpet casters
S - Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than five chairs is 1 yard (1-1/2 yds with memory foam) of 54" wide nondirectional fabric. For five or more chairs, it is 3/4 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Approx. Packaged Weight	Delivered Pricing Fabric Grade Soft Knit™	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
46.0#	\$ 780	\$ 780	\$ 828	\$ 835	\$ 835	\$ 818	\$ 867	\$ 891	\$ 915	\$ 943	\$ 996
54.0#	1005	1005	1053	1061	1061	1042	1091	1114	1140	1167	1220
54.0#	938	938	984	991	991	971	1020	1046	1071	1099	1151
54.0#	927	927	976	983	983	964	1013	1038	1063	1090	1145
54.0#	938	938	984	991	991	971	1020	1046	1071	1099	1151
54.0#	\$ 780	\$ 780	\$ 828	\$ 835	\$ 835	\$ 818	\$ 867	\$ 891	\$ 915	\$ 943	\$ 996
62.0#	1005	1005	1053	1061	1061	1042	1091	1114	1140	1167	1220
62.0#	938	938	984	991	991	971	1020	1046	1071	1099	1151
62.0#	927	927	976	983	983	964	1013	1038	1063	1090	1145
62.0#	938	938	984	991	991	971	1020	1046	1071	1099	1151
37.0#	\$ 457	\$ 457	\$ 505	\$ 511	\$ 511	\$ 493	\$ 542	\$ 567	\$ 593	\$ 620	\$ 671
45.0#	604	604	653	659	659	639	688	715	739	768	820
58.0#	\$ 909	\$ 909	\$ 956	\$ 961	\$ 961	\$ 945	\$ 994	\$ 1017	\$ 1043	\$ 1069	\$ 1124
66.0#	1133	1133	1180	1188	1188	1170	1219	1243	1268	1294	1347
66.0#	1064	1064	1112	1119	1119	1101	1150	1175	1199	1226	1279
66.0#	1055	1055	1103	1109	1109	1091	1140	1165	1190	1218	1270
66.0#	1064	1064	1112	1119	1119	1101	1150	1175	1199	1226	1279

OPTIONS

Optional Seat Height

The Task chair has 2 additional seat height options.

To select Low Height (16-3/4" - 19-1/2"), add CYL4 to the end of the model number.

To select Tall Height (20-1/2" - 26-3/4"), add IPCYL6SHD to the end of the model number.

Note: No additional leadtime or upcharge required.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Ontario, California 91761** factory.
Freight class #125.

Specifications and prices are subject to change without prior notice.



Midback Task Chair
Simple Function (KI42)



Midback Task Chair Advanced
Function (KI44)



Highback Task Chair
Simple Function (KI46)



Highback Task Chair Advanced
Function (KI48)




Conference Chair with
Fixed Loop Arms (KI56)

Features				
Seat depth adjustable	•		•	
Seat angle adjustable		•		•
Back height adjustable	•	•	•	•
Back angle adjustable		•		•
Fixed or free-floating seat and back			•	•
General Dimensions				
Seat width	18"	18"	19"	19"
Seat depth	18"	18"	19"	19"
Seat height	16-1/2" - 21-1/2"	16-1/2" - 21-1/2"	16-1/2" - 21-1/2"	16-1/2" - 21-1/2"
Back width	17"	17"	19"	19"
Back height	15"	15"	17-1/2"	17-1/2"
				22"
Overall Dimensions				
Width	24"	24"	24"	24"
Height	33" - 41"	33" - 41"	35" - 43"	35" - 43"
				36-1/2" - 41"



BR2 Arm



BR5 Arm



BR56 Arm

SPECIFICATIONS

Seat (KI42, KI44)

The size of the seat is 18" wide by 18" deep. The seat is constructed of a 1/2" thick, formed plywood seat board with 2" molded foam. The foam covered seat board is upholstered with fabric. The entire seat assembly is mounted to the mechanism by 2" screws. A textured black plastic shroud attaches to the bottom of the seat. Model KI42 has an integral seat depth adjustment knob is attached to the underside of the mechanism, which allows the seat depth to be adjusted from 18" to 20". On model KI44, the seat depth cannot be adjusted.

Seat (KI46, KI47, KI48, KI48S)

The size of the seat is 19" wide by 19" deep. The seat is constructed of a 1/2" thick, formed plywood seat board with 2" molded foam. The foam covered seat board is upholstered with fabric. The entire seat assembly is mounted to the mechanism by 6 screws. A textured black plastic shroud attaches to the bottom of the seat. Models KI46, KI47 and KI48S, have an integral seat depth adjustment knob is attached to the underside of the mechanism, which allows

the seat depth to be adjusted from 19" to 21". On model KI48, the seat depth cannot be adjusted.

Seat (KI56)

The size of the seat is 20" wide by 20" deep. The seat is constructed of a 1/2" thick, 6-ply heavy-duty veneer board with 2-1/2" molded foam. The foam covered seat board is upholstered with fabric. The entire seat assembly is mounted to the mechanism by 4 screws.

Backrest (KI42 and KI44)

The size of the backrest is 17" wide by 15" high. The backrest has the same basic construction as the seat. In addition, the backrest is mounted onto a pivot joint at one end of the upright that provides the pivot function of the backrest. The height of the backrest can be adjusted in a 3" range by a height adjustment knob.

Backrest (KI46, KI47, KI48 and KI48S)

The size of the backrest is 19" wide by 17-1/2" high. The backrest has the same basic construction as the seat. The back also includes an adjustment knob that allows the backrest to be raised or lowered 3" vertically along the J-bar; KI48 has a 3-1/2" range. In addition, the backrest is mounted onto a

pivot joint providing pivot function of the backrest.

Backrest (KI56)

The size of the backrest is 19" wide by 22" high. The back is constructed of a 1/2" thick, 6-ply veneer board with 2-1/2" molded foam. The foam covered back board is upholstered with fabric.

T-Nut

All the T-nuts used in the plywood are rivet type to prevent their popping-off from the plywood.

Mechanism (KI42, KI46, and KI47)

A stamped and welded steel housing forms a sturdy cradle for the seat. A lever actuates the pneumatic cylinder, which adjusts the seat height from 16-1/2" to 21-1/2" with infinite selection within the range; KI47's range is 23" to 33".

Mechanism (KI44)

A stamped and welded steel housing forms a sturdy cradle for the seat. A lever actuates the pneumatic cylinder, which adjusts the seat height from 16-1/2" to 21-1/2" with infinite selection within the range. Another lever controls the tilting angles of both the

seat and the back. Two sets of brake plates independently hold the seat and back at desired angles when the lever is released. The seat has 10° of angle adjustment. The back has 20° of angle adjustment.

Mechanism (KI48)

A stamped and welded steel housing forms a sturdy cradle for the seat. There are three control levers. One lever actuates the pneumatic cylinder, which adjusts the seat height from 16-1/2" to 21-1/2" with infinite selection within the range. One lever adjusts the tilting angle of the seat, or sets the seat in free-floating mode. One lever adjusts the tilting angle of the back, or sets the back in free-floating mode. The seat has 10° of angle adjustment. The back has 20° of angle adjustment.

Mechanism (KI56)

A stamped and welded steel housing forms a sturdy cradle for the seat. A lever actuates the pneumatic cylinder, which adjusts the seat height from 16-1/2" to 21" with infinite selection within the range. That same lever can also lock the back in an upright position. There is a tension knob beneath the seat which adjusts the amount of tension in the


**Highback Stool
(KI47)**

**Highback Guest Chair
(KI48S)**

**Width Adjustable Loop Arm
(BR2 - Arms Only)**

**Height and Width Adjustable
T-Arm (BR5 - Arms Only)**
Features

Seat depth adjustable	•	•	
Back height adjustable	•	•	
Width adjustable arms			•
Height adjustable arms			•

General Dimensions

Seat width	19"	19"
Seat depth	19"	19"
Seat height	23" - 33"	18"
Back width	19"	19"
Back height	17-1/2"	17-1/2"

Overall Dimensions

Width	25"	20"
Height	42" - 55"	37" - 39"

"rocking" seat. The seat and back articulate in a 1:1 ratio (no independent back flex).

Hardware

All the hardware is metric threaded. Screws and bolts are treated with self-locking material to prevent their backing-out.

Base (KI42, KI44, KI46 and KI48)

The 24" diameter, five-blade black base is molded from reinforced nylon. A telescoping cylinder shroud conceals pneumatic cylinder.

Base (KI47)

The 25" diameter, five-blade black base is made of steel tubing with decorative plastic cover on top. A telescoping cylinder shroud conceals the pneumatic cylinder.

Base (KI48S)

The sled base is formed from 1-1/8" diameter, 2.2mm thickness steel tubing with black powder coat finish. Long stem front glides are standard.

Base (KI56)

The 27" diameter, five-blade black base is made of reinforced nylon.

Footring

The 20" black, reinforced nylon footring can be set at proper height by tightening a knob. Chrome finish, steel tube footring optional.

Carpet Casters

The dual 50mm diameter (55mm for KI56) black wheels are molded of high-impact thermoplastic and are housed in a high-impact plastic frame. Carpet and hard floor casters are available.

Optional Arm Kits (Black Only)

An E-bracket mounted under the seat accepts both the left and right arms. The arm frame can slide in and out of the E-bracket for proper seating width adjustment.

Loop Arm (BR2)

1-1/4" each side width adjustable arms.

T-Arm (BR5)

1-1/4" each side width and 2-1/2" height adjustable T-arms.

Loop Arm (KI56)

Arms are black loop arms of molded urethane. The arms are structural elements linking the seat and back. Armless chairs are not available.

INFORMATION
C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Kismet®
 Attn: C.O.M. Department
 1110 S. Mildred Ave.
 Ontario, CA 91761



Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION
Warranty

Refer to KI Terms & Conditions document or visit ki.com

Kismet®
Task, Stool, Guest Chairs

			MODEL NUMBER			Approx. Packaged Weight		Delivered Pricing Fabric Grade 1 & C.O.M.	
			Basic Model	Upholstery Color	Base				
	Midback Task Chair, Simple Function <ul style="list-style-type: none">• Swivel seat• Back height adjustment• Seat depth adjustment• T-arm or loop arm option• Pedestal base available in black only	No Arm	KI42/NA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	30.0#	\$	323	
		Loop Arm	KI42/BR2	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	30.0#		389	
		T-Arm	KI42/BR5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	30.0#		405	
KISM									
	Midback Task Chair, Advanced Function <ul style="list-style-type: none">• Back angle adjusts• Seat angle adjusts• Back height adjustment• T-arm or loop arm option• Pedestal base available in black only	No Arm	KI44/NA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	34.0#	\$	382	
		Loop Arm	KI44/BR2	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	34.0#		448	
		T-Arm	KI44/BR5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	34.0#		462	
KISM									
			A	B	C				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select base option.
- | | |
|----------|----------------------|
| C | - Carpet casters |
| S | - Hard floor casters |

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement 1 yard of 54" wide non-directional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 334	\$ 342	\$ 342	\$ 382	\$ 441	\$ 464	\$ 494	\$ 522
402	410	410	448	508	534	560	591
413	423	423	461	521	544	574	604

\$ 390	\$ 405	\$ 405	\$ 439	\$ 499	\$ 524	\$ 554	\$ 584
458	470	470	502	562	591	618	649
471	484	484	520	580	604	631	659

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C



Shipping

 Shipped **k.d. freight prepaid f.o.b. Ontario, California 91761** factory.
 Freight class #125.

 Specifications and prices are subject to
 change without prior notice.

Kismet®

Task, Stool, Guest Chairs

			MODEL NUMBER				
			Basic Model	Upholstery Color	Base		
MODEL	Features					Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.
	Highback Task Chair, Simple Function	No Arm	KI46/NA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	35.0#	\$ 352
	<ul style="list-style-type: none">• Swivel seat	Loop Arm	KI46/BR2	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	35.0#	420
	<ul style="list-style-type: none">• Back height adjustment	T-Arm	KI46/BR5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	35.0#	432
	<ul style="list-style-type: none">• Seat depth adjustment						
	<ul style="list-style-type: none">• T-arm or loop arm option						
	<ul style="list-style-type: none">• Pedestal base available in black only						
KISM							
	Highback Task Chair, Advanced Function	No Arm	KI48/NA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	40.0#	\$ 473
	<ul style="list-style-type: none">• Back angle adjusts	Loop Arm	KI48/BR2	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	40.0#	540
	<ul style="list-style-type: none">• Seat angle adjusts	T-Arm	KI48/BR5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	40.0#	555
	<ul style="list-style-type: none">• Back height adjustment						
	<ul style="list-style-type: none">• T-arm or loop arm option						
	<ul style="list-style-type: none">• Fixed or free-floating seat and back						
	<ul style="list-style-type: none">• Pedestal base available in black only						
KISM							
			A	B	C		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select base option.
- | | |
|----------|----------------------|
| C | - Carpet casters |
| S | - Hard floor casters |

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement 1 yard of 54" wide non-directional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 363	\$ 373	\$ 373	\$ 408	\$ 468	\$ 493	\$ 522	\$ 549
431	440	440	477	537	559	591	616
445	451	451	489	549	572	604	630
\$ 486	\$ 494	\$ 494	\$ 531	\$ 591	\$ 614	\$ 645	\$ 674
553	559	559	596	656	681	712	738
564	574	574	611	671	695	727	754

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C


Shipping

 Shipped **k.d. freight prepaid f.o.b. Ontario, California 91761** factory.
 Freight class #125.

 Specifications and prices are subject to
 change without prior notice.

Kismet®

Task, Stool, Guest Chairs

		MODEL	Features	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.
				Basic Model	Upholstery Color	Base		
	Conference Chair • Swivel/tilt	Loop Arm	KI56/BR6	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	50.0#	\$ 482	
			A	B	C			

KISM

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select base option.
- | | |
|----------|----------------------|
| C | - Carpet casters |
| S | - Hard floor casters |

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement 1-1/2 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 498	\$ 511	\$ 511	\$ 596	\$ 656	\$ 691	\$ 738	\$ 778

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **k.d. freight prepaid f.o.b. Ontario, California 91761** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Kismet®

Task, Stool, Guest Chairs

	MODEL	Features	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing Unupholstered
			Basic Model	Upholstery Color	Base		
	Highback Stool • Swivel seat • Back height adjustment • Seat depth adjustment • Seat height from 23"-33" • T-Arm or loop arm option • Pedestal base available in black only	No Arm, Plastic Footring	KI47/NA/PL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	39.0#	N/A
		No Arm, Chrome Footring	KI47/NA/CH	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	39.0#	N/A
		Loop Arm, Plastic Footring	KI47/BR2/PL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	39.0#	N/A
		Loop Arm, Chrome Footring	KI47/BR2/CH	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	39.0#	N/A
		T-Arm, Plastic Footring	KI47/BR5/PL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	39.0#	N/A
		T-Arm, Chrome Footring	KI47/BR5/CH	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	39.0#	N/A
KISM							
	Highback Guest Chair • Back height adjustment • Seat depth adjustment • Cantilevered sled base • Front glides standard • T-arm or loop arm option • Pedestal base available in black only	No Arm	KI48S/NA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		30.0#	N/A
		Loop Arm	KI48S/BR2	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		30.0#	N/A
		T-Arm	KI48S/BR5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		30.0#	N/A
KISM							
	Loop Arms (Arms Only) • 2-1/2" width range • Available on all chairs • Black only • Set of two		BR2			5.0#	\$ 70
HRDPT							
	T-Arms (Arms Only) • 2-1/2" height range • 2-1/2" width range • Available on all chairs • Black only • Set of two		BR5			5.0#	\$ 82
HRDPT							
			A	B	C		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select base option.
- | | |
|----------|----------------------|
| C | - Carpet casters |
| S | - Hard floor casters |

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard of 54" wide non-directional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

[illegible]

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Shipped **k.d. freight prepaid f.o.b. Ontario,**
California 91761 factory.
Freight class #125.

Specifications and prices are subject to change without prior notice.

Mesa™

General Information



Mid Back Swivel Tilt

High Back Swivel Tilt

Overall Dimensions		
Width	26-1/2"	26-1/2"
Depth	25-1/2"	25-1/2"
Height	38"	45"



2 Base - Polished aluminum with black hooded casters.



4 Base - Matte black understructure, bullnose edge wood caps with black hooded casters.



8 Base - Matte black understructure, grooved edge wood caps with black hooded casters.



9 Base - Matte black with black hooded casters.

SPECIFICATIONS

Complimentary Furniture

The following lounge collections offer complimentary furniture that creates continuity and a cohesive look throughout a facility. These complimentary pieces can be found in other sections of the KI price list.

MESA - Mesa™ Lounge Seating

QUATRO - Quatro™ Guest Seating

the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$70 List per item, up to 12 or a maximum charge of \$840 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strike-off should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up





INFORMATION

Warranty

Refer to KI Terms & Conditions document or
visit ki.com

Mesa™

Task Chairs

			MODEL NUMBER							Approx. Packaged Weight
Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Lift	Button Option	Fire Code	Wood Finish		
 MSTS Mid Back Swivel Tilt Chair • 1 = Top back panel, arm panels and button (Fabric Contrast 1) C.O.M. = .75 yd • 2 = Body (Fabric Contrast 2) C.O.M. = 2.5 yd	2 Base, Non-contrast	2.5 yd	7225/2/NC	□□□□		□□□□	□□□	□□□	75.0#	
	2 Base, Contrast		7225/2/FC	□□□□	□□□□	□□□□	□□□	□□□	75.0#	
	4 Base, Non-contrast	2.5 yd	7225/4/NC	□□□□		□□□□	□□□	□□□	75.0#	
	4 Base, Contrast		7225/4/FC	□□□□	□□□□	□□□□	□□□	□□□	75.0#	
	8 Base, Non-contrast	2.5 yd	7225/8/NC	□□□□		□□□□	□□□	□□□	75.0#	
	8 Base, Contrast		7225/8/FC	□□□□	□□□□	□□□□	□□□	□□□	75.0#	
	9 Base, Non-contrast	2.5 yd	7225/9/NC	□□□□		□□□□	□□□	□□□	75.0#	
	9 Base, Contrast		7225/9/FC	□□□□	□□□□	□□□□	□□□	□□□	75.0#	
 MSTS High Back Swivel Tilt Chair • 1 = Top back panel, arm panels and button (Fabric Contrast 1) C.O.M. = .75 yd • 2 = Body (Fabric Contrast 2) C.O.M. = 3 yd	2 Base, Non-contrast	3 yd	7226/2/NC	□□□□		□□□□	□□□	□□□	80.0#	
	2 Base, Contrast		7226/2/FC	□□□□	□□□□	□□□□	□□□	□□□	80.0#	
	4 Base, Non-contrast	3 yd	7226/4/NC	□□□□		□□□□	□□□	□□□	80.0#	
	4 Base, Contrast		7226/4/FC	□□□□	□□□□	□□□□	□□□	□□□	80.0#	
	8 Base, Non-contrast	3 yd	7226/8/NC	□□□□		□□□□	□□□	□□□	80.0#	
	8 Base, Contrast		7226/8/FC	□□□□	□□□□	□□□□	□□□	□□□	80.0#	
	9 Base, Non-contrast	3 yd	7226/9/NC	□□□□		□□□□	□□□	□□□	80.0#	
	9 Base, Contrast		7226/9/FC	□□□□	□□□□	□□□□	□□□	□□□	80.0#	
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select non-contrast or fabric contrast 1.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

C Select fabric contrast 2.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select lift option.
STD - Standard tilt/gas lift
KTGL - Knee tilt/gas lift; add \$125

E Select button option.
NBT - No button
UB - Upholstered (standard)
WBT - Wood, finish to match legs

F Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See pricing column for TB133 upcharge.

No button option for TB133.

G Select wood finish color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model				
7225/4	\$63	7225/4/FC	\$63	
7225/8	\$63	7225/8/FC	\$63	
7226/4	\$63	7226/4/FC	\$63	
7226/8	\$63	7226/8/FC	\$63	

Wood Button \$5



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
\$ 1422	\$ 1444	\$ 1487	\$ 1533	\$ 1565	\$ 1631	\$ 1698	\$ 1828	\$ 1991	\$ 2157	\$ 2320	\$ 2650	\$ 299
1478	1504	1545	1591	1625	1690	1757	1887	2050	2216	2379	2709	299
1422	1444	1487	1533	1565	1631	1698	1828	1991	2157	2320	2650	299
1478	1504	1545	1591	1625	1690	1757	1887	2050	2216	2379	2709	299
1422	1444	1487	1533	1565	1631	1698	1828	1991	2157	2320	2650	299
1478	1504	1545	1591	1625	1690	1757	1887	2050	2216	2379	2709	299
1270	1289	1329	1379	1413	1477	1546	1678	1838	2002	2167	2496	299
1327	1347	1388	1439	1470	1538	1603	1734	1898	2061	2226	2556	299

\$ 1500	\$ 1522	\$ 1565	\$ 1621	\$ 1654	\$ 1729	\$ 1802	\$ 1946	\$ 2122	\$ 2303	\$ 2481	\$ 2839	\$ 325
1558	1581	1625	1679	1715	1787	1860	2002	2179	2360	2540	2899	325
1500	1522	1565	1621	1654	1729	1802	1946	2122	2303	2481	2839	325
1558	1581	1625	1679	1715	1787	1860	2002	2179	2360	2540	2899	325
1500	1522	1565	1621	1654	1729	1802	1946	2122	2303	2481	2839	325
1558	1581	1625	1679	1715	1787	1860	2002	2179	2360	2540	2899	325
1340	1366	1406	1457	1498	1567	1638	1783	1958	2136	2315	2672	325
1398	1424	1465	1516	1554	1627	1697	1841	2015	2197	2375	2732	325

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Contrasting Upholstery

Button covered in same upholstery is standard. Wood button available, no charge. Wood button will be finished to match legs.

When contrasting fabric is chosen, price at highest in-grade.

Californina TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance.

Construction

Frames of laminated plywood kiln-fired hardwood. Cushioning of multiple densities of polyurethane foam and Dacron fiber. Gas lift with tilt lock is standard.

OPTIONS

Base Options

- 2 Base Polished aluminum with black hooded casters.
- 4 Base Matte black understructure, bullnose edge wood caps with black hooded casters.
- 8 Base Matte black understructure, grooved edge wood caps with black hooded casters.
- 9 Base Matte black with black hooded casters.

Specify base style number when ordering.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. High Point, North Carolina 27263** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.



Pilot Armless Chair (KI88/NA)



Pilot Task Loop Arm Chair (KI88/KR48)



Pilot Task T-Arm Chair (KI88/KR300)

Features			
Adjustable back angle	•	•	•
Extra wide seat	•	•	•
Seat depth adjustment	•	•	•
Back height adjustment	•	•	•
Warranted to 400 lbs & 24/7 use	•	•	•
General Dimensions			
Seat width	24"	24"	24"
Seat depth	17" - 19-1/2"	17" - 19-1/2"	17" - 19-1/2"
Seat height	18" - 23"	18" - 23"	18" - 23"
Back width	23-1/2"	23-1/2"	23-1/2"
Back height from seat	25"	25"	25"
Overall Dimensions			
Width	27"	27"	31-1/2"
Depth	27"	27"	27"
Height	43" - 52"	43" - 52"	43" - 52"

SPECIFICATIONS

Seat

Seat is constructed of 5/8" thick, 10-ply plywood with one solid steel reinforcement plate that spans from seat edge to seat edge and 3.75" thick molded foam. The steel reinforcement plate has welded steel t-nuts for arms and mechanism. The contoured molded foam-covered board is upholstered with fabric. The front edge of the seat has a waterfall design. The seat is attached to a seat mechanism with four 5/16" screws into steel welded t-nuts.

An integral seat slide is attached to the under side of the seat board which allows the seat depth to be adjusted from 17" to 19-1/2". A black dust cover fabric shrouds the seat slide. The seat slide assembly is mounted to steel attachment brackets in the mechanism and seat plate that allow the seat to slide in and out.

Seat Mechanism

Chair features infinitely locking back angle, and tilt rocking.

Pneumatic Height Adjustment

Chair features pneumatic seat height adjustment from 18" to 23".

Backrest (vertically adjustable)

Backrest is constructed of 1/2" thick 9-ply plywood and 2-1/2" body-contoured molded foam. The outer back shell is upholstered plywood. The backrest is attached to a five-position ratcheting mechanism that provides 4" of vertical adjustment along a 1/4" thick x 4" wide high-strength steel J-bar. The J-bar is fastened directly to the seat mechanism with three 5/16" bolts.

Base

Extra-wide 27" five-blade base constructed of heavy-duty composite. The center of the base has a patented non-slip ring where the pneumatic cylinder is mounted. A telescoping cylinder shroud conceals the heavy-duty

pneumatic cylinder.

Casters

Heavy-duty 55mm diameter double wheels are molded of high-impact plastic with steel stud.

Loop Armrests

Main armrest support is made of 1/4" thick by 2-1/4" wide bent steel constructions. Armrests are attached to a solid steel reinforcement plate that spans from side to side and which is mounted to the seat board for increased arm strength. Armrest pads are self-skinning soft urethane material with steel inner structures. Loop arms are fixed height.

T-Arms

Adjustable, heavy-duty arms have 2-3/4" vertical travel (from approximately 10" - 12-3/4" above the seat). There is 1-1/4" of width adjustment per side or 2-1/2" width adjustment total.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 2 yd x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage maybe requested.

Test samples must be sent to:

Pilot
Attn: C.O.M. Department
1110 S. Mildred Ave.
Ontario, CA 91761

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied.



The posted standard lead time will apply to the Special Cost Request.

Assembly

Ship knocked-down (KD). Minimal assembly required.

INFORMATION**Warranty**

Refer to KI Terms & Conditions document or visit ki.com

HOW TO ORDER

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select base option.

B Select base option.

C - Carpet casters

G - Glides

S - Hard floor casters

C Select upholstery grade/color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholsterv

C.O.M. requirement is 2 yards per chair of 54" wide nondirectional fabric; solid colors only. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 1412	\$ 1372	\$ 1412	\$ 1473	\$ 1549	\$ 1603	\$ 1660	\$ 1728	\$ 2291
1559	1517	1559	1618	1694	1748	1808	1874	2437
1594	1553	1594	1654	1730	1784	1841	1909	2472

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

 Shipped **k.d. freight prepaid f.o.b. Ontario, California 91761** factory.
 Freight class #125.

 Specifications and prices are subject to
 change without prior notice.



Armless Task Chair
(SIFTNA)



4D Adjustable T-Arm
Task Chair
(SIFTAA)



Armless Task Stool
(SIFTNA)



4D Adjustable T-Arm
Task Stool
(SIFTAA)



Cantilever Arm Guest
Chair
(SIFTGCA)

Features					
Synchrotilt	•	•	•	•	
Seat slide	•	•			
Back lock	•	•	•	•	
Mesh seat and back	•	•	•	•	•
Upholstered Seat	•	•	•	•	•
Adjustable lumbar	•	•	•	•	•
4D adjustable T-arm		•		•	
Fixed cantilever arm					•
Black nylon or brushed aluminum base	•	•	•	•	
300 lb. tested	•	•	•	•	•
General Dimensions					
Seat width	19"	19"	19"	19"	19"
Seat depth	19"	19"	19"	19"	19"
Seat height	18-1/4" - 22-1/4"	18-1/4" - 22-1/4"	21-1/4" - 29"	21-1/4" - 29"	19-1/2"
Back width	18"	18"	18"	18"	18"
Back height (above seat)	20-1/2"	20-1/2"	20-1/2"	20-1/2"	16"
Inside arm distance		18-1/2" - 19-1/2"		18-1/2" - 19-1/2"	19"
Arm height (from floor)					26-1/8"
Overall Dimensions					
Width	27"	27"	27"	27"	22-1/4"
Depth	29-1/4"	29-1/4"	29-1/4"	29-1/4"	21-1/4"
Height	42-3/4"	42-3/4"	50-3/8"	50-3/8"	35-3/4"
Base	26"	26"	26"	26"	

SPECIFICATIONS

TASK CHAIR

Backrest and Mesh Seat

Reinforced nylon frame with mesh material. *SoSoft* mesh material is made from 65% polyester and 35% nylon. Integral polypropylene lumbar support mechanism is easily adjusted by the user within a 3° range.

Upholstered Seat

Nylon seat structure with two layers of polyurethane foam with a fabric cover held in place with staples.

Mechanism

Stamped steel mechanism provides for sturdy seat and back mounting. Height-adjustable pneumatic cylinder is actuated by a control lever beneath the seat. Seat height adjusts from 18-1/4" to 22-1/4". Back lock mechanism provides five back positions. Tension control knob adjusts the tension recline force. Spring-loaded seat slide

mechanism controls seat depth adjustment in five positions through a distance of 1-1/2" and is side mounted for easy use. Synchronized 2:1 seat/back tilt mechanism has movement of 8 degrees on seat and 16 degrees on back.

Adjustable T-Arm

Black molded urethane armcap. Armcaps move forward/backward in five positions through 1-1/2". Armcap width adjusts in five positions through 1". Arm support width can be set between 18-1/2" - 19-1/2" at assembly. Armrest height adjusts to 11 positions through 2-3/4". Armcaps rotate in three positions (+/- 20 degrees).

Base

Standard 26" diameter, five-blade reinforced nylon base, black only. Optional 26" diameter polished aluminum five-blade base.

Casters

Double 65mm diameter black wheels are molded of reinforced plastic. Hard floor or

carpet casters available.

Weight Capacity

Passes all BIFMA x 5.1-2011 and KI's internal standard for 300 pound capacity.

TASK STOOL

In addition to the standard height unit described under the Task Chair, a stool height version is available. Stools are equipped with a pneumatic cylinder allowing adjustment of seat height from 21-1/2" - 29". The 18" diameter adjustable footring is made of die-cast aluminum with a chrome-plated tubular steel ring and black "spokes." Stools are available with plastic or polished bases. Stools do NOT feature a seat slide.

GUEST CHAIR

Backrest and Mesh Seat

Reinforced nylon frame with mesh material.

SoSoft mesh material is made from 65% polyester and 35% nylon. Backrest and seat secured to frame with four bolts each.

Upholstered Seat

Plywood seat structure with two layers of polyurethane foam with a fabric cover held in place with staples.

Frame

Tubular steel frame made with .08" thick x 1.32" x .88" oval steel tubing.

Arms


Arms are integral to the frame with a black molded reinforced nylon armcap.

Glides


Four nylon glides.

Weight Capacity


Passes all BIFMA x 5.1-2011 and KI's internal standard for 300 pound capacity.



Task Chair





Guest Chair



Task Stool

INFORMATION**Warranty**

Refer to KI Terms & Conditions document or visit ki.com

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Base	Casters	Fire Code	Upholstery Color	
 Mesh Seat	Task Armless Chair <ul style="list-style-type: none">• "SoSoft" mesh back and mesh seat or uph seat• Adjustable lumbar• Tested to all 300 lb. BIFMA standards• Ships fully assembled	Mesh Seat and Back	SIFTNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		43.0#
		Upholstered Seat	SIFTUNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	43.0#
SIFT SIFTU								
 Uph. Seat	Task 4D Adjustable T-Arm Chair <ul style="list-style-type: none">• "SoSoft" mesh back and mesh seat or uph seat• Adjustable lumbar• Tested to all 300 lb. BIFMA standards• Ships fully assembled	Mesh Seat and Back	SIFTAA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		49.0#
		Upholstered Seat	SIFTUAA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	49.0#
SIFT SIFTU								
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base option.

P - Plastic base

A - Aluminum base; add \$87

C Select casters.

C - Carpet casters

S - Hard floor casters; add \$48

D Select fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

See FR upcharge under Options.

E Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 692										
N/A	622	634	640	622	640	667	705	727	749	773
\$ 827										
N/A	758	770	775	758	775	802	840	862	884	908

C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54" wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh
Added Lead Time=1 week
Added List Price=\$75

Model=Upholstered Seat
Added Lead Time=1 week
Added List Price=\$75

SPECIAL SERVICES



Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Shipped **assembled freight prepaid f.o.b.**
Tupelo, Mississippi 38804 factory. Freight
 class #250.

Specifications and prices are subject to change without prior notice.

	MODEL	Features	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Base	Casters	Fire Code	Upholstery Color	
 <p>Mesh Seat</p> <p>SIFTS SIFSU</p>	Task Armless Stool	Mesh Seat and Back	SIFTSNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		43.0#
		Upholstered Seat	SIFTSUNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	43.0#
 <p>Uph. Seat</p> <p>SIFTS SIFSU</p>	Task 4D Adjustable T-Arm Stool	Mesh Seat and Back	SIFTSAA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		49.0#
		Upholstered Seat	SIFTSUAA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	49.0#
			A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base option.

P - Plastic base

A - Aluminum base; add \$87

C Select casters.

C - Carpet casters

S - Hard floor casters; add \$48

D Select fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

See FR upcharge under Options.

E Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

[illegible][illegible]


OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Seat
Added Lead Time=1 week
Added List Price=\$75

Sift™
Task and Guest Chairs

			MODEL NUMBER				
			Basic Model	Fire Code	Upholstery Color		
MODEL		Features				Approx. Packaged Weight	Delivered Pricing Unupholstered
 SIFTG SIFGU	Guest Cantilever Armchair <ul style="list-style-type: none">• "Suffo" mesh back and mesh seat or upholstered seat• Adjustable lumbar• Tested to all 300 lb. BIFMA standards• Ships fully assembled	Mesh Seat and Back	SIFTGCA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		38.0#	\$ 544
		Upholstered Seat	SIFTUCA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	38.0#	N/A
			A	B	C		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fire code.
- | | |
|------------|-----------------------------|
| NFR | - Compliance to TB 117-2013 |
| FR | - Compliance to TB 133 |

See FR upcharge under Options.

- C** Select upholstery grade/color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
507	519	524	507	524	552	590	611	633	657

UPHOLSTERY INFORMATION

C.O.M. and C.O.V. Upholstery

C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54" wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh
Added Lead Time=1 week
Added List Price=\$75

Model=Upholstered Seat
Added Lead Time=1 week
Added List Price=\$75

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Tupelo, Mississippi 38804** factory. Freight class #250.

Specifications and prices are subject to change without prior notice.



Task Cantilever Armchair (SPDCAU)



Armless Task Stool (SPSNAU)

Features		
Poly, upholstered seat, or upholstered seat/back	•	•
Flex back	•	•
General Dimensions		
Seat width	18"	18"
Seat depth	18"	18"
Seat height (upholstered - add 1")	17-1/4" - 22-1/4"	22" - 32-1/2"
Overall Dimensions		
Width	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"
Height	32-3/4" - 37-3/4"	35-1/2" - 43"
Arms to floor	26" - 31"	

SPECIFICATIONS

Underseat Structure

Support structure is die-formed, 13-gauge steel welded to a 1" o.d. x 14-gauge tubular steel crossmember.

Arms

When equipped with optional cantilevered arms, the supporting structure is 7/8" o.d. x 13-gauge tubular steel, welded directly to the seat support structure. The armcaps are injection molded nylon and are attached to the steel structure by means of screws. Both the steel tube arm support and the armcaps will match the color of the poly seat and back.

Seat

Injection molded polypropylene attached directly to the structure.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of

the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Optional Upholstered Seat or Seat & Back

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Base

Injection-molded glass-reinforced nylon 5-blade base (black or warm grey for task; black only for stool). Casters have high-impact thermoplastic double wheels. A single control paddle under the seat operates the height-adjusting pneumatic cylinder.

Frame Finishes

Baked-on, electrostatically-applied 45° gloss epoxy powder coating.

Task Stools

In addition to the standard height unit described above, a stool-height version is available. Stools are equipped with a pneumatic cylinder allowing adjustment of seat height. The 18" diameter adjustable-height foot ring is made of die-cast aluminum with a chrome-plated tubular steel ring and black "spokes." Stools are only available with black bases.

Casters

Double wheels of high-impact thermoplastic. High-impact plastic frame. Casters are monochromatic with base. Carpet or hard floor casters offered. Hard floor casters are black only.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to accep-

tance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Task chairs and task stools ship knockdown. Minimal assembly is required.





INFORMATION

Warranty

Refer to KI Terms & Conditions document or
visit ki.com

Strive®

Task Chairs and Stools

		MODEL	Features	MODEL NUMBER						Approx. Packaged Weight
				Basic Model	Frame Color	Fire Code	Poly Seat & Back Color	Casters	Upholstery Color	
 SPDP SPDU SPDUB	Task Armless Chair • Flex back	Polypropylene	SPDNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>		32.0#	
		Upholstered Seat	SPDNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	35.0#	
		Upholstered Seat/Back	SPDNAUB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	35.0#	
 SPDP SPDU SPDUB	Task Cantilever Armchair • Flex back	Polypropylene	SPDCAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>		35.0#	
		Upholstered Seat	SPDCAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	38.0#	
		Upholstered Seat/Back	SPDCAUB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	38.0#	
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Fabrics & Finishes binder.

A Select basic model.

B Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Includes base, cylinder, and carpet casters (hard floor casters are always black).

C Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

D Select poly seat and back color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

E Select caster option.

S - Hard floor casters
C - Carpet casters

F Select upholstery grade/color.

Refer to color addendum at ki.com or KI

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement is 3/4 yards per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 334										
N/A	398	426	440	398	440	438	476	498	520	538
N/A	451	481	494	451	494	493	531	552	573	592

California TB133 Fire Safety Code

Model=Polypropylene
Added List Price=\$11
Model=Upholstered Seat
Added List Price=\$70
Model=Upholstered Seat and Back
Added List Price=\$99



Special Carton Marking

Shipping
Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Strive®

Task Chairs and Stools

MODEL	Features	MODEL NUMBER							
		Basic Model	Frame Color	Fire Code	Poly Seat & Back Color	Top Stitch Color	Casters	Upholstery Color	
 SPDTS SPDBT	Task Armless Chair with Top Stitch on Seat	Upholstered Seat	SPDNATSU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	• Flex back	Upholstered Seat/Back	SPDNATSUB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
 SPDTS SPDBT	Task Cantilever Armchair with Top Stitch on Seat	Upholstered Seat	SPDCATSU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	• Flex back	Upholstered Seat/Back	SPDCATSUB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
			A	B	C	D	E	F	G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Includes base, cylinder, and carpet casters (hard floor casters are always black).

C Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

D Select poly seat and back color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

E Select top stitch color.

BLTS - Black
WHTS - White

F Select caster option.

S - Hard floor casters

C - Carpet casters

G Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.



38.0#	\$	579
38.0#		631

Model=Polypropylene
Added List Price=\$11
Model=Upholstered Seat
Added List Price=\$70
Model=Upholstered Seat and Back
Added List Price=\$99

Specifications and prices are subject to change without prior notice.

Strive®

Task Chairs and Stools

		MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Frame Color	Fire Code	Poly Seat & Back Color	Casters	Upholstery Color	
MODEL	Features							
 SPSP SPSU SPSUB	Task Armless Stool • Flex back	Polypropylene	SPSNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	37.0#
		Upholstered Seat	SPSNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	39.0#
		Upholstered Seat/Back	SPSNAUB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	39.0#
 SPSP SPSU SPSUB	Task Cantilever Arm Stool • Flex back	Polypropylene	SPSCAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	39.0#
		Upholstered Seat	SPSCAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	41.0#
		Upholstered Seat/Back	SPSCAUB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	41.0#
			A	B	C	D	E	F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Fabrics & Finishes binder.

A Select basic model.

B Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Includes base, cylinder, and carpet casters (hard floor casters are always black).

C Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

D Select poly seat and back color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

E Select caster option.

S - Hard floor casters
C - Carpet casters

F Select upholstery grade/color.

Refer to color addendum at ki.com or KI

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

Model=Polypropylene
Added List Price=\$11
Model=Upholstered Seat
Added List Price=\$70
Model=Upholstered Seat and Back
Added List Price=\$99

Special Carton Marking

Shipping

Specifications and prices are subject to change without prior notice.

SPSTS
SPSBT

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select frame color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Includes base, cylinder, and carpet casters
(hard floor casters are always black).

C Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

D Select poly seat and back color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

E Select top stitch color.

BLTS	- Black
WHTS	- White

F Select caster option.
S - Hard floor casters

C - Carpet casters

G Select upholstery grade/color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.



Approx. Packaged Weight	Delivered Pricing Pallas Fabric Group P1	
39.0#	\$ 611	
39.0#	665	
41.0#	\$ 671	
41.0#	724	

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compli-
ant models, add the following upcharge:
Model=Polypropylene
Added List Price=\$11
Model=Upholstered Seat
Added List Price=\$70
Model=Upholstered Seat and Back
Added List Price=\$99

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Shipped **k.d. freight prepaid f.o.b. Green
Bay, Wisconsin 54302** factory. Freight
class #125.

Specifications and prices are subject to
change without prior notice.



Pedestal Base Armchair (TPCAU)

Features	
Back Flex	•
Available in polypropylene or upholstered	•
Pneumatic seat height adjustment	•
General Dimensions	
Seat width	18"
Seat depth	18"
Seat height	16" - 21"
Back width	17-7/8"
Back height	16"
Overall Dimensions	
Depth	24"
Height	31-3/4" - 36-3/4"
Width with arms	26-1/2"
Width with no arms	24"
Top of arm to floor	24-3/4" - 29-3/4"

SPECIFICATIONS

Seat and Backrest

Seats and backrests are molded compound curved polypropylene with a textured finish. Seat is two-piece construction. Upholstered chairs have partially exposed polypropylene surfaces. Fabric is upholstered over 9/16" foam on the backrest and 15/16" on the seat for stack chairs. Fabric is upholstered over 1-1/2" foam on the seat for pedestal chairs.

Backrest Supports

Two die-cast aluminum backrest supports attach the backrest to the Torsion® mechanism. A steel tube is cast into each backrest support for added strength.

Torsion® Mechanism

The back flex is achieved by the Torsion® mechanism. It consists of two flat torsion springs captured at both ends by brass bushings which in turn engage with the backrest supports. The Torsion® mechanism creates gradually increasing resistance

over the full 12° of back flex.

Armrests

A tubular steel frame supports self-skinning urethane armrests. The support is bolted to the seat underside and powder coated to match other hard surface elements. Arms are field-installable.

Pedestal Base

24" injection-molded glass-reinforced nylon, five-blade base for task. 26" for stool.

Casters

Double wheels of high-impact thermoplastic. High-impact plastic frame. Finish matches chair color if it is black, warm grey, blue grey or sand. Otherwise, casters are black.

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholster-

ing this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufac-

tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

Task chairs and task stools ship knockdown. Minimal assembly is required.


Adjustable Stool (TPSNAPSH)
Features

Back Flex	•
Available in polypropylene or upholstered	•
Pneumatic seat height adjustment	•

General Dimensions

Seat width	18"
Seat depth	18"
Seat height	19-3/4" - 30-1/4"
Back width	17-7/8"
Back height	16"

Overall Dimensions



Depth	25"
Height	36-1/2" - 47"
Width with arms	26-1/2"
Width with no arms	26"
Top of arm to floor	28-1/2" - 39-1/2"
Casters on center	26"

INFORMATION
Warranty

Refer to KI Terms & Conditions document or visit ki.com

Torsion®

Task Chairs

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Base	Frame Color	Fire Code	Poly Seat & Back Color	Upholstery Color	
 TPP TPU	Pedestal Base Armless Chair • Flex back • No arm • Pneumatic height adjustment • Swivel seat	Polypropylene	TPNAP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		33.0#
		Upholstered	TPNAU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35.0#
 TPP TPU	Pedestal Base Armchair • Flex back • Pneumatic height adjustment • Swivel seat	Polypropylene	TPCAP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		39.0#
		Upholstered	TPCAU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	41.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Fabrics & Finishes binder.

- A** Select basic model.
- B** Select base option.
C ☐ - Carpet casters
S ☐ - Hard floor casters
- C** Select frame color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 The metal back support and arm support matches the frame color.
- D** Select fire code.
FR ☐ - Compliance to TB 133
NFR ☐ - Compliance to TB 117-2013
- E** Select seat and back color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- F** Select upholstery grade/color.
 Refer to color addendum at ki.com or KI

UPHOLSTERY INFORMATION



C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

Specifications and prices are subject to change without prior notice.

Torsion®

Task Chairs and Stools

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Base	Frame Color	Fire Code	Poly Seat & Back Color	Upholstery Color	
 TPSP TPSU	Task Stool <ul style="list-style-type: none">• Flex back• No arm• Pneumatic height adjustment• Swivel seat	Polypropylene	TPSNAP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		33.0#
		Upholstered	TPSNAU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35.0#
 TPSP TPSU	Task Stool with Arms <ul style="list-style-type: none">• Flex back• Pneumatic height adjustment• Swivel seat	Polypropylene	TPSCAP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		39.0#
		Upholstered	TPSCAU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	41.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Fabrics & Finishes binder.

- A** Select basic model.
- B** Select base option.
C ☐ - Carpet casters
S ☐ - Hard floor casters
- C** Select frame color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 The metal back support and arm support matches the frame color.
- D** Select fire code.
FR ☐ - Compliance to TB 133
NFR ☐ - Compliance to TB 117-2013
- E** Select seat and back color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- F** Select upholstery grade/color.
 Refer to color addendum at ki.com or KI

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

\$	740									
N/A	883	910	938	938	888	899	923	946	968	

Specifications and prices are subject to change without prior notice.

Torsion Air®

General Information



Armless Task Chair
(TAPDNA)



Task Armchair
(TAPDWA)



Armless Task Stool
(TASPNA)



Task Stool with Arms
(TASPWA)

Features				
Back Flex	•	•	•	•
Pneumatic seat height adjustment	•	•	•	•
General Dimensions				
Seat width	17"	17"	17"	17"
Seat depth	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat height (stools with polished aluminum base - subtract 1-5/8")	18" - 23"	18" - 23"	23" - 33-1/2"	23" - 33-1/2"
Back width	17"	17"	17"	17"
Back height	16"	16"	16"	16"
Overall Dimensions				
Depth	26-1/2"	26-1/2"	26-1/2"	26-1/2"
Height	33-1/2" x 38-1/2"	33-1/2" x 38-1/2"	36-1/2" x 44"	36-1/2" x 44"
Width	26-1/2"	26-1/2"	27-1/2"	27-1/2"
Top of arm to floor		25" - 30"		28" - 35-1/2"

SPECIFICATIONS

Seat and Backrest

Seat is a two-piece construction with a molded polypropylene liner with a molded compound curved polypropylene shroud with a textured finish. Seat is always upholstered. Foam (1-1/2") is applied to the molded polypropylene liner. Fabric is then upholstered over the foam. Backrest frame is molded glass-reinforced nylon. Mesh fabric is 100% polyester. Seat and backrest are field-replaceable.

Back/Arm Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism. If so equipped, optional armrest structure is integral to the backrest support. Arm caps are polypropylene and are field-replaceable.

Torsion Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel

bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Pedestal Base

26" injection-molded, glass-reinforced nylon 5-blade base. Base and cylinder are available in black. An optional polished die-cast aluminum base is available on both chairs and stools.

Pedestal Casters

Double wheels of high-impact thermoplastic. High-impact plastic frame matches chair color.

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is direc-

tional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302



Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Torsion Air®

Task Chairs and Stools

MODEL	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.
	Basic Model	Base Color	Base	Fire Code	Upholstery Color	Mesh Color		
 <p>Task Armless Chair</p> <ul style="list-style-type: none"> • Back flex • Mesh back • Base available in black or polished aluminum <p>TAPD</p>	TAPDNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24.0#	\$ 675
 <p>Task Armchair</p> <ul style="list-style-type: none"> • Back flex • Mesh back • Base available in black or polished aluminum <p>TAPD</p>	TAPDWA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26.0#	\$ 704
<div> <div>A</div> <div>B</div> <div>C</div> <div>D</div> <div>E</div> <div>F</div> </div>								

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Base color selection includes seat plate/mechanism and back/arm supports and are always black.

*Add \$87 for polished aluminum base.

C Select base option.

C - Carpet casters

S - Hard floor casters

Hard floor casters and glides are available only in black.

D Select fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

See FR upcharge under Options.

E Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

F Select back mesh color.

BLMH - Black

GRMH - Grey

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 688	\$ 705	\$ 705	\$ 711	\$ 749	\$ 768	\$ 787	\$ 813
\$ 718	\$ 734	\$ 734	\$ 741	\$ 779	\$ 796	\$ 818	\$ 841

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.
Added Lead Time=1 week
Added list price=\$49

SPECIAL SERVICES



Special Carton Marking
With specially marked information N/C

Shipping
Shipped **k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Torsion Air®

Task Chairs and Stools

MODEL	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.
	Basic Model	Base Color	Base	Fire Code	Upholstery Color	Mesh Color		
 <p>Task Armless Stool</p> <ul style="list-style-type: none"> • Back flex • Mesh back • Base available in black or polished aluminum <p>TASP</p>	TASPNA	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	29.0#	\$ 773
 <p>Task Stool with Arms</p> <ul style="list-style-type: none"> • Back flex • Mesh back • Base available in black or polished aluminum <p>TASP</p>	TASPWA	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31.0#	\$ 801
		A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Base color selection includes seat plate/mechanism and back/arm supports and are always black.

*For polished aluminum selection add \$87

C Select base option.

C - Carpet casters

S - Hard floor casters

Hard floor casters and glides are available only in black.

D Select fire code.

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

See FR upcharge under Options.

E Select upholstery grade/color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

F Select back mesh color.

BLMH - Black

GRMH - Grey

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

\$ 818	\$ 832	\$ 832	\$ 840	\$ 879	\$ 895	\$ 913	\$ 942
--------	--------	--------	--------	--------	--------	--------	--------

Specifications and prices are subject to change without prior notice.

Index

Model No.	Description	Page	Model No.	Description	Page
1025/2	Task Chairs: Mid Back - Upholstered Arm	28	KIUV72/NA	Task Chair: No-Arm Chair	22
1026/2	Task Chairs: High Back - Upholstered Arm	28	SIFTAA	Task and Guest Chairs: Task 4D Adjustable T-Arm Chair	74
1125/2	Task Chairs: Mid Back - Wood Arm	30	SIFTGCA	Task and Guest Chairs: Guest Cantilever Armchair	80
1126/2	Task Chairs: High Back - Wood Arm	30	SIFTNA	Task and Guest Chairs: Task Armless Chair	74
7225/2/NC	Task Chairs: Mid Back Swivel Tilt Chair	68	SIFTSAA	Task and Guest Chairs: Task 4D Adjustable T-Arm Stool	78
7226/2/NC	Task Chairs: High Back Swivel Tilt Chair	68	SIFTSNA	Task and Guest Chairs: Task Armless Stool	78
ALTC.SC.S	Altus Slip Covers: Conference Chair - Entire Seat	12	SPDCAP	Task Chairs and Stools: Task Cantilever Armchair	84
ALTCLA	Task Chair: Altus® Conference Chair	10	SPDCATSU	Task Chairs and Stools: Task Cantilever Armchair with Top Stitch on Seat	86
ALTM.SC.S	Altus Slip Covers: Mesh Task Chair - Seat Slip Cover	12	SPDNAP	Task Chairs and Stools: Task Armless Chair	84
ALTMNA	Task Chair: Altus® Mesh Task Chair	10	SPDNATSU	Task Chairs and Stools: Task Armless Chair with Top Stitch on Seat	86
ALTU.SC.B	Altus Slip Covers: Fabric Task Chair - Back Slip Cover	12	SPSCAP	Task Chairs and Stools: Task Cantilever Arm Stool	88
ALTU.SC.S	Altus Slip Covers: Fabric Task Chair - Seat Slip Cover	12	SPSCATSU	Task Chairs and Stools: Task Cantilever Arm Stool with Top Stitch on Seat	90
ALTUNA	Task Chair: Altus® Fabric Task Chair	10	SPSNAP	Task Chairs and Stools: Task Armless Stool	88
APDNAP	Task Chair: Armless Chair	16	SPSNATSU	Task Chairs and Stools: Task Armless Stool with Top Stitch on Seat	90
APSNAP	Task Stool: Armless Stool	18	TAPDNA	Task Chairs and Stools: Task Armless Chair	100
BR2	Task, Stool, Guest Chairs: Loop Arms (Arms Only)	64	TAPDWA	Task Chairs and Stools: Task Armchair	100
BR5	Task, Stool, Guest Chairs: T-Arms (Arms Only)	64	TASPNA	Task Chairs and Stools: Task Armless Stool	102
ENGP/AA	Task Chairs and Stools: Armchair with Height Adjustable Arm, Pivoting Armcap	34	TASPWA	Task Chairs and Stools: Task Stool with Arms	102
ENGP/BA	Task Chairs and Stools: Armchair with Height Adjustable Arm, Width Adj Armcap	36	TPCAP	Task Chairs: Pedestal Base Armchair	94
ENGP/CHBA	Task Chairs and Stools: Armchair with Height Adjustable Arm, Width Adj. Armcap, Chrome Arm Supports	36	TPNAP	Task Chairs: Pedestal Base Armless Chair	94
ENGP/HA	Task Chairs and Stools: Armchair with Height Adjustable Arms, Fixed Armcap	36	TPSCAP	Task Chairs and Stools: Task Stool with Arms	96
ENGP/NA	Task Chairs and Stools: Armless Chair	34	TPSNAP	Task Chairs and Stools: Task Stool	96
ENGSP/AA	Task Chairs and Stools: Arm Stool with Height Adjustable Arm, Pivoting Armcap	38			
ENGSP/BA	Task Chairs and Stools: Arm Stool with Height Adjustable Arm, Width Adjustable Armcaps	40			
ENGSP/HA	Task Chairs and Stools: Arm Stool with Height Adjustable Arm, Fixed Armcaps	40			
ENGSP/NA	Task Chairs and Stools: Armless Stool	38			
GPDCAP	Task Chairs and Stools: Task Cantilever Armchair	44			
GPDNAP	Task Chairs and Stools: Task Armless Chair	44			
GPSCAP	Task Chairs and Stools: Task Cantilever Arm Stool	46			
GPSNAP	Task Chairs and Stools: Task Armless Stool	46			
KI42/NA	Task, Stool, Guest Chairs: Midback Task Chair, Simple Function	58			
KI44/NA	Task, Stool, Guest Chairs: Midback Task Chair, Advanced Function	58			
KI46/NA	Task, Stool, Guest Chairs: Highback Task Chair, Simple Function	60			
KI47/NA/PL	Task, Stool, Guest Chairs: Highback Stool	64			
KI48/NA	Task, Stool, Guest Chairs: Highback Task Chair, Advanced Function	60			
KI48S/NA	Task, Stool, Guest Chairs: Highback Guest Chair	64			
KI56/BR6	Task, Stool, Guest Chairs: Conference Chair	62			
KI60S/NA	Task Chairs and Stools: Impress® Guest Chair - Sled Base	50			
KI62/NA	Task Chairs and Stools: Impress® Task Chair - Free Float	50			
KI63/NA	Task Chairs and Stools: Impress® Stool	50			
KI71S/NA	Task Chairs and Stools: Impress® Ultra Task Chair - Guest	54			
KI74/NA	Task Chairs and Stools: Impress® Ultra Task Chair - Mid Back	54			
KI75/NA	Task Chairs and Stools: Impress® Ultra Stool	54			
KI78/NA	Task Chairs and Stools: Impress® Ultra Task Chair - High Back	54			
KI88/NA	Task Chairs: Pilot Chair	72			
KIUV72/JR30	Task Chair: 360° Pivot Arm	22			
KIUV72/JR39	Task Chair: Adjustable T-Arm	22			
KIUV72/KR200	Task Chair: Adjustable Task Arm	24			
KIUV72/KR48	Task Chair: Fixed Loop Arm	24			
KIUV72/KR72	Task Chair: Adjustable Loop Arm	24			





KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI and Furnishing Knowledge
are registered trademarks
of Krueger International, Inc.

© 2011 KI
All Rights Reserved.
Litho in USA.
Code KI-11478R2/KI/VL/211

Printed using only water-based inks,
including metallics. Please recycle.