

united chair[®]
A GROUPE LACASSE BRAND



USA – Price List
Effective January 2016

Table of Contents

We are United Chair®/How to Use this Price List	3
Seating Collections	4-81
C.O.M./C.O.V. Policy	82
Custom Fabric Form	83
Terms and Conditions	84-85
Control Features Matrix	86
Control Features and Benefits	87
Sample Order	88-89
Warranty	90

Quick Reference Index

Series	Series Abbrev.	Executive / Management	Task / Conference	24-Hour	Multi-Purpose / Guest	Stools	Beam	BIFMA	GREENGUARD	Page
A-Series	A	•						*	*	4
Affinity	VC		•			•		•	•	6
Assante	AS	•						*	*	8
Atto	AT		•					*	*	9
Brylee	BR	•			•	•		•	•	10
Eqüs	EQ	•						*	*	16
Expression	M	•				•		•	•	17
Fortune	FN	•			•			•	•	19
FreeStyle	FS		•					•	•	23
Io	IO		•		•	•		•	*	24
Onyx	ON	•			•	•		•	•	30
Papillon	PP		•					*	*	36
Radar	RD		•			•		•	•	38
Saggio	SA	•						•	•	41
Savvy	SV	•		•	•	•		•	•	43
Sensato	V2	•	•		•	•		•	•	51
Stools – All Purpose	2__					•			•	55
Stools – Drafting	D					•			•	57
Stools – Industrial	1__					•		*	*	59
Stools – Medical	D					•		•	•	60
Swatt	SW				•	•		*	*	61
Veinure	VR				•	•		*	*	63
Venus	VN		•					*	*	64
Zago	ZG						•	*	*	65
Zing	ZP		•			•		•	•	69
90'S	NS		•		•	•		•	•	73
4800	FE				•			•	•	77
7700	77				•			•	•	81

* Products under certification process.

Important note: Any artistic, photographic, clerical, typographical and pricing errors and omissions in this price list are subject to correction. Prices and product specifications are subject to change without notice.

www.grounelacasse.com

WE ARE UNITED CHAIR®

United Chair makes your workspace a better place to be, simply.

Embrace the simplicity of a straightforward design approach. Based on your needs, United Chair products are innovative, comfortable and functional. We are proud of them and we want to share this pride with you.

Choose the simplicity of a high-quality service. Putting our customers' satisfaction at the forefront of our success, we strive to provide the best client experience in the office seating business. This is why we respect sustainability principles, to be always one step ahead of this ever changing world.

So take a seat and enjoy the United Chair experience.



United Chair has achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

HOW TO USE THIS PRICE LIST

Find the products you need

Refer to the **Table of Contents** to find the solutions you require. For assistance in understanding the ergonomic functions of each model, please refer to page 87.

Pictures of various models are available on the Groupe Lacasse Website (www.groupelacasse.com).

Specify the upholstery and finishes you want

Once you've selected the products that meet your needs, refer to the appropriate upholstery and finish document that can be found on the login section of the Website and make a note of the applicable codes.

Refer to the **Sample order** sections specific to each model to ensure integrity of order.

Submit your order

Fax: Groupe Lacasse LLC
Attn: Order Entry
1-800-363-5474

Email: oeo@groupelacasse.com

Contact us if you have questions

Making sure you get what you need – on time and accurately – is our first priority. Should you ever have questions, please feel free to contact our Customer Service department.

Telephone: 1-888-522-2773
Email: customerservice@groupelacasse.com

WHAT ABOUT SPECIAL PRODUCTS?

Groupe Lacasse stands out for its unwavering commitment to flexibility and United Chair is no exception. We can help you with non-standard seating solutions to your specific environment, your special needs and your budget. Please contact **Groupe Lacasse Quotations Department** for an assessment of your request.





EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE CHAIRS

SAMPLE ORDER: AX16-E3-SL23-SL23-XCON-P-PCB-CC-HWA9

AX16



Standard features

High back
Infinite tilt lock
Back angle adjustment
Seat depth adjustment
Fully upholstered back panel
Waterfall seat

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HWA9: Height and width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	39 ½-47 ½	1003-1207
Seat width	18 ¼	464	Overall width	24-27 ½	610-699
Seat depth	18-20	457-508	Overall depth	24-26	610-660
Back height	22-25	559-635	Width between arms	18-20 ¼	457-514
Back width	18 ¼	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
AX16	E3 Black	Grade 1 779	XCON Std	P Std	NB Std	HDW Std	HWA9 Std	CSB 52
		Grade 2 790			PCB 177	SDW 26	5D 104	CSW 52
		Grade 3 808				BRC 42		
		Grade 4 844				BGL 31		
		Grade 5 861				CC 99		
		Grade 6 908				CF 120		
		Grade 7 1,210						
		Grade 8 954						

AX15



Standard features

High back
Infinite tilt lock
Back angle adjustment
Seat depth adjustment
Fully upholstered back panel
Waterfall seat

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	39 ½-47 ½	1003-1207
Seat width	18 ¼	464	Overall width	24	610
Seat depth	18-20	457-508	Overall depth	24-26	610-660
Back height	22-25	559-635			
Back width	18 ¼	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
AX15	E3 Black	Grade 1 727	XCON Std	P Std	NB Std	HDW Std	CSB 52
		Grade 2 738			PCB 177	SDW 26	CSW 52
		Grade 3 756				BRC 42	
		Grade 4 792				BGL 31	
		Grade 5 809				CC 99	
		Grade 6 856				CF 120	
		Grade 7 1,158					
		Grade 8 902					

AX11**Standard features**

Medium back	XCON: Multifunction control
Infinite tilt lock	P: Pneumatic seat height
Back angle adjustment	NB: Nylon base
Seat depth adjustment	HDW: Hard dual-wheel casters
Fully upholstered back panel	HWA9: Height and width adjustable arms
Waterfall seat	

Dimensions

	(in)	(mm)		(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	36 ½-44 ½	927-1130
Seat width	18 ¼	464	Overall width	24-27 ½	610-699
Seat depth	18-20	457-508	Overall depth	24-26	610-660
Back height	19-22	483-559	Width between arms	18-20 ¼	457-514
Back width	18 ¼	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
AX11	E3 Black	Grade 1 727	XCON Std	P Std	NB Std	HDW Std	HWA9 Std	CSB 52
		Grade 2 738			PCB 177	SDW 26	5D 104	CSW 52
		Grade 3 756				BRC 42		
		Grade 4 792				BGL 31		
		Grade 5 809				CC 99		
		Grade 6 856				CF 120		
		Grade 7 1,158						
		Grade 8 902						

AX10**Standard features**

Medium back	XCON: Multifunction control
Infinite tilt lock	P: Pneumatic seat height
Back angle adjustment	NB: Nylon base
Seat depth adjustment	HDW: Hard dual-wheel casters
Fully upholstered back panel	
Waterfall seat	

Dimensions

	(in)	(mm)		(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	36 ½-44 ½	927-1130
Seat width	18 ¼	464	Overall width	24	610
Seat depth	18-20	457-508	Overall depth	24-26	610-660
Back height	19-22	483-559			
Back width	18 ¼	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
AX10	E3 Black	Grade 1 675	XCON Std	P Std	NB Std	HDW Std	CSB 52
		Grade 2 686			PCB 177	SDW 26	CSW 52
		Grade 3 704				BRC 42	
		Grade 4 740				BGL 31	
		Grade 5 757				CC 99	
		Grade 6 804				CF 120	
		Grade 7 1,106					
		Grade 8 850					



TASK

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133 option. Limited upholstery selection.
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

TASK CHAIRS

SAMPLE ORDER: VC13-E3-MVC-CPT28-SYN-P-AB-HDW-HA

VC13



Standard features

Adjustable lumbar support **SYN:** Synchronous tilt control
 Black rugged outer polymer shell **AB:** Nylon angel base
 Tilt tension adjustment **HDW:** Hard dual-wheel casters
 Tilt lock **FA:** Fixed arms with 10" self-skinning polyurethane armrests
 Seat depth adjustment
 Pneumatic seat height

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ¼-21 ¼	415-542	Overall height	37 ¾-42 ¾	960-1086
Seat width	19	480	Overall width	27 ¾	695
Seat depth	16 ½-18 ½	420-470	Overall depth	27 ¾	695
Back height	21 ½	546	Width between arms	18	455
Back width	18 ¾	468			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
VC13	E3 Black	MVA Ash	Grade 1 486	SYN Std	P Std	AB Std	HDW Std	FA Std	C33 130
		MVC Cauldron	Grade 2 502			PCB 177	SDW 26	HA 25	
		MVM Magma	Grade 3 520				BRC 42		
		MVY Yellowstone	Grade 4 560						
			Grade 5 576						
			Grade 6 620						
			Grade 7 986						
			Grade 8 668						

VC12



Standard features

Adjustable lumbar support **SYN:** Synchronous tilt control
 Black rugged outer polymer shell **AB:** Nylon angel base
 Tilt tension adjustment **HDW:** Hard dual-wheel casters
 Tilt lock
 Seat depth adjustment
 Pneumatic seat height

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ¼-21 ¼	415-542	Overall height	37 ¾-42 ¾	960-1086
Seat width	19	480	Overall width	27 ¾	695
Seat depth	16 ½-18 ½	420-470	Overall depth	27 ¾	695
Back height	21 ½	546			
Back width	18 ¾	468			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
VC12	E3 Black	MVA Ash	Grade 1 446	SYN Std	P Std	AB Std	HDW Std	C33 130
		MVC Cauldron	Grade 2 463			PCB 177	SDW 26	
		MVM Magma	Grade 3 480				BRC 42	
		MVY Yellowstone	Grade 4 520					
			Grade 5 537					
			Grade 6 580					
			Grade 7 945					
			Grade 8 628					



STOOL

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133 option. Limited upholstery selection.
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: VC52-E3-MVC-CPT28-SYN-P-CAB-HDW-FA

VC52



Standard features

Adjustable lumbar support **SYN:** Synchronous tilt control
 Black rugged outer polymer shell **CAB:** Cast-aluminum base
 Tilt tension adjustment **HDW:** Hard dual-wheel casters
 Tilt lock **FA:** Fixed arms with 10" self-skinning polyurethane armrests
 Seat depth adjustment
 Pneumatic seat height
 Adjustable polished chrome footring

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	25¼-31¼	641-794	Overall height	46-52	1168-1321
Seat width	19	480	Overall width	27¾	695
Seat depth	16½-18½	420-470	Overall depth	27¾	695
Back height	21½	546	Width between arms	18	455
Back width	18¾	468			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
VC52	E3 Black	MVA Ash	Grade 1 680	SYN Std	P Std	CAB Std	HDW Std	FA Std	C33 130
		MVC Cauldron	Grade 2 698		SCL 78		SDW 26	HA 25	
		MVM Magma	Grade 3 716		XTC 62		BRC 42		
		MVY Yellowstone	Grade 4 757						
			Grade 5 774						
			Grade 6 818						
			Grade 7 1,195						
			Grade 8 868						

VC51



Standard features

Adjustable lumbar support **SYN:** Synchronous tilt control
 Black rugged outer polymer shell **CAB:** Cast-aluminum base
 Tilt tension adjustment **HDW:** Hard dual-wheel casters
 Tilt lock
 Seat depth adjustment
 Pneumatic seat height
 Adjustable polished chrome footring

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	25¼-31¼	641-794	Overall height	46-52	1168-1321
Seat width	19	480	Overall width	27¾	695
Seat depth	16½-18½	420-470	Overall depth	27¾	695
Back height	21½	546			
Back width	18¾	468			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
VC51	E3 Black	MVA Ash	Grade 1 640	SYN Std	P Std	CAB Std	HDW Std	C33 130
		MVC Cauldron	Grade 2 656		SCL 78		SDW 26	
		MVM Magma	Grade 3 675		XTC 62		BRC 42	
		MVY Yellowstone	Grade 4 716					
			Grade 5 733					
			Grade 6 778					
			Grade 7 1,153					
			Grade 8 827					



MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and optional headrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MANAGEMENT CHAIRS

SAMPLE ORDER: AS11-E3-50F-50F-XCON-P-NB-SDW-HWA9-HR

AS11



Standard features

Medium back
Infinite tilt lock
Forward seat pitch
Back height adjustment
Back angle adjustment
Fully upholstered back panel
Waterfall seat
Viscoelastic memory foam

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA9: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 3/4-22 1/2	451-572	Overall height	37 1/4-42	946-1067
Seat width	19 3/4	502	Overall width	24	610
Seat depth	19	483	Overall depth	24	610
Back height	21-24 1/2	533-622	Width between arms	17 1/4-20 1/2	438-521
Back width	19 3/4	489			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
AS11	E3 Black	Grade 1 987	XCON Std	P Std	NB Std	HDW Std	AA9 Std	HR 104
		Grade 2 998			PCB 177	SDW 26	HWA9 57	
		Grade 3 1,016				BRC 42	5D 104	
		Grade 4 1,052				BGL 31		
		Grade 5 1,069				CC 99		
		Grade 6 1,116				CF 120		
		Grade 7 1,418						
		Grade 8 1,162						

AS10



Standard features

Medium back
Infinite tilt lock
Forward seat pitch
Back height adjustment
Back angle adjustment
Fully upholstered back panel
Waterfall seat
Viscoelastic memory foam

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 3/4-22 1/2	451-572	Overall height	37 1/4-42	946-1067
Seat width	19 3/4	502	Overall width	24	610
Seat depth	19	483	Overall depth	24	610
Back height	21-24 1/2	533-622			
Back width	19 3/4	489			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
AS10	E3 Black	Grade 1 935	XCON Std	P Std	NB Std	HDW Std	HR 104
		Grade 2 946			PCB 177	SDW 26	
		Grade 3 964				BRC 42	
		Grade 4 1,000				BGL 31	
		Grade 5 1,017				CC 99	
		Grade 6 1,064				CF 120	
		Grade 7 1,366					
		Grade 8 1,110					



CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and seat cushions, the second upholstery is for the back and seat shell.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

DUAL UPHOLSTERY APPLICATION



SAMPLE ORDER: AT12-E3-WH08-WH07-KT-P-APC-CF-BA01

CONFERENCE CHAIRS

SAMPLE ORDER: AT12-E3-WH08-WH07-KT-P-APC-CF-BA01

AT14



Standard features

High back
4-position tilt lock
Fully upholstered back panel
Waterfall seat

KT: Knee-tilt control
P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters
BA01: Polished chrome arms with polyurethane pads

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	20 1/4-22 3/4	521-578	Overall height	43-45 1/2	1092-1156
Seat width	19 3/4	502	Overall width	27	686
Seat depth	19	483	Overall depth	27	686
Back height	26	660	Width between arms	19	483
Back width	19 1/2	495			

Model	Frame	Upholstery / List (\$)				Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)
AT14	E3 Black	Grade 1	1,070	Grade 5	1,152	KT	Std	P	Std	AB	Std	HDW	Std	BA01	Std	
		Grade 2	1,082	Grade 6	1,199			CP	52	APC	99	SDW	26			
		Grade 3	1,099	Grade 7	1,501							BRC	42			
		Grade 4	1,136	Grade 8	1,245							BGL	31			
												CC	99			
												CF	120			

AT12



Standard features

Medium back
4-position tilt lock
Fully upholstered back panel
Waterfall seat

KT: Knee-tilt control
P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters
BA01: Polished chrome arms with polyurethane pads

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	20 1/4-22 3/4	514-578	Overall height	39 1/2-42	1003-1067
Seat width	19 3/4	502	Overall width	27	686
Seat depth	19	483	Overall depth	27	686
Back height	22 1/2	572	Width between arms	19	483
Back width	19 1/2	495			

Model	Frame	Upholstery / List (\$)				Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)				
AT12	E3 Black	Grade 1	1,008	Grade 5	1,090	KT	Std	P	Std	AB	Std	HDW	Std	BA01	Std					
		Grade 2	1,019	Grade 6	1,137							CP	52				APC	99	SDW	26
		Grade 3	1,037	Grade 7	1,438														BRC	42
		Grade 4	1,073	Grade 8	1,182														BGL	31
																			CC	99



MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- Available in Cal-133. Limited option and upholstery selection.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MANAGEMENT CHAIRS

SAMPLE ORDER: BR16-E3-AE04-P-NB-HDW-LA

BR16



Standard features

2:1 Synchronous control
2-position back lock
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
LA: Loop arms

Dimensions

	(in)	(mm)
Seat height	18-22	457-560
Seat width	20 1/2	520
Seat depth	17 1/4	440
Back height	20 1/2	522
Back width	18	471

Dimensions

	(in)	(mm)
Overall height	36 1/4-41 1/4	920-1047
Overall width	25	635
Overall depth	25	635
Width between arms	21	530

Model	Frame	Upholstery / List (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
BR16	E3 Black	Grade 1	675	P	Std	NB	Std	HDW	Std	LA	Std	C33	130
		Grade 2	686										
		Grade 3	704										
		Grade 4	743										
		Grade 5	759										
		Grade 6	808										
		Grade 7	1,170										
		Grade 8	855										
						SB	62	SDW	26	UA	52	UP	174
						PCB	177	BRC	42	UAL	93	UPL ⁽²⁾	227
								BGL	31	UDA	98		
										UDU ⁽¹⁾	158		

BR15



Standard features

2:1 Synchronous control
2-position back lock
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	17 1/2-22 1/2	444-571
Seat width	20 1/2	521
Seat depth	16 1/2	419
Back height	19 1/2	495
Back width	19 1/2	495

Dimensions

	(in)	(mm)
Overall height	36 1/4-41 1/4	920-1047
Overall width	23 1/2	597
Overall depth	25	635

Model	Frame	Upholstery / List (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
BR15	E3 Black	Grade 1	635	P	Std	NB	Std	HDW	Std	C33	130
		Grade 2	647								
		Grade 3	665								
		Grade 4	703								
		Grade 5	720								
		Grade 6	769								
		Grade 7	1,130								
		Grade 8	815								
						SB	62	SDW	26	UP	174
						PCB	177	BRC	42	UPL ⁽²⁾	227
								BGL	31		

(1) **UDU:** Upholstery will match the seat (N/A in leather).

(2) **UPL:** N/A with C33 option.

BR11**Standard features**

2:1 Synchronous control
2-position back lock
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
LA: Loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½-22 ½	444-571	Overall height	35 ¼-40 ¼	895-1022
Seat width	18	455	Overall width	23 ½	597
Seat depth	16	405	Overall depth	23 ½	597
Back height	19	483	Width between arms	19 ½	495
Back width	15 ½	398			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
BR11	E3 Black	Grade 1 635	P Std	NB Std	HDW Std	LA Std	C33 130
		Grade 2 647		SB 62	SDW 26	UA 52	UP 174
		Grade 3 665		PCB 177	BRC 42	UAL 93	UPL ⁽²⁾ 227
		Grade 4 703			BGL 31	UDA 98	
		Grade 5 720				UDU ⁽¹⁾ 158	
		Grade 6 769					
		Grade 7 1,130					
		Grade 8 815					

BR10**Standard features**

2:1 Synchronous control
2-position back lock
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½-22 ½	444-571	Overall height	35 ¼-40 ¼	895-1022
Seat width	18 ½	470	Overall width	23 ½	597
Seat depth	15 ½	394	Overall depth	23 ½	597
Back height	18 ½	470			
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
BR10	E3 Black	Grade 1 596	P Std	NB Std	HDW Std	C33 130
		Grade 2 607		SB 62	SDW 26	UP 174
		Grade 3 625		PCB 177	BRC 42	UPL ⁽²⁾ 227
		Grade 4 664			BGL 31	
		Grade 5 680				
		Grade 6 729				
		Grade 7 1,091				
		Grade 8 776				

(1) **UDU:** Upholstery will match the seat (N/A in leather).

(2) **UPL:** N/A with C33 option.



GUEST

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133. However, Cal-133 guest chairs must have upholstered back panel (UPS option). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame is chosen, all plastic components remain black.
- BR32C guest chair comes with 2" (51 mm) hard plastic black dual-wheel casters.

GUEST CHAIRS WITH WALL-SAVER LEGS

SAMPLE ORDER: BR32-E3-SD10-CPT85-SP

BR32



Standard features

Ships 2 per carton
Integrated lumbar support
Stackable up to 6 high on dolly
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing

Dimensions

(in) (mm)

Seat height	17 ¾	451
Seat width	18 ½	470
Seat depth	18	457
Back height	14 ½	368
Back width	19	483

Dimensions

(in) (mm)

Overall height	32 ¾	832
Overall width	24 ¾	629
Overall depth	23	584
Width between arms	19	483

Model	Frame	Upholstery / List (\$)		Other options (\$)	
BR32	E3 Black	Grade 1	371 x 2 = 742	C33	130 x 2 = 260
	E8 Metallic Silver	Grade 2	383 x 2 = 766	UPS	47 x 2 = 94
		Grade 3	400 x 2 = 800	ULS ⁽¹⁾	93 x 2 = 186
		Grade 4	439 x 2 = 878	SP	42/chair
		Grade 5	456 x 2 = 912		
		Grade 6	504 x 2 = 1,008		
		Grade 7	866 x 2 = 1,732		
		Grade 8	551 x 2 = 1,102		

BR31



Standard features

Ships 2 per carton
Integrated lumbar support
Stackable up to 6 high on dolly
Rugged outer polymer shell
Waterfall seat front
1", 14-gauge steel tubing

Dimensions

(in) (mm)

Seat height	17 ¾	451
Seat width	18 ½	470
Seat depth	18	457
Back height	14 ½	368
Back width	19	483

Dimensions

(in) (mm)

Overall height	32 ¾	832
Overall width	21	533
Overall depth	23	584

Model	Frame	Upholstery / List (\$)		Other options (\$)	
BR31	E3 Black	Grade 1	337 x 2 = 674	C33	130 x 2 = 260
	E8 Metallic Silver	Grade 2	348 x 2 = 696	UPS	47 x 2 = 94
		Grade 3	367 x 2 = 734	ULS ⁽¹⁾	93 x 2 = 186
		Grade 4	405 x 2 = 810	SP	42/chair
		Grade 5	422 x 2 = 844		
		Grade 6	470 x 2 = 940		
		Grade 7	832 x 2 = 1,664		
		Grade 8	518 x 2 = 1,036		

(1) ULS: N/A with C33 option.

GUEST CHAIRS WITH CASTERS

SAMPLE ORDER: BR32C-E8-CPT85-SDW

BR32C



Standard features

Ships in a single pack
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing

HDW: Hard dual-wheel casters


Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	32 ¾	832
Seat width	18 ½	470	Overall width	24 ¾	629
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368	Width between arms	19	483
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
BR32C	E3 Black	Grade 1 416	HDW Std	C33 130
	E8 Metallic Silver	Grade 2 427	SDW 26	UPS 47
		Grade 3 445	BRC 42	ULS ⁽¹⁾ 93
		Grade 4 484		
		Grade 5 500		
		Grade 6 549		
		Grade 7 911		
		Grade 8 596		

GUEST CHAIRS WITH SLED BASE

SAMPLE ORDER: BR31S-E3-DN06-DN06-UPS

BR32S



Standard features

Ships in a single pack
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ¾	464	Overall height	33 ¾	845
Seat width	18 ½	470	Overall width	24 ¾	629
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368	Width between arms	19	483
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR32S	E3 Black	Grade 1 450	C33 130
		Grade 2 461	UPS 47
		Grade 3 479	ULS ⁽¹⁾ 93
		Grade 4 518	
		Grade 5 535	
		Grade 6 582	
		Grade 7 945	
		Grade 8 630	

BR31S



Standard features

Ships in a single pack
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ¾	464	Overall height	33 ¾	845
Seat width	18 ½	470	Overall width	21	533
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR31S	E3 Black	Grade 1 416	C33 130
		Grade 2 427	UPS 47
		Grade 3 445	ULS ⁽¹⁾ 93
		Grade 4 484	
		Grade 5 500	
		Grade 6 549	
		Grade 7 911	
		Grade 8 596	

(1) ULS: N/A with C33 option.



STOOL

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133. However, Cal-133 café height stools must have upholstered back panel (UPS option). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on café height models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame is chosen on café height stools, all plastic components remain black.
- Control mechanism is black.
- BR51 and BR52 stools comes with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: BR52-E3-WH01-P-HDW-LA

BR51



Standard features

2:1 Synchronous control
2-position back lock
Adjustable polished chrome footring
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters
LA: Loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23 ½-29 ½	596-749	Overall height	41 ¼-46 ¼	1047-1174
Seat width	18 ½	470	Overall width	23 ½	597
Seat depth	15 ½	394	Overall depth	23 ½	597
Back height	17 ½	445	Width between arms	19 ½	495
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Arms (\$)	Other options (\$)
BR51	E3 Black	Grade 1 815	P Std	HDW Std	LA Std	C33 130
		Grade 2 827	SCL 78	SDW 26	UA 52	UP 174
		Grade 3 844	XTC 62	BRC 42	UAL 93	UPL ⁽²⁾ 227
		Grade 4 883		BGL 31	UDA 98	
		Grade 5 900			UDU ⁽¹⁾ 158	
		Grade 6 948				
		Grade 7 1,310				
		Grade 8 995				

BR52



Standard features

2:1 Synchronous control
2-position back lock
Adjustable polished chrome footring
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23 ½-29 ½	596-749	Overall height	41 ¼-46 ¼	1047-1174
Seat width	18 ½	470	Overall width	23 ½	597
Seat depth	15 ½	394	Overall depth	23 ½	597
Back height	17 ½	445			
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Other options (\$)
BR52	E3 Black	Grade 1 776	P Std	HDW Std	C33 130
		Grade 2 787	SCL 78	SDW 26	UP 174
		Grade 3 805	XTC 62	BRC 42	UPL ⁽²⁾ 227
		Grade 4 843		BGL 31	
		Grade 5 860			
		Grade 6 909			
		Grade 7 1,271			
		Grade 8 956			

(1) **UDU:** Upholstery will match the seat (N/A in leather).

(2) **UPL:** N/A with C33 option.

BR32H**Standard features**

Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	31 ¾	807	Overall height	47 ¾	1214
Seat width	18 ½	470	Overall width	25 ¾	642
Seat depth	18	457	Overall depth	24	610
Back height	14 ½	368	Width between arms	19 ¾	489
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR32H	E3 Black E8 Metallic Silver	Grade 1	C33 130
		Grade 2	UPS 47
		Grade 3	ULS ⁽¹⁾ 93
		Grade 4	
		Grade 5	
		Grade 6	
		Grade 7	
		Grade 8	


BR31H**Standard features**

Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	31 ¾	807	Overall height	47 ¾	1214
Seat width	18 ½	470	Overall width	21	533
Seat depth	18	457	Overall depth	24	610
Back height	14 ½	368			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR31H	E3 Black E8 Metallic Silver	Grade 1	C33 130
		Grade 2	UPS 47
		Grade 3	ULS ⁽¹⁾ 93
		Grade 4	
		Grade 5	
		Grade 6	
		Grade 7	
		Grade 8	


ACCESSORIES

BRDY**Standard features**

Stacking dolly, black only
To stack **6 BR32** or **6 BR31** models only

Dimensions	(in)	(mm)	Overall dimensions of dolly with 6 chairs	(in)	(mm)
Overall height	14 ½	368	Total height	55 ½	1410
Overall width	24	610	Total width w/BR32	25	635
Overall depth	28	711	Total width w/BR31	24	610
			Total depth	36	914

Model	List (\$)
BRDY-SP	Ships 1 per carton 376
BRDY-DP	Ships 2 per carton 703

BRT-AG**Standard features**

Black metal connecting bars
Kit includes 2 bars and 2 connectors
Chairs with arms and armless can be ganged (BR32, BR31, BR32S and BR31S)

Dimensions	(in)	(mm)
Distance between arms	½	13

Model	List (\$)
BRT-AG	101

(1) ULS: N/A with C33 option.



EXECUTIVE AND CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- Upholstery selection limited to vinyl, leather and C.O.V. only.
- Vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.V.).
- C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE CHAIRS

SAMPLE ORDER: EQ16-E3-WH01-WH01-XCON-P-AB-SDW-5D-HR

EQ16



Standard features

High back	XCON: Multifunction control
Infinite tilt lock	P: Pneumatic seat height
Forward seat pitch	AB: Nylon angel base
Back height adjustment	HDW: Hard dual-wheel casters
Back angle adjustment	5D: Height and width adjustable
Seat depth adjustment	arms with pivoting, front-to-back and side-to-side adjustable armrests
Fully upholstered back panel	
Integrated lumbar support	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22	457-559	Overall height	41 ½-44	1054-1118
Seat width	19	483	Overall width	25 ½	648
Seat depth	18	457	Overall depth	27	686
Back height	20	508	Width between arms	18	457
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
EQ16	E3 Black	Grade 1 983	XCON Std	P Std	AB Std	HDW Std	5D Std	CSB 52
		Grade 2 994		CP 52	APC 99	SDW 26	AA9 31	CSW 52
		Grade 3 1,012				BRC 42	HWA9 57	HR 104
		Grade 4 1,048				BGL 31	BA01 104	
		Grade 5 1,065				CC 99		
		Grade 6 1,112				CF 120		
		Grade 7 1,413						
		Grade 8 1,158						

EQ15



Standard features

High back	XCON: Multifunction control
Infinite tilt lock	P: Pneumatic seat height
Forward seat pitch	AB: Nylon angel base
Back height adjustment	HDW: Hard dual-wheel casters
Back angle adjustment	
Seat depth adjustment	
Fully upholstered back panel	
Integrated lumbar support	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22	457-559	Overall height	42 ½-44	1080-1118
Seat width	19	483	Overall width	25 ½	648
Seat depth	18	457	Overall depth	27	686
Back height	20	508			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
EQ15	E3 Black	Grade 1 931	XCON Std	P Std	AB Std	HDW Std	CSB 52
		Grade 2 942		CP 52	APC 99	SDW 26	CSW 52
		Grade 3 960				BRC 42	HR 104
		Grade 4 996				BGL 31	
		Grade 5 1,013				CC 99	
		Grade 6 1,060				CF 120	
		Grade 7 1,361					
		Grade 8 1,106					



MANAGEMENT

SPECIFICATIONS

- All models ship assembled.⁽¹⁾
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest and optional headrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MANAGEMENT CHAIRS

SAMPLE ORDER: M10-E3-MME-XM36-SYN-P-APC-HDW-HR

M11



Standard features

Side tilt tension adjustment **SYN:** 4:1 synchronous control
 Seat depth adjustment **P:** Pneumatic seat height
 4-position back lock **AB:** Nylon angel base
 Height adjustable mesh back **HDW:** Hard dual-wheel casters
WA8: Width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 ½-19 ½	393-491	Overall height	40-44	1017-1115
Seat width	19 ½	497	Overall width	26 ¾	680
Seat depth	16 ½-18	420-460	Overall depth	26 ¾	680
Back height	22 ¾	579	Width between arms	18 ¾	463
Back width	17 ½	440			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
M11	E3 Black	MMB Balance	Grade 1 775	SYN Std	P Std	AB Std	HDW Std	WA8 Std	HR ⁽¹⁾ 104
		MMC Exact	Grade 2 786			APC 99	SDW 26	HW8 57	
		MME Elegance	Grade 3 804				BRC 42	CHW8 78	
		MMP Perfection	Grade 4 840				BGL 31	M3D 52	
		MMS Passion	Grade 5 857				CC ⁽²⁾ 99	CM3D 78	
			Grade 6 904				CF ⁽²⁾ 120	M4D 78	
			Grade 7 1,205					CM4D 104	
			Grade 8 950						

M10



Standard features

Side tilt tension adjustment **SYN:** 4:1 synchronous control
 Seat depth adjustment **P:** Pneumatic seat height
 4-position back lock **AB:** Nylon angel base
 Height adjustable mesh back **HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 ½-19 ½	393-491	Overall height	40-44	1017-1115
Seat width	19 ½	497	Overall width	26 ¾	680
Seat depth	16 ½-18	420-460	Overall depth	26 ¾	680
Back height	22 ¾	579			
Back width	17 ½	440			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
M10	E3 Black	MMB Balance	Grade 1 697	SYN Std	P Std	AB Std	HDW Std	HR ⁽¹⁾ 104
		MMC Exact	Grade 2 708			APC 99	SDW 26	
		MME Elegance	Grade 3 726				BRC 42	
		MMP Perfection	Grade 4 762				BGL 31	
		MMS Passion	Grade 5 779				CC ⁽²⁾ 99	
			Grade 6 826				CF ⁽²⁾ 120	
			Grade 7 1,127					
			Grade 8 872					

(1) The headrest requires minimal assembly.

(2) Available only on APC base.



STOOL

SPECIFICATIONS

- All models ship assembled.⁽¹⁾
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest and optional headrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: M52-E3-MME-XM36-SYN-P-AB-HDW-WA8

M52



Standard features

Side tilt tension adjustment **SYN**: 4:1 synchronous control
 Seat depth adjustment **P**: Pneumatic seat height
 4-position back lock **AB**: Nylon angel base
 Height adjustable mesh back **HDW**: Hard dual-wheel casters
 Adjustable polished chrome footring **WA8**: Width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	28 3/4-34 1/4	730-870	Overall height	49-54 1/2	1240-1380
Seat width	19 1/2	497	Overall width	26 3/4	680
Seat depth	16 1/2-18	420-460	Overall depth	26 3/4	680
Back height	22 3/4	579	Width between arms	18 1/4	463
Back width	17 1/2	440			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
M52	E3 Black	MMB Balance	Grade 1 827	SYN Std	P Std	AB Std	HDW Std	WA8 Std	HR ⁽¹⁾ 104
		MMC Exact	Grade 2 838		SCL 78	APC 99	SDW 26	HWA8 57	
		MME Elegance	Grade 3 856		XTC 62		BRC 42	CHWA8 78	
		MMP Perfection	Grade 4 892				BGL 31	M3D 52	
		MMS Passion	Grade 5 909				CC ⁽²⁾ 99	CM3D 78	
			Grade 6 956				CF ⁽²⁾ 120	M4D 78	
			Grade 7 1,257					CM4D 104	
			Grade 8 1,002						

M51



Standard features

Side tilt tension adjustment **SYN**: 4:1 synchronous control
 Seat depth adjustment **P**: Pneumatic seat height
 4-position back lock **AB**: Nylon angel base
 Height adjustable mesh back **HDW**: Hard dual-wheel casters
 Adjustable polished chrome footring

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	28 3/4-34 1/4	730-870	Overall height	49-54 1/2	1240-1380
Seat width	19 1/2	497	Overall width	26 3/4	680
Seat depth	16 1/2-18	420-460	Overall depth	26 3/4	680
Back height	22 3/4	579			
Back width	17 1/2	440			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
M51	E3 Black	MMB Balance	Grade 1 754	SYN Std	P Std	AB Std	HDW Std	HR ⁽¹⁾ 104
		MMC Exact	Grade 2 765		SCL 78	APC 99	SDW 26	
		MME Elegance	Grade 3 783		XTC 62		BRC 42	
		MMP Perfection	Grade 4 820				BGL 31	
		MMS Passion	Grade 5 836				CC ⁽²⁾ 99	
			Grade 6 883				CF ⁽²⁾ 120	
			Grade 7 1,185					
			Grade 8 929					

(1) The headrest requires minimal assembly.

(2) Available only on APC base.




EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Upholstery selection is limited to Whisper vinyl in this series.
- Leather/vinyl combo is available. First code is your choice of Davenport leather color for the seat and backrest cushions. The rest of the chair is upholstered in black Whisper vinyl.
- Vinyl/vinyl dual upholstery is also available. First code is for the seat and backrest cushions. Second code is for the rest of the chair.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- No C.O.M./C.O.V. available.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

DUAL UPHOLSTERY APPLICATION



SAMPLE ORDER: FN16-E3-WH06-WH01-XCON-P-NB-HDW-HLA-SSP

Vinyl and leather selection for Fortune series only:

Grade 1: Dillon vinyl
Grade 3: Whisper vinyl
Grade 4: Silvertex and Cashmere vinyls
Grade 5: Rein vinyl
Grade 6: Leather/vinyl combo
Grade 7: Davenport leather

EXECUTIVE CHAIRS

SAMPLE ORDER: FN16-E3-DL01-DL01-ST-P-NB-HDW-HLA

FN16



Standard features

Tilt tension **ST**: Swivel-tilt control
Back height adjustment **P**: Pneumatic seat height
Tilt lock **NB**: Nylon base
Fully upholstered back panel **HDW**: Hard dual-wheel casters
Dual-density memory foam (seat) **HLA**: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	37-45	940-1143
Seat width	20	508	Overall width	25 ¼	641
Seat depth	18	457	Overall depth	28	711
Back height	22-25	559-635	Width between arms	20 ½	521
Back width	25 ¼	641			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Castors (\$)	Arms (\$)	Other options (\$)
FN16	E3 Black	Grade 1 775	ST Std	P Std	NB Std	HDW Std	HLA Std	C33 ⁽¹⁾ 130
		Grade 3 805			PCB 177	SDW 26	AA3 31	
		Grade 4 878				BRC 42	HWA3 57	
		Grade 5 910				BGL 31	3D3 31	
		Grade 6 1,015						
		Grade 7 1,424						

(1) C33: In Whisper vinyl only.

EXECUTIVE CHAIRS

SAMPLE ORDER: FNX16-E3-DL01-DL01-XCON-P-NB-HDW-HLA-SSP

FNM16



Standard features

Tilt tension **STB**: Swivel-tilt control with
Back height adjustment back angle adjustment
Back angle adjustment **P**: Pneumatic seat height
Tilt lock **NB**: Nylon base
Fully upholstered back panel **HDW**: Hard dual-wheel casters
Dual-density memory foam (seat) **HLA**: Half loop arms

Dimensions

(in) (mm)
Seat height 16 ½-21 419-533
Seat width 20 508
Seat depth 18 457
Back height 22-25 559-635
Back width 25 ¼ 641

Dimensions

(in) (mm)
Overall height 37-45 940-1143
Overall width 25 ¼ 641
Overall depth 28 711
Width between arms 20 ½ 521

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
FNM16	E3 Black	Grade 1 849	STB Std	P Std	NB Std	HDW Std	HLA Std	C33⁽¹⁾ 130
		Grade 3 880			PCB 177	SDW 26	AA3 31	
		Grade 4 953				BRC 42	HWA3 57	
		Grade 5 985				BGL 31	3D3 31	
		Grade 6 1,090						
		Grade 7 1,499						

FNX16



Standard features

Infinite tilt lock **XCON**: Multifunction control
Tilt tension **P**: Pneumatic seat height
Back height adjustment **NB**: Nylon base
Independently adjustable seat and back angle **HDW**: Hard dual-wheel casters
Forward seat pitch adjustment **HLA**: Half loop arms
Fully upholstered back panel
Dual-density memory foam (seat)

Dimensions

(in) (mm)
Seat height 16 ½-21 419-533
Seat width 20 508
Seat depth 18 457
Back height 22-25 559-635
Back width 25 ¼ 641

Dimensions

(in) (mm)
Overall height 37-45 940-1143
Overall width 25 ¼ 641
Overall depth 28 711
Width between arms 20 ½ 521

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
FNX16	E3 Black	Grade 1 958	XCON Std	P Std	NB Std	HDW Std	HLA Std	C33⁽¹⁾ 130
		Grade 3 989			PCB 177	SDW 26	AA3 31	SSP⁽²⁾ 80
		Grade 4 1,061				BRC 42	HWA3 57	
		Grade 5 1,093				BGL 31	3D3 31	
		Grade 6 1,199						
		Grade 7 1,608						

MANAGEMENT CHAIRS

SAMPLE ORDER: FN11-E3-WH06-WH06-ST-P-NB-HDW-AA3

FN11



Standard features

Tilt tension **ST**: Swivel-tilt control
Back height adjustment **P**: Pneumatic seat height
Tilt lock **NB**: Nylon base
Fully upholstered back panel **HDW**: Hard dual-wheel casters
Dual-density memory foam (seat) **HLA**: Half loop arms

Dimensions

(in) (mm)
Seat height 16 ½-21 419-533
Seat width 20 508
Seat depth 18 457
Back height 19-22 483-559
Back width 25 ¼ 641

Dimensions

(in) (mm)
Overall height 35-42 889-1067
Overall width 25 ¼ 641
Overall depth 28 711
Width between arms 20 ½ 521

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
FN11	E3 Black	Grade 1 734	ST Std	P Std	NB Std	HDW Std	HLA Std	C33⁽¹⁾ 130
		Grade 3 765			PCB 177	SDW 26	AA3 31	
		Grade 4 837				BRC 42	HWA3 57	
		Grade 5 869				BGL 31	3D3 31	
		Grade 6 976						
		Grade 7 1,383						

(1) **C33**: In Whisper vinyl only.(2) **SSP**: N/A with **PCB**.

FNX11**Standard features**

Tilt tension **STB**: Swivel-tilt control with
Back height adjustment back angle adjustment
Back angle adjustment **P**: Pneumatic seat height
Tilt lock **NB**: Nylon base
Fully upholstered back panel **HDW**: Hard dual-wheel casters
Dual-density memory foam (seat) **HLA**: Half loop arms

Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	35-42	889-1067
Seat width	20	508	Overall width	25 ¼	641
Seat depth	18	457	Overall depth	28	711
Back height	19-22	483-559	Width between arms	20 ½	521
Back width	25 ¼	641			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
FNX11	E3 Black	Grade 1 809	STB Std	P Std	NB Std	HDW Std	HLA Std	C33⁽¹⁾ 130
		Grade 3 840			PCB 177	SDW 26	AA3 31	
		Grade 4 912				BRC 42	HWA3 57	
		Grade 5 944				BGL 31	3D3 31	
		Grade 6 1,049						
		Grade 7 1,458						

FNX11**Standard features**

Infinite tilt lock **XCON**: Multifunction control
Tilt tension **P**: Pneumatic seat height
Back height adjustment **NB**: Nylon base
Independently adjustable seat and back angle **HDW**: Hard dual-wheel casters
Forward seat pitch adjustment **HLA**: Half loop arms
Fully upholstered back panel
Dual-density memory foam (seat)

Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	35-42	889-1067
Seat width	20	508	Overall width	25 ¼	641
Seat depth	18	457	Overall depth	28	711
Back height	19-22	483-559	Width between arms	20 ½	521
Back width	25 ¼	641			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
FNX11	E3 Black	Grade 1 918	XCON Std	P Std	NB Std	HDW Std	HLA Std	C33⁽¹⁾ 130
		Grade 3 948			PCB 177	SDW 26	AA3 31	SSP⁽²⁾ 80
		Grade 4 1,021				BRC 42	HWA3 57	
		Grade 5 1,054				BGL 31	3D3 31	
		Grade 6 1,159						
		Grade 7 1,567						

(1) **C33**: In Whisper vinyl only.(2) **SSP**: N/A with **PCB**.



GUEST

SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Upholstery selection is limited to Whisper vinyl in this series.
- Leather/vinyl dual upholstery is available. First code is your choice of Davenport leather color for the seat and backrest cushions. The rest of the chair is upholstered in black Whisper vinyl.
- Vinyl/vinyl dual upholstery is also available. First code is for the seat and backrest cushions. Second code is for the rest of the chair.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- No C.O.M./C.O.V. available.

Vinyl and leather selection for Fortune series:

Grade 1: Dillon vinyl Grade 3: Whisper vinyl Grade 4: Silvertex and Cashmere vinyls Grade 5: Rein vinyl Grade 6: Leather/vinyl combo Grade 7: Davenport leather

GUEST CHAIRS

SAMPLE ORDER: FN32-E3-DLV2-DLV2-HLA

FN32



Standard features

Fully upholstered back panel
Dual-density memory foam (seat)
Cantilevered sled base
of 1", 12-gauge steel tubing

HLA: Half loop arms

Dimensions

	(in)	(mm)
Seat height	20	508
Seat width	20	508
Seat depth	18	457
Back height	19	483
Back width	25 1/4	641

Dimensions

	(in)	(mm)
Overall height	35	889
Overall width	25 1/4	641
Overall depth	28	711
Width between arms	20 1/2	521

Model	Frame	Upholstery / List (\$)	Arms (\$)	Other options (\$)
FN32	E3 Black	Grade 1 734	HLA Std	C33 ⁽¹⁾ 130
		Grade 3 765	HWA3 57	
		Grade 4 837	3D3 31	
		Grade 5 869		
		Grade 6 976		
		Grade 7 1,383		

FN31



Standard features

Fully upholstered back panel
Dual-density memory foam (seat)
Cantilevered sled base
of 1", 12-gauge steel tubing

Dimensions

	(in)	(mm)
Seat height	20	508
Seat width	20	508
Seat depth	18	457
Back height	19	483
Back width	25 1/4	641

Dimensions

	(in)	(mm)
Overall height	35	889
Overall width	25 1/4	641
Overall depth	28	711

Model	Frame	Upholstery / List (\$)	Other options (\$)
FN31	E3 Black	Grade 1 688	C33 ⁽¹⁾ 130
		Grade 3 720	
		Grade 4 791	
		Grade 5 824	
		Grade 6 930	
		Grade 7 1,337	

(1) C33: In Whisper vinyl only.



TASK

SPECIFICATIONS

- All models ship partially K.D. (minimum assembly required).
- All options are available in Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

TASK CHAIRS

SAMPLE ORDER: FS11-E3-DN08-DN08-P-AB-HDW-3D7

FS11



Standard features

Synchronous seat control
5-position tilt lock
Fully upholstered back panel
Waterfall seat
Integrated lumbar support
Tilt tension

P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters
3D7: Height adjustable arms with pivoting armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/8-19 3/8	467-492	Overall height	36-40	914-1016
Seat width	18 3/4	476	Overall width	27	686
Seat depth	17 3/4	451	Overall depth	28 1/4	718
Back height	23 1/4	591	Width between arms	18	457
Back width	17 1/2	448			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
FS11	E3 Black	Grade 1 574 Grade 2 584 Grade 3 603 Grade 4 642 Grade 5 658 Grade 6 706 Grade 7 1,069 Grade 8 754	P Std	AB Std	HDW Std SDW 26 BRC 42	3D7 Std FLA 15 HLA 15 AA3 31 HWA3 57	C33 130

FS10



Standard features

Synchronous seat control
5-position tilt lock
Fully upholstered back panel
Waterfall seat
Integrated lumbar support
Tilt tension

P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/8-19 3/8	467-492	Overall height	36-40	914-1016
Seat width	18 3/4	476	Overall width	27	686
Seat depth	17 3/4	451	Overall depth	28 1/4	718
Back height	23 1/4	591			
Back width	17 1/2	448			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
FS10	E3 Black	Grade 1 489 Grade 2 500 Grade 3 519 Grade 4 556 Grade 5 574 Grade 6 622 Grade 7 984 Grade 8 670	P Std	AB Std	HDW Std SDW 26 BRC 42	C33 130

— = ASSEMBLY REQUIRED



CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

POLYPROPYLENE CONFERENCE CHAIRS, UPHOLSTERED SEAT PAD

SAMPLE ORDER: I014-E3-IS01-AE11-ST-P-APC-CC

I014



Standard features

Polypropylene shell
Matching polypropylene arms
Upholstered seat pad
Upright back lock

ST: Swivel-tilt control
P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	19 3/4	502	Overall height	29-33	737-838
Seat width	17 1/2	445	Overall width	26	660
Seat depth	16	406	Overall depth	26	660
Back height	15 1/2	394	Width between arms	20	508
Back width	19 3/4	502			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
I014	E3 Black	IS01 White	Grade 1 728	ST Std	P Std	AB Std	HDW Std
		IS03 Black	Grade 2 739			APC 99	SDW 26
		IS06 Red	Grade 3 757				BRC 42
			Grade 4 794				BGL 31
			Grade 5 810				CC 99
			Grade 6 857				CF 120
			Grade 7 1,159				
			Grade 8 903				

I013



Standard features

Polypropylene shell
Upholstered seat pad
Upright back lock

ST: Swivel-tilt control
P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	19 3/4	502	Overall height	29-33	737-838
Seat width	17 1/2	445	Overall width	26	660
Seat depth	16	406	Overall depth	26	660
Back height	15 1/2	394			
Back width	19 3/4	502			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
I013	E3 Black	IS01 White	Grade 1 676	ST Std	P Std	AB Std	HDW Std
		IS03 Black	Grade 2 687			APC 99	SDW 26
		IS06 Red	Grade 3 705				BRC 42
			Grade 4 742				BGL 31
			Grade 5 758				CC 99
			Grade 6 805				CF 120
			Grade 7 1,107				
			Grade 8 851				

I012**Standard features**

Polypropylene shell **ST:** Swivel-tilt control
 Matching polypropylene arms **P:** Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	19 ¾	502	Overall height	29-33	737-838
Seat width	17 ½	445	Overall width	26	660
Seat depth	16	406	Overall depth	26	660
Back height	15 ½	394	Width between arms	20	508
Back width	19 ¾	502			

Model	Frame / Legs	Polypropylene shell colors	List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
I012	E3 Black	IS01 White	650	ST Std	P Std	AB Std	HDW Std
		IS03 Black				APC 99	SDW 26
		IS06 Red					BRC 42
							BGL 31
							CC 99
							CF 120

I011**Standard features**

Polypropylene shell **ST:** Swivel-tilt control
 Upright back lock **P:** Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	19 ¾	502	Overall height	29-33	737-838
Seat width	17 ½	445	Overall width	26	660
Seat depth	16	406	Overall depth	26	660
Back height	15 ½	394			
Back width	19 ¾	502			

Model	Frame / Legs	Polypropylene shell colors	List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
I011	E3 Black	IS01 White	598	ST Std	P Std	AB Std	HDW Std
		IS03 Black				APC 99	SDW 26
		IS06 Red					BRC 42
							BGL 31
							CC 99
							CF 120



GUEST

SPECIFICATIONS

- All models ship assembled.
- Stacking chairs should be ordered by number of cartons desired.
- C.O.M./C.O.V. available. Please refer to page 82.

POLYPROPYLENE GUEST CHAIRS, UPHOLSTERED SEAT PAD

SAMPLE ORDER: I034-WD-IS01-AE11-QP

I034



Standard features

Ships 4 by carton
Polypropylene shell
Matching polypropylene arms
Upholstered seat pad
Stacks 4 high

ML: Metal legs

Dimensions

(in) (mm)

Seat height 18 ½ 470
Seat width 17 ½ 445
Seat depth 16 406
Back height 15 ½ 394
Back width 19 ¾ 502

Dimensions

(in) (mm)

Overall height 32 813
Overall width 23 ½ 597
Overall depth 20 ½ 521
Width between arms 20 508

Model	Legs (\$)	Polypropylene shell colors	Upholstery / List (\$)	Other Options (\$)
I034	ML Std	IS01 White	Grade 1 415 x 4 = 1,660	QP Std
	WD 83 x 4 = 332	IS03 Black	Grade 2 426 x 4 = 1,704	DP 21/chair
		IS06 Red	Grade 3 444 x 4 = 1,776	SP 42/chair
			Grade 4 480 x 4 = 1,920	
			Grade 5 497 x 4 = 1,988	
			Grade 6 544 x 4 = 2,176	
			Grade 7 846 x 4 = 3,384	
			Grade 8 590 x 4 = 2,360	

I033



Standard features

Ships 4 by carton
Polypropylene shell
Upholstered seat pad
Stacks 4 high

ML: Metal legs

Dimensions

(in) (mm)

Seat height 18 ½ 470
Seat width 17 ½ 445
Seat depth 16 406
Back height 15 ½ 394
Back width 19 ¾ 502

Dimensions

(in) (mm)

Overall height 32 813
Overall width 20 508
Overall depth 20 ½ 521

Model	Legs (\$)	Polypropylene shell colors	Upholstery / List (\$)	Other Options (\$)
I033	ML Std	IS01 White	Grade 1 394 x 4 = 1,576	QP Std
	WD 83 x 4 = 332	IS03 Black	Grade 2 406 x 4 = 1,624	DP 21/chair
		IS06 Red	Grade 3 423 x 4 = 1,692	SP 42/chair
			Grade 4 460 x 4 = 1,840	
			Grade 5 476 x 4 = 1,904	
			Grade 6 523 x 4 = 2,092	
			Grade 7 825 x 4 = 3,300	
			Grade 8 569 x 4 = 2,276	

IO32**Standard features**

Ships 4 by carton
Polypropylene shell
Matching polypropylene arms
Stacks 6 high

ML: Metal legs**Dimensions**

	(in)	(mm)		(in)	(mm)
Seat height	18 ½	470	Overall height	32	813
Seat width	17 ½	445	Overall width	23 ½	597
Seat depth	16	406	Overall depth	20 ½	521
Back height	15 ½	394	Width between arms	20	508
Back width	19 ¾	502			

Model	Legs (\$)	Polypropylene shell colors	List (\$)	Other Options (\$)
IO32	ML Std	IS01 White	311 x 4 = 1,244	QP Std
	WD 83 x 4 = 332	IS03 Black		DP 21/chair
		IS06 Red		SP 42/chair

IO31**Standard features**

Ships 4 by carton
Polypropylene shell
Stacks 6 high

ML: Metal legs**Dimensions**

	(in)	(mm)		(in)	(mm)
Seat height	18 ½	470	Overall height	32	813
Seat width	17 ½	445	Overall width	20	508
Seat depth	16	406	Overall depth	20 ½	521
Back height	15 ½	394			
Back width	19 ¾	502			

Model	Legs (\$)	Polypropylene shell colors	List (\$)	Other Options (\$)
IO31	ML Std	IS01 White	290 x 4 = 1,160	QP Std
	WD 83 x 4 = 332	IS03 Black		DP 21/chair
		IS06 Red		SP 42/chair




STOOL

SPECIFICATIONS

- All models ship assembled.
- Only available with metal legs.
- C.O.M./C.O.V. available. Please refer to page 82.

POLYPROPYLENE CAFÉ HEIGHT STOOLS, UPHOLSTERED SEAT PADSAMPLE ORDER: I034H-ML-IS06-SL12


I034H




Standard features			Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Polypropylene shell	ML: Metal legs		Seat height	30 ½	775	Overall height	44	1118
Matching polypropylene arms			Seat width	17 ½	445	Overall width	23 ½	597
Upholstered seat pad			Seat depth	16	406	Overall depth	20 ½	521
			Back height	15 ½	394	Width between arms	20	508
			Back width	19 ¾	502			

Model	Legs		Polypropylene shell colors	Upholstery / List (\$)	
I034H	ML	Std	IS01 White	Grade 1	806
			IS03 Black	Grade 2	817
			IS06 Red	Grade 3	835
				Grade 4	872
				Grade 5	888
				Grade 6	935
				Grade 7	1,237
				Grade 8	981

I033H



Standard features			Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Polypropylene shell	ML: Metal legs		Seat height	30 ½	775	Overall height	44	1118
Upholstered seat pad			Seat width	17 ½	445	Overall width	20	508
			Seat depth	16	406	Overall depth	20 ½	521
			Back height	15 ½	394			
			Back width	19 ¾	502			
Model	Legs	Polypropylene shell colors	Upholstery / List (\$)					
I033H	ML	Std	IS01	White	Grade 1	780		
			IS03	Black	Grade 2	791		
			IS06	Red	Grade 3	809		
					Grade 4	846		
					Grade 5	862		
					Grade 6	909		
					Grade 7	1,211		
					Grade 8	955		


I032H**Standard features**

Polypropylene shell **ML: Metal legs**
 Matching polypropylene arms

Dimensions

	(in)	(mm)		(in)	(mm)
Seat height	30 ½	775	Overall height	44	1118
Seat width	17 ½	445	Overall width	23 ½	597
Seat depth	16	406	Overall depth	20 ½	521
Back height	15 ½	394	Width between arms	20	508
Back width	19 ¾	502			

Model	Legs	Polypropylene shell colors	List (\$)
I032H	ML Std	IS01 White	676
		IS03 Black	
		IS06 Red	

I031H**Standard features**

Polypropylene shell **ML: Metal legs**

Dimensions

	(in)	(mm)		(in)	(mm)
Seat height	30 ½	775	Overall height	44	1118
Seat width	17 ½	445	Overall width	20	508
Seat depth	16	406	Overall depth	20 ½	521
Back height	15 ½	394			
Back width	19 ¾	502			

Model	Legs	Polypropylene shell colors	List (\$)
I031H	ML Std	IS01 White	650
		IS03 Black	
		IS06 Red	



EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE CHAIRS

SAMPLE ORDER: ON16-E3-CPT85-CPT85-FTL-NB-HDW-AA5

ON16



Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with 10" PVC armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 3/4-20 3/4	416-526	Overall height	37 1/4-44 3/4	946-1137
Seat width	19	483	Overall width	25 1/2	648
Seat depth	16 1/2-17 3/4	418-451	Overall depth	24 1/2	622
Back height	22 7/8-24	583-610	Width between arms	17 1/4	435
Back width	18	457			

Model	Frame	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)		Arms (\$)	
ON16	E3 Black	Grade 1	658	FTL	Std	NB	Std	HDW	Std	FA	Std
		Grade 2	670			SB	62	SDW	26	AA5	31
		Grade 3	687			PCB	177	BRC	42	RPA	73
		Grade 4	726					BGL	31		
		Grade 5	743								
		Grade 6	790								
		Grade 7	1,153								
		Grade 8	838								

ON15



Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 3/4-20 3/4	416-526	Overall height	37 1/4-44 3/4	946-1137
Seat width	19	483	Overall width	23 3/4	603
Seat depth	16 1/2-17 3/4	418-451	Overall depth	24 1/2	622
Back height	22 7/8-24	583-610			
Back width	18	457			

Model	Frame	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)	
ON15	E3 Black	Grade 1	619	FTL	Std	NB	Std	HDW	Std
		Grade 2	630			SB	62	SDW	26
		Grade 3	648			PCB	177	BRC	42
		Grade 4	686					BGL	31
		Grade 5	703						
		Grade 6	752						
		Grade 7	1,114						
		Grade 8	799						

ON11



Standard features

Waterfall seat	FTL: Synchronous control
Back height adjustment	with forward tilt,
Seat depth adjustment	4-position back lock
Pneumatic seat height	NB: Nylon base
	HDW: Hard dual-wheel casters
	FA: Fixed arms with 10" PVC armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 3/8-20 3/4	416-526	Overall height	33 1/8-41 3/8	860-1051
Seat width	19	483	Overall width	25 1/2	648
Seat depth	16 3/8-17 1/2	416-444	Overall depth	24 1/2	622
Back height	19 7/8-22	505-559	Width between arms	17 3/8	435
Back width	17 3/4	451			

Model	Frame	Upholstery / List (\$)		Control (\$)	Base (\$)		Casters (\$)		Arms (\$)	
ON11	E3 Black	Grade 1	613	FTL Std	NB Std	HDW Std	FA Std			
		Grade 2	624		SB 62	SDW 26	AA5 31			
		Grade 3	643		PCB 177	BRC 42	RPA 73			
		Grade 4	680			BGL 31				
		Grade 5	698							
		Grade 6	746							
		Grade 7	1,108							
		Grade 8	794							

ON10



Standard features

Waterfall seat	FTL: Synchronous control
Back height adjustment	with forward tilt,
Seat depth adjustment	4-position back lock
Pneumatic seat height	NB: Nylon base
	HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 3/8-20 3/4	416-526	Overall height	33 1/8-41 3/8	860-1051
Seat width	19	483	Overall width	23 3/4	603
Seat depth	16 3/8-17 1/2	416-444	Overall depth	24 1/2	622
Back height	19 7/8-22	505-559			
Back width	17 3/4	451			

Model	Frame	Upholstery / List (\$)		Control (\$)	Base (\$)		Casters (\$)	
ON10	E3 Black	Grade 1	574	FTL Std	NB Std	HDW Std		
		Grade 2	584		SB 62	SDW 26		
		Grade 3	603		PCB 177	BRC 42		
		Grade 4	642			BGL 31		
		Grade 5	658					
		Grade 6	706					
		Grade 7	1,069					
		Grade 8	754					



GUEST

SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on ON33, ON33C, ON34 and ON34C models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame finish is chosen, all plastic components remain black.
- ON31C, ON32C, ON33C and ON34C come with 2" (51 mm) hard plastic black dual-wheel casters.

POLYPROPYLENE BACK AND UPHOLSTERED SEAT GUEST CHAIRS

SAMPLE ORDER: ON32C-E8-ONWH-XM12-HDW-SP

ON32



Standard features

Ships 2 per carton
Stacks 6 high
Polypropylene back shell
Upholstered seat
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests
High-density polyethylene floor glides

Dimensions

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	15 ¼	387
Back width	17	432

Dimensions

	(in)	(mm)
Overall height	32	819
Overall width	23	584
Overall depth	24 ½	622
Width between arms	19 ½	495

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Other options (\$)
ON32	E3 Black	ONBK Black	Grade 1 348 x 2 = 696	SP 42/chair
	E8 Metallic Silver	ONPT Platinum	Grade 2 360 x 2 = 720	
		ONWH White	Grade 3 378 x 2 = 756	
			Grade 4 416 x 2 = 832	
			Grade 5 433 x 2 = 866	
			Grade 6 482 x 2 = 964	
			Grade 7 843 x 2 = 1,686	
			Grade 8 528 x 2 = 1,056	

ON32C



Standard features

Ships 2 per carton **HDW:** Hard dual-wheel casters
Stacks 4 high
Polypropylene back shell
Upholstered seat
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests

Dimensions

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	15 ¼	387
Back width	17	432

Dimensions

	(in)	(mm)
Overall height	32	819
Overall width	23	584
Overall depth	24	610
Width between arms	19 ½	495

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Casters (\$)	Other options (\$)
ON32C	E3 Black	ONBK Black	Grade 1 371 x 2 = 742	HDW Std SDW 26 x 2 = 52	SP 42/chair
	E8 Metallic Silver	ONPT Platinum	Grade 2 383 x 2 = 766		
		ONWH White	Grade 3 400 x 2 = 800		
			Grade 4 439 x 2 = 878		
			Grade 5 456 x 2 = 912		
			Grade 6 504 x 2 = 1,008		
			Grade 7 866 x 2 = 1,732		
			Grade 8 551 x 2 = 1,102		

POLYPROPYLENE BACK AND UPHOLSTERED SEAT GUEST CHAIRS

SAMPLE ORDER: ON31C-E8-ONWH-XM12-HDW-SP

ON31




Standard features

Ships 2 per carton
Stacks 6 high
Polypropylene back shell
Upholstered seat
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
High-density polyethylene floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18 ¾	476	Overall width	20 ½	517
Seat depth	18 ¾	463	Overall depth	24 ½	622
Back height	15 ¼	387			
Back width	17	432			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Other options (\$)
ON31	E3 Black	ONBK Black	Grade 1 304 x 2 = 608	SP 42/chair
	E8 Metallic Silver	ONPT Platinum	Grade 2 315 x 2 = 630	
		ONWH White	Grade 3 333 x 2 = 666	
			Grade 4 371 x 2 = 742	
			Grade 5 388 x 2 = 776	
			Grade 6 437 x 2 = 874	
			Grade 7 799 x 2 = 1,598	
			Grade 8 484 x 2 = 968	

ON31C



Standard features

Ships 2 per carton
Stacks 6 high
Polypropylene back shell
Upholstered seat
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing

HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18 ¾	476	Overall width	20 ½	517
Seat depth	18 ¾	463	Overall depth	24	610
Back height	15 ¼	387			
Back width	17	432			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Casters (\$)	Other options (\$)
ON31C	E3 Black	ONBK Black	Grade 1 327 x 2 = 654	HDW Std	SP 42/chair
	E8 Metallic Silver	ONPT Platinum	Grade 2 337 x 2 = 674	SDW 26 x 2 = 52	
		ONWH White	Grade 3 356 x 2 = 712		
			Grade 4 394 x 2 = 788		
			Grade 5 411 x 2 = 822		
			Grade 6 459 x 2 = 918		
			Grade 7 822 x 2 = 1,644		
			Grade 8 506 x 2 = 1,012		

UPHOLSTERED BACK AND SEAT GUEST CHAIRS

SAMPLE ORDER: ON34-E3-SR01-SR01-SP

ON34



Standard features

Ships 2 per carton
Stacks 6 high
Upholstered seat and back
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests
High-density polyethylene floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32 ¾	857
Seat width	18 ¾	476	Overall width	23	584
Seat depth	18 ¾	463	Overall depth	24 ½	622
Back height	16	406	Width between arms	19 ½	495
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Other options (\$)
ON34	E3 Black	Grade 1 405 x 2 = 810	SP 42/chair
	E8 Metallic Silver	Grade 2 416 x 2 = 832	
		Grade 3 434 x 2 = 868	
		Grade 4 472 x 2 = 944	
		Grade 5 489 x 2 = 978	
		Grade 6 538 x 2 = 1,076	
		Grade 7 900 x 2 = 1,800	
		Grade 8 584 x 2 = 1,168	

ON34C



Standard features

Ships 2 per carton
Stacks 4 high
Upholstered seat and back
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests

HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	32 ¾	857
Overall width	23	584
Overall depth	24	610
Width between arms	19 ½	495

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
ON34C	E3 Black	Grade 1 427 x 2 = 854	HDW Std	SP 42/chair
	E8 Metallic Silver	Grade 2 439 x 2 = 878	SDW 26 x 2 = 52	
		Grade 3 457 x 2 = 914		
		Grade 4 495 x 2 = 990		
		Grade 5 512 x 2 = 1,024		
		Grade 6 561 x 2 = 1,122		
		Grade 7 922 x 2 = 1,844		
		Grade 8 607 x 2 = 1,214		

ON33



Standard features

Ships 2 per carton
Stacks 6 high
Upholstered seat and back
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
High-density polyethylene floor glides

Dimensions


	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	32 ¾	857
Overall width	20 ½	517
Overall depth	24 ½	622

Model	Frame	Upholstery / List (\$)	Other options (\$)
ON33	E3 Black	Grade 1 360 x 2 = 720	SP 42/chair
	E8 Metallic Silver	Grade 2 371 x 2 = 742	
		Grade 3 389 x 2 = 778	
		Grade 4 427 x 2 = 854	
		Grade 5 444 x 2 = 888	
		Grade 6 493 x 2 = 986	
		Grade 7 855 x 2 = 1,710	
		Grade 8 540 x 2 = 1,080	

ON33C



Standard features

Ships 2 per carton
Stacks 6 high
Upholstered seat and back
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing

HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	32 ¾	857
Overall width	20 ½	517
Overall depth	24	610

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
ON33C	E3 Black	Grade 1 383 x 2 = 766	HDW Std	SP 42/chair
	E8 Metallic Silver	Grade 2 394 x 2 = 788	SDW 26 x 2 = 52	
		Grade 3 412 x 2 = 824		
		Grade 4 450 x 2 = 900		
		Grade 5 467 x 2 = 934		
		Grade 6 515 x 2 = 1,030		
		Grade 7 878 x 2 = 1,756		
		Grade 8 563 x 2 = 1,126		



STOOL

SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: ON52-E3-SL01-SL01-FTL-P-CAB-HDW-AA5

ON52



Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height
Adjustable polished chrome footring

FTL: Synchronous control with forward tilt, 4-position back lock
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters
FA: Fixed arms with 10" PVC armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	26 1/2-32 3/8	673-818	Overall height	45 1/8-54 1/2	1166-1384
Seat width	19	483	Overall width	25 1/2	648
Seat depth	16 3/8-17 1/2	416-444	Overall depth	24 1/2	622
Back height	19 7/8-22	505-559	Width between arms	17 3/8	435
Back width	17 3/4	451			

Model	Frame	Upholstery / List (\$)	Control	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)
ON52	E3 Black	Grade 1 787	FTL Std	P Std	CAB Std	HDW Std	FA Std
		Grade 2 799		SCL 78		SDW 26	AA5 31
		Grade 3 816		XTC 62		BRC 42	RPA 73
		Grade 4 855				BGL 31	
		Grade 5 872					
		Grade 6 920					
		Grade 7 1,282					
		Grade 8 967					

ON51



Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height
Adjustable polished chrome footring

FTL: Synchronous control with forward tilt, 4-position back lock
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	26 1/2-32 3/8	673-818	Overall height	45 1/8-54 1/2	1166-1384
Seat width	19	483	Overall width	25 1/2	648
Seat depth	16 3/8-17 1/2	416-444	Overall depth	24 1/2	622
Back height	19 7/8-22	505-559			
Back width	17 3/4	451			

Model	Frame	Upholstery / List (\$)	Control	Cylinder (\$)	Base (\$)	Casters (\$)
ON51	E3 Black	Grade 1 748	FTL Std	P Std	CAB Std	HDW Std
		Grade 2 759		SCL 78		SDW 26
		Grade 3 777		XTC 62		BRC 42
		Grade 4 815				BGL 31
		Grade 5 832				
		Grade 6 881				
		Grade 7 1,243				
		Grade 8 928				




CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl, leather/fabric and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and arms, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters in chrome finish.

DUAL UPHOLSTERY APPLICATION


SAMPLE ORDER: PP14-E3-DN05-DN05-ST-CP-PCB-CF



CONFERENCE CHAIRS

SAMPLE ORDER: PP14-E3-DN05-DN05-ST-CP-PCB-CF

PP14




Standard features

- High back
Upright back lock
Integrated lumbar support
- ST:** Swivel-tilt control
CP: Chrome pneumatic cylinder
PCB: Polished chrome base
CC: Chrome hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24 ½-30	622-762	Overall height	40 ½-46	1029-1168
Seat width	16	406	Overall width	30 ¼	768
Seat depth	19 ½	495	Overall depth	26	660
Back height	24 ½	622	Width between arms	19	483
Back width	22	559			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
PP14	E3 Black	Grade 1 1,560	ST Std	CP Std	PCB Std	CC Std	CSB 52
		Grade 2 1,571				CF 120	CSW 52
		Grade 3 1,589				BGL 31	
		Grade 4 1,626					
		Grade 5 1,642					
		Grade 6 1,689					
		Grade 7 1,991					
		Grade 8 1,735					

PP12



Standard features

Medium back
Upright back lock
Integrated lumbar support

ST: Swivel-tilt control
CP: Chrome pneumatic cylinder
PCB: Polished chrome base
CC: Chrome hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	21 ½-27	546-686	Overall height	37 ½-43	953-1092
Seat width	16	406	Overall width	30 ¼	768
Seat depth	19 ½	495	Overall depth	26	660
Back height	21 ½	546	Width between arms	19	483
Back width	22	559			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
PP12	E3 Black	Grade 1 1,456	ST Std	CP Std	PCB Std	CC Std	CSB 52
		Grade 2 1,467				CF 120	CSW 52
		Grade 3 1,485				BGL 31	
		Grade 4 1,522					
		Grade 5 1,538					
		Grade 6 1,585					
		Grade 7 1,887					
		Grade 8 1,631					

PP4



Standard features

Low back
Upright back lock
Integrated lumbar support

ST: Swivel-tilt control
CP: Chrome pneumatic cylinder
PCB: Polished chrome base
CC: Chrome hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ½-24	470-610	Overall height	34 ½-40	876-1016
Seat width	16	406	Overall width	30 ¼	768
Seat depth	19 ½	495	Overall depth	26	660
Back height	18 ½	470	Width between arms	19	483
Back width	22	559			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
PP4	E3 Black	Grade 1 1,352	ST Std	CP Std	PCB Std	CC Std	CSB 52
		Grade 2 1,363				CF 120	CSW 52
		Grade 3 1,381				BGL 31	
		Grade 4 1,418					
		Grade 5 1,434					
		Grade 6 1,481					
		Grade 7 1,783					
		Grade 8 1,527					



TASK

SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

TASK CHAIRS

SAMPLE ORDER: RD16-E3-AM24-AM24-XCON-P-NB-HDW-AA5

RD16



Standard features


Tilt tension
Black rugged outer polymer shell
Integrated lumbar support
Waterfall seat front
Back height adjustment
Independently adjustable seat and back angle
Infinite tilt lock

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA5: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092
Seat width	19	483	Overall width	29	737
Seat depth	17	432	Overall depth	25 ½	648
Back height	22 ½-24	572-609	Width between arms	18	457
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
RD16	E3 Black	Grade 1 613	XCON Std	P Std	NB Std	HDW Std	AA5 Std	SSP ⁽¹⁾ 80
		Grade 2 624			SB 62	SDW 26	HLA 15	UP 174
		Grade 3 643			PCB 177	BRC 42	3D5 31	C33 130
		Grade 4 680				BGL 31	HWA5 57	
		Grade 5 698						
		Grade 6 746						
		Grade 7 1,108						
		Grade 8 794						

RD15



Standard features

Tilt tension
Black rugged outer polymer shell
Integrated lumbar support
Waterfall seat front
Back height adjustment
Independently adjustable seat and back angle
Infinite tilt lock

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092
Seat width	19	483	Overall width	26	660
Seat depth	17	432	Overall depth	25 ½	648
Back height	22 ½-24	572-609			
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
RD15	E3 Black	Grade 1 538	XCON Std	P Std	NB Std	HDW Std	SSP ⁽¹⁾ 80
		Grade 2 549			SB 62	SDW 26	UP 174
		Grade 3 567			PCB 177	BRC 42	C33 130
		Grade 4 605				BGL 31	
		Grade 5 622					
		Grade 6 671					
		Grade 7 1,033					
		Grade 8 718					

(1) SSP: Comes with cast-aluminum base.

RD11




Standard features

Tilt tension	STB: Swivel-tilt control with
Black rugged outer polymer shell	back angle adjustment
Integrated lumbar support	P: Pneumatic seat height
Waterfall seat front	NB: Nylon base
Back height adjustment	HDW: Hard dual-wheel casters
Tilt lock	AA5: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092
Seat width	19	483	Overall width	29	737
Seat depth	17	432	Overall depth	25 ½	648
Back height	22 ½-24	572-609	Width between arms	18	457
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)				Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
RD11	E3 Black	Grade 1	568	Grade 5	652	STB	Std	P	Std	NB	Std	HDW	Std	AA5	Std	UP	174
		Grade 2	579	Grade 6	701					SB	62	SDW	26	HLA	15	C33	130
		Grade 3	597	Grade 7	1,063					PCB	177	BRC	42	3D5	31		
		Grade 4	635	Grade 8	748							BGL	31	HWA5	57		

RD10



Standard features

Tilt tension	STB: Swivel-tilt control with
Black rugged outer polymer shell	back angle adjustment
Integrated lumbar support	P: Pneumatic seat height
Waterfall seat front	NB: Nylon base
Back height adjustment	HDW: Hard dual-wheel casters
Tilt lock	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092
Seat width	19	483	Overall width	26	660
Seat depth	17	432	Overall depth	25 ½	648
Back height	22 ½-24	572-609			
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)				Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
RD10	E3 Black	Grade 1	493	Grade 5	577	STB	Std	P	Std	NB	Std	HDW	Std	UP	174
		Grade 2	504	Grade 6	625					SB	62	SDW	26	C33	130
		Grade 3	522	Grade 7	988					PCB	177	BRC	42		
		Grade 4	561	Grade 8	673							BGL	31		

RD6



Standard features

Tilt tension	ST: Swivel-tilt control
Black rugged outer polymer shell	P: Pneumatic seat height
Integrated lumbar support	NB: Nylon base
Waterfall seat front	HDW: Hard dual-wheel casters
Tilt lock	AA5: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 ¾-20 ¼	400-514	Overall height	33-37 ½	838-953
Seat width	19	483	Overall width	29	737
Seat depth	16 ¼	413	Overall depth	25 ½	648
Back height	18 ½	470	Width between arms	18	457
Back width	16 ½	419			

Model	Frame	Upholstery / List (\$)				Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
RD6	E3 Black	Grade 1	512	Grade 5	596	ST	Std	P	Std	NB	Std	HDW	Std	AA5	Std	UP	174
		Grade 2	523	Grade 6	645					SB	62	SDW	26	HLA	15	C33	130
		Grade 3	541	Grade 7	1,007					PCB	177	BRC	42	3D5	31		
		Grade 4	579	Grade 8	692							BGL	31	HWA5	57		

RD5



Standard features

Tilt tension	ST: Swivel-tilt control
Black rugged outer polymer shell	P: Pneumatic seat height
Integrated lumbar support	NB: Nylon base
Waterfall seat front	HDW: Hard dual-wheel casters
Tilt lock	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 ¾-20 ¼	400-514	Overall height	33-37 ½	838-953
Seat width	19	483	Overall width	26	660
Seat depth	16 ¼	413	Overall depth	25 ½	648
Back height	18 ½	470			
Back width	16 ½	419			

Model	Frame	Upholstery / List (\$)				Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
RD5	E3 Black	Grade 1	437	Grade 5	521	ST	Std	P	Std	NB	Std	HDW	Std	UP	174
		Grade 2	448	Grade 6	569					SB	62	SDW	26	C33	130
		Grade 3	466	Grade 7	932					PCB	177	BRC	42		
		Grade 4	504	Grade 8	617							BGL	31		



STOOL

SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: RD51-E3-AM24-AM24-SW-P-CAB-HDW

RD52



Standard features


Black rugged outer polymer shell
Integrated lumbar support
Waterfall seat front
Seat depth adjustment
Adjustable polished chrome footring

SW: Swivel only control
P: Pneumatic seat height
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters
AA5: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23 ¼-28 ¾	591-730	Overall height	41 ½-47	1054-1194
Seat width	19	483	Overall width	29 ¾	756
Seat depth	16 ½-18 ½	413-470	Overall depth	30	762
Back height	19	483	Width between arms	18	457
Back width	16 ½	419			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
RD52	E3 Black	Grade 1 613	SW Std	P Std	CAB Std	HDW Std	AA5 Std	UP 174
		Grade 2 624		SCL 78		SDW 26	HLA 15	C33 130
		Grade 3 643		XTC 62		BRC 42	3D5 31	
		Grade 4 680				BGL 31	HWA5 57	
		Grade 5 698						
		Grade 6 746						
		Grade 7 1,108						
		Grade 8 794						

RD51



Standard features

Black rugged outer polymer shell
Integrated lumbar support
Waterfall seat front
Seat depth adjustment
Adjustable polished chrome footring

SW: Swivel only control
P: Pneumatic seat height
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23 ¼-28 ¾	591-730	Overall height	41 ½-47	1054-1194
Seat width	19	483	Overall width	26 ¾	679
Seat depth	16 ½-18 ½	413-470	Overall depth	30	762
Back height	19	483			
Back width	16 ½	419			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
RD51	E3 Black	Grade 1 538	SW Std	P Std	CAB Std	HDW Std	UP 174
		Grade 2 549		SCL 78		SDW 26	C33 130
		Grade 3 567		XTC 62		BRC 42	
		Grade 4 605				BGL 31	
		Grade 5 622					
		Grade 6 671					
		Grade 7 1,033					
		Grade 8 718					



MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- SA10 and SA11 models with FA arms are available with Cal-133 option. Limited upholstery selection.
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available for SA13 and SA12 models. First code indicates the color choice of the soft mesh material for backrest; the second upholstery code is for the seat.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on SA11 and SA10 models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MANAGEMENT CHAIRS WITH MESH BACK

SAMPLE ORDER: SA13-E3-MNE-AE16-FP-NB-HDW-FA

SA13



Standard features

Integrated lumbar support
Black rugged outer polymer shell
Tilt tension adjustment
4-position tilt lock
Back height adjustment
Seat depth adjustment
Pneumatic seat height

SYN: Synchronous tilt control
NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with 9" self-skinning polyurethane armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/4-20 1/16	400-526	Overall height	36 1/4-43 5/8	920-1108
Seat width	18 3/4	476	Overall width	25 1/4	641
Seat depth	16 1/32-17 3/4	415-451	Overall depth	25	635
Back height	21 3/16-22 15/16	538-583	Width between arms	20 3/16	513
Back width	18 1/4	464			

Model	Frame	Mesh	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)		
SA13	E3 Black	MGR	Grigio	Grade 1	815	SYN	Std	NB	Std	HDW	Std	FA	Std	T	N/C
		MNE	Nero	Grade 2	827	FP	46	PCB	177	SDW	26	HA	29		
		MPA	Panna	Grade 3	844					BRC	42	4D	57		
				Grade 4	883					BGL	31				
				Grade 5	900										
				Grade 6	948										
				Grade 7	1,310										
				Grade 8	995										

SA12



Standard features

Integrated lumbar support
Black rugged outer polymer shell
Tilt tension adjustment
4-position tilt lock
Back height adjustment
Seat depth adjustment
Pneumatic seat height

SYN: Synchronous tilt control
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/4-20 1/16	400-526	Overall height	36 1/4-43 5/8	920-1108
Seat width	18 3/4	476	Overall width	25	635
Seat depth	16 1/32-17 3/4	415-451	Overall depth	25	635
Back height	21 3/16-22 15/16	538-583			
Back width	18 1/4	464			

Model	Frame	Mesh	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)		Other options (\$)		
SA12	E3 Black	MGR	Grigio	Grade 1	731	SYN	Std	NB	Std	HDW	Std	T	N/C
		MNE	Nero	Grade 2	743	FP	46	PCB	177	SDW	26		
		MPA	Panna	Grade 3	760					BRC	42		
				Grade 4	799					BGL	31		
				Grade 5	815								
				Grade 6	864								
				Grade 7	1,226								
				Grade 8	911								

SA11



Standard features

Integrated lumbar support
 Black rugged outer polymer shell
 Tilt tension adjustment
 4-position tilt lock
 Back height adjustment
 Seat depth adjustment
 Pneumatic seat height

SYN: Synchronous tilt control
NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with 9" self-skinning polyurethane armrests

Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/4-20 11/16	400-526	Overall height	36 1/4-43 3/8	920-1108
Seat width	18 3/4	476	Overall width	25 1/4	641
Seat depth	16 11/32-17 3/4	415-451	Overall depth	25	635
Back height	21 3/16-22 15/16	538-583	Width between arms	20 3/16	513
Back width	18 1/4	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SA11	E3 Black	Grade 1 749	SYN Std	NB Std	HDW Std	FA Std	T N/C
		Grade 2 760	FP 46	PCB 177	SDW 26	HA 29	C33 130
		Grade 3 779			BRC 42	4D 57	
		Grade 4 818			BGL 31		
		Grade 5 836					
		Grade 6 887					
		Grade 7 1,264					
		Grade 8 936					

SA10



Standard features

Integrated lumbar support
 Black rugged outer polymer shell
 Tilt tension adjustment
 4-position tilt lock
 Back height adjustment
 Seat depth adjustment
 Pneumatic seat height

SYN: Synchronous tilt control
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/4-20 11/16	400-526	Overall height	36 1/4-43 3/8	920-1108
Seat width	18 3/4	476	Overall width	25	635
Seat depth	16 11/32-17 3/4	415-451	Overall depth	25	635
Back height	21 3/16-22 15/16	538-583			
Back width	18 1/4	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Base (\$)	Casters (\$)	Other options (\$)
SA10	E3 Black	Grade 1 661	SYN Std	NB Std	HDW Std	T N/C
		Grade 2 673	FP 46	PCB 177	SDW 26	C33 130
		Grade 3 692			BRC 42	
		Grade 4 731			BGL 31	
		Grade 5 749				
		Grade 6 799				
		Grade 7 1,175				
		Grade 8 849				



EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE HIGH-PERFORMANCE CHAIRS

SAMPLE ORDER: SVX16-E3-CPT06C-CPT06C-P-SB-SDW-3D3-C33

SVX16



Standard features

Swivel-tilt control
Tilt tension
Infinite tilt lock
Independently adjustable seat and back angle
Fully upholstered back panel
Forward seat pitch adjustment
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ¾-47 ½	1086-1207
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	25 ½	648	Width between arms	18 ¼	464
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SVX16	E3 Black	Grade 1 705	P Std	NB Std	HDW Std	AA3 Std	SSP 80
		Grade 2 716		SB 62	SDW 26	HLA 15	C33 130
		Grade 3 732		PCB 177	BRC 42	FLA 15	PBG ⁽¹⁾ 46
		Grade 4 768			BGL 31	HWA3 57	
		Grade 5 783				3D3 31	
		Grade 6 827				RPA 73	
		Grade 7 1,159					
		Grade 8 870					

SVX15



Standard features

Swivel-tilt control
Tilt tension
Infinite tilt lock
Independently adjustable seat and back angle
Fully upholstered back panel
Forward seat pitch adjustment
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ¾-47 ½	1086-1207
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	25 ½	648			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SVX15	E3 Black	Grade 1 649	P Std	NB Std	HDW Std	SSP 80
		Grade 2 659		SB 62	SDW 26	C33 130
		Grade 3 676		PCB 177	BRC 42	PBG ⁽¹⁾ 46
		Grade 4 710			BGL 31	
		Grade 5 726				
		Grade 6 771				
		Grade 7 1,102				
		Grade 8 813				

(1) PBG: N/A with C33 option.

Standard features



Swivel-tilt control	P: Pneumatic seat height
Tilt tension	NB: Nylon base
Infinite tilt lock	HDW: Hard dual-wheel casters
Independently adjustable seat and back angle	AA3: Height adjustable arms
Fully upholstered back panel	
Forward seat pitch adjustment	
Patented adjustable lumbar	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	38 ¾-43 ½	984-1105
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21 ½	546	Width between arms	18 ¾	464
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
SVX11	E3 Black	Grade 1	620	P	Std	NB	Std	HDW	Std	AA3	Std	SSP	80
		Grade 2	631			SB	62	SDW	26	HLA	15	C33	130
		Grade 3	648			PCB	177	BRC	42	FLA	15	PBG ⁽¹⁾	46
		Grade 4	684					BGL	31	HWA3	57		
		Grade 5	700							3D3	31		
		Grade 6	746							RPA	73		
		Grade 7	1,087										
		Grade 8	790										

Standard features



Swivel-tilt control	P: Pneumatic seat height
Tilt tension	NB: Nylon base
Infinite tilt lock	HDW: Hard dual-wheel casters
Independently adjustable seat and back angle	
Fully upholstered back panel	
Forward seat pitch adjustment	
Patented adjustable lumbar	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	38 ¾-43 ½	984-1105
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21 ½	546			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
SVX10	E3 Black	Grade 1	562	P	Std	NB	Std	HDW	Std	SSP	80
		Grade 2	573			SB	62	SDW	26	C33	130
		Grade 3	590			PCB	177	BRC	42	PBG ⁽¹⁾	46
		Grade 4	626					BGL	31		
		Grade 5	642								
		Grade 6	687								
		Grade 7	1,029								
		Grade 8	732								

SAMPLE ORDER: SV16-E3-CPT06C-CPT06C-STB-P-SB-SDW-3D3-C33

Standard features



Tilt tension	STB: Swivel-tilt control with back angle adjustment
Tilt lock	
Fully upholstered back panel	P: Pneumatic seat height
Patented adjustable lumbar	NB: Nylon base
	HDW: Hard dual-wheel casters
	AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ½-47 ¾	1080-1200
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635	Width between arms	18 ¾	464
Back width	19	483			

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
SV16	E3 Black	Grade 1	675	STB	Std	P	Std	NB	Std	HDW	Std	AA3	Std	C33	130
		Grade 2	685					SB	62	SDW	26	HLA	15	PBG ⁽¹⁾	46
		Grade 3	702					PCB	177	BRC	42	FLA	15		
		Grade 4	736							BGL	31	HWA3	57		
		Grade 5	752									3D3	31		
		Grade 6	797												
		Grade 7	1,128												
		Grade 8	839												

(1) **PBG:** N/A with C33 option.

EXECUTIVE CHAIRS

SAMPLE ORDER: SV15-E3-CPT06C-CPT06C-STB-P-SB-SDW-C33

SV15



Standard features

Tilt tension	STB: Swivel-tilt control with
Tilt lock	back angle adjustment
Fully upholstered back panel	P: Pneumatic seat height
Patented adjustable lumbar	NB: Nylon base
	HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ½-47 ¼	1080-1200
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV15	E3 Black	Grade 1 618	STB Std	P Std	NB Std	HDW Std	C33 130
		Grade 2 628			SB 62	SDW 26	PBG⁽¹⁾ 46
		Grade 3 645			PCB 177	BRC 42	
		Grade 4 680				BGL 31	
		Grade 5 696					
		Grade 6 739					
		Grade 7 1,071					
		Grade 8 783					

MANAGEMENT SWIVEL-TILT CHAIRS

SAMPLE ORDER: SV11-E3-AE10-AE10-ST-P-NB-BRC-AA3

SV11




Standard features

Tilt tension	ST: Swivel-tilt control
Tilt lock	P: Pneumatic seat height
Fully upholstered back panel	NB: Nylon base
Patented adjustable lumbar	HDW: Hard dual-wheel casters
	AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	37 ½-42 ¼	953-1073
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SV11	E3 Black	Grade 1 562	ST Std	P Std	NB Std	HDW Std	AA3 Std	C33 130
		Grade 2 573			SB 62	SDW 26	HLA 15	PBG⁽¹⁾ 46
		Grade 3 590			PCB 177	BRC 42	FLA 15	
		Grade 4 626				BGL 31	HWA3 57	
		Grade 5 642					3D3 31	
		Grade 6 687						
		Grade 7 1,029						
		Grade 8 732						

SV10



Standard features

Tilt tension	ST: Swivel-tilt control
Tilt lock	P: Pneumatic seat height
Fully upholstered back panel	NB: Nylon base
Patented adjustable lumbar	HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	37 ½-42 ¼	953-1073
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV10	E3 Black	Grade 1 503	ST Std	P Std	NB Std	HDW Std	C33 130
		Grade 2 515			SB 62	SDW 26	PBG⁽¹⁾ 46
		Grade 3 531			PCB 177	BRC 42	
		Grade 4 567				BGL 31	
		Grade 5 583					
		Grade 6 629					
		Grade 7 970					
		Grade 8 673					

(1) **PBG:** N/A with C33 option.

SV6



Standard features

Swivel-tilt control with back angle adjustment	P: Pneumatic seat height
Tilt tension	NB: Nylon base
Tilt lock	HDW: Hard dual-wheel casters
Fully upholstered back panel	AA3: Height adjustable arms
Patented adjustable lumbar	

Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 3/4-21 1/4	425-540	Overall height	37 1/2-42 1/4	953-1073
Seat width	21 1/2	546	Overall width	27	686
Seat depth	17 1/2	445	Overall depth	26	660
Back height	21	533	Width between arms	18 1/4	464
Back width	18 1/2	470			

Model	Frame	Upholstery / List (\$)		Cylinder (\$)	Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
SV6	E3 Black	Grade 1	589	P Std	NB	Std	HDW	Std	AA3	Std	SSP	80
		Grade 2	599		SB	62	SDW	26	HLA	15	C33	130
		Grade 3	616		PCB	177	BRC	42	FLA	15	PBG ⁽¹⁾	46
		Grade 4	652				BGL	31	HWA3	57		
		Grade 5	668						3D3	31		
		Grade 6	713									
		Grade 7	1,056									
		Grade 8	758									

SV5



Standard features

Swivel-tilt control with back angle adjustment	P: Pneumatic seat height
Tilt tension	NB: Nylon base
Tilt lock	HDW: Hard dual-wheel casters
Fully upholstered back panel	
Patented adjustable lumbar	

Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 3/4-21 1/4	425-540	Overall height	37 1/2-42 1/4	953-1073
Seat width	21 1/2	546	Overall width	25	635
Seat depth	17 1/2	445	Overall depth	26	660
Back height	21	533			
Back width	18 1/2	470			

Model	Frame	Upholstery / List (\$)		Cylinder (\$)	Base (\$)		Casters (\$)		Other options (\$)	
SV5	E3 Black	Grade 1	530	P Std	NB Std		HDW Std		SSP	80
		Grade 2	541		SB 62		SDW 26		C33	130
		Grade 3	557		PCB 177		BRC 42		PBG ⁽¹⁾	46
		Grade 4	594				BGL 31			
		Grade 5	609							
		Grade 6	655							
		Grade 7	996							
		Grade 8	700							

(1) **PBG:** N/A with C33 option.



24-HOUR

SPECIFICATIONS

- Savvy 24-hour models are rated for 24 hours/7 days use.
- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- Heavy-duty cylinder and knee-tilt control.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

24-HOUR EXECUTIVE CHAIRS

SAMPLE ORDER: SV26-E3-SD10-SD10-P-PCB-HDW-RPA

SV26



Standard features

Knee-tilt control
Tilt tension
5-position tilt lock with forward seat pitch adjustment
Fully upholstered back panel
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	42-47	1067-1194
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635	Width between arms	20	508
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SV26	E3 Black	Grade 1	P Std	NB Std	HDW Std	HLA Std	C33 130
		Grade 2		SB 62	SDW 26	RPA 73	PBG ⁽¹⁾ 46
		Grade 3		PCB 177	BRC 42		
		Grade 4			BGL 31		
		Grade 5					
		Grade 6					
		Grade 7					
		Grade 8					

SV25



Standard features

Knee-tilt control
Tilt tension
5-position tilt lock with forward seat pitch adjustment
Fully upholstered back panel
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	42-47	1067-1194
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV25	E3 Black	Grade 1	P Std	NB Std	HDW Std	C33 130
		Grade 2		SB 62	SDW 26	PBG ⁽¹⁾ 46
		Grade 3		PCB 177	BRC 42	
		Grade 4			BGL 31	
		Grade 5				
		Grade 6				
		Grade 7				
		Grade 8				

(1) PBG: N/A with C33 option.

SV24



Standard features

Knee-tilt control
Tilt tension
5-position tilt lock with forward seat pitch adjustment
Fully upholstered back panel
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	38-43	965-1092
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	20	508
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SV24	E3 Black	Grade 1 710	P Std	NB Std	HDW Std	HLA Std	C33 130
		Grade 2 721		SB 62	SDW 26	RPA 73	PBG ⁽¹⁾ 46
		Grade 3 738		PCB 177	BRC 42		
		Grade 4 774			BGL 31		
		Grade 5 790					
		Grade 6 835					
		Grade 7 1,177					
		Grade 8 880					

SV23



Standard features

Knee-tilt control
Tilt tension
5-position tilt lock with forward seat pitch adjustment
Fully upholstered back panel
Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	38-43	965-1092
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV23	E3 Black	Grade 1 647	P Std	NB Std	HDW Std	C33 130
		Grade 2 657		SB 62	SDW 26	PBG ⁽¹⁾ 46
		Grade 3 674		PCB 177	BRC 42	
		Grade 4 710			BGL 31	
		Grade 5 726				
		Grade 6 772				
		Grade 7 1,114				
		Grade 8 816				

(1) **PBG:** N/A with C33 option.



GUEST

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS

SAMPLE ORDER: SV32-E3-50F-50F-HLA

SV32



Standard features

Cantilevered sled base of
1", 12-gauge steel tubing
Fully upholstered back panel

HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	38	965
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	20	508
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Arms (\$)	Other options (\$)
SV32	E3 Black	Grade 1 497	HLA Std	C33 130
		Grade 2 509	FLA 15	PBG ⁽¹⁾ 46
		Grade 3 525		
		Grade 4 563		
		Grade 5 578		
		Grade 6 625		
		Grade 7 973		
		Grade 8 671		

SV31



Standard features

Cantilevered sled base of
1", 12-gauge steel tubing
Fully upholstered back panel

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	38	965
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Other options (\$)
SV31	E3 Black	Grade 1 422	C33 130
		Grade 2 433	PBG ⁽¹⁾ 46
		Grade 3 450	
		Grade 4 487	
		Grade 5 503	
		Grade 6 549	
		Grade 7 898	
		Grade 8 595	

(1) PBG: N/A with C33 option.



STOOLS

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: SV52-E3-SL25-SL25-P-HDW-HLA

SV52



Standard features


Swivel only control
Adjustable polished chrome footring
Fully upholstered back panel
Patented adjustable lumbar
Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-29 ½	610-749	Overall height	44 ½-50	1130-1270
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SV52	E3 Black	Grade 1 693	P Std	HDW Std	AA3 Std	C33 130
		Grade 2 703	SCL 78	SDW 26	HLA 15	PBG ⁽¹⁾ 46
		Grade 3 721	XTC 62	BRC 42	FLA 15	
		Grade 4 757		BGL 31	HWA3 57	
		Grade 5 774			3D3 31	
		Grade 6 820				
		Grade 7 1,168				
		Grade 8 865				

SV51



Standard features

Swivel only control
Adjustable polished chrome footring
Fully upholstered back panel
Patented adjustable lumbar
Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-29 ½	610-749	Overall height	44 ½-50	1130-1270
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Other options (\$)
SV51	E3 Black	Grade 1 632	P Std	HDW Std	C33 130
		Grade 2 644	SCL 78	SDW 26	PBG ⁽¹⁾ 46
		Grade 3 660	XTC 62	BRC 42	
		Grade 4 698		BGL 31	
		Grade 5 713			
		Grade 6 760			
		Grade 7 1,109			
		Grade 8 806			

(1) **PBG:** N/A with C33 option.



EXECUTIVE, MANAGEMENT AND CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE CHAIRS

SAMPLE ORDER: V216-E3-AE10-AE10-NB-HDW-4D

V216



Standard features


Synchronous control
Side tilt tension adjustment
Patented adjustable lumbar support
Seat depth adjustment
Fully upholstered back panel
Back angle adjustment
Pneumatic seat height

NB: Nylon base
HDW: Hard dual-wheel casters
4D: Height adjustable arms with pivoting, front-to-back and side-to-side 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	41 ½-46	1054-1168
Seat width	19 ½	495	Overall width	26 ½-28 ½	673-724
Seat depth	16 ½-18 ¾	419-476	Overall depth	26 ½	673
Back height	26	660	Width between arms	17 ½-19 ½	445-495
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
V216	E3 Black	Grade 1 831	NB Std	HDW Std	4D Std	C33 130
		Grade 2 842	SB 62	SDW 26		
		Grade 3 860	PCB 177	BRC 42		
		Grade 4 896		BGL 31		
		Grade 5 913				
		Grade 6 960				
		Grade 7 1,262				
		Grade 8 1,006				

V215



Standard features

Synchronous control
Side tilt tension adjustment
Patented adjustable lumbar support
Seat depth adjustment
Fully upholstered back panel
Back angle adjustment
Pneumatic seat height

NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	41 ½-46	1054-1168
Seat width	19 ½	495	Overall width	26	660
Seat depth	16 ½-18 ¾	419-476	Overall depth	26 ½	673
Back height	26	660			
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)	Other options (\$)
V215	E3 Black	Grade 1 775	NB Std	HDW Std	C33 130
		Grade 2 786	SB 62	SDW 26	
		Grade 3 804	PCB 177	BRC 42	
		Grade 4 840		BGL 31	
		Grade 5 857			
		Grade 6 904			
		Grade 7 1,205			
		Grade 8 950			

MANAGEMENT CHAIRS

SAMPLE ORDER: V211-E3-DL01-DL01-NB-HDW-4D

V211

Standard features

Synchronous control
 Side tilt tension adjustment
 Patented adjustable lumbar support
 Seat depth adjustment
 Fully upholstered back panel
 Back angle adjustment
 Pneumatic seat height

NB: Nylon base
HDW: Hard dual-wheel casters
4D: Height adjustable arms with pivoting, front-to-back and side-to-side 9" armrests


Dimensions

	(in)	(mm)
Seat height	16 ½-21	419-533
Seat width	19 ½	495
Seat depth	16 ½-18 ¾	419-476
Back height	22 ½	572
Back width	16 ¾	425

Dimensions

	(in)	(mm)
Overall height	37 ¾-42 ¼	959-1073
Overall width	26 ½-28 ½	673-724
Overall depth	26 ½	673
Width between arms	17 ½-19 ½	445-495

Model	Frame	Upholstery / List (\$)		Base (\$)		Casters (\$)		Arms (\$)	Other options (\$)	
V211	E3 Black	Grade 1	742	NB	Std	HDW	Std	4D	Std	C33
		Grade 2	753	SB	62	SDW	26			130
		Grade 3	771	PCB	177	BRC	42			
		Grade 4	807			BGL	31			
		Grade 5	824							
		Grade 6	870							
		Grade 7	1,172							
		Grade 8	916							

V210

Standard features

Synchronous control
 Side tilt tension adjustment
 Patented adjustable lumbar support
 Seat depth adjustment
 Fully upholstered back panel
 Back angle adjustment
 Pneumatic seat height

NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	16 ½-21	419-533
Seat width	19 ½	495
Seat depth	16 ½-18 ¾	419-476
Back height	22 ½	572
Back width	16 ¾	425

Dimensions

	(in)	(mm)
Overall height	37 ¾-42 ¼	959-1073
Overall width	26	660
Overall depth	26 ½	673

Model	Frame	Upholstery / List (\$)		Base (\$)		Casters (\$)		Other options (\$)	
V210	E3 Black	Grade 1	680	NB	Std	HDW	Std	C33	130
		Grade 2	692	SB	62	SDW	26		
		Grade 3	709	PCB	177	BRC	42		
		Grade 4	746			BGL	31		
		Grade 5	762						
		Grade 6	809						
		Grade 7	1,111						
		Grade 8	855						

CONFERENCE CHAIR

SAMPLE ORDER: V214-E3-AE10-AE10-NB-HDW-FA

V214

Standard features

Swivel only control
 Fully upholstered back panel
 Pneumatic seat height
 Integrated lumbar support

NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with self-skinning polyurethane 9" armrests

Dimensions

	(in)	(mm)
Seat height	16 ½-21	419-533
Seat width	19 ½	495
Seat depth	16 ¾	425
Back height	20 ¾	527
Back width	16 ¾	425

Dimensions

	(in)	(mm)
Overall height	34 ¾-38 ¾	870-984
Overall width	27	686
Overall depth	26 ½	673
Width between arms	18	457

Model	Frame	Upholstery / List (\$)		Base (\$)		Casters (\$)		Arms (\$)	Other options (\$)	
V214	E3 Black	Grade 1	619	NB	Std	HDW	Std	FA	Std	C33
		Grade 2	630	SB	62	SDW	26			130
		Grade 3	648	PCB	177	BRC	42			
		Grade 4	684			BGL	31			
		Grade 5	701							
		Grade 6	748							
		Grade 7	1,049							
		Grade 8	794							



GUEST

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS WITH CANTILEVERED SLED BASE

SAMPLE ORDER: V232-E3-AE10-AE10-FA

V232



Standard features

Cantilevered sled base of 1",
12-gauge steel tubing
Fully upholstered back panel
Integrated lumbar support

FA: Fixed arms with self-skinning
polyurethane 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	35 ½	902
Seat width	19 ½	495	Overall width	27	686
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527	Width between arms	18	457
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Arms (\$)	Other options (\$)
V232	E3 Black	Grade 1 558	FA Std	C33 130
		Grade 2 571		
		Grade 3 590		
		Grade 4 628		
		Grade 5 646		
		Grade 6 696		
		Grade 7 1,015		
		Grade 8 745		

V231



Standard features

Cantilevered sled base of 1",
12-gauge steel tubing
Fully upholstered back panel
Integrated lumbar support

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	35 ½	902
Seat width	19 ½	495	Overall width	19 ½	495
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527			
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Other options (\$)
V231	E3 Black	Grade 1 478	C33 130
		Grade 2 491	
		Grade 3 510	
		Grade 4 549	
		Grade 5 567	
		Grade 6 617	
		Grade 7 939	
		Grade 8 666	



STOOLS

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: V252-E3-SL23-SL23-P-HDW-FA

V252



Standard features

Swivel only control
Adjustable polished chrome footring
Fully upholstered back panel
Cast-aluminum base
Integrated lumbar support

P: Pneumatic seat height
HDW: Hard dual-wheel casters
FA: Fixed arms with self-skinning polyurethane 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24 ¼-30	613-762	Overall height	43-48 ¾	1092-1238
Seat width	19 ½	495	Overall width	27	686
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527	Width between arms	18	457
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Arms (\$)	Other options (\$)
V252	E3 Black	Grade 1 763	P Std	HDW Std	FA Std	C33 130
		Grade 2 776	SCL 78	SDW 26	4D 57	
		Grade 3 794	XTC 62	BRC 42		
		Grade 4 832		BGL 31		
		Grade 5 849				
		Grade 6 898				
		Grade 7 1,212				
		Grade 8 945				

V251



Standard features

Swivel only control
Adjustable polished chrome footring
Fully upholstered back panel
Cast-aluminum base
Integrated lumbar support

P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24 ¼-30	613-762	Overall height	43-48 ¾	1092-1238
Seat width	19 ½	495	Overall width	19 ½	495
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527			
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Other options (\$)
V251	E3 Black	Grade 1 697	P Std	HDW Std	C33 130
		Grade 2 708	SCL 78	SDW 26	
		Grade 3 727	XTC 62	BRC 42	
		Grade 4 764		BGL 31	
		Grade 5 782			
		Grade 6 831			
		Grade 7 1,144			
		Grade 8 878			



ALL PURPOSE

SPECIFICATIONS

- All models ship assembled.
- When E8 Metallic Silver or E6 Medium Grey frame is chosen, all plastic components remain black.
- Footring color matches frame color.

ALL PURPOSE STOOLS

SAMPLE ORDER: 211S-E8-RG3

211S



Standard features

Low range
Hardboard seat top
Footring
Flat metal glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-25	432-635	Overall height	17-25	432-635
Seat diameter	14	356	Overall width	14 ½	368
			Overall depth	14 ½	368

Model	Frame/Footing	List (\$)	Other options (\$)
211S	E3 Black	201	RG3 42
	E6 Medium Grey		
	E8 Metallic Silver		

211T




Standard features

High range
Hardboard seat top
Footring
Flat metal glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-32	610-813	Overall height	24-32	610-813
Seat diameter	14	356	Overall width	17	432
			Overall depth	17	432

Model	Frame/Footing	List (\$)	Other options (\$)
211T	E3 Black	224	RG3 42
	E6 Medium Grey		
	E8 Metallic Silver		

221M



Standard features

Mid range
Hardboard seat top
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	22-27 ½	559-699	Overall height	22-27 ½	559-699
Seat diameter	14	356	Overall width	17	432
			Overall depth	17	432

Model	Frame/Footing	List (\$)	Casters (\$)	Other options (\$)
221M	E3 Black	287	CAS 27	CFR 46
	E6 Medium Grey		BRC 42	
	E8 Metallic Silver			

221T



Standard features

High range
Hardboard seat top
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions

(in) (mm)

Seat height 26 ¾-32 ¼ 679-819
Seat diameter 14 356


Dimensions

(in) (mm)

Overall height 26 ¾-32 ¼ 679-819
Overall width 17 432
Overall depth 17 432

Model	Frame/Footing	List (\$)	Casters (\$)	Other options (\$)
221T	E3 Black	310	CAS 27	CFR 46
	E6 Medium Grey		BRC 42	
	E8 Metallic Silver			

223M



Standard features

Mid range
Hardboard seat top
Metal back
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions

(in) (mm)

Seat height 22-27 ½ 559-699
Seat diameter 14 356
Back height 6 ¾ 162
Back width 12 ½ 318


Dimensions

(in) (mm)

Overall height 34 ½-42 876-1067
Overall width 17 432
Overall depth 17-20 ¼ 432-514

Model	Frame/Footing	List (\$)	Casters (\$)	Other options (\$)
223M	E3 Black	327	CAS 27	CFR 46
	E6 Medium Grey		BRC 42	
	E8 Metallic Silver			

223T



Standard features

High range
Hardboard seat top
Metal back
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions

(in) (mm)

Seat height 26 ¾-32 ¼ 679-819
Seat diameter 14 356
Back height 6 ¾ 162
Back width 12 ½ 318

Dimensions

(in) (mm)

Overall height 39 ¼-46 ¾ 997-1187
Overall width 17 432
Overall depth 17-20 ¼ 432-514


Model	Frame/Footing	List (\$)	Casters (\$)	Other options (\$)
223T	E3 Black	349	CAS 27	CFR 46
	E6 Medium Grey		BRC 42	
	E8 Metallic Silver			



DRAFTING

SPECIFICATIONS


- All models ship partially K.D. (minimum assembly required).
- Fabric/fabric, vinyl/fabric and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest (when applicable) and seat sides, the second upholstery is for the seat top only.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame is chosen, all plastic components remain black.



DRAFTING STOOLS

SAMPLE ORDER: D41L-E8-DN02-AE13-4LB-SDW

D41L



Standard features


- Low range
Polished chrome footring
Manual height adjustment
Swivel seat
Nylon glides
- 4LB:** 4-legged steel base

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	19-27	483-686	Overall height	31-42	787-1067
Seat width	17	432	Overall width	17	432
Seat depth	16	406	Overall depth	17	432
Back height	10	254			
Back width	15	381			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)
D41L	E3 Black	Grade 1 476	4LB Std	SDW 26
	E6 Medium Grey	Grade 2 490	5LB 29	BRC 42
	E8 Metallic Silver	Grade 3 511		HRC 73
		Grade 4 551		SRC 73
		Grade 5 574		
		Grade 6 636		
		Grade 7 1,046		
		Grade 8 699		



= ASSEMBLY REQUIRED

D41H**Standard features**

High range
Polished chrome footring
Manual height adjustment
Swivel seat
Nylon glides

4LB: 4-legged steel base


Dimensions

	(in)	(mm)
Seat height	25-33	635-838
Seat width	17	432
Seat depth	16	406
Back height	10	254

Dimensions

	(in)	(mm)
Back width	15	381
Overall height	36-47	914-1194
Overall width	17	432
Overall depth	17	432

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)
D41H	E3 Black	Grade 1 499	4LB Std	SDW 26
	E6 Medium Grey	Grade 2 513	5LB 29	BRC 42
	E8 Metallic Silver	Grade 3 534		HRC 73
		Grade 4 574		SRC 73
		Grade 5 597		
		Grade 6 659		
		Grade 7 1,069		
		Grade 8 722		

D45L**Standard features**

Low range
Polished chrome footring
Manual height adjustment
Swivel seat
Nylon glides

4LB: 4-legged steel base


Dimensions

	(in)	(mm)
Seat height	19-27	483-686
Seat diameter	16 ¼	413

Dimensions

	(in)	(mm)
Overall height	19-29	483-737
Overall width	17	432
Overall depth	17	432

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)
D45L	E3 Black	Grade 1 367	4LB Std	SDW 26
	E6 Medium Grey	Grade 2 381	5LB 29	BRC 42
	E8 Metallic Silver	Grade 3 401		HRC 73
		Grade 4 442		SRC 73
		Grade 5 465		
		Grade 6 527		
		Grade 7 937		
		Grade 8 590		

D45H**Standard features**

High range
Polished chrome footring
Manual height adjustment
Swivel seat
Nylon glides

4LB: 4-legged steel base

Dimensions

	(in)	(mm)
Seat height	25-33	635-838
Seat diameter	16 ¼	413

Dimensions

	(in)	(mm)
Overall height	25-33	635-838
Overall width	17	432
Overall depth	17	432

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)
D45H	E3 Black	Grade 1 390	4LB Std	SDW 26
	E6 Medium Grey	Grade 2 404	5LB 29	BRC 42
	E8 Metallic Silver	Grade 3 424		HRC 73
		Grade 4 465		SRC 73
		Grade 5 488		
		Grade 6 551		
		Grade 7 960		
		Grade 8 613		

= ASSEMBLY REQUIRED



INDUSTRIAL


SPECIFICATIONS

- All models ship assembled.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

INDUSTRIAL STOOLS

SAMPLE ORDER: 179S-E3-SW-P-NB-BRC

179S



Standard features

Contoured polyurethane back and seat
Manual back height adjustment

SW: Swivel only control
P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	15-20	381-508
Seat width	18	457
Seat depth	17	432
Back height	12	305
Back width	16 ½	419

Dimensions

	(in)	(mm)
Overall height	15-20	381-508
Overall width	24	610
Overall depth	24	610

Model	Frame	List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
179S	E3 Black	723	SW Std	P Std	NB Std PCB 177	HDW Std SDW 26 BRC 42 BGL 31

179M



Standard features

Contoured polyurethane back and seat
Manual back height adjustment
Adjustable polished chrome footring

SW: Swivel only control
P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	23-33 ½	584-851
Seat width	18	457
Seat depth	17	432
Back height	12	305
Back width	16 ½	419

Dimensions

	(in)	(mm)
Overall height	23-33 ½	584-851
Overall width	24	610
Overall depth	24	610

Model	Frame	List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
179M	E3 Black	827	SW Std	XTC Std	NB Std PCB 177	HDW Std SDW 26 BRC 42 BGL 31

MEDICAL

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited vinyl selection.
- Upholstery selection limited to vinyls and C.O.V. only.
- C.O.V. available. Please refer to page 82.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MEDICAL STOOLS

SAMPLE ORDER: D63-PC-PA84-SW-SCL-PCB-SDW

D63



Standard features

SW: Swivel only control
P: Hand lever pneumatic seat height adjustment
PCB: Polished chrome base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-22 ¼	432-565	Overall height	17-22 ¼	432-565
Seat diameter	16 ¼	413	Overall width	23 ¼	591
			Overall depth	24 ¼	616

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
D63	PC Polished Chrome	Grade 1: Vinyls	315	Grade 6: Vinyls	472	SW	Std	P	Std	PCB	Std	HDW	Std
		Grade 3: Vinyls	348	Grade 8: Vinyls	534			SCL	151			SDW	26
		Grade 4: Vinyls	388									BRC	42
		Grade 5: Vinyls	411									BGL	31

DB63




Standard features

SW: Swivel only control
P: Hand lever pneumatic seat height adjustment
PCB: Polished chrome base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-22 ¼	432-565	Overall height	28-35	711-889
Seat diameter	16 ¼	413	Overall width	23 ¼	591
Back height	10	254	Overall depth	24 ¼	616
Back width	15 ¼	387			

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
DB63	PC Polished Chrome	Grade 1: Vinyls	427	Grade 6: Vinyls	584	SW	Std	P	Std	PCB	Std	HDW	Std
		Grade 3: Vinyls	461	Grade 8: Vinyls	646			SCL	151			SDW	26
		Grade 4: Vinyls	500									BRC	42
		Grade 5: Vinyls	523									BGL	31

D65



Standard features

SW: Swivel only control
P: Ring-activated pneumatic seat height adjustment
PCB: Polished chrome base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-22 ¼	432-565	Overall height	17-22 ¼	432-565
Seat diameter	16 ¼	413	Overall width	23 ¼	591
			Overall depth	24 ¼	616

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
D65	PC Polished Chrome	Grade 1: Vinyls	394	Grade 6: Vinyls	551	SW	Std	P	Std	PCB	Std	HDW	Std
		Grade 3: Vinyls	427	Grade 8: Vinyls	612			SCL	151			SDW	26
		Grade 4: Vinyls	467									BRC	42
		Grade 5: Vinyls	489									BGL	31

D63X



Standard features

SW: Swivel only control
P: Ring-activated pneumatic seat height adjustment
PCB: Polished chrome base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	20-27	508-686	Overall height	16-21	406-533
Seat diameter	15	381	Overall width	24	610
			Overall depth	24	610

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
D63X	PC Polished Chrome	Grade 1: Vinyls	858	Grade 6: Vinyls	987	SW	Std	CP	Std	PCB	Std	HDW	Std
		Grade 3: Vinyls	887	Grade 8: Vinyls	1,033							SDW	26
		Grade 4: Vinyls	924									BRC	42
		Grade 5: Vinyls	940									BGL	31



GUEST AND STOOL


SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS

SAMPLE ORDER: SW31-E3-RI26-RI26-DP

SW32



Standard features

Ships 4 per carton
Fully upholstered back panel
7/8", 16-gauge, round steel tubing
Metal floor glides
Injection-molded arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	33 1/4	845
Seat width	20 1/2	521	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14 1/2	368	Width between arms	18 1/2	470
Back width	20 1/2	521			

Model	Frame	Upholstery / List (\$)	Other options (\$)
SW32	E3 Black	Grade 1 321 x 4 = 1,284	QP Std
		Grade 2 330 x 4 = 1,320	DP 21/chair
		Grade 3 342 x 4 = 1,368	SP 42/chair
		Grade 4 369 x 4 = 1,476	
		Grade 5 381 x 4 = 1,524	
		Grade 6 415 x 4 = 1,660	
		Grade 7 675 x 4 = 2,700	
		Grade 8 449 x 4 = 1,796	

SW31



Standard features

Ships 4 per carton
Fully upholstered back panel
7/8", 16-gauge, round steel tubing
Metal floor glides


Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	33 1/4	845
Seat width	20 1/2	521	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14 1/2	368			
Back width	20 1/2	521			

Model	Frame	Upholstery / List (\$)	Other options (\$)
SW31	E3 Black	Grade 1 298 x 4 = 1,192	QP Std
		Grade 2 307 x 4 = 1,228	DP 21/chair
		Grade 3 319 x 4 = 1,276	SP 42/chair
		Grade 4 346 x 4 = 1,384	
		Grade 5 358 x 4 = 1,432	
		Grade 6 392 x 4 = 1,568	
		Grade 7 652 x 4 = 2,608	
		Grade 8 426 x 4 = 1,704	

GUEST CHAIR WITH CASTERS

SAMPLE ORDER: SW32C-E3-RI26-RI26-HDW-DP

SW32C



Standard features

Ships 2 per carton **HDW:** Hard dual-wheel casters
Fully upholstered back panel
¾", 16-gauge, round steel tubing
Injection-molded arms


Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	33 ¼	845
Seat width	20 ½	521	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14 ½	368	Width between arms	18 ½	470
Back width	20 ½	521			

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
SW32C	E3 Black	Grade 1 406 x 2 = 812	HDW Std	DP Std
		Grade 2 417 x 2 = 834	SDW 26 x 2 = 52	SP 42/chair
		Grade 3 435 x 2 = 870		
		Grade 4 471 x 2 = 942		
		Grade 5 488 x 2 = 976		
		Grade 6 535 x 2 = 1,070		
		Grade 7 836 x 2 = 1,672		
		Grade 8 580 x 2 = 1,160		

CAFÉ HEIGHT STOOL

SAMPLE ORDER: SW32H-E3-RI26-RI26

SW32H



Standard features

Fully upholstered back panel
¾", 16-gauge, round steel tubing
Metal floor glides
Injection-molded arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	34 ½	876	Overall height	58	1473
Seat width	19	483	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14 ½	368	Width between arms	18 ½	470
Back width	20 ½	521			

Model	Frame	Upholstery / List (\$)
SW32H	E3 Black	Grade 1 572
		Grade 2 583
		Grade 3 601
		Grade 4 638
		Grade 5 654
		Grade 6 701
		Grade 7 1,003
		Grade 8 747



GUEST AND STOOL

SPECIFICATIONS

- All models ship assembled.

GUEST CHAIRS

SAMPLE ORDER: VR31-PC-CEY-QP

VR31



Standard features

Ships 4 per carton **PC:** Polished chrome frame
Tubular steel frame
Wood maple veneer

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½	445	Overall height	34	864
Seat width	15 ¾	400	Overall width	20	508
Seat depth	15	381	Overall depth	18 ½	470
Back height	17	432			
Back width	15 ¾	400			

Model	Frame	Wood finish	List (\$)	Other options (\$)
VR31	PC Polished chrome	BAK Black	404 x 4 = 1,616	QP Std
		CEY Cherry		DP 21/chair
		NAP Natural		SP 42/chair
		OMC Espresso		
		WHT White		

VR31M



Standard features

Ships 4 per carton **PC:** Polished chrome frame
Tubular steel frame
Wood maple veneer

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	29	737	Overall height	33	838
Seat width	16	406	Overall width	18	457
Seat depth	16	406	Overall depth	19	483
Back height	17	432			
Back width	18 ½	470			

Model	Frame	Wood finish	List (\$)	Other options (\$)
VR31M	PC Polished chrome	BAK Black	404 x 4 = 1,616	QP Std
		CEY Cherry		DP 21/chair
		NAP Natural		SP 42/chair
		OMC Espresso		HH 78/chair
		WHT White		

CAFÉ HEIGHT STOOL

VR31H



Standard features

Tubular steel frame **PC:** Polished chrome frame
Wood maple veneer

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	29 ¼	743	Overall height	34 ½	876
Seat width	15 ½	394	Overall width	15 ½	394
Seat depth	15 ½	394	Overall depth	20 ½	521
Back height	6	152			
Back width	15 ½	394			

Model	Frame	Wood finish	List (\$)
VR31H	PC Polished chrome	BAK Black	598
		CEY Cherry	
		NAP Natural	
		OMC Espresso	
		WHT White	




CONFERENCE

SPECIFICATIONS


- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

VENUS BACKREST STYLES

BACKREST SHAPES



BACKREST SEAM CHOICES



CONFERENCE CHAIRS

SAMPLE ORDER: VN14-E3-XM59-XM59-ST-P-NB-BRC-BU01-CX-C1

VN14



Standard features

High back
Infinite tilt lock
Fully upholstered back panel
Integrated lumbar support

ST: Swivel-tilt control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
BU01: Polyurethane loop arms

Dimensions

(in) (mm)

Seat height 19 1/4-24 1/2 489-622
Seat width 20 1/2 521
Seat depth 19 3/4 502
Back height 27 3/4 705
Back width 19 3/4 502

Dimensions

(in) (mm)

Overall height 44 3/4-50 1137-1270
Overall width 24 610
Overall depth 24 610
Width between arms 19 1/4 489

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Back shape	Back seam	Other options (\$)
VN14	E3 Black	Grade 1 931	ST Std	P Std	NB Std	HDW Std	BU01 Std	CX N/C	C1 N/C	CSB 52
		Grade 2 942		CP 52	PCB 177	SDW 26	BU02 78	DO N/C	C2 26	CSW 52
		Grade 3 960				BRC 42	BA01 104		C3 73	
		Grade 4 996				BGL 31			C4 88	
		Grade 5 1,013				CC 99			C5 99	
		Grade 6 1,060				CF 120				
		Grade 7 1,361								
		Grade 8 1,106								

VN12



Standard features

Mid back
Infinite tilt lock
Fully upholstered back panel
Integrated lumbar support

ST: Swivel-tilt control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
BU01: Polyurethane loop arms

Dimensions

(in) (mm)

Seat height 19 1/4-24 1/2 489-622
Seat width 20 1/2 521
Seat depth 19 3/4 502
Back height 22 1/4 565
Back width 19 3/4 502

Dimensions

(in) (mm)

Overall height 39 1/4-44 1/4 997-1124
Overall width 24 610
Overall depth 24 610
Width between arms 19 1/4 489

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Back shape	Back seam	Other options (\$)
VN12	E3 Black	Grade 1 879	ST Std	P Std	NB Std	HDW Std	BU01 Std	CX N/C	C1 N/C	CSB 52
		Grade 2 890		CP 52	PCB 177	SDW 26	BU02 78	DO N/C	C2 26	CSW 52
		Grade 3 908				BRC 42	BA01 104		C3 73	
		Grade 4 944				BGL 31			C4 88	
		Grade 5 961				CC 99			C5 99	
		Grade 6 1,008				CF 120				
		Grade 7 1,309								
		Grade 8 1,054								






BEAM-SEATING

SPECIFICATIONS

- All items ship assembled. Final assembly of layout is required. Hardware included.
- Privacy screen (ZGPS1) is not available in vinyl, leather or Crypton upholstery.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available for the 2-piece shell (ZG2S). First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Tables available in current Lacasse thermofused laminate selection.

ZAGO SOLUTIONS

For more Zago ideas, visit www.grouperlacasse.com.



BEAMS

SAMPLE ORDER: ZG1P-E8

ZG1P



Standard features

1-seat beam
Nylon floor glides
14-gauge steel structure

Dimensions (in) (mm)

Overall height 16 406
Overall width 24 610
Overall depth 23 584

Model	Frame	List (\$)
ZG1P	E8 Metallic Silver	614
	E9 Nu Nickel	

ZG2P



Standard features

2-seat beam
Nylon floor glides
14-gauge steel structure

Dimensions (in) (mm)

Overall height 16 406
Overall width 48 1219
Overall depth 23 584

Model	Frame	List (\$)
ZG2P	E8 Metallic Silver	780
	E9 Nu Nickel	

ZG3P



Standard features


3-seat beam
Nylon floor glides
14-gauge steel structure

Dimensions (in) (mm)

Overall height 16 406
Overall width 72 1828
Overall depth 23 584

Model	Frame	List (\$)
ZG3P	E8 Metallic Silver	894
	E9 Nu Nickel	

ZG4P



Standard features

4-seat beam
Nylon floor glides
14-gauge steel structure

Dimensions (in) (mm)


Overall height 16 406
Overall width 96 2438
Overall depth 23 584

Model	Frame	List (\$)
ZG4P	E8 Metallic Silver	1,201
	E9 Nu Nickel	

SEATS

SAMPLE ORDER: ZG10-CPT85-QP

ZG10



Standard features


Fully upholstered ottoman

Dimensions (in) (mm) Dimensions on beam (in) (mm)

Seat thickness 2 51 Seat height 19 480
Seat width 21 533
Seat depth 20 508

Model	Upholstery / List (\$)		Other options (\$)	
ZG10	Grade 1 234 x 4 = 936	Grade 5 316 x 4 = 1,264	QP	N/C
	Grade 2 245 x 4 = 980	Grade 6 363 x 4 = 1,452	TP	16/seat
	Grade 3 263 x 4 = 1,052	Grade 7 665 x 4 = 2,660	DP	21/seat
	Grade 4 300 x 4 = 1,200	Grade 8 409 x 4 = 1,636	SP	42/seat

ZG2S



Standard features

2-piece shell
Fully upholstered
Flex effect

Dimensions (in) (mm) Dimensions on beam (in) (mm)

Seat thickness 2 51 Overall height 34 ¼ 870
Seat width 20 ½ 521 Seat height 19 480
Seat depth 18 457
Back height 17 432
Back width 20 508

Model	Frame	Upholstery / List (\$)		Other options (\$)	
ZG2S	E8 Metallic Silver	Grade 1 468 x 4 = 1,872	Grade 5 550 x 4 = 2,200	QP	N/C
	E9 Nu Nickel	Grade 2 479 x 4 = 1,916	Grade 6 597 x 4 = 2,388	TP	16/seat
		Grade 3 497 x 4 = 1,988	Grade 7 899 x 4 = 3,596	DP	21/seat
		Grade 4 534 x 4 = 2,136	Grade 8 643 x 4 = 2,572	SP	42/seat

Lacasse thermofused laminate finishes


ACA – Mahogany	CER – Cherry	FOS – Fossil	GVR – Frost	NTL – Natural Cherry	TWT – Tuscan Walnut
BUC – Bourbon Cherry	CLY – Clay	GAN – Anthracite Grey	HZN – Hazelnut	PCM – Parchment	WGR – Willow Grey
CAR – Caramello	DCH – Dark Chocolate	GGI – Grigio	NCN – Crystal Black	RBV – Ruby	
CCL – Classic Chocolate	ERH – Hard Rock Maple	GIN – Ginger	NRM – Natural Maple	SNO – Snow	

ZG21T**Standard features**

Thermofused laminate square table, 1" thick
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	21	533	Overall height	17	432
Depth	21	533			

Model	Laminate finish	List (\$)	Other options (\$)
ZG21T		364 x 4 = 1,456	QP N/C
			TP 16/unit
			DP 21/unit
			SP 42/unit

ZG90T**Standard features**

Thermofused laminate 90-degree table, 1" thick
Connecting beam included
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	43 ¼	1099	Overall height	17	432
Depth	23	584			

Model	Frame	Laminate finish	List (\$)
ZG90T	E8 Metallic Silver		884
	E9 Nu Nickel		

ZG120T**Standard features**

Thermofused laminate 120-degree table, 1" thick
Connecting beam included
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	29 ½	749	Overall height	17	432
Depth	21 ½	349			


Model	Frame	Laminate finish	List (\$)
ZG120T	E8 Metallic Silver		676
	E9 Nu Nickel		

ZG360T**Standard features**

Thermofused laminate tri-directional table, 1" thick
Connecting beam included
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	30 ¼	768	Overall height	17	432
Depth	27	685			


Model	Frame	Laminate finish	List (\$)
ZG360T	E8 Metallic Silver		884
	E9 Nu Nickel		

ZG921T**Standard features**

Thermofused laminate rectangular table, 1" thick
Connecting beam included
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	21	533	Overall height	17	432
Depth	10	254			

Model	Frame	Laminate finish	List (\$)
ZG921T	E8 Metallic Silver		312
	E9 Nu Nickel		

ZGPS1**Standard features**

Privacy screen
Ready to install
Hardware included

Dimensions

	(in)	(mm)
Height	48	1219
Width	21	533
Thickness	1	25

Dimensions on beam

	(in)	(mm)
Overall height	56 ¼	1380
Overall depth	23 ¾	603

Model	Frame	Upholstery / List (\$)	Other options (\$)
ZGPS1	E8 Metallic Silver	Grade 1 728 x 4 = 2,912	QP N/C
	E9 Nu Nickel	Grade 2 739 x 4 = 2,956	TP 16/unit
		Grade 3 757 x 4 = 3,028	DP 21/unit
		Grade 4 794 x 4 = 3,176	SP 42/unit
		Grade 5 810 x 4 = 3,240	
		Grade 6 857 x 4 = 3,428	
		Grade 7 1,159 x 4 = 4,636	
		Grade 8 903 x 4 = 3,612	

ZG1A**Standard features**

Arm with polyurethane armcap
Painted steel structure
Hardware included

Dimensions

	(in)	(mm)
Height	13 ½	362
Width	7	178
Depth	16	406

Dimensions on beam


	(in)	(mm)
Overall height	26 ¼	667

Model	Frame	List (\$)	Other options (\$)
ZG1A	E8 Metallic Silver	364 x 5 = 1,820	5P N/C
	E9 Nu Nickel		QP 10/unit
			TP 16/unit
			DP 21/unit
			SP 42/unit

ZG1F**Standard features**


Single metal floor anchor
Includes 2 anchors and hardware

Model	Frame	List (\$)
ZG1F	E8 Metallic Silver	83
	E9 Nu Nickel	

ZG2F**Standard features**

Double metal floor anchor
Includes 2 anchors and hardware

Model	Frame	List (\$)
ZG2F	E8 Metallic Silver	104
	E9 Nu Nickel	

ZG1E**Standard features**

Electric outlet
Hardware included

Model	Frame	List (\$)
ZG1E	E8 Metallic Silver	530
	E9 Nu Nickel	



TASK

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

HIGH-PERFORMANCE CHAIRS

SAMPLE ORDER: ZPX11-E3-53F-53F-XCON-P-NB-SDW-HWA3

ZPX11




Standard features

Tilt tension **XCON:** Multifunction control
 Back height adjustment **P:** Pneumatic seat height
 Back angle adjustment with infinite lock **NB:** Nylon base
 Fully upholstered back panel **HDW:** Hard dual-wheel casters
 Free-floating seat tilt with infinite lock **HWA3:** Height and width adjustable arms
 Heavy-duty tilt tension control

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20 ½	521	Overall width	25 ½	648
Seat depth	17	432	Overall depth	24 ½	622
Back height	16 ½-20	419-508	Width between arms	18 ¼	464
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
ZPX11	E3 Black	Grade 1 568	XCON Std	P Std	NB Std	HDW Std	HWA3 Std	C33 130
		Grade 2 579			SB 62	SDW 26	3D3 31	SSP 80
		Grade 3 597			PCB 177	BRC 42		PBG ⁽¹⁾ 46
		Grade 4 635				BGL 31		
		Grade 5 652						
		Grade 6 714						
		Grade 7 1,116						
		Grade 8 775						

ZPX10



Standard features

Tilt tension **XCON:** Multifunction control
 Back height adjustment **P:** Pneumatic seat height
 Back angle adjustment with infinite lock **NB:** Nylon base
 Fully upholstered back panel **HDW:** Hard dual-wheel casters
 Free-floating seat tilt with infinite lock
 Heavy-duty tilt tension control

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20 ½	521	Overall width	24 ½	622
Seat depth	17	432	Overall depth	24 ½	622
Back height	16 ½-20	419-508			
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
ZPX10	E3 Black	Grade 1 497	XCON Std	P Std	NB Std	HDW Std	C33 130
		Grade 2 509			SB 62	SDW 26	SSP 80
		Grade 3 526			PCB 177	BRC 42	PBG ⁽¹⁾ 46
		Grade 4 565				BGL 31	
		Grade 5 581					
		Grade 6 644					
		Grade 7 1,045					
		Grade 8 704					

(1) PBG: N/A with C33 option.

ZP11



Standard features

Tilt lock	ST: Swivel-tilt control
Tilt tension	P: Pneumatic seat height
Back height adjustment	NB: Nylon base
Fully upholstered back panel	HDW: Hard dual-wheel casters
	PA3: Solid steel arms with 9" pads

Dimensions

	(in)	(mm)
Seat height	16-21	406-533
Seat width	20 ½	521
Seat depth	17 ½	445
Back height	16 ½-20	419-508
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	34-39	864-991
Overall width	25 ½	648
Overall depth	24 ½	622
Width between arms	18 ¼	464

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
ZP11	E3 Black	Grade 1	383	ST	Std	P	Std	NB	Std	HDW	Std	PA3	Std	C33	130
		Grade 2	394					SB	62	SDW	26	AA3	31	PBG ⁽¹⁾	46
		Grade 3	412					PCB	177	BRC	42	HWA3	57	3D3	31
		Grade 4	450												
		Grade 5	467												
		Grade 6	528												
		Grade 7	930												
		Grade 8	590												

ZP10



Standard features

Tilt lock	ST: Swivel-tilt control
Tilt tension	P: Pneumatic seat height
Back height adjustment	NB: Nylon base
Fully upholstered back panel	HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	16-21	406-533
Seat width	20 ½	521
Seat depth	17 ½	445
Back height	16 ½-20	419-508
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	34-39	864-991
Overall width	24 ½	622
Overall depth	24 ½	622

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
ZP10	E3 Black	Grade 1	337	ST	Std	P	Std	NB	Std	HDW	Std	C33	130
		Grade 2	348					SB	62	SDW	26	PBG ⁽¹⁾	46
		Grade 3	367					PCB	177	BRC	42	BGL	31
		Grade 4	405										
		Grade 5	422										
		Grade 6	484										
		Grade 7	885										
		Grade 8	544										

ZP6



Standard features

Back height adjustment	SW: Swivel only control
Back depth adjustment	P: Pneumatic seat height
Fully upholstered back panel	NB: Nylon base
	HDW: Hard dual-wheel casters
	PA3: Solid steel arms with 9" pads

Dimensions

	(in)	(mm)
Seat height	16-21	406-533
Seat width	20 ½	521
Seat depth	17 ½	445
Back height	16 ½-20	419-508
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	34-39	864-991
Overall width	25 ½	648
Overall depth	24	610
Width between arms	18 ¼	464

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
ZP6	E3 Black	Grade 1	360	SW	Std	P	Std	NB	Std	HDW	Std	PA3	Std	C33	130
		Grade 2	371					SB	62	SDW	26	AA3	31	PBG ⁽¹⁾	46
		Grade 3	389					PCB	177	BRC	42	HWA3	57	3D3	31
		Grade 4	405												
		Grade 5	422												
		Grade 6	484												
		Grade 7	885												
		Grade 8	544												

ZP5



Standard features

Back height adjustment	SW: Swivel only control
Back depth adjustment	P: Pneumatic seat height
Fully upholstered back panel	NB: Nylon base
	HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)
Seat height	16-21	406-533
Seat width	20 ½	521
Seat depth	17 ½	445
Back height	16 ½-20	419-508
Back width	18	457

Dimensions

	(in)	(mm)
Overall height	34-39	864-991
Overall width	23	584
Overall depth	24	610

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)					
ZP5	E3 Black	Grade 1	315	SW	Std	P	Std	NB	Std	HDW	Std	C33	130				
		Grade 2	327					SB	62	SDW	26			PBG ⁽¹⁾	46		
		Grade 3	344					PCB	177	BRC	42						
		Grade 4	383													BGL	31
		Grade 5	399														
		Grade 6	461														
		Grade 7	863														
		Grade 8	522														

(1) PBG: N/A with C33 option.

ZP2



Standard features

Back depth adjustment **SW**: Swivel only control
 Fully upholstered back panel **P**: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
PA3: Solid steel arms with 9" pads

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20 ½	521	Overall width	25 ½	648
Seat depth	17 ½	445	Overall depth	24	610
Back height	16 ½-20	419-508	Width between arms	18 ¼	464
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
ZP2	E3 Black	Grade 1 327	SW Std	P Std	NB Std	HDW Std	PA3 Std	C33 130
		Grade 2 337			SB 62	SDW 26	AA3 31	PBG⁽¹⁾ 46
		Grade 3 356			PCB 177	BRC 42	HWA3 57	
		Grade 4 394				BGL 31	3D3 31	
		Grade 5 411						
		Grade 6 472						
		Grade 7 874						
		Grade 8 534						

ZP1



Standard features

Back depth adjustment **SW**: Swivel only control
 Fully upholstered back panel **P**: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20 ½	521	Overall width	23	584
Seat depth	17 ½	445	Overall depth	24	610
Back height	16 ½-20	419-508			
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
ZP1	E3 Black	Grade 1 281	SW Std	P Std	NB Std	HDW Std	C33 130
		Grade 2 292			SB 62	SDW 26	PBG⁽¹⁾ 46
		Grade 3 311			PCB 177	BRC 42	
		Grade 4 348				BGL 31	
		Grade 5 366					
		Grade 6 427					
		Grade 7 829					
		Grade 8 488					

(1) **PBG**: N/A with C33 option.



STOOL

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: ZP52-E3-PA10-PA10-SW-XTC-SB-HDW-AA3

ZP52



Standard features

Back height adjustment **SW:** Swivel only control
 Back depth adjustment **P:** Pneumatic seat height
 Fully upholstered back panel **SB:** Steel base
 Foot support **HDW:** Hard dual-wheel casters
PA3: Solid steel arms with 9" pads

Dimensions

(in) (mm)
 Seat height 23-28 ½ 584-724
 Seat width 20 ½ 521
 Seat depth 17 ½ 445
 Back height 16 ½-20 419-508
 Back width 17 432

Dimensions

(in) (mm)
 Overall height 38-46 ½ 965-1181
 Overall width 25 635
 Overall depth 26 660
 Width between arms 19 483

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
ZP52	E3 Black	Grade 1	484	SW	Std	P	Std	SB	Std	HDW	Std	PA3	Std	CFR ⁽¹⁾	46
		Grade 2	495			SCL	78			SDW	26	AA3	31	C33	130
		Grade 3	513			XTC	62			BRC	42	HWA3	57	PBG ⁽²⁾	46
		Grade 4	551							BGL	31	3D3	31		
		Grade 5	568												
		Grade 6	630												
		Grade 7	1,032												
		Grade 8	691												

ZP51



Standard features

Back height adjustment **SW:** Swivel only control
 Back depth adjustment **P:** Pneumatic seat height
 Fully upholstered back panel **SB:** Steel base
 Foot support **HDW:** Hard dual-wheel casters

Dimensions

(in) (mm)
 Seat height 23-28 ½ 584-724
 Seat width 20 ½ 521
 Seat depth 17 ½ 445
 Back height 16 ½-20 419-508
 Back width 17 432

Dimensions

(in) (mm)
 Overall height 38-46 ½ 965-1181
 Overall width 25 635
 Overall depth 26 660

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
ZP51	E3 Black	Grade 1	439	SW	Std	P	Std	SB	Std	HDW	Std	CFR ⁽¹⁾	46
		Grade 2	450			SCL	78			SDW	26	C33	130
		Grade 3	468			XTC	62			BRC	42	PBG ⁽²⁾	46
		Grade 4	506							BGL	31		
		Grade 5	523										
		Grade 6	584										
		Grade 7	987										
		Grade 8	646										

(1) **IMPORTANT** – CFR: Footrest will be changed for a footring, chrome finish.

(2) **PBG:** N/A with C33 option.



TASK


SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

TASK CHAIRS

SAMPLE ORDER: NSX11-E3-CPT37-CPT37-XCON-P-NB-HDW-HWA4

NSX11



Standard features

Infinite tilt lock	XCON: Multifunction control
Tilt tension	P: Pneumatic seat height
Free-floating seat tilt	NB: Nylon base
Back height adjustment	HDW: Hard dual-wheel casters
Independently adjustable seat and back angle	HWA4: Height and width adjustable arms
Fully upholstered back panel	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	31 ¾-38 ¼	806-971
Seat width	21	533	Overall width	25	635
Seat depth	18	457	Overall depth	34	864
Back height	18-21 ½	457-546	Width between arms	18 ¼	464
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
NSX11	E3 Black	Grade 1 619	XCON Std	P Std	NB Std	HDW Std	HWA4 Std	SSP 80
		Grade 2 630			SB 62	SDW 26	3D4 31	C33 130
		Grade 3 648			PCB 177	BRC 42		PBG⁽¹⁾ 46
		Grade 4 686				BGL 31		
		Grade 5 703						
		Grade 6 764						
		Grade 7 1,167						
		Grade 8 826						

NSX10



Standard features

Infinite tilt lock	XCON: Multifunction control
Tilt tension	P: Pneumatic seat height
Free-floating seat tilt	NB: Nylon base
Back height adjustment	HDW: Hard dual-wheel casters
Independently adjustable seat and back angle	
Fully upholstered back panel	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	31 ¾-38 ¼	806-971
Seat width	21	533	Overall width	25	635
Seat depth	18	457	Overall depth	34	864
Back height	18-21 ½	457-546			
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
NSX10	E3 Black	Grade 1 537	XCON Std	P Std	NB Std	HDW Std	SSP 80
		Grade 2 548			SB 62	SDW 26	C33 130
		Grade 3 566			PCB 177	BRC 42	PBG⁽¹⁾ 46
		Grade 4 604				BGL 31	
		Grade 5 621					
		Grade 6 683					
		Grade 7 1,085					
		Grade 8 744					

(1) **PBG:** N/A with C33 option.

NS2



Standard features

Back height adjustment **SW:** Swivel only control
 Back depth adjustment **P:** Pneumatic seat height
 Fully upholstered back panel **NB:** Nylon base
HDW: Hard dual-wheel casters
UA: Fixed arms with upholstered armrests

Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¼	432-540	Overall height	32 ½-40 ¼	826-1022
Seat width	20 ½	521	Overall width	23 ½	597
Seat depth	17 ½	445	Overall depth	25	635
Back height	17 ½-21	445-533	Width between arms	19	483
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
NS2	E3 Black	Grade 1 366	SW Std	P Std	NB Std	HDW Std	UA Std	C33 130
		Grade 2 376			SB 62	SDW 26	PA4 29	PBG ⁽¹⁾ 46
		Grade 3 395			PCB 177	BRC 42	AA4 31	
		Grade 4 433				BGL 31	HWA4 57	
		Grade 5 450					3D4 31	
		Grade 6 512						
		Grade 7 913						
		Grade 8 573						

NS1



Standard features

Back height adjustment **SW:** Swivel only control
 Back depth adjustment **P:** Pneumatic seat height
 Fully upholstered back panel **NB:** Nylon base
HDW: Hard dual-wheel casters

Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¼	432-540	Overall height	32 ½-40 ¼	826-1022
Seat width	20 ½	521	Overall width	23 ½	597
Seat depth	17 ½	445	Overall depth	25	635
Back height	17 ½-21	445-533			
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
NS1	E3 Black	Grade 1 315	SW Std	P Std	NB Std	HDW Std	C33 130
		Grade 2 327			SB 62	SDW 26	PBG ⁽¹⁾ 46
		Grade 3 344			PCB 177	BRC 42	
		Grade 4 383				BGL 31	
		Grade 5 399					
		Grade 6 461					
		Grade 7 863					
		Grade 8 522					

(1) PBG: N/A with C33 option.



GUEST

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG) option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS

SAMPLE ORDER: NS32-E3-SR05-SR05-PA4

NS32



Standard features

Back height adjustment
Seat depth adjustment
Fully upholstered back panel
Cantilevered sled base of
1", 12-gauge steel tubing

UA: Fixed arms with
upholstered armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ¼	464	Overall height	34 ¾	883
Seat width	20 ½	521	Overall width	23 ½	597
Seat depth	18 ¼	464	Overall depth	23 ½	597
Back height	16 ½	419	Width between arms	19	483
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Arms (\$)	Other options (\$)
NS32	E3 Black	Grade 1 371	UA Std C33 130	
		Grade 2 383	PA4 29 PBG ⁽¹⁾ 46	
		Grade 3 400	AA4 31	
		Grade 4 439		
		Grade 5 456		
		Grade 6 518		
		Grade 7 919		
		Grade 8 578		

NS31



Standard features

Back height adjustment
Seat depth adjustment
Fully upholstered back panel
Cantilevered sled base of
1", 12-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ¼	464	Overall height	34 ¾	870
Seat width	20 ½	521	Overall width	23 ½	597
Seat depth	18 ¼	464	Overall depth	23 ½	597
Back height	16 ½	419			
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Other options (\$)
NS31	E3 Black	Grade 1 320	C33 130
		Grade 2 332	PBG ⁽¹⁾ 46
		Grade 3 349	
		Grade 4 388	
		Grade 5 405	
		Grade 6 467	
		Grade 7 868	
		Grade 8 527	

(1) PBG: N/A with PBG option.



STOOL

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: NS52-E3-SL19-SL19-SW-XTC-SB-HDW-UA

NS52



Standard features

Back height adjustment **SW:** Swivel only control
 Foot support **P:** Pneumatic seat height
 Back depth adjustment **SB:** Steel base
 Fully upholstered back panel **HDW:** Hard dual-wheel casters
UA: Fixed arms with upholstered armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-28 ½	584-724	Overall height	38-46 ½	965-1181
Seat width	20 ½	521	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	16 ½-20	419-508	Width between arms	19	483
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
NS52	E3 Black	Grade 1 478	SW Std	P Std	SB Std	HDW Std	UA Std	CFR ⁽¹⁾ 46
		Grade 2 489		SCL 78		SDW 26	PA4 29	C33 130
		Grade 3 508		XTC 62		BRC 42	AA4 31	PBG ⁽²⁾ 46
		Grade 4 546				BGL 31	HWA4 57	
		Grade 5 563					3D4 31	
		Grade 6 624						
		Grade 7 1,025						
		Grade 8 685						

NS51



Standard features

Back height adjustment **SW:** Swivel only control
 Foot support **P:** Pneumatic seat height
 Back depth adjustment **SB:** Steel base
 Fully upholstered back panel **HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-28 ½	584-724	Overall height	38-46 ½	965-1181
Seat width	20 ½	521	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	16 ½-20	419-508			
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
NS51	E3 Black	Grade 1 427	SW Std	P Std	SB Std	HDW Std	CFR ⁽¹⁾ 46
		Grade 2 439		SCL 78		SDW 26	C33 130
		Grade 3 457		XTC 62		BRC 42	PBG ⁽²⁾ 46
		Grade 4 495				BGL 31	
		Grade 5 512					
		Grade 6 574					
		Grade 7 976					
		Grade 8 634					

(1) **IMPORTANT** – CFR: Footrest will be changed for a footring, chrome finish.

(2) **PBG:** N/A with C33 option.



STACK

SPECIFICATIONS

- All models ship assembled.
- Stacking chairs should be ordered by number of cartons desired.
- Arm to armless chairs will gang.
- Chairs will not stack with optional bookrack and/or with tablet arm.
- P33 option meets Cal-133 compliance. Limited polypropylene (black FS33 only) and upholstery selection.
- C.O.M./C.O.V. available. Please refer to page 82.

POLYPROPYLENE BACK AND SEAT STACK CHAIRS

SAMPLE ORDER: FE02-PC-FS01

FE02




Standard features

Ships 4 per carton
 7/16" solid steel frame
 Polypropylene shell
 Black polypropylene armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 1/2	445	Overall width	22	559
Seat depth	17 1/4	438	Overall depth	22 1/2	572
Back height	13 1/2	343	Width between arms	19 3/4	492
Back width	17 1/2	445			

Model	Frame	Polypropylene shell color	List (\$)	Other options (\$)
FE02	E3 Black	FS01 White	202 x 4 = 808	DP 21/chair
	PC Polished Chrome	FS03 Black		SP 42/chair
		FS04 Navy		P33 ⁽²⁾ 45/chair
		FS06 Red		
		FS08 Yellow		
		FS14 Gray		
		FS15 Orange		
		FS21 Green		
		FS27 Blue		
		FS33 Black Cal-133 ⁽¹⁾		

FE01



Standard features

Ships 4 per carton
 7/16" solid steel frame
 Polypropylene shell

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 1/2	445	Overall width	17 1/2	445
Seat depth	17 1/4	438	Overall depth	22 1/2	572
Back height	13 1/2	343			
Back width	17 1/2	445			

Model	Frame	Polypropylene shell color	List (\$)	Other options (\$)
FE01	E3 Black	FS01 White	142 x 4 = 568	DP 21/chair
	PC Polished Chrome	FS03 Black		SP 42/chair
		FS04 Navy		P33 ⁽²⁾ 45/chair
		FS06 Red		
		FS08 Yellow		
		FS14 Gray		
		FS15 Orange		
		FS21 Green		
		FS27 Blue		
		FS33 Black Cal-133 ⁽¹⁾		

(1) FS33: Requires P33 option.

(2) P33: FS33 only.

FE04



Standard features

Ships 2 per carton
 7/16" solid steel frame
 Polypropylene shell
 Black polypropylene armrests

Dimensions

	(in)	(mm)
Seat height	17	432
Seat width	17 1/2	445
Seat depth	17 1/4	438
Back height	13 1/2	343
Back width	17 1/2	445

Dimensions

	(in)	(mm)
Overall height	31	787
Overall width	22	559
Overall depth	22 1/2	572
Width between arms	19 3/4	492

Model	Frame	Polypropylene shell color	Upholstery / List (\$)	Other options (\$)
FE04	E3 Black PC Polished chrome	FS01 White	Grade 1 290 x 2 = 580	SP 42/chair
		FS03 Black	Grade 2 309 x 2 = 618	P33 ⁽²⁾ 45/chair
		FS04 Navy	Grade 3 332 x 2 = 664	
		FS06 Red	Grade 4 359 x 2 = 718	
		FS08 Yellow	Grade 5 387 x 2 = 774	
		FS14 Gray	Grade 6 449 x 2 = 898	
		FS15 Orange	Grade 7 859 x 2 = 1,718	
		FS21 Green	Grade 8 512 x 2 = 1,024	
		FS27 Blue		
		FS33 Black Cal-133 ⁽¹⁾		

FE03



Standard features

Ships 2 per carton
 7/16" solid steel frame
 Polypropylene shell

Dimensions

	(in)	(mm)
Seat height	17	432
Seat width	17 1/2	445
Seat depth	17 1/4	438
Back height	13 1/2	343
Back width	17 1/2	445

Dimensions

	(in)	(mm)
Overall height	31	787
Overall width	17 1/2	445
Overall depth	22 1/2	572

Model	Frame	Polypropylene shell color	Upholstery / List (\$)	Other options (\$)
FE03	E3 Black PC Polished chrome	FS01 White	Grade 1 231 x 2 = 462	SP 42/chair
		FS03 Black	Grade 2 249 x 2 = 498	P33 ⁽²⁾ 45/chair
		FS04 Navy	Grade 3 271 x 2 = 542	
		FS06 Red	Grade 4 300 x 2 = 600	
		FS08 Yellow	Grade 5 327 x 2 = 654	
		FS14 Gray	Grade 6 390 x 2 = 780	
		FS15 Orange	Grade 7 800 x 2 = 1,600	
		FS21 Green	Grade 8 452 x 2 = 904	
		FS27 Blue		
		FS33 Black Cal-133 ⁽¹⁾		

POLYPROPYLENE BACK / UPHOLSTERED SEAT STACK CHAIRS

SAMPLE ORDER: FE06-E3-FS14-SD08

FE06



Standard features

Ships 2 per carton
 7/16" solid steel frame
 Polypropylene shell
 Polypropylene armrests

Dimensions

	(in)	(mm)
Seat height	17	432
Seat width	17 1/2	445
Seat depth	17 1/4	438
Back height	13 1/2	343
Back width	17 1/2	445


Dimensions

	(in)	(mm)
Overall height	31	787
Overall width	22	559
Overall depth	22 1/2	572
Width between arms	19 3/4	492

Model	Frame	Polypropylene shell color	Upholstery / List (\$)	Other options (\$)
FE06	E3 Black PC Polished chrome	FS01 White	Grade 1 262 x 2 = 524	SP 42/chair
		FS03 Black	Grade 2 280 x 2 = 560	P33 ⁽²⁾ 45/chair
		FS04 Navy	Grade 3 303 x 2 = 606	
		FS06 Red	Grade 4 331 x 2 = 662	
		FS08 Yellow	Grade 5 358 x 2 = 716	
		FS14 Gray	Grade 6 421 x 2 = 842	
		FS15 Orange	Grade 7 831 x 2 = 1,662	
		FS21 Green	Grade 8 483 x 2 = 966	
		FS27 Blue		
		FS33 Black Cal-133 ⁽¹⁾		

(1) FS33: Requires P33 option.

(2) P33: FS33 only.

FE05**Standard features**

Ships 2 per carton
 $\frac{7}{16}$ " solid steel frame
 Polypropylene shell

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 ½	445	Overall width	22	559
Seat depth	17 ¼	438	Overall depth	22 ½	572
Back height	13 ½	343			
Back width	17 ½	445			

Model	Frame	Polypropylene shell color	Upholstery / List (\$)	Other options (\$)
FE05	E3 Black PC Polished chrome	FS01 White	Grade 1 202 x 2 = 404	SP 42/chair
		FS03 Black	Grade 2 220 x 2 = 440	P33 ⁽²⁾ 45/chair
		FS04 Navy	Grade 3 243 x 2 = 486	
		FS06 Red	Grade 4 270 x 2 = 540	
		FS08 Yellow	Grade 5 298 x 2 = 596	
		FS14 Gray	Grade 6 362 x 2 = 724	
		FS15 Orange	Grade 7 771 x 2 = 1,542	
		FS21 Green	Grade 8 423 x 2 = 846	
		FS27 Blue		
		FS33 Black Cal-133 ⁽¹⁾		

ACCESSORIES**FEDY****Standard features**

Stacking dolly, black only
 Enamel steel frame
 To stack **40 FE01** or **40 FE02**
 models only

Dimensions	(in)	(mm)	Overall dimensions of dolly with 40 chairs	(in)	(mm)
Overall width	23 ½	597	Total height	69	1753
Overall depth	28 ½	724	Total width	24	610
			Total depth	38	965


Model	List (\$)
FEDY	574

UPFEDY**Standard features**

Stacking dolly, black only
 Enamel steel frame
 To stack **22 FE03, FE04, FE05,**
 or **FE06** models

Dimensions	(in)	(mm)	Overall dimensions of dolly with 22 chairs	(in)	(mm)
Overall width	21 ¼	540	Total height	66	1676
Overall depth	28 ½	724	Total width	21 ¼	540
			Total depth	34	864

Model	List (\$)
UPFEDY	574

FEBR**Standard features**

Chrome bookrack
 Field installation
 Bookrack snaps on and off
 Does not allow permanent attachment


Model	List (\$)
FEBR	84

(1) **FS33**: Requires P33 option.

(2) **P33**: FS33 only.

ACCESSORIES

FETL



Standard features

Tablet arm (left) For FE01, FE03 and FE05 only
 Field installation
 Chrome frame with black writing surface
 Tablet arm flips up but does not articulate

Dimensions

(in)

(mm)

Tablet width 10 ½ 267
 Overall width 11 ½ 292
 Overall depth 20 ½ 521


Model

FETL

List (\$)

166

FETR



Standard features

Tablet arm (right) For FE01, FE03 and FE05 only
 Field installation
 Chrome frame with black writing surface
 Tablet arm flips up but does not articulate

Dimensions

(in)

(mm)

Tablet width 10 ½ 267
 Overall width 11 ½ 292
 Overall depth 20 ½ 521


Model

FETR

List (\$)

166

FEGANG



Standard features

Ganging kit
 Field installation
 Gangs 2 chairs without arms together. Arm to armless models will gang together
 Chair with a tablet arm adjacent to another tablet arm cannot be ganged together

Model

FEGANG

List (\$)

23



GUEST

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS

SAMPLE ORDER: 7732-E3-AE21-AE21-SP

7732



Standard features

Ships 4 per carton
Fully upholstered back panel
7/8", 16-gauge, round steel tubing
Metal floor glides
Injection-molded arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 1/2	445	Overall height	31	787
Seat width	18	457	Overall width	23 3/4	603
Seat depth	17 1/2	445	Overall depth	21	533
Back height	14 1/2	368	Width between arms	20 3/4	527
Back width	17 1/2	445			

Model	Frame	Upholstery / List (\$)	Other options (\$)
7732	E3 Black	Grade 1 321 x 4 = 1,284	QP Std
		Grade 2 330 x 4 = 1,320	DP 21/chair
		Grade 3 342 x 4 = 1,368	SP 42/chair
		Grade 4 369 x 4 = 1,476	
		Grade 5 381 x 4 = 1,524	
		Grade 6 415 x 4 = 1,660	
		Grade 7 675 x 4 = 2,700	
		Grade 8 449 x 4 = 1,796	

7731



Standard features

Ships 4 per carton
Fully upholstered back panel
7/8", 16-gauge, round steel tubing
Metal floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 1/2	445	Overall height	31	787
Seat width	18	457	Overall width	20	508
Seat depth	17 1/2	445	Overall depth	21	533
Back height	14 1/2	368			
Back width	17 1/2	445			

Model	Frame	Upholstery / List (\$)	Other options (\$)
7731	E3 Black	Grade 1 298 x 4 = 1,192	QP Std
		Grade 2 307 x 4 = 1,228	DP 21/chair
		Grade 3 319 x 4 = 1,276	SP 42/chair
		Grade 4 346 x 4 = 1,384	
		Grade 5 358 x 4 = 1,432	
		Grade 6 392 x 4 = 1,568	
		Grade 7 652 x 4 = 2,608	
		Grade 8 426 x 4 = 1,704	

77DY



Standard features

Stacking dolly, to stack 6 chairs

Dimensions	(in)	(mm)	Overall dimensions of dolly with 6 chairs	(in)	(mm)
Overall height	40	1016	Total height	53	1347
Overall width	29	737	Total width	29	737
Overall depth	33	838	Total depth	36	915

Model	List (\$)
77DY	691

C.O.M./C.O.V. Policy

Fabric approval

All C.O.M./C.O.V. materials must be approved for use by Groupe Lacasse/ United Chair manufacturing facilities. In order to determine pre-approval, please contact the C.O.M./C.O.V. coordinator at 1-888-522-2773.

To solicit approval, 2 samples (minimum of 8" x 8") need to be forwarded along with the material's specifications to a United Chair manufacturing facility to the attention of the C.O.M./C.O.V. coordinator; our Customer Service representative will direct you with shipping information. If California # 117 compliant, the certification must accompany the material. Please ensure that the custom fabric form is completely filled out and sent to the C.O.M./C.O.V. coordinator or the test cannot be processed. The ORIENTATION section is especially important; if it fails to be completed the material will be applied as it comes off the roll.

Once the C.O.M./C.O.V. material has been tested, you will be contacted by the C.O.M./C.O.V. coordinator with the results. Upon approval, you will be directed as to any additional yardage requirements beyond the published C.O.M./C.O.V. yardage. To determine amount of upholstery needed, please refer to the C.O.M./C.O.V. designation (model specific) in the product description section of the website (www.groupe-lacasse.com). Yardage is based on 54" width roll. **Some directional or patterned material may require additional yardage.**

All materials are to be received from the vendor clearly marked with your purchase order number, VENDOR-PATTERN-COLOR and yardage. There should not be more than one piece per roll. Back orders or partial shipments will not be accepted. Rolls must not exceed 50 lbs. All C.O.M./C.O.V. material must be shipped prepaid to our manufacturing facilities. **DO NOT** ship C.O.M./C.O.V. material without positive test results.

Once approved, please forward your purchase order to the C.O.M./C.O.V. coordinator (fax #: 1-888-248-1865) and the upholstery to the specified address. Surplus material, unused material or material that cannot be identified will be discarded after 60 days. C.O.M./C.O.V. upholstery is subject to final approval upon arrival. It is the responsibility of the customer or customer's vendor to inspect material for bias and/or flaws prior to shipment to Groupe Lacasse / United Chair.

Disclaimer

The Seller reserves the right to approve all C.O.M./C.O.V. prior to acceptance. Even after preliminary approval, the Seller reserves the right to reject C.O.M./C.O.V. if tests or early production results indicate the material will not meet the Seller's quality standards or excessive unforeseen costs will be incurred. For accepted C.O.M./C.O.V., the Seller assumes no responsibility for its appearance, quality, durability, colorfastness or any other attributes after application to a United Chair product. The Seller will determine any additional yardage, labor charges or surcharges that may be required as a condition of C.O.M./C.O.V. acceptance.

Purchase orders will not be processed until material has been approved and production cannot be scheduled until upholstery has been received. Upon completing these steps, your ship date will be determined. The Seller may split an order at the customer's request and may be subject to a minimum order charge.

The Seller is not responsible for excess C.O.M./C.O.V. from completed orders unless express agreement has been reached in advance. The customer is responsible for the return of any excess material. C.O.M./C.O.V. orders may not be changed or cancelled after acknowledgement.

Please consult the C.O.M./C.O.V. coordinator (1-888-522-2773) with any questions regarding this process.

Pricing

C.O.M. (FABRIC): is priced at Grade 2.

C.O.V. (VINYL): is priced at Grade 3.

For internal use only

Tracking #

Date



Custom Fabric Form

All information below needs to be supplied in order to process your request and two test swatches (minimum 8" x 8") must be sent. Additional material may be requested. Please include this form and a Cal-117 certification (if applicable) to all test requests. If fabric is reversible, please indicate up side with a color swatch. Remember that fabric **(C.O.M.) is priced at grade 2 and vinyl (C.O.V.) is priced at grade 3**. Contact the C.O.M. coordinator with any questions.

Please fax this form to United Chair C.O.M./C.O.V. coordinator at 1-888-248-1865. (Send only if testing is required)

General information

Date of request	Bill to address
Customer name	
Contact person	
Phone #	
E-mail address	

Textile information

Test #	Results		Supplier	Pattern name	Pattern #	Color
	Passed	Failed				
1.						
2.						
3.						
4.						
5.						

For internal use only

	Please check		Orientation		Reversible fabric?		Is fabric Cal-117?		Backer type
	Fabric	Vinyl	Off the roll	Railroaded	Yes	No	Yes	No	(If applicable)
1.									
2.									
3.									
4.									
5.									

Other comments

Terms and Conditions

Order placement

Groupe Lacasse LLC requires that all orders must be submitted in writing as represented by a valid purchase order on company letterhead, which includes the total list and net dollars. This is to ensure that orders are complete, to avoid errors, and to avoid duplication. Please order product by number in order to avoid any possible error. Telephone orders will not be processed for production without proper written confirmation. Groupe Lacasse LLC will not be responsible for errors, omissions and order duplication due to non-compliance with this procedure.

Ordering information

The following information is required to process an order:

Customer information

Sold/Ship to address
Purchase order number
Authorized signature
Contact name and phone
Consignee contact name and phone
Tagging instructions
Bid/Quote # if applicable
Product pricing (list/net)
Order total (list/net)
Preferred delivered date
(Specific delivery date not guaranteed)

Product information

Quantity
Product numbers including options
Fabric and colors (all surfaces)

Order changes

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by our Customer Service before production rescheduling.

Order cancellations

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise.

Order acknowledgment

Orders will be acknowledged by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number.

Returns

Products are made-to-order and may not be cancelled or returned. For warranty issues, please contact Customer Service. The Seller reserves the right to recall any defective items for evaluation.

Surcharges

Expedited Transportation

No shipments have guaranteed delivery time and/or date. Time-sensitive deliveries that require expedited carrier service will result in additional charges that will be passed on to the consignee (dealer).

Prices

All prices listed are suggested retail prices, F.O.B. our factory, St-Pie, Quebec, Canada. Orders are accepted subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment.

Chargeable Parts Orders

Contact customer service for availability. Orders under \$10 are subject to a \$15 minimum parts order charge. The small order charge does not apply to replacement parts orders. Service parts prices are subject to change without notice or approval. A \$15 NET freight charge will be applied on all chargeable part orders, outside US.

Price list dated January 2016 supersedes all other published price lists.

Prices shown in price book have priority to electronic catalog contents.

Terms

Terms of sale are net 30 days to firms who have established satisfactory credit; otherwise we reserve the right to request cash in advance. Interest on past due accounts shall be 2% per month (24% per year). Should the Buyer fail to fulfill the above-mentioned terms of payment, Groupe Lacasse LLC reserves the right to defer further shipments until the Buyer has satisfied all solvency criteria and terms of payment as determined by Groupe Lacasse LLC. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the Seller's property until paid for in full. The Buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full.

Credit

Credit may be established for sales on open account by submitting satisfactory references. A line of credit will be set by our credit department. We may change or cancel credit terms at our discretion and request advance payment at our option. A delay in providing credit information may delay order entry and the shipping date of an order. The Seller reserves the right to delay or cancel any shipment to a customer whose account balance is over the credit limit and/or past due. We do not ship C.O.D. Inactive account of more than one (1) year will result in a reevaluation of the account.

Applicable prices

List prices and discounts are subject to change without notice or approval. Applicable prices are those in effect at the time of the receipt of an order; we reserve the right to use the published list prices effective at the time of shipment if the requested ship date is more than 90 days after the order receipt date. Prices shown in price book have priority to electronic catalog contents.

Services

List prices apply to products only. If, as a result of customer request, the dealer or authorized representative provides planning/design services, storage, special handling, set-up, or installation, the customer will be charged at the local dealer or authorized representative's standard rate.

Quotations

Quotations are valid for a period of thirty (30) days.

Changes

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. The right is reserved to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

Delivery

The scheduled delivery week is specified on our acknowledgment. Groupe Lacasse LLC is not liable for delay or failure to deliver goods due to causes beyond its control. Groupe Lacasse LLC will only make on site deliveries for a full truckload (2,400 cubic feet). An unloading dock must be available to accommodate 53 feet trailers and address is subject to approval. Unloading at destination is the responsibility of the purchaser. Our standard carriers do not have liftgates. Request for liftgates can often be accommodated but will result in extra fees.

Time sensitive deliveries that require expedited carrier service will result in additional charges that will be passed onto the consignee (dealer).

Under no circumstance will Groupe Lacasse deliver goods in a residential area. Groupe Lacasse cannot accommodate inside deliveries.


Ship dates and delays

If the Seller cannot ship products due to causes beyond its reasonable control (such as casualty, acts of nature, labor disputes, or accident; inability to obtain necessary labor, material or transportation; changes requested by the customer), the ship date will be extended to compensate for the delay as determined by the Seller.

Routing

Unless otherwise specified by the buyer and agreed to by Groupe Lacasse LLC, the latter reserves the right to select the route, method of shipment and carrier. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect.

Transportation policy



"Zone 0" shipments are FCA plant.

"Zone 1", "Zone 2", "Zone 3", "Zone 4" and "Zone 5" pricing includes freight cost to your geographical location.

On orders less than \$2,000 net (regardless of brand and/or shipping point) we will add a \$50 small order fee in "Zone 1". For "Zone 2", "Zone 3", "Zone 4" and "Zone 5", the small order fee is \$100.

Orders under **\$25 net** are subject to a \$20 small order fee (instead of 50\$ or 100\$) regardless of the shipping zone.

Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders.

Storage

In the event the purchaser request postponement of shipment beyond the scheduled shipping week after the goods have become work in process, or are ready to be shipped, Groupe Lacasse LLC can take arrangements to store the goods but at the purchaser's risk and expense. Such transfer to storage shall be deemed delivery to purchaser for all purposes including invoicing and payment.

Freight claims

All FCA destination claims will be handled and filed by the Seller. In order to expedite any credit due, your help and assistance is required. Please adhere to the following guidelines.

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made to Groupe Lacasse LLC as follows:

A. Concealed loss or damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, a written request must be made to Groupe Lacasse Customer Service within 15 days of the receiving date. No disposition will be taken until approved by the manufacturer.

IMPORTANT: Groupe Lacasse's policy in concealed damage is to replace the part or complete product if necessary at no charge to the dealer. However, it is the responsibility of the dealer to provide installation of the replaced part or complete product. Therefore, no labor fees will be accepted on concealed damages.

B. Visible damage or shortage

Any external evidence of damage or shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in refusing to honor a damage claim. When damage or shortage is discovered, a written request must be made to Groupe Lacasse Customer Service within 5 days of the receiving date.

For claims, please contact **Groupe Lacasse Customer Service** by phone at **1-888-522-2773** or by fax at **1-888-248-1865**.

Product

A. Use and installation of products

The Seller recommends that its products be installed according to its written installation procedures. The customer agrees to use the Seller's products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by the Seller and to instruct employees as to the proper care and use of the products according to printed instructions. Installers can be contracted through one of the Seller's dealer or affiliate on a separately negotiated basis.

B. Service

Service requests for design, installation, relocation, storage, trade-in, etc. are handled by the local authorized dealer. Contact the local authorized dealer for more details.

C. California Bulletins #117 and #133 (Seating)

Many models in this price list can be made to comply with State of California Technical Bulletin #133. The standard fire-retardant foam supplied meets the specification of State of California Technical Bulletin #117. Consult Customer Service for the latest models and upcharges.

D. Design

We reserve the right to make changes in product offering, design and materials as well as discontinuance of parts and units when such action is deemed to be an improvement in design or function.

Control Features Matrix

		1) 360-degree swivel	2) Back angle	3) Back depth adjustment	4) Back height adjustment	5) Forward seat tilt	6) High-performance control	7) Independently adjustable back and seat angle	8) Knee-tilt control	9) Lumbar adjustment	10) Pneumatic seat height	11) Sliding seat pan	12) Swivel-tilt control	13) Synchronous control	14) Tilt lock	15) Tilt tension
A-SERIES	ALL	X	X		X	X	X				X	X			Infinite	X
AFFINITY	VC13-12	X								X	X	X		X	Upright	X
	VC52-51	X								X	X	X		X	Upright	X
ASSANTE	ALL	X	X		X	X	X				X				Infinite	X
ATTO	ALL	X							X		X				4-position	X
BRYLEE	BR16-15	X									X			X	2-position	X
	BR11-10	X									X			X	2-position	X
	BR51-52	X									X			X	2-position	X
EQÜS	EQ16-15	X	X		X	X	X				X	X			Infinite	X
EXPRESSION	M11-10	X			X						X	X		X	4-position	X
	M52-51	X			X						X	X		X	4-position	X
FORTUNE	FN16-11	X			X						X		X		X	X
	FNM16-11	X	X		X						X		X		X	X
	FNX16-11	X			X	X	X	X			X	Opt.			Infinite	X
FREESTYLE	FS11-10	X									X			X	5-position	X
ONYX	ON16-15	X			X	X					X	X		X	4-position	X
PAPILLON	PP14	X									X		X		Upright	X
	PP12	X									X		X		Upright	X
	PP4	X									X		X		Upright	X
RADAR	RD16-15	X			X			X			X	Opt.	X		Infinite	X
	RD11-10	X	X		X						X		X		X	X
	RD6-5	X									X		X		X	X
	RD52-51	X		X							X					
SAGGIO	ALL	X			X						X	X		X	4-position	X
SAVVY	SVX16-15	X				X	X	X		X	X	Opt.	X		Infinite	X
	SVX11-10	X				X	X	X		X	X	Opt.	X		Infinite	X
	SV16-15	X	X							X	X		X		X	X
	SV11-10	X	X							X	X		X		X	X
	SV6-5	X	X							X	X		X		X	X
	SV24-23	X				X			X	X	X				5-position	X
	SV26-25	X				X			X	X	X				5-position	X
	SV52-51	X								X	X					
SENSATO	V216-215	X								X	X	X		X	Infinite	X
	V211-210	X								X	X	X		X	Infinite	X
	V214	X									X					
	V252-251	X									X					
VENUS	ALL	X									X		X		Upright	X
ZING	ZP11-10	X			X						X		X		X	X
	ZP6-5	X		X	X						X		X		X	X
	ZP2-1	X		X							X					
	ZPX11-10	X			X		X	X			X	Opt.			Infinite	X
	ZP52-51	X		X	X						X					
90'S	NSX11-10	X			X		X	X			X	Opt.			Infinite	X
	NS2-1	X		X	X						X					
	NS52-51	X		X	X						X					

Control Features & Benefits


You spend a lot of time sitting in your chair, so why not make it as comfortable as possible?

Our seating solutions are designed to give you the support you need to be more productive... and to feel great hour after hour!



1. 360-Degree Swivel

Seat of chair rotates through 360° allowing access to desired areas within reach. Helps avoid twisting of torso.



2. Back Angle

Allows the user to select a back angle and lock it into a desired position. Helps reduce disc pressure and relaxes back muscles.



3. Back Depth Adjustment

Change the depth of the seat by adjusting the back in or out. Helps accommodate user's build, enhances comfort.



4. Back Height Adjustment

Adjust the back up and down for proper positioning of the lumbar support. Helps reduce back pain by providing an optimum lumbar support.



5. Forward Seat Tilt

Allows chair to tilt forward, changing the angle of your thighs in relation to the floor. Increases comfort while reducing pressure when doing intensive forward leaning tasks.



6. High-Performance Control

Includes a swivel/tilt with tension control, independently adjustable seat and back angle with infinite lock (any position) and forward pitch control. Enhances comfort and provides optimum supportive working position.



7. Independently Adjustable Seat and Back Angle

Adjust the seat and back angle of the chair independently of each other. For optimum custom fit, helps reduce pressure on the thighs and relaxes back muscles.



8. Knee-Tilt Control

Knee-tilt movement from a pivot point positioned at the front of the seat. Allows the user to fully recline while keeping feet comfortably on the floor. Maintains stability while avoiding pressure under the thighs.



9. Lumbar Adjustment

Allows the user to custom fit the chair by adjusting the lumbar support for optimum comfort.



10. Pneumatic Seat Height

Adjust the seat height up and down to allow your feet to rest flat on the floor. Avoids pressure under the thighs and eases blood circulation.



11. Seat depth adjustment

Change the depth of the seat forward and back or lock in a desired position. Accommodates the length of your thighs and keeps your back in contact with the backrest while avoiding pressure behind your knees.




12. Swivel-Tilt Control

Chair tilts from a pivot point directly above the base center and allows the user to lean back in a seating position.



13. Synchronous Control

Automatically adjust the seat and back angle while maintaining a recline ratio. Provides optimum back support and minimal seat rise. Enhances comfort and encourages dynamic body movement.



14. Tilt Lock

Lock the seat and back in an upright position.

Infinite Tilt Lock

Lock the tilt movement in any position to accommodate the user's working posture. Allows the user to lock the chair in a comfortable working position.



15. Tilt Tension

Allows the user to adjust the resistance with which the chair reclines or tilts. The user can rock the chair comfortably, without heavy pushing, reducing muscle fatigue.

Sample Order:

Model Frame Upholstery 1 Upholstery 2 Cylinder / Control Base Casters Arms Option Option


1. Controls

FP	Synchronous tilt control with forward seat pitch adjustment, 3 lockable positions (<i>Saggio only</i>)	KT	Knee-tilt control	SYN	Synchronous control
		ST	Swivel-tilt control	XCON	Multifunction control
FTL	Synchronous control with forward tilt, 4-position back lock (<i>Onyx only</i>)	STB	Swivel-tilt control with back angle adjustment		
		SW	Swivel only control		


2. Cylinders

CP	Pneumatic seat height cylinder, chrome finish (<i>Atto, Equis, Papillon and Venus only</i>)	SCL	Mid-range pneumatic seat height (20"-27") cylinder
P	Pneumatic seat height cylinder	XTC	Extra-tall pneumatic seat height cylinder (20"-31 ½")


3. Bases




AB
Black nylon angel base




APC
Chrome angel base




CAB
Black cast-aluminum base




NB
Black nylon base




PCB
Polished chrome base



SB
Black steel base with plastic cover




4LB
4-legged base




5LB
5-legged base


4. Casters




BGL
Bell-shaped glides, black




BRC
Braking casters, black



CAS Soft casters for All Purpose Stools, black
HDW Hard dual-wheel casters, black
SDW Soft dual-wheel casters (non-marking), black




For AB base



For APC base

CC Hard dual-wheel casters, chrome
CF Soft dual-wheel casters, chrome



For All Purpose Stools

HRC 2" hard rubber single-wheel casters
SRC 2" soft rubber single-wheel casters

RG3 ¾" chrome glides for All Purpose Stools

6. Other Options

5P	Five pack	CSB	Contrast stitching, black	P33	California 133 compliant (<i>For 4800 Series in black FS33 only</i>)	ULS	Fully upholstered leather back panel for guest and café height models
C1	Seam option #1 (<i>Venus</i>)	CSW	Contrast stitching, white	PBG	Plastic back guard	UP	Fully upholstered back panel
C2	Seam option #2 (<i>Venus</i>)	CX	Convex back shape (<i>Venus</i>)	PC	Polished chrome frame	UPL	Fully upholstered leather back panel
C3	Seam option #3 (<i>Venus</i>)	DO	Straight back shape (<i>Venus</i>)	QP	Quad pack	UPS	Fully upholstered back panel for guest models
C4	Seam option #4 (<i>Venus</i>)	DP	Double pack	SP	Single pack	T	Extra thick seat (<i>Saggio only</i>)
C5	Seam option #5 (<i>Venus</i>)	HH	Handle (<i>Veinure</i>)	SSP	Sliding seat pan	WD	Wood legs (<i>lo</i>)
C33	California 133 compliant	HR	Headrest	TP	Triple pack		
CFR	Polished chrome footring	ML	Metal legs (<i>lo</i>)				


5a. Fixed Arms



For Atto, Eqüs, Venus

BA01


Polished chrome arms with black polyurethane pads



For Eqüs, Venus

BU01


Loop arms



For Venus

BU02


Loop arms



For Affinity, Onyx (except Guest), Saggio, Sensato

FA

Fixed arms



For FreeStyle, Savvy

FLA


Full-loop arms



For Fortune, FreeStyle, Radar, Savvy

HLA


Half-loop arms



For Brylee BR16/15/11/10/52/51

LA/UA/UAL


Loop arms, with upholstered armrests in fabric/vinyl (UA) or leather (UAL)



For Zing, 90'S

PA_

Non-adjustable solid steel arms




For 90'S

UA

Non-adjustable solid steel arms with 9" upholstered armrests


5b. Adjustable Arms



For Assante, Atto, Eqüs, Fortune (except Guest), FreeStyle, Onyx (except Guest), Radar, Savvy, Zing, 90'S

AA_


Height adjustable arms



For Expression

CHW_ (Chrome accent) HW_ (Black)


Height and width adjustable arms



For Expression

CM3D (Chrome accent) M3D (Black)


Height and width adjustable arms with pivoting armrests



For Expression

CM4D (Chrome accent) M4D (Black)


Height and width adjustable arms with pivoting, front-to-back and side-to-side armrests



For Affinity, Saggio

HA


Height adjustable arms



For A-Series, Assante, Eqüs, Expression, Fortune, FreeStyle, Radar, Savvy, Zing, 90'S

HWA_


Height and width adjustable arms



For Onyx (except Guest), Savvy

RPA


Height and width arms with pivoting armrests



For Brylee BR16/15/11/10/52/51

UDA/UDU


Height adjustable arms with 9" armrests (UDU: with upholstered armrests)



For Expression

WA_


Width adjustable arms



For Fortune, FreeStyle, Radar, Savvy, Zing, 90'S

3D_


Height adjustable arms with pivoting armrests



For Saggio, Sensato

4D_

Height adjustable arms with pivoting, front-to-back and side-to-side armrests



For A-Series, Assante, Eqüs

5D

Height and width adjustable arms with pivoting, front-to-back and side-to-side armrests

5c. Armrests (All black)



3/Bead

9" self-skinning polyurethane armrests



4/Rectangular

9" self-skinning polyurethane armrests



5/Cascade

10" PVC skin over polyurethane armrests



7/Curved

9" self-skinning polyurethane armrests



8/Shade

9" self-skinning polyurethane armrests



9/Drop

10" self-skinning polyurethane armrests



U

9" upholstered armrests

Warranty

The following warranty applies to United Chair products manufactured after September 1st, 2014. This warranty is given to the initial buyer and is valid for as long as the product is owned by the original buyer. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of products during the applicable warranty period.

Warranty:

Groupe Lacasse LLC warrants its products, from the date of invoice, to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of delivery being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

Lifetime except those listed below. Weight limit: 310 lbs. (141 kg).

United Chair Products	Applicable Warranty Period
All Purpose Stools	10 years*
4800 Series + related accessories	10 years*
Upholstery	Standard and Graded-in: 5 years*. C.O.M./C.O.V./SPL/Lacasse - To Supply Material Program: Not covered under warranty.
Foam	5 years*
Painted Surfaces	5 years*
Casters/Glides	10 years*
Arm Pads	5 years*
Mechanism	10 years*
Cylinder	10 years*
Savvy 24h	5 years*
All other components	Lifetime
Dollies	10 years*

Labor, delivery charges and service not covered under warranty.

This warranty does not apply to “normal wear and tear”, abuse, damage caused by a carrier, damaged caused by transport of product from one site or location to another and alterations to the product not expressly authorized by the Seller. It also does not apply to “Customer’s Own Material”, “Lacasse – To Supply Material” and “SPL” fabric, (i.e., material specified by the buyer that is not a standard United Chair product offering) used in the manufacture of United Chair products. The Seller does not warrant the matching of color, grain or texture except to within commercially-acceptable standards. For the purposes of warranty claims, upholstery fabrics that have been dropped from United Chair stocked fabric program will be supported for 6 months from the date of discontinuation. For fabrics that are no longer available from the manufacturer, substitute fabrics will be used for warranty claims.

A product will not be considered defective, and it will not be subject to the warranty, if the product is not installed or used as recommended in the Seller’s written planning, installation or user guides. The warranty does not apply to any United Chair seating product that is used by an individual weighing over 310 lbs. (141 kg). Warranty will be void if identification label is removed under the chair or if a proof of purchase cannot be supplied, such as an order number or an invoice.

Except as stated above, the Seller does not make any express or implied warranties as to any product and in particular does not make any warranty of fitness for any particular purpose except for use as standard office furniture. The remedies described above are the buyer’s exclusive remedies for any product defect. The Seller shall not be liable for consequential, economic, indirect, punitive or incidental damages arising from any product defect.

*The applicable warranty period assumes that the product is used an average of not more than 40 hours per week. If a product is used more than this, the applicable warranty period shall be reduced in proportion to the increased usage. For example, if casters are used an average of 50 hours per week, the applicable warranty period for the casters shall be reduced to four years.



united chair[®]

A GROUPE LACASSE BRAND

GROUPE
LACASSE

1 888 522.2773 www.groupelacasse.com