


LACASSE

Office Furniture Solutions




C.I.T.É. > Price Book > June 2015



OFFICE
FURNITURE
SOLUTIONS

TABLE OF CONTENTS

SURFACES: / SINGLE-SIDED, DOUBLE-SIDED, 120° / WITH OR WITHOUT RACEWAY	3	ELECTRICITY	9
STORAGE MODULES: / HUTCHES / BOOKCASES / RAILS	6	EDGEBOARDING	11
BASES: / LATERAL / CENTER	7	C.I.T.É. FURNITURE SYSTEM	12
STORAGE BASE MODULES: / LATERAL / CENTER	8	SUGGESTIONS	29
ACCESSORIES: / PRIVACY, LATERAL AND SPACE END SCREENS / CUSHIONS	9	TERMS AND CONDITIONS OF SALE	31




C.I.T.É. is an office furniture system designed to facilitate collaboration and interaction between users in a teamwork environment. The system offers tremendous flexibility in creating open-plan workstations while also meeting the privacy needs of individual users.

1. 1½"-thick (38 mm) surface with smooth edgebanding or knife-edge, and 1"-thick (25 mm) surface with smooth edgebanding.
2. Bases available in metal, laminate, laminate with acrylic insert and, in certain models, integrated storage modules.
3. Wire management raceways with translucent acrylic (T, Y) covers.
4. Storage base modules can support surfaces and serve as divider panels to ensure privacy between users.
5. Hutches are available in 3 different versions, respectively compatible with single-sided surfaces, double-sided surfaces, and 29"-tall (757 mm) storage modules.
6. Storage modules 29" (757 mm) tall, for individual or shared use, offered in several combinations of utility drawers, filing drawers and open compartments.
7. Storage modules 21" (561 mm) tall, for individual or shared use, offered in several combinations of utility drawers, filing drawers and open compartments.
8. Return surfaces and return surfaces combined with storage modules are compatible with mobile pedestals, modesty panels and end screens.
9. Trapezoidal extension surfaces, compatible with double-sided surfaces and storage bases, enable the creation of collaborative work spaces.
10. Rectangular extension surfaces, compatible with double-sided surfaces, enable the creation of workstations or collaborative work spaces.
11. A range of accessories, such as end screens, divider panels, storage modules, accessory rails, surface electrical modules and cushions for 21"-tall (561 mm) storage modules.


SURFACES: / SINGLE-SIDED - DOUBLE-SIDED - 120°, EXTENSION SURFACES AND RETURN SURFACES

SINGLE-SIDED, DOUBLE-SIDED, 120°, WITH OR WITHOUT RACEWAY


Rectangular surfaces, 1½" (38 mm)




Rectangular surfaces, 1" (25 mm)



120° surfaces, 1½" or 1" (38 mm or 25 mm)



Surfaces without raceway, 1½" or 1" (38 mm or 25 mm)




SINGLE-SIDED, DOUBLE-SIDED OR 120° SURFACES, WITH OR WITHOUT RACEWAY

- Wire management raceways come with acrylic covers.
- For 1 ½"-thick (38 mm) surfaces, a maximum length of 24' (7.2 m) for double-sided surfaces and 16' (4.8 m) for single-sided surfaces is recommended, regardless of the number of sections. For 1"-thick (25 mm) surfaces, a maximum length of 18' (5.4 m) for both double- and single-sided surfaces is recommended, regardless of the number of sections. For all other layout scenarios, please contact Groupe Lacasse's Quotations department.


- Surfaces that include a wire management raceway are equipped with communication plates: 2 for double-sided surfaces, 1 for single-sided surfaces, and 3 for 120° surfaces.
- Surfaces without a raceway are available when projected use does not require the integration of an electrical management system into the surface. This can result in more competitively priced workstations.
- Additional plates (LGC-COM) may be ordered.

Examples of workstations:





SURFACES WITH KNIFE-EDGE:


Continuous knife-edge for connecting two surfaces:




Flat edgebanding along surface edges:

**LOCATION OF KNIFE-EDGE DETAILING:****Double-sided surfaces:**


C_KNS-RCD_____




C_KNS-RCD_____RA




C_KNS-RCD_____A




C_KNS-RCD_____B




C_KNS-RCD_____RC




C_KNS-RCD_____C

Single-sided surfaces:


C_KNS-RCS_____




C_KNS-RCS_____RAL




C_KNS-RCS_____RAR




C_KNS-RCS_____A

Return surfaces:


C_KN-R_____A




C_KNN-R_____S




C_K_-R_____ELUF
 C_K_-R_____ELF
 C_K_-R_____UF




C_K_-R_____48ELUF
 C_K_-R_____48ELF
 C_K_-R_____48UF



C_K_-R_____61ELUF
 C_K_-R_____61ELF
 C_K_-R_____61UF

Extension surfaces:

C_KN-CEA_____










C_KN-CE_____

Surfaces with knife-edge are compatible with all bases. Laminate bases with knife-edge are available with integrated surfaces that also have knife-edge (e.g.: C_KNS-RCD_____RA).

Extension surfaces enable knife-edges on all edges visible along a workstation's contour.

EXTENSION SURFACES


Compatibility of extension surfaces:	Surface	Center panel base	Storage center base module	Storage center base module	Credenza 29 $\frac{7}{8}$ " (757 mm)
Trapezoidal extension  C_NN_CEA____	 C_NNS-RCD____ CNNNS-LED____	 CNNNS-LED9042 CNNNS-LED8442	 C_N_-PRCT_48_UF C_N_-PRCT_48_EFF C_N_-PRCT_48_FM	 C_N_-CRC_41_EUF C_N_-CRC_41_EFF	 C_N_-LUF____LUF C_N_-LF____LF C_N_N-S____S C_N_-____LUF C_N_-____LF C_N_N-____S
Rectangular extension  C_NN_CE____	Surface  C_NNS-RCD____	TRAPEZOIDAL AND RECTANGULAR EXTENSIONS: - Compatible with all double-sided surfaces. - Enable the creation of a conference table or a meeting space, at one end of a work surface. - Base included. - Trapezoidal extension surfaces are also compatible with 41"-tall (1042 mm) center panel bases for double-sided surfaces; storage center bases for double-sided surfaces; and 29"-tall (757 mm) credenzas.			

RETURN SURFACES

Return surfaces




29 $\frac{7}{8}$ " H
(757 mm)
C_NN_R____A




29 $\frac{7}{8}$ " H
(757 mm)
C_NNN-R____S


Combination return surface and storage module



29 $\frac{7}{8}$ " H
(757 mm)
C_N_-R____ELUF
C_N_-R____ELF
C_N_-R____UF




48" H
(1207 mm)
C_NN_R____48ELUF
C_NN_R____48ELF
C_NN_R____48UF



61" H
(1557 mm)
C_NN_R____61ELUF
C_NN_R____61ELF
C_NN_R____61UF


Surfaces 1 $\frac{1}{2}$ "-thick (38 mm) with smooth edgebanding or knife-edge, and surfaces 1" (25 mm) thick with smooth edgebanding.

Examples of workstations:




This type of return surface can be combined with 29" (757 mm) storage modules, as well as with hutches, to create 61"-tall (1557 mm) partitions for dividing an open space into several distinct areas.

- Can receive a mobile pedestal.
- C_NNN-R____S and C_KNN-R____S return surfaces integrating a laminate base are equipped with a 6"-tall (150 mm) reversible modesty panel.



DRAWERS
OPEN AT THE END
C_N_-R____ELUF
C_N_-R____ELF








DRAWERS
OPEN ON THE SIDE
C_N_-R____UF

Return surfaces that combine a surface and a storage module are available with drawers located at the end of the surface, that open toward the end or onto the side.

- Return surfaces that combine a surface and a storage module are available in heights of 29" (757 mm), 48" (1207 mm) or 61" (1557 mm).


STORAGE MODULES: / HUTCHES / BOOKCASES / RAILS

HUTCHES				
Hutch models	Open	Sliding door(s)	Divider	Flip-up door(s)
Double-sided surfaces				
Single-sided surfaces				
29 7⁄8" (757 mm) storage modules				

- Mid-rise back available in translucent acrylic (T, Y), except for divider hutches.
- A divider hutch can hold a tackboard.
- 32" (800 mm) tall.

Example of proper hutch positioning:


One side of the hutch must rest on either end of the surface.




SURFACE STORAGE MODULES

- Made of 5⁄8" (16 mm) laminate. Legs made of anodized aluminum, 4" (100 mm) tall.
- Laminate back, in translucent acrylic (T, Y) or in a whiteboard version for erasable markers. Can hold a tackboard.
- Enable a space to be divided up, and are designed to be placed above the wire management raceway.
- Height: 11" (285 mm), 18" (450 mm), 24" (610 mm) or 30" (762 mm).

Models:




Choice of back:



LAMINATE WHITEBOARD ACRYLIC


SURFACE COUNTERS

- Surface counter installs at the end or at the center of a double-sided surface.
- Counter height enables a space to be divided up and the creation of areas suitable for quick meetings.
- Made of 1"-thick (25 mm) laminate.
- Back made of translucent acrylic (T, Y) held by metal ties, Silver color (ARS).
- Height: 11" (285 mm) or 18" (450 mm).



ACCESSORY RAILS










- Accessory rails are available in single- or double-sided versions.
- Compatible with metal accessories.
- Enable the space between two workstations to be divided up.
- Designed to be positioned above the wire management raceway.
- Made of laminate, with aluminum rail and Silver finish.
- Height: 11" (285 mm).



SINGLE-SIDED DOUBLE-SIDED

BASES: LATERAL / CENTER

LATERAL BASES

Compatibility of lateral bases:		Montréal* Metal	Chicago** Metal	New York*** Acrylic / Laminate	Panel Laminate	Storage module panel Laminate	Storage module Laminate
Double-sided surface	C_NNS-RCD_ _ _ _ _ 	CNNN_-ABD_ _ 	CNNN_-QBD_ _ 	CNNNS-CBD_ _ _ _ 	CNNNS-LED_ _28 CNNNS-LED_ _41 	CNNNS-LED_ _06 CNNNS-LED_ _19 	C_N_S_N-EXR_ _29_ _ C_N_S_N-EXR_ _41_ _ 
120° surface	C_NNS-TCAD_ _ _ _ _ 	CNNN_-ABD_ _ 	CNNN_-QBD_ _ 	CNNNS-CBD_ _ _ _ 	CNNNS-LED_ _28 	CNNNS-LED_ _06 	C_N_S-EXR_ _29_ _ C_N_S-EXR_ _41_ _ 
Single-sided surface	C_NNS-RCS_ _ _ _ _ 	CNNN_-ABS30_ _ 	CNNN_-QBS30_ _ 	CNNNS-CBS_30_ _ 	CNNNS-LES_ _28 CNNNS-LES_ _41 		
Return surfaces	C_NN_-R_ _ _ _ _ 	CNNN_-AB_ _ _ 					

Montréal* and Chicago metal bases:**

- Available with Silver (S) or White (W) finish.
- 1 base required for each end of a table.
- Reversible for double-sided surfaces.
- Montréal base for single-sided surfaces is available in Left (L) or Right (R) models.






New York* translucent acrylic base:**

- 1½"-thick (38 mm) laminate contour.
- Choice of translucent acrylic insert (T, Y).
- Also available with laminate insert.
- 5/16" (8 mm) spacers.
- 6"-wide (150 mm) laminate contour.
- 1 base required for each end of a table.
- Reversible.

Laminate panel bases:

- 1½"-thick (38 mm) laminate panel.
- 5/16" (8 mm) spacers.
- Cantilevers included with lateral panel bases.
- 1 base required for each end of a table.
- Panel bases on storage modules must entirely rest on a 21" (561 mm) storage module.
- Reversible for double-sided surfaces.

CENTER BASES

Compatibility of center bases:		Wire management Laminate	Panel Laminate	Panel on storage module Laminate
Double-sided surface	C_NNS-RCD_ _ _ _ _ 	CNNNS-LBD1212WM 	CNNNS-LCD2828 CNNNS-LCD_ _41 	CNNNS-LCD2806 CNNNS-LCD_ _19 
Single-sided surface	C_NNS-RCS_ _ _ _ _ 	CNNNS-LBS912WM 	CNNNS-LCS1728 CNNNS-LCS4641 	








Center bases:

- Center panel base version with minimum 13" (330 mm) clearance on either side for legs. Cantilevers and connecting plates included.
- Wire management base in laminate; simple- or double-sided. Cantilevers included.

STORAGE BASE MODULES: / LATERAL / CENTER / OTHER LOW STORAGE MODULES


STORAGE BASE MODULES

Compatibility of storage base modules:

	Surface		2 surfaces	Surface and extension
Lateral:				
C_N__-PRET____		Center :		
				
C_N__-CRE____		C_N__-PRCT____		
				
		C_N__-CRC____		

- C_N__-PRET____ and C_N__-PRCT____ products are available in 2 versions: with drawers opening at the end of the module or with drawers opening on the side of the module.

Examples of workstations:




Specifications:

Storage bases serve to support double-sided surfaces, divide a space between users, and make possible several storage combinations. Center models are used at the junction of two surface sections, while lateral models complete a workstation at the end of a bench run.


- Mid-rise back available in translucent acrylic (T, Y) for C_N__-PRET____ and C_N__-PRCT____ products.
- Cantilevers are included with all storage bases.
- Center models are also compatible with trapezoidal extension surfaces in order to create an area conducive to meetings.

- C_N__-CRE____ and C_N__-CRC____ products are equipped with a wire management raceway that enables electric cables to be run from the floor to the surface.

STORAGE MODULE

STORAGE UNIT 29 $\frac{7}{8}$ " (757 mm) OR
STORAGE UNIT 29 $\frac{3}{8}$ " (745 mm):

Storage module 21" (561 mm) :




STORAGE MODULES:

- Top thickness: 1 $\frac{1}{2}$ " (38 mm) or 1" (25 mm).
- Several drawer configurations available.
- Individual- or shared-use modules.
- Height: 21" (561 mm), 29 $\frac{7}{8}$ " (757 mm) or 29 $\frac{3}{8}$ " (745 mm).
- 29 $\frac{7}{8}$ "- (757 mm) or 29 $\frac{3}{8}$ "-tall (745 mm) storage modules may be joined to a double-sided surface, resting on the module back, using a set of surface support ties for storage modules (CNNNS-SURFCON). This set of supports must be ordered separately.

STORAGE MODULE 29 $\frac{7}{8}$ " (757 mm) OR 29 $\frac{3}{8}$ " (745 mm) ATTACHED TO A DOUBLE-SIDED SURFACE,
USING A SET OF SURFACE SUPPORT TIES FOR STORAGE MODULES (CNNNS-SURFCON):


Example of a workstation:




ACCESSORIES: / PRIVACY, LATERAL AND SPACE END SCREENS / CUSHIONS

PRIVACY AND LATERAL SCREENS


- Lateral and center dividing screens are available in 1/4"-thick (6 mm) acrylic, in 3/8"-thick (10 mm) fabric or in 1/2"-thick (12 mm) felt to establish individual work spaces.
- Choice of colors for translucent acrylic, United Chair® fabrics, and felt.
- Height: 11" (285 mm) or 18" (450 mm).



DIVIDERS




LATERAL




PRIVACY, LATERAL AND SPACE END SCREENS

END SCREENS

- End dividing screens are available in 1/4"-thick (6 mm) acrylic, in 3/8"-thick (10 mm) fabric or in 1/2"-thick (12 mm) felt to establish individual work spaces, from the adjacent corridor to the surface.
- Choice of colors for translucent acrylic, United Chair® fabrics, and felt. (Refer to color chart.)
- Metallic base sold separately. Enables a felt end screen to be turned into a tackboard.
- Height: 18" (450 mm).



END




FELT END SCREENS

ACCESSORIES: / CUSHIONS

CUSHIONS:

- 21"-tall (561 mm) storage modules are compatible with all cushion models, except product CNNNN-CU1518, which is reserved for mobile pedestal CN__MP1518F.
- 2"-thick (51 mm) foam.
- Choice of United Chair® fabrics.
- Comply with *Cal. 117* standard.




ELECTRICITY: / CHARACTERISTICS / ELECTRICAL POWER FEED


CHARACTERISTICS OF THE ELECTRICAL SYSTEM

- 4 wires, 2 circuits, 20 Amps each.
- 13 double electric power outlets per circuit. Maximum of 26 double outlets of 15 Amps per power source.
- Easy to adapt, install and reconfigure.
- UL-classified wiring system.
- Cradle-to-cradle compliance with RoHS standard, available upon request.
- For installation in wire management raceways.
- Functions in all regions except Chicago and New York.
- Manufactured wiring systems are not authorized in Chicago or New York.
- So simple: just 4 different kits deliver electrical power to all single-sided, double-sided or 120° work surfaces.


HOW TO SPECIFY:




RCST3196 with LGC-4TRAC296C1



RCDT6084 with LGC-4TRAC496C2



LGC-PASS36



LGC-PASS54

STEP 1

Determine the number of users.

STEP 2

Determine each user's electrical power needs (1 or 2 double outlets per workstation meet most needs). Choose one of the 4 kits available.

Each kit must be ordered according to the surface length and the number of double outlets required.

STEP 3

Determine whether 1 or 2 circuits are required, and order the number of kits needed. The kits are comprised of double outlets and cables. Each kit includes the hardware required to attach the cables to the wire management raceway.



STEP 4

Each added surface must be connected to the adjacent surface with connecting cable LGC-PASS36, except for those arrangements where a C_N__CRC__ storage base is integrated between two surfaces; the latter must be connected with cable LGC-PASS54.

ELECTRICAL INFEED

There are a number of ways for bringing electrical power to surfaces, namely from a power source located in the floor, in a wall or in the ceiling.

Infeed from ceiling:



Power feed is plugged at one end of the piece of furniture or at any point along the top of the raceway. To this end, a 120"-tall (3000 mm) column is supplied, with the appropriate hardware.


The cable is 132" (3353 mm) long, assuming the piece of furniture is 29 $\frac{7}{8}$ " (757 mm) tall and that the first double power outlet is located 18" (450 mm) from the surface edge.

A contact plate may be installed along the wire management raceway's aluminum rails, and it can accommodate up to 4 connections.

Adapters are included.


Examples of electrical specifications:

Rectangular surfaces:







Two double-sided surfaces 60" D x 96" W (1500 mm x 2400 mm) are connected to an electric power source by the sequence of components shown in the diagram above.

120° surfaces:



120° surfaces 54" D x 60" W (1350 mm x 1500 mm) are connected to an electric power source by the sequence of components shown in the diagram above.


Infeed from floor:



The installation of the electrical feed must be carried out by a professional electrician.

Cables for floor infeed are available in lengths of 60" (1524 mm) or 72" (1829 mm), assuming the piece of furniture is 29 $\frac{7}{8}$ " (757 mm) tall and that the first duplex is located 18" (450 mm) from the surface edge.

The center base with wire management raceway (CNNNS-LBD1212WM or CNNNS-LBS912WM) is equipped with a lockable door.



Power can be fed to: the end of the work surface; the center, thanks to the wire management raceway; the storage base equipped with a wire management raceway (C_N-CRE and C_N-CRC); the base of the 120° surface; or from any location beneath the raceway, using FFEED23 products, when the power source is in the floor.

Each electrical panel can feed 2 circuits comprising a maximum of 26 double outlets (13 per circuit).

EDGEBANDING:

Automatically applied to the top and the sides.


N Edge



1" and 1½"
(25 mm and 38 mm)

N edgebanding
matches the finish
specified for the
surface.

K Knife Edge



1½" (38 mm)

K knife-edge **available**
(in coordinated colors)
ONLY when a wood grain
or Snow (SNO) finish is
specified for the surface.

CODIFICATION

Series	Thickness	Options		
		Edgebanding	High-Gloss accent	Accent
C	1 Thermofused laminate 1" (25 mm)	N Smooth edge	W High-Gloss White	S Silver
	2 High-pressure laminate 1" (25 mm)	K Knife-edge		W White
	5 Thermofused laminate 1½" (38 mm)			
	6 High-pressure laminate 1½" (38 mm)			

METAL BASES:


S – Silver or **W** – White



Montréal Base



Chicago Base



New York Base

LAMINATE OR LAMINATE/ ACRYLIC BASES:




SCREENS / LATERAL SCREENS:

Acrylic



T – Translucent or
Y – Sky

Felt




Several colors
available.


Fabric

Several fabrics
available. Refer to
United Chair®'s fabric
swatch cards.

SCREEN SUPPORTS, HANDLE, SURFACE ELECTRICAL MODULE:

S – Silver or **W** – White



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double-sided surfaces with raceway					
	72 x 60 x 1	1800 x 1500 x 25	C_NNS-RCDT6072	1,355	1,605
	60 x 60 x 1	1500 x 1500 x 25	C_NNS-RCDT6060	1,200	1,455
	48 x 60 x 1	1200 x 1500 x 25	C_NNS-RCDT6048	1,050	1,300
	72 x 54 x 1	1800 x 1350 x 25	C_NNS-RCDT5472	1,285	1,550
	60 x 54 x 1	1500 x 1350 x 25	C_NNS-RCDT5460	1,140	1,410
	48 x 54 x 1	1200 x 1350 x 25	C_NNS-RCDT5448	995	1,260

Channel cover option, change T to: Y Sky, add \$63.


96" to 84"

Packaged in 2 boxes.

Specify the surface type (1, 2).

96 x 60 x 1½	2400 x 1500 x 38	C_NNS-RCDT6096	2,025	2,430
84 x 60 x 1½	2100 x 1500 x 38	C_NNS-RCDT6084	1,840	2,200
72 x 60 x 1½	1800 x 1500 x 38	C_NNS-RCDT6072	1,660	1,995
60 x 60 x 1½	1500 x 1500 x 38	C_NNS-RCDT6060	1,490	1,785
48 x 60 x 1½	1200 x 1500 x 38	C_NNS-RCDT6048	1,340	1,615
96 x 54 x 1½	2400 x 1350 x 38	C_NNS-RCDT5496	1,975	2,370
84 x 54 x 1½	2100 x 1350 x 38	C_NNS-RCDT5484	1,795	2,155
72 x 54 x 1½	1800 x 1350 x 38	C_NNS-RCDT5472	1,620	1,940
60 x 54 x 1½	1500 x 1350 x 38	C_NNS-RCDT5460	1,455	1,745
48 x 54 x 1½	1200 x 1350 x 38	C_NNS-RCDT5448	1,315	1,570


Specify the surface type (5, 6).

Double-sided surfaces with raceway and knife edge					
	96 x 60 x 1½	2400 x 1500 x 38	C_KNS-RCDT6096	2,300	2,580
	84 x 60 x 1½	2100 x 1500 x 38	C_KNS-RCDT6084	2,155	2,390
	72 x 60 x 1½	1800 x 1500 x 38	C_KNS-RCDT6072	1,965	2,160
	60 x 60 x 1½	1500 x 1500 x 38	C_KNS-RCDT6060	1,815	1,970
	48 x 60 x 1½	1200 x 1500 x 38	C_KNS-RCDT6048	1,670	1,780
	96 x 54 x 1½	2400 x 1350 x 38	C_KNS-RCDT5496	2,210	2,485
Channel cover option, change T to: Y Sky, add \$63.	84 x 54 x 1½	2100 x 1350 x 38	C_KNS-RCDT5484	2,070	2,305
	72 x 54 x 1½	1800 x 1350 x 38	C_KNS-RCDT5472	1,890	2,090
	60 x 54 x 1½	1500 x 1350 x 38	C_KNS-RCDT5460	1,750	1,910
	48 x 54 x 1½	1200 x 1350 x 38	C_KNS-RCDT5448	1,610	1,730

96" to 84"

Packaged in 2 boxes.


Specify the surface type (5, 6).

Double-sided surfaces with raceway and knife edge					
	96 x 60 x 29⅞	2400 x 1500 x 757	C_KNS-RCDT6096RA	2,865	3,265
	84 x 60 x 29⅞	2100 x 1500 x 757	C_KNS-RCDT6084RA	2,720	3,075
	72 x 60 x 29⅞	1800 x 1500 x 757	C_KNS-RCDT6072RA	2,575	2,880
	60 x 60 x 29⅞	1500 x 1500 x 757	C_KNS-RCDT6060RA	2,425	2,685
	48 x 60 x 29⅞	1200 x 1500 x 757	C_KNS-RCDT6048RA	2,280	2,490
	96 x 54 x 29⅞	2400 x 1350 x 757	C_KNS-RCDT5496RA	2,810	3,170
Channel cover option, change T to: Y Sky, add \$63.	84 x 54 x 29⅞	2100 x 1350 x 757	C_KNS-RCDT5484RA	2,665	2,985
	72 x 54 x 29⅞	1800 x 1350 x 757	C_KNS-RCDT5472RA	2,525	2,800
	60 x 54 x 29⅞	1500 x 1350 x 757	C_KNS-RCDT5460RA	2,385	2,620
	48 x 54 x 29⅞	1200 x 1350 x 757	C_KNS-RCDT5448RA	2,240	2,435

Channel cover option, change T to: Y Sky, add \$63.

Packaged in 2 boxes.

Specify the surface type (5, 6).


	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double-sided surfaces with raceway and knife edge					
	96 x 60 x 29⅞	2400 x 1500 x 757	C_KNS-RCDT6096A	3,570	3,965
	84 x 60 x 29⅞	2100 x 1500 x 757	C_KNS-RCDT6084A	3,430	3,785
	72 x 60 x 29⅞	1800 x 1500 x 757	C_KNS-RCDT6072A	3,295	3,605
	60 x 60 x 29⅞	1500 x 1500 x 757	C_KNS-RCDT6060A	3,160	3,425
	48 x 60 x 29⅞	1200 x 1500 x 757	C_KNS-RCDT6048A	3,025	3,240
	96 x 54 x 29⅞	2400 x 1350 x 757	C_KNS-RCDT5496A	3,490	3,850
Channel cover option, change T to: Y Sky, add \$63.	84 x 54 x 29⅞	2100 x 1350 x 757	C_KNS-RCDT5484A	3,360	3,675
	72 x 54 x 29⅞	1800 x 1350 x 757	C_KNS-RCDT5472A	3,230	3,505
	60 x 54 x 29⅞	1500 x 1350 x 757	C_KNS-RCDT5460A	3,095	3,335
	48 x 54 x 29⅞	1200 x 1350 x 757	C_KNS-RCDT5448A	2,965	3,165

Channel cover option, change T to: Y Sky, add \$63.

Packaged in 2 boxes.

Double-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 2 full legs with knife edge included. 2 LGC-COM included. 1 tone only.

Specify the surface type (5, 6).


Double-sided surfaces with raceway and knife edge					
	96 x 60 x 8	2400 x 1500 x 196	C_KNS-RCDT6096RC	2,730	3,125
	84 x 60 x 8	2100 x 1500 x 196	C_KNS-RCDT6084RC	2,585	2,935
	72 x 60 x 8	1800 x 1500 x 196	C_KNS-RCDT6072RC	2,440	2,740
	60 x 60 x 8	1500 x 1500 x 196	C_KNS-RCDT6060RC	2,295	2,550
	48 x 60 x 8	1200 x 1500 x 196	C_KNS-RCDT6048RC	2,150	2,360
	96 x 54 x 8	2400 x 1350 x 196	C_KNS-RCDT5496RC	2,685	3,035
Channel cover option, change T to: Y Sky, add \$63.	84 x 54 x 8	2100 x 1350 x 196	C_KNS-RCDT5484RC	2,545	2,855
	72 x 54 x 8	1800 x 1350 x 196	C_KNS-RCDT5472RC	2,405	2,675
	60 x 54 x 8	1500 x 1350 x 196	C_KNS-RCDT5460RC	2,265	2,490
	48 x 54 x 8	1200 x 1350 x 196	C_KNS-RCDT5448RC	2,125	2,310

Channel cover option, change T to: Y Sky, add \$63.

96" to 72"

Packaged in 2 boxes.

Specify the surface type (5, 6).


Double-sided surfaces with raceway and knife edge					
	96 x 60 x 8	2400 x 1500 x 196	C_KNS-RCDT6096C	3,410	3,815
	84 x 60 x 8	2100 x 1500 x 196	C_KNS-RCDT6084C	3,275	3,630
	72 x 60 x 8	1800 x 1500 x 196	C_KNS-RCDT6072C	3,135	3,445
	60 x 60 x 8	1500 x 1500 x 196	C_KNS-RCDT6060C	2,995	3,260
	48 x 60 x 8	1200 x 1500 x 196	C_KNS-RCDT6048C	2,860	3,080
	96 x 54 x 8	2400 x 1350 x 196	C_KNS-RCDT5496C	3,350	3,710
Channel cover option, change T to: Y Sky, add \$63.	84 x 54 x 8	2100 x 1350 x 196	C_KNS-RCDT5484C	3,215	3,535
	72 x 54 x 8	1800 x 1350 x 196	C_KNS-RCDT5472C	3,085	3,360
	60 x 54 x 8	1500 x 1350 x 196	C_KNS-RCDT5460C	2,950	3,190
	48 x 54 x 8	1200 x 1350 x 196	C_KNS-RCDT5448C	2,815	3,015

Channel cover option, change T to: Y Sky, add \$63.

96" to 72"

Packaged in 2 boxes.

Specify the surface type (5, 6).

Double-sided surfaces with raceway and knife edge					
	96 x 60 x 29⅞	2400 x 1500 x 757	C_KNS-RCDT6096B	3,505	3,910
	84 x 60 x 29⅞	2100 x 1500 x 757	C_KNS-RCDT6084B	3,365	3,725
	72 x 60 x 29⅞	1800 x 1500 x 757	C_KNS-RCDT6072B	3,225	3,540
	60 x 60 x 29⅞	1500 x 1500 x 757	C_KNS-RCDT6060B	3,090	3,355
	48 x 60 x 29⅞	1200 x 1500 x 757	C_KNS-RCDT6048B	2,950	3,170

Channel cover option, change T to: Y Sky, add \$63.

Packaged in 2 boxes.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.


 = ASSEMBLY REQUIRED

 = NOT PART OF THE QUICKSHIP PROGRAM

USA - JUNE 2015

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double-sided surfaces with raceway and knife edge (cont'd)	96 x 54 x 29 ⁷ / ₈	2400 x 1350 x 757	C_KNS-RCDT5496B	3,430	3,795
	84 x 54 x 29 ⁷ / ₈	2100 x 1350 x 757	C_KNS-RCDT5484B	3,300	3,620
	72 x 54 x 29 ⁷ / ₈	1800 x 1350 x 757	C_KNS-RCDT5472B	3,165	3,445
	60 x 54 x 29 ⁷ / ₈	1500 x 1350 x 757	C_KNS-RCDT5460B	3,030	3,275
	48 x 54 x 29 ⁷ / ₈	1200 x 1350 x 757	C_KNS-RCDT5448B	2,900	3,100

Specify the surface type (5, 6).

Double-sided surfaces without raceway


96" to 84"

Packaged in 2 boxes.


Double-sided surfaces with 2³/₄" (70 mm) space for wires between surfaces. 1 tone only.

72 x 60 x 1	1800 x 1500 x 25	C_NNN-RCD6072	1,175	1,575
60 x 60 x 1	1500 x 1500 x 25	C_NNN-RCD6060	970	1,315
48 x 60 x 1	1200 x 1500 x 25	C_NNN-RCD6048	765	1,035
72 x 54 x 1	1800 x 1350 x 25	C_NNN-RCD5472	1,105	1,500
60 x 54 x 1	1500 x 1350 x 25	C_NNN-RCD5460	1,030	1,255
48 x 54 x 1	1200 x 1350 x 25	C_NNN-RCD5448	955	995

Specify the surface type (1, 2).

96 x 60 x 1 ¹ / ₂	2400 x 1500 x 38	C_NNN-RCD6096	1,380	1,840
84 x 60 x 1 ¹ / ₂	2100 x 1500 x 38	C_NNN-RCD6084	1,345	1,685
72 x 60 x 1 ¹ / ₂	1800 x 1500 x 38	C_NNN-RCD6072	1,335	1,580
60 x 60 x 1 ¹ / ₂	1500 x 1500 x 38	C_NNN-RCD6060	1,110	1,440
48 x 60 x 1 ¹ / ₂	1200 x 1500 x 38	C_NNN-RCD6048	1,040	1,345
96 x 54 x 1 ¹ / ₂	2400 x 1350 x 38	C_NNN-RCD5496	1,330	1,770
84 x 54 x 1 ¹ / ₂	2100 x 1350 x 38	C_NNN-RCD5484	1,230	1,630
72 x 54 x 1 ¹ / ₂	1800 x 1350 x 38	C_NNN-RCD5472	1,165	1,520
60 x 54 x 1 ¹ / ₂	1500 x 1350 x 38	C_NNN-RCD5460	1,075	1,400
48 x 54 x 1 ¹ / ₂	1200 x 1350 x 38	C_NNN-RCD5448	1,015	1,295

Specify the surface type (5, 6).

Double-sided knife edge surfaces without raceway



96" to 84"

Packaged in 2 boxes.

Double-sided surfaces with 2³/₄" (70 mm) space for wires between surfaces. Knife edge. 1 tone only.

96 x 60 x 1 ¹ / ₂	2400 x 1500 x 38	C_KNN-RCD6096	1,745	2,180
84 x 60 x 1 ¹ / ₂	2100 x 1500 x 38	C_KNN-RCD6084	1,620	2,000
72 x 60 x 1 ¹ / ₂	1800 x 1500 x 38	C_KNN-RCD6072	1,495	1,820
60 x 60 x 1 ¹ / ₂	1500 x 1500 x 38	C_KNN-RCD6060	1,370	1,640
48 x 60 x 1 ¹ / ₂	1200 x 1500 x 38	C_KNN-RCD6048	1,245	1,460
96 x 54 x 1 ¹ / ₂	2400 x 1350 x 38	C_KNN-RCD5496	1,670	2,055
84 x 54 x 1 ¹ / ₂	2100 x 1350 x 38	C_KNN-RCD5484	1,550	1,890
72 x 54 x 1 ¹ / ₂	1800 x 1350 x 38	C_KNN-RCD5472	1,435	1,725
60 x 54 x 1 ¹ / ₂	1500 x 1350 x 38	C_KNN-RCD5460	1,315	1,560
48 x 54 x 1 ¹ / ₂	1200 x 1350 x 38	C_KNN-RCD5448	1,200	1,395

Specify the surface type (5, 6).


Double-sided knife edge surfaces without raceway


Packaged in 2 boxes.

Double-sided surfaces with 2³/₄" (70 mm) space for wires between surfaces. Knife edge. 1 full leg with knife edge included. 1 tone only.

96 x 60 x 29 ⁷ / ₈	2400 x 1500 x 757	C_KNS-RCDB6096RA	2,550	2,985
84 x 60 x 29 ⁷ / ₈	2100 x 1500 x 757	C_KNS-RCDB6084RA	2,430	2,810
72 x 60 x 29 ⁷ / ₈	1800 x 1500 x 757	C_KNS-RCDB6072RA	2,310	2,635
60 x 60 x 29 ⁷ / ₈	1500 x 1500 x 757	C_KNS-RCDB6060RA	2,190	2,465
48 x 60 x 29 ⁷ / ₈	1200 x 1500 x 757	C_KNS-RCDB6048RA	2,070	2,290
96 x 54 x 29 ⁷ / ₈	2400 x 1350 x 757	C_KNS-RCDB5496RA	2,445	2,830
84 x 54 x 29 ⁷ / ₈	2100 x 1350 x 757	C_KNS-RCDB5484RA	2,330	2,670
72 x 54 x 29 ⁷ / ₈	1800 x 1350 x 757	C_KNS-RCDB5472RA	2,220	2,510
60 x 54 x 29 ⁷ / ₈	1500 x 1350 x 757	C_KNS-RCDB5460RA	2,110	2,350
48 x 54 x 29 ⁷ / ₈	1200 x 1350 x 757	C_KNS-RCDB5448RA	1,995	2,190

Specify the surface type (5, 6).


Double-sided knife edge surfaces without raceway


Packaged in 2 boxes.

Double-sided surfaces with 2³/₄" (70 mm) space for wires between surfaces. Knife edge. 2 full legs with knife edge included. 1 tone only.

96 x 60 x 29 ⁷ / ₈	2400 x 1500 x 757	C_KNS-RCDB6096A	3,270	3,710
84 x 60 x 29 ⁷ / ₈	2100 x 1500 x 757	C_KNS-RCDB6084A	3,150	3,535
72 x 60 x 29 ⁷ / ₈	1800 x 1500 x 757	C_KNS-RCDB6072A	3,030	3,360
60 x 60 x 29 ⁷ / ₈	1500 x 1500 x 757	C_KNS-RCDB6060A	2,910	3,185
48 x 60 x 29 ⁷ / ₈	1200 x 1500 x 757	C_KNS-RCDB6048A	2,795	3,010
96 x 54 x 29 ⁷ / ₈	2400 x 1350 x 757	C_KNS-RCDB5496A	3,140	3,525
84 x 54 x 29 ⁷ / ₈	2100 x 1350 x 757	C_KNS-RCDB5484A	3,025	3,365
72 x 54 x 29 ⁷ / ₈	1800 x 1350 x 757	C_KNS-RCDB5472A	2,915	3,205
60 x 54 x 29 ⁷ / ₈	1500 x 1350 x 757	C_KNS-RCDB5460A	2,805	3,045
48 x 54 x 29 ⁷ / ₈	1200 x 1350 x 757	C_KNS-RCDB5448A	2,690	2,885

Specify the surface type (5, 6).

Double-sided knife edge surfaces without raceway



96" to 72"

Packaged in 2 boxes.

Double-sided surfaces with 2³/₄" (70 mm) space for wires between surfaces. Knife edge. 1 small leg with knife edge included to be supported by low storage module. 1 tone only.

96 x 60 x 8	2400 x 1500 x 196	C_KNS-RCDB6096RC	2,445	2,885
84 x 60 x 8	2100 x 1500 x 196	C_KNS-RCDB6084RC	2,330	2,710
72 x 60 x 8	1800 x 1500 x 196	C_KNS-RCDB6072RC	2,210	2,535
60 x 60 x 8	1500 x 1500 x 196	C_KNS-RCDB6060RC	2,090	2,360
48 x 60 x 8	1200 x 1500 x 196	C_KNS-RCDB6048RC	1,970	2,190
96 x 54 x 8	2400 x 1350 x 196	C_KNS-RCDB5496RC	2,355	2,740
84 x 54 x 8	2100 x 1350 x 196	C_KNS-RCDB5484RC	2,240	2,605
72 x 54 x 8	1800 x 1350 x 196	C_KNS-RCDB5472RC	2,130	2,465
60 x 54 x 8	1500 x 1350 x 196	C_KNS-RCDB5460RC	2,020	2,325
48 x 54 x 8	1200 x 1350 x 196	C_KNS-RCDB5448RC	1,905	2,190

Specify the surface type (5, 6).

Double-sided knife edge surfaces without raceway



96" to 72"

Packaged in 2 boxes.

Double-sided surfaces with 2³/₄" (70 mm) space for wires between surfaces. Knife edge. 2 small legs with knife edge included to be supported by low storage modules. 1 tone only.

96 x 60 x 8	2400 x 1500 x 196	C_KNS-RCDB6096C	3,070	3,505
84 x 60 x 8	2100 x 1500 x 196	C_KNS-RCDB6084C	2,950	3,335
72 x 60 x 8	1800 x 1500 x 196	C_KNS-RCDB6072C	2,830	3,160
60 x 60 x 8	1500 x 1500 x 196	C_KNS-RCDB6060C	2,710	2,985
48 x 60 x 8	1200 x 1500 x 196	C_KNS-RCDB6048C	2,590	2,810
96 x 54 x 8	2400 x 1350 x 196	C_KNS-RCDB5496C	2,960	3,345
84 x 54 x 8	2100 x 1350 x 196	C_KNS-RCDB5484C	2,845	3,185
72 x 54 x 8	1800 x 1350 x 196	C_KNS-RCDB5472C	2,735	3,025
60 x 54 x 8	1500 x 1350 x 196	C_KNS-RCDB5460C	2,625	2,865
48 x 54 x 8	1200 x 1350 x 196	C_KNS-RCDB5448C	2,510	2,705

Specify the surface type (5, 6).

Double-sided knife edge surfaces without raceway


Packaged in 2 boxes.

Double-sided surfaces with 2³/₄" (70 mm) space for wires between surfaces. Knife edge. 1 full leg and 1 small leg with knife edge included to be supported by low storage module. 1 tone only.


96 x 60 x 29 ⁷ / ₈	2400 x 1500 x 757	C_KNS-RCDB6096B	3,170	3,605
84 x 60 x 29 ⁷ / ₈	2100 x 1500 x 757	C_KNS-RCDB6084B	3,050	3,435
72 x 60 x 29 ⁷ / ₈	1800 x 1500 x 757	C_KNS-RCDB6072B	2,930	3,260
60 x 60 x 29 ⁷ / ₈	1500 x 1500 x 757	C_KNS-RCDB6060B	2,810	3,085
48 x 60 x 29 ⁷ / ₈	1200 x 1500 x 757	C_KNS-RCDB6048B	2,690	2,910
96 x 54 x 29 ⁷ / ₈	2400 x 1350 x 757	C_KNS-RCDB5496B	3,050	3,435
84 x 54 x 29 ⁷ / ₈	2100 x 1350 x 757	C_KNS-RCDB5484B	2,935	3,275
72 x 54 x 29 ⁷ / ₈	1800 x 1350 x 757	C_KNS-RCDB5472B	2,825	3,115
60 x 54 x 29 ⁷ / ₈	1500 x 1350 x 757	C_KNS-RCDB5460B	2,715	2,955
48 x 54 x 29 ⁷ / ₈	1200 x 1350 x 757	C_KNS-RCDB5448B	2,600	2,795

Specify the surface type (5, 6).

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= NOT PART OF THE QUICKSHIP PROGRAM

= ASSEMBLY REQUIRED


120-degree surfaces with raceway

Channel cover option, change T to: Y Sky, add \$85.

Packaged in 4 boxes.

120-degree surfaces without raceway


Packaged in 4 boxes.

Single-sided surfaces with raceway

Channel cover option, change T to: Y Sky, add \$63.

96" to 84"


Packaged in 2 boxes.

Single-sided knife edge surfaces with raceway

Channel cover option, change T to: Y Sky, add \$63.

96" to 84"

Packaged in 2 boxes.

Single-sided knife edge surfaces with raceway

Channel cover option, change T to: Y Sky, add \$63.

96" to 72"

Packaged in 2 boxes.

Surfaces with wire management raceway. Translucent acrylic channel covers. Wire management center base included. 3 LGC-COM included. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
60 x 54 x 29 $\frac{3}{8}$	1500 x 1350 x 745	C_NN_-TCADT5460	3,625	4,605
54 x 54 x 29 $\frac{3}{8}$	1350 x 1350 x 745	C_NN_-TCADT5454	3,585	4,505

Specify the surface type (1, 2). Specify accent color (S, W).

60 x 54 x 29 $\frac{3}{8}$	1500 x 1350 x 757	C_NN_-TCADT5460	4,050	5,075
54 x 54 x 29 $\frac{3}{8}$	1350 x 1350 x 757	C_NN_-TCADT5454	3,985	4,950

Specify the surface type (5, 6). Specify accent color (S, W).

Surfaces with 2 $\frac{3}{4}$ " (70 mm) space for wires between surfaces. Wire management center base included. 1 tone only.

60 x 54 x 29 $\frac{3}{8}$	1500 x 1350 x 745	C_NN_-TCAD5460	2,625	3,790
54 x 54 x 29 $\frac{3}{8}$	1350 x 1350 x 745	C_NN_-TCAD5454	2,595	3,715

Specify the surface type (1, 2). Specify accent color (S, W).

60 x 54 x 29 $\frac{3}{8}$	1500 x 1350 x 757	C_NN_-TCAD5460	3,130	4,345
54 x 54 x 29 $\frac{3}{8}$	1350 x 1350 x 757	C_NN_-TCAD5454	3,080	4,250

Specify the surface type (5, 6). Specify accent color (S, W).

Single-sided surfaces with wire management raceway. Translucent acrylic channel covers. 1 LGC-COM included. 1 tone only.

72 x 31 x 29 $\frac{3}{8}$	1800 x 797 x 745	C_NNS-RCST3172	1,090	1,285
60 x 31 x 29 $\frac{3}{8}$	1500 x 797 x 745	C_NNS-RCST3160	1,000	1,185
48 x 31 x 29 $\frac{3}{8}$	1200 x 797 x 745	C_NNS-RCST3148	900	1,070

Specify the surface type (1, 2).

96 x 31 x 29 $\frac{3}{8}$	2400 x 797 x 757	C_NNS-RCST3196	1,360	1,630
84 x 31 x 29 $\frac{3}{8}$	2100 x 797 x 757	C_NNS-RCST3184	1,215	1,455

72 x 31 x 29 $\frac{3}{8}$	1800 x 797 x 757	C_NNS-RCST3172	1,115	1,335
----------------------------	------------------	----------------	-------	-------

60 x 31 x 29 $\frac{3}{8}$	1500 x 797 x 757	C_NNS-RCST3160	1,025	1,225
----------------------------	------------------	----------------	-------	-------

48 x 31 x 29 $\frac{3}{8}$	1200 x 797 x 757	C_NNS-RCST3148	935	1,120
----------------------------	------------------	----------------	-----	-------

Specify the surface type (5, 6).

Single-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 1 LGC-COM included. 1 tone only.


96 x 31 x 29 $\frac{3}{8}$	2400 x 797 x 757	C_KNS-RCST3196	1,700	2,040
84 x 31 x 29 $\frac{3}{8}$	2100 x 797 x 757	C_KNS-RCST3184	1,520	1,825
72 x 31 x 29 $\frac{3}{8}$	1800 x 797 x 757	C_KNS-RCST3172	1,395	1,675
60 x 31 x 29 $\frac{3}{8}$	1500 x 797 x 757	C_KNS-RCST3160	1,280	1,535
48 x 31 x 29 $\frac{3}{8}$	1200 x 797 x 757	C_KNS-RCST3148	1,170	1,405

Specify the surface type (5, 6).

Single-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 1 full leg with knife edge included. 1 LGC-COM included. 1 tone only.


96 x 31 x 29 $\frac{3}{8}$	2400 x 797 x 757	C_KNS-RCST3196RA_	2,050	2,460
84 x 31 x 29 $\frac{3}{8}$	2100 x 797 x 757	C_KNS-RCST3184RA_	1,870	2,245
72 x 31 x 29 $\frac{3}{8}$	1800 x 797 x 757	C_KNS-RCST3172RA_	1,745	2,095
60 x 31 x 29 $\frac{3}{8}$	1500 x 797 x 757	C_KNS-RCST3160RA_	1,630	1,955
48 x 31 x 29 $\frac{3}{8}$	1200 x 797 x 757	C_KNS-RCST3148RA_	1,520	1,825

Specify the surface type (5, 6). Choose left or right, add L or R at the end of the code.

Single-sided knife edge surfaces with raceway


Channel cover option, change T to: Y Sky, add \$63.

Packaged in 2 boxes.

Single-sided surfaces without raceway


96" to 84"

Packaged in 2 boxes.

Single-sided knife edge surfaces without raceway


96" to 84"

Packaged in 2 boxes.

Single-sided knife edge surfaces without raceway

96" to 72"

Packaged in 2 boxes.

Single-sided knife edge surfaces without raceway

Packaged in 2 boxes.

Single-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 2 full legs with knife edge included. 1 LGC-COM included. 1 tone only.

96 x 31 x 29 $\frac{3}{8}$	2400 x 797 x 757	C_KNS-RCST3196A	2,300	2,645
84 x 31 x 29 $\frac{3}{8}$	2100 x 797 x 757	C_KNS-RCST3184A	2,120	2,440
72 x 31 x 29 $\frac{3}{8}$	1800 x 797 x 757	C_KNS-RCST3172A	1,995	2,295
60 x 31 x 29 $\frac{3}{8}$	1500 x 797 x 757	C_KNS-RCST3160A	1,880	2,160
48 x 31 x 29 $\frac{3}{8}$	1200 x 797 x 757	C_KNS-RCST3148A	1,770	2,035

Specify the surface type (5, 6).

Single-sided surfaces with 2" (50 mm) space for wires on the surface. 1 tone only.

72 x 31 x 29 $\frac{3}{8}$	1800 x 797 x 745	C_NNN-RCS3172	715	890
60 x 31 x 29 $\frac{3}{8}$	1500 x 797 x 745	C_NNN-RCS3160	670	815
48 x 31 x 29 $\frac{3}{8}$	1200 x 797 x 745	C_NNN-RCS3148	625	745

Specify the surface type (1, 2).

96 x 31 x 29 $\frac{3}{8}$	2400 x 797 x 757	C_NNN-RCS3196	1,250	1,480
84 x 31 x 29 $\frac{3}{8}$	2100 x 797 x 757	C_NNN-RCS3184	1,120	1,320

72 x 31 x 29 $\frac{3}{8}$	1800 x 797 x 757	C_NNN-RCS3172	990	1,160
----------------------------	------------------	---------------	-----	-------

60 x 31 x 29 $\frac{3}{8}$	1500 x 797 x 757	C_NNN-RCS3160	860	1,005
----------------------------	------------------	---------------	-----	-------

48 x 31 x 29 $\frac{3}{8}$	1200 x 797 x 757	C_NNN-RCS3148	730	845
----------------------------	------------------	---------------	-----	-----

Specify the surface type (5, 6).

Single-sided surfaces with 2" (50 mm) space for wires on the surface. Knife edge. 1 tone only.

96 x 31 x 29 $\frac{3}{8}$	2400 x 797 x 757	C_KNN-RCS3196	1,360	1,575
84 x 31 x 29 $\frac{3}{8}$	2100 x 797 x 757	C_KNN-RCS3184	1,235	1,425
72 x 31 x 29 $\frac{3}{8}$	1800 x 797 x 757	C_KNN-RCS3172	1,115	1,275
60 x 31 x 29 $\frac{3}{8}$	1500 x 797 x 757	C_KNN-RCS3160	1,005	1,130
48 x 31 x 29 $\frac{3}{8}$	1200 x 797 x 757	C_KNN-RCS3148	880	980

Specify the surface type (5, 6).

Single-sided surfaces with 2" (50mm) space for wires on the surface. 1 full leg with knife edge included. 1 tone only.

96 x 31 x 29 $\frac{3}{8}$	2400 x 797 x 757	C_KNS-RCS3196RA_	1,790	2,045
84 x 31 x 29 $\frac{3}{8}$	2100 x 797 x 757	C_KNS-RCS3184RA_	1,670	1,895
72 x 31 x 29 $\frac{3}{8}$	1800 x 797 x 757	C_KNS-RCS3172RA_	1,550	1,745
60 x 31 x 29 $\frac{3}{8}$	1500 x 797 x 757	C_KNS-RCS3160RA_	1,430	1,595
48 x 31 x 29 $\frac{3}{8}$	1200 x 797 x 757	C_KNS-RCS3148RA_	1,305	1,450

Specify the surface type (5, 6). Choose left or right, add L or R at the end of the code.

Single-sided surfaces with 2" (50 mm) space for wires on the surface. 2 full legs with knife edge included. 1 tone only.

96 x 31 x 29 $\frac{3}{8}$	2400 x 797 x 757	C_KNS-RCS3196A	2,285	2,515
84 x 31 x 29 $\frac{3}{8}$	2100 x 797 x 757	C_KNS-RCS3184A	2,160	2,365
72 x 31 x 29 $\frac{3}{8}$	1800 x 797 x 757	C_KNS-RCS3172A	2,035	2,215
60 x 31 x 29 $\frac{3}{8}$	1500 x 797 x 757	C_KNS-RCS3160A	1,915	2,065
48 x 31 x 29 $\frac{3}{8}$	1200 x 797 x 757	C_KNS-RCS3148A	1,790	1,915

Specify the surface type (5, 6).

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= ASSEMBLY REQUIRED

= NOT PART OF THE QUICKSHIP PROGRAM

USA - JUNE 2015



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Return surfaces	<i>Rectangular return surfaces. Metal bases included.</i>				
	72 x 36 x 29 3/8	1800 x 900 x 745	C_NN_-R3672A	750	940
	60 x 36 x 29 3/8	1500 x 900 x 745	C_NN_-R3660A	730	885
	48 x 36 x 29 3/8	1200 x 900 x 745	C_NN_-R3648A	705	830
	72 x 30 x 29 3/8	1800 x 750 x 745	C_NN_-R3072A	730	885
	60 x 30 x 29 3/8	1500 x 750 x 745	C_NN_-R3060A	710	840
	48 x 30 x 29 3/8	1200 x 750 x 745	C_NN_-R3048A	690	790
	36 x 30 x 29 3/8	900 x 750 x 745	C_NN_-R3036A	665	745
	72 x 24 x 29 3/8	1800 x 600 x 745	C_NN_-R2472A	705	830
	60 x 24 x 29 3/8	1500 x 600 x 745	C_NN_-R2460A	690	795
	48 x 24 x 29 3/8	1200 x 600 x 745	C_NN_-R2448A	670	755
	36 x 24 x 29 3/8	900 x 600 x 745	C_NN_-R2436A	655	720
	Specify the surface type (1, 2). Specify accent color (S, W).				

	72 x 36 x 29 3/8	1800 x 900 x 757	C_NN_-R3672A	835	1,035
	60 x 36 x 29 3/8	1500 x 900 x 757	C_NN_-R3660A	800	1,010
	48 x 36 x 29 3/8	1200 x 900 x 757	C_NN_-R3648A	760	890
	72 x 30 x 29 3/8	1800 x 750 x 757	C_NN_-R3072A	800	965
	60 x 30 x 29 3/8	1500 x 750 x 757	C_NN_-R3060A	770	960
	48 x 30 x 29 3/8	1200 x 750 x 757	C_NN_-R3048A	735	900
	36 x 30 x 29 3/8	900 x 750 x 757	C_NN_-R3036A	705	785
	72 x 24 x 29 3/8	1800 x 600 x 757	C_NN_-R2472A	765	895
	60 x 24 x 29 3/8	1500 x 600 x 757	C_NN_-R2460A	740	850
	48 x 24 x 29 3/8	1200 x 600 x 757	C_NN_-R2448A	710	800
	36 x 24 x 29 3/8	900 x 600 x 757	C_NN_-R2436A	685	750

Specify the surface type (5, 6). Specify accent color (S, W).

Return surfaces, knife edge	<i>Rectangular return surfaces. Knife edge. Metal bases included.</i>				
	72 x 36 x 29 3/8	1800 x 900 x 757	C_KN_-R3672A	975	1,200
	60 x 36 x 29 3/8	1500 x 900 x 757	C_KN_-R3660A	940	1,130
	48 x 36 x 29 3/8	1200 x 900 x 757	C_KN_-R3648A	905	1,060
	72 x 30 x 29 3/8	1800 x 750 x 757	C_KN_-R3072A	940	1,070
	60 x 30 x 29 3/8	1500 x 750 x 757	C_KN_-R3060A	910	1,025
	48 x 30 x 29 3/8	1200 x 750 x 757	C_KN_-R3048A	880	995
	36 x 30 x 29 3/8	900 x 750 x 757	C_KN_-R3036A	850	960
	72 x 24 x 29 3/8	1800 x 600 x 757	C_KN_-R2472A	910	1,065
	60 x 24 x 29 3/8	1500 x 600 x 757	C_KN_-R2460A	885	1,020
	48 x 24 x 29 3/8	1200 x 600 x 757	C_KN_-R2448A	860	970
	36 x 24 x 29 3/8	900 x 600 x 757	C_KN_-R2436A	835	925
	Specify the surface type (5, 6). Specify accent color (S, W).				

Return surfaces	<i>Rectangular return surfaces. 6" small back. 1 full 1 1/2" (38 mm) leg included. Reversible. Can accommodate 1 mobile pedestal CNNN_-MP1518F.</i>				
	72 x 36 x 29 3/8	1800 x 900 x 745	C_NNN-R3672S	650	860
	60 x 36 x 29 3/8	1500 x 900 x 745	C_NNN-R3660S	615	790
	48 x 36 x 29 3/8	1200 x 900 x 745	C_NNN-R3648S	575	715
	72 x 30 x 29 3/8	1800 x 750 x 745	C_NNN-R3072S	610	785
	60 x 30 x 29 3/8	1500 x 750 x 745	C_NNN-R3060S	575	720
	48 x 30 x 29 3/8	1200 x 750 x 745	C_NNN-R3048S	540	655
	36 x 30 x 29 3/8	900 x 750 x 745	C_NNN-R3036S	505	595
	72 x 24 x 29 3/8	1800 x 600 x 745	C_NNN-R2472S	565	705
	60 x 24 x 29 3/8	1500 x 600 x 745	C_NNN-R2460S	535	655
	48 x 24 x 29 3/8	1200 x 600 x 745	C_NNN-R2448S	505	600
	36 x 24 x 29 3/8	900 x 600 x 745	C_NNN-R2436S	475	545
	Specify the surface type (1, 2).				

Return surfaces (cont'd)	72 x 36 x 29 3/8	1800 x 900 x 757	C_NNN-R3672S	730	920
	60 x 36 x 29 3/8	1500 x 900 x 757	C_NNN-R3660S	660	835
	48 x 36 x 29 3/8	1200 x 900 x 757	C_NNN-R3648S	585	740
	72 x 30 x 29 3/8	1800 x 750 x 757	C_NNN-R3072S	635	830
	60 x 30 x 29 3/8	1500 x 750 x 757	C_NNN-R3060S	590	750
	48 x 30 x 29 3/8	1200 x 750 x 757	C_NNN-R3048S	545	675
	36 x 30 x 29 3/8	900 x 750 x 757	C_NNN-R3036S	500	595
	72 x 24 x 29 3/8	1800 x 600 x 757	C_NNN-R2472S	580	735
	60 x 24 x 29 3/8	1500 x 600 x 757	C_NNN-R2460S	545	670
	48 x 24 x 29 3/8	1200 x 600 x 757	C_NNN-R2448S	505	610
	36 x 24 x 29 3/8	900 x 600 x 757	C_NNN-R2436S	465	545

Specify the surface type (5, 6).

Return surfaces, knife edge	<i>Rectangular return surfaces. 6" (150 mm) small back. Knife edge. 1 full leg included. Reversible. Can accommodate 1 mobile pedestal CNNN_-MP1518F. 1 tone only.</i>				
	72 x 36 x 29 3/8	1800 x 900 x 757	C_KNN-R3672S	900	1,110
	60 x 36 x 29 3/8	1500 x 900 x 757	C_KNN-R3660S	855	1,025
	48 x 36 x 29 3/8	1200 x 900 x 757	C_KNN-R3648S	800	940
	72 x 30 x 29 3/8	1800 x 750 x 757	C_KNN-R3072S	845	1,020
	60 x 30 x 29 3/8	1500 x 750 x 757	C_KNN-R3060S	800	945
	48 x 30 x 29 3/8	1200 x 750 x 757	C_KNN-R3048S	755	875
	36 x 30 x 29 3/8	900 x 750 x 757	C_KNN-R3036S	715	800
	72 x 24 x 29 3/8	1800 x 600 x 757	C_KNN-R2472S	790	930
	60 x 24 x 29 3/8	1500 x 600 x 757	C_KNN-R2460S	775	865
	48 x 24 x 29 3/8	1200 x 600 x 757	C_KNN-R2448S	760	805
	36 x 24 x 29 3/8	900 x 600 x 757	C_KNN-R2436S	745	775
	Specify the surface type (5, 6).				

Trapezoidal extension surfaces	<i>Trapezoidal extension surfaces. Must be installed at the end of a double-sided surface. Metal base included.</i>				
	60 x 54 x 29 3/8	1500 x 1350 x 745	C_NN_-CEA6054	935	1,170
	60 x 36 x 29 3/8	1500 x 900 x 745	C_NN_-CEA6036	620	775
	60 x 30 x 29 3/8	1500 x 750 x 745	C_NN_-CEA6030	595	730
	60 x 24 x 29 3/8	1500 x 600 x 745	C_NN_-CEA6024	575	680
	54 x 54 x 29 3/8	1350 x 1350 x 745	C_NN_-CEA5454	905	1,140
	54 x 36 x 29 3/8	1350 x 900 x 745	C_NN_-CEA5436	595	750
	54 x 30 x 29 3/8	1350 x 750 x 745	C_NN_-CEA5430	570	690
	54 x 24 x 29 3/8	1350 x 600 x 745	C_NN_-CEA5424	550	650

Packaged in 2 or 3 boxes depending on the number of legs.

Specify the surface type (1, 2). Specify accent color (S, W).


	60 x 54 x 29 3/8	1500 x 1350 x 757	C_NN_-CEA6054	1,090	1,285
	60 x 36 x 29 3/8	1500 x 900 x 757	C_NN_-CEA6036	720	850
	60 x 30 x 29 3/8	1500 x 750 x 757	C_NN_-CEA6030	690	795
	60 x 24 x 29 3/8	1500 x 600 x 757	C_NN_-CEA6024	655	735
	54 x 54 x 29 3/8	1350 x 1350 x 757	C_NN_-CEA5454	1,055	1,250
	54 x 36 x 29 3/8	1350 x 900 x 757	C_NN_-CEA5436	690	820
	54 x 30 x 29 3/8	1350 x 750 x 757	C_NN_-CEA5430	660	765
	54 x 24 x 29 3/8	1350 x 600 x 757	C_NN_-CEA5424	620	695

Specify the surface type (5, 6). Specify accent color (S, W).


2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= NOT PART OF THE QUICKSHIP PROGRAM


= ASSEMBLY REQUIRED

Trapezoidal extension surfaces with knife edge


Packaged in 2 or 3 boxes depending on the number of legs.

Rectangular extension surfaces

Packaged in 3 boxes.

Rectangular extension surfaces with knife edge

Packaged in 3 boxes.

Return surface and storage module combos

High-Gloss White finish option for drawer fronts and back (W): add \$159.

Packaged in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Trapezoidal extension surfaces with knife edge. Must be installed at the end of a double-sided surface. Metal base included.</i>				
60 x 54 x 29 ⁷ / ₈	1500 x 1350 x 757	C_KN_-CEA6054	1,170	1,405
60 x 36 x 29 ⁷ / ₈	1500 x 900 x 757	C_KN_-CEA6036	845	1,005
60 x 30 x 29 ⁷ / ₈	1500 x 750 x 757	C_KN_-CEA6030	815	950
60 x 24 x 29 ⁷ / ₈	1500 x 600 x 757	C_KN_-CEA6024	785	895
54 x 54 x 29 ⁷ / ₈	1350 x 1350 x 757	C_KN_-CEA5454	1,135	1,270
54 x 36 x 29 ⁷ / ₈	1350 x 900 x 757	C_KN_-CEA5436	810	960
54 x 30 x 29 ⁷ / ₈	1350 x 750 x 757	C_KN_-CEA5430	780	910
54 x 24 x 29 ⁷ / ₈	1350 x 600 x 757	C_KN_-CEA5424	755	860

Specify the surface type (5, 6). Specify accent color (S, W).

<i>Rectangular extension surfaces. Must be installed at the end of a double-sided surface. Metal base and laminate junction panel included.</i>				
60 x 36 x 29 ³ / ₈	1500 x 900 x 745	C_NN_-CE6036	1,060	1,235
60 x 30 x 29 ³ / ₈	1500 x 750 x 745	C_NN_-CE6030	1,040	1,190
60 x 24 x 29 ³ / ₈	1500 x 600 x 745	C_NN_-CE6024	1,025	1,150
54 x 36 x 29 ³ / ₈	1350 x 900 x 745	C_NN_-CE5436	1,030	1,190
54 x 30 x 29 ³ / ₈	1350 x 750 x 745	C_NN_-CE5430	1,010	1,145
54 x 24 x 29 ³ / ₈	1350 x 600 x 745	C_NN_-CE5424	990	1,110

Specify the surface type (1, 2). Specify accent color (S, W).

60 x 36 x 29 ⁷ / ₈	1500 x 900 x 757	C_NN_-CE6036	1,135	1,310
60 x 30 x 29 ⁷ / ₈	1500 x 750 x 757	C_NN_-CE6030	1,105	1,255
60 x 24 x 29 ⁷ / ₈	1500 x 600 x 757	C_NN_-CE6024	1,075	1,200
54 x 36 x 29 ⁷ / ₈	1350 x 900 x 757	C_NN_-CE5436	1,105	1,265
54 x 30 x 29 ⁷ / ₈	1350 x 750 x 757	C_NN_-CE5430	1,075	1,205
54 x 24 x 29 ⁷ / ₈	1350 x 600 x 757	C_NN_-CE5424	1,040	1,160

Specify the surface type (5, 6). Specify accent color (S, W).

Rectangular extension surfaces with knife edge. Must be installed at the end of a double-sided surface. Metal base and laminate junction panel included.


60 x 36 x 29 ⁷ / ₈	1500 x 900 x 757	C_KN_-CE6036	1,315	1,490
60 x 30 x 29 ⁷ / ₈	1500 x 750 x 757	C_KN_-CE6030	1,285	1,440
60 x 24 x 29 ⁷ / ₈	1500 x 600 x 757	C_KN_-CE6024	1,255	1,385
54 x 36 x 29 ⁷ / ₈	1350 x 900 x 757	C_KN_-CE5436	1,280	1,450
54 x 30 x 29 ⁷ / ₈	1350 x 750 x 757	C_KN_-CE5430	1,250	1,395
54 x 24 x 29 ⁷ / ₈	1350 x 600 x 757	C_KN_-CE5424	1,220	1,340

Specify the surface type (5, 6). Specify accent color (S, W).

2 box drawers and 1 file drawer with suspension bar. Drawers open at the end of the module. Pencil tray. Lock.


72 x 36 x 29 ³ / ₈	1800 x 900 x 745	C_N_-R3672ELUF	1,355	1,540
60 x 36 x 29 ³ / ₈	1500 x 900 x 745	C_N_-R3660ELUF	1,330	1,485
48 x 36 x 29 ³ / ₈	1200 x 900 x 745	C_N_-R3648ELUF	1,305	1,425
72 x 30 x 29 ³ / ₈	1800 x 750 x 745	C_N_-R3072ELUF	1,300	1,460
60 x 30 x 29 ³ / ₈	1500 x 750 x 745	C_N_-R3060ELUF	1,280	1,410
48 x 30 x 29 ³ / ₈	1200 x 750 x 745	C_N_-R3048ELUF	1,260	1,365
72 x 24 x 29 ³ / ₈	1800 x 600 x 745	C_N_-R2472ELUF	1,250	1,375
60 x 24 x 29 ³ / ₈	1500 x 600 x 745	C_N_-R2460ELUF	1,240	1,345
48 x 24 x 29 ³ / ₈	1200 x 600 x 745	C_N_-R2448ELUF	1,225	1,310

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos (cont'd)**Return surface and storage module combos with knife edge**

High-Gloss White finish option for drawer fronts and back (W): add \$159.

Packaged in 2 boxes.

Return surface and storage module combos

High-Gloss White finish option for drawer fronts and back (W): add \$159.

Packaged in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29 ⁷ / ₈	1800 x 900 x 757	C_N_-R3672ELUF	1,465	1,665
60 x 36 x 29 ⁷ / ₈	1500 x 900 x 757	C_N_-R3660ELUF	1,425	1,590
48 x 36 x 29 ⁷ / ₈	1200 x 900 x 757	C_N_-R3648ELUF	1,385	1,520
72 x 30 x 29 ⁷ / ₈	1800 x 750 x 757	C_N_-R3072ELUF	1,395	1,565
60 x 30 x 29 ⁷ / ₈	1500 x 750 x 757	C_N_-R3060ELUF	1,350	1,505
48 x 30 x 29 ⁷ / ₈	1200 x 750 x 757	C_N_-R3048ELUF	1,300	1,445
72 x 24 x 29 ⁷ / ₈	1800 x 600 x 757	C_N_-R2472ELUF	1,335	1,465
60 x 24 x 29 ⁷ / ₈	1500 x 600 x 757	C_N_-R2460ELUF	1,305	1,415
48 x 24 x 29 ⁷ / ₈	1200 x 600 x 757	C_N_-R2448ELUF	1,280	1,370

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Surface with knife edge. 2 box drawers and 1 file drawer with suspension bar. Drawers open at the end of the module. Pencil tray. Lock.

72 x 34 x 29 ⁷ / ₈	1800 x 850 x 757	C_K_-R3472ELUF	1,590	1,770
60 x 34 x 29 ⁷ / ₈	1500 x 850 x 757	C_K_-R3460ELUF	1,550	1,705
48 x 34 x 29 ⁷ / ₈	1200 x 850 x 757	C_K_-R3448ELUF	1,510	1,635
72 x 28 x 29 ⁷ / ₈	1800 x 700 x 757	C_K_-R2872ELUF	1,525	1,675
60 x 28 x 29 ⁷ / ₈	1500 x 700 x 757	C_K_-R2860ELUF	1,495	1,620
48 x 28 x 29 ⁷ / ₈	1200 x 700 x 757	C_K_-R2848ELUF	1,460	1,560

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

2 file drawers with suspension bars. Drawers open at the end of the module. Lock.

72 x 36 x 29 ³ / ₈	1800 x 900 x 745	C_N_-R3672ELF	1,115	1,305
60 x 36 x 29 ³ / ₈	1500 x 900 x 745	C_N_-R3660ELF	1,095	1,250
48 x 36 x 29 ³ / ₈	1200 x 900 x 745	C_N_-R3648ELF	1,070	1,195
72 x 30 x 29 ³ / ₈	1800 x 750 x 745	C_N_-R3072ELF	1,120	1,275
60 x 30 x 29 ³ / ₈	1500 x 750 x 745	C_N_-R3060ELF	1,100	1,230
48 x 30 x 29 ³ / ₈	1200 x 750 x 745	C_N_-R3048ELF	1,080	1,185
72 x 24 x 29 ³ / ₈	1800 x 600 x 745	C_N_-R2472ELF	1,080	1,205
60 x 24 x 29 ³ / ₈	1500 x 600 x 745	C_N_-R2460ELF	1,065	1,170
48 x 24 x 29 ³ / ₈	1200 x 600 x 745	C_N_-R2448ELF	1,045	1,130

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

72 x 36 x 29 ³ / ₈	1800 x 900 x 757	C_N_-R3672ELF	1,270	1,470
60 x 36 x 29 ³ / ₈	1500 x 900 x 757	C_N_-R3660ELF	1,230	1,385
48 x 36 x 29 ³ / ₈	1200 x 900 x 757	C_N_-R3648ELF	1,190	1,280
72 x 30 x 29 ³ / ₈	1800 x 750 x 757	C_N_-R3072ELF	1,210	1,380
60 x 30 x 29 ³ / ₈	1500 x 750 x 757	C_N_-R3060ELF	1,180	1,320
48 x 30 x 29 ³ / ₈	1200 x 750 x 757	C_N_-R3048ELF	1,145	1,260
72 x 24 x 29 ³ / ₈	1800 x 600 x 757	C_N_-R2472ELF	1,160	1,290
60 x 24 x 29 ³ / ₈	1500 x 600 x 757	C_N_-R2460ELF	1,130	1,245
48 x 24 x 29 ³ / ₈	1200 x 600 x 757	C_N_-R2448ELF	1,105	1,195


Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= ASSEMBLY REQUIRED


= NOT PART OF THE QUICKSHIP PROGRAM

USA - JUNE 2015

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Return surface and storage module combos with knife edge 	<i>Surface with knife edge. 2 file drawers with suspension bars. Drawers open at the end of the module. Lock.</i>				
	72 x 34 x 29 1/8	1800 x 850 x 757	C_K_-R3472ELF	1,410	1,590
	60 x 34 x 29 1/8	1500 x 850 x 757	C_K_-R3460ELF	1,375	1,525
	48 x 34 x 29 1/8	1200 x 850 x 757	C_K_-R3448ELF	1,335	1,455
	72 x 28 x 29 1/8	1800 x 700 x 757	C_K_-R2872ELF	1,355	1,510
	60 x 28 x 29 1/8	1500 x 700 x 757	C_K_-R2860ELF	1,325	1,450
	48 x 28 x 29 1/8	1200 x 700 x 757	C_K_-R2848ELF	1,290	1,390

High-Gloss White finish option for drawer fronts and back (W): add \$159.

Packaged in 2 boxes.


Return surface and storage module combos 	<i>2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Pencil tray. Lock. Reversible.</i>				
	72 x 36 x 29 1/8	1800 x 900 x 745	C_N_-R3672UF	1,315	1,505
	60 x 36 x 29 1/8	1500 x 900 x 745	C_N_-R3660UF	1,290	1,450
	48 x 36 x 29 1/8	1200 x 900 x 745	C_N_-R3648UF	1,265	1,395
	72 x 30 x 29 1/8	1800 x 750 x 745	C_N_-R3072UF	1,270	1,425
	60 x 30 x 29 1/8	1500 x 750 x 745	C_N_-R3060UF	1,250	1,380
	48 x 30 x 29 1/8	1200 x 750 x 745	C_N_-R3048UF	1,230	1,335
	72 x 24 x 29 1/8	1800 x 600 x 745	C_N_-R2472UF	1,220	1,345
	60 x 24 x 29 1/8	1500 x 600 x 745	C_N_-R2460UF	1,205	1,310
	48 x 24 x 29 1/8	1200 x 600 x 745	C_N_-R2448UF	1,185	1,270

High-Gloss White finish option for drawer fronts and back (W): add \$159.

Packaged in 2 boxes.


Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).					
72 x 36 x 29 1/8	1800 x 900 x 757	C_N_-R3672UF	1,425	1,625	
60 x 36 x 29 1/8	1500 x 900 x 757	C_N_-R3660UF	1,385	1,555	
48 x 36 x 29 1/8	1200 x 900 x 757	C_N_-R3648UF	1,350	1,480	
72 x 30 x 29 1/8	1800 x 750 x 757	C_N_-R3072UF	1,365	1,530	
60 x 30 x 29 1/8	1500 x 750 x 757	C_N_-R3060UF	1,335	1,470	
48 x 30 x 29 1/8	1200 x 750 x 757	C_N_-R3048UF	1,300	1,410	
72 x 24 x 29 1/8	1800 x 600 x 757	C_N_-R2472UF	1,300	1,435	
60 x 24 x 29 1/8	1500 x 600 x 757	C_N_-R2460UF	1,275	1,385	
48 x 24 x 29 1/8	1200 x 600 x 757	C_N_-R2448UF	1,245	1,335	

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos with knife edge 	<i>Surface with knife edge. 2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Pencil tray. Lock. Reversible.</i>				
	72 x 34 x 29 1/8	1800 x 850 x 757	C_K_-R3472UF	1,570	1,750
	60 x 34 x 29 1/8	1500 x 850 x 757	C_K_-R3460UF	1,530	1,685
	48 x 34 x 29 1/8	1200 x 850 x 757	C_K_-R3448UF	1,490	1,610
	72 x 28 x 29 1/8	1800 x 700 x 757	C_K_-R2872UF	1,505	1,655
	60 x 28 x 29 1/8	1500 x 700 x 757	C_K_-R2860UF	1,475	1,600
	48 x 28 x 29 1/8	1200 x 700 x 757	C_K_-R2848UF	1,440	1,540

High-Gloss White finish option for drawer fronts and back (W): add \$159.

Packaged in 2 boxes.

Return surface and storage module combos – 48" H 	<i>2 box drawers and 1 file drawer with suspension bar. Drawers open at the end of the module. Bookcase above surface. Pencil tray. Lock.</i>				
	72 x 36 x 47	1800 x 900 x 1195	C_N_-R367248ELUF	1,565	1,755
	60 x 36 x 47	1500 x 900 x 1195	C_N_-R366048ELUF	1,540	1,700
	72 x 30 x 47	1800 x 750 x 1195	C_N_-R307248ELUF	1,500	1,660
	60 x 30 x 47	1500 x 750 x 1195	C_N_-R306048ELUF	1,480	1,610
	72 x 24 x 47	1800 x 600 x 1195	C_N_-R247248ELUF	1,435	1,565
	60 x 24 x 47	1500 x 600 x 1195	C_N_-R246048ELUF	1,420	1,525


High-Gloss White finish option for drawer fronts and back (W): add \$212.

Packaged in 2 boxes.

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).


Return surface and storage module combos – 48" H (cont'd)	72 x 36 x 47 1/2	1800 x 900 x 1207	C_N_-R367248ELUF	1,685	1,890
	60 x 36 x 47 1/2	1500 x 900 x 1207	C_N_-R366048ELUF	1,645	1,815
	72 x 30 x 47 1/2	1800 x 750 x 1207	C_N_-R307248ELUF	1,605	1,775
	60 x 30 x 47 1/2	1500 x 750 x 1207	C_N_-R306048ELUF	1,570	1,710
	72 x 24 x 47 1/2	1800 x 600 x 1207	C_N_-R247248ELUF	1,525	1,660
	60 x 24 x 47 1/2	1500 x 600 x 1207	C_N_-R246048ELUF	1,500	1,610

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 48" H with knife edge 	<i>Surface with knife edge. 2 box drawers and 1 file drawer with suspension bar. Drawers open at the end of the module. Bookcase above surface. Pencil tray. Lock.</i>				
	72 x 36 x 47 1/2	1800 x 900 x 1207	C_K_-R367248ELUF	1,810	2,005
	60 x 36 x 47 1/2	1500 x 900 x 1207	C_K_-R366048ELUF	1,770	1,930
	72 x 30 x 47 1/2	1800 x 750 x 1207	C_K_-R307248ELUF	1,730	1,895
	60 x 30 x 47 1/2	1500 x 750 x 1207	C_K_-R306048ELUF	1,695	1,830
	72 x 24 x 47 1/2	1800 x 600 x 1207	C_K_-R247248ELUF	1,660	1,785
	60 x 24 x 47 1/2	1500 x 600 x 1207	C_K_-R246048ELUF	1,630	1,735

High-Gloss White finish option for drawer fronts and back (W): add \$212.

Packaged in 2 boxes.

Return surface and storage module combos – 48" H 	<i>2 file drawers with suspension bars. Drawers open at the end of the module. Bookcase above surface. Lock.</i>				
	72 x 36 x 47	1800 x 900 x 1195	C_N_-R367248ELF	1,495	1,690
	60 x 36 x 47	1500 x 900 x 1195	C_N_-R366048ELF	1,470	1,630
	72 x 30 x 47	1800 x 750 x 1195	C_N_-R307248ELF	1,430	1,590
	60 x 30 x 47	1500 x 750 x 1195	C_N_-R306048ELF	1,410	1,540
	72 x 24 x 47	1800 x 600 x 1195	C_N_-R247248ELF	1,365	1,495
	60 x 24 x 47	1500 x 600 x 1195	C_N_-R246048ELF	1,350	1,455


High-Gloss White finish option for drawer fronts and back (W): add \$212.

Packaged in 2 boxes.

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

72 x 36 x 47 1/2	1800 x 900 x 1207	C_N_-R367248ELF	1,615	1,815	
60 x 36 x 47 1/2	1500 x 900 x 1207	C_N_-R366048ELF	1,575	1,745	
72 x 30 x 47 1/2	1800 x 750 x 1207	C_N_-R307248ELF	1,530	1,710	
60 x 30 x 47 1/2	1500 x 750 x 1207	C_N_-R306048ELF	1,500	1,640	
72 x 24 x 47 1/2	1800 x 600 x 1207	C_N_-R247248ELF	1,455	1,590	
60 x 24 x 47 1/2	1500 x 600 x 1207	C_N_-R246048ELF	1,425	1,540	


Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 48" H with knife edge 	<i>Surface with knife edge. 2 file drawers with suspension bars. Drawers open at the end of the module. Bookcase above surface. Lock.</i>				
	72 x 36 x 47 1/2	1800 x 900 x 1207	C_K_-R367248ELF	1,740	1,935
	60 x 36 x 47 1/2	1500 x 900 x 1207	C_K_-R366048ELF	1,700	1,865
	72 x 30 x 47 1/2	1800 x 750 x 1207	C_K_-R307248ELF	1,665	1,825
	60 x 30 x 47 1/2	1500 x 750 x 1207	C_K_-R306048ELF	1,630	1,765
	72 x 24 x 47 1/2	1800 x 600 x 1207	C_K_-R247248ELF	1,590	1,720
	60 x 24 x 47 1/2	1500 x 600 x 1207	C_K_-R246048ELF	1,560	1,670

High-Gloss White finish option for drawer fronts and back (W): add \$212.

Packaged in 2 boxes.

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 48" H

High-Gloss White finish option for drawer fronts and back (W): add \$212.


Packaged in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 47	1800 x 900 x 1195	C_N_-R367248UF_	1,615	1,795
60 x 36 x 47	1500 x 900 x 1195	C_N_-R366048UF_	1,590	1,740
72 x 30 x 47	1800 x 750 x 1195	C_N_-R307248UF_	1,550	1,705
60 x 30 x 47	1500 x 750 x 1195	C_N_-R306048UF_	1,530	1,660
72 x 24 x 47	1800 x 600 x 1195	C_N_-R247248UF_	1,490	1,615
60 x 24 x 47	1500 x 600 x 1195	C_N_-R246048UF_	1,475	1,575

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.

72 x 36 x 47½	1800 x 900 x 1207	C_N_-R367248UF_	1,730	1,925
60 x 36 x 47½	1500 x 900 x 1207	C_N_-R366048UF_	1,690	1,850
72 x 30 x 47½	1800 x 750 x 1207	C_N_-R307248UF_	1,655	1,815
60 x 30 x 47½	1500 x 750 x 1207	C_N_-R306048UF_	1,620	1,755
72 x 24 x 47½	1800 x 600 x 1207	C_N_-R247248UF_	1,575	1,705
60 x 24 x 47½	1500 x 600 x 1207	C_N_-R246048UF_	1,550	1,655

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.


Return surface and storage module combos – 48" H with knife edge

High-Gloss White finish option for drawer fronts and back (W): add \$212.

Packaged in 2 boxes.

72 x 36 x 47½	1800 x 900 x 1207	C_K_-R367248UF_	1,850	2,040
60 x 36 x 47½	1500 x 900 x 1207	C_K_-R366048UF_	1,810	1,965
72 x 30 x 47½	1800 x 750 x 1207	C_K_-R307248UF_	1,780	1,935
60 x 30 x 47½	1500 x 750 x 1207	C_K_-R306048UF_	1,745	1,875
72 x 24 x 47½	1800 x 600 x 1207	C_K_-R247248UF_	1,710	1,830
60 x 24 x 47½	1500 x 600 x 1207	C_K_-R246048UF_	1,680	1,780

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.

Return surface and storage module combos – 61" H

High-Gloss White finish option for drawer fronts and back (W): add \$212.


Packaged in 2 boxes.

72 x 36 x 60¾	1800 x 900 x 1545	C_N_-R367261ELUF	1,930	2,120
60 x 36 x 60¾	1500 x 900 x 1545	C_N_-R366061ELUF	1,905	2,065
72 x 30 x 60¾	1800 x 750 x 1545	C_N_-R307261ELUF	1,845	2,005
60 x 30 x 60¾	1500 x 750 x 1545	C_N_-R306061ELUF	1,825	1,960
72 x 24 x 60¾	1800 x 600 x 1545	C_N_-R247261ELUF	1,770	1,895
60 x 24 x 60¾	1500 x 600 x 1545	C_N_-R246061ELUF	1,750	1,855

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).


72 x 36 x 61¼	1800 x 900 x 1557	C_N_-R367261ELUF	2,055	2,255
60 x 36 x 61¼	1500 x 900 x 1557	C_N_-R366061ELUF	2,015	2,185
72 x 30 x 61¼	1800 x 750 x 1557	C_N_-R307261ELUF	1,955	2,125
60 x 30 x 61¼	1500 x 750 x 1557	C_N_-R306061ELUF	1,925	2,065
72 x 24 x 61¼	1800 x 600 x 1557	C_N_-R247261ELUF	1,860	1,995
60 x 24 x 61¼	1500 x 600 x 1557	C_N_-R246061ELUF	1,835	1,945

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 61" H with knife edge

High-Gloss White finish option for drawer fronts and back (W): add \$212.

Packaged in 2 boxes.

Return surface and storage module combos – 61" H

High-Gloss White finish option for drawer fronts and back (W): add \$212.

Packaged in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 61¼	1800 x 900 x 1557	C_K_-R367261ELUF	2,160	2,355
60 x 36 x 61¼	1500 x 900 x 1557	C_K_-R366061ELUF	2,120	2,280
72 x 30 x 61¼	1800 x 750 x 1557	C_K_-R307261ELUF	2,065	2,230
60 x 30 x 61¼	1500 x 750 x 1557	C_K_-R306061ELUF	2,035	2,165
72 x 24 x 61¼	1800 x 600 x 1557	C_K_-R247261ELUF	1,980	2,105
60 x 24 x 61¼	1500 x 600 x 1557	C_K_-R246061ELUF	1,950	2,055

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).


2 file drawers with suspension bars. Drawers open at the end of the module. Bookcase and lift-up door above surface. Lock.

72 x 36 x 60¾	1800 x 900 x 1545	C_N_-R367261ELF	1,845	2,040
60 x 36 x 60¾	1500 x 900 x 1545	C_N_-R366061ELF	1,820	1,980
72 x 30 x 60¾	1800 x 750 x 1545	C_N_-R307261ELF	1,765	1,925
60 x 30 x 60¾	1500 x 750 x 1545	C_N_-R306061ELF	1,745	1,875
72 x 24 x 60¾	1800 x 600 x 1545	C_N_-R247261ELF	1,685	1,815
60 x 24 x 60¾	1500 x 600 x 1545	C_N_-R246061ELF	1,670	1,775

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

72 x 36 x 61¼	1800 x 900 x 1557	C_N_-R367261ELF	1,970	2,175
60 x 36 x 61¼	1500 x 900 x 1557	C_N_-R366061ELF	1,930	2,100
72 x 30 x 61¼	1800 x 750 x 1557	C_N_-R307261ELF	1,870	2,040
60 x 30 x 61¼	1500 x 750 x 1557	C_N_-R306061ELF	1,840	1,980
72 x 24 x 61¼	1800 x 600 x 1557	C_N_-R247261ELF	1,780	1,915
60 x 24 x 61¼	1500 x 600 x 1557	C_N_-R246061ELF	1,750	1,865

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 61" H with knife edge


High-Gloss White finish option for drawer fronts and back (W): add \$212.

Packaged in 2 boxes.

Surface with knife edge. 2 file drawers with suspension bars. Drawers open at the end of the module. Bookcase and lift-up door above surface. Lock.

72 x 36 x 61¼	1800 x 900 x 1557	C_K_-R367261ELF	2,080	2,275
60 x 36 x 61¼	1500 x 900 x 1557	C_K_-R366061ELF	2,040	2,200
72 x 30 x 61¼	1800 x 750 x 1557	C_K_-R307261ELF	1,990	2,150
60 x 30 x 61¼	1500 x 750 x 1557	C_K_-R306061ELF	1,955	2,085
72 x 24 x 61¼	1800 x 600 x 1557	C_K_-R247261ELF	1,900	2,025
60 x 24 x 61¼	1500 x 600 x 1557	C_K_-R246061ELF	1,870	1,975

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 61" H

High-Gloss White finish option for drawer fronts and back (W): add \$212.



High-Gloss White finish option for drawer fronts and back (W): add \$212.

Packaged in 2 boxes.

2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Bookcase and lift-up door above surface. Pencil tray. Lock.


72 x 36 x 60¾	1800 x 900 x 1545	C_N_-R367261UF	1,925	2,110
60 x 36 x 60¾	1500 x 900 x 1545	C_N_-R366061UF	1,905	2,055
72 x 30 x 60¾	1800 x 750 x 1545	C_N_-R307261UF	1,850	2,000
60 x 30 x 60¾	1500 x 750 x 1545	C_N_-R306061UF	1,825	1,955
72 x 24 x 60¾	1800 x 600 x 1545	C_N_-R247261UF	1,770	1,895
60 x 24 x 60¾	1500 x 600 x 1545	C_N_-R246061UF	1,755	1,855

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Return surface and storage module combos – 61" H (cont'd)	72 x 36 x 61 1/4	1800 x 900 x 1557	C_N__-R367261UF__	2,050	2,245
	60 x 36 x 61 1/4	1500 x 900 x 1557	C_N__-R366061UF__	2,010	2,170
	72 x 30 x 61 1/4	1800 x 750 x 1557	C_N__-R307261UF__	1,955	2,115
	60 x 30 x 61 1/4	1500 x 750 x 1557	C_N__-R306061UF__	1,920	2,055
	72 x 24 x 61 1/4	1800 x 600 x 1557	C_N__-R247261UF__	1,865	1,995
	60 x 24 x 61 1/4	1500 x 600 x 1557	C_N__-R246061UF__	1,835	1,945

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.


Return surface and storage module combos – 61" H with knife edge



High-Gloss White finish option for drawer fronts and back (W): add \$212.

Packaged in 2 boxes.


NEW YORK double-sided laminate bases



1 end base, goes under double-sided surfaces.

60 x 6 x 28	1500 x 150 x 719	CNNNS-CBDM60	930	–
54 x 6 x 28	1350 x 150 x 719	CNNNS-CBDM54	920	–

NEW YORK double-sided combined bases




1 end base, goes under double-sided surfaces. Translucent acrylic insert with Silver anodized aluminum frame. 1 tone only.

60 x 6 x 28	1500 x 150 x 719	CNNNS-CBDT60	1,425	–
54 x 6 x 28	1350 x 150 x 719	CNNNS-CBDT54	1,405	–

Insert option, change T to: Y Sky, add \$128.

MONTREAL double-sided angled bases




1 end base, goes under double-sided surfaces. Painted steel.

60 x 6 x 28	1500 x 150 x 719	CNNN_-ABD60	900	–
54 x 6 x 28	1350 x 150 x 719	CNNN_-ABD54	865	–

Specify accent color (S, W).

Packaged in 3 boxes.

CHICAGO metal U-shaped double-sided bases



1 end base, goes under double-sided surfaces. Painted steel.

60 x 6 x 28	1500 x 150 x 719	CNNN_-QBD60	850	–
54 x 6 x 28	1350 x 150 x 719	CNNN_-QBD54	815	–

Specify accent color (S, W).

Double-sided end panel bases




90" base compatible with 60" surfaces.

84" base compatible with 54" surfaces.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
----------------	----------------	------	-------------------------	-------------------------

Full 1 1/2" (38 mm) thick end panel. Go under double-sided surfaces. Hardware included.



60 x 1 1/2 x 28	1500 x 38 x 719	CNNNS-LED6028	405	–
54 x 1 1/2 x 28	1350 x 38 x 719	CNNNS-LED5428	380	–
90 x 1 1/2 x 41	2250 x 38 x 1042	CNNNS-LED9041	655	–
84 x 1 1/2 x 41	2100 x 38 x 1042	CNNNS-LED8441	610	–


Double-sided end panel bases to stack on low storage module



90" base compatible with 60" surfaces.


84" base compatible with 54" surfaces.

1 1/2" (38 mm) thick end panel. Go under double-sided surfaces and stack on low storage module. Hardware included.



60 x 1 1/2 x 6 1/4	1500 x 38 x 158	CNNNS-LED6006	310	–
54 x 1 1/2 x 6 1/4	1350 x 38 x 158	CNNNS-LED5406	300	–
90 x 1 1/2 x 19	2250 x 38 x 481	CNNNS-LED9019	505	–
84 x 1 1/2 x 19	2100 x 38 x 481	CNNNS-LED8419	480	–

Center base with wire management for double-sided surfaces



Goes under 2 double-sided surfaces. This base allows to connect electric cables to a floor outlet. Includes door with 110° hinges and a locked storage module. Include 2 cantilevers kits. 1 tone only.


12 x 12 x 28	300 x 300 x 719	CNNNS-LBD1212WM	860	–
--------------	-----------------	------------------------	------------	---

Center panel bases for double-sided surfaces

90" base compatible with 60" surfaces.

84" base compatible with 54" surfaces.

Go at the junction of double-sided surfaces. Hardware included.




28 x 1 1/2 x 28	690 x 38 x 719	CNNNS-LCD2828	525	–
90 x 1 1/2 x 41	2250 x 38 x 1042	CNNNS-LCD9042	875	–
84 x 1 1/2 x 41	2100 x 38 x 1042	CNNNS-LCD8442	850	–

Center panel bases for double-sided surfaces to stack on low storage module

31" and 90" bases compatible with 60" surfaces.


28" and 84" bases compatible with 54" surfaces.

Go at the junction of double-sided surfaces. Stack on low storage module. Hardware included.




28 x 12 x 6	705 x 305 x 158	CNNNS-LCD2806	550	–
31 x 12 x 6	781 x 305 x 158	CNNNS-LCD3106	560	–
90 x 1 1/2 x 19	2250 x 38 x 481	CNNNS-LCD9019	665	–
84 x 1 1/2 x 19	2100 x 38 x 481	CNNNS-LCD8419	645	–

NEW YORK single-sided laminate base



1 end base, goes under single-sided surfaces.



30 x 6 x 28	750 x 150 x 719	CNNNS-CBSM30	820	–
-------------	-----------------	---------------------	------------	---

NEW YORK single-sided combined base

Insert option, change T to: Y Sky, add \$85.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
30 x 6 x 28	750 x 150 x 719	CNNNS-CBST30	1,090	—

1 end base, goes under single-sided surfaces. Translucent acrylic insert with Silver anodized aluminum frame. 1 tone only.

MONTREAL single-sided angled metal base

Packaged in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
30 x 6 x 28	750 x 150 x 719	CNNN_-ABS30_	755	—

1 end base, goes under single-sided surfaces. Painted steel.


Specify accent color (S, W). Choose left or right, add L or R at the end of the code.

MONTREAL angled metal base

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
6 x 6 x 28	150 x 150 x 719	CNNN_-AB	305	—

Painted steel. Leg only, no beam.

Specify accent color (S, W).

Chicago U-shaped single-sided metal base


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
30 x 6 x 28	750 x 150 x 719	CNNN_-QBS30	700	—

1 end base. Goes under single-sided surfaces. Painted steel.

Specify accent color (S, W).

Single-sided end panel bases

Full 1 1/2" (38 mm) thick end panel. To be used with single-sided surfaces. Hardware included.



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
30 x 1 1/2 x 28	750 x 38 x 719	CNNNS-LES3028_	265	—
46 x 1 1/2 x 41	1172 x 38 x 1042	CNNNS-LES4641_	425	—

Choose left or right, add L or R at the end of the code.


Center base with wire management for single-sided surfaces

To be used at the junction of 2 single-sided surfaces. This base allows the connection of electric cables to a floor outlet. Includes door with 110° hinges and a lockable storage module. 6" (150 mm) recessed bottom. Includes 1 cantilever kit. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
12 x 9 x 28	300 x 234 x 719	CNNNS-LBS912WM	630	—

Center panel bases for single-sided surfaces

1 1/2" (38 mm) thick end panel. Go at the junction of single-sided surfaces. Hardware included.



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
17 x 3 x 28	429 x 76 x 719	CNNNS-LCS1728	380	—
46 x 1 1/2 x 41	1172 x 38 x 1042	CNNNS-LCS4641	535	—

End-base extensions with storage module

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
60 x 15 x 29 3/8	1500 x 375 x 745	C_NNS-EXR602915	840	910
54 x 15 x 29 3/8	1350 x 375 x 745	C_NNS-EXR542915	815	875

To be used with double-sided surfaces. Open bookcase.

Specify the surface type (1, 2).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
60 x 15 x 29 7/8	1500 x 375 x 757	C_NNS-EXR602915	890	960
54 x 15 x 29 7/8	1350 x 375 x 757	C_NNS-EXR542915	860	925

Specify the surface type (5, 6).

End-base extensions with storage module

High-Gloss White finish option for doors (W): add \$106.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
60 x 15 3/4 x 29 3/8	1500 x 393 x 745	C_N_S-EXR602915P	1,245	1,305
54 x 15 3/4 x 29 3/8	1350 x 393 x 745	C_N_S-EXR542915P	1,200	1,255

To be used with double-sided surfaces. Bookcase with doors.

Specify the surface type (1, 2). Specify the Gloss finish (W, N).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
60 x 15 3/4 x 29 7/8	1500 x 393 x 757	C_N_S-EXR602915P	1,280	1,340
54 x 15 3/4 x 29 7/8	1350 x 393 x 757	C_N_S-EXR542915P	1,230	1,290

Specify the surface type (5, 6). Specify the Gloss finish (W, N).

End-base extensions with storage module

High-Gloss White finish option for door (W): add \$106.


W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
60 x 15 3/4 x 29 3/8	1500 x 393 x 745	C_N_S-EXR602915C	1,150	1,220
54 x 15 3/4 x 29 3/8	1350 x 393 x 745	C_N_S-EXR542915C	1,085	1,145

To be used with double-sided surfaces. Bookcase with sliding door.

Specify the surface type (1, 2). Specify the Gloss finish (W, N).

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
60 x 15 3/4 x 29 7/8	1500 x 393 x 757	C_N_S-EXR602915C	1,185	1,255
54 x 15 3/4 x 29 7/8	1350 x 393 x 757	C_N_S-EXR542915C	1,115	1,175

Specify the surface type (5, 6). Specify the Gloss finish (W, N).

End-base extensions with storage module – 41" H

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
60 x 15 x 41	1500 x 375 x 1042	C_NNS-EXR604115	875	945
54 x 15 x 41	1350 x 375 x 1042	C_NNS-EXR544115	830	890

To be used with double-sided surfaces. Open bookcase 10" (250 mm).

Specify the surface type (1, 2).


Storage end base modules for double-sided surfaces

Insert option, change T to: Y Sky, add \$63.

High-Gloss White finish option for drawer fronts and back (W): add \$400.

Packaged in 3 boxes.

Storage end base modules. Support double-sided surfaces and divide space. 2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Bookcase above surface. Pencil trays. Locks. 108"L (2700 mm) compatible with 60"D (1500 mm) surfaces and 102"L (2550 mm) compatible with 54"D (1350 mm).



W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
108 x 18 x 47 1/2	2700 x 450 x 1207	C_N_-PRET1084818UF	3,170	3,355
102 x 18 x 47 1/2	2550 x 450 x 1207	C_N_-PRET1024818UF	3,030	3,270

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).


Storage end base modules for double-sided surfaces

Insert option, change T to: Y Sky, add \$63.

High-Gloss White finish option (W): add 400\$.


Packaged in 3 boxes.

Storage end base modules. Support double-sided surfaces and divide space. 2 file drawers with suspension bars. Drawers open at the end of the module. Bookcase above surface. Locks. 108"L (2700 mm) compatible with 60"D (1500 mm) surfaces and 102"L (2550 mm) compatible with 54"D (1350 mm).




W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
108 x 16 x 47 1/2	2700 x 409 x 1207	C_N_-PRET1084816EFF	2,955	3,185
102 x 16 x 47 1/2	2550 x 409 x 1207	C_N_-PRET1024816EFF	2,885	3,100


Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Storage center base modules for double-sided surfaces					
Go at the junction of double-sided surfaces. 2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Bookcase above surface. Pencil trays. Locks. 108"L (2700 mm) compatible with 60"D (1500 mm) surfaces and 102"L (2550 mm) compatible with 54"D (1350 mm).  Insert option, change T to: Y Sky, add \$63. High-Gloss White finish option for drawer fronts and back (W): add \$400. Packaged in 3 boxes.					
	108 x 18 x 47 1/2	2700 x 450 x 1207	C_N__-PRCT1084818UF	3,345	3,605
	102 x 18 x 47 1/2	2550 x 450 x 1207	C_N__-PRCT1024818UF	3,265	3,510


Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Storage center base modules for double-sided surfaces					
Go at the junction of double-sided surfaces. 2 file drawers with suspension bars. Drawers open at the end of the module. Bookcase above surface. Locks. 108"L (2700 mm) compatible with 60"D (1500 mm) surfaces and 102"L (2550 mm) compatible with 54"D (1350 mm).  Insert option, change T to: Y Sky, add \$63. High-Gloss White finish option (W): add \$400. Packaged in 3 boxes.					
	108 x 16 x 47 1/2	2700 x 409 x 1207	C_N__-PRCT1084816EFF	3,200	3,440
	102 x 16 x 47 1/2	2550 x 409 x 1207	C_N__-PRCT1024816EFF	3,120	3,345


Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Storage center base modules for double-sided surfaces					
Go at the junction of double-sided surfaces. 1 file drawer with suspension bar on each side. Drawers open on the sides. Bookcase above surface. Locks. 108"L (2700 mm) compatible with 60"D (1500 mm) surfaces and 102"L (2550 mm) compatible with 54"D (1350 mm).  Insert option, change T to: Y Sky, add \$63. High-Gloss White finish option for drawer fronts and back (W): add \$400. Packaged in 3 boxes.					
	108 x 18 x 47 1/2	2700 x 450 x 1207	C_N__-PRCT1084818FM	3,205	3,460
	102 x 18 x 47 1/2	2550 x 450 x 1207	C_N__-PRCT1024818FM	3,125	3,365


Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Pedestal bases for double-sided surfaces					
Support double-sided surfaces and divide space. 2 box drawers and 1 file drawer with suspension bar. Drawers open at the end of the module. Open space. Integrated wire management. Pencil trays. Locks.  High-Gloss White finish option (W): add \$400.					
	60 x 16 x 41	1500 x 409 x 1042	C_N__-CRE604116EUF	2,385	2,455
	54 x 16 x 41	1350 x 409 x 1042	C_N__-CRE544116EUF	2,325	2,390


Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Pedestal bases for double-sided surfaces					
Support double-sided surfaces and divide space. 2 file drawers with suspension bars. Drawers open at the end of the module. Open space. Integrated wire management. Locks.  High-Gloss White finish option (W): add \$400.					
	60 x 16 x 41	1500 x 409 x 1042	C_N__-CRE604116EFF	2,205	2,280
	54 x 16 x 41	1350 x 409 x 1042	C_N__-CRE544116EFF	2,155	2,220


Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Pedestal bases for double-sided surfaces					
Go at the junction of double-sided and divide space. 2 box drawer and 1 file drawers with suspension bar. Drawers open at the end of the module. Open space. Integrated wire management. Pencil trays. Locks.  High-Gloss White finish option (W): add \$400.					
	60 x 16 x 41	1500 x 409 x 1042	C_N__-CRC604116EUF	2,585	2,655
	54 x 16 x 41	1350 x 409 x 1042	C_N__-CRC544116EUF	2,525	2,590

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Pedestal bases for double-sided surfaces					
Go at the junction of double-sided and divide space. 2 file drawers with suspension bars. Drawers open at the end of the module. Open space. Integrated wire management. Locks.  High-Gloss White finish option (W): add \$400.					
	60 x 16 x 41	1500 x 409 x 1042	C_N__-CRC604116EFF	2,405	2,480
	54 x 16 x 41	1350 x 409 x 1042	C_N__-CRC544116EFF	2,350	2,415


Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

End of double-sided surface screens – 18" H					
Acrylic screens with metal supports to go at the end of a double-sided surface.  Insert option, change T to: Y Sky, add \$63.					
	60 x 1/4 x 18	1500 x 6 x 450	CNNN_-SCET6018	705	–
	54 x 1/4 x 18	1350 x 6 x 450	CNNN_-SCET5418	675	–

Specify accent color (S, W).

End of double-sided surface screens – 18" H					
Fabric screens with metal supports to go at the end of a double-sided surface. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%. 					
	60 x 1/2 x 18	1500 x 12 x 450	CNNN_-SCEF6018	745	–
	54 x 1/2 x 18	1350 x 12 x 450	CNNN_-SCEF5418	700	–

Specify accent color (S, W). Specify the fabric code after the product code.

End of double-sided surface screens – 18" H					
Felt screens with metal supports to go at the end of a double-sided surface. 					
	60 x 1/2 x 18	1500 x 12 x 450	CNNN_-SCEFF6018	705	–
	54 x 1/2 x 18	1350 x 12 x 450	CNNN_-SCEFF5418	675	–

Specify accent color (S, W). Specify the felt code after the product code.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
End of single-sided surface screen – 18" H	<i>Acrylic screen with metal supports to go at the end of a single-sided surface.</i>				
	31 x 1/4 x 18	797 x 6 x 450	CNNN_-SCET3118	670	—



Insert option,
change T to:
Y Sky, add \$63.

End of single-sided surface screen – 18" H	<i>Fabric screen with metal supports to go at the end of a single-sided surface. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.</i>				
	31 x 1/2 x 18	797 x 12 x 450	CNNN_-SCEF3118	680	—



Specify accent color (S, W). Specify the fabric code after the product code.

End of single-sided surface screen – 18" H	<i>Felt screen with metal supports to go at the end of a double-sided surface.</i>				
	31 x 1/2 x 18	797 x 12 x 450	CNNN_-SCEFF3118	670	—



Specify accent color (S, W). Specify the felt code after the product code.

Privacy screens	<i>Acrylic translucent screens supported by metal stabilizer feet in a painted finish. Divide face-to-face individual workspaces.</i>				
	48 x 1/4 x 18	1200 x 6 x 450	CNNN_-SCT4818	465	—
	36 x 1/4 x 18	900 x 6 x 450	CNNN_-SCT3618	445	—
	30 x 1/4 x 18	750 x 6 x 450	CNNN_-SCT3018	420	—
	24 x 1/4 x 18	600 x 6 x 450	CNNN_-SCT2418	400	—
	18 x 1/4 x 18	450 x 6 x 450	CNNN_-SCT1818	370	—
	48 x 1/4 x 11	1200 x 6 x 285	CNNN_-SCT4811	410	—
	36 x 1/4 x 11	900 x 6 x 285	CNNN_-SCT3611	390	—
	30 x 1/4 x 11	750 x 6 x 285	CNNN_-SCT3011	360	—
	24 x 1/4 x 11	600 x 6 x 285	CNNN_-SCT2411	340	—
	18 x 1/4 x 11	450 x 6 x 285	CNNN_-SCT1811	315	—



Insert option,
change T to:
Y Sky, add \$63.

Specify accent color (S, W).

Privacy screens	<i>Fabric screens supported by metal stabilizer feet in a painted finish. Divide face-to-face individual workspaces. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.</i>				
	48 x 1/2 x 18	1200 x 12 x 450	CNNN_-SCF4818	480	—
	36 x 1/2 x 18	900 x 12 x 450	CNNN_-SCF3618	460	—
	30 x 1/2 x 18	750 x 12 x 450	CNNN_-SCF3018	440	—
	24 x 1/2 x 18	600 x 12 x 450	CNNN_-SCF2418	415	—
	18 x 1/2 x 18	450 x 12 x 450	CNNN_-SCF1818	395	—
	48 x 1/2 x 11	1200 x 12 x 285	CNNN_-SCF4811	425	—
	36 x 1/2 x 11	900 x 12 x 285	CNNN_-SCF3611	405	—
	30 x 1/2 x 11	750 x 12 x 285	CNNN_-SCF3011	380	—
	24 x 1/2 x 11	600 x 12 x 285	CNNN_-SCF2411	355	—
	18 x 1/2 x 11	450 x 12 x 285	CNNN_-SCF1811	335	—



Specify accent color (S, W). Specify the fabric code after the product code.

Privacy screens	<i>Felt screens supported by metal stabilizer feet in a painted finish. Divide face-to-face individual workspaces.</i>				
	48 x 1/2 x 18	1200 x 12 x 450	CNNN_-SCFF4818	465	—
	36 x 1/2 x 18	900 x 12 x 450	CNNN_-SCFF3618	445	—
	30 x 1/2 x 18	750 x 12 x 450	CNNN_-SCFF3018	420	—
	24 x 1/2 x 18	600 x 12 x 450	CNNN_-SCFF2418	400	—
	18 x 1/2 x 18	450 x 12 x 450	CNNN_-SCFF1818	370	—



	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Privacy screens (cont'd)	48 x 1/2 x 11	1200 x 12 x 285	CNNN_-SCFF4811	410	—
	36 x 1/2 x 11	900 x 12 x 285	CNNN_-SCFF3611	390	—
	30 x 1/2 x 11	750 x 12 x 285	CNNN_-SCFF3011	360	—
	24 x 1/2 x 11	600 x 12 x 285	CNNN_-SCFF2411	340	—
	18 x 1/2 x 11	450 x 12 x 285	CNNN_-SCFF1811	315	—

Specify accent color (S, W). Specify the felt code after the product code.

Privacy lateral screens	<i>Acrylic translucent screens supported by metal stabilizer feet and clip in a painted finish. Divide side-to-side individual workspaces.</i>				
--------------------------------	--	--	--	--	--



Insert option,
change T to:
Y Sky, add \$63.

	24 x 1/4 x 18	600 x 6 x 450	CNNN_-SCCT2418	415	—
	21 x 1/4 x 18	525 x 6 x 450	CNNN_-SCCT2118	400	—
	18 x 1/4 x 18	450 x 6 x 450	CNNN_-SCCT1818	395	—
	15 x 1/4 x 18	375 x 6 x 450	CNNN_-SCCT1518	385	—
	24 x 1/4 x 11	600 x 6 x 285	CNNN_-SCCT2411	355	—
	21 x 1/4 x 11	525 x 6 x 285	CNNN_-SCCT2111	345	—
	18 x 1/4 x 11	450 x 6 x 285	CNNN_-SCCT1811	335	—
	15 x 1/4 x 11	375 x 6 x 285	CNNN_-SCCT1511	325	—

Specify accent color (S, W).

Privacy lateral screens	<i>Fabric screens supported by metal stabilizer feet and clip in a painted finish. Divide side-to-side individual workspaces. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.</i>				
--------------------------------	--	--	--	--	--



	24 x 1/2 x 18	600 x 12 x 450	CNNN_-SCCF2418	435	—
	21 x 1/2 x 18	525 x 12 x 450	CNNN_-SCCF2118	420	—
	18 x 1/2 x 18	450 x 12 x 450	CNNN_-SCCF1818	410	—
	15 x 1/2 x 18	375 x 12 x 450	CNNN_-SCCF1518	400	—
	24 x 1/2 x 11	600 x 12 x 285	CNNN_-SCCF2411	370	—
	21 x 1/2 x 11	525 x 12 x 285	CNNN_-SCCF2111	360	—
	18 x 1/2 x 11	450 x 12 x 285	CNNN_-SCCF1811	350	—
	15 x 1/2 x 11	375 x 12 x 285	CNNN_-SCCF1511	340	—

Specify accent color (S, W). Specify the fabric code after the product code.

Privacy lateral screens	<i>Felt screens supported by metal stabilizer feet and clip in a painted finish. Divide side-to-side individual workspaces.</i>				
--------------------------------	---	--	--	--	--



	24 x 1/2 x 18	600 x 12 x 450	CNNN_-SCCFF2418	415	—
	21 x 1/2 x 18	525 x 12 x 450	CNNN_-SCCFF2118	400	—
	18 x 1/2 x 18	450 x 12 x 450	CNNN_-SCCFF1818	395	—
	15 x 1/2 x 18	375 x 12 x 450	CNNN_-SCCFF1518	385	—
	24 x 1/2 x 11	600 x 12 x 285	CNNN_-SCCFF2411	355	—
	21 x 1/2 x 11	525 x 12 x 285	CNNN_-SCCFF2111	345	—
	18 x 1/2 x 11	450 x 12 x 285	CNNN_-SCCFF1811	335	—
	15 x 1/2 x 11	375 x 12 x 285	CNNN_-SCCFF1511	325	—

Specify accent color (S, W). Specify the felt code after the product code.

Add-on counters with off-centered back	<i>1" (25 mm) thick melamine, acrylic back. To be used at the end of double-sided surfaces.</i>				
---	---	--	--	--	--



Insert option, change T to:
Y Sky, add \$63.

	60 x 15 x 18	1500 x 375 x 450	C_NNS-MCET601815	635	725
	54 x 15 x 18	1350 x 375 x 450	C_NNS-MCET541815	615	700
	60 x 15 x 11	1500 x 375 x 285	C_NNS-MCET601115	620	710
	54 x 15 x 11	1350 x 375 x 285	C_NNS-MCET541115	605	685

Specify the surface type (1, 2).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Add-on counters with centered back	<i>1" (25 mm) thick melamine, acrylic back. To be used on double-sided surfaces to divide space. 1 tone only.</i>				
	60 x 18 x 18	1500 x 450 x 450	C_NNS-MCCT601818	650	755
	54 x 18 x 18	1350 x 450 x 450	C_NNS-MCCT541818	630	730
	60 x 18 x 11	1500 x 450 x 285	C_NNS-MCCT601118	635	740
	54 x 18 x 11	1350 x 450 x 285	C_NNS-MCCT541118	615	715
Specify the surface type (1, 2).					

Insert option, change T
to: Y Sky, add \$63.

Double-sided accessory rails	<i>Silver aluminum finish and laminate ends. Allow accessories utilisation on both sides of a double-sided surface and create visual privacy. (Refer to Lacasse general price book for accessories). 1 tone only.</i>				
	72 x 13 x 11	1800 x 325 x 285	CNNNS-RAD7211	875	—
	66 x 13 x 11	1650 x 325 x 285	CNNNS-RAD6611	850	—
	60 x 13 x 11	1500 x 325 x 285	CNNNS-RAD6011	820	—
	54 x 13 x 11	1350 x 325 x 285	CNNNS-RAD5411	800	—
	48 x 13 x 11	1200 x 325 x 285	CNNNS-RAD4811	775	—
	42 x 13 x 11	1050 x 325 x 285	CNNNS-RAD4211	755	—
	36 x 13 x 11	900 x 325 x 285	CNNNS-RAD3611	730	—
	30 x 13 x 11	750 x 325 x 285	CNNNS-RAD3011	705	—
	24 x 13 x 11	600 x 325 x 285	CNNNS-RAD2411	685	—

Single-sided accessory rails	<i>Silver aluminum finish and laminate ends. Allow accessories utilisation on single-sided surfaces. (Refer to Lacasse general price book for accessories). 1 tone only.</i>				
	72 x 11 x 11	1800 x 285 x 285	CNNNS-RAS7211	640	—
	66 x 11 x 11	1650 x 285 x 285	CNNNS-RAS6611	615	—
	60 x 11 x 11	1500 x 285 x 285	CNNNS-RAS6011	590	—
	54 x 11 x 11	1350 x 285 x 285	CNNNS-RAS5411	565	—
	48 x 11 x 11	1200 x 285 x 285	CNNNS-RAS4811	540	—
	42 x 11 x 11	1050 x 285 x 285	CNNNS-RAS4211	520	—
	36 x 11 x 11	900 x 285 x 285	CNNNS-RAS3611	500	—
	30 x 11 x 11	750 x 285 x 285	CNNNS-RAS3011	470	—
	24 x 11 x 11	600 x 285 x 285	CNNNS-RAS2411	450	—

Surface height bookcases – 30" H	<i>Laminate back Silver anodized aluminum feet. 1 tone only. 1 fixed shelf. Storage space for 2 binders high.</i>				
	18 x 13 x 30	450 x 325 x 762	CNNNS-EBM3018	560	—
	<i>White board on back Silver anodized aluminum feet. 1 tone only. 1 fixed shelf. Storage space for 2 binders high.</i>				
	18 x 13 x 30	450 x 325 x 762	CNNNS-EBW3018	620	—

Surface height bookcases – 30" H	<i>Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only. 1 fixed shelf. Storage space for 2 binders high.</i>				
	18 x 13 x 30	450 x 325 x 762	CNNNS-EBT3018	660	—

Insert option, change T
to: Y Sky, add \$63.

Surface height bookcases – 24" H

	<i>Laminate back Silver anodized aluminum feet. 1 tone only. Top portion allows 1 high binder storage. Pigeonhole at bottom.</i>				
	18 x 13 x 24	450 x 325 x 610	CNNNS-EBM2418	550	—
<i>White board on back Silver anodized aluminum feet. 1 tone only. Top portion allows 1 high binder storage. Pigeonhole at bottom.</i>					
	18 x 13 x 24	450 x 325 x 610	CNNNS-EBW2418	595	—

Surface height bookcases – 24" H

	<i>Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only. Top portion allows 1 high binder storage. Pigeonhole at bottom.</i>				
	18 x 13 x 24	450 x 325 x 610	CNNNS-EBT2418	645	—

Insert option, change T
to: Y Sky, add \$63.

Surface height bookcases – 18" H

	<i>Laminate back Silver anodized aluminum feet. 1 tone only</i>				
	30 x 13 x 18	750 x 325 x 450	CNNNS-EBM1830	560	—
	24 x 13 x 18	600 x 325 x 450	CNNNS-EBM1824	550	—
	18 x 13 x 18	450 x 325 x 450	CNNNS-EBM1818	535	—

<i>White board on back Silver anodized aluminum feet. 1 tone only.</i>					
30 x 13 x 18	750 x 325 x 450	CNNNS-EBW1830	620	—	
24 x 13 x 18	600 x 325 x 450	CNNNS-EBW1824	595	—	
18 x 13 x 18	450 x 325 x 450	CNNNS-EBW1818	575	—	

	<i>Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only.</i>				
	30 x 13 x 18	750 x 325 x 450	CNNNS-EBT1830	660	—
	24 x 13 x 18	600 x 325 x 450	CNNNS-EBT1824	645	—
	18 x 13 x 18	450 x 325 x 450	CNNNS-EBT1818	635	—


Insert option, change T
to: Y Sky, add \$63.

	<i>Laminate back Silver anodized aluminum feet. 1 tone only.</i>				
	30 x 13 x 11	750 x 325 x 285	CNNNS-EBM1130	525	—
	24 x 13 x 11	600 x 325 x 285	CNNNS-EBM1124	515	—
	18 x 13 x 11	450 x 325 x 285	CNNNS-EBM1118	505	—

<i>White board on back Silver anodized aluminum feet. 1 tone only.</i>					
30 x 13 x 11	750 x 325 x 285	CNNNS-EBW1130	585	—	
24 x 13 x 11	600 x 325 x 285	CNNNS-EBW1124	555	—	
18 x 13 x 11	450 x 325 x 285	CNNNS-EBW1118	530	—	

	<i>Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only.</i>				
	30 x 13 x 11	750 x 325 x 285	CNNNS-EBT1130	600	—
	24 x 13 x 11	600 x 325 x 285	CNNNS-EBT1124	590	—
	18 x 13 x 11	450 x 325 x 285	CNNNS-EBT1118	580	—

Insert option, change T
to: Y Sky, add \$43.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Surface height pigeonholes					
					
Laminate back <i>Silver anodized aluminum feet. 1 tone only.</i>					
	30 x 13 x 11	750 x 325 x 285	CNNNS-DVM1130	555	—
	24 x 13 x 11	600 x 325 x 285	CNNNS-DVM1124	540	—
	18 x 13 x 11	450 x 325 x 285	CNNNS-DVM1118	530	—

White board on back*Silver anodized aluminum feet. 1 tone only.*


	30 x 13 x 11	750 x 325 x 285	CNNNS-DVW1130	595	—
	24 x 13 x 11	600 x 325 x 285	CNNNS-DVW1124	575	—
	18 x 13 x 11	450 x 325 x 285	CNNNS-DVW1118	540	—

**Surface height
pigeonholes**

Insert option, change T to: Y Sky, add \$43.

Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only.

	30 x 13 x 11	750 x 325 x 285	CNNNS-DVT1130	620	—
	24 x 13 x 11	600 x 325 x 285	CNNNS-DVT1124	595	—
	18 x 13 x 11	450 x 325 x 285	CNNNS-DVT1118	575	—

**Open hutches for
double-sided surfaces**


Insert option, change T to: Y Sky, add \$63.

Clearance: 16 3/4" (425 mm). Open space on each side. Half-height centered acrylic back. Storage module back can receive a tackboard.

	84 x 14 3/4 x 32	2100 x 364 x 800	CNN_S-EDT843215	1,425	—
	72 x 14 3/4 x 32	1800 x 364 x 800	CNN_S-EDT723215	1,350	—
	60 x 14 3/4 x 32	1500 x 364 x 800	CNN_S-EDT603215	1,285	—
	48 x 14 3/4 x 32	1200 x 364 x 800	CNN_S-EDT483215	1,265	—
	42 x 14 3/4 x 32	1050 x 364 x 800	CNN_S-EDT423215	1,130	—

Specify the Gloss finish (W, N).

High-Gloss White finish option for back (W): add \$159.

**Sliding doors hutches
for double-sided
surfaces**


Insert option, change T to: Y Sky, add \$63.

Clearance: 16 1/2" (412 mm). 1 sliding door on each side. Half-height centered acrylic back.

	84 x 16 x 32	2100 x 400 x 800	CNN_S-EDT843216C	1,970	—
	72 x 16 x 32	1800 x 400 x 800	CNN_S-EDT723216C	1,885	—
	60 x 16 x 32	1500 x 400 x 800	CNN_S-EDT603216C	1,815	—
	48 x 16 x 32	1200 x 400 x 800	CNN_S-EDT483216C	1,785	—
	42 x 16 x 32	1050 x 400 x 800	CNN_S-EDT423216C	1,635	—

Specify the Gloss finish (W, N).


High-Gloss White finish option for doors and back (W): add \$159.

**Laminate dividers for
double-sided surfaces**

High-Gloss White finish option for back (W): add \$106.

Centered laminate back compatible with a tackboard.

	84 x 14 3/4 x 32	2100 x 364 x 800	CNN_S-EDS843215	715	—
	72 x 14 3/4 x 32	1800 x 364 x 800	CNN_S-EDS723215	700	—
	60 x 14 3/4 x 32	1500 x 364 x 800	CNN_S-EDS603215	685	—
	48 x 14 3/4 x 32	1200 x 364 x 800	CNN_S-EDS483215	675	—
	42 x 14 3/4 x 32	1050 x 364 x 800	CNN_S-EDS423215	645	—


Specify the Gloss finish (W, N).**Open hutches for
single-sided surfaces**

Insert option, change T to: Y Sky, add \$63.

High-Gloss White finish option for back (W): add \$106.

Clearance: 16 3/4" (425 mm). Half-height acrylic back.

	84 x 15 1/4 x 32	2100 x 380 x 800	CNN_S-EST843215	1,305	—
	72 x 15 1/4 x 32	1800 x 380 x 800	CNN_S-EST723215	1,255	—
	60 x 15 1/4 x 32	1500 x 380 x 800	CNN_S-EST603215	1,215	—
	48 x 15 1/4 x 32	1200 x 380 x 800	CNN_S-EST483215	1,195	—
	42 x 15 1/4 x 32	1050 x 380 x 800	CNN_S-EST423215	1,100	—


Specify the Gloss finish (W, N).**Sliding door hutches
for single-sided
surfaces**

Insert option, change T to: Y Sky, add \$63.

High-Gloss White finish option for doors and back (W): add \$159.

Clearance: 16 1/2" (412 mm). Half-height acrylic back. 1 sliding door.



	84 x 16 x 32	2100 x 400 x 800	CNN_S-EST843216C	1,605	—
	72 x 16 x 32	1800 x 400 x 800	CNN_S-EST723216C	1,555	—
	60 x 16 x 32	1500 x 400 x 800	CNN_S-EST603216C	1,515	—
	48 x 16 x 32	1200 x 400 x 800	CNN_S-EST483216C	1,485	—
	42 x 16 x 32	1050 x 400 x 800	CNN_S-EST423216C	1,395	—

Specify the Gloss finish (W, N).**Laminate dividers for
single-sided surface**

High-Gloss White finish option for back (W): add \$106.

Back can receive a tackboard.

	84 x 15 1/4 x 32	2100 x 380 x 800	CNN_S-ESS843215	680	—
	72 x 15 1/4 x 32	1800 x 380 x 800	CNN_S-ESS723215	660	—
	60 x 15 1/4 x 32	1500 x 380 x 800	CNN_S-ESS603215	650	—
	48 x 15 1/4 x 32	1200 x 380 x 800	CNN_S-ESS483215	640	—
	42 x 15 1/4 x 32	1050 x 380 x 800	CNN_S-ESS423215	605	—

Specify the Gloss finish (W, N).**Open hutches for
storage module**

Insert option, change T to: Y Sky, add \$63.

High-Gloss White finish option for back (W): add \$159.


90": 3 sections
72" to 42": 2 sections*Clearance: 16 3/4" (425 mm). Half-height centered acrylic back.*

	90 x 19 1/4 x 32	2250 x 480 x 800	CNN_S-ET903220	1,175	—
	72 x 19 1/4 x 32	1800 x 480 x 800	CNN_S-ET723220	1,025	—
	60 x 19 1/4 x 32	1500 x 480 x 800	CNN_S-ET603220	975	—
	48 x 19 1/4 x 32	1200 x 480 x 800	CNN_S-ET483220	920	—
	42 x 19 1/4 x 32	1050 x 480 x 800	CNN_S-ET423220	870	—

Specify the Gloss finish (W, N).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Hutches with lift-up doors for storage module					
<i>Clearance: 16 1/2" (412 mm). Lift-up doors with soft close. Half-height acrylic back.</i>					
	90 x 20 x 32	2250 x 500 x 800	CNN_S-ET903220V	1,815	—
	72 x 20 x 32	1800 x 500 x 800	CNN_S-ET723220V	1,470	—
	60 x 20 x 32	1500 x 500 x 800	CNN_S-ET603220V	1,405	—
	48 x 20 x 32	1200 x 500 x 800	CNN_S-ET483220V	1,345	—
	42 x 20 x 32	1050 x 500 x 800	CNN_S-ET423220V	1,285	—

Specify the Gloss finish (W, N).




Insert option, change T to: Y Sky, add \$63.

High-Gloss White finish option for doors and back (W): add \$212.

90": 3 sections
72" to 42": 2 sections

Sliding door hutches for storage module					
<i>Clearance: 16 1/2" (412 mm). 1 sliding door. Half-height acrylic back.</i>					
	72 x 20 x 32	1800 x 500 x 800	CNN_S-ET723220C	1,640	—
	60 x 20 x 32	1500 x 500 x 800	CNN_S-ET603220C	1,550	—
	48 x 20 x 32	1200 x 500 x 800	CNN_S-ET483220C	1,455	—

Specify the Gloss finish (W, N).




Insert option, change T to: Y Sky, add \$63.

High-Gloss White finish option for back (W): add \$159.

72" to 42": 2 sections

Laminate dividers for storage module					
<i>Back can receive a tackboard.</i>					
	90 x 19 1/4 x 32	2250 x 480 x 800	CNN_S-ES903220	720	—
	72 x 19 1/4 x 32	1800 x 480 x 800	CNN_S-ES723220	700	—
	60 x 19 1/4 x 32	1500 x 480 x 800	CNN_S-ES603220	685	—
	48 x 19 1/4 x 32	1200 x 480 x 800	CNN_S-ES483220	670	—
	42 x 19 1/4 x 32	1050 x 480 x 800	CNN_S-ES423220	640	—


Specify the Gloss finish (W, N).



High-Gloss White finish option for back (W): add \$106.

Shared storage modules, lateral files					
<i>3 file drawers with suspension bars on both sides. Locks.</i>					
	90 x 20 x 29 3/8	2250 x 500 x 745	C_N_-DFM2090MF	3,040	3,385

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).




High-Gloss White finish option for drawer fronts and back (W): add \$318.

Packaged in 4 boxes.

	90 x 20 x 29 3/8	2250 x 500 x 757	C_N_-DFM2090MF	3,260	3,520
--	------------------	------------------	----------------	-------	-------

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Shared storage modules, box and file drawers



High-Gloss White finish option for drawer fronts and back (W): add \$212.


<i>2 box drawers and 1 file drawer with suspension bar on both sides. Pencil trays. Locks.</i>					
	72 x 20 x 29 3/8	1800 x 500 x 745	C_N_-DLUF2072M	2,240	2,495
	60 x 20 x 29 3/8	1500 x 500 x 745	C_N_-DLUF2060M	2,170	2,405
	48 x 20 x 29 3/8	1200 x 500 x 745	C_N_-DLUF2048M	2,140	2,310

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

	72 x 20 x 29 3/8	1800 x 500 x 757	C_N_-DLUF2072M	2,385	2,845
	60 x 20 x 29 3/8	1500 x 500 x 757	C_N_-DLUF2060M	2,305	2,730
	48 x 20 x 29 3/8	1200 x 500 x 757	C_N_-DLUF2048M	2,235	2,675

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Shared storage modules, lateral files



High-Gloss White finish option for drawer fronts and back (W): add \$212.


<i>2 file drawers with suspension bars on both sides. Locks.</i>					
	72 x 20 x 29 3/8	1800 x 500 x 745	C_N_-DLF2072M	1,930	2,175
	60 x 20 x 29 3/8	1500 x 500 x 745	C_N_-DLF2060M	1,865	2,085
	48 x 20 x 29 3/8	1200 x 500 x 745	C_N_-DLF2048M	1,800	2,035

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

	72 x 20 x 29 3/8	1800 x 500 x 757	C_N_-DLF2072M	2,030	2,440
	60 x 20 x 29 3/8	1500 x 500 x 757	C_N_-DLF2060M	1,990	2,380
	48 x 20 x 29 3/8	1200 x 500 x 757	C_N_-DLF2048M	1,945	2,340

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Shared storage modules, box and file drawers — 21" H



High-Gloss White finish option for drawer fronts and back (W): add \$318.


<i>1 box drawer and 1 file drawer with suspension bar on both sides. 1 open space on each side. Adjustable shelves. Pencil trays. Locks. Can receive 1 or more cushions.</i>					
	90 x 20 x 21	2250 x 500 x 561	C_N_-DUL209021MS	2,065	2,280
	72 x 20 x 21	1800 x 500 x 561	C_N_-DUL207221MS	1,885	2,015

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).

	90 x 20 x 21	2250 x 500 x 561	C_N_-DUL209021MS	2,145	2,370
	72 x 20 x 21	1800 x 500 x 561	C_N_-DUL207221MS	1,910	2,125

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).

Shared open bookcases — 21" H



High-Gloss White finish option for fronts (W): add \$159.

1 open space with back on each side. 1 open space without back. Adjustable shelves. Can receive 1 or more cushions.


	90 x 20 x 21	2250 x 500 x 561	C_N_N-DS209021MS	1,195	1,380
	72 x 20 x 21	1800 x 500 x 561	C_N_N-DS207221MS	1,085	1,260

Specify the surface type (1, 2). Specify the Gloss finish (W, N).

	90 x 20 x 21	2250 x 500 x 561	C_N_N-DS209021MS	1,280	1,455
	72 x 20 x 21	1800 x 500 x 561	C_N_N-DS207221MS	1,140	1,330

Specify the surface type (5, 6). Specify the Gloss finish (W, N).

Shared storage modules, box and file drawers — 21" H



High-Gloss White finish option for drawer fronts and back (W): add \$212.


1 box drawer and 1 file drawer with suspension bar on both sides. Pencil trays. Locks. Can receive 1 or more cushions.

	60 x 20 x 21	1500 x 500 x 561	C_N_-DUL206021M	1,765	1,840
	48 x 20 x 21	1200 x 500 x 561	C_N_-DUL204821M	1,705	1,765


Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).

	60 x 20 x 21	1500 x 500 x 561	C_N_-DUL206021M	1,845	1,955
	48 x 20 x 21	1200 x 500 x 561	C_N_-DUL204821M	1,755	1,865

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).


Shared open bookcases – 21" H

High-Gloss White finish option for back (W): add \$159.

Lateral box and file storages



High-Gloss White finish option for drawer fronts and back (W): add \$318.

Packaged in 4 boxes.


Lateral file storages

High-Gloss White finish option for drawer fronts and back (W): add \$318.

Packaged in 4 boxes.

Open bookcase storages

High-Gloss White finish option for back (W): add \$212.

Lateral box and file storages

High-Gloss White finish option for drawer fronts and back (W): add \$212.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 open space on both sides. Adjustable shelves. Can receive 1 or more cushions.</i>				
60 x 20 x 21	1500 x 500 x 561	C_N_N-DS206021M	845	1,045
48 x 20 x 21	1200 x 500 x 561	C_N_N-DS204821M	825	985
Specify the surface type (1, 2). Specify the Gloss finish (W, N).				
60 x 20 x 21	1500 x 500 x 561	C_N_N-DS206021M	905	1,095
48 x 20 x 21	1200 x 500 x 561	C_N_N-DS204821M	860	1,030
Specify the surface type (5, 6). Specify the Gloss finish (W, N).				


<i>6 box drawers and 3 file drawers with suspension bars. Pencil trays. Locks.</i>				
90 x 20 x 29 $\frac{3}{8}$	2250 x 500 x 745	C_N_-LUF2090LUF	3,360	3,605
Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
90 x 20 x 29 $\frac{3}{8}$	2250 x 500 x 757	C_N_-LUF2090LUF	3,535	3,765
Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				

<i>6 file drawers with suspension bars. Locks.</i>				
90 x 20 x 29 $\frac{3}{8}$	2250 x 500 x 745	C_N_-LF2090LF	2,980	3,210
Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
90 x 20 x 29 $\frac{3}{8}$	2250 x 500 x 757	C_N_-LF2090LF	3,140	3,365
Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				

<i>Adjustable shelves.</i>				
90 x 20 x 29 $\frac{3}{8}$	2250 x 500 x 745	C_N_N-S2090S	1,195	1,380
72 x 20 x 29 $\frac{3}{8}$	1800 x 500 x 745	C_N_N-S2072S	960	1,110
60 x 20 x 29 $\frac{3}{8}$	1500 x 500 x 745	C_N_N-S2060S	910	1,050
48 x 20 x 29 $\frac{3}{8}$	1200 x 500 x 745	C_N_N-S2048S	860	985
Specify the surface type (1, 2). Specify the Gloss finish (W, N).				

90 x 20 x 29 $\frac{3}{8}$	2250 x 500 x 757	C_N_N-S2090S	1,265	1,510
72 x 20 x 29 $\frac{3}{8}$	1800 x 500 x 757	C_N_N-S2072S	1,015	1,225
60 x 20 x 29 $\frac{3}{8}$	1500 x 500 x 757	C_N_N-S2060S	950	1,145
48 x 20 x 29 $\frac{3}{8}$	1200 x 500 x 757	C_N_N-S2048S	900	1,075
Specify the surface type (5, 6). Specify the Gloss finish (W, N).				

<i>4 box drawers and 2 file drawers with suspension bars. Pencil trays. Locks. Optionnal counterweight to meet BIFMA standards (See general Lacasse price book).</i>				
72 x 20 x 29 $\frac{3}{8}$	1800 x 500 x 745	C_N_-LUF2072LUF	2,080	2,460
60 x 20 x 29 $\frac{3}{8}$	1500 x 500 x 745	C_N_-LUF2060LUF	2,010	2,365
48 x 20 x 29 $\frac{3}{8}$	1200 x 500 x 745	C_N_-LUF2048LUF	1,915	2,270
Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
72 x 20 x 29 $\frac{3}{8}$	1800 x 500 x 757	C_N_-LUF2072LUF	2,190	2,555
60 x 20 x 29 $\frac{3}{8}$	1500 x 500 x 757	C_N_-LUF2060LUF	2,110	2,495
48 x 20 x 29 $\frac{3}{8}$	1200 x 500 x 757	C_N_-LUF2048LUF	2,000	2,405
Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				

Lateral file storages

High-Gloss White finish option for drawer fronts and back (W): add \$212.

Lateral box and file storages


High-Gloss White finish option for drawer fronts and back (W): add \$159.

Lateral file storages

High-Gloss White finish option for drawer fronts and back (W): add \$159.

Open bookcase storages

High-Gloss White finish option for back (W): add \$106.

Lateral box and file storages – 21" H

High-Gloss White finish option for drawer fronts and back (W): add \$318.

W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>4 file drawers with suspension bars. Locks. Optionnal counterweight to meet BIFMA standards (See general Lacasse price book).</i>				
72 x 20 x 29 $\frac{3}{8}$	1800 x 500 x 745	C_N_-LF2072LF	1,785	2,015
60 x 20 x 29 $\frac{3}{8}$	1500 x 500 x 745	C_N_-LF2060LF	1,710	1,920
48 x 20 x 29 $\frac{3}{8}$	1200 x 500 x 745	C_N_-LF2048LF	1,630	1,820
Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
72 x 20 x 29 $\frac{3}{8}$	1800 x 500 x 757	C_N_-LF2072LF	1,960	2,190
60 x 20 x 29 $\frac{3}{8}$	1500 x 500 x 757	C_N_-LF2060LF	1,870	2,075
48 x 20 x 29 $\frac{3}{8}$	1200 x 500 x 757	C_N_-LF2048LF	1,760	2,110
Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				

<i>2 box drawers and 1 file drawer with suspension bar. Pencil tray. Lock. Optionnal counterweight to meet BIFMA standards (See general Lacasse price book).</i>				
36 x 20 x 29 $\frac{3}{8}$	900 x 500 x 745	C_N_-2036LUF	1,135	1,305
Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
36 x 20 x 29 $\frac{3}{8}$	900 x 500 x 757	C_N_-2036LUF	1,170	1,415
Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				

<i>2 file drawers with suspension bars. Lock. Optionnal counterweight to meet BIFMA standards (See general Lacasse price book).</i>				
36 x 20 x 29 $\frac{3}{8}$	900 x 500 x 745	C_N_-2036LF	1,085	1,235
Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
36 x 20 x 29 $\frac{3}{8}$	900 x 500 x 757	C_N_-2036LF	1,115	1,335
Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				

<i>Adjustable shelf.</i>				
36 x 20 x 29 $\frac{3}{8}$	900 x 500 x 745	C_N_N-2036S	685	755
Specify the surface type (1, 2). Specify the Gloss finish (W, N).				
36 x 20 x 29 $\frac{3}{8}$	900 x 500 x 757	C_N_N-2036S	775	930
Specify the surface type (5, 6). Specify the Gloss finish (W, N).				

<i>3 box drawers and 3 file drawers with suspension bars. Pencil trays. Locks. Can receive 1 or more cushions.</i>				
90 x 20 x 21	2250 x 500 x 561	C_N_-UL209021UL	2,370	2,595
Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
90 x 20 x 21	2250 x 500 x 561	C_N_-UL209021UL	2,480	2,715
Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Lateral box and file with open space storages – 21" H					
	90 x 20 x 21	2250 x 500 x 561	C_N_-UL209021ULS_	1,940	2,070
	72 x 20 x 21	1800 x 500 x 561	C_N_-UL207221ULS_	1,845	1,945
Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S). Choose left or right, add L or R at the end of the code.					
	90 x 20 x 21	2250 x 500 x 561	C_N_-UL209021ULS_	2,000	2,135
	72 x 20 x 21	1800 x 500 x 561	C_N_-UL207221ULS_	1,890	2,000
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S). Choose left or right, add L or R at the end of the code.				

High-Gloss White finish option for drawer fronts and back (W): add \$318.

Open bookcase storages – 21" H					
	90 x 20 x 21	2250 x 500 x 561	C_N_N-S209021S	1,115	1,250
	72 x 20 x 21	1800 x 500 x 561	C_N_N-S207221S	895	1,000
	60 x 20 x 21	1500 x 500 x 561	C_N_N-S206021S	840	930
	48 x 20 x 21	1200 x 500 x 561	C_N_N-S204821S	785	855
	36 x 20 x 21	900 x 500 x 561	C_N_N-S203621S	730	780
Specify the surface type (1, 2). Specify the Gloss finish (W, N).					
	90 x 20 x 21	2250 x 500 x 561	C_N_N-S209021S	1,180	1,320
	72 x 20 x 21	1800 x 500 x 561	C_N_N-S207221S	945	1,055
	60 x 20 x 21	1500 x 500 x 561	C_N_N-S206021S	880	975
	48 x 20 x 21	1200 x 500 x 561	C_N_N-S204821S	820	895
	36 x 20 x 21	900 x 500 x 561	C_N_N-S203621S	755	810
Specify the surface type (5, 6). Specify the Gloss finish (W, N).					

Lateral box and file storages – 21" H					
	60 x 20 x 22	1500 x 500 x 561	C_N_-UL206021UL	1,710	1,860
	48 x 20 x 22	1200 x 500 x 561	C_N_-UL204821UL	1,635	1,765
Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).					
	60 x 20 x 22	1500 x 500 x 561	C_N_-UL206021UL	1,780	1,940
	48 x 20 x 22	1200 x 500 x 561	C_N_-UL204821UL	1,695	1,835
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				


Lateral box and file with open space storages – 21" H					
	60 x 20 x 21	1500 x 500 x 561	C_N_-UL206021S_	1,275	1,420
	48 x 20 x 21	1200 x 500 x 561	C_N_-UL204821S_	1,205	1,325
Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.					
	60 x 20 x 21	1500 x 500 x 561	C_N_-UL206021S_	1,345	1,495
	48 x 20 x 21	1200 x 500 x 561	C_N_-UL204821S_	1,265	1,390
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.				

Mobile pedestal – 20" H					
	15 x 18 x 20	388 x 450 x 508	CNN_-MP1518F	900	–
	Specify the Gloss finish (W, N). Specify accent color (W, S).				

High-Gloss White finish option for drawer fronts (W): add \$53.

ELECTRIFICATION


Electrical table kit					
	4 duplex receptacles with cables. Black. Compatible with surfaces 96"/84"/72" W. (2400 mm/2100 mm/1828 mm).				
	LGC-4TRAC496C_				425
Specify circuit number at the end of the code (1, 2).					
Electrical table kit					
	2 duplex receptacles with cable. Black. Compatible with surfaces 96"/84" W. (2400 mm/1800 mm).				
	LGC-4TRAC296C_				250
Specify circuit number at the end of the code (1, 2).					
Electrical table kit					
	2 duplex receptacles with cable. Black. Compatible with surfaces 72" W. (1828 mm).				
	LGC-4TRAC272C_				240
Specify circuit number at the end of the code (1, 2).					
Electrical table kit					
	2 duplex receptacles with cable. Black. Compatible with surfaces 60"/48" W. (1524 mm/1200 mm).				
	LGC-4TRAC260C_				230
Specify circuit number at the end of the code (1, 2).					
Pass cables					
	Connects 2 adjacent surfaces.				
	LGC-PASS54				145
	LGC-PASS36				130
Electrical floor feed					
	72" (1828 mm) cable or 60" (1524 mm) cable. Must be installed by an electrician.				
	LGC-FFED72				215
	LGC-FFED60				205
Power source from the floor to the central wire management raceway					
	23" (569 mm) tall aluminum post, silver. 72" (1828 mm) long cable. Screws and supports included. Must be installed by an electrician.				
	CNNNS-FFED23				355
	23" (569 mm) tall aluminum post, Silver.				
	CNNNS-CEV23				235
Packaged in 2 boxes.					
Electrical ceiling feed					
	120" (3000 mm) tall aluminum post, Silver. 132" (3353 mm) long cable. Screws and supports included. Must be installed by an electrician.				
	CNNNS-CFEED120				525
	120" (3000 mm) tall aluminum post, Silver.				
	CNNNS-POLE120				410
Packaged in 2 boxes.					
Communication plate					
	Communication plate for single-sided or double-sided surfaces. Silver finish. Adaptors included.				
	LGC-COM				40

	W x D x H (in)	W x D x H (mm)	Code	Price (\$)
Surface electrical module	<i>4 power outlets and 4 charging USB. Must be installed on a surface with wire management raceway. Plugs into a wall outlet or into the CITE electrical system. Cable length of 9' (2740 mm).</i>			
	24 x 6 x 1/4	600 x 160 x 6	CNNN_-DELECT	790
Specify accent color (S, W).				

Acrylic option,
change T to:
Y Sky, add \$43.

Surface electrical module	<i>2 power outlets and 2 charging USB. Must be installed on a surface with wire management raceway. Plugs into a wall outlet or into the CITE electrical system. Cable length of 9' (2740 mm).</i>			
	24 x 6 x 1/4	600 x 160 x 6	CNNN_-SELECT	440
Specify accent color (S, W).				

Acrylic option,
change T to:
Y Sky, add \$43.


Modular modesty panels	<i>Compatible with return surfaces.</i>			
	54 x 3/8 x 14	1350 x 16 x 350	CNN_S-MOD1454	515
	42 x 3/8 x 14	1050 x 16 x 350	CNN_S-MOD1442	435
	30 x 3/8 x 14	750 x 16 x 350	CNN_S-MOD1430	350
Specify the Gloss finish (W, N).				

High-Gloss White finish
option (W): add \$53.

Cushions for storage modules and pedestal	<i>2" (51 mm) foam. Install on low storage modules or mobile pedestals with velcro. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.</i>			
	36 x 20 x 2	900 x 500 x 51	CNNNN-CU2036	410
	30 x 20 x 2	750 x 500 x 51	CNNNN-CU2030	370
	24 x 20 x 2	600 x 500 x 51	CNNNN-CU2024	325
	15 x 18 x 2	388 x 450 x 51	CNNNN-CU1518	235

All United Chair®
standard fabrics
(except vinyls
and leathers) are
available to coordinate
on tackboard.

Tackboards



All United Chair®
standard fabrics
(except vinyls
and leathers) are
available to coordinate
on tackboard.

W x D x H (in)	W x D x H (mm)	Code	Price (\$)
<i>Mount to surface height bookcases, pigeonholes back panel and hutches. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.</i>			

Tackboards for hutches


88 x 1/2 x 22	2200 x 13 x 548	CNNNN-TK8822	415
82 x 1/2 x 22	2050 x 13 x 548	CNNNN-TK8222	400
70 x 1/2 x 22	1750 x 13 x 548	CNNNN-TK7022	380
58 x 1/2 x 22	1450 x 13 x 548	CNNNN-TK5822	345
46 x 1/2 x 22	1150 x 13 x 548	CNNNN-TK4622	325
40 x 1/2 x 22	1000 x 13 x 548	CNNNN-TK4022	320
16 x 1/2 x 25	408 x 13 x 611	CNNNN-TK4012	280
16 x 1/2 x 19	408 x 13 x 467	CNNNN-TK3412	255
16 x 1/2 x 13	408 x 13 x 340	CNNNN-TK2812	230
22 x 1/2 x 13	558 x 13 x 340	CNNNN-TK2212	220
28 x 1/2 x 13	708 x 13 x 340	CNNNN-TK1912	205

Tackboards for surface bookcases and pigeonholes

16 x 1/2 x 25	408 x 13 x 611	CNNN-TK1625	290
16 x 1/2 x 19	408 x 13 x 467	CNNN-TK1619	235
16 x 1/2 x 12 1/4	408 x 13 x 340	CNNN-TK1613	265
22 x 1/2 x 12 1/4	558 x 13 x 340	CNNN-TK2213	270
28 x 1/2 x 12 1/4	708 x 13 x 340	CNNN-TK2813	275
16 x 1/2 x 5 3/4	408 x 13 x 340	CNNN-TK1606	240
22 x 1/2 x 5 3/4	558 x 13 x 340	CNNN-TK2206	245
28 x 1/2 x 5 3/4	708 x 13 x 340	CNNN-TK2806	250


Specify accent color (S, W).

Metal back for surface screens



<i>Compatible with felt screens for end of surface. Convert a felt screen to be tackable.</i>			
56 3/4 x 8 1/2 x 19	1442 x 216 x 482	CNNN_-METK6018	215
50 7/8 x 8 1/2 x 19	1292 x 216 x 482	CNNN_-METK5418	205
29 1/8 x 8 1/2 x 19	740 x 216 x 482	CNNN_-METK3018	195

Hardware kit surface to storage module



<i>Allow connection between surfaces (double, extension) and a 29" H (757 mm) storage module.</i>			
4 x 15 1/8 x 10 1/4	100 x 385 x 262	CNNNS_-SURFCON	240


Heavy duty flush plates



<i>4 plates included. Silver paint finish.</i>			
		CNNNS-HDFP	75

SUGGESTIONS

C5NNN-PLAN01



C5NNN-PLAN01 \$10,200


- 2 C5KNS-RCDT5484
- 2 C5NNW-ABD54
- 1 C1NNW-PRCT1024816EFF
- 2 C1NNS-MCET541115

1½"-thick laminate with knife-edge (K). **MONTREAL** end bases in white painted metal (W), storage center base and surface counters with translucent acrylic (T).

Electrical components \$1,335

- 1 LGC-FFEED23
- 2 LGC-4TRAC496C1
- 1 LGC-PASS36

C5NNN-PLAN02



C5NNN-PLAN02 \$12,605


- 2 C5KNS-RCDT5460
- 2 C5KNW-CEA5454
- 2 C1NNW-PRCT1024816EFF
- 1 C5NNS-LCD2828

1½"-thick laminate with knife-edge (K). **MONTREAL** end bases in white painted metal (W), storage center base with translucent acrylic (T) and trapezoidal extension surfaces.

Electrical components \$945

- 1 LGC-FFEED23
- 2 LGC-4TRAC260C1
- 1 LGC-PASS36

C5NNN-PLAN03



C5NNN-PLAN03 \$24,160


- 2 C5KNS-RCDT5472RA
- 2 C5KNS-RCDT5472
- 1 C5NNN-LCD8441
- 4 C5NNS-SCT3611
- 8 C5NNS-EBT1118
- 2 C5NNS-LCD2806
- 2 C1NNS-DUL207221MS
- 2 C1NNS-DUL204821MS

1½"-thick laminate with knife-edge (K). Laminate bases deposited on low storage modules, also to divide up space. Bookcases and surface screens with translucent acrylic (T).

Electrical components \$2,445

- 1 LGC-FFEED23
- 2 LGC-4TRAC496C1
- 2 LGC-4TRAC496C2
- 3 LGC-PASS36

C5NNN-PLAN04




C5NNN-PLAN04 \$10,010

- 2 C5NNW-R307261ELF
- 4 C5NNW-AB
- 2 C5NNW-SCEFF3118
- 2 C5NNS-ET903220V

1½"-thick laminate (5). Return surfaces with integrated storage module and **MONTREAL** bases in white painted metal (W). Open storage modules and hutches with lift-up doors. Felt screens and supports in white painted metal (W).

C5NNN-PLAN05




C5NNN-PLAN05 \$12,345

- 1 C5NNN-RCDD6096
- 2 C5NNW-CEA5436
- 1 C5NNW-ABD60
- 1 C5NNW-SCEFF6018
- 1 C5NNW-METK6018
- 1 C5NNS-ES603220
- 1 C5NNN-TK5822
- 1 C5NNN-S2060S
- 2 C5NNW-LF2090LF

1½"-thick laminate (5). Double-sided surfaces without raceway as well as trapezoidal extension surfaces. **MONTREAL** bases in white painted metal (W). Open storage modules and filing drawers. Hutch with tackboard. Felt screen and supports in white painted metal (W).

C5NNN-PLAN06



C5NNN-PLAN06 \$11,360

- 2 C5NNS-RCDD6084
- 2 C5NNS-CBDT60
- 2 C5NNS-EDT843215
- 1 C5NNS-LBD1212WM
- 4 C5NNN-TK4012


1½"-thick laminate (5). **NEW YORK** bases with translucent acrylic insert (T). Shared open hutches.

Electrical components \$1,185

- 1 LGC-FFEED60
- 2 LGC-4TRAC496C1
- 1 LGC-PASS36

SUGGESTIONS

C5NNN-PLAN07



C5NNN-PLAN07 \$10,190


- 2 C5NNS-RCDT6084
- 2 C5NNN-EXR602915
- 2 CNNNS-EDT843215
- 1 CNNNS-LBD1212WM
- 4 CNNNN-TK4012

1½"-thick laminate (5). Extension bases with storage modules. Shared open hutches.

Electrical components \$1,185

- 1 LGC-FFED60
- 2 LGC-4TRAC496C1
- 1 LGC-PASS36

C5NN-PLAN10



C5NN-PLAN10 \$21,645


- 3 C5NNS-RCDT6072
- 2 CNNNS-LBD1212WM
- 2 CNNNS-QBD60
- 6 CNNNS-MP1518F
- 6 CNNNN-CU1518
- 6 CNNNS-EBM3018
- 6 CNNNN-TK1625
- 3 CNNNS-SCT3618

1½"-thick laminate (5). End bases in metal, center bases and storage modules in laminate. Divider panels. End bases in Silver finish (S) painted metal.

Electrical components \$1,185

- 1 LGC-FFED60
- 3 LGC-4TRAC272C1
- 2 LGC-PASS36

C5NNN-PLAN08



C5NNN-PLAN08 \$4,380


- 1 C5KNS-RCDT6096
- 2 C5KNW-CE6030

1½"-thick laminate with knife-edge detailing (K). Rectangular extension bases with MONTRÉAL bases in white painted metal (W).

Electrical components \$780

- 1 LGC-FFED23
- 1 LGC-4TRAC496C1

C5NN-PLAN11



C5NN-PLAN11 \$28,230


- 4 C5NNS-RCDT6060
- 2 CNNNS-CBDT60
- 3 CNNNS-LBD1212WM
- 8 CNNNS-MP1518F
- 8 CNNNS-DVM1118
- 4 CNNNS-SCT2418
- 8 CNNNN-CU1518
- 8 CNNNN-TK1606

1½"-thick laminate (5). Bases, divider panels and top storage modules in translucent acrylic (T).

Electrical components \$1,515

- 1 LGC-FFED60
- 3 LGC-PASS36
- 4 LGC-4TRAC260C1

C5NN-PLAN09



C5NN-PLAN09 \$14,058

- 2 C5NNS-RCDY6060
- 2 CNNNS-CBDY60
- 1 CNNNS-LBD1212WM
- 2 C5NNN-R2448S
- 2 C5NNN-S204821S
- 2 CNNNS-EBY1824
- 2 CNNNN-CU2024
- 2 CNNNS-MP1518F
- 2 CNNNN-CU1518

1½"-thick laminate (5). Bases and top storage modules in Sky acrylic (Y).

Electrical components \$795

- 1 LGC-FFED60
- 1 LGC-PASS36
- 2 LGC-4TRAC260C1

TERMS & CONDITIONS OF SALE

1. ORDER PLACEMENT

- a) The seller sells its products in the terms set forth in these standard terms of sale. All orders must be submitted in writing as represented by a valid purchase order, which includes the total list and net dollars. The seller reserves the right to refuse any order.
- b) The following information is required to process an order
- Groupe Lacasse LLC cannot be held responsible for dealer's errors, omissions and order duplication due to non-compliance with this procedure.

CUSTOMER INFORMATION	PRODUCT INFORMATION
Sold/Ship to address	Quantity
Purchase order number	Product numbers including options
Authorized signature	Colors and fabrics (all surfaces)
Contact name	Note: Product number overrules the written description and/or comment lines
Consignee contact name and phone	
Bid/Quote # if applicable	
Product total (list/net)	
Preferred delivered date (Specific delivery date not guaranteed)	

2. ORDER CHANGES

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by the customer before production rescheduling. No changes allowed on QuickShip orders.

3. ORDER CANCELLATIONS

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise. No cancellation allowed on QuickShip orders.

4. ORDER ACKNOWLEDGMENT

Orders will be acknowledged to dealers by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number. If you do not receive your order acknowledgement within 48 hours, please contact our customer service.

5. LIMITED LIFETIME WARRANTY

Groupe Lacasse LLC warrants its products to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of purchase from Groupe Lacasse LLC being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

- Twenty-five years: High-performance thermofused laminate.
- Twenty years: Drawer slides.
- Ten years: Locks.
- Five years: Swing-lift mechanisms and adjustable surface mechanisms.
- Five years: High-pressure laminate, casters, fabrics, metal frame doors, electrical components, PVC extrusions and accessories.
- One year: Electrical modules and components.
- Exclusions: Light bulbs, ballasts and C.O.M..

This warranty is made by Groupe Lacasse LLC only to purchasers acquiring the product directly from Groupe Lacasse LLC, its authorized dealers, or others who are specifically authorized by Groupe Lacasse LLC to sell such products. The purchaser's remedy is limited to repair or replacement, at Groupe Lacasse LLC's option, of products which when used normally, prove to be defective within the period stated. Labor, delivery charges and service not covered under warranty. This warranty does not apply to any product which must be replaced because of normal wear and tear, negligence, abuse or accident or which has been modified by someone other than Groupe Lacasse LLC or its authorized dealers. The remedy stated herein are expressly agreed to be exclusive as a condition of sale. Groupe Lacasse LLC's liability with respect to its products or installation services should not exceed that expressly set forth above. Under no circumstances shall Groupe Lacasse LLC be liable for accidental or consequential damages. Specials may be subject to a limited warranty.

6. PRICES

All prices listed are suggested retail prices, F.O.B. our factory, St-Pie, Quebec, Canada. Accepted orders are subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment. Prices shown in price book have priority over electronic catalog contents.

7. TERMS (UPON ACCEPTANCE FROM OUR CREDIT DEPARTMENT)

Net 30 days from date of invoice. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the seller's property until paid for. The buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full. No sales within a one-year period will automatically lead to the account's closure.

8. QUOTATIONS

Quotations are valid for a period of ninety (90) days unless otherwise specified on the quote.

9. CHANGES

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. The right is reserved to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

10. PACKING AND SHIPPING

Packaging consists of polyethylene and protectors or separate cartons, depending on method of shipment.

11. DELIVERY

The scheduled delivery week is specified on our acknowledgment. Groupe Lacasse is not liable for delay or failure to deliver goods due to causes beyond its control (such as a casualty, an act of god, a labor dispute, or an accident;

the inability to obtain the necessary labor, material or transportation; or any change requested by the customer). Under these circumstances, the ship date will be extended to compensate for the delay as determined by the Seller.

Groupe Lacasse will accept, upon prior approval by Logistics and Customer Service departments, to make installation job site deliveries for a minimum of one half of a full truckload (1,200 cubic feet); however, and in all cases, an unloading dock must be available to accommodate 53 ft. trailers and the address is also subject to approval. Unloading at destination is the sole responsibility of the purchaser. No waiting time will be possible; however, and if any is incurred, it will be recharged to the purchaser.

Under no circumstance will Groupe Lacasse deliver goods in a residential area.

Surcharge

Time sensitive deliveries (weekend deliveries, night, etc.) that require expedited carrier service will result in additional charges that will be passed onto the consignee (dealer). Liftgates: Our standard carriers do not have liftgates. Requests for liftgates can often be accommodated but will result in extra fees and they must be made at least 2 weeks in advance.

12. SHIPPING WEIGHTS AND VOLUMES

Shipping weights and volumes are available on demand and may vary due to the constantly improving methods of packaging.

13. ROUTING

Unless otherwise specified by the buyer and agreed to by Groupe Lacasse, the latter reserves the right to select the route, method of shipment and carrier. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect.

14. TRANSPORTATION POLICY

"Zone 0" shipments are FCA plant.

"Zone 1", "Zone 2", "Zone 3", "Zone 4" and "Zone 5" pricing includes freight cost to your geographical location.

On all orders less than \$2,000 net (regardless of brand and/or of shipping point) we will add a \$50 "small order fee" in "Zone 1". For "Zone 2", "Zone 3", "Zone 4" and "Zone 5", the small order fee is \$100.

Please take note of the following exclusion to the "small order fee";

- By combining different product collections in one order, even if the net value of each collection is less than \$2,000 net, but the total value of all collections in one order is at least or above \$2,000 net, and as long as all products are shipped at the same destination / receiving location (ship to), the fee will not apply regardless of shipping dates and points of origins.

Small orders under \$25 net are subject to a \$20 small order fee (instead of \$50 or \$100) regardless of the shipping zones.

Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders.

15. FREIGHT CLAIMS

All FCA destination claims will be handled and filed by the Seller. In order to expedite any credit due, your help and assistance is required. Please adhere to the following guidelines:

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made to Groupe Lacasse as follows:

1) Concealed loss or damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, a written request must be made within 15 days of the delivery date. No disposition will be taken until approved by the manufacturer.

IMPORTANT: Groupe Lacasse's policy in concealed damage is to replace the part or complete product if necessary at no charge to the dealer. However, it is the responsibility of the dealer to provide installation of the replaced part or complete product. Therefore, no labor fees will be accepted on concealed damages.

2) Visible damage or shortage

Any external evidence of damage or shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in refusing to honor a damage claim. Claims must be submitted within 5 business days of reception of the merchandise.

Submit your claim to the Groupe Lacasse Customer Service by email at: lacassecustomer.service@groupelacasse.com.

Phone: 1-888-522-2773 - Fax: 1-888-248-1865

16. RETURNS


Absolutely no returns will be accepted on any standard and non-standard products.



17. STORAGE

In the event the purchaser request postponement of shipment beyond the scheduled shipping week after the goods have become work in process, or at a time Groupe Lacasse LLC is then about to make shipment, Groupe Lacasse LLC may store the goods at the purchaser's expense. Such transfer to storage shall be deemed a delivery to purchaser for all purposes including invoicing and payment.

18. GOVERNING LAW

This contract shall be construed and governed in accordance with the laws of the province of Quebec, Canada.





Office Furniture Solutions

Founded in 1956, Groupe Lacasse is a North American leader in the design, manufacture and service of a broad range of high-quality furniture products for all types of work environments. We have the experience, expertise and capability to deliver incomparable design, exceptional quality, optimum service and outstanding value in Office Furniture Solutions.



1 888 522 2773
www.grouperlacasse.com



Groupe Lacasse has achieved GREENGUARD GOLD Certification.
GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.