

MS

ERGEANT

DELTAIR



A new certification standard provides the opportunity for a completely new generation of SCBA. Introducing the Deltair SCBA by Avon Protection, the world's leader in CBRN respiratory protection equipment.

Designed to deliver the same ruggedness and reliability that Avon Protection puts into its other respiratory products Deltair has been tested to Mil Spec standards to ensure it meets and exceeds the tough demands required by the fire service.

Deltair is designed to meet and exceed the NFPA 1981,1982 Standards, 2013 Edition and is approved for use in a CBRN environment.

UNIQUE TECHNOLOGY

Firefighters need rugged, reliable and simple to use equipment. That's why the Deltair SCBA is designed with components providing quick donning, easy maintenance, and simple to use operational functions.

Avon Protection asked firefighters far and wide what they needed and wanted in an SCBA. That input was the catalyst for the design and development of the Deltair SCBA. In addition, we believe that continued support during the life of the product is an essential service for our customers, along with the added value of low total cost of ownership.

A PROVEN PEDIGREE

For over 80 years, we have been the driving force behind the development of innovative respiratory protection products and safety devices for the military, law enforcement, fire/ rescue and industrial workers worldwide. The hundreds of thousands of users of Avon Protection equipment can testify to the dedication we have to product development based on customer input and needs. Today we are widely recognized as the world leader in the design, development, and manufacture of CBRN products.





A FACEMASK LIKE NONE OTHER

- Optically correct, double curve visor with widest field of view
- Integrated, low profile AirSwitch[™] reduces snag hazards while delivering controllable air
- Built in microphone and Heads Up Display (HUD) requiring no additional batteries

CLEARER COMMUNICATION FOR INCREASED SAFETY

- Superior voice clarity from integrated non-mask mounted Voice Amplifier provided as standard
- HUD allows for user and team visibility of unit status
- Quick user identification through reflective harness and luminescent cylinder markings



ENHANCED POWER MANAGEMENT

- State-of-the-art electronics processor unit protected inside the clamshell backframe
- Intelligent power management greatly increases time between battery changes
- Quick change single source battery pack uses only 6 C-Cells to reduce maintenance, time and cost




BUILT TO LAST IN THE MOST DEMANDING ENVIRONMENTS

- Avon proven military grade materials deliver unsurpassed strength and reliability
- Legendary clamshell back frame, now combining aircraft aluminum with performance polymers that shield all core components while reducing snag hazards
- Proven robustness, backed up by Avon's 10 year electronic and 15 year pneumatic warranty



BALANCED WEIGHT AND IMPROVED COMFORT

- Padded lumbar support with balancing side arms transfer unit weight onto wearer's hips, taking the load off of the upper back and shoulders
- Body contoured, extra padded shoulder straps with adjustable chest strap setting provide a more natural fit to the user



TECHNICALLY ADVANCED, YET SIMPLE TO USE

- Communication controls and PASS integrated into one ergonomic console using just three buttons
- Angled pressure gauge on pivoting console ensures quick access when checking cylinder status
- AirSwitch mask regulator allows rapid switching between ambient and cylinder air
- All user interface controls color coded for easy identification

TECHNICAL DATA

| DELTAIR UNIT | |
|---|--|
| SCBA Protection Factor | 10,000 |
| Weight of Mask (including second stage regulator) | 1.9lbs |
| Weight of SCBA (excluding mask & cylinder) | w/ Quick Disconnect: 15.34lbs w/ Handwheel: 14.82lbs |
| Inhalation Resistance | 0.4 inches of H ₂ O |
| Exhalation Resistance | 2.5 inches of H_2^0 |
| Field of View | 104% |
| Mask Sizes | Small, Medium, Large |
| Donning Time | 30 seconds |
| Interface with PPE | Integrates with operational clothing, personal issued items and fire helmets |
| Power Supply | 6 C-Cell batteries |
| Voice Amplification | Integrated into control console as standard |
| ACCESSORIES | |
| Rescuer RIT Bag | Provides a multiport manifold for use as a rescue system for individuals not wearing SCBA |
| Rescuer RIC Bag | Provides a RIC rescue hose in 3, 6 or 10 ft lengths for use in the rescue of a downed firefighter |
| Rescuer RIT/RIC Combo Bag | Combines both the Rescuer RIT Bag and RIC Bag into one dual use system |
| EchoTracer | Complete ultrasonic tracking system for locating a firefighter or exit/refer- ence point at a fire scene |
| Radio Interface Connection | Hidden inside the shoulder strap for less snag hazards |
| Rescue Belt | Integrated Rescue Belt with quick release detachment straps for rapid extraction |
| Airline Systems | Hansen HK or Rectus fitted airline attachments with hose lengths approved up to 300 feet |
| Emergency Air System (EAS or Buddy Breathing) | Two versions featuring the backframe stored internal EAS or the external pouch stored option |
| Spectacle Kits | Adjustable frames and attachment to facemask nosecup, with full prescription program. Also available with sunlight or yellow lens options. |
| CYLINDERS | |
| 2216 psi, 30 minute Carbon | |
| 4500 psi, 30 minute Carbon | |
| 4500 psi, 45 minute Carbon | |
| 4500 psi, 60 minute Carbon | |
| 4500 psi, 30 minute Carbon, Lightweight | |
| 4500 psi, 45 minute Carbon, Lightweight | |
| 4500 psi, 60 minute Carbon, Llghtweight | |

Deltair is designed to meet and exceed the NFPA 1981, 1982, 2013 Edition Standard and is approved for use in a CBRN environment.

TC-13F-0737CBRN, SC/PD/CBRN, 30 MIN, 2216 PSIG, EOSTI-33 TC-13F-0738CBRN, SC/PD/CBRN, 30 MIN, 4500 PSIG, EOSTI-33 TC-13F-0739CBRN, SC/PD/CBRN, 45 MIN, 4500 PSIG, EOSTI-33 TC-13F-0740CBRN, SC/PD/CBRN, 60 MIN, 4500 PSIG, EOSTI-33





www.avon-protection.com t: 1 888 286 6440 e: customerservice@avon-protection.com

