Safety Data Sheet

			Se	ection 1 - Pr	oduct Infor	rmation				
Product Name: Citri Clean							Supplier:	Intercon Chemical Company		
Product Code Number	er: 7685		Information Phone: 314-771-6600				A .l.l	1100 Central Industrial Drive		
Product use: clean	ner/degrea	iser	Emergency Cor	ntact: CHEMTRE	C 1-800-424-930	00	Address:	St. Louis, MO 63110		
				ection 2 - Ha	zard Identi	ification				
OSHA-GHS Classificat	tion - Flam	ımable Liquid Catego	ory 3, Skin irritant	t Category 2, Eye	Irritant Catego	ory 2A				
				Section 2.1	- Label Eler	ments				
	Hazard	d Pictograms				Precau	itionary Stateme	ents:		
					Keep container tightly closed. Keep away from heat/sparks/open flame. No smoking. Wear protective gloves and eye/face protection. Ground/Bond container and receiving equipment. Use explosion-proof electrical equipment. Take precautionary measures against static discharge. Use only non-sparking tools. In case of fire, use Water spray or fog, foam, dry					
Signal Word: Warning	g							cool/well-ventilated place		
-		Statements:			-	=	intaminated clot	thing. Rinse skin with water/shower. If skin		
		Liquid and Vapor. Causes serious eye i	rritation	irritation occurs seek medical advice. IF IN EYES: Rinse cautiously with water for several minutes, remove contacts if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice. Wash hands after handling.						
				Section 3	- Composit	tion				
	Cher	nical Name			•	AS#		Percent w/w		
Isopropanol	5					-63-0		< 15		
								< 10		
	2-butoxy ethanol				111-76-2			=-		
			5	Section 4 - F	irst Aid Me	asures				
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v	tiously wit	h water for several r	minated clothing minutes, remove has stopped app	. Rinse skin with contacts if prese ly suitable artific	water/shower. nt and easy to o	If skin irritation do. Continue rin Get medical help	sing. If eye irrita	tion persists, get medical advice.		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v	tiously wit	h water for several r	minated clothing. minutes, remove has stopped app II a physician or P	. Rinse skin with contacts if prese ly suitable artific OISON center im	water/shower. nt and easy to o ial respiration. O mediately. Nev	If skin irritation of the continue ring of the continue ring of the continue ring of the continue rer give anything	sing. If eye irrita) ; by mouth to an			
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of	tiously wit	h water for several r esh air. If breathing o dilute material. Cal	minated clothing. minutes, remove has stopped app Il a physician or P Section	. Rinse skin with contacts if prese ly suitable artific OISON center im	water/shower. Int and easy to one ial respiration. One mediately. Nev	If skin irritation do. Continue ring Get medical help wer give anything Hazard Dat	sing. If eye irrita o by mouth to an	tion persists, get medical advice. unconscious person.		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of	victim to fr	h water for several resh air. If breathing o dilute material. Cal	minated clothing. minutes, remove has stopped app Il a physician or P Section Ex	. Rinse skin with contacts if prese ly suitable artific OISON center im 5 - Fire and tinguishing Medical contents.	water/shower. Int and easy to one ial respiration. One mediately. Nev	If skin irritation do. Continue ring Get medical help ver give anything Hazard Dat Special Fire Fig Wear self-cont	sing. If eye irritary by mouth to an ca chting Procedure ained positive procedure	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of	victim to from water to	esh air. If breathing o dilute material. Cal	minated clothing. minutes, remove has stopped app II a physician or P Section Ex Water spray or	. Rinse skin with contacts if prese ly suitable artific OISON center im	water/shower. Int and easy to desire the content of the content o	If skin irritation of the continue ring of the cont	sing. If eye irritar by mouth to an chting Procedure ained positive po Approved or equ	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE &		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of	victim to from water to	h water for several resh air. If breathing o dilute material. Cal	minated clothing. minutes, remove has stopped app II a physician or P Section Ex Water spray or	Rinse skin with contacts if prese ly suitable artific OISON center im 5 - Fire and tinguishing Med r fog, foam, dry	water/shower. Int and easy to desire the content of the content o	If skin irritation do. Continue rindo. Continue rindo. Get medical help ver give anything Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH AEXPLOSION HA	sing. If eye irritary by mouth to an action of the procedure ained positive procedure approved or equal AZARD: Combustives	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE & tible. Keep away from heat, sparks and		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of	victim to from water to	esh air. If breathing o dilute material. Cal	minated clothing. minutes, remove has stopped app II a physician or P Section Ex Water spray or	Rinse skin with contacts if prese ly suitable artific OISON center im 5 - Fire and tinguishing Med r fog, foam, dry	water/shower. Int and easy to desire the content of the content o	If skin irritation do. Continue rindo. Continue rindo. Get medical help ver give anything Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH AEXPLOSION HA	sing. If eye irritary by mouth to an action of the procedure ained positive procedure approved or equal AZARD: Combustives	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE &		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of Flash Point: 105°F	victim to from water to	h water for several resh air. If breathing o dilute material. Cal	minated clothing. minutes, remove has stopped app II a physician or P Section Ex Water spray of chemical, carbo	Rinse skin with contacts if presently suitable artifice OISON center im 15 - Fire and citinguishing Median fog, foam, dry on dioxide, alcoholder 6 - Accide	water/shower. Int and easy to desire the second se	If skin irritation do. Continue rin do. Continue rin Get medical help yer give anything Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH A open flame. Us	sing. If eye irritary by mouth to an ching Procedure ained positive properties or equivalent combusions water to cool	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE & tible. Keep away from heat, sparks and adjacent fire exposed containers.		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of	victim to from water to	h water for several resh air. If breathing o dilute material. Cal	minated clothing. minutes, remove has stopped app II a physician or P Section Ex Water spray of chemical, carbo	Rinse skin with contacts if presently suitable artifice OISON center im 15 - Fire and citinguishing Median fog, foam, dry on dioxide, alcoholder 6 - Accide	water/shower. Int and easy to desire the second se	If skin irritation do. Continue rin do. Continue rin Get medical help yer give anything Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH A open flame. Us	sing. If eye irritary by mouth to an ching Procedure ained positive properties or equivalent combusions water to cool	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE & tible. Keep away from heat, sparks and adjacent fire exposed containers.		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of Flash Point: 105°F	victim to from water to	h water for several resh air. If breathing o dilute material. Cal	minated clothing. minutes, remove has stopped app ll a physician or P Section Ex Water spray or chemical, carbo section r reuse or dispos	Rinse skin with contacts if presently suitable artifice OISON center im 15 - Fire and catinguishing Medical forms on dioxide, alcohological Dispose of in a series of the contact of the c	mater/shower. Int and easy to desire the content of	If skin irritation do. Continue rindo. Continu	sing. If eye irritary by mouth to an ching Procedure ained positive properties or equivalent combusions water to cool	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE & tible. Keep away from heat, sparks and adjacent fire exposed containers.		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of Flash Point: 105°F	victim to from water to	esh air. If breathing o dilute material. Cal Limits NE NE	minated clothing. minutes, remove has stopped app II a physician or P Section Ex Water spray or chemical, carbo r reuse or dispos	Rinse skin with contacts if presently suitable artifice OISON center im 15 - Fire and citinguishing Median fog, foam, dry on dioxide, alcohologo 6 - Accide al. Dispose of in accident 7 - Ha	water/shower. Int and easy to desire the second and easy to desir	If skin irritation do. Continue rindo. Continu	by mouth to an the procedure ained positive procedure ained positive procedure are according to the procedure at the procedur	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE & tible. Keep away from heat, sparks and adjacent fire exposed containers.		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of Flash Point: 105°F Dike large spills and p	victim to from water to	esh air. If breathing o dilute material. Cal Limits NE NE	minated clothing. minutes, remove has stopped app II a physician or P Section Ex Water spray or chemical, carbo Section reuse or dispos See heat, sparks and	Rinse skin with contacts if presently suitable artifice OISON center im 15 - Fire and citinguishing Median fog, foam, dry on dioxide, alcohologo 6 - Accide al. Dispose of in accident 7 - Ha	mater/shower. Int and easy to desire the second and	If skin irritation of do. Continue rindo. Cont	by mouth to an the procedure ained positive procedure ained positive procedure are according to the procedure at the procedur	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE & tible. Keep away from heat, sparks and adjacent fire exposed containers.		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of Flash Point: 105°F Dike large spills and p	victim to from water to	esh air. If breathing o dilute material. Cal Limits NE NE	minated clothing. minutes, remove has stopped app II a physician or P Section Ex Water spray or chemical, carbo Section reuse or dispos See heat, sparks and	Rinse skin with contacts if presently suitable artifice OISON center in 15 - Fire and citinguishing Medical Conditions on dioxide, alcohologo 6 - Accide al. Dispose of in 12 cection 7 - Ha open flame. Stor	mater/shower. Int and easy to desire the second and	If skin irritation of do. Continue rindo. Cont	sing. If eye irritary by mouth to an ching Procedure ained positive properties of equal AZARD: Combust se water to cool all, state, and fed e.	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE & tible. Keep away from heat, sparks and adjacent fire exposed containers.		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of Flash Point: 105°F Dike large spills and p	victim to from water to	h water for several resh air. If breathing o dilute material. Cal Limits NE NE uitable containers fo	minated clothing. minutes, remove has stopped app II a physician or P Section Ex Water spray or chemical, carbo or reuse or dispose Section Section	Rinse skin with contacts if presently suitable artifice OISON center im 15 - Fire and citinguishing Median for fog, foam, dry on dioxide, alcohological. Dispose of incection 7 - Ha open flame. Storetion 8 - Exp	water/shower. Int and easy to desire the content of	If skin irritation do. Continue rindo. Continu	sing. If eye irritary by mouth to an cathring Procedure ained positive properties of the Approved or equal AZARD: Combust be water to cool all, state, and fed e. Gathring Procedure Gathring Proce	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE & tible. Keep away from heat, sparks and adjacent fire exposed containers. eral laws. eneral Hygiene Considerations: ordance with good industrial hygiene and		
2-butoxy ethanol IF ON SKIN(or hair): R IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of Flash Point: 105ºF Dike large spills and p Store upright in close	victim to from water to	h water for several resh air. If breathing of dilute material. Cal Limits NE NE uitable containers for several resh air. If breathing of dilute material. Cal	minated clothing. minutes, remove has stopped app II a physician or P Section Ex Water spray or chemical, carbo reuse or dispos Section ACGIH TLV	Rinse skin with contacts if preserved in the contacts if preserved in the contacts if preserved in the contact	water/shower. nt and easy to design of the content	If skin irritation of do. Continue rindo. Cont	sing. If eye irritary by mouth to an cathring Procedure alined positive procedure Approved or equal AZARD: Combustive water to cool cathring and fed all, state, and fed e. Get Handle in accounts safety practice:	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE & tible. Keep away from heat, sparks and adjacent fire exposed containers. eral laws. eneral Hygiene Considerations: ordance with good industrial hygiene and s. Provide suitable facilities for quick		
2-butoxy ethanol IF ON SKIN(or hair): F IF IN EYES: Rinse caut Inhalation: Remove v Ingestion: Give milk of Flash Point: 105°F Dike large spills and p Store upright in close Ingredient Isopropanol	victim to from water to	esh air. If breathing o dilute material. Cal Limits NE NE uitable containers for several responsers. Keep away from the containers of the containers for the cont	minated clothing. minutes, remove has stopped app II a physician or P Section Ex Water spray or chemical, carbo r reuse or dispose Section ACGIH TLV 400ppm	Rinse skin with contacts if preserved in the contacts of preserved in the contacts of preserved in the contact	ial respiration. Of mediately. Nev is Explosion lia: ol foam. ntal Release accordance with mediately and in a cool, well osure Cont PPE Not normally re	If skin irritation do. Continue rindo. Continu	sing. If eye irritary by mouth to an cathring Procedure alined positive procedure Approved or equal AZARD: Combustive water to cool cathring and fed all, state, and fed e. Get Handle in accounts safety practice:	unconscious person. es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE & tible. Keep away from heat, sparks and adjacent fire exposed containers. eral laws. eneral Hygiene Considerations: ordance with good industrial hygiene and s. Provide suitable facilities for quick ushing of the eyes and body in case of		

			o i ilysical i	and Chemic	al Propertion	es			
					Evaporation		Upper/lower	Vapor	
odor	odor threshold	рН	Melting Point	Boiling point	rate	Flammability	flammability limits	pressure	
						does not			
						sustain			
opropyl/EB	NE	10.0	NE	>200ºF	NE	combustion	NE/NE	NE	
Density			Solubility	Partition	Auto Ignition				
(lbs/gal)	Specific Gravity	pH(use dil)	(in water)	coefficient	temp	Viscosity	Decomposition Temp		
7.99	0.96	10.0	100%	NE	NE	thin	NE		
Section 10 - Stability and Reactivity									
(Density bs/gal	Density Specific Gravity 7.99 0.96	Density Densit	propyl/EB NE 10.0 NE Density Ibs/gal Specific Gravity pH(use dil) (in water) 7.99 0.96 10.0 100% Section 10 - Sta	propyl/EB NE 10.0 NE >200°F Density Specific Gravity pH(use dil) (in water) coefficient 7.99 0.96 10.0 100% NE Section 10 - Stability and R	propyl/EB NE 10.0 NE >200°F NE Density Density Specific Gravity pH(use dil) (in water) coefficient temp 7.99 0.96 10.0 100% NE NE Section 10 - Stability and Reactivity	Density Specific Gravity pH(use dil) Solubility Partition Coefficient Temporal Solubility Partition Coefficient Temporal Solubility Partition Coefficient Temporal Section 10 - Stability and Reactivity Section 10 - Stability and Reactivity Solubility Partition Coefficient Solubility Specific Gravity Solubility Partition Coefficient Section 10 - Stability Section 10 - Stability Specific Gravity Solubility Specific Gravity Specific Gravity Solubility Specific Gravity Specific Gravit	propyl/EB NE 10.0 NE >200°F NE does not sustain combustion NE/NE Density Ibs/gal) Specific Gravity PH(use dil) (in water) Coefficient Coefficient Physical NE NE Thin NE	

released. This product is incompatible with strong oxidizing agents and bleach.

Section 11- Toxicological Information									
ingredient	Acute toxicity(oral LD50) rat	Acute toxicity(derm. LD50)rabbit	Skin and Eye	Carcinogen	Mutagen	Reproduct. Toxicity	STOST -single Exposure	STOST Repeated exposure	
Isopropanol	>5000mg/kg	>5000mg/kg	irritating to eyes	no data	no data	no data	no data	no data	
2-butoxy ethanol	470 mg/kg	220mg/kg	irritant	no data	no data	no data	no data	no data	

Other:

Section 12 - Ecological Information	Section 13 - Disposal Considerations
No data available	Products covered by this SDS, in their original form, are considered ignitable waste(D001)according to RCRA (40 CFR 261). Dispose of in accordance with applicable
	Federal, State and Local regulations.

Section 14 - Transport Information UN number Basic Description(DOT) LTD QTY Class **Packing Group** ≤119 gal Not regulated Ш >119 gal Combustible Liquid, n.o.s. (contains isopropanol, 2-butoxyenthanol) 3

Section 15 - Regulatory Information

SARA TITLE III (EPCRA) NOTIFICATION: ISOPROPYL ALCOHOL [Reportable under section 313 and section 6607 of the Pollution Prevention Act] COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT (CERCLA) NOTIFICATION: This does not contain chemicals subject to reporting under CERCLA. For more information, consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68

Section 16 - Other Information								
WHMIS:			HMIS:	Health - 2	Flam 1	R - 0	PPE- B	
Date Prepared: 06-14-2016			Prepared by: Environmental, Health and Safety Administrator.					

The information provided in this Safety Data Sheet is correct to the best of our knowledge and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with materials or in any process, unless specified in the text.

Legend for Abbreviations: NA - not applicable NE - Not Established