

SAFETY DATA SHEET



1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: **Boiler Pro 278**

Validation Date: 5/11/15

Company Identification:

U.S. Water Services

12270 43rd St NE

St. Michael, MN 55376 USA

Contact Information:

1-800-255-3924 (US & Canada Emergencies – CHEMTEL)

1-813-248-0585 (International Emergencies – CHEMTEL)

1-866-663-7632 (Non-emergency)

SDS@uswaterservices.com (email)

www.uswaterservices.com (web)

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Corrosive to metals (Category 1), H290

Skin corrosion (Category 1A), H314

Serious eye damage (Category 1), H318

Acute aquatic toxicity (Category 3), H402

PICTOGRAM/SYMBOL:



SIGNAL WORD: DANGER

HAZARD STATEMENTS - LABEL ELEMENTS

Health Hazards Statement(s)

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H402 Harmful to aquatic life

Physical Hazards Statement(s)

H290 May be corrosive to metals

Precautionary Statement(s) - Prevention

P264 Wash skin and contaminated clothing thoroughly after handling

P280 Wear protective gloves, protective clothing, eye protection, face protection

P260 Do not breathe dust, fume, gas, mist, vapors, spray

P273 Avoid release to the environment

Precautionary Statement(s) - Response

P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P304+P340+P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician

Precautionary Statement(s) - Storage

P405 Store locked up.

Precautionary Statement(s) - Disposal

P501 Dispose of contents/container in accordance with applicable local, regional, national, and/or international regulations

3. COMPOSITION / INFORMATION ON INGREDIENTS

| INGREDIENT(S) | CAS Number | Weight % |
|------------------|------------|----------|
| Sodium Hydroxide | 1310-73-2 | 10-20 |

>70% of mixture consists of ingredients of unknown toxicity. Exact percentages are withheld as trade secrets.

4. FIRST AID MEASURES

EYE CONTACT: Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. After 5 minutes, check for and remove any contact lenses. Continue to rinse for at least 15 minutes.

SKIN CONTACT: Get medical attention immediately. Wash with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 15 minutes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Destroy contaminated shoes.

INHALATION: Get medical aid immediately. Remove from exposure and move to fresh air immediately and keep in position comfortable for breathing. If breathing is difficult, give oxygen. Do NOT use mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask.

INGESTION: Get medical attention immediately. Do NOT induce vomiting. If victim is conscious and alert, wash out mouth with water then give water. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep airway clear.

NOTES TO PHYSICIAN: The absence of visible signs or symptoms of burns does NOT reliably exclude the presence of actual tissue damage may contraindicate the usage of gastric lavage.

5. FIRE FIGHTING MEASURES

NOTE: Solid product. Product will melt and combustion may occur when exposed to fire.

General information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool.

Extinguishing Media: Use agents appropriate for surrounding fire. Do NOT use straight streams of water.

6. ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILL OR OTHER RELEASE: Remove sources of ignition. Ventilate area. Use appropriate personal protective equipment as indicated in Section 8 of the SDS when risk assessment indicates this is necessary. Use non-sparking tools and equipment. Sweep or shovel spilled materials into suitable containers. Dispose of in accordance with all local, state and federal requirements. Do not allow product or residues to enter waterway or any source of drinking water.

7. HANDLING AND STORAGE

HANDLING: Use appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Keep in the original container. Store and use away from heat, sparks, open flame or any other ignition source. Do not reuse container.

STORAGE: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Separate from oxidizing materials and acids. Keep container tightly closed and sealed until ready for use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower (ANSI Z358.1). Use adequate general or local explosion-proof ventilation.

| COMPONENT | CAS NUMBER | ACGIH TWA | ACGIH STEL | ACGIH CEILING | OSHA FINAL PEL TWA | IDLH |
|------------------|------------|-----------|------------|---------------|--------------------|----------|
| Sodium Hydroxide | 1310-73-2 | - | - | 2 mg/m3 | 2 mg/m3 | 10 mg/m3 |

PERSONAL PROTECTIVE EQUIPMENT

Eyes: Wear chemical splash goggles that meet the requirements of 29 CFR 1910.133 or European Standard EN 166.

Skin: Wear appropriate protective gloves to prevent skin exposure (29 CFR 1910.138 or EN 374).

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---------------------|
| FORM: | Solid |
| ODOR: | Mild |
| ODOR THRESHOLD: | No data available |
| COLOR: | Off-white to yellow |
| pH: | ~11.8 @ 1% |
| FREEZING POINT: | No data available |
| BOILING POINT: | No data available |
| FLASH POINT: | No data available |
| EVAPORATION RATE: | No data available |
| FLAMMABILITY: | No data available |
| FLAMMABILITY/EXPLOSIVE LIMIT: | No data available |
| AUTOIGNITION TEMPERATURE: | No data available |
| VAPOR PRESSURE: | No data available |
| VAPOR DENSITY: | No data available |
| DENSITY: | No data available |
| SOLUBILITY IN WATER: | Complete over time |
| PARTITION COEFFICIENT N-OCTANOL/WATER: | No data available |
| AUTOIGNITION TEMPERATURE: | No data available |
| DECOMPOSITION TEMPERATURE: | No data available |

10. STABILITY AND REACTIVITY

STABILITY: The product is stable.

INCOMPATIBILITY WITH VARIOUS SUBSTANCES: Reactive or incompatible with the following materials: oxidizing materials, acids, aluminum, copper, brass, bronze, tin.

HAZARDOUS POLYMERIZATION: Under normal conditions of storage and use, hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Decomposition products may include the following materials: carbon dioxide, carbon monoxide, sodium oxide.

11. TOXICOLOGICAL INFORMATION

Toxicity: No data available for product.

CARCINOGENICITY

| Product/Ingredient Name | ACGIH | IARC | NTP |
|-------------------------|-------|------|-----|
| - | - | - | - |

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL INFORMATION: No Data Available For Product.

13. DISPOSAL CONSIDERATIONS

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. U.S. EPA guidelines for the classifications are listed in 40CFR 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

14. TRANSPORTATION INFORMATION

U.S. Bill of Lading Description: UN 3262, corrosive solid, basic, inorganic, n.o.s. (Sodium Hydroxide) 8, II

15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL).

U.S. REGULATIONS

CALIFORNIA PROPOSITION 65: This product contains a chemical(s) known to the state of California to cause birth defects or other reproductive harm (acrylonitrile).

STATE RIGHT TO KNOW (RTK)

| INGREDIENT(S) | CAS# | MA | NJ | PA | MN |
|------------------|-----------|----|----|----|----|
| Sodium Hydroxide | 1310-73-2 | X | X | X | - |

CERCLA/SARA 302/304

| INGREDIENT(S) | CAS# | Weight % | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) |
|------------------|-----------|----------|----------------------|-----------------------|
| Sodium Hydroxide | 1310-73-2 | 10-20 | 1000 | - |

SARA 311/312 Hazard Categories

| | |
|------------------------------------|----------|
| Immediate: | X |
| Delayed: | - |
| Fire: | - |
| Reactivity: | - |
| Sudden Release of Pressure: | - |

SARA 313:

None

Clean Air Act:

Not regulated.

Clean Water Act:

CAS No. 1310-73-2 is listed

16. OTHER INFORMATION**Hazardous Material****Information System (U.S.A.)**

Health: 3

Flammability: 0

Reactivity: 0

National Fire Protection**Association (U.S.A.)**

Health: 3

Flammability: 0

Reactivity: 0

HMIS and NFPA use a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of 0 means that the substance possesses essentially no hazard; a rating of 4 indicates high hazard.

Date of Creation: 02/02**Issue Number: 5.3****Date of Revision: 5/11/2015****Prepared By:** Compliance Group

The information contained in this Safety Data Sheet is intended to comply with the requirements of 29CFR 1910.1200. This information is believed to be accurate and based on data available to APTECH Group at this time. It is intended to be used as a guide to the safe handling and use by properly trained individuals. It is the end users responsibility to determine the suitability of the information for their particular purposes. This information is provided without warranty.