

Price List

This price list is effective April 10, 2015 and supercedes all previously printed or electronically released versions.

➤See page

109

119




Casegoods, Tables, Perks, and Seating:

Kwik Office casegoods, tables, and seating are available to ship within five business days upon receipt of a credit-approved order.



Systems and Metal Filing:

Kwik Office Interworks EQ, Footprint, and Metal Filing products are available to ship within ten business days upon receipt of a credit-approved order.



General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Sustainability	4
Casegoods	5
Priority™	5
Senator®	11
Lighting	17
Tables	18
Perks [®]	21
Seating	25
Systems	47
Interworks® EQ	53
Traxx® & Tiles	75
Footprint®	79
Lighting	94
Metal Filing	95
LF Series™	98
Fundamental®	102
Universal	108

Finishes & Materials

Resources

3

How to Specify Our Products

KVIK office of the state of the

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.


We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.




Statement of Line provides a snapshot of the entire product line available for quick shipment. We've included an illustration and page cross references to the applicable pricing and how to specify pages.



Product Information and Application Guidelines pages provide detailed information about the product, connections that can be made with other models, and planning factors.



Look in the Finishes and Materials section to see what materials, fabrics, and finishes are available on Kwik Office products. All other finishes and materials available on Kwik Office models are listed on the individual pricing pages.



Overviews offer a quick look at the distinguishing features of the product line.



Pricing pages list each Kwik Office model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.



Use the Resources in the back of the price list. You'll find terms and conditions, warranty information, operating load capacities, model number index, and more. Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

Only Underwriters' Laboratory (U.L.) or Canadian Standards Association (C.S.A.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.




2

Complete specifications are built by following a set of steps. These "How to Specify" steps are located on each pricing page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., 1), 2, or 3) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.


Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS collaborator™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.



Sample Specification:

The example below shows a complete model number for an **Interworks EQ tackable acoustical panel.**

>See page 53 for the corresponding pricing table and How to Specify steps.



Pricing Table Abbreviations

D = Depth

W = Width

H = Height

T = Thickness

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

KWK office of the state of the

Enhancing the Home We All Share

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

Find more specific details regarding the environmental aspects of our product offerings at:

www.kimballoffice.com



ANSI/BIFMA level™

Sustainability

100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.



ecoScorecard[®]

Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money. ➤See how easy it is at

kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:

- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare



LEED® Certification

Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:

- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:

- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:

- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms



INDOOR AIR QUALITY Indoor Advantage | Furniture

Indoor Air Quality

One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE)

is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors-including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.

For environmental data, visit our website at www.kimballoffice.com.



The mark of

FSC-Certified Wood

Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.



Asset Network for Education

Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.



Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.



PRIORITY™

Statement of Line

Features See page 6 Filing Capabilities 7 Lighting 17 Finishes & Materials 109

Classic Casegoods





Desks

- Single pedestal, left
- Single pedestal, right
- ➤See page 8.



Executive Returns

- File/file pedestal
- ➤See page 8.



Bridges

- With modesty panel
- ➤See page 8.



Credenzas

- Kneespace
- File/file, left or right
- ➤See page 9.



Lateral Files

- Two drawer
- ➤See page 9.



Freestanding Bookcases

- Four shelves (two adjustable)
- Five shelves (three adjustable)
- ➤See page 10.



Highback Organizers

- Solid doors
- ➤See page 10.



Tackboard

- For use with highback organizer
- ➤See page 10.



Task Lights

- 23"
- 47"
- ➤See page 17.

Features Overview

Filing Capabilities	➤See page 7
Lighting	17
Finishes & Materials	109

Priority Laminate models offer great flexibility in finish selections. The worksurface, PVC rim, drawer/door fronts, and chassis may be specified in different colors to create a more transitional to contemporary feel.


Exterior wood surfaces on Priority

Wood models are plain-sliced, slip-matched cherry or maple. Veneers are carefully selected and matched to assure proper balance and consistency.

Rim is 1/8" thick.

Pedestals are full height and letter width on assembled units.

Drawer fronts are ³/₄"-thick, 3-ply construction. Five-sided drawer construction allows easy removal of drawer fronts.



Features

Joints are securely fastened with dowels and mechanical fasteners to ensure maximum strength.

Worksurfaces are 1³/₁₆"-thick, 3-ply, balanced construction and available in wood or laminate.

Laminate worksurfaces feature high-pressure laminate (HPL) and is available in all standard laminate patterns and colors; customer specified laminate is also available.



Softened rim profile (P or F) appears on all four edges of the worksurface.

Black plastic (G1) grommets are available on select models.

- ➤ See pricing pages for availability.
- See the Priority Price List for location descriptions and dimensions.



Studio (89) pulls in platinum metallic are standard.

Lock cylinders are shipped installed on Kwik Office models and are keyed randomly. Key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCB001 to KCCB005.

Chassis and drawer/door fronts on Priority Laminate models feature thermally fused laminate (TFL). Grain direction runs top to bottom.

Drawer sides and back are 1/2" thick and wrapped in natural woodgrain vinyl. Bottoms are 3/16" thick.

Drawer suspensions feature black slides with precision steel ball bearings to ensure long-lasting, quiet, smooth operation. Box drawers are 3/4 extension. File drawers and lateral file drawers are full extension.

Black filing rods are standard in all file drawers and accommodate various filing requirements.

➤ See page 7 for filing capabilities.

Hinged modesty panels are standard on fully assembled bridges, returns, kneespace, and single pedestal credenzas. Panel swings inward to allow access to wall outlets. It lifts from the floor and is held in place by leveling feet.

Hinged access doors on the approach side of desks allow access to cable routing compartment.



Filing Capabilities

Application Guidelines

Lighting	➤See page 17
Seating	25
Finishes & Materials	109
Resources	119

	Interior Dimensions				Standard Filing Capabilities	
Description	Туре	Inside Depth	Inside Width	Inside Height	Front-to-Back	Side-to-Side
Desks						
72"W single pedestal desks	Box	17"	111/2"	3"	_	_
	File	25"	12"	9"	Letter	Legal, double letter, and EDP
Returns						
File/file pedestal 24 x 48	Box	17"	111/2"	3"	_	_
	File	17"	12"	9"	Letter	Legal, letter, and EDP
Credenzas						
Kneespace and single pedestal	File	17"	12"	9"	Letter	Legal, letter, and EDP
Lateral Files						
24"D x 36"W	Lateral	15"	323/8"	9"	Legal, letter, and EDP	Legal and letter

- Paper Reference:
 Legal size paper is 8½" x 14".
 Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14½8.

PRIORITY™ Classic Casegoods

Desks, Returns, and Bridges

Pricing

GSA SIN 711-8

Lighting	➤See page 17
Seating	25
Finishes & Materials	109
Resources	119



Single-Pedestal Desks with Pedestal on Right



Single-Pedestal Desks with Pedestal on Left



Executive Returns with Pedestal on Right



Executive Returns with Pedestal on Left



Bridges

Standard Includes

- Softened rim profile
- Box/box/file pedestal
- Lock, key random
- Breakfront modesty panel
- Two hinged access doors
- Grommets left and right
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- Box/box/file pedestal
- Lock, key random
- Breakfront modesty panel
- Two hinged access doors
- Grommets left and right
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- File/file pedestal
- Lock, key random
- Hinged modesty panel
- G1 black plastic grommet, center
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- File/file pedestal
- Lock, key random
- Hinged modesty panel
- G1 black plastic grommet, center
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- · Hinged modesty panel
- G1 black plastic grommet, center

How to Specify

Model:

Q53K3672DRFBL101 = 36" x 72" laminate with PVC rim **Q53K3672DRFBW101** =

36" x 72" wood with wood rim

Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

How to Specify

Model:

Q53K3672DLFBL101 = 36" x 72" laminate with PVC rim **Q53K3672DLFBW101** =

36" x 72" wood with wood rim 2 Finish designator:

CC = Cordoba Cherry

MW = Midtown Walnut

How to Specify

Model:

Q53K2448RREFL20 = 24" x 48" laminate with PVC rim **Q53K2448RREFW201** = 24" x 48" wood with wood rim

2 Finish designator:

CC = Cordoba Cherry

MW = Midtown Walnut

How to Specify

Model:

Q53K2448RLEFL201 = 24" x 48" laminate with PVC rim **Q53K2448RLEFW201** = 24" x 48"

Q53K2448KLEFW2U1= 24" X 48 wood with wood rim

2 Finish designator:

CC = Cordoba Cherry
MW = Midtown Walnut

How to Specify

Model:

Q53K2442BEFL01 = 24" x 42" laminate with PVC rim

Q53K2442BEFW01 = 24" x 42" wood with wood rim

Q53K2448BEFL01 = 24" x 48" laminate with PVC rim

Q53K2448BEFW01 = 24" x 48" wood with wood rim

2 Finish designator:

CC = Cordoba Cherry **MW** = Midtown Walnut

Pricing

Q53K3672DRFBL101 \$2211 **Q53K3672DRFBW101** \$3208

Pricing

Q53K3672DLFBL101 \$2211 **Q53K3672DLFBW101** \$3208

Pricing

Q53K2448RREFL201 \$1279 **Q53K2448RREFW201** \$1949

Pricing

Q53K2448RLEFL201 Q53K2448RLEFW201 \$1279 \$1949

Fricing	
Q53K2442BEFL01	\$525
Q53K2442BEFW01	\$944
Q53K2448BEFL01	\$545
Q53K2448BEFW01	\$982

PRIORITY[™] Classic Casegoods

Credenzas and Lateral Files

Pricing

GSA SIN 711-8

Lighting	➤See page 17
Seating	25
Finishes & Materials	109
Resources	119



Kneespace Credenza



Single-Pedestal Credenza with Pedestal on Right



Single-Pedestal Credenza with Pedestal on Left



Two-Drawer Lateral Files

Standard Includes

- Softened rim profile
- Two file/file pedestals
- Hinged modesty panel
- Finished back
- One lock per pedestal, key random
- Center arommet
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- File/file pedestal
- Hinged modesty panel
- Finished back
- Lock, key random
- Center grommet
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- File/file pedestal
- Hinged modesty panel
- Finished back
- Lock, key random
- Center grommet
- Platinum metallic studio pulls

Standard Includes

- Softened rim profile
- Finished top and back back
- Lock, key random
- Interlock mechanism
- Platinum metallic studio pulls

How to Specify

Model:

Q53K2472CKFL201 = 24" x 72" laminate with PVC rim **Q53K2472CKFW201** =

24" x 72" wood with wood rim

2 Finish designator: CC = Cordoba Cherr

CC = Cordoba Cherry **MW** = Midtown Walnut

How to Specify

Model:

Q53K2472CRFL201 = 24" x 72" laminate with PVC rim **Q53K2472CRFW201** =

24" x 72" wood with wood rim

2 Finish designator:

CC = Cordoba Cherry

MW = Midtown Walnut

How to Specify

Model:

Q53K2472CLFL201 = 24" x 72" laminate with PVC rim **Q53K2472CLFW201** =

24" x 72" wood with wood rim

2 Finish designator:

CC = Cordoba Cherry **MW** = Midtown Walnut

How to Specify

① Model:

Q53K2436LFF2L01 = 24" x 36" laminate with PVC rim

Q53K2436LFF2W01 =

24" x 36" wood with wood rim

② Finish designator:

CC = Cordoba CherryMW = Midtown Walnut

Pricing

Q53K2472CKFL201 \$2075 **Q53K2472CKFW201** \$3037

Pricing

Q53K2472CRFL201 \$1952 **Q53K2472CRFW201** \$2857

Pricing

Q53K2472CLFL201 \$1952 **Q53K2472CLFW201** \$2857

Pricing

Q53K2436LFF2L01 \$1343 **Q53K2436LFF2W01** \$2048

Casegoods



Bookcases and Highback Organizers

Pricing

Lighting➤See page 17Seating25Finishes & Materials109Resources119





Four-Shelf Freestanding Open Bookcases



Five-Shelf Freestanding Open Bookcases



Highback Organizers



Tackboards

Standard Includes

- 3/4"-thick shelves
- Unfinished back
- Fully finished top with flat edge (no rim profile)

Standard Includes

- 3/4"-thick shelves
- Unfinished back
- Fully finished top with flat edge (no rim profile)

Standard Includes

- Four solid doors
- Unfinished back
- Three black plastic grommets
- Fully finished top with flat edge (no rim profile)
- Non-locking

Standard Includes

• Fusion 16105 Mineral upholstery

Note: For use with 72"W highback organizer

How to Specify

Model:

Q53K3653BC0FL01 = 527/8"H laminate

Q53K3653BCOFW01 =

52⁷/8"H wood

Finish designator:CC = Cordoba Cherry

MW = Midtown Walnut

How to Specify

Model:

Q53K3667BC0FL01 = 67"H laminate

 $\mathbf{Q53K3667BCOFW01} =$

67"H wood

2 Finish designator:

CC = Cordoba Cherry

MW = Midtown Walnut

How to Specify

Model:

Q53K7238HBHL01 =

713/4"W laminate

Q53K7238HBHW01 =

713/4"W wood

2 Finish designator:

CC = Cordoba Cherry

MW = Midtown Walnut

How to Specify

Model:

QKAC7016TBK16105 = 701/8"W

Pricing

Q53K3653BCOFL01 Q53K3653BCOFW01 \$800 \$1441

Pricing

Q53K3667BCOFL01 Q53K3667BCOFW01 \$979 \$1761

Pricing

Q53K7238HBHL01 Q53K7238HBHW01 \$1605 \$3055

Pricing

QKAC7016TBK16105



SENATOR®

Statement of Line

Features ➤See page 12 Filing Capabilities 13 17 Lighting Finishes & Materials 109

Traditional Casegoods







Desks

- Double pedestal
- Single pedestal
- ➤See page 14.




Executive Returns

- Pencil/box/file pedestal
- ➤See page 14.



Bridges

- Hinged modesty panel
- ➤See page 14.



Credenzas

- Storage
- Kneespace
- Lateral file
- ➤See page 15.



Lateral Files

- Two drawer
- Four drawer
- ➤See page 15.



Bookcases

- Open
- ➤See page 16.





Bookcase Tops and Bases

- For one unit
- ➤See page 16.



Task Lights

- 23"
- 47"
- ➤See page 17.



Features Overview

Filing Capabilities	➤See page 13
Lighting	17
Finishes & Materials	109

Exterior surfaces are cherry (plain sliced, slip matched) or walnut (plain sliced, book matched) veneer.
Veneers are carefully selected and matched to assure proper balance and consistency.

Rims are solid hardwood with precisely mitered corners.

Decorative molding is standard on desks, returns, bridges, and credenzas.

Leveling glides adjust for uneven floors.

Drawer fronts are ³/₄" thick 3-ply with vertically matched grain.

Tops are 13/16" thick, 3-ply balanced construction. Wood grain laminate is also available.

٩

Base rails are solid hard-

wood for impact and wear

resistance.

Full height pedestals have one pencil drawer, one box drawer, and one file drawer. Hardwood corner post and panel construction is reinforced with tenon and groove joinery.

Writing shelf is standard on single-

and double-pedestal desks with

breakfront modesty panel.

Drawer sides and back are 1/2" thick with veneer faces. Drawer bottoms are 1/4" thick. 5-sided construction allows easy removal of drawer front. Dowel joint assembly is used for maximum strength. Interiors are sealed, sanded, and finished with a clear lacquer finish to protect against swelling, shrinking, or warping and to provide a smooth feel and appearance.

Center drawer is standard on double-pedestal and single-pedestal desks. Bottom of drawer is lined with black leather

Centra™ locking is featured on double and single pedestal desks, credenzas, and lateral files to secure all drawers in the unit with a single lock. Lock cylinders are shipped installed on Kwik Office models and are keyed randomly. Key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCE001 to KCCE005.

Details





Breakfront modestv

Flush modesty

Modesty panel on doublepedestal desk features a breakfront appearance; single-pedestal desks are available with either a breakfront or flush appearance.



Antique brass pulls (28AB) are standard. Antique brass metal grommets are standard on returns, bridges, and select desks.

Joints are securely fastened with screws, glue, and solid hardwood cleats to ensure maximum strength.

Drawer dividers are included in desks and credenzas for placement in any box drawer.

Full extension, progressive action drawer suspensions, with precision ball bearings on file drawers, provide a smooth, quiet operation. Box drawers have full extension slides with a positive stop action.

Heavy-duty filing hardware accommodates various filing requirements.
>See page 13 for filing capabilities.

		Interior Dimensions		Standard Filing Capabilities		
Description	Туре	Inside Depth	Inside Width	Inside Height	Front-to-Back	Side-to-Side
Desks						
Double pedestal	Pencil	17"	12"	11/2"	_	_
with flush modesty panel	Box	17"	12"	3"	_	_
	File	17"	12"	9"	Letter	Legal, letter, and EDP
	Center	17"	263/8"	11/2"	_	_
Single pedestal	Pencil	17"	15"	11/2"	_	_
with breakfront modesty panel	Box	17"	15"	3"	_	_
	File	17"	15"	9"	Legal	Legal, letter, and EDP
	Center	17"	181/16"	11/2"	_	_
Single pedestal	Pencil	17"	12"	11/2"	_	_
vith flush modesty panel	Box	17"	12"	3"	_	_
	File	17"	12"	9"	Letter	Legal, letter, and EDP
	Center	17"	18 ¹ /16"	11/2"	_	_
Returns	Pencil	17"	15"	11/2"	_	_
	Box	17"	15"	3"	_	_
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Credenzas	Pencil	17"	15"	11/2"	_	_
	Box	17"	15"	3"	_	_
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Lateral files	Lateral	15"	321/4"	9"	Legal, letter, and EDP	Legal and letter

Paper Reference:

- Legal size paper is 8½" x 14".
 Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14½8.



Desks, Returns and Bridges

Pricina

GSA SIN 711-8

Features	➤See page 12
Filing Capabilities	13
Lighting	17
Finishes & Materials	109



Double-Pedestal Desks with Flush Modesty Panel



Single-Pedestal Desks with Breakfront Modesty Panel



Single-Pedestal Desks with Flush Modesty Panel



Executive Returns



Bridges

Standard Includes

- Wood worksurface
- Decorative molding
- Letter-width PBF/PBF pedestals
- Centra locking, key random
- Antique brass pulls
- No grommets

Standard Includes

- Wood worksurface
- Pull-out writing shelf
- Decorative molding
- Legal-width PBF pedestal
- Centra locking, key random
- Antique brass pulls
- Left and right grommets

Standard Includes

- Wood worksurface
- Decorative molding
- Letter-width PBF pedestal
- Centra locking, key random
- Antique brass pulls
- Left and right grommets

Standard Includes

- Wood worksurface
- Full modesty panel
- · Decorative molding
- Legal width PBF pedestal
- Lock, key random
- Antique brass pulls
- Center grommet

Standard Includes

- Wood worksurface
- Hinged modesty panel
- Decorative molding
- Center grommet

How to Specify

Model:

QSN3672DDFWMX = 36" x 72"

2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

 $QSN3672D = 36" \times 72"$

2 Pedestal location:

RF = Right (shown)

LF = Left

3 Worksurface material:

WMG= Wood **4** Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

 $QSN3066D = 30" \times 66"$

Pedestal location:

RF = Right (shown)

LF = Left

Worksurface material:

WMG= Wood

4 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

QSN2551R = 25" x 51"

2 Pedestal location:

REF = Right (shown)

LEF = I eft

Worksurface material:

WMG = Wood

4 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

QSN2551BEFHWMG = 25" x 51"

2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

Pricing

QSN3672DDFWMX

\$3837

Pricing

QSN3672D

\$4288

Pricing

QSN3066D

Pricing

QSN2551R

\$3468

\$2487

Pricing

QSN2551BEFHWMG




Credenzas and Lateral Files

Pricing

Features ▶See page 12 Filing Capabilities 13 17 Lighting 109 Finishes & Materials

GSA SIN 711-8 † GSA SIN 711-9



Storage Credenzas



Kneespace Credenzas



Lateral File Credenzas



Two-Drawer Lateral Files



Four-Drawer Lateral Files

Standard Includes

- Wood worksurface
- Decorative molding
- Legal-width PBF/PBF pedestals
- Center storage area
- Centra lock, key random
- Antique brass pulls
- No grommets

Standard Includes

- Wood worksurface
- Decorative molding
- Legal-width PBF/PBF pedestals
- Centra lock, key random
- Antique brass pulls
- No grommets

Standard Includes

- Wood worksurface
- Full modesty panel
- Decorative molding
- Two lateral file drawers
- Lock, key random
- Antique brass pulls
- No arommets

Standard Includes

- Two drawers
- Antique brass pulls
- Centra lock, key random
- Finished back

Standard Includes

- Four drawers
- Antique brass pulls
- Centra lock, key random
- Finished back

How to Specify

Model:

QSN2475CSFWMX = 24" x 75"

2 Finish designator:

MC = Amber Cherry TW = Tribeca Walnut Model:

QSN2475CKFWMX = 24" x 75"

2 Finish designator:

How to Specify

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

 $QSN2475C = 24" \times 75"$

2 Pedestal location:

RF6 = Right (shown) LF6 = Left

3 Worksurface material:

 $\mathbf{WMX} = \mathbf{Wood}$

4 Finish designator: **MC** = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

QSN2439LFF2W = 24"D x 39"W

x 30"H

2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

QSN2439LFF4W = 24"D x 39"W x 55"H

2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

Pricing

QSN2475CSFWMX †

\$3540

Pricing

QSN2475CKFWMX

\$3422

Pricing

QSN2475C

\$3705

Pricing QSN2439LFF2W

\$1963

Pricing

QSN2439LFF4W



Bookcases

Pricing

GSA SIN 711-8

Features	➤See page 12
Filing Capabilities	13
Lighting	17
Finishes & Materials	109



Open Bookcases



Bookcase Tops



Bookcase Bases

Standard Includes

- Open
- Three shelves
- Unfinished top

Note: Requires a bookcase top, specified separately.

Standard Includes

Top

Note: For use on bookcases in floor-standing applications.

Standard Includes

• Base

Note: For use on bookcases in floor-standing applications.

How to Specify

- Model:
 - **QSN3648BCO** = 36"W x 48"H
- 2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

- 1 Model:
- **QSN1539CPTW** = 15"D x 39"W (top for one unit)
- (top for one unit
- Pinish designator:
 MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

- 1 Model:
 - **QSN1537CPB** = 15" x 37"
- 2 Finish designator:
 - MC = Amber Cherry

TW = Tribeca Walnut

Pricing

QSN3648BCO

\$1190

Pricing

QSN1539CPTW

\$482

Pricing

QSN1537CPB



Task Lights

Pricing

GSA SIN 711-8

Priority	➤See page 5
Senator	11
Tables	18
Finishes & Materials	109



Task Lights

Standard Includes

- Fixture: black
- T5 cool white single tube lamp: 14 watt on 23"W light; 28 watt on 47"W light
- High-frequency electronic ballast
- Prismatic lens
- Rocker-type on/off switch in center
- 90° cord plug with southwest orientation prong configuration
- 9' cord attached in center of fixture

How to Specify



QKCU25TL = 23"W **QKCU49TL** = 47"W

Pricing

QKCU25TL \$178 **QKCU49TL** \$201



TABLES

Statement of Line

Priority	➤See page 5
Senator	11
Lighting	17
Finishes & Materials	109





Contemporary/Transitional Round Table Tops

- 42"
- 48"
- ➤See page 19.



Contemporary/Transitional Racetrack Table Tops
▶See page 19.



Contemporary/Transitional Cylinder Base

➤See page 19.



Traditional Round Table Tops

• 42"

➤See page 20.



Traditional Queen Anne Pedestal Bases

➤See page 20.



Tops and Bases

Pricing

GSA SIN 711-11

Priority	➤See page 5
Senator	11
Lighting	17
Finishes & Materials	109



Round Table Tops



Racetrack Table Tops



Cylinder Base

Standard Includes

- Non-rubbed finish
- Flat rim profile (self-edge)
- Requires one cylinder base
- Seating capabilities: 4 chairs for 41" dia. and 5 chairs for 47" diameter models

Standard Includes

- Non-rubbed finish
- Flat rim profile (self-edge)
- Requires two cylinder bases
- Seating capabilities: 8 chair

Standard Includes

- Wood
- 271/2"H x 16" diameter

How to Specify

Model:

QCCS42RDW1JNX = 41" dia. QCCS48RDW1JNX = 47" dia.

2 Finish designator: **CC** = Cordoba Cherry MW = Midtown Walnut

How to Specify

Model:

QCCS4896RCW1JNX = 47" x 95"

2 Finish designator:

CC = Cordoba Cherry **MW** = Midtown Walnut

How to Specify

1 Model:

QCBS2716CY

2 Material:

 $\mathbf{W} = \mathsf{Wood}$

3 Finish designator: **CC** = Cordoba Cherry

MW = Midtown Walnut

Pricing

QCCS42RDW1JNX \$983 QCCS48RDW1JNX \$1233

Pricing

QCCS4896RCW1JNX \$2204

Pricing

QCBS2716CY

\$1035

Tables



Tops and Bases

Pricing

GSA SIN 711-11

Priority	➤See page 5
Senator	11
Lighting	17
Finishes & Materials	109



Round Table Tops



Queen Anne Pedestal Bases

Standard Includes

Top

• Seating capabilities: 4 chairs

Note: Requires one Queen Anne pedestal base

Standard Includes

Base

How to Specify

Model:

QTT2-42W = 42" diameter

2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

How to Specify

Model:

QTB3-4W

2 Finish designator:

MC = Amber Cherry

TW = Tribeca Walnut

Pricing

QTT2-42W

\$2452

Pricing

QTB3-4W

Accessories

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109



Adjustable Keyboard Kits

➤See page 22.



Hanging CPU Holder

➤See page 22.



File Bars

- Front-to-Back File Bars
- Side-to-Side File Bars
- ➤See page 22.





- Power Module
- Voice/Data Module
- ➤See page 23.



Power Outlet Strip

➤See page 23.

Page 21



File Bars, CPU Holders, and Keyboard Kits

Pricing

GSA SIN 711-8

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109



Front-to-Back File Bars



Side-to-Side File Bars



Hanging CPU Holders



Adjustable Keyboard Kits

Standard Includes

- Black
- For use in Footprint flat profile and eclipse profile undersurface lateral files
- Set of two (one set required per drawer)
- Provides two rows of letter-size or one row of legal-size filing in 30"W file; two rows of letter-size or legalsize filing in 36"W file; three rows of letter-size or two rows of legal-size filing in 42"W file.

Standard Includes

Black

Note: For use in Footprint flat profile metal pedestals and file centers. eclipse profile file drawers, and Hum file drawers

Standard Includes

- 4" depth adjustment
- 93/4" height adjustment
- 9" width adjustment
- · Attaches to underside of worksurface
- Swivels 360°
- Black

Standard Includes

- Keyboard arm
- High-density polyethylene tray and ABS mouse trav
- Foam gel wrist rest
- Intuitive adjustment

- Q99K2208KK1 can be used in corner-mount applications.

How to Specify



Q99KFFB = 153/4" x 11/8" x 13/4"

How to Specify



Q99KFB = 3/4" x 11¹⁵/16" x 3/4"

How to Specify

Model:

Q99KCPUH

How to Specify

Model:

Q99K1706KK1 = 17" x $28\frac{1}{2}$ "

x 6"

Q99K2208KK1 = $22'' \times 28^{1/2}''$

Q99K2319KKS1 = $23'' \times 281/2''$

x 10³/₄"

Pricing	
Q99KFFB	\$22

Pricing Q99KFB \$22

Pricing	
Q99KCPUH	\$230

Pricing	
Q99K1706KK1	\$584
Q99K2208KK1	\$642
Q99K2319KKS1	\$692

Adjustable Keyboard Kits:

Keyboard kits cannot be used with President and Senator kneespace credenzas due to the central locking mechanism; nor can they be used with Scenario tables and Fluent worksurfaces as they interfere with the support channels.

Only keyboard kit models 99K1706KK2 and (Q)99K1706KK1 work with Priority Progressive support rails and height-adjustable tables. Keyboard mount slide will need to be oriented parallel with the front edge of the worksurface. To store, lower the keyboard and swing under the surface.

Keyboard kits, when recessed, are not flush to the worksurface edge when mounted in accordance with the manufacturer's instructions.

The following adjustable keyboard kit models comply with ANSI/HFES method 2.

Series	Keyboard Arm Mode
Priority™	Q99K2208KK1
	Q99K2319KKS1
Definition®	Q99K2208KK1
	Q99K2319KKS1
Transcend®	Q99K2208KK1
	Q99K2319KKS1
Innsbruck™	Q99K2319KKS1
Footprint®	Q99K2319KKS1

Perks Page 22



Power/Data Accessories

Pricing


GSA SIN 711-8

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109





Power or Voice/Data Modules



Power Outlet Strip

Standard Includes

- Two 15-amp NEMA-rated receptacles
- 6"L 15-amp grounded cord
- Black housing and cord
- Frosted plastic cover
- Fits into worksurface wire manager
- U.L. listed
- Not for use in New York City, Chicago, or Los Angeles
- Data ports accept Amp Flex-Mode and Panduit Mod-Com connector modules

Standard Includes

- 6 outlets
- 10" cord
- U.L. listed
- Not for use in New York City, Chicago, or Los Angeles

How to Specify

Model:

Q99KELPM = Power module **Q99KELDM** = Voice/data module

How to Specify

Model:

Q99KELPS

Pricing	
Q99KELPM	\$142
Q99KELDM	\$161

Pricing	
Q99KELPS	\$70

Page 23

PERKS® Accessories

Notes

Page 24



SEATING

Statement of Line



Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

Desk and Task Chairs



Alumma

- High- or mid-back conference
- Black or white faux leather
- Chrome finish base
- ➤See page 29.



Campos

- Upholstered or mesh back
- 2-D or 4-D arm options
- Lumber support option
- Seat slider option
- Black or polished aluminum base
- Hard or soft caster options
- ➤See page 32.



Hero. Just for You.

- Black mesh
- Black Lucia fabric
- 2-D arms
- Adjustable seat depth
- Black plastic base
- ➤See page 36.



Itsa

- 1.0 or 2.0
- Black mesh back
- Seat slider option
- ➤See page 37.





Muirfield

- High back or mid-back
- Vertical stitching
- ➤See page 38.



Stature

- High back or mid-back
- Wood base
- ▶See page 42.



Wish

- High-performance task chairs
- Mesh- or upholstered back
- Mesh-upholstered or upholstered seat
- Height- and width-adjustable arms (2D), height-adjustable arms, or conference arms
- Plastic or aluminum wishbone
- Seat slider option
- ➤See pages 43-45.



Wish Classic

- Height-adjustable arms
- Fixed arm caps
- Seat slider option
- ➤See page 46.





SEATING

Statement of Line

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

Side Chairs





Acapella

- Mid-back
- Arms
- ▶See page 28.



Alumma

- Mid-back
- Black or white faux leather
- Chrome finish base
- ➤See page 29.



Beo

- Fully upholstered back or ladderback
- ➤See page 30.





- Stacking
- With or without arms
- ➤See page 31.



Bingo Stools

- Without arms
- Sold as a pair
- ►See page 31.



Collage

- Fully upholstered back with rolled arms or wood top rail with arched arms
- ➤See page 33.



Event

- Round back
- With or without arms
- Static or mobile
- ➤See page 35.



Hero. Just for You.

- Stacking
- Mesh back
- Black Lucia fabric
- ➤See page 36.



Muirfield

- Vertical stitching
- ➤See page 38.



Poly

- Stacking
- ➤See page 39.



Stature

- Wood frame
- ➤See page 42.





SEATING

Statement of Line

Casegoods See page 5
Systems 47
Metal Filing 95
Finishes & Materials 109

ships so

Lounge



Fit

- Four mesh colors
- Headrest available separately
- ➤See page 34.



Pose

- One- and two-seat lounges
- Bench and ottoman
- Freestanding tables
- ➤See page 40.

ACAPELLA® Kimball Office Seating

securely glued to ensure maximum

strenath.

Side Chairs

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

Corners are reinforced with wood corner blocks and lag bolts. Metal brackets are also used on armless models to provide additional support.

Joints are double doweled and

Back and seat are fully upholstered. Cushions are high resiliency, CFC-free polyurethane foam.

Nylon glides are 7/8" in diameter and dome shaped.

Kwik Office Models



Mid-Back Side Chair (QK46AA)

- Maple hardwood frame
- Arms
- 34¹/₄"H x 23¹/₄"W x 23¹/₄"D

Details

Seat suspension is constructed of 1/2"-thick, 9-ply, molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a suspension.

Seat cushion, applied to the flexible webbing suspension, is 15/8" thick.

Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples. The entire seat assembly is fitted into the frame with wood screws inserted into the wood corner blocks.

Back is constructed of heavy webbing secured to the frame with staples. 1"-thick foam is applied to the webbing. Upholstery is wrapped over the foam and secured with upholstery staples.

How to Specify

- Model
 - ➤See model number at left.
- ② Upholstery grade
- 3 Upholstery number
- See page 116 for upholstery selections.
- 4 Finish type:
 - **STD** = Group 1
- ⑤ Finish designator:
 - MC = Amber
 - **CC** = Cordoba
 - **MW** = Midtown
 - **TW** = Tribeca

Pricing

Gr QK46AA

- 1 \$1078
- 2 \$1117
- 6 \$1239


$ALUMMA^{\mathsf{m}}$ Kimball Office Seating

Side Chairs

Overview & Pricing

GSA Pending

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109



Kwik Office Models



High-Back Conference Chair K75CSHBBSL = Black faux leather K75CSHBWSL = White faux leather

• 42"-46"H x 28"W x 27"D



Mid-Back Conference Chair K75CSMBBSL = Black faux leather K75CSMBWSL = White faux leather

• 35"-39"H x 28"W x 26"D



Mid-Back Side Chair K75CFMBBSL = Black faux leather **K75CFMBWSL** = White faux leather • 35"-39"H x 28"W x 26"D

Details

Alumma seating is available in highback and mid-back swivel conference models, as well as a mid-back side chair featuring fixed glides.

Back and seat are available in white or black faux leather. Contrasting faux leather is not available.



Side chair features glides on a fivestar base for stationary, non-mobile conference seating.

Alumma seating meets all applicable BIFMA and ANSI requirements

TB117 requirements are met by Alumma seating. TB133 models are not available.

How to Specify



Model

>See model number at left.

Pricing

K75CSHBBSL or K75CSHBWSL \$673

K75CSMBBSL or K75CSMBWSL \$615

K75CFMBBSL or K75CFMBWSL \$565

and mid-back conference models and

glides on side chairs.

Casegoods	See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

GSA SIN 711-18

Curved top rail is visible. It separates the front and back upholstery panels and adds to Beo's aesthetics.

Joints are securely fastened with mortise and tenon joinery or doubledoweled construction to ensure long-term use.

Wall-saver back legs flare slightly so they contact the baseboard first, saving the wall's finish and protecting the chair back.

Seat rails are reinforced with wood corner blocks and cleats attached with glue and wood screws.

Seat suspension is constructed of 9/32" thick molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a secure suspension.

Seat assembly is attached with wood screws to wood cleats on the frame.

Steam-bent frame is constructed of kiln-dried European beech to supports the body's curves.

Decorative reveal detail at the arm/leg joint. Reveal is 2mm deep by 4mm wide.

Seat cushions are made of 11/4" thin-profile, high-resiliency, CFC-free foam for maximum comfort and durability. Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples.

Nylon glides are 7/8" in diameter.

Kwik Office Models



Fully Upholstered Side Chair (QK58ET)

- European beech frame
- Arms
- 323/4 "H x 221/4"W x 255/8"D



Three-Quarter Back Side Chair (QK58BT)

- European beech frame
- Arms
- 323/4 "H x 221/4"W x 255/8"D

Details

Upholstered back is constructed of two panels that are sandwiched together. Each panel features a contoured 3-ply cross-banded plywood inner panel. Inner panels are covered with high-resiliency, CFC-free foam (1/2" on the front and 1/4" on the back). Upholstery is wrapped around the inner panels and secured with upholstery staples. Both front and back upholstery panels are securely attached to the top wood rail and cleats with Christmas-tree fasteners.

How to Specify

Model

▶See model numbers at left.

Back:

- ② Upholstery grade
- Upholstery numberSee page 116 for upholstery selections.

Seat:

- 4 Upholstery grade
- ⑤ Upholstery number

Frame:

6 Finish type:

STD = Standard finish

Tinish designator:

MC = Amber

CC = Cordoba

MW = Midtown

TW = Tribeca

Pricing

Gr	QK58ET	QK58BT
1	\$909	\$813
2	\$945	\$843
6	\$1057	\$937
L7	\$1235	\$1085

Seating

BINGO® Kimball Office Seating

Side Chairs and Stools

Overview & Pricing

GSA SIN 711-19

† GSA SIN 711-18

Finishes & Ma

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

Shell is constructed of 7/16"-thick, 8-ply, molded plywood that is cross banded for strength. Shell is attached to the frame with four countersunk wood screws threaded into two wood cleats that are glued to the shell.

Arm supports, legs, and cross members are $25/32" \times 3/32"$ hot rolled, welded, chrome plated, tubular steel.

Joints are welded.

Page 31

Arm caps are 15%" thick solid bentwood, finished to match the shell. Two countersunk wood screws attach each arm cap to the arm supports.

Black plastic glides fit like a cap over the ends of the tubular steel

frame.

Kwik Office Models





Side Chair with Arms (K50A)

- Stacking
- 33"H x 233/4"W x 221/2"D

Side Chair without Arms (K50N)

- Stacking
- 33"H x 233/4"W x 221/2"D



Stool without Arms (K50SN[†])

- 44½"H x 21½"W x 24¾"D
- Ordered in sets of two
- Shipped two per carton



Ganging Devices (K50GB†)

Package of 5 pairs

Details

Side chairs and stools are each stackable up to four high.

Rubber stack bumpers and tube closures are standard.

Side chairs are shipped four per carton when applicable.



Side chairs may be ganged with ganging devices that snap onto the legs. Armless models or alternating armless and armchair models may be connected.

Note: Two armchair models cannot be ganged side by side.

Black ganging devices, ordered separately, are sold in packages of 5 pairs. One pair is required to gang two chairs. Two pairs will gang three chairs.

How to Specify

- Model
 - See model numbers at left.
- 2 Finish designator (omit for ganging devices):
 - $\mathbf{A} = Amber$
 - $\mathbf{E} = \mathsf{Ebony}$
 - **W** = White

Pricing

K50A K50N K50SN \$538 \$435 \$1315 for two stools

K50GB

\$44

Seating

Desk Chairs Overview & Pricina

GSA SIN 711-18

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	100

Mesh-back models incorporate a mesh design perfectly proportioned to give ergonomically correct, flexible support in all upright or reclined positions.


Arm structure consists of a steel upright covered in black nylon.

Seat cushions are 21/8" thick—13/4" CFC- and CHC-free molded foam. over a seven-layer molded plywood shell.

Black, dual-wheel casters on desk chairs are 65mm in diameter. Specify hard casters (802) for use on carpet (standard) or soft casters (801) for use on hard floors (upcharge applies).

Upholstered-back models feature a nine-layer molded plywood shell surrounded by molded, CFC- and CHC-free foam and upholstery.

Standard five-star base is 30% glass-filled nylon, textured, black plastic. Cast aluminum base with a polished finish is available as an option (upcharge applies).



T-shaped arm rests are standard with 2D adjustability. User can adjust the arm vertically within a 41/4" range (11 positions) and horizontally within a 21/2" range. Arm caps are black polyurethane.

Seat slider is available as an option to adjust the seat depth for comfort. Seat depth is adjusted by grasping the left lever below the seat, pulling upward, and sliding forward or rearward; locks within a 2" range.

Synchro mechanism provides fully synchronized seat-to-back movement. Allows user to lock the chair in multiple positions within the range of movement using a single lever.

Seat height adjusts from 157/8"-23" via a patented twist/threaded column adjustment feature and pneumatic (gas) cylinder.

Kwik Office Models



Mid-Back with Upholstered Back and Seat (QK15C27)

• 393/4"-493/8"H x 253/4"-27"W x 25"D



Mid-Back with Mesh Back and Upholstered Seat (QK17C27)

• 401/8"-501/2"H x 26"-263/4"W x 25"D

How to Specify

Model

See model numbers at left.

Back:

- ② Upholstery grade (omit for mesh-back model)
- 3 Upholstery number or mesh designator:

8140 = Black mesh

8146 = Red mesh

8147 = Beige mesh

Seat:

- 4 Upholstery grade
- ⑤ Upholstery number
- 6 Lumbar support option:

604 = Adjustable (+\$129)

X = None ② Arm style:

703 = 2D

709 = 4D (+\$52)

8 Seat slider option:

601 = Adjustable (+\$52)

X = None

Base finish designator:

532217 = Black plastic

521304 = Polished aluminum (+\$129)

(10) Casters:

802 = Hard for use on carpet

801 = Soft for hard floors (+\$24)

Pricing	
Gr QK15C27	QK17C27
1 \$ 870	\$ 964
2 \$ 921	\$ 986
6 \$1081	\$1054
L7 \$1330	\$1160

Side Chairs

Overview & Pricing


GSA SIN 711-18

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

Frame is constructed of kiln-dried maple hardwoods.

Joints are double doweled and securely glued to ensure maximum strength.

Seat suspension is constructed of ½"-thick, 5-ply molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a suspension.



Back on wood top rail models is constructed of 1"-thick foam applied to %"-thick, 5-ply contoured plywood. Back is attached to the frame with T-nuts, machine screws, and metal brackets.

Corners are reinforced with wood corner blocks and tie screws on all models.

Nylon glides are 7/8" in diameter.

Kwik Office Models



Side Chair with Wood Top Rail (Q4610)

- Maple hardwood frame
- Arched arms
- 321/4"H x 221/2"W x 241/2"D



Side Chair with Fully Upholstered Back (Q4620)

- Maple hardwood frame
- Rolled arms
- 31³/₄"H x 22³/₄"W x 23³/₄"D

How to Specify


- Model
 - ▶See model numbers at left.
- ② Upholstery grade
- 3 Upholstery number
- See page 116 for upholstery selections.
- 4 Finish type:
 - **STD** = Group 1
- ⑤ Finish designator:
 - MC = Amber
 - **CC** = Cordoba
 - MW = Midtown
 - TW = Tribeca

Р	ricing	
Gr	Q4620	Q4610
1	\$1104	\$ 983
2	\$1146	\$1016
6	\$1278	\$1119
L7	\$1485	\$1282

Back on fully upholstered models is constructed of 1"-thick foam applied to 3/s"-thick, 5-ply contoured plywood. Back is attached to the frame with press fit fasteners.

Back upholstery is wrapped in place and secured with upholstery staples.

Outer back panel is constructed of %"-thick foam applied to %16"-thick, 3-ply contoured plywood. Press fit fasteners attach outer back panel to the inner back.



Seat cushion is applied to the flexible webbing suspension. Foam is 13/4" thick on chairs and 21/2" thick on two-seat bench.

Seat upholstery is wrapped over cushion and secured to the seat suspension with upholstery staples. The entire seat assembly is attached to wood cleats on the chair frame with wood screws. Piping trims the front edge of the seat.


Lounge Chairs

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

Fabric-covered headrest, specified separately, is made of CFC- and CHC-free molded foam, covered in 69% Trevira CS (flame-retardant polyester) and 31% Lycra.



Frame is 1³/₁₆" tubular steel, powder-coated and painted to match mesh seat.

Kwik Office Models



Lounge (QKFI01)

- Black, grey, red, or green mesh
- 38"H x 29"W at top/38"W at the bottom x 391/2"D

Headrest (QKFI02)

- Black, grey, red, or green mesh
- 4½"H x 25¼"W x 7½"D

Details

Lounge ships knocked down in two pieces.

Black felt glides are available on side chairs that will be used on hard floors. Upcharge applies. Glides will ship with the lounge model; installation in the field is required.

User rated up to 285 lbs.

Cleaning

Cleaning Code WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

How to Specify

- 1 Model
 - ➤See model numbers at left.
- 2 Color:
 - **8217** = Black
 - **8287** = Grey
 - **8288** = Red
 - **8289** = Green
- 3 Felt glides (omit for headrest):
 - **821** = Black felt (+\$36)
 - **X** = None

Pricing

QKFI01

\$1552

QKFI02

Side and Mobile Chairs

Overview & Pricina

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

GSA SIN 711-19 † GSA SIN 711-18

Back and seat are fully upholstered. Seat is tilted back, and the back is slightly reclined to allow the user to assume a more natural, relaxed posture.

Back upholstery, including ³/₄"-thick foam for the inside back and ¹/₄" thick foam for the outside back, is applied to the back as a slipcover and secured with upholstery staples.


Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples.

Black nylon ball glides are standard on static 4-leg models. Hard casters are standard on mobile models.

Frames are 7/8" diameter, 14-gauge tubular steel. Cross members are 3/4" diameter, 14-gauge steel. Leg frames are joined to the cross members with metal inert gas (MIG) welds. Plastic end caps are fitted into the frames of armless models.

Legs are angled for stability and available in textured powdercoat finish or smooth platinum metallic paint.

Black, hard casters are standard on mobile models.



Waterfall front edge slopes forward to reduce pressure and increase circulation in the user's legs.

Backs are secured to the frame with 4 countersunk flat-head screws, 11-gauge steel plates, and T-nuts. Round back models are constructed using an injection molded polypropylene panel. Flair back models are constructed using 3/8"-thick, 7-ply, molded plywood.

Cushions are high resilience, CFC-free polyurethane foam. Seat cushion is 11/4" thick.

Seat pan is contoured, blow-molded polyethylene. Channels within the seat pan fit over the cross members. Seat pan is attached to the seat frame with four machine screws and T-nuts.

Transport dolly is available at standard lead times.

➤ See the Seating Price List.

Kwik Office Models





Side Chair with Arms (Q95-2D)

- Stacking
- 4-leg base
- 31"H x 23"W x 21"D

Side Chair without Arms (Q95-1D)

- Stacking
- 4-leg base
- 31"H x 20"W x 21"D

Mobile Chair with Arms (Q95-6D)

- 4-leg base with hard casters (C3)
- 31"H x 23"W x 21"D

Mobile Chair without Arms (Q95-7D)

- Stacking
- 4-leg base with hard casters (C3)
- 31"H x 20"W x 21"D

Onto de la constante de la con

Ganging Devices (Q95-A†)

- Package of 5 pairs
- 2½"H x 5¾"W
- One pair required to gang two chairs

Details

4-leg models and mobile models without arms stack up to 6 chairs high; mobile models with arms stack up to 4 chairs high.

Chairs are shipped three to a carton when applicable.

How to Specify

Model

➤See model numbers at left.

Back:

- ② Upholstery grade
- 3 Upholstery number

Seat:

- 4 Upholstery grade
- ⑤ Upholstery number
 - ➤ See page 116 for upholstery selections.

Frame:

6 Finish type:

STD = Standard finish

7) Finish designator:

462 = Cinder

8 Glides:

STD = Nylon ball glides

Q95-1D

C3 = Hard casters

Pricing	
Gr Q95-2D	

 1
 \$323
 \$301

 2
 \$351
 \$329

 6
 \$434
 \$412

Gr **Q95-6D Q95-7D**

1 \$374 \$354 2 \$402 \$382

6 \$485 \$465

Q95-A

\$47

Seating

HERO. JUST FOR YOU.™ Kimball Office | interstuhl

Desk Chairs and Side Chairs

Overview & Pricing

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

GSA SIN 711-18 † GSA SIN 711-19

Mesh back incorporate a ribbed design perfectly proportioned to give ergonomically correct, flexible support in all upright or reclined positions. The mesh is secured to a structural, black plastic frame made of glass-filled polypropylene.

Seat height adjusts from 161/4" to 227/16" via a patented twist/threaded column adjustment feature and pneumatic (gas) cylinder.

Five-star base is available in glassfilled nylon black plastic.

Black, hard, dual-wheel casters on desk chairs are 65mm in diameter.

Seat cushions are 21/8" thick-13/4" CFC- and CHC-free molded foam. plus 3/8" Dacron top pad.

Fabric upholstery is unglued, ensuring optimal air movement.

T-shaped arm rests are standard with 2D adjust-ability. User can adjust the arm vertically within a 4" range (11 positions); technician can adjust the arm horizontally within a 13/4" range (unlimited positions). Arm caps are black polyurethane.

Autofit synchro mechanism with automatic weight regulation and fine adjustment is standard. 126° maximum opening angle between seat and back; can be locked in four positions.

Kwik Office Models



Mid-Back Desk Chair with Arms (QK172H701)

- Black mesh
- 5800 Black Lucia fabric
- 2-D arms
- Adjustable seat depth
- Black plastic base
- 41"-471/4"H x 293/8"W x 283/8"D

How to Specify



Model

>See model numbers at left.

Pricing

QK172H701

\$2023

QK570H01 [†]

\$1620 for two chairs

Note: Side chairs are ordered in sets of two and shipped two per carton.



Mesh-Back Stacking Side Chair (QK570H01)

- Black mesh
- 5800 Black Lucia fabric
- 2217 Black frame
- 41"-471/4"H x 293/8"W x 283/8"D

Side chairs feature a 7/8" tubular steel frame. Mesh-back construction is the same as desk chair. Seat cushions are 19/16" CFC- and CHCfree molded foam. Stackable up to 4 high.

1.0 and 2.0 Desk Chairs

Overview & Pricina

GSA SIN 711-18 Metal Filing


Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

Mesh back, available in seven colors, is 84% texturized polyester and 16% elastin. The mesh is pulled over a metal frame and stapled into a plastic insert at the bottom.

Seat cushions feature a seamless, pull-over style upholstery. 1.0 models have 2½" of molded, CFC-free, urethane foam applied over a recycled plastic seat shell. 2.0 models (shown) have 1" slab foam with a ½" foam overlay topper and a ½" foam bottom (to give contour to seat) applied over a plywood seat shell.

5-prong base on 1.0 and 2.0 task chairs is constructed of extremely rigid, glass-filled nylon. Black surface is textured for scuff resistance.

Black, hard dual-wheel casters are standard.



Arms are height adjustable within a 2½" range by the push of a button. 1.0 models (shown) lock into one of 7 positions. 2.0 models lock into one of 5 positions.

Height- and width-adjustable arms on 1.0 models also have a width adjustable range of 41/4".

Contoured "sit spot" and waterfall front edge provides optimal seated support and prevents undue pressure in the lower thigh/knee area.

Kwik Office Models



Itsa 1.0

- Knee tilt (QK38AA) or synchro tilt (QK38BB)
- Jet (black) mesh back
- Select Spectrum fabric on seat
- Seat slider optional
- 381/2"-43"H x 273/4"W x 251/2"D



Itsa 2.0

- Knee tilt (QK38CC) or synchro tilt (QK38DD)
- Jet (black) mesh back
- Select Spectrum fabric on seat
- Seat slider optional
- 381/2"-43"H x 271/2"W x 261/2"D

How to Specify

Model

➤See model numbers at left.

Back:

② Mesh color number:

8202 = Jet

Seat:

- ③ Upholstery grade:
 - 2 = Price Grade 2
- 4 Upholstery number:

20011 = Spectrum Sand

20020 = Spectrum Black

20022 = Spectrum Burgundy

20067 = Spectrum Navy

20081 = Spectrum Charcoal

Seat slider:

SL = Seat slider (+\$103)

 $\mathbf{X} = None$

Pricing

QK38AA or QK38CC

\$778

QK38BB or QK38DD

\$888

回

MUIRFIELD™ Kimball Office Seating

Desk and Side Chairs

Overview & Pricing

CasegoodsSee page 5Systems47Metal Filing95Finishes & Materials109

GSA SIN 711-18

Outer back has 1/4" foam and is fully upholstered.


Shell on desk chair is a one-piece, 9-ply molded plywood panel.

Arms have rigid, molded-urethane inserts, wrapped with ½"-thick foam (1" thick on arm tops), and secured to the seat and back with metal L-brackets, T-nuts, and machine screws.

5-prong base on desk chairs has a rigid, steel understructure. Maple hardwood radius-end base caps (B75) with Antique English hoodedball casters (C44) are standard.

Frame on side chairs is kiln-dried maple hardwoods. Joints on back legs are double doweled and glued. Front legs use mortise and tenon joinery. Wood corner blocks, screws, and tie screws reinforce frame corners.

Nickel-plated glides on side chairs are 7/8" in diameter.



Cushions are 21/4"-thick, high-resiliency, CFC-free polyurethane foam.

Upholstery is wrapped over cushions and secured with staples.

Waterfall front edge slopes forward to reduce pressure and increase circulation in the user's legs.

Back suspension on side chair is constructed of vertical and horizontal webbing stapled to the back frame.

Seat suspension on side chair is constructed of unidirectional webbing that is machine stretched across the frame and stapled to the side rails. Seat cushion is 3½" thick.

Kwik Office Models





High Back Desk Chair (Q22-2833V)

- Vertical stitching
- 42"-47"H x 261/4"W x 281/4"D

Mid-Back Desk Chair (Q22-2832V)

- Wood base and arms
- 39"-44"H x 261/4"W x 281/4"D



- 4-Leg Side Chair (Q22-5032V)
- 38½"H x 27"W x 29¾"D

Details

Adjustability features on desk chairs include knee tilt, upright back lock, tilt tension, swivel, and pneumatic height adjustment. Shroud and controls are black.

Controls on desk chairs are attached to the frame with T-nuts and machine screws.

How to Specify

- Model
- ➤See model numbers at left.
- ② Upholstery grade
- 3 Upholstery number
- See page 116 for upholstery selections.
- 4 Finish type:
 - **STD** = Group 1
- ⑤ Finish designator:
 - MC = Amber
 - **CC** = Cordoba
 - **MW** = Midtown
 - TW = Tribeca
- 6 Base number (omit for side chair):
 - B75 = Radius end base caps
- ① Casters (omit for side chair):
 - C44 = Hooded ball casters

Pricing

Gr	Q22-2833V	Q22-2832
1	\$1738	\$1710
2	\$1822	\$1788
6	\$2085	\$2032
L7	\$2500	\$2417
	1 2 6	Gr Q22-2833V 1 \$1738 2 \$1822 6 \$2085 L7 \$2500

Gr Q22-5032V

- 1 \$1093
- 2 \$1177
- 6 \$1440
- L7 \$1855

POLY™ Kimball Office Seating


and can be used to gang adjacent

Side Chairs

Overview & Pricing

Casegoods See pag	
Systems	47
Metal Filing	95
Finishes & Materials	109

GSA SIN 711-19



Kwik Office Models



Single Side Chairs

- Big Sky mesh (K95MBSB1)
- Black Tie mesh (K95MBKB1)
- Crimson mesh (K95MCRB1)
- Kiwi mesh (K95MKWB1)
- Tangerine mesh (K95MTGB1)
- Stacking up to 30 high on dolly or up to 10 high on floor
- 22"D x 195/8"W x 313/4"H

Set of Four Side Chairs

- Big Sky mesh (K95MBSB4)
- Black Tie mesh (K95MBKB4)
- Crimson mesh (K95MCRB4)
- Kiwi mesh (K95MKWB4)
- Tangerine mesh (K95MTGB4)

Chairs are shipped four to a carton when applicable.

Poly chairs accommodate up to 253 lbs.



Transport dolly is available to move up to 30 chairs. Dolly has a tubular steel frame, gray powdercoat finish, and four 8" semi-pneumatic ballbearing wheels. Poly chairs stacked 30 high on the dolly will have an overall height of 70" and overall width of 37".

Transport Dolly (K95TD)

• 32"D x 225/8"W x 133/8"

Details

TB133 approved as standard.

Chairs are available singly or in sets of four chairs. Sets of four are available under one model number: all chairs in the set will have the same mesh color.

How to Specify



>See model numbers at left.

Pricing

Single Chairs (all colors) \$411

Set of Four Chairs (all colors) \$1218

Transport Dolly \$508

chairs.

GSA SIN 711-16

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

Frame is constructed of 3/4" plywood, utilizing lap joint construction that is glued and screwed. All upholstered models are standard in kiln-dried maple hardwoods.

Outside panels are ½"-thick, high-grade polyurethane foam. Upholstery is a sewn slipcover that is stapled into place.


Lounge units feature a wall-saver back leg.

Legs and rails of base frames are constructed using double dowel and glue constructions with corner blocks which are also glued and screwed to base rails. The base frame is then attached to the seat frame with wood screws through the corner blocks. Units over 48"L feature additional screws to provide extra support. Rails and top of the legs are accented with a decorative reveal.

Seats have a high-tension strip webbing suspension that is stapled to the frame. Seat upholstery features a wrap-around upholstery method and is stapled into place.

All models are fully upholstered.

Bottom is finished with a black, fabric dust cover prior to the wood frame being attached.



Piping is standard around the entire edge of both the front and back of the back cushion.

Cushions are high-resiliency, CFC-free, polyurethane foam. Seat cushions, specifically, are 5"-thick, high-grade, laminated polyurethane foam that is custom shaped.

Non-skid glides are 3/4" in diameter and adjustable.

Ottoman and bench frame are constructed of 5½"-thick, high-grade polyurethane foam applied to a 3/4" plywood frame using lap joint construction that is glued and screwed. A sewn slipcover is applied over the foam and attached with upholstery staples. Benches feature a sewn seam in the center. Leas and rails of base frames are constructed using double dowel and glue construction with corner blocks. which are also glued and screwed to the base rails. The rails feature a 1/4" set back when attached to the legs. Tops of the legs are accented with 1/4" decorative reveal. The base frame is then attached to the seat frame with wood screws through the corner blocks.

Kwik Office Models





One-Seat Lounge (QK35AA)

• 341/4"D x 293/4"W x 351/2"H

Two-Seat Lounge (QK35BB)

• 34¹/₄"D x 53³/₄"W x 35¹/₂"H





Bench (QK35KK)

• 24"D x 48"W x 171/2"H

Ottoman (QK35JJ)

• 24"D x 24"W x 171/2"H

Details

Back features a non-stretch woven suspension that is stapled to the frame, over which upholstery is placed.

Back cushions are 5½"-thick, highgrade polyurethane foam wrapped with ¾ oz. bonded polyester, which is slipcovered and closed with a zipper.

Contrasting upholstery may be selected for the back cushion; use electronic specification tool for accurate pricing

Contrasting piping may be specified in Kimball Office fabric or leather.

How to Specify

Model

➤See model numbers at left.

Back upholstery (include for AA and BB models only):

- ② Upholstery grade
- 3 Upholstery number

Seat upholstery:

- 4 Upholstery grade
- ⑤ Upholstery number

Piping (include for AA and BB models only):

- 6 Upholstery grade
- Upholstery numberSee page 116 for upholstery.
- 8 Finish type:

STD = Group 1

MC = Amber

CC = Cordoba

MW = Midtown

TW = Tribeca

Pricing Gr QK35AA

1 \$1960

2 \$2098

6 \$2531

L7 \$3211

Gr	QK35KK	QK35JJ
1	\$1728	\$ 803
2	\$1773	\$ 845
6	\$1914	\$ 977
17	\$2136	\$1184

Note: Lounge pieces take more production time than side or guest seating. Orders of more than 5 units may experience longer lead times.

QK35BB

\$2769

\$2988

\$3674

\$4754

Seating

Freestanding Tables

Overview & Pricina

Systems 95 Metal Filing Finishes & Materials 109

Casegoods

GSA SIN 711-16

Tops feature a 1/4" x 1/4" reveal and are 3/4" veneered plywood.

Corners are mitered utilizing double biscuit joinery which is glued and cleated together.

Legs and rails of base frames are constructed using double dowel and

glue constructions with corner blocks


which are also glued and screwed to base rails. Tops of the legs and rails

feature a 1/4" decorative reveal. The

base frame is then attached to the

table frame with wood screws

through cleats.



Corners are mitered utilizing double biscuit joinery which is glued and cleated together.

3/4" non-skid, adjustable glides are standard on all Pose tables.

Kwik Office Models



End Table (QK35T242416W)

• 24"D x 24"W x 16"H



Corner Table (QK35T303016W)

• 30"D x 30"W x 16"H



Magazine Table (QK35T244816W)

• 24"D x 48"W x 16"H

Details

End and corner tables are constructed of 3/4" veneered plywood. Tops are attached to the table frame with metal brackets and screws.

Magazine table tops feature mitered corners with 1/4" x 1/4" reveal are 3/4" veneered plywood utilizing biscuit joinery that is glued and cleated together. End panels are 3/4" veneered plywood; attachment of bottom shelf utilizes joints which are securely fastened with screws, dowels, and concealed fasteners to ensure maximum strength. The center divider is constructed of 3/4" veneered plywood that is attached to the bottom panel with glue and screws. The side rails feature a 1/4" setback of

53/4" and are attached to the underside of the bottom shelf with screws through the corner blocks.

➤See page 5

How to Specify

Model

>See model numbers at left.

2 Finish designator:

MC = Amber

CC = Cordoba

MW = Midtown

TW = Tribeca

Pricing

QK35T242416W

\$1291

QK35T303016W

\$1527

QK35T244816W

\$1998

Seating Page 41

Systems Metal Filing Finishes & Materials

Casegoods

GSA SIN 711-18

Outer back is fully upholstered. Back shell is contoured, blowmolded polyethylene with built-in stress-relieving flex.

Back cushion is high-resiliency, CFC-free, polyurethane foam and 11/2" thick. Back is upholstered using a slipcover-style upholstery technique.

Hardwood base caps are kiln-dried maple supported by a rigid steel substructure.

Hard, black, dual-wheel casters for

use on carpeted floors are standard.



Arms on desk chairs are maple hardwoods with black urethane arm caps. Arms are attached to the seat with a metal support bracket and 1/4"diameter machine screws.

Seat cushion is CFC-free molded urethane foam and 2" thick. Seat is upholstered using a pull-around upholstery technique.

Waterfall front edge slopes forward to reduce pressure and increase circulation for the user's leas.

Hardwood-frame side chairs are kiln-dried maple. Joints are double doweled and glued to ensure maximum strength. Frame assembly is mounted in holes bored into the lea and secured with steel brackets and wood screws.

Kwik Office Models



High-Back Desk Chair (QK11AA)

- Wood base and arms
- 381/8"-431/8"H x 263/8"W x 263/8"D

Mid-Back Desk Chair (QK11CC)

- Wood base and arms
- 34³/₄"-39³/₄"H x 26³/₈"W x 25¹/₂"D

4-Leg Side Chair (QK11EE)

• 351/8"H x 263/8"W x 251/4"D

Details

Adjustability features on desk chairs include knee tilt, upright back lock, tilt tension, swivel, and pneumatic height adjustment. Shroud and controls are black.

Seat pan is contoured, blow-molded polyethylene. Channels within the seat pan fit over the metal seat rails on side chair frame and the control mechanism of desk chair.

How to Specify

- Model
- >See model numbers at left.

➤See page 5

95

109

- ② Upholstery grade
- 3 Upholstery number
 - See page 116 for upholstery.
- 4 Finish type:
 - **STD** = Group 1
- ⑤ Finish designator:
 - MC = Amber
 - CC = Cordoba
 - **MW** = Midtown
 - TW = Tribeca
- 6 Casters (omit for side chair):
 - C3 = Hard casters

Pricing

Gr	QK11AA	QK11CC
1	\$1358	\$1295
2	\$1406	\$1337
6	\$1556	\$1469
L7	\$1793	\$1676

Gr QK11EE


- 1 \$994
- 2 \$1036
- 6 \$1168
- L7 \$1375

outside diameter, 14-gauge, tubular steel.

Seat rails on side chairs are 3/4"

Glides on wood frame side chair are dome-shaped plastic and 7/8" in diameter.

Page 42



High-Performance Task Chairs

Mesh Back | Mesh-Upholstered Seat

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

Arm caps are soft, black, self-

Arm supports are glass-filled nylon insert-molded over a steel core for superior support.

skinning polyurethane foam, insert-

molded over a steel core.



Optional lumbar support is made of high-performance polyurethane elastomer. Position of the lumbar support is adjusted by sliding it up and down on a track within a range of 23/4"

Seat cushion is 21/8" thick and consists of 13/4" of CFC- and CHC-free molded foam over a seven-layer molded plywood shell, covered with performance mesh.

5-prong base plastic base is standard. Plastic base is constructed of rigid, glass-filled nylon, features a black textured surface for scuff resistance; aluminum base in platinum metallic or polished finish is available (upcharge applies).

65mm hard dual-wheeled casters

(C40) are standard on task chairs and stools; soft dual-wheeled casters (C41) for use on hard floors are available (upcharge applies).

Kwik Office Models

QK20TMPMHA

- Mesh back, mesh-upholstered seat
- Plastic wishbone
- Height-adjustable arms with fixed arm caps
- 401/4"-45"H x 271/2"W x 237/8"D

QK20TMAM2D

- Mesh back, mesh-upholstered seat
- Aluminum wishbone
- Height- and width-adjustable arms with fixed arm caps (2D)
- 401/4"-45"H x 261/4"-275/8"W x 237/8"D

Details



Wishbone back is available in plastic (injection-molded, glass-filled nylon) or polished die-cast aluminum.

Inner seat panel is molded %/6"-thick, 7-ply, single-shell construction with a waterfall front edge.

All Wish high-performance task chairs meet 300 lb. weight and three-shift work requirements and are warranted for three-shift, 24/7 service.

How to Specify

Model

Back:

Mesh colorSee page 117 for mesh selections.

Seat:

- 3 Mesh color
- 4 Wishbone finish:

462 = Cinder plastic

501 = Platinum metallic plastic (+\$50)

497 = Polished aluminum

⑤ Arm upright finish (include for 2D only):

462 = Cinder

497 = Polished aluminum (+\$50)

6 Lumbar support (shown):

LUM = Adjustable lumbar (+\$50)

X = None

(7) Seat slider:

SL = Seat slider (+\$70)

X = None

® Control finish:

462 = Cinder

497 = Polished aluminum (+\$75)

Base finish:

462 = Cinder on plastic base

501 = Platinum metallic on aluminum base (+\$65)

497 = Polished aluminum (+\$75)

10 Casters:

C40 = Hard 65mm

C41 = Soft 65mm (+\$23)

Pricing

QK20TMPMHA

\$840

QK20TMAM2D

\$1116

High-Performance Task Chairs

Mesh Back | Upholstered Seat

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

Arm caps are soft, black, selfskinning polyurethane foam, insertmolded over a steel core.

Arm supports are glass-filled nylon insert-molded over a steel core for superior support.

Conference arms are available with

or without armcaps.

Optional lumbar support is made of high-performance polyurethane elastomer. Position of the lumbar support is adjusted by sliding it up and down on a track within a range of 23/4"

Seat cushion is 21/8" thick and consists of 13/4" of CFC- and CHC-free molded foam over a seven-layer molded plywood shell, upholstered with seating fabric or leather.

5-prong base plastic base is standard. Plastic base is constructed of rigid, glass-filled nylon, features a black textured surface for scuff resistance; aluminum base in platinum metallic or polished finish is available (upcharge applies).

65mm hard dual-wheeled casters (C40) are standard on task chairs and

stools; soft dual-wheeled casters (C41) for use on hard floors are available (upcharge applies).

Inner seat panel is molded 9/16"-thick, 7-ply, single-shell construction with a waterfall front edge.

Kwik Office Models

QK20TMPUHA

- · Mesh back, upholstered seat
- Plastic wishbone
- Height-adjustable arms with fixed arm caps
- 401/4"-45"H x 271/2"W x 237/8"D

QK20TMAU2D

- Mesh back, upholstered seat
- Aluminum wishbone
- Height- and width-adjustable arms with fixed arm caps (2D)
- 401/4"-45"H x 261/4"-275/8"W x 237/8"D

QK20TMAUCA

- Mesh back, upholstered seat
- Aluminum wishbone
- Polished conference (C) arms
- 401/4"-45"H x 261/4"W x 237/8"D

Details

Wishbone back is available in plastic (injection-molded, glass-filled nylon) or polished die-cast aluminum.

All Wish high-performance task chairs meet 300 lb. weight and three-shift work requirements and are warranted for three-shift, 24/7 service.

How to Specify

Model

Back:

- ② Mesh color
 - ➤See page 117 for mesh selections.

Seat:

- 3 Upholstery grade
- ④ Upholstery number

Wishbone finish:

462 = Cinder plastic

501 = Platinum metallic plastic (+\$50)

497 = Polished aluminum

6 Arm upright finish (include for 2D only):

462 = Cinder

497 = Polished aluminum (+\$50)

① Lumbar support (shown):

LUM = Adjustable lumbar (+\$50)

X = None

8 Seat slider:

SL = Seat slider (+\$70)

X = None

Ontrol finish:

462 = Cinder

497 = Polished aluminum (+\$75)

10 Base finish:

462 = Cinder on plastic base

501 = Platinum metallic on aluminum base (+\$65)

497 = Polished aluminum (+\$75)

① Casters:

C40 = Hard 65mm

C41 = Soft 65mm (+\$23)

Pricing

Gr	QK20TMPMHA	QK20TMAU2D
1	\$840	\$1116
2	\$866	\$1142
6	\$948	\$1224
L7	\$1077	\$1353

Gr QK20TMAUCA

1 \$1152

2 \$1178

6 \$1260

L7 \$1389

Seating

Arm caps are soft, black, self-skinning polyurethane foam, insert-

Arm supports are glass-filled nylon

insert-molded over a steel core for

molded over a steel core.

superior support.

High-Performance Task Chairs

Overview & Pricing

Casegoods➤See page 5Systems47Metal Filing95

109

Upholstered Back | Upholstered Seat

GSA SIN 711-18



Seat cushion is 21/8" thick and consists of 13/4" of CFC- and CHC-free molded foam over a seven-layer molded plywood shell, upholstered with seating fabric or leather.

5-prong base plastic base is standard. Plastic base is constructed of rigid, glass-filled nylon, features a black textured surface for scuff resistance; aluminum base in platinum metallic or polished finish is available (upcharge applies).

65mm hard dual-wheeled casters

(C40) are standard on task chairs and stools; soft dual-wheeled casters (C41) for use on hard floors are available (upcharge applies).

Kwik Office Models

QK20TUPUHA

- Upholstered back, upholstered seat
- Plastic wishbone
- Height-adjustable arms with fixed arm caps
- 373/4"-421/2"H x 271/2"W x 25"D

QK20TUPU2D

- Upholstered back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with fixed arm caps (2D)
- 37³/₄"-42¹/₂"H x 26¹/₄"-27⁵/₈"W x 25"D

Details

Wishbone back is available in plastic (injection-molded, glass-filled nylon) or polished die-cast aluminum.

Inner seat panel is molded %/6"-thick, 7-ply, single-shell construction with a waterfall front edge.

All Wish high-performance task chairs meet 300 lb. weight and three-shift work requirements and are warranted for three-shift, 24/7 service.

How to Specify

Finishes & Materials

Model

Back:

- ② Upholstery grade
- ③ Upholstery numberSee page 116 for upholstery selections.

Seat:

- 4 Upholstery grade
- ⑤ Upholstery number
- 6 Wishbone finish:
 - **462** = Cinder plastic
 - **501** = Platinum metallic plastic (+\$50)
- ② Arm upright finish (include for 2D only):
 - **462** = Cinder
 - **497** = Polished aluminum (+\$50)
- (8) Seat slider:
 - **SL** = Seat slider (+\$70)
 - **X** = None
- - **462** = Cinder
 - **497** = Polished aluminum (+\$75)
- 10 Base finish:
 - **462** = Cinder on plastic base
 - **501** = Platinum metallic on aluminum base (+\$65)
 - **497** = Polished aluminum (+\$75)
- ① Casters:

C40 = Hard 65mm

C41 = Soft 65mm (+\$23)

ľ	Pricing		
Gr	QK20TUPUHA	QK20TUPU2D	
1	\$934	\$997	
2	\$977	\$1040	
6	\$1114	\$1177	
L7	\$1329	\$1392	

WISH[™] CLASSIC Kimball Office Seating

Task Chairs Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 5
Systems	47
Metal Filing	95
Finishes & Materials	109

Lumbar support pad, made of polypropylene, moves $2\frac{1}{2}$ " for optimal comfort and support. Neoprene covers the foam in the lumbar area and facilitates movement of the lumbar pad.

Height-adjustable arms adjust with a push button to one of 5 positions within a range of 2½ and can be specified with fixed or 3-D adjustable arm caps.

Arm supports are glass filed nylon, insert molded over a steel core for superior support.

5-prong base is constructed of rigid, glass-filled nylon. Black surface is textured for scuff resistance.

Seat slider option is available on task chairs to adjust the seat depth for comfort. Seat depth is adjusted via a single lever and locks in one of 6 positions within a 2" range. Upcharge applies. Seat slider is not available on stools.

Low seat-height option, compatible with the BIFMA recommended minimum of 15", is available. The seat height adjustment range is 3". Upcharge applies.



Contoured CFC-free polyurethane foam provides comfort consistency and proper ergonomic support.

Back cushions have 13/4" CFC-free polyurethane foam to enhance comfort and reduce fatigue. Edges of foam used on seat and back are wrapped with 3/8" of higher density foam for cleaner edges and contours.

Arm caps are soft, black, self-skinning polyurethane foam, insert molded over a steel core for strength.

Seat cushions have 2" base foam, plus a ½" soft topper pad to enhance comfort and reduce fatigue. Base foam includes ½" filler centered on the bottom of the cushion for added support. Seat cushions feature a waterfall front edge.

Hard dual-wheel casters (C1) are standard.

Kwik Office Models



Task Chair with Height-Adjustable Arms (QK20BT)

- Fixed arm caps
- 391/4"-44"H x 271/2"W x 261/2"D

Details



Wishbone back frame is injection molded, glass-filled nylon. Frame is attached with 2 high-tensile M10-1.5 x 35mm Allen-head bolts with grade 8 heavy steel flat washers.

Inner back panel is injection molded polypropylene, designed with a reinforcing pattern to ensure rigidity.

Inner seat panel is molded %16"-thick, 9-ply (1/16" poplar per ply), single-shell construction with a waterfall front edge.

Seamed slipcover-style upholstery on the back and seat accommodates a wide variety of fabrics and leather.

How to Specify

Model

➤See model number at left.

Back:

- ② Upholstery grade
- Upholstery numberSee page 116 for upholstery selections.

Seat:

- 4 Upholstery grade
- ⑤ Upholstery number
- 6 Back frame finish:

462 = Cinder

501 = Platinum metallic (+\$52)

⑦ Seat slider:

 $\mathbf{X} = None$

SL = With seat slider (+\$72)

8 Pneumatic cylinder:

STD = Standard

LS = Low seat (+\$26)

Base finish:

462 = Cinder

(10) Casters:

C1 = Hard casters

Pricing

Gr QK20BT

1 \$944

2 \$980

6 \$1092



Statement of Line

TO Solid


Casegoods➤See page 5Seating25Metal Filing95Finishes & Materials109

Interworks® EQ



Tackable Acoustical Panels

- 34", 42", 48", 54", 62", 66", and 80"H
- ➤See pages 53-55.



Finish Channels

- Straight/T
- Corner/L
- 4-Ways
- ➤See pages 57-60.



Trim

- Top caps
- End caps
- In-line fill caps
- In-line connector kits
- End trim
- ➤See pages 61-65.



Traxx Starter Kits

➤See page 66.



Wall-Mount Connectors

►See page 67.



Electrical Components

- Power distribution assemblies
- Jumper cables
- Receptacles
- Power entries
- Hardwire components
- New York City retrofit kits
- ➤See pages 68-71.



Power/Data Poles

- Straight/T or 4-Way X
- Corner/L
- End
- ➤See page 72.



Data Components and Data Channels

- Data cover plates
- Tinnerman clips
- Straight/T, corner/L, and in-line data channels
- ➤See page 73-74.

Wireway Cover Options:

NP2	z non-punchea
P1	1 power punched 1 non-punched
P2	2 power punched
PD1	1 power & data punched 1 non-punched
PD2	2 power & data punched
H1	1 hardwire punched 1 non-punched
H2	2 hardwire punched
HD1	1 hardwire & data punched 1 non-punched
HD2	2 hardwire & data punched

Punch Dimensions:

Power: 2.71"W x 1.38"H Data: 3.00"W x 2.19"H

Page 47 Systems



Statement of Line

Casegoods➤See page 5Seating25Metal Filing95Finishes & Materials109

Traxx® and Tiles





Traxx Components


- Traxx
- Splice plates
- Fastener concealment

➤See page 75.



Fabric Tiles

- 36"H
- ➤See page 76.



End Trim

- Full end trim
- Single end trim
- ➤See page 77.



Trim Channels

- Fabric
- Paint
- ➤See page 78.



Vertical Cable Manager

- Black
- Fabric
- ➤See page 78.



Statement of Line

Casegoods See page 5
Seating 25
Metal Filing 95
Finishes & Materials 109

Footprint® 13/16" Worksurfaces and Support





Straight

- Wire manager
- Double rim
- ➤See page 79.



Straight Corner

- Wire manager
- Double rim
- ➤See page 80.



Curved Corner

- Wire manager
- Double rim
- ➤See page 81.



U-Top

- Wire manager
- Single rim
- ➤See page 82.



Table Tops

- Round
- Square
- Rectangular
- Racetrack
- ➤See page 83.



Brackets

- For use with Interworks EQ panels
- For use with Traxx
- For freestanding applications
- ➤See page 84.



Metal Support Panels

- For Traxx and freestanding metal applications
- Corner posts
- ➤See page 85.



Metal Modesty Panels

- For use with flat profile storage
- ➤See page 86.





Column Legs and Bases

- Column legs
- X-bases
- T-bases
- ➤See page 87.



Statement of Line

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109

Footprint® Storage and Lighting





Flat Profile Pedestals

- Suspended box/file
- Box/box/file
- File/file
- ➤See page 88.



Flat Profile Lateral Files

- Two drawers
- ➤See page 89.



Flat Profile File Center

- Box/box on left, file on right, lateral file below
- Box/box on right, file on left, lateral file below
- ➤See page 89.



Flat Profile Mobile Pedestals

- Box/box/file
- File/file
- ➤See page 90.



Bevel Profile Overhead Cabinets

- Painted doors
- ➤See page 91.



Bevel Profile Overhead Shelves

- Half-height shelves
- Full-height shelves
- ➤See page 92.



Bevel Profile Overhead Brackets

- For use with Cetra panels
- For use with Traxx
- Ganging brackets
- ➤See page 93.



Task Lights

- 13"
- 23"
- 35"
- 47"
- ➤See page 94.

Page 50 Systems



Overview

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



Interworks EQ panels, Traxx and tiles, Footprint worksurfaces, and metal bevel and flat profile storage components are available in a wide offering to allow you to complete your office in one quick stop.


See the Systems Price List for detailed product information and application guidelines.

Interworks EQ tackable acoustical panels are available in all standard heights and widths for maximum flexibility when configuring quick set ups.

Traxx and tiles are available to coordinate with 66"H Interworks EQ panels.

Flat profile undersurface storage and metal supports are available in all non-metallic, core collection paints for consistent color palette options throughout your office setting. Pedestals, lateral files, and mobile pedestals are available for your selection.

Page 51



connectors are available to start a panel run from a building wall.

Traxx starter kits ad wall-mount

Bevel profile overhead storage is metal and available in all non-metallic, core collection paints. Available in receding door cabinets, half-height shelf, or full-height shelf models.

Worksurfaces are available in a variety of shapes, sizes, and profile options for your specifying convenience. They are offered in select laminates and feature coordinating PVC rims.

Systems





Overview


Casegoods See page 5
Seating 25
Metal Filing 95
Finishes & Materials 109

Thought Starters


The workstations shown at right are typical of configurations that are possible using Kwik Office systems components.











12'W x 24'D x 42"H

Page 52 Systems

Tackable Acoustical Panels

34", 42", and 48"H

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



							Powered	Panels	Non-Powe	ered Panels
				Fabric Pric	Fabric Price Grade		Fabric Price Grade			
D	W	Н	Model	Α	В	Α	В			
34"	H Pa	nels								
2"	18"	341/4"	Q11P1834A	_	_	\$355	\$381			
	24"		Q11P2434A	\$511	\$537	385	411			
	30"		Q11P3034A	541	575	415	441			
	36"		Q11P3634A	569	617	444	492			
	42"		Q11P4234A	604	652	478	526			
	48"		Q11P4834A	624	672	498	546			
	60"		Q11P6034A	737	785	612	660			
42"	Н Ра	nels								
2"	18"	421/4"	Q11P1842A	_	_	\$403	\$403			
	24"		Q11P2442A	\$588	\$622	461	495			
	30"		Q11P3042A	629	655	503	537			
	36"		Q11P3642A	684	742	557	615			
	42"		Q11P4242A	723	791	594	662			
	48"		Q11P4842A	753	813	625	685			
	60"		Q11P6042A	870	930	742	802			

18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)

➤See page 57.

In-line connector kits (required for each in-line connection)

➤See page 62.

End trim (required for finished look at end of panel runs)

➤See page 63.

Electrical components

➤See page 68.

Page 53

Systems

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly
- Power distribution assembly on powered panels

- Model
- 2 Power option:
 - **P** = Powered
 - **N** = Non-powered
 - **H** = Hardwired (+\$56 to non-powered)
- 3 Top cap material:
 - $\mathbf{P} = Paint$
- Type of power system (omit for non-powered and hardwired):
- **84** = 8-wire, 4-circuit
- ⑤ Top cap profile:
 - **C** = Crowned
- 6 Wireway cover punch option (omit for 18"W):
 - ➤ See page 47 for designators.
- 7 Trim finish designator
- 8 Hinge color designator
- Side 1 fabric grade
- 1 Side 1 fabric number
- ① Side 2 fabric grade
- 12 Side 2 fabric number

Tackable Acoustical Panels

48" and 54"H

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



				Powered	Panels	Non-Pow	ered Panels
				Fabric Pric	ce Grade	Fabric Pric	e Grade
D	W	Н	Model	Α	В	Α	В
48"	H Pa	nels					
2"	18"	481/4"	Q11P1848A	_	_	\$467	\$505
	24"		Q11P2448A	\$655	\$693	529	567
	30"		Q11P3048A	706	744	581	619
	36"		Q11P3648A	765	823	639	619
	42"		Q11P4248A	822	890	697	765
	48"		Q11P4848A	855	929	729	803
	60"		Q11P6048A	992	1066	866	940
54"	H Pa	nels					
2"	18"	541/4"	Q11P1854A	_	_	\$482	\$522
	24"		Q11P2454A	\$663	\$703	537	577
	30"		Q11P3054A	721	761	592	632
	36"		Q11P3654A	784	842	655	713
	42"		Q11P4254A	843	911	714	782
	48"		Q11P4854A	874	948	746	820
	60"		Q11P6054A	1007	1091	879	963

18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)

➤See page 57.

In-line connector kits (required for each in-line connection)

➤See page 62.

End trim (required for finished look at end of panel runs)

➤See page 63.

Electrical components

➤See page 68.

Page 54

Systems

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

- Model
- 2 Power option:
 - **P** = Powered
 - **N** = Non-powered
 - **H** = Hardwired (+\$56 to non-powered)
- 3 Top cap material:
- Top cap materia
- $\mathbf{P} = Paint$
- Type of power system (omit for non-powered and hardwired):
- **84** = 8-wire, 4-circuit
- ⑤ Top cap profile:
 - **C** = Crowned
- 6 Wireway cover punch option (omit for 18"W):
 - ➤See page 47 for designators.
- 7 Trim finish designator
- Hinge color designator
- 9 Side 1 fabric grade
- 1 Side 1 fabric number
- ① Side 2 fabric grade
- 12 Side 2 fabric number

Tackable Acoustical Panels

62", 66", and 80"H

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



18"W panel is available non-powered only; does not accept power entry or

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)

➤See page 57.

receptacles.

In-line connector kits (required for each in-line connection)

➤See page 62.

End trim (required for finished look at end of panel runs)

➤See page 63.

Electrical components

➤See page 68.

				Powered	Panels	Non-Pow	ered Panel	
				Fabric Pric	abric Price Grade		Fabric Price Grade	
D	W	Н	Model	Α	В	Α	В	
62"	H Pa	nels						
2"	18"	621/4"	Q11P1862A	_	_	\$501	\$541	
	24"		Q11P2462A	\$674	\$714	548	588	
	30"		Q11P3062A	737	612	612	660	
	36"		Q11P3662A	812	870	684	742	
	42"		Q11P4262A	859	927	734	802	
	48"		Q11P4862A	899	973	771	845	
	60"		Q11P6062A	1021	1117	894	990	
66"	H Pa	nels						
2"	18"	661/4"	Q11P1866A	_	_	\$552	\$592	
	24"		Q11P2466A	\$735	\$775	607	647	
	30"		Q11P3066A	822	870	697	745	
	36"		Q11P3666A	894	952	768	826	
	42"		Q11P4266A	941	1009	815	883	
	48"		Q11P4866A	977	1051	849	923	
	60"		Q11P6066A	1107	1203	980	1076	
80"	H Pa	nels						
2"	18"	801/4"	Q11P1880A	_	_	\$741	\$801	
	24"		Q11P2480A	\$927	\$987	800	860	
	30"		Q11P3080A	982	1042	853	913	
	36"		Q11P3680A	1043	1165	917	1039	
	42"		Q11P4280A	1135	1257	1008	1130	
	48"		Q11P4880A	1168	1290	1042	1164	

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

- Model
- 2 Power option:
 - **P** = Powered
 - **N** = Non-powered
 - **H** = Hardwired (+\$56 to non-powered)
- 3 Top cap material:
 - $\mathbf{P} = \text{Paint}$
- Type of power system (omit for non-powered and hardwired):
 - **84** = 8-wire, 4-circuit
- ⑤ Top cap profile:
 - **C** = Crowned
- 6 Wireway cover punch option (omit for 18"W):
 - ➤ See page 47 for designators.
- 7 Trim finish designator
- Hinge color designator
- Side 1 fabric grade
- 1 Side 1 fabric number
- ① Side 2 fabric grade
- ② Side 2 fabric number


Page 55 Systems

Supplemental Brackets

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



D	W	L	Model	Price
ХВ	racke	ŧt		
1/2"	24"	24"	Q10PSBPNCX	\$86
 Т В	racke	t		
1/2"	12"	24"	Q10PSBPNCT	\$86
L B	racke	t		
11/2"	12"	12"	Q10PSBPNCL	\$86
S B	racke	t		
1/2"	1/2"	24"	Q10PSBPNCS	\$86
Sup	plem	ental Bra	cket Spacer	
	•		Q10PSBSPCR	No charge

Specify supplemental brackets for maximum stability when wing panel is not tied to worksurface at front and back.

Specify bracket spacer when using a supplemental bracket to reinforce the connection between:

- 10P tackable acoustical (monolithic) panels and 10P sectional or glass panels (old models); or
- 10P tackable acoustical (monolithic) panels and 11P sectional or glass panels.

The bracket spacer will accommodate the difference in the depth of the top channel (cable trough).

Standard Includes

- Bracket
- Attachment screws




Finish Channels


Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109

For Same-Height Panel Connections







T-configurations with one lower-height
in-line or perpendicular panel require
specification of additional models,
including the straight/T finish channel
shown on this page.

D	W	Н	Model	Price
Stra	ight/1	Same	-Height Panel Configurations	
⁷ /16"	23/8"	34"	Q10P34CNT	\$101
		42"	Q10P42CNT	101
		48"	Q10P48CNT	101
		54"	Q10P54CNT	101
		62"	Q10P62CNT	101
		66"	Q10P66CNT	101
		80"	Q10P80CNT	101
Cor	ner/L	Same-	Height Panel Configurations	
21/8"	21/8"	34"	Q10P34CNL	\$101
		42"	Q10P42CNL	101
		48"	Q10P48CNL	101
		54"	Q10P54CNL	101
		62"	Q10P62CNL	101
		66"	Q10P66CNL	101
		80"	Q10P80CNL	101
120°	/V Co	nfigura	ations	
21/8"	21/8"	34"	Q10P34CNV	\$101
		42"	Q10P42CNV	101
		48"	Q10P48CNV	101
		54"	Q10P54CNV	101
		62"	Q10P62CNV	101
		66"	Q10P66CNV	101
		80"	Q10P80CNV	101

Standard Includes

- Finish channel top cap
- Fabric channel
- Metal base cover
- Alignment clip

How to Specify

- Model
- 2 Top cap material:
 - $\mathbf{P} = Paint$
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator
- ⑤ Fabric grade
- 6 Fabric number

>See page 58 for lower-height inline

- T configuration.
- >See page 60 for lower-height perpendicular T configuration.

Systems Page 57

Finish Channels

Pricing

For Varied-Height 3-Way Connections — One Lower Panel

GSA SIN 711-1

Casegoods➤ See page 5Seating25Metal Filing95Finishes & Materials109



D	W	Н	Model	Price
3-V	Vay w	rith O	ne Lower-Height Panel	
21/8	' 1/2"	4"	Q11P4CNHT	\$89
		6"	Q11P6CNHT	89
		8"	Q11P8CNHT	89
		12"	Q11P12CNHT	89
		14"	Q11P14CNHT	89
		18"	Q11P18CNHT	89
		20"	Q11P20CNHT	95
		24"	Q11P24CNHT	95
		26"	Q11P26CNHT	95
		28"	Q11P28CNHT	95
		32"	Q11P32CNHT	101
		38"	Q11P38CNHT	101
		46"	Q11P46CNHT	101

Select finish channel based on the difference in panel heights.


IMPORTANT: T-configurations with one lower-height inline panel (as shown on this page) require specification of an additional finish channel model and a top cap not on this page:

- Same-height straight/T finish channel the same height as the lower panel (10P**CNT); and
- 3-way/T top cap (10PCNTTC5 or 10PCNTTC6) to sit between the straight/T finish channel and the varied-height 3-way finish channel.
- See page 60 for T-configurations with one lower-height perpendicular panel.

Straight/T finish channels >See page 57.

3-way/T top caps

➤See page 61.



Standard Includes

- Fabric corner/L channel
- Top cap


- Model
- 2 End trim material:
 - $\mathbf{P} = Paint$
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator
- ⑤ Fabric grade
- 6 Fabric number

Finish Channels

Pricing

For Varied-Height 4-Way Connections—One Lower Panel GSA SIN 711-1

Casegoods➤See page 5Seating25Metal Filing95Finishes & Materials109



D	W	Н	Model	Price
4-V	Vay w	ith One	Lower-Height Panel	
⁷ /16"	23/8	" 4"	Q10P4CNHL	\$81
		6"	Q10P6CNHL	81
		8"	Q10P8CNHL	81
		12"	Q10P12CNHL	81
		14"	Q10P14CNHL	81
		18"	Q10P18CNHL	81
		20"	Q10P20CNHL	81
		24"	Q10P24CNHL	81
		26"	Q10P26CNHL	81
		28"	Q10P28CNHL	81
		32"	Q10P32CNHL	81
		38"	Q10P38CNHL	81
		46"	Q10P46CNHL	81

Standard Includes

- Finish channel top cap
- Fabric channel
- Alignment clip
- In-line fill cap

How to Specify

- Model
- 2 Top cap material:
 - **P** = Paint
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator
- ⑤ Fabric grade
- 6 Fabric number

Select finish channel based on the difference in panel heights.


Finish Channels

Pricing

GSA SIN 711-1

For Varied-Height 4-Way Connections—Two Lower Panels

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



Select finish channel based on the difference in panel heights.



Models on this page can also be used to create T-configurations with one lower-height perpendicular panel. Specify:

- Varied-height 4-way/X with two lower-height panels finish channel (10P**CNHLL) for the side with the lower-height perpendicular panel; and
- Same-height straight/T finish channel in the appropriate height for the straight side (10P**CNT).

Note: One of the fabric channels included with the varied-height model will not be used.

Straight/T finish channels >See page 57.

D	W	Н	Model	Price
4-W	ay wi	ith Two	Lower-Height In-Line Panels	
⁷ /16"	23/8'	" 4"	Q10P4CNHLL	\$87
		6"	Q10P6CNHLL	87
		8"	Q10P8CNHLL	87
		12"	Q10P12CNHLL	87
		14"	Q10P14CNHLL	87
		18"	Q10P18CNHLL	87
		20"	Q10P20CNHLL	87
		24"	Q10P24CNHLL	87
		26"	Q10P26CNHLL	87
		28"	Q10P28CNHLL	87
		32"	Q10P32CNHLL	87
		38"	Q10P38CNHLL	87
		46"	Q10P46CNHLL	87

Standard Includes

- Finish channel top cap
- Two fabric channels
- Two alignment clips
- Two in-line fill caps

How to Specify

- Model
- 2 Top cap material:
 - **P** = Paint
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator: Paint number or
 - **501** = Platinum Metallic (+10%)
- ⑤ Fabric grade
- 6 Fabric number

Page 60 Systems

Trim Top Caps

3-Way/Y 120° Top Cap

Tops 3 same height panels


Q10PCNYTC1

Pricing

\$28

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



Model	Description	Price
Corner/L Top	Caps	
Q10PCNLTC1	Tops 2 varied height 90° perpendicular panels at low panels.	\$28
Q10PCNLTC2	Tops 2 varied height 90° perpendicular panels at low panels.	28
3-Way/T Top	Caps	
Q10PCNTTC1	Tops 3 varied height panels (2 low, 1 high) at low panels.	\$28
Q10PCNTTC2	Tops 3 varied height panels (2 low, 1 high) at low panels.	28
Q10PCNTTC3	Tops 3 varied height panels (2 low, 1 high) at low panels.	28
Q10PCNTTC4	Tops 3 varied height panels (1 low, 2 high) at low panel.	28
Q10PCNTTC5	Tops 3 varied height panels (1 low, 2 high) at low panel.	28
Q10PCNTTC6	Tops 3 varied height panels (1 low, 2 high) at low panel.	28

YTC1	XTC1

Select appropriate top cap for your application based on drawings above.

When using a 3-way/T top cap, specify a straight finish channel that is the same height as the lower panels.

When using a 3-way varied-height finish channel, specify a 10PCNTTC5 or 10PCNTTC6 top cap, as well with a straight/T finish channel.

See page 58.

For 10PCNLTC1 and 10PCNLTC2, 10PCNTTC1, 10PCNTTC2, 10PCNTTC3, and 10PCNTTC4, specify a hi-lo end trim for the exposed edge of the higher panel. >See page 65.

4-Way/X Top	Caps	
Q10PCNXTC1	Tops 4 same height panels (4 high) at all panels, Includes two alignment clips.	\$28

Standard Includes

Top cap

How to Specify

- Model
- 2 Top cap material:
 - **P** = Paint
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator

Page 61 Systems

In-Line Fill Caps

Pricing

\$28

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



Model	Description	Price
In-Line Fill C	ap	
Q10PCNIFC	Fills gap between two in-line panels of varied height in straight panel run. Includes straight alignment clip. For use with 10P and 11P models.	\$26



In-Line Connector Kit

Q10PCNIL

Set of 2; kit includes 2 in-line connectors and 2 straight alignment clips. For use in same height applications. For use with 10P and 11P models.

Standard Includes

In-Line Fill Cap

- Fill cap
- Straight alignment clip

In-Line Connector Kit

- 2 in-line connectors
- 2 straight alignment clips


- Model
- 2 Top cap material:
 - $\mathbf{P} = Paint$
- 3 Top cap profile:
 - **C** = Crowned
- 4 Finish designator

Full-Height End Trim

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



D	W	Н	Model	Price
21/8"	1/2"	34"	Q10P34EC	\$72
		42"	Q10P42EC	72
		48"	Q10P48EC	72
		54"	Q10P54EC	72
		62"	Q10P62EC	72
		66"	Q10P66EC	72
		80"	Q10P80EC	72

Standard Includes

- End trim
- End trim top cap


- Model
- 2 End trim material:
 - **P** = Paint
- 3 Top cap profile:C = Crowned
- 4 Trim finish designator

Hi-Lo End Trim

Pricing

For Use at In-Line Connections GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



	W	Н	Model	Price
21/8"	1/2"	4"	Q10P4HTC	\$81
-		6"	Q10P6HTC	81
		8"	Q10P8HTC	81
		12"	Q10P12HTC	81
		14"	Q10P14HTC	81
		18"	Q10P18HTC	81
		20"	Q10P20HTC	86
-		24"	Q10P24HTC	86
		26"	Q10P26HTC	86
		28"	Q10P28HTC	86
		32"	Q10P32HTC	86
		38"	Q10P38HTC	86
		46"	Q10P46HTC	86

Standard Includes

- Vertical end trim
- Two in-line fill caps


- Model
- 2 End trim material:
 - **P** = Paint
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator

Hi-Lo End Trim

Pricing

For Use at L or T Connections GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



D	W	Н	Model	Price
21/8"	1/2"	4"	Q11P4HLT	\$53
		6"	Q11P6HLT	53
		8"	Q11P8HLT	53
		12"	Q11P12HLT	53
		14"	Q11P14HLT	53
		18"	Q11P18HLT	53
		20"	Q11P20HLT	58
		24"	Q11P24HLT	58
		26"	Q11P26HLT	58
		28"	Q11P28HLT	58
		32"	Q11P32HLT	58
		38"	Q11P38HLT	58
		46"	Q11P46HLT	58

Standard Includes

- Vertical end trim
- In-line fill cap

- Model
- 2 End trim material:
 - **P** = Paint
- 3 Top cap profile:
 - **C** = Crowned
- 4 Trim finish designator

[•] Corner/L and 3-way/T top caps

[➤]See page 61.

Connectors

Pricing


CasegoodsSee page 5Seating25Metal Filing95Finishes & Materials109

Traxx® Starter Kits

GSA SIN 711-1



D	W	Н	Model	Description P	
Trax	x Sta	arter Kits	3		
1/4"	2"	297/8"	Q10P34CNS	For use with 34"H panel.	\$121
		377/8"	Q10P42CNS	For use with 42"H panel.	121
		437/8"	Q10P48CNS	For use with 48"H panel.	121
		497/8"	Q10P54CNS	For use with 54"H panel.	121
		57 ⁷ /8"	Q10P62CNS	For use with 62"H panel.	121
		61 ⁷ /8"	Q10P66CNS	For use with 66"H panel.	121
		75 ⁷ /8"	Q10P80CNS	For use with 80"H panel.	121



Related Products:

D	W	Н	Model	Description	Price
Trax	x Par	el-Hei	ght Full End Trim		
3/4"	11/2"	66"	Q10P66CNETP	For 66"H or shorter Interworks panel. Use when using Traxx Panel Starter Kit at exposed end of Traxx (full to the floor). Specify paint to match adjoining panel.	\$120

Standard Includes

- Traxx starter
- In-line filler cap

How to Specify

Traxx Starter Kit

- Model
- 2 Top cap material (omit for end trim):
 - $\mathbf{P} = Paint$
- ③ Trim finish designator

End Trim

- Model
- 2 Trim finish designator

Specify the starter to match the height of the panel.

Traxx Panel Starter Kit includes only the necessary hardware to attach panel perpendicular to Traxx.


Selection and purchase of the proper attachment fasteners for your wall is the responsibility of the installer.

In-line filler cap, included, is used to fill the gap at top of panel side rail when using Traxx panel starter kit or panel wall mount.

Connectors Pricing

Wall-Mount GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



D	W	Н	Model	Description	Price
Wal	I-Mou	unt Conn	ector		
1/4"	2"	297/8"	Q10P34CNWMP	For use with 34"H panel.	\$113
		377/8"	Q10P42CNWMP	For use with 42"H panel.	113
		437/8"	Q10P48CNWMP	For use with 48"H panel.	113
		497/8"	Q10P54CNWMP	For use with 54"H panel.	113
		57 ⁷ /8"	Q10P62CNWMP	For use with 62"H panel.	113
-		61 ⁷ /8"	Q10P66CNWMP	For use with 66"H panel.	113
		75 ⁷ /8"	Q10P80CNWMP	For use with 80"H panel.	113

Standard Includes

• In-line fill cap

How to Specify

Model

② Finish designator

Specify the starter to match the height of the panel.

Selection and purchase of the proper attachment fasteners for your wall is the responsibility of the installer.

In-line filler cap, included, is used to fill the gap at top of panel side rail when using or panel wall mount.

Specify same height panel.

Electrical Components

Pricing

Power Distribution Assemblies and Jumper Cables GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109





Model	Description	Function	Price
Power Distribu	tion Assemblies		
Q10P24ED	For 24"W panel	Carries power to receptacles	\$130
Q10P30ED	For 30"W panel	Carries power to receptacles	130
Q10P36ED	For 36"W panel	Carries power to receptacles	130
Q10P42ED	For 42"W panel	Carries power to receptacles	130
Q10P48ED	For 48"W panel	Carries power to receptacles	130
Q10P60ED	For 60"W panel	Carries power to receptacles	130
Jumper Cables	5		
Q10PEJA	From panel to panel	Routes power panel to panel	\$64
Q10PEJB	Thru finish channel	Routes power panel to panel straight through in-line finish channel or X connection	64
Q10PEJC	Thru 90° or 120° connection	Routes power panel to panel around a turn	64
Q10P18EPTA	Thru 18"W panel	Routes power panel to panel through 18"W panel	165
Q10P18EPTB	Thru finish channel AND 18"W panel	Routes power panel to panel straight through in-line finish channel or X connection and an 18"W panel	165

Power distribution assemblies accommodate up to 4 receptacles.

Prior to 2007, Interworks used an unshielded 6-wire and 4-wire system. "Transitioning" models enable connection of previous- generation electrical system with the current 8-wire system. ➤ See the Systems Price List.

Standard Includes

• Power distribution assembly or jumper cable

How to Specify



② Type of electrical system:

84 = 8-wire, 4-circuit

Electrical Components

Receptacles and Power Entries

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	100



Model	Description	Function	Price
Duplex Recep	otacles		
For 3 + 1 Circui	it Configuration		
Q10PER1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	\$33
Q10PER2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	33
Q10PER3	Circuit 3	Delivers power from circuit 3 with shared neutral and ground	33
Q10PER4	Circuit 4 (dedicated)	Delivers power from dedicated circuit 4 with ded. neutral and ground	33
For 2 + 2 Circui	it Configuration		
Q10PER1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	\$33
Q10PER2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	33
Q10PER4	Circuit 4 (designated)	Delivers power from desig. circuit 4 with shared neutral and ground	33
Q10PER5	Circuit 5 (designated)	Delivers power from desig. circuit 5 with shared neutral and ground	33
Base Power I	Entry		
Q10PEFPE1S	Straight base power entry	Provides access to power from the floor or wall	\$237
Q10PEFPE1L	Corner base power entry	Provides access to power from the floor or wall	237
Q10PEFPE1E	End base power entry	Provides access to power from the floor or wall	237
Q10PESPE1P	Side base power entry	Provides access to power from the floor or wall	237
Ceiling Powe	r Entry Assembly		
Q10PECPE1	8-wire	Provides access to power from the ceiling. Includes junction box, jumper cable, and hardware.	\$237

Standard Includes

Receptacle

Receptacle

Base Power Entry

- Conduit is ½" trade size; actual outside diameter is ½"
- Cover plate for straight, end, or corner

Ceiling Power Entry Assembly


- Junction box
- Jumper cable
- Hardware

How to Specify



② Type of electrical system:

84 = 8-wire, 4-circuit




Electrical Components

Pricing


Hardwire GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



Model	Description	Function	Price
Hardwire	Junction Box Kit		
Q10PEHJB		Required for field installation of hardwired electrical. Includes junction box and two end caps with knockouts: 462 Cinder	\$50

eating	25
etal Filing	95
nishes & Materials	109





Hardwire End Caps for Hardwire Applications				
Q10PEHEC	End	Replaces wireway end cap at in-feed; 462 Cinder	\$27	
Q10PEHCC	Corner	Replaces corner finish channel cover at in-feed; 462 Cinder	27	
Q10PEHSC	Straight	Replaces straight finish channel cover at in-feed; 462 Cinder	27	

Raceway Re	moval Tool		
Q10PRT2R	Set of 2.	Tool is required to remove hardwire raceway covers	No charge

Standard duplex access is not available in 30"W or 36"W panels. Leviton brand or equivalent modular duplexes are required.

Junction box is required for field installation of hardwire electrical; not for use in 18"W panels.

Specify one raceway removal tool per order when specifying hardwire panels.

How to Specify

Junction Box

Model

② Width of panel

Side Feed Plates, **End Caps, and Raceway Removal Tool**

Model

Systems Page 70




Electrical Components

Pricing

New York City GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



Model	Description	Price			
New York City I	New York City Retrofit Kits				
Q10P30EHPA	For 30"W panel	\$820			
Q10P36EHPA	For 36"W panel	820			
Q10P42EHPA	For 42"W panel	820			
Q10P48EHPA	For 48"W panel	820			
Q10P60EHPA	For 60"W panel	820			

Standard Includes

- Internal wireway with hardwire electrical system
- Jumper cable
- Junction box assembly
- Two end caps: 462 Cinder
- Wireway covers; one with knockouts to punch as needed, one blank.

How to Specify



② Finish designator

NYC electrical is only required in starter panels (first panel in run)

They are not for use in 18"W or 24"W panels.

Power/Data Poles

Pricing

GSA SIN 711-1



D	W	Н	Model	Function	Price	
Strai	Straight/T or 4-Way/X					
21/8"	21/8"	10'	Q10PCPDPSP	Used to run voice/data cables and/or electrical from ceiling to panel	\$135	





Corner/L				
21/8"	21/8" 10'	Q10PCPDPLP	Used to run voice/data cables and/or electrical from ceiling to panel	\$135

How to Specify

Standard Includes

Appropriate base coverAlignment clipsIn-line fill caps


Model

PolesCoverCeiling plate

② Top cap profile:

C = Crowned

3 Finish designator



End			
2½" 2½" 10' Q10P	CPDPEP	Used to run voice/data cables and/or	\$135
		electrical from ceiling to panel	

Poles accommodate up to two ceiling power entry assemblies, specify separately.

Ceiling power entry assembly >See page 69.

INTERWORKS® EQ System

Data Components


Pricing

GSA SIN 711-1

Metal Filing

95





Casegoods ➤See page 5 Seating Finishes & Materials 109



Tinnerman Clips							
Q10ATMC	Package of 100	Attaches to cutout to provide screw location for attachment of coverplates and data ports. Order additional Tinnerman clips only when using cover plates or data ports purchased commercially.	\$26				

Standard Includes

• Cover plate or clips

How to Specify

Cover Plates

Model

② Finish designator

Tinnerman Clips

Model

INTERWORKS® EQ System

Data Channels


Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109







Data channels are used to run voice/data cables through two adjacent panels at different heights.

Knockouts are provided at each panel height to allow for communication access.

For 4-way/X configurations, use inline data channels plus in-line fill caps for each lower panel in the configuration.

D	W	Н	Model	Price
Strai	ght/T D	ata Char	nels	
21/8"	21/8"	42"	Q10P42EDCT	\$114
		48"	Q10P48EDCT	114
		54"	Q10P54EDCT	114
		62"	Q10P62EDCT	114
		66"	Q10P66EDCT	114
		80"	Q10P80EDCT	114
Corn	er/L Da	ıta Chanı	nels	
21/8"	21/8"	42"	Q10P42EDCL	\$114
		48"	Q10P48EDCL	114
		54"	Q10P54EDCL	114
		62"	Q10P62EDCL	114
		66"	Q10P66EDCL	114
		80"	Q10P80EDCL	114
In-Lir	ne Data	Channe	s	
21/8"	21/8"	4"	Q10P04EDCI	\$72
		6"	Q10P06EDCI	72
		8"	Q10P08EDCI	72
		12"	Q10P12EDCI	72
		14"	Q10P14EDCI	72
		18"	Q10P18EDCI	72
		20"	Q10P20EDCI	72
		24"	Q10P24EDCI	72
		26"	Q10P26EDCI	72
		28"	Q10P28EDCI	72
		32"	Q10P32EDCI	72
		38"	Q10P38EDCI	72
		46"	Q10P46EDCI	72

Standard Includes

- Cover
- Channel top cap
- Base cover
- Alignment clip
- In-line fill caps
- Top cap for lower height panel for in-line model

How to Specify

- Model
- 2 Top cap material:
 - $\mathbf{P} = Paint$
- 3 Width of lower height panel (include for in-line model only)
- 4 Top cap profile
 - **C** = Crowned
- 5 Finish designator

Traxx Components

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109







D	W	Н	Model	Description	Price
Trax	x				
11/16"	72"	2"	QTTWMT72	Set of 2 Traxx and 4 splice plates	\$313
	144"		QTTWMT144	Set of 2 Traxx and 4 splice plates	449

Splice Plates						
4"	7/8"	QTTSP04	Set of 4 splice plates	\$9		

Fastener Co	ncealm	ent		_
700"	7/8"	QTTCFC	One roll; black felt	\$30

Standard Includes

Traxx

- Set of 2 Traxx
- Four splice plates

Splice Plates

• Set of 4 plates

Fastener Concealment

• Roll: black vinyl or black felt

How to Specify

Traxx

- Model
- ② Finish price group:

STD = Group 1

3 Finish designator

Splice Plates or Fastener Concealment

Model

Traxx can be cut to size in the field.

IMPORTANT: Specify vinyl fastener concealment when using presentation tools. Accommodates two sets of Traxx

Four splice plates are included with each set of Traxx. Specify additional splice plates only if needed for your installation.

Fabric Tiles

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



			Fabric P	Price Grade	
D	W	Н	Model	А	В
36"I	H Tiles	;			
1/2"	12"	351/2"	QHIT1236A	\$245	\$271
	18"		QHIT1836A	272	298
	24"		QHIT2436A	281	307
	30"		QHIT3036A	328	354
	36"		QHIT3636A	338	364
	42"		QHIT4236A	349	375
	48"		QHIT4836A	360	386
	54"		QHIT5436A	395	421
	60"		QHIT6036A	400	451

Standard Includes

- Fabric tile
- 2 matching trim channels

How to Specify

- Model
- ② Fabric grade
- 3 Fabric number

IMPORTANT: 36"H tiles correspond to 66"H Interworks EQ panels.

Tiles can be field scribed. Additional trim channels should be specified separately if additional tiles are created.

End Trim Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



D	W	Н	Model	Description	Price
Full	End Ti	rim			
For	Use witl	h 36"H 1	Tiles		_
11/16	" 11/2"	39"	QTTET39	For use on upper and lower Traxx	\$87



Single End Trim					
11/16" 11/2"	2"	QTTET02	For use on single Traxx	\$35	

Specify end trim for finish detail when end of Traxx and tiles are exposed. Use full end trim to cover the exposed edge of tile and upper and lower Traxx Use single end trim to cover the end of a single Traxx.

Trim cap slips into the top ledge of the upper Traxx to add finishing detail for Traxx applications.

Full end trim may be used for finish detail when end of wall mounted overhead is exposed.

Standard Includes

• End trim

How to Specify


- Model
- ② Finish price group: **STD** = Group 1
- 3 Finish designator

Trim Channels and Vertical Cable Managers

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



D	W	Н	Model	Description	Price
Trin	n Char	nels			
For	Use wit	h 36"H Ti	les		
1/2"	3/4"	357/8"	QTTTC36N	Fabric; one trim channel	\$53
			QTTTC36P	Paint; one trim channel	44

Ver	/ertical Cable Manager					
For	Use wit	th Curved,	, Lunar, Flat, and B	evel Profile Overheads and 36"H Tiles		
1"	1"	191/2"	QTTVCM20B	Black	\$32	
			QTTVCM20N	Fabric	42	

Trim channels are provided with all tiles. Specify only if additional trim

channels are required.

Vertical cable manager engages between the tile and trim channel.

Standard Includes

• Trim channel or cable manager

How to Specify

Trim Channels

- Model
- ② If paint, finish price group: **STD** = Group 1 If fabric, fabric grade
- ③ Finish designator or fabric number

Vertical Cable Managers

- Model
- ② Fabric grade (include for fabric models only)
- 3 Fabric number (include for fabric models only)

Systems

Straight Laminate 13/16" Worksurfaces

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109

W → ↓ C Wire Manager



Double Rim

Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

D	W	Н	Model	Description	Wire Manager	Double Rim
23 ⁷ /8"	237/8"	13/16"	QSS2424WSSL	Available with wire manager only.	\$235	_
	297/8"		QSS2430WSSL	Available with wire manager only.	254	_
	357/8"		QSS2436WSSL		266	\$444
	41 ⁷ /8"		QSS2442WSSL		288	460
	477/8"		QSS2448WSSL		318	489
	537/8"		QSS2454WSSL		367	536
	59 ⁷ /8"		QSS2460WSSL		384	552
	657/8"		QSS2466WSSL		437	602
	71 ⁷ /8"		QSS2472WSSL		452	616
	77 ⁷ /8"		QSS2478WSSL		531	739
	837/8"		QSS2484WSSL		572	806
	897/8"		QSS2490WSSL		606	868
	95 ⁷ /8"		QSS2496WSSL		646	953
297/8"	237/8"	13/16"	QSS3024WSSL	Available with wire manager only.	241	_
	297/8"		QSS3030WSSL	Available with wire manager only.	260	_
	357/8"		QSS3036WSSL		291	464
	417/8"		QSS3042WSSL		298	474
	477/8"		QSS3048WSSL		333	503
	537/8"		QSS3054WSSL		402	566
	597/8"		QSS3060WSSL		414	579
	657/8"		QSS3066WSSL		470	633
	71 ⁷ /8"		QSS3072WSSL		512	663
	777/8"		QSS3078WSSL		631	717
	837/8"		QSS3084WSSL		672	771
	897/8"		QSS3090WSSL		722	813
	957/8"		QSS3096WSSL		769	867
357⁄8"	717/8"	13/16"	QSS3672WSSL	Available with double rim only.	_	726

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the PVC rim; wire manager on applicable models is on the back edge.

Rim Profiles:



PVC (P) on wire manager



PVC (P) on double rim

Standard Includes

Worksurface

How to Specify

- Model
- 2 Rim option:
 - **3** = Wire manager
 - **2** = Double rim
- 3 Rim profile:
 - $\mathbf{P} = PVC rim$
- 4 Surface finish price group:
 - **STD** = Group 1
- Surface finish designator
- 6 PVC rim finish designator
- Wire manager finish designator (omit for double rim model)

Straight Corner Laminate 13/16" Worksurfaces

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109

	B →
A ↓	Ç E

Wire Manager




Double Rim

Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

Α	В	С	D	Ε	Н	Model	Wlre Manager	Double Rim
24"/2	4" Ret	urn Co	mbo					
357/8"	357/8"	237/8"	237/8"	171/8"	13/16"	QSS24363624WSCSL	\$433	\$597
417/8"	417/8"			255/8"		QSS24424224WSCSL	449	613
477/8"	477/8"			341/8"		QSS24484824WSCSL	487	647
30"/3	0" Ret	urn Co	mbo					
417/8"	417/8"	297/8"	297/8"	171/8"	13/16"	QSS30424230WSCSL	\$539	\$695
47 ⁷ /8"	47 ⁷ /8"			255/8"		QSS30484830WSCSL	607	760

Rim Profiles:







PVC (P) on double rim

Standard Includes

Worksurface

How to Specify

- Model
- **2** Rim option:
 - **3** = Wire manager
 - 2 = Double rim
- 3 Rim profile:
 - $\mathbf{P} = PVC rim$
- 4 Surface finish price group:
 - **STD** = Group 1
- Surface finish designator
- 6 PVC rim finish designator
- ① Wire manager finish designator (omit for double rim model)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the PVC rim; wire manager on applicable models is on the back edges.

Return combo dimensions are determined from left to right when seated at the worksurface.


Curved Corner Laminate 13/16" Worksurfaces

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109

Wire Manager



Double Rim

Note: Bold line indicates location of rim detail; double line indicates location of wire manager.

А	В	С	D	Н	Model	Description	Wire Manager	Double Rim
24"/2	4" Ret	urn Co	mbos					
357/8"	357/8"	237/8"	237/8"	13/16"	QSS24363624WSCCL		\$462	\$624
417/8"	417/8"				QSS24424224WSCCL		481	640
47 ⁷ /8"	47 ⁷ /8"				QSS24484824WSCCL		518	676
597/8"	597/8"				QSS24606024WSCCL		1015	1142
30"/3	0" Ret	urn Co	mbos					
417/8"	417/8"	297/8"	297/8"	13/16"	QSS30424230WSCCL		\$576	\$731
477/8"	477/8"				QSS30484830WSCCL		650	801
59 ⁷ /8"	59 ⁷ /8"				QSS30606030WSCCL	Available in double rim only.	_	1186

Rim Profiles:





PVC (P) on wire manager

PVC (P) on double rim

Grain Direction:



IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the PVC rim; wire manager on applicable models is on the back edges.

Return combo dimensions are determined from left to right when seated at the worksurface.

Standard Includes Worksurface

How to Specify

- Model
- **2** Rim option:
 - **3** = Wire manager
 - 2 = Double rim
- 3 Rim profile:
 - $\mathbf{P} = PVC rim$
- 4 Surface finish price group:
 - **STD** = Group 1
- Surface finish designator
- 6 PVC rim finish designator
- ① Wire manager finish designator (omit for double rim model)

Page 81

U-Top Laminate 13/16" Worksurfaces

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109

$\bigcap_{i \in \mathcal{N}} \bigvee_{i \in \mathcal{N}}$

Wire Manager



Single Rim



Wire Manager



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

IMPORTANT: Brackets must be specified separately.

Wire manager is on the back edge.

U-tops used in freestanding applications must be attached to a return or extension for additional support.

Radius 297/8" 597/8" 13/16" QSS3060WSUL \$812 \$706 657/8" QSS3066WSUL 850 763 717/8" QSS3072WSUL 884 818 357/8" 597/8" 13/16" QSS3660WSUL 862 804 657/8" QSS3666WSUL 897 838 717/8" QSS3672WSUL 934 872	D	W	Н	Model	Wire Manager	Single Rim
657/8" QSS3066WSUL 850 763 717/8" QSS3072WSUL 884 818 357/8" 597/8" 13/16" QSS3660WSUL 862 804 657/8" QSS3666WSUL 897 838	Radi	us				
717/6" QSS3072WSUL 884 818 357/8" 597/6" 13/16" QSS3660WSUL 862 804 657/8" QSS3666WSUL 897 838	297/8"	597/8"	13/16"	QSS3060WSUL	\$812	\$706
357/8" 597/8" 13/16" QSS3660WSUL 862 804 657/8" QSS3666WSUL 897 838		657/8"		QSS3066WSUL	850	763
657/e" QSS3666WSUL 897 838		71 ⁷ /8"		QSS3072WSUL	884	818
	357/8"	597/8"	13/16"	QSS3660WSUL	862	804
71%" QSS3672WSUL 934 872		657/8"		QSS3666WSUL	897	838
		71 ⁷ /8"		QSS3672WSUL	934	872

Crowned				
297/8" 597/8"	13/16"	QSS3060WSUCL	\$812	\$706
657/8"		QSS3066WSUCL	850	763
71 ⁷ /8"		QSS3072WSUCL	884	818
357/8" 597/8"	13/16"	QSS3660WSUCL	862	804
657/8"		QSS3666WSUCL	897	838
71 ⁷ /8"		QSS3672WSUCL	934	872

Rim Profiles:





PVC (P) on wire manager

PVC (P) on single rim

Standard Includes

Worksurface

How to Specify

- Model
- 2 Rim option:
 - **3** = Wire manager
 - **1** = Single rim
- 3 Rim profile:
 - $\mathbf{P} = PVC rim$
- Surface finish price group:
 - **STD** = Group 1
- Surface finish designator
- 6 PVC rim finish designator
- Wire manager finish designator (omit for single rim model)

Laminate 13/16" Table Tops

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109









Note: Arrow on surface indicates grain direction.

D	W	Н	Model	Price
Roun	nd			
295/8"	diameter	13/16"	QSS30TTRNL	\$211
355/8"	diameter		QSS36TTRNL	311
415⁄8"	diameter		QSS42TTRNL	385
475/8"	diameter		QSS48TTRNL	427
Squa	re			
295/8"	295/8"	13/16"	QSS3030TTSQL	\$211
355/8"	355/8"		QSS3636TTSQL	311
415⁄8"	415⁄8"		QSS4242TTSQL	385
Rect	angular			
295/8"	595/8"	13/16"	QSS3060TTRTL	\$472
	715⁄8"		QSS3072TTRTL	584
355/8"	595/8"		QSS3660TTRTL	500
	71 ⁵ ⁄8"		QSS3672TTRTL	640
Race	Track			
35"	59"	13/16"	QSS3660TTRCL	\$532
	71"		QSS3672TTRCL	672
	83"		QSS3684TTRCL	706

Standard Includes

• Table top

How to Specify

- Model
- ② Rim profile:
 - **P** = PVC rim
- 3 Surface finish price group:STD = Group 1
- 4 Surface finish designator
- ⑤ Rim finish designator


One base is required for round and square tops; two bases are required for rectangular and racetrack tops.

Worksurface Support Brackets

Pricing

Casegoods See page 5
Seating 25
Metal Filing 95
Finishes & Materials 109

GSA SIN 711-1



Model	Description	Price
Edge Suppor	t Brackets	
Right-Hand		
QIBRWSER	For use with Interworks EQ panel-mounted worksurface. Cinder finish.	\$25
Left-Hand		
QIBRWSEL	For use with Interworks EQ panel-mounted worksurface. Cinder finish.	\$25
Transaction C	Counter Brackets	
Right-Hand		
QIBTCBR1	For use with Interworks EQ panel-mounted transaction counters.	\$26
Left-Hand		
QIBTCBL1	For use with Interworks EQ panel-mounted transaction counters.	\$26
Drop Bracket	s	
QIB0224D	For use with 24"D worksurfaces. 2" drop. Cinder finish.	\$42
QIB0230D	For use with 30"D worksurfaces. 2" drop. Cinder finish.	\$53
Flat Bracket		
QIBF1	Secures two flush, adjacent/perpendicular worksurfaces. Galvanized finish. 2"D x $5\frac{1}{2}$ "W.	\$11
Cantilever Br	ackets	
Right-Hand		
QIB24CR	For use with Interworks EQ panel-mounted worksurface. Cinder finish. 2134 "D x $31/4$ "W x 20 "H.	\$99
Left-Hand		
QIB24CL	For use with Interworks EQ panel-mounted worksurface. Cinder finish. $21\frac{9}{4}$ "D x $3\frac{1}{4}$ "W x 20 "H.	\$99
Traxx Worksu	ırface Bracket	
QIBTWS	Single bracket; Cinder finish.	\$13
Gusset Brack	et	
QFBG	Non-handed. For use as additional support for metal support panel that is not next to component or modesty panel. $97/8$ " x $97/8$ ".	\$28

Standard Includes

Bracket

Note: Specify two right-hand and two left-hand transaction counter brackets for each surface.

How to Specify

Transaction Counter Bracket or Gusset Bracket

- Model
- ② Finish price group: **STD** = Group 1
- 3 Finish designator

Edge Support, Drop, Flat, or Cantilever Bracket

Model


Brackets are sold individually, unless otherwise specified.

Worksurface Support Panels

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



Support Panel 11/4"

Corner Post 611/16"

6¹1/16"

271/4"

271/4"

Gusset bracket may be specified
separately to provide additional
support when used with a return or
support panel.

D	W H		Model	Description	Price
Suppo	ort Pane	ls for Use w	ith Interwork EQ Ap	plications	
Half Er	nd Panel				
161/2"	11/4"	271/4"	QIB1827H	Non-handed.	\$203
Full En	d Panel				
235⁄8"	11/4"	271/4"	QIB2427F	Non-handed.	\$252
295⁄8"			QIB3027F	Non-handed.	307
Suppo	ort Pane	ls for Use w	ith Traxx or Freesta	nding Metal Applications	
Half En	nd Panel				
161/2"	11/4"	271/4"	QIF1827H	Non-handed. Two glides.	\$203
Full En	d Panel				
225/8"	1 ¹ /4"	271/4"	QIF2427F	Non-handed. Two glides.	\$252
285⁄8"			QIF3027F	Non-handed. Two glides.	307
345⁄8"			QIF3627F	Non-handed. Two glides.	363
Retur	n Suppo	rt Panels fo	r Use with Traxx or I	Freestanding Metal Applications	
7 ³ /8"	11/4"	271/4"	QIF0827RS	Non-handed. Use to create 24"D return. One glide.	\$89
12"			QIF1227RS	Non-handed. Use to create 30"D return. One glide.	122

Includes filler panel.

Creates freestanding corner.

Standard Includes

End Panels

- Panel
- Two floor glides (one glide on 8" return support panel)

Note: End panels, support panels and corner post are designed to secure modesty panel.

How to Specify

Model

\$155

\$278

- ② Surface finish price group:
 - **STD** = Group 1
- 3 Finish designator

QIF1227WSP

QIF0727CP

Modesty Panels

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



IMPORTANT: All supports must be specified separately.

Modesty panels are pre-drilled and attach 4" inset from rear of pedestal or end panel only. Gap between top of modesty panel and underside of worksurface is 11/2"; gap from bottom of modesty panel to floor is 3".

To determine modesty panel width required, subtract total **nominal** width of support (pedestals or end panels) from **nominal** width of worksurface. Example:

72"W worksurface

- -30"W support (Two 15"W peds)
- = 42"W modesty panel required
- See the Systems Price List for planning guideline chart.

D	W	Н	Model	Description	Price
Meta	al Mode	sty Panels (for use with Flat Profi	ile Storage)	
1½"	19½"	23"	QIF2023M		\$133
	237/8"		QIF2423M	Use with 36"W corner.	133
	251/2"		QIF2623M		144
	29 ⁷ /8"		QIF3023M	Use with 42"W corner.	149
	311/2"		QIF3223M		157
	331/4"		QIF3423M		157
	35 ⁷ /8"		QIF3623M	Use with 48"W corner.	157
	371/2"		QIF3823M		166
	397/8"		QIF4023M		166
	41 ⁷ /8"		QIF4223M		174
	431/2"		QIF4423M		174
	451/4"		QIF4623M		174
	47 ⁷ /8"		QIF4823M	Use with 60"W corner.	182
	491/2"		QIF5023M		182
	51½"		QIF5223M		182
	53 ⁷ /8"		QIF5423M		182
	551/2"		QIF5623M		187
	571/4"		QIF5823M		187
	59 ⁷ /8"		QIF6023M		187
	631/4"		QIF6423M		196
	65 ⁷ /8"		QIF6623M		196
	671/2"		QIF6823M		196
	691/4"		QIF7023M		208
	731/2"		QIF7423M		208
	791/2"		QIF8023M		215
	811/4"		QIF8223M		215
	871/4"		QIF8823M		221
	931/4"		QIF9423M		227

Standard Includes

• Modesty panel: metal

How to Specify

- Model
- ② Surface finish price group: **STD** = Group 1
- 3 Finish designator

Page 86 Systems

Legs and Bases

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109







D	W	Н	Model	Description	Price
Adju	stable-	Height Column	Leg		
4" dia	ameter	26½"-30½"	QIB0427AC	For use as additional support option.	\$284
X-Ba	ases				
26"	26"	27"	QTBS2627XP	Painted. For use with 30" and 36" round and square worksurfaces.	\$550
34"	34"	27"	QTBS3427XP	Painted. For use with 42" and 48" round and 42" square worksurfaces.	577
T-Ba	ses				
	26"	27"	QTBS2627TP	Painted. For use with rectangular and racetrack	\$816

worksurfaces. Set of 2.

Standard Includes

• Base

How to Specify

- Model
- ② Surface finish price group: **STD** = Group 1
- 3 Finish designator

IMPORTANT: All brackets and supports must be specified separately.

One X-base is required for use with round or square tops.

Two T-bases are required for use with rectangular or racetrack tops.

Glides adjustable to 1/2".



Flat Profile Undersurface Storage

Pricing

Seating

Metal Filing

Finishes & Materials

➤See page 5

95

109

Casegoods

15"W Pedestals—Metal GSA SIN 711-1







D	W	Н	Model	Price
Suspe	ended	Box/File		
223/4"	15"	19 ¹ /4"	Q12S2415PUBFM	\$438
28¾"			Q12S3015PUBFM	474
Box/E	Box/Fi	le		
223/4"	15"	271/4"	Q12S2415PUBBFM	\$589
283/4"			Q12S3015PUBBFM	628

File/File Pedestal					
223/4"	15"	271/4"	Q12S2415PUFFM	\$539	
283/4"			Q12S3015PUFFM	576	

Related Products:

	Model	Description	Price
Lock Core for Key Specific Option			
	QKSCD001 to QKSCD025	Specify exact key number desired.	\$22
Change Key			
	QKSCD1CK	Removes any QKSCD lock	\$6



- Chassis: metal
- Drawer fronts: metal
- Four spacers
- Lock, keyed randomly between 001–025: black
- Open top

How to Specify

- Model
- 2 Pull option:
 - **E** = Extended
 - **ARC462** = Arc, cinder (+\$16)
- 3 Lock option:
 - **KRB** = Key random
 - **KSB** = Key specific (-\$22);
- specify lock core separately.

 4 Metal finish price group:
 - **STD** = Group 1
 - **STDM** = Group M (+10%)
- Metal finish designator

Not for use as standalone units.

File drawers utilize drawer sides for front-to-back filing.

Page 88 Systems



Flat Profile Undersurface Storage

Pricing

GSA SIN 711-1 Meta

Seating 25
Metal Filing 95
Finishes & Materials 109

➤See page 5

30", 36", and 42"W Pedestals-Metal



D	W	Н	Model	Price
Latera	al Files	S		
18¾"	30"	271/4"	Q12S1830LFU2M	\$777
	36"		Q12S1836LFU2M	854
	42"		Q12S1842LFU2M	974



File C	File Centers						
Box/Box on Left, File Drawer on Right (shown)							
18¾"	30"	271/4"	Q12S1830FCBBLM	\$1562			
Box/Bo	ox on F	Right, File D	rawer on Left				
18¾ "	30"	271/4"	Q12S1830FCBBRM	\$1562			

Related Products:

	Model	Description	Price
Lock Core for Key Specific Option			
	QKSCD001 to QKSCD025	Specify exact key number desired.	\$22
Change Key			
	QKSCD1CK	Removes any QKSCD lock	\$6



- Chassis: metal
- Drawer fronts: metal
- Four spacers

Casegoods

- Lock, keyed randomly between 001–025: black (locks all drawers)
- Open top

How to Specify

- Model
- ② Pull option:

E = Extended

ARC462 = Arc, cinder (+\$16)

3 Lock option:

KRB = Key random

KSB = Key specific (-\$22); specify lock core separately.

4 Metal finish price group:

STD = Group 1

STDM = Group M (+10%)

Metal finish designator

Undersurface lateral files and file centers have open tops and are not to be used as stand-alone units.

File center file drawers utilize drawer sides for front-to-back filing.



Flat Profile Undersurface Storage

Mobile Pedestals—Metal

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109





D	W	Н	Model	Price
Mobil	е Вох	/Box/Fil	е	
223/4"	15"	27"	Q12S2415PMBBFM	\$750
Mobil	o Filo/	Eilo		

Mobile File/File					
223/4"	15"	27"	Q12S2415PMFFM	\$704	

Related Products:

Model	Description	Price
Lock Core for Key Specific Option		
QKSCD001 to QKSCD02	5 Specify exact key number desired.	\$22
Change Key		
QKSCD1CK	Removes any QKSCD lock	\$6

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Cushion on cushion top model: all seating fabrics, except leather
- Lock, keyed randomly between 001–025: black
- Four non-locking casters
- One counterweight

How to Specify

- Model
- 2 Pull option:
 - **E** = Extended

ARC462 = Arc, cinder (+\$16)

3 Lock option:

KRB = Key random

KSB = Key specific (-\$22); specify lock core separately.

4 Metal finish price group:

STD = Group 1

STDM = Group M (+10%)

⑤ Metal finish designator



Bevel Profile Overhead Storage

Pricing

Overhead Cabinets GSA SIN 711-1





D	W	Н	Model	Number of Locks	Price
Overh	ead Ca	binet wit	th Painted Doors		_
14 ⁷ /8"	23¾"	165/8"	QIS142416RP	1	\$527
	29¾"		QIS143016RP	1	538
	35¾"		QIS143616RP	1	572
	41¾"		QIS144216RP	1	587
	47¾"		QIS144816RP	1	606
	53¾"		QIS145416RP	2	762
	593/4"		QIS146016RP	2	846
	713⁄4"		QIS147216RP	2	962

Related Products:

	Model	Description	Price
Lock Core for Key	Specific Option		
	QKSCD001 to QKSCD025	Specify exact key number desired.	\$22
Change Key			
	QKSCD1CK	Removes any QKSCD lock	\$6

IMPORTANT: Brackets must be specified separately. Exception: No additional bracketry is required when hanging bevel profile

overheads on Interworks EQ panels.

Ganging brackets should be specified when hanging overheads side by side.

Standard Includes

- Chassis: metal
- Receding door(s): metal;
 24"W-48"W units have one receding door and 54"W-72"W units have two individually locking doors.
- Lock(s), keyed randomly between 001–025: black
- Cutouts for cable routing

How to Specify

- Model
- ② Lock option:

KRB = Key random

KSB = Key specific (-\$22 per lock); specify lock core separately.

3 Finish price group:

STD = Group 1

4 Finish designator



Bevel Profile Overhead Storage

Overhead Shelves

533/4"

593/4"

713/4"

Pricing

430


449

469

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	100







IMPORTANT: Brackets must be specified separately. Exception: No additional bracketry is required when hanging bevel profile overheads on Interworks EQ panels.

Ganging brackets must be specified when hanging overheads side by side.

Half-height shelves are for use with Interworks EQ panels only.

Standard Includes

- Chassis: metal
- Cutouts for cable routing

How to Specify

- Model
- ② Finish price group:
 - **STD** = Group 1
 - **STDM** = Group M (+10%)
- 3 Finish designator

Systems

QIS145416OS

QIS146016OS

QIS147216OS



Overhead Storage Brackets

Pricing

Price

\$30

\$28

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109

How to Specify

② Finish price group: **STD** = Group 1

3 Finish designator

Ganging Brackets

Traxx Spacers

Model

Model

Overhead Brackets and

STDM = Group M (+10%)



Bevel Profile and Flat Profile Overhead Brackets For Use with Cetra Panels

Description

Set of 2; one right and one left. One set required per overhead. 2" x 3/4" x 16" **QISBRKC**

For Use with Traxx Applications \$35 **QISBRKT** Set of two; one set required per overhead.




QIBSC

Model

Bevel Profile and Flat Profile Overhead Ganging Brackets

Set of 4; for use when mounting overheads side by side on Xsite, Cetra, Interworks EQ, or Traxx. Designed to accommodate the Cetra and Interworks EQ

panel reveal. Shims (not furnished) may be required for Traxx or Xsite applications.



Traxx Spacers for Use with Bevel Profile and Flat Profile Overheads

QISBRKTSO Set of 2; one set required per overhead. ½"D x 33/8"W x 141/8"L \$70

IMPORTANT: Brackets must be specified separately.

Ganging brackets are required when mounting bevel overheads side by side.



Task Lights

GSA SIN 711-1

Pricing

Casegoods	➤See page 5
Seating	25
Metal Filing	95
Finishes & Materials	109



D	W	Н	Model	Description	Price
Stan	dard Ta	ask Lights			
43/8"	13"	1 5⁄16"	QKSU14TL	For use with 24"W units.	\$222
	231/41	ļ	QKSU25TL	For use with 30"-36"W units.	231
	35"		QKSU37TL	For use with 42"-48"W units.	249
	46 ⁷ /8'	ı	QKSU49TL	For use with 54"-72"W units.	263

Standard Includes

- Fixture: black
- T5 cool white single tube lamp: 14 watt on 23"W light; 21 watt on 35"W light; 28 watt on 47"W light
- High-frequency electronic ballast
- Prismatic lens
- Rocker-type on/off switch; center
- 90° cord plug with southwest orientation prong configuration
- 9' cord attached in center of fixture

How to Specify



All lighting components are U.L. approved. Consult local codes for application restrictions.

For use on highback organizers and overhead storage.

Specify quick release brackets separately as required by local codes. >See the Systems Price List



METAL FILING

Statement of Line

Overview➤See page 98Filing Capacities99Systems47Finishes & Materials109

LF Series™





Two-High Lateral Files

- Two standard-height drawers
- ➤See page 100.




Three-High Lateral Files

- Three standard-height drawers
- ➤See page 100.



Four-High Lateral Files

- Four standard-height drawers
- ➤See page 100.



Five-High Lateral Files

- Five standard-height drawers
- Four standard-height drawers and one roll-out shelf with lift door.
- ➤See page 100.



Counterweight Kits

➤See page 101.

Page 95 Metal Filing



METAL FILING

Statement of Line

Overview➤ See page 102Filing Capacities103Systems47Finishes & Materials109

Fundamental®





Two-High Lateral Files

- Two drawers
- ➤See page 104.



Three-High Lateral Files

- Three drawers
- ➤See page 104.



Four-High Lateral Files

- Four drawers
- ➤See page 104.



Five-High Lateral Files

- Five drawers
- Four drawers and one fixed shelf with lift door.
- Five drawers, ADA compliant
- ➤See page 104.



Counterweight Kits

➤See page 105.



Overfiles

➤See page 106.



Storage Cabinets

- Two high
- Three high
- Four high
- Five high
- ➤See page 106.



Overfile/Storage Cabinet Shelves

➤See page 107.



Wardrobe Kits

➤See page 107.




METAL FILING

Statement of Line

LF Series ▶See page 98
Fundamental 102
Systems 47
Finishes & Materials 109



Universal Laminate File Tops
➤See page 108.



Universal Paper Management Accessories

- Front-to-back file bars
- Side-to-side file bars
- Drawer divider

Universal

➤See page 108.



Lock Cores for Key Specific Option

➤See page 108.

Page 97 Metal Filing

LF SERIES™ Metal Filing

Features Overview

Filing Capacities	➤See page 99
Lock Cores	108
Finishes & Materials	109

Top is finished so the file can be used as a stand alone unit.

Roll-out shelf with lift door (in applicable five-high models) replaces top drawer and adds 1" to overall height of the file. Accommodates standing binders up to 12"H.

Built-in anti-rebound catch

prevents drawer from accidentally rolling open.


Heavy-gauge frame is reinforced at all corners and built into the front of the file so openings are always true and square. Right angle bend of the coach seam makes the strongest use of formed metal and presents a clean exterior with no exposed welds.

Counterweight kit, specified separately, is required for all individual freestanding units. Kits include counterweight and bracket, packaged individually.

Four glides, standard, provide 3/4" adjustability and allow for sturdy, four-point loading.

Steel drawer interiors are

pre-painted cinder.



Two 6"H half-height drawers may replace existing drawer in any position.

Full ball-bearing, progressiveslide drawer suspension allows both the drawer and suspension to extend together and provides smooth drawer operation.

Silencing bumpers ensure quiet drawer operation and are added to suspension wherever a steel-to-steel contact would otherwise be made.

Side-to-side file bar is standard: one per drawer.

Front-to-back file bars are available separately for easy field installation.

Label holder is standard; one per drawer.

Drawer Pulls:



Drawer pull is recessed along the full front edge.

Locks:

Lateral files are predrilled to accept lock cores. Lock secures all drawers in the unit. Select key random or key specific when specifying.

Keying:

Key Random Option—Key numbers will be assigned arbitrarily at the factory with key numbers ranging from QKSCD001 to QKSCD025. Locks are shipped separately for field installation.

Key Specific Option-Specify any kev number between QKSCD001 and QKSCD025. Locks are shipped separately for field installation.

IMPORTANT: If you select the key specific option, you must specify the lock core separately.

➤See page 108.

Metal Filing Page 98



Filing Capacities

Application Guidelines

Overview	➤See page 98
Lock Cores	108
Finishes & Materials	109

Description	Inside Depth	Inside Width	Height	Filing Inches and Arrangeme	ents		
18"D x 30"W lateral	147/8"	267/8"	93/8"	295/8" letter Front-to-back file bars (2) Side-to-side file bar (1)	25 ¹ / ₄ " legal Front-to-back file bar (1) Side-to-side file bar (1)	26 ¹³ / ₁₆ " letter Side-to-side file bar (1)	26 ¹³ / ₁₆ " legal Side-to-side file bar (1)
18"D x 36"W lateral	147⁄8"	327/8"	93/8"	295/8" letter Front-to-back file bars (2) Side-to-side file bar (1)	295/8" legal Front-to-back file bars (2) Side-to-side file bar (1)	32 ¹³ /16" letter Side-to-side file bar (1)	32 ¹³ / ₁₆ " legal Side-to-side file bar (1)
18"D x 42"W lateral	147⁄8"	387/8"	93/8"	44 ⁷ / ₁₆ " letter Front-to-back file bars (2) Side-to-side file bar (1)	355/8" legal Front-to-back file bars (2) Side-to-side file bar (1)	38 ¹³ / ₁₆ " letter Side-to-side file bar (1)	38 ¹³ /16" legal Side-to-side file bar (1)

Filing Hardware:

Heavier lines in the illustrations at right indicate filing hardware.

Front-to-back file bars can be specified separately.

➤ See the Perks Price List.

Side-to-side file bar is standard; one per drawer.

Drawer divider can be specified separately.

➤See page 108.

Page 99 Metal Filing

LF SERIES™ Metal Filing

Lateral Files

Pricina

GSA SIN 711-3

Overview	➤See page 98
Filing Capacities	99
Lock Cores	108
Finishes & Materials	109



Two-High Lateral Files




Three-High Lateral Files



Four-High Lateral Files



Five-High Lateral Files



Five-High with Lift Door

Standard Includes

- Two standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 25¾"H

Standard Includes

- Three standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 371/4"H

Model:

② Pull:

4 Base:

How to Specify

F = Full pull

3 Lock option:

QLFF18303 = 30"W

QLFF18363 = 36"W

QLFF18423 = 42"W

KRB = Kev random

X = No additional base

⑤ Finish price group:

STD = Group 1

6 Finish designator

KSB = Key specific (-\$22)

Standard Includes

- Four standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 4811/16"H

Standard Includes

- Five standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 601/8"H

Standard Includes

- Four standard-height drawers
- Roll-out shelf with lift door
- One side-to-side file bar per drawe
- 18"D x 621/8"H

How to Specify

Model:

QLFF18302 = 30"W QLFF18362 = 36"W QLFF18422 = 42"W

② Pull:

F = Full pull

3 Lock option:

KRB = Kev random

KSB = Key specific (-\$22)

4 Base:

X = No additional base

5 Finish price group:

STD = Group 1

6 Finish designator

How to Specify

Model:

QLFF18304 = 30"W QLFF18364 = 36"W QLFF18424 = 42"W

② Pull:

F = Full pull

3 Lock option:

KRB = Kev random

KSB = Key specific (-\$22)

4 Base:

X = No additional base

⑤ Finish price group:

STD = Group 1

6 Finish designator

How to Specify

Model:

QLFF18305 = 30"W QLFF18365 = 36"W QLFF18425 = 42"W

② Pull:

F = Full pull

3 Lock option:

LOCK OPTION.

KRB = Key random

KSB = Key specific (-\$22)

4 Base:

X = No additional base

⑤ Finish price group:

STD = Group 1

6 Finish designator

How to Specify

Model:

QLFF18305LD = 30"W QLFF18365LD = 36"W QLFF18425LD = 42"W

② Pull:

F = Full pull

3 Lock option:

KRB = Kev random

KSB = Key specific (-\$22)

4 Base:

X = No additional base

⑤ Finish price group:

STD = Group 1

6 Finish designator

Pricing

QLFF18302	\$920
QLFF18362	\$1045
QLFF18422	\$1104

Pricing

QLFF18303	\$1251
QLFF18363	\$1453
QLFF18423	\$1584

Pricing

QLFF18304	\$1589
QLFF18364	\$1846
QLFF18424	\$2057

Pricing

QLFF18305	\$1975
QLFF18365	\$2173
QLFF18425	\$2381

Pricing

QLFF18305LD	\$2057
QLFF18365LD	\$2255
QLFF18425LD	\$2464

Page 100 Metal Filing



Counterweight Kit

Pricing

GSA SIN 711-3

Overview	➤See page 98
Filing Capacities	99
Lock Cores	108
Finishes & Materials	109



Counterweight Kit

Standard Includes

• Required for freestanding files

How to Specify



QLFCW30 = for 30"W files QLFCW36 = for 36"W files QLFCW42 = for 42"W files

\$187
\$187
\$187

Metal Filing

Features Overview

Filing Capacities	➤See page 103
Lock Cores	108
Finishes & Materials	109

Top is finished so the file can be used as a stand alone unit.

Knockouts are standard for ganging side-by-side or for securing to a wall.

Fixed shelf with lift door on applicable five-high lateral files replaces top drawer and accommodates standing binders up to 12"H.

Drawer fronts and lift doors in the top position on five-high lateral files are 19/16" taller than the other

drawer fronts to accommodate the receding lift-door application.

Counterweight kit, specified separately, is required for all individual freestanding units. Kits include counterweight and bracket, packaged individually.

Four glides, standard, provide ³/₄" adjustability and allow for sturdy, four-point loading.

Steel drawer interiors are prepainted cinder. Replacement drawer fronts can be field installed.

Locking is standard. Select key random or key specific.

Note: Lock cores must be specified separately for key specific option.

Integrated drawer slide and single interlock mechanism are part of the slide design, providing for quieter drawer operation and ensuring only one drawer may be opened at a time.

Built-in anti-rebound catch prevents drawer from accidently rolling open.

Right angle bend of the coach seam makes the strongest use of formed metal and presents a clean exterior with no exposed welds.

Full ball-bearing, progressiveslide drawer suspension allows both the drawer and suspension to extend together and provides smooth drawer operation.

Side-to-side file bars are standard; two per drawer.

Front-to-back file bars are available separately for easy field installation.

Label holder is standard with extended pull; one per drawer.

Drawer Pulls:







Extended Rail

ail

Arc

Extended is recessed along the full front edge and is painted the same color as the unit. Rail pull is textured black. Arc pull is available in 462 Cinder.

Locks:

Lateral files are predrilled to accept lock cores. Lock secures all drawers in the unit. Speicfy key random or key specific.

Keying:

Key Random Option—Key numbers will be assigned arbitrarily at the factory with key numbers ranging from QKSCD001 to QKSCD025. Locks are shipped separately for field installation.

Key Specific Option—Specify any key number between QKSCD001 and QKSCD025. Locks are shipped separately for field installation.

IMPORTANT: If you select the key specific option, you must specify the lock core separately.

➤See page 108.

ADA-Compliant Models:

Lock is placed at 385%"H, making it accessible from a seated position. Rail or arc pulls are available.

Page 102 Metal Filing

Filing Capacities

Application Guidelines

Overview	➤See page 102
Lock Cores	108
Finishes & Materials	109

Description	Inside Depth	Inside Width	Height	Filing Arrangements			
18"D x 30"W lateral	147/8"	267/8"	93/8"	295/6" letter Front-to-back file bars (2) Side-to-side file bars (2)	251/4" legal Front-to-back file bar (1) Side-to-side file bars (2)	26 ¹³ / ₁₆ " letter Side-to-side file bars (2)	26 ¹³ / ₁₆ " legal Side-to-side file bars (2)
18"D x 36"W lateral	147/8"	327/8"	93/8"	29 ⁵ / ₆ " letter Front-to-back file bars (2) Side-to-side file bars (2))	295/8" legal Front-to-back file bars (2) Side-to-side file bars (2)	32 ¹³ / ₁₆ " letter Side-to-side file bars (2)	32 ¹³ / _{16"} legal Side-to-side file bars (2)
18"D x 42"W lateral	14 ⁷ /8"	387/8"	93/8"	447/16" letter Front-to-back file bar (2)	35%" legal Front-to-back file bars (2)	3813/16" letter Side-to-side file bars (2)	38 ¹³ / ₁₆ " legal Side-to-side file bars (2)

Side-to-side file bars (2) Side-to-side file bars (2)

Filing Hardware:

Heavier lines in the illustrations at right indicate filing hardware.

Front-to-back file bars can be specified separately.

➤See the Perks Price List.

Side-to-side file bar is standard; one per drawer.

Drawer divider can be specified separately.

➤See page 108.

Page 103 Metal Filing

Lateral Files

Pricing

GSA SIN 711-3

Overview	➤See page 102
Filing Capacities	103
Lock Cores	108
Finishes & Materials	109



Two-High Lateral Files



Three-High Lateral Files



Four-High Lateral Files



Five-High Lateral Files



Five-High with Lift Door

Standard Includes

- Two drawers
- Two side-to-side file bars per drawer
- 18"D x 271/4"H

Standard Includes

- Three drawers
- Two side-to-side file bars per drawer
- 18"D x 393/16"H

Model:

② Pull:

How to Specify

E = Extended

 $\mathbf{R} = \text{Raill}$

3 Lock option:

QFND18303 = 30"W

QFND18363 = 36"W

QFND18423 = 42"W

ARC462 = Arc, Cinder

KSB = Key specific (-\$22)

KRB = Key random

4 Finish price group:

STD = Group 1

⑤ Finish designator

Standard Includes

- Four drawers
- Two side-to-side file bars per drawer
- 18"D x 511/8"H

Standard Includes

- Five drawers
- Two side-to-side file bars per drawer
- 18"D x 641/2"H

Standard Includes

- Four drawers
- Fixed shelf and lift door
- Two side-to-side file bars per drawer
- 18"D x 641/2"H

How to Specify

Model:

QFND18302 = 30"W **QFND18362** = 36"W

QFND18422 = 42"W

② Pull:

E = Extended

 $\mathbf{R} = \text{Raill}$

ARC462 = Arc, Cinder

3 Lock option:

KRB = Key random

KSB = Key specific (-\$22)

4 Finish price group:

STD = Group 1

⑤ Finish designator

How to Specify

Model:

QFND18304 = 30"W **QFND18364** = 36"W

QFND18424 = 42"W

② Pull:

E = Extended

 $\mathbf{R} = \text{Raill}$

ARC462 = Arc, Cinder

3 Lock option:

KRB = Key random

KSB = Key specific (-\$22)

4 Finish price group:

STD = Group 1

5 Finish designator

How to Specify

Model:

QFND18305 = 30"W

QFND18365 = 36"W

QFND18425 = 42"W

② Pull:

E = Extended

 $\mathbf{R} = \text{Raill}$

ARC462 = Arc, Cinder

3 Lock option:

KRB = Key random

KSB = Key specific (-\$22)

4 Finish price group:

STD = Group 1

⑤ Finish designator

How to Specify

Model:

QFND18305LD = 30"W

QFND18365LD = 36"W

QFND18425LD = 42"W

② Pull:

E = Extended

 $\mathbf{R} = \text{Raill}$

ARC462 = Arc, Cinder

3 Lock option:

KRB = Key random

KSB = Key specific (-\$22)

4 Finish price group:

STD = Group 1

⑤ Finish designator

Pricing

QFND18302	\$833
QFND18362	\$907
QFND18422	\$976

Pricing

\$974
\$1107
\$1203

Pricing

QFND18304	\$1184
QFND18364	\$1333
QFND18424	\$1503
QI ND 10424	Ψ1000

Pricing

QFND18305	\$1585
QFND18365	\$1736
QFND18425	\$1898

Pricing

QFND18305LD	\$1656
QFND18365LD	\$1805
QFND18425LD	\$1966

Page 104 Metal Filing

ADA Lateral Files & Counterweight Kits

Pricing

GSA SIN 711-3

Overview	➤See page 102
Filing Capacities	103
Lock Cores	108
Finishes & Materials	109



ADA-Compliant Five-High Lateral Files



Counterweight Kit

Standard Includes

- Five drawers
- Two side-to-side file bars per drawer
- Lock at 385/8"H
- 18"D x 641/2"H

How to Specify

Model:

QFND18305ADA = 30"W **QFND18365ADA** = 36"W **QFND18425ADA** = 42"W

② Pull:

 $\mathbf{R} = \text{Raill}$

ARC462 = Arc, Cinder

3 Lock option:

KRB = Key random

KSB = Key specific (-\$22)

4 Finish price group:

STD = Group 1

⑤ Finish designator

Standard Includes

• Required for freestanding files

How to Specify



QFNDACW = for any width file

Pricing

QFND18305ADA \$1736 QFND18365ADA \$1883 QFND18425ADA \$2047

Pricing

QFNDACW \$183

Metal Filing Page 105

Overfiles and Storage Cabinets

Pricing

GSA SIN 711-3

Overview	➤See page 102
Filing Capacities	103
Lock Cores	108
Finishes & Materials	109



Overfile



Two-High Storage Cabinets



Three-High Storage Cabinets



Four-High Storage Cabinets



Five-High Storage Cabinets

Standard Includes

- For use on top of lateral file or storage cabinet
- 18"D x 29¹/₄"H

Standard Includes

• 18"D x 271/4"H

Standard Includes

• 18"D x 393/16"H

Standard Includes

• 18"D x 511/8"H

Standard Includes

• 18"D x 641/2"H

How to Specify

Model:

QFND1830OF = 30"W QFND1836OF = 36"W QFND1842OF = 42"W

② Lock option:

KRB = Key random

KSB = Key specific (-\$22)

3 Finish price group:

STD = Group 1

4 Finish designator

How to Specify

Model:

QFND18302SC = 30"W QFND18362SC = 36"W QFND18422SC = 42"W

2 Lock option:

KRB = Key random **KSB** = Key specific (-\$22)

3 Finish price group:

STD = Group 1

4 Finish designator

How to Specify

Model:

QFND18303SC = 30"W QFND18363SC = 36"W QFND18423SC = 42"W

2 Lock option:

KRB = Key random **KSB** = Key specific (-\$22)

3 Finish price group:

STD = Group 1

4 Finish designator

How to Specify

Model:

QFND18304SC = 30"W QFND18364SC = 36"W QFND18424SC = 42"W

② Lock option:

KRB = Key random **KSB** = Key specific (-\$22)

3 Finish price group:

STD = Group 1

4 Finish designator

How to Specify

1 Model:

QFND18305SC = 30"W QFND18365SC = 36"W QFND18425SC = 42"W

2 Lock option:

KRB = Key random

KSB = Key specific (-\$22)

3 Finish price group:

STD = Group 1

4 Finish designator

Pricing

QFND1830OF	\$740
QFND1836OF	\$776
QFND1842OF	\$840

Pricing

)	QFND18302SC	\$866
6	QFND18362SC	\$915
)	QFND18422SC	\$1024

Pricing

QFND18303SC	\$915
QFND18363SC	\$960
QFND18423SC	\$1068

Pricing

QFND18304SC	\$960
QFND18364SC	\$1016
QFND18424SC	\$1124

Pricing

QFND18305SC	\$1012
QFND18365SC	\$1075
QFND18425SC	\$1184

Page 106 Metal Filing

Shelves and Wardrobe Kits

Pricing

GSA SIN 711-3

Overview	➤See page 102
Filing Capacities	103
Lock Cores	108
Finishes & Materials	109



Overfile/Storage Cabinet Shelves



Wardrobe Kits

Standard Includes

• Shelf is adjustable in 2" increments

Standard Includes

• For use with storage cabinets

How to Specify

1 Model:

QFND1830LFSHP = for 30"W

QFND1836LFSHP = for 36"W unit

QFND1842LFSHP = for 42"W unit

② Finish price group:

STD = Group 1

3 Finish designator

How to Specify

Model:

QFND1830WB = for 30"W unit

QFND1836WB = for 36"W unit **QFND1842WB** = for 42"W unit

Pricing	j
---------	---

 QFND1830LFSHP
 \$80

 QFND1836LFSHP
 \$83

 QFND1842LFSHP
 \$86

Pricing

QFND1830WB \$70 **QFND1836WB** \$77 **QFND1842WB** \$80

Page 107 Metal Filing

UNIVERSAL Metal Filing

Tops, File Bars, Dividers, and Locks

Pricing

LF Series ▶See page 98
Fundamental 102
Finishes & Materials 109

GSA SIN 711-3



Laminate File Tops



Front-to-Back File Bars



Side-to-Side File Bars



Drawer Dividers

Standard Includes



Lock Cores for Key Specific Option and Change Keys

Standard Includes

- Single top may be secured to any combination of file widths to create a continuous surface
- PVC rim on front edge
- 18"D x 13/16"H

How to Specify

Model:

QSS1830LFTL = 30"W **QSS1836LFTL** = 36"W

QSS1842LFTL = 42"W **QSS1860LFTL** = 60"W

QSS1872LFTL = 72"W **QSS1884LFTL** = 84"W

② Rim:

 $\mathbf{P} = PVC$

3 Finish type:

STD = Standard Finish designator

S Rim color

Standard Includes

- Black
- Set of two (one set required per drawer)
- Provides two rows of letter-size or one row of legal-size filing in 30"W file; two rows of letter-size or legalsize filing in 36"W file; three rows of letter-size or two rows of legal-size filing in 42"W file

How to Specify

Model:

Q99KFFB

Standard Includes

Galvanized metal

- Hooks on back of drawer body and can be used in any file.
- Black
- 10¹1/16"D x 3¹/16"W x 7¹/₂"H

Important

- Lock cores must be specified separately for models with key specific option (KSB)
- Change key is equired to remove QKSCD lock cores in the field; it is not required for the initial installation of lock cores

How to Specify

1 Model:

QKFD30SS = for 30"W unit QKFD36SS = for 36"W unit QKFD42SS = for 42"W unit

How to Specify

Model:
 QKFDPM

How to Specify

Model:

QKSCD = Lock core and key **QKSCD1CK** = Channge key

Wey number (omit for change key): 001 to 025

QSS1830LFTL \$284 QSS1836LFTL \$316 QSS1842LFTL \$355 QSS1860LFTL \$482 QSS1872LFTL \$601 QSS1884LFTL \$741

Pricing	
Q99KFFB	\$2

Pricing	
QKFD30SS	\$54
QKFD36SS	\$58
QKFD42SS	\$63

Pricing	
QKFDPM	\$35

Pricing	
QKSCD	\$22
QKSCD1CK	\$6

Metal Filing



FINISHES & MATERIALS

Samples:

Samples of Kimball Office materials are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur between samples and finished products. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	See page
Program Overview	110
Finishes & Materials	111
For Casegoods & Tables	111
or Seating	112
For Systems	113
For Metal Filing	114
Panel Fabrics	115
Seating Fabrics	116
Contrasting Upholstery	117
Standard Regulation Testin	a 118



Program Overview

Finishes	➤See page 111
Panel Fabrics	115
Seating Fabrics	116

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Discontinuation Policy:


Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.



For Casegoods and Tables



Priority and contemporary table tops and bases feature our Pura® finish, a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs).

Senator and Traditional tables feature our conventional high-quality catalyzed lacquer or catalyzed varnish finish, incorporating the latest technology. Chemically cross-linked materials insure toughness, imprint and mar resistance, adhesion, stability against checking and chemical resistance for lasting beauty and low maintenance.

Key:

• = Available finish

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.
- See the Casegoods Price List for additional information on wood finish characteristics, care, and maintenance.



For Seating

		/	C Prof		Joba Mila	TOWN F		od F				de de	Jrn N	Paint
	Price Group	1	1	1	1	(4) k	-'/ 4		7	2 0	() (S / Q	3º/ C)`/<
Acapella		•	•	•	•									
Beo		•	•	•	•									
Bingo						•	•		•				•	
Campos												•		•
Collage		•	•	•	•									
Event										•				
Itsa												•		
Muirfield		•	•	•	•									
Poly													•	
Pose		•	•	•	•									
Stature		•	•	•	•									
Wish										•	•			
Wish Classic										•	•			

Key:

• = Available finish

All exterior wood surfaces feature a high quality catalyzed lacquer finish incorporating the latest technology. Chemically cross-linked materials insure toughness, imprint and mar resistance, adhesion, stability against checking and chemical resistance for lasting beauty and low maintenance.



For Systems

Key:

• = Available finish

					×		×	F	Paint	& PV	C Co	lors	×						×	×		L	amin	ates	
	6	80 M	OS 1	Sol to	MO 10	00 00 po	Solid Co	Sol 1	Addition of the second	and stone	200 Said	5/0	ddo die	Hour V	ABO AS	West Co	Ado C	long C	ASO FO	Mrite Mrite	A2O	and co	801 801	80°	oc lading
Price Group	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1
Interworks EQ																									
Panel Frames & Wireway Covers	•	•	•	•	•	•	•	•	•																
Top Caps	•	•	•	•	•	•	•	•	•																
Panel Hinges	•	•	•	•	•	•	•	•	•																
Traxx	•	•	•	•	•	•	•	•	•	•															
End Trim	•	•	•	•	•	•	•	•	•																
Trim Channels	•	•	•	•	•	•	•	•	•																
Footprint																									
Worksurfaces														•	•	•	•	•	•	•	•	•	•	•	•
Molded PVC Rim	•	•	•	•	•	•	•	•	•		•	•													
Wire Manager on Laminate	•	•	•	•	•	•	•	•	•																
Support for Interworks EQ	•	•	•	•	•	•	•	•	•																
Brackets for Interworks EQ			•																						
Metal Supports, Bases, Panels	•	•	•	•	•	•	•	•	•																
Flat Profile Storage	•	•	•	•	•	•	•	•	•																



For Metal Filing

Key:

• = Available finish

								P	aint	& PV	С											_amii	nates	6	
	\display \text{\ti}\\\ \text{\ti}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\text{\texi}\text{\text{\texi}\text{\text{\text{\text{\text{\text{\texi}\text{\text{\tex{	May May	O3 M	of A	NO NO	30 /8 50 /8	Signed	S GR	od Sal	ide da		A PHICA	Terry V	ABO AS	Neg C	Ado C	Not Of	Signal Signal	Mile Mile	adrite	AGO C	© (01/10)	860 C	GO S	the suppose of the su
Price Group	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	
LF Series	•	•	•	•	•	•	•	•	•																
Fundamental	•	•	•	•	•	•	•	•	•																
Universal File Tops													•	•	•	•	•	•	•	•	•	•	•	•	
Universal File Top PVC Rims	•	•	•	•	•	•	•	•	•	•	•														



Panel Fabrics

Finishes ➤See page 111 Seating Fabrics 116

Price Grade A

Crossroads

Price Grade: A

Content: 59.97% post-industrial

recycled polyester, 40.03% post-consumer recycled polyester

Light acrylic Backing: Pattern: Directional 7.5"H x 14.285"V Repeat:

Cleaning: WS

Restrictions: Not available on Perks

tackboards

10303 Pewter 10307 Storm

Fusion

16105

16106

16110

Price Grade: A

Content:

84% post-industrial recycled polyester, 16% post-consumer recycled polyester

Pattern: Directional Repeat: 0.0" H x 1.212" V Cleaning: S

Mineral Nickel Platinum

Tapestry

10246

Price Grade: Α Content:

60% pre-consumer recycled polyester,

Sterling

40% polypropylene Pattern: Directional Repeat: None WS Cleaning:

10241 Bark

Price Grade B

Linen

Price Grade: B

Content: 58% post-consumer recycled polyester, 42% pre-consumer recycled polyester Pattern: Directional 16.75"H x 20"V

Repeat: Cleaning: WS

2216 Paraffin 2275 Melba



Seating Fabrics

Key:

A = Heavy duty upholstery

= General contract upholstery

Price Grade 1

Disperse

Price Grade: 1

Content: 100% polyester, (62% recycled) Finish: Stain repellant

Backina: Latex 54"W Width: Repeat:

A 100,000 double rubs Abrasion:

Cleaning: WS

11750 Wasabi 11751 Meadow 11752 Oceanside 11753 Aquamarine 11754 Latte 11755 Scarlet 11756 Cocoa 11757 Midnight Blue 11758 Smoke 11759 Ash 11760 Cabernet 11761 Noir

Seasons

Price Grade: 1

Content: 50% pre-consumer recycled polyester, 50% post-consumer recycled polyester

Width: 54"W 4"H x 1.7"V Repeat:

A 50,000 double rubs Abrasion: Cleaning:

WS

10980 Almond 10981 Espresso 10982 Fern 10984 Lakeshore 10985 Nightline 10986 Ruby 10987 Slate

Soundbyte

Price Grade: 1 Content: 100% recycled polyester Finish: Scotchquard® 54"W Width: Repeat: 7"H x 35"V

A 30,000 double rubs Abrasion: WS

Cleaning:

10900 Cactus 10901 Carbon 10902 Heatwave 10903 Lakeshore 10904 Merlot 10905 Mudbath 10906 Poppy 10907 Safari 10908 Solar 10909 Topaz

Price Grade 2

Dolce (polyurethane)

Price Grade: 2 Content: Finish: Backing:

Width:

11900

100% polyurethane Superior Abrasion/ Silverguard 100% rayon 54"W

Repeat: A 400,000 double rubs Abrasion: Cleaning: WS: cleanable with diluted

bleach solution Restrictions: Not available on tack-

boards or fabric-covered

overheads

Black

11901 Mocha 11902 Meteor 11903 Artesian 11904 Indiao 11905 Peacock 11906 Grass 11907 Citron 11908 Fuschia 11909 Poppy 11910 Tangelo 11911 Burgundy 11912 Chocolate 11913 Lion 11914 Latte 11915 Ivory 11916 White 11917 Camel 11918 Mushroom

Spectrum

Price Grade: 2 Content:

20001

Finish: Backina: Width: Repeat:

100% pre-consumer recycled polyester Blockaide™ SBR latex 54"W None A 100,000+ double rubs

Mimosa

Abrasion: Cleaning:

WS

20022 Burgundy 20033 Pine 20039 Cornflower 20040 Ruby Chocolate 20045 20050 Camel 20062 Grev 20067 Navy 20072 Breeze 20079 Tangerine Charcoal 20081 20095 Red

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. This does not indicate that the fabric or application is deficient, but is considered a normal, inherent characteristic.

Some upholsteries (i.e. Essence. leathers and some woven fabrics) may relax over time creating a loosely upholstered appearance.

Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristic of leather.

Kimball Office will always ship a satisfactory commercial match. Because of industry dye-lot variation, colors may not match exactly.

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liguids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).



Seating Fabrics

continued

Key:

A = Heavy duty upholstery

= General contract upholstery

Twilight

Price Grade: 2

Content:

100% pre-consumer recycled polyester; Green-e certified

Blockaide™ Finish: Width: 54"W

Repeat: None

A 50,000 double rubs Abrasion:

Cleaning: WS

23101 Ocean 23103 Nightshadow 23104 Gaze 23105 Goldrush 23106 Saucv 23108 Rust 23109 Barley 23110 Espresso 23111 Bronze 23114 Willow 23115 Fresh 23116 Cinder 23117 Vapor 23119 Tangerine 23120 Nude

Price Grade 6

Essence/Ultraleather™

Price Grade: 6 Content: Backing: Width: Repeat:

100% polyurethane 100% reinforced rayon 54"W None

A 400.000 double rubs Abrasion: Cleaning: WS/B

3611 Light Oyster 3612 Red 3613 Wheat 3614 Stone 3615 Dove Grey 3617 White 3628 Midnight Metallic 3636 Chamois 3640 Garnet

Loden

Green Tea Metallic

3663 Walnut 3667 Taupe 3679 Raven 3683 Pecan 3690 Papyrus 3692 Admiral

3647

3651

Price Grade L7

Davenport

Abrasion:

Price Grade: L7 Content:

Top grain leather A 1,000+ cycles (Tabor Test)

70115 Black

Mesh

Applies to: Wish

8150 Sand 8151 Java 8152 Raven 8153 Grev Quick Silver 8154 8155 Magenta 8156 Yellow 8157 Moss 8158 Turquoise

Contrasting Upholstery:

Contrasting upholstery is defined by entire back and seat upholstery application. Contrasting upholstery is available on the following seating series:

- Beo
- Event (all models)
- Pose (lounge models)
- Wish (all models)

Select any contrasting Kimball Office. Alliance Program, COM, or COL upholstery.

IMPORTANT: When specifying contrasting fabric, use an electronic specification tools for pricing. If one is not available, you may contact Customer Service.

Special Applications:

Pose contrasting back upholstery applies to the cushion back only. Remainder of the chair (seat, arms, and outer shell) is contrasting.

Cleaning Codes:

Cleaning Code B

 Cleanable with diluted bleach solution

Cleaning Code WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Cleaning Leather:

Regular Cleaning

- · Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

Deep Cleaning

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Air drv.



Seating Fabrics

Flammability Standard Regulation Testing

Key:

= Complies with standard

	California	UFAC	Port Authority
	TB117-2013	Classification	of NY and NJ
Pattern	Section E	1 or A	(Method 5903)
Disperse	•	•	
Dolce	•	•	
Essence/Ultraleather™	•	•	
Seasons	•	•	
Soundbyte	•	•	
Spectrum	•	•	•
Twilight	•	•	•

TB117-2013

California Flammability Regulation #117-2013 is a set of minimum allowable standards of flammability to which all upholstered furniture sold in the State of California must comply. It relates primarily to fabric coverings and resilient fillings. All shipments of Kimball Office upholstery comply with Regulation #117-2013 and our invoices and law labels for such goods bear certification that our upholstered products comply.

UFAC

All Kimball Office seating is made in accordance with the Upholstered Furniture Action Council (UFAC) criteria to reduce chance of ignition by burning cigarettes.

TB133 Factor

TB133 factor is a full-scale fire test for furniture manufactured for public use in which an entire piece of furniture is tested as a unit. Kimball Office offers a wide variety of seating products that can be manufactured to meet TB133.

Double Upholstery Method

Kimball Office products are first upholstered with a fire barrier, the upholstery is then applied over the barrier. The addition of this barrier may slightly alter the comfort and/or aesthetics of the seating product.

Advisory

Purchaser must consult local fire and code official to determine the suitability of product being selected for any particular application.

Certain jurisdictions may require the use of additional fire retardants of composite flammability testing.
Kimball Office assumes no responsibility for composite testing or for compliance with any particular code or other flammability standards different than as contained in applicable catalog information unless such requirements are specified in writing by purchaser to Kimball Office prior to confirmation of order. Cost of additional flammability treatments or testing needs of purchaser shall be borne by purchaser.





RESOURCES

Contact Information:

Kimball Office

1600 Royal Street Jasper, Indiana 47549 800.482.1818 812.482.8300 (fax)

Government Sales Customer Service

800.647.2010

Order Size:

The Kwik Office program has a limited weekly volume capacity, with orders being entered on a first come, first served basis. Casegoods, Systems, and Metal Filing orders, individually, may not exceed \$100,000 list. Consult your Customer Service Team for any seating order with more than 20 of a specific model. Production schedules will be verified to ensure shipment within the time period listed above.

	➤See page
Terms and Conditions	120
Asset Tag Locations	120
Product Warranty	122
Warranty for Bingo	123
Operating Load Capacities	124
BIFMA Chair Testing	125
Andel Number Index	127

Page 119 Resources



Terms and Conditions

Resources

Product Warranty	➤See page	122					
Warranty for Bingo		123					
Operating Load Capacities							
BIFMA Chair Testing		125					

Ordering Procedures:

Purchase orders must be received with complete information, which includes the following:

- Complete/valid model numbers
- All textiles, finish, and material specifications for each line item.
- "Ship to" address and contact
- Special shipping instructions (tagging, requested dates, etc.)
- Billing address
- Net prices

Submit orders electronically via EDI or OrderXchange.

To order literature or check order status on-line, please visit us at **www.kimballoffice.com.**

The customer bears sole responsibility for order correctness. Orders are accepted only by issuance of Kimball Office's formal order confirmation and are subject to the terms and conditions set forth herein, notwithstanding any variance in terms and conditions set forth on buyer's order forms.

The order confirmation is the final agreement between the customer and Kimball Office and supersedes all prior oral, written or electronically transmitted statements regarding the order. Kimball Office will attempt to meet all requested ship or delivery dates. If no specific date is requested, we will assign the best possible ship date available.

Changes and Cancellations:

A confirmed order may not be changed or cancelled, in whole or in part, without prior written consent of Kimball Office. Expenses incurred because of the changes shall be charged to the Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Kimball Office. Changes may affect delivery dates.

No changes or cancellations will be accepted after order entry for non-standard lead time products including:

- Kwik Office offerings
- Engineer-to-Order (modified or non-standard products)
- Alliance program upholstery
- Customer's Own Material (COM)
- Customer's Own Leather (COL)
- Customer Specified Laminate (CSL)
- Customer Specified Paint (CSP)
- Mock Ups
- Service Parts/Replacements

Modified Product:

Our manufacturing flexibility allows us to accommodate requests for noncataloged product. We are happy to discuss your unique product requirements and determine feasibility and pricing.

➤ Contact **By Design** for assistance at 800.482.1616 extension 6002.

Finishes and Materials:

Wood Finish Color Matching

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. Kimball Office carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

Fabric Color Matching

Kimball Office will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

Terms and Pricing:

Net 30 days. If the invoice amount is not paid in full within the terms of the invoice, the invoice may be subject to a monthly finance charge equal to the lesser of 1.5% or the highest amount permitted by law. List prices include freight charges; however, they do not include:

- Storage and insurance charges
- Sales and other taxes
- Local delivery, unloading, or installation

These items will be invoiced as separate line items.

All prices herein are delivered list price, unless noted, effective December 2, 2013, and supersede all other published prices. Prices shown cover standard product only, additional charges will be applied for changes to standard product. Kimball Office reserves the right to change prices without prior notice. Prices herein are only for shipment within the continental United States or Canada.

Selling Information

Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Kimball Office customers. Kimball Office price lists and catalogs are not available to the general public.

Product Design:

Kimball Office reserves the right to make changes in design, specifications, and construction or discontinue products without prior notice.

Shipping/Freight:

Products are priced and will be delivered C.P.T. one contiguous U.S. destination, one Canadian destination or one port of exit, freight prepaid (Incoterms 2010). Title shall transfer with risk of loss.

Kimball Office reserves the right to select the most appropriate shipping terms.

Asset Tag Locations:

Bar code labels have been placed on all Kimball Office products.

Products with pedestals or lateral files

Underside of top drawer near front edge in right pedestal (if no right pedestal).

Highback organizers and overhead cabinets

Back left of tasklight facade.

Bookcases

Underside of lowest shelf (not bottom panel) on the left front edge. If glass shelves, top panel in cornice area.

Bridges and worksurfaces,

Underside of the top surface (user's side) on the front edge.

Tables

Underside of table top near the outside edge.

Metal filing

Underside of top drawer near front edge.

Seating

Underside of seat pan.

Page 120 Resources



Terms and Conditions

Resources

Product Warranty See page 122
Warranty for Bingo 123
Operating Load Capacities 124
BIFMA Chair Testing 125

continued

Delivery:

Normal delivery hours are 8:00 a.m. to 5:00 p.m. Monday through Thursday and 8:00 a.m. to 3:00 p.m. on Friday. Any delivery arrangements made outside of normal delivery times are subject to additional charges.

See at right.

Any charges incurred because of failure to receive a shipment or offload a shipment in a timely manner (maximum time allowed to offload trailer: 3 hours), will be billed to the sold-to customer.

Any charges as a result of rerouting a shipment while in transit will be billed to the sold-to customer.

Any order requiring **Special Delivery Service** will incur additional charges. All such requirements must be noted on the purchase order. These are services that are not included in the standard price of the product or require the usage of specialized carriers. These services include:

- Weekend delivery (after 3:00 p.m. Friday through Sunday evening) minimum \$500 charge.
- Inside delivery—minimum \$50 charge.
 Note: Must be approved and coordinated 10 days prior to shipment.
- Non-dock delivery—minimum \$50 charge.
- JIT delivery (specific day and/or time)—Orders under \$25,000 list will incur a \$125 charge.

 Rush delivery (1-3 days from ship date)—Contact Customer Service for charges.

Carrier Selection

Kimball Office reserves the right to select the most appropriate mode of shipment. Kimball Office relinquishes all responsibility for goods shipped upon a clean receipt from the carrier. Customer bears the risk of loss or damage during shipment.

Packaging

Kimball Office's standard method of shipping is to carton all items. Certain full truck load shipments may qualify for special consideration. Contact Kimball Office for guidelines. International shipments can be crated at the customer's request. The expense of crating will be the responsibility of the customer.

Palletizing

Kimball Office may elect to palletize key products on projects when it effectively reduces carton waste and improves stability within the shipment.

Loss, Damage, or Delay

Kimball Office shall not be liable for loss, damage, detention or delay resulting from causes beyond its reasonable control including but not limited to fire, strike, weather, wreck or delay in transportation. In the event of delay due to any such cause, the delivery date will be postponed by such length of time as may be reasonably necessary to compensate for the delay.

Storage

If the customer requests a change of ship date and the product is in production, Kimball Office reserves the right to transfer the product to storage at the customer's risk and expense. All requests to store product must be approved by Kimball Office Customer Service and may be subject to storage fees. Such transfer to storage will be deemed delivery to the customer for all purposes including insurance, liabilities, invoicing, and payment.

Returned Merchandise

Merchandise will only be accepted for return under the following conditions:

- ① The product is a "made to stock" item; and
- ② Return Goods Authorization (RGA) is given to you by your Customer Service Team.

All returns are subject to a 50% restocking fee. All freight charges for returned product are the responsibility of the customer. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packed and protected in the original cartons. Upon receipt, all returned merchandise will be thoroughly inspected. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Claim Process:

All products produced by Kimball Office are carefully inspected and properly cartoned prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortages, or delivery has been delayed by the transportation carrier, the following

steps must be taken:

- ① Before signing for the merchandise, make notation of all visible damage, shortages and/or time of truck arrival on the bill of lading.
- ② Contact Customer Service within 15 calendar days of delivery receipt to report issue. We will advise whether a freight claim will need to be filed based on mode of transportation.
- ③ If claim must be filed, carrier must be contacted within 15 calendar days of delivery. Retain all shipping cartons for inspection by the carrier agent.
- 4 A copy of the Carrier Disposition Letter must be sent to Customer Service to receive additional credit on concealed damage issues via Redistribution/ LTL carrier shipments.

For Concealed Damage, follow steps 2 through 4.

Electronic Catalog and Specification Software:

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS collaborator™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.

Page 121 Resources



Product Warranty

Resources

Terms & Conditions ➤See page 120
Warranty for Bingo 123
Operating Load Capacities 124
BIFMA Chair Testing 125

Lifetime Assurance of Quality

Our Pledge:

Kimball Office stands behind the craftsmanship of our products. When brought to our attention, we will address warranty issues quickly and effectively.

Recommendations:

Facilities managers and users are urged to make periodic inspections to look for signs of structural fatigue, damage or potential failure that may occur as a result of daily handling and use. Inspections should include the structural joints, corner blocks, screws or fasteners, welds, and any other points of stress. If any problems are found, the product should be taken out of service and Kimball Office Customer Service should be contacted promptly at 800-482-1818.

Limited Product Warranty:

Kimball Office warrants that its products are free from defects in materials and workmanship given normal use and care for a lifetime of single-shift service. Normal use is defined as the equivalent of a single shift, 40-hour work week.

Exception: Itsa and Campos seating models are warranted for three-shift (24/7) service.

Exception: Some products and parts have limited warranty periods.

➤See lists at right.

At its option, Kimball Office will repair or replace with comparable product, free of charge to the customer, any product, part or component manufactured and/or sold by Kimball Office in North America after November 6, 2000, which fails under normal use as a result of such defect.

In the event that use of a product exceeds normal use as defined above, the warranty period for such product will be reduced to 12 years from date of manufacture, and the warranty for the product's components that fall under different warranty limitations, as listed at right, will be reduced to one-third of the original warranty.

This warranty is made by Kimball Office to the original customer for as long as the original customer owns and uses the product.

This warranty is only valid if the products are given normal and proper use, and installed or used in accordance with Kimball Office installation and/or application guidelines, and installed by an authorized Kimball Office dealer or agent. Kimball Office assumes no responsibility for repairs to products sustaining damages resulting from user modification, attachments to a product, misuse, abuse, alteration, or negligent use of our products.

EXCEPT AS EXPRESSLY SET FORTH ABOVE, THERE ARE NO OTHER WARRANTIES EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. WE EXCLUDE AND WILL NOT PAY CONSEQUENTIAL, PUNITIVE, OR INCIDENTAL DAMAGES UNDER THIS WARRANTY.

All warranties run from date of manufacture.

Warranty Periods:

Warranty periods are limited for certain products and/or component parts as follows:

10-Year Warranty

- Seating mechanisms
- Veneers
- Laminate
- Pneumatic lifts (cylinder assembly)

5-Year Warranty

- High-wear parts (such as casters, glides, drawer slides, moving chair arms)
- Electrical/power products
- Inflatable lumbar supports
- Lighting
- Desk sets
- Monitor arms
- Keyboard kits
- Covering materials (such as foam, mesh, most textiles, 3D laminate, and decorative trim)
- Marker Boards

3-Year Warranty

- Wool felt
- Custom products
- Carnegie Fabrics
- Itsa Mesh
- Campos Mesh

1-Year Warranty

• Fit lounge and headrest

Warranty Exclusions:

This warranty does not cover:

- The substitution of non-Kimball Office components for use in place of Kimball Office components
- Naturally occurring variations and differences in grain character and color between and within wood species
- Natural variations in marble and leather
- · Damage caused by a freight carrier
- Normal wear and tear arising from product use
- Damage resulting from improper use or storage of the product
- C.O.M. (Customer's Own Material) or any other non-standard material specified by the customer, including attributes such as appearance, durability, quality, performance, colorfastness, etc.
- Alliance program fabrics
- Fabric, leather, and felt fading and wear, discoloration from contact with liquids or change in color or texture caused by application of finishes (flame proofing, stain resistance)
- Alterations to the product not expressly authorized by Kimball Office
- Products considered to be of consumable nature (such as bulbs, light ballast, and certain electronic products)

Process for Warranty Issues:

- ① A customer should contact his or her dealer, who will contact Customer Service at 800-482-1818. The purchase order or acknowledgement number, model number, and a detailed description of the warranty issue should be provided. Serial numbers may be required before the claim can be processed.
- ② Customer Service will determine and pre-approve all resolutions to the claim, such as replacement units, service parts, and labor charges related to repair or redelivery of damaged or defective product.
- 3 Upon approval, a Case Number and resolution will be assigned to an authorized dealer, and all parts and components necessary for the repair/replace will be sent to the authorized dealer, which will carry out the resolution. The dealer should include the Case Number on all invoices for reimbursement once the warranty repair/replace has been completed. Kimball Office shall not be responsible for any unauthorized expenses. Kimball Office will only accept dealer invoices submitted within 90 days of the final approval by Customer Service; invoices received after 90 days will not be approved for dealer credit or payment. All warranty information should be sent to:

Kimball Office
ATTN: Customer Service
1600 Royal Street
Jasper, Indiana 47549
Telephone: 800.482.1818
800.647.2010 (Gov't Sales)

Page 122 Resources



Resources

Terms & Conditions	➤See page	120
Product Warranty		122
Operating Load Capa	cities	124
BIFMA Chair Testing		125

Our Pledge:

Kimball Office stands behind the craftsmanship of our products. When brought to our attention, we will address warranty issues quickly and effectively.

KVIK office

Recommendations:

Facilities managers and users are urged to make periodic inspections to look for signs of structural fatigue, damage or potential failure that may occur as a result of daily handling and use. Inspections should include the structural joints, corner blocks, screws or fasteners, welds, and any other points of stress. If any problems are found, the product should be taken out of service and Kimball Office Customer Service should be contacted promptly at 800-482-1818.

Limited Product Warranty:

Kimball Office warrants that its Bingo products are free from defects in materials and workmanship given normal use and care for **five years** of single shift service. Normal use is defined as the equivalent of a single-shift, 40-hour work week. Exceptions: Some products and parts have limited warranty periods.

➤See lists at right.

At its option, Kimball Office will repair or replace with comparable product, free of charge to the customer, any product, part or component manufactured and/or sold in North America after June 18, 2001, which fails under normal use as a result of such defect.

This warranty is made by Kimball Office to the original customer for as long as the original customer owns and uses the product.

This warranty is only valid if the products are given normal and proper use, and installed or used in accordance with Kimball Office installation and/or application guidelines, and installed by an authorized Kimball Office dealer or agent. Kimball Office assumes no responsibility for repairs to products sustaining damages resulting from user modification, attachments to a product, misuse, abuse, alteration, or negligent use of our products.

EXCEPT AS EXPRESSLY SET FORTH ABOVE, THERE ARE NO OTHER WARRANTIES EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. WE EXCLUDE AND WILL NOT PAY CONSEQUENTIAL, PUNITIVE, OR INCIDENTAL DAMAGES UNDER THIS WARRANTY.

Warranty Periods:

Warranty periods are limited for certain products and/or component parts as follows:

3-Year Warranty

(from the date of manufacture)

Custom products

Warranty Exclusions:

This warranty does not cover:

- The substitution of non-Kimball Office components for use in place of Kimball Office components
- Naturally occurring variations and differences in grain character and color between and within wood species
- · Damage caused by a freight carrier
- Normal wear and tear arising from product use
- Damage resulting from improper use or storage of the product
- Alterations to the product not expressly authorized by Kimball Office

Process for Warranty Issues:

- ① A customer should contact his or her dealer, who will contact Customer Service at 800-482-1818. The purchase order or acknowledgement number, model number, and a detailed description of the warranty issue should be provided. Serial numbers may be required before the claim can be processed.
- ② Customer Service will determine and pre-approve all resolutions to the claim, such as replacement units, service parts, and labor charges related to repair or redelivery of damaged or defective product.
- 3 Upon approval, a Case Number and resolution will be assigned to an authorized dealer, and all parts and components necessary for the repair/replace will be sent to the authorized dealer, which will carry out the resolution. The dealer should include the Case Number on all invoices for reimbursement once the warranty repair/replace has been completed. Kimball Office shall not be responsible for any unauthorized expenses. Kimball Office will only accept dealer invoices submitted within 90 days of the final approval by Customer Service; invoices received after 90 days will not be approved for dealer credit or payment. All warranty information should be sent to:

Kimball Office
ATTN: Customer Service
1600 Royal Street
Jasper, Indiana 47549
Telephone: 800.482.1818
800.647.2010 (Gov't Sales)

Page 123 Resources



Operating Load Capacities

Resources

Terms & Conditions	➤See page 120
Product Warranty	122
BIFMA Chair Testing	125

Component	Operating Load Capacity (Functional Loads)	Example						
Casegoods								
Desk/table <45"W	200 lbs. over 12" diameter area, concentrated loading							
Desk/table 45"W-72"W	200 lbs. over 12" diameter area, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs.						
Desk/table >72"W	Two 200 lb. loads over two 12" diameter areas, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 84"W = 324 lbs.						
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space Note: File drawers are to support hanging files only; they are not intended for bo	24"D x 18"W x 12"H = 88 lbs. ottom loading.						
Transaction counter, secondary surface <16"D, or and shelf	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.						
Adjustable keyboard support <36"W	66 lbs., distributive loading							
Writing shelf	25 lbs., distributive loading							
Extendible elements	.017 lb. per cubic inch of drawer interior filing space, distributive loading	24"D x 15"W x 12"H = 73 lbs.						
Center/pencil drawers	5 lbs., distributive loading							
Storage or bookcase top <38"H	200 lbs. concentrated loading .20 lb. per square inch of surface area, distributive loading	24"D x 36"W = 173 lbs.						
Storage or bookcase top 38"H-60"H	.20 lb. per square inch of surface area, distributive loading	24"D x 36"W = 173 lbs.						
Storage or bookcase top >60"H	.09 lb. per square inch of surface area, distributive loading	24"D x 36"W = 78 lbs.						
Storage or bookcase bottom	.017 lb. per cubic inch above surface, distributive loading (not more than 18"H)	24"D x 36"W x 18"H = 264 lbs.						
Systems								
Worksurface	200 lb.s over 12" diameter area, concentrated loading; 1.5 lb. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs. total weight (t.w.)						
Transaction counter	.017 lb. per cubic inch above surface (not to exceed 12"H), distrib. loading	12"D x 60"W = 147 lbs. t.w.						
Round and rectangular tables	1.5 lb. per inch of perimeter, distributive loading	36" dia. = 170 lbs. t.w. 36"D x 60"W = 288 lbs. t.w.						
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	24"D x 18"W x 12"H wood = 88 lbs. t.w. 24"D x 15"W x 12"H metal = 73 lbs. t.w.						
Pedestal shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distrib. loading	22"D x 30"W = 134 lbs. t.w						
Center-mount cabinet	.017 lb. per cubic inch above surface (not to exceed 12"H), distrib. loading	36"W x 12"H metal = 163.5 lbs. t.w						
Flipper door cabinet	Top shelf—NO load; Bottom shelf—.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading*	36"W x 16"H metal = 117 lbs. t.w. 36"W x 19"H wood = 140 lbs. t.w.						
Open shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distrib. loading	36"W x 19"H wood = 140 lbs. t.w.						
Lateral file drawers	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	30"W x 18"D x 12"H metal = 110 lbs. t.w. 30"W x 24"D x 12"H wood = 147 lbs. t.w.						
Bookcase and wardrobe shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distrib. loading	36"W x 8"D metal = 59 lbs. t.w. 36"W x 12"D wood = 88 lbs. t.w.						

The table at left lists the operating load capacities of various Kimball Office components. All Casegoods components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.5 2014 Desk/Table Products Test and X5.9 2012 Storage Units Test. All Systems components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.6 2015 Panel Systems Test, X5.5 2014 Desk/Table Products Test, and X5.9 2012 Storage Unit Test. The Operating Load Capacities listed represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.



MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITUR
MANUFACTURER'S ASSOCIATION

Cubic inches should be calculated using this formula:
Surface length x surface depth x height of available storage above the surface (limited to 12 inches above the surface for casegoods or 18 inches above the surface for systems and Perks)

Square inches should be calculated using this formula: Surface depth x surface width of available storage

Page 124 Resources



BIFMA and ANSI Chair Testing

Resources

Terms & Conditions ➤See page 120
Product Warranty 122
Warranty for Bingo 123
Operating Load Capacities 124

X5.1–2011 General Purpose Office Chair Tests X5.4–2012 Lounge and Public Seating Tests



Backrest Strength Test: Type **I**—back tilt chair, 200 lb. force applied, 300 lb. proof load. Type **II** & **III**—back tilt chair, 150 lb. force applied, 250 lb. proof load.



Base Test: Using 2500 lb. force for one minute, 2500 lb. proof load.



Drop Test: Using 225 lb. weight, 300 lb. proof load with 6" drop.



Swivel Cycle Test: 250 lb. on seat rotating base, 60,000 cycles at mid point and 60,000 lowest position.




Tilt Mechanism Test: 300,000 tilts with 225 lb. in seat.



Seat Durability Test: 125 lb. weight dropped onto seat 100,000 cycles.



Front Load Ease: 165 lb. alternating for 40,000 cycles.



Front Stability Test: Apply 135 lb. on front edge of seat while applying horizontal 4.5 lb. force at top of seat.




Rear Stability Test: 173 lb. on seat, no less than 20 lb. of pressure should be required to tip chair back.



Arm Strength Test—Downward Application: 169 lb. force applied downward at arm's weakest point, 253 lb. proof load.



Arm Strength Test—Outward
Application: 100 lb. force applied
outward at arm's weakest point, 150
lb. proof load.



Chair/Chair Base Durability Test: 2,000 cycles over obstruction, 98,000 over smooth along a 30" distance with a 250 lb. load.

Chair Testing:

The X5.1–2011 General Purpose Office Chair Tests and X5.4–2012 Lounge and Public Seating Tests were developed by the Business and Institutional Furniture Manufacturer's Association (BIFMA) and approved by the American National Standards Institute (ANSI). These performance tests determine the stamina of seating in its day to day use.

Kimball Office is a member of the Business and Institutional Furniture Manufacturer's Association.

Note: This testing does not serve as a warranty or guarantee. Generally, products within this price list meet or exceed the applicable BIFMA/ANSI standards.

Page 125 Resources



BIFMA and ANSI Chair Testing

Resources

Terms & Conditions	➤See page 120
Product Warranty	122
Warranty for Bingo	123
Operating Load Capa	acities 124

continued



Backrest Durability Test:

Type **I**—with 225 lb. on seat with chair fully reclined with 100 lb. force, 80,000 cycles. Type **II** & **III**—with 225 lb. on seat and tilting with 75 lbs. force, 80,000 cycles. After 80,000 are complete, 40,000 will be off center testing.



Leg Strength Test—Front Application: 75 lb. force applied, 113 lb. proof load.



Leg Strength Test—Side Application: 75 lb. force applied, 113 lb. proof load.




Footrest Durability Test: 200 lb. weight applied along a 4" length of the footrest, 50,000 cycles.

Footrest Vertical Static Load Test: 200 lb. functional load, 300 lb. proof load.



Arm Durability Test: Apply 90 lb. force at 10° angle for 60,000 cycles.



Out Stop Test for Chairs with Manually Adjustable Seat Depth:

163 lb. forward force with 55 lb. downward force for 25 cycles.



Tablet Arm Test—Static: 150 lb. load level for 1 minute.



Table Arm Load Ease Test— Cyclic: 77 lb. dropped onto tablet center surface for 100,000 cycles.

Page 126 Resources



Resources

Terms & Conditions	➤See page 120
Product Warranty	122
Warranty for Bingo	123
Operating Load Capa	acities 124

Model ➤See page	Model ➤See page	Model ▶See page	Model ➤See page	Model ➤See page
K50A31	Q10P18HTC	Q10P42CNT	Q10P62CNV	Q10PCNXTC159
K50GB31	Q10P20CNHL57	Q10P42CNV	Q10P62CNWMP65	Q10PCNYTC159
K50N31	Q10P20CNHLL58	Q10P42CNWMP65	Q10P62EC61	Q10PCPDPEP70
K50SN31	Q10P20EDCI72	Q10P42EC 61	Q10P62EDCL	Q10PCPDPLP70
K75CFMBBSL29	Q10P20HTC 62	Q10P42ED66	Q10P62EDCT	Q10PCPDPSP70
K75CFMBWSL 29	Q10P24CNHL57	Q10P42EDCL	Q10P66CNETP 64	Q10PECP171
K75CSHBBSL29	Q10P24CNHLL58	Q10P42EDCT	Q10P66CNL	Q10PECPE1 67
K75CSHBWSL29	Q10P24ED66	Q10P42EHPA69	Q10P66CNS 64	Q10PEFPE1E 67
K75CSMBBSL29	Q10P24EDCI72	Q10P46CNHL57	Q10P66CNT 55	Q10PEFPE1L67
K75CSMBWSL 29	Q10P24HTC 62	Q10P46CNHLL58	Q10P66CNV 55	Q10PEFPE1S 67
K95MBKB139	Q10P26CNHL57	Q10P46EDCI72	Q10P66CNWMP65	Q10PEHCC68
K95MBKB439	Q10P26CNHLL58	Q10P46HTC 62	Q10P66EC61	Q10PEHEC
K95MBSB1	Q10P26EDCI72	Q10P48CNL	Q10P66EDCL	Q10PEHJB68
K95MBSB439	Q10P26HTC 62	Q10P48CNS 64	Q10P66EDCT	Q10PEHRCP71
K95MCRB139	Q10P28CNHL57	Q10P48CNT	Q10P6CNHL 57	Q10PEHSC
K95MCRB439	Q10P28CNHLL58	Q10P48CNV	Q10P6CNHLL58	Q10PEHSFP 68
K95MKWB139	Q10P28EDCI72	Q10P48CNWMP65	Q10P6HTC 62	Q10PEJA66
K95MKWB439	Q10P28HTC 62	Q10P48EC61	Q10P80CNL 55	Q10PEJB66
K95MTGB1	Q10P30ED66	Q10P48ED66	Q10P80CNS 64	Q10PEJC66
K95MTGB439	Q10P30EHPA69	Q10P48EDCL	Q10P80CNT 55	Q10PER167
K95TD39	Q10P32CNHL57	Q10P48EDCT	Q10P80CNV 55	Q10PER267
Q10ATMC	Q10P32CNHLL58	Q10P48EHPA69	Q10P80CNWMP65	Q10PER367
Q10P04EDCI72	Q10P32EDCI72	Q10P4CNHL57	Q10P80EC61	Q10PER467
Q10P06EDCI72	Q10P32HTC 62	Q10P4CNHLL	Q10P80EDCL	Q10PER567
Q10P08EDCI72	Q10P34CNL	Q10P4HTC 62	Q10P80EDCT	Q10PESPE1P 67
Q10P12CNHL57	Q10P34CNS 64	Q10P54CNL	Q10P8CNHL 57	Q10PRT2R68
Q10P12CNHLL	Q10P34CNT	Q10P54CNS 64	Q10P8CNHLL58	Q10PSBPNCL54
Q10P12EDCI72	Q10P34CNV	Q10P54CNT	Q10P8HTC 62	Q10PSBPNCS54
Q10P12HTC 62	Q10P34CNWMP65	Q10P54CNV	Q10PCNIFC60	Q10PSBPNCT54
Q10P14CNHL57	Q10P34EC61	Q10P54CNWMP65	Q10PCNIL	Q10PSBPNCX54
Q10P14CNHLL	Q10P36ED66	Q10P54EC61	Q10PCNLTC1 59	Q10PSBSPCR54
Q10P14EDCI72	Q10P36EHPA69	Q10P54EDCL	Q10PCNLTC2 59	Q11P12CNHT56
Q10P14HTC 62	Q10P38CNHL57	Q10P54EDCT	Q10PCNTTC159	Q11P12HLT63
Q10P18CNHL57	Q10P38CNHLL58	Q10P60ED66	Q10PCNTTC259	Q11P14CNHT56
Q10P18CNHLL	Q10P38EDCI72	Q10P60EHPA69	Q10PCNTTC359	Q11P14HLT63
Q10P18EDCI72	Q10P38HTC 62	Q10P62CNL	Q10PCNTTC459	Q11P1834A51
Q10P18EPTA66	Q10P42CNL 55	Q10P62CNS 64	Q10PCNTTC559	Q11P1842A51
Q10P18EPTB66	Q10P42CNS 64	Q10P62CNT	Q10PCNTTC659	Q11P1848A52

Page 127 Resources



Resources

Terms & Conditions	➤See page 120
Product Warranty	122
Warranty for Bingo	123
Operating Load Capa	cities 124

continued

Model	➤See page	Model	➤See page	Model	➤See page	Model	➤See page	Model	➤See page
Q11P1854A	52	Q11P38HLT	63	Q12S2415PUFFM.	86	Q95-7D		QFND18365SC	104
Q11P1862A	53	Q11P4234A	51	Q12S3015PUBBFM	I 86	Q95-A	35	QFND1836LFSHP	105
Q11P1866A		Q11P4242A		Q12S3015PUBFM.			22	QFND1836OF	104
Q11P1880A		Q11P4248A	52	Q12S3015PUFFM.	86	Q99K2208KK1 .	22	QFND1836WB	105
Q11P18CNHT	56	Q11P4254A	52	Q22-2832V	38	Q99K2319KKS1	22	QFND18422	102
Q11P18HLT	63	Q11P4262A	53	Q22-2833V	38	Q99KCPUH	22	QFND18422SC	104
Q11P20CNHT	56	Q11P4266A	53	Q22-5032V	38	Q99KELDM	23	QFND18423	102
Q11P20HLT	63	Q11P4280A	53	Q4610	33	Q99KELPM	23	QFND18423SC	104
Q11P2434A	51	Q11P46CNHT	56	Q4620	33	Q99KELPS	23	QFND18424	102
Q11P2442A	51	Q11P46HLT	63	Q53K2436LFF2L01	9	Q99KFB	22	QFND18424SC	104
Q11P2448A	52	Q11P4834A	51	Q53K2436LFF2W0 ⁻	1 9	Q99KFFB	22, 106	QFND18425	102
Q11P2454A	52	Q11P4842A		Q53K2442BEFL01		QCBS2716CY	19	QFND18425ADA.	103
Q11P2462A		Q11P4848A		Q53K2442BEFW01	8		NX 19	QFND18425LD	102
Q11P2466A		Q11P4854A	52	Q53K2448BEFL01	8	QCCS4896RCW	1JNX 19	QFND18425SC	104
Q11P2480A	53	Q11P4862A	53	Q53K2448BEFW01		QCCS48RDW1JI	NX 19	QFND1842LFSHP	105
Q11P24CNHT	56	Q11P4866A	53	Q53K2448RLEFL20		QFBG	82	QFND18420F	104
Q11P24HLT	63	Q11P4880A		Q53K2448RLEFW2		QFND18302	102	QFND1842WB	105
Q11P26CNHT		Q11P4CNHT		Q53K2448RREFL20			104	QFNDACW	103
Q11P26HLT		Q11P4HLT	63	Q53K2448RREFW2		QFND18303	102	QHIT1236A	74
Q11P28CNHT		Q11P6034A		Q53K2472CKFL201		QFND18303SC.	104	QHIT1836A	74
	63	Q11P6042A		Q53K2472CKFW20			102		74
Q11P3034A		Q11P6048A		Q53K2472CLFL201			104	QHIT3036A	74
Q11P3042A		Q11P6054A		Q53K2472CLFW20			102		74
Q11P3048A		Q11P6062A		Q53K2472CRFL201			103		74
Q11P3054A		Q11P6066A		Q53K2472CRFW20			102		74
Q11P3062A		Q11P6CNHT		Q53K3653BCOFL0			104		74
Q11P3066A		Q11P6HLT		Q53K3653BCOFW0			⊃105		74
Q11P3080A		Q11P8CNHT		Q53K3667BCOFL0			104		82
Q11P32CNHT		Q11P8HLT		Q53K3667BCOFW0			105		82
Q11P32HLT		Q12S1830FCBBLM.		Q53K3672DLFBL10			102		85
Q11P3634A		Q12S1830FCBBRM		Q53K3672DLFBW1			104		83
Q11P3642A		Q12S1830LFU2M		Q53K3672DRFBL10			102		83
Q11P3648A		Q12S1836LFU2M		Q53K3672DRFBW1	•		104		82
Q11P3654A		Q12S1842LFU2M		Q53K7238HBHL01					82
Q11P3662A		Q12S2415PMBBFM		Q53K7238HBHW01					83
Q11P3666A		Q12S2415PMFFM		Q95-1D		Q 12 . 0000			82
Q11P3680A		Q12S2415PUBBFM		Q95-2D			103		82
Q11P38CNHT	56	Q12S2415PUBFM	86	Q95-6D	35	QFND18365LD .	102	QIBRWSER	82

Page 128 Resources



Resources

Terms & Conditions	➤See page 120
Product Warranty	122
Warranty for Bingo	123
Operating Load Capa	acities 124

continued

Model ➤See pag	e Model	➤See page	Model	➤See page	Model	➤See page	Model	➤See page
QIBSC	1 QIF8823M	84	QK20TMAUCA .	44	QLFCW42	99	QSS24363624W	/SCSL 78
QIBTCBL18	2 QIF9423M	84	QK20TMPMHA.	43	QLFF18302	98	QSS2436WSSL	77
QIBTCBR18.		90	QK20TMPUHA .	44	QLFF18303	98	QSS24424224W	SCCL
QIBTWS		90	QK20TUPU2D	45	QLFF18304	98		/SCSL 78
QIF0727CP 8		89	QK20TUPUHA		QLFF18305	98	QSS2442WSSL	77
QIF0827RS	3 QIS143009OS	90	QK35AA	40	QLFF18305LD	98	QSS24484824W	SCCL
QIF1227RS	3 QIS143016OS.	90	QK35BB	40	QLFF18362	98	QSS24484824W	/SCSL78
QIF1227WSP8	3 QIS143016RP	89	QK35JJ	40	QLFF18363	98	QSS2448WSSL	77
QIF1827H	3 QIS143609OS	90	QK35KK	40	QLFF18364	98	QSS2454WSSL	77
QIF2023M	4 QIS143616OS	90	QK35T242416W	41	QLFF18365	98	QSS24606024W	SCCL79
QIF2423M	4 QIS143616RP	89	QK35T244816W	41	QLFF18365LD	98	QSS2460WSSL	77
QIF2427F8	3 QIS144209OS	90	QK35T303016W	41	QLFF18422	98	QSS2466WSSL	77
QIF2623M	4 QIS144216OS	90	QK38AA	37	QLFF18423	98	QSS2472WSSL	77
QIF3023M 8	4 QIS144216RP	89	QK38BB	37	QLFF18424	98	QSS2478WSSL	77
QIF3027F8	3 QIS144809OS	90	QK38CC	37	QLFF18425	98	QSS2484WSSL	77
QIF3223M 8	4 QIS144816OS.	90	QK38DD	37	QLFF18425LD	98	QSS2490WSSL	77
QIF3423M 8	4 QIS144816RP	89	QK46AA	28	QSN1537CPB	16	QSS2496WSSL	77
QIF3623M	4 QIS145409OS.	90	QK570H01	36	QSN1539CPTW	16	QSS3024WSSL	77
QIF3627F8	3 QIS145416OS.	90	QK58BT	30	QSN2439LFF2W	15	QSS3030TTSQL	81
QIF3823M 8	4 QIS145416RP	89	QK58ET		QSN2439LFF4W	15	QSS3030WSSL	77
QIF4023M	4 QIS146009OS.	90	QKAC7016TBK16	6105 10	QSN2475C	15	QSS3036WSSL	77
QIF4223M	4 QIS146016OS.	90	QKCU25TL	17	QSN2475CKFWI	MX15	QSS30424230W	SCCL79
QIF4423M	4 QIS146016RP	89	QKCU49TL	17	QSN2475CSFWI	ИX 15	QSS30424230W	/SCSL78
QIF4623M	QIOT 11 20000.	90	QKFD30SS	106	QSN2551BEFHV	VMG14	QSS3042WSSL	
QIF4823M		90	QKFD36SS	106	QSN2551R	14		SCCL
QIF5023M		89	QKFD42SS	106	QSN3066D	14	QSS30484830W	/SCSL78
QIF5223M	4 QISBRKC	91	QKFDPM	106	QSN3648BCO	16	QSS3048WSSL	77
QIF5423M	4 QISBRKT	91	QKFI01	34	QSN3672D	14	QSS3054WSSL	77
QIF5623M	QIODITITIOO	91	QOE	34	QSN3672DDFW	MX 14		SCCL79
QIF5823M		42		106	QSS1830LFTL	106	QSS3060TTRTL	81
QIF6023M		42	QKSCD001	86, 87, 88, 89	QSS1836LFTL	106	QSS3060WSSL	77
QIF6423M		42	QKSCD1CK	86, 87, 88, 89	QSS1842LFTL	106	QSS3060WSUC	L 80
QIF6623M		32	QKSU14TL	92		106	QSS3060WSUL	80
QIF6823M		36	QKSU25TL		QSS1872LFTL	106	QSS3066WSSL	77
QIF7023M		32		92		106	QSS3066WSUC	L 80
QIF7423M	. GILLODI	46	QKSU49TL	92		77	QSS3066WSUL	80
QIF8023M		43	QLFCW30			77		81
QIF8223M	4 QK20TMAU2D.	44	QLFCW36	99	QSS24363624W	SCCL79	QSS3072WSSL	77

Page 129 Resources



Resources

Terms & Conditions	➤See page 120
Product Warranty	122
Warranty for Bingo	123
Operating Load Capa	acities 124

continued

Model	➤See page
QSS3072WSUCL	80
QSS3072WSUL	80
QSS3078WSSL	
QSS3084WSSL	77
QSS3090WSSL	
QSS3096WSSL	77
QSS30TTRNL	
QSS3636TTSQL	81
QSS3660TTRCL	
QSS3660TTRTL	
QSS3660WSUCL	80
QSS3660WSUL	80
QSS3666WSUCL	80
QSS3666WSUL	
QSS3672TTRCL	
QSS3672TTRTL	
QSS3672WSSL	
QSS3672WSUCL	
QSS3672WSUL	
QSS3684TTRCL	
QSS36TTRNL	
QSS4242TTSQL	
QSS42TTRNL	
QSS48TTRNL	
QTB3-4W	
QTBS2627TP	
QTBS2627XP	
QTBS3427XP	
QTT2-42W	
QTTCFC	
QTTET02	
QTTET39	
QTTSP04	
QTTTC36N	
QTTTC36P	
QTTVCM20B	
QTTVCM20N	76

Model	➤See page
QTTWMT144	73
QTTWMT72	73

Page 130 Resources

KWIK OFFICE™ PRICE LIST

Effective December 2, 2013

Kimball*Office

Product details and other data are subject to change without notice.

Your Customer Service Team will be happy to answer any questions you may have.

KWIK OFFICE™ PRICE LIST

Revision Summary

This document provides a summary of revisions made to the price list since December 2, 2013.

These revisions are effective April 15, 2014.

Additions

None.

Changes

April 2014

None.

Clarifications

Kimball Office panel fabric restriction added:

- Crossroards is not available on Perks tackboards
- ➤See page 111.

Kimball Office upholstery fabric restriction added:

- Dolce (polyurethane) is not available on tackboards or fabric-covered overheads
- ➤See page 112.

Corrections

Disperse seating upholstery abrasion test rating has been corrected to 100,000 double rubs.

►See page 112.

Deletions

None.

Form No. PLRKWIK Ver. 0414

KWIK OFFICE™ PRICE LIST

Revision Summary

This document provides a summary of revisions made to the price list since April 15, 2014.

These revisions are effective June 23, 2014.

Additions

None.

Changes

June 2014

Updates to the Finishes and Materials chapter have been made to reflect the current offering. ➤See page 105.

Clarifications

➤See page 120.

BIFMA/ANSI: 100% of the products manufactured by Kimball Office are level® certified.

See page 4.

Product warranty has been updated to reflect that Itsa and Campos seating lines have a "normal" use classification and warranted for 3-shift, 24/7 service. Itsa Mesh and Campos Mesh models have a warranty period of 3 years.

Corrections

None.

Deletions

None.

Form No. PLRKWIK Ver. 0614

KWIK OFFICE™ PRICE LIST

Revision Summary

This document provides a summary of revisions made to the price list since June 23, 2014.

These revisions are effective October 1, 2014.

October 2014

Additions

Alumma seating is available on Kwik Office.

➤See page 29.

Collage seating is available in grade L7 leather.

➤See page 31.

Changes

All pricing has been updated to reflect the price adjustment effective October 1, 2014.

Shipping/freight terms have been changed.

➤See page 120.

Laminate is warranted for a period of 10 years.

➤See page 122.

Clarifications

None.

Corrections

Model number, dimensions, and how to specify steps for Senator bookcase base have been corrected.

➤See page 16.

Pose lounge models require the specification of the finish as part of the base model. How to specify steps have been revised.

➤See page 41.

Deletions

Spectrum seating fabric in Sand and Black are no longer available on Kwik Office.

➤See page 114.

Kimball Office

KWIK OFFICE™ PRICE LIST

Revision Summary

This document provides a summary of revisions made to the price list since October 1, 2014.

These revisions are effective December 15, 2014.

Additions

None.

Changes

December 2014

Terms and Conditions have been revised to include an updated list of alliance partner names in the "no cancellations or changes" paragraph as follows:

- Alliance program upholstery (Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, Ultrafabrics)
- ➤See page 120.

Product Warranty has been revised. Thermofoil is now called 3D laminate in the 5-year warranty section. The Alliance partner list has been updated in the warranty exclusions section as follows:

- Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, Ultrafabrics alliance programs
- ►See page 122.

Clarifications

Plastic rim is now referred to as PVC rim throughout the price list.

Corrections

None.

Deletions

Chamois laminate is no longer available.

➤See pages 111 and 112.

KWIK OFFICE™ PRICE LIST

Revision Summary

This document provides a summary of revisions made to the price list since December 15, 2014.

These revisions are effective April 10, 2015.

April 2015

Seating

Models numbers for Poly in Tangerine or Kiwi mesh have been corrected as follows: Single Side Chairs

- Kiwi mesh (K95MKWB1)
- Tangerine mesh (K95MTGB1) Set of Four Side Chairs
- Kiwi mesh (K95MKWB4)
- Tangerine mesh (K95MTGB4)
- ➤See page 39.

Several Wish high-performance task models are now available on Kwik Office.

➤See pages 43-45.

Finishes & Materials

Minor updates have been made throughout this finishes and materials chapter to bring it up to date and make it more consistent with our other price lists.

Resources

Minor updates have been made throughout the Resources chapter to bring it up to date and make it more consistent with our other price lists.