

PERKS® Price List




This price list is effective March 16, 2015 and supercedes all previously printed or electronically released versions.

➤ See page


General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Kwik Office Program	4
Sustainability	5
Accessories & Tools	7
Statement of Line	7
Features Overview	12
Pricing & How to Specify	13
Technology Management	25
Statement of Line	25
Features Overview	27
Pricing & How to Specify	29
Perks Power Systems	41
Statement of Line	41
Features Overview	42
Product Information	43
Single-Circuit Guidelines	44
Four-Circuit Guidelines	45
Hardwire Guidelines	48
Pricing & How to Specify	49
Finishes and Materials	55
Resources	67
Terms and Conditions	68
Product Warranty	70
BIFMA and U.L. Information	71
Model Number Index	72

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.


We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.




Statement of Line provides a snapshot of the entire product line. We've included an illustration and page cross references to the applicable pricing and how to specify pages.




Overviews offer a quick look at the distinguishing features of the product line.




Product Information and Application Guidelines pages provide detailed information about the product, connections that can be made with other models, and planning factors.




Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.

 icon indicates models that are available for quick shipment.
➤ See the Kwik Office Price List.



Look in the Finishes and Materials section to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Use the Resources in the back of the price list. This repository of useful information includes Terms and Conditions, Warranty, Operating Load Capacities. You'll also find a model number index with references to the appropriate pricing page.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

Complete specifications are built by following a set of steps. These “How to Specify” steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ①, ②, or ③) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS collaborator™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.

PERKS®
Accessories & Tools

Collaboration Tools

Pricing

Features ▼ See page 12
Finishes & Materials ▼
Resources ▼ 71

Mobile Screens

Q24 024 111 &
COM Q24 Non-Contact

D	W	H	Model	Fabric Price Grade A or COM B C D E			
Fabric Starter Screen							
19"	23 1/2"	67 1/2"	99K2468MSSF	\$514	\$548	\$574	\$610
22 1/2"	23 1/2"	67 1/2"	99K3068MSSF	\$40	\$82	\$12	\$68
Fabric Add-On Screen							
19"	23 1/2"	67 1/2"	99K2468MSAF	\$514	\$548	\$574	\$610
22 1/2"	23 1/2"	67 1/2"	99K3068MSAF	\$40	\$82	\$12	\$68
Translucent Starter Screen							
19"	23 1/2"	67 1/2"	99K2468MSS7	\$521			
22 1/2"	23 1/2"	67 1/2"	99K3068MSS7				
Translucent Add-On Screen							
19"	23 1/2"	67 1/2"	99K2468MSA7	\$518			
22 1/2"	23 1/2"	67 1/2"	99K3068MSA7				
Markerboard Starter Screen							
19"	23 1/2"	67 1/2"	99K2468MSSM	\$533			
22 1/2"	23 1/2"	67 1/2"	99K3068MSSM				
Markerboard Add-On Screen							
19"	23 1/2"	67 1/2"	99K2468MSAM	\$525			
22 1/2"	23 1/2"	67 1/2"	99K3068MSAM				

Standard Includes

- Screen, fabric, translucent plastic, or 40M xg White markerboard
- Two cables on starter screens; one cable on add-on models

Planning Factors

A minimum of two posters are required for screens to stand. For safety and stability, the weight of screens must not exceed 110".

Only one starter screen can be used for each grouping. Additional screens must be add-ons.

How to Specify

Fabric

- ① Model
- ② Frame finish designator:
482 - Chirder
- ③ Plating materials (x10M)
- ④ Fabric grade
- ⑤ Fabric number

Translucent and Markerboard

- ① Model
- ② Frame finish designator:
482 - Chirder
- ③ Plating materials (x10M)

Expo or Expo® dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may have undesirable results when erased.

Page 23

Accessories & Tools

Expo or Expo dry erase markers are recommended for use on marker boards. Low color dry erase markers are not recommended, as they may leave undesirable results when erased.

Page 23

Accessories & Tools

Refer to the “standard includes” list to see what ships standard as part of the base model.

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the “How to Specify” steps.

Sample Specification:

The example below shows a complete model number for a **Fabric Mobile Screen**.

▶ See page 23 for the corresponding pricing table and How to Specify steps.

① ② ③ ④
99K2468MSSF 462 B 2216
Base Model

Pricing Table Abbreviations

D = Depth


W = Width

H = Height


Sustainability	➤ See page 5
How to Use this Price List	2
How to Specify Our Products	3

Kwik Office Perks products are available to ship within five business days upon receipt of a credit-approved order.

Model Numbers:

Models and finishes that are available on Kwik Office have been marked with a  icon in this price list.

Kwik Office model numbers are different from standard model numbers. Base model numbers for Kwik Office products include all options and finish designators.

The  icon on standard lead-time pricing pages indicates availability; it does not provide the correct model numbers and option designators for specifying. You must use the complete model numbers listed in the Kwik Office Price List.

Include only Kwik Office models on your order. Any orders containing non-Kwik Office products will be treated as such and entered at standard lead times. Indicate clearly at the top of your order "Kwik Office."

Changes and Cancellations:

No changes or cancellations will be accepted after order entry for Kwik Office products.

Order Size:

The Kwik Office program has a limited weekly volume capacity, with orders being entered on a first come, first served basis. Contact Customer Service for availability.

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤ Find more specific details regarding the environmental aspects of our product offerings at:
www.kimballoffice.com



ANSI/BIFMA level™

100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.



ecoScorecard™

Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.

➤ See how easy it is at
kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:

- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare



LEED® Certification

Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:

- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:

- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:

- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms



INDOOR AIR QUALITY Indoor Advantage | Furniture

Indoor Air Quality

One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE)

is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.

➤ For environmental data, visit our website at www.kimballoffice.com.



Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.



FSC-Certified Wood

Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.




Asset Network for Education

Worldwide, Inc. (ANew) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANew calls it "Doing what's right with what's left." We call it smart.


Features	➤ See page 12
Finishes & Materials	55
Resources	67




Classic Desk Pad
➤ See page 13 to specify.



Classic Paper Tray
➤ See page 13 to specify.




Classic Serving Tray
➤ See page 13 to specify.



Metro Desk Pad
➤ See page 13 to specify.



Metro Paper Tray
➤ See page 13 to specify.



Metro Wastepaper Basket
➤ See page 13 to specify.


Features	➤ See page 12
Finishes & Materials	55
Resources	67



Shelf

For use with:


- Metal slat tiles
 - Load bars
- See page 14 to specify.



Side Trays

For use with:

- Metal slat tiles
 - Load bars
- See page 14 to specify.



Pocket Organizer

For use with:

- Metal slat tiles
 - Load bars
 - Wall-mounted Traxx
 - Xsite Traxx
- See page 14 to specify.



Slant Sorter

For use with:


- Metal slat tiles
 - Load bars
- See page 14 to specify.



Binder Shelf

For use with:


- Metal slat tiles
 - Load bars
 - Wall-mounted Traxx
 - Xsite Traxx
- See page 14 to specify.



CD Holder

For use with:

- Metal slat tiles
 - Load bars
 - Wall-mounted Traxx
 - Xsite Traxx
 - Lower mobile table screens
- See page 15 to specify.



Hanging File Holder

For use with:


- Metal slat tiles
 - Load bars
 - Wall-mounted Traxx
 - Xsite Traxx
 - Lower mobile table screens
- See page 15 to specify.



Memo Tray

For use with:


- Metal slat tiles
 - Load bars
 - Wall-mounted Traxx
 - Xsite Traxx
- See page 15 to specify.



Pencil Tray

For use with:


- Metal slat tiles
 - Load bars
 - Wall-mounted Traxx
 - Xsite Traxx
- See page 15 to specify.



Note Poster

For use with:


- Metal slat tiles
 - Wall-mounted Traxx
 - Xsite Traxx
- See page 15 to specify.



Load Bars

For use with:

- Cetra or Interworks EQ panels
 - Wall brackets
- See page 16 to specify.



Wall Brackets

For use with:

- Load bars
- See page 16 to specify.

Features	➤ See page 12
Finishes & Materials	55
Resources	67



Accessory Dish

For use with:

- Slat tiles
 - Wall-mounted Traxx
- See page 17 to specify.



Utility Tray

For use with:


- Slat tiles
 - Wall-mounted Traxx
- See page 17 to specify.



Binder Shelf

For use with:

- Slat tiles
 - Wall-mounted Traxx
- See page 17 to specify.



Shelf

For use with:

- Slat tiles
 - Wall-mounted Traxx
- See page 17 to specify.



CD Holder

For use with:


- Slat tiles
 - Wall-mounted Traxx
- See page 18 to specify.



Pencil Cup

For use with:

- Slat tiles
 - Wall-mounted Traxx
- See page 18 to specify.



Hanging File Holders

For use with:


- Slat tiles
 - Wall-mounted Traxx
- See page 18 to specify.



Phone Holder

For use with:


- Slat tiles
 - Wall-mounted Traxx
- See page 18 to specify.



Paper Tray

For use with:


- Slat tiles
 - Wall-mounted Traxx
- See page 18 to specify.



Slant Sorter

For use with:

- Slat tiles
 - Wall-mounted Traxx
- See page 18 to specify.



Accessory Tray

For use with:


- Slat tiles
 - Wall-mounted Traxx
- See page 18 to specify.



File Pocket

For use with:

- Slat tiles
 - Wall-mounted Traxx
 - Xsite storage tiles
 - Xsite tip-out drawers
 - Standard file drawers
- See page 19 to specify.



Photo/Document Display


For use with:

- Slat tiles
 - Wall-mounted Traxx
 - Xsite Traxx
- See page 19 to specify.


Organizational Tools

Statement of Line


Features	➤ See page 12
Finishes & Materials	55
Resources	67



Carousel Center Drawer
➤ See page 20 to specify.




Carousel Tray
➤ See page 20 to specify.




Center Drawer
➤ See page 20 to specify.




Wood Center Drawer
Available in paint and wood finishes.
➤ See page 20 to specify.




Pencil Tray
➤ See page 20 to specify.



Drawer Organizer
➤ See page 20 to specify.



Box Drawer Dividers
➤ See page 21 to specify.




Overhead/Shelf Dividers
➤ See page 21 to specify.




CD Holder
➤ See page 21 to specify.




Coat Hook
➤ See page 21 to specify.



Utility Hook
➤ See page 21 to specify.




Front-to-Back File Bars
➤ See page 22 to specify.




Side-to-Side File Bars
➤ See page 22 to specify.

Features	➤ See page 12
Finishes & Materials	55
Resources	67




Mobile Screens

Available in fabric, translucent, and markerboard models.
➤ See page 23 to specify.




Wall-Mount Tackboards

➤ See page 24 to specify.



Wall-Mount Markerboards

➤ See page 24 to specify.



Hanging Markerboard Tile

➤ See page 24 to specify.



Name/Sign Holder

➤ See page 24 to specify.

Statement of Line	➤ See page 7
Finishes & Materials	55
Resources	67

Name/sign holders are available for an aesthetically pleasing method of identifying and personalizing your workspace.

Coat hook helps keep your workspace clear for more usable space.

Classic and metro desk set accessories help organize the workplace. Classic accessories provide a traditional feel with black faux leather and contrasting accent stitching. Metro accessories are available for more contemporary workspaces and is available in both silver and anthracite.

Technology management accessories are available to help manage computer needs.

➤ See the Technology Management chapter.



Carousel trays and center drawers provide convenient undersurface storage. Carousel trays rotate 360°.

Work tools, available in metal or plastic, provide storage up off of the work surface.

Hanging markerboard tile hangs from Xsite Traxx, metal slat tiles, or lower mobile table screens. It can be moved easily around the workspace to keep the creativity flowing.

Organizational tools, such as pencil trays and drawer organizers, provide more functionality to storage units.

Mobile screens provide visual privacy and divide space.



Desk Accessories


Pricing

GSA SIN 711-8


Features	➤ See page 12
Finishes & Materials	55
Resources	67




D	W	H	Model	Price
Classic Collection				
Desk Pad				
16"	22 ⁵ / ₈ "	1 ¹ / ₈ "	99K1623DPLB	\$341




Paper Tray				
15 ¹⁵ / ₁₆ "	9 ⁵ / ₈ "	1 ³ / ₄ "	99K1610SPTLB	\$318




Serving Tray				
13"	21"	1 ³ / ₄ "	99K1321STB	\$658



Metro Collection				
Desk Pad				
15 ³ / ₄ "	21 ⁵ / ₈ "	1 ¹ / ₁₆ "	99K1622DP	\$239



Stackable Paper Tray				
13 ¹ / ₂ "	9 ⁵ / ₈ "	2 ¹ / ₈ "	99K1310SPT	\$135



Wastepaper Basket				
9 ⁵ / ₈ " dia.	12 ³ / ₈ "		99K12WBSK	\$145

Standard Includes

- Classic collection desk pad, paper tray, or serving tray: black, faux leather-wrapped steel
- Metro collection desk pad: durable top with foam backer
Note: For use on laminate or thermofoil services only.
- Metro collection paper tray or wastepaper basket: powder-coated steel

How to Specify

Classic Collection

- ① Model

Metro Collection

- ① Model

- ② Finish:

A = Anthracite






S = Silver

Metal Work Tools

Pricing

GSA SIN 711-8

Features	➤ See page 12
Finishes & Materials	55
Resources	67



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Shelf				
9 1/8"	24"	2 1/4"	99K0924SHM	\$115
	30"		99K0930SHM	129
	36"		99K0936SHM	147
	42"		99K0942SHM	167
	48"		99K0948SHM	189
Single Side Tray				
11 5/8"	17"	2 3/8"	99K1217SPTM	\$107
Double Side Tray				
11 5/8"	17"	5"	99K1217DPTM	\$145
Single Pocket Organizer				
1 1/8"	15 5/8"	7 1/4"	99K16POM	\$88
Slant Sorter				
11 3/4"	12"	7 3/4"	99K1212SSM	\$107
Binder Shelf				
9 1/8"	5"	8 1/16"	99K0905SHBM	\$65

Standard Includes

- Metal work tool: paint
- Dividers on slant sorter: chrome

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
STD M = Group M (+10%)
- ③ Finish designator

Pocket organizers can be stacked vertically up to 5 units.

Recommended uses are specific for each metal work tool model; refer to the statement of line.

➤ See page 8.





Metal Work Tools

Pricing

continued

GSA SIN 711-8

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
CD Holder				
3 ⁹ / ₁₆ "	3 ¹⁵ / ₁₆ "	8 ³ / ₄ "	99K0409CDHM	\$128
Hanging File Holder				
3 ⁵ / ₁₆ "	12 ⁷ / ₁₆ "	8 ³ / ₁₆ "	99K0312HFFH	\$105
Memo Tray				
5"	7"	1"	99K0507BxB	\$75
Pencil Tray				
5"	10"	1"	99K0510PT	\$75
Note Poster				
7 ⁷ / ₈ "	18"	12 ²⁸ / ₃₂ "	99K0118NP	\$61



Features	➤ See page 12
Finishes & Materials	55
Resources	67

Standard Includes

- CD Holder: paint; accommodates up to 12 CDs, DVDs, or Zip disks
- Hanging file folder: 5 paint colors (see below)
- Memo tray, pencil tray, and note poster: black paint

How to Specify

CD Holder

- ① Model
- ② Finish price group:
STD = Group 1
STD M = Group M (+10%)
- ③ Finish designator

Hanging File Holder

- ① Model
- ② Finish price group:
STD = Group 1
STD M = Group M (+10%)
- ③ Finish designator:
405 = Designer White
462 = Cinder
480 = Antique White
501 = Platinum Metallic
514 = Carbon Metallic

All Others

- ① Model



Recommended uses are specific for each metal work tool model; refer to the statement of line.
➤ See page 8.

Metal Work Tools

Pricing

continued

GSA SIN 711-8



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Load Bars for Use with Metal Work Tools				
3/4"	30"	3 3/4"	99K30LBM	\$70
	36"		99K36LBM	77
	42"		99K42LBM	84
	48"		99K48LBM	102
	54"		99K54LBM	109
	60"		99K60LBM	115
Wall Brackets for Load Bars (set of 2)				
3/4"	2 1/2"	4"	99KLBBR	\$26

Load bars are for use on Cetra or Interworks EQ panels. They can also be wall mounted using wall brackets, specified separately.

Load bars can span one or more panels that equal the width of the load bar.

Features	➤ See page 12
Finishes & Materials	55
Resources	67

Standard Includes

- Load bars or wall brackets: paint

How to Specify

Load Bars

- ① Model
- ② Application:
C = Cetra
I = Interworks EQ
- ③ Finish price group:
STD = Group 1
STD M = Group M (+10%)
- ④ Finish designator

Wall Brackets

- ① Model
- ② Finish price group:
STD = Group 1
STD M = Group M (+10%)
- ③ Finish designator

Plastic Work Tools

Pricing

GSA SIN 711-8

Features	➤ See page 12
Finishes & Materials	55
Resources	67




D	W	H	Model	Price
Accessory Dish				
6"	6"	1 1/8"	99K0606ADC	\$32



Utility Tray				
6 3/16"	9 1/8"	1 5/16"	99K0609UTC	\$37



Binder Shelf				
10 1/2"	5"	9"	99K1105SHB	\$47




Shelf				
7"	24"	2"	99K0724SHB	\$103



CD Holder				
7"	5 1/2"	2"	99KCDH 	\$53



Pencil Cup				
3 1/2"	4"	4"	99KCP 	\$36

Standard Includes

- Accessory dish, and utility tray: clear plastic
- Utility tray, binder shelf, and shelf: black plastic
- CD holder and pencil cup: clear or black plastic

How to Specify

CD holder or pencil cup

- 1 Model
- 2 Plastic color:
B = Black
C = Clear

All others

- 1 Model

Plastic work tools on this page are for use with:

- Slat Tiles
- Wall-mounted Traxx



Note: They are not recommended for use on Xsite Traxx or load bars.






Plastic Work Tools

Pricing

continued

GSA SIN 711-8
† GSA Contract pending

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Hanging File Holder				
8½"	1"	2"	99KHFH 	\$39
Phone Holder				
9½"	8½"	2"	99KPH 	\$50
Letter-Size Paper Tray				
14"	9¾"	2"	99K149LTPT †	\$54
Legal-Size Paper Tray				
10½"	15"	2"	99K1115LPT	\$56
Slant Sorter				
12½"	7"	7½"	99KSS	\$57
Accessory Tray				
9¾"	10⅞"	2"	99KAC	\$50



Plastic work tools on this page are for use with:

- Slat Tiles
- Wall-mounted Traxx

Note: They are not recommended for use on Xsite Traxx or load bars.

Features	➤ See page 12
Finishes & Materials	55
Resources	67

Standard Includes

- Work tool: black or clear plastic

How to Specify


- 1 Model
- 2 Plastic color:
B = Black
C = Clear

Plastic Work Tools

Pricing

continued

GSA SIN 711-8



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
File Pocket				
1 ³ / ₄ "	11 ³ / ₄ "	9 ¹ / ₄ "	99KFTP	\$19
(interior dimensions)				

Photo/Document Displays				
8 ¹⁵ / ₁₆ "	12"	99K0912PDD		\$36
11 ⁷ / ₁₆ "	12"	99K1212PDD		36
17 ⁵ / ₈ "	12"	99K1812PDD		40

Features	➤ See page 12
Finishes & Materials	55
Resources	67

Standard Includes

- File pocket: frosty white
- Photo/document display: clear acrylic

How to Specify

- 1 Model

File pockets may be used with:

- Slat tiles
- Wall-mounted Traxx
- Xsite storage tiles
- Xsite tip-out drawers
- Standard letter-size file drawers

Photo/document displays may be used with:

- Metal slat tiles
- Wall-mounted Traxx
- Xsite Traxx

Organizational Tools

Pricing

GSA SIN 711-8

Features	➤ See page 12
Finishes & Materials	55
Resources	67

Standard Includes

- Carousel center drawer: clear plastic
- Carousel tray, plastic center drawer, and pencil trays: black plastic
- Wood center drawer: paint or wood finishes
- Drawer organizer includes dispensers for tape and sticky notes: black plastic

How to Specify

Wood Center Drawer

- 1 Model
- 2 **W** = Wood
P = Paint
- 3 Finish price group:
STD = Group 1
- 4 Finish designator

All Others

- 1 Model

D	W	H	Model	Planning Factors	Price
Carousel Center Drawer					
8 1/4"	13 5/8"	1 3/8"	99K0817CDR	Rotates 360°. 8 1/4" front-to-back and 13 5/8" side-to-side clearance required.	\$61
Carousel Tray					
15 1/4"	23 3/4"	1 3/4"	99K1624CT	Rotates 360°. 16" front-to-back and 24" side-to-side clearance required.	\$100
Plastic Center Drawer (non-locking)					
19 3/16"	22"	2"	99K1922CD	Cannot be used under a 24"D worksurface when using a recessed modesty panel.	\$62
Wood Center Drawer (non-locking)					
22 5/8"	24"	2 3/8"	99K2424CD	For use with Footprint components. Center drawers cannot be used under a 24"D worksurface when using a modesty panel. Interior drawer dimensions: 13 7/8"D x 18 3/4"W.	\$228
Pencil Trays					
<i>For Use in 15"W Footprint® Pedestals and Hum. Minds at Work.® Pedestals</i>					
5 1/2"	12"	1 1/8"	99K0612PT		\$19
<i>For Use in 15"W Priority™, Transcend®, Fluent®, and Definition® Pedestals</i>					
4 7/8"	11 7/8"	1 1/8"	99K0512PT		\$19
<i>For Use in 18"W Priority™, Transcend®, Footprint®, Fluent®, and Definition® Pedestals</i>					
5 1/2"	15"	1 1/8"	99K0515PT		\$25
Drawer Organizer					
11 3/4"	10 1/2"	1 5/8" (expandable to 16")	99K1211DO	Fits any letter-width box or file drawer. When expanded, organizer fits most legal-width drawers or 18"D lateral file drawers.	\$89

➤ See the Caseloads Price List for series-specific center drawers.

Organizational Tools

Pricing

continued

GSA SIN 711-8

D	W	H	Model	Planning Factors	Price
---	---	---	-------	------------------	-------

Box Drawer Dividers

For Use in Footprint® Flat Profile and Hum Box Drawers

12 ⁵ / ₈ "	3 ³ / ₁₆ "		99K1303DD		\$11
----------------------------------	----------------------------------	--	-----------	--	------

For Use in Footprint Square Profile Box Drawers and Priority 18"W Pedestals

14 ¹ / ₄ "	2 ¹ / ₂ "		99K1402DD		\$11
----------------------------------	---------------------------------	--	-----------	--	------

For Use in Footprint Radius Profile Box Drawers

12"	2 ¹ / ₂ "		99K1202DD		\$11
-----	---------------------------------	--	-----------	--	------

Overhead/Shelf Dividers (set of 3)

6"	9 ¹ / ₄ "	7"	99K9SD		\$63
----	---------------------------------	----	--------	--	------

CD Holder


5 ¹ / ₂ "	12 ⁵ / ₈ "	6 ¹ / ₂ "	99KFDCDH 	Holds 24 cases. For use in a drawer.	\$29
---------------------------------	----------------------------------	---------------------------------	--	--------------------------------------	------

Coat Hook

1 ¹ / ₄ " dia.	99KCH	Works with Xsite® Traxx®, slat tiles, wall-mount Traxx, Cetra®, and Interworks® EQ. Use of coat hook with slat tiles requires the removal of end trim and trim channels before installation.	\$25
--------------------------------------	-------	--	------

Utility Hook

1 ¹ / ₂ "	3 ⁴ / ₄ "	1 ¹ / ₂ "	99KUH	Works with Cetra panels. Hook is secured in place by panel top cap.	\$22
---------------------------------	---------------------------------	---------------------------------	-------	---	------



Features	➤ See page 12
Finishes & Materials	55
Resources	67

Standard Includes

- Box drawer dividers: black plastic
- Overhead/shelf divider, coat hook, CD holder, and utility hook: cinder

How to Specify

Coat Hook

- 1 Model
- 2 Application:
 - C = Cetra
 - X = Xsite, Traxx, or Slat Tiles
 - I = Interworks EQ

All Others

- 1 Model


Organizational Tools



Pricing

continued

GSA SIN 711-8

Features	➤ See page 12
Finishes & Materials	55
Resources	67



D	W	H	Model	Planning Factors	Price
Front-to-Back File Bars					
<i>For Use in 17"D Caseloads File Drawers</i>					
17 1/16"	13 1/16"		99K17FBFB3	Allows for front-to-back letter filing. Set of three. One file bar used per drawer.	\$55
<i>For Use in 25"D Caseloads File Drawers</i>					
25 1/8"	13 1/16"		99K25FBFB6	Allows for front-to-back letter filing. Set of six. Two file bars used per drawer.	\$82
<i>For Use in LF Series™, and Fundamental™, and Footprint® Flat Profile Undersurface Lateral File Drawers</i>					
15 3/4"	11 1/8"	1 3/4"	99KFFB 	Allows for front-to-back letter filing. Set of two. One set of dividers required per drawer. Front-to-back file bars provide 2 rows of letter or 1 row of legal in 30"W file, 2 rows of letter or 2 rows of legal in 36"W file, 3 rows of letter or 2 rows of legal in 42"W file.	\$22
Side-to-Side File Bars					
<i>For Use in Footprint Flat Profile Metal Pedestals and File Centers, and Hum. Minds at Work.™ File Drawers</i>					
3/4"	11 15/16"	3/4"	99KFB 	Set of two.	\$22

Standard Includes

- File bars: black

How to Specify

- 1 Model


Collaboration Tools

Pricing

Mobile Screens

GSA SIN 711-8
COM GSA Non-Contract

D	W	H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
Fabric Starter Screen								
1¾"	23⅞"	67½"	99K2468MSSF	\$531	\$567	\$593	\$631	\$687
	29⅞"		99K3068MSSF	558	602	632	676	746
Fabric Add-On Screen								
1¾"	23⅞"	67½"	99K2468MSAF	\$531	\$567	\$593	\$631	\$687
	29⅞"		99K3068MSAF	558	602	632	676	746
D	W	H	Model	Price				
Translucent Starter Screen								
1¾"	23⅞"	67½"	99K2468MSST					\$641
	29⅞"		99K3068MSST					731
Translucent Add-On Screen								
1¾"	23⅞"	67½"	99K2468MSAT					\$638
	29⅞"		99K3068MSAT					727
Markerboard Starter Screen								
1¾"	23⅞"	67½"	99K2468MSSM					\$654
	29⅞"		99K3068MSSM					782
Markerboard Add-On Screen								
1¾"	23⅞"	67½"	99K2468MSAM					\$646
	29⅞"		99K3068MSAM					780



Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Features	➤ See page 12
Finishes & Materials	55
Resources	67

Standard Includes

- Screen: fabric, translucent plastic, or 409M Icey White markerboard
- Two casters on starter screens; one caster on add-on models

Planning Factors

A minimum of two screens are required for screens to stand. For safety and stability, the angle of screens must not exceed 115°.

Only one starter screen can be used for each grouping. Additional screens must be add-ons.

How to Specify

Fabric

- ① Model
- ② Frame finish designator:
462 = Cinder
501 = Platinum metallic (+10%)
- ③ Fabric grade
- ④ Fabric number

Translucent and Markerboard

- ① Model
- ② Frame finish designator:
462 = Cinder
501 = Platinum metallic (+10%)




Collaboration Tools

Tackboards & Markerboards

Pricing

GSA SIN 711-8
COM GSA Non-Contract

D	W	H	Model	Fabric Price Grade				
				A or COM	B	C	D	E
Wall-Mount Tackboards								
7⁄8"	30"	20"	99K3020TBW	\$149	\$171	\$186	\$208	\$243
	36"		99K3620TBW	170	192	207	229	264
	42"		99K4220TBW	180	202	217	239	274
	48"		99K4820TBW	192	214	229	251	286
D	W	H	Model	Price				
Wall-Mount Markerboards								
3⁄4"	29 13⁄16"	30"	99K3030MBW					\$418
	35 13⁄16"		99K3630MBW					435
	41 13⁄16"		99K4230MBW					485
	47 13⁄16"		99K4830MBW					571
	59 13⁄16"	36"	99K6036MBW					709
Hanging Markerboard Tile								
2 3⁄4"	19"	14 3⁄4"	99K1915HMT					\$211
Name/Sign Holder								
3⁄8"	4 3⁄8"	4 3⁄8"	99K0404NH					\$129



Hanging markerboard tile may be used with:

- Xsite Traxx
- Metal slat tiles
- Lower mobile table screens.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Features	➤ See page 12
Finishes & Materials	55
Resources	67

Standard Includes

- Wall-mount tackboards: fabric on one side
- Wall-mount markerboards: black tray and 409M Icey White marker-board
- Mounting hardware for wall-mount models
- Hanging markerboard tile: cinder frame with porcelain markerboard surface.
- Name/sign holder: double-faced tape and blinder for hard surface applications or appropriate mounting bracket for panels or slat tiles

How to Specify

Tackboards


- 1 Model
- 2 Fabric grade
- 3 Fabric number

Markerboards and Markerboard Tiles

- 1 Model

Name/Sign Holder


- 1 Model
- 2 Application:
 - H** = Hard surfaces, including Hum central and return screens
 - C** = Cetra panels
 - X** = Xsite panels or slat tiles
 - I** = Interworks EQ panels
- 3 Finish:
 - B** = Black
 - P** = Platinum



Single-Monitor Arms

Select slat, clamp, grommet/
bolt-through, or Xsede accessory rail
mount.


- See page 28 for product info.
- See page 29 to specify.



Dual-Monitor Arms with Cross Bar

Select clamp or grommet/bolt-through
mount.


- See page 28 for product info.
- See page 29 to specify.



Adjustable Keyboard Kits


Available in manual or intuitive
adjusting models.

- See page 30 to specify.



Sit-to-Stand Keyboard Kit

- See page 30 to specify.



Keyboard Adjusters

- See page 30 to specify.




Wood Keyboard Drawer

- See page 31 to specify.




Keyboard Trays

- See page 31 to specify.




Corner Sleeve

- See page 31 to specify.



Hanging CPU Holder

- See page 32 to specify.




Mobile CPU Cart

- See page 32 to specify.



Laptop/Equipment Lock


- See page 32 to specify.



Grommets

Available in metal, plastic, and
desktop through-mount models.


- See page 33 to specify.



Vertical Cable Managers

Available in expandable, flexchain,
and adhesive-style models.


- See page 34 to specify.



Horizontal Cable Managers

Available in U-shape, W-shape, or
loop models.


- See page 35 to specify.



Wire Manager Fillers

- See page 36 to specify.

Features	➤ See page 27
Finishes & Materials	55
Resources	67



Power Module

➤ See page 37 to specify.



Voice/Data Module

➤ See page 37 to specify.



Clamp-On Power Module

➤ See page 37 to specify.




Clamp-On Voice/Data Module

➤ See page 37 to specify.




**Retractable Power/
Communication Center**

➤ See page 37 to specify.




**Above-Mount
Power/Data Center**

➤ See page 38 to specify.



Pop-Up Power/Data Center


➤ See page 38 to specify.



**Pneumatic Pop-Up
Power/Data Center**


Available in single-side and double-sided models.

➤ See page 38 to specify.



Surface-Mount Power/Data Center


➤ See page 39 to specify.



Power/Data Center


Available in standard and hardwire models.

➤ See page 39 to specify.




Undersurface Power/Data Center

➤ See page 39 to specify.




Power Outlet Strip

➤ See page 39 to specify.



**Rectangular Power/
Communication Grommet**

➤ See page 40 to specify.




Power/Communication Grommet

➤ See page 40 to specify.

Power and voice/data modules provide convenient access to power and data on the worksurface. Modules slip securely into worksurface wire manager; no field scribing is necessary and they may be relocated as needed.

Keyboard kits, adjusters, or trays attach below the surface to provide adjustability and storage for computer keyboards.

Wire manager fillers provide a finished end to wire manager at the end of a worksurface.




Monitor arms can be positioned at optimum height and distance to minimize strain and fatigue, preventing discomfort and injury.

Grommets are available for field installation to allow cords and cables to pass through the worksurface. ▶ See the applicable price list for factory-installed grommets.


Mobile CPU cart provides easy access to the back of your unit. It automatically adjusts to support CPUs up to 9"W. It adds 3¾" to the height of the installed CPU.

Flexchain Data Area



Power Area


Flexchain manages cables and power-in feeds from under the surface to the floor. Flexchain U-bracket, specified separately, mounts to a standard wall outlet to manage cords from the outlet to under the surface. Flexchain has a center area for electrical cords and power in-feeds, and two side areas for data cables.



Undersurface cable manager is available to manage cords and cables under the worksurface. Cables pressure fit between loops.



Retractable power/communication center provides convenient access to power, voice, and/or data at worksurface height. A center column slides and locks in an upright position. After equipment is plugged in, it can be concealed below the surface. Field scribing of surface is required.



Expandable cable manager provides cable management from under the worksurface to the floor. It is ideal for use with height-adjustable tables.

Adjustable Keyboard Kits:

Keyboard kits cannot be used with President and Senator kneespace credenzas due to the central locking mechanism; nor can they be used with Scenario tables and Fluent worksurfaces as they interfere with the support channels.

Keyboard kits can be used with Xsede when undersurface support rails are not used.

Only keyboard kit models 99K1706KK2 and 99K1706KK1 work with Priority Progressive support rails and height-adjustable tables. Keyboard mount slide will need to be oriented parallel with the front edge of the worksurface. To store, lower the keyboard and swing under the surface.

The following adjustable keyboard kit models comply with ANSI/HFES method 2.

Series	Keyboard Arm Model
Priority™	99K2208KK1 99K2319KKS1
Definition®	99K2208KK1 99K2319KKS1
Transcend®	99K2208KK1 99K2319KKS1
Innsbruck™	99K2319KKS1
Footprint®	99K2319KKS1


Monitor Arms

Single and Dual


Product Information

Features	➤ See page 27
Finishes & Materials	55
Resources	67

Details



Single



Dual
(with crossbar)

Monitor arms in this collection

feature 4D adjustment, adjusting in and out, up and down, swiveling left and right, and tilting back and forward.


Arm with integrated cable management

reach is 20" on single models and 22" on dual models. Height adjustment range is 10" on single models and 11½" on dual models.


Monitors up to 20 lbs. can be accommodated. Single-monitor arm supports one monitor. Dual-monitor arm supports two monitors up to 20 lbs. each and features a crossbar design with Allen head screws to keep monitors secure in public areas.
Note: Dual-arm monitors must have two monitors attached at all times for balance.

100mm x 100mm VESA plates are standard. A 75mm x 75mm plate can be accommodated. The standard VESA plates are not compatible with Apple monitors.


➤ Contact Apple Computer directly to purchase an appropriate VESA plate separately.




Slat



Clamp




Grommet




Accessory Rail

Single-monitor arms are available in slat-mount, clamp-mount, grommet/bolt-through, and Xsede accessory rail models.




Clamp



Grommet

Dual-monitor arms are available in clamp-mount and grommet/bolt-through models.

Connections




Slat-mount single-monitor arms are for use on metal slat tiles.

The number of single-monitor arms per slat tile is limited:


- Wall-mounted, full, metal slat tiles accommodate one monitor arm per tile. Trim channels included with the slat tile must be used.
- 24" or 30"W Cetra slat tiles accommodate one monitor arm per tile.
- 18", 24", or 30"W 1-high or 2-high Xsite slat tiles accommodate one monitor arm per tile. 2-high Xsite slat tiles require an extra mid-frame support for stability, specified separately. Trim channels included with the slat tile must be used.
- Xsite technology tile can hold two monitors per tile.
- Priority slat or fabric/slat tiles will accommodate two monitor arms if spaced at least 24" apart.
- Xsede slat tiles will accommodate two monitor arms if spaced at least 24" apart.

Slat-mount model cannot be used on wall-mounted Traxx, wall-mounted fabric/slat tiles, or Xsite Traxx.



Clamp-mount models must be mounted on the straight edge of a 1⅜" or 1⅞" worksurface; they are not applicable for knife, reverse knife, and sloped edge profile surfaces. When using on wire manager work-surfaces, the hard plastic underneath will have to be notched so the clamp is flush to a straight edge. The flexible topside durometer will bend.

Note: Clamp-mount models compatible with Xsede can be mounted to the back of the worksurface.



Grommet/bolt-through models can be used in holes up to 2.3" in diameter. They cannot be placed over a pedestal, modesty panel, or support panel. They can be used with 1⅜" or 1⅞" worksurfaces. Bolt-through application can utilize a hole as small as ½" in the surface.

➤ Refer to assembly instructions.

Planning Factors

IMPORTANT: Monitor mounts are specific to arm style and are not interchangeable between single and dual monitor applications.

Dual-monitor arms with cross bar can be used for a single-monitor application; however, the cross bar would be exposed.

Monitor Arms

Single and Dual

Pricing

GSA Non-Contract







Features	➤ See page 27
Finishes & Materials	55
Resources	67

Standard Includes

- Monitor arm: silver finish with gray trim
- 100mm x 100mm VESA plate
- Slat, clamp, or grommet mounting bracket

How to Specify

- 1 Model



D	W	H	Model	Price
Single-Monitor Arms				
Slat Mount				
20 ⁵ / ₁₆ "	4 ¹ / ₂ "	14 ¹ / ₁₆ "	99KSMAM2SMS	\$404
Clamp Mount*				
20 ³ / ₄ "	4 ¹ / ₂ "	18 ¹ / ₄ "	99KSMAM2CMS	\$404
Grommet/Bolt-Through Mount				
20 ³ / ₄ "	4 ¹ / ₂ "	18 ¹ / ₄ "	99KSMAM2GMS	\$404
Xsede Accessory-Rail Mount				
20 ³ / ₄ "	4 ¹ / ₂ "	18 ¹ / ₄ "	99KSMAM2ARMS	\$391
Dual-Monitor Arms with Crossbar				
Clamp Mount*				
21 ¹ / ₂ "	26 ⁷ / ₈ "	20"	99KSMACBM8CMS	\$807
Clamp Mount for Use with Xsede Wire Gap Worksurfaces				
21 ¹ / ₂ "	26 ⁷ / ₈ "	20"	99KSMACBM8LCMS	\$782
Grommet/Bolt-Through Mount				
21 ¹ / ₂ "	26 ⁷ / ₈ "	20"	99KSMACBM8GMS	\$807




*This model is not compatible with Xsede.

Keyboard Supports

Pricing

GSA SIN 711-8




Features	➤ See page 27
Finishes & Materials	55
Resources	67

D	W	H	Model	Tray Tilt Adjustment	Vertical Adjustment*		Rotation	Price
					Above Surface	Below Surface		
Adjustable Keyboard Kits								
Manual Adjustment								
17"	28½"	6"	99K1706KK2	-15° to +15°	1¼"	5⅞"	360°	\$503
22"	28½"	8"	99K2208KK2	-15° to +15°	1¾"	7¾"	360°	553
Intuitive Adjustment								
7"	28½"	6"	99K1706KK1 	-15° to +10°	1"	6⅞"	360°	\$584
22"	28½"	8"	99K2208KK1 	-15° to +10°	1½"	8"	360°	642
Sit-to-Stand Adjustable Keyboard Kit								
Intuitive Adjustment								
23"	28½"	10¾"	99K2319KKS1 	-10° to +15°	3"	7"	360°	\$677


Keyboard Adjusters

For Use on 42"W Straight Adjustable Split Corner Worksurface (13/16"); set of 2 (one required per worksurface)								
13"	8"	3"	99K42KA	-12° to +18°	1" (Lockable)	3"	—	\$610
For Use on 48"W Straight Adjustable Split Corner Worksurface (13/16")								
25"	303/4"	61/8"	99K48KA	-15° to +9°	1" (Lockable)	5"	—	\$796

*Vertical adjustment dimensions are based on 1⅜"-thick worksurface; they can also be used on 1⅞"-thick worksurfaces.



Note: Mounting slide is not shown on the illustrations above.



Planning Factors

22"D adjustable keyboard kits can be used in corner-mount applications.

Width of keyboard kits includes mouse tray. Mouse tray is non-handed and can be mounted on the left or right.

Manual and intuitive adjustable keyboard kits slide in and out under the surface.

Keyboard kits will not be flush with the worksurface edge (in the stored, recessed position) when mounted in accordance with the manufacturer's directions.

Keyboard kits can be used with Xsede when undersurface support rails are not used.

➤ See page 27 for a cross reference chart by furniture series of keyboard kits that comply to ANSI/HFES Method 2.

Standard Includes

Adjustable Keyboard Kit

- Keyboard arm: black
- Foam gel wrist rest: black
- High-density polyethylene tray and ABS mouse tray: black

How to Specify

- 1 Model


Keyboard Support

Pricing

GSA SIN 711-8

Features	➤ See page 27
Finishes & Materials	55
Resources	67

D	W	H	Model	Planning Factors	Price
Wood Keyboard Drawer					
17 ¹ / ₄ "	25 ⁵ / ₈ "	4 ¹ / ₈ "	99K1826KDW	For use under 29"H worksurface; 18" front-to-back and 27" side-to-side clearance required under worksurface. Locks into position when in use.	\$376
Keyboard Tray					
14"	23 ¹ / ₂ "	3"	99K1424KT	For use under 29"H worksurface; 15" front-to-back and 25 ¹ / ₂ " side-to-side clearance required. Locks into position when in use.	\$124
Keyboard Tray with Sliding Mouse Pad					
19"	24"	2 ³ / ₈ "	99K1924KTM	Features adjustable palm rest and sliding mouse pad. Height can range from 2 ¹¹ / ₃₂ " to 3 ¹¹ / ₁₆ " in ⁷ / ₃₂ " increments. 20" front-to-back and 26" side-to-side clearance required under the worksurface.	\$372
Corner Sleeve					
<i>For Use with 1³/₁₆" Worksurfaces</i>					
11 ⁹ / ₁₆ "	22"	1 ³ / ₈ "	99K1222SL2	For use at corner junction of two perpendicular worksurfaces; creates 45°-angle instant corner surface. Removable.	\$117
<i>For Use with 1⁹/₁₆" Worksurfaces</i>					
11 ³ / ₄ "	22"	1 ³ / ₄ "	99K1222SL	For use at corner junction of two perpendicular worksurfaces; creates 45°-angle instant corner surface. Removable.	\$117



Keyboard drawers and trays are not for use with Priority Progressive work-surfaces, as they will conflict with the undersurface support rails.

Exceptions: Due to the extra clearance afforded by the shape of corner worksurfaces, keyboard tray model 99K1424KT can be used on Priority Progressive 90° corner surfaces; all keyboard drawer and tray models on this page can be used on Priority Progressive 120° corner surfaces.

Standard Includes

Keyboard Tray

- Metal tray: Matte black
- Sliding mouse pad and adjustable palm rest on applicable model

Corner Sleeve

- Metal sleeve: Black textured finish

How to Specify

Wood Keyboard Drawer

- ① Model
- ② Finish price group:
STD = Group 1
- ③ Finish designator

All Others


- ① Model

CPU Supports

Pricing

GSA SIN 711-8
† GSA Non-Contract

Features	➤ See page 27
Finishes & Materials	55
Resources	67

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Hanging CPU Holder					
9 ⁵ / ₈ "	6 ⁹ / ₁₆ "	18 ¹ / ₂ "	99KCPUH 	7 ¹ / ₂ " depth adjustment, 5 ³ / ₄ " width adjustment, and 9" height adjustment. Black. Attaches to underside of worksurface. Swivels 360°. Hanging CPU holder is not for use with Priority Progressive undersurface support rails.	\$230
Mobile CPU Cart †					
15"	8 ¹ / ₂ "	8 ⁵ / ₁₆ "	99KCPUMCB	Black. Adjusts to support CPUs up to 9"W and 40 lbs. Adds 3 ³ / ₄ " to height of installed CPU.	\$144
Laptop/Equipment Lock System †					
39"			99KLTCLK	39" long x 1/4" diameter nylon-jacketed stainless steel cable. Includes two Kimball Office lock cores (one on each end; keyed randomly between 001–005), one key, and one anchor. Locks into laptop, printer, CPU tower, or other portable electronic equipment, as well as specifically designed slots in Hum, Scenario, and Perks power/data drawers. Anchor can be field installed into any wood-based panel or worksurface.	\$67

How to Specify

- 1 Model

Cable Management

Pricing

Grommets

GSA SIN 711-8
† GSA Contract Pending


D	W	H	Model	Finish/Material	For Use With	Price
Round Metal G7 Grommets						
2 1/2" dia.	1 1/8"		99KG7MB	Matte Black metal	Definition®, Innsbruck™, Transcend®	\$38
2 1/2" dia.	1 1/8"		99KG7PL	Platinum Metallic metal	Definition	38
2 1/2" dia.	1 1/8"		99KG7SN	Satin Nickel metal	Transcend	38
2 1/2" dia.	1 1/8"		99KG7AB	Antique Brass metal	President™, Senator®	38
Round Metal G19 (G12) Grommets with Locking Cap and Brush Access						
2 5/8" dia.	3/4"		99KG19PL	Platinum Metallic metal	Definition, Dock, Priority™, Scenario® 1 3/16", Xsede™	\$47
2 5/8" dia.	3/4"		99KG19DW	Designer White metal	Definition, Dock, Priority, Sceario 1 3/16", Xsede	47
2 5/8" dia.	3/4"		99KG19CM	Carbon Metallic metal	Definition, Dock, Priority, Sceario 1 3/16", Xsede	47
2 5/8" dia.	3/4"		99KG19490	Polished Chrome metal	Definition, Xsede	47
2 5/8" dia.	3/4"		99KG19487	Brushed Nickel metal	Definition, Xsede	47
2 5/8" dia.	3/4"		99KG19544 †	Silver Pearl metal	Definition, Dock, Priority, Scenario 1 3/16", Xsede	47
2 5/8" dia.	3/4"		99KG12MN	Matte Nickel metal	Hum. Minds at Work.®	47
Round Plastic G50, G60, G65, and G80 Grommets						
2 5/16"	3/4"		99KG50	Matte Black plastic	Footprint®	\$22
2 3/4"	3/4"		99KG60	Matte Black plastic	Dock, Footprint, Priority, Scenario 1 3/16"	22
2 3/4"	3/4"		99KG65 †	Silver plastic	Dock, Footprint, Priority, Scenario 1 3/16"	22
3 1/2"	1"		99KG80	Matte Black plastic	Footprint	24
Rectangular Plastic G90 Grommets						
4 1/8"	2 5/8"	1 1/8"	99KG90	Matte Black plastic	Also compatible with power/data center model 99K0208ELPDC when a sleeve insert is desired.	\$23
Rectangular Metal G18 Grommets						
2 3/4"	7 1/4"	1 3/16"	99KG18SS	Silver Satin Aluminum	Fluent®	\$71
Square Metal G17 Grommets						
2 3/4"	2 3/4"	1 3/16"	99KG17SS	Silver Satin Aluminum	Fluent	\$38

Features	➤ See page 27
Finishes & Materials	55
Resources	67

How to Specify

1 Model

Note: Grommets maybe used in any worksurface, except Scenario 1/2"-thick tops.




Cable Management

Vertical Cable Managers

Pricing

GSA SIN 711-8

Features	➤ See page 27
Finishes & Materials	55
Resources	67



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Flexchain Cable Manager					
21½"	37⁄8"	36¾"	99K36CMFC	Connects to the underside of worksurface to route cables and power-infeeds to the floor	\$155
Flexchain U-Bracket					
			99KFCB	Connects a flexchain to wall outlet.	\$19
Expandable Cable Manager					
6"	3¾"	7–48"	99KECMB	Weighted base; ideal for height-adjustable tables.	\$149
Vertical Cable Managers for Caseloads					
Black					
	17¾"		99K18WMV	For use with caseload products to manage cords on a vertical surface; attaches to surface with double-sided adhesive.	\$51
Semi-Translucent (set of 4)					
15⁄16"	9⁄16"	19¾"	99K19WMV	For use with Fluent highback support assembly leg to manage cords. Can be cut in the field to size for other applications. Adheres to metal, paint, or veneer; peel film and press in place.	\$35
15⁄16"	9⁄16"	26½"	99K27WMV	For use with Fluent leg assembly, Priority U-legs and open-frame legs to manage cords. Can be cut in the field to size for other applications. Adheres to metal, paint, or veneer; peel film and press in place.	49

Standard Includes

- Flexchain cable manager: clear
- Flexchain U-bracket: black
- Expandable cable manager: ABS black plastic; attachment hardware included
- Vertical cable managers: black or semi-translucent white polypropylene

How to Specify

- 1 Model

Systems-Specific Vertical Cable Managers
➤ See the Systems Price List.


Cable Management

Horizontal Cable Managers

Pricing

GSA SIN 711-8

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
U-Shaped Cable Manager (set of 6)					
2"	40"	2"	99K40WMHU	For use under a worksurface. Each section of 40" in length; cut to size.	\$64
W-Shaped Cable Manager (set of 6)					
3"	29½"	1½"	99K30WMHW	For use under a worksurface. Each section is 29½" in length; cut to size.	84
Loop-Style Cable Manager (set of 6)					
29/16"	35/8"	19/16"	99KCMU	Individual loops. Openings are 1"D x 5/8"W x 1"H and can be removed to expand individual capacity.	50



Features	➤ See page 27
Finishes & Materials	55
Resources	67

Standard Includes

- Set of 6 cable managers: black

How to Specify

- 1 Model


Cable Management

Pricing

Wire Manager Fillers

GSA SIN 711-8

Features	➤ See page 27
Finishes & Materials	55
Resources	67



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Description</i>	<i>Price</i>
Foam Wire Manager Fillers					
6"	7/8"	11/16"	99KWMF	Set of 6. For use on surfaces with square or knife rim profile.	\$37
Metal Wire Manager Filler					
3"	15/16"	11/16"	99KWMF2	For use on surfaces with knife rim profile on the side edge.	\$21

Standard Includes

- Wire manager filler

How to Specify

Foam Wire Manager Filler

- ① Model

Metal Wire Manager Filler

- ① Model
- ② Finish designator

Footprint Wire Manager Filler Cap
➤ See the Systems Price List.

Power/Data/Voice Accessories

Pricing

GSA SIN 711-8

Features	➤ See page 27
Finishes & Materials	55
Resources	67



D	W	H	Model	Planning Factors	Price
Power Module					
2 1/8"	3"	3 3/4" (cover open) 2" (cover closed)	99KELPM	Fits into worksurface wire manager. Not for use on Hum. Minds at Work.® or Scenario® 1/2" surfaces.	\$142
Voice/Data Module					
2 1/8"	3"	3 3/4" (cover open) 2" (cover closed)	99KELDM	Two 1 1/2"D x 1 1/3"W x 2 3/4"H openings. Can replace fittings and cables with CAT5 or CAT6 fittings and cables; not provided. Fits into worksurface wire manager. Not for use on Hum or Scenario 1/2" surfaces.	\$161
Clamp-On Power Module					
2 5/8"	3 5/8"	2"	99KELPM2	Clamp hand tightens and can be removed. Can be secured to worksurfaces up to 1 9/16" thick.	\$154
Clamp-on Voice/Data Module					
2 5/8"	3 5/8"	2"	99KELDM2	Two openings. Does not include jacks; end user supplies jacks, cabling, and voice/data connection to work with standard, keystone-style CAT3, CAT5, CAT5e, and CAT6 jacks or couplers, Avaya (Lucent) proprietary jacks, Orthonics CAT5, CAT5e, and CAT6, or blanks for no opening. Clamp hand tightens and can be removed.	\$133
Retractable Power/Communication Center					
4 1/8"	2 5/8"	10 1/4"	99KELPDCR	Includes one 1 1/2"D x 1 3/8"W x 2 3/4"H opening. Extends 7" above surface; for use in open kneespace only. Interior septum provides complete separation of power and communication utilities. Accepts Tyco (Amp) Flex-Mode and Panduit Mod-Com connector modules.	\$199

Standard Includes

Power Module

- Two 15-amp NEMA-rated receptacles
- 6'L grounded cord with 15-amp plug: black
- Black housing with frost cover

Voice/data Module

- Two CAT5e-certified RJ45 fittings (ports)
- Two 6'L CAT5e cables with jacks on either end
- Black housing with frost cover

Clamp-On Power Module

- Two 15-amp NEMA-rated receptacles
- 9'L grounded cord with 15-amp plug: black
- Black housing

Clamp-on Voice/Data Module

- Data jack adapter bezel tree
- Black housing

Retractable Power/Communication Center

- Two 15-amp NEMA-rated simplex receptacles (all flush)
- 6'L grounded cord with 15-amp plug: black
- Black housing with frost cover

How to Specify

- 1 Model

All electrical accessories are available for field installation only. U.L. listed. Any field modification of the electrical components voids the U.L. listing.




Power/Data/Voice Accessories

Pricing

continued

GSA SIN 711-8

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Above-Mount Power/Data Centers					
2 ¹ / ₄ "	7 ⁵ / ₈ "	2 ³ / ₄ "	99K0208ELPDC	Mounts on top of surface; field scribing required. Extends 2 ³ / ₄ " above surface. Compatible with rectangular plastic G90 grommet (model 99KG90) when a sleeve insert is desired.	\$251
Pop-Up Power/Data Centers					
4 ⁷ / ₁₆ "	8 ⁵ / ₁₆ "		99KPC2MB		\$527
Single-Sided Pneumatic Pop-Up Power/Data Centers					
Power/Power					
4 ⁷ / ₁₆ "	5 ⁵ / ₁₆ "	3 ⁹ / ₁₆ "	99KG21	Anodized aluminum. Requires a 4" x 5" cut-out.	\$445
Power/Data					
4 ⁷ / ₁₆ "	5 ⁵ / ₁₆ "	3 ⁹ / ₁₆ "	99KG22	Anodized aluminum. Requires a 4" x 5" cut-out.	\$445
Power/USB					
4 ⁷ / ₁₆ "	5 ⁵ / ₁₆ "	3 ⁹ / ₁₆ "	99KG26	Silver finish. Requires a 4" x 5" cut-out.	\$340
Double-Sided Pneumatic Pop-Up Power/Data Centers					
Power/Power					
8 ¹ / ₁₆ "	6 ¹³ / ₁₆ "	3 ⁹ / ₁₆ "	99KG23	Anodized aluminum.	\$889
Power/Data					
8 ¹ / ₁₆ "	6 ¹³ / ₁₆ "	3 ⁹ / ₁₆ "	99KG24	Anodized aluminum.	\$889
Power/USB					
8 ¹ / ₁₆ "	6 ¹³ / ₁₆ "	3 ⁹ / ₁₆ "	99KG25	Anodized aluminum.	\$1056



Data modules accept CAT5 and CAT6 cabling. Siemens CAT6 jacks are recommended.

Data ports accept Amp Flex-Mode and Panduit Mod-Com connector modules. Contact your local data communications supplier for the appropriate connector modules.

All electrical accessories are available for field installation only. U.L. listed. Any field modification of the electrical components voids the U.L. listing.

Features	➤ See page 27
Finishes & Materials	55
Resources	67

Standard Includes

Above-Mount Power/Data Center

- Two simplex receptacles
- Two data port openings
- 6' L grounded cord with 15-amp plug; black
- Housing: black

Pop-Up Power/Data Center

- Housing: matte black anodized aluminum
- Two simplex power outlets
- Two black voice/data ports
- Adapter kit for couplers and jacks
- 6' 15-amp power cord

Single-Sided Pneumatic Pop-Up Power/Data Center

- Two power outlets on power/power model
- One power outlet and one data port on power/data model
- One power outlet and two USB ports on power/USB model
- 6' cord

Double-Sided Pneumatic Pop-Up Power/Data Center

- Three power outlets on each side (six total) on power/power model
- Two power outlets (four total) and one data port on each side (two total) on power/data model
- One power outlet (two total) and two USB ports on each side (four total) on power/USB model
- 6' cord
- Housing: anodized aluminum

How to Specify


- 1 Model






Power/Data/Voice Accessories

Pricing

continued

GSA SIN 711-8

D	W	H	Model	Planning Factors	Price
Surface-Mount Power/Data Center					
2¾"	7⅝"	2⅛"	99K0207PDBB	Black.	\$555
2¾"	7⅝"	2⅛"	99K0207PDBW	White. Mounts on top of surface with non-skid bottom; no field scribing required.	555
Power/Data Center					
5⅝"	8⅝"	3⅝"	99KPDCAM	AV adapter kits and voice/data jacks must be provided by the customer. Extends 2⅝" below the worksurface. Cannot be used in conjunction with a power/data drawer on 24" or 30"D worksurfaces. Specify a G20 cut-out on Definition®, Priority™, or Scenario® 1⅜" surfaces for factory cut-out.	\$440
Hardwire					
5⅝"	8⅝"	3⅝"	99KPDCAMH	For areas where local codes do not accept modular electrical plug-in components.	\$488
Undersurface Power/Data Center					
3½"	3⅛"	1¾"	99K0303ELPDC	For use in open kneespace only.	\$145
Power Outlet Strip					
1¾"	10½"	1½"	99KELPS 		\$70



Features	➤ See page 27
Finishes & Materials	55
Resources	67

Standard Includes

Surface-Mount Power/Data Center

- One 2-amp USB duplex for charging electronics
- Three power outlets
- 10' 15-amp power cord
- Housing: high-gloss plastic

Power/Data Center

- Three 15-amp, 110-volt electrical outlets
- One data port
- 10' power cord
- Housing: anodized aluminum

Undersurface Power/Data Center

- One power outlet
- RJ11 port
- RJ45 port
- 10' power cord

Power Outlet Strip

- Six outlets
- 10' power cord

How to Specify

- 1 Model


➤ See notes on previous page.

Power/Data/Voice Accessories

Pricing

continued

GSA SIN 711-8



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Planning Factors</i>	<i>Price</i>
Rectangular Power/Communication Grommet					
4 1/8"	2 5/8"	1 1/2"	99KELF1C	Mounts flush in surface. Field scribing of surface is required for installation.	\$80
Power/Communication Grommet					
4 1/4" dia.	5 1/4"		99K0405ELPDG	Fits into 3 1/2" grommet opening.	\$527

Data modules accept CAT5 and CAT6 cabling. Siemens CAT6 jacks are recommended.

Data ports accept Amp Flex-Mode and Panduit Mod-Com connector modules. Contact your local data communications supplier for the appropriate connector modules.

All electrical accessories are available for field installation only. U.L. listed. Any field modification of the electrical components voids the U.L. listing.

Features	➤ See page 27
Finishes & Materials	55
Resources	67

Standard Includes

Rectangular Power/Communication Grommet


- One 15-amp NEMA-rated simplex receptacle
- 1-amp, 6-pin, category 3 port (RJ11)
- 6' grounded cord with 15-amp plug; black
- Housing: black

Power/Communication Grommet

- Two power outlets
- One data port (RJ45)
- One voice port (RJ11)
- 6' grounded cord with 15-amp plug; black
- Plastic housing: black


How to Specify

- 1 Model




Power/Data Drawers

- See page 43 for product information.
- See page 49 to specify.




Single-Circuit Components

- See page 44 for product information.
- See page 50 to specify.



Four-Circuit (8-Wire) Components

- See page 45 for product information.
- See page 51 for power entries.
- See page 52 for power components.



Hardwire Components

- See page 48 for product information.
- See page 53 to specify.

Statement of Line	➤ See page 41
Finishes & Materials	55
Resources	67

Power/data drawers and electrical components are for use in open planning and freestanding applications. They are recommended for use with Priority™, Definition®, Fluent® (where modesty panel is not used), and Footprint®.

Perks power/data sliding drawer brings both power and data to the underside of the worksurface. Unlike fixed troughs or baskets, the drawer pulls out to allow routing of excess cabling once the initial connection has been made.

Mounting hardware is field installed.

Metal knock-outs in the front face and back of the drawer can be removed as needed for data or electrical outlets.

Single-circuit, four-circuit, and hardwire electrical components are for use in power/data drawers.

Cut-outs on the ends (sides) of the drawer allow jumpers to exit for connection inside the next drawer.


Large cut-outs on the bottom of the drawer allow power in-feed to enter the drawer.

Data/telecommunication modules can be used in the power/data drawer bottom cut-outs or the knock-outs on the front or back of the drawer.

Data cables can also be routed in the drawer to service the workstation.

Flexchain (shown) or expandable cable manager manages cables from under the surface to the floor.

IMPORTANT: Flexchain, expandable, vertical, and undersurface cable managers are required to protect 8-wire components from physical damage.



Circuitry Options:

Power/data drawers accept single-circuit or four-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably. Power/data drawers are U.L. listed.


Single-circuit components access power from a standard wall or floor electrical outlet. This flexible, non-sequential, daisy-chaining system allows power to be distributed to a maximum of eight duplex receptacles per power in-feed. ➤ See page 44 for application guidelines.

Four-circuit components combine to form an 8-wire, 4-circuit, power system. ➤ See page 45 for application guidelines.


Hardwire components are also available to allow field hardwiring of power within the power/data drawer where required by local codes. ➤ See page 48 for application guidelines.



Details



Power/data drawer is a powder-coated metal tray that mounts to the underside of a worksurface using two bent sheet metal drawer slides.



1/2" gap between the worksurface and the front and back edges of the drawer allows cords to exit. Cut-outs in the sides allow cables to pass to adjacent drawers.

Holes centered in the floor of the power/data drawer are provided to attach Perks laptop/equipment lock.

Planning Factors


Power/data drawers are for use in open plan and freestanding applications. Recommended for use with Priority, Definition, Fluent, and Footprint. They are designed to work with 24", 30" and 36"W worksurfaces in single or back-to-back configurations.

Determine drawer size based on the width of the surface to which it will attach. Specify the drawer to be 10" shorter than the worksurface width to allow for it to mount inboard of the surface support. For example, specify a 62"W drawer for a 72"W worksurface. If using a surface with storage, base your calculation on the unsupported surface dimension to determine drawer size.

Depending on user electrical needs, one drawer can be shared in back-to-back configurations. Some users may require an individual drawer.


➤ See illustration at top right.

Power/data drawers are not intended for use against a wall or in conjunction with Systems panels.



Modesty panel must be located behind the power/data drawer to allow the drawer to extend forward toward the approach side of the worksurface for cable access.


➤ See the Priority Price List for additional information.




On 48" and 60"D worksurfaces (depicted above), power/data drawer can be located so that when the drawer is extended, it is located on the centerline of the surfaces. Both the 10" rectangular power/data center (KCU0810ELPDC) and the 40" rectangular power/data center (KCU0840ELPDC) will work in conjunction with the power/data drawer in this application.

➤ See the Tables Price List for 10" and 40" power/data centers.

Factory-installed grommets in worksurfaces are located so excess cabling will fall directly into the drawer.



Power/data center (99KPDCAM) may be mounted (recessed) on 36"D worksurfaces with a power/data drawer.



Use of a power/data center on a 24" or 30"D surface in conjunction with single power/data drawer is not possible due to clearance.

Note: Use two smaller power/data drawers on a single worksurface to allow power/data center, clamp-mounted accessories, or through-grommet accessories to extend below the surface between the power/data drawers.

Knockouts & Cutouts:

Knockouts in the front and back of the drawer are compatible with industry-standard data faceplates, such as Tyco/Amp, Panduit, ECA and Hubbell. Individual knockouts are 1 3/8" x 2 1/16". Data and telecommunication modules are the responsibility of the user.

Floor of the drawer features similarly sized pre-punched cut-outs for additional electrical or data outlets. Use these cut-outs for hardwire applications. Receptacles placed in the drawer bottom cut-outs must be installed facing the floor.

Each knockout is 6" on center. Distance between knockouts is 3 1/4".

Drawer Model	Front & Back Knock-Outs	Small, Bottom Cut-Outs	Large, Flexchain Cut-Outs
26	3	2	1
32	5	2	3
38	5	2	3
44	7	4	3
50	7	4	3
56	9	6	3
62	9	6	3
68	11	8	3
74	11	8	3
80	13	10	3
86	13	10	3

Details

The following components comprise the single-circuit system:

- Power in-feed
- Duplex receptacles with an attached 12" modular feed
- 12", 24", 48", 74", 96" and 120" jumper cables

For ease in installation, the connectors will only plug in one way.

Power in-feed is a 10' cord with a "smart box" that monitors the number of receptacles connected. The system will automatically shut off if more than eight receptacles are plugged into the power in-feed. One end of the cord features a three-prong plug that plugs into a standard 110 volt, 15 amp wall or floor outlet.

Duplex receptacles snap into the power/data drawer. Receptacles feature a 12" modular feed with a double-out interface. Power is brought to the receptacle by a power in-feed or jumper cable. Power is passed to adjacent components by a jumper cable, forming a daisychain.

Jumper cables feature a squeeze-latch connector on each end.

Planning Factors

When planning jumper cable lengths to connect two adjacent power/data drawers, calculate that an additional 24" of the cable is required inside the drawers (12" per drawer) to make connection to the receptacles' modular feeds.

For jumping between receptacles inside a power/data drawer, 12" jumpers are recommended for drawers that are 50"W or smaller; 24" jumpers are for 56"W and wider drawers.

In 120° applications, 24" jumper cables can be used to jump from one power/data drawer to another.

Jumpers must be secured every 24" when spanning under the worksurfaces.

This system should not be plugged into a GFCI outlet receptacle. The single-circuit system contains an overload breaker, and the sensing circuit in the "smart box" can affect the sensitivity of a GFCI power feed, causing the GFCI duplex receptacle to trip.

Related Products




Single-circuit mini-adapt power module features an 18" modular feed with a double-over interface.

The unit contains two receptacles for desktop power access. A hand-tightened clamp on the back of the unit allows flexibility for positioning it at the back of the personal space worksurface.

12" and 24" jumper cables connect duplex receptacles inside the power/data drawer.

48" jumper cables can be used to connect one power/data drawer to another. They can span over one Progressive Priority 15"W pedestal.

74", 96", and 120" jumpers are for use when spanning over Priority Progressive storage.



Power/Data Drawers:

Power/data drawers accept single-circuit or four-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably.

➤ See page 49.

Approval/Compliance:

All Perks single-circuit components are U.L. 962 Listed and comply with the National Electrical Code (NEC). Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. *Note: Any field modification of the electrical components voids the UL listing.*

Receptacles:

Drawer Model 99K**PDD	Recommended No. of Receptacles
26	2
32	4
38	4
44	4
50	6
56	8*
62	8*
68	8*
74	8*
80	8*
86	8*

*Limited by circuit availability.

Details

The following components combine to form an 8-wire, four-circuit system:

- Hardwire power in-feeds (two options) or ceiling power entry
- Power distribution assemblies
- Duplex receptacles
- Jumper cables

For ease in installation, the connectors will only plug in one way.

There are three ways to bring power to the system:

- 10' floor/wall power in-feed;
- Modular wall starter and modular 10' power in-feed; or
- 12' ceiling power in-feed

IMPORTANT: Power in-feeds entering the power/data drawer from the floor or wall must be secured/ protected by a flexchain, expandable cable manager, vertical cable manager, or secured to the legs.



Floor/wall power in-feed features a 10' liquid tight conduit with a pigtail on one end that must be wired by a licensed electrician to a wall or floor-mounted junction box. The other end features a single squeeze-latch connector to attach to a power distribution assembly.



Modular wall power in-feed features a 10' modular conduit with a squeeze-latch connector on each end. One end must connect to modular wall starter, specified separately, the other end connects to a power distribution assembly. Modular wall starter must be wired to building power by licensed electrician.
Note: This modular power in-feed option allows you to unplug the cable from the wall and store away when not in use.




Ceiling power in-feed features a 12' flexible, galvanized metal conduit with a pigtail on one end that must be wired by a licensed electrician to a junction box in the ceiling. The other end features a single squeeze-latch connector to attach to a power distribution assembly.

Ceiling power pole can be field installed on Progressive Priority upmount stanchion shelf. Power can be routed between tiles to the bottom of the worksurface.

Jumper cable

Floor or wall power in-feed



Features	➤ See page 42
Finishes & Materials	55
Resources	67

Power/Data Drawers:

Power/data drawers accept single-circuit or four-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably.

➤ See page 49.

Approval/Compliance:

All Perks four-circuit components are U.L. 1286 Listed and comply with the National Electrical Code (NEC). Consult a qualified electrical contractor or engineer for proper installation of electrical equipment.
Note: Any field modification of the electrical components voids the UL listing.


Receptacles:

Drawer Model 99K**PDD	Recommended No. of Receptacles
26	2
32	2
38	2
44	2
50	4
56	4
62	4
68	4-6
74	4-6
80	4-6
86	4-6


Four-Circuit (8-Wire) Power System

Product Information


continued



Trim plates can be specified for field installation to conceal the intersection of the flexible ceiling pole at the ceiling and worksurface.



Power distribution assembly supplies power for four duplex receptacles within a power/data drawer. Power distribution assemblies are 36" long.



Duplex receptacles feature a 12" flexible, metal conduit and a single squeeze-latch connector to attach it to the power distribution assembly.

Receptacles models are numbered 1, 2, 3, 4, or 5 to correspond to the circuit to which they will provide access.



Jumper cables feature a squeeze-latch connector on each end and are available in 24", 36", 48", 74", 96" and 120" widths. Jumpers are encased in a flexible, galvanized metal conduit.

Use 24" and 36" jumper cables inside the power/data drawer to connect power distribution assemblies and duplex receptacles.

When planning jumper cable lengths to connect two adjacent power/data drawers, calculate that an additional 24" of the cable is required inside the drawers (12" per drawer) to make connection to the receptacles' modular feeds.




Use a 48" jumper cables to connect a two power/data drawers on adjacent surfaces. 48" jumpers may also be used to span over one Priority Progressive 15"W pedestal.

78", 96", and 120" jumpers are for use when spanning over Priority Progressive storage.

Jumpers must be secured every 24" when spanning under the worksurfaces.

Wiring Schematics:

The 8-wire, multi-circuit configuration provides up to four circuits. Ideally a 4-wire, WYE, 208 volt service provides the best utilization.



Features	➤ See page 42
Finishes & Materials	55
Resources	67

Planning & Installation:

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Installations should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. Hardware necessary for installation is shipped with all components.

continued

Features	➤ See page 42
Finishes & Materials	55
Resources	67


Planning Factors

Two wiring configurations are possible—3 and 1 or 2 and 2—utilizing the same components.
➤ See wiring configurations at right.

Duplex receptacles used for both types of wiring configurations are the same. This simplifies specifications and allows a faster understanding of the system.

A maximum of 13 duplex receptacles can be accommodated per circuit.

3 and 1 (8-wire):




- Three utility circuits share a neutral and common ground.
- One circuit with a DEDICATED hot, neutral and ground.
- Utilize receptacles #1, 2, 3 for utility and #4 for the DEDICATED ground circuit.

Circuits 1, 2, and 3 can be used for general electrical needs. Customarily, one or more of the circuits is reserved for lighting or other everyday uses, which allows control by central or master switching.

Circuit 4 consists of three separate conductors (hot, neutral, and ground) and meets the BIFMA/ANSI definition for a dedicated circuit.

2 and 2 (8-wire):



- Two DESIGNATED utility circuits and two DESIGNATED computer circuits.
- Utilize receptacles #1 and #2 for the designated utility circuits and receptacles #4 and #5 for the designated computer circuits.

Note: Receptacle #3 cannot be used in the 2 and 2 configuration. If receptacle #3 is used, possible cross feed or interference from utility circuits one and two can be introduced to computer circuits.

Circuits 1 and 2 provide a pair of designated circuits for general electrical needs, as described for the 3 & 1.

Circuits 4 and 5 provide a pair of designated circuits for computer applications.

Related Products

➤ See page 43 for power/data drawer details.

Features	➤ See page 42
Finishes & Materials	55
Resources	67


City of Chicago:

The City of Chicago requires that an electrician hardwire the electrical components to the furniture. The electrician can install hardwire boxes into the bottom of the power/data drawer utilizing the pre-punched rectangular cut-outs. Holes for attaching the duplex to the hardwire box are also provided.

Hardwired receptacles must be placed in the drawer bottom knockouts and be installed facing the floor.

Hardwire box (99KPBH)

Flexible galvanized metal conduit is recommended so that the power/data drawer can still be extended for excess cable storage.




City of New York:

The City of New York requires that an electrician make the connection from the floor entry to the modular electrical system. The electrician can wire the floor/wall power in-feed hardwire boxes into the bottom of the power/data drawer using the pre-punched rectangular cut-outs. Power entry for NYC (model 99KP4FFPNYC) includes a modular floor/wall power in-feed, hardwire box and lid, 2' galvanized metal conduit to encase the power in-feed (not shown), and cover plate.

New York box lid

New York box



Planning & Installation:

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Installations should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. Hardware necessary for installation is shipped with all components.


Hardwire components are also available to allow field hardwiring of power within the power/data drawer where required by local codes.

Power/Data Drawer

Pricing

GSA SIN 711-8

Features	➤ See page 42
Product Information	43
Finishes & Materials	55
Resources	67



<i>D</i>	<i>W*</i>	<i>H</i>	<i>For Use with**</i>	<i>Model</i>	<i>Price</i>
Power/Data Drawer					
7 ³ / ₄ "	27 ⁵ / ₈ "	2 ¹ / ₂ "	36" tops	99K26PDD	\$104
7 ³ / ₄ "	33 ⁵ / ₈ "	2 ¹ / ₂ "	42" tops	99K32PDD	117
7 ³ / ₄ "	39 ¹ / ₂ "	2 ¹ / ₂ "	48" tops	99K38PDD	129
7 ³ / ₄ "	45 ¹ / ₂ "	2 ¹ / ₂ "	54" tops	99K44PDD	141
7 ³ / ₄ "	51 ¹ / ₂ "	2 ¹ / ₂ "	60" tops	99K50PDD	154
7 ³ / ₄ "	57 ¹ / ₂ "	2 ¹ / ₂ "	66" tops (shown)	99K56PDD	165
7 ³ / ₄ "	63 ¹ / ₂ "	2 ¹ / ₂ "	72" tops	99K62PDD	188
7 ³ / ₄ "	69 ¹ / ₂ "	2 ¹ / ₂ "	78" tops	99K68PDD	199
7 ³ / ₄ "	75 ³ / ₈ "	2 ¹ / ₂ "	84" tops	99K74PDD	211
7 ³ / ₄ "	81 ³ / ₈ "	2 ¹ / ₂ "	90" tops	99K80PDD	239
7 ³ / ₄ "	87 ³ / ₈ "	2 ¹ / ₂ "	96" tops	99K86PDD	266

* Width includes drawer and mounting brackets.

** For storage-supported tops, select the drawer width based on the open, unsupported kneespace.

Accepts Perks single-circuit and four-circuit (8-wire) electrical system.

For use with Priority™, Definition®, Fluent®, or Footprint® in open plan or freestanding applications.

➤ See the Priority Price List for additional information pertaining to the use of power/data drawers with Priority Progressive worksurfaces.

Not intended for use with Cetra®, Xsite®, or Interworks® EQ panels.

Standard Includes

- Cut-outs on bottom of drawer for power, data, flexchain, and power in-feeds
- Cut-outs on both sides (ends) of drawer for routing power to adjacent drawers
- Knockouts on front and back compatible with industry-standard data faceplates
- Holes in bottom of drawer for Perks laptop/equipment lock
- Attachment hardware




How to Specify

- ① Model
- ② Finish color:
 - 405** = Designer White
 - 501** = Platinum Metallic (+10%)
 - 514** = Carbon Metallic (+10%)
 - 544** = Silver Pearl (+10%)

Single-Circuit Power Components

Pricing

GSA SIN 711-8



<i>Model</i>	<i>Description</i>	<i>Price</i>
Power In-Feed		
99K210P1PF		\$210
Duplex Receptacle		
99K2P1RDS		\$65
Jumper Cables		
99K2P1J8	12"	\$73
99K2P1J4	24" (shown)	68
99K2P1J1	48"	87
99K2P1J5	74"	94
99K2P1J6	96"	144
99K2P1J7	120"	160
Mini-Adapt Power Module		
99K2P1PM2	2"H x 3 ⁵ / ₈ "W x 2 ⁵ / ₈ "D.	\$130

Mini-adapt power module features a clamp that hand-tightens to secure the module to the worksurface.

Features	➤ See page 42
Product Information	44
Finishes & Materials	55
Resources	67

Standard Includes

Power In-Feed

- 10' black power cord with standard three-prong plug on one end and single squeeze-latch connector on the other end
- Smart box monitor

Duplex Receptacle

- Two three-prong outlets
- 12" modular feed with double-out interface

Jumper Cables

- Black cable with a squeeze-latch connector on each end

Mini-Adapt Power Module

- Two NEMA-rated 15-amp receptacles
- 18" modular feed with double-out interface; cord is black
- Housing: black textured finish

How to Specify

- 1 Model


Four-Circuit (8-Wire) Power Components

Pricing

Power Entries

GSA SIN 711-8

Model	Planning Factors	Price
Modular Power In-Feed		
<i>Starter Plate</i>		
99KP4WPSM	Accepts modular power in-feed. 5 1/8" x 5 1/8".	\$104
<i>Power Harness</i>		
99K10P4FPFM	Must be used with modular starter.	\$269
Floor/Wall Power In-Feed		
99K10P4FPF		\$245
Ceiling Power In-Feed		
99K12P4CPF		\$217
Power Entry for Use in New York City		
99KP4FPFNYC		\$326
Related Products:		
Power/Data Flexible Ceiling Pole		
99K10PDPC	Used to conceal power in-feed and data cables	\$434
Metal Ceiling Trim Plates (set of 2)		
99KPCTP	Conceal intersection of the flexible ceiling pole at the worksurface and ceiling.	\$43



➤ See the appropriate price list for series-specific electrical planning guidelines for four-circuit configurations.

Four-circuit electrical power entries or modular starter must be installed by a licensed electrician.

Features	➤ See page 42
Product Information	45
Finishes & Materials	55
Resources	67

Standard Includes

Modular Power In-Feed Starter

- Black metal wall plate

Modular Power Harness

- 10' liquid tight conduit with a squeeze-latch connector on each end

Floor/Wall Power In-Feed

- 10' liquid tight conduit with a single squeeze-latch connector on one end and pigtail on the other

Ceiling Power In-Feed

- 12' galvanized metal conduit with a single squeeze-latch connector on one end and pigtail on the other

Power Entry for Use in NYC

- Modular floor/wall power in-feed
- Hardwire box
- 2' galvanized metal
- Cover plate

Flexible Ceiling Pole

- 10' flexible conduit: stainless steel

How to Specify

- 1 Model


Four-Circuit (8-Wire) Power Components

Pricing

Modular Components

GSA SIN 711-8

Features	➤ See page 42
Product Information	45
Finishes & Materials	55
Resources	67



Model	Description	Function	Price
-------	-------------	----------	-------

Duplex Receptacles

For 3 + 1 Circuit Configuration

99KP4RD1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	\$87
99KP4RD2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	87
99KP4RD3	Circuit 3	Delivers power from circuit 3 with shared neutral and ground	87
99KP4RD4	Circuit 4 (dedicated)	Delivers power from dedicated circuit 4 with ded. neutral and ground	87

For 2 + 2 Circuit Configuration

99KP4RD1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	\$87
99KP4RD2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	87
99KP4RD4	Circuit 4 (designated)	Delivers power from designated circuit 4 with shared neutral and ground	87
99KP4RD5	Circuit 5 (designated)	Delivers power from designated circuit 5 with shared neutral and ground	87

Power Distribution Assemblies

99K36P4D	36"W	\$173
----------	------	-------

Jumper Cables

99KP4J4	24"W	\$144
99KP4J2	36"W	156
99KP4J1	48"W (shown)	173
99KP4J5	74"W	232
99KP4J6	90"W	277
99KP4J7	120"W	329

Standard Includes

Duplex Receptacles

- Two outlets black plastic housing
- Squeeze-latch connector on one end
- Housing: black plastic

Power Distribution Assembly

- Galvanized metal conduit with triple-out interface
- Accepts one or two receptacles

Jumper Cables

- Galvanized metal conduit
- Squeeze-latch connectors on both ends

How to Specify

- 1 Model



➤ See the appropriate price list for series-specific electrical planning guidelines for four-circuit configurations.

Four-circuit electrical power entries or modular starter must be installed by a licensed electrician.

Hardwire Power Components

Pricing

GSA SIN 711-8



<i>Model</i>	<i>Function</i>	<i>Price</i>
Hardwire Box		
99KPBH	Accommodates junctions and receptacles	\$43
Hardwire Covers		
99KPHCB	Blank cover; use to protect the contents of the hardwire box	\$23
99KPHCD	Duplex cover plate provides an access hole, sized to fit Pass & Seymour 26242 series receptacles (or compatible size and type).	\$23
Hardwire Box Template		
99KPHT	Used for locating and drilling holes required to attach hardwire box to power/data tray.	\$23

Features	➤ See page 42
Application Guidelines	48
Finishes & Materials	55
Resources	67

Standard Includes

Hardwire Box

- Steel box

Hardwire Cover

- Cover: steel

How to Specify

- 1 Model


Hardwire components must be installed by a licensed electrician.

Samples:

Samples of Kimball Office materials are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur between samples and finished products. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



➤ See page

Program Overview	56
Wood Finishes	57
Special Wood Finishes	58
Characteristics & Care	59
Paint & PVC	60
CSP	61
Fabrics	62
Fabric Application	62
Panel Fabrics	63
COM	66
COM Yardage Req.	66

Program Overview

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Wood Finishes	➤ See page 57
Paints & Plastic	60
Fabrics	63
COM	66

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Wood Finishes

		Cherry						Maple				Oak				Walnut						Sapele		
		MC Amber	CC Cordoba	MH Mocha	SC Sedona			IM Brighton	TM Huntington			CO Canyon	YO Monterey			ES Espresso	MW Midtown	TW Tribeca	NW Tuscan	UW Urban			CX Coco*	SX Sienna*
Price Group		1	1	1	1		1	1		1	1		1	1	1	1	1	1		1	1			
Keyboard Drawers		•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				
Wood Center Drawers		•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				

* CX Coco and SX Sienna finishes (price group 1) on wood center and keyboard drawers coordinate with finishes of the same name on sapele wood (price group 2); no upcharge applies.

Key:

• = Available color

Kimball Office is known as the wood leader in the office furniture industry. Exceeding our customer expectations has always been our goal.

It is important to educate your customers on what to expect from the wood furniture they order. If they require a specific characteristic or look, please contact **By Design** to review veneer options and discuss special quotes.

➤ See page 56 for program overview.

➤ See page 59 for wood finish characteristics, care and maintenance.

Price Group Designators:

STD = Group 1 (list price)

Special Wood Finishes

GSA Non-Contract

Kimball Office offers the following options for special wood finishes:

- Standard finish color on alternate wood species
- Previously developed special finish
- Custom finish

Standard finish colors available on an alternate wood species include:

- Amber on Maple
- Amber on Walnut
- Mocha on Walnut

These finishes can be specified without going through the finish approval process described at right.

Previously developed special finishes can be selected from an extensive library developed by Kimball Office. Samples of previously developed special finishes are available from Customer Service upon request.

Custom finishes can be developed to meet specific needs, if an acceptable match is not available in our library.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a finish color.

Applicability:

Applicability of special finish colors depends on the wood species to which they are applied. The matrix below shows the types of woods used for each series.

	Cherry	Maple	Walnut	Sapele
Price Group	1	1	1	2
Arpeggio	•	•		
Collaborative	•	•	•	•
Contemporary	•	•	•	•
Dock	•	•	•	•
Priority	•	•	•	•
Definition	•	•	•	•
Fluent	•	•	•	•
Innsbruck	•			
Perks Keyboard Drawers		•		
Perks Center Drawers		•		
Pose	•	•	•	•
Scenario	•	•	•	•
Stow	•	•	•	•
Teem	•	•	•	•
Traditional	•		•	
Transcend	•	•	•	•
Villa Tables	•	•	•	•

• = standard wood species

Note: Special finishes are not available on Zebrawood, Canyon Oak, Monterey Oak, or Tuscan Walnut.

Upcharges:

A one-time fee of **\$300** (net) will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used.

A **10%** upcharge per line item (model number) will be applied for a standard finish on an alternative wood species, a previously developed special finish, or a custom finish. This upcharge is calculated on the base price, before other option upcharges are added.

For upholstered products, the upcharge is calculated on the Grade 1 upholstery price then added to the price for the selected fabric grade, to arrive at the list price.

Custom Finish

Approval Process:

- ① Send desired finish sample (no smaller than 3" x 5"), along with a purchase order for the \$300 (net) special finish development fee, to Customer Service along with a complete list of the products and wood species to which the special custom finish is to be applied. Include dealer name, contact, and project reference.
- ② If a previously developed sample is found to be compatible, a sample will be sent for customer approval. If not, a custom finish will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.
- ③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

Note: The one-time fee of \$300 will not be charged unless a custom match finish is required.

Wood Finishes	➤ See page 57
Paints & Plastic	60
Fabrics	63
COM	66

How to Specify

- ① **Model:**
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.
- ② **Finish type:**
For the "Finish type" step, insert a special code (in place of STD):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish
Note: Choose the special finish code based on the standard wood species used in the case-goods line (see matrix at left).
- ③ **Finish designator:**
For the "Finish designator" step, insert the designator below or the one provided to you by Customer Service:
MA00174KOG = Amber on Maple
WA02905KOG = Amber on Walnut
WA02905KOG = Mocha on Walnut

Wood Finish Characteristics

Including Care and Maintenance Tips

Kimball Office's experience in wood finishing extends from past generations of craftsmen to present day state-of-the-art technology.

Our Pura® finish is a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs). It uses less energy than our conventional finishing process and meets or exceeds BIFMA Furniture Emission Standards (FES) and U.S. Green Building Council LEED requirements for indoor air quality. Pura is exceptionally clear and durable and allows the beauty of our wood to shine through. The durability, depth, clarity, and beauty of Pura meets the high expectations customers have of Kimball Office finishes.

Finish fill and sheen level for the top surfaces is appropriate for the design and wood species. If different specifications are required, contact Customer Service.

➤ See the individual chapters for fill and sheen information by line.

All wood products are very susceptible to darkening from age and exposure to UV rays (sunlight and other sources), especially cherry and maple. Although a special UV inhibitor is added to finishes, care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change of the wood.

Fine scratches from everyday use may be more visible on furniture with dark finishes. Darker finishes absorb more light, while fine scratches reflect the light. Therefore, scratches can be more emphasized due to this contrast. The use of a desk pad is recommended to keep scratching to a minimum.

The beauty of wood is that, as a natural product, it will have differences in grain characteristics, color, and other features among wood species. The characteristics of our top grade veneers are appreciated and welcomed; it's the differences in characteristics that offer each office a unique look.

Maple veneers are slip matched. Brighton Maple is a clear finish for those who appreciate the inherent beauty of wood. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

Walnut veneers are flat cut and applied book and center matched, except for Tuscan Walnut which is quarter cut.

Cherry veneers are slip matched. Grain characteristics of cherry veneer such as gum streaks and gum pockets occur naturally and add to the authentic look and feel of natural veneer. These are inherent to this veneer and should not be considered defects.

Oak veneer is quarter cut.

Specification of particular cuts, characteristics, or wood species can be accommodated. For example, a customer may ask for a limited amount of cathedrals or very limited variation in color from one veneer flitch to the next. Kimball Office systems products are able to satisfy those expectations, as long as we are notified prior to order placement. Depending on the request, the higher grade veneer may require an upcharge. Orders would also need to be handled through our custom quote process.

The wood species on seating may vary from the wood species on the casegood or system. Different wood species offer unique texture and grain which provide more variation in finish color; however seating finishes are compatible with casegoods and systems finishes.

Wood Finishes	➤ See page 57
Paints & Plastic	60
Fabrics	63
COM	66

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

Key:

• = Available color

	Solid Colors																										Metallic										CSP
	480 Antique White	427 Barley	437 Cement	403 Charcoal	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	453 Environmental Grey	459 Featherstone	450 Fog	488 Frosty White	461 Graphite	445 Moon Beam	420 Sandstone	425 Shadow	465 Smoke	460 Storm	429 Tantalum	419 Wallaby	Black	Anthracite	Clear	Frosted	Silver	514 Carbon Metallic	507 Patina Metallic	501 Platinum Metallic	505 Satin Bronze Met.	544 Silver Pearl	504 Taupe Metallic	Silver Metallic	Customer Specified				
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1								M	M	M	M	M	M						
Metro Desk Access.																																					
Metal Work Tools																																					
Memo Box																																					
Note Poster																																					
Pencil Tray																																					
Hanging File Holder																																					
All other metal work tools																																					
Plastic Work Tools																																					
Shelf and Binder Shelf																																					
File Pocket																																					
Photo/Document Display																																					
Markerboard Frame																																					
Utility Tray																																					
Accessory Dish																																					
All other plastic work tools																																					
Collaboration Tools																																					
Mobile Screen Frames																																					
Name Sign Holder																																					
Monitor Supports																																					
Cable Management																																					
Metal Wire Mgr. Filler																																					
Power/Data Drawer																																					

Metallic:

10% upcharge applies for price group M metallic finishes.
IMPORTANT: Due to the reflective qualities of metallic paints, variations in color may occur.

CSP:

➤ See page 61 for customer-specified paint.

Customer-Specified Paint

GSA Non-Contract

Customer-specified paint (CSP) is available on select products.
➤ See page 60.

Pricing:

A **one-time fee of \$300** (net) will be billed for the development of each new custom (customer-specified) paint. This fee covers all Kimball Office product lines on which the paint may be used. Models receiving a custom paint will also be assessed an upcharge.

A **10% upcharge per line item** (model) for customer-specified non-metallic paint applies. Upcharge is calculated on the base price, before other option upcharges are added.

A **20% upcharge per line item** (model) for customer-specified metallic paint applies. Upcharge is calculated on the base price, before other option upcharges are added.

The process:

- ① Send desired paint sample (no smaller than 3" x 5") to Customer Service along with a complete list of the products to which the custom paint is to be applied. **Include dealer name, contact, and project reference.**
- ② Custom paints will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.
- ③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a paint color.

Wood Finishes	➤ See page 57
Paints & Plastic	60
Fabrics	63
COM	66


How to Specify:

- ① **Model:**
Build the complete model specification (excluding finish type and finish designator) by following the "How to Specify" on the appropriate pricing page for the product that is to receive the custom paint.
- ② **Finish type:**
For the "Finish type" step, insert a special paint code (in place of STD):
ZPNT1 = Special non-metallic paint
ZPNTM1 = Special metallic paint
- ③ **Finish designator:**
For the "Finish designator" step, insert the designator provided to you by Customer Service.

Fabric Application


Wood Finishes	➤ See page 57
Paints & Plastic	60
Panel Fabrics	63
COM	66

Standard Application:



Directional fabrics are “cut up the roll” for standard application unless specified differently.

Railroad Application:



All fabrics will be applied in railroad (horizontal) fashion to:

- Xsite tiles
- Xside tiles
- Priority tiles
- Stow wallpanels
- Tackboards greater than 48"W when using a seating fabric or greater than 60"W when using a panel fabric

When viewing swatch cards or memo samples, turn 90° to get an accurate indication of how the fabric will appear on when railroaded.

Railroad application of Kimball Office panel fabrics and COM for all products that are not listed above or do not have railroading listed as an option in the price list requires a custom quote.

➤ Please contact **By Design**.

Panel Fabrics

COM & Cut Yardage GSA Non-Contract

Price Grade A

COM (Customer's Own Material)

Crossroads

Price Grade: **A**
Content: 59.97% post-industrial recycled polyester, 40.03% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 7.5"H x 14.285"V
Cleaning: WS
Restrictions: Not available on Perks tackboards

10300	Blue Moon
10301	Champagne
10302	Mercury
10303	Pewter
10304	Raven
10305	Silvatica
10306	Spa
10307	Storm
10308	Tumbleweed

Fusion

Price Grade: **A**
Content: 84% post-industrial recycled polyester, 16% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.0" H x 1.212" V
Cleaning: S

16101	Ice
16102	Midas
16104	Taupestone
16105	Mineral
16106	Nickel
16107	Bronze
16109	Tanzanite
16110	Platinum
16111	Quartz
16112	Hematite

Mykel

Price Grade: **A**
Content: 68.76% post-industrial recycled polyester, 31.24% Post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 0"H x 21.025"V
Cleaning: WS

10260	Abalone
10261	Buff
10262	Celadon
10263	Chartreuse
10264	Orchid
10265	Pecan
10266	Sand Dollar
10267	Sandstone
10268	Sterling
10269	Storm
10270	Titanium

Sprite

Price Grade: **A**
Content: 95% post-industrial recycled polyester, 5% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.26"H x 0.83"V
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10221	Harvest
10222	Khaki
10223	Kiwi
10224	Sky

Tapestry

Price Grade: **A**
Content: 60% pre-consumer recycled polyester, 40% polypropylene
Pattern: Directional
Repeat: None
Cleaning: WS

10240	Almond
10241	Bark
10242	Chino
10243	Driftwood
10244	Sage
10245	Steel Blue
10246	Sterling
10247	Sand
10248	Stone
10249	Fawn

Price Grade B

Basket

Price Grade: **B**
Content: 76% post-consumer recycled polyester, 24% pre-consumer recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10600	Apricot
10601	Buff
10603	Cloud
10604	Dune
10606	Lapis
10607	Linen
10608	Moonstone
10610	Quartz
10611	Red
10612	Sage
10613	Shale
10614	Silvatica
10615	Steel
10616	Stucco

Wood Finishes	➤ See page 57
Paints & Plastic	60
COM	66

Cut Yardage Program:

All Kimball Office panel fabrics are available on a cut yardage basis. Fabric is available in whole yards only. List prices include freight.

<i>Fabric</i>	<i>List Price</i>
<i>Price Grade</i>	<i>per yard</i>
A	\$35
B	46
C	53
D	71
E*	108

* For cut yardage of Grade E Alliance fabrics, contact our partner directly:

Carnegie

800.727.6770

www.carnegiefabrics.com

KnollTextiles

866.565.5858

www.knolltextiles.com

How to Specify

- Model:
KOPNLCUTYDG = panel fabric
- Fabric grade
- Fabric number

Panel Fabrics

continued

Wood Finishes	➤ See page 57
Paints & Plastic	60
COM	66

Frenzied

Price Grade: **B**
Content: 73.31% post-industrial recycled polyester, 26.69% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: .130"H x 0"V
Cleaning: WS

10350	Atlantic
10351	Driftwood
10352	Honeycomb
10353	Indigo
10354	Khaki
10355	Kiwi
10356	Lead
10357	Mandarin
10358	Palm
10359	Rattan
10360	Sequoia
10361	Slate
10362	Spa
10363	Sterling

Fuse

Price Grade: **B**
Content: 89% pre-consumer recycled polyester, 11% post-consumer recycled polyester
Pattern: Directional
Repeat: 14.12"H x 8.57"V
Cleaning: WS

10320	Clam
10321	Eucalyptus
10322	Goldust
10323	Graphite
10325	Seal
10326	Heron
10327	Tan
10328	Taupestone
10329	Toast

Linen

Price Grade: **B**
Content: 58% post-consumer recycled polyester, 42% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.75"H x 20"V
Cleaning: WS

2202	Wrought Iron
2216	Paraffin
2222	Twine
2229	Thunder
2239	Spun Gold
2240	Wasabi
2244	Titanium
2250	Truffle
2266	Copper
2275	Melba

Pact

Price Grade: **B**
Content: 65% post-industrial recycled polyester, 35% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.125"H x 0.125"V
Cleaning: WS
Note: Lead times based on supplier availability. Memo samples can be ordered directly from Momentum at themomgroup.com

25401	Aloe
25402	Azure
25403	Calla
25404	Coastal
25405	Delft
25406	Dove
25407	Dragon
24608	Eureka
25409	Fern
25410	Harbour
25411	Lily
25412	Lime
25413	Midnight
25414	Nectar
25415	Patina
25416	Putty
25417	Roast
25418	Roma
25419	Rubine
25420	Sketch
25421	Tanzanite
25422	Taupe
25423	Toasty

Rivulet

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.7"H x 20.2"V
Cleaning: WS

10450	Bark
10451	Ecru
10452	Fog
10453	Midnight
10454	Mink
10455	Olive
10456	Orchid
10457	Pearl
10458	Solar

Savile

Price Grade: **B**
Content: 63% post-industrial recycled polyester, 16% post-consumer recycled polyester, 21% polyester
Pattern: Directional
Repeat: 15"H x 0.909"V
Cleaning: S

25302	Egyptian
25303	Cashmere
25304	Chiffon
25305	Shantung
25306	Twill
25307	Dupioni
25308	Angora
25309	Tweed
25310	Worsted

Serengeti

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 18"V
Cleaning: WS

10380	Champagne
10381	Cobblestone
10383	Mist

Thicket

Price Grade: **B**
Content: 74% post-consumer recycled polyester, 26% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.9"H x 12.5"V
Cleaning: WS

10650	Bisque
10651	Greystone
10652	Iron
10653	Maize
10654	Mink
10656	Sand

Panel Fabrics

continued

Woodland

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 11.4"V
Cleaning: WS

10700	Bark
10701	Granite
10702	Platinum
10703	Shale
10704	Stone

Price Grade C

No fabrics available in price grade C at this time.

Price Grade D

No fabrics available in price grade D at this time.

Price Grade E

Alliance Fabrics:

Kimball Office has formed partnerships with top textile companies in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

IMPORTANT: Orders cannot be cancelled for alliance program fabrics.

Lead times for alliance fabrics are based on supplier availability. Pre-planning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply. ➤Contact Customer Service for availability before finalizing orders.

The information provided in this section is the most current information available at the time this price list was printed.

Application of Alliance Program upholstery will be as depicted on the swatch card unless otherwise instructed on the order.

For memo samples of Alliance fabrics, contact our alliance partners directly.

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Align Carnegie

Price Grade: **E**
Content: 79% post-industrial recycled polyester, 21% post-consumer recycled polyester
Pattern: Directional
Repeat: 17.00"H x 11.00"V
Cleaning: WS

Kimball Office Number	Carnegie Number
5258_40	40
5258_42	42
5258_43	43
5258_44	44

Circle Line KnollTextiles

Price Grade: **E**
Content: 73% post-industrial recycled polyester, 27% post-consumer recycled polyester
Pattern: Directional
Repeat: 08.25"H x 05.25"V
Cleaning: WS

W1146_1	Mist
W1146_2	Tea
W1146_3	Glow
W1146_4	Wheat
W1146_5	Slate
W1146_6	Fennel
W1146_7	Bourbon
W1146_8	Orbit

Reflect KnollTextiles

Price Grade: **E**
Content: 100% recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS

W884_3A	Sterling
W884_4A	Steel
W884_5A	Ecru
W884_6A	Brass
W884_7A	Solar
W884_8A	Peridot
W884_9A	Ember
W884_10A	Target
W884_13A	Sharkskin
W884_14A	Lagoon

Wood Finishes	➤See page 57
Paints & Plastic	60
COM	66

Cleaning Codes:

Cleaning Code D

- Dry clean only.

Cleaning Code S

- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W

- Use water-based cleaning agents or foam.

Cleaning Code WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Directional Fabrics:

Fabric alignment for directional fabrics may vary slightly from panel to panel or tile to tile.

Customer's Own Material (COM)

GSA Non-Contract

Wood Finishes	➤ See page 57
Paints & Plastic	60
Fabrics	63

COM Policy:

While Kimball Office inspects fabrics for mill imperfections, some are difficult to recognize. Kimball Office is solely responsible for upholstery workmanship and cannot assume responsibility or liability for the durability, tailoring, appearance, or other qualities such as color inaccuracies, dye lot variations, and other such flaws or defects of customer furnished coverings.

Customers are responsible for ordering COM fabrics and expediting delivery of the material to Kimball Office.

IMPORTANT: Kimball Office reserves the right to decline a fabric that may not be suitable for application to product.

COM Application Testing:

Application testing on systems product for non-preapproved fabrics is required.

➤ Contact your Customer Service Team for the appropriate forms to initiate application testing.

The application test will render your fabric either:

- Approved
- Not recommended
- Restricted

A "not recommended" result is usually due to questionable construction of the material or pattern that is difficult to align. You will be required to sign a waiver to use any "not recommended" COM.

U.L. Listing/Flammability:

COM must be U.L. listed on Cetra, Xsite, and Interworks EQ panels, and Xsede and Priority tiles before Kimball Office accepts and enters an order which will have COM fabrics. All COM testing and processing costs are the responsibility of the customer. A minimum of 2 yards of production run yardage is required for U.L. testing and flammability testing. Approval of a COM fabric may result in extended lead times. For cost estimates, yardage requirements and project lead times, consult your Customer Service Team.

Yardage/Measurements

Directional and non-directional yardage requirements have been calculated based on 66"W panel fabrics for Tiles, Panels, Overheads, Highback Organizers, and Tackboards. Directional and non-directional yardage requirements have also been calculated based on 54"W seating fabric for Overheads, Highback Organizers, and Tackboards.

If your fabric is less than 66"W, some size restrictions may apply.

COM yardage listed in the Resource section of the price list reflects the amount of fabric required to upholster one panel. Additional yardage may be required if patterns require matching.

Shipment of COM

After the fabric has passed the approval process described, Kimball Office will enter the product order and send an acknowledgement of the tentative ship date. A notification will be sent giving the date the COM must be received. If it is not received by the specified date, your ship date will be reassigned.

Where to ship COM:

Kimball Office, Jasper
COM Department—Kimball Office
Dock 11
1620 Cherry Street
Jasper, IN 47549

Applies to:

- Wall-mount tackboards
- Mobile screens

Production of Order:

When COM production yardage is received, COM is cut for the order and inspected for flaws. If flaws are found, you will be notified of the additional fabric required.

A return tag (e.g. COD shipment, UPS call tag) is required from the specifier within 45 days of the acknowledged ship date or all excess COM yardage will be discarded.

Preapproved COM:

➤ Contact your Customer Service Team to obtain information on preapproved COMs.

Yardage Requirements:

Directional and non-directional yardage requirements have been calculated based on 66"W panel fabrics and 54" seating fabrics for Mobile screens and tackboards.

Model	66"W	54"W	66"W
	Dir	Dir	Non
Mobile Screens			
99K2468MSSF	1.9	1.9	1.5
99K3068MMSF	1.9	3.7	1.8
99K2468MSAF	1.9	1.9	1.5
99K3068MSAF	1.9	3.7	1.8
Wall-Mounted Tackboards			
99K3020TBW	0.9	0.9	0.9
99K3620TBW	0.9	0.9	0.9
99K4220TBW	0.9	0.9	0.9
99K4820TBW	0.9	0.9	0.9

If your fabric is less than 66"W, some size restrictions may apply. Additional yardage may be required if patterns require matching.

Checklist:

When ordering COM for Kimball Office products, please make sure you have done the following:

- Supplied vendor name, fabric name, color name and number.
- Supplied arrival date of COM to Kimball Office.
- Received application testing approval before sending purchase order (or signed waiver if not approved for application).
- Received U.L. listing before sending purchase order.

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

**Government Sales
Customer Service**
800.647.2010

	➤ See page
Terms and Conditions	68
Product Warranty	70
BIFMA and U.L. Information	71
Model Number Index	72

Ordering Procedures:

Purchase orders must be received with complete information, which includes the following:

- Complete/valid model numbers
- All textiles, finish, and material specifications for each line item.
- “Ship to” address and contact
- Special shipping instructions (tagging, requested dates, etc.)
- Billing address
- Net prices

Submit orders electronically via EDI or OrderXchange.

To order literature or check order status on-line, please visit us at www.kimballoffice.com.

The customer bears sole responsibility for order correctness. Orders are accepted only by issuance of Kimball Office's formal order confirmation and are subject to the terms and conditions set forth herein, notwithstanding any variance in terms and conditions set forth on buyer's order forms.

The order confirmation is the final agreement between the customer and Kimball Office and supersedes all prior oral, written or electronically transmitted statements regarding the order. Kimball Office will attempt to meet all requested ship or delivery dates. If no specific date is requested, we will assign the best possible ship date available.

Changes and Cancellations:

A confirmed order may not be changed or cancelled, in whole or in part, without prior written consent of Kimball Office. Expenses incurred because of the changes shall be charged to the Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Kimball Office. Changes may affect delivery dates.

No changes or cancellations will be accepted after order entry for non-standard lead time products including:

- Kwik Office offerings
- Engineer-to-Order (modified or non-standard products)
- Alliance program upholstery
- Customer's Own Material (COM)
- Customer's Own Leather (COL)
- Customer Specified Laminate (CSL)
- Customer Specified Paint (CSP)
- Mock Ups
- Service Parts/Replacements

Modified Product:

Our manufacturing flexibility allows us to accommodate requests for non-cataloged product. We are happy to discuss your unique product requirements and determine feasibility and pricing.

➤ Contact **By Design** for assistance at 800.482.1616 extension 6002.

Finishes and Materials:**Wood Finish Color Matching**

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. Kimball Office carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

Fabric Color Matching

Kimball Office will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

Terms and Pricing:

Net 30 days. If the invoice amount is not paid in full within the terms of the invoice, the invoice may be subject to a monthly finance charge equal to the lesser of 1.5% or the highest amount permitted by law. List prices include freight charges; however, they do not include:

- Storage and insurance charges
- Sales and other taxes
- Local delivery, unloading, or installation

These items will be invoiced as separate line items.

All prices herein are delivered list price, unless noted, effective December 2, 2013, and supersede all other published prices. Prices shown cover standard product only, additional charges will be applied for changes to standard product. Kimball Office reserves the right to change prices without prior notice. Prices herein are only for shipment within the continental United States or Canada.

Selling Information

Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Kimball Office customers. Kimball Office price lists and catalogs are not available to the general public.

Product Design:

Kimball Office reserves the right to make changes in design, specifications, and construction or discontinue products without prior notice.

Shipping/Freight:

Products are priced and will be delivered C.P.T. one contiguous U.S. destination, one Canadian destination or one port of exit, freight prepaid (Incoterms 2010). Title shall transfer with risk of loss.

Kimball Office reserves the right to select the most appropriate shipping terms.

Electronic Catalog and Specification Software:

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.

continued

Delivery:

Normal delivery hours are 8:00 a.m. to 5:00 p.m. Monday through Thursday and 8:00 a.m. to 3:00 p.m. on Friday. Any delivery arrangements made outside of normal delivery times are subject to additional charges.
➤ See at right.

Any charges incurred because of failure to receive a shipment or offload a shipment in a timely manner (maximum time allowed to offload trailer: 3 hours), will be billed to the sold-to customer.

Any charges as a result of rerouting a shipment while in transit will be billed to the sold-to customer.

Any order requiring **Special Delivery Service** will incur additional charges. All such requirements must be noted on the purchase order. These are services that are not included in the standard price of the product or require the usage of specialized carriers. These services include:

- Weekend delivery (after 3:00 p.m. Friday through Sunday evening)—minimum \$500 charge.
- Inside delivery—minimum \$50 charge.
Note: Must be approved and coordinated 10 days prior to shipment.
- Non-dock delivery—minimum \$50 charge.
- JIT delivery (specific day and/or time)—Orders under \$25,000 list will incur a \$125 charge.

- Rush delivery (1-3 days from ship date)—Contact Customer Service for charges.

Carrier Selection

Kimball Office reserves the right to select the most appropriate mode of shipment. Kimball Office relinquishes all responsibility for goods shipped upon a clean receipt from the carrier. Customer bears the risk of loss or damage during shipment.

Packaging

Kimball Office's standard method of shipping is to carton all items. Certain full truck load shipments may qualify for special consideration. Contact Kimball Office for guidelines. International shipments can be crated at the customer's request. The expense of crating will be the responsibility of the customer.

Palletizing

Kimball Office may elect to palletize key products on projects when it effectively reduces carton waste and improves stability within the shipment.

Loss, Damage, or Delay

Kimball Office shall not be liable for loss, damage, detention or delay resulting from causes beyond its reasonable control including but not limited to fire, strike, weather, wreck or delay in transportation. In the event of delay due to any such cause, the delivery date will be postponed by such length of time as may be reasonably necessary to compensate for the delay.

Storage

If the customer requests a change of ship date and the product is in production, Kimball Office reserves the right to transfer the product to storage at the customer's risk and expense. All requests to store product must be approved by Kimball Office Customer Service and may be subject to storage fees. Such transfer to storage will be deemed delivery to the customer for all purposes including insurance, liabilities, invoicing, and payment.

Returned Merchandise

Merchandise will only be accepted for return under the following conditions:

- ① The product is a "made to stock" item; *and*
- ② Return Goods Authorization (RGA) is given to you by your Customer Service Team.

All returns are subject to a 50% restocking fee. All freight charges for returned product are the responsibility of the customer. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packed and protected in the original cartons. Upon receipt, all returned merchandise will be thoroughly inspected. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Claim Process:

All products produced by Kimball Office are carefully inspected and properly cartoned prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortages, or delivery has been delayed by the transportation carrier, **the following steps must be taken:**

- ① Before signing for the merchandise, make notation of all visible damage, shortages and/or time of truck arrival on the bill of lading.
- ② Contact Customer Service within 15 calendar days of delivery receipt to report issue. We will advise whether a freight claim will need to be filed based on mode of transportation.
- ③ If claim must be filed, carrier must be contacted within 15 calendar days of delivery. Retain all shipping cartons for inspection by the carrier agent.
- ④ A copy of the Carrier Disposition Letter must be sent to Customer Service to receive additional credit on concealed damage issues via Redistribution/ LTL carrier shipments.

For Concealed Damage, follow steps 2 through 4.

Our Pledge:

Kimball Office stands behind the craftsmanship of our products. When brought to our attention, we will address warranty issues quickly and effectively.

Recommendations:

Facilities managers and users are urged to make periodic inspections to look for signs of structural fatigue, damage or potential failure that may occur as a result of daily handling and use. Inspections should include the structural joints, corner blocks, screws or fasteners, welds, and any other points of stress. If any problems are found, the product should be taken out of service and Kimball Office Customer Service should be contacted promptly at 800-482-1818.

Limited Product Warranty:

Kimball Office warrants that its products are free from defects in materials and workmanship given normal use and care for a lifetime of single-shift service. Normal use is defined as the equivalent of a single shift, 40-hour work week.

Exception: Itsa and Campos seating models are warranted for three-shift (24/7) service.

Exception: Some products and parts have limited warranty periods.

➤See lists at right.

At its option, Kimball Office will repair or replace with comparable product, free of charge to the customer, any product, part or component manufactured and/or sold by

Kimball Office in North America after November 6, 2000, which fails under normal use as a result of such defect.

In the event that use of a product exceeds normal use as defined above, the warranty period for such product will be reduced to 12 years from date of manufacture, and the warranty for the product's components that fall under different warranty limitations, as listed at right, will be reduced to one-third of the original warranty.

This warranty is made by Kimball Office to the original customer for as long as the original customer owns and uses the product.

This warranty is only valid if the products are given normal and proper use, and installed or used in accordance with Kimball Office installation and/or application guidelines, and installed by an authorized Kimball Office dealer or agent. Kimball Office assumes no responsibility for repairs to products sustaining damages resulting from user modification, attachments to a product, misuse, abuse, alteration, or negligent use of our products.

EXCEPT AS EXPRESSLY SET FORTH ABOVE, THERE ARE NO OTHER WARRANTIES EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. WE EXCLUDE AND WILL NOT PAY CONSEQUENTIAL, PUNITIVE, OR INCIDENTAL DAMAGES UNDER THIS WARRANTY.

All warranties run from date of manufacture.

Warranty Periods:

Warranty periods are limited for certain products and/or component parts as follows:

10-Year Warranty

- Seating mechanisms
- Veneers
- Laminate
- Pneumatic lifts (cylinder assembly)

5-Year Warranty

- High-wear parts (such as casters, glides, drawer slides, moving chair arms)
- Electrical/power products
- Inflatable lumbar supports
- Lighting
- Desk sets
- Monitor arms
- Keyboard kits
- Covering materials (such as foam, mesh, most textiles, 3D laminate, and decorative trim)
- Marker Boards

3-Year Warranty

- Wool felt
- Custom products
- Carnegie Fabrics
- Itsa Mesh
- Campos Mesh

1-Year Warranty

- Fit lounge and headrest

Warranty Exclusions:

This warranty does not cover:

- The substitution of non-Kimball Office components for use in place of Kimball Office components
- Naturally occurring variations and differences in grain character and color between and within wood species
- Natural variations in marble and leather
- Damage caused by a freight carrier
- Normal wear and tear arising from product use
- Damage resulting from improper use or storage of the product
- C.O.M. (Customer's Own Material) or any other non-standard material specified by the customer, including attributes such as appearance, durability, quality, performance, colorfastness, etc.
- Alliance program fabrics
- Fabric, leather, and felt fading and wear, discoloration from contact with liquids or change in color or texture caused by application of finishes (flame proofing, stain resistance)
- Alterations to the product not expressly authorized by Kimball Office
- Products considered to be of consumable nature (such as bulbs, light ballast, and certain electronic products)

Terms & Conditions	➤See page 68
Operating Load Capacities	71
Model Number Index	72

Process for Warranty Issues:

- ① A customer should contact his or her dealer, who will contact Customer Service at 800-482-1818. The purchase order or acknowledgement number, model number, and a detailed description of the warranty issue should be provided. **Serial numbers may be required** before the claim can be processed.
- ② Customer Service will determine and pre-approve all resolutions to the claim, such as replacement units, service parts, and labor charges related to repair or redelivery of damaged or defective product.
- ③ Upon approval, a Case Number and resolution will be assigned to an authorized dealer, and all parts and components necessary for the repair/replace will be sent to the authorized dealer, which will carry out the resolution. The dealer should include the Case Number on all invoices for reimbursement once the warranty repair/replace has been completed. Kimball Office shall not be responsible for any unauthorized expenses. Kimball Office will only accept dealer invoices submitted within 90 days of the final approval by Customer Service; invoices received after 90 days will not be approved for dealer credit or payment. All warranty information should be sent to:

Kimball Office
ATTN: Customer Service
1600 Royal Street
Jasper, Indiana 47549
Telephone: 800.482.1818
800.647.2010 (Gov't Sales)

The table at right lists the operating load capacities (functional load) of various Kimball Office components. All components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.6—2003 Panel System Test, X5.5.—2008 Desk/Tables Products Test, X5.2—1992 Lateral File Test, and X5.9—2004 Storage Units Test. The Operating Load Capacities listed below represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.



Component	Operating Load Capacity (Functional Loads)	Examples
Center drawer	5 lbs., distributive loading	22"D x 24"W wood: 5 lbs. t.w.
Carousel center drawer	2 lbs., distributive loading	
Carousel tray, keyboard tray, Keyboard drawer	10 lb. evenly distributed cycling load	
Metal shelves (work tools)	.017 lb. per cubic inch of available space, but not to exceed 12 inches in height	24"W: 45 lbs. t.w.; 30"W: 56 lbs. t.w. 36"W: 67 lbs. t.w.; 42"W: 78 lbs. t.w. 48"W: 89 lbs. t.w.
Metal work tools	Single side tray: 40 lbs. t.w. Double side tray: 47 lbs. t.w. Pocket organizer: 4 lbs. t.w. Slant Sorter: 19 lbs. t.w. Binder shelf: 10 lbs. t.w. CD holder: 10 lbs. t.w. Hanging file folder: 5 lbs. t.w. Memo box: 10 lbs. t.w. Pencil tray: 5 lbs. t.w.	
Plastic work tools	Paper tray: 5 lbs. t.w. Slant sorter, binder shelf, and file folder hangers: 10 lbs. t.w. Phone holder and accessory tray: 5 lbs. t.w. Pencil cup and CD sorter: 4 lbs. t.w. Shelf: 15 lbs. t.w. Utility tray and accessory dish: 2.5 lbs. t.w.	
Power/data drawer	50 lbs.	
Manual and intuitive adjustment monitor arms	20 lbs. (see pricing page for application restrictions)	

Terms & Conditions	➤ See page 68
Product Warranty	70
Model Number Index	72

U.L. Information:

Only Underwriters' Laboratory (U.L.) or Canadian Standards Association (C.S.A.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.



Model	➤ See page	Model	➤ See page	Model	➤ See page	Model	➤ See page	Model	➤ See page
99K0118NP	15	99K12P4CPF	51	99K2P1J4	50	99K60LBM	16	99KG23	38
99K0207PDFBB	39	99K12WBSK	13	99K2P1J5	50	99K62PDD	49	99KG24	38
99K0207PDFBW	39	99K1303DD	21	99K2P1J6	50	99K68PDD	49	99KG25	38
99K0208ELPDC	38	99K1310SPT	13	99K2P1J7	50	99K74PDD	49	99KG26	38
99K0303ELPDC	39	99K1321STB	13	99K2P1J8	50	99K80PDD	49	99KG50	33
99K0312HFH	15	99K1402DD	21	99K2P1PM2	50	99K86PDD	49	99KG60	33
99K0404NH	24	99K1424KT	31	99K2P1RDS	50	99K9SD	21	99KG65	33
99K0405ELPDG	40	99K149LTPT	18	99K3020TBW	24	99KAC	18	99KG7AB	33
99K0409CDHM	15	99K1610SPTLB	13	99K3030MBW	24	99KCDH	17	99KG7MB	33
99K0507BxB	15	99K1622DP	13	99K3068MSAF	23	99KCH	21	99KG7PL	33
99K0510PT	15	99K1623DPLB	13	99K3068MSAM	23	99KCMU	35	99KG7SN	33
99K0512PT	20	99K1624CT	20	99K3068MSAT	23	99KCP	17	99KG80	33
99K0515PT	20	99K16POM	14	99K3068MSSF	23	99KCPUH	32	99KG90	33
99K0606ADC	17	99K1706KK1	30	99K3068MSSM	23	99KCPUMCB	32	99KHFH	18
99K0609UTC	17	99K1706KK2	30	99K3068MSST	23	99KECMB	34	99KLBBR	16
99K0612PT	20	99K17FBFB3	22	99K30LBM	16	99KELDM	37	99KLTLC	32
99K0724SHB	17	99K1812PDD	19	99K30WMHW	35	99KELDM2	37	99KP4FPFNYC	51
99K0817CDR	20	99K1826KDW	31	99K32PDD	49	99KELF1C	40	99KP4J1	52
99K0905SHBM	14	99K18WMV	34	99K3620TBW	24	99KELPDCR	37	99KP4J2	52
99K0912PDD	19	99K1915HMT	24	99K3630MBW	24	99KELPM	37	99KP4J4	52
99K0924SHM	14	99K1922CD	20	99K36CMFC	34	99KELPM2	37	99KP4J5	52
99K0930SHM	14	99K1924KTM	31	99K36LBM	39	99KELPS	52	99KP4J6	52
99K0936SHM	14	99K19WMV	34	99K36P4D	52	99KFB	22	99KP4J7	52
99K0942SHM	14	99K210P1PF	50	99K38PDD	49	99KFCB	34	99KP4RD1	52
99K0948SHM	14	99K2208KK1	30	99K40WMHU	35	99KFDCDH	21	99KP4RD2	52
99K10P4FPF	51	99K2208KK2	30	99K4220TBW	24	99KFFB	22	99KP4RD3	52
99K10P4FPFM	51	99K2319KKS1	30	99K4230MBW	24	99KFTP	19	99KP4RD4	52
99K10PDPC	51	99K2424CD	20	99K42KA	30	99KG12MN	33	99KP4RD5	52
99K1105SHB	17	99K2468MSAF	23	99K42LBM	16	99KG17SS	33	99KP4WPSM	51
99K1115LPT	18	99K2468MSAM	23	99K44PDD	49	99KG18SS	33	99KPBH	53
99K1202DD	21	99K2468MSAT	23	99K4820TBW	24	99KG19487	33	99KPC2MB	38
99K1211DO	20	99K2468MSSF	23	99K4830MBW	24	99KG19490	33	99KPCTP	51
99K1212PDD	19	99K2468MSSM	23	99K48KA	30	99KG19544	33	99KPDCCAM	39
99K1212SSM	14	99K2468MSST	23	99K48LBM	16	99KG19CM	33	99KPDCCAMH	39
99K1217DPTM	14	99K25FBFB6	22	99K50PDD	49	99KG19DW	33	99KPH	18
99K1217SPTM	14	99K26PDD	49	99K54LBM	16	99KG19PL	33	99KPHCB	53
99K1222SL	31	99K27WMV	34	99K56PDD	49	99KG21	38	99KPHCD	53
99K1222SL2	31	99K2P1J1	50	99K6036MBW	24	99KG22	38	99KPHT	53

continued

Terms & Conditions	➤ See page 68
Product Warranty	70
Operating Load Capacities	71

Model	➤ See page
99KSMACBM8CMS	29
99KSMACBM8GMS	29
99KSMACBM8LCMS	29
99KSMAM2ARMS	29
99KSMAM2CMS	29
99KSMAM2GMS	29
99KSMAM2SMS	29
99KSS	18
99KUH	21
99KWMF	36
99KWMF2	36

PERKS®
PRICE LIST

Effective December 2, 2013

Kimball®Office

Product details and other data are subject
to change without notice.

Your Customer Service Team will be happy
to answer any questions you may have.

PERKS® PRICE LIST

April 2014

Revision Summary

This document provides a summary of revisions made to the price list since December 2, 2013.

These revisions are effective April 15, 2014.

Additions

None.

Changes

None.

Clarifications

Dimensions for wood center drawer have been added.

➤ See page 20.

Kimball Office panel fabric restrictions added:

- Crossroads is not available on Perks tackboards
- Sprite is not available on fabric-covered overheads
- Basket is not available on fabric-covered overheads

➤ See page 66.

Corrections

Price for expandable cable manager, model 99KECMB, has been corrected to "\$144."

➤ See page 34.

Deletions

None.

PERKS® PRICE LIST

June 2014

Revision Summary

This document provides a summary of revisions made to the price list since April 15, 2014.

These revisions are effective June 23, 2014.

Additions

Single monitor arms for use with Xsede are now available. A clamp-mount model and an accessory-rail-mount model are available. Existing slat-mount models are compatible with Xsede slat tiles.

➤ See page 28.

Surface-mount power/data center is now available.

➤ See page 39.

Silver pearl paint is now available on select metal work tools.

➤ See page 62.

Changes

Updates to the Finishes and Materials chapter have been made to reflect the current offering.

➤ See page 57.

U.L. information has been moved to the Resources chapter.

➤ See page 75.

Clarifications

BIFMA/ANSI: 100% of the products manufactured by Kimball Office are level® certified.

➤ See page 5.

Name/sign holder is applicable to slat tiles. Specify "X" for the application option.

➤ See page 24.

Keyboard kits can be used with Xsede when undersurface support rails are not used.

➤ See page 27.

Round metal G19 grommets are compatible with Xsede. Specific models are indicated.

➤ See page 33.

Product warranty has been updated to reflect that Itsa and Campos seating lines have a "normal" use classification and warranted for 3-shift, 24/7 service. Itsa Mesh and Campos Mesh models have a warranty period of 3 years.

➤ See page 74.

Corrections

None.

Deletions

None.

PERKS® PRICE LIST

Revision Summary

October 2014

This document provides a summary of revisions made to the price list since June 23, 2014.

These revisions are effective October 1, 2014.

Additions

Single-side pop-up power/USB grommet has been added.
➤See page 38.

Perks power/data drawer is now available in 544 Silver Pearl finish. A 10% upcharge applies.
➤See page 49.

Three new wood finishes are now available for keyboard drawers and wood center drawers:

- CO Canyon Oak
- YO Monterey Oak
- NW Tuscan Walnut

➤See page 59.

Changes

All pricing has been updated to reflect the price adjustment effective October 1, 2014.

Shipping/freight terms have been changed.
➤See page 72.

Laminate is warranted for a period of 10 years.
➤See page 74.

Clarifications

None.

Corrections

Name/sign holder is available with a platinum or black finish. How to specify steps have been revised to include this specification as part of the base model number.
➤See page 24.

Double-arm LED lamp and round base are presently designated as GSA pending.
➤See page 56.

Metal wire manager is available in 461 Graphite and 425 Shadow paint; it is not available in 416 Putty or 485 Smoke.
➤See page 62.

Deletions

None.

PERKS® PRICE LIST

Revision Summary

December 2014

This document provides a summary of revisions made to the price list since October 1, 2014.

**These revisions are effective
December 15, 2014.**

Additions

None.

Changes

Terms and Conditions have been revised to include an updated list of alliance partner names in the “no cancellations or changes” paragraph as follows:

- Alliance program upholstery (Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, Ultrafabrics)

➤ See page 70.

Product Warranty has been revised. Thermofoil is now called 3D laminate in the 5-year warranty section. The Alliance partner list has been updated in the warranty exclusions section as follows:

- Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, Ultrafabrics alliance programs

➤ See page 72.

Clarifications

Clamp-mount dual-monitor arms with crossbar for use with Xsede apply to wire gap worksurfaces. Subhead within the pricing table revised for clarity.

➤ See page 29.

Corrections

None.

Deletions

Plastic letter-size paper trays are no longer available due to supplier availability.

➤ See page 17.

LED desk lamps are no longer available due to supplier availability and have been removed from the price list.

PERKS® PRICE LIST

Revision Summary

March 2015

This document provides a summary of revisions made to the price list since December 15, 2014.
These revisions are effective March 16, 2015.

Accessories & Tools

Letter-size plastic paper trays are now available.
➤See page 18.

Technology Management

Round metal G19 grommet in Silver Pearl is now available to coordinate with Definition, Dock, Footprint, Priority, Scenario 1³/₁₆", and Xsede.
➤See page 33.

Round plastic G65 grommet in Silver is now available to coordinate with Dock, Footprint, Priority, and Scenario 1³/₁₆".
➤See page 33.

Finishes & Materials

Minor updates have been made throughout this finishes and materials chapter to bring it up to date and make it more consistent with our other price lists.

Resources

Minor updates have been made throughout the Resources chapter to bring it up to date and make it more consistent with our other price lists.