

### PRODUCT SPECIFICATIONS

SWAGR BRINGS LEVITY TO ANY SPACE AND SITUATION. INSPIRED BY THE TENDENCY OF PEOPLE TO RETREAT TO MORE CASUAL SITTING AREAS FOR EVERYDAY TASKS, SWAGR OFFERS A HAPPY MEDIUM BETWEEN OFFICE CHAIRS AND MORE INFORMAL SEATS LIKE OTTOMANS OR BEAN BAG CHAIRS. THE RESULT IS A WHIMSICAL FAMILY OF SEATING MADE TO FIT EVERYWHERE FROM GROUP SPACES AND LOUNGE AREAS TO PRIVATE OFFICES, CONFERENCE ROOMS, CLASSROOMS, AND MORE.

SWAGR'S SUPERIOR CONSTRUCTION INCLUDES CNC CUT FURNITURE GRADE PLYWOOD FRAMES ASSEMBLED WITH PUZZLE FIT JOINERY FOR SUPERIOR STRENGTH. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. TOP STITCH NEEDLE SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR. TWO TONE TEXTILE APPLICATIONS AVAILABLE ON ALL UNITS.

DESIGNED BY 5D STUDIO.

#### MODEL DESCRIPTION

### **FABRIC LIST PRICE**

7 COM CUE 3 6 8 2 5 1,375 1,315 1,485 1,550 1,620 1,690 1,760 1,825 1,960

1,645

1,715

1,785

1,850

1,985

• CURVACEOUS SEAT SHAPE IS CONDUCIVE TO FABRICS WITH SOME STRETCH AND MINIMUM PATTERN • SUPPORTS 350 LBS.



5.1

5.M.1

5.2

LOW LOUNGE CHAIR



LOW LOUNGE CHAIR/MOBILE 1,340 · FIVE HIDDEN CASTERS CREATE A FLOATING VISUAL

· CASTERS ARE NON-LOCKING AND FEATURE SEMI-SOFT TREADS FOR COMPATIBILITY ON ALL FLOOR SURFACES

1,400

1,510

1,575

• SUPPORTS 350 LBS.



1,080 1,295 1,450 965 995 1.135 1.190 1.240 1.350 REVERSIBLE SEAT

· CURVACEOUS SEAT SHAPE IS CONDUCIVE TO FABRICS WITH SOME STRETCH AND MINIMUM PATTERN · SUPPORTS 350 LBS.



1,320 990 1 020 1,105 1,160 1,215 1 265 1.375 1 475 REVERSIBLE SEAT/MOBILE

- CURVACEOUS SEAT SHAPE IS CONDUCIVE TO FABRICS WITH SOME STRETCH AND MINIMUM PATTERN
- FOUR HIDDEN CASTERS CREATE A FLOATING VISUAL
- CASTERS ARE NON-LOCKING AND FEATURE SEMI-SOFT TREADS FOR COMPATIBILITY ON ALL FLOOR SURFACES
- SUPPORTS 350 LBS.

8356

# TO ORDER, SPECIFY:

- 1. MODEL NUMBER 2. FABRIC

LEATHE	ER LIST	PRICE						DIME	NSIONS	FIGURES	
COL	E1 BASIC	FUNDAMENTAL	HAMPTON	C4 VOLO	C5 ANDES	VELLUTO PELLE			YARDAGE REQUIREMENTS SHOW ARE BASED ON NON-DIRECTION 54" TEXTILES. REFER TO PAGE FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL T COM_HELP@EKOCONTRACT.COM		
1,620	2,050	2,170	2,250	QUOTED L	IPON REQUE	EST		W D H SW SD SH BH	31.75 38 31.75 30.75 23.5 16 15.75	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	3.25 60
1,645	2,075	2,195	2,275	QUOTED U	IPON REQUE	EST		W D H SW SD SH	31.75 38 31.75 30.75 23.5 16 15.75	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
1,190	1,495	1,575	1,650	QUOTED U	IPON REQUE	EST		W D H SW SD SH BH	18 38.5 29.25 15 17.75 19.5 9.75	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	2.5 45 26 15
1,215	1,520	1,600	1,675	QUOTED U	IPON REQUE	ST		W D H SW SD SH BH	18 38.5 29.25 15 17.75 19.5 9.75	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	



### PRODUCT SPECIFICATIONS

SWAGR BRINGS LEVITY TO ANY SPACE AND SITUATION. INSPIRED BY THE TENDENCY OF PEOPLE TO RETREAT TO MORE CASUAL SITTING AREAS FOR EVERYDAY TASKS, SWAGR OFFERS A HAPPY MEDIUM BETWEEN OFFICE CHAIRS AND MORE INFORMAL SEATS LIKE OTTOMANS OR BEAN BAG CHAIRS. THE RESULT IS A WHIMSICAL FAMILY OF SEATING MADE TO FIT EVERYWHERE FROM GROUP SPACES AND LOUNGE AREAS TO PRIVATE OFFICES, CONFERENCE ROOMS, CLASSROOMS, AND MORE.

SWAGR'S SUPERIOR CONSTRUCTION INCLUDES CNC CUT FURNITURE GRADE PLYWOOD FRAMES ASSEMBLED WITH PUZZLE FIT JOINERY FOR SUPERIOR STRENGTH. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. TOP STITCH NEEDLE SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR. TWO TONE TEXTILE APPLICATIONS AVAILABLE ON ALL UNITS.

DESIGNED BY 5D STUDIO.

MODEL DESCRIPTION

STOOL

FABRIC LIST PRICE





5.3

• CURVACEOUS SEAT SHAPE IS CONDUCIVE TO FABRICS WITH SOME STRETCH AND MINIMUM PATTERN

• SUPPORTS 350 LBS.



5.4


730 860 945 985 1,025 1,110 SADDLE SEAT



- $\bullet$  CURVACEOUS SEAT SHAPE IS CONDUCIVE TO FABRICS WITH SOME STRETCH AND MINIMUM PATTERN
- · SUPPORTS 350 LBS.



970 840 885 925 1,010 1,050 1,135 755 775 SADDLE SEAT/MOBILE





5.M.4

· CASTERS ARE NON-LOCKING AND FEATURE SEMI-SOFT TREADS FOR COMPATIBILITY ON ALL FLOOR SURFACES

· SUPPORTS 350 LBS.

## TO ORDER, SPECIFY:

- 1. MODEL NUMBER 2. FABRIC

LEATHE	EATHER LIST PRICE									SIONS	FIGURES				
COL	E1 BASIC	FUNDAMENTAL	HAMPTON	C4 VOLO	C5 ANDES	VELLUTO PELLE					YARDAGE REQUIREMENTS SH ARE BASED ON NON-DIRECTI 54" TEXTILES. REFER TO PAG FOR HELP WITH TEXTILES WI REPEATS OR SEND AN EMAIL COM_HELP@EKOCONTRACT.C				
840	1,060	1,125	1,190	QUOTED U	PON REQUE	ST		W H SY SI	w	17.5 17.5 26.75 14	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS. CUBIC FEET	15			
900	1,150	1,215	1,265	QUOTED UF	PON REQUE	ST		H SY SI	w	17.5 31.25 20.75 24.25 12	COM (YDS.) COL (SQ.FT.) WEIGHT (LBS. CUBIC FEET	15			
925	1,175	1,240	1,290	QUOTED UP	PON REQUE	ST		W H SY	w	17.5 31.25 20.75 24.25 12	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS. CUBIC FEET				