

**SOLICITATION OF QUOTES FOR THE PURCHASE OF
ONE (1) STEEL BOLTED/NON-WELDED,
30' X 80' PRE-FABRICATED BUILDING**

Notice is hereby given that the Board of Supervisors of Tallahatchie County, Mississippi will accept bids for the purchase, and/or lease purchase of one (1) Steel Bolted/Non-Welded, 30'X80' Pre-Fabricated building, at the Tallahatchie County Courthouse in Charleston, Mississippi, fax number 662/647-3702 or by mail at Post Office Box 350, Charleston, Mississippi, 38921. Detailed specifications may be obtained by contacting Anita Mullen Greenwood, Chancery Clerk of Tallahatchie County, Mississippi at 662/647-5551 or by mail to Anita Mullen Greenwood, at Post Office Box 350, Charleston, Mississippi 38921. Bid Quotes are to be received by 10:00 a.m. on Wednesday, October 29, 2014 and shall be opened thereafter by the Tallahatchie County Purchase Clerk, and taken under advisement for review.

INSTRUCTIONS TO BIDDERS:

1. No responsibility will be attached to any person employed by the Board of Supervisors of Tallahatchie County, Mississippi, for the premature opening of any bid not properly addressed and identified as stipulated below:
2. **BID FOR: THE PURCHASE OF ONE (1) STEEL BOLTED/NON-WELDED PRE-FABRICATED 30'X80' METAL BUILDING**
3. Any exceptions to the specifications must be listed in the bidders bid with justification. Failure to do so will disqualify the bid.
4. Price bid shall be for F.O.B. Tallahatchie County, Mississippi, and must include any pre-delivery and/or setup charges, title fees and inspection fees.
5. The bidder shall complete the unit price bid with no further calculations required in order to determine the firm unit price.
6. The bidder may also submit a separate quote, or option, for the erection of the building.
7. The bidder may also submit a separate quote, or option, for the concrete work.
8. Bids must be signed and dated by the bidders authorized agent.
9. The bidder accepted shall provide a building blueprint for the floor plan upon award of bid.

10. All bids must state Manufacturer Warranty.
11. All bids must state approximate delivery time.
12. Location for parts and service must be included in the bid and will be a factor in determining the best bid.
13. It shall be incumbent upon each bidder to understand the specifications on the bid form and to obtain clarification when necessary. It is not the intent of the specifications to limit the bidding process to any make or manufacturer, but to fill a specific need and to perform a specific task.
14. The Board of Supervisors of Tallahatchie County, Mississippi reserves the right to determine which the lowest and best bid is and to accept or reject any or all bids based on that determination.

Given by order of the Tallahatchie County Board of Supervisors on this the 13th day of October, 2014.

ANITA MULLEN GREENWOOD,
CHANCERY CLERK

REQUEST FOR BIDS ON STEEL BOLTED/NON WELDED BUILDING

- Building dimensions: Width 30'-0"; Length 80'-0"; Eave Height 10'-0" Roof Slope 1:12
- Roof type to be gable and will be clear span
- Side wall columns are to be straight columns with flush girts
- Roof bracing to be cable type
- Building to have a center transverse floor to roof partition wall. Partition wall to be insulated and sheeted both side floor to roof
- Center partition wall will make two (2) 30' x 40' rooms
- Four (4) 3'-0" x 7'-0" metal walk doors with lock sets and necessary weather striping
- Four (4) operable 3'x4' windows install in the 30'x 40' room on the left side
- Windows are to be bronze frame insulated windows
- One (1) 8'-0" x 8'-0" manual operated drum type overhead door with chain hoist installed in right side 30' x 40' room
- Both 30' x 40" rooms are to have interior wainscoting floor to roof line
- Building roof and walls to receive 3" white vinyl backed insulation
- Frame one (1) 5'x 6' rest room within the interior of the 30'x 40' room on the left side.
- Roof panels will be 26 gauge pre-formed R-panels. Roof panels are to be secured using selfdrilling, hex head screws with washers. All screws are to be the same color as the roof panels. Roof panels are to be Galvalume finish.
- Wall panels are to be 29 gauge pre-formed PBR panels. Wall panels are to be fastened with self drilling hex head screws with washers. Wall panels are to be factory painted in standard color. Owner to select the color.
- Gutters and downspouts for complete building