

licensed from Connection.uk • designed by Roger Webb Associates





transforming public places to productive spaces

Price List

March, 2015





Contents

Planning Section and Spec Guide	3
Order Checklist	4
Hive Standard Configurations Order Checklist	5
Hive Base Modules Order Checklist	6
Power/Data	7-9
Edge Profile/ Color Options	10
Hive: COM (Customers Own Material)	11
COM (Customers Own Material) Form	12
Terms and Conditions	13-14
Shipping and Delivery	15
Care and Maintenance	16
Palmer Hamilton/Nomad – HIVE Five-Year Warranty	17
Environmental Policy and Recycled Product Information	18
Palmer Hamilton Environmental Statement	19
Hive Standard Configurations	20
Hive 90°	21
Hive with Legs- Standard Configurations	25
Straight Modules	27
Back-to-Back Modules	28
Curved Modules- Internal Bench	29

Curved Modules-External Bench	30
Back-to-Back Curved Modules	31
Corner Modules	33
T Modules	34
Media Screen Modules	35
Intergral Work Surfaces	37
Worksurfaces	38
Table Top and Bases	39
Hive with Legs - Straight Modules	40
Hive with Legs- Back-to-Back Straight	41
Hive with Legs - Curved Modules	42
Hive with Legs - Back-to-Back Curved Modules	43
Hive with Legs - Corner Modules	44
Hive with Legs -T Modules	45
Shared Legs	46
Additions	47
Hive with Legs - Integral Work Surfaces	47
Hive with Legs - Media Screen Modules	49
End Bench	50
Tables	51





Planning Section and Spec Guide

Hive:

Base Modules

Straight Modules



Back-to-Back Modules



Curved Modules Internal Bench



Curved Modules External Bench



Corner Modules



Media Screen Modules



Integral Work Surfaces



Nork Surfaces



Table Tops and Bases



Hive with Legs:

Base Modules

Straight Module



Back-to-Back Modules



Curved Modules Internal Bench



Curved Modules Internal/External Bench



Corner Modules



Media Screen Modules



Integral Work Surfaces



Work Surfaces



Modularity


Modularity and versatility allow you to fit into a footprint using large and small scale components or a mix of both.

Curved Units

Curved units available in two radius degrees: 60 and 90. Inside and outside benches available.

Screen Heights

Screen heights available with no screen, one screen, two screens or three screens high.











Integral Work Rail Accessories

TV/Monitor bracket

Complementary Components

End benches



Tables



Electrical

See page 7-9.





Order Checklist

Palmer Hamilton manufacturers the majority of our products to order; thereby, providing a multitude of options to tailor products for your individual customer's need. Please remember to include all the necessary information to allow the order entry process to be completed. Please see the checklist on page 5/6.

Please include purchase order numbers on orders, this will enable our Customer Service Representative to locate and process your order without delay.

Our Palmer Hamilton website **www.nomadflexiblefurniture.com/hive_web/index.html** provides many tools to assist in the design and order selection.





Hive Standard Configurations Order Checklist

Module Product Code:	Module Product Code:	Module Product Code:
Fabric Selection: Vendor (V), Pattern (P) and Color Code (C)	Fabric Selection: Vendor (V), Pattern (P) and Color Code (C)	Fabric Selection: Vendor (V), Pattern (P) and Color Code (C)
Check box if CAL133 required: □	Check box if CAL133 required: □	Check box if CAL133 required: □
Seat: V P C	Seat: V P C	Seat: V P C
Back: V P C	Back: V P C	Back: V P C
Screen 1: V P C	Screen 1: V P C	Screen 1: V P C
Screen 2: V P C	Screen 2: V P C	Screen 2: V P C
Screen 3: V P C	Screen 3: V P C	Screen 3: V P C
Options:	Options:	Options:
Power Outlet (pg 7-9):	Power Outlet (pg 7-9):	Power Outlet (pg 7-9):
Tablet Arm:	Tablet Arm:	Tablet Arm:
Work Surface:	Work Surface:	Work Surface:
Work Surface Code:	Work Surface Code:	Work Surface Code:
Support Fabric: V P C	Support Fabric: V P C	Support Fabric: V P C
Work Surface Shape (pgs. 37-39, 47-49):	Work Surface Shape (pgs. 37-39, 47-49):	Work Surface Shape (pgs. 37-39, 47-49):
Work Surface Laminate:	Work Surface Laminate:	Work Surface Laminate:
(Standard Wilsonart Color Selections -38/-60) Work Surface Edge Color:	(Standard Wilsonart Color Selections -38/-60) Work Surface Edge Color:	(Standard Wilsonart Color Selections Work Surface Edge Color:
Work Surface Edge Style: PVC ☐ SMART ☐	Work Surface Edge Style: PVC □ SMART □	Work Surface Edge Style: PVC ☐ SMART ☐

Note: Units can be specified with a contrasting upholstery feature. When this feature is desired the unit will be priced based on the higher grade fabric selected. When specifying contrasting upholstery, indicate clearly the upholstery to be applied to the seat, back, work surface and screens. Also indicate the direction of fabric- Railroaded or Up the Roll. Please provide illustration, if available.

All COM orders must include the COM form on page 12.





Hive Base Modules Order Checklist

Module 1 Product Code:	Module 2 Product Code:	Module 3 Product Code:
Fabric Selection: Vendor (V), Pattern (P) and Color Code (C)	Fabric Selection: Vendor (V), Pattern (P) and Color Code (C)	Fabric Selection: Vendor (V), Pattern (P) and Color Code (C)
Check box if CAL133 required: □	Check box if CAL133 required: □	Check box if CAL133 required: □
Seat: V P C	Seat: V P C	Seat: V P C
Back: V P C	Back: V P C	Back: V P C
Screen 1: V P C	Screen 1: V P C	Screen 1: V P C
Screen 2: V P C	Screen 2: V P C	Screen 2: V P C
Screen 3: V P C	Screen 3: V P C	Screen 3: V P C
Options:	Options:	Options:
Power Outlet (pg 7-9):	Power Outlet (pg 7-9):	Power Outlet (pg 7-9):
Tablet Arm:	Tablet Arm:	Tablet Arm:
Work Surface:	Work Surface:	Work Surface:
Work Surface Code:	Work Surface Code:	Work Surface Code:
Support Fabric: V P C	Support Fabric: V P C	Support Fabric: V P C
Work Surface Shape (pgs. 37-39, 47-49):	Work Surface Shape (pgs. 37-39, 47-49):	Work Surface Shape (pgs. 37-39, 47-49):
Work Surface Laminate:(Standard Wilsonart Color Selections -38/-60)	Work Surface Laminate:(Standard Wilsonart Color Selections -38/-60)	Work Surface Laminate:(Standard Wilsonart Color Selections -38/-60)
Work Surface Edge Color:	Work Surface Edge Color:	Work Surface Edge Color:
Work Surface Edge Style: PVC ☐ SMART ☐	Work Surface Edge Style: PVC ☐ SMART ☐	Work Surface Edge Style: PVC ☐ SMART ☐

Note: Units can be specified with a contrasting upholstery feature. When this feature is desired the unit will be priced based on the higher grade fabric selected. When specifying contrasting upholstery, indicate clearly the upholstery to be applied to the seat, back, work surface and screens. Also indicate the direction of fabric- Railroaded or Up the Roll. Please provide illustration, if available.

All COM orders must include the following COM form on page 12.





Power/Data

Hive has beeen designed to intergrate power modules and datapoints into a number of easily accessible locations.

TV/Monitors can be accommodated in a variety of configurations.








Power Specifications

The Hive power modules includes (2) simplex receptacles and (1) active USB port. Our powersystem is UL Approved and is a 20AMP, 125 Volt 4-wire system. Power up to 10 power modules with one power infeed.

When Ordering

Please include drawing with power infeed and power module locations. Palmer Hamilton will assist in proper specifications.



Note:

Based on electrical configuration set-up, future Hive configuration changes may be inhibited.






Power/Data

Hive has beeen designed to intergrate power modules and data points into a number of easily accessible locations.

TV/Monitors can be accommodated in a variety of configurations.



Data:

Hive accomodates your data and cabling requirements. Please contact Palmer Hamilton for assistance.

Note:

Each power Infeed will support a maximum of 10 power modules. All benches and screens include all necessary gromets and hardware.





Power/Data


Easy Spec Power Components



8' Power Infeed Plug Part Number Suffix: PIP to Model # Add \$350 list




8' Power Infeed Hardwire
Part Number Suffix:
PIH to Model #
Add \$350 list



12' Power Infeed 72" Power Poll Hardwire (Hardwire only) Part Number Suffix: PPI to Model #



Power Bench
Part Number Suffix:
PBC to Model #
Add \$650 list



Power Bench 2 Power
Part Number Suffix:
PBC2 to Model #
Add \$950 list

Power Screen


PSC to Model #

Add \$650 list

Part Number Suffix:



Power Pass through (screen or bench) Part Number Suffix: PPT to Model # Add \$350 list



Power Pass through Grommet
Included based on Power/Data drawings






Edge Profile/ Color Options

PVC Colors

- Medium Tone (MT)
- Innertone Light (IL)
- Innertone (I)
- Folkstone (F)
- Graphite (G)
- Black (BLK)
- Classic Mahogany (CM) 151
- Ranier Cherry (RC) 152
- Sugar Maple (SM) 153
- Esspresso (E) 779
- Designer White (DW) 348









Graphite Black (BLK)



Esspresso (E) 779



Folkstone

Ranier Cherry (RC)152








Cls Mahogany(CM)151

Innertone

Dsg White (DW) 348

ABS Colors

- Brownstone (BRN) 006
- Light Beige (LB) 090
- Black (BLK) 300
- Putty (PTY) 371
- Pumice (PUM) 397













PLEASE NOTE: As digital pattern cards cannot be 100% color accurate we recommend that a physical sample is seen before purchase.





Hive: COM (Customers Own Material)

The Hive products and product line may be available in COM (Customers Own Material). Due to the complexity of manufacturing which requires certain fabric characteristics and properties, it is critical that we test the actual fabric on all COM requests. Below is the procedure for Hive COM requests:

- 1. Please complete the COM material form. It is essential to complete the form in its entirety (next page).
- 2. Please place a swatch in the space allotted on the COM form.
- 3. Two yards of fabric are required for proper testing.
- Please send the two yards of fabric to be tested along with the completed COM form. The COM form must be sent with the fabric to properly track and identify your fabric.

COM Testing Department

Palmer Hamilton, LLC

143 S. Jackson Street, Suite 1

Elkhorn, WI 53121-1911

5. Upon receipt of fabric Palmer Hamilton will approve or disapprove fabric.

Thank you for selecting Palmer Hamilton and the Hive product line. We appreciate your business.





COM (Customers Own Material) Form

Customer:	ustomer: Contact:	t:	Order or Quote #:		Product Line:	Quantity:					
Address:	Project	Name:	Anticipated Order Date:		Product Part #:	Material Required: Minimum o	f 2 yards needed for testing				
Please staple material sample (2" x 2" minimum) facing right side and according to desired horizontal vertical direction.	al-	Fabric/Leather Reference:	Material Color:	Material Width:	Delivered Qty:	Name of Manufacturer:	Date of Shipment, Name of Freight Carrier:				
		Excess material with shipped pro		Special Ir	nstructions:						

Phone: 800.788.1028 • Fax: 262.723.5180





Terms and Conditions

Terms of Payment

Net 30 days from the date of invoice with credit approval. Palmer Hamilton retains title and ownership of all goods until they have been paid for in full.

Ordering Procedure

Orders must be place in writing and include the following:

Product code (with options listed)

- Fabric range and code
- Quantity
- Delivery address
- Desired delivery date

All orders should be mailed, faxed or emailed to:

Palmer Hamilton, LLC

143 S. Jackson Street, Suite 1

Elkhorn, WI 53121-1911

Toll Free: 800-788-1028

Local: 262-723-8200

Fax: 262-723-5180

Email: orders@palmerhamilton.com

Indicate ship to address, if different from bill to address.

Order Changes

Palmer Hamilton requests all changes to an order be made in writing and are subject to our ability to conform. In return, written acknowledgement of all order changes will be issued from Palmer Hamilton. Administrative and/or labor charges may be incurred by the dealer depending upon the production stage of the order. Once final Production has commenced, no further changes will be accepted.

Acknowledgements

All orders will be acknowledged promptly showing when the order was entered, shipping time, and other pertinent information. Please examine this written acknowledgement carefully and notify Palmer Hamilton Customer Service in writing immediately of any discrepancies. If a firm ship date is necessary, please let us know and we will do all we can to meet your request. Acknowledged ship dates are contingent upon adverse conditions; however, every effort is made to ship as acknowledged.

Palmer Hamilton will not be held responsible for customer error or omissions.

Once the order acknowledgement has been sent, the order will go into production. Any amendments received after this date may be chargeable.

Cancellations

Palmer Hamilton must receive all cancellation requests in writing. Please contact Palmer Hamilton Customer Service immediately to determine what production stage the order is in. Administrative and/or labor charges may be incurred by the dealer depending upon the production stage of the order. Orders cannot be cancelled after the finishing process has begun. Cancellations cannot be accepted once final production has begun.

Pricing & Freight

All prices shown are list and include delivery to one destination. Prices are subject to change without notice. Possession of this price list does not constitute an offer to sell. Orders can be received only from authorized Palmer Hamilton dealers. Our website has our full policies on guarantee, and delivery. Shipments are FOB point of shipment, freights prepaid and allowed to the 48 contiguous states. All other shipments are freight prepaid and allowed to port of exit. For shipments west of the Rockies add 6% to the net price for freight. Please call Customer Service for other shipping arrangements and a customized freight quote.

Specifications

All dimensions and weights are approximate. Palmer Hamilton reserves the right to make, without notice, any changes to materials, specifications or design of products which it considers to be reasonable or desirable.

Shipping and Delivery Lead Times

Lead times may vary due to the fabrics selected on the products and/or component requirements. Once your order is received, Palmer Hamilton will acknowledge the order and issue an estimated delivery date. In the event that our lead time does not meet your requirements, please contact Palmer Hamilton Customer Service.

Many products are built to order and once built; you will receive a call from Customer Service to coordinate delivery. All special delivery requests must be made at the time of placing order and should be reviewed with Customer Service prior to the shipment leaving Palmer Hamilton. Subsequently, any changes arising from failure to meet shipment, rerouting while in transit, or carrier storage charges are the responsibility of the customer.

Freight Damage

All shipments are delivered to the carrier in good condition and our liability ceases thereafter. Please inspect merchandise immediately upon receipt. If shipment arrives short or damaged, you should file a claim immediately with the carrier. In the case of concealed damage, notify the carrier and request an immediate inspection. Keep all carton and packing material. Failure to file claim with 15 days after receipt of merchandise constitutes acceptance and a waiver of any such claims.





Terms and Conditions (continued)

Repair Charges

Palmer Hamilton will not issue credit allowances for any repairs without prior written consent from Palmer Hamilton Customer Service.

Returns

No merchandise may be returned to Palmer Hamilton without a signed Return Goods Authorization (RGA) form issued by Palmer Hamilton Customer Service. Any authorized returns not due to damage or defects will be assessed a restocking fee and all return freight charges must be prepaid. Modified, special order or custom built products are final sale. Liability for defective merchandise will be limited to replacement or repair. Under no circumstances can Palmer Hamilton accept Cash of Delivery (COD) returns. All such shipments will be refused.

Replacement Parts

Prices for replacement parts can be obtained by calling Palmer Hamilton

Customer Service. Please have the model number available when ordering replacement parts.





Shipping and Delivery

Shipping Charges

All shipments west of the Rockies will incur at shipping surcharge of 6% of net, or can be quoted for best shipping rates at time of shipment.

Shipping Methods

We have a variety of shipping methods available to ensure a quality delivery experience (additional charges may apply):

- Inside Delivery service is available. Our delivery partner will contact you within 24 to 48 hours of receiving the
 product in their local terminal to schedule a mutually agreed upon date and four-hour delivery window. The delivery
 agent will unload the items and place them inside your door.
- Special Handling Delivery is available on many large products, heavier items, and products that require substantial
 assembly. Special Handling Delivery includes delivery to any room in your organization or business plus up to one
 hour of setup and assembly in addition to the removal of all packaging materials that accompanied your item.
- UPS Ground is used for smaller items such as miscellaneous items and accessories

Shipping Time

Many HIVE products by Palmer Hamilton are built-to-order. Once your order is built and shipped, delivery takes between 3 and 5 business days. For Inside Delivery and Special Handling Delivery, you will receive a phone call from your servicing dealer.

Track Order Shipment

Upon request, you will receive a shipment confirmation with tracking information via email when your order ships. Please contact your servicing dealer for additional information.





Care and Maintenance

Care of Upholstery Surfaces

Cleanability will vary based on the fabric type. For best results, professional service is recommended. Dirt and loose debris may be gently brushed and vacuumed off products. Spills should be wiped with a dry white cloth, immediately. Vinyl textiles can be cleaned with warm soapy water, and wiped dry with a cloth. For additional information on cleaning Palmer Hamilton carded fabrics and vinyl, please visit our website palmerhamilton.com or consult the back of the appropriate swatch card for cleaning codes and any specific instructions. For COM materials, consult with the individual textile manufacturer for cleaning codes and any specific instructions pertaining to your particular fabric.

Maintenance of Mechanical Parts

Clean debris from moving parts of the base mechanism on a regular basis. Mechanisms have been designed and tested to not require lubrication under normal conditions. However, lubricants can be used as needed and proper precautions should be taken to protect surrounding surfaces from spills.

Metal Finishes

Wipe smooth powder-coated finishes and textured metals with a damp cloth. For stubborn stains and grease marks, use soap and water. Lightly brush textiles metals with a soft, dry brush to remove dirt.





Palmer Hamilton/Nomad - HIVE Five-Year Warranty

For products sold after January 1, 2014, subject to the limitations, exclusions and disclaimers set Limited Warranty forth below, (which are expressly incorporated herein), Palmer Hamilton, LLC (PH) warrants its products to be free from defects in workmanship and materials for a period of five (5) years after the date of original shipment (the "Warranty Period"), provided the product is used in the manner and under the conditions for which it is designed.

Limitation of Liability

- 1. This warranty shall apply only if (i) Purchaser notifies Seller in writing of the claimed defect within 30 days of discovery; (ii) Purchaser discovers the claimed defect within the Warranty Period; (iii) Purchaser allows Seller to inspect the Goods claimed to be defective; and (iv) Seller or its representative confirms the defect in writing to Purchaser.
- 2. This PH Limited Warranty extends only to defects in materials and workmanship which occur during "normal use and service" as defined below, and it does not apply to: (a) Goods that have not been maintained in accordance with instructions or that have been accidentally damaged; (b) defects attributable in any way to installation, modification, cleaning, or repair made by any party other than PH; or (c) mishandling, accident, fire, lightning, other hazards whether natural or man-made, or shipment. "Normal use and service" means that the product will be used in a typical environment for 40-45 hours per week.
- 3. Products that are non-standard are not covered under this warranty.
- 4. Further, this warranty shall not apply if (a) Purchaser or a third party modifies or repairs the Goods without PH' prior written approval; or (b) after discovery of a defect, Purchaser fails to take prompt and reasonable steps to prevent the defect from becoming more serious. If Goods are repaired in the field by someone other than PH, then the warranty on that repair is from the person or company making that repair, not PH.
- PH guarantees upholstered products only to be free from defects and that the upholstery is tailored according to product specifications. PH offers no warranty,

either implied or expressed, on any fabrics or leathers. Fabrics and leathers carry warranties from the fabric manufacturer or reseller, and most contract fabrics and leathers have only a one to two year warranty period. Please refer to each resellers warranties before specifying. Because every fabric specification is different and application for use must be taken into consideration, PH shall not be held responsible in any manner for wrong specification of fabric, and PH does not guarantee specified fabric for tailoring, wear, durability, or light fastness. PH makes no warranty of any kind with respect to "customer's own materials" (COM), "customer's own leathers" (COL), or non-standard materials selected by and used at the request of the purchaser.

- 6. Variations in grain, color, marks, scars, texture and pattern of wood, leather and textiles may occur as a result of nature, dye lot, exposure to light, and aging. PH makes no warranty with respect to matching of grain, textures, pattern or colors of such materials, including an exact match to wood chips, color samples, or swatch cards.
- 7. During the Warranty Period, if a PH product does not conform to this limited warranty, the purchaser's sole and exclusive remedy against Seller arising out of or in connection with any claimed defect in any Goods sold hereunder, whether based upon contract, strict liability or negligence, and whether for personal injury, commercial loss, or other monetary loss, shall be at PH' option and sole discretion, is one of the following:
- (a) Repair of the defective component or product,
- (b) Replacement of the defective component or product, or
- (c) Refund of the original purchase price paid for the defective product upon return of the defective product to PH.
- 8. IN NO EVENT, WHETHER BASED IN CONTRACT OR TORT OR OTHER LEGAL THEORY, SHALL PH BE LIABLE FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, INDIRECT OR PUNITIVE DAMAGES OF ANY KIND, INCLUDING WITHOUT LIMITATION, DAMAGES TO OTHER PROPERTY, INCONVENIENCE, LOSS OF GOODWILL, LOST PROFITS OR REVENUE OR OTHER FINANCIAL LOSS, LOSS OF USE OF THE PRODUCT, OR CLAIMS FOR DAMAGES RESULTING FROM THE USE OF THE PRODUCT. Some states do

not allow the exclusion or limitation of incidental or consequential damages or allow limitations on how long an implied warranty lasts, so the above limitations and exclusions may not apply to you.

9. THE FOREGOING LIMITED WARRANTY AND REMEDY ARE EXCLUSIVE
AND MADE ONLY TO THE ORIGINAL PURCHASER. PH MAKES NO OTHER
EXPRESS, IMPLIED OR STATUTORY WARRANTY, INCLUDING ANY WARRANTY
OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL
SUCH WARRANTIES ARE HEREBY EXPRESSLY EXCLUDED.

10. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE. THERE IS NO WARRANTY FOR INTERNATIONAL USE OR PURCHASES.

To obtain performance of this Limited Warranty, the purchaser should contact in writing the authorized PH dealer or reseller who sold the product to the purchaser, or mail its warranty claim to:

Customer Service Department, Palmer Hamilton, LLC 143 South Jackson Street, Elkhorn WI 53121 Attn: Warranty Claims





Overview of Palmer Hamilton, LLC's Environmental Policy and Recycled Product Information

Palmer Hamilton, LLC is committed to our environment by being environmentally friendly and continuing to investigate ways to save and protect our natural resources. We believe that big or small, every action that safeguards, eliminates waste and restores the environment is significant. We are continually working with our suppliers, customers and business partners in developing sustainable practices and products that will benefit the environment.

- In keeping with best industry practices, Palmer Hamilton has been awarded both the GREENGUARD Indoor Air Quality Certification® and the more stringent GREENGUARD GOLD™. All of our certified products will feature the GREENGUARD logo. This endorsement assures our customers that Palmer Hamilton is committed to maintaining the highest standards of indoor air quality.
- CAL133 Compliant.
- Palmer Hamilton, LLC is a zero discharge facility. No production fluids (oils, water, etc.) are dumped into sanitary sewer systems, or any waterways.
- Raw iron and aluminum metals are recycled.
- Wood scrap is remade into other products, sold, or used in fuel to power projects.
- The paint line is a powder paint system. Powder paint is considered non-hazardous and is re-used in the paint booths to maximize paint efficiency.
- · Our products' metal and wood parts can be recycled after they have reached their intended end use.
- Scrap skids are sent to a skid re-manufacturer for reuse and building of new skids.
- Our shipping skids are produced from this recycled material. Any hazardous materials are disposed of through proper disposal methods.
- Waste water and glues from tops production are used in fuel to power projects.
- Office paper, magazines, cardboard, printer ink cartridges, and copier toners are recycled.
- Office paper of various types containing recycled content is purchased on an on-going basis for review and use.
- Boxes and other packaging received in production are recycled whenever possible.
- Aluminum cans and plastic containers are recycled.
- Fluorescent lights, ballasts, and other hazardous lamps are recycled.







Palmer Hamilton Environmental Statement

Striving for sustainability in our products and manufacturing processes, Palmer Hamilton is a leader in environmental stewardship. It is our purpose to develop and design products that lessen the impact on the environment through the use of alternative materials and Eco friendly technology.

Palmer Hamilton also endeavors to reduce our impact on the environment through sustainable energy and recycling processes throughout our corporate facilities.

Green product specification examples:

- Standard Particle Board is M3 industrial Grade 47lb. density fiberboard, 100% pre-consumer recycled wood fiber particle board.
- Meets California Air Resources Board (CARB-2).
- No added urea-formaldehyde (NAUF) available.
- Green Guard Gold certified products.
- All laminates used are GreenGuard certified.
- Adhesives are water based with no added urea-formaldehyde, low VOC emissions.
- Top edges are Urethane comprised of approximately 65% refined vegetable oil by weight. Vegetable Oil is a
 rapidly renewable, natural material.
- Urethane edged surfaces are extremely durable and have a longer life span than surfaces made with other materials.
- Products are designed to be extremely flexible, lightweight, stackable, moveable and storable allowing spaces
 to be designed for multiple purposes and activities. Designing flexible spaces reduces the overall footprint and
 building materials required for a building.
- Palmer Hamilton products are packaged using returnable (Blanket Wrapped) or recyclable (Cardboard, wood and plastic) materials which can reduce disposal into landfills.

Corporately it is our policy to comply or exceed with all applicable environmentally regulations, employ contemporary recycling, waste reduction and sustainable practices. We train our staff on our environmental program and empower them to contribute and participate. Our commitment extends to our customers, our staff, our community and our suppliers.





COM Material Requirements (in Yards)

Standard Configurations – Hive

▼ Hive Standard Configurations

											J	COM Materia	l Requirements	(in Yards)	
	Product Description	ОТУ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
	Squared U-Shape w/ Integral Media Screen	1	SHUSWSMS	N/A	\$27,582	\$28,363	\$29,110	\$29,856	\$30,603	56.75" x 78.75" x 169.25"	28.0	15.5	-	29.0	72.5
	Modules														
	4725 back, bench, 2 screens	3	SHF2G	N/A	14,538	14,987	15,404	15,821	16,238		15.0	10.5	-	15.0	40.5
r dr I	Corner back, bench, 2 screens	2	SHF4G	N/A	10,730	11,062	11,392	11,721	12,051		13.0	5.0	-	14.0	32.0
7	TV mount hardware kit	1	HTVBK	N/A	541	541	541	541	541	TV not included	-	-	-	-	-
	Cantilever low surface table & base	1	THV3	N/A	1,773	1,773	1,773	1,773	1,773	Need to specify materials	-	-	-	-	-
	Total			N/A	27,582	28,363	29,110	29,856	30,603		28.0	15.5	-	29.0	72.5

Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
Stepped L-Shape	1	SHLWS	N/A	\$15,046	\$15,457	\$15,806	\$16,156	\$16,507	56.75" x 114.17" x 157.00"	15.5	10.5	-	8.0	34.0
Modules														
3150 back, bench	1	SHF1E	N/A	\$2,648	\$2,730	\$2,791	\$2,853	\$2,915		3.5	2.5	-	-	6.0
90° back, bench, 1 screen	1	SHF9F	N/A	\$5,779	\$5,958	\$6,107	\$6,256	\$6,406		7.0	4.5	-	3.0	14.5
4725 back, bench, 2 screens	1	SHF2G	N/A	\$4,846	\$4,996	\$5,135	\$5,274	\$5,413		5.0	3.5	-	5.0	13.5
Cantilever low surface table & base	1	THV3	N/A	\$1,773	\$1,773	\$1,773	\$1,773	\$1,773	Need to specify materials	-	-	-	-	-
Total			N/A	\$15,046	\$15,457	\$15,806	\$16,156	\$16,507		15.5	10.5	-	8.0	34.0

												COM Materi	al Requirements	in Yards) ه	i
	Product Description		Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
	H-Shape	1	SHH	N/A	\$34,492	\$35,553	\$36,398	\$37,242	\$38,088	28.00" x 152.50" x 189.00"	44.0	26.0	12.0	-	82.0
	Modules														
	4725 back, bench	4	SHF2E	N/A	\$12,592	\$12,978	\$13,328	\$13,678	\$14,029		20.0	14.0	-	-	34.0
77//	4725 back, 2 benches	2	SHV1L	N/A	\$9,532	\$9,826	\$10,084	\$10,341	\$10,599		11.0	7.0	7.0	-	25.0
A	T back with benches	2	SHF6M	N/A	\$12,368	\$12,749	\$12,986	\$13,223	\$13,460	Need to specify materials	13.0	5.0	5.0	-	23.0
	Total			N/A	\$34,492	\$35,553	\$36,398	\$37,242	\$38,088		44.0	26.0	12.0	-	82.0





Standard Configurations – Hive

												COM Materia	al Requirements	(in Yards)	
	Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
	90° Pod with Table	1	SH90PODWS	N/A	\$16,335	\$16,840	\$17,220	\$17,602	\$17,983	28.00" x 102.36"	21.0	16.0	-	-	37.0
	Modules														
	90° back, internal bench	3		N/A	\$13,620	\$14,041	\$14,396	\$14,752	\$15,107		21.0	13.5	-	-	34.5
	Pod work surface, column & base	1	THV12	N/A	\$2,715	\$2,799	\$2,824	\$2,850	\$2,876	Need to specify materials	-	2.5	-	-	2.5
Y	Total			N/A	\$16,335	\$16,840	\$17,220	\$17,602	\$17,983		21.0	16.0	-	-	37.0

											COM Material Requirements (in Yards) Inner Bench Outer Bench Screen Total 16.0 - 9.0 46.0			
Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
90° Pod with Table, 1 Screen	1	SH90POD1SWS	N/A	\$20,052	\$20,672	\$21,145	\$21,619	\$22,093	42.50" x 102.36"	21.0	16.0	-	9.0	46.0
Modules														
90° back, internal bench, 1 screen	3	SHF9F	N/A	\$17,337	\$17,873	\$18,321	\$18,769	\$19,217		21.0	13.5	-	9.0	43.5
Pod work surface, column & base	1	THV12	N/A	\$2,715	\$2,799	\$2,824	\$2,850	\$2,876	Need to specify materials	-	2.5	-	-	2.5
Total			N/A	\$20,052	\$20,672	\$21,145	\$21,619	\$22,093		21.0	16.0	-	9.0	46.0

															,
	Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
	90° Pod with Table, 2 Screens	1	SH90POD2SWS	N/A	\$23,769	\$24,503	\$25,069	\$25,636	\$26,202	56.75" x 102.36"	21.0	16.0	-	18.0	55.0
	Modules														
	90° back, internal bench, 2 screens	3	SHF9G	N/A	\$21,054	\$21,704	\$22,245	\$22,786	\$23,326		21.0	13.5	-	18.0	52.5
VX W	Pod work surface, column & base	1	THV12	N/A	\$2,715	\$2,799	\$2,824	\$2,850	\$2,876	Need to specify material	-	2.5	-	-	2.5
BISTA	Total			N/A	\$23,769	\$24,503	\$25,069	\$25,636	\$26,202		21.0	16.0	-	18.0	55.0





												COM Materia	al Requirements	(in Yards)	
	Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	back	Inner Bench	Outer Bench	Screen	Total
	90° Pod with Table, 3 Screens	1	SH90POD3SWS	N/A	\$27,486	\$28,335	\$28,993	\$29,653	\$30,312	71.25" x 102.36"	21.0	16.0	-	27.0	64.0
	Modules														
	90° back, internal bench, 3 screens	3	SHF9H	N/A	\$24,771	\$25,536	\$26,169	\$26,803	\$27,436		21.0	13.5	-	27.0	61.5
1 JOHN A	Pod work surface, column & base	1	THV12	N/A	\$2,715	\$2,799	\$2,824	\$2,850	\$2,876	Need to specify materials	-	2.5	-	-	2.5
M. H	Total			N/A	\$27,486	\$28,335	\$28,993	\$29,653	\$30,312		21.0	16.0	-	27.0	64.0

											COIVI IVIALETTA	ai nequirements	(III Tarus)	
Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
Curved U-Shape w/ Freestanding Media	1	SHUSOBMSWS	N/A	\$45,311	\$46,713	\$47,867	\$49,021	\$50,175	56.75" x 153.50" x 189.00"	36.5	21.5	23.5	30.5	112.0
Modules														
4725 back, 2 benches, 2 screens	3	SHV1N	N/A	\$19,392	\$19,992	\$20,533	\$21,074	\$21,615		16.5	10.5	10.5	15.0	52.5
90° back, 2 benches, 2 screens	2	SHV3N	N/A	\$20,770	\$21,412	\$21,906	\$22,400	\$22,895		14.0	9.0	13.0	12.0	48.0
1200 media screen (4725), 1 screen	1	SHV1P	N/A	\$3,740	\$3,856	\$3,954	\$4,052	\$4,150		6.0	-	-	3.5	9.5
Fixed work surface	1	THV10	N/A	\$1,409	\$1,453	\$1,474	\$1,495	\$1,515	Need to specify materials	-	2.0	-	-	2.0
Total			N/A	\$45,311	\$46,713	\$47,867	\$49,021	\$50,175		36.5	21.5	23.5	30.5	112.0





COM Material Requirements (in Yards)

Standard Configurations – Hive

											COM Materia	al Requirements	(in Yards)	
Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
HIVE Teleconferencing Unit - three 60° sections	1	SH60TELMS	N/A	\$25,027	\$25,648	\$26,112	\$26,575	\$27,039		22.5	9.0	-	13.5	45.0
Modules														
60° back, internal bench, 1 screen	3	SHF10F	N/A	\$15,495	\$15,975	\$16,315	\$16,655	\$16,995		16.5	9	0	7.5	33
1200 media screen (4725), 2 screens	1	SHV1U	N/A	\$4,562	\$4,703	\$4,827	\$4,950	\$5,074	Does not include TV or mounting brackets	6.0	-	-	6.0	12.0
Cantilever low work surface, column	1		N/A	\$1,773	\$1,773	\$1,773	\$1,773	\$1,773		-	-	-	-	-
Rounded bar top with attachments	3	HTURBT60	N/A	\$3,197	\$3,197	\$3,197	\$3,197	\$3,197	Need to specify materials	-	-	-	-	-
Total			N/A	\$25,027	\$25,648	\$26,112	\$26,575	\$27,039		22.5	9.0	-	13.5	45.0

	Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
6	HIVE Teleconferencing Unit - two 90° sections	1	SH90TELMS	N/A	\$20,853	\$21,351	\$21,774	\$22,195	\$22,618		20.0	9.0	-	12.0	41.0
	Modules														
	90° back, Internal bench, 1 screen	2	SHF9F	N/A	\$11,558	\$11,915	\$12,214	\$12,512	\$12,811		14	9	-	6	29.0
	1200 media screen (4725), 2 screen	1	SHV1U	N/A	\$4,562	\$4,703	\$4,827	\$4,950	\$5,074	Does not include TV or mounting brackets	6.0	-	-	6.0	12.0
	Cantilever low work surface, silver or white column & base	1	THV3	N/A	\$1,773	\$1,773	\$1,773	\$1,773	\$1,773		-	-	-	-	-
	Rounded bar top with attachments	2	HTURBT90	N/A	\$2,960	\$2,960	\$2,960	\$2,960	\$2,960	Need to specify materials	-	-	-	-	-
	Total			N/A	\$20,853	\$21,351	\$21,774	\$22,195	\$22,618		20.0	9.0	-	12.0	41.0





COM Material Requirements (in Yards)

											COM Materia	al Requirements	(in Yards)	
Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
60° Pod(x5) with Canopy and 6 LED Lights (price includes supporting screens and benches)	1	SH60POD3SCAN	N/A	\$45,626	\$46,752	\$47,659	\$48,565	\$49,471	82.00" x 102.36" x 94.45"	27.5	15.0		45.5	88.0
Modules														
60° back, internal bench, 3 screens	5	SHF10H	N/A	\$36,315	\$37,441	\$38,265	\$39,089	\$39,913		27.5	15.0	-	37.5	80.0
60° canopy with six LED lights and supports	1	HCAN60	N/A	\$9,311	\$9,311	\$9,394	\$9,476	\$9,558	Need to specify materials	-	-	-	8.0	8.0
Total			N/A	\$45,626	\$46,752	\$47,659	\$48,565	\$49,471		27.5	15.0	-	45.5	88.0

Product Description		Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
90° Pod (x3) with Canopy and 4 LED Lights (price includes supporting screens and benches)	1	SH90POD3SCAN	N/A	\$32,661	\$33,426	\$34,141	\$34,858	\$35,573	82.00" x 102.36" x 94.45"	21.0	13.5	-	35.0	69.5
Modules														
90° back, internal bench, 3 screens	3	SHF9H	N/A	\$24,771	\$25,536	\$26,169	\$26,803	\$27,436		21.0	13.5	-	27.0	61.5
90° canopy with four LED lights and supports	1	HCAN90	N/A	\$7,890	\$7,890	\$7,972	\$8,055	\$8,137		-	-	-	8.0	8.0
Total			N/A	\$32,661	\$33,426	\$34,141	\$34,858	\$35,573		21.0	13.5	-	35.0	69.5





18.0

18.0

50.0

Standard Configurations- Hive with Legs

90 ° back, internal bench

Total

SHL11A

▼ Hive with Legs- Standard Configurations														
											COM Materia	al Requirements	(in Yards)	
Product Description	ОТУ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
C-Shape with Legs	1	SCH90LEG	N/A	\$8,070	\$8,320	\$8,506	\$8,691	\$8,877	28.00" x 47.25" x 102.36"	11.0	7.0	•	-	18.0
Mar Autor														

\$8,506

\$8,691

\$30,312 \$30,827 \$31,342 \$31,856

\$8,877

\$8,877

Need to specify materials

11.0

16.0

21.0

13.0

											COM Materia	al Requirements	(in Yards)	
Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
S-Shape with Legs	1	HSSCURLEGSWS	N/A	\$29,389	\$30,312	\$30,827	\$31,342	\$31,856	28.00" X 150.00" X 169.25"	16.0	21.0	13.0	-	50.0
Modules														
4725 back, 2 benches	2	SHL5A	N/A	\$8,596	\$8,862	\$8,996	\$9,130	\$9,264		5.0	4.0	4.0	-	13.0
90° back, 2 benches	2	SHL14A	N/A	\$14,484	\$14,933	\$15,211	\$15,489	\$15,767		11.0	7.0	9.0	-	27.0
D end bench with legs	2	SHL15	N/A	\$3,590	\$3,702	\$3,764	\$3,825	\$3,887		-	6.0	-	-	6.0
Rotating work surface	1	THL9	N/A	\$1,310	\$1,362	\$1,382	\$1,403	\$1,423		-	2.0	-	-	2.0
Fixed work surface	1	THL10	N/A	\$1,409	\$1,453	\$1,474	\$1,495	\$1,515	Need to specify materials	-	2.0	-	-	2.0

\$8,320

\$8,070

\$8,070

N/A

N/A

\$29,389

										COM Material Requirements (in Yards)					
Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total	
90° Pod with Legs	1	SH90PODLEGWS	N/A	\$14,820	\$15,280	\$15,583	\$15,887	\$16,191	28.00" x 102.36"	16.5	13.0	-	-	29.5	
Modules															
90° back, internal bench	3	SHL11A	N/A	\$12,105	\$12,481	\$12,759	\$13,037	\$13,315		16.5	10.5	-	-	27.0	
Pod work surface, column & base	1	THL12	N/A	\$2,715	\$2,799	\$2,824	\$2,850	\$2,876	Need to specify materials	-	3	-	-	3	
Total			N/A	\$14,820	\$15,280	\$15,583	\$15,887	\$16,191		16.5	13.0	-	-	29.5	





Standard Configurations- Hive with Legs

												COM Materi	al Requirements	s (in Yards)	
	Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
	90° Pod with Legs, 1 Screen	1	SH90PODLEG1SWS	N/A	\$18,537	\$19,111	\$19,507	\$19,904	\$20,301	42.50" x 102.36"	16.5	13.0	0.0	9.0	38.5
	Modules														
	90° back, Internal bench, 1 screen	3	SHL11B	N/A	\$15,822	\$16,312	\$16,683	\$17,054	\$17,425		16.5	10.5	-	9	36
M COLA	Pod work surface, column & base	1	THL12	N/A	\$2,715	\$2,799	\$2,824	\$2,850	\$2,876	Need to specify materials	-	3	-	-	3
	Total			N/A	\$18,537	\$19,111	\$19,507	\$19,904	\$20,301		16.5	13.0	-	9.0	38.5

												COM Materia	al Requirements	(in Yards)	
	Product Description	ΩТΥ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
	90° Pod with Legs, 2 Screens	1	SH90PODLEG2SWS	N/A	\$22,257	\$22,943	\$23,431	\$23,921	\$24,410	56.75" x 102.36"	16.5	13.0	-	18.0	47.5
	Modules														
W W	90° back, internal bench, 2 screens	3	SHL11C	N/A	\$19,542	\$20,144	\$20,607	\$21,071	\$21,534		16.5	10.5	-	18.0	45.0
	Pod work surface, column & base	1	THL12	N/A	\$2,715	\$2,799	\$2,824	\$2,850	\$2,876		-	3	-	-	3
M. H	Total			N/A	\$22,257	\$22,943	\$23,431	\$23,921	\$24,410		16.5	13.0	-	18.0	47.5

											COM Material Requirements (in Yards)							
Product Description	ОТУ	Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total				
U-Shape	1	SHULEG3SWS	N/A	\$30,146	\$30,599	\$31,221	\$31,832	\$32,467	56.75" x 94.50" x 208.66"	18.5	15.0	-	27.0	60.5				
Modules																		
4725 back, bench, 2 screens	3	SHL2C	N/A	\$14,035	\$14,035	\$14,328	\$14,622	\$14,915		7.5	6.0	-	15.0	28.5				
90° back, internal bench 2 screens	2	SHL11C	N/A	\$13,028	\$13,429	\$13,738	\$14,047	\$14,356		11.0	7.0	-	12.0	30.0				
Rotating work surface	1	THL9	N/A	\$1,310	\$1,362	\$1,382	\$1,403	\$1,423		-	2.0	-	-	2.0				
Cantilever low surface table & base	1	THV3	N/A	\$1,773	\$1,773	\$1,773	\$1,773	\$1,773	Need to specify materials	-	-	-	-	-				
Total			N/A	\$30,146	\$30,599	\$31,221	\$31,845	\$32,467		18.5	15.0	-	27.0	60.5				





▼ Straight Modules

										COM Materi	al Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
3150 back, bench- 32" length	SHF1E	N/A	\$2,648	\$2,730	\$2,791	\$2,853	\$2,915	28.07" x 31.50" x 28.35"	3.5	2.5	-	-	6.0
4725 back, bench- 48" length	SHF2E	N/A	\$3,148	\$3,245	\$3,332	\$3,420	\$3,507	28.07" x 47.25" x 28.35"	5.0	3.5	-	-	8.5
6300 back, bench- 63" length	SHF3E	N/A	\$3,767	\$3,883	\$3,986	\$4,089	\$4,192	28.07" x 63.00" x 28.35"	5.5	4.5	-	-	10.0
								Need to specify materials					

										COM Material Requirements (in Yards)			
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
3150 back, bench, 1 screen- 32" length	SHF1F	N/A	\$3,442	\$3,548	\$3,626	\$3,703	\$3,780	42.45" x 31.50" x 28.35"	3.5	2.5	-	1.5	7.5
4725 back, bench, 1 screen-48" length	SHF2F	N/A	\$3,996	\$4,120	\$4,233	\$4,347	\$4,460	42.45" x 47.25" x 28.35"	5.0	3.5	-	2.5	11.0
6300 back, bench, 1 screen- 63" length	SHF3F	N/A	\$4,691	\$4,836	\$4,965	\$5,093	\$5,222	42.45" x 63.00" x 28.35"	5.5	4.5	-	2.5	12.5
								Need to specify materials					

										COM Material Requirements (in Yards))
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
3150 back, bench, 2 screens- 32" length	SHF1G	N/A	\$4,236	\$4,367	\$4,460	\$4,553	\$4,645	56.75" x 31.50" x 28.35"	3.5	2.5	-	3.0	9.0
4725 back, bench, 2 screens- 48" length	SHF2G	N/A	\$4,846	\$4,996	\$5,135	\$5,274	\$5,413	56.75" x 47.25" x 28.35"	5.0	3.5	-	5.0	13.5
6300 back, bench, 2 screens- 63" length	SHF3G	N/A	\$5,615	\$5,789	\$5,943	\$6,098	\$6,252	56.75" x 63.00" x 28.35"	5.5	4.5	-	5.0	15.0
								Need to specify materials					






licensed from Connection.uk • designed by Roger Webb Associates

Base Modules- Hive

▼ Back-to-Back Modules

											COM Materi	al Requirements	s (in Yards)	
	Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
	3150 back, 2 benches- 32" length	SHV5L	N/A	\$4,026	\$4,151	\$4,249	\$4,347	\$4,444	28.07" x 31.50" x 53.50"	4.5	2.5	2.5	-	9.5
	4725 back, 2 benches- 48" length	SHV1L	N/A	\$4,766	\$4,913	\$5,042	\$5,171	\$5,299	28.07" x 47.25" x 53.50"	5.5	3.5	3.5	-	12.5
MA	6300 back, 2 benches- 63" length	SHV6L	N/A	\$5,709	\$5,886	\$6,044	\$6,201	\$6,358	28.07" x 63.00" x 53.50"	6.3	4.5	4.5	-	15.3
									Need to specify materials					

										COM Material Requirements (in Yards)			
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
3150 back, 2 benches, 1 screen- 32" length	SHV5M	N/A	\$4,821	\$4,970	\$5,083	\$5,196	\$5,310	42.45" x 31.50" x 53.50"	4.5	2.5	2.5	1.5	11.0
4725 back, 2 benches, 1 screen- 48" length	SHV1M	N/A	\$5,615	\$5,789	\$5,943	\$6,098	\$6,252	42.45" x 47.25" x 53.50"	5.5	3.5	3.5	2.5	15.0
6300 back, 2 benches, 1 screen- 63" length	SHV6M	N/A	\$6,634	\$6,839	\$7,022	\$7,205	\$7,388	42.45" x 63.00" x 53.50"	6.3	4.5	4.5	2.5	17.8







		Bench

										COM Material Requirements (in Yards)				
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total	
60° back, internal bench	SHF10E	N/A	\$4,117	\$4,244	\$4,331	\$4,419	\$4,506	28.07" x 47.25" x 28.35"	5.5	3.0	-	-	8.5	
90° back, internal bench	SHF9E	N/A	\$4,540	\$4,680	\$4,799	\$4,917	\$5,036	28.07" x 72.83" x 28.35" Need to specify materials	7.0	4.5	-	-	11.5	

										COM Materi	al Requirements	s (in Yards)	i
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
 60° back, internal bench, 1 screen	SHF10F	N/A	\$5,165	\$5,325	\$5,438	\$5,552	\$5,665	42.45" x 47.25" x 28.35"	5.5	3.0	-	2.5	11.0
90° back, internal bench, 1 screen	SHF9F	N/A	\$5,779	\$5,958	\$6,107	\$6,256	\$6,406	42.45" x 72.83" x 28.35"	7.0	4.5	-	3.0	14.5
								Need to specify materials					

										COM Material Requirements (in Yards) Inner bench Outer bench Screen			
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
60° back, internal bench, 2 screens	SHF10G	N/A	\$6,215	\$6,407	\$6,546	\$6,685	\$6,824	56.75" x 47.25" x 28.35"	5.5	3.0	-	5.0	13.5
90° back, internal bench, 2 screens	SHF9G	N/A	\$7,018	\$7,235	\$7,415	\$7,595	\$7,775	56.75" x 72.83" x 28.35"	7.0	4.5	-	6.0	17.5





										COM Materia	al Requirements	s (in Yards)	i
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
60° back, internal bench, 3 screens	SHF10H	N/A	\$7,263	\$7,488	\$7,653	\$7,818	\$7,983	71.18" x 47.25" x 28.35"	5.5	3.0	-	7.5	16.0
90° back, internal bench, 3 screens	SHF9H	N/A	\$8,257	\$8,512	\$8,723	\$8,934	\$9,145	71.18" x 72.83" x 28.35"	7.0	4.5	-	9.0	20.5
								Need to specify materials					

 ▼ Curved Modules-External Bench	***************************************												
										COM Materia	al Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
60° back, external bench	SHV2G	N/A	\$4,405	\$4,541	\$4,649	\$4,758	\$4,866	28.07" x 75.00" x 35.82"	5.5	-	5.0	-	10.5
90° back, external bench	SHV3G	N/A	\$5,557	\$5,729	\$5,868	\$6,007	\$6,146	28.07" x 105.98" x 35.82" Need to specify materials	7.0	-	6.5	-	13.5

COM Material Requirements (in Yards)		
Inner Bench Outer Be	ench Screen	Total
- 5.0	2.5	13.0
- 6.5	3.0	16.5





										COM Materi	al Requirements	in Yards) ه	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
60° back, external bench, 2 screens	SHV2K	N/A	\$6,503	\$6,704	\$6,864	\$7,024	\$7,183	56.75" x 75.00" x 35.82"	5.5	-	5.0	5.0	15.5
90° back, external bench, 2 screens	SHV3K	N/A	\$8,035	\$8,283	\$8,484	\$8,685	\$8,886	56.75" x 105.98" x 35.82"	7.0	-	6.5	6.0	19.5
								Need to specify materials					

										COM Materi	al Requirements	s (in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
60° back, external bench, 3 screens	SHV2T	N/A	\$7,552	\$7,786	\$7,971	\$8,157	\$8,342	71.18" x 75.00" x 35.82"	5.5	-	5.0	7.5	18.0
90° back, external bench, 3 screens	SHV3T	N/A	\$9,273	\$9,560	\$9,792	\$10,024	\$10,256	71.18" x 105.98" x 35.82"	7.0	-	6.5	9.0	22.5

▼ Back-to-Back Curved Modules

										COM Materi	al Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
60° back, 2 benches	SHV2L	N/A	\$6,264	\$6,458	\$6,597	\$6,736	\$6,875	28.07" x 75.00" x 53.50"	5.5	3.0	5.0	-	13.5
90° back, 2 benches	SHV3L	N/A	\$7,906	\$8,151	\$8,337	\$8,522	\$8,708	28.07" x 105.98" x 53.50" Need to specify materials	7.0	4.5	6.5	-	18.0





										COM Materi	al Requirements	s (in Yards)	,
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	back	Inner Bench	Outer Bench	Screen	Total
60° back, 2 benches, 1 screen	SHV2M	N/A	\$7,314	\$7,540	\$7,704	\$7,869	\$8,034	42.45" x 75.00" x 53.50"	5.5	3.0	5.0	2.5	16.0
90° back, 2 benches, 2 screens	SHV3M	N/A	\$9,146	\$9,429	\$9,645	\$9,861	\$10,078	42.45" x 105.98" x 53.50" Need to specify materials	7.0	4.5	6.5	3.0	21.0
•													

										COM Materi	al Requirements	s (in Yards)	,
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
60° back, 2 benches, 2 screens	SHV2N	N/A	\$8,362	\$8,621	\$8,812	\$9,002	\$9,193	56.75" x 75.00" x 53.50"	5.5	3.0	5.0	5.0	18.5
90° back, 2 benches, 2 screens	SHV3N	N/A	\$10,385	\$10,706	\$10,953	\$11,200	\$11,447	56.75" x 105.98" x 53.50"	7.0	4.5	6.5	6.0	24.0
								Need to specify materials					

											COM Materia	al Requirements	(in Yards)	
Product I	Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
60° back	, 2 benches, 3 screens	SHV2V	N/A	\$9,412	\$9,703	\$9,919	\$10,135	\$10,352	71.18" x 75.00" x 53.50"	5.5	3.0	5.0	7.5	21.0
90° back	, 2 benches, 3 screens	SHV3V	N/A	\$11,624	\$11,983	\$12,261	\$12,539	\$12,817	71.18" x 105.98" x 53.50"	7.0	4.5	6.5	9.0	27.0
									Need to specify materials					





▼ Corner Modules

										COM Materi	al Requirements	(in Yards))
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	lanaa banab	Outer bench	C	Total
Product Description	Product Gode	Grade I	Grade 2	Grade 3	Grade 4	COIVI	Grade 6	Dimensions (HXVVXD)	Баск	inner bench	Outer bench	Screen	iotai
Corner back, bench	SHF4E	N/A	\$3,957	\$4,079	\$4,172	\$4,264	\$4,357	28.07" x 31.50" x 31.50"	6.5	2.5	-	-	9.0

										COM Materia	al Requirements	(in Yards)	
						Grade 5 /							
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
Corner back, bench, 1 corner screen	SHF4F	N/A	\$4,661	\$4,805	\$4,934	\$5,062	\$5,191	42.45" x 31.50" x 31.50"	6.5	2.5	-	3.5	12.5



											COM Materia	al Requirements	(in Yards)	
	Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
	•								,			Outer belich	3CIEEII	
	Corner back, bench, 2 corner screens	SHF4G	N/A	\$5,365	\$5,531	\$5,696	\$5,861	\$6,026	56.75" x 31.50" x 31.50"	6.5	2.5	-	7.0	16.0
I 79									Need to specify materials					



Need to specify materials





▼ T Modules

											COM Materia	I Requirements	(in Yards)	
1	Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
	T back, 2 benches	SHF6M	N/A	\$6,184	\$6,375	\$6,493	\$6,612	\$6,730	28.07" x 58.11" x 31.50"	6.5	2.5	2.5	-	11.5
									Need to specify materials					

										COM Materia	al Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
T back, 2 benches, 1T screen	SHF6N	N/A	\$7,507	\$7,739	\$7,884	\$8,028	\$8,172	42.45" x 58.11" x 31.50"	6.5	2.5	2.5	2.5	14.0



										COM Materia	al Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
T back, 2 benches, 2T screens	SHF6O	N/A	\$8,831	\$9,104	\$9,274	\$9,444	\$9,614	56.75" x 58.11" x 31.50" Need to specify materials	6.5	2.5	2.5	5.0	16.5







▼ Media Screen Modules

									COM Material Requirements (in Yards)				
						Grade 5 /							
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	СОМ	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
1200 media screen (4725)	SHV1P	N/A	\$3,740	\$3,856	\$3,954	\$4,052	\$4,150	56.75" x 47.25" x 19.68"	6.0	-	-	3.5	9.5



										COM Material Requirements (in Yards)			
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
1600 media screen (6300)	SHV6P	N/A	\$4,478	\$4,616	\$4,730	\$4,843	\$4,956	56.75" x 63.00" x 19.68"	6.5	-	-	4.5	11.0
								Need to specify materials					



										COM Material Requirements (in Yards)						
	Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total		
_	1200 media screen, 1 screen (4725)	SHV1U	N/A	\$4,562	\$4,703	\$4,827	\$4,950	\$5,074	71.18" x 47.25" x 19.68"	6.0	-	-	6.0	12.0		
									Need to specify materials							







									COM Material Requirements (in Yards)						
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total		
1600 media screen, 1 screen	SHV6U	N/A	\$5,132	\$5,291	\$5,430	\$5,569	\$5,708	56.75" x 63.00" x 19.68"	6.5	-	-	7.0	13.5		

												COM Material Requirements (in Yards)				
	Product Description	Ωty	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total	
	1200 Media Screen (4725) with table			N/A	\$5,460	\$5,629	\$5,727	\$5,825	\$5,923		6.0	-	-	3.5	9.5	
	Modules															
	1200 Media Screen (4725)		SHV1P	N/A	\$3,740	\$3,856	\$3,954	\$4,052	\$4,150		6.0	-	-	3.5	9.5	
	Cantilever low work surface, column									Base assembly is metallic silver						
5	and base. 3 mm edging.		THV3	N/A	\$1,773	\$1,773	\$1,773	\$1,773	\$1,773	Need to specify materials						
	Total			N/A	\$5,513	\$5,629	\$5,727	\$5,825	\$5,923							

											COM Material Requirements (in Yards)				
	Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	back	Inner Bench	Outer Bench	Screen	Total	
	1600 Media Screen (6300) with table, 1 screen		N/A	\$6,879	\$7,092	\$7,231	\$7,370	\$7,509		6.5	-		7.0	13.5	
	Modules														
	1600 media screen, 1 screen	SHV6U	N/A	\$5,132	\$5,291	\$5,430	\$5,569	\$5,708		6.5	-	-	7.0	13.5	
/ []	Cantilever low work surface, column								Base assembly is metallic silver						
	and base. 3 mm edging.	THV11	N/A	\$1,801	\$1,801	\$1,801	\$1,801	\$1,801	Need to specify materials						
•	Total		N/A	\$6,933	\$7,092	\$7,231	\$7,370	\$7,509							





Base Modules- Hive

\blacksquare	Intergra	al Work	k Surfaces	S
----------------	----------	---------	------------	---

										COM Materi	al Requirement	s (in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
Fan work surface	THV8	N/A	\$1,867	\$1,925	\$1,951	\$1,977	\$2,002		-	2.5	-	-	2.5
								Select laminate					
								Select edging					
								Select fabric material for armrest					

										COM Materia	I Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
Rotating work surface	THV9	N/A	\$1,310	\$1,351	\$1,372	\$1,393	\$1,413		-	2.0	-	-	2.0
								Select laminate					
								Select edging					
								Select fabric material for armrest					

										COM Materia	al Requirements	s (in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
Fixed work surface	THV10	N/A	\$1,409	\$1,453	\$1,474	\$1,495	\$1,515		-	2.0	-	-	2.0
								Select laminate					
								Select edging					
								Select fabric material for armrest					





Base Modules- Hive

											COM Materia	al Requirements	(in Yards)	
	Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
	Pod work surface	THV12	N/A	\$2,715	\$2,799	\$2,824	\$2,850	\$2,876		-	2.5	-	-	2.5
	Column and base for 90 $^{\circ}$ and 60 $^{\circ}$								Select edging Select fabric material for armrest					
0									Base assembly is metallic silver					

					COM Materi	al Requirement	s (in Yards)	1
Product Description	Product Code	Std Lami- nates	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
Cantilever low work surface, column	THV3	\$1,773	28.07" x 29.50" x 59.00"	-	-	-	-	-
and base. 3 mm edging.			Table and base only					
Table and base only Select laminate			Select laminate Select edging					
Select edging			Select edging					
Base assembly is metallic silver			Base assembly is metallic silver					





Base Modules- Hive

						COM Materia	l Requirements	(in Yards)	
	Product Description	Product Code	Std Lami- nates	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
	Cantilever low work surface, column	THV11	\$1,801	42.25" x 29.50" x 59.00"	-	-	-	-	-
	and base. 3 mm edging.			Table and base only					
				Select laminate					
•				Select edging					
				Base assembly is metallic silver					
₾									

▼ Table Top and Bases

						COM Materia	al Requirements	(in Yards)	
	Product Description	Product Code	Std Lami- nates	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
	Booth tables for 3150 modules	THV13	\$1,378	28.07" x 27.55" x 31.50"	-	-	-	-	-
				Select laminate Select edging					
3				Base assembly is metallic silver					

				COM Mater	ial Requirements	(in Yards))
Product Description	Product Code	Std Lami- nates	Dimensions (HxWxD) Ba	ck Inner Bench	Outer Bench	Screen	Total
Booth tables for 4725 modules	THV14	\$1,416	28.07" x 27.55" x 47.25" -	-	-	-	-
			Select laminate Select edging				
			Rase assembly is metallic silver				





					COM Materia	al Requirements	(in Yards)	
Product Description	Product Code	Std Lami- nates	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
Booth tables for 6300 modules	THV15	\$2,034	28.07" x 27.55" x 63.00"	-	-	-	-	-
			Select laminate Select edging					
			Base assembly is metallic silver					

▼ Hive with Legs - Straight Modules

											COM Materia	al Requirements	s (in Yards)	
	Product Description	Product C	ode Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
_	3150 back, bench	SHL1A	N/A	\$2,325	\$2,397	\$2,438	\$2,479	\$2,520	28.07" x 31.50" x 28.35"	2.0	2.0	-	-	4.0
	4725 back, bench	SHL2A	N/A	\$2,839	\$2,927	\$2,974	\$3,020	\$3,066	28.07" x 47.25" x 28.35"	2.5	2.0	-	-	4.5
	6300 back, bench	SHL3A	N/A	\$3,494	\$3,602	\$3,659	\$3,715	\$3,772	28.07" x 63.00" x 28.35"	3.0	2.5	-	-	5.5
									Need to specify materials					

											COM Materi	al Requirements	s (in Yards)	
	Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
_	3150 back, bench, 1 screen	SHL1B	N/A	\$3,120	\$3,216	\$3,272	\$3,329	\$3,386	42.45" x 31.50" x 38.35"	2.0	2.0	-	1.5	5.5
	4725 back, bench, 1 screen	SHL2B	N/A	\$3,689	\$3,803	\$3,875	\$3,947	\$4,019	42.45" x 47.25" x 38.35"	2.5	2.0	-	2.5	7.0
	6300 back, bench, 1 screen	SHL3B	N/A	\$4,418	\$4,555	\$4,637	\$4,719	\$4,802	42.45" x 63.00" x 38.35"	3.0	2.5	-	2.5	8.0
									Need to specify materials					





										COM Materi	al Requirements	s (in Yards))
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
3150 back, bench, 2 screens	SHL1C	N/A	\$3,914	\$4,035	\$4,107	\$4,179	\$4,251	56.75" x 31.50" x 28.35"	2.0	2.0	-	3.0	7.0
4725 back, bench, 2 screens	SHL2C	N/A	\$4,538	\$4,678	\$4,776	\$4,874	\$4,972	56.75" x 47.25" x 28.35"	2.5	2.0	-	5.0	9.5
6300 back, bench, 2 screens	SHL3C	N/A	\$5,342	\$5,507	\$5,616	\$5,724	\$5,832	56.75" x 63.00" x 28.35"	3.0	2.5	-	5.0	10.5
								Need to specify materials					

,	▼ Hive with Legs- Back-to-Back Straight										COM Materi	al Requirements	s (in Yards)	
	Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
	3150 back, 2 benches	SHL4A	N/A	\$3,534	\$3,643	\$3,705	\$3,767	\$3,829	27.07" x 31.50" x 53.50"	2.0	2.0	2.0	-	6.0
	4725 back, 2 benches	SHL5A	N/A	\$4,298	\$4,431	\$4,498	\$4,565	\$4,632	27.07" x 47.25" x 53.50"	2.5	2.0	2.0	-	6.5
	6300 back, 2 benches	SHL6A	N/A	\$5,292	\$5,456	\$5,538	\$5,621	\$5,703	27.07" x 63.00" x 53.50" Need to specify materials	3.0	2.5	2.5	-	8.0

										COM Materi	al Requirements	s (in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
3150 back, 2 benches, 1 screen	SHL4B	N/A	\$4,328	\$4,462	\$4,539	\$4,616	\$4,694	42.50" x 31.50" x 53.50"	2.0	2.0	2.0	1.5	7.5
4725 back, 2 benches, 1 screen	SHL5B	N/A	\$5,148	\$5,307	\$5,399	\$5,492	\$5,585	42.50" x 47.25" x 53.50"	2.5	2.0	2.0	2.5	9.0
6300 back, 2 benches, 1 screen	SHL6B	N/A	\$6,217	\$6,409	\$6,517	\$6,625	\$6,733	42.50" x 63.00" x 53.50"	3.0	2.5	2.5	2.5	10.5
]								Need to specify materials					





										COM Materi	al Requirements	s (in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
3150 back, 2 benches, 2 screens	SHL4C	N/A	\$5,123	\$5,281	\$5,374	\$5,466	\$5,559	56.75" x 31.50" x 53.50"	2.0	2.0	2.0	3.0	9.0
4725 back, 2 benches, 2 screens	SHL5C	N/A	\$5,997	\$6,182	\$6,301	\$6,419	\$6,537	56.75" x 47.25" x 53.50"	2.5	2.0	2.0	5.0	11.5
6300 back, 2 benches, 2 screens	SHL6C	N/A	\$7,140	\$7,361	\$7,495	\$7,629	\$7,763	56.75" x 63.00" x 53.50"	3.0	2.5	2.5	5.0	13.0
								Need to specify materials					
								reed to specify materials					

***************************************	▼ Hive with Legs - Curved Modules	••••••									••••••	***************************************		
											COM Materia	al Requirements	(in Yards)	
	Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	back	Inner Bench	Outer Bench	Screen	Total
	60° back, internal bench	SHL10A	N/A	\$3,257	\$3,358	\$3,420	\$3,481	\$3,543	28.07" x 53.75" x 28.35"	3.5	2.5	-	-	6.0
	90° back, internal bench	SHL11A	N/A	\$4,035	\$4,160	\$4,253	\$4,346	\$4,438	28.07" x 72.64" x 28.35"	5.5	3.5	-	-	9.0
									Need to specify materials					

										COM Materi	al Requirements	s (in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
60° back, internal bench, 1 screen	SHL10B	N/A	\$4,306	\$4,439	\$4,527	\$4,614	\$4,702	42.45" x 53.75" x 28.35"	3.5	2.5	-	2.5	8.5
90° back, internal bench, 1 screen	SHL11B	N/A	\$5,274	\$5,437	\$5,561	\$5,685	\$5,808	42.45" x 72.64" x 28.35"	5.5	3.5	-	3.0	12.0





										COM Materia	al Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
60° back, internal bench, 2 screens	SHL10C	N/A	\$5,355	\$5,521	\$5,634	\$5,747	\$5,861	56.75" x 53.75" x 28.35"	3.5	2.5	-	5.0	11.0
90° back, internal bench, 2 screens	SHL11C	N/A	\$6,514	\$6,715	\$6,869	\$7,024	\$7,178	56.75" x 72.64" x 28.35"	5.5	3.5	-	6.0	15.0
								Need to specify materials					

▼ Hive with Legs - Back-to-Back Curved Modules

										COM Materi	al Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
60° back, internal/external bench	SHL13A	N/A	\$5,246	\$5,408	\$5,500	\$5,593	\$5,686	28.07" x 75.00" x 53.50"	3.5	2.5	3.0	-	9.0
90° back, internal/external bench	SHL14A	N/A	\$7,242	\$7,466	\$7,606	\$7,745	\$7,884	28.07" x 104.33" x 53.50"	5.5	3.5	4.5	-	13.5
								Need to specify materials					

											COM Materi	al Requirements	s (in Yards)	
	Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
	60° back, internal/external bench, 1 screen	SHL13B	N/A	\$6,294	\$6,489	\$6,607	\$6,726	\$6,844	42.45" x 75.00" x 53.50"	3.5	2.5	3.0	2.5	11.5
7	90° back, internal/external bench, 1 screen	SHL14B	N/A	\$8,482	\$8,744	\$8,914	\$9,084	\$9,254	42.45" x 104.33" x 53.50"	5.5	3.5	4.5	3.0	16.5
									Need to specify materials					





										COM Materi	al Requirement	s (in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
60° back, internal/external bench, 2 screens	SHL13C	N/A	\$7,344	\$7,571	\$7,715	\$7,859	\$8,003	56.75" x 75.00" x 53.50"	3.5	2.5	3.0	5.0	14.0
90 ° back, internal/external bench, 2 screens	SHL14C	N/A	\$9,720	\$10,021	\$10,222	\$10,423	\$10,623	56.75" x 104.33" x 53.50"	5.5	3.5	4.5	6.0	19.5

$\overline{\mathbf{w}}$	Hive	with	Legs	-	Corner	Mod	dules	
-------------------------	------	------	------	---	--------	-----	-------	--

										COM Materia	l Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
Corner back, bench	SHL7A	N/A	\$3,096	\$3,192	\$3,243	\$3,295	\$3,346	28.07" x 31.50" x 31.50"	3.0	2.0	-	-	5.0
								Need to specify materials					

										COM Materia	l Requirements	(in Yards)	
						Grade 5 /							
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
Corner back, bench, 1 corner screen	SHL7B	N/A	\$3,800	\$3,918	\$4,006	\$4,093	\$4,181	42.45" x 31.50" x 31.50"	3.0	2.0	-	3.5	8.5
								Need to specify materials					








										COM Materia	I Requirements	(in Yards)	
						Grade 5 /							
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
Corner back, bench, 2 corner screen	SHL7C	N/A	\$4,505	\$4,644	\$4,768	\$4,891	\$5,015	56.75" x 31.50" x 31.50"	3.0	2.0	-	7.0	12.0
								Need to specify materials					



▼ Hive with Legs - T Modules

										COM Materi	al Requirements	s (in Yards)	į.
						Grade 5 /							
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
T back, 2 benches	SHL8A	N/A	\$5,408	\$5,575	\$5,658	\$5,740	\$5,823	28.07" x 58.07" x 31.50"	4.0	2.0	2.0	-	8.0



										COM Materia	al Requirements	(in Yards)	
						Grade 5 /							
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
T back, 2 benches, 1 T screen	SHL8B	N/A	\$6,712	\$6,920	\$7,038	\$7,156	\$7,275	42.45" x 58.07" x 31.50"	4.0	2.0	2.0	3.5	11.5







										COM Materia	I Requirements	(in Yards)	
						Grade 5 /							
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
T back, 2 benches, 2T screens	SHL8C	N/A	\$8,016	\$8,264	\$8,418	\$8,573	\$8,727	56.75" x 58.07" x 31.50"	4.0	2.0	2.0	7.0	15.0
								Need to specify materials					



▼ Shared Legs

					COM Materia	I Requirements	(in Yards)	
Product Description	Product Code		Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
Single sided shared leg (pair-front & back)	SHL17	\$300		-	-	-	-	_



*In order to reduce the number of visible legs, there is an option to purchase a front/back pair.

					COM Materia	al Requirements	s (in Yards)		
Product Description	Product Code		Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total	
Back to back module shared leg (pair-front &	SHL18	\$362		_	-	-	-	-	



*In order to reduce the number of visible legs, there is an option to purchase a front/back pair.





										COM Materia	l Requirements	(in Yards)	
						Grade 5 /							
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
D End bench	SHL15	N/A	\$1,795	\$1,851	\$1,882	\$1,913	\$1,944	17.00" x 51.77" x 26.00"	-	3.0	-	-	3.0
								Need to specify materials					



										COM Materia	l Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer hench	Screen	Total
Q End bench	SHL16	N/A	\$1,540		\$1,614			17.00" x 28.35" x 28.35"	-	2.5	-	-	2.5
								Need to specify materials					



▼ Hive with Legs - Integral Work Surfaces

V Tilve with Legs - Integral work Juriaces										COM Materia	al Requirements	s (in Yards))
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
Fan work surface for Hive with legs	THL8	N/A	\$1,867	\$1,925	\$1,951	\$1,977	\$2,002	29.13" x 31.50" x 35.43"	-	2.5	-	-	2.5
								Select laminate					
								Select edging					
								Select fabric material for armrest					





Base Modules- Accessories

										COM Materi	al Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
Rotating work surface for Hive with legs	THL9	N/A	\$1,310	\$1,351	\$1,372	\$1,393	\$1,413	29.13" x 12.59" x 22.44"	-	2.0	-	-	2.0
								Select laminate					
								Select edging					
								Select fabric material for armrest					

										COM Materia	l Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
Fixed work surface for Hive with legs	THL10	N/A	\$1,409	\$1,453	\$1,474	\$1,495	\$1,515	29.13" x 23.62"	-	2.0	-	-	2.0
								Select laminate					
								Select edging					
								Select fabric material for armrest					

										COM Materi	al Requirements	s (in Yards))
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
Pod work surface, column	THL12	N/A	\$2,715	\$2,799	\$2,824	\$2,850	\$2,876	29.00" x 35.43" x 65.00"	-	2.5	-	-	2.5
and base (for 60 ° or 90 ° curved mode	iles)							Select edging Select fabric material for armrest Base assembly is metallic silver					





▼ Hive with	I 11/1-	dia Canasa	N/I a alvel a a
▼ mive with	Leas - Ivie	oia Screen	iviodilles

											COM Materia	al Requirements	(in Yards)	
	Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer Bench	Screen	Total
1	4725 media screen (1200) Hive with legs	SHL2D	N/A	\$4,768	\$4,915	\$4,998	\$5,080	\$5,162	56.75" x 47.25" x 28.75"	2.5	2.0	-	3.5	8.0
									Need to specify materials					



										COM Materia	al Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
6300 media sceen (1600) Hive with legs	SHL3D	N/A	\$5,552	\$5,724	\$5,827	\$5,930		,		2.5	-	4.5	10.0
								Need to specify materials					



										COM Materia	al Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer Bench	Screen	Total
4725 back to back media screen(1200) Hive with legs	SHL5D	N/A	\$6,901	\$7,114	\$7,217	\$7,320	\$7,423	56.75" x 47.25" x 52.36"	2.5	2.0	2.0	3.5	10.0
								Need to specify materials					





										COM Materia	al Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer bench	Screen	Total
6300 back to back media screen(1600) Hive with legs	SHL6D	N/A	\$7,351	\$7,578	\$7,706	\$7,835	\$7,964	56.75" x 63.00" x 52.36" Need to specify materials	3.0	2.5	2.5	4.5	12.5

End Bench													
										COM Materia	I Requirements	s (in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer bench	Screen	Total
D-End bench	SHV8	N/A	\$2,086	\$2,151	\$2,197	\$2,243	\$2,290	17.00" x 53.50" x 26.00"	-	4.5	-	-	4.5
								Need to specify materials					





Base Modules- Accessories

										COM Materia	I Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer Bench	Screen	Total
Upholstered triangular coffee table	THV1	N/A	\$2,165	\$2,232	\$2,271	\$2,309	\$2,348	22.00" x 47.25" x 47.25"	-	3.8	-	-	3.8
								Select laminate					
								Select edging					
								Select fabric material for table					

										COM Materia	al Requirements	(in Yards)	
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner Bench	Outer bench	Screen	Total
Upholstered elliptical coffee table	THV4	N/A	\$1,892	\$1,951	\$1,977	\$2,002	\$2,028	22.00" x 49.60" x 26.77"	-	2.5	-	-	2.5
								Select laminate					
								Select edging					
								Select fabric material for table	9				

									COM Material Requirements (in Yards)				
Product Description	Product Code	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5 / COM	Grade 6	Dimensions (HxWxD)	Back	Inner bench	Outer Bench	Screen	Total
Upholstered round coffee table 30"	THV5	N/A	\$1,407	\$1,450	\$1,476	\$1,502	\$1,527	22.00" x 30.00" x 30.00"	-	2.5	-	-	2.5
Upholstered round coffee table 36"	THV6	N/A	\$1,527	\$1,574	\$1,605	\$1,636	\$1,667	22.00" x 36.00" x 36.00"	-	3.0	-	-	3.0
								Select laminate					
								Select edging					
								Select fabric material for table	9				

Associations and Purchasing groups:

















143 S. Jackson Street, Suite 1 Elkhorn, WI 53121-1911

Toll Free: 800-788-1028 Local: 262-723-8200 Fax: 262-723-5180

www.NomadFlexibleFurniture.com