

State of Mississippi

Statewide Agency Contract

Superior Asphalt, Inc. Asphalt

CONTRACT# 8200020839 7/1/15 APPROVAL THROUGH 12/31/15

TABLE OF CONTENTS

	HOT AND COLD MIX ASPHALT	PAGE	NO.
4	ADCAMP, INC	3	
1	APAC-MISSISSIPPI INC (CANTON)	4	
4	APAC-MISSISSIPPI INC (COLUMBUS & HAMILTON)	6	
4	APAC-MISSISSIPPI INC (GLEN)		
1	APAC-MISSISSIPPI INC (GREENVILLE)		
1	APAC-MISSISSIPPI INC (GREENWOOD)		
4	APAC-MISSISSIPPI INC (GUNTOWN)		
1	APAC-MISSISSIPPI INC (JACKSON)		
4	APAC-MISSISSIPPI INC (NEW ALBANY)		
4	APAC-MISSISSIPPI INC (TUPELO)		
1	APAC-MISSISSIPPI INC (VICKSBURG)		
1	APAC-MISSISSIPPI INC (YAZOO CITY)		
4	BARRIERE CONSTRUCTION CO, LLC		
3	CENTRAL PIPE SUPPLY		
2	DICKERSON & BOWEN INC (BROOKHAVEN)		
2	DICKERSON & BOWEN INC (CARTHAGE)		
2	DICKERSON & BOWEN INC (JACKSON)		
2	DICKERSON & BOWEN INC (MCCOMB)		
2	DUNN ROADBUILDERS LLC (COLUMBIA)		
2	DUNN ROADBUILDERS LLC (LAUREL)		
2	DUNN ROADBUILDERS LLC (PETAL)		
4	HUEY STOCKSTILL, INC		
4	LEHMAN ROBERTS COMPANY (BATESVILLE)		
4	LEHMAN ROBERTS COMPANY (BYHALIA)		
4	LEHMAN ROBERTS COMPANY (FRIARS POINT)		
4	LEHMAN ROBERTS COMPANY (HERNANDO)		
4	LEHMAN ROBERTS COMPANY (MEMPHIS, TN)		
4	LEHMAN ROBERTS COMPANY (OXFORD)		
4	LEHMAN ROBERTS COMPANY (WINONA)		
1	MALLETTE BROTHERS CONSTRUCTION CO		
1	PANDLE, INC		
4	SOUTHERN PIPE & SUPPLY		
4	STANDARD CONSTRUCTION COMPANY, INC		
4	SUPERIOR ASPHALT (BYRAM)		
4	SUPERIOR ASPHALT (HAZLEHURST		
2	W.E. BLAIN & SONS, INC (BYRAM)		
2	W.E. BLAIN & SONS, INC (GEORGETOWN)		
2	W.E. BLAIN & SONS, INC (MORTON)	60	
2	W.E. BLAIN & SONS, INC (MT. OLIVE)		
2	W.E. BLAIN & SONS, INC (WASHINGTON)		
1	W.G. CONSTRUCTION COMPANY, INC		
4	WARREN PAVING, INC (GULFPORT)		
4	WARREN PAVING, INC (HATTIESBURG)		
1	WHITEHEAD CONSTRUCTION INC		

^{1 =} MDOT ONLY

^{2 =} MDOT AND OTHER STATE AGENCIES

^{3 =} MDOT & GOVERNING AUTHORITIES

^{4 =} MDOT, GOVERNING AUTHORITIES, & OTHER STATE AGENCIES

ADCAMP, INC. 1353 FLOWOOD DRIVE FLOWOOD, MS 39232 601/939-4493

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 1353 FLOWOOD DRIVE, FLOWOOD, MS 39232 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 62.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm M	lixture	@	63.45	per	ton
-------------	---------	---	-------	-----	-----

(4) 12.5 mm Mixture @ 63.45 per ton

(5) 19 mm Mixture @ 63.45 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5	mm	Mixture	@_		64.00	per	ton
-----	-----	----	---------	----	--	-------	-----	-----

(9) 12.5 mm Mixture @ 64.00 per ton

(10) 19 mm Mixture @ 64.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 58.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .35 PER TON PER MILE, WITH _____ 5.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>CANTON</u>, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 61.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture	@	80.00	per	ton
---------------------	---	-------	-----	-----

(3) 9.5mm Mixture @__67.00 per ton

(4) 12.5 mm Mixture @ 66.00 per ton

(5) 19 mm Mixture @ 57.00 per ton

(6) 25 mm Mixture @__85.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75 mm	Mixture	@	80	.00	per	ton

(8) 9.5 mm Mixture @ 67.00 per ton

(9) 12.5 mm Mixture @ 66.00 per ton

(10) 19 mm Mixture @ 57.00 per ton

(11) 25 mm Mixture @_ 85.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75	mm Mixture	@ 80.00	per	ton

(13) 9.5 mm Mixture @__61.00 per ton

(14) 12.5 mm Mixture @ 59.00 per ton

(15) 19 mm Mixture @ 55.00 per ton

(16) 25 mm Mixture @ 85.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture @ 95.00 per ton

(18) 9.5 mm Mixture @__ 85.00 per ton

(19) 12.5 mm Mixture @___85.00 per ton

(20) 19 mm Mixture @___85.00_ per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 57.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ______ 28 PER TON PER MILE, WITH _____ 3.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>COLUMBUS/HAMILTON</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 69.50 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 69.50 per	ton
-------------------------------	-----

(4) 12.5 mm Mixture @ 66.50 per ton

(5) 19 mm Mixture @__60.50_ per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5	mm	Mixture	@	69.50	per	ton
				•	0,00	Det	LOH

(9) 12.5 mm Mixture @ 66.50 per ton

(10) 19 mm Mixture @ 60.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5	mm	Mixture	@	69.50	per	ton

(14) 12.5 mm Mixture @ 66.50 per ton

(15) 19 mm Mixture @ 60.50 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 77.50 per ton

(19) 12.5 mm Mixture @___74.50 per ton

(20) 19 mm Mixture @ 68.50 per ton

(21) Hot Mix Asphalt

@ 69.50 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @___90.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ____.20 PER TON PER MILE, WITH ____5.00 PER TON MINIMUM HAUL.

P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>CORINTH 2700 HWY 72 GLEN, MS 38846</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 70.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@	70.00	per	ton
-------------------	---	-------	-----	-----

(4) 12.5 mm Mixture @ 68.00 per ton

(5) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5	$\mathbf{m}\mathbf{m}$	Mixture	@	70.00	per	ton

(9) 12.5 mm Mixture @ 68.00 per ton

(10) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT:

			_					
(13)	9.5	$\mathbf{m}\mathbf{m}$	Mixture	@	•	70.00	per	ton

(14) 12.5 mm Mixture @_ 68.00 per ton

(15) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 76.00 per ton

(19) 12.5 mm Mixture @ 73.00 per ton

(21) Hot Mix Asphalt

@ 70.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@___82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _____.30 PER TON PER MILE, WITH _____4.00 PER TON MINIMUM HAUL.

P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>2559 HARBOR FRONT ROAD</u>, GREENVILLE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 86.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture	@	99.50	per	ton
---------------------	---	-------	-----	-----

- (3) 9.5mm Mixture @ 84.50 per ton
- (4) 12.5 mm Mixture @ 78.50 per ton
- (5) 19 mm Mixture @ 76.50 per ton
- (6) 25 mm Mixture @ 76.50 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture	@ 101.50	per	ton
---------------------	----------	-----	-----

- (8) 9.5 mm Mixture @__88.50 per ton
- (9) 12.5 mm Mixture @ 81.50 per ton
- (10) 19 mm Mixture @ 80.50 per ton
- (11) 25 mm Mixture @ 80.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75	$\mathbf{m}\mathbf{m}$	Mixture	@	96.50	per	ton
				_		_	

- (13) 9.5 mm Mixture @ 81.50 per ton
- (14) 12.5 mm Mixture @ 77.50 per ton
- (15) 19 mm Mixture @ 76.50 per ton
- (16) 25 mm Mixture @ 76.50 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@ 107.30 per ton

(18) 9.5 mm Mixture

@ 91.50 per ton

(19) 12.5 mm Mixture

@ 87.50 per ton

(20) 19 mm Mixture

@ 86.50 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@___80.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@ 115.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ______ PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>1801 CYPRESS LANE, GREENWOOD, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 76.50 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture	@ 92.50 p∈	r ton
---------------------	------------	-------

(6) 25 mm Mixture @ 70.00 per ton

907-403-A HOT MIX ASPHALT, MT:

771	475		M 2 L	_			
(//	4./3	mm	Mixture	മ	94	50	per ton

(8)	9.5 mm	Mixture	a	80 50	per ton
(0)	J. J. mun	WIYCHIE	w w	00.30	per ton

(9) 12.5 mm Mixture @ 74.50 per ton

(10) 19 mm Mixture @ 73.00 per ton

(11) 25 mm Mixture @ 73.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75	mm	Mixture	@_		91.50	per	ton
------	------	----	---------	----	--	-------	-----	-----

(13) 9.5 mm Mixture @ 76.50 per ton

(14) 12.5 mm Mixture @ 70.50 per ton

(15) 19 mm Mixture @ 68.50 per ton

(16) 25 mm Mixture @ 68.50 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@ 101.50 per ton

(18) 9.5 mm Mixture

@ 86.50 per ton

(19) 12.5 mm Mixture

@ 80.50 per ton

(20) 19 mm Mixture

@ 78.50 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@ 70.50 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt

@ 115.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .27 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>GUNTOWN (331 MESSNER ROAD GUNTOWN, MS 38849)</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 70.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	@_	70.00	per	ton

- (4) 12.5 mm Mixture @ 68.00 per ton
- (5) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (8) 9.5 mm Mixture @ 70.00 per ton
- (9) 12.5 mm Mixture @ 68.00 per ton
- (10) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT:

- (13) 9.5 mm Mixture @ 70.00 per ton
- (14) 12.5 mm Mixture @ 68.00 per ton
- (15) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (18) 9.5 mm Mixture @ 76.00 per ton
- (19) 12.5 mm Mixture @ 73.00 per ton

CONTRACTORS	тон	MTX	ASPHALT	SPECIFICATIONS
CONTINUE	1101	7.7 -7.5	WALHURI	DI HOTI TOUT TOWN

(21) Hot Mix Asphalt

@ 70.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ______30 PER TON PER MILE, WITH _____4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at JACKSON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 57.45 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75 mm Mixture	@	70.00	per	ton
(3)	9.5mm Mixture	@	62.00	per	ton
(4)	12.5 mm Mixture	@	62.00	per	ton
(5)	19 mm Mixture	@	55.00	per	ton

(6) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture	@	70.00	per	ton
(8) 9.5 mm Mixture	@	62.00	per	ton
(9) 12.5 mm Mixture	@	60.00	per	ton
(10) 19 mm Mixture	@	55.00	per	ton
(11) 25 mm Mixture	@	70.00	per	ton

907-	403-A HOT MIX ASPHALT, HT:			
(12)	4.75 mm Mixture	@	70.00	per ton
(13)	9.5 mm Mixture	@	62.00	per ton
(14)	12.5 mm Mixture	@	59.00	per ton
(15)	19 mm Mixture	@	55.00	per ton
(16)	25 mm Mixture	@	70.00	per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture

@ 90.00 per ton

(18) 9.5 mm Mixture

@ 85.00 per ton

(19) 12.5 mm Mixture @_ 84.00 per ton

(20) 19 mm Mixture

@ 83.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@ 57.00 per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: R3

Product Name

@ 123.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ___.28 PER TON PER MILE, WITH 3.00 PER TON MINIMUM HAUL.

P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at GAP DRIVE, NEW ALBANY, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 73.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@	73.00	per	ton
-------------------	---	-------	-----	-----

(5) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(1	B)	9.5	mm	Mixture	@	73	.00	per	ton

(9) 12.5 mm Mixture @ 70.00 per ton

(10) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5	mm	Mixture	@	73	.00	per	ton

(14) 12.5 mm Mixture @ 70.00 per ton

(15) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 80.00 per ton

(19) 12.5 mm Mixture @ 77.00 per ton

(21) Hot Mix Asphalt

@ 73.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@___82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _____.30 PER TON PER MILE, WITH _____4.00 PER TON MINIMUM HAUL.

P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>AUBURN 459 N. EASON BLVD, TUPELO, MS 38801</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 70.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @	70	.00 per	ton
---------------------	----	---------	-----

(5) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5	mm	Mixture	@		70.00	er	ton
-----	-----	----	---------	---	--	-------	----	-----

(9) 12.5 mm Mixture @ 68.00 per ton

(10) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5	mm	Mixture	@)	70.00	per	ton
------	-----	----	---------	---	---	-------	-----	-----

(14) 12.5 mm Mixture @__ 68.00 per ton

(15) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 76.00 per ton

(19) 12.5 mm Mixture @____73.00 per ton

(21) Hot Mix Asphalt

@ _68.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _____.30_ PER TON PER MILE, WITH ____4.00_ PER TON MINIMUM HAUL.

P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>VICKSBURG</u>, MISSISSIPPI are as follows:

@___80.00 per ton

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or	@ 71.00 per ton Combined with Limestone or Slag
907-403-A HOT MIX ASPHALT, ST:	
(2) 4.75 mm Mixture	@ 90.00 per ton
(3) 9.5mm Mixture	@ 76.00 per ton
(4) 12.5 mm Mixture	@ 75.00 per ton
(5) 19 mm Mixture	@ 70.00 per ton
(6) 25 mm Mixture	@ 80.00 per ton
907-403-A HOT MIX ASPHALT, MT:	
(7) 4.75 mm Mixture	@ 90.00 per ton
(8) 9.5 mm Mixture	@ 75.00 per ton
(9) 12.5 mm Mixture	@ 73.00 per ton
(10) 19 mm Mixture	@ 69.00 per ton
(11) 25 mm Mixture	@ 80.00 per ton
907-403-A HOT MIX ASPHALT, HT:	
(12) 4.75 mm Mixture	@ 90.00 per ton
(13) 9.5 mm Mixture	@75.00 per ton
(14) 12.5 mm Mixture	@74.00_ per ton
(15) 19 mm Mixture	@ 70.00 per ton

(16) 25 mm Mixture

22

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture @ 105.00 per ton

(18) 9.5 mm Mixture @___88.00 per ton

(19) 12.5 mm Mixture @___86.00 per ton

(20) 19 mm Mixture @ 85.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 66.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _____.28 PER TON PER MILE, WITH _____4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC. P.O. BOX 24508 JACKSON, MS 39225-4508 601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>YAZOO CITY, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 69.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75	mm	Mixture	@_	:	90.00	per	ton
-----	------	----	---------	----	---	-------	-----	-----

(3) 9.5mm Mixture @ 75.00 per ton

(4) 12.5 mm Mixture @ 74.00 per ton

(5) 19 mm Mixture @ 73.00 per ton

(6) 25 mm Mixture @ 85.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75	$\mathbf{m}\mathbf{m}$	Mixture	@	90.00	per	ton
-----	------	------------------------	---------	---	-------	-----	-----

(8) 9.5 mm Mixture @ 75.00 per ton

(9) 12.5 mm Mixture @ 74.00 per ton

(10) 19 mm Mixture @___73.00 per ton

(11) 25 mm Mixture @ 85.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75	mm	Mixture	@_		90.00	per	ton
------	------	----	---------	----	--	-------	-----	-----

(13) 9.5 mm Mixture @___75.00 per ton

(14) 12.5 mm Mixture @___74.00 per ton

(15) 19 mm Mixture @___73.00 per ton

(16) 25 mm Mixture @__85.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture

@ 95.00 per ton

(19) 12.5 mm Mixture @ 95.00 per ton

(20) 19 mm Mixture

@ 95.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@ 65.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ____.28 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

BARRIERE CONSTRUCTION CO., LLC. P.O. BOX 1576 BOUTTE, LA 70039 985/785-7700

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at BOUTTE, LA are as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

BARRIERE CONSTRUCTION

(22) Bagged form: STREET WISE Manufactured by: CO., LLC Product Name

@ 340.00 per ton (8.50 PER BAG)

BARRIERE CONSTRUCTION

(23) Bulk form: STREET WISE Manufactured by: CO., LLC Product Name

@ 97.50 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@ 97.50 per ton

CENTRAL PIPE SUPPLY 101 WARE ROAD PEARL, MS 39208 601/939-3322

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our	price	for	materi	al pr	oduced	in	acco:	rdance	with	Mis	ssissippi	Depart	ment
of	Transp	ortai	tion Sp	ecifi	cations	F	.O.B.	Depart	tment	of	Transpor	tation	Trucks
at	our pl	ant :	located	at _							are_as		

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(22) Bagged form: PERMA PATCH Manufactured by: PERMA PATCH
Product Name

@ 500.00 per ton (1 ½ TON MINIMUM OR 3,000 LBS)

P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 983 OLD HWY 51, BROOKHAVEN, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 60.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@	62.00	per	ton
-------------------	---	-------	-----	-----

(4) 12.5 mm Mixture @ 61.00 per ton

(5) 19 mm Mixture @_ 59.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5	$\mathbf{m}\mathbf{m}$	Mixture	@	62	. 00	per	ton	

(9) 12.5 mm Mixture @__61.00 per ton

(10) 19 mm Mixture @ 59.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5	mm	Mixture	@_		62.00	per	ton
------	-----	----	---------	----	--	-------	-----	-----

(14) 12.5 mm Mixture @__61.00 per ton

(15) 19 mm Mixture @ 59.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture	@	72.00	per ton
---------------------	---	-------	---------

(19) 12.5 mm Mixture @ 71.00 per ton

(20) 19 mm Mixture @ 69.00 per ton

(21) Hot Mix Asphalt

@ 60.00 per ton

P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at
HIGHWAY 16 EAST, CARTHAGE, MS">HIGHWAY 16 EAST, CARTHAGE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 78.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	@_		79.	00	per	ton
-----	-------	---------	----	--	-----	----	-----	-----

(4) 12.5 mm Mixture @ 76.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @_ 79.00 per ton

(9) 12.5 mm Mixture @ 76.00 per ton

(10) 19 mm Mixture @_ 76.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 79.00 per ton

(14) 12.5 mm Mixture @_ 76.00 per ton

(15) 19 mm Mixture @___76.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 94.00 per ton

(19) 12.5 mm Mixture @ 90.00 per ton

(20) 19 mm Mixture @__89.00 per ton

(21) Hot Mix Asphalt

@ 76.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ______.35 PER TON PER MILE, WITH ______5.00 PER TON MINIMUM HAUL.

P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 2642 GALLATIN STREET, JACKSON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 62.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	@	62.00	per	ton
-----	-------	---------	---	-------	-----	-----

(4) 12.5 mm Mixture @ 58.00 per ton

(5) 19 mm Mixture @ 54.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 62.00 per ton

(9) 12.5 mm Mixture @ 58.00 per ton

(10) 19 mm Mixture @ 54.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 62.00 per ton

(14) 12.5 mm Mixture @ 58.00 per ton

(15) 19 mm Mixture @ 54.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 69.00 per ton

(19) 12.5 mm Mixture @ 65.00 per ton

(20) 19 mm Mixture @ 62.00 per ton

(21) Hot Mix Asphalt

@ 62.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 100.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ___.35 PER TON PER MILE, WITH __4.50 PER TON MINIMUM HAUL.

P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at HIGHWAY 98 EAST, MCCOMB, MS">HIGHWAY 98 EAST, MCCOMB, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 63.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	@	65	5.00	per	ton
-----	-------	---------	---	----	------	-----	-----

(4) 12.5 mm Mixture @ 63.00 per ton

(5) 19 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 65.00 1	per ton
------------------------------	---------

(9) 12.5 mm Mixture @ 63.00 per ton

(10) 19 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture	. @	65.0	0 per	ton
---------------------	-----	------	-------	-----

(14) 12.5 mm Mixture @ 63.00 per ton

(15) 19 mm Mixture @__61.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture	@ 78.00 pe	er to	on
---------------------	------------	-------	----

(19) 12.5 mm Mixture @ 77.00 per ton

(20) 19 mm Mixture @ 76.00 per ton

(21) Hot Mix Asphalt

@ 63.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@ 85.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .35 PER TON PER MILE, WITH $\underline{5.00}$ PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC. P.O. BOX 6560 LAUREL, MS 39441 601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>188 HWY 98 EAST, COLUMBIA, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 67.90 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75	mm	Mixture	@_	91.75	per	ton	

(3)	9.5mm	Mixture	@_	 66.60	per	ton

(5) 19 mm Mixture @__63.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture	@	91.75	per	ton
---------------------	---	-------	-----	-----

(8) 9.5 mm Mixture @ 67.90 per t	(8)	.5 mm Mixture	@ 67.90	per ton
----------------------------------	-----	---------------	---------	---------

(10) 19 mm Mixture @___59.65_ per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75	mm	Mixture	@	92	. 85	per	ton

(13) 9.5 mm Mixture	@	67.95	per	ton
---------------------	---	-------	-----	-----

(17) 4.75 mm Mixture

@ 102.20 per ton

(18) 9.5 mm Mixture

@ 72.75 per ton

(19) 12.5 mm Mixture @_______ per ton

(20) 19 mm Mixture @ 66.30 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@ 61.60 per ton

DUNN ROADBUILDERS, LLC. P.O. BOX 6560 LAUREL, MS 39441 601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _509 AVENUE D, LAUREL, MS 39440 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 72.15 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4	.75 mm	Mixture	@	89.70	per	ton
-------	--------	---------	---	-------	-----	-----

- (3) 9.5mm Mixture @ 70.25 per ton
- (4) 12.5 mm Mixture @ 68.80 per ton
- (5) 19 mm Mixture @ 65.80 per ton

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75	$\mathbf{m}\mathbf{m}$	Mixture	@	8	9.	70	per	ton

- (8) 9.5 mm Mixture @ 70.60 per ton
- (9) 12.5 mm Mixture @ 64.25 per ton
- (10) 19 mm Mixture @ 61.75 per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75	mm Mixture	@ 89.70 per to	n

- (13) 9.5 mm Mixture @ 71.75 per ton
- (14) 12.5 mm Mixture @__71.20_ per ton
- (15) 19 mm Mixture @ 65.80 per ton

(17) 4.75 mm Mixture @ 99.75 per ton

(18) 9.5 mm Mixture @ 77.10 per ton

(19) 12.5 mm Mixture @__76.10_ per ton

(20) 19 mm Mixture @ 69.70 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 58.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 96.00 per ton

DUNN ROADBUILDERS, LLC. P.O. BOX 6560 LAUREL, MS 39441 601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at _157 CHEVIS LEE ROAD, PETAL, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 70.10 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture	<u>@</u>	89.35	per	ton
---------------------	----------	-------	-----	-----

(3) 9.5mm Mixture @ 69.30 per ton

(4) 12.5 mm Mixture @ 68.00 per ton

(5) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75	$\mathbf{m}\mathbf{m}$	Mixture	@	89.35	per ton
-----	------	------------------------	---------	---	-------	---------

(8) 9.5 mm Mixture @_ 69.70 per ton

(9) 12.5 mm Mixture @_ 63.65 per ton

(10) 19 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75	$\mathbf{m}\mathbf{m}$	Mixture	@	89	.35	per	ton

(13) 9.5 mm Mixture @ 70.70 per ton

(14) 12.5 mm Mixture @ 70.25 per ton

(15) 19 mm Mixture @ 64.85 per ton

(17) 4.75 mm Mixture

@ 99.40 per ton

(18) 9.5 mm Mixture

@ 76.00 per ton

(19) 12.5 mm Mixture @ 75.15 per ton

(20) 19 mm Mixture @ 68.75 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt

@ 63.45 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 96.00 per ton

HUEY STOCKSTILL, INC. 130 HUEY STOCKSTILL ROAD PICAYUNE, MS 39466 601/798-2981

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 130 HUEY STOCKSTILL ROAD, PICAYUNE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75	mm	Mixture	@	76.	00	per	ton
				•	,	~ ~	Det	LUII

- (3) 9.5mm Mixture @___71.00 per ton
- (4) 12.5 mm Mixture @___71.00_ per ton
- (5) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75 mm	Mixture	· @	76.00	per ton
-----	---------	---------	-----	-------	---------

- (8) 9.5 mm Mixture @ 71.00 per ton
- (9) 12.5 mm Mixture @ 71.00 per ton
- (10) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75	$\mathbf{m}\mathbf{m}$	Mixture	@	76	.00	per	ton
------	------	------------------------	---------	---	----	-----	-----	-----

- (13) 9.5 mm Mixture @ 71.00 per ton
- (14) 12.5 mm Mixture @__71.00_ per ton
- (15) 19 mm Mixture @__71.00 per ton

(17) 4.75 mm Mixture @__ 82.00 per ton

(20) 19 mm Mixture @_______ 77.00_ per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @___71.00 per ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 7, 1775 FARRISH GRAVEL ROAD, BATESVILLE, MS 38606 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(14) 12.5 mm Mixture

(15) 19 mm Mixture

(3) 9.5mm Mixture	@ 69.00	per ton
(4) 12.5 mm Mixture	@ 64.00	per ton
(5) 19 mm Mixture	@ 60.00	per ton
907-403-A HOT MIX ASPHALT, MT:		
(8) 9.5 mm Mixture	@ 69.00	per ton
(9) 12.5 mm Mixture	@ 64.00	per ton
(10) 19 mm Mixture	@ 60.00	per ton
907-403-A HOT MIX ASPHALT, HT:		
(13) 9.5 mm Mixture	@ 69.00	per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: QPR COLD MIX Manufactured by: QPR Product Name
@ 130.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

@ 64.00 per ton

@ 60.0<u>0</u> per ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 10, 161 STONEWALL ROAD, BYHALIA, MS 38611 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@	69.00	per	ton
-------------------	---	-------	-----	-----

- (4) 12.5 mm Mixture @ 66.00 per ton
- (5) 19 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (8) 9.5 mm Mixture @ 69.00 per ton
- (9) 12.5 mm Mixture @ 66.00 per ton
- (10) 19 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, HT:

- (13) 9.5 mm Mixture @ 69.00 per ton
- (14) 12.5 mm Mixture @ 66.00 per ton
- (15) 19 mm Mixture @ 61.00 per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: QPR COLD MIX Manufactured by: QPR Product Name
@ 140.00 per ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 3, 415 PORT ROAD, FIRARS POINT, MS 38631 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm Mixture	@_	72.00	per	ton
(4)	12.5 mm Mixture	@_	68.00	per	ton
(5)	19 mm Mixture	@	63.00	per	ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@_	72.00	per	ton
(9) 12.5 mm Mixture	@_	68.00	per	ton
(10) 19 mm Mixture	@_	63.00	per	ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5 mm Mixture	@	72.00	per	ton
(14)	12.5 mm Mixture	@_	68.00	per	ton
(15)	19 mm Mixture	@	63.00	per	ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 6, 6158 HWY 51 SOUTH, HERNANDO, MS 38632 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm Mixture	@_	69.00	per	ton
(4)	12.5 mm Mixture	@_	64.00	per	ton
(5)	19 mm Mixture	@	60.00	per	ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@ 69.00 per ton
(9) 12.5 mm Mixture	@ <u>64.00</u> per ton
(10) 19 mm Mixture	@ 60.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5 mm Mixture	@	69.00	per	ton
(14)	12.5 mm Mixture	@_	64.00	per	ton
(15)	19 mm Mixture	@	60.00	per	ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 5, 2840 CARRIER ROAD, MEMPHIS, TN 38116 are as follows:

907-403-A	HOT	MIX	ASPHALT,	ST:

•	(3)	9.5mm	Mixture	@_		73.00	per	ton
---	-----	-------	---------	----	--	-------	-----	-----

- (4) 12.5 mm Mixture @ 72.00 per ton
- (5) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (8) 9.5 mm Mixture @ 73.00 per ton
- (9) 12.5 mm Mixture @ 72.00 per ton
- (10) 19 mm Mixture @__63.00 per ton

907-403-A HOT MIX ASPHALT, HT:

- (13) 9.5 mm Mixture @ 73.00 per ton
- (14) 12.5 mm Mixture @ 72.00 per ton
- (15) 19 mm Mixture @ 63.00 per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: QPR COLD MIX Manufactured by: QPR Product Name
@ 130.00 per ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 11, OLD HWY 7 NORTH, OXFORD, MS 38655 are as follows:

907-403-A HOT MIX ASPHALT, ST:

- (4) 12.5 mm Mixture @ 67.00 per ton
- (5) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (8) 9.5 mm Mixture @ 70.00 per ton
- (9) 12.5 mm Mixture @ 67.00 per ton
- (10) 19 mm Mixture @__63.00 per ton

907-403-A HOT MIX ASPHALT, HT:

- (13) 9.5 mm Mixture @ 70.00 per ton
- (14) 12.5 mm Mixture @ 67.00 per ton
- (15) 19 mm Mixture @ 63.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 66.00 per ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 1, HWY 82, WINONA, MS 38967 (WHEN RUNNING) are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@ 71.00 per ton							
(4) 12.5 mm Mixture	@ 68.00 per ton							
(5) 19 mm Mixture	@ 62.00 per ton							
907-403-A HOT MIX ASPHALT, MT:								
(8) 9.5 mm Mixture	@ 71.00 per ton							
(9) 12.5 mm Mixture	@ 68.00 per ton							
(10) 19 mm Mixture	@ 62.00 per ton							
907-403-A HOT MIX ASPHALT, HT:								
(13) 9.5 mm Mixture	@ 71.00 per ton							
(14) 12.5 mm Mixture	@ 68.00 per ton							
(15) 19 mm Mixture	@ 62.00 per ton							
CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR25_ PER TON PER MILE, WITH5.00_ PER TON MINIMUM HAUL.								

MALLETTE BROTHERS CONSTRUCTION COMPANY, INC. 3708 HIGHWAY 90 GAUTIER, MS 39553 228/497-2523

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 2801 OLD SPANISH TRAIL, GAUTIER are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 68.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75	mm	Mixture	@	68.00	per	ton
					 	_	

(6) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75	mm	Mixture	@	6	58.	00	per	ton
-----	------	----	---------	---	---	-----	----	-----	-----

(8)	9.5 mm	Mixture	@	68.00	per	ton
-----	--------	---------	---	-------	-----	-----

- (10) 19 mm Mixture @ 68.00 per ton
- (11) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture	@	68.00	per	ton
----------------------	---	-------	-----	-----

- (13) 9.5 mm Mixture @ 68.00 per ton
- (14) 12.5 mm Mixture @ 68.00 per ton
- (15) 19 mm Mixture @ 68.00 per ton
- (16) 25 mm Mixture @ 68.00 per ton

(17) 4.75 mm Mixture @ 74.00 per ton

(18) 9.5 mm Mixture @ 73.00 per ton

(19) 12.5 mm Mixture @ 72.00 per ton

(20) 19 mm Mixture @___75.00_ per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 68.00 per ton

PANDLE, INC. 2401 PETIT BOIS PASCAGOULA, MS 39581 228/762-3300

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PASCAGOULA, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 63.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (3) 9.5mm Mixture @ 65.00 per ton
- (4) 12.5 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (8) 9.5 mm Mixture @ 65.00 per ton
- (9) 12.5 mm Mixture @ 65.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 65.00 per ton

SOUTHERN PIPE 4059 CENTERVILLE ROAD MAGNOLIA, MS 39652 601/906-3444

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(22) Bagged form: QPR Manufactured by: QPR USA Product Name

@ 478.00 per ton 11.95 PER BAG 63 BAGS PER PALLET

STANDARD CONSTRUCTION COMPANY, INC.

P.O. BOX 38289 GERMANTOWN, TN 38183 901/754-5181

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 1035 FRANK ROAD, COLLIERVILLE, TN are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm Mixture	@_	62.00	per	ton
(4)	12.5 mm Mixture	@_	60.50	per	ton
(5)	19 mm Mixture	@	56.50	per	ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm	Mixture		62.00	_	
(9) 12.5 mm	Mixture	@	60.50	per	ton
(10) 19 mm	Mixture	@	56.50	per	ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5 mm Mixture	@	60.00	er t	on
(14)	12.5 mm Mixture	@_	58.50	per	ton
(15)	19 mm Mixture	@	54.50	per	ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18)	9.5 mm Mixture	@	76.00	er ton
(19)	12.5 mm Mixture	@_	73.50	per ton
(20)	19 mm Mixture	@	66.75	per ton
CONTE	DAGMODG HOM WIY AGDHAIM	CDECTET	as measure	

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21)	Hot Mix	Asphalt	@	58.50	per ton
\ — <i>— ,</i>			<u> </u>		F

SUPERIOR ASPHALT, INC. 6000 I-55 SOUTH BYRAM, MS 39272 601/376-3000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at BYRAM, MISSISSIPPI are as follows:

907-403-A	HOT	MIX	ASPHALT,	ST:
-----------	-----	-----	----------	-----

(3)	9.5mm Mixture	@_	62.00	per	ton
(4)	12.5 mm Mixture	@	58.00	per	ton
(5)	19 mm Mixture	@_	50.00	per	ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@	62.00	per	ton
(9) 12.5 mm Mixture	<u></u>	58.00	per	ton
(10) 19 mm Mixture	@_	50.00	per	ton

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5 mm Mixture	@_	62.00	per	ton
(14)	12.5 mm Mixture	@_	58.00	per	ton
(15)	19 mm Mixture	@	50.00	per	ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18)	9.5 mm Mixture	@	70.00	per	ton
(19)	12.5 mm Mixture	@	65.00	per	ton
(20)	19 mm Mixture	@_	55.00	per	ton

SUPERIOR ASPHALT, INC. 6000 I-55 SOUTH BYRAM, MS 39272 601/376-3000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at HAZLEHURST, MISSISSIPPI are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Type 8,	Crushed	Gravel,	or	@	51.00	per	ton	Combin	ıed	with
,	-26		-				_	Lime	estone	or	Slag

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm	Mixture	@	57 .	.00	per	ton
-----	-------	---------	---	-------------	-----	-----	-----

(4) 12.5 mm Mixture @ 52.00 per ton

(5) 19 mm Mixture @ 46.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5	mm	Mixture	@	57	.00	per	ton	
-----	-----	----	---------	---	----	-----	-----	-----	--

(9) 12.5 mm Mixture @ 52.00 per ton

(10) 19 mm Mixture @ 46.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture	@ <u>57.00</u> per ton
---------------------	------------------------

(14) 12.5 mm Mixture @ 52.00 per ton

(15) 19 mm Mixture @ 46.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 62.00 per ton

(19) 12.5 mm Mixture @ 58.00 per ton

(20) 19 mm Mixture @ 52.00 per ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>BYRAM, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 56.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@	58.00	per ton
-------------------	---	-------	---------

(4) 12.5 mm Mixture @ 56.00 per ton

(5) 19 mm Mixture @ 49.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5 mm	Mixture	@	60.	.00	per	ton

(9) 12.5 mm Mixture @ 56.00 per ton

(10) 19 mm Mixture @ 49.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 3.5 mm MIXCUIE & OU.OU PEL C	(13)	9.5 mm Mixture	@ 60.00) per ton
-----------------------------------	------	----------------	---------	-----------

(14) 12.5 mm Mixture @ 56.00 per ton

(15) 19 mm Mixture @ 49.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 54.00 per ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>GEORGETOWN</u>, <u>MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 59.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Miz	xture	@	61.00	per	ton
---------------	-------	---	-------	-----	-----

(4) 12.5 mm Mixture @ 57.00 per ton

(5) 19 mm Mixture @ 51.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 61.00 per ton

(9) 12.5 mm Mixture @ 59.00 per ton

(10) 19 mm Mixture @ 51.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 62.00 per ton

(14) 12.5 mm Mixture @ 59.00 per ton

(15) 19 mm Mixture @ 51.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 56.00 per ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at MORTON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Type 8.	Crushed	Gravel,	or	@	65.00	per	ton	Combir	ıed	with
_/	-150 01	01 0.	•		-		_	Lim	estone	or	Slag

907-403-A HOT MIX ASPHALT, ST:

(3)	9 . 5mm	Mixture	@ 68.	00	per	ton

907-403-A HOT MIX ASPHALT, MT:

(8)	9.5 mm	Mixture	@	69	.00	per	ton
-----	--------	---------	---	----	-----	-----	-----

907-403-A HOT MIX ASPHALT, HT:

(13)	9.5	mm	Mixture	@	69.00	per	to
(T)	7.5	mm	MINCUIC	~ _		<u>-</u>	

(15) 19 mm Mixture @ 62.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 62.00 per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: QPR Manufactured by: QPR Product Name @ 140.00 per ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at MT. OLIVE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 62.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3)	9.5mm Mixture	a	64.00	per ton
131	J.SHIII MIXLUIE	w	07.00	her con

(4) 12.5 mm Mixture @ 60.00 per ton

(5) 19 mm Mixture @ 55.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 65.00 per ton

(10) 19 mm Mixture @ 56.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 65.00 per ton

(14) 12.5 mm Mixture @ 60.00 per ton

(15) 19 mm Mixture @ 57.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 59.00 per ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at WASHINGTON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 70.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (2) 4.75 mm Mixture @ 79.00 per ton
- (3) 9.5mm Mixture @ 69.00 per ton
- (4) 12.5 mm Mixture @ 69.00 per ton
- (5) 19 mm Mixture @ 62.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (8) 9.5 mm Mixture @___71.00 per ton
- (9) 12.5 mm Mixture @___71.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 69.00 per ton

W G CONSTRUCTION COMPANY, INC. 12051 HIGHWAY 4 EAST RIPLEY, MS 38663 662/837-8811

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>1801 EAST COMMERCE</u>, BOONEVILLE, MS 38829 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Type 8,	Crushed	Gravel,	or	@	72.00	per	ton	Combin	ed	with
									estone		

907-403-A HOT MIX ASPHALT, ST:

(2)	4.75	$\mathbf{m}\mathbf{m}$	Mixture	@	80.00	per	ton

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75	mm Mixtur	re @	80.	.00	per	ton

(8) 9.5 mm Mixture	a	72.00	per ton
--------------------	----------	-------	---------

(10) 19 mm Mixture @ 70.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 m	um Mixture	<pre>@ 72.00 per ton</pre>	L
------------	------------	----------------------------	---

(14) 12.5 mm Mixture @ 72.00 per ton

(15) 19 mm Mixture @ 70.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 72.00 per ton

P.O. BOX 2545 GULFPORT, MS 39505 228/896-8003

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 11211 REICHOLD ROAD, GULFPORT, MS 39505 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1)	Type 8,	Crushed	Gravel,	or	@	66.00	per	ton	Combin	ıed	with
					-				estone		

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 71.75 per	2)	4.75 mm	Mixture	@	71.75	per to	on
---------------------------------	----	---------	---------	---	-------	--------	----

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75	$\mathbf{m}\mathbf{m}$	Mixture	@	72.25	per	ton

(8)	9 5 mm	Mixture	ø	64.75	per to	n
(0)	J.J IIIII	WIYCUTE	@	04./3	ber co	

(11) 25 mm Mixture @ 55.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75 mm	Mixture	@	72	.75	per	ton
------	---------	---------	---	----	-----	-----	-----

(13) 9.5 mm Mixture @ 65.25 per ton

(14) 12.5 mm Mixture @ 59.75 per ton

(15) 19 mm Mixture @ 56.00 per ton

(16) 25 mm Mixture @ 56.00 per ton

(17) 4.75 mm Mixture

@ 81.00 per ton

(18) 9.5 mm Mixture

@__74.50 per ton

(19) 12.5 mm Mixture @ 73.75 per ton

(20) 19 mm Mixture @ 61.25 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 71.25 per ton

WARREN PAVING, INC. P.O. BOX 572 HATTIESBURG, MS 39403 601/544-7811

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>562 ELKS LAKE ROAD, HATTIESBURG, MS 39403</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 62.75 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture	@_	70.00	per	ton
---------------------	----	-------	-----	-----

(6) 25 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7)	4.75	mm Mixture	@ 70.50	per ton
-----	------	------------	---------	---------

(8)	9.5	mm	Mixture	@	65.50	per	ton
					 	_	

(9) 12.5 mm Mixture @ 64.00 per ton

(10) 19 mm Mixture @ 60.00 per ton

(11) 25 mm Mixture @ 60.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12)	4.75	mm Mixture	@	71.00	per	ton
------	------	------------	---	-------	-----	-----

(13) 9.5 mm Mixture @ 64.50 per ton

(14) 12.5 mm Mixture @ 64.00 per ton

(15) 19 mm Mixture @ 61.00 per ton

(16) 25 mm Mixture @ 61.00 per ton

(17) 4.75 mm Mixture @ 80.50 per ton

(18) 9.5 mm Mixture @ 74.00 per ton

(19) 12.5 mm Mixture @ 72.50 per ton

(20) 19 mm Mixture @ 67.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 61.25 per ton

WHITEHEAD CONSTRUCTION, INC. 5602 INDUSTRIAL ROAD PASCAGOULA, MS 39581 228/762-6951

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>5602 INDUSTRIAL ROAD</u>, <u>PASCAGOULA</u>, <u>MS</u> are as follows:

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt

@ 120.00 per ton

MRI 50LB SACKS - 15.00 PER SACK