

State of Mississippi

Statewide Agency Contract

Southern Pipe & Supply Asphalt

CONTRACT# 8200020844 7/1/15 APPROVAL THROUGH 12/31/15 HOT AND COLD MIX ASPHALT

PAGE NO.

| 4 | ADCAMP, INC |
|---|--|
| 1 | APAC-MISSISSIPPI INC (CANTON) 4 |
| 4 | APAC-MISSISSIPPI INC (COLUMBUS & HAMILTON) 6 |
| 4 | APAC-MISSISSIPPI INC (GLEN) |
| 1 | APAC-MISSISSIPPI INC (GREENVILLE) 10 |
| 1 | APAC-MISSISSIPPI INC (GREENWOOD) 12 |
| 4 | APAC-MISSISSIPPI INC (GUNTOWN) 14 |
| 1 | APAC-MISSISSIPPI INC (JACKSON) 16 |
| 4 | APAC-MISSISSIPPI INC (NEW ALBANY) |
| 4 | APAC-MISSISSIPPI INC (TUPELO) 20 |
| 1 | APAC-MISSISSIPPI INC (VICKSBURG) |
| 1 | APAC-MISSISSIPPI INC (YAZOO CITY) |
| 4 | BARRIERE CONSTRUCTION CO, LLC |
| 3 | CENTRAL PIPE SUPPLY |
| 2 | DICKERSON & BOWEN INC (BROOKHAVEN) |
| 2 | DICKERSON & BOWEN INC (CARTHAGE) |
| 2 | DICKERSON & BOWEN INC (JACKSON) |
| 2 | DICKERSON & BOWEN INC (MCCOMB) |
| 2 | DUNN ROADBUILDERS LLC (COLUMBIA) |
| 2 | DUNN ROADBUILDERS LLC (LAUREL) |
| 2 | DUNN ROADBUILDERS LLC (PETAL) |
| 4 | HUEY STOCKSTILL, INC |
| 4 | LEHMAN ROBERTS COMPANY (BATESVILLE) |
| 4 | LEHMAN ROBERTS COMPANY (BYHALIA) |
| 4 | LEHMAN ROBERTS COMPANY (FRIARS POINT) |
| 4 | LEHMAN ROBERTS COMPANY (HERNANDO) |
| 4 | LEHMAN ROBERTS COMPANY (MEMPHIS, TN) |
| 4 | LEHMAN ROBERTS COMPANY (OXFORD) |
| 4 | LEHMAN ROBERTS COMPANY (WINONA) |
| 1 | MALLETTE BROTHERS CONSTRUCTION CO |
| 1 | PANDLE, INC |
| 4 | SOUTHERN PIPE & SUPPLY |
| 4 | STANDARD CONSTRUCTION COMPANY, INC |
| 4 | SUPERIOR ASPHALT (BYRAM) 56 |
| 4 | SUPERIOR ASPHALT (HAZLEHURST |
| 2 | W.E. BLAIN & SONS, INC (BYRAM) |
| 2 | W.E. BLAIN & SONS, INC (GEORGETOWN) 59 |
| 2 | W.E. BLAIN & SONS, INC (MORTON) |
| 2 | W.E. BLAIN & SONS, INC (MT. OLIVE) |
| 2 | W.E. BLAIN & SONS, INC (WASHINGTON) |
| 1 | W.G. CONSTRUCTION COMPANY, INC |
| 4 | WARREN PAVING, INC (GULFPORT) |
| 4 | WARREN PAVING, INC (HATTIESBURG) |
| 1 | WHITEHEAD CONSTRUCTION, INC |
| | - |

1 = MDOT ONLY
2 = MDOT AND OTHER STATE AGENCIES
3 = MDOT & GOVERNING AUTHORITIES
4 = MDOT, GOVERNING AUTHORITIES, & OTHER STATE AGENCIES

ADCAMP, INC. 1353 FLOWOOD DRIVE FLOWOOD, MS 39232 601/939-4493

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>1353 FLOWOOD DRIVE, FLOWOOD, MS 39232</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) Type 8, Crushed Gravel, or | @ 62.00 per ton Combined with |
|--------------------------------|-------------------------------|
| | Limestone or Slag |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 63.45 | per ton |
|-----|-----------------|---|-------|---------|
| (4) | 12.5 mm Mixture | @ | 63.45 | per ton |
| (5) | 19 mm Mixture | @ | 63.45 | per ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 64.00 | per | ton |
|---------------------|---|-------|-----|-----|
| (9) 12.5 mm Mixture | @ | 64.00 | per | ton |
| (10) 19 mm Mixture | @ | 64.00 | per | ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 58.00 per ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>CANTON</u>, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 61.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

| (2) | 4.75 mm Mixture | @ | 80.00 | per | ton |
|-----|-----------------|----|-------|-----|-----|
| (3) | 9.5mm Mixture | @ | 67.00 | per | ton |
| (4) | 12.5 mm Mixture | @ | 66.00 | per | ton |
| (5) | 19 mm Mixture | @ | 57.00 | per | ton |
| (6) | 25 mm Mixture | @_ | 85.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ 80.00 per ton |
|---------------------|------------------------|
| (8) 9.5 mm Mixture | @ <u>67.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>66.00</u> per ton |
| (10) 19 mm Mixture | @ <u>57.00</u> per ton |
| (11) 25 mm Mixture | @ <u>85.00</u> per ton |

| (12) | 4.75 mm Mixture | @ <u>80.00</u> per ton |
|------------------|-----------------|------------------------|
| (13) | 9.5 mm Mixture | @ <u>61.00</u> per ton |
| (14) | 12.5 mm Mixture | @ <u>59.00</u> per ton |
| (15) | 19 mm Mixture | @ <u>55.00</u> per ton |
| (16) 4 | 25 mm Mixture | @ <u>85.00</u> per ton |
| 4 | | F |

 907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

 (17) 4.75 mm Mixture
 @ 95.00 per ton

 (18) 9.5 mm Mixture
 @ 85.00 per ton

 (19) 12.5 mm Mixture
 @ 85.00 per ton

 (20) 19 mm Mixture
 @ 85.00 per ton

 CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

 (21) Hot Mix Asphalt
 @ 57.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .28 PER TON PER MILE, WITH 3.00 PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>COLUMBUS/HAMILTON</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Туре | 8, | Crushed | Gravel, | or | @ | 69.50 | per | ton | Combir | ıed | with |
|-----|------|----|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | | | | | | | | | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 69.50 | per ton |
|-----|-----------------|---|-------|---------|
| (4) | 12.5 mm Mixture | @ | 66.50 | per ton |
| (5) | 19 mm Mixture | @ | 60.50 | per ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 69.50 | per ton |
|---------------------|----|-------|---------|
| (9) 12.5 mm Mixture | @ | 66.50 | per ton |
| (10) 19 mm Mixture | @_ | 60.50 | per ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 69.50 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 66.50 | per | ton |
| (15) | 19 mm Mixture | @ | 60.50 | per | ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

| (18) 9.5 mm Mixture | @ <u>77.50</u> per ton |
|----------------------|------------------------|
| (19) 12.5 mm Mixture | @ <u>74.50</u> per ton |
| (20) 19 mm Mixture | @ 68.50 per ton |

(21) Hot Mix Asphalt @ 69.50 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @ 90.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ______ PER TON PER MILE, WITH ______ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>CORINTH 2700 HWY 72 GLEN, MS 38846</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) Type 8, Crushed Gravel, or | @ 70.00 per ton Combined with Limestone or Slag |
|--------------------------------|--|
| 907-403-A HOT MIX ASPHALT, ST: | |
| (3) 9.5mm Mixture | @ <u>70.00</u> per ton |
| (4) 12.5 mm Mixture | @ 68.00 per ton |
| (5) 19 mm Mixture | @ <u>65.00</u> per ton |
| 907-403-A HOT MIX ASPHALT, MT: | |
| (8) 9.5 mm Mixture | @ 70.00 per ton |
| (9) 12.5 mm Mixture | @ <u>68.00</u> per ton |
| (10) 19 mm Mixture | @ 65.00 per ton |
| 907-403-A HOT MIX ASPHALT, HT: | |
| (13) 9.5 mm Mixture | @ 70.00 per ton |
| (14) 12.5 mm Mixture | @ <u>68.00</u> per ton |
| (15) 19 mm Mixture | @ <u>65.00</u> per ton |
| 907-403-A HOT MIX ASPHALT, HT, | POLYMER MODIFIED (PG 76-22): |
| (18) 9.5 mm Mixture | @ <u>76.00</u> per ton |

(19) 12.5 mm Mixture @ 73.00 per ton

(21) Hot Mix Asphalt

@ 70.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@<u>82.00</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>2559 HARBOR FRONT ROAD, GREENVILLE, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Туре | 8, | Crushed | Gravel, | or | @ | 86.00 | per | ton | Combir | ıed | with |
|-----|------|----|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | | | | | | | | | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

.

| (2) | 4.75 mm Mixture | @ | 99.50 | per ton |
|-----|-----------------|----|-------|---------|
| (3) | 9.5mm Mixture | @_ | 84.50 | per ton |
| (4) | 12.5 mm Mixture | @_ | 78.50 | per ton |
| (5) | 19 mm Mixture | @ | 76.50 | per ton |
| (6) | 25 mm Mixture | @ | 76.50 | per ton |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ <u>101.50</u> per ton |
|---------------------|-------------------------|
| (8) 9.5 mm Mixture | @ <u>88.50</u> per ton |
| (9) 12.5 mm Mixture | @ <u>81.50</u> per ton |
| (10) 19 mm Mixture | @ 80.50 per ton |
| (11) 25 mm Mixture | @ <u>80.50</u> per ton |

| (12) | 4.75 mm Mixture | @ 96.50 per ton |
|-------------------|-----------------|------------------------|
| (13) | 9.5 mm Mixture | @ <u>81.50</u> per ton |
| (14) | 12.5 mm Mixture | @ <u>77.50</u> per ton |
| (15) | 19 mm Mixture | @ <u>76.50</u> per ton |
| (16) 10 | 25 mm Mixture | @ <u>76.50</u> per ton |

| 907-403-A HOT MIX ASPHALT, HT, | POLYMER MODI | FIED (PG | 76-22): | | |
|--|--------------|----------|---------|--|--|
| (17) 4.75 mm Mixture | @ | per ton | | | |
| (18) 9.5 mm Mixture | @91.50 | per ton | | | |
| (19) 12.5 mm Mixture | @87.50 | per ton | | | |
| (20) 19 mm Mixture | @86.50 | per ton | | | |
| CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS | | | | | |
| (21) Hot Mix Asphalt | @80.00 | per ton | | | |

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@<u>115.00</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.27$ PER TON PER MILE, WITH $_4.00$ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>1801</u> CYPRESS LANE, GREENWOOD, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 76.50 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

| (2) | 4.75 mm Mixture | @ <u>92.50</u> per ton |
|-----|-----------------|------------------------|
| (3) | 9.5mm Mixture | @ <u>77.50</u> per ton |
| (4) | 12.5 mm Mixture | @ <u>71.50</u> per ton |
| (5) | 19 mm Mixture | @ <u>70.00</u> per ton |
| (6) | 25 mm Mixture | @ <u>70.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ 94.50 per ton |
|---------------------|------------------------|
| (8) 9.5 mm Mixture | @ <u>80.50</u> per ton |
| (9) 12.5 mm Mixture | @ <u>74.50</u> per ton |
| (10) 19 mm Mixture | @ <u>73.00</u> per ton |
| (11) 25 mm Mixture | @ 73.00 per ton |

| (12) | 4.75 mm Mixture | @91.50 | per ton |
|-------------------|-----------------|---------|---------|
| (13) | 9.5 mm Mixture | @ 76.50 | per ton |
| (14) | 12.5 mm Mixture | @ 70.50 | per ton |
| (15) | 19 mm Mixture | @ 68.50 | per ton |
| (16) 12 | 25 mm Mixture | @ 68.50 | per ton |

| 907-403-A HOT MIX ASPHALT, HT, | POLYMER MODIFIED (PG 76-22): |
|---------------------------------|------------------------------|
| (17) 4.75 mm Mixture | @ <u>101.50</u> per ton |
| (18) 9.5 mm Mixture | @ <u>86.50</u> per ton |
| (19) 12.5 mm Mixture | @ <u>80.50</u> per ton |
| (20) 19 mm Mixture | @ 78.50 per ton |
| CONTRACTORS HOT MIX ASPHALT SPE | CIFICATIONS |
| (21) Hot Mix Asphalt | @ 70.50 per ton |
| CONTRACTOR'S COLD BITUMINOUS MI | XTURE SPECIFICATIONS |
| (28)Cold Mix Asphalt | @ <u>115.00</u> per ton |

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>GUNTOWN (331 MESSNER ROAD GUNTOWN, MS 38849)</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) Type 8, Crushed Gravel, or @ 70.00 per ton Combined wi Limestone or Sl | | |
|---|--|--|
|---|--|--|

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 70.00 | per tor | 1 |
|-----|-----------------|---|-------|---------|---|
| (4) | 12.5 mm Mixture | @ | 68.00 | per tor | 1 |
| (5) | 19 mm Mixture | @ | 65.00 | per tor | ı |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 70.00 | per ton |
|---------------------|---|-------|---------|
| (9) 12.5 mm Mixture | @ | 68.00 | per ton |
| (10) 19 mm Mixture | @ | 65.00 | per ton |

| (13) 9.5 mm Mixture | @ <u>70.00</u> per ton |
|--------------------------------|------------------------------|
| (14) 12.5 mm Mixture | @ 68.00 per ton |
| (15) 19 mm Mixture | @ 65.00 per ton |
| 907-403-A HOT MIX ASPHALT, HT, | POLYMER MODIFIED (PG 76-22): |
| (18) 9.5 mm Mixture | @ <u>76.00</u> per ton |
| | |

(21) Hot Mix Asphalt @ 70.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ______.30_ PER TON PER MILE, WITH _____4.00_ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>JACKSON, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Type | 8, | Crushed | Gravel, | or | @ | 57.45 | per | ton | Combir | led | with |
|-----|------|----|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | | | | | | | | | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (2) | 4.75 mm Mixture | @ | 70.00 | per ton |
|-----|-----------------|---|-------|---------|
| (3) | 9.5mm Mixture | @ | 62.00 | per ton |
| (4) | 12.5 mm Mixture | @ | 62.00 | per ton |
| (5) | 19 mm Mixture | @ | 55.00 | per ton |
| (6) | 25 mm Mixture | @ | 68.00 | per ton |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ | 70.00 | per ton |
|---------------------|---|-------|---------|
| (8) 9.5 mm Mixture | @ | 62.00 | per ton |
| (9) 12.5 mm Mixture | @ | 60.00 | per ton |
| (10) 19 mm Mixture | @ | 55.00 | per ton |
| (11) 25 mm Mixture | @ | 70.00 | per ton |

| (12) 4.75 mm | Mixture | @ | 70.00 | per | ton |
|---------------------------|---------|---|-------|-----|-----|
| (13) 9.5 mm | Mixture | @ | 62.00 | per | ton |
| (14) 12.5 mm | Mixture | @ | 59.00 | per | ton |
| (15) 19 mm M | ixture | @ | 55.00 | per | ton |
| (16) 25 mm M 16 | ixture | @ | 70.00 | per | ton |

 907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

 (17) 4.75 mm Mixture
 @ 90.00 per ton

 (18) 9.5 mm Mixture
 @ 85.00 per ton

 (19) 12.5 mm Mixture
 @ 84.00 per ton

 (20) 19 mm Mixture
 @ 83.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 57.00 per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: R3 Product Name @ 123.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _____.28 PER TON PER MILE, WITH 3.00 PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at GAP DRIVE, NEW ALBANY, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Туре | 8, | Crushed | Gravel, | or | @ | 73.00 | per | ton | Combir | ıed | with |
|-----|------|----|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | | | | | | | | | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 73.00 | per ton |
|-----|-----------------|---|-------|---------|
| (4) | 12.5 mm Mixture | @ | 70.00 | per ton |
| (5) | 19 mm Mixture | @ | 68.00 | per ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 73.00 | per ton |
|---------------------|---|-------|---------|
| (9) 12.5 mm Mixture | @ | 70.00 | per ton |
| (10) 19 mm Mixture | @ | 68.00 | per ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 73.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 70.00 | per | ton |
| (15) | 19 mm Mixture | @ | 68.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

| (18) 9.5 mm Mixture | @ | 80.00 | per ton |
|----------------------|---|-------|---------|
| (19) 12.5 mm Mixture | @ | 77.00 | per ton |

(21) Hot Mix Asphalt @ 73.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ______ PER TON PER MILE, WITH ______ 4.00 PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>AUBURN 459 N. EASON BLVD, TUPELO, MS 38801</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) Type | 8, | Crushed | Gravel, | or | @ | 70.00 | per | ton | Combir | led | with |
|----------|----|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | | | | | | | | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 70.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 68.00 | per | ton |
| (5) | 19 mm Mixture | @ | 65.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 70.00 | er ton |
|---------------------|---|-------|---------|
| (9) 12.5 mm Mixture | @ | 68.00 | per ton |
| (10) 19 mm Mixture | @ | 65.00 | per ton |

| (13) | 9.5 mm Mixture | @ | 70.00 | per ton |
|------|-----------------|---|-------|---------|
| (14) | 12.5 mm Mixture | @ | 68.00 | per ton |
| (15) | 19 mm Mixture | @ | 65.00 | per ton |

| 907-403-A HOT MIX ASPHALT, HT, | POLYMER MODIFIED | (PG 76-22): |
|--------------------------------|--------------------|-------------|
| (18) 9.5 mm Mixture | @ <u>76.00</u> per | ton |
| (19) 12.5 mm Mixture | @ <u>73.00</u> per | ton |

(21) Hot Mix Asphalt @ 68.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _______ PER TON PER MILE, WITH _______ 4.00 PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>VICKSBURG</u>, MISSISSIPPI are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Туре | 8, | Crushed | Gravel, | or | @ | 71.00 | per | ton | Combir | ıed | with |
|-----|------|----|---------|---------|----|---|-------|-----|-----|--------|-----|------|
| | | | | | | | | | | estone | | |

907-403-A HOT MIX ASPHALT, ST:

| (2) 4.75 mm M: | ixture | @ | 90.00 | per | ton |
|----------------|--------|---|-------|-----|-----|
| (3) 9.5mm Mixt | ture | @ | 76.00 | per | ton |
| (4) 12.5 mm Mi | ixture | @ | 75.00 | per | ton |
| (5) 19 mm Mixt | ture | @ | 70.00 | per | ton |
| (6) 25 mm Mixt | ture | @ | 80.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ | 90.00 | per | ton |
|---------------------|---|-------|-----|-----|
| (8) 9.5 mm Mixture | @ | 75.00 | per | ton |
| (9) 12.5 mm Mixture | @ | 73.00 | per | ton |
| (10) 19 mm Mixture | @ | 69.00 | per | ton |
| (11) 25 mm Mixture | @ | 80.00 | per | ton |

| (12) | 4.75 mm Mixture | @ | 90.00 | per ton |
|-------------------|-----------------|---|-------|---------|
| (13) | 9.5 mm Mixture | @ | 75.00 | per ton |
| (14) | 12.5 mm Mixture | @ | 74.00 | per ton |
| (15) | 19 mm Mixture | @ | 70.00 | per ton |
| (16) 22 | 25 mm Mixture | @ | 80.00 | per ton |

| 907-403-A HOT MIX ASPHALT, HT, | POLYMER MODI | FIED (PG 76-22): |
|---------------------------------|--------------|------------------|
| (17) 4.75 mm Mixture | @ 105.00 | per ton |
| (18) 9.5 mm Mixture | @ 88.00 | per ton |
| (19) 12.5 mm Mixture | @ 86.00 | per ton |
| (20) 19 mm Mixture | @ 85.00 | per ton |
| CONTRACTORS HOT MIX ASPHALT SPE | CIFICATIONS | |
| (21) Hot Mix Asphalt | @66.00 | per ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR $_.28$ PER TON PER MILE, WITH $_4.00$ PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>YAZOO CITY, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 69.00 per ton Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

| (2) 4.75 mm Mixture | @ per ton |
|---------------------|------------------------|
| (3) 9.5mm Mixture | @ <u>75.00</u> per ton |
| (4) 12.5 mm Mixture | @ <u>74.00</u> per ton |
| (5) 19 mm Mixture | @ <u>73.00</u> per ton |
| (6) 25 mm Mixture | @ 85.00 per ton |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ 90.00 per ton |
|---------------------|------------------------|
| (8) 9.5 mm Mixture | @ <u>75.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>74.00</u> per ton |
| (10) 19 mm Mixture | @ <u>73.00</u> per ton |
| (11) 25 mm Mixture | @ <u>85.00</u> per ton |

| (12) | 4.75 mm Mixture | @ | per ton |
|-------------------|-----------------|---------|---------|
| (13) | 9.5 mm Mixture | @ 75.00 | per ton |
| (14) | 12.5 mm Mixture | @ 74.00 | per ton |
| (15) | 19 mm Mixture | @ | per ton |
| (16) 24 | 25 mm Mixture | @85.00 | per ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

| (18) 9.5 mm Mixture | @ 95.00 per ton |
|----------------------------------|------------------|
| (19) 12.5 mm Mixture | @95.00_ per ton |
| (20) 19 mm Mixture | @ per ton |
| CONTRACTORS HOT MIX ASPHALT SPEC | CIFICATIONS |
| (21) Hot Mix Asphalt | @65.00 _ per ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .28 PER TON PER MILE, WITH ______ 4.00 PER TON MINIMUM HAUL.

BARRIERE CONSTRUCTION CO., LLC. P.O. BOX 1576 BOUTTE, LA 70039 985/785-7700

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>BOUTTE, LA</u> are as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(22) Bagged form: STREET WISE Manufactured by: <u>CO., LLC</u> Product Name @ <u>340.00</u> per ton (8.50 PER BAG) BARRIERE CONSTRUCTION

(23) Bulk form: <u>STREET WISE</u> Manufactured by: <u>CO., LLC</u> Product Name @ 97.50 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@ 97.50 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .14 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

CENTRAL PIPE SUPPLY 101 WARE ROAD PEARL, MS 39208 601/939-3322

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at ______ are as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(22) Bagged form: <u>PERMA PATCH</u> Manufactured by: <u>PERMA PATCH</u> Product Name @_500.00 per ton (1 ½ TON MINIMUM OR 3,000 LBS)

DICKERSON & BOWEN, INC. P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>983 OLD HWY 51, BROOKHAVEN, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) Type 8, Crushed Gravel, or | @60.00 per ton Combined with |
|--------------------------------|------------------------------|
| | Limestone or Slag |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 62.00 | per | ton |
|-----|-----------------|----|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 61.00 | per | ton |
| (5) | 19 mm Mixture | @_ | 59.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ <u>62.00</u> per ton |
|---------------------|------------------------|
| (9) 12.5 mm Mixture | @ <u>61.00</u> per ton |
| (10) 19 mm Mixture | @ <u>59.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 62.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 61.00 | per | ton |
| (15) | 19 mm Mixture | @ | 59.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

| (18) | 9.5 mm Mixture | @_ | 72.00 | per | ton |
|------|-----------------|----|-------|-----|-----|
| (19) | 12.5 mm Mixture | @ | 71.00 | per | ton |
| (20) | 19 mm Mixture | @ | 69.00 | per | ton |

(21) Hot Mix Asphalt @ 60.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _______ PER TON PER MILE, WITH _______ PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC. P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>HIGHWAY 16 EAST, CARTHAGE, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| ton Combined with Limestone or Slag |
|--|
| |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 79.00 | per | ton |
|-----|-----------------|----|-------|-----|-----|
| (4) | 12.5 mm Mixture | @_ | 76.00 | per | ton |
| (5) | 19 mm Mixture | @_ | 76.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @_ | 79.00 | per ton |
|---------------------|----|-------|---------|
| (9) 12.5 mm Mixture | @_ | 76.00 | per ton |
| (10) 19 mm Mixture | @_ | 76.00 | per ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 79.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 76.00 | per | ton |
| (15) | 19 mm Mixture | @ | 76.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

| (18) | 9.5 mm Mixture | @ | 94.00 | per ton |
|------|-----------------|---|-------|---------|
| (19) | 12.5 mm Mixture | @ | 90.00 | per ton |
| (20) | 19 mm Mixture | @ | 89.00 | per ton |

(21) Hot Mix Asphalt @ 76.00 per ton

DICKERSON & BOWEN, INC. P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>2642</u> GALLATIN STREET, JACKSON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Type | 8, | Crushed | Gravel, | or | @ | 62.00 | per | ton | Combir | ıed | with |
|-----|------|----|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | | | | | | | | | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 62.00 | per ton |
|-----|-----------------|---|-------|---------|
| (4) | 12.5 mm Mixture | @ | 58.00 | per ton |
| (5) | 19 mm Mixture | @ | 54.00 | per ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 62.00 | per ton |
|---------------------|----|-------|---------|
| (9) 12.5 mm Mixture | @_ | 58.00 | per ton |
| (10) 19 mm Mixture | @ | 54.00 | per ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @_ | 62.00 | per | ton |
|------|-----------------|----|-------|-----|-----|
| (14) | 12.5 mm Mixture | @_ | 58.00 | per | ton |
| (15) | 19 mm Mixture | @ | 54.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

| (18) 9.5 mm Mixture | @ 69.00 per ton |
|----------------------|------------------------|
| (19) 12.5 mm Mixture | @ <u>65.00</u> per ton |
| (20) 19 mm Mixture | @ 62.00 per ton |

(21) Hot Mix Asphalt @ 62.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @ 100.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ___.35 PER TON PER MILE, WITH __4.50 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC. P.O. BOX 1008 BROOKHAVEN, MS 39602 601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>HIGHWAY 98 EAST, MCCOMB, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Туре | 8, | Crushed | Gravel, | or | @_ | 63.00 | per | ton | Combir | ıed | with |
|-----|------|----|---------|---------|----|----|-------|-----|------|--------|-----|------|
| | | | | | | | | | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 65.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 63.00 | per | ton |
| (5) | 19 mm Mixture | @ | 61.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 65.00 | per ton |
|---------------------|---|-------|---------|
| (9) 12.5 mm Mixture | @ | 63.00 | per ton |
| (10) 19 mm Mixture | @ | 61.00 | per ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 65.00 | per ton |
|------|-----------------|---|-------|---------|
| (14) | 12.5 mm Mixture | @ | 63.00 | per ton |
| (15) | 19 mm Mixture | @ | 61.00 | per ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

| (18) | 9.5 mm Mixture | @ | 78.00 | per | ton | |
|------|-----------------|---|-------|-----|-----|--|
| (19) | 12.5 mm Mixture | @ | 77.00 | per | ton | |
| (20) | 19 mm Mixture | @ | 76.00 | per | ton | |

(21) Hot Mix Asphalt @ 63.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @ 85.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .35 PER TON PER MILE, WITH <u>5.00</u> PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC. P.O. BOX 6560 LAUREL, MS 39441 601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>188 HWY 98 EAST, COLUMBIA, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) Type 8, Crushed Gravel, or | @ 67.90 per ton Combined with |
|--------------------------------|-------------------------------|
| | Limestone or Slag |

907-403-A HOT MIX ASPHALT, ST:

| (2) | 4.75 mm Mixture | @ | 91.75 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (3) | 9.5mm Mixture | @ | 66.60 | per | ton |
| (4) | 12.5 mm Mixture | @ | 65.95 | per | ton |
| (5) | 19 mm Mixture | @ | 63.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ | 91.75 | per | ton |
|---------------------|---|-------|-----|-----|
| (8) 9.5 mm Mixture | @ | 67.90 | per | ton |
| (9) 12.5 mm Mixture | @ | 64.60 | per | ton |
| (10) 19 mm Mixture | @ | 59.65 | per | ton |

| (12) | 4.75 mm Mixture | @ | 92.85 | per ton |
|------|-----------------|---|-------|---------|
| (13) | 9.5 mm Mixture | @ | 67.95 | per ton |
| (14) | 12.5 mm Mixture | @ | 67.00 | per ton |
| (15) | 19 mm Mixture | @ | 62.40 | per ton |

| 907-403-A HOT MIX ASPHALT, HT, | POLYMER MODIFIED (PG 76-22): |
|---------------------------------|------------------------------|
| (17) 4.75 mm Mixture | @ 102.20 per ton |
| (18) 9.5 mm Mixture | @ <u>72.75</u> per ton |
| (19) 12.5 mm Mixture | @ 72.70 per ton |
| (20) 19 mm Mixture | @ 66.30 per ton |
| CONTRACTORS HOT MIX ASPHALT SPE | CIFICATIONS |
| (21) Hot Mix Asphalt | @61.60 per ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _____ PER TON PER MILE, WITH _____ 4.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC. P.O. BOX 6560 LAUREL, MS 39441 601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>509 AVENUE D, LAUREL, MS 39440</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Туре | 8, | Crushed | Gravel, | or | @ | 72.15 | per | ton | Combin | led | with |
|-----|------|----|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | | | | | | - | | | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (2) | 4.75 mm Mixture | @ | 89.70 | per ton |
|-----|-----------------|---|-------|---------|
| (3) | 9.5mm Mixture | @ | 70.25 | per ton |
| (4) | 12.5 mm Mixture | @ | 68.80 | per ton |
| (5) | 19 mm Mixture | @ | 65.80 | per ton |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ <u>89.70</u> per ton |
|---------------------|------------------------|
| (8) 9.5 mm Mixture | @ 70.60 per ton |
| (9) 12.5 mm Mixture | @ 64.25 per ton |
| (10) 19 mm Mixture | @ <u>61.75</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

| (12) | 4.75 mm Mixture | @ | 89.70 | per | ton |
|------|-----------------|----|-------|-----|-----|
| (13) | 9.5 mm Mixture | @ | 71.75 | per | ton |
| (14) | 12.5 mm Mixture | @_ | 71.20 | per | ton |
| (15) | 19 mm Mixture | @ | 65.80 | per | ton |

| 907-403-A HOT MIX ASPHALT, HT, | POLYMER MODIFIED (PG 76-22): |
|---------------------------------|------------------------------|
| (17) 4.75 mm Mixture | @ 99.75 per ton |
| (18) 9.5 mm Mixture | @ <u>77.10</u> per ton |
| (19) 12.5 mm Mixture | @ <u>76.10</u> per ton |
| (20) 19 mm Mixture | @ 69.70 per ton |
| CONTRACTORS HOT MIX ASPHALT SPH | SCIFICATIONS |
| (21) Hot Mix Asphalt | @ <u>58.00</u> per ton |

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @ 96.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .22 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC. P.O. BOX 6560 LAUREL, MS 39441 601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 157 CHEVIS LEE ROAD, PETAL, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Туре | 8, | Crushed | Gravel, | or | @ | 70.10 | per | ton | Combin | ıed | with |
|-----|------|----|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | | | | | | | | | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (2) | 4.75 mm Mixture | @ | 89.35 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (3) | 9.5mm Mixture | @ | 69.30 | per | ton |
| (4) | 12.5 mm Mixture | @ | 68.00 | per | ton |
| (5) | 19 mm Mixture | @ | 65.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ | 89.35 | per | ton |
|---------------------|----|-------|-----|-----|
| (8) 9.5 mm Mixture | @_ | 69.70 | per | ton |
| (9) 12.5 mm Mixture | @_ | 63.65 | per | ton |
| (10) 19 mm Mixture | @_ | 61.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT:

| (12) | 4.75 mm Mixture | @ | 89.35 | per | ton |
|------|-----------------|----|-------|-----|-----|
| (13) | 9.5 mm Mixture | @ | 70.70 | per | ton |
| (14) | 12.5 mm Mixture | @_ | 70.25 | per | ton |
| (15) | 19 mm Mixture | @ | 64.85 | per | ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22): (17) 4.75 mm Mixture @ 99.<u>40</u> per ton (18) 9.5 mm Mixture @ 76.<u>00</u> per ton (19) 12.5 mm Mixture @ 75.15 per ton (20) 19 mm Mixture @ <u>68.75</u> per ton CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 63.45 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt @ 96.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .22 PER TON PER MILE, WITH _4.00 PER TON MINIMUM HAUL.

HUEY STOCKSTILL, INC. 130 HUEY STOCKSTILL ROAD PICAYUNE, MS 39466 601/798-2981

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>130 HUEY STOCKSTILL ROAD, PICAYUNE, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Туре | 8, | Crushed | Gravel, | or | @ | 71.00 | per | ton | Combir | led | with |
|-----|------|----|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | | | | | | | | | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (2) 4.75 mm Mixture | @ <u>76.00</u> per | ton |
|---------------------|--------------------|-----|
| (3) 9.5mm Mixture | @ <u>71.00</u> per | ton |
| (4) 12.5 mm Mixture | @ <u>71.00</u> per | ton |
| (5) 19 mm Mixture | @ <u>71.00</u> per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ <u>76.00</u> per ton |
|---------------------|------------------------|
| (8) 9.5 mm Mixture | @ 71.00 per ton |
| (9) 12.5 mm Mixture | @ <u>71.00</u> per ton |
| (10) 19 mm Mixture | @ 71.00 per ton |

907-403-A HOT MIX ASPHALT, HT:

| (12) | 4.75 mm Mixture | @ | 76.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (13) | 9.5 mm Mixture | @ | 71.00 | per | ton |
| (14) | 12.5 mm Mixture | @ | 71.00 | per | ton |
| (15) | 19 mm Mixture | @ | 71.00 | per | ton |

| 907-403-A HOT MIX ASPHALT, HT, | POLYMER MODIFIED (PG 76-22): |
|--------------------------------|------------------------------|
| (17) 4.75 mm Mixture | @ <u>82.00</u> per ton |
| (18) 9.5 mm Mixture | @ 77.00 per ton |
| (19) 12.5 mm Mixture | @ <u>77.00</u> per ton |
| (20) 19 mm Mixture | @ <u>77.00</u> per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

| (21) | Hot Mi | x Asphalt | @_ | | 71.00 | per | ton |
|------|--------|-----------|----|--|-------|-----|-----|
|------|--------|-----------|----|--|-------|-----|-----|

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 7, 1775 FARRISH GRAVEL ROAD, BATESVILLE, MS</u> 38606 are as follows:

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 69.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 64.00 | per | ton |
| (5) | 19 mm Mixture | @ | 60.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 69.00 | per | ton |
|---------------------|----|-------|-----|-----|
| (9) 12.5 mm Mixture | @ | 64.00 | per | ton |
| (10) 19 mm Mixture | @_ | 60.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 69.00 | per ton |
|------|-----------------|---|-------|---------|
| (14) | 12.5 mm Mixture | @ | 64.00 | per ton |
| (15) | 19 mm Mixture | @ | 60.00 | per ton |

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: <u>QPR COLD MIX</u> Manufactured by: <u>QPR</u> Product Name @ 130.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 10, 161 STONEWALL ROAD, BYHALIA, MS 38611</u> are as follows:

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 69.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 66.00 | per | ton |
| (5) | 19 mm Mixture | @ | 61.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @_ | 69.00 | per | ton |
|---------------------|----|-------|-----|-----|
| (9) 12.5 mm Mixture | @_ | 66.00 | per | ton |
| (10) 19 mm Mixture | @ | 61.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 69.00 | per ton |
|------|-----------------|---|-------|---------|
| (14) | 12.5 mm Mixture | @ | 66.00 | per ton |
| (15) | 19 mm Mixture | @ | 61.00 | per ton |

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

| (23) | Bulk form | QPR COLD MIX | Manufactured by: QPR |
|------|-----------|--------------|----------------------|
| | | Product Name | |
| | @_140.00 | per ton | |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 3, 415 PORT ROAD, FIRARS POINT, MS 38631</u> are as follows:

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 72.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 68.00 | per | ton |
| (5) | 19 mm Mixture | @ | 63.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 72.00 | per | ton |
|---------------------|----|-------|-----|-----|
| (9) 12.5 mm Mixture | @ | 68.00 | per | ton |
| (10) 19 mm Mixture | @_ | 63.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 72.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 68.00 | per | ton |
| (15) | 19 mm Mixture | @ | 63.00 | per | ton |

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 6, 6158 HWY 51 SOUTH, HERNANDO, MS 38632</u> are as follows:

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 69.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 64.00 | per | ton |
| (5) | 19 mm Mixture | @ | 60.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 69.00 | per | ton |
|---------------------|---|-------|-----|-----|
| (9) 12.5 mm Mixture | @ | 64.00 | per | ton |
| (10) 19 mm Mixture | @ | 60.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 69.00 | per ton |
|------|-----------------|---|-------|---------|
| (14) | 12.5 mm Mixture | @ | 64.00 | per ton |
| (15) | 19 mm Mixture | @ | 60.00 | per ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 5, 2840 CARRIER ROAD, MEMPHIS, TN 38116</u> are as follows:

907-403-A HOT MIX ASPHALT, ST:

| (3) 9.5 | 5mm Mixture | @ | 73.00 | per ton |
|---------|---------------|---|-------|---------|
| (4) 12. | .5 mm Mixture | @ | 72.00 | per ton |
| (5) 19 | mm Mixture | @ | 63.00 | per ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ <u>73.00</u> per ton |
|---------------------|------------------------|
| (9) 12.5 mm Mixture | @ 72.00 per ton |
| (10) 19 mm Mixture | @ <u>63.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 73.00 | per ton |
|------|-----------------|---|-------|---------|
| (14) | 12.5 mm Mixture | @ | 72.00 | per ton |
| (15) | 19 mm Mixture | @ | 63.00 | per ton |

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: <u>QPR COLD MIX</u> Manufactured by: <u>QPR</u> Product Name @ <u>130.00</u> per ton

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 11, OLD HWY 7 NORTH, OXFORD, MS 38655</u> are as follows:

907-403-A HOT MIX ASPHALT, ST:

| (3) 9.5mm Mixture | @ <u>70.00</u> per ton |
|---------------------|------------------------|
| (4) 12.5 mm Mixture | @ <u>67.00</u> per ton |
| (5) 19 mm Mixture | @ <u>63.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 70.00 | per | ton |
|---------------------|---|-------|-----|-----|
| (9) 12.5 mm Mixture | @ | 67.00 | per | ton |
| (10) 19 mm Mixture | @ | 63.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 70.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 67.00 | per | ton |
| (15) | 19 mm Mixture | @ | 63.00 | per | ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 66.00 per ton

49

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>PLANT 1, HWY 82, WINONA, MS 38967 (WHEN RUNNING</u>) are as follows:

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 71.00 | per | ton |
|-----|-----------------|----|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 68.00 | per | ton |
| (5) | 19 mm Mixture | @_ | 62.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ <u>71.00</u> per ton |
|---------------------|------------------------|
| (9) 12.5 mm Mixture | @ 68.00 per ton |
| (10) 19 mm Mixture | @ <u>62.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 71.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 68.00 | per | ton |
| (15) | 19 mm Mixture | @ | 62.00 | per | ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

MALLETTE BROTHERS CONSTRUCTION COMPANY, INC. 3708 HIGHWAY 90 GAUTIER, MS 39553 228/497-2523

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 2801 OLD SPANISH TRAIL, GAUTIER are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Type | 8, | Crushed | Gravel, | or | @ | 68.00 | per | ton | Combin | ıed | with |
|-----|------|----|---------|---------|----|---|-------|-----|-----|--------|-----|------|
| | | | | | | | | - | | estone | | |

907-403-A HOT MIX ASPHALT, ST:

| (2) | 4.75 mm Mixture | @ | 68.00 | per t | on |
|-----|-----------------|---|-------|--------|-----|
| (3) | 9.5mm Mixture | @ | 68.00 | per t | on |
| (4) | 12.5 mm Mixture | @ | 68.00 | per t | on |
| (5) | 19 mm Mixture | @ | 68.00 | per t | on |
| (6) | 25 mm Mixture | @ | 68.00 | _per t | con |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ 68.00 per ton |
|---------------------|------------------------|
| (8) 9.5 mm Mixture | @ 68.00 per ton |
| (9) 12.5 mm Mixture | @ <u>68.00</u> per ton |
| (10) 19 mm Mixture | @ <u>68.00</u> per ton |
| (11) 25 mm Mixture | @68.00 per ton |

907-403-A HOT MIX ASPHALT, HT:

| (12) | 4.75 mm Mixture | @ | 68.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (13) | 9.5 mm Mixture | @ | 68.00 | per | ton |
| (14) | 12.5 mm Mixture | @ | 68.00 | per | ton |
| (15) | 19 mm Mixture | @ | 68.00 | per | ton |
| (16) | 25 mm Mixture | @ | 68.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

| (17) 4.75 mm Mixture | @ 74.00 | per ton |
|----------------------------------|------------|---------|
| (18) 9.5 mm Mixture | @ 73.00 | per ton |
| (19) 12.5 mm Mixture | @ 72.00 | per ton |
| (20) 19 mm Mixture | @ | per ton |
| CONTRACTORS HOT MIX ASPHALT SPEC | IFICATIONS | |

(21) Hot Mix Asphalt @ 68.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR _____.21_ PER TON PER MILE, WITH ____.5.00_ PER TON MINIMUM HAUL.

PANDLE, INC. 2401 PETIT BOIS PASCAGOULA, MS 39581 228/762-3300

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PASCAGOULA, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Type 8 | 3, | Crushed | Gravel, | or | @ | 63.00 | per | ton | Combir | ıed | with |
|-----|--------|----|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | | | | | | | | | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 65.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 65.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) | 9.5 m | m Mixture | @ | 65.00 | per | ton |
|-----|-------|-----------|---|-------|-----|-----|
| | | | | | | |

(9) 12.5 mm Mixture @ 65.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 65.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .19 PER TON PER MILE, WITH 3.00 PER TON MINIMUM HAUL.

SOUTHERN PIPE 4059 CENTERVILLE ROAD MAGNOLIA, MS 39652 601/906-3444

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(22) Bagged form: <u>QPR</u> Manufactured by: <u>QPR USA</u> Product Name

@ 478.00 per ton 11.95 PER BAG 63 BAGS PER PALLET

STANDARD CONSTRUCTION COMPANY, INC. P.O. BOX 38289 GERMANTOWN, TN 38183 901/754-5181

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>1035 FRANK ROAD, COLLIERVILLE, TN</u> are as follows:

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 62.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 60.50 | per | ton |
| (5) | 19 mm Mixture | @ | 56.50 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 62.00 | per ton |
|---------------------|---|-------|---------|
| (9) 12.5 mm Mixture | @ | 60.50 | per ton |
| (10) 19 mm Mixture | @ | 56.50 | per ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 60.00 | er ton |
|------|-----------------|---|-------|---------|
| (14) | 12.5 mm Mixture | @ | 58.50 | per ton |
| (15) | 19 mm Mixture | @ | 54.50 | per ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

| (18) 9.5 mm | n Mixture | @ | 76.00 | er t | on |
|-------------|------------|---|-------|------|-----|
| (19) 12.5 m | nm Mixture | @ | 73.50 | per | ton |
| (20) 19 mm | Mixture | @ | 66.75 | per | ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 58.50 per ton

SUPERIOR ASPHALT, INC. 6000 I-55 SOUTH BYRAM, MS 39272 601/376-3000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>BYRAM</u>, MISSISSIPPI are as follows:

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 62.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 58.00 | per | ton |
| (5) | 19 mm Mixture | @ | 50.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @_ | 62.00 | per to | n |
|---------------------|----|-------|--------|---|
| (9) 12.5 mm Mixture | @ | 58.00 | per to | n |
| (10) 19 mm Mixture | @_ | 50.00 | per to | n |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 62.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 58.00 | per | ton |
| (15) | 19 mm Mixture | @ | 50.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

| (18) | 9.5 mm Mixture | @ | 70.00 | per ton |
|------|-----------------|---|-------|---------|
| (19) | 12.5 mm Mixture | @ | 65.00 | per ton |
| (20) | 19 mm Mixture | @ | 55.00 | per ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

SUPERIOR ASPHALT, INC. 6000 I-55 SOUTH BYRAM, MS 39272 601/376-3000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>HAZLEHURST, MISSISSIPPI</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) Type 8, Crushed Gravel, or | @ <u>51.00</u> per ton Combined with Limestone or Slag |
|--------------------------------|---|
| 907-403-A HOT MIX ASPHALT, ST: | |

| (3) | 9.5mm Mixture | @ | 57.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 52.00 | per | ton |
| (5) | 19 mm Mixture | @ | 46.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) | 9.5 mm Mixture | @ | 57.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (9) | 12.5 mm Mixture | @ | 52.00 | per | ton |
| (10) |) 19 mm Mixture | @ | 46.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 57.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 52.00 | per | ton |
| (15) | 19 mm Mixture | @ | 46.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

| (18) | 9.5 mm Mixture | @ | 62.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (19) | 12.5 mm Mixture | @ | 58.00 | per | ton |
| (20) | 19 mm Mixture | @ | 52.00 | per | ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>BYRAM, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Type 8, | Crushed | Gravel, | or | @ | 56.00 | per | ton | Combin | led | with |
|-----|---------|---------|---------|----|---|-------|-----|-----|--------|-----|------|
| • • | | | | | | | - | Lim | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 58.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 56.00 | per | ton |
| (5) | 19 mm Mixture | @ | 49.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 60.00 | per ton |
|---------------------|---|-------|---------|
| (9) 12.5 mm Mixture | @ | 56.00 | per ton |
| (10) 19 mm Mixture | @ | 49.00 | per ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 60.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 56.00 | per | ton |
| (15) | 19 mm Mixture | @ | 49.00 | per | ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

| (21) | Hot | Mix | Asphalt | @ | | 54.0 | 00 | per | ton |
|------|-----|-----|---------|---|--|------|----|-----|-----|
|------|-----|-----|---------|---|--|------|----|-----|-----|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>GEORGETOWN, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Type 8, | Crushed | Gravel, | or | @ | 59.00 | per | ton | Combir | ıed | with |
|-----|---------|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | | | | | | | _ | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 61.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 57.00 | per | ton |
| (5) | 19 mm Mixture | @ | 51.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ | 61.00 | per | ton |
|---------------------|---|-------|-----|-----|
| (9) 12.5 mm Mixture | @ | 59.00 | per | ton |
| (10) 19 mm Mixture | @ | 51.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 62.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 59.00 | per | ton |
| (15) | 19 mm Mixture | @ | 51.00 | per | ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 56.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH ______ PER TON MINIMUM HAUL.

59

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>MORTON, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Type 8, | Crushed | Gravel, | or | @ | 65.00 | per | ton Lim | Combin estone | ied or | with Slag |
|-----|---------|---------|---------|----|---|-------|-----|------------|------------------|-----------|--------------|
| | | | | | | | | | | | |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 68.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 65.00 | per | ton |

(5) 19 mm Mixture @ <u>62.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

| (8) 9.5 mm Mixture | @ 69.00 per ton |
|---------------------|------------------------|
| (9) 12.5 mm Mixture | @66.00 per ton |
| (10) 19 mm Mixture | @ <u>62.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 69.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 66.00 | per | ton |
| (15) | 19 mm Mixture | @ | 62.00 | per | ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 62.00 per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: <u>QPR</u> Manufactured by: <u>QPR</u> Product Name @ 140.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH ______ DER TON MINIMUM HAUL.

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>MT. OLIVE, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Type | 8, | Crushed | Gravel, | or | @ | 62.00 | per | ton | Combin | led | with |
|-----|------|----|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | •• | - | | | | | | - | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (3) | 9.5mm Mixture | @ | 64.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (4) | 12.5 mm Mixture | @ | 60.00 | per | ton |
| (5) | 19 mm Mixture | @ | 55.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (8) | 9.5 1 | mm | Mixture | @ | 65.00 | per | ton |
|------|-------|----|---------|---|-------|-----|-----|
| (10) | 19 ı | mm | Mixture | @ | 56.00 | per | ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 65.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 60.00 | per | ton |
| (15) | 19 mm Mixture | @ | 57.00 | per | ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 59.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

61

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>WASHINGTON, MS</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Type 8. | Crushed | Gravel, | or | @ | 70.00 | per | ton | Combir | ıed | with |
|-----|---------|---------|---------|----|---|-------|-----|------|--------|-----|------|
| (-) | -760 •7 | ••••• | | | _ | | - | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (2) | 4.75 mm Mixture | @ | 79.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (3) | 9.5mm Mixture | @ | 69.00 | per | ton |
| (4) | 12.5 mm Mixture | @ | 69.00 | per | ton |
| (5) | 19 mm Mixture | @ | 62.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (9) 12.5 mm Mixture @ 71.00 per to | (9) | 12.5 mm Mixture | @ | 71.00 | per | ton |
|------------------------------------|-----|-----------------|---|-------|-----|-----|
|------------------------------------|-----|-----------------|---|-------|-----|-----|

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

| (21) Hot Mix Asphalt | @ 69.00 | per | ton |
|----------------------|---------|-----|-----|
|----------------------|---------|-----|-----|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ______.25_ PER TON PER MILE, WITH ______.4.00_ PER TON MINIMUM HAUL.

W G CONSTRUCTION COMPANY, INC. 12051 HIGHWAY 4 EAST RIPLEY, MS 38663 662/837-8811

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>1801 EAST COMMERCE, BOONEVILLE, MS 38829</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) Type 8, | Crushed Grave | l, or | @ 72 | .00 per | ton Combine | d with |
|-------------|----------------------|-------|------|---------|-------------|---------|
| | | | | | Limestone c | or Slag |

907-403-A HOT MIX ASPHALT, ST:

| (2) | 4.75 mm Mixture | @ | 80.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (3) | 9.5mm Mixture | @ | 72.00 | per | ton |
| (4) | 12.5 mm Mixture | @ | 72.00 | per | ton |
| (5) | 19 mm Mixture | @ | 70.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ 80.00 per ton |
|---------------------|------------------------|
| (8) 9.5 mm Mixture | @ 72.00 per ton |
| (9) 12.5 mm Mixture | @ <u>72.00</u> per ton |
| (10) 19 mm Mixture | @ <u>70.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

| (13) | 9.5 mm Mixture | @ | 72.00 | per | ton |
|------|-----------------|---|-------|-----|-----|
| (14) | 12.5 mm Mixture | @ | 72.00 | per | ton |
| (15) | 19 mm Mixture | @ | 70.00 | per | ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

| (21) | Hot | Mix | Asphalt | @_ | | 72.00 | per | ton |
|------|-----|-----|---------|----|--|-------|-----|-----|
|------|-----|-----|---------|----|--|-------|-----|-----|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

WARREN PAVING, INC. P.O. BOX 2545 GULFPORT, MS 39505 228/896-8003

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>11211 REICHOLD ROAD</u>, <u>GULFPORT</u>, <u>MS 39505</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) Type 8, Crushed Gravel, or | @ 66.00 per ton Combined with Limestone or Slag |
|--------------------------------|--|
| 907-403-A HOT MIX ASPHALT, ST: | |
| (2) 4.75 mm Mixture | @ <u>71.75</u> per ton |
| (3) 9.5mm Mixture | @ <u>64.25</u> per ton |
| (4) 12.5 mm Mixture | @ <u>58.75</u> per ton |
| (5) 19 mm Mixture | @ <u>55.00</u> per ton |
| (6) 25 mm Mixture | @ <u>55.00</u> per ton |
| 907-403-A HOT MIX ASPHALT, MT: | |
| (7) 4.75 mm Mixture | @ <u>72.25</u> per ton |
| (0) 0 5 mm Minturo | a 64.75 per ten |

| (8) 9.5 mm Mixture | @ <u>64.75</u> per ton |
|---------------------|------------------------|
| (9) 12.5 mm Mixture | @ <u>59.25</u> per ton |
| (10) 19 mm Mixture | @ 55.50 per ton |
| (11) 25 mm Mixture | @ <u>55.50</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

| (12) 4.75 mm Mixture | @ <u>72.75</u> per ton |
|---------------------------------|------------------------|
| (13) 9.5 mm Mixture | @ <u>65.25</u> per ton |
| (14) 12.5 mm Mixture | @ <u>59.75</u> per ton |
| (15) 19 mm Mixture | @ <u>56.00</u> per ton |
| (16) 25 mm Mixture 64 | @ <u>56.00</u> per ton |

 907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

 (17) 4.75 mm Mixture
 @ 81.00 per ton

 (18) 9.5 mm Mixture
 @ 74.50 per ton

 (19) 12.5 mm Mixture
 @ 73.75 per ton

 (20) 19 mm Mixture
 @ 61.25 per ton

 CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

 (21) Hot Mix Asphalt
 @ 71.25 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH _4.00 PER TON MINIMUM HAUL.

WARREN PAVING, INC. P.O. BOX 572 HATTIESBURG, MS 39403 601/544-7811

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>562 ELKS LAKE ROAD, HATTIESBURG, MS 39403</u> are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

| (1) | Type 8 | Crushed | Gravel, | or | @ | 62.75 | per | ton | Combir | led | with |
|-----|--------|---------|---------|----|---|-------|-----|------|--------|-----|------|
| | | | | | | | | Lime | estone | or | Slag |

907-403-A HOT MIX ASPHALT, ST:

| (2) | 4.75 mm Mixture | @ | 70.00 | per | ton |
|-----|-----------------|---|-------|-----|-----|
| (3) | 9.5mm Mixture | @ | 63.50 | per | ton |
| (4) | 12.5 mm Mixture | @ | 63.00 | per | ton |
| (5) | 19 mm Mixture | @ | 58.00 | per | ton |
| (6) | 25 mm Mixture | @ | 58.00 | per | ton |

907-403-A HOT MIX ASPHALT, MT:

| (7) 4.75 mm Mixture | @ 70.50 per ton |
|---------------------|------------------------|
| (8) 9.5 mm Mixture | @ <u>65.50</u> per ton |
| (9) 12.5 mm Mixture | @64.00per ton |
| (10) 19 mm Mixture | @ <u>60.00</u> per ton |
| (11) 25 mm Mixture | @ 60.00 per ton |

907-403-A HOT MIX ASPHALT, HT:

| @ <u>71.00</u> per ton |
|------------------------|
| @ <u>64.50</u> per ton |
| @ <u>64.00</u> per ton |
| @ <u>61.00</u> per ton |
| @ <u>61.00</u> per ton |
| |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

| (17) | 4.75 mm Mixture | @ | 80.50 | per | ton |
|------|-----------------------------|-------|---------|-----|-----|
| (18) | 9.5 mm Mixture | @ | 74.00 | per | ton |
| (19) | 12.5 mm Mixture | @ | 72.50 | per | ton |
| (20) | 19 mm Mixture | @ | 67.00 | per | ton |
| CONT | RACTORS HOT MIX ASPHALT SPI | ECIFI | CATIONS | | |
| (21) | Hot Mix Asphalt | @ | 61.25 | per | ton |

WHITEHEAD CONSTRUCTION, INC. 5602 INDUSTRIAL ROAD PASCAGOULA, MS 39581 228/762-6951

HOT AND COLD BITUMINOUS ASPHALT MIXTURES PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at <u>5602 INDUSTRIAL ROAD, PASCAGOULA, MS</u> are as follows:

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28)Cold Mix Asphalt

@ 120.00 per ton

MRI 50LB SACKS - 15.00 PER SACK