



# **State of Mississippi**

## **Statewide Agency Contract**

Barriere Construction Company, Inc.  
Asphalt

CONTRACT# 8200020846  
7/1/15 APPROVAL THROUGH 12/31/15

# TABLE OF CONTENTS

|   | <u>HOT AND COLD MIX ASPHALT</u>                 | <u>PAGE NO.</u> |
|---|---|-----------------|
| 4 | ADCAMP, INC.....                                | 3               |
| 1 | APAC-MISSISSIPPI INC (CANTON).....              | 4               |
| 4 | APAC-MISSISSIPPI INC (COLUMBUS & HAMILTON)..... | 6               |
| 4 | APAC-MISSISSIPPI INC (GLEN).....                | 8               |
| 1 | APAC-MISSISSIPPI INC (GREENVILLE).....          | 10              |
| 1 | APAC-MISSISSIPPI INC (GREENWOOD).....           | 12              |
| 4 | APAC-MISSISSIPPI INC (GUNTOWN).....             | 14              |
| 1 | APAC-MISSISSIPPI INC (JACKSON).....             | 16              |
| 4 | APAC-MISSISSIPPI INC (NEW ALBANY).....          | 18              |
| 4 | APAC-MISSISSIPPI INC (TUPELO).....              | 20              |
| 1 | APAC-MISSISSIPPI INC (VICKSBURG).....           | 22              |
| 1 | APAC-MISSISSIPPI INC (YAZOO CITY).....          | 24              |
| 4 | BARRIERE CONSTRUCTION CO, LLC.....              | 26              |
| 3 | CENTRAL PIPE SUPPLY.....                        | 27              |
| 2 | DICKERSON & BOWEN INC (BROOKHAVEN).....         | 28              |
| 2 | DICKERSON & BOWEN INC (CARTHAGE).....           | 30              |
| 2 | DICKERSON & BOWEN INC (JACKSON).....            | 32              |
| 2 | DICKERSON & BOWEN INC (MCCOMB).....             | 34              |
| 2 | DUNN ROADBUILDERS LLC (COLUMBIA).....           | 36              |
| 2 | DUNN ROADBUILDERS LLC (LAUREL).....             | 38              |
| 2 | DUNN ROADBUILDERS LLC (PETAL).....              | 40              |
| 4 | HUEY STOCKSTILL, INC. ....                      | 42              |
| 4 | LEHMAN ROBERTS COMPANY (BATESVILLE).....        | 44              |
| 4 | LEHMAN ROBERTS COMPANY (BYHALIA).....           | 45              |
| 4 | LEHMAN ROBERTS COMPANY (FRIARS POINT).....      | 46              |
| 4 | LEHMAN ROBERTS COMPANY (HERNANDO).....          | 47              |
| 4 | LEHMAN ROBERTS COMPANY (MEMPHIS, TN).....       | 48              |
| 4 | LEHMAN ROBERTS COMPANY (OXFORD).....            | 49              |
| 4 | LEHMAN ROBERTS COMPANY (WINONA).....            | 50              |
| 1 | MALLETTE BROTHERS CONSTRUCTION CO.....          | 51              |
| 1 | PANDLE, INC.....                                | 53              |
| 4 | SOUTHERN PIPE & SUPPLY.....                     | 54              |
| 4 | STANDARD CONSTRUCTION COMPANY, INC.....         | 55              |
| 4 | SUPERIOR ASPHALT (BYRAM).....                   | 56              |
| 4 | SUPERIOR ASPHALT (HAZLEHURST).....              | 57              |
| 2 | W.E. BLAIN & SONS, INC (BYRAM).....             | 58              |
| 2 | W.E. BLAIN & SONS, INC (GEORGETOWN).....        | 59              |
| 2 | W.E. BLAIN & SONS, INC (MORTON).....            | 60              |
| 2 | W.E. BLAIN & SONS, INC (MT. OLIVE).....         | 61              |
| 2 | W.E. BLAIN & SONS, INC (WASHINGTON).....        | 62              |
| 1 | W.G. CONSTRUCTION COMPANY, INC.....             | 63              |
| 4 | WARREN PAVING, INC (GULFPORT).....              | 64              |
| 4 | WARREN PAVING, INC (HATTIESBURG).....           | 66              |
| 1 | WHITEHEAD CONSTRUCTION, INC.....                | 68              |

1 = MDOT ONLY

2 = MDOT AND OTHER STATE AGENCIES

3 = MDOT & GOVERNING AUTHORITIES

4 = MDOT, GOVERNING AUTHORITIES, & OTHER STATE AGENCIES

ADCAMP, INC.  
1353 FLOWOOD DRIVE  
FLOWOOD, MS 39232  
601/939-4493

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 1353 FLOWOOD DRIVE, FLOWOOD, MS 39232 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 62.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 63.45 per ton

(4) 12.5 mm Mixture @ 63.45 per ton

(5) 19 mm Mixture @ 63.45 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 64.00 per ton

(9) 12.5 mm Mixture @ 64.00 per ton

(10) 19 mm Mixture @ 64.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 58.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.35 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.  
P.O. BOX 24508  
JACKSON, MS 39225-4508  
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at CANTON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 61.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 80.00 per ton  
(3) 9.5mm Mixture @ 67.00 per ton  
(4) 12.5 mm Mixture @ 66.00 per ton  
(5) 19 mm Mixture @ 57.00 per ton  
(6) 25 mm Mixture @ 85.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 80.00 per ton  
(8) 9.5 mm Mixture @ 67.00 per ton  
(9) 12.5 mm Mixture @ 66.00 per ton  
(10) 19 mm Mixture @ 57.00 per ton  
(11) 25 mm Mixture @ 85.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 80.00 per ton  
(13) 9.5 mm Mixture @ 61.00 per ton  
(14) 12.5 mm Mixture @ 59.00 per ton  
(15) 19 mm Mixture @ 55.00 per ton  
(16) 25 mm Mixture @ 85.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                |         |
|----------------------|----------------|---------|
| (17) 4.75 mm Mixture | @ <u>95.00</u> | per ton |
| (18) 9.5 mm Mixture  | @ <u>85.00</u> | per ton |
| (19) 12.5 mm Mixture | @ <u>85.00</u> | per ton |
| (20) 19 mm Mixture   | @ <u>85.00</u> | per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                |         |
|----------------------|----------------|---------|
| (21) Hot Mix Asphalt | @ <u>57.00</u> | per ton |
|----------------------|----------------|---------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.28 PER TON PER MILE, WITH 3.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.  
P.O. BOX 24508  
JACKSON, MS 39225-4508  
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at COLUMBUS/HAMILTON are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 69.50 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 69.50 per ton  
(4) 12.5 mm Mixture @ 66.50 per ton  
(5) 19 mm Mixture @ 60.50 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 69.50 per ton  
(9) 12.5 mm Mixture @ 66.50 per ton  
(10) 19 mm Mixture @ 60.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 69.50 per ton  
(14) 12.5 mm Mixture @ 66.50 per ton  
(15) 19 mm Mixture @ 60.50 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 77.50 per ton  
(19) 12.5 mm Mixture @ 74.50 per ton  
(20) 19 mm Mixture @ 68.50 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 69.50 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 90.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.20 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.  
P.O. BOX 24508  
JACKSON, MS 39225-4508  
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at CORINTH 2700 HWY 72 GLEN, MS 38846 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 70.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 70.00 per ton

(4) 12.5 mm Mixture @ 68.00 per ton

(5) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 70.00 per ton

(9) 12.5 mm Mixture @ 68.00 per ton

(10) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 70.00 per ton

(14) 12.5 mm Mixture @ 68.00 per ton

(15) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 76.00 per ton

(19) 12.5 mm Mixture @ 73.00 per ton



CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 70.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.  
P.O. BOX 24508  
JACKSON, MS 39225-4508  
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 2559 HARBOR FRONT ROAD, GREENVILLE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 86.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 99.50 per ton  
(3) 9.5mm Mixture @ 84.50 per ton  
(4) 12.5 mm Mixture @ 78.50 per ton  
(5) 19 mm Mixture @ 76.50 per ton  
(6) 25 mm Mixture @ 76.50 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 101.50 per ton  
(8) 9.5 mm Mixture @ 88.50 per ton  
(9) 12.5 mm Mixture @ 81.50 per ton  
(10) 19 mm Mixture @ 80.50 per ton  
(11) 25 mm Mixture @ 80.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 96.50 per ton  
(13) 9.5 mm Mixture @ 81.50 per ton  
(14) 12.5 mm Mixture @ 77.50 per ton  
(15) 19 mm Mixture @ 76.50 per ton  
(16) 25 mm Mixture @ 76.50 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                         |
|----------------------|-------------------------|
| (17) 4.75 mm Mixture | @ <u>107.30</u> per ton |
| (18) 9.5 mm Mixture  | @ <u>91.50</u> per ton  |
| (19) 12.5 mm Mixture | @ <u>87.50</u> per ton  |
| (20) 19 mm Mixture   | @ <u>86.50</u> per ton  |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                        |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>80.00</u> per ton |
|----------------------|------------------------|

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

|                       |                         |
|-----------------------|-------------------------|
| (28) Cold Mix Asphalt | @ <u>115.00</u> per ton |
|-----------------------|-------------------------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.27 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.  
P.O. BOX 24508  
JACKSON, MS 39225-4508  
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 1801 CYPRESS LANE, GREENWOOD, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 76.50 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

|                     |                        |
|---------------------|------------------------|
| (2) 4.75 mm Mixture | @ <u>92.50</u> per ton |
| (3) 9.5mm Mixture   | @ <u>77.50</u> per ton |
| (4) 12.5 mm Mixture | @ <u>71.50</u> per ton |
| (5) 19 mm Mixture   | @ <u>70.00</u> per ton |
| (6) 25 mm Mixture   | @ <u>70.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                        |
|---------------------|------------------------|
| (7) 4.75 mm Mixture | @ <u>94.50</u> per ton |
| (8) 9.5 mm Mixture  | @ <u>80.50</u> per ton |
| (9) 12.5 mm Mixture | @ <u>74.50</u> per ton |
| (10) 19 mm Mixture  | @ <u>73.00</u> per ton |
| (11) 25 mm Mixture  | @ <u>73.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                        |
|----------------------|------------------------|
| (12) 4.75 mm Mixture | @ <u>91.50</u> per ton |
| (13) 9.5 mm Mixture  | @ <u>76.50</u> per ton |
| (14) 12.5 mm Mixture | @ <u>70.50</u> per ton |
| (15) 19 mm Mixture   | @ <u>68.50</u> per ton |
| (16) 25 mm Mixture   | @ <u>68.50</u> per ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                         |
|----------------------|-------------------------|
| (17) 4.75 mm Mixture | @ <u>101.50</u> per ton |
| (18) 9.5 mm Mixture  | @ <u>86.50</u> per ton  |
| (19) 12.5 mm Mixture | @ <u>80.50</u> per ton  |
| (20) 19 mm Mixture   | @ <u>78.50</u> per ton  |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                        |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>70.50</u> per ton |
|----------------------|------------------------|

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

|                       |                         |
|-----------------------|-------------------------|
| (28) Cold Mix Asphalt | @ <u>115.00</u> per ton |
|-----------------------|-------------------------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.27 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.  
P.O. BOX 24508  
JACKSON, MS 39225-4508  
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at GUNTOWN (331 MESSNER ROAD GUNTOWN, MS 38849) are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 70.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 70.00 per ton

(4) 12.5 mm Mixture @ 68.00 per ton

(5) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 70.00 per ton

(9) 12.5 mm Mixture @ 68.00 per ton

(10) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 70.00 per ton

(14) 12.5 mm Mixture @ 68.00 per ton

(15) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 76.00 per ton

(19) 12.5 mm Mixture @ 73.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 70.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.  
P.O. BOX 24508  
JACKSON, MS 39225-4508  
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at JACKSON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 57.45 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 70.00 per ton  
(3) 9.5mm Mixture @ 62.00 per ton  
(4) 12.5 mm Mixture @ 62.00 per ton  
(5) 19 mm Mixture @ 55.00 per ton  
(6) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 70.00 per ton  
(8) 9.5 mm Mixture @ 62.00 per ton  
(9) 12.5 mm Mixture @ 60.00 per ton  
(10) 19 mm Mixture @ 55.00 per ton  
(11) 25 mm Mixture @ 70.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 70.00 per ton  
(13) 9.5 mm Mixture @ 62.00 per ton  
(14) 12.5 mm Mixture @ 59.00 per ton  
(15) 19 mm Mixture @ 55.00 per ton  
(16) 25 mm Mixture @ 70.00 per ton



907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                        |
|----------------------|------------------------|
| (17) 4.75 mm Mixture | @ <u>90.00</u> per ton |
| (18) 9.5 mm Mixture  | @ <u>85.00</u> per ton |
| (19) 12.5 mm Mixture | @ <u>84.00</u> per ton |
| (20) 19 mm Mixture   | @ <u>83.00</u> per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                        |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>57.00</u> per ton |
|----------------------|------------------------|

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

|                           |              |
|---------------------------|--------------|
| (23) Bulk form: <u>R3</u> | Product Name |
| @ <u>123.00</u> per ton   |              |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.28 PER TON PER MILE, WITH 3.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.  
P.O. BOX 24508  
JACKSON, MS 39225-4508  
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at GAP DRIVE, NEW ALBANY, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 73.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 73.00 per ton

(4) 12.5 mm Mixture @ 70.00 per ton

(5) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 73.00 per ton

(9) 12.5 mm Mixture @ 70.00 per ton

(10) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 73.00 per ton

(14) 12.5 mm Mixture @ 70.00 per ton

(15) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 80.00 per ton

(19) 12.5 mm Mixture @ 77.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 73.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.  
P.O. BOX 24508  
JACKSON, MS 39225-4508  
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at AUBURN 459 N. EASON BLVD, TUPELO, MS 38801 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 70.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 70.00 per ton  
(4) 12.5 mm Mixture @ 68.00 per ton  
(5) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 70.00 er ton  
(9) 12.5 mm Mixture @ 68.00 per ton  
(10) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 70.00 per ton  
(14) 12.5 mm Mixture @ 68.00 per ton  
(15) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 76.00 per ton  
(19) 12.5 mm Mixture @ 73.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 68.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.  
P.O. BOX 24508  
JACKSON, MS 39225-4508  
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at VICKSBURG, MISSISSIPPI are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

|                     |                        |
|---------------------|------------------------|
| (2) 4.75 mm Mixture | @ <u>90.00</u> per ton |
| (3) 9.5mm Mixture   | @ <u>76.00</u> per ton |
| (4) 12.5 mm Mixture | @ <u>75.00</u> per ton |
| (5) 19 mm Mixture   | @ <u>70.00</u> per ton |
| (6) 25 mm Mixture   | @ <u>80.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                        |
|---------------------|------------------------|
| (7) 4.75 mm Mixture | @ <u>90.00</u> per ton |
| (8) 9.5 mm Mixture  | @ <u>75.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>73.00</u> per ton |
| (10) 19 mm Mixture  | @ <u>69.00</u> per ton |
| (11) 25 mm Mixture  | @ <u>80.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                        |
|----------------------|------------------------|
| (12) 4.75 mm Mixture | @ <u>90.00</u> per ton |
| (13) 9.5 mm Mixture  | @ <u>75.00</u> per ton |
| (14) 12.5 mm Mixture | @ <u>74.00</u> per ton |
| (15) 19 mm Mixture   | @ <u>70.00</u> per ton |
| (16) 25 mm Mixture   | @ <u>80.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                 |         |
|----------------------|-----------------|---------|
| (17) 4.75 mm Mixture | @ <u>105.00</u> | per ton |
| (18) 9.5 mm Mixture  | @ <u>88.00</u>  | per ton |
| (19) 12.5 mm Mixture | @ <u>86.00</u>  | per ton |
| (20) 19 mm Mixture   | @ <u>85.00</u>  | per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                |         |
|----------------------|----------------|---------|
| (21) Hot Mix Asphalt | @ <u>66.00</u> | per ton |
|----------------------|----------------|---------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.28 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.  
P.O. BOX 24508  
JACKSON, MS 39225-4508  
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at YAZOO CITY, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

- (1) Type 8, Crushed Gravel, or @ 69.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (2) 4.75 mm Mixture @ 90.00 per ton  
(3) 9.5mm Mixture @ 75.00 per ton  
(4) 12.5 mm Mixture @ 74.00 per ton  
(5) 19 mm Mixture @ 73.00 per ton  
(6) 25 mm Mixture @ 85.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (7) 4.75 mm Mixture @ 90.00 per ton  
(8) 9.5 mm Mixture @ 75.00 per ton  
(9) 12.5 mm Mixture @ 74.00 per ton  
(10) 19 mm Mixture @ 73.00 per ton  
(11) 25 mm Mixture @ 85.00 per ton

907-403-A HOT MIX ASPHALT, HT:

- (12) 4.75 mm Mixture @ 90.00 per ton  
(13) 9.5 mm Mixture @ 75.00 per ton  
(14) 12.5 mm Mixture @ 74.00 per ton  
(15) 19 mm Mixture @ 73.00 per ton  
(16) 25 mm Mixture @ 85.00 per ton



907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 95.00 per ton

(19) 12.5 mm Mixture @ 95.00 per ton

(20) 19 mm Mixture @ 95.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 65.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.28 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

BARRIERE CONSTRUCTION CO., LLC.  
P.O. BOX 1576  
BOUTTE, LA 70039  
985/785-7700

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at BOUTTE, LA are as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

|      |                 |                        |                  |                 |
|------|-----------------|------------------------|------------------|-----------------|
| (22) | Bagged form:    | <u>STREET WISE</u>     | Manufactured by: | <u>CO., LLC</u> |
|      |                 | Product Name           |                  |                 |
|      | @ <u>340.00</u> | per ton (8.50 PER BAG) |                  |                 |
| (23) | Bulk form:      | <u>STREET WISE</u>     | Manufactured by: | <u>CO., LLC</u> |
|      |                 | Product Name           |                  |                 |
|      | @ <u>97.50</u>  | per ton                |                  |                 |

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 97.50 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.14 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

**HOT AND COLD BITUMINOUS ASPHALT MIXTURES**  
**PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015**

## 404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(22) Bagged form: PERMA PATCH Manufactured by: PERMA PATCH  
Product Name  
@ 500.00 per ton (1 ½ TON MINIMUM OR 3,000 LBS)

DICKERSON & BOWEN, INC.  
P.O. BOX 1008  
BROOKHAVEN, MS 39602  
601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 983 OLD HWY 51, BROOKHAVEN, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 60.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 62.00 per ton  
(4) 12.5 mm Mixture @ 61.00 per ton  
(5) 19 mm Mixture @ 59.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 62.00 per ton  
(9) 12.5 mm Mixture @ 61.00 per ton  
(10) 19 mm Mixture @ 59.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 62.00 per ton  
(14) 12.5 mm Mixture @ 61.00 per ton  
(15) 19 mm Mixture @ 59.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 72.00 per ton  
(19) 12.5 mm Mixture @ 71.00 per ton  
(20) 19 mm Mixture @ 69.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 60.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.35 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.  
P.O. BOX 1008  
BROOKHAVEN, MS 39602  
601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at HIGHWAY 16 EAST, CARTHAGE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

- (1) Type 8, Crushed Gravel, or @ 78.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

- (3) 9.5mm Mixture @ 79.00 per ton  
(4) 12.5 mm Mixture @ 76.00 per ton  
(5) 19 mm Mixture @ 76.00 per ton

907-403-A HOT MIX ASPHALT, MT:

- (8) 9.5 mm Mixture @ 79.00 per ton  
(9) 12.5 mm Mixture @ 76.00 per ton  
(10) 19 mm Mixture @ 76.00 per ton

907-403-A HOT MIX ASPHALT, HT:

- (13) 9.5 mm Mixture @ 79.00 per ton  
(14) 12.5 mm Mixture @ 76.00 per ton  
(15) 19 mm Mixture @ 76.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (18) 9.5 mm Mixture @ 94.00 per ton  
(19) 12.5 mm Mixture @ 90.00 per ton  
(20) 19 mm Mixture @ 89.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 76.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.35 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.  
P.O. BOX 1008  
BROOKHAVEN, MS 39602  
601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 2642 GALLATIN STREET, JACKSON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 62.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 62.00 per ton

(4) 12.5 mm Mixture @ 58.00 per ton

(5) 19 mm Mixture @ 54.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 62.00 per ton

(9) 12.5 mm Mixture @ 58.00 per ton

(10) 19 mm Mixture @ 54.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 62.00 per ton

(14) 12.5 mm Mixture @ 58.00 per ton

(15) 19 mm Mixture @ 54.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 69.00 per ton

(19) 12.5 mm Mixture @ 65.00 per ton

(20) 19 mm Mixture @ 62.00 per ton



CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 62.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 100.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.35 PER TON PER MILE, WITH 4.50 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.  
P.O. BOX 1008  
BROOKHAVEN, MS 39602  
601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at HIGHWAY 98 EAST, MCCOMB, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 63.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 65.00 per ton  
(4) 12.5 mm Mixture @ 63.00 per ton  
(5) 19 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 65.00 per ton  
(9) 12.5 mm Mixture @ 63.00 per ton  
(10) 19 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 65.00 per ton  
(14) 12.5 mm Mixture @ 63.00 per ton  
(15) 19 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 78.00 per ton  
(19) 12.5 mm Mixture @ 77.00 per ton  
(20) 19 mm Mixture @ 76.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 63.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 85.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.35 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC.  
P.O. BOX 6560  
LAUREL, MS 39441  
601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 188 HWY 98 EAST, COLUMBIA, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 67.90 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 91.75 per ton  
(3) 9.5mm Mixture @ 66.60 per ton  
(4) 12.5 mm Mixture @ 65.95 per ton  
(5) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 91.75 per ton  
(8) 9.5 mm Mixture @ 67.90 per ton  
(9) 12.5 mm Mixture @ 64.60 per ton  
(10) 19 mm Mixture @ 59.65 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 92.85 per ton  
(13) 9.5 mm Mixture @ 67.95 per ton  
(14) 12.5 mm Mixture @ 67.00 per ton  
(15) 19 mm Mixture @ 62.40 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                 |         |
|----------------------|-----------------|---------|
| (17) 4.75 mm Mixture | @ <u>102.20</u> | per ton |
| (18) 9.5 mm Mixture  | @ <u>72.75</u>  | per ton |
| (19) 12.5 mm Mixture | @ <u>72.70</u>  | per ton |
| (20) 19 mm Mixture   | @ <u>66.30</u>  | per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                |         |
|----------------------|----------------|---------|
| (21) Hot Mix Asphalt | @ <u>61.60</u> | per ton |
|----------------------|----------------|---------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.22 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC.  
P.O. BOX 6560  
LAUREL, MS 39441  
601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 509 AVENUE D, LAUREL, MS 39440 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 72.15 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 89.70 per ton  
(3) 9.5mm Mixture @ 70.25 per ton  
(4) 12.5 mm Mixture @ 68.80 per ton  
(5) 19 mm Mixture @ 65.80 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 89.70 per ton  
(8) 9.5 mm Mixture @ 70.60 per ton  
(9) 12.5 mm Mixture @ 64.25 per ton  
(10) 19 mm Mixture @ 61.75 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 89.70 per ton  
(13) 9.5 mm Mixture @ 71.75 per ton  
(14) 12.5 mm Mixture @ 71.20 per ton  
(15) 19 mm Mixture @ 65.80 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                |         |
|----------------------|----------------|---------|
| (17) 4.75 mm Mixture | @ <u>99.75</u> | per ton |
| (18) 9.5 mm Mixture  | @ <u>77.10</u> | per ton |
| (19) 12.5 mm Mixture | @ <u>76.10</u> | per ton |
| (20) 19 mm Mixture   | @ <u>69.70</u> | per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                |         |
|----------------------|----------------|---------|
| (21) Hot Mix Asphalt | @ <u>58.00</u> | per ton |
|----------------------|----------------|---------|

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

|                       |                |         |
|-----------------------|----------------|---------|
| (28) Cold Mix Asphalt | @ <u>96.00</u> | per ton |
|-----------------------|----------------|---------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.22 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC.  
P.O. BOX 6560  
LAUREL, MS 39441  
601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 157 CHEVIS LEE ROAD, PETAL, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 70.10 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 89.35 per ton  
(3) 9.5mm Mixture @ 69.30 per ton  
(4) 12.5 mm Mixture @ 68.00 per ton  
(5) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 89.35 per ton  
(8) 9.5 mm Mixture @ 69.70 per ton  
(9) 12.5 mm Mixture @ 63.65 per ton  
(10) 19 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 89.35 per ton  
(13) 9.5 mm Mixture @ 70.70 per ton  
(14) 12.5 mm Mixture @ 70.25 per ton  
(15) 19 mm Mixture @ 64.85 per ton



907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                        |
|----------------------|------------------------|
| (17) 4.75 mm Mixture | @ <u>99.40</u> per ton |
| (18) 9.5 mm Mixture  | @ <u>76.00</u> per ton |
| (19) 12.5 mm Mixture | @ <u>75.15</u> per ton |
| (20) 19 mm Mixture   | @ <u>68.75</u> per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                        |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>63.45</u> per ton |
|----------------------|------------------------|

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

|                       |                        |
|-----------------------|------------------------|
| (28) Cold Mix Asphalt | @ <u>96.00</u> per ton |
|-----------------------|------------------------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.22 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

HUEY STOCKSTILL, INC.  
130 HUEY STOCKSTILL ROAD  
PICAYUNE, MS 39466  
601/798-2981

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 130 HUEY STOCKSTILL ROAD, PICAYUNE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 76.00 per ton  
(3) 9.5mm Mixture @ 71.00 per ton  
(4) 12.5 mm Mixture @ 71.00 per ton  
(5) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 76.00 per ton  
(8) 9.5 mm Mixture @ 71.00 per ton  
(9) 12.5 mm Mixture @ 71.00 per ton  
(10) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 76.00 per ton  
(13) 9.5 mm Mixture @ 71.00 per ton  
(14) 12.5 mm Mixture @ 71.00 per ton  
(15) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                |         |
|----------------------|----------------|---------|
| (17) 4.75 mm Mixture | @ <u>82.00</u> | per ton |
| (18) 9.5 mm Mixture  | @ <u>77.00</u> | per ton |
| (19) 12.5 mm Mixture | @ <u>77.00</u> | per ton |
| (20) 19 mm Mixture   | @ <u>77.00</u> | per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                |         |
|----------------------|----------------|---------|
| (21) Hot Mix Asphalt | @ <u>71.00</u> | per ton |
|----------------------|----------------|---------|

LEHMAN-ROBERTS COMPANY  
P.O. BOX 1603  
MEMPHIS, TN 38101  
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 7, 1775 FARRISH GRAVEL ROAD, BATESVILLE, MS 38606 are as follows:

907-403-A HOT MIX ASPHALT, ST:

|                     |                |         |
|---------------------|----------------|---------|
| (3) 9.5mm Mixture   | @ <u>69.00</u> | per ton |
| (4) 12.5 mm Mixture | @ <u>64.00</u> | per ton |
| (5) 19 mm Mixture   | @ <u>60.00</u> | per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                |         |
|---------------------|----------------|---------|
| (8) 9.5 mm Mixture  | @ <u>69.00</u> | per ton |
| (9) 12.5 mm Mixture | @ <u>64.00</u> | per ton |
| (10) 19 mm Mixture  | @ <u>60.00</u> | per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                |         |
|----------------------|----------------|---------|
| (13) 9.5 mm Mixture  | @ <u>69.00</u> | per ton |
| (14) 12.5 mm Mixture | @ <u>64.00</u> | per ton |
| (15) 19 mm Mixture   | @ <u>60.00</u> | per ton |

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

|                                     |                             |
|-------------------------------------|-----------------------------|
| (23) Bulk form: <u>QPR COLD MIX</u> | Manufactured by: <u>QPR</u> |
| Product Name                        |                             |
| @ <u>130.00</u>                     | per ton                     |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY  
P.O. BOX 1603  
MEMPHIS, TN 38101  
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 10, 161 STONEWALL ROAD, BYHALIA, MS 38611 are as follows:

907-403-A HOT MIX ASPHALT, ST:

|                     |                        |
|---------------------|------------------------|
| (3) 9.5mm Mixture   | @ <u>69.00</u> per ton |
| (4) 12.5 mm Mixture | @ <u>66.00</u> per ton |
| (5) 19 mm Mixture   | @ <u>61.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                        |
|---------------------|------------------------|
| (8) 9.5 mm Mixture  | @ <u>69.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>66.00</u> per ton |
| (10) 19 mm Mixture  | @ <u>61.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                        |
|----------------------|------------------------|
| (13) 9.5 mm Mixture  | @ <u>69.00</u> per ton |
| (14) 12.5 mm Mixture | @ <u>66.00</u> per ton |
| (15) 19 mm Mixture   | @ <u>61.00</u> per ton |

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

|                                     |                             |
|-------------------------------------|-----------------------------|
| (23) Bulk form: <u>QPR COLD MIX</u> | Manufactured by: <u>QPR</u> |
| Product Name                        |                             |
| @ <u>140.00</u> per ton             |                             |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY  
P.O. BOX 1603  
MEMPHIS, TN 38101  
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 3, 415 PORT ROAD, FIRARS POINT, MS 38631 are as follows:

907-403-A HOT MIX ASPHALT, ST:

|                     |                        |
|---------------------|------------------------|
| (3) 9.5mm Mixture   | @ <u>72.00</u> per ton |
| (4) 12.5 mm Mixture | @ <u>68.00</u> per ton |
| (5) 19 mm Mixture   | @ <u>63.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                        |
|---------------------|------------------------|
| (8) 9.5 mm Mixture  | @ <u>72.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>68.00</u> per ton |
| (10) 19 mm Mixture  | @ <u>63.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                        |
|----------------------|------------------------|
| (13) 9.5 mm Mixture  | @ <u>72.00</u> per ton |
| (14) 12.5 mm Mixture | @ <u>68.00</u> per ton |
| (15) 19 mm Mixture   | @ <u>63.00</u> per ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY  
P.O. BOX 1603  
MEMPHIS, TN 38101  
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 6, 6158 HWY 51 SOUTH, HERNANDO, MS 38632 are as follows:

907-403-A HOT MIX ASPHALT, ST:

|                     |                        |
|---------------------|------------------------|
| (3) 9.5mm Mixture   | @ <u>69.00</u> per ton |
| (4) 12.5 mm Mixture | @ <u>64.00</u> per ton |
| (5) 19 mm Mixture   | @ <u>60.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                        |
|---------------------|------------------------|
| (8) 9.5 mm Mixture  | @ <u>69.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>64.00</u> per ton |
| (10) 19 mm Mixture  | @ <u>60.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                        |
|----------------------|------------------------|
| (13) 9.5 mm Mixture  | @ <u>69.00</u> per ton |
| (14) 12.5 mm Mixture | @ <u>64.00</u> per ton |
| (15) 19 mm Mixture   | @ <u>60.00</u> per ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY  
P.O. BOX 1603  
MEMPHIS, TN 38101  
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 5, 2840 CARRIER ROAD, MEMPHIS, TN 38116 are as follows:

907-403-A HOT MIX ASPHALT, ST:

|                     |                        |
|---------------------|------------------------|
| (3) 9.5mm Mixture   | @ <u>73.00</u> per ton |
| (4) 12.5 mm Mixture | @ <u>72.00</u> per ton |
| (5) 19 mm Mixture   | @ <u>63.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                        |
|---------------------|------------------------|
| (8) 9.5 mm Mixture  | @ <u>73.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>72.00</u> per ton |
| (10) 19 mm Mixture  | @ <u>63.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                        |
|----------------------|------------------------|
| (13) 9.5 mm Mixture  | @ <u>73.00</u> per ton |
| (14) 12.5 mm Mixture | @ <u>72.00</u> per ton |
| (15) 19 mm Mixture   | @ <u>63.00</u> per ton |

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

|                                     |                             |
|-------------------------------------|-----------------------------|
| (23) Bulk form: <u>QPR COLD MIX</u> | Manufactured by: <u>QPR</u> |
| Product Name                        |                             |
| @ <u>130.00</u> per ton             |                             |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.



LEHMAN-ROBERTS COMPANY  
P.O. BOX 1603  
MEMPHIS, TN 38101  
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 11, OLD HWY 7 NORTH, OXFORD, MS 38655 are as follows:

907-403-A HOT MIX ASPHALT, ST:

|                     |                        |
|---------------------|------------------------|
| (3) 9.5mm Mixture   | @ <u>70.00</u> per ton |
| (4) 12.5 mm Mixture | @ <u>67.00</u> per ton |
| (5) 19 mm Mixture   | @ <u>63.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                        |
|---------------------|------------------------|
| (8) 9.5 mm Mixture  | @ <u>70.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>67.00</u> per ton |
| (10) 19 mm Mixture  | @ <u>63.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                        |
|----------------------|------------------------|
| (13) 9.5 mm Mixture  | @ <u>70.00</u> per ton |
| (14) 12.5 mm Mixture | @ <u>67.00</u> per ton |
| (15) 19 mm Mixture   | @ <u>63.00</u> per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                        |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>66.00</u> per ton |
|----------------------|------------------------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY  
P.O. BOX 1603  
MEMPHIS, TN 38101  
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 1, HWY 82, WINONA, MS 38967 (WHEN RUNNING ) are as follows:

907-403-A HOT MIX ASPHALT, ST:

|                     |                        |
|---------------------|------------------------|
| (3) 9.5mm Mixture   | @ <u>71.00</u> per ton |
| (4) 12.5 mm Mixture | @ <u>68.00</u> per ton |
| (5) 19 mm Mixture   | @ <u>62.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                        |
|---------------------|------------------------|
| (8) 9.5 mm Mixture  | @ <u>71.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>68.00</u> per ton |
| (10) 19 mm Mixture  | @ <u>62.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                        |
|----------------------|------------------------|
| (13) 9.5 mm Mixture  | @ <u>71.00</u> per ton |
| (14) 12.5 mm Mixture | @ <u>68.00</u> per ton |
| (15) 19 mm Mixture   | @ <u>62.00</u> per ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

MALLETTE BROTHERS CONSTRUCTION COMPANY, INC.  
3708 HIGHWAY 90  
GAUTIER, MS 39553  
228/497-2523

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 2801 OLD SPANISH TRAIL, GAUTIER are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 68.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 68.00 per ton  
(3) 9.5mm Mixture @ 68.00 per ton  
(4) 12.5 mm Mixture @ 68.00 per ton  
(5) 19 mm Mixture @ 68.00 per ton  
(6) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 68.00 per ton  
(8) 9.5 mm Mixture @ 68.00 per ton  
(9) 12.5 mm Mixture @ 68.00 per ton  
(10) 19 mm Mixture @ 68.00 per ton  
(11) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 68.00 per ton  
(13) 9.5 mm Mixture @ 68.00 per ton  
(14) 12.5 mm Mixture @ 68.00 per ton  
(15) 19 mm Mixture @ 68.00 per ton  
(16) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                |         |
|----------------------|----------------|---------|
| (17) 4.75 mm Mixture | @ <u>74.00</u> | per ton |
| (18) 9.5 mm Mixture  | @ <u>73.00</u> | per ton |
| (19) 12.5 mm Mixture | @ <u>72.00</u> | per ton |
| (20) 19 mm Mixture   | @ <u>75.00</u> | per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                |         |
|----------------------|----------------|---------|
| (21) Hot Mix Asphalt | @ <u>68.00</u> | per ton |
|----------------------|----------------|---------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.21 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

PANDLE, INC.  
2401 PETIT BOIS  
PASCAGOULA, MS 39581  
228/762-3300

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PASCAGOULA, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 63.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 65.00 per ton

(4) 12.5 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 65.00 per ton

(9) 12.5 mm Mixture @ 65.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 65.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.19 PER TON PER MILE, WITH 3.00 PER TON MINIMUM HAUL.



STANDARD CONSTRUCTION COMPANY, INC.  
P.O. BOX 38289  
GERMANTOWN, TN 38183  
901/754-5181

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 1035 FRANK ROAD, COLLIERVILLE, TN are as follows:

907-403-A HOT MIX ASPHALT, ST:

|                     |                |         |
|---------------------|----------------|---------|
| (3) 9.5mm Mixture   | @ <u>62.00</u> | per ton |
| (4) 12.5 mm Mixture | @ <u>60.50</u> | per ton |
| (5) 19 mm Mixture   | @ <u>56.50</u> | per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                |         |
|---------------------|----------------|---------|
| (8) 9.5 mm Mixture  | @ <u>62.00</u> | per ton |
| (9) 12.5 mm Mixture | @ <u>60.50</u> | per ton |
| (10) 19 mm Mixture  | @ <u>56.50</u> | per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                |         |
|----------------------|----------------|---------|
| (13) 9.5 mm Mixture  | @ <u>60.00</u> | er ton  |
| (14) 12.5 mm Mixture | @ <u>58.50</u> | per ton |
| (15) 19 mm Mixture   | @ <u>54.50</u> | per ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                |         |
|----------------------|----------------|---------|
| (18) 9.5 mm Mixture  | @ <u>76.00</u> | er ton  |
| (19) 12.5 mm Mixture | @ <u>73.50</u> | per ton |
| (20) 19 mm Mixture   | @ <u>66.75</u> | per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                |         |
|----------------------|----------------|---------|
| (21) Hot Mix Asphalt | @ <u>58.50</u> | per ton |
|----------------------|----------------|---------|

SUPERIOR ASPHALT, INC.  
6000 I-55 SOUTH  
BYRAM, MS 39272  
601/376-3000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at BYRAM, MISSISSIPPI are as follows:

907-403-A HOT MIX ASPHALT, ST:

|                     |                |         |
|---------------------|----------------|---------|
| (3) 9.5mm Mixture   | @ <u>62.00</u> | per ton |
| (4) 12.5 mm Mixture | @ <u>58.00</u> | per ton |
| (5) 19 mm Mixture   | @ <u>50.00</u> | per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                |         |
|---------------------|----------------|---------|
| (8) 9.5 mm Mixture  | @ <u>62.00</u> | per ton |
| (9) 12.5 mm Mixture | @ <u>58.00</u> | per ton |
| (10) 19 mm Mixture  | @ <u>50.00</u> | per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                |         |
|----------------------|----------------|---------|
| (13) 9.5 mm Mixture  | @ <u>62.00</u> | per ton |
| (14) 12.5 mm Mixture | @ <u>58.00</u> | per ton |
| (15) 19 mm Mixture   | @ <u>50.00</u> | per ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                |         |
|----------------------|----------------|---------|
| (18) 9.5 mm Mixture  | @ <u>70.00</u> | per ton |
| (19) 12.5 mm Mixture | @ <u>65.00</u> | per ton |
| (20) 19 mm Mixture   | @ <u>55.00</u> | per ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.



SUPERIOR ASPHALT, INC.  
6000 I-55 SOUTH  
BYRAM, MS 39272  
601/376-3000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at HAZLEHURST, MISSISSIPPI are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 51.00 per ton Combined with  
Limestone or Slag  
907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 57.00 per ton

(4) 12.5 mm Mixture @ 52.00 per ton

(5) 19 mm Mixture @ 46.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 57.00 per ton

(9) 12.5 mm Mixture @ 52.00 per ton

(10) 19 mm Mixture @ 46.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 57.00 per ton

(14) 12.5 mm Mixture @ 52.00 per ton

(15) 19 mm Mixture @ 46.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 62.00 per ton

(19) 12.5 mm Mixture @ 58.00 per ton

(20) 19 mm Mixture @ 52.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.  
P.O. BOX 1208  
MT. OLIVE, MS 39119  
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at BYRAM, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 56.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 58.00 per ton  
(4) 12.5 mm Mixture @ 56.00 per ton  
(5) 19 mm Mixture @ 49.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 60.00 per ton  
(9) 12.5 mm Mixture @ 56.00 per ton  
(10) 19 mm Mixture @ 49.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 60.00 per ton  
(14) 12.5 mm Mixture @ 56.00 per ton  
(15) 19 mm Mixture @ 49.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 54.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.  
P.O. BOX 1208  
MT. OLIVE, MS 39119  
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at GEORGETOWN, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 59.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 61.00 per ton  
(4) 12.5 mm Mixture @ 57.00 per ton  
(5) 19 mm Mixture @ 51.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 61.00 per ton  
(9) 12.5 mm Mixture @ 59.00 per ton  
(10) 19 mm Mixture @ 51.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 62.00 per ton  
(14) 12.5 mm Mixture @ 59.00 per ton  
(15) 19 mm Mixture @ 51.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 56.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.  
P.O. BOX 1208  
MT. OLIVE, MS 39119  
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at MORTON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 65.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 68.00 per ton  
(4) 12.5 mm Mixture @ 65.00 per ton  
(5) 19 mm Mixture @ 62.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 69.00 per ton  
(9) 12.5 mm Mixture @ 66.00 per ton  
(10) 19 mm Mixture @ 62.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 69.00 per ton  
(14) 12.5 mm Mixture @ 66.00 per ton  
(15) 19 mm Mixture @ 62.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 62.00 per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: QPR Manufactured by: QPR  
Product Name  
@ 140.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.  
P.O. BOX 1208  
MT. OLIVE, MS 39119  
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at MT. OLIVE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 62.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 64.00 per ton  
(4) 12.5 mm Mixture @ 60.00 per ton  
(5) 19 mm Mixture @ 55.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 65.00 per ton  
(10) 19 mm Mixture @ 56.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 65.00 per ton  
(14) 12.5 mm Mixture @ 60.00 per ton  
(15) 19 mm Mixture @ 57.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 59.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.  
P.O. BOX 1208  
MT. OLIVE, MS 39119  
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at WASHINGTON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 70.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

|                     |                        |
|---------------------|------------------------|
| (2) 4.75 mm Mixture | @ <u>79.00</u> per ton |
| (3) 9.5mm Mixture   | @ <u>69.00</u> per ton |
| (4) 12.5 mm Mixture | @ <u>69.00</u> per ton |
| (5) 19 mm Mixture   | @ <u>62.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                        |
|---------------------|------------------------|
| (8) 9.5 mm Mixture  | @ <u>71.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>71.00</u> per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 69.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

W G CONSTRUCTION COMPANY, INC.  
12051 HIGHWAY 4 EAST  
RIPLEY, MS 38663  
662/837-8811

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 1801 EAST COMMERCE, BOONEVILLE, MS 38829 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 72.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 80.00 per ton  
(3) 9.5mm Mixture @ 72.00 per ton  
(4) 12.5 mm Mixture @ 72.00 per ton  
(5) 19 mm Mixture @ 70.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 80.00 per ton  
(8) 9.5 mm Mixture @ 72.00 per ton  
(9) 12.5 mm Mixture @ 72.00 per ton  
(10) 19 mm Mixture @ 70.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 72.00 per ton  
(14) 12.5 mm Mixture @ 72.00 per ton  
(15) 19 mm Mixture @ 70.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 72.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

WARREN PAVING, INC.  
P.O. BOX 2545  
GULFPORT, MS 39505  
228/896-8003

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 11211 REICHOLD ROAD, GULFPORT, MS 39505 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 66.00 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

|                     |                        |
|---------------------|------------------------|
| (2) 4.75 mm Mixture | @ <u>71.75</u> per ton |
| (3) 9.5mm Mixture   | @ <u>64.25</u> per ton |
| (4) 12.5 mm Mixture | @ <u>58.75</u> per ton |
| (5) 19 mm Mixture   | @ <u>55.00</u> per ton |
| (6) 25 mm Mixture   | @ <u>55.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                        |
|---------------------|------------------------|
| (7) 4.75 mm Mixture | @ <u>72.25</u> per ton |
| (8) 9.5 mm Mixture  | @ <u>64.75</u> per ton |
| (9) 12.5 mm Mixture | @ <u>59.25</u> per ton |
| (10) 19 mm Mixture  | @ <u>55.50</u> per ton |
| (11) 25 mm Mixture  | @ <u>55.50</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                        |
|----------------------|------------------------|
| (12) 4.75 mm Mixture | @ <u>72.75</u> per ton |
| (13) 9.5 mm Mixture  | @ <u>65.25</u> per ton |
| (14) 12.5 mm Mixture | @ <u>59.75</u> per ton |
| (15) 19 mm Mixture   | @ <u>56.00</u> per ton |
| (16) 25 mm Mixture   | @ <u>56.00</u> per ton |



907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                        |
|----------------------|------------------------|
| (17) 4.75 mm Mixture | @ <u>81.00</u> per ton |
| (18) 9.5 mm Mixture  | @ <u>74.50</u> per ton |
| (19) 12.5 mm Mixture | @ <u>73.75</u> per ton |
| (20) 19 mm Mixture   | @ <u>61.25</u> per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                        |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>71.25</u> per ton |
|----------------------|------------------------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

WARREN PAVING, INC.  
P.O. BOX 572  
HATTIESBURG, MS 39403  
601/544-7811

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 562 ELKS LAKE ROAD, HATTIESBURG, MS 39403 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 62.75 per ton Combined with  
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

|                     |                        |
|---------------------|------------------------|
| (2) 4.75 mm Mixture | @ <u>70.00</u> per ton |
| (3) 9.5mm Mixture   | @ <u>63.50</u> per ton |
| (4) 12.5 mm Mixture | @ <u>63.00</u> per ton |
| (5) 19 mm Mixture   | @ <u>58.00</u> per ton |
| (6) 25 mm Mixture   | @ <u>58.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

|                     |                        |
|---------------------|------------------------|
| (7) 4.75 mm Mixture | @ <u>70.50</u> per ton |
| (8) 9.5 mm Mixture  | @ <u>65.50</u> per ton |
| (9) 12.5 mm Mixture | @ <u>64.00</u> per ton |
| (10) 19 mm Mixture  | @ <u>60.00</u> per ton |
| (11) 25 mm Mixture  | @ <u>60.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

|                      |                        |
|----------------------|------------------------|
| (12) 4.75 mm Mixture | @ <u>71.00</u> per ton |
| (13) 9.5 mm Mixture  | @ <u>64.50</u> per ton |
| (14) 12.5 mm Mixture | @ <u>64.00</u> per ton |
| (15) 19 mm Mixture   | @ <u>61.00</u> per ton |
| (16) 25 mm Mixture   | @ <u>61.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

|                      |                        |
|----------------------|------------------------|
| (17) 4.75 mm Mixture | @ <u>80.50</u> per ton |
| (18) 9.5 mm Mixture  | @ <u>74.00</u> per ton |
| (19) 12.5 mm Mixture | @ <u>72.50</u> per ton |
| (20) 19 mm Mixture   | @ <u>67.00</u> per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

|                      |                        |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>61.25</u> per ton |
|----------------------|------------------------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR  
.25 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

WHITEHEAD CONSTRUCTION, INC.  
5602 INDUSTRIAL ROAD  
PASCAGOULA, MS 39581  
228/762-6951

HOT AND COLD BITUMINOUS ASPHALT MIXTURES  
PERIOD JULY 1, 2015 THROUGH DECEMBER 31, 2015

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 5602 INDUSTRIAL ROAD, PASCAGOULA, MS are as follows:

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 120.00 per ton

MRI 50LB SACKS - 15.00 PER SACK